

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2000

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Private industry		1,664,018	443,614	224,995	107,651	75,356	95,329	198,861	52,794
Head	0	110,251	70,791	36,588	10,811	476	4,354	8,674	44
Head, unspecified	00	17,384	10,525	6,227	4,158	83	1,021	3,182	36
Cranial region, including skull	01	14,136	8,126	4,830	3,131	146	1,225	2,465	-
Cranial region, unspecified	010	573	355	162	192	-	-	94	-
Brain	011	8,746	4,327	2,632	1,675	-	972	1,913	-
Scalp	012	4,332	3,255	1,930	1,188	134	146	374	-
Skull	013	396	123	86	-	-	87	76	-
Cranial region, n.e.c.	019	65	51	17	-	-	-	-	-
Ear(s)	02	3,012	776	668	55	-	-	491	-
Face	03	73,730	50,397	24,100	3,281	235	1,935	2,187	-
Face, unspecified	030	4,555	1,757	1,282	443	-	83	432	-
Forehead	031	3,526	2,644	1,667	891	-	126	336	-
Eye(s)	032	53,816	39,448	15,850	968	63	41	262	-
Nose, nasal cavity	033	2,672	1,683	1,242	378	63	68	271	-
Nose, except internal location of diseases or disorders	0330	2,546	1,683	1,242	378	63	68	271	-
Internal nasal location, unspecified	0331	58	-	-	-	-	-	-	-
Sinuses	0334	57	-	-	-	-	-	-	-
Cheek(s)	034	1,027	597	467	50	75	201	129	-
Jaw/chin	035	2,175	502	427	72	-	1,296	105	-
Mouth	036	3,031	2,306	1,968	291	-	44	278	-
Mouth, unspecified	0360	699	470	362	103	-	-	40	-
Lip(s)	0361	825	573	534	-	-	-	103	-
Tooth(teeth)	0363	1,262	1,066	889	167	-	-	112	-
Multiple mouth locations	0368	170	149	136	-	-	-	17	-
Mouth, n.e.c.	0369	62	36	36	-	-	-	-	-
Multiple face locations	038	2,571	1,370	1,113	181	-	70	354	-
Face, n.e.c.	039	359	90	84	-	-	-	19	-
Multiple head locations	08	1,872	908	711	177	-	157	327	-
Head, n.e.c.	09	116	59	51	-	-	-	-	-
Neck, including throat	1	28,615	4,684	2,985	1,294	47	617	1,621	485
Neck, except internal location of diseases or disorders	10	28,468	4,684	2,985	1,294	47	617	1,621	485
Internal neck location, unspecified	11	84	-	-	-	-	-	-	-
Trunk	2	618,307	31,945	19,480	7,995	2,078	25,981	57,991	15,355
Trunk, unspecified	20	2,913	398	291	68	38	257	657	-
Shoulder, including clavicle, scapula	21	96,117	8,410	5,216	2,199	510	4,489	11,132	1,434
Chest, including ribs, internal organs	22	24,957	4,658	2,687	1,390	514	2,510	4,774	75
Chest, except internal location of diseases or disorders	220	22,081	4,658	2,687	1,390	514	2,510	4,774	75
Internal chest location, unspecified	221	734	-	-	-	-	-	-	-
Heart	223	402	-	-	-	-	-	-	-
Bronchus	224	259	-	-	-	-	-	-	-
Lung(s), pleura	225	1,418	-	-	-	-	-	-	-
Multiple internal chest locations	228	47	-	-	-	-	-	-	-
Back, including spine, spinal cord	23	411,143	13,072	8,059	2,967	630	14,234	32,068	12,156
Back, including spine, spinal cord, unspecified	230	176,358	6,471	3,961	1,556	269	6,391	14,152	5,895

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2000 — Continued

Part of body	Event or exposure leading to injury or illness ³									All other events ⁴
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Private industry	454,720	256,747	68,323	69,059	73,014	3,656	23,505	18,418	5,087	181,143
Head	73	47	58	16,939	3,675	809	3,837	3,505	332	996
Head, unspecified	—	—	—	242	1,273	—	835	813	—	244
Cranial region, including skull	—	—	—	145	1,348	54	508	487	—	262
Cranial region, unspecified	—	—	—	—	—	—	103	103	—	—
Brain	—	—	—	65	977	—	257	237	—	220
Scalp	—	—	—	80	330	—	113	113	—	—
Skull	—	—	—	—	—	39	—	—	—	—
Cranial region, n.e.c.	—	—	—	—	—	—	—	—	—	—
Ear(s)	—	—	—	1,321	170	93	48	—	17	93
Face	61	41	54	15,099	806	554	2,243	2,008	235	390
Face, unspecified	—	—	—	1,229	278	246	481	446	—	50
Forehead	16	—	—	—	198	19	123	123	—	—
Eye(s)	44	—	51	12,880	156	192	474	417	57	265
Nose, nasal cavity	—	—	—	164	82	—	382	349	—	—
Nose, except internal location of diseases or disorders	—	—	—	46	82	—	382	349	—	—
Internal nasal location, unspecified	—	—	—	51	—	—	—	—	—	—
Sinuses	—	—	—	56	—	—	—	—	—	—
Cheek(s)	—	—	—	19	—	—	54	45	—	—
Jaw/chin	—	—	—	—	39	—	209	165	44	—
Mouth	—	—	—	199	—	—	171	126	45	—
Mouth, unspecified	—	—	—	156	—	—	—	—	—	—
Lip(s)	—	—	—	19	—	—	120	89	—	—
Tooth(teeth)	—	—	—	—	—	—	39	—	—	—
Multiple mouth locations	—	—	—	—	—	—	—	—	—	—
Mouth, n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple face locations	—	—	—	463	—	63	228	215	—	—
Face, n.e.c.	—	—	—	94	—	—	122	122	—	—
Multiple head locations	—	—	—	113	61	93	203	164	39	—
Head, n.e.c.	—	—	—	17	16	—	—	—	—	—
Neck, including throat	9,651	4,773	817	365	6,005	—	723	670	53	3,631
Neck, except internal location of diseases or disorders	9,646	4,769	817	263	6,005	—	713	660	53	3,602
Internal neck location, unspecified	—	—	—	58	—	—	—	—	—	—
Trunk	364,182	216,811	10,237	3,944	19,728	97	4,979	4,399	580	83,867
Trunk, unspecified	951	388	44	79	105	—	130	130	—	260
Shoulder, including clavicle, scapula	51,525	24,377	5,623	96	2,932	—	985	914	71	9,484
Chest, including ribs, internal organs	5,599	3,096	98	2,414	1,977	—	740	550	191	2,095
Chest, except internal location of diseases or disorders	5,574	3,078	84	185	1,960	—	736	546	191	1,524
Internal chest location, unspecified	—	—	—	555	—	—	—	—	—	165
Heart	—	—	—	—	—	—	—	—	—	383
Bronchus	—	—	—	256	—	—	—	—	—	—
Lung(s), pleura	—	—	—	1,356	—	—	—	—	—	19
Multiple internal chest locations	—	—	—	47	—	—	—	—	—	—
Back, including spine, spinal cord	255,774	157,354	3,907	313	12,564	16	1,962	1,886	76	65,077
Back, including spine, spinal cord, unspecified	106,136	67,393	1,576	259	6,978	—	912	845	67	27,580

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2000 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Lumbar region	231	199,695	5,182	3,188	1,084	295	5,544	14,070	5,544
Thoracic region	232	17,022	738	494	147	41	571	669	303
Sacral region	233	2,605	70	61	—	—	102	202	42
Coccygeal region	234	3,032	120	—	108	—	1,118	1,560	—
Multiple back regions	238	11,565	462	330	51	—	476	1,382	319
Back, including spine, spinal cord, n.e.c.	239	864	—	—	—	—	—	—	20
Abdomen	24	39,625	1,624	1,003	357	—	284	498	327
Abdomen, except internal location of diseases or disorders	240	9,746	1,300	825	331	—	145	313	203
Internal abdominal location, unspecified	241	13,990	137	79	—	—	72	79	—
Stomach organ	242	784	—	—	—	—	—	—	—
Urinary organs	244	138	—	—	—	—	—	—	—
Kidney(s)	2442	136	—	—	—	—	—	—	—
Intestines, peritoneum	245	14,724	176	93	—	—	67	85	94
Intestines, peritoneum, unspecified	2450	13,064	138	61	—	—	58	66	90
Peritoneum	2451	566	—	—	—	—	—	—	—
Large intestine/colon, rectum	2453	943	—	—	—	—	—	—	—
Intestines, n.e.c.	2459	125	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	183	—	—	—	—	—	—	—
Pelvic region	25	29,276	2,566	1,462	768	237	2,213	6,431	888
Pelvic region, unspecified	250	572	88	37	—	—	18	131	49
Hip(s)	251	11,414	1,019	487	360	122	1,316	4,802	290
Pelvis	252	879	177	148	—	—	279	110	—
Buttock(s)	253	1,739	176	42	103	—	290	868	—
Groin	254	13,059	820	595	165	—	260	366	500
External reproductive tract structures	255	589	198	147	—	16	18	57	18
External reproductive tract structures, unspecified	2550	67	—	—	—	—	—	—	—
Scrotum	2551	423	158	119	—	—	—	51	18
External reproductive tract structures, n.e.c.	2559	66	19	—	—	—	—	—	—
Internal reproductive tract structures	256	240	81	—	79	—	—	43	—
Internal reproductive tract structures, unspecified	2560	45	—	—	—	—	—	—	—
Testis(testes)	2562	140	79	—	79	—	—	—	—
Uterus	2564	43	—	—	—	—	—	41	—
Multiple pelvic region locations	258	323	—	—	—	—	—	41	—
Pelvic region, n.e.c.	259	461	—	—	—	—	—	—	—
Multiple trunk locations	28	13,938	1,148	698	243	121	1,936	2,388	437
Trunk, n.e.c.	29	338	68	64	—	—	58	43	—
Upper extremities	3	382,735	208,521	92,856	50,524	58,763	12,155	30,900	955
Upper extremities, unspecified	30	599	110	63	—	36	—	—	—
Arm(s)	31	71,562	19,747	8,338	8,020	3,054	4,851	11,528	293
Arm(s), unspecified	310	24,643	5,924	3,055	1,610	1,133	1,854	4,465	105
Upper arm(s)	311	4,368	561	333	111	92	91	805	—
Elbow(s)	312	26,969	6,983	1,475	5,160	237	2,183	5,060	109
Forearm(s)	313	12,890	5,904	3,247	1,112	1,476	522	873	—
Multiple arm(s) locations	318	2,048	239	144	—	81	129	280	20
Arm(s), n.e.c.	319	644	136	84	—	—	72	45	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2000 — Continued

Part of body	Event or exposure leading to injury or illness ³									
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			All other events ⁴
	Total	In lifting					Total	By person	All other assaults	
Lumbar region	129,946	78,739	1,986	—	4,315	—	780	772	—	32,291
Thoracic region	11,273	6,562	213	—	698	—	165	164	—	2,372
Sacral region	1,601	801	—	—	—	—	—	—	—	540
Coccygeal region	88	73	—	—	45	—	—	—	—	65
Multiple back regions	6,078	3,439	100	—	454	—	98	98	—	2,196
Back, including spine, spinal cord, n.e.c.	652	346	19	—	43	—	—	—	—	—
Abdomen	32,287	21,097	323	732	219	—	431	353	78	2,894
Abdomen, except internal location of diseases or disorders	6,026	3,772	—	388	184	—	393	316	77	758
Internal abdominal location, unspecified	12,226	7,998	94	—	—	—	—	—	—	1,339
Stomach organ	511	344	—	148	—	—	—	—	—	58
Urinary organs	—	—	—	112	—	—	—	—	—	16
Kidney(s)	—	—	—	112	—	—	—	—	—	16
Intestines, peritoneum	13,338	8,866	180	66	—	—	—	—	—	712
Intestines, peritoneum, unspecified	11,843	7,789	169	54	—	—	—	—	—	639
Peritoneum	496	433	—	—	—	—	—	—	—	—
Large intestine/colon, rectum	867	583	—	—	—	—	—	—	—	—
Intestines, n.e.c.	108	56	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	171	102	—	—	—	—	—	—	—	—
Pelvic region	12,774	7,744	135	130	780	—	443	286	157	2,886
Pelvic region, unspecified	174	83	—	—	—	—	47	47	—	41
Hip(s)	2,340	1,241	76	—	374	—	75	39	—	1,114
Pelvis	125	71	—	—	144	—	—	—	—	—
Buttock(s)	132	80	—	—	—	—	85	—	82	77
Groin	9,372	5,877	39	77	203	—	137	119	18	1,286
External reproductive tract structures	165	60	—	—	—	—	45	—	—	62
External reproductive tract structures, unspecified	49	—	—	—	—	—	—	—	—	—
Scrotum	98	54	—	—	—	—	—	—	—	56
External reproductive tract structures, n.e.c.	—	—	—	—	—	—	17	17	—	—
Internal reproductive tract structures	110	71	—	—	—	—	—	—	—	—
Internal reproductive tract structures, unspecified	39	39	—	—	—	—	—	—	—	—
Testis(testes)	58	—	—	—	—	—	—	—	—	—
Uterus	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations	75	72	—	—	—	—	—	—	—	172
Pelvic region, n.e.c.	281	189	—	—	—	—	19	19	—	129
Multiple trunk locations	5,172	2,724	107	168	1,144	—	267	259	—	1,146
Trunk, n.e.c.	99	—	—	—	—	—	—	—	—	—
Upper extremities	39,670	17,144	51,665	18,250	4,028	772	5,602	3,146	2,457	10,216
Upper extremities, unspecified	72	—	329	—	—	—	—	—	—	—
Arm(s)	17,290	8,108	6,765	4,511	1,678	291	1,558	893	665	3,051
Arm(s), unspecified	5,856	2,697	1,311	2,213	675	231	828	572	255	1,183
Upper arm(s)	2,334	949	260	44	19	—	69	61	—	140
Elbow(s)	6,146	3,080	4,235	120	698	—	138	128	—	1,296
Forearm(s)	2,074	895	588	1,871	222	48	503	114	389	263
Multiple arm(s) locations	644	315	343	222	49	—	—	—	—	122
Arm(s), n.e.c.	236	171	—	42	—	—	—	19	—	47

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2000 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Wrist(s)	32	85,192	12,262	7,390	3,062	1,336	4,755	11,008	505
Hand(s), except finger(s)	33	69,464	45,242	22,008	11,783	9,811	1,195	3,929	70
Finger(s), fingernail(s)	34	138,325	124,325	52,480	26,619	41,745	664	2,903	36
Multiple upper extremities locations ...	38	17,520	6,816	2,562	1,031	2,778	674	1,512	48
Multiple upper extremities locations, unspecified	380	321	94	—	—	69	40	—	—
Hand(s) and finger(s)	381	5,283	3,769	1,248	492	1,806	—	95	—
Hand(s) and wrist(s)	382	3,727	1,053	418	231	379	117	449	—
Hand(s) and arm(s)	383	1,963	486	206	—	70	39	127	—
Multiple upper extremities locations, n.e.c.	389	6,227	1,414	675	273	454	451	826	—
Upper extremities, n.e.c.	39	74	19	16	—	—	—	—	—
Lower extremities	4	347,742	111,057	61,900	34,322	12,288	30,954	62,336	33,100
Lower extremities, unspecified	40	449	211	60	145	—	50	—	—
Leg(s)	41	178,396	45,271	21,497	17,157	4,693	14,183	39,077	14,956
Leg(s), unspecified	410	24,487	9,937	5,802	2,318	1,724	2,090	3,680	930
Thigh(s)	411	6,594	2,509	1,916	434	129	424	924	283
Knee(s)	412	130,063	25,420	9,472	11,964	2,261	10,079	32,023	13,365
Lower leg(s)	413	13,727	6,350	3,627	2,223	436	1,235	1,577	244
Multiple leg(s) locations	418	3,025	870	582	175	99	262	787	131
Leg(s), n.e.c.	419	500	186	98	43	43	93	86	—
Ankle(s)	42	83,149	14,305	5,541	6,831	1,791	10,666	16,282	15,026
Foot(foot), except toe(s)	43	58,104	31,914	20,057	7,816	3,721	4,342	4,999	2,132
Foot(foot), except toe(s), unspecified	430	51,848	29,087	18,875	6,578	3,358	3,132	4,625	1,888
Instep(s)	431	713	447	240	—	183	136	66	—
Sole	432	4,834	2,115	773	1,135	166	957	228	192
Sole(s), unspecified	4320	597	477	—	441	—	—	—	—
Ball(s)	4321	125	120	—	108	—	—	—	—
Arch(es)	4322	159	84	80	—	—	—	—	—
Heel(s)	4323	3,807	1,321	667	473	154	947	212	166
Multiple sole(s) locations	4328	56	41	—	37	—	—	—	—
Sole(s), n.e.c.	4329	90	73	—	73	—	—	—	—
Multiple foot(foot) locations	438	372	111	90	17	—	86	69	36
Foot(foot), n.e.c.	439	338	154	78	63	—	—	—	—
Toe(s), toenail(s)	44	18,240	15,795	12,303	1,807	1,582	350	314	317
Multiple lower extremities locations ...	48	9,303	3,521	2,434	545	484	1,354	1,605	661
Multiple lower extremities locations, unspecified	480	166	74	52	—	—	41	—	—
Foot(foot) and leg(s)	481	1,129	640	529	72	38	90	100	—
Foot(foot) and ankle(s)	482	2,443	822	501	211	105	405	360	149
Foot(foot) and toe(s)	483	1,509	1,139	776	128	196	135	—	18
Multiple lower extremities locations, n.e.c.	489	4,056	846	576	131	137	683	1,123	469
Lower extremities, n.e.c.	49	101	40	—	20	—	—	36	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2000 — Continued

Part of body	Event or exposure leading to injury or illness ³									All other events ⁴
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Wrist(s)	14,484	6,352	36,157	711	1,051	—	930	760	169	3,303
Hand(s), except finger(s)	2,977	887	3,167	9,403	485	287	1,290	371	920	1,418
Finger(s), fingernail(s)	2,758	944	2,175	1,884	508	68	1,392	840	552	1,612
Multiple upper extremities locations ...	2,084	829	3,063	1,703	304	99	398	248	149	818
Multiple upper extremities locations, unspecified	—	—	—	—	—	—	105	105	—	—
Hand(s) and finger(s)	185	67	272	652	105	—	91	45	47	85
Hand(s) and wrist(s)	489	157	985	296	—	—	76	—	46	209
Hand(s) and arm(s)	289	80	332	482	—	41	52	—	38	53
Multiple upper extremities locations, n.e.c.	1,093	522	1,448	269	137	43	74	54	19	466
Upper extremities, n.e.c.	—	—	—	—	—	—	19	19	—	—
Lower extremities	19,682	7,374	1,414	6,725	13,460	390	3,205	2,073	1,132	65,419
Lower extremities, unspecified	—	—	—	—	61	—	59	53	—	—
Leg(s)	16,119	6,339	1,104	2,708	5,615	326	2,565	1,729	837	36,472
Leg(s), unspecified	1,563	689	90	1,365	1,668	182	575	246	329	2,408
Thigh(s)	790	548	—	493	118	—	241	124	117	798
Knee(s)	12,148	4,111	914	201	3,039	71	1,410	1,243	167	31,392
Lower leg(s)	1,450	950	52	517	482	45	304	87	216	1,472
Multiple leg(s) locations	106	—	37	117	306	—	—	—	—	357
Leg(s), n.e.c.	62	20	—	—	—	—	—	—	—	44
Ankle(s)	2,472	723	139	536	2,461	45	373	212	161	20,845
Foot(foot), except toe(s)	908	279	150	2,931	4,068	20	138	72	66	6,502
Foot(foot), except toe(s), unspecified	832	276	76	2,857	3,604	—	138	72	66	5,592
Instep(s)	—	—	—	17	20	—	—	—	—	—
Sole	65	—	73	—	427	—	—	—	—	752
Sole(s), unspecified	—	—	—	—	—	—	—	—	—	67
Ball(s)	—	—	—	—	—	—	—	—	—	—
Arch(es)	—	—	—	—	—	—	—	—	—	41
Heel(s)	53	—	57	—	412	—	—	—	—	621
Multiple sole(s) locations	—	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c.	—	—	—	—	—	—	—	—	—	—
Multiple foot(foot) locations	—	—	—	—	—	—	—	—	—	—
Foot(foot), n.e.c.	—	—	—	—	—	—	—	—	—	110
Toe(s), toenail(s)	79	—	—	119	715	—	48	—	46	501
Multiple lower extremities locations ...	93	—	20	428	539	—	—	—	17	1,061
Multiple lower extremities locations, unspecified	—	—	—	—	—	—	—	—	—	—
Foot(foot) and leg(s)	—	—	—	92	99	—	—	—	—	68
Foot(foot) and ankle(s)	—	—	—	178	76	—	—	—	—	415
Foot(foot) and toe(s)	—	—	—	65	86	—	—	—	—	44
Multiple lower extremities locations, n.e.c.	44	—	—	86	257	—	—	—	—	529
Lower extremities, n.e.c.	—	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2000 — Continued

Part of body	Part of body code ²	Total cases	Event or exposure leading to injury or illness ³						
			Contact with objects				Fall to lower level	Fall on same level	Slips or trips without fall
			Total	Struck by object	Struck against object	Caught in or compressed or crushed			
Body systems	5	20,986	239	147	89	—	—	103	—
Multiple body parts	8	145,558	15,754	10,550	2,538	1,696	20,636	36,646	2,684
Other body parts	9	46	3	3	—	—	9	1	—
Other body parts, n.e.c.	98	38	—	—	—	—	—	—	—
Nonclassifiable	9999	9,778	619	485	77	—	598	588	170

See footnotes at end of table.

TABLE R21. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body and selected events or exposures leading to injury or illness, 2000 — Continued

Part of body	Event or exposure leading to injury or illness ³									All other events ⁴
	Overexertion		Repetitive motion	Exposure to harmful substance or environment	Transportation accidents	Fires and explosions	Assaults and violent acts			
	Total	In lifting					Total	By person	All other assaults	
Body systems	154	39	—	15,269	108	272	721	716	—	4,087
Multiple body parts	20,468	10,114	3,871	6,782	25,489	1,272	4,139	3,755	384	7,816
Other body parts	12	8	1	16	—	—	—	—	—	3
Other body parts, n.e.c.	—	—	—	—	—	—	—	—	—	—
Nonclassifiable	828	436	249	769	521	—	300	154	146	5,107

¹ Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Data shown in columns correspond to the following Event codes: Contact with objects, Total = 00-09; Struck by object = 020-029; Struck against object = 010-019; Caught in or compressed or crushed = 030-049; Fall to lower level = 110-119; Fall on same level = 130-139; Slips or trips without fall = 215; Overexertion, Total = 220-229; In lifting = 221; Repetitive motion = 230-239; Exposure to harmful substance or environment = 30-39; Transportation accidents = 40-49; Fires and explosions = 50-52; Assaults

and violent acts, Total = 60-63; By person = 61; All other assaults = 60, 62, and 63; All other events = all remaining codes, including 9999 (Nonclassifiable). These codes are based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

⁴ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available. Because of rounding, data may not sum to totals.

n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor