

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2004

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Total .....		1,259,320	591,570	103,820	164,390	16,040	4,650	5,140	530	1,260	371,920
<b>Head</b> .....	0	81,530	38,180	6,830	11,720	1,560	210	540	--	--	22,430
Head, unspecified .....	00	16,300	6,090	2,100	1,960	770	--	90	--	--	5,250
Cranial region, including skull .....	01	9,600	4,550	420	1,410	80	--	40	--	--	3,100
Cranial region, unspecified .....	010	300	150	--	--	--	--	--	--	--	90
Brain .....	011	5,830	3,280	260	470	--	--	--	--	--	1,740
Scalp .....	012	2,650	670	120	770	--	--	--	--	--	1,060
Skull .....	013	600	310	--	110	20	--	--	--	--	150
Multiple cranial region locations .....	018	60	20	--	--	--	--	--	--	--	--
Cranial region, n.e.c. ....	019	160	110	--	--	--	--	--	--	--	--
Ear(s) .....	02	1,030	310	150	200	--	--	--	--	--	340
Face .....	03	52,780	26,100	4,070	8,030	650	160	410	--	20	13,310
Face, unspecified .....	030	4,070	1,820	410	520	50	--	50	--	--	1,220
Forehead .....	031	3,130	1,640	390	350	--	--	--	--	--	680
Eye(s) .....	032	36,680	18,290	2,570	6,000	520	90	320	--	--	8,840
Nose, nasal cavity .....	033	2,380	1,350	80	410	--	20	--	--	--	500
Nose, except internal location of diseases or disorders .....	0330	2,340	1,350	80	400	--	20	--	--	--	490
Cheek(s) .....	034	850	320	200	100	--	--	--	--	--	230
Jaw/chin .....	035	1,060	510	110	110	--	--	--	--	--	320
Mouth .....	036	1,950	890	150	250	--	--	--	--	--	630
Mouth, unspecified .....	0360	320	200	--	50	--	--	--	--	--	60
Lip(s) .....	0361	480	150	50	100	--	--	--	--	--	170
Tooth(teeth) .....	0363	900	420	100	90	--	--	--	--	--	290
Multiple mouth locations .....	0368	120	90	--	--	--	--	--	--	--	--
Mouth, n.e.c. ....	0369	110	--	--	--	--	--	--	--	--	90
Multiple face locations .....	038	2,490	1,190	140	280	--	--	--	--	--	830
Face, n.e.c. ....	039	180	80	--	--	--	--	--	--	--	80
Multiple head locations .....	08	1,690	1,080	80	130	--	--	--	--	--	370
Head, n.e.c. ....	09	130	60	--	--	--	--	--	--	--	50
<b>Neck, including throat</b> .....	1	21,130	10,150	1,750	1,630	210	40	--	--	--	7,310
Neck, except internal location of diseases or disorders .....	10	20,980	10,090	1,750	1,600	210	40	--	--	--	7,240
Multiple internal neck locations .....	18	70	--	--	--	--	--	--	--	--	--
<b>Trunk</b> .....	2	447,140	214,770	36,130	51,280	4,390	1,490	1,690	120	360	136,920
Trunk, unspecified .....	20	2,220	840	410	200	40	--	--	--	--	680
Shoulder, including clavicle, scapula .....	21	82,220	39,970	6,030	8,290	990	300	490	--	40	26,110
Chest, including ribs, internal organs .....	22	20,280	10,420	1,280	2,280	310	150	--	--	20	5,800
Chest, except internal location of diseases or disorders .....	220	17,800	9,210	1,160	1,980	300	150	--	--	--	4,970

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2004 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Internal chest location, unspecified .....	221	230	100	—	—	—	—	—	—	—	—	90
Heart .....	223	470	190	—	—	—	—	—	—	—	—	270
Bronchus .....	224	160	—	—	90	—	—	—	—	—	—	50
Lung(s), pleura .....	225	1,590	870	100	190	—	—	—	—	—	—	420
Internal chest location, n.e.c. ....	229	20	—	—	—	—	—	—	—	—	—	—
Back, including spine, spinal cord .....	23	282,240	132,240	24,260	32,900	2,730	900	960	40	230	—	87,980
Back, including spine, spinal cord, unspecified .....	230	123,200	60,990	11,240	15,170	1,180	430	480	—	90	—	33,610
Lumbar region .....	231	137,210	62,070	11,220	15,620	1,390	440	440	—	120	—	45,860
Thoracic region .....	232	10,350	3,950	920	890	40	—	—	—	—	—	4,530
Sacral region .....	233	860	380	40	40	—	—	—	—	—	—	380
Coccygeal region .....	234	2,130	1,070	110	150	—	—	—	—	—	—	760
Multiple back regions .....	238	7,790	3,440	690	1,030	90	20	—	—	—	—	2,520
Back, including spine, spinal cord, n.e.c. ....	239	700	330	40	—	—	—	—	—	—	—	320
Abdomen .....	24	29,010	16,310	1,170	3,990	100	50	70	40	—	—	7,240
Abdomen, except internal location of diseases or disorders .....	240	7,540	3,440	510	1,070	90	—	—	—	—	—	2,340
Internal abdominal location, unspecified .....	241	9,670	5,840	280	1,520	—	—	—	—	—	—	2,010
Stomach organ .....	242	710	260	—	60	—	—	—	—	—	—	330
Urinary organs .....	244	20	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum .....	245	10,990	6,770	310	1,330	—	—	20	—	—	—	2,520
Intestines, peritoneum, unspecified .....	2450	9,650	5,890	260	1,240	—	—	20	—	—	—	2,210
Peritoneum .....	2451	730	520	—	40	—	—	—	—	—	—	140
Small intestine .....	2452	210	100	—	—	—	—	—	—	—	—	90
Large intestine/colon, rectum .....	2453	330	240	—	—	—	—	—	—	—	—	60
Multiple intestinal locations .....	2458	20	—	—	—	—	—	—	—	—	—	—
Intestines, n.e.c. ....	2459	40	20	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c. ....	249	70	—	—	—	—	—	—	—	—	—	—
Pelvic region .....	25	22,390	10,940	2,290	2,120	160	—	100	—	—	—	6,730
Pelvic region, unspecified .....	250	290	150	—	—	—	—	—	—	—	—	100
Hip(s) .....	251	9,520	5,010	1,350	540	90	—	60	—	—	—	2,460
Pelvis .....	252	740	410	40	140	—	—	—	—	—	—	140
Buttock(s) .....	253	1,280	650	190	90	50	—	—	—	—	—	280
Groin .....	254	10,000	4,510	630	1,230	—	—	—	—	—	—	3,600
External reproductive tract structures .....	255	300	90	60	50	—	—	—	—	—	—	100
External reproductive tract structures, unspecified .....	2550	50	20	—	—	—	—	—	—	—	—	—
Scrotum .....	2551	210	50	60	—	—	—	—	—	—	—	70
Multiple pelvic region locations .....	258	150	60	—	50	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2004 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Pelvic region, n.e.c. ....	259	90	50	—	—	—	—	—	—	—	—	—
Multiple trunk locations .....	28	8,490	3,980	660	1,390	50	—	50	—	—	—	2,310
Trunk, n.e.c. ....	29	280	60	—	100	—	—	—	—	—	—	80
<b>Upper extremities</b> .....	<b>3</b>	<b>290,460</b>	<b>135,880</b>	<b>22,220</b>	<b>47,170</b>	<b>4,680</b>	<b>1,000</b>	<b>1,270</b>	<b>170</b>	<b>500</b>	<b>77,590</b>	
Upper extremities, unspecified .....	30	480	60	—	300	—	—	—	—	—	—	110
Arm(s) .....	31	58,310	28,480	4,540	7,300	910	110	140	—	—	—	16,810
Arm(s), unspecified .....	310	21,290	9,280	1,880	3,230	260	70	—	—	—	—	6,560
Upper arm(s) .....	311	4,190	2,460	150	330	—	—	—	—	—	—	1,220
Elbow(s) .....	312	19,060	10,100	980	2,020	200	20	70	—	—	—	5,680
Forearm(s) .....	313	10,240	4,900	1,190	1,320	420	—	40	—	—	—	2,340
Multiple arm(s) locations .....	318	2,660	1,500	300	260	—	—	—	—	—	—	560
Arm(s), n.e.c. ....	319	870	240	40	140	—	—	—	—	—	—	450
Wrist(s) .....	32	58,510	30,100	4,680	5,650	810	150	240	—	—	—	16,830
Hand(s), except finger(s) .....	33	50,190	22,060	3,410	9,590	550	140	240	—	110	—	14,080
Finger(s), fingernail(s) .....	34	107,860	48,380	8,550	21,720	2,180	520	540	140	360	—	25,480
Multiple upper extremities locations .....	38	15,020	6,720	1,020	2,610	220	70	100	—	—	—	4,270
Multiple upper extremities locations, unspecified .....	380	250	130	—	—	—	—	—	—	—	—	70
Hand(s) and finger(s) .....	381	5,260	2,460	320	1,200	—	40	40	—	—	—	1,180
Hand(s) and wrist(s) .....	382	3,230	1,110	200	650	—	—	—	—	—	—	1,200
Hand(s) and arm(s) .....	383	1,680	870	120	210	—	—	—	—	—	—	430
Multiple upper extremities locations, n.e.c. ....	389	4,600	2,150	360	530	130	—	—	—	—	—	1,380
Upper extremities, n.e.c. ....	39	100	70	—	—	—	—	—	—	—	—	—
<b>Lower extremities</b> .....	<b>4</b>	<b>269,490</b>	<b>125,500</b>	<b>22,980</b>	<b>34,200</b>	<b>2,600</b>	<b>1,120</b>	<b>1,230</b>	<b>110</b>	<b>270</b>	<b>81,470</b>	
Lower extremities, unspecified .....	40	250	50	—	—	—	—	—	—	—	—	160
Leg(s) .....	41	138,580	65,770	11,020	17,110	1,160	400	660	80	140	—	42,230
Leg(s), unspecified .....	410	18,890	8,140	1,570	3,440	200	60	120	—	70	—	5,300
Thigh(s) .....	411	4,820	2,070	490	580	70	—	—	—	—	—	1,600
Knee(s) .....	412	99,720	48,610	7,470	10,980	830	310	460	40	70	—	30,940
Lower leg(s) .....	413	10,840	4,850	820	1,630	50	20	70	—	—	—	3,380
Multiple leg(s) locations .....	418	3,450	1,680	610	400	—	—	—	—	—	—	730
Leg(s), n.e.c. ....	419	840	410	60	80	—	—	—	—	—	—	280
Ankle(s) .....	42	64,320	29,480	6,000	8,550	530	500	340	—	—	—	18,870
Foot(feet), except toe(s) .....	43	45,110	19,690	4,220	5,460	640	170	160	—	50	—	14,700
Foot(feet), except toe(s), unspecified .....	430	39,250	16,990	3,810	4,600	600	120	150	—	50	—	12,910
Instep(s) .....	431	990	280	70	200	20	—	—	—	—	—	410
Sole .....	432	3,830	2,000	310	460	—	—	—	—	—	—	1,000
Sole(s), unspecified .....	4320	680	200	—	260	—	—	—	—	—	—	160
Arch(es) .....	4322	180	140	—	—	—	—	—	—	—	—	—
Heel(s) .....	4323	2,900	1,630	280	170	—	20	—	—	—	—	790
Multiple foot(feet) locations .....	438	310	170	—	50	—	—	—	—	—	—	80

See footnotes at end of table.

TABLE R51. Number of nonfatal occupational injuries and illnesses involving days away from work<sup>1</sup> by part of body affected by the injury or illness and race or ethnic origin of worker, 2004 — Continued

Part of body	Part of body code <sup>2</sup>	Private industry <sup>3</sup>	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Foot(feet), n.e.c. ....	439	730	250	20	160	—	—	—	—	—	290
Toe(s), toenail(s) .....	44	12,840	6,650	830	1,820	210	—	60	—	—	3,220
Multiple lower extremities locations ....	48	8,350	3,810	910	1,220	60	—	—	—	—	2,290
Multiple lower extremities locations, unspecified .....	480	190	60	—	—	—	—	—	—	—	110
Foot(feet) and leg(s) .....	481	940	370	210	80	—	—	—	—	—	270
Foot(feet) and ankle(s) .....	482	2,630	1,360	270	310	—	—	—	—	—	650
Foot(feet) and toe(s) .....	483	1,260	390	130	350	—	—	—	—	—	370
Multiple lower extremities locations, n.e.c. ....	489	3,330	1,630	290	480	—	—	—	—	—	890
Lower extremities, n.e.c. ....	49	50	—	—	—	—	—	—	—	—	—
<b>Body systems</b> .....	5	14,300	6,950	1,520	1,270	200	50	40	—	—	4,250
<b>Multiple body parts</b> .....	8	126,530	56,840	11,770	15,260	2,020	690	320	50	100	39,490
<b>Other body parts</b> .....	9	110	40	—	—	—	—	—	—	—	—
Prosthetic devices .....	91	80	—	—	—	—	—	—	—	—	—
<b>Nonclassifiable</b> .....	9999	8,640	3,280	600	1,860	370	50	—	—	—	2,420

<sup>1</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

<sup>2</sup> Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

<sup>3</sup> Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies