

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Total		1,234,680	176,530	14.3	143,790	11.6	234,780	19.0
Traumatic injuries and disorders	0	1,145,900	165,610	14.5	136,490	11.9	224,070	19.6
Traumatic injuries and disorders, unspecified	00	38,480	5,960	15.5	4,290	11.1	7,160	18.6
Traumatic injuries to bones, nerves, spinal cord	01	107,620	6,250	5.8	5,430	5.0	11,240	10.4
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	010	750	130	17.3	—	—	40	5.3
Dislocations	011	10,050	570	5.7	490	4.9	1,140	11.3
Fractures	012	95,830	5,520	5.8	4,890	5.1	10,000	10.4
Traumatic injuries to nerves, except the spinal cord	014	570	20	3.5	—	—	—	—
Multiple traumatic injuries to bones, nerves, spinal cord	018	250	—	—	—	—	—	—
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	019	160	20	12.5	—	—	50	31.2
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	02	508,760	58,710	11.5	55,580	10.9	100,840	19.8
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	020	4,220	520	12.3	510	12.1	810	19.2
Sprains, strains, tears	021	503,530	58,170	11.6	54,870	10.9	99,900	19.8
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	029	1,020	20	2.0	210	20.6	130	12.7
Open wounds	03	135,540	30,690	22.6	19,130	14.1	30,000	22.1
Open wounds, unspecified	030	1,100	190	17.3	240	21.8	270	24.5
Amputations	031	8,450	440	5.2	250	3.0	1,230	14.6
Amputations, fingertip	0311	5,780	380	6.6	190	3.3	1,070	18.5
Amputations, except fingertip	0319	2,660	60	2.3	60	2.3	160	6.0
Animal or insect bites	032	4,530	1,430	31.6	660	14.6	840	18.5
Avulsions	033	1,630	160	9.8	150	9.2	330	20.2
Cuts, lacerations	034	101,660	24,720	24.3	14,350	14.1	22,910	22.5
Gunshot wounds	036	480	—	—	—	—	—	—
Punctures, except bites	037	17,210	3,710	21.6	3,440	20.0	4,210	24.5
Multiple open wounds	038	90	—	—	—	—	—	—
Open wounds, n.e.c.	039	400	—	—	30	7.5	200	50.0
Surface wounds and bruises	04	132,490	31,310	23.6	22,090	16.7	29,410	22.2
Surface wounds and bruises, unspecified	040	390	50	12.8	40	10.3	30	7.7
Abrasions, scratches	041	9,750	3,240	33.2	2,130	21.8	2,420	24.8
Blisters	042	480	30	6.2	80	16.7	190	39.6
Bruises, contusions	043	107,770	21,950	20.4	17,120	15.9	23,690	22.0
Foreign bodies (superficial splinters, chips)	044	13,120	5,850	44.6	2,600	19.8	2,950	22.5
Friction burns	045	90	20	22.2	20	22.2	—	—
Multiple surface wounds and bruises	048	580	80	13.8	50	8.6	100	17.2

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Total	157,390	12.7	142,450	11.5	80,730	6.5	299,000	24.2	7
Traumatic injuries and disorders	147,790	12.9	129,090	11.3	72,430	6.3	270,420	23.6	7
Traumatic injuries and disorders, unspecified	3,650	9.5	4,790	12.4	2,700	7.0	9,920	25.8	7
Traumatic injuries to bones, nerves, spinal cord	11,320	10.5	13,560	12.6	9,760	9.1	50,060	46.5	27
Traumatic injuries to bones, nerves, spinal cord, unspecified ...	40	5.3	70	9.3	110	14.7	350	46.7	30
Dislocations	970	9.7	1,200	11.9	680	6.8	5,000	49.8	30
Fractures	9,890	10.3	12,260	12.8	8,960	9.3	44,320	46.2	27
Traumatic injuries to nerves, except the spinal cord	400	70.2	30	5.3	—	—	90	15.8	10
Multiple traumatic injuries to bones, nerves, spinal cord	—	—	—	—	—	—	210	84.0	101
Traumatic injuries to bones, nerves, spinal cord, n.e.c.	—	—	—	—	—	—	80	50.0	14
Traumatic injuries to muscles, tendons, ligaments, joints, etc.	70,110	13.8	60,650	11.9	33,690	6.6	129,190	25.4	8
Traumatic injuries to muscles, tendons, ligaments, joints, etc., unspecified	550	13.0	560	13.3	160	3.8	1,110	26.3	7
Sprains, strains, tears	69,450	13.8	60,050	11.9	33,500	6.7	127,590	25.3	8
Injuries to muscles, tendons, ligaments, joints, etc., n.e.c.	110	10.8	40	3.9	20	2.0	490	48.0	23
Open wounds	17,760	13.1	14,390	10.6	6,880	5.1	16,690	12.3	4
Open wounds, unspecified	70	6.4	210	19.1	—	—	110	10.0	5
Amputations	960	11.4	1,270	15.0	930	11.0	3,350	39.6	22
Amputations, fingertip	770	13.3	1,030	17.8	500	8.7	1,850	32.0	14
Amputations, except fingertip	190	7.1	250	9.4	430	16.2	1,500	56.4	39
Animal or insect bites	650	14.3	610	13.5	110	2.4	220	4.9	3
Avulsions	170	10.4	230	14.1	240	14.7	350	21.5	11
Cuts, lacerations	13,660	13.4	10,320	10.2	4,700	4.6	11,020	10.8	4
Gunshot wounds	—	—	40	8.3	—	—	420	87.5	75
Punctures, except bites	2,160	12.6	1,640	9.5	880	5.1	1,170	6.8	3
Multiple open wounds	30	33.3	—	—	—	—	—	—	9
Open wounds, n.e.c.	60	15.0	50	12.5	—	—	40	10.0	5
Surface wounds and bruises	16,930	12.8	11,910	9.0	5,310	4.0	15,540	11.7	3
Surface wounds and bruises, unspecified	40	10.3	90	23.1	—	—	140	35.9	15
Abrasions, scratches	650	6.7	640	6.6	160	1.6	500	5.1	2
Blisters	60	12.5	20	4.2	30	6.2	70	14.6	4
Bruises, contusions	15,090	14.0	10,610	9.8	4,940	4.6	14,370	13.3	4
Foreign bodies (superficial splinters, chips)	950	7.2	390	3.0	130	1.0	250	1.9	2
Friction burns	—	—	—	—	20	22.2	—	—	5
Multiple surface wounds and bruises	100	17.2	130	22.4	20	3.4	100	17.2	7

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Surface wounds and bruises, n.e.c.	049	320	100	31.2	50	15.6	30	9.4
Burns	05	24,890	4,870	19.6	3,560	14.3	6,150	24.7
Burns, unspecified	050	40	—	—	—	—	—	—
Chemical burns	051	6,360	1,570	24.7	1,070	16.8	1,410	22.2
Electrical burns	052	1,280	300	23.4	60	4.7	200	15.6
Heat burns, scalds	053	17,150	2,970	17.3	2,430	14.2	4,510	26.3
Burns, n.e.c.	059	60	20	33.3	—	—	30	50.0
Intracranial injuries	06	6,870	1,320	19.2	750	10.9	1,590	23.1
Intracranial injuries, unspecified	060	110	20	18.2	20	18.2	20	18.2
Cerebral hemorrhages	061	70	—	—	—	—	20	28.6
Concussions	062	6,590	1,280	19.4	740	11.2	1,540	23.4
Multiple intracranial injuries	068	20	—	—	—	—	—	—
Intracranial injuries, n.e.c.	069	80	—	—	—	—	—	—
Effects of environmental conditions ...	07	2,560	810	31.6	470	18.4	520	20.3
Effects of reduced temperature	071	170	30	17.6	—	—	—	—
Frostbite	0711	110	30	27.3	—	—	—	—
Effects of reduced temperature, n.e.c.	0719	30	—	—	—	—	—	—
Effects of heat and light	072	2,280	770	33.8	450	19.7	490	21.5
Effects of heat and light, unspecified	0720	70	30	42.9	—	—	—	—
Heat stroke	0721	320	70	21.9	40	12.5	100	31.2
Heat syncope	0722	70	—	—	20	28.6	—	—
Heat fatigue	0723	550	170	30.9	70	12.7	80	14.5
Heat edema	0724	20	—	—	—	—	—	—
Multiple effects of heat and light	0728	30	—	—	—	—	—	—
Effects of heat and light, n.e.c. ...	0729	1,220	470	38.5	290	23.8	300	24.6
Effects of air pressure	073	90	—	—	—	—	—	—
Effects of air pressure, unspecified	0730	40	—	—	—	—	—	—
Aero-otitis media	0731	30	—	—	—	—	—	—
Effects of air pressure, n.e.c.	0739	20	—	—	—	—	—	—
Multiple traumatic injuries and disorders	08	50,090	6,050	12.1	5,930	11.8	9,050	18.1
Multiple traumatic injuries and disorders, unspecified	080	1,460	120	8.2	180	12.3	320	21.9
Cuts, abrasions, bruises	081	8,040	1,530	19.0	1,700	21.1	1,840	22.9
Sprains and bruises	082	21,240	2,700	12.7	2,520	11.9	4,710	22.2
Fractures and burns	083	100	—	—	—	—	—	—
Fractures and other injuries	084	9,660	560	5.8	470	4.9	790	8.2
Burns and other injuries	085	310	50	16.1	60	19.4	50	16.1
Intracranial injuries and injuries to internal organs	086	30	—	—	—	—	—	—
Other combinations of traumatic injuries and disorders, n.e.c.	089	9,250	1,060	11.5	990	10.7	1,330	14.4
Other traumatic injuries and disorders	09	138,590	19,640	14.2	19,250	13.9	28,100	20.3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Surface wounds and bruises, n.e.c.	30	9.4	20	6.2	—	—	90	28.1	4
Burns	2,640	10.6	3,210	12.9	1,520	6.1	2,950	11.9	5
Burns, unspecified	—	—	—	—	—	—	20	50.0	78
Chemical burns	710	11.2	690	10.8	390	6.1	510	8.0	3
Electrical burns	190	14.8	130	10.2	120	9.4	280	21.9	8
Heat burns, scalds	1,730	10.1	2,370	13.8	1,000	5.8	2,140	12.5	5
Burns, n.e.c.	—	—	—	—	—	—	—	—	5
Intracranial injuries	1,140	16.6	620	9.0	490	7.1	950	13.8	5
Intracranial injuries, unspecified	—	—	—	—	—	—	30	27.3	5
Cerebral hemorrhages	—	—	—	—	—	—	20	28.6	5
Concussions	1,130	17.1	600	9.1	470	7.1	840	12.7	5
Multiple intracranial injuries	—	—	—	—	—	—	—	—	50
Intracranial injuries, n.e.c.	—	—	—	—	20	25.0	50	62.5	61
Effects of environmental conditions ...	430	16.8	160	6.2	—	—	170	6.6	3
Effects of reduced temperature	40	23.5	50	29.4	—	—	20	11.8	7
Frostbite	—	—	40	36.4	—	—	—	—	9
Effects of reduced temperature, n.e.c.	—	—	—	—	—	—	—	—	7
Effects of heat and light	360	15.8	100	4.4	—	—	100	4.4	2
Effects of heat and light, unspecified	20	28.6	—	—	—	—	—	—	2
Heat stroke	20	6.2	50	15.6	—	—	50	15.6	3
Heat syncope	30	42.9	—	—	—	—	—	—	2
Heat fatigue	210	38.2	20	3.6	—	—	—	—	5
Heat edema	—	—	—	—	—	—	—	—	2
Multiple effects of heat and light	—	—	—	—	—	—	—	—	1
Effects of heat and light, n.e.c. ...	70	5.7	30	2.5	—	—	50	4.1	2
Effects of air pressure	20	22.2	—	—	—	—	40	44.4	18
Effects of air pressure, unspecified	—	—	—	—	—	—	40	100.0	32
Aero-otitis media	—	—	—	—	—	—	—	—	9
Effects of air pressure, n.e.c.	—	—	—	—	—	—	—	—	5
Multiple traumatic injuries and disorders	6,490	13.0	5,500	11.0	3,130	6.2	13,940	27.8	8
Multiple traumatic injuries and disorders, unspecified	140	9.6	180	12.3	150	10.3	380	26.0	9
Cuts, abrasions, bruises	940	11.7	860	10.7	270	3.4	880	10.9	3
Sprains and bruises	2,680	12.6	2,350	11.1	1,250	5.9	5,020	23.6	6
Fractures and burns	—	—	—	—	—	—	80	80.0	156
Fractures and other injuries	1,050	10.9	1,230	12.7	750	7.8	4,810	49.8	30
Burns and other injuries	40	12.9	20	6.5	20	6.5	70	22.6	4
Intracranial injuries and injuries to internal organs	—	—	—	—	—	—	—	—	1
Other combinations of traumatic injuries and disorders, n.e.c.	1,620	17.5	860	9.3	690	7.5	2,680	29.0	9
Other traumatic injuries and disorders	17,330	12.5	14,310	10.3	8,930	6.4	31,030	22.4	6

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Other traumatic injuries and disorders, unspecified	090	440	150	34.1	50	11.4	40	9.1
Asphyxiations/strangulations, suffocations	091	250	80	32.0	20	8.0	50	20.0
Electrocutions, electric shocks	093	1,700	320	18.8	310	18.2	310	18.2
Internal injuries to organs and blood vessels of the trunk	094	160	—	—	—	—	100	62.5
Other poisonings and toxic effects	095	6,710	1,950	29.1	1,290	19.2	1,570	23.4
Other poisonings and toxic effects, unspecified	0950	360	80	22.2	110	30.6	60	16.7
Animal or insect bites, venomous	0951	3,990	1,330	33.3	540	13.5	940	23.6
Other poisonings and toxic effects, n.e.c.	0959	2,360	540	22.9	650	27.5	580	24.6
Traumatic complications	096	100	30	30.0	—	—	20	20.0
Multiple traumatic complications	0968	20	—	—	—	—	—	—
Traumatic complications, n.e.c.	0969	70	30	42.9	—	—	—	—
Nonspecified injuries and disorders	097	127,960	17,050	13.3	17,460	13.6	25,830	20.2
Crushing injuries	0971	14,430	1,970	13.7	1,650	11.4	2,220	15.4
Back pain, hurt back	0972	35,650	3,930	11.0	4,340	12.2	7,410	20.8
Soreness, pain, hurt, except the back	0973	65,160	9,340	14.3	9,460	14.5	13,490	20.7
Multiple nonspecified injuries and disorders	0978	5,110	530	10.4	900	17.6	980	19.2
Nonspecified injuries and disorders, n.e.c.	0979	7,610	1,290	17.0	1,120	14.7	1,730	22.7
Other traumatic injuries and disorders, n.e.c.	099	1,260	70	5.6	120	9.5	180	14.3
Systemic diseases and disorders	1	64,740	5,640	8.7	4,220	6.5	7,520	11.6
Systemic diseases and disorders, unspecified	10	380	40	10.5	20	5.3	60	15.8
Diseases of the blood and blood forming organs	11	20	—	—	—	—	—	—
Nervous system and sense organs diseases	12	21,990	2,440	11.1	1,730	7.9	2,050	9.3
Nervous system and sense organs diseases, unspecified	120	30	—	—	—	—	—	—
Inflammatory diseases of the central nervous system	121	30	—	—	—	—	—	—
Inflammatory diseases of the central nervous system, unspecified	1210	20	—	—	—	—	—	—
Degenerative diseases of the central nervous system	122	20	—	—	—	—	—	—

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Other traumatic injuries and disorders, unspecified	30	6.8	20	4.5	—	—	150	34.1	3
Asphyxiations/strangulations, suffocations	30	12.0	—	—	—	—	60	24.0	5
Electrocutions, electric shocks	350	20.6	70	4.1	60	3.5	290	17.1	4
Internal injuries to organs and blood vessels of the trunk	—	—	—	—	—	—	50	31.2	3
Other poisonings and toxic effects	1,010	15.1	370	5.5	300	4.5	220	3.3	3
Other poisonings and toxic effects, unspecified	60	16.7	20	5.6	—	—	30	8.3	2
Animal or insect bites, venomous	690	17.3	290	7.3	70	1.8	130	3.3	3
Other poisonings and toxic effects, n.e.c.	260	11.0	50	2.1	220	9.3	60	2.5	2
Traumatic complications	—	—	—	—	—	—	20	20.0	5
Multiple traumatic complications	—	—	—	—	—	—	—	—	150
Traumatic complications, n.e.c.	—	—	—	—	—	—	—	—	3
Nonspecified injuries and disorders	15,680	12.3	13,640	10.7	8,460	6.6	29,830	23.3	6
Crushing injuries	1,750	12.1	1,710	11.9	790	5.5	4,350	30.1	10
Back pain, hurt back	5,400	15.1	4,110	11.5	2,330	6.5	8,140	22.8	7
Soreness, pain, hurt, except the back	7,090	10.9	6,840	10.5	4,580	7.0	14,370	22.1	6
Multiple nonspecified injuries and disorders	700	13.7	500	9.8	240	4.7	1,270	24.9	6
Nonspecified injuries and disorders, n.e.c.	750	9.9	490	6.4	530	7.0	1,710	22.5	5
Other traumatic injuries and disorders, n.e.c.	220	17.5	200	15.9	70	5.6	400	31.7	12
Systemic diseases and disorders	6,780	10.5	11,050	17.1	7,060	10.9	22,460	34.7	17
Systemic diseases and disorders, unspecified	30	7.9	50	13.2	60	15.8	130	34.2	19
Diseases of the blood and blood forming organs	—	—	—	—	—	—	—	—	4
Nervous system and sense organs diseases	2,050	9.3	3,210	14.6	1,670	7.6	8,830	40.2	19
Nervous system and sense organs diseases, unspecified	—	—	—	—	—	—	—	—	102
Inflammatory diseases of the central nervous system	—	—	—	—	—	—	—	—	31
Inflammatory diseases of the central nervous system, unspecified	—	—	—	—	—	—	—	—	23
Degenerative diseases of the central nervous system	—	—	—	—	—	—	—	—	11

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Degenerative diseases of the central nervous system, unspecified	1220	20	-	-	-	-	-	-
Other disorders of the central nervous system	123	70	30	42.9	-	-	20	28.6
Migraine	1232	60	30	50.0	-	-	20	33.3
Disorders of the peripheral nervous system	124	17,140	470	2.7	710	4.1	1,410	8.2
Disorders of the peripheral nervous system, unspecified	1240	190	-	-	-	-	20	10.5
Carpal tunnel syndrome	1241	16,460	440	2.7	700	4.3	1,320	8.0
Inflammatory and toxic neuropathy, toxic polyneuropathy	1242	110	-	-	-	-	-	-
Other disorders of the peripheral nervous system, n.e.c.	1249	370	-	-	-	-	60	16.2
Disorders of the eye, adnexa, vision	125	4,270	1,920	45.0	990	23.2	610	14.3
Disorders of the eye, adnexa, vision, unspecified	1250	280	70	25.0	40	14.3	110	39.3
Conjunctivitis non-viral	1252	870	350	40.2	280	32.2	160	18.4
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	1253	350	140	40.0	80	22.9	80	22.9
Blindness, low vision	1255	430	-	-	-	-	-	-
Welder's flash	1256	1,940	1,150	59.3	530	27.3	210	10.8
Visual disturbances	1258	120	30	25.0	-	-	-	-
Disorders of the eye, adnexa, vision, n.e.c.	1259	280	160	57.1	40	14.3	60	21.4
Disorders of the ear, mastoid process, hearing	126	210	20	9.5	20	9.5	-	-
Disorders of the ear, mastoid process, hearing, unspecified ..	1260	20	-	-	-	-	-	-
Deafness, hearing loss or impairment	1261	100	-	-	-	-	-	-
Tinnitus	1262	30	-	-	-	-	-	-
Disorders of the ear, mastoid process, and hearing, n.e.c.	1269	50	-	-	-	-	-	-
Nervous system and sense organs diseases, n.e.c.	129	220	-	-	-	-	-	-
Circulatory system diseases	13	540	20	3.7	100	18.5	70	13.0
Hypertensive disease	132	40	-	-	-	-	-	-
Ischemic heart disease, including heart attack	133	330	-	-	60	18.2	40	12.1
Myocardial infarction (heart attack)	1331	320	-	-	60	18.8	40	12.5
Cerebrovascular disease	136	30	-	-	-	-	-	-
Stroke	1361	30	-	-	-	-	-	-
Diseases of the veins, lymphatics ..	138	100	-	-	50	50.0	-	-

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Degenerative diseases of the central nervous system, unspecified	-	-	-	-	-	-	-	-	8
Other disorders of the central nervous system	-	-	-	-	-	-	-	-	1
Migraine	-	-	-	-	-	-	-	-	2
Disorders of the peripheral nervous system	1,780	10.4	3,100	18.1	1,650	9.6	8,020	46.8	28
Disorders of the peripheral nervous system, unspecified	-	-	-	-	-	-	130	68.4	49
Carpal tunnel syndrome	1,730	10.5	3,050	18.5	1,590	9.7	7,630	46.4	27
Inflammatory and toxic neuropathy, toxic polyneuropathy	-	-	-	-	30	27.3	50	45.5	30
Other disorders of the peripheral nervous system, n.e.c.	30	8.1	40	10.8	20	5.4	210	56.8	35
Disorders of the eye, adnexa, vision	210	4.9	80	1.9	-	-	460	10.8	2
Disorders of the eye, adnexa, vision, unspecified	30	10.7	-	-	-	-	20	7.1	3
Conjunctivitis non-viral	40	4.6	30	3.4	-	-	-	-	2
Inflammation except conjunctivitis (including ophthalmia, iritis, chalazion)	20	5.7	30	8.6	-	-	-	-	2
Blindness, low vision	-	-	-	-	-	-	420	97.7	69
Welder's flash	30	1.5	-	-	-	-	-	-	1
Visual disturbances	-	-	-	-	-	-	-	-	6
Disorders of the eye, adnexa, vision, n.e.c.	-	-	-	-	-	-	-	-	1
Disorders of the ear, mastoid process, hearing	30	14.3	20	9.5	-	-	90	42.9	18
Disorders of the ear, mastoid process, hearing, unspecified ..	-	-	-	-	-	-	-	-	14
Deafness, hearing loss or impairment	-	-	-	-	-	-	70	70.0	36
Tinnitus	-	-	-	-	-	-	-	-	2
Disorders of the ear, mastoid process, and hearing, n.e.c.	-	-	-	-	-	-	-	-	18
Nervous system and sense organs diseases, n.e.c.	-	-	-	-	-	-	-	-	92
Circulatory system diseases	70	13.0	100	18.5	20	3.7	160	29.6	11
Hypertensive disease	-	-	-	-	-	-	-	-	5
Ischemic heart disease, including heart attack	50	15.2	70	21.2	-	-	100	30.3	12
Myocardial infarction (heart attack)	50	15.6	70	21.9	-	-	90	28.1	11
Cerebrovascular disease	-	-	-	-	-	-	-	-	69
Stroke	-	-	-	-	-	-	-	-	69
Diseases of the veins, lymphatics ..	-	-	20	20.0	-	-	20	20.0	2

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Hemorrhoids	1382	60	—	—	40	66.7	—	—
Respiratory system diseases	14	1,830	250	13.7	200	10.9	480	26.2
Respiratory system diseases, unspecified	140	180	50	27.8	20	11.1	60	33.3
Acute respiratory infections (including common cold)	141	50	—	—	—	—	20	40.0
Other diseases of upper respiratory tract	142	130	40	30.8	—	—	20	15.4
Other diseases of upper respiratory tract, unspecified	1420	30	—	—	—	—	—	—
Allergic rhinitis	1421	40	—	—	—	—	—	—
Other diseases of upper respiratory tract, n.e.c.	1429	50	20	40.0	—	—	—	—
Pneumonia, influenza	143	300	—	—	60	20.0	20	6.7
Pneumonia	1431	220	—	—	—	—	—	—
Influenza	1432	60	—	—	—	—	—	—
Chronic obstructive pulmonary disease and allied conditions	144	1,020	140	13.7	110	10.8	320	31.4
Chronic obstructive pulmonary disease and allied conditions, unspecified	1440	40	—	—	—	—	30	75.0
Bronchitis	1441	20	—	—	—	—	—	—
Extrinsic asthma	1443	580	100	17.2	90	15.5	220	37.9
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	1444	300	—	—	—	—	60	20.0
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	1449	70	—	—	—	—	—	—
Pneumonopathy	146	30	—	—	—	—	—	—
Other respiratory system diseases	149	100	—	—	—	—	40	40.0
Other respiratory system diseases, unspecified	1490	40	—	—	—	—	—	—
Other respiratory system diseases, n.e.c.	1499	40	—	—	—	—	30	75.0
Digestive system diseases and disorders	15	20,480	380	1.9	360	1.8	1,190	5.8
Hernia	153	20,480	380	1.9	360	1.8	1,190	5.8
Hernia, unspecified	1530	9,280	160	1.7	240	2.6	540	5.8
Inguinal hernia	1531	7,820	160	2.0	70	.9	490	6.3
Hiatal hernia	1532	340	—	—	—	—	40	11.8
Ventral hernia	1533	1,550	40	2.6	30	1.9	50	3.2
Hernia, n.e.c.	1539	1,490	20	1.3	20	1.3	70	4.7
Musculoskeletal system and connective tissue diseases and disorders	17	14,280	1,130	7.9	1,010	7.1	2,560	17.9

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Hemorrhoids	—	—	—	—	—	—	—	—	2
Respiratory system diseases	100	5.5	370	20.2	50	2.7	370	20.2	5
Respiratory system diseases, unspecified	20	11.1	—	—	—	—	30	16.7	3
Acute respiratory infections (including common cold)	—	—	—	—	—	—	—	—	6
Other diseases of upper respiratory tract	20	15.4	—	—	30	23.1	—	—	3
Other diseases of upper respiratory tract, unspecified	—	—	—	—	—	—	—	—	22
Allergic rhinitis	—	—	—	—	—	—	—	—	2
Other diseases of upper respiratory tract, n.e.c.	—	—	—	—	—	—	—	—	4
Pneumonia, influenza	—	—	—	—	—	—	200	66.7	50
Pneumonia	—	—	—	—	—	—	200	90.9	50
Influenza	—	—	—	—	—	—	—	—	2
Chronic obstructive pulmonary disease and allied conditions	30	2.9	340	33.3	—	—	80	7.8	5
Chronic obstructive pulmonary disease and allied conditions, unspecified	—	—	—	—	—	—	—	—	4
Bronchitis	—	—	—	—	—	—	—	—	2
Extrinsic asthma	20	3.4	100	17.2	—	—	50	8.6	5
Extrinsic allergic alveolitis and pneumonitis (including farmer's lung, bagassosis)	—	—	220	73.3	—	—	—	—	11
Chronic obstructive pulmonary disease and allied conditions, n.e.c.	—	—	—	—	—	—	30	42.9	17
Pneumonopathy	—	—	—	—	—	—	—	—	1
Other respiratory system diseases	20	20.0	—	—	—	—	40	40.0	10
Other respiratory system diseases, unspecified	—	—	—	—	—	—	30	75.0	36
Other respiratory system diseases, n.e.c.	—	—	—	—	—	—	—	—	4
Digestive system diseases and disorders	2,310	11.3	4,750	23.2	4,060	19.8	7,440	36.3	24
Hernia	2,310	11.3	4,750	23.2	4,050	19.8	7,440	36.3	24
Hernia, unspecified	950	10.2	2,170	23.4	1,790	19.3	3,440	37.1	24
Inguinal hernia	710	9.1	2,020	25.8	1,400	17.9	2,960	37.9	24
Hiatal hernia	110	32.4	60	17.6	80	23.5	50	14.7	16
Ventral hernia	330	21.3	220	14.2	310	20.0	570	36.8	25
Hernia, n.e.c.	210	14.1	280	18.8	470	31.5	420	28.2	24
Musculoskeletal system and connective tissue diseases and disorders	1,590	11.1	1,930	13.5	1,050	7.4	5,020	35.2	14

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Musculoskeletal system and connective tissue diseases and disorders, unspecified	170	170	—	—	—	—	20	11.8
Arthropathies and related disorders (arthritis)	171	170	—	—	—	—	20	11.8
Dorsopathies	172	1,390	110	7.9	90	6.5	230	16.5
Dorsopathies, unspecified	1720	50	—	—	—	—	—	—
Sciatica	1721	420	20	4.8	40	9.5	50	11.9
Lumbago	1722	30	—	—	—	—	—	—
Disc disorders, except dislocation	1723	230	20	8.7	—	—	30	13.0
Dorsopathies, n.e.c.	1729	660	70	10.6	40	6.1	110	16.7
Rheumatism, except the back	173	12,400	990	8.0	910	7.3	2,260	18.2
Rheumatism, except the back, unspecified	1730	880	80	9.1	40	4.5	80	9.1
Bursitis	1731	880	50	5.7	70	8.0	330	37.5
Synovitis	1732	50	—	—	—	—	20	40.0
Tendonitis	1733	5,720	510	8.9	540	9.4	1,020	17.8
Tenosynovitis	1734	640	20	3.1	30	4.7	60	9.4
Ganglion/cystic tumor	1735	760	40	5.3	40	5.3	110	14.5
Rheumatism, except the back, n.e.c.	1739	3,490	280	8.0	190	5.4	640	18.3
Osteopathies, chondropathies, acquired deformities	174	70	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, unspecified	1740	30	—	—	—	—	—	—
Osteopathies, chondropathies, acquired deformities, n.e.c.	1749	40	—	—	—	—	—	—
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	179	80	20	25.0	—	—	—	—
Disorders of the skin and subcutaneous tissue	18	5,000	1,360	27.2	780	15.6	1,090	21.8
Disorders of the skin and subcutaneous tissue, unspecified	180	250	130	52.0	—	—	40	16.0
Infections of the skin and subcutaneous tissue	181	1,090	110	10.1	100	9.2	240	22.0
Infections of the skin and subcutaneous tissue, unspecified	1810	290	50	17.2	—	—	20	6.9
Cellulitis and abscess	1812	580	40	6.9	90	15.5	160	27.6
Pilonidal cyst	1815	80	—	—	—	—	40	50.0
Infections of the skin and subcutaneous tissue, n.e.c.	1819	110	20	18.2	—	—	20	18.2
Dermatitis	182	3,100	950	30.6	630	20.3	640	20.6
Dermatitis, unspecified	1820	470	130	27.7	70	14.9	60	12.8

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Musculoskeletal system and connective tissue diseases and disorders, unspecified	20	11.8	—	—	20	11.8	80	47.1	27
Arthropathies and related disorders (arthritis)	—	—	—	—	30	17.6	90	52.9	45
Dorsopathies	170	12.2	160	11.5	100	7.2	530	38.1	16
Dorsopathies, unspecified	—	—	—	—	—	—	—	—	5
Sciatica	50	11.9	50	11.9	30	7.1	190	45.2	23
Lumbago	—	—	—	—	—	—	—	—	3
Disc disorders, except dislocation	—	—	20	8.7	40	17.4	120	52.2	25
Dorsopathies, n.e.c.	120	18.2	90	13.6	20	3.0	210	31.8	10
Rheumatism, except the back	1,390	11.2	1,740	14.0	890	7.2	4,230	34.1	14
Rheumatism, except the back, unspecified	170	19.3	200	22.7	60	6.8	240	27.3	17
Bursitis	80	9.1	100	11.4	40	4.5	210	23.9	5
Synovitis	—	—	—	—	—	—	—	—	13
Tendonitis	650	11.4	750	13.1	340	5.9	1,910	33.4	12
Tenosynovitis	50	7.8	90	14.1	70	10.9	310	48.4	30
Ganglion/cystic tumor	160	21.1	120	15.8	60	7.9	230	30.3	14
Rheumatism, except the back, n.e.c.	290	8.3	480	13.8	310	8.9	1,300	37.2	16
Osteopathies, chondropathies, acquired deformities	—	—	—	—	—	—	60	85.7	117
Osteopathies, chondropathies, acquired deformities, unspecified	—	—	—	—	—	—	—	—	153
Osteopathies, chondropathies, acquired deformities, n.e.c.	—	—	—	—	—	—	30	75.0	51
Musculoskeletal system and connective tissue diseases and disorders, n.e.c.	—	—	—	—	—	—	40	50.0	18
Disorders of the skin and subcutaneous tissue	630	12.6	610	12.2	130	2.6	390	7.8	3
Disorders of the skin and subcutaneous tissue, unspecified	50	20.0	—	—	—	—	—	—	1
Infections of the skin and subcutaneous tissue	140	12.8	280	25.7	50	4.6	160	14.7	7
Infections of the skin and subcutaneous tissue, unspecified	40	13.8	140	48.3	—	—	20	6.9	13
Cellulitis and abscess	70	12.1	100	17.2	30	5.2	100	17.2	6
Pilonidal cyst	—	—	20	25.0	—	—	—	—	5
Infections of the skin and subcutaneous tissue, n.e.c.	30	27.3	—	—	—	—	20	18.2	6
Dermatitis	390	12.6	300	9.7	70	2.3	130	4.2	2
Dermatitis, unspecified	70	14.9	90	19.1	20	4.3	30	6.4	3

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Atopic dermatitis and related conditions	1821	20	—	—	—	—	—	—
Contact dermatitis and other eczema	1822	810	160	19.8	130	16.0	330	40.7
Allergic dermatitis	1823	980	330	33.7	230	23.5	170	17.3
Irritant dermatitis	1824	710	290	40.8	160	22.5	60	8.5
Other contact dermatitis	1825	30	—	—	—	—	—	—
Dermatitis, n.e.c.	1829	70	—	—	40	57.1	—	—
Other inflammatory conditions of the skin	183	190	20	10.5	20	10.5	130	68.4
Other inflammatory conditions of the skin, unspecified	1830	150	—	—	—	—	110	73.3
Other inflammatory conditions, n.e.c.	1839	20	—	—	—	—	—	—
Diseases of sebaceous glands	184	90	—	—	—	—	—	—
Sebaceous cyst	1842	90	—	—	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue	189	280	150	53.6	20	7.1	40	14.3
Chronic skin ulcers	1897	30	—	—	—	—	—	—
Urticaria, hives	1898	210	150	71.4	—	—	—	—
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	1899	40	—	—	—	—	—	—
Other systemic diseases and disorders	19	210	—	—	—	—	—	—
Endocrine, nutritional, metabolic, and immunity disorder	191	110	—	—	—	—	—	—
Diseases and disorders of other endocrine glands	1912	100	—	—	—	—	—	—
Systemic diseases and disorders, n.e.c.	199	100	—	—	—	—	—	—
Infectious and parasitic diseases	2	1,770	200	11.3	300	16.9	360	20.3
Infectious and parasitic diseases, unspecified	20	20	—	—	—	—	—	—
Bacterial diseases	21	550	—	—	50	9.1	70	12.7
Tuberculoses	211	20	—	—	—	—	—	—
Tuberculoses, unspecified	2110	20	—	—	—	—	—	—
Other bacterial diseases	219	520	—	—	50	9.6	70	13.5
Diphtheria, whooping cough	2192	60	—	—	—	—	30	50.0
Septicemia	2197	80	—	—	—	—	—	—
Other bacterial diseases, n.e.c. ..	2199	360	—	—	—	—	40	11.1
Viral diseases	22	390	20	5.1	100	25.6	60	15.4
Non-arthropod-borne viral diseases of the central nervous system	222	50	—	—	—	—	—	—
Viral diseases accompanied by exanthem (eruptive fever)	223	170	—	—	—	—	30	17.6
Chickenpox	2233	130	—	—	—	—	20	15.4

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Atopic dermatitis and related conditions	—	—	—	—	—	—	—	—	3
Contact dermatitis and other eczema	70	8.6	70	8.6	30	3.7	20	2.5	3
Allergic dermatitis	170	17.3	70	7.1	—	—	20	2.0	2
Irritant dermatitis	70	9.9	70	9.9	—	—	60	8.5	2
Other contact dermatitis	—	—	—	—	—	—	—	—	3
Dermatitis, n.e.c.	—	—	—	—	—	—	—	—	2
Other inflammatory conditions of the skin	—	—	—	—	—	—	—	—	3
Other inflammatory conditions of the skin, unspecified	—	—	—	—	—	—	—	—	3
Other inflammatory conditions, n.e.c.	—	—	—	—	—	—	—	—	2
Diseases of sebaceous glands	—	—	—	—	—	—	90	100.0	49
Sebaceous cyst	—	—	—	—	—	—	80	88.9	49
Other diseases and disorders of the skin and subcutaneous tissue	30	10.7	20	7.1	—	—	—	—	1
Chronic skin ulcers	—	—	—	—	—	—	—	—	16
Urticaria, hives	30	14.3	—	—	—	—	—	—	1
Other diseases and disorders of the skin and subcutaneous tissue, n.e.c.	—	—	—	—	—	—	—	—	3
Other systemic diseases and disorders	—	—	30	14.3	40	19.0	120	57.1	60
Endocrine, nutritional, metabolic, and immunity disorder	—	—	—	—	—	—	60	54.5	140
Diseases and disorders of other endocrine glands	—	—	—	—	—	—	60	60.0	140
Systemic diseases and disorders, n.e.c.	—	—	30	30.0	—	—	60	60.0	39
Infectious and parasitic diseases	270	15.3	140	7.9	110	6.2	390	22.0	6
Infectious and parasitic diseases, unspecified	—	—	—	—	—	—	—	—	2
Bacterial diseases	20	3.6	50	9.1	20	3.6	330	60.0	77
Tuberculoses	—	—	—	—	—	—	—	—	20
Tuberculoses, unspecified	—	—	—	—	—	—	—	—	20
Other bacterial diseases	20	3.8	40	7.7	—	—	330	63.5	112
Diphtheria, whooping cough	—	—	—	—	—	—	—	—	5
Septicemia	—	—	—	—	—	—	50	62.5	36
Other bacterial diseases, n.e.c. ..	—	—	30	8.3	—	—	280	77.8	112
Viral diseases	140	35.9	40	10.3	—	—	—	—	6
Non-arthropod-borne viral diseases of the central nervous system	—	—	—	—	—	—	—	—	8
Viral diseases accompanied by exanthem (eruptive fever)	80	47.1	30	17.6	—	—	—	—	8
Chickenpox	60	46.2	30	23.1	—	—	—	—	8

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Herpes zoster	2234	30	—	—	—	—	—	—
Viral hepatitis	225	20	—	—	—	—	—	—
Type A viral hepatitis (infectious hepatitis)	2251	20	—	—	—	—	—	—
Viral diseases of the conjunctiva	226	130	—	—	90	69.2	30	23.1
Viral conjunctivitis (ophthalmia)	2262	110	—	—	90	81.8	—	—
Other diseases due to viruses and Chlamydiae	229	20	—	—	—	—	—	—
Other arthropod-borne diseases	23	50	—	—	—	—	—	—
Lyme disease	237	40	—	—	—	—	—	—
Mycoses	24	100	20	20.0	50	50.0	—	—
Dermatophytosis (including athlete's foot, tinea)	241	90	20	22.2	50	55.6	—	—
Infectious diseases peculiar to the intestines	26	200	20	10.0	—	—	110	55.0
Other salmonella infections	263	20	—	—	—	—	—	—
Shigellosis	264	20	—	—	—	—	—	—
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	265	90	20	22.2	—	—	70	77.8
Infectious diseases peculiar to the intestines, n.e.c.	269	60	—	—	—	—	30	50.0
Other infectious and parasitic diseases	29	480	130	27.1	80	16.7	100	20.8
Other infectious and parasitic diseases, unspecified	290	20	—	—	—	—	—	—
Pediculosis and phthirus infestation (lice)	293	30	—	—	—	—	—	—
Acariasis (including scabies, chiggers, mites)	294	430	110	25.6	60	14.0	100	23.3
Symptoms, signs, and ill-defined conditions	4	12,920	2,630	20.4	2,160	16.7	1,870	14.5
Symptoms, signs, and ill-defined conditions, unspecified	40	100	30	30.0	—	—	—	—
Symptoms	41	12,670	2,560	20.2	2,140	16.9	1,820	14.4
Symptoms, unspecified	410	440	50	11.4	—	—	50	11.4
General symptoms	411	4,540	980	21.6	710	15.6	610	13.4
General symptoms, unspecified	4110	140	30	21.4	—	—	50	35.7
Loss of consciousness not heat related	4111	950	210	22.1	160	16.8	100	10.5
Convulsions, seizures	4112	250	30	12.0	60	24.0	20	8.0
Dizziness	4114	1,270	270	21.3	160	12.6	90	7.1
Non-specified allergic reaction	4115	560	200	35.7	110	19.6	110	19.6
Multiple general symptoms	4118	150	20	13.3	30	20.0	30	20.0
General symptoms, n.e.c.	4119	1,200	200	16.7	180	15.0	210	17.5

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Herpes zoster	-	-	-	-	-	-	-	-	8
Viral hepatitis	-	-	-	-	-	-	-	-	1
Type A viral hepatitis (infectious hepatitis)	-	-	-	-	-	-	-	-	1
Viral diseases of the conjunctiva	-	-	-	-	-	-	-	-	2
Viral conjunctivitis (ophthalmia) ..	-	-	-	-	-	-	-	-	2
Other diseases due to viruses and Chlamydiae	-	-	-	-	-	-	-	-	7
Other arthropod-borne diseases	-	-	-	-	-	-	-	-	10
Lyme disease	-	-	-	-	-	-	-	-	10
Mycoses	-	-	-	-	-	-	-	-	2
Dermatophytosis (including athlete's foot, tinea)	-	-	-	-	-	-	-	-	2
Infectious diseases peculiar to the intestines	20	10.0	30	15.0	-	-	-	-	4
Other salmonella infections	-	-	-	-	-	-	-	-	25
Shigellosis	-	-	-	-	-	-	-	-	3
Other bacterial food poisoning (including botulism and staphylococcal food poisoning)	-	-	-	-	-	-	-	-	3
Infectious diseases peculiar to the intestines, n.e.c.	-	-	-	-	-	-	-	-	6
Other infectious and parasitic diseases	70	14.6	20	4.2	60	12.5	20	4.2	3
Other infectious and parasitic diseases, unspecified	-	-	-	-	-	-	-	-	1
Pediculosis and phthirus infestation (lice)	-	-	-	-	-	-	-	-	2
Acariasis (including scabies, chiggers, mites)	70	16.3	20	4.7	60	14.0	20	4.7	4
Symptoms, signs, and ill-defined conditions	1,430	11.1	1,350	10.4	730	5.7	2,760	21.4	5
Symptoms, signs, and ill-defined conditions, unspecified	-	-	20	20.0	-	-	40	40.0	14
Symptoms	1,420	11.2	1,320	10.4	700	5.5	2,710	21.4	5
Symptoms, unspecified	-	-	40	9.1	-	-	280	63.6	38
General symptoms	670	14.8	440	9.7	370	8.1	770	17.0	5
General symptoms, unspecified	-	-	-	-	-	-	40	28.6	4
Loss of consciousness not heat related	80	8.4	200	21.1	20	2.1	190	20.0	6
Convulsions, seizures	-	-	-	-	-	-	-	-	18
Dizziness	400	31.5	-	-	250	19.7	90	7.1	7
Non-specified allergic reaction ...	40	7.1	-	-	30	5.4	60	10.7	2
Multiple general symptoms	40	26.7	-	-	-	-	20	13.3	3
General symptoms, n.e.c.	100	8.3	80	6.7	60	5.0	360	30.0	6

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Symptoms involving nervous and musculoskeletal systems	412	2,850	370	13.0	260	9.1	400	14.0
Symptoms involving nervous and musculoskeletal systems, unspecified	4120	240	30	12.5	130	54.2	—	—
Spasms or tremors, n.e.c.	4121	40	—	—	—	—	—	—
Earache	4122	90	—	—	—	—	—	—
Eye strain	4123	40	30	75.0	—	—	—	—
Multiple symptoms involving nervous and musculoskeletal systems	4128	170	—	—	—	—	150	88.2
Symptoms involving nervous and musculoskeletal systems, n.e.c.	4129	2,270	290	12.8	100	4.4	220	9.7
Symptoms involving skin and other integumentary tissue	413	1,050	140	13.3	160	15.2	130	12.4
Symptoms involving skin and other integumentary tissue, unspecified	4130	150	30	20.0	—	—	30	20.0
Edema (including dropsy)	4131	750	20	2.7	130	17.3	80	10.7
Symptoms involving skin and other integumentary tissue, n.e.c.	4139	130	80	61.5	20	15.4	—	—
Symptoms involving head and neck	414	610	200	32.8	160	26.2	50	8.2
Symptoms involving head and neck, unspecified	4140	20	—	—	—	—	—	—
Headache, except migraine	4141	490	150	30.6	140	28.6	40	8.2
Multiple symptoms involving head and neck	4148	20	—	—	—	—	—	—
Symptoms involving head and neck, n.e.c.	4149	60	30	50.0	—	—	—	—
Symptoms involving cardiovascular system	415	30	—	—	—	—	—	—
Symptoms involving cardiovascular system, unspecified	4150	20	—	—	—	—	—	—
Symptoms involving respiratory system and chest	416	2,080	560	26.9	560	26.9	430	20.7
Symptoms involving respiratory system and chest, unspecified	4160	1,100	280	25.5	290	26.4	200	18.2
Hyperventilation	4161	40	—	—	—	—	—	—
Chest pain	4164	250	80	32.0	—	—	80	32.0
Multiple symptoms involving respiratory system and chest ...	4168	50	30	60.0	—	—	20	40.0
Symptoms involving respiratory system and chest, n.e.c.	4169	640	130	20.3	260	40.6	120	18.8

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Symptoms involving nervous and musculoskeletal systems	250	8.8	460	16.1	120	4.2	1,000	35.1	15
Symptoms involving nervous and musculoskeletal systems, unspecified	—	—	30	12.5	—	—	30	12.5	2
Spasms or tremors, n.e.c.	—	—	—	—	—	—	—	—	2
Earache	20	22.2	—	—	—	—	40	44.4	13
Eye strain	—	—	—	—	—	—	—	—	1
Multiple symptoms involving nervous and musculoskeletal systems	—	—	—	—	—	—	—	—	5
Symptoms involving nervous and musculoskeletal systems, n.e.c.	210	9.3	420	18.5	120	5.3	910	40.1	17
Symptoms involving skin and other integumentary tissue	180	17.1	120	11.4	110	10.5	220	21.0	8
Symptoms involving skin and other integumentary tissue, unspecified	50	33.3	20	13.3	—	—	—	—	5
Edema (including dropsy)	120	16.0	80	10.7	110	14.7	220	29.3	12
Symptoms involving skin and other integumentary tissue, n.e.c.	—	—	—	—	—	—	—	—	1
Symptoms involving head and neck	40	6.6	50	8.2	20	3.3	80	13.1	2
Symptoms involving head and neck, unspecified	—	—	—	—	—	—	—	—	2
Headache, except migraine	20	4.1	50	10.2	20	4.1	70	14.3	2
Multiple symptoms involving head and neck	—	—	—	—	—	—	—	—	1
Symptoms involving head and neck, n.e.c.	—	—	—	—	—	—	—	—	1
Symptoms involving cardiovascular system	—	—	—	—	—	—	—	—	2
Symptoms involving cardiovascular system, unspecified	—	—	—	—	—	—	—	—	2
Symptoms involving respiratory system and chest	190	9.1	200	9.6	60	2.9	70	3.4	2
Symptoms involving respiratory system and chest, unspecified	120	10.9	110	10.0	50	4.5	40	3.6	2
Hyperventilation	—	—	—	—	—	—	—	—	1
Chest pain	—	—	50	20.0	—	—	—	—	3
Multiple symptoms involving respiratory system and chest ...	—	—	—	—	—	—	—	—	1
Symptoms involving respiratory system and chest, n.e.c.	60	9.4	50	7.8	—	—	—	—	2

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Nature code ²	Private industry ³	Percent of days-away-from-work cases involving					
			1 day		2 days		3 - 5 days	
			Number	Percent	Number	Percent	Number	Percent
Symptoms involving digestive and urinary system	417	310	50	16.1	40	12.9	30	9.7
Nausea and vomiting	4171	110	50	45.5	30	27.3	—	—
Abdominal pain, unspecified	4175	110	—	—	—	—	—	—
Multiple symptoms involving digestive or urinary system	4178	70	—	—	—	—	—	—
Multiple symptoms	418	730	170	23.3	220	30.1	130	17.8
Other symptoms, n.e.c.	419	50	—	—	—	—	—	—
Abnormal findings	42	80	20	25.0	—	—	—	—
Abnormal findings from histological and immunological studies	426	60	20	33.3	—	—	—	—
Other abnormal findings	429	20	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions	48	60	—	—	—	—	—	—
Multiple chemical sensitivity	481	20	—	—	—	—	—	—
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	489	30	—	—	—	—	—	—
Other diseases, conditions, and disorders	5	2,750	140	5.1	70	2.5	230	8.4
Mental disorders or syndromes	52	2,710	140	5.2	70	2.6	220	8.1
Mental disorder or syndrome, unspecified	520	120	—	—	—	—	—	—
Anxiety, stress, neurotic disorders	521	2,540	140	5.5	60	2.4	220	8.7
Anxiety, stress, neurotic disorders, unspecified	5210	1,160	80	6.9	40	3.4	120	10.3
Post-traumatic anxiety acute	5211	210	—	—	—	—	30	14.3
Post-traumatic anxiety chronic	5212	50	—	—	—	—	—	—
Panic disorder	5213	30	—	—	—	—	—	—
Neurotic reaction to stress	5214	940	30	3.2	20	2.1	60	6.4
Multiple anxiety, stress, neurotic disorders	5218	140	—	—	—	—	—	—
Mental disorders or syndromes, n.e.c.	529	50	—	—	—	—	—	—
Other diseases, conditions, and disorders, n.e.c.	59	30	—	—	—	—	—	—
Multiple diseases, conditions, and disorders	8	300	40	13.3	40	13.3	—	—
Nonclassifiable	9999	6,290	2,270	36.1	510	8.1	730	11.6

See footnotes at end of table.

TABLE R67. Number and percent distribution of nonfatal occupational injuries and illnesses involving days away from work¹ by nature of injury or illness and number of days away from work, 2005 — Continued

Nature	Percent of days-away-from-work cases involving								Median days away from work
	6 - 10 days		11 - 20 days		21 - 30 days		31 days or more		
	Number	Percent	Number	Percent	Number	Percent	Number	Percent	
Symptoms involving digestive and urinary system	40	12.9	—	—	—	—	140	45.2	9
Nausea and vomiting	20	18.2	—	—	—	—	—	—	2
Abdominal pain, unspecified	—	—	—	—	—	—	—	—	120
Multiple symptoms involving digestive or urinary system	—	—	—	—	—	—	30	42.9	9
Multiple symptoms	30	4.1	—	—	—	—	150	20.5	2
Other symptoms, n.e.c.	—	—	—	—	—	—	—	—	1
Abnormal findings	—	—	—	—	—	—	—	—	4
Abnormal findings from histological and immunological studies	—	—	—	—	—	—	—	—	2
Other abnormal findings	—	—	—	—	—	—	—	—	30
Multiple symptoms, signs, and ill-defined conditions	—	—	—	—	—	—	—	—	5
Multiple chemical sensitivity	—	—	—	—	—	—	—	—	1
Multiple symptoms, signs, and ill-defined conditions, n.e.c.	—	—	—	—	—	—	—	—	17
Other diseases, conditions, and disorders	360	13.1	350	12.7	180	6.5	1,410	51.3	32
Mental disorders or syndromes	360	13.3	350	12.9	180	6.6	1,400	51.7	32
Mental disorder or syndrome, unspecified	—	—	—	—	20	16.7	70	58.3	60
Anxiety, stress, neurotic disorders	340	13.4	340	13.4	160	6.3	1,290	50.8	32
Anxiety, stress, neurotic disorders, unspecified	90	7.8	240	20.7	—	—	570	49.1	30
Post-traumatic anxiety acute	20	9.5	20	9.5	40	19.0	100	47.6	25
Post-traumatic anxiety chronic	—	—	—	—	—	—	50	100.0	47
Panic disorder	—	—	—	—	—	—	—	—	4
Neurotic reaction to stress	170	18.1	70	7.4	90	9.6	500	53.2	33
Multiple anxiety, stress, neurotic disorders	60	42.9	—	—	—	—	60	42.9	15
Mental disorders or syndromes, n.e.c.	—	—	—	—	—	—	40	80.0	31
Other diseases, conditions, and disorders, n.e.c.	—	—	—	—	—	—	—	—	19
Multiple diseases, conditions, and disorders	20	6.7	30	10.0	—	—	150	50.0	33
Nonclassifiable	730	11.6	440	7.0	220	3.5	1,400	22.3	4

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies