

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2006

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Total		1,183,500	25,810	81,190	245,150	76,210	83,320	14,330	149,910	94,890	171,030	239,710	–
Head	0	82,420	2,090	5,160	14,750	4,580	4,920	1,840	11,840	8,810	14,190	14,140	–
Head, unspecified	00	17,250	590	970	4,150	1,750	1,410	270	1,350	1,460	1,520	3,780	–
Cranial region, including skull	01	9,940	460	860	1,890	720	990	400	1,130	570	1,050	1,800	–
Cranial region, unspecified	010	170	–	–	–	–	–	–	–	30	20	80	–
Brain	011	6,300	390	590	1,040	470	650	340	680	240	680	1,160	–
Scalp	012	2,610	60	240	740	140	240	30	250	220	260	440	–
Skull	013	690	–	20	50	100	70	30	190	60	60	100	–
Multiple cranial region locations	018	80	–	–	20	–	–	–	–	–	–	–	–
Cranial region, n.e.c.	019	90	–	–	40	–	–	–	–	–	20	–	–
Ear(s)	02	1,890	–	310	380	30	70	–	360	400	210	140	–
Face	03	52,060	1,040	2,980	8,090	2,010	2,020	1,160	8,910	6,270	11,320	8,210	–
Face, unspecified	030	3,810	40	290	950	240	200	60	380	360	580	690	–
Forehead	031	2,930	60	150	530	200	170	70	250	340	450	700	–
Eye(s)	032	35,970	780	1,570	4,970	1,040	1,110	830	6,720	4,770	9,010	5,170	–
Nose, nasal cavity	033	2,310	–	250	400	100	100	50	320	270	270	530	–
Nose, except internal location of diseases or disorders	0330	2,240	–	240	380	100	100	50	320	270	250	530	–
Internal nasal location, unspecified	0331	40	–	–	–	–	–	–	–	–	20	–	–
Multiple internal nasal locations	0338	20	–	–	–	–	–	–	–	–	–	–	–
Cheek(s)	034	810	50	40	50	180	20	–	210	50	110	100	–
Jaw/chin	035	790	–	60	180	20	20	40	170	80	100	100	–
Mouth	036	2,940	60	420	520	110	100	70	640	190	440	400	–
Mouth, unspecified	0360	410	30	30	50	–	–	–	70	20	90	70	–
Lip(s)	0361	1,030	–	220	90	30	30	20	380	20	170	60	–
Tongue	0362	20	–	–	–	–	–	–	–	–	–	–	–
Tooth(teeth)	0363	1,210	20	160	330	60	60	–	140	130	130	170	–
Multiple mouth locations	0368	190	–	–	40	–	–	–	–	–	20	90	–
Mouth, n.e.c.	0369	70	–	–	–	–	–	–	–	–	–	–	–
Multiple face locations	038	2,170	20	170	430	100	290	30	210	160	270	490	–
Face, n.e.c.	039	330	–	40	70	30	–	–	30	30	90	30	–
Multiple head locations	08	1,120	–	40	230	60	370	–	60	110	70	170	–
Head, n.e.c.	09	170	–	–	–	–	50	–	20	–	20	30	–
Neck, including throat	1	17,840	450	2,060	3,250	1,630	1,330	110	1,900	950	1,710	4,440	–
Neck, except internal location of diseases or disorders	10	17,660	450	2,050	3,240	1,630	1,220	110	1,880	950	1,700	4,430	–
Internal neck location, unspecified	11	120	–	–	–	–	100	–	–	–	–	–	–
Vocal cord(s)	12	20	–	–	–	–	–	–	–	–	–	–	–
Trunk	2	401,900	8,410	29,610	86,320	26,270	28,020	4,320	43,920	32,330	50,810	91,460	–
Trunk, unspecified	20	2,260	20	110	620	80	270	40	200	100	440	370	–

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Shoulder, including clavicle, scapula	21	75,810	1,550	4,670	14,890	4,810	5,220	550	7,690	6,200	10,840	19,360	—
Chest, including ribs, internal organs	22	18,170	440	1,120	4,110	920	1,300	270	2,250	1,270	2,340	4,150	—
Chest, except internal location of diseases or disorders	220	16,260	410	820	3,710	820	890	260	2,210	1,080	2,170	3,890	—
Internal chest location, unspecified	221	190	—	20	70	—	30	—	—	—	—	20	—
Heart	223	430	—	40	20	—	200	—	—	—	30	100	—
Bronchus	224	140	—	30	20	—	30	—	—	—	20	20	—
Lung(s), pleura	225	1,150	20	210	280	60	150	—	—	170	110	110	—
Back, including spine, spinal cord ..	23	250,870	4,850	20,490	57,760	16,920	17,780	2,690	27,410	19,960	28,020	54,680	—
Back, including spine, spinal cord, unspecified	230	105,380	2,500	8,540	25,040	6,390	6,680	1,420	13,540	7,760	11,820	21,600	—
Lumbar region	231	122,830	2,130	9,450	26,680	8,990	9,800	1,110	11,990	10,710	14,210	27,590	—
Thoracic region	232	9,940	120	1,150	2,500	710	590	40	860	610	950	2,370	—
Sacral region	233	1,190	—	140	410	110	60	—	50	50	100	250	—
Coccygeal region	234	1,390	40	110	350	100	130	—	140	70	140	310	—
Multiple back regions	238	9,030	50	1,060	2,490	570	430	110	620	710	630	2,350	—
Back, including spine, spinal cord, n.e.c.	239	1,110	—	30	290	60	70	—	220	50	180	210	—
Abdomen	24	27,040	850	910	3,400	1,710	1,560	300	3,210	2,940	5,600	6,480	—
Abdomen, except internal location of diseases or disorders	240	7,820	430	540	1,380	420	670	70	580	690	1,390	1,640	—
Internal abdominal location, unspecified	241	8,360	120	110	800	590	360	160	980	1,010	1,890	2,270	—
Stomach organ	242	700	—	20	120	30	70	—	100	50	120	160	—
Urinary organs	244	20	—	—	—	—	—	—	—	—	—	—	—
Kidney(s)	2442	20	—	—	—	—	—	—	—	—	—	—	—
Intestines, peritoneum	245	9,990	280	240	1,080	630	450	70	1,490	1,190	2,180	2,390	—
Intestines, peritoneum, unspecified	2450	9,330	260	210	960	600	430	60	1,390	1,140	2,040	2,240	—
Peritoneum	2451	450	20	—	110	30	—	—	100	50	50	80	—
Large intestine/colon, rectum	2453	160	—	—	—	—	—	—	—	—	70	60	—
Intestines, n.e.c.	2459	30	—	—	—	—	—	—	—	—	—	—	—
Multiple internal abdominal locations	248	60	—	—	—	—	—	—	—	—	—	—	—
Internal abdominal location, n.e.c.	249	80	—	—	—	—	—	—	—	—	—	—	—
Pelvic region	25	20,630	560	1,370	3,820	1,330	1,330	340	2,530	1,540	2,910	4,890	—
Pelvic region, unspecified	250	220	—	20	20	—	50	—	40	—	—	40	—
Hip(s)	251	7,680	90	840	2,030	530	700	90	610	370	840	1,590	—
Pelvis	252	1,200	40	70	240	20	40	—	90	140	80	470	—
Buttock(s)	253	1,940	50	170	330	70	90	120	120	100	570	320	—

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Groin	254	8,760	360	250	1,080	660	410	40	1,440	880	1,280	2,350	—
External reproductive tract structures	255	560	—	—	70	—	20	60	190	30	110	50	—
External reproductive tract structures, unspecified	2550	80	—	—	—	—	—	—	40	20	—	20	—
Scrotum	2551	370	—	—	—	—	—	60	140	—	110	30	—
Penis	2552	90	—	—	—	—	—	—	—	—	—	—	—
Multiple pelvic region locations ..	258	150	—	—	30	30	—	—	20	—	—	30	—
Pelvic region, n.e.c.	259	130	—	—	20	—	20	—	—	—	—	40	—
Multiple trunk locations	28	7,010	140	930	1,690	500	570	130	610	310	620	1,510	—
Trunk, n.e.c.	29	110	—	—	20	—	—	—	20	—	20	20	—
Upper extremities	3	274,180	4,160	12,810	59,550	14,190	16,050	3,000	39,520	22,870	59,440	42,370	—
Upper extremities, unspecified	30	740	—	360	50	60	20	—	40	—	40	100	—
Arm(s)	31	54,860	920	2,810	10,800	3,600	3,350	560	7,580	5,290	8,880	10,990	—
Arm(s), unspecified	310	18,510	440	1,110	4,200	1,110	1,190	170	2,270	1,600	2,720	3,680	—
Upper arm(s)	311	4,310	70	210	770	250	330	60	380	330	660	1,230	—
Elbow(s)	312	18,020	240	920	3,260	1,260	1,150	150	2,300	2,050	2,930	3,730	—
Forearm(s)	313	10,860	110	410	2,020	790	340	140	2,400	1,090	2,010	1,530	—
Multiple arm(s) locations	318	2,510	50	120	460	150	270	30	180	140	470	630	—
Arm(s), n.e.c.	319	650	—	30	90	40	70	—	60	60	100	190	—
Wrist(s)	32	48,810	1,380	3,280	9,880	3,610	4,810	350	4,930	3,050	9,910	7,540	—
Hand(s), except finger(s)	33	49,480	540	1,910	11,800	2,520	2,470	520	8,310	4,210	10,260	6,930	—
Finger(s), fingernail(s)	34	106,050	990	3,680	23,730	3,570	4,130	1,390	17,280	9,310	27,360	14,550	—
Multiple upper extremities locations	38	14,160	260	760	3,270	820	1,260	180	1,350	1,010	2,970	2,250	—
Multiple upper extremities locations, unspecified	380	240	20	—	—	30	20	—	30	70	40	30	—
Hand(s) and finger(s)	381	4,620	40	160	1,240	180	170	60	520	310	1,110	810	—
Hand(s) and wrist(s)	382	3,370	20	210	890	130	430	50	170	270	700	500	—
Hand(s) and arm(s)	383	1,550	40	50	320	50	140	30	200	130	380	200	—
Multiple upper extremities locations, n.e.c.	389	4,370	130	330	820	440	500	40	430	220	730	700	—
Upper extremities, n.e.c.	39	80	—	—	—	—	—	—	20	—	—	—	—
Lower extremities	4	262,180	5,900	17,450	47,240	19,100	20,470	3,290	38,190	20,510	30,280	59,500	—
Lower extremities, unspecified	40	200	—	—	20	—	20	20	30	—	20	60	—
Leg(s)	41	134,550	3,290	10,030	25,240	9,720	9,230	1,800	19,770	11,120	15,770	28,450	—
Leg(s), unspecified	410	18,270	330	960	3,550	1,420	1,200	410	2,730	1,390	2,240	4,040	—
Thigh(s)	411	5,820	30	530	980	310	330	70	1,340	240	810	1,180	—
Knee(s)	412	95,520	2,580	7,370	18,570	7,000	6,610	1,010	13,690	8,340	10,820	19,430	—
Lower leg(s)	413	10,660	230	600	1,230	800	840	170	1,600	840	1,580	2,760	—
Multiple leg(s) locations	418	3,440	30	530	730	160	230	30	330	280	280	830	—
Leg(s), n.e.c.	419	850	90	50	180	40	20	100	80	20	50	210	—
Ankle(s)	42	61,770	1,420	4,210	11,720	3,730	5,270	710	9,710	4,730	5,450	14,720	—
Foot(feet), except toe(s)	43	43,840	640	2,110	6,940	3,880	3,480	470	5,830	3,250	5,780	11,430	—

See footnotes at end of table.

TABLE R53. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by part of body affected by the injury or illness and summary occupational groups, 2006 — Continued

Part of body	Part of body code ²	Private industry ³	Summary occupational groups										
			Management, business, and financial occupations	Professional and related occupations	Service occupations	Sales and related occupations	Office and administrative support occupations	Farming, fishing, and forestry occupations	Construction and extraction occupations	Installation, Maintenance, and repair occupations	Production occupations	Transportation and material moving occupations	Military specific occupations
Foot(foot), except toe(s), unspecified	430	39,300	510	1,880	6,200	3,330	3,220	420	4,980	3,000	5,350	10,380	—
Instep(s)	431	310	—	30	20	50	20	—	40	20	30	80	—
Sole	432	3,110	60	100	560	420	160	40	560	190	320	710	—
Sole(s), unspecified	4320	420	20	—	50	50	—	—	120	70	40	60	—
Ball(s)	4321	40	—	—	—	—	—	—	—	—	—	30	—
Arch(es)	4322	100	—	—	20	—	—	—	—	—	—	40	—
Heel(s)	4323	2,510	40	90	490	360	130	40	420	110	250	580	—
Multiple sole(s) locations	4328	30	—	—	—	—	—	—	—	—	—	—	—
Sole(s), n.e.c.	4329	20	—	—	—	—	—	—	—	—	—	—	—
Multiple foot(foot) locations	438	380	30	—	30	—	30	—	120	—	20	130	—
Foot(foot), n.e.c.	439	750	40	80	120	80	60	—	130	30	70	130	—
Toe(s), toenail(s)	44	13,610	150	590	1,750	1,180	1,500	150	1,910	840	2,360	3,180	—
Multiple lower extremities locations	48	8,120	390	500	1,560	570	960	140	930	570	860	1,630	—
Multiple lower extremities locations, unspecified	480	180	—	—	30	30	—	—	30	—	—	50	—
Foot(foot) and leg(s)	481	820	20	30	240	40	40	—	140	50	90	170	—
Foot(foot) and ankle(s)	482	2,750	260	210	580	100	160	80	250	230	270	620	—
Foot(foot) and toe(s)	483	930	40	30	90	130	60	—	70	120	200	190	—
Multiple lower extremities locations, n.e.c.	489	3,440	80	220	630	280	690	60	430	150	290	600	—
Lower extremities, n.e.c.	49	90	—	—	20	—	—	—	—	—	30	20	—
Body systems	5	18,220	970	1,830	4,160	910	2,450	240	1,880	1,370	2,350	2,040	—
Multiple body parts	8	115,930	3,450	11,380	28,180	8,810	8,770	1,300	11,690	7,590	10,990	23,680	—
Other body parts	9	60	—	—	—	—	30	—	—	—	—	—	—
Other body parts, n.e.c.	98	60	—	—	—	—	30	—	—	—	—	—	—
Nonclassifiable	9999	10,780	370	880	1,690	710	1,280	230	970	460	1,270	2,090	—

¹ Days-away-from-work cases include those that resulted in days away from work, some of which also included job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dash indicates data do not meet publication guidelines. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies