4. Acknowledgments

Reviews and suggestions for improvement of 1997 MKRRP Annual Report were made by Linda Mutch, Jeff Manley, and Bob Meadows. Assistance in the tedious task of printing, compiling, and checking that all sections of the report were included was provided by Bob Meadows. I would also like to thank everyone who contributed individual project sections for this report or helped in some other capacity. The BRD office provided equipment and assistance in printing the color copies.

5. References

- Albin, D.P. 1979. Fire and stream ecology in some Yellowstone Lake tributaries. Calif. Fish & Game. 65:216-238.
- Amaranthus, M.H., H. Jubas, D. Arthur. 1989. Stream shading, summer streamflow, and maximum water temperature following intense wildfire in headwater streams. pp. 75-78. In: Berg, N.H. (Tech coord.). *Proceedings of the Symposium on Fire and Watershed Management*. USDA, For. Service, Gen. Tech. Rep. PSW-109.
- Barbour M.G. and R.A. Woodward. 1985. The Shasta red fir forest of California. Can J. For. Res. 15:570-576.
- Blonski, K.S. and J. L. Schramel. 1991. Photo series for quantifying natural forest residues: southern Cascades, northern Sierra Nevada. USDA For. Serv. Gen. Tech. Rep. PSW-56.
- Brown, J.K. 1974. *Handbook for Inventorying Downed Woody Material*. USDA For. Ser. Gen. Tech. Rep. INT-16. 24 pp.
- Black, James 1994. The hydrochemistry of the Mineral King area, Sequoia National Park, California. California State University, Fresno. Thesis. 178 p.
- Buckland, S. T. 1980. A modified analysis of the Jolly-Seber capture-recapture model. Biometrics 36:419-435.
- Caprio, A.C. 1996. Mineral King Risk Reduction Project 1995 Annual Report: Monitoring, Inventory, and Reseach. Report on file at Science and Natural Resources Management Division, Sequoia and Kings Canyon National Parks, Three Rivers, CA. 64 pp.
- Caprio, A.C. 1997a. Mineral King Risk Reduction Project 1996 Annual Report: Monitoring, Inventory, and Reseach. Report on file at Science and Natural Resources Management Division, Sequoia and Kings Canyon National Parks, Three Rivers, CA. 75 pp.
- Caprio, A.C. 1997b. Fire history. pp. 51-54. In: A.C. Caprio. Mineral King Risk Reduction Project 1996 Annual Report: Monitoring, Inventory, and Reseach. Report on file at Science and Natural Resources Management Division, Sequoia and Kings Canyon National Parks, Three Rivers, CA. 75 pp.
- Caprio, A.C. and T.W. Swetnam. 1995. Historic fire regimes along an elevational gradient on the west slope of the Sierra Nevada, California. pp. 173-179. In *Proceedings: Symp. On Fire in Wilderness and Park Management*. 1993 March 30-April 1; Missoula, MT, USDA For. Serv. Gen. Tech. Rep. INT-GTR-320. 283 pp.
- Erman, N.A. 1996. Status of aquatic invertebrates. In: Sierra Nevada Ecosystem Project: Final Report to Congress. Vol. II, Chap. 35. Univ. of calif., Davis, Wildland Resources Report No. 37.

- Erman, D.C., N.A. Erman, and I.Chan. 1997. Stream macroinvertebrates of Sequoia National Park: baseline communities and response to prescribed fire. Progress report to USDI, NPS. on file at Sequoia and Kings Canyon National Parks. 37 pp.
- Gordon, D.T. 1970. Natural regeneration of white and red fir-influence of several factors. USDA For. Serv. Res. Pap. PSW-140.
- Gregory, S.V., G.A. Lamberti, D.C. Erman, K.V. Koski, M.L. Murphy, and J.R. Sedell. 1987. Influences of forest practices on aquatic production. pp. 233-255. In: Salo, E.O., and T.W. Cundy (eds.). *Streamside Management. Forestry and Fishery Interaction*. Contribution No. 57. Univ. of Washington, Institute Forest Resources, Seattle.
- Heinselman, M. L., 1973. Fire in virgin forests of the Boundary Waters Canoe Area, Minnesota. Quaternary Research 3:329-382.
- Jeske, B.W. and C.D. Bevins. 1979. Spatial and temporal distribution of natural fuels in Glacier Park. pp. 1219-1224. In: R.M. Linn (ed.). Proceedings of the First Conference on Scientific Research in the Natural Parks: Vol. II, New Orleans, Louisiana, Nov. 9-12, 1976. US Gov. Printing Office, 1325 pp.
- Johnson, C.M. and P.R. Needham. 1966. Ionic composition of Sagehen Creek, California, following an adjacent fire. Ecology 47:636-639.
- Keifer, M. 1995. Prescribed fire and heavy fuel effects on mature giant sequoia trees: study plan for Atwell Grove. Appendix 1, pp. 38-46. In: A. C. Caprio. Mineral King Risk Reduction Project 1995 Annual Report: Monitoring, Inventory, and Research. Science and Natural Resources Management Division, Sequoia and Kings Canyon National Parks, Three Rivers, CA, 64 pp.
- Kessell, S.R. 1979. *Gradient Modeling: Resource and Fire Management.* Springer-Verlag Inc., NY 432 pp.
- Kilgore, B.M. 1971. The role of fire in managing red fir forests. Trans. 36th N. Amer. Wildlife and Nat. res. Conf., Mar. 7-10, 1971.
- Kilgore, B.M. 1981. *Fire Regimes and Ecosystem Properties: Proceedings of the Conference*. US Forest Service General Technical Report WO-26.
- Kilgore, B.M. and D. Taylor. 1979. Fire history of a sequoia mixed-conifer forest. Ecol. 60:129-142.
- Krebs 1989. *Ecological methodology*. Harper Collins Publisher Inc., New York, NY. 654 p.
- Laake, R.J. and J.C. Tappeiner. 1996. Red fir ecology and management. pp. 479-489. In: SNEP. Sierra Nevada Ecosystem Project, Final Report to Congress. Vol. III, Assessments, Commissioned Reports, and Background Information. University of California, Davis. Water and Wildland Resources Center Report No. 38, 1101 pp.

- Melack, J. and J. Sickman. 1995. Snowmelt induced chemical changes in seven streams in the Sierra Nevada. pp. 221-234. In: K. A. Tonnessen, W. W. Williams, and M. Tranter (eds).
 Biogeochemistry of Seasonally Snow Covered Basins. IAHS Publication 228, International Association of Hydrological Sciences, Wallingford, UK.
- Melack, J., J. Sickman, A. Leydecker, and D. Marrett. 1998. Comparative Analyses of High-Altitude Lakes and Catchments in the Sierra Nevada: Susceptibility to Acidification. Final Report to the California Air Resources Board Contract No. A032-188, Sacramento, CA.
- Miller, C. 1998. Forest pattern, surface fire regimes, and climate change in the Sierra Nevada, California. Dissertation, Colorado State University, 132 pp.
- Mills, J. N., T. L. Yates, J. E. Childs, R. R. Parmenter, T. G Ksiazek, P. E. Rollin, and C. J. Peters. 1995. Guidelines for working with rodents potentially infected with hantavirus. J. Mammol.76:716-722.
- Minshall, G.W., J.T. Brock, and J.D. Varley. 1989. Wildfires and Yellowstone stream ecosystems. Bioscience 39:707-715.
- Minshall, G. W. and C. T. Robinson. 1992. *The effects of the 1988 wildfires on stream systems of Yellowstone National Park*. Idaho State University, Stream Ecology Center. 48p.
- Naiman, R.J. and H. Décamps (eds.). 1990. *The Ecology and Management of Aquatic-Terrestrial Ecotones*. Man and the Biosphere Series No. 4. Paris, UNESCO, England: Parthenon.
- Nasseri, I. 1989. Frequency of floods from a burned chaparral watershed. pp. 68-71. In: Berg, N.H. (Tech coord.). *Proceedings of the Symposium on Fire and Watershed Management*. USDA, For. Service, Gen. Tech. Rep. PSW-109.
- NPS. 1995. Assessing the operational requirements and cost effectiveness of large scale prescribed burning for wildland management. USDI NPS, Sequoia and Kings Canyon National Parks, Project proposal for National Interagency Fire Center, 42 pp.
- Orr, R. T. 1976. Vertebrate biology. W. B. Saunders Company, Philadelphia, Pa. 472 p.
- Oosting, H.J and W.D. Billings. 1943. The red fir forest of the Sierra Nevada: *Abietum magnificae*. Ecol. Monographs 13:260-274.
- Parsons, D.J. and S.H. DeBenedetti. 1979. Impacts of fire suppression on a mixed conifer forest. For Ecol. Manage. 2:21-33.
- Pickett, S.T.A. and P.S. White. 1985. The ecology of natural disturbance and patch dynamics. Academic Press. New York, NY.
- Pitcher, D. 1981. The ecological effects of fire on stand structure and fuel dynamics in red fire forests of

Mineral King, Sequoia National Park, California. MS Thesis, UC Berkeley, 168 pp.

- Pitcher, D. 1987. Fire History and Age Structure in Red Fir Forests of Sequoia National Park, California. Canadian Journal of Forest Research 17:582-587.
- Roby, K.B. 1989. Watershed response and recovery from the Will Fire: ten years of observation. pp. 131-136. In: Berg, N.H. (Tech coord.). *Proceedings of the Symposium on Fire and Watershed Management.* USDA, For. Service, Gen. Tech. Rep. PSW-109.
- Rundel, P.W. 1982. Successional Dynamics of Chamise Chaparral: The Interface of Basic Research and Management. USDA Forest Service, Pacific Southwest Forest and Range Experiment Station, Berkeley, CA. Gen. Tech. Rep. PSW-58: 86-90.
- Rundel, P.W. and D.J. Parsons. 1979. Structural changes in chamise (*Adenostoma fasciculatum*) along a fire-induced age gradient. J. of Range Management 32(6): 462-466.
- Schindler, D.W., R.W. Newbury, K.G. Beaty, J. Prokopowich, T. Russcznski, and J.A. Dalton. 1980. Effects of a windstorm and forest fire on chemical losses from forested watersheds and on the quality of receiving streams. Can. J. Fish. Aquat. Sci. 37:328-334.
- See, T.E. and J.K. Brown. 1980. Downed woody fuel accumulations in northern region forests. pp. 132-136. In: Proceedings, Sixth Conference on Fire and Forest Meteorology. Seattle, Wash. Apr. 22-24. Soc. Amer. For., Wash., DC.
- SNEP. 1996. Sierra Nevada Ecosystem Project, Final Report to Congress. vol. I, Assessment Summaries and Management Strategies. University of California, Davis. Water and Wildland Resources Center Report No. 39.
- Spittler, T.E. 1989. Controlled burns in urban fringe, Mount Tamalpias, Marin County, California. pp. 43-48. In: Berg, N.H. (Tech coord.). *Proceedings of the Symposium on Fire and Watershed Management.* USDA, For. Service, Gen. Tech. Rep. PSW
- Stephenson, N.L. 1995. Research, Inventory, and Monitoring Plan for the program: Assessing the Operational Requirements and Cost Effectiveness of Large Scale Prescribed Burning for Wildland Management. NPS/NBS Study plan, 13 pp.
- Swetnam, T.W., C.H. Baisan, A.C. Caprio, R. Touchan, and P.M. Brown. 1992. Tree-ring reconstruction of giant sequoia fire regimes. Final report to Sequoia, Kings Canyon and Yosemite National Parks, Laboratory of Tree-Ring Research, Tucson, AZ. 90 pp. + appendices.
- Taylor, A.H. 1993. Fire history and structure of red fir (*Abies magnifica*) forests, Swain Mountain Experimental Forest, Cascade Range, northeastern California. Can. J. For. Res. 33:1672-1678.
- Taylor, A.H. and C.B. Halpern. 1991. Structure and dynamics of Abies magnifica forests in the Southern Cascade Range, USA. J. Veg. Sci. 2:189-200.

- Tiedemann, A.R., C.E. Conrad, J.H. Dieterich, J.W. Hornbeck, W.F. Megahan, L.A. Viereck, and D.D. Wade. 1979. *Effects of Fire on Water: A State-of-Knowledge Review*. USDA Forest Service, Gen. Tech. Rep. WO-10.
- Weise, D.R., A. Gelobter, S. Haase, and S. S. Sackett. (in review). Photo series to assist in assessing fire risk in giant sequoia (*Sequoiadendron giganteum*) groves. USDA For. Serv. PSW-4403-94.1.
- Werner, H. W. 1981. Interim report on long-term monitoring of fire effects on small mammals in a chamise chaparral community. Unpublished report, Science and Natural Resources Management Division, Sequoia and Kings Canyon National Parks, Three Rivers, Ca. 16 p.
- Werner, H. W. 1996. Fire effects monitoring on wildlife, 1995. Unpublished report, Science and Natural Resources Management Division, Sequoia and Kings Canyon National Parks, Three Rivers, Ca. 13 p.
- Werner, H. W. 1997. Fire effects monitoring on wildlife, 1996. Unpublished report, Science and Natural Resources Management Division, Sequoia and Kings Canyon National Parks, Three Rivers, Ca. 11 p.
- Western Region Prescribed and Natural Fire Monitoring Task Force. 1992. Western Region Fire Monitoring Handbook. USDI National Park Service, Western Region, San Francisco, CA. 134 pp.
- Williams, Michael R. 1997. Sources of solutes in precipitation and surface runoff of mixed-conifer and alpine catchments in the Sierra Nevada, California. Dissertation, U. C. Santa Barbara. 183 p.
- Wright, J. W. 1969. Mountain beaver (<u>Aplodondia rufa</u>) behavior: extreme southern limits. MA Thesis, Fresno State College, Fresno, Ca. 113 p.
- Zeiner, D. C., W. F. Laudenslayer, Jr., and K. E. Mayer. 1988. California's wildlife, vol. III, mammals. Calif. Dep. Fish and Game, Sacramento, Ca. 407 p.