



THE
heart
TRUTH

Assessing Risk, Negotiating for Behavior
Change, Respecting Culture

The Case of Mrs. Montoya: ECG and Dietary
Recommendations





U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES



National Institutes of Health



National Heart, Lung, and Blood Institute



The Office on Women's Health

MU

UCLA WOMEN'S HEALTH CENTER

01-NOV-2005 14:44


ID: 000000000

MONTOYA, AMPARO

Med: 25mm/s
Age: 10mm/mV
Sex: F
Loc: 19
Room: 007B
v206
Ht:
Race:
Room:
Vent. rate 66 BPM
PR interval 152 ms
QRS duration 84 ms
QT/QTc 404/417 ms
P-R-T axes 24 71 40

Referred by:

Unconfirmed



PRINTED IN U.S.A.

KENDALL MEDICAL

3-Day Menu Approximately 1600 Diabetic, Low Sodium, Low Cholesterol Diet
Latina/Central American

Breakfast

2 6-inch tortillas
¼ Cup Egg Substitute
½ tsp Margarine (to cook the egg)
1 cup of Papaya
Café (decaf) con leche - 1 cup 1% Skim Milk
1 packet of sugar substitute

Lunch

3 oz Baked Chicken (no skin)
1 cup Lettuce
1 Tomato Sliced
2 Tbsp. Low Fat Vinaigrette salad Dressing
½ Mango
Water or Diet Soda

Dinner

1 Cup of White Rice
1 Tsp. Canola Oil to cook the Rice
4 oz. Sirloin Steak
1 Cup of Chopped Peppers
½ Cup of Diced Onions
1 Tsp. Canola Oil to cook Steak
½ Cup Steamed Chopped Broccoli
1 Cup Sugar Free Jell-O
Water or Diet Soda

Snack

Licuada:

8 oz of Skim Milk
1 packet of sugar substitute
½ cup of fruit of choice

Breakfast

Bolillo (1 ½ oz)

1 oz cheese Low Sodium

1 Guava

Atole:

8 oz of 1% Milk

½ Cup Masa Harina

1 packet of sugar substitute

Vanilla & Cinnamon

Lunch

1 cup of Low Sodium Chicken Broth with:

¼ cup Peas

4 oz Chicken (no skin)

½ cup Chayote & Celery

1 Apple

Water or Diet Soda

Dinner

1 Cup mashed Plantain

1 Tsp. Butter, for plantain

½ Cup Green Beans

5 oz Tuna Steak

2 Tsp. Canola Oil, to sauté tuna

Lemon juice

Chili sauce

½ Mango

Water or Diet Soda

Snack

½ Banana

4 Fat Free Wheat Crackers

2 Tsp. Sugar Free Jelly

8 oz Skim Milk

Breakfast

1 Cup of Egg Substitute
½ Cup Corn
½ Cup Onions
1 oz Queso Chihuahau
Cooking Spray (spray pan, eggs won't stick to it)
½ Banana
4 oz. Skim Milk

Lunch

4 oz of Shrimp
1 Cup of Spaghetti
1 Tomato, Sliced
½ Cup of Onion
1 Tsp. Olive Oil, to Saute Shrimp
1 Chirmoya
Water or Diet Soda

Dinner

Quesadilla:
2 6-inch Tortillas
3 oz. Low Fat Cheese
½ Cup Onions
2/3 Cup of Beans
1 Tsp. Canola Oil, to Mash Beans
3 oz. Grilled Chicken (no Skin)
½ Cup Salsa
1 Cup Verdologas
Water or Diet Soda

Snack

1 Cup Cooked Oatmeal
4 oz. Skim Milk to cook oatmeal
1 packet of sugar substitute

TIPS FOR “HEART HEALTHY” EATING

- Remove fat
- “Bake, Broil, Steam, Boil”
- Avoid frying
- Avoid saturated fats, *trans* fatty acids: *trans* fatty acids are found in foods made with partially hydrogenated vegetable oil, like processed crackers, cookies, doughnuts, and other baked goods, and foods fried in partially hydrogenated vegetable oil
- Use low fat dairy products
- Use cooking spray made with olive oil, canola oil
- Use more herbs & spices instead of salt.
- Avoid high sodium foods, such as canned vegetable, broth
- Eat more fresh fruits & vegetables
- Increase intake of whole grains, multi-grain breads, cereals
- Eat foods high in fiber
- Eat small portions: foods should be measured after they are cooked
- Limit sweeteners, including condiments and foods with sugar added to them: honey, syrups, jelly, jam, regular gelatin, fruited or flavored yogurts
- Eat foods high in omega-3 fatty acids or that raise omega-3 fatty acids in the body, such as sardines, walnuts, salmon, halibut, trout, herring, flaxseed oil, canola oil, shrimp, clams, light chunk tuna, and cod fish (Baccalo)
- Exercise: physical activity is recommended for approximately 30 minutes to 1 hour a day