

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1994

| Part of body | Part of body code ³ | Total cases | Event or exposure leading to injury or illness | | | | | | |
|--|--------------------------------|-------------|--|------------------|-----------------------|------------------|---------------------|--------------------|-----------------------------|
| | | | Contact with objects | | | | Fall to lower level | Fall on same level | Slips or trips without fall |
| | | | Total | Struck by object | Struck against object | Caught in object | | | |
| Private industry [2,236,639 cases] | | 277.0 | 75.2 | 36.2 | 20.1 | 12.0 | 13.8 | 32.9 | 9.0 |
| Head | 0 | 18.7 | 11.9 | 5.7 | 1.7 | 0.1 | 0.4 | 1.4 | - |
| Head, unspecified | 00 | 2.7 | 1.6 | 0.9 | 0.7 | - | 0.1 | 0.6 | - |
| Cranial region, including skull | 01 | 1.9 | 1.0 | 0.6 | 0.4 | - | 0.2 | 0.4 | - |
| Cranial region, unspecified | 010 | 0.1 | 0.1 | - | - | - | - | - | - |
| Brain | 011 | 1.2 | 0.5 | 0.3 | 0.2 | - | 0.1 | 0.3 | - |
| Scalp | 012 | 0.5 | 0.4 | 0.2 | 0.1 | - | - | 0.1 | - |
| Skull | 013 | 0.1 | - | - | - | - | - | - | - |
| Multiple cranial region locations | 018 | - | - | - | - | - | - | - | - |
| Cranial region, n.e.c. | 019 | - | - | - | - | - | - | - | - |
| Ear(s) | 02 | 0.4 | 0.1 | - | - | - | - | - | - |
| Face | 03 | 13.5 | 9.1 | 4.1 | 0.6 | - | 0.1 | 0.4 | - |
| Face, unspecified | 030 | 0.6 | 0.2 | 0.2 | - | - | - | - | - |
| Forehead | 031 | 0.6 | 0.5 | 0.3 | 0.2 | - | - | 0.1 | - |
| Eye(s) | 032 | 10.4 | 7.2 | 2.6 | 0.2 | - | - | - | - |
| Nose, nasal cavity | 033 | 0.5 | 0.3 | 0.3 | - | - | - | - | - |
| Nose, except internal location of diseases or disorders | 0330 | 0.5 | 0.3 | 0.3 | - | - | - | - | - |
| Internal nasal location, unspecified | 0331 | - | - | - | - | - | - | - | - |
| Sinuses | 0334 | - | - | - | - | - | - | - | - |
| Cheek(s) | 034 | 0.2 | 0.1 | 0.1 | - | - | - | - | - |
| Jaw/chin | 035 | 0.2 | 0.1 | 0.1 | - | - | - | - | - |
| Mouth | 036 | 0.5 | 0.3 | 0.3 | - | - | - | - | - |
| Mouth, unspecified | 0360 | 0.1 | - | - | - | - | - | - | - |
| Lip(s) | 0361 | 0.1 | 0.1 | 0.1 | - | - | - | - | - |
| Tongue | 0362 | - | - | - | - | - | - | - | - |
| Tooth(teeth) | 0363 | 0.2 | 0.1 | 0.1 | - | - | - | - | - |
| Multiple mouth locations | 0368 | - | - | - | - | - | - | - | - |
| Mouth, n.e.c. | 0369 | - | - | - | - | - | - | - | - |
| Multiple face locations | 038 | 0.4 | 0.2 | 0.2 | - | - | - | - | - |
| Face, n.e.c. | 039 | - | - | - | - | - | - | - | - |
| Multiple head locations | 08 | 0.2 | 0.1 | 0.1 | - | - | - | - | - |
| Head, n.e.c. | 09 | - | - | - | - | - | - | - | - |
| Neck, including throat | 1 | 5.0 | 0.8 | 0.5 | 0.3 | - | 0.1 | 0.3 | 0.1 |
| Neck, except internal location of diseases or disorders | 10 | 4.9 | 0.8 | 0.5 | 0.3 | - | 0.1 | 0.3 | 0.1 |
| Internal neck location, unspecified | 11 | - | - | - | - | - | - | - | - |
| Larynx | 13 | - | - | - | - | - | - | - | - |
| Trunk | 2 | 107.3 | 5.6 | 3.3 | 1.6 | 0.3 | 4.3 | 11.3 | 3.2 |
| Trunk, unspecified | 20 | 0.5 | 0.1 | - | - | - | - | 0.1 | - |
| Shoulder, including clavicle, scapula | 21 | 13.6 | 1.3 | 0.9 | 0.3 | 0.1 | 0.6 | 1.7 | 0.3 |
| Chest, including ribs, internal organs | 22 | 4.9 | 1.0 | 0.5 | 0.4 | 0.1 | 0.4 | 0.9 | - |
| Chest, except internal location of diseases or disorders | 220 | 4.4 | 1.0 | 0.5 | 0.4 | 0.1 | 0.4 | 0.9 | - |
| Internal chest location, unspecified | 221 | 0.1 | - | - | - | - | - | - | - |
| Heart | 223 | 0.1 | - | - | - | - | - | - | - |
| Bronchus | 224 | - | - | - | - | - | - | - | - |
| Lung(s), pleura | 225 | 0.3 | - | - | - | - | - | - | - |
| Back, including spine, spinal cord | 23 | 75.1 | 2.3 | 1.2 | 0.6 | 0.1 | 2.7 | 6.8 | 2.6 |
| Back, including spine, spinal cord, unspecified | 230 | 37.1 | 1.2 | 0.7 | 0.3 | - | 1.4 | 3.1 | 1.4 |
| Lumbar region | 231 | 31.4 | 0.8 | 0.4 | 0.2 | - | 0.9 | 2.5 | 1.0 |
| Thoracic region | 232 | 2.8 | 0.1 | 0.1 | - | - | - | 0.3 | 0.1 |
| Sacral region | 233 | 0.5 | - | - | - | - | - | 0.1 | - |
| Coccygeal region | 234 | 0.7 | - | - | - | - | 0.1 | 0.4 | - |
| Multiple back regions | 238 | 2.4 | 0.1 | - | - | - | 0.1 | 0.3 | 0.1 |
| Back, including spine, spinal cord, n.e.c. | 239 | 0.3 | - | - | - | - | 0.1 | - | - |
| Abdomen | 24 | 5.7 | 0.2 | 0.2 | - | - | - | 0.2 | 0.1 |
| Abdomen, except internal location of diseases or disorders | 240 | 1.5 | 0.2 | 0.1 | - | - | - | 0.1 | - |
| Internal abdominal location, unspecified | 241 | 2.0 | - | - | - | - | - | - | - |
| Stomach organ | 242 | 0.1 | - | - | - | - | - | - | - |
| Spleen | 243 | - | - | - | - | - | - | - | - |
| Intestines, peritoneum | 245 | 2.1 | - | - | - | - | - | - | - |

See footnotes at end of table.

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1994 — Continued

| Part of body | Event or exposure leading to injury or illness | | | | | | | | | |
|--|--|------------|-------------------|--|--------------------------|----------------------|---------------------------|-----------|--------------------|-------------------------------|
| | Overexertion | | Repetitive motion | Exposure to harmful substance or environment | Transportation accidents | Fires and explosions | Assaults and violent acts | | | All other events ⁴ |
| | Total | In lifting | | | | | Total | By person | All other assaults | |
| Private industry [2,236,639 cases] | 76.0 | 45.5 | 11.5 | 13.7 | 9.9 | 0.6 | 3.3 | 2.5 | 0.8 | 31.2 |
| Head | 0.1 | — | — | 3.4 | 0.5 | 0.2 | 0.5 | 0.5 | — | 0.3 |
| Head, unspecified | — | — | — | — | 0.2 | — | 0.1 | 0.1 | — | 0.1 |
| Cranial region, including skull | — | — | — | — | 0.2 | — | 0.1 | — | — | — |
| Cranial region, unspecified | — | — | — | — | — | — | — | — | — | — |
| Brain | — | — | — | — | 0.2 | — | — | — | — | — |
| Scalp | — | — | — | — | — | — | — | — | — | — |
| Skull | — | — | — | — | — | — | — | — | — | — |
| Multiple cranial region locations | — | — | — | — | — | — | — | — | — | — |
| Cranial region, n.e.c. | — | — | — | — | — | — | — | — | — | — |
| Ear(s) | — | — | — | 0.2 | — | — | — | — | — | — |
| Face | — | — | — | 3.1 | 0.1 | 0.1 | 0.3 | 0.3 | — | 0.2 |
| Face, unspecified | — | — | — | 0.2 | — | — | 0.1 | — | — | — |
| Forehead | — | — | — | — | — | — | — | — | — | — |
| Eye(s) | — | — | — | 2.8 | — | 0.1 | 0.1 | 0.1 | — | 0.2 |
| Nose, nasal cavity | — | — | — | — | — | — | — | — | — | — |
| Nose, except internal location of diseases or disorders | — | — | — | — | — | — | — | — | — | — |
| Internal nasal location, unspecified | — | — | — | — | — | — | — | — | — | — |
| Sinuses | — | — | — | — | — | — | — | — | — | — |
| Cheek(s) | — | — | — | — | — | — | — | — | — | — |
| Jaw/chin | — | — | — | — | — | — | — | — | — | — |
| Mouth | — | — | — | — | — | — | — | — | — | — |
| Mouth, unspecified | — | — | — | — | — | — | — | — | — | — |
| Lip(s) | — | — | — | — | — | — | — | — | — | — |
| Tongue | — | — | — | — | — | — | — | — | — | — |
| Tooth(teeth) | — | — | — | — | — | — | — | — | — | — |
| Multiple mouth locations | — | — | — | — | — | — | — | — | — | — |
| Mouth, n.e.c. | — | — | — | — | — | — | — | — | — | — |
| Multiple face locations | — | — | — | 0.1 | — | — | — | — | — | — |
| Face, n.e.c. | — | — | — | — | — | — | — | — | — | — |
| Multiple head locations | — | — | — | — | — | — | — | — | — | — |
| Head, n.e.c. | — | — | — | — | — | — | — | — | — | — |
| Neck, including throat | 1.6 | 0.9 | 0.1 | 0.1 | 1.1 | — | 0.1 | 0.1 | — | 0.7 |
| Neck, except internal location of diseases or disorders | 1.6 | 0.9 | 0.1 | — | 1.1 | — | 0.1 | 0.1 | — | 0.7 |
| Internal neck location, unspecified | — | — | — | — | — | — | — | — | — | — |
| Larynx | — | — | — | — | — | — | — | — | — | — |
| Trunk | 62.0 | 39.0 | 1.7 | 0.8 | 2.6 | — | 0.6 | 0.6 | — | 15.0 |
| Trunk, unspecified | 0.2 | 0.1 | — | — | — | — | — | — | — | — |
| Shoulder, including clavicle, scapula | 7.0 | 3.6 | 0.8 | — | 0.3 | — | 0.1 | 0.1 | — | 1.4 |
| Chest, including ribs, internal organs | 1.2 | 0.7 | — | 0.5 | 0.2 | — | 0.2 | 0.2 | — | 0.5 |
| Chest, except internal location of diseases or disorders | 1.1 | 0.7 | — | 0.1 | 0.2 | — | 0.2 | 0.2 | — | 0.4 |
| Internal chest location, unspecified | — | — | — | — | — | — | — | — | — | — |
| Heart | — | — | — | — | — | — | — | — | — | 0.1 |
| Bronchus | — | — | — | — | — | — | — | — | — | — |
| Lung(s), pleura | — | — | — | 0.3 | — | — | — | — | — | — |
| Back, including spine, spinal cord | 46.2 | 29.8 | 0.7 | 0.1 | 1.8 | — | 0.2 | 0.2 | — | 11.8 |
| Back, including spine, spinal cord, unspecified | 22.8 | 14.6 | 0.4 | — | 1.0 | — | 0.1 | 0.1 | — | 5.6 |
| Lumbar region | 20.0 | 13.1 | 0.3 | — | 0.5 | — | 0.1 | 0.1 | — | 5.3 |
| Thoracic region | 1.7 | 1.0 | — | — | 0.1 | — | — | — | — | 0.4 |
| Sacral region | 0.3 | 0.2 | — | — | — | — | — | — | — | — |
| Coccygeal region | — | — | — | — | — | — | — | — | — | — |
| Multiple back regions | 1.3 | 0.8 | — | — | 0.1 | — | — | — | — | 0.4 |
| Back, including spine, spinal cord, n.e.c. | 0.1 | — | — | — | — | — | — | — | — | — |
| Abdomen | 4.4 | 3.0 | — | 0.2 | — | — | 0.1 | 0.1 | — | 0.5 |
| Abdomen, except internal location of diseases or disorders | 0.9 | 0.6 | — | 0.1 | — | — | 0.1 | 0.1 | — | 0.1 |
| Internal abdominal location, unspecified | 1.7 | 1.1 | — | — | — | — | — | — | — | 0.2 |
| Stomach organ | — | — | — | — | — | — | — | — | — | — |
| Spleen | — | — | — | — | — | — | — | — | — | — |
| Intestines, peritoneum | 1.8 | 1.3 | — | — | — | — | — | — | — | 0.2 |

See footnotes at end of table.

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1994 — Continued

| Part of body | Part of body code ³ | Total cases | Event or exposure leading to injury or illness | | | | | | |
|---|--------------------------------|-------------|--|------------------|-----------------------|------------------|---------------------|--------------------|-----------------------------|
| | | | Contact with objects | | | | Fall to lower level | Fall on same level | Slips or trips without fall |
| | | | Total | Struck by object | Struck against object | Caught in object | | | |
| Intestines, peritoneum, unspecified | 2450 | 1.9 | — | — | — | — | — | — | — |
| Peritoneum | 2451 | — | — | — | — | — | — | — | — |
| Small intestine | 2452 | — | — | — | — | — | — | — | — |
| Large intestine/colon, rectum | 2453 | 0.1 | — | — | — | — | — | — | — |
| Multiple intestinal locations | 2458 | — | — | — | — | — | — | — | — |
| Intestines, n.e.c. | 2459 | 0.1 | — | — | — | — | — | — | — |
| Other digestive structures | 246 | — | — | — | — | — | — | — | — |
| Liver | 2461 | — | — | — | — | — | — | — | — |
| Internal abdominal location, n.e.c. | 249 | — | — | — | — | — | — | — | — |
| Pelvic region | 25 | 5.3 | 0.6 | 0.4 | 0.2 | — | 0.4 | 1.1 | 0.2 |
| Pelvic region, unspecified | 250 | 0.1 | — | — | — | — | — | — | — |
| Hip(s) | 251 | 1.8 | 0.2 | 0.1 | 0.1 | — | 0.2 | 0.7 | 0.1 |
| Pelvis | 252 | 0.1 | — | — | — | — | — | — | — |
| Buttock(s) | 253 | 0.3 | — | — | — | — | — | 0.2 | — |
| Groin | 254 | 2.7 | 0.2 | 0.2 | — | — | — | 0.1 | 0.1 |
| External reproductive tract structures | 255 | 0.1 | — | — | — | — | — | — | — |
| External reproductive tract structures, unspecified | 2550 | — | — | — | — | — | — | — | — |
| Scrotum | 2551 | 0.1 | — | — | — | — | — | — | — |
| Penis | 2552 | — | — | — | — | — | — | — | — |
| External reproductive tract structures, n.e.c. | 2559 | — | — | — | — | — | — | — | — |
| Internal reproductive tract structures | 256 | — | — | — | — | — | — | — | — |
| Testis(testes) | 2562 | — | — | — | — | — | — | — | — |
| Multiple pelvic region locations | 258 | 0.1 | — | — | — | — | — | — | — |
| Pelvic region, n.e.c. | 259 | — | — | — | — | — | — | — | — |
| Multiple trunk locations | 28 | 2.1 | 0.2 | 0.1 | — | — | 0.2 | 0.5 | 0.1 |
| Trunk, n.e.c. | 29 | 0.1 | — | — | — | — | — | — | — |
| Upper extremities | 3 | 62.8 | 34.3 | 13.9 | 9.5 | 9.5 | 1.6 | 4.6 | 0.2 |
| Upper extremities, unspecified | 30 | 0.1 | — | — | — | — | — | — | — |
| Arm(s) | 31 | 11.8 | 3.6 | 1.5 | 1.6 | 0.4 | 0.6 | 1.8 | 0.1 |
| Arm(s), unspecified | 310 | 4.4 | 1.2 | 0.6 | 0.3 | 0.2 | 0.2 | 0.6 | — |
| Upper arm(s) | 311 | 0.5 | 0.1 | — | — | — | — | 0.1 | — |
| Elbow(s) | 312 | 4.3 | 1.2 | 0.2 | 0.9 | — | 0.3 | 0.9 | — |
| Forearm(s) | 313 | 2.0 | 0.9 | 0.5 | 0.2 | 0.1 | 0.1 | 0.2 | — |
| Multiple arm(s) locations | 318 | 0.3 | 0.1 | — | — | — | — | — | — |
| Arm(s), n.e.c. | 319 | 0.1 | — | — | — | — | — | — | — |
| Wrist(s) | 32 | 13.6 | 1.8 | 0.9 | 0.6 | 0.3 | 0.6 | 1.5 | — |
| Hand(s), except finger(s) | 33 | 10.9 | 7.2 | 3.1 | 2.2 | 1.6 | 0.1 | 0.6 | — |
| Finger(s), fingernail(s) | 34 | 23.2 | 20.5 | 8.0 | 4.9 | 6.8 | 0.1 | 0.5 | — |
| Multiple upper extremities locations | 38 | 3.1 | 1.1 | 0.4 | 0.2 | 0.4 | 0.1 | 0.2 | — |
| Multiple upper extremities locations, unspecified | 380 | 0.1 | — | — | — | — | — | — | — |
| Hand(s) and finger(s) | 381 | 0.8 | 0.5 | 0.2 | 0.1 | 0.2 | — | — | — |
| Hand(s) and wrist(s) | 382 | 0.7 | 0.2 | 0.1 | — | 0.1 | — | 0.1 | — |
| Hand(s) and arm(s) | 383 | 0.5 | 0.1 | — | — | — | — | — | — |
| Multiple upper extremities locations, n.e.c. | 389 | 1.0 | 0.2 | 0.1 | 0.1 | 0.1 | 0.1 | 0.1 | — |
| Upper extremities, n.e.c. | 39 | — | — | — | — | — | — | — | — |
| Lower extremities | 4 | 55.0 | 20.0 | 11.3 | 6.4 | 1.8 | 4.4 | 9.4 | 5.0 |
| Lower extremities, unspecified | 40 | 0.1 | — | — | — | — | — | — | — |
| Leg(s) | 41 | 25.9 | 6.9 | 3.0 | 3.0 | 0.6 | 2.0 | 6.0 | 2.2 |
| Leg(s), unspecified | 410 | 3.9 | 1.5 | 0.8 | 0.4 | 0.2 | 0.3 | 0.6 | 0.1 |
| Thigh(s) | 411 | 1.2 | 0.5 | 0.3 | 0.1 | — | 0.1 | 0.2 | — |
| Knee(s) | 412 | 18.5 | 4.0 | 1.4 | 2.2 | 0.2 | 1.4 | 4.8 | 1.9 |
| Lower leg(s) | 413 | 1.8 | 0.8 | 0.5 | 0.2 | 0.1 | 0.1 | 0.3 | — |
| Multiple leg(s) locations | 418 | 0.4 | 0.1 | — | — | — | — | 0.1 | — |
| Leg(s), n.e.c. | 419 | 0.2 | 0.1 | — | — | — | — | — | — |
| Ankle(s) | 42 | 12.8 | 2.6 | 1.1 | 1.2 | 0.3 | 1.5 | 2.5 | 2.2 |
| Foot(feet), except toe(s) | 43 | 10.6 | 6.5 | 4.0 | 1.7 | 0.6 | 0.6 | 0.6 | 0.4 |
| Foot(feet), except toe(s), unspecified | 430 | 9.2 | 5.8 | 3.8 | 1.5 | 0.6 | 0.4 | 0.5 | 0.3 |
| Instep(s) | 431 | 0.1 | 0.1 | — | — | — | — | — | — |
| Sole | 432 | 1.0 | 0.4 | 0.2 | 0.2 | — | 0.2 | — | — |
| Sole(s), unspecified | 4320 | 0.2 | 0.1 | — | 0.1 | — | — | — | — |
| Ball(s) | 4321 | — | — | — | — | — | — | — | — |
| Arch(es) | 4322 | — | — | — | — | — | — | — | — |

See footnotes at end of table.

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1994 — Continued

| Part of body | Event or exposure leading to injury or illness | | | | | | | | | |
|---|--|------------|-------------------|--|--------------------------|----------------------|---------------------------|------------|--------------------|-------------------------------|
| | Overexertion | | Repetitive motion | Exposure to harmful substance or environment | Transportation accidents | Fires and explosions | Assaults and violent acts | | | All other events ⁴ |
| | Total | In lifting | | | | | Total | By person | All other assaults | |
| Intestines, peritoneum, unspecified | 1.6 | 1.2 | - | - | - | - | - | - | - | 0.1 |
| Peritoneum | - | - | - | - | - | - | - | - | - | - |
| Small intestine | - | - | - | - | - | - | - | - | - | - |
| Large intestine/colon, rectum | 0.1 | 0.1 | - | - | - | - | - | - | - | - |
| Multiple intestinal locations | - | - | - | - | - | - | - | - | - | - |
| Intestines, n.e.c. | 0.1 | - | - | - | - | - | - | - | - | - |
| Other digestive structures | - | - | - | - | - | - | - | - | - | - |
| Liver | - | - | - | - | - | - | - | - | - | - |
| Internal abdominal location, n.e.c. | - | - | - | - | - | - | - | - | - | - |
| Pelvic region | 2.3 | 1.5 | - | - | 0.1 | - | 0.1 | 0.1 | - | 0.6 |
| Pelvic region, unspecified | - | - | - | - | - | - | - | - | - | - |
| Hip(s) | 0.3 | 0.2 | - | - | - | - | - | - | - | 0.2 |
| Pelvis | - | - | - | - | - | - | - | - | - | - |
| Buttock(s) | - | - | - | - | - | - | - | - | - | - |
| Groin | 1.8 | 1.2 | - | - | - | - | - | - | - | 0.3 |
| External reproductive tract structures | - | - | - | - | - | - | - | - | - | - |
| External reproductive tract structures, unspecified | - | - | - | - | - | - | - | - | - | - |
| Scrotum | - | - | - | - | - | - | - | - | - | - |
| Penis | - | - | - | - | - | - | - | - | - | - |
| External reproductive tract structures, n.e.c. | - | - | - | - | - | - | - | - | - | - |
| Internal reproductive tract structures | - | - | - | - | - | - | - | - | - | - |
| Testis(testes) | - | - | - | - | - | - | - | - | - | - |
| Multiple pelvic region locations | - | - | - | - | - | - | - | - | - | - |
| Pelvic region, n.e.c. | - | - | - | - | - | - | - | - | - | - |
| Multiple trunk locations | 0.7 | 0.4 | - | - | 0.2 | - | - | - | - | 0.2 |
| Trunk, n.e.c. | - | - | - | - | - | - | - | - | - | - |
| Upper extremities | 6.2 | 2.8 | 8.8 | 3.4 | 0.4 | 0.2 | 0.8 | 0.5 | 0.3 | 2.2 |
| Upper extremities, unspecified | - | - | - | - | - | - | - | - | - | - |
| Arm(s) | 2.6 | 1.3 | 1.1 | 0.9 | 0.2 | - | 0.2 | 0.1 | 0.1 | 0.6 |
| Arm(s), unspecified | 1.0 | 0.5 | 0.3 | 0.5 | 0.1 | - | 0.1 | 0.1 | - | 0.2 |
| Upper arm(s) | 0.2 | 0.1 | - | - | - | - | - | - | - | - |
| Elbow(s) | 1.0 | 0.5 | 0.6 | - | - | - | - | - | - | 0.2 |
| Forearm(s) | 0.3 | 0.1 | 0.2 | 0.3 | - | - | - | - | - | 0.1 |
| Multiple arm(s) locations | 0.1 | - | - | - | - | - | - | - | - | - |
| Arm(s), n.e.c. | - | - | - | - | - | - | - | - | - | - |
| Wrist(s) | 2.3 | 1.0 | 6.3 | 0.1 | 0.1 | - | 0.2 | 0.1 | - | 0.7 |
| Hand(s), except finger(s) | 0.4 | 0.2 | 0.5 | 1.5 | 0.1 | - | 0.2 | 0.1 | 0.1 | 0.3 |
| Finger(s), fingernail(s) | 0.5 | 0.2 | 0.4 | 0.4 | 0.1 | - | 0.2 | 0.1 | 0.1 | 0.4 |
| Multiple upper extremities locations | 0.4 | 0.1 | 0.6 | 0.4 | - | 0.1 | 0.1 | - | - | 0.2 |
| Multiple upper extremities locations, unspecified | - | - | - | - | - | - | - | - | - | - |
| Hand(s) and finger(s) | - | - | - | 0.2 | - | - | - | - | - | - |
| Hand(s) and wrist(s) | 0.1 | - | 0.1 | 0.1 | - | - | - | - | - | - |
| Hand(s) and arm(s) | - | - | 0.1 | 0.1 | - | 0.1 | - | - | - | - |
| Multiple upper extremities locations, n.e.c. | 0.2 | 0.1 | 0.3 | - | - | - | - | - | - | 0.1 |
| Upper extremities, n.e.c. | - | - | - | - | - | - | - | - | - | - |
| Lower extremities | 2.5 | 0.9 | 0.2 | 1.6 | 1.6 | - | 0.4 | 0.2 | 0.3 | 9.8 |
| Lower extremities, unspecified | - | - | - | - | - | - | - | - | - | - |
| Leg(s) | 2.1 | 0.8 | 0.1 | 0.4 | 0.7 | - | 0.2 | 0.1 | 0.1 | 5.1 |
| Leg(s), unspecified | 0.3 | 0.1 | - | 0.3 | 0.2 | - | 0.1 | - | 0.1 | 0.4 |
| Thigh(s) | 0.2 | - | - | - | - | - | - | - | - | 0.1 |
| Knee(s) | 1.4 | 0.5 | 0.1 | - | 0.3 | - | 0.1 | 0.1 | - | 4.3 |
| Lower leg(s) | 0.1 | - | - | 0.1 | 0.1 | - | - | - | - | 0.2 |
| Multiple leg(s) locations | - | - | - | - | - | - | - | - | - | - |
| Leg(s), n.e.c. | - | - | - | - | - | - | - | - | - | - |
| Ankle(s) | 0.2 | 0.1 | - | 0.1 | 0.2 | - | 0.1 | - | 0.1 | 3.4 |
| Foot(feet), except toe(s) | 0.1 | - | - | 0.8 | 0.5 | - | - | - | - | 1.0 |
| Foot(feet), except toe(s), unspecified | 0.1 | - | - | 0.8 | 0.4 | - | - | - | - | 0.8 |
| Instep(s) | - | - | - | - | - | - | - | - | - | - |
| Sole | - | - | - | - | 0.1 | - | - | - | - | 0.1 |
| Sole(s), unspecified | - | - | - | - | - | - | - | - | - | - |
| Ball(s) | - | - | - | - | - | - | - | - | - | - |
| Arch(es) | - | - | - | - | - | - | - | - | - | - |

See footnotes at end of table.

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1994 — Continued

| Part of body | Part of body code ³ | Total cases | Event or exposure leading to injury or illness | | | | | | |
|---|--------------------------------|-------------|--|------------------|-----------------------|------------------|---------------------|--------------------|-----------------------------|
| | | | Contact with objects | | | | Fall to lower level | Fall on same level | Slips or trips without fall |
| | | | Total | Struck by object | Struck against object | Caught in object | | | |
| Heel(s) | 4323 | 0.8 | 0.3 | 0.1 | 0.1 | — | 0.2 | — | — |
| Multiple sole(s) locations | 4328 | — | — | — | — | — | — | — | — |
| Multiple foot(feet) locations | 438 | 0.1 | — | — | — | — | — | — | — |
| Foot(feet), n.e.c. | 439 | 0.1 | 0.1 | 0.1 | — | — | — | — | — |
| Toe(s), toenail(s) | 44 | 3.7 | 3.4 | 2.6 | 0.4 | 0.2 | — | 0.1 | — |
| Multiple lower extremities locations | 48 | 1.9 | 0.6 | 0.4 | 0.1 | 0.1 | 0.2 | 0.3 | 0.1 |
| Multiple lower extremities locations, unspecified | 480 | — | — | — | — | — | — | — | — |
| Foot(feet) and leg(s) | 481 | 0.2 | 0.1 | — | — | — | — | — | — |
| Foot(feet) and ankle(s) | 482 | 0.6 | 0.2 | 0.1 | — | — | 0.1 | 0.1 | 0.1 |
| Foot(feet) and toe(s) | 483 | 0.3 | 0.2 | 0.2 | — | — | — | — | — |
| Multiple lower extremities locations, n.e.c. | 489 | 0.8 | 0.2 | 0.1 | — | — | 0.1 | 0.2 | — |
| Lower extremities, n.e.c. | 49 | — | — | — | — | — | — | — | — |
| Body systems | 5 | 4.0 | — | — | — | — | — | — | — |
| Multiple body parts | 8 | 22.0 | 2.4 | 1.6 | 0.5 | 0.2 | 2.8 | 5.6 | 0.4 |
| Other body parts | 9 | — | — | — | — | — | — | — | — |
| Other body parts, n.e.c. | 98 | — | — | — | — | — | — | — | — |
| Nonclassifiable | 9999 | 2.2 | 0.1 | 0.1 | — | — | 0.1 | 0.2 | — |

See footnotes at end of table.

Table R24. Incidence rates¹ for nonfatal occupational injuries and illnesses involving days away from work² per 10,000 full-time workers by part of body and selected events or exposures leading to injury or illness, 1994 — Continued

| Part of body | Event or exposure leading to injury or illness | | | | | | | | | |
|---|--|------------|-------------------|--|--------------------------|----------------------|---------------------------|-----------|--------------------|-------------------------------|
| | Overexertion | | Repetitive motion | Exposure to harmful substance or environment | Transportation accidents | Fires and explosions | Assaults and violent acts | | | All other events ⁴ |
| | Total | In lifting | | | | | Total | By person | All other assaults | |
| Heel(s) | - | - | - | - | 0.1 | - | - | - | - | 0.1 |
| Multiple sole(s) locations | - | - | - | - | - | - | - | - | - | - |
| Multiple foot(feet) locations | - | - | - | - | - | - | - | - | - | - |
| Foot(feet), n.e.c. | - | - | - | - | - | - | - | - | - | - |
| Toe(s), toenail(s) | - | - | - | - | 0.1 | - | - | - | - | 0.1 |
| Multiple lower extremities locations | - | - | - | 0.2 | 0.1 | - | - | - | - | 0.3 |
| Multiple lower extremities locations, unspecified | - | - | - | - | - | - | - | - | - | - |
| Foot(feet) and leg(s) | - | - | - | - | - | - | - | - | - | - |
| Foot(feet) and ankle(s) | - | - | - | 0.1 | - | - | - | - | - | 0.1 |
| Foot(feet) and toe(s) | - | - | - | - | - | - | - | - | - | - |
| Multiple lower extremities locations, n.e.c. | - | - | - | - | - | - | - | - | - | 0.1 |
| Lower extremities, n.e.c. | - | - | - | - | - | - | - | - | - | - |
| Body systems | - | - | - | 2.9 | - | - | 0.2 | 0.2 | - | 0.8 |
| Multiple body parts | 3.4 | 1.7 | 0.5 | 1.3 | 3.4 | 0.2 | 0.5 | 0.5 | 0.1 | 1.4 |
| Other body parts | - | - | - | - | - | - | - | - | - | - |
| Other body parts, n.e.c. | - | - | - | - | - | - | - | - | - | - |
| Nonclassifiable | 0.2 | 0.2 | 0.1 | 0.2 | 0.1 | - | 0.1 | - | - | 1.0 |

¹ Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as: (N/EH) x 20,000,000 where

N = number of injuries and illnesses
 EH = total hours worked by all employees during the calendar year
 20,000,000 = base for 10,000 equivalent full-time workers (working 40 hours per week, 50 weeks per year).

² Days-away-from-work cases include those which result in days away from work with or without restricted work activity.

³ Based on the 1992 occupational injury and illness classification structure developed by the Bureau of Labor Statistics.

⁴ Includes nonclassifiable responses.

NOTE: Dashes indicate data that are not available or data that do not meet publication guidelines.
 n.e.c. = not elsewhere classified.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor