

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Laborers and freight, stock, and material movers, hand		Truck drivers, heavy and tractor-trailer		Nursing aides, orderlies, and attendants	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total:	1,259,320	100.0	89,250	100.0	63,570	100.0	51,940	100.0
Sex:								
Men	829,300	65.9	76,420	85.6	60,370	95.0	5,370	10.3
Women	425,470	33.8	12,750	14.3	3,200	5.0	46,550	89.6
Age:								
Under 14	--	--	--	--	--	--	--	--
14 to 15	200	--	--	--	--	--	--	--
16 to 19	38,230	3.0	4,920	5.5	250	0.4	1,540	3.0
20 to 24	141,730	11.3	14,940	16.7	2,350	3.7	6,960	13.4
25 to 34	303,880	24.1	24,810	27.8	14,150	22.3	14,220	27.4
35 to 44	331,610	26.3	21,590	24.2	20,790	32.7	12,970	25.0
45 to 54	272,250	21.6	15,010	16.8	16,100	25.3	10,030	19.3
55 to 64	128,810	10.2	5,870	6.6	8,020	12.6	4,390	8.5
65 and over	23,950	1.9	940	1.1	1,550	2.4	720	1.4
Length of service with employer:								
Less than 3 months	162,410	12.9	17,270	19.4	8,120	12.8	6,250	12.0
3 months to 11 months	258,500	20.5	21,490	24.1	13,660	21.5	13,220	25.5
1 year to 5 years	446,820	35.5	29,560	33.1	23,470	36.9	21,330	41.1
More than 5 years	383,050	30.4	20,170	22.6	18,200	28.6	10,890	21.0
Race or ethnic origin:								
White	591,570	47.0	35,450	39.7	35,210	55.4	22,280	42.9
Black or African American	103,820	8.2	8,250	9.2	4,240	6.7	11,610	22.4
Hispanic or Latino	164,390	13.1	14,250	16.0	4,430	7.0	4,230	8.1
Asian	16,040	1.3	700	0.8	120	0.2	630	1.2
Native Hawaiian or other Pacific Islander	4,650	0.4	530	0.6	120	0.2	260	0.5
American Indian or Alaska Native	5,140	0.4	360	0.4	210	0.3	230	0.4
Hispanic and other	530	--	90	0.1	--	--	--	--
Multi-race	1,260	0.1	150	0.2	90	0.1	110	0.2
Not reported	371,920	29.5	29,480	33.0	19,140	30.1	12,580	24.2
Number of days away from work:								
Cases involving 1 day	180,500	14.3	12,800	14.3	5,370	8.4	7,770	15.0
Cases involving 2 days	144,480	11.5	10,560	11.8	5,520	8.7	7,420	14.3
Cases involving 3-5 days	231,350	18.4	16,090	18.0	10,770	16.9	11,290	21.7
Cases involving 6-10 days	159,250	12.6	12,150	13.6	8,540	13.4	7,160	13.8
Cases involving 11-20 days	143,560	11.4	10,400	11.7	7,610	12.0	5,910	11.4
Cases involving 21-30 days	85,620	6.8	5,570	6.2	4,310	6.8	2,780	5.4
Cases involving 31 or more days	314,570	25.0	21,690	24.3	21,440	33.7	9,600	18.5
Median days away from work ⁵	7		7		12		5	

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Laborers and freight, stock, and material movers, hand		Truck drivers, heavy and tractor-trailer		Nursing aides, orderlies, and attendants	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Industry sector:								
Goods producing industries ²	408,400	32.4	21,680	24.3	11,430	18.0	--	--
Natural resources and mining ^{2,3}	29,100	2.3	410	0.5	970	1.5	--	--
Agriculture, Forestry, Fishing and Hunting ²	19,750	1.6	80	0.1	690	1.1	--	--
Mining ³	9,350	0.7	330	0.4	280	0.4	--	--
Construction	153,200	12.2	510	0.6	3,540	5.6	--	--
Manufacturing	226,090	18.0	20,770	23.3	6,920	10.9	--	--
Service providing industries	850,930	67.6	67,570	75.7	52,140	82.0	51,930	100.0
Trade, Transportation and Utilities ⁴	387,650	30.8	57,220	64.1	42,470	66.8	--	--
Wholesale Trade	81,140	6.4	18,130	20.3	8,280	13.0	--	--
Retail Trade	178,760	14.2	19,910	22.3	4,740	7.5	--	--
Transportation and Warehousing ⁴	120,010	9.5	19,070	21.4	29,390	46.2	--	--
Utilities	7,740	0.6	120	0.1	60	0.1	--	--
Information	21,150	1.7	650	0.7	110	0.2	--	--
Financial activities	34,930	2.8	900	1.0	700	1.1	120	0.2
Finance and Insurance	12,920	1.0	30	--	--	--	--	--
Real Estate and Rental and Leasing	22,010	1.7	870	1.0	700	1.1	110	0.2
Professional and business services	90,500	7.2	5,020	5.6	7,930	12.5	650	1.3
Professional, Scientific, and Technical Services	20,370	1.6	480	0.5	540	0.8	--	--
Management of Companies and Enterprises	10,260	0.8	750	0.8	360	0.6	40	0.1
Administrative and Support and Waste Management and Remediation Services	59,870	4.8	3,780	4.2	7,040	11.1	600	1.2
Education and health services	189,980	15.1	1,350	1.5	70	0.1	51,050	98.3
Educational Services	10,070	0.8	150	0.2	20	--	20	--
Health Care and Social Assistance	179,910	14.3	1,190	1.3	50	0.1	51,030	98.2
Leisure and hospitality	95,380	7.6	1,700	1.9	240	0.4	--	--
Arts, Entertainment, and Recreation	17,750	1.4	740	0.8	--	--	--	--
Accommodation and Food Services	77,620	6.2	960	1.1	230	0.4	--	--
Other services	31,350	2.5	730	0.8	610	1.0	80	0.2
Other Services, except Public Administration	31,350	2.5	730	0.8	610	1.0	80	0.2
Nature of injury, illness:								
Sprains, strains	525,390	41.7	38,730	43.4	30,860	48.5	32,900	63.3
Fractures	94,040	7.5	6,860	7.7	5,970	9.4	1,490	2.9
Cuts, lacerations, punctures	114,140	9.1	7,310	8.2	2,750	4.3	480	0.9
Bruises, contusions	114,680	9.1	9,760	10.9	6,270	9.9	3,500	6.7
Heat burns	18,510	1.5	420	0.5	120	0.2	260	0.5
Chemical burns	7,360	0.6	580	0.6	340	0.5	150	0.3
Amputations	8,160	0.6	550	0.6	130	0.2	--	--
Carpal tunnel syndrome	18,710	1.5	540	0.6	350	0.6	190	0.4
Tendonitis	6,930	0.6	270	0.3	400	0.6	130	0.3
Multiple injuries	50,350	4.0	3,390	3.8	3,180	5.0	970	1.9
With fractures	9,960	0.8	550	0.6	590	0.9	90	0.2
With sprains	19,720	1.6	1,000	1.1	1,170	1.8	710	1.4
Soreness, Pain	104,560	8.3	8,120	9.1	4,500	7.1	7,080	13.6
Back pain	37,930	3.0	2,880	3.2	1,610	2.5	3,550	6.8
All other	196,480	15.6	12,720	14.3	8,710	13.7	4,800	9.2

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Laborers and freight, stock, and material movers, hand		Truck drivers, heavy and tractor-trailer		Nursing aides, orderlies, and attendants	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Part of body affected:								
Head	81,530	6.5	5,100	5.7	3,440	5.4	1,820	3.5
Eye	36,680	2.9	2,100	2.4	940	1.5	840	1.6
Neck	21,130	1.7	1,450	1.6	1,360	2.1	1,140	2.2
Trunk	447,140	35.5	35,190	39.4	25,390	39.9	28,720	55.3
Back	282,240	22.4	22,830	25.6	14,620	23.0	21,320	41.0
Shoulder	82,220	6.5	5,820	6.5	5,740	9.0	4,290	8.3
Upper extremities	290,460	23.1	18,360	20.6	9,340	14.7	6,840	13.2
Finger	107,860	8.6	7,410	8.3	2,210	3.5	1,570	3.0
Hand, except finger	50,190	4.0	3,310	3.7	1,370	2.2	1,040	2.0
Wrist	58,510	4.6	3,140	3.5	1,900	3.0	2,400	4.6
Lower extremities	269,490	21.4	22,160	24.8	14,850	23.4	7,280	14.0
Knee	99,720	7.9	5,690	6.4	4,860	7.6	3,940	7.6
Foot, toe	57,940	4.6	6,740	7.6	2,570	4.0	1,170	2.3
Body systems	14,300	1.1	450	0.5	480	0.8	630	1.2
Multiple	126,530	10.0	6,330	7.1	8,380	13.2	5,240	10.1
All other	8,750	0.7	230	0.3	340	0.5	270	0.5
Source of injury, illness:								
Chemicals, chemical products	17,880	1.4	920	1.0	620	1.0	410	0.8
Containers	161,370	12.8	23,740	26.6	7,710	12.1	510	1.0
Furniture, fixtures	44,790	3.6	5,050	5.7	1,170	1.8	1,770	3.4
Machinery	82,160	6.5	5,410	6.1	1,640	2.6	370	0.7
Parts and materials	127,790	10.1	12,890	14.4	6,110	9.6	660	1.3
Worker motion or position	182,820	14.5	10,140	11.4	8,660	13.6	4,380	8.4
Floor, ground surfaces	234,010	18.6	10,660	11.9	12,610	19.8	6,300	12.1
Handtools	58,410	4.6	2,820	3.2	940	1.5	150	0.3
Vehicles	111,270	8.8	8,250	9.2	18,340	28.9	1,020	2.0
Health care patient	57,230	4.5	--	--	--	--	30,360	58.5
All other	181,590	14.4	9,380	10.5	5,760	9.1	6,000	11.6
Event or exposure:								
Contact with object, equipment	335,160	26.6	30,330	34.0	12,090	19.0	5,630	10.8
Struck by object	170,080	13.5	16,450	18.4	6,080	9.6	3,010	5.8
Struck against object	83,330	6.6	6,370	7.1	3,310	5.2	1,460	2.8
Caught in object, equipment, material	55,510	4.4	6,070	6.8	1,760	2.8	870	1.7
Fall to lower level	79,800	6.3	4,160	4.7	6,320	9.9	630	1.2
Fall on same level	167,010	13.3	7,220	8.1	7,060	11.1	5,900	11.4
Slips, trips	37,500	3.0	2,260	2.5	2,300	3.6	1,420	2.7
Overexertion	316,670	25.1	29,840	33.4	14,710	23.1	28,700	55.3
Overexertion in lifting	173,400	13.8	17,880	20.0	6,040	9.5	13,360	25.7
Repetitive motion	48,710	3.9	2,190	2.5	1,030	1.6	420	0.8
Exposed to harmful substance	52,830	4.2	2,030	2.3	1,180	1.9	1,520	2.9
Transportation accidents	62,860	5.0	3,350	3.8	10,650	16.8	430	0.8
Fires, explosions	2,420	0.2	70	0.1	70	0.1	--	--
Assault, violent act	24,880	2.0	310	0.3	320	0.5	3,420	6.6
by person	17,670	1.4	130	0.1	170	0.3	3,370	6.5
by other	7,220	0.6	190	0.2	150	0.2	50	0.1
All other	131,480	10.4	7,500	8.4	7,840	12.3	3,860	7.4

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Laborers and freight, stock, and material movers, hand		Truck drivers, heavy and tractor-trailer		Nursing aides, orderlies, and attendants	
Day of Week:								
Sunday	70,630	5.6	4,730	5.3	2,590	4.1	6,220	12.0
Monday	231,260	18.4	16,740	18.8	12,840	20.2	7,680	14.8
Tuesday	228,760	18.2	16,200	18.2	13,000	20.4	7,890	15.2
Wednesday	218,330	17.3	16,310	18.3	11,200	17.6	8,120	15.6
Thursday	220,400	17.5	17,230	19.3	10,080	15.9	6,990	13.5
Friday	196,780	15.6	13,040	14.6	10,670	16.8	8,600	16.6
Saturday	93,160	7.4	5,010	--	3,190	5.0	6,420	12.4
Time of Day:								
12:01 AM - 4:00 AM	41,600	3.3	5,790	6.5	3,140	4.9	2,590	5.0
4:01 AM - 8:00 AM	119,610	9.5	8,550	9.6	8,830	13.9	7,310	14.1
8:01 AM - 12:00 PM	374,760	29.8	24,040	26.9	19,650	30.9	12,720	24.5
12:01 PM - 4:00 PM	286,410	22.7	19,430	21.8	13,080	20.6	8,420	16.2
4:01 PM - 8:00 PM	136,400	10.8	9,450	10.6	5,370	8.4	8,270	15.9
8:01 PM - 12:00 AM	74,640	5.9	7,080	7.9	2,480	3.9	4,810	9.3
Not reported	225,910	17.9	14,920	16.7	11,030	17.4	7,810	15.0
Hours Worked:								
Occurred before shift began	6,740	0.5	90	0.1	360	0.6	330	0.6
Less than 1 hour	101,550	8.1	6,960	7.8	5,190	8.2	4,370	8.4
1 - 2 hours	121,830	9.7	9,360	10.5	5,150	8.1	6,610	12.7
2 - 4 hours	275,580	21.9	21,030	23.6	13,290	20.9	11,630	22.4
4 - 6 hours	203,830	16.2	15,080	16.9	9,060	14.3	8,940	17.2
6 - 8 hours	186,580	14.8	12,560	14.1	8,600	13.5	8,460	16.3
8 - 10 hours	92,210	7.3	6,390	7.2	6,060	9.5	1,900	3.7
10 - 12 hours	23,490	1.9	1,260	1.4	2,080	3.3	700	1.3
12 - 16 hours	7,820	0.6	460	0.5	1,040	1.6	650	1.3
More than 16 hours	470	--	40	--	100	0.2	--	--
Not reported	239,230	19.0	16,020	17.9	12,650	19.9	8,300	16.0

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Construction laborers		Truck drivers, light or delivery services		Janitors and cleaners, except maids and housekeeping	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total:	1,259,320	100.0	37,930	100.0	37,160	100.0	33,580	100.0
Sex:								
Men	829,300	65.9	36,840	97.1	32,780	88.2	23,160	69.0
Women	425,470	33.8	850	2.2	4,360	11.7	10,290	30.6
Age:								
Under 14	--	--	--	--	--	--	--	--
14 to 15	200	--	--	--	--	--	--	--
16 to 19	38,230	3.0	1,600	4.2	210	0.6	830	2.5
20 to 24	141,730	11.3	7,230	19.1	3,160	8.5	2,620	7.8
25 to 34	303,880	24.1	12,070	31.8	9,740	26.2	6,860	20.4
35 to 44	331,610	26.3	9,800	25.8	11,230	30.2	9,150	27.2
45 to 54	272,250	21.6	5,240	13.8	8,130	21.9	7,610	22.7
55 to 64	128,810	10.2	1,450	3.8	2,730	7.3	4,640	13.8
65 and over	23,950	1.9	240	0.6	1,040	2.8	1,210	3.6
Length of service with employer:								
Less than 3 months	162,410	12.9	10,080	26.6	3,910	10.5	4,470	13.3
3 months to 11 months	258,500	20.5	10,610	28.0	6,070	16.3	7,540	22.5
1 year to 5 years	446,820	35.5	12,160	32.1	13,160	35.4	12,360	36.8
More than 5 years	383,050	30.4	4,820	12.7	13,840	37.2	9,050	27.0
Race or ethnic origin:								
White	591,570	47.0	19,520	51.5	15,000	40.4	11,710	34.9
Black or African American	103,820	8.2	2,460	6.5	2,180	5.9	3,640	10.8
Hispanic or Latino	164,390	13.1	8,920	23.5	2,320	6.2	8,870	26.4
Asian	16,040	1.3	50	0.1	400	1.1	530	1.6
Native Hawaiian or other Pacific Islander	4,650	0.4	170	0.4	70	0.2	120	0.4
American Indian or Alaska Native	5,140	0.4	210	0.6	150	0.4	60	0.2
Hispanic and other	530	--	50	0.1	--	--	--	--
Multi-race	1,260	0.1	--	--	--	--	--	--
Not reported	371,920	29.5	6,550	17.3	17,020	45.8	8,650	25.8
Number of days away from work:								
Cases involving 1 day	180,500	14.3	5,340	14.1	4,200	11.3	4,440	13.2
Cases involving 2 days	144,480	11.5	3,860	10.2	2,610	7.0	4,090	12.2
Cases involving 3-5 days	231,350	18.4	6,220	16.4	6,340	17.1	6,640	19.8
Cases involving 6-10 days	159,250	12.6	4,760	12.5	5,050	13.6	3,900	11.6
Cases involving 11-20 days	143,560	11.4	4,680	12.3	3,880	10.4	3,550	10.6
Cases involving 21-30 days	85,620	6.8	2,710	7.1	2,510	6.8	2,900	8.6
Cases involving 31 or more days	314,570	25.0	10,360	27.3	12,570	33.8	8,060	24.0
Median days away from work ⁵	7		10		12		7	

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Construction laborers		Truck drivers, light or delivery services		Janitors and cleaners, except maids and housekeeping	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Industry sector:								
Goods producing industries ²	408,400	32.4	35,470	93.5	2,700	7.3	3,780	11.3
Natural resources and mining ^{2,3}	29,100	2.3	60	0.2	150	0.4	200	0.6
Agriculture, Forestry, Fishing and Hunting ²	19,750	1.6	--	--	140	0.4	200	0.6
Mining ³	9,350	0.7	30	0.1	--	--	--	--
Construction	153,200	12.2	34,290	90.4	550	1.5	270	0.8
Manufacturing	226,090	18.0	1,110	2.9	2,000	5.4	3,320	9.9
Service providing industries	850,930	67.6	2,460	6.5	34,460	92.7	29,800	88.7
Trade, Transportation and Utilities ⁴	387,650	30.8	1,310	3.5	29,020	78.1	3,790	11.3
Wholesale Trade	81,140	6.4	420	1.1	7,340	19.8	1,020	3.0
Retail Trade	178,760	14.2	310	0.8	8,720	23.5	1,980	5.9
Transportation and Warehousing ⁴	120,010	9.5	350	0.9	12,960	34.9	730	2.2
Utilities	7,740	0.6	220	0.6	--	--	50	0.1
Information	21,150	1.7	160	0.4	240	0.6	260	0.8
Financial activities	34,930	2.8	150	0.4	980	2.6	4,670	13.9
Finance and Insurance	12,920	1.0	--	--	60	0.2	200	0.6
Real Estate and Rental and Leasing	22,010	1.7	130	0.3	920	2.5	4,470	13.3
Professional and business services	90,500	7.2	680	1.8	770	2.1	9,430	28.1
Professional, Scientific, and Technical Services	20,370	1.6	120	0.3	--	--	280	0.8
Management of Companies and Enterprises	10,260	0.8	60	0.2	270	0.7	410	1.2
Administrative and Support and Waste Management and Remediation Services	59,870	4.8	510	1.3	460	1.2	8,750	26.1
Education and health services	189,980	15.1	--	--	860	2.3	6,700	20.0
Educational Services	10,070	0.8	--	--	110	0.3	1,440	4.3
Health Care and Social Assistance	179,910	14.3	--	--	750	2.0	5,260	15.7
Leisure and hospitality	95,380	7.6	--	--	1,730	4.7	3,770	11.2
Arts, Entertainment, and Recreation	17,750	1.4	--	--	--	--	950	2.8
Accommodation and Food Services	77,620	6.2	--	--	1,720	4.6	2,820	8.4
Other services	31,350	2.5	130	0.3	860	2.3	1,180	3.5
Other Services, except Public Administration	31,350	2.5	130	0.3	860	2.3	1,180	3.5
Nature of injury, illness:								
Sprains, strains	525,390	41.7	13,110	34.6	18,110	48.7	13,660	40.7
Fractures	94,040	7.5	4,010	10.6	2,150	5.8	2,050	6.1
Cuts, lacerations, punctures	114,140	9.1	5,300	14.0	1,890	5.1	2,360	7.0
Bruises, contusions	114,680	9.1	3,080	8.1	3,270	8.8	3,740	11.1
Heat burns	18,510	1.5	310	0.8	--	--	330	1.0
Chemical burns	7,360	0.6	290	0.8	110	0.3	690	2.1
Amputations	8,160	0.6	460	1.2	90	0.2	110	0.3
Carpal tunnel syndrome	18,710	1.5	380	1.0	130	0.3	280	0.8
Tendonitis	6,930	0.6	90	0.2	70	0.2	110	0.3
Multiple injuries	50,350	4.0	1,230	3.2	1,060	2.9	1,510	4.5
With fractures	9,960	0.8	360	0.9	180	0.5	290	0.9
With sprains	19,720	1.6	300	0.8	450	1.2	620	1.8
Soreness, Pain	104,560	8.3	2,940	7.8	5,560	15.0	3,060	9.1
Back pain	37,930	3.0	1,160	3.1	2,450	6.6	1,480	4.4
All other	196,480	15.6	6,700	17.7	4,710	12.7	5,660	16.9

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Construction laborers		Truck drivers, light or delivery services		Janitors and cleaners, except maids and housekeeping	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
Part of body affected:								
Head	81,530	6.5	3,490	9.2	1,850	5.0	2,440	7.3
Eye	36,680	2.9	2,130	5.6	200	0.5	1,190	3.5
Neck	21,130	1.7	540	1.4	900	2.4	580	1.7
Trunk	447,140	35.5	12,190	32.1	14,740	39.7	12,330	36.7
Back	282,240	22.4	8,160	21.5	9,840	26.5	7,290	21.7
Shoulder	82,220	6.5	1,780	4.7	2,570	6.9	2,000	6.0
Upper extremities	290,460	23.1	9,000	23.7	4,450	12.0	6,710	20.0
Finger	107,860	8.6	4,060	10.7	1,640	4.4	2,240	6.7
Hand, except finger	50,190	4.0	1,940	5.1	470	1.3	1,150	3.4
Wrist	58,510	4.6	1,100	2.9	910	2.4	1,280	3.8
Lower extremities	269,490	21.4	10,050	26.5	9,860	26.5	7,710	23.0
Knee	99,720	7.9	3,040	8.0	4,320	11.6	2,690	8.0
Foot, toe	57,940	4.6	2,260	6.0	1,580	4.3	1,460	4.3
Body systems	14,300	1.1	350	0.9	180	0.5	300	0.9
Multiple	126,530	10.0	2,110	5.6	5,040	13.6	3,330	9.9
All other	8,750	0.7	200	0.5	150	0.4	180	0.5
Source of injury, illness:								
Chemicals, chemical products	17,880	1.4	410	1.1	140	0.4	1,130	3.4
Containers	161,370	12.8	1,750	4.6	6,330	17.0	4,550	13.5
Furniture, fixtures	44,790	3.6	270	0.7	1,000	2.7	2,050	6.1
Machinery	82,160	6.5	2,440	6.4	1,520	4.1	2,110	6.3
Parts and materials	127,790	10.1	8,950	23.6	2,340	6.3	1,940	5.8
Worker motion or position	182,820	14.5	4,870	12.8	6,770	18.2	5,050	15.0
Floor, ground surfaces	234,010	18.6	5,660	14.9	7,290	19.6	7,900	23.5
Handtools	58,410	4.6	4,460	11.8	350	0.9	1,560	4.6
Vehicles	111,270	8.8	2,150	5.7	8,500	22.9	2,260	6.7
Health care patient	57,230	4.5	--	--	--	--	50	0.1
All other	181,590	14.4	6,960	18.3	2,910	7.8	4,990	14.9
Event or exposure:								
Contact with object, equipment	335,160	26.6	15,610	41.2	6,310	17.0	7,810	23.3
Struck by object	170,080	13.5	8,550	22.5	3,330	9.0	3,960	11.8
Struck against object	83,330	6.6	3,020	8.0	1,930	5.2	2,710	8.1
Caught in object, equipment, material	55,510	4.4	2,210	5.8	820	2.2	710	2.1
Fall to lower level	79,800	6.3	3,410	9.0	2,750	7.4	2,750	8.2
Fall on same level	167,010	13.3	2,540	6.7	4,580	12.3	5,510	16.4
Slips, trips	37,500	3.0	970	2.6	2,000	5.4	1,090	3.2
Overexertion	316,670	25.1	7,270	19.2	10,040	27.0	7,570	22.5
Overexertion in lifting	173,400	13.8	3,840	10.1	5,970	16.1	4,280	12.7
Repetitive motion	48,710	3.9	780	2.1	730	2.0	870	2.6
Exposed to harmful substance	52,830	4.2	1,210	3.2	440	1.2	1,790	5.3
Transportation accidents	62,860	5.0	1,250	3.3	4,510	12.1	1,510	4.5
Fires, explosions	2,420	0.2	140	0.4	--	--	50	0.1
Assault, violent act	24,880	2.0	220	0.6	470	1.3	270	0.8
by person	17,670	1.4	160	0.4	350	0.9	100	0.3
by other	7,220	0.6	60	0.2	120	0.3	160	0.5
All other	131,480	10.4	4,520	11.9	5,320	14.3	4,380	13.0

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Construction laborers		Truck drivers, light or delivery services		Janitors and cleaners, except maids and housekeeping	
Day of Week:								
Sunday	70,630	5.6	580	1.5	1,140	3.1	1,790	5.3
Monday	231,260	18.4	8,820	23.3	7,280	19.6	6,010	17.9
Tuesday	228,760	18.2	7,070	18.6	8,220	22.1	6,830	20.3
Wednesday	218,330	17.3	7,130	18.8	6,860	18.5	5,760	17.2
Thursday	220,400	17.5	7,240	19.1	5,930	16.0	5,010	14.9
Friday	196,780	15.6	5,670	14.9	6,070	16.3	6,180	18.4
Saturday	93,160	7.4	1,420	3.7	1,650	4.4	2,000	6.0
Time of Day:								
12:01 AM - 4:00 AM	41,600	3.3	190	0.5	950	2.6	1,700	5.1
4:01 AM - 8:00 AM	119,610	9.5	3,190	8.4	4,390	11.8	3,050	9.1
8:01 AM - 12:00 PM	374,760	29.8	15,480	40.8	12,940	34.8	8,970	26.7
12:01 PM - 4:00 PM	286,410	22.7	9,660	25.5	8,780	23.6	6,220	18.5
4:01 PM - 8:00 PM	136,400	10.8	1,330	3.5	3,790	10.2	4,250	12.7
8:01 PM - 12:00 AM	74,640	5.9	330	0.9	1,190	3.2	4,210	12.5
Not reported	225,910	17.9	7,720	20.4	5,120	13.8	5,180	15.4
Hours Worked:								
Occurred before shift began	6,740	0.5	40	0.1	50	0.1	160	0.5
Less than 1 hour	101,550	8.1	2,170	5.7	2,780	7.5	3,530	10.5
1 - 2 hours	121,830	9.7	3,260	8.6	3,150	8.5	4,210	12.5
2 - 4 hours	275,580	21.9	9,230	24.3	9,420	25.3	7,900	23.5
4 - 6 hours	203,830	16.2	5,790	15.3	6,420	17.3	5,590	16.6
6 - 8 hours	186,580	14.8	5,810	15.3	5,830	15.7	4,430	13.2
8 - 10 hours	92,210	7.3	2,840	7.5	2,930	7.9	1,840	5.5
10 - 12 hours	23,490	1.9	650	1.7	850	2.3	210	0.6
12 - 16 hours	7,820	0.6	100	0.3	230	0.6	170	0.5
More than 16 hours	470	--	--	--	--	--	--	--
Not reported	239,230	19.0	8,020	21.1	5,490	14.8	5,530	16.5

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Retail salespersons		Carpenters		Stock clerks and order fillers	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
Total:	1,259,320	100.0	33,160	100.0	30,450	100.0	24,250	100.0
Sex:								
Men	829,300	65.9	14,440	43.5	30,170	99.1	16,320	67.3
Women	425,470	33.8	18,630	56.2	260	0.9	7,850	32.4
Age:								
Under 14	--	--	--	--	--	--	--	--
14 to 15	200	--	--	--	--	--	--	--
16 to 19	38,230	3.0	1,550	4.7	390	1.3	1,490	6.1
20 to 24	141,730	11.3	5,300	16.0	3,940	12.9	3,950	16.3
25 to 34	303,880	24.1	5,840	17.6	9,610	31.6	5,720	23.6
35 to 44	331,610	26.3	7,250	21.9	8,820	29.0	5,480	22.6
45 to 54	272,250	21.6	6,200	18.7	5,030	16.5	4,610	19.0
55 to 64	128,810	10.2	4,370	13.2	1,930	6.3	2,090	8.6
65 and over	23,950	1.9	2,010	6.1	220	0.7	420	1.7
Length of service with employer:								
Less than 3 months	162,410	12.9	3,880	11.7	5,770	18.9	3,280	13.5
3 months to 11 months	258,500	20.5	7,710	23.3	8,030	26.4	5,110	21.1
1 year to 5 years	446,820	35.5	13,550	40.9	9,810	32.2	9,060	37.4
More than 5 years	383,050	30.4	7,870	23.7	6,790	22.3	6,690	27.6
Race or ethnic origin:								
White	591,570	47.0	12,800	38.6	18,190	59.7	9,150	37.7
Black or African American	103,820	8.2	1,730	5.2	860	2.8	1,980	8.2
Hispanic or Latino	164,390	13.1	1,940	5.9	5,130	16.8	2,750	11.3
Asian	16,040	1.3	330	1.0	70	0.2	470	1.9
Native Hawaiian or other Pacific Islander	4,650	0.4	80	0.2	50	0.2	100	0.4
American Indian or Alaska Native	5,140	0.4	150	0.5	100	0.3	80	0.3
Hispanic and other	530	--	--	--	20	0.1	--	--
Multi-race	1,260	0.1	20	0.1	--	--	--	--
Not reported	371,920	29.5	16,100	48.6	6,030	19.8	9,680	39.9
Number of days away from work:								
Cases involving 1 day	180,500	14.3	4,900	14.8	4,140	13.6	3,320	13.7
Cases involving 2 days	144,480	11.5	4,000	12.1	3,120	10.2	2,940	12.1
Cases involving 3-5 days	231,350	18.4	5,590	16.9	5,480	18.0	4,850	20.0
Cases involving 6-10 days	159,250	12.6	4,170	12.6	3,570	11.7	3,340	13.8
Cases involving 11-20 days	143,560	11.4	3,180	9.6	3,440	11.3	3,050	12.6
Cases involving 21-30 days	85,620	6.8	2,480	7.5	2,200	7.2	1,520	6.3
Cases involving 31 or more days	314,570	25.0	8,840	26.7	8,520	28.0	5,230	21.6
Median days away from work ⁵	7		8		9		7	

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Retail salespersons		Carpenters		Stock clerks and order fillers	
Industry sector:								
Goods producing industries ²	408,400	32.4	200	0.6	28,260	92.8	1,920	7.9
Natural resources and mining ^{2,3}	29,100	2.3	--	--	20	0.1	20	0.1
Agriculture, Forestry, Fishing and Hunting ²	19,750	1.6	--	--	--	--	--	--
Mining ³	9,350	0.7	--	--	20	0.1	--	--
Construction	153,200	12.2	--	--	26,050	85.6	200	0.8
Manufacturing	226,090	18.0	150	0.5	2,190	7.2	1,700	7.0
Service providing industries	850,930	67.6	32,950	99.4	2,190	7.2	22,320	92.0
Trade, Transportation and Utilities ⁴	387,650	30.8	31,530	95.1	710	2.3	20,800	85.8
Wholesale Trade	81,140	6.4	610	1.8	430	1.4	3,520	14.5
Retail Trade	178,760	14.2	30,840	93.0	230	0.8	15,690	64.7
Transportation and Warehousing ⁴	120,010	9.5	80	0.2	40	0.1	1,560	6.4
Utilities	7,740	0.6	--	--	--	--	40	0.2
Information	21,150	1.7	110	0.3	80	0.3	60	0.2
Financial activities	34,930	2.8	240	0.7	360	1.2	60	0.2
Finance and Insurance	12,920	1.0	50	0.2	20	0.1	30	0.1
Real Estate and Rental and Leasing	22,010	1.7	200	0.6	340	1.1	--	--
Professional and business services	90,500	7.2	460	1.4	660	2.2	640	2.6
Professional, Scientific, and Technical Services	20,370	1.6	180	0.5	140	0.5	60	0.2
Management of Companies and Enterprises	10,260	0.8	40	0.1	110	0.4	340	1.4
Administrative and Support and Waste Management and Remediation Services	59,870	4.8	240	0.7	410	1.3	240	1.0
Education and health services	189,980	15.1	70	0.2	260	0.9	430	1.8
Educational Services	10,070	0.8	--	--	70	0.2	--	--
Health Care and Social Assistance	179,910	14.3	60	0.2	190	0.6	410	1.7
Leisure and hospitality	95,380	7.6	430	1.3	90	0.3	190	0.8
Arts, Entertainment, and Recreation	17,750	1.4	220	0.7	50	0.2	30	0.1
Accommodation and Food Services	77,620	6.2	210	0.6	--	--	150	0.6
Other services	31,350	2.5	110	0.3	--	--	150	0.6
Other Services, except Public Administration	31,350	2.5	110	0.3	--	--	150	0.6
Nature of injury, illness:								
Sprains, strains	525,390	41.7	15,720	47.4	11,090	36.4	11,720	48.3
Fractures	94,040	7.5	2,340	7.1	2,830	9.3	1,410	5.8
Cuts, lacerations, punctures	114,140	9.1	2,020	6.1	6,700	22.0	2,310	9.5
Bruises, contusions	114,680	9.1	3,390	10.2	1,590	5.2	2,570	10.6
Heat burns	18,510	1.5	170	0.5	50	0.2	--	--
Chemical burns	7,360	0.6	110	0.3	--	--	--	--
Amputations	8,160	0.6	70	0.2	520	1.7	--	--
Carpal tunnel syndrome	18,710	1.5	260	0.8	190	0.6	190	0.8
Tendonitis	6,930	0.6	180	0.5	160	0.5	130	0.5
Multiple injuries	50,350	4.0	1,610	4.9	920	3.0	590	2.4
With fractures	9,960	0.8	110	0.3	500	1.6	120	0.5
With sprains	19,720	1.6	860	2.6	180	0.6	300	1.2
Soreness, Pain	104,560	8.3	2,570	7.8	1,880	6.2	2,290	9.4
Back pain	37,930	3.0	670	2.0	870	2.9	630	2.6
All other	196,480	15.6	4,690	14.1	4,490	14.7	2,990	12.3

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Retail salespersons		Carpenters		Stock clerks and order fillers	
Part of body affected:								
Head	81,530	6.5	1,840	5.5	2,290	7.5	1,000	4.1
Eye	36,680	2.9	510	1.5	1,260	4.1	360	1.5
Neck	21,130	1.7	530	1.6	460	1.5	410	1.7
Trunk	447,140	35.5	13,100	39.5	9,130	30.0	9,700	40.0
Back	282,240	22.4	8,530	25.7	6,060	19.9	6,520	26.9
Shoulder	82,220	6.5	1,810	5.5	1,220	4.0	1,660	6.8
Upper extremities	290,460	23.1	5,240	15.8	8,940	29.4	4,590	18.9
Finger	107,860	8.6	1,730	5.2	4,740	15.6	1,530	6.3
Hand, except finger	50,190	4.0	760	2.3	1,680	5.5	800	3.3
Wrist	58,510	4.6	1,430	4.3	1,110	3.6	950	3.9
Lower extremities	269,490	21.4	8,010	24.2	6,890	22.6	6,910	28.5
Knee	99,720	7.9	3,460	10.4	2,450	8.0	1,800	7.4
Foot, toe	57,940	4.6	2,160	6.5	1,590	5.2	2,250	9.3
Body systems	14,300	1.1	490	1.5	180	0.6	130	0.5
Multiple	126,530	10.0	3,570	10.8	2,100	6.9	1,420	5.9
All other	8,750	0.7	380	1.1	470	1.5	80	0.3
Source of injury, illness:								
Chemicals, chemical products	17,880	1.4	340	1.0	50	0.2	130	0.5
Containers	161,370	12.8	7,740	23.3	760	2.5	8,980	37.0
Furniture, fixtures	44,790	3.6	3,240	9.8	860	2.8	1,440	5.9
Machinery	82,160	6.5	1,410	4.3	1,190	3.9	1,690	7.0
Parts and materials	127,790	10.1	1,470	4.4	7,930	26.0	1,030	4.2
Worker motion or position	182,820	14.5	4,170	12.6	3,440	11.3	2,940	12.1
Floor, ground surfaces	234,010	18.6	7,700	23.2	6,430	21.1	3,190	13.2
Handtools	58,410	4.6	870	2.6	3,990	13.1	780	3.2
Vehicles	111,270	8.8	1,920	5.8	660	2.2	2,260	9.3
Health care patient	57,230	4.5	40	0.1	--	--	--	--
All other	181,590	14.4	4,260	12.8	5,140	16.9	1,810	7.5
Event or exposure:								
Contact with object, equipment	335,160	26.6	7,850	23.7	11,840	38.9	7,750	32.0
Struck by object	170,080	13.5	4,820	14.5	7,370	24.2	4,430	18.3
Struck against object	83,330	6.6	1,840	5.5	2,230	7.3	1,870	7.7
Caught in object, equipment, material	55,510	4.4	850	2.6	880	2.9	1,240	5.1
Fall to lower level	79,800	6.3	2,610	7.9	4,770	15.7	1,020	4.2
Fall on same level	167,010	13.3	5,170	15.6	2,330	7.7	2,430	10.0
Slips, trips	37,500	3.0	1,120	3.4	790	2.6	500	2.1
Overexertion	316,670	25.1	9,520	28.7	6,320	20.8	8,540	35.2
Overexertion in lifting	173,400	13.8	6,350	19.1	4,250	14.0	5,750	23.7
Repetitive motion	48,710	3.9	730	2.2	680	2.2	750	3.1
Exposed to harmful substance	52,830	4.2	870	2.6	440	1.4	250	1.0
Transportation accidents	62,860	5.0	1,040	3.1	280	0.9	810	3.3
Fires, explosions	2,420	0.2	--	--	--	--	--	--
Assault, violent act	24,880	2.0	490	1.5	40	0.1	110	0.5
by person	17,670	1.4	430	1.3	--	--	60	0.2
by other	7,220	0.6	60	0.2	--	--	40	0.2
All other	131,480	10.4	3,740	11.3	2,940	9.7	2,090	8.6

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Retail salespersons		Carpenters		Stock clerks and order fillers	
Day of Week:								
Sunday	70,630	5.6	3,800	11.5	760	2.5	2,090	8.6
Monday	231,260	18.4	4,610	13.9	6,300	20.7	3,920	16.2
Tuesday	228,760	18.2	4,950	14.9	6,530	21.4	4,460	18.4
Wednesday	218,330	17.3	5,020	15.1	5,930	19.5	3,780	15.6
Thursday	220,400	17.5	5,190	15.7	5,430	17.8	4,350	17.9
Friday	196,780	15.6	5,430	16.4	4,270	14.0	3,480	14.4
Saturday	93,160	7.4	4,150	12.5	1,240	4.1	2,150	8.9
Time of Day:								
12:01 AM - 4:00 AM	41,600	3.3	870	2.6	110	0.4	2,320	9.6
4:01 AM - 8:00 AM	119,610	9.5	1,840	5.5	2,450	8.0	2,650	10.9
8:01 AM - 12:00 PM	374,760	29.8	8,940	27.0	13,590	44.6	5,060	20.9
12:01 PM - 4:00 PM	286,410	22.7	7,220	21.8	7,750	25.5	4,280	17.6
4:01 PM - 8:00 PM	136,400	10.8	5,220	15.7	640	2.1	2,760	11.4
8:01 PM - 12:00 AM	74,640	5.9	1,960	5.9	100	0.3	2,950	12.2
Not reported	225,910	17.9	7,110	21.4	5,830	19.1	4,230	17.4
Hours Worked:								
Occurred before shift began	6,740	0.5	330	1.0	150	0.5	120	0.5
Less than 1 hour	101,550	8.1	3,110	9.4	1,500	4.9	2,250	9.3
1 - 2 hours	121,830	9.7	3,090	9.3	2,480	8.1	2,820	11.6
2 - 4 hours	275,580	21.9	8,050	24.3	7,750	25.5	5,230	21.6
4 - 6 hours	203,830	16.2	4,760	14.4	5,330	17.5	3,710	15.3
6 - 8 hours	186,580	14.8	4,260	12.8	5,080	16.7	3,440	14.2
8 - 10 hours	92,210	7.3	1,580	4.8	1,940	6.4	1,840	7.6
10 - 12 hours	23,490	1.9	350	1.1	180	0.6	280	1.2
12 - 16 hours	7,820	0.6	--	--	140	0.5	70	0.3
More than 16 hours	470	--	--	--	--	--	--	--
Not reported	239,230	19.0	7,590	22.9	5,910	19.4	4,470	18.4

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Maintenance and repair workers, general	
	Number	Percent	Number	Percent
Total:	1,259,320	100.0	21,050	100.0
Sex:				
Men	829,300	65.9	20,370	96.8
Women	425,470	33.8	680	3.2
Age:				
Under 14	--	--	--	--
14 to 15	200	--	--	--
16 to 19	38,230	3.0	220	1.0
20 to 24	141,730	11.3	1,480	7.0
25 to 34	303,880	24.1	4,040	19.2
35 to 44	331,610	26.3	6,350	30.2
45 to 54	272,250	21.6	5,840	27.7
55 to 64	128,810	10.2	2,110	10.0
65 and over	23,950	1.9	490	2.3
Length of service with employer:				
Less than 3 months	162,410	12.9	1,930	9.2
3 months to 11 months	258,500	20.5	4,580	21.8
1 year to 5 years	446,820	35.5	6,780	32.2
More than 5 years	383,050	30.4	7,690	36.5
Race or ethnic origin:				
White	591,570	47.0	12,970	61.6
Black or African American	103,820	8.2	920	4.4
Hispanic or Latino	164,390	13.1	1,670	7.9
Asian	16,040	1.3	150	0.7
Native Hawaiian or other Pacific Islander	4,650	0.4	100	0.5
American Indian or Alaska Native	5,140	0.4	110	0.5
Hispanic and other	530	--	--	--
Multi-race	1,260	0.1	--	--
Not reported	371,920	29.5	5,090	24.2
Number of days away from work:				
Cases involving 1 day	180,500	14.3	2,960	14.1
Cases involving 2 days	144,480	11.5	2,460	11.7
Cases involving 3-5 days	231,350	18.4	4,370	20.8
Cases involving 6-10 days	159,250	12.6	2,890	13.7
Cases involving 11-20 days	143,560	11.4	2,310	11.0
Cases involving 21-30 days	85,620	6.8	1,240	5.9
Cases involving 31 or more days	314,570	25.0	4,830	22.9
Median days away from work ⁵	7		7	

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Maintenance and repair workers, general	
	Number	Rate	Number	Rate
Industry sector:				
Goods producing industries ²	408,400	32.4	5,960	28.3
Natural resources and mining ^{2,3}	29,100	2.3	210	1.0
Agriculture, Forestry, Fishing and Hunting ²	19,750	1.6	160	0.8
Mining ³	9,350	0.7	50	0.2
Construction	153,200	12.2	1,220	5.8
Manufacturing	226,090	18.0	4,530	21.5
Service providing industries	850,930	67.6	15,090	71.7
Trade, Transportation and Utilities ⁴	387,650	30.8	5,590	26.6
Wholesale Trade	81,140	6.4	2,660	12.6
Retail Trade	178,760	14.2	1,660	7.9
Transportation and Warehousing ⁴	120,010	9.5	1,040	4.9
Utilities	7,740	0.6	240	1.1
Information	21,150	1.7	300	1.4
Financial activities	34,930	2.8	2,890	13.7
Finance and Insurance	12,920	1.0	170	0.8
Real Estate and Rental and Leasing	22,010	1.7	2,720	12.9
Professional and business services	90,500	7.2	1,840	8.7
Professional, Scientific, and Technical Services	20,370	1.6	440	2.1
Management of Companies and Enterprises	10,260	0.8	380	1.8
Administrative and Support and Waste Management and Remediation Services	59,870	4.8	1,020	4.8
Education and health services	189,980	15.1	1,910	9.1
Educational Services	10,070	0.8	290	1.4
Health Care and Social Assistance	179,910	14.3	1,620	7.7
Leisure and hospitality	95,380	7.6	1,670	7.9
Arts, Entertainment, and Recreation	17,750	1.4	930	4.4
Accommodation and Food Services	77,620	6.2	750	3.6
Other services	31,350	2.5	880	4.2
Other Services, except Public Administration	31,350	2.5	880	4.2
Nature of injury, illness:				
Sprains, strains	525,390	41.7	8,370	39.8
Fractures	94,040	7.5	1,830	8.7
Cuts, lacerations, punctures	114,140	9.1	2,230	10.6
Bruises, contusions	114,680	9.1	1,610	7.6
Heat burns	18,510	1.5	380	1.8
Chemical burns	7,360	0.6	150	0.7
Amputations	8,160	0.6	170	0.8
Carpal tunnel syndrome	18,710	1.5	150	0.7
Tendonitis	6,930	0.6	70	0.3
Multiple injuries	50,350	4.0	620	2.9
With fractures	9,960	0.8	100	0.5
With sprains	19,720	1.6	140	0.7
Soreness, Pain	104,560	8.3	1,530	7.3
Back pain	37,930	3.0	680	3.2
All other	196,480	15.6	3,950	18.8

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Maintenance and repair workers, general	
	Number	Rate	Number	Rate
Part of body affected:				
Head	81,530	6.5	2,020	9.6
Eye	36,680	2.9	1,170	5.6
Neck	21,130	1.7	220	1.0
Trunk	447,140	35.5	7,160	34.0
Back	282,240	22.4	4,700	22.3
Shoulder	82,220	6.5	1,200	5.7
Upper extremities	290,460	23.1	5,430	25.8
Finger	107,860	8.6	1,890	9.0
Hand, except finger	50,190	4.0	1,210	5.7
Wrist	58,510	4.6	990	4.7
Lower extremities	269,490	21.4	4,440	21.1
Knee	99,720	7.9	1,850	8.8
Foot, toe	57,940	4.6	840	4.0
Body systems	14,300	1.1	270	1.3
Multiple	126,530	10.0	1,390	6.6
All other	8,750	0.7	110	0.5
Source of injury, illness:				
Chemicals, chemical products	17,880	1.4	400	1.9
Containers	161,370	12.8	1,610	7.6
Furniture, fixtures	44,790	3.6	700	3.3
Machinery	82,160	6.5	1,960	9.3
Parts and materials	127,790	10.1	3,040	14.4
Worker motion or position	182,820	14.5	3,040	14.4
Floor, ground surfaces	234,010	18.6	3,750	17.8
Handtools	58,410	4.6	1,900	9.0
Vehicles	111,270	8.8	1,320	6.3
Health care patient	57,230	4.5	--	--
All other	181,590	14.4	3,320	15.8
Event or exposure:				
Contact with object, equipment	335,160	26.6	6,390	30.4
Struck by object	170,080	13.5	3,630	17.2
Struck against object	83,330	6.6	1,250	5.9
Caught in object, equipment, material	55,510	4.4	810	3.8
Fall to lower level	79,800	6.3	2,420	11.5
Fall on same level	167,010	13.3	2,020	9.6
Slips, trips	37,500	3.0	830	3.9
Overexertion	316,670	25.1	4,940	23.5
Overexertion in lifting	173,400	13.8	2,620	12.4
Repetitive motion	48,710	3.9	320	1.5
Exposed to harmful substance	52,830	4.2	1,040	4.9
Transportation accidents	62,860	5.0	610	2.9
Fires, explosions	2,420	0.2	170	0.8
Assault, violent act	24,880	2.0	60	0.3
by person	17,670	1.4	--	--
by other	7,220	0.6	--	--
All other	131,480	10.4	2,240	10.6

See footnotes at end of table.

Table 2. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by selected worker and case characteristics and occupation, All United States, private industry, 2004

Characteristic	All occupations		Maintenance and repair workers, general	
Day of Week:				
Sunday	70,630	5.6	740	3.5
Monday	231,260	18.4	4,370	20.8
Tuesday	228,760	18.2	3,980	18.9
Wednesday	218,330	17.3	4,460	21.2
Thursday	220,400	17.5	3,360	16.0
Friday	196,780	15.6	2,950	14.0
Saturday	93,160	7.4	1,190	5.7
Time of Day:				
12:01 AM - 4:00 AM	41,600	3.3	460	2.2
4:01 AM - 8:00 AM	119,610	9.5	1,690	8.0
8:01 AM - 12:00 PM	374,760	29.8	7,190	34.2
12:01 PM - 4:00 PM	286,410	22.7	5,750	27.3
4:01 PM - 8:00 PM	136,400	10.8	1,750	8.3
8:01 PM - 12:00 AM	74,640	5.9	760	3.6
Not reported	225,910	17.9	3,450	16.4
Hours Worked:				
Occurred before shift began	6,740	0.5	70	0.3
Less than 1 hour	101,550	8.1	1,430	6.8
1 - 2 hours	121,830	9.7	2,120	10.1
2 - 4 hours	275,580	21.9	4,480	21.3
4 - 6 hours	203,830	16.2	3,660	17.4
6 - 8 hours	186,580	14.8	3,830	18.2
8 - 10 hours	92,210	7.3	1,440	6.8
10 - 12 hours	23,490	1.9	430	2.0
12 - 16 hours	7,820	0.6	70	0.3
More than 16 hours	470	--	--	--
Not reported	239,230	19.0	3,520	16.7

¹ Days away from work include those that result in days away from work with or without job transfer or restriction.

² Excludes farms with fewer than 11 employees.

³ Data for mining (Sector 21 in the *North American Industry Classification System* -- United States, 2002) include establishments not governed by the Mine Safety and Health Administration (MSHA) rules and reporting, such as those in oil and gas extraction and related support activities. Data for mining operators in coal, metal, and nonmetal mining are provided to BLS by the Mine Safety and Health Administration, U.S. Department of Labor. Independent mining contractors are excluded from the coal, metal, and nonmetal mining industries. These data do not reflect the changes the Occupational Safety and Health Administration made to its recordkeeping requirements effective January 1, 2002; therefore estimates for these industries are not comparable to estimates in other industries.

⁴ Data for employers in railroad transportation are provided to BLS by the Federal Railroad Administration, U.S. Department of Transportation.

⁵ Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

NOTE: Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals. Dashes indicate data that do not meet publication guidelines. The scientifically selected probability sample used was one of many possible samples, each of which could have produced different estimates. A measure of sampling variability for each estimate is available upon request.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, December, 2005