

TABLE R61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, 2004

Event	Event code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Total		1,259,320	591,570	103,820	164,390	16,040	4,650	5,140	530	1,260	371,920
Contact with objects and equipment	0	335,160	150,270	26,300	60,390	5,120	1,320	1,570	250	600	89,340
Contact with objects and equipment, unspecified	00	6,880	2,390	290	1,810	670	-	-	-	-	1,650
Struck against object	01	83,330	36,920	7,550	12,820	1,250	370	180	-	390	23,840
Struck against object, unspecified ..	010	4,980	2,150	490	580	160	-	-	-	350	1,230
Stepped on object	011	11,840	5,430	920	2,130	70	70	-	-	20	3,180
Struck against stationary object	012	49,180	22,070	4,420	7,500	860	190	110	-	-	13,990
Struck against moving object	013	8,290	3,770	690	1,350	60	-	-	-	-	2,380
Struck against object, n.e.c.	019	9,040	3,510	1,030	1,250	110	60	-	-	-	3,060
Struck by object	02	170,080	75,710	12,640	30,600	2,020	580	1,070	150	200	47,100
Struck by object, unspecified	020	6,650	2,620	690	990	100	20	50	-	-	2,170
Struck by falling object	021	61,400	25,730	4,640	10,910	870	120	340	-	-	18,740
Struck by flying object	022	18,550	9,670	980	3,460	120	50	180	-	-	4,060
Struck by flying object, unspecified	0220	1,650	790	90	150	-	-	-	-	-	610
Struck by dislodged flying object, particle	0221	9,360	4,920	420	2,010	50	20	90	-	-	1,840
Struck by discharged object or substance	0222	4,740	2,440	140	1,030	50	-	-	-	-	1,020
Struck by flying object, n.e.c.	0229	2,800	1,510	340	280	-	-	60	-	-	590
Struck by swinging or slipping object	023	56,910	25,900	3,580	11,200	630	200	390	90	-	14,880
Struck by swinging or slipping object, unspecified	0230	1,590	730	80	330	-	-	-	-	-	420
Struck by or slammed in swinging door or gate	0231	9,120	3,480	900	1,110	240	50	-	-	-	3,320
Struck by slipping handheld object	0232	41,960	19,850	2,210	9,050	370	150	360	90	-	9,850
Struck by swinging or slipping object, n.e.c.	0239	4,240	1,830	380	710	-	-	-	-	-	1,300
Struck by rolling, sliding objects on floor or ground level	024	5,500	2,170	460	610	-	-	-	-	-	2,210
Struck by object, n.e.c.	029	21,080	9,630	2,290	3,440	290	180	100	-	110	5,040
Caught in or compressed by equipment or objects	03	55,160	24,780	4,810	11,750	720	300	250	-	-	12,520
Caught in or compressed by equipment or objects, unspecified	030	3,550	1,350	280	510	50	-	40	-	-	1,320
Caught in running equipment or machinery	031	21,700	9,880	1,570	5,460	390	150	90	-	-	4,130
Compressed or pinched by rolling, sliding, or shifting objects	032	10,580	4,270	1,080	2,260	90	50	-	-	-	2,810

See footnotes at end of table.

TABLE R61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, 2004 — Continued

Event	Event code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Caught in or compressed by equipment or objects, n.e.c.	039	19,330	9,270	1,890	3,520	190	90	110	—	—	4,260
Caught in or crushed in collapsing materials	04	350	220	—	40	—	—	—	—	—	70
Caught in or crushed in collapsing materials, unspecified	040	80	—	—	—	—	—	—	—	—	—
Excavation or trenching cave-in	041	100	80	—	—	—	—	—	—	—	20
Caught in or crushed in collapsing structure	044	110	80	—	—	—	—	—	—	—	—
Caught in or crushed in collapsing materials, n.e.c.	049	50	—	—	—	—	—	—	—	—	20
Rubbed or abraded by friction or pressure	05	14,940	7,960	570	2,690	290	50	—	—	—	3,330
Rubbed or abraded by friction or pressure, unspecified	050	90	40	—	—	—	—	—	—	—	—
Rubbed or abraded by kneeling on surface	051	1,090	440	40	270	—	—	—	—	—	240
Rubbed or abraded by objects being handled	052	260	80	—	50	—	—	—	—	—	90
Rubbed or abraded by foreign matter in eye	053	13,060	7,180	480	2,230	190	40	—	—	—	2,900
Rubbed or abraded by friction or pressure, n.e.c.	059	440	220	—	140	—	—	—	—	—	70
Rubbed, abraded, or jarred by vibration	06	1,770	970	170	60	—	—	20	—	—	550
Rubbed, abraded, or jarred by vibration, unspecified	060	40	—	—	—	—	—	—	—	—	—
Rubbed, abraded, or jarred by vehicle or mobile equipment vibration	061	1,130	660	80	—	—	—	20	—	—	340
Rubbed, abraded, or jarred by other machine or equipment vibration	062	450	230	90	40	—	—	—	—	—	90
Rubbed, abraded, or jarred by vibration, n.e.c.	069	160	80	—	—	—	—	—	—	—	80
Contact with objects and equipment, n.e.c.	09	2,640	1,320	250	620	140	—	—	—	—	290
Falls	1	255,600	129,090	19,890	29,420	2,940	850	780	40	140	72,460
Fall, unspecified	10	2,280	1,250	70	240	—	—	—	—	—	690
Fall to lower level	11	79,800	42,130	5,000	10,980	750	260	290	—	—	20,350
Fall to lower level, unspecified	110	760	350	90	70	—	—	—	—	—	220
Fall down stairs or steps	111	18,920	9,470	1,860	1,870	230	40	80	—	—	5,360
Fall from floor, dock, or ground level	112	4,490	1,920	220	490	—	—	—	—	—	1,820

See footnotes at end of table.

TABLE R61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, 2004 — Continued

Event	Event code ²	Private industry ³	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Fall from floor, dock, or ground level, unspecified	1120	920	90	—	—	—	—	—	—	—	—	810
Fall through existing floor opening	1121	990	540	40	50	—	—	—	—	—	—	350
Fall through floor surface	1122	540	290	70	60	—	—	—	—	—	—	110
Fall from loading dock	1123	760	350	—	140	—	—	—	—	—	—	240
Fall from ground level to lower level	1124	850	320	—	220	—	—	—	—	—	—	270
Fall from floor, dock, or ground level, n.e.c.	1129	420	320	50	—	—	—	—	—	—	—	40
Fall from ladder	113	22,140	11,870	980	3,970	170	100	90	—	—	—	4,960
Fall from piled or stacked material	114	850	550	—	220	—	—	—	—	—	—	50
Fall from roof	115	2,340	1,440	—	590	—	—	—	—	—	—	280
Fall from roof, unspecified	1150	630	440	—	130	—	—	—	—	—	—	50
Fall through existing roof opening	1151	250	210	—	—	—	—	—	—	—	—	—
Fall through roof surface	1152	340	160	—	100	—	—	—	—	—	—	50
Fall through skylight	1153	40	—	—	—	—	—	—	—	—	—	—
Fall from roof edge	1154	860	460	—	270	—	—	—	—	—	—	120
Fall from roof, n.e.c.	1159	220	160	—	40	—	—	—	—	—	—	20
Fall from scaffold, staging	116	3,260	1,900	100	760	—	—	20	—	—	—	450
Fall from building girders or other structural steel	117	340	240	—	40	—	—	—	—	—	—	50
Fall from nonmoving vehicle	118	14,810	8,800	720	1,170	60	50	70	—	—	—	3,940
Fall to lower level, n.e.c.	119	11,890	5,600	980	1,810	210	50	—	—	20	—	3,200
Jump to lower level	12	5,360	2,700	210	1,070	—	40	—	—	—	—	1,310
Jump to lower level, unspecified	120	150	120	—	—	—	—	—	—	—	—	20
Jump from scaffold, platform, loading dock	121	440	270	20	50	—	—	—	—	—	—	80
Jump from structure, structural element, n.e.c.	122	610	430	—	90	—	—	—	—	—	—	90
Jump from nonmoving vehicle	123	2,570	1,220	130	450	—	—	—	—	—	—	750
Jump to lower level, n.e.c.	129	1,580	660	50	480	—	—	—	—	—	—	370
Fall on same level	13	167,010	82,170	14,550	17,030	2,130	500	470	40	110	—	50,010
Fall on same level, unspecified	130	2,750	1,480	220	330	50	—	—	—	—	—	660
Fall to floor, walkway, or other surface	131	140,980	69,030	12,600	14,250	1,310	390	420	40	100	—	42,830
Fall onto or against objects	132	21,290	10,450	1,550	2,330	770	100	50	—	—	—	6,040
Fall on same level, n.e.c.	139	1,990	1,200	170	120	—	—	—	—	—	—	480
Fall, n.e.c.	19	1,150	850	50	100	—	—	—	—	—	—	110
Bodily reaction and exertion	2	511,750	242,460	39,760	54,280	5,640	1,780	2,180	160	410	—	165,070
Bodily reaction and exertion, unspecified	20	5,340	1,680	320	1,110	170	50	—	—	—	—	1,950

See footnotes at end of table.

TABLE R61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, 2004 — Continued

Event	Event code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Bodily reaction	21	135,720	66,440	10,360	14,570	990	600	590	50	110	42,010
Bodily reaction, unspecified	210	6,500	2,900	360	1,160	70	—	—	—	—	2,010
Bending, climbing, crawling, reaching, twisting	211	54,130	27,650	3,200	5,200	350	210	150	—	40	17,320
Sudden reaction when surprised, frightened, startled	212	1,580	620	390	110	—	—	—	—	—	440
Running without other incident	213	1,200	560	120	180	—	—	—	—	—	300
Sitting	214	520	200	—	70	—	—	—	—	—	230
Slip, trip, loss of balance without fall	215	37,500	18,380	2,970	3,910	240	130	190	—	—	11,610
Standing	216	1,120	550	60	110	—	—	—	—	—	390
Walking without other incident	217	5,890	3,070	590	380	40	50	80	—	—	1,680
Bodily reaction, n.e.c.	219	27,280	12,510	2,640	3,440	280	190	140	—	—	8,050
Overexertion	22	316,670	148,220	24,810	33,720	3,370	1,030	1,310	90	270	103,860
Overexertion, unspecified	220	24,490	10,410	1,750	2,950	380	340	120	—	60	8,460
Overexertion in lifting	221	173,400	81,300	14,110	18,930	1,560	330	690	40	160	56,290
Overexertion in pulling or pushing objects	222	53,570	25,550	4,080	5,060	660	170	270	—	20	17,770
Overexertion in holding, carrying, turning, or wielding objects	223	47,230	23,070	3,710	4,750	560	150	120	—	—	14,860
Overexertion in throwing objects	224	2,090	870	80	360	—	—	—	—	—	780
Overexertion, n.e.c.	229	15,880	7,020	1,090	1,660	200	50	120	—	—	5,700
Repetitive motion	23	48,710	24,550	3,790	3,980	900	100	200	20	20	15,150
Repetitive motion, unspecified	230	12,230	6,240	620	780	110	50	70	—	—	4,350
Typing or key entry	231	7,840	3,220	1,000	590	240	—	—	—	—	2,750
Repetitive use of tools	232	6,590	3,670	470	800	70	—	—	—	—	1,550
Repetitive placing, grasping, or moving objects, except tools	233	15,910	8,570	1,370	1,040	230	—	80	—	—	4,580
Repetitive motion, n.e.c.	239	6,140	2,840	330	770	250	—	—	—	—	1,920
Bodily conditions, n.e.c.	25	2,890	900	390	340	—	—	—	—	—	1,200
Bodily reaction and exertion, n.e.c.	29	2,410	660	90	570	190	—	—	—	—	890
Exposure to harmful substances or environments	3	52,830	23,530	5,060	7,520	860	170	260	—	40	15,360
Exposure to harmful substances or environments, unspecified	30	260	100	50	—	—	—	—	—	—	100
Contact with electric current	31	2,650	1,590	170	260	—	—	—	—	—	580
Contact with electric current, unspecified	310	160	70	—	20	—	—	—	—	—	70
Contact with electric current of machine, tool, appliance, or light fixture	311	1,110	650	90	120	—	—	—	—	—	220
Contact with wiring, transformers, or other electrical components	312	900	590	50	90	—	—	—	—	—	160

See footnotes at end of table.

TABLE R61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, 2004 — Continued

Event	Event code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Contact with overhead power lines	313	40	—	—	—	—	—	—	—	—	—
Struck by lightning	315	100	90	—	—	—	—	—	—	—	—
Contact with electric current, n.e.c.	319	320	170	20	20	—	—	—	—	—	110
Contact with temperature extremes ...	32	18,960	8,250	1,940	3,170	400	—	—	50	—	5,090
Exposure to environmental heat	321	1,590	820	150	190	—	—	—	—	—	420
Exposure to environmental cold	322	180	—	90	—	—	—	—	—	—	—
Contact with hot objects or substances	323	17,130	7,360	1,710	2,930	390	—	—	50	—	4,640
Contact with cold objects or substances	324	50	40	—	—	—	—	—	—	—	—
Exposure to air pressure changes	33	230	—	—	—	—	—	—	—	—	160
Pressure changes in airplane, other aircraft	332	210	—	—	—	—	—	—	—	—	160
Exposure to caustic, noxious, or allergenic substances	34	27,020	11,660	2,630	3,700	380	100	170	—	—	8,350
Exposure to caustic, noxious, or allergenic substances, unspecified	340	3,250	1,530	320	360	50	—	—	—	—	970
Inhalation of substance	341	4,960	2,430	520	460	80	—	—	—	—	1,440
Inhalation of substance, unspecified	3410	1,670	780	150	200	50	—	—	—	—	480
Inhalation in enclosed, restricted, or confined space	3411	570	260	70	—	—	—	—	—	—	220
Inhalation in open or nonconfined space	3412	2,710	1,390	300	240	—	—	—	—	—	750
Contact with skin or other exposed tissue	342	12,380	5,060	1,090	1,650	230	60	110	—	—	4,170
Injections, stings, venomous bites	343	4,910	1,970	570	1,070	—	—	—	—	—	1,250
Injections, stings, venomous bites, unspecified	3430	720	390	190	—	—	—	—	—	—	120
Needle sticks	3431	410	150	20	—	—	—	—	—	—	230
Bee, wasp, hornet sting	3432	2,300	820	190	710	20	20	—	—	—	530
Other stings or venomous bites	3433	1,190	500	150	230	—	—	—	—	—	310
Injections, stings, venomous bites, n.e.c.	3439	290	110	20	110	—	—	—	—	—	50
Ingestion of substance	344	170	70	—	—	—	—	—	—	—	60
Exposure to caustic, noxious, or allergenic substances, n.e.c.	349	1,350	600	110	130	—	—	—	—	—	460
Exposure to noise	35	180	90	—	—	—	—	—	—	—	60
Exposure to noise over time	351	50	—	—	—	—	—	—	—	—	—

See footnotes at end of table.

TABLE R61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, 2004 — Continued

Event	Event code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Exposure to noise in single incident	352	70	—	—	—	—	—	—	—	—	—
Exposure to radiation	36	1,990	1,300	190	210	—	—	—	—	—	280
Exposure to welding light	362	1,900	1,250	180	180	—	—	—	—	—	270
Exposure to radiation, n.e.c.	369	80	—	—	—	—	—	—	—	—	—
Exposure to traumatic or stressful event, n.e.c.	37	1,380	510	60	100	—	—	—	—	—	650
Other oxygen deficiency, n.e.c.	389	20	—	—	—	—	—	—	—	—	—
Exposure to harmful substances or environments, n.e.c.	39	140	—	—	—	—	—	—	—	—	80
Transportation accidents	4	62,860	28,060	7,240	7,870	770	300	100	—	50	18,460
Transportation accident, unspecified	40	1,540	570	230	290	—	—	—	—	—	430
Highway accident	41	38,950	18,110	4,390	4,110	490	260	50	—	—	11,520
Highway accident, unspecified	410	3,430	1,560	540	220	240	—	—	—	—	870
Collision between vehicles, mobile equipment	411	27,230	12,120	2,720	3,300	220	250	—	—	—	8,580
Collision between vehicles, mobile equipment, unspecified	4110	8,410	3,780	710	840	40	230	—	—	—	2,810
Re-entrant collision	4111	280	210	20	—	—	—	—	—	—	50
Moving in same direction	4112	6,610	2,470	750	960	130	—	—	—	—	2,280
Moving in opposite directions, oncoming	4113	1,570	1,050	90	110	—	—	—	—	—	290
Moving in intersection	4114	4,050	1,930	360	1,060	—	—	—	—	—	710
Moving and standing vehicle, mobile equipment in roadway	4115	4,140	1,800	440	240	—	—	—	—	—	1,610
Moving and standing vehicle, mobile equipment side of road	4116	590	250	80	40	—	—	—	—	—	220
Collision between vehicles, mobile equipment, n.e.c.	4119	1,580	620	280	50	—	—	—	—	—	620
Vehicle struck stationary object or equipment in roadway	412	430	130	—	150	—	—	—	—	—	120
Vehicle struck stationary object, equipment on side of road	413	1,660	1,020	310	—	—	—	—	—	—	300
Noncollision accident	414	5,730	3,150	750	400	—	—	—	—	—	1,370
Noncollision accident, unspecified	4140	120	80	—	—	—	—	—	—	—	—
Jack-knifed or overturned no collision	4141	2,960	1,650	300	170	—	—	—	—	—	790
Ran off highway no collision	4142	1,220	830	150	60	—	—	—	—	—	180
Sudden start or stop, n.e.c.	4144	560	270	100	90	—	—	—	—	—	110

See footnotes at end of table.

TABLE R61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, 2004 — Continued

Event	Event code ²	Private industry ³	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Noncollision accident, n.e.c.	4149	850	320	190	70	—	—	—	—	—	—	260
Highway accident, n.e.c.	419	480	140	40	—	—	—	—	—	—	—	280
Nonhighway accident, except rail, air, water	42	10,190	4,510	1,610	1,670	—	—	—	—	20	—	2,310
Nonhighway accident, unspecified	420	240	120	—	—	—	—	—	—	—	—	80
Collision between vehicles or mobile equipment	421	1,420	360	190	430	—	—	—	—	—	—	430
Vehicle, mobile equipment struck stationary object	422	2,520	790	830	450	—	—	—	—	—	—	430
Noncollision accident	423	5,630	3,050	510	750	20	—	20	—	20	—	1,260
Noncollision accident, unspecified	4230	60	40	—	—	—	—	—	—	—	—	—
Fall from moving vehicle, mobile equipment	4231	1,200	470	290	80	—	—	—	—	—	—	340
Fell from and struck by vehicle, mobile equipment	4232	220	160	—	—	—	—	—	—	—	—	20
Overtaken	4233	1,890	1,170	—	320	—	—	—	—	—	—	360
Loss of control	4234	240	130	—	—	—	—	—	—	—	—	80
Struck by shifting load	4235	120	40	—	—	—	—	—	—	—	—	40
Sudden start or stop, n.e.c.	4236	720	390	90	70	—	—	—	—	—	—	160
Noncollision accident, n.e.c.	4239	1,180	630	70	220	20	—	—	—	—	—	240
Nonhighway accident, n.e.c.	429	380	190	40	—	—	—	—	—	—	—	120
Pedestrian, nonpassenger struck by vehicle, mobile equipment	43	10,760	4,490	990	1,780	220	—	—	—	—	—	3,220
Pedestrian struck by vehicle, mobile equipment, unspecified	430	1,200	550	160	140	—	—	—	—	—	—	320
Pedestrian struck by vehicle, mobile equipment in roadway	431	710	230	70	50	—	—	—	—	—	—	220
Pedestrian struck by vehicle, mobile equipment on side of road	432	660	70	20	230	—	—	—	—	—	—	340
Pedestrian struck by vehicle, mobile equipment in parking lot or non-roadway area	433	8,200	3,640	740	1,360	80	—	—	—	—	—	2,340
Railway accident	44	270	—	—	—	—	—	—	—	—	—	230
Collision between railway vehicle and other vehicle	442	50	—	—	—	—	—	—	—	—	—	—
Derailment	445	60	—	—	—	—	—	—	—	—	—	60
Railway accident, n.e.c.	449	150	—	—	—	—	—	—	—	—	—	140
Water vehicle accident	45	350	260	—	20	—	—	—	—	—	—	70
Collision	451	230	180	—	—	—	—	—	—	—	—	40
Fall on ship, boat	454	80	60	—	—	—	—	—	—	—	—	—
Aircraft accident	46	780	90	—	—	—	—	—	—	—	—	670
During takeoff or landing	461	80	—	—	—	—	—	—	—	—	—	60

See footnotes at end of table.

TABLE R61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, 2004 — Continued

Event	Event code ²	Private industry ³	Race or ethnic origin									
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported	
Aircraft accident, n.e.c.	469	700	60	—	—	—	—	—	—	—	—	610
Transportation accident, n.e.c.	49	20	—	—	—	—	—	—	—	—	—	—
Fires and explosions	5	2,420	1,460	190	170	—	—	—	70	—	—	520
Fire unintended or uncontrolled	51	1,390	790	130	50	—	—	—	60	—	—	360
Fire, unspecified	510	100	60	—	—	—	—	—	—	—	—	—
Fire in residence, building, or other structure	511	440	160	—	—	—	—	—	—	—	—	220
Forest, brush, or other outdoor fire	512	20	—	—	—	—	—	—	—	—	—	—
Ignition of clothing from controlled heat source	513	300	240	—	—	—	—	—	—	—	—	40
Fire, n.e.c.	519	530	320	70	—	—	—	—	—	—	—	80
Explosion	52	1,030	670	60	120	—	—	—	—	—	—	170
Explosion, unspecified	520	40	—	—	—	—	—	—	—	—	—	—
Explosion of battery	521	70	40	—	—	—	—	—	—	—	—	—
Explosion of pressure vessel or piping	522	600	440	40	50	—	—	—	—	—	—	60
Explosion, n.e.c.	529	320	170	—	50	—	—	—	—	—	—	90
Assaults and violent acts	6	24,880	11,400	4,590	2,430	490	120	170	—	—	—	5,650
Assaults and violent acts, unspecified	60	100	—	—	—	—	—	—	—	—	—	60
Assaults and violent acts by person(s)	61	17,670	7,420	4,220	1,280	420	120	140	—	—	—	4,040
Assaults and violent acts by person(s), unspecified	610	2,270	880	350	130	—	—	—	—	—	—	890
Biting	611	340	120	70	20	—	—	20	—	—	—	120
Hitting, kicking, beating	612	8,790	3,630	2,650	610	340	40	80	—	—	—	1,440
Shooting	613	170	90	20	—	—	—	—	—	—	—	40
Squeezing, pinching, scratching, twisting	614	1,810	950	230	160	—	—	—	—	—	—	420
Stabbing	615	100	—	—	—	—	—	—	—	—	—	—
Threats or verbal assaults	617	50	—	—	—	—	—	—	—	—	—	—
Assaults and violent acts by person(s), n.e.c.	619	4,110	1,720	870	340	50	60	—	—	—	—	1,040
Assaults by animals	63	7,090	3,950	370	1,110	70	—	—	—	—	—	1,550
Assaults by animals, unspecified ...	630	480	270	40	—	—	—	—	—	—	—	130
Nonvenomous bites	631	3,580	1,800	320	370	40	—	—	—	—	—	1,010
Assaults by animals, n.e.c.	639	3,030	1,880	—	700	—	—	—	—	—	—	410

See footnotes at end of table.

TABLE R61. Number of nonfatal occupational injuries and illnesses involving days away from work¹ by event or exposure leading to injury or illness and race or ethnic origin of worker, 2004 — Continued

Event	Event code ²	Private industry ³	Race or ethnic origin								
			White only	Black only	Hispanic or Latino only	Asian only	Native Hawaiian or other Pacific Islander only	American Indian or Alaskan Native only	Hispanic or Latino and other race	Multirace	Not reported
Other events or exposures	9	150	60	—	20	—	—	—	—	—	50
Nonclassifiable	9999	13,660	5,250	760	2,290	220	110	—	—	—	5,000

¹ Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

² Based on the 1992 Occupational Injury and Illness Classification System developed by the Bureau of Labor Statistics.

³ Excludes farms with fewer than 11 employees.

NOTE: Dashes indicate data that are not available. Because of rounding and data exclusion of nonclassifiable responses, data may not sum to the totals.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, Survey of Occupational Injuries and Illnesses in cooperation with participating State agencies