# Natural Gas STAR International



Methane to Markets

# Implementation Plan

-	
Company Name:	
Gas Star Contact:	
Title:	
Address:	
City:	
Country:	
Telephone:	
Fax:	
E-mail:	
	pertains to the company's operations in <i>(please</i>
This implementation plar facilities or locations:	n includes planned activities for the following

**Company Information** 

The purpose of this Implementation Plan is to guide your company's participation in Natural Gas STAR International. Please evaluate the technologies and practices that your company is currently implementing as well as additional technologies and practices that, if implemented, would be beneficial to your company.

The Implementation Plan is designed to be a dynamic tool for Natural Gas STAR International partners to plan their Program activities. As company priorities and plans shift over time, the Implementation Plan may be revised or updated by submitting a new form to the Program.

# **Implementation Plan Elements**

## **ELEMENT 1 – Evaluate Past and Current Reductions**

Partners are encouraged to review current and past activities that have resulted in methane emission reductions. Reviewing these activities will help guide companies' participation in Natural Gas STAR International by creating a base of understanding of current activities to facilitate planning of future activities.

#### **ELEMENT 2 - Emissions Reduction Technologies & Practices**

Natural Gas STAR International partners reduce methane emissions throughout their operations by implementing a wide variety of technologies and practices. New partners are encouraged to evaluate and report current and new technologies or practices that cost effectively reduce methane emissions. A list of technologies and practices that have been implemented by industry partners and reported to Natural Gas STAR is included in the appendix.

\* Please submit a separate Implementation Plan for each country in which you plan to implement Natural Gas STAR International.

## ELEMENT 1

### **Evaluate Past and Current Reductions**

A review of past and current methane emission reduction activities will help guide your company's participation in Natural Gas STAR International by creating a base of understanding of current activities to facilitate planning of future activities.

As a first step, many new partners find it useful to review and document past methane emissions reduction efforts. The process helps companies quantify the success of their past activities and target future emission reduction efforts.

Will you include past activities in your annual report? 
Ves No

If yes, please describe your company's plans for reviewing past emission reduction activities.

### **Emissions Reduction Technologies & Practices**

Your company may implement a variety of technologies and practices to reduce methane emissions. Please complete this form indicating which technologies and practices you are currently implementing and those you plan to implement in the future. For your reference, the appendix includes a list of proposed methane emission reduction technologies and practices and practices and conversion factors.

Please fill out a separate page for each technology or practice your company plans to implement. (Please make additional copies, if necessary)

Technology or practice your company is currently implementing or will be implementing	
Name of Technology or Practice (choose from the list in the appendix or describe your own):	Please provide a description of the technology or practice and how you plan to implement it <i>(including location or facility where you plan to implement it)</i> :
At what scale will you be implementing this activity?  Company Wide Pilot Project Other	Level of Implementation <i>(check one):</i> Implementation (check one):         Implementation (check one):
Additional Information on Anticipated Diana and Decisate	

#### Additional Information on Anticipated Plans and Projects

If additional space is needed, please continue on the back.

# ELEMENT 2

## **Emissions Reduction Technologies & Practices**

Your company may implement a variety of technologies and practices to reduce methane emissions. Please complete this form indicating which technologies and practices you are currently implementing and those you plan to implement in the future. For your reference, the appendix includes a list of proposed methane emission reduction technologies and practices and practices and conversion factors.

Please fill out a separate page for each technology or practice your company plans to implement. (Please make additional copies, if necessary)

Technology or practice your company is currently implementing or will be implementing	
Name of Technology or Practice (choose from the list in the appendix or describe your own):	Please provide a description of the technology or practice and how you plan to implement it <i>(including location or facility where you plan to implement it)</i> :
At what scale will you be implementing this activity?	Level of Implementation <i>(check one):</i> Implementation (check one):         Implementation (check one):

Additional Information on Anticipated Plans and Projects

If additional space is needed, please continue on the back.

### **Emissions Reduction Technologies & Practices**

Your company may implement a variety of technologies and practices to reduce methane emissions. Please complete this form indicating which technologies and practices you are currently implementing and those you plan to implement in the future. For your reference, the appendix includes a list of proposed methane emission reduction technologies and practices and practices and conversion factors.

Please fill out a separate page for each technology or practice your company plans to implement. (Please make additional copies, if necessary)

Technology or practice your company is currently implementing or will be implementing	
Name of Technology or Practice (choose from the list in the appendix or describe your own):	Please provide a description of the technology or practice and how you plan to implement it <i>(including location or facility where you plan to implement it)</i> :
At what scale will you be implementing this activity?  Company Wide Pilot Project Other	Level of Implementation <i>(check one):</i> Implementation (check one):         Implementation (check one):
Additional Information on Anticipated Diana and Decisate	

#### Additional Information on Anticipated Plans and Projects

If additional space is needed, please continue on the back.

# Methane Emission Reduction Technologies & Practices- Production Sector

The list below describes a variety of methane emission reduction technologies and practices that Natural Gas STAR partners in the production sector have implemented and reported to Natural Gas STAR. You may use this list as a guide when completing your Implementation Plan. More information on each of these activities can be found at epa.gov/gasstar/tools/recommended.html.

#### Dehydrators **Compressors/Engines** . Convert gas-driven chemical pumps to instrument air Convert engine starting to nitrogen Install condenser on glycol vent Install automated air/fuel ratio control systems Install flash tank separators on glycol dehydrators Install electric compressors Install zero emissions dehydrators Install electric starters Link dehydrator unit to incinerator Install instrument air systems Pipe glycol dehydrator to vapor recovery unit Redesign blowdown systems and alter ESD practices . Replace gas-assisted glycol pumps with electric Reduce emissions when taking compressors off-line pumps Reduce emissions from compressor rod packing Reduce/optimize glycol circulation rates in dehydrators systems Replace glycol dehydration units with methanol Reduce frequency of engine starts with gas injection Replace gas starters with air Replace glycol dehydrators with desiccant dehydrators . Replace ignition/reduce false starts Reroute glycol skimmer gas . Replace wet compressor seals with dry seals Use portable desiccant dehydrators Valves **Pipelines** Inspect flowlines annually . Inspect and repair compressor station blowdown Install ejector valves Use composite wrap repair Install BASO® valves Use improved protective coating at pipeline canal Replace burst plates with secondary relief valves Test and repair pressure safety valves crossinas Test gate station pressure relief valves with nitrogen Use portable compressors Use ultrasound to identify leaks Tanks Wells Connect casing to vapor recovery unit . Consolidate crude oil production and water storage Install capillary strings tanks Install compressors to capture casinghead gas Convert water tank blanket from natural gas to Install downhole separator pumps produced CO<sub>2</sub> gas Install plunger lift system in gas wells Install pressurized storage of condensate Install pumpjacks on low water production gas wells Install vapor recovery units on crude oil storage tanks Install gas well "smart" automation system . Recover gas from pipeline pigging operations Install velocity tubing strings Recycle line recovers gas during condensate loading Optimize gas well unloading times . Perform green completions • Use foaming agents **Pneumatics/Controls** Other Convert gas pneumatic controls to instrument air Conduct facility/process optimization audit Conduct directed inspection and maintenance at Convert pneumatics to mechanical controls Install electronic flare ignition devices remote sites Install flash tank separators on glycol dehydrators Eliminate unnecessary equipment and/or systems Install electronic safety devices Install flares Lower heater-treater temperature Recover field gas

# Methane Emission Reduction Technologies & Practices- Processing Sector

The list below describes a variety of methane emission reduction technologies and practices that Natural Gas STAR partners in the processing sector have implemented and reported to Natural Gas STAR. You may use this list as a guide when completing your Implementation Plan. More information on each of these activities can be found at epa.gov/gasstar/tools/recommended.html.

Dehydrators	Compressors/Engines
<ul> <li>Convert gas-driven chemical pumps to instrument air</li> <li>Install condenser on glycol vent</li> <li>Install flash tank separators on glycol dehydrators</li> <li>Install zero emissions dehydrators</li> <li>Pipe glycol dehydrator to vapor recovery unit</li> <li>Reduce/optimize glycol circulation rates in dehydrators</li> <li>Replace gas-assisted glycol pumps with electric pumps</li> <li>Replace glycol dehydrators with methanol injection</li> <li>Replace glycol dehydrators with desiccant dehydrators</li> <li>Reroute glycol skimmer gas</li> </ul>	<ul> <li>Convert engine starting to nitrogen</li> <li>Install automated air/fuel ratio control systems</li> <li>Install electric compressors</li> <li>Install electric starters</li> <li>Lower purge pressure for shutdown</li> <li>Modify compressor shutdown logic</li> <li>Redesign blowdown systems and alter ESD practices</li> <li>Reduce emissions when taking compressors off-line</li> <li>Reduce frequency of engine starts with gas</li> <li>Replace gas starters with air</li> <li>Replace ignition/reduce false starts</li> <li>Replace compressor rod packing systems</li> <li>Replace wet compressor seals with dry seals</li> </ul>
Pneumatics/Controls	Tanks
<ul> <li>Convert gas pneumatics to instrument air systems</li> <li>Convert pneumatics to mechanical controls</li> <li>Install electronic flare ignition devices</li> <li>Replace high-bleed pneumatic devices</li> </ul>	<ul> <li>Install pressurized storage of condensate</li> <li>Install truck-loading VRUs on liquid storage and transfer</li> <li>Recover gas from pipeline pigging operations</li> <li>Recycle line recovers gas during condensate loading</li> </ul>
Valves	Pipelines
<ul> <li>Inspect and repair compressor station blowdown valves</li> <li>Replace burst plates with secondary relief valves</li> <li>Test and repair pressure safety valves</li> <li>Test gate station pressure relief valves with nitrogen</li> <li>Use of YALE® closures for ESD testing</li> <li>Use ultrasound to identify leaks</li> </ul>	<ul> <li>Use composite wrap repair</li> <li>Use hot taps for in service pipeline connections</li> <li>Use improved protective coating at pipeline canal crossings</li> <li>Use fixed/portable compressors for pipeline pumpdown</li> <li>Use inert gases and pigs to perform pipeline purges</li> </ul>
Other	
<ul> <li>Conduct facility/process optimization audit</li> <li>Conduct helicopter leak surveys</li> <li>Conduct nitrogen rejection unit optimization</li> <li>Conduct directed inspection and maintenance at gas plants and booster stations</li> <li>Conduct directed inspection and maintenance at remote sites</li> <li>Eliminate unnecessary equipment or systems</li> <li>Install flares</li> <li>Use IR camera/optical imaging for leak detection</li> </ul>	

# **Appendix A-3**

# Methane Emission Reduction Technologies & Practices-**Transmission and Distribution Sectors**

The list below describes a variety of methane emission reduction technologies and practices that Natural Gas STAR partners in the transmission and distribution sectors have implemented and reported to Natural Gas STAR. You may use this list as a guide when completing your Implementation Plan. More information on each of these activities can be

found at epa.gov/gasstar/tools/recommended.html.	
Pipelines	Compressors/Engines
<ul> <li>Identify and rehabilitate leaky distribution pipe</li> <li>Inject blowdown gas into low pressure mains</li> <li>Insert gas main flexible liners</li> <li>Install ejector</li> <li>Reduce distribution system pressure (manual)</li> <li>Reinject blowdown gas</li> <li>Use composite wrap repair</li> <li>Use hot taps for in service pipeline connections</li> <li>Use inert gases and pigs to perform pipeline purges</li> <li>Use fixed/portable compressors for pipeline pumpdown</li> <li>Use improved protective coating at pipeline canal crossings</li> <li>Use automated systems to reduce pressure (e.g., smart regulators/clocking solenoids)</li> <li>Use flares for pipeline pumpdown/maintenance</li> </ul>	<ul> <li>Automate systems operations to reduce venting</li> <li>Convert engine starting to nitrogen</li> <li>Install automated air/fuel ratio control systems</li> <li>Install electric compressors</li> <li>Install electric starters</li> <li>Install static pacs at compressor stations</li> <li>Lower purge pressure for shutdown</li> <li>Redesign blowdown systems and alter ESD practices</li> <li>Reduce emissions when taking compressors off-line</li> <li>Reduce frequency of engine starts with gas</li> <li>Replace compressor rod packing systems</li> <li>Replace gas starters with air</li> <li>Replace ignition/reduce false starts</li> <li>Replace wet compressor seals with dry seals</li> <li>Use turbines at compressor stations</li> </ul>
Valves	Pneumatics/Controls
<ul> <li>Close main and unit valves prior to blowdown</li> <li>Design isolation valves to minimize gas blowdown volumes</li> <li>Inspect and repair compressor station blowdown valves</li> <li>Install excess flow valves</li> <li>Move fire gates in to reduce venting at compressor stations</li> <li>Perform leak repair during pipeline replacement</li> <li>Replace burst plates with secondary relief valves</li> <li>Test and repair pressure safety valves</li> <li>Test gate station pressure relief valves with nitrogen</li> <li>Use YALE® closures for ESD testing</li> <li>Use ultrasound to identify leaks</li> </ul>	<ul> <li>Convert gas pneumatic controls to instrument air</li> <li>Convert pneumatics to mechanical controls</li> <li>Identify and replace high-bleed pneumatic devices</li> <li>Install electric flare ignition devices</li> <li>Reduce frequency of replacing modules in turbine meters</li> <li>Replace bi-directional orifice metering with ultrasonic meters</li> </ul>
Dehydrators	Tanks
<ul> <li>Convert gas-driven chemical pumps to instrument air</li> </ul>	<ul> <li>Capture methane released from pipeline liquid tanks</li> </ul>

- Install condenser on glycol vent
- Install zero emissions dehydrators
- Pipe glycol dehydrator to vapor recovery unit
- Replace gas-assisted glycol pumps with electric pumps
- Replace glycol dehydrators with separators and in-line heaters
- Reroute glycol skimmer gas

- Install pressurized storage of condensate
- Install vapor recovery units on storage tanks
- Purge and retire low pressure gas holders
- Recover gas from pipeline pigging operations
- Recycle line recovers gas during condensate loading

# Appendix A-3 (continued)

# Methane Emission Reduction Technologies & Practices-Transmission and Distribution Sectors

#### Other

- Conduct helicopter leak surveys
- Conduct directed inspection and maintenance at compressor stations
- Conduct directed inspection and maintenance at gate stations and surface facilities
- Conduct directed inspection and maintenance at remote sites
- Eliminate unnecessary equipment and/or systems
- Increase walking survey from 5 to 3 year basis
- Install flares
- Require improvements in the quality of gas received from producers
- Use IR camera/optical imaging for leak detection

# **Conversion Factors**

# Please see below for a variety of conversion factors that might be useful when completing your Implementation Plan. Please contact Natural Gas STAR if you have questions about this information.

#### **Gas Conversions**

Please report emissions reductions to Natural Gas STAR International in thousand cubic feet (Mcf).

1 Cubic foot of methane	= 1,014.6 Btu
1 Btu	= 0.000986 Cubic feet of methane
1 Cubic foot	= 0.02832 Cubic meter
1 Cubic meter	= 35.312 Cubic feet
1 Mile	= 1.609 Kilometer
1 Kilometer	= 0.6214 Mile
1 Btu	= 251.996 Calories
1 Calorie	= 0.00397 Btu
1 Btu	= 1055.056 Joules
1 Joule	= 0.00095 Btu

#### Please send completed forms to:

Roger Fernandez The Natural Gas STAR Program Team Leader Phone: (01) (202) 343-9386 Fax: (01) (202) 343-2202 Email: <u>fernandez.roger@epa.gov</u>

<u>Standard Mail:</u> Roger Fernandez The Natural Gas STAR Program U.S. EPA (6207J) 1200 Pennsylvania Ave, NW Washington, DC 20460 U.S.A.

Express/Overnight Mail: Roger Fernandez The Natural Gas STAR Program U.S. EPA (6207J) 1310 L Street, NW Washington, DC 20005 U.S.A.

The public reporting and recordkeeping burden for this collection of information is estimated to average 25 hours for each new response and 12 hours for subsequent responses. Send comments on the Agency's need for this information, the accuracy of the provided burden estimates, and any suggested methods for minimizing respondent burden, including through the use of automated collection techniques to the Director, Collection Strategies Division, U.S. Environmental Protection Agency (2822T), 1200 Pennsylvania Ave., NW, Washington, D.C. 20460. Include the OMB control number in any correspondence. Do not send the completed form to this address.