NOTICE: This report is required by 49 CFR Part 195. Failure to report can result in a civil penalty not to exceed \$25,000 for each violation for each violation persists except that the maximum civil penalty shall not exceed \$500,000 as provided in 49 USC 60122

OMB No. 2137-0047

U.S. Department of Transportation
Pipeline and Hazardous Materials

## ACCIDENT REPORT – HAZARDOUS LIQUID PIPELINE SYSTEMS

Report Date
No

	d Hazardous Materials ninistration  PIPELINE SYSTEMS		No	(DOT Use Only)		
INSTRUCTION	S				(Be i coc ciny)	
Important:	information requested	e read the separate instructions for completing this form before you begin. They clarify the ation requested and provide specific examples. If you do not have a copy of the instructions, an obtain one from the Office Of Pipeline Safety Web Page at <a href="http://ops.dot.gov">http://ops.dot.gov</a> .				
PART A – GEN	IERAL REPORT INFORMA	TION Check: C Origin	nal Report 🗆 Suppleme	ental Report	t □ Final Report	
b. If Operator c. Name of 0 d. Operator e. Operator IMPORTANT: THIS PAGE OF	Street address address City, Coun	enter Owner's OPS 5-digit of the control of the con	dentification Number (if knowr	IS LESS THAN	5 BARRELS, COMPLETE	
2. Time and da  / / / hr.  3. Location of a (If offshore, of a Latitude: (if not available)  b. City, a  c. State  d. Mile post (which  4. Telephone re	ate of the accident	day year  See Part C.1)  vide specific location)  estation no. O ocation)	5. Losses (Estimated)  Public/Community Loss Public/private property de Cost of emergency responses of environmental re Other Costs (describe)  Operator Losses: Value of product lost Value of operator proper Other Costs (describe)  Total Costs	lamage \$, onse phase \$, emediation \$, s, onse phase \$, s,	d by operator:	
(If Yes, comple a. Name of c b. Classificat O HVLs / O CO <sub>2</sub> or O Gasolir O Crude  CAUSES FOR O Corrosion O Material and	Spilled OYes O No te Parts a through c where a commodity spilled cion of commodity spilled: other flammable or toxic fluid other non-flammable, non-to ne, diesel, fuel oil or other pe oil  SMALL SPILLS ONLY (5 o O Natural Forces d/or Weld Failures	d which is a gas at ambient of poxic fluid which is a gas at an etroleum product which is a language of the control of the con	mbient conditions iquid at ambient conditions	involved :	(check only if spill is in one barrel)  ed: eater] see Part H)	
(type or print) Pre	parer's Name and Title			Area Code and	Telephone Number	
Preparer's E-mail	Address			Area Code and	Facsimile Number	

Area Code and Telephone Number

(type or print) Name and Title

PART C – ORIGIN OF THE ACCIDENT (Check all that apply)				
Additional location information	Offshore: O Yes O No (complete d if offshore)			
a. Line segment name or ID     b. Accident on Federal land other than Outer Continental	d. Area Block #			
Shelf O Yes O No	State / / or Outer Continental Shelf			
c. Is pipeline interstate? O Yes O No	State 1 1 1 Or Otter Continental Shell			
Location of system involved (check all that apply)	a. Type of leak or rupture			
☐ Operator's Property	OLeak: O Pinhole O Connection Failure (complete sec. H5)			
☐ Pipeline Right of Way	O Puncture, diameter (inches)			
☐ High Consequence Area (HCA)?  Describe HCA	ORupture: O Circumferential – Separation			
	O Longitudinal – Tear/Crack, length (inches)			
Part of system involved in accident     O Above Ground Storage Tank	Propagation Length, total, both sides (feet)			
O Cavern or other below ground storage facility	ON/A			
O Pump/meter station; terminal/tank farm piping and	OOther			
equipment, including sumps	b.Type of block valve used for isolation of immediate section:			
O Other Specify:	Upstream:  Manual  Automatic  Remote Control			
O Onshore <b>pipeline</b> , including valve sites	Check Valve Downstream: ☐ Manual ☐ Automatic ☐ Remote Control			
O Offshore <b>pipeline</b> , including platforms	☐ Check Valve			
If failure occurred on <b>Pipeline</b> , complete items a - g:	c. Length of segment isolatedft			
4. Failure occurred on	d. Distance between valvesft			
O Body of Pipe O Pipe Seam O Scraper Trap	e. Is segment configured for internal inspection tools? OYes O No			
O Pump O Sump O Joint	f. Had there been an in-line inspection device run at the point of failure? O Yes O No O Don't Know			
O Component O Valve O Metering Facility	O Not Possible due to physical constraints in the system			
O Repair Sleeve O Welded Fitting O Bolted Fitting O Girth Weld	g. If Yes, type of device run ( <i>check all that apply</i> )			
Other (specify)	☐ High Resolution Magnetic Flux tool Year run:			
Year the component that failed was installed: /_ / / / /	☐ Low Resolution Magnetic Flux tool Year run:			
5. Maximum operating pressure (MOP)	UT tool Year run:			
Estimated pressure at point and time of accident:     PSIG	Geometry tool Year run:			
b. MOP at time of accident:	☐ Caliper tool Year run: ☐ Crack tool Year run:			
PSIG PSIG	☐ Hard Spot tool Year run:			
c. Did an overpressurization occur relating to the accident?  OYes O No	☐ Other tool Year run:			
PART D – MATERIAL SPECIFICATION	PART E – ENVIRONMENT			
1. Nominal pipe size (NPS) / / / / in.				
2. Wall thickness / / / / in.	Area of accident     O In open ditch     O Above ground			
3. Specification SMYS / / / / /	O Underground O Under water			
· — — — — — — — — — — — — — — — — — — —	O Inside/under building O Other			
4. Seam type				
5. Valve type	2. Depth of cover: inches			
6. Manufactured by in year / / / / /  PART F - CONSEQUENCES				
Consequences (check and complete all that apply)				
a. Fatalities Injuries	c. Product ignited OYes O No d. Explosion OYes O No			
Number of operator employees:	e. D Evacuation (general public only) / / / / people			
Contractor employees working for operator:	Reason for Evacuation:			
General public:	O Precautionary by company			
Totals:	O Evacuation required or initiated by public official			
b. Was pipeline/segment shutdown due to leak? OYes O No	f. Elapsed time until area was made safe:			
If Yes, how long? days hours minutes	/ / / hr. / / min.			
2. Environmental Impact				
a. Wildlife Impact: Fish/aquatic O Yes O No	e. Water Contamination: O Yes O No (If Yes, provide the following)			
Birds O Yes O No	Amount in water barrels			
Terrestrial O Yes O No	Ocean/Seawater O No O Yes			
b. Soil Contamination O Yes O No	Surface O No O Yes			
If Yes, estimated number of cubic yards: c. Long term impact assessment performed: O Yes O No	Groundwater O No O Yes  Drinking water O No O Yes (If Yes, check below.)			
d. Anticipated remediation O Yes O No	O Private well O Public water intake			
If Yes, check all that apply: \( \Pi \) Surface water \( \Pi \) Groundwater				

PART G – LEAK DETECTION	INFORMATION					
Computer based leak detect	tion capability in place?	O Yes O No				
2. Was the release initially dete	ected by? (check one):	O CPM/SCADA-based system O Static shut-in test or other p O Local operating personnel, p O Remote operating personne O Air patrol or ground surveilla O A third party	ressure or leak test procedures or equipment el, including controllers			
Estimated leak duration data	ays hours					
PART H – APPARENT CAUS	E primary cause		this Part H. Check the box corresponding to the e in each of the supplemental categories corresponding for guidance.			
H1 - CORROSION	a. Pipe Coating	b. Visual Examination	c. Cause of Corrosion			
1.  External Corrosion	O Bare O Coated	O Localized Pitting O General Corrosion O Other	•			
2. Internal Corrosion	1		O Stress Corrosion Cracking O Selective Seam Corrosion			
(Complete items a – e where	1		O Other			
applicable.)	d. Was corroded part o	f pipeline considered to be under o	cathodic protection prior to discovering accident?			
O No O Yes, Year Protection Started: / / / / /						
e. Was pipe previously damaged in the area of corrosion?  O No O Yes ⇒ Estimated time prior to accident: ////years ///months Unknown □						
H2 – NATURAL FORCES	O No O Yes ⇒ Es	stimated time prior to accident: /	1 1 years 1 1 1 months Unknown			
3. Earth Movement	⇒ O Earthquake	O Subsidence O Landsl	lide O Other			
4. Lightning						
5. Heavy Rains/Flood	s ⇒ O Washouts	O Flotation O Mudsli	de O Scouring O Other			
6. Temperature	⇒ O Thermal stress		n components O Other			
7. High Winds			- Componente C Caren			
7. <b>L</b> High Willus						
LIO EVOLVATION DAMAG	<u> </u>					
H3 — EXCAVATION DAMAG		ir contractors/Not Third Party)				
		ii contractors/Not Trillu Party)				
9.  Third Party <i>(comple</i> a. Excavator group O Gene		ment O Excavator other than C	Operator/subcontractor			
b. Type: O Road	I Work O Pipeline C	Water O Electric O Sewer	O Phone/Cable			
	owner-not farming related					
		on pipeline operator or their contraction of their	ctor			
		Sub-strata (boring, directional drilling)	ng, etc)			
d. Excavation was an ongoing activity (Month or longer) OYes O No If Yes, Date of last contact //_/						
e. Did operator get prior notification of excavation activity?  O Yes; Date received: //_/ mo. //_/ day //_/_/ yr.  O No						
Notification received from: O One Call System O Excavator O Contractor O Landowner						
_			O Yes (If Yes, check applicable items i - iv)			
	i. Temporary markings: O Flags O Stakes O Paint ii. Permanent markings: O					
	e (check one) : O Accu	rate O Not Accurate				
iv. Were mark	s made within required tin	me? O Yes O No				
_		⇒ Fire/Explosion cause: O Ma	an made O Natural			
	•	cavation activity damaging pipe				
_	12. Rupture of Previously Damaged Pipe					
13. Vandalism						

Material	K WEL	.D FAILUKES				
14. D Body of Pipe	$\Rightarrow$	O Dent	O Gouge	O Bend	O Arc Burn	O Other
15. Component	$\Rightarrow$	O Valve	O Fitting	O Vessel	O Extruded Outlet	O Other
16. D Joint	$\Rightarrow$	O Gasket	O O-Ring	O Threads		O Other
Weld						
17. 🗖 Butt	$\Rightarrow$	O Pipe	O Fabrication			O Other
18.  Fillet	$\Rightarrow$	O Branch	O Hot Tap	O Fitting	O Repair Sleeve	O Other
19. Pipe Seam	$\Rightarrow$	O LF ERW	O DSAW	O Seamless	O Flash Weld	
		O HF ERW	O SAW	O Spiral		O Other
Complete a-g if you	indic	ate <b>anv</b> cause	e in part H5			
a. Type of failure		ato <b>uriy</b> oadoo	m pare no.			
	n Defe	$ect \Rightarrow O Poor W$	orkmanship O	Procedure not follow	ved O Poor Constru	ction Procedures
b. Was failure d	ue to p	ipe damage susta	ined in transportati	on to the construction	on or fabrication site? O	Yes O No
c. Was part which	h leak	ed pressure teste	d before accident o	occurred? O Yes,	, complete d-g O No	
d. Date of test:			r. <u>/ / /</u> mo.			
e. Test medium:			ert Gas O Other			
f. Time held at t			<u>/</u> hr.		7010	
	st pres	sure at point of ac	ccident:		PSIG	
H6 – EQUIPMENT  20. Malfunction of Co	4 1 / C		O Company	alica O Inatinona		0.00
20.  Mairunction of Co	ntroi/R	teller Equipment	<ul><li>⇒ O Control value</li><li>O Block value</li></ul>		entation O SCADA alve O Power failur	O Communications e O Other
21. Threads Stripped	. Broke	en Pipe Couplina		O Valve Threads		
22.  Seal Failure	,	. [ ]	⇒ O Gasket		O Seal/Pump Packin	
H7 – INCORRECT OPER	ATION	1			· · · · · · · · · · · · · · · · · · ·	
23. Incorrect Operation						
-		rocedures O In	adequate Safety P	ractices O Failure	e to Follow Procedures	
b. Number of employees	s involv	ved who failed a p	ost-accident test:	drug test: //	_// alcohol test /_	//
H8 – OTHER						
24. Miscellaneous, d	escribe	ə:				
25. Unknown	_					
O Investigation					ntal report when investigated (Attach additional	ation is complete) sheets as necessary)
TARTI NARRATIVE DI	-00111	THOR OF TAOT	one continuon	NO TO THE EVENT	(Fillao) Fadallonar	oneote de necessary)