

**Table 190. Persons 18 Years of Age and Over With Migraines and Pains in the Neck, Lower Back, Face or Jaw, by Selected Characteristics: 2005**

[In thousands (217,774 represents 217,774,000). Based on National Health Interview Survey, a sample survey of the civilian noninstitutionalized population, Appendix III]

Selected characteristic	Total persons	Migraine and pain <sup>1</sup>			
		Migraine or severe headache <sup>2</sup>	Pain in neck <sup>3</sup>	Pain in lower back <sup>3</sup>	Pain in face or jaw <sup>3</sup>
<b>Total</b> <sup>4, 5</sup> .....	<b>217,774</b>	<b>32,826</b>	<b>32,294</b>	<b>61,965</b>	<b>9,639</b>
<b>SEX</b> <sup>5</sup>					
Male .....	104,919	9,857	13,022	27,502	2,818
Female .....	112,855	22,970	19,271	34,463	6,821
<b>AGE</b>					
18 to 44 years old .....	110,431	20,281	14,076	27,632	4,981
45 to 64 years old .....	72,296	10,319	13,018	22,784	3,439
65 to 74 years old .....	18,446	1,366	2,906	5,909	687
75 years old and over .....	16,600	860	2,293	5,640	532
<b>RACE</b>					
Race alone <sup>5, 6</sup> .....	215,349	32,242	31,699	61,096	9,428
White .....	180,477	27,461	27,745	52,561	8,144
Black or African American .....	24,817	3,621	2,954	6,303	964
American Indian or Alaska Native .....	1,469	235	170	433	788
Asian .....	8,155	864	757	1,599	227
Native Hawaiian or other Pacific Islander .....	431	60	(B)	(B)	(B)
Two or more races <sup>5, 8</sup> .....	2,425	585	594	869	211
<b>HISPANIC ORIGIN AND RACE</b> <sup>5, 9</sup>					
Hispanic or Latino .....	27,770	4,319	3,492	6,983	923
Mexican or Mexican American .....	17,163	2,506	1,853	3,984	566

B Figure too small to meet statistical standards for reliability of a derived figure. <sup>1</sup> A person may be represented in more than one column. <sup>2</sup> Respondents were asked, "During the past 3 months, did you have a severe headache or migraine?" Respondents were instructed to report pain that had lasted a whole day or more and, conversely, not to report fleeting or minor aches or pains. <sup>3</sup> Respondents were asked, "During the past 3 months, did you have a neck pain; or low back pain; or facial ache or pain in the jaw muscles or the joint in front of the ear?" Respondents were instructed to report pain that had lasted a whole day or more and, conversely, not to report fleeting or minor aches or pains. <sup>4</sup> Total includes other races not shown separately. <sup>5</sup> See footnote 8, Table 187. <sup>6</sup> Refers to persons who indicated only a single race group. <sup>7</sup> Figure does not meet standard of reliability or precision. <sup>8</sup> Refers to all persons who indicated more than one race group. <sup>9</sup> Persons of Hispanic or Latino origin may be any race or combination of races.

Source U.S. National Center for Health Statistics, *Vital and Health Statistics, Series 10, Number 232, Summary Health Statistics for U.S. Adults: National Health Interview Survey, 2005*; <<http://www.cdc.gov/nchs/data/series/sr10/sr10232.pdf>>.