

- ANSI Z21.61 Gas-Fired Toilets;
 ANSI Z21.66 Automatic Vent Damper
 Devices for Use With Gas-Fired Appliances
 Electrically Operated;
 ANSI Z21.69 Connectors for Movable Gas
 Appliances;
 ANSI Z21.73 Portable Type Gas Camp
 Lights;
 ANSI Z21.74 Portable Refrigerators for Use
 With HD-5 Propane Gas;
 ANSI Z21.76 Gas-Fired Unvented Catalytic
 Room Heaters for Use With Liquefied
 Petroleum (LP) Gases;
 UL 14B Sliding Hardware for Standard,
 Horizontally Mounted Tin-Clad Fire Doors;
 UL 14C Swinging Hardware for Standard
 Tin-Clad Fire Doors Mounted Singly or In
 Pairs;
 UL 142 Steel Aboveground Tanks for
 Flammable and Combustible Liquids;
 UL 147 Hand-Held Torches for Fuel Gases;
 UL 155 Tests of Fire Resistance of Vault
 and File Room Doors;
 UL 305 Panic Hardware;
 UL 331 Strainers for Flammable Fluids and
 Anhydrous Ammonia;
 UL 555 Fire Dampers;
 UL 636 Holdup Alarm Units and Systems;
 UL 746A Polymeric Materials—Short Term
 Property Evaluations;
 UL 746B Polymeric Materials—Long Term
 Property Evaluations;
 UL 746E Polymeric Materials—Industrial
 Laminates, Filament Wound Tubing,
 Vulcanized Fibre, and Materials Used in
 Printed Wiring Boards;
 UL 896 Oil-Burning Stoves;
 UL 1010 Receptacle-Plug Combinations for
 Use in Hazardous (Classified) Locations;
 UL 1034 Burglary Resistant Electric Locking
 Mechanisms;
 UL 1088 Temporary Lighting Strings;
 UL 1241 Junction Boxes for Swimming Pool
 Lighting Fixtures;
 UL 1242 Intermediate Metal Conduit;
 UL 1610 Central-Station Burglar-Alarm
 Units;
 UL 1637 Home Health Care Signaling
 Equipment;
 UL 2200 Stationary Engine Generator
 Assemblies;
 FMRC3260 Flame Radiation Detectors for
 Automatic Fire Alarm Signaling;
 UL 60335-1 Safety of Household and
 Similar Electrical Appliances, Part 1;
 General Requirements.

* This standard is approved for equipment or materials intended for use in commercial and industrial power system applications. This standard is not approved for equipment or materials intended for use in installations that are excluded from the provisions of subpart S in 29 CFR 1910 by 1910.302(a)(2).

Many of the test standards listed above are approved as American National Standards by the American National Standards Institute (ANSI). However, for convenience in compiling the list, we often use the designation of the standards developing organization (e.g., UL 1012) for the standard, as opposed to the ANSI designation (e.g., ANSI/UL 1012). Under our procedures, an NRTL recognized for an ANSI-

approved test standard may use either the latest proprietary version of the test standard or the latest ANSI version of that standard, regardless of whether it is currently recognized for the proprietary or ANSI version. Contact "NSSN" (<http://www.nssn.org>), an organization partially sponsored by ANSI, to find out whether or not a test standard is currently ANSI-approved.

Conditions

ITSNA must also abide by the following conditions of the recognition, in addition to those already required by 29 CFR 1910.7:

ITSNA may perform safety testing for hazardous location products only at the specific ITSNA sites that OSHA has recognized, and that have been pre-qualified for such testing by the ITSNA Chief Engineer. In addition, all safety test reports for hazardous location products must undergo a documented review and approval at the Cortland testing facility by a test engineer qualified in hazardous location safety testing, prior to ITSNA's initial or continued authorization of the certifications covered by these reports.

ITSNA may not test and certify any products for a client that is a manufacturer or vendor that is either owned in excess of 2% by ITSLtd or affiliated organizationally with ITSNA.

OSHA must be allowed access to ITSNA's facility and records for purposes of ascertaining continuing compliance with the terms of its recognition and to investigate as OSHA deems necessary;

If ITSNA has reason to doubt the efficacy of any test standard it is using under this program, it must promptly inform the test standard developing organization of this fact and provide that organization with appropriate relevant information upon which its concerns are based;

ITSNA must not engage in or permit others to engage in any misrepresentation of the scope or conditions of its recognition. As part of this condition, ITSNA agrees that it will allow no representation that it is either a recognized or an accredited Nationally Recognized Testing Laboratory (NRTL) without clearly indicating the specific equipment or material to which this recognition is tied, or that its recognition is limited to certain products;

ITSNA must inform OSHA as soon as possible, in writing, of any change of ownership, facilities, or key personnel, and of any major changes in its operations as an NRTL, including details;

ITSNA will meet all the terms of its recognition and will always comply with all OSHA policies pertaining to this recognition;

ITSNA will continue to meet the requirements for recognition in all areas where it has been recognized.

Signed in Washington, DC, this 25th day of February, 2003.

John L. Henshaw,
Assistant Secretary.

[FR Doc. 03-7014 Filed 3-24-03; 8:45 am]

BILLING CODE 4510-26-P

DEPARTMENT OF LABOR

Occupational Safety and Health Administration

[Docket No. NRTL4-93]

Underwriters Laboratories Inc., Expansion of Recognition

AGENCY: Occupational Safety and Health Administration (OSHA), Labor.

ACTION: Notice.

SUMMARY: This notice announces the Agency's final decision on the applications of Underwriters Laboratories Inc. for expansion of its recognition as a Nationally Recognized Testing Laboratory under 29 CFR 1910.7.

EFFECTIVE DATE: This recognition becomes effective on March 25, 2003, and, unless modified in accordance with 29 CFR 1910.7, continues in effect while UL remains recognized by OSHA as an NRTL.

FOR FURTHER INFORMATION CONTACT: Sherrey Nicolas, Office of Technical Programs and Coordination Activities, NRTL Program, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue, NW., Room N3653, Washington, DC 20210, or phone (202) 693-2110.

SUPPLEMENTARY INFORMATION:

Notice of Final Decision

The Occupational Safety and Health Administration (OSHA) hereby gives notice of the expansion of recognition of Underwriters Laboratories Inc. (UL) as a Nationally Recognized Testing Laboratory (NRTL). UL's expansion covers the use of three additional testing sites. OSHA's current scope of recognition for UL may be found in the following informational Web page: <http://www.osha-slc.gov/dts/otpc/nrtl/ul.html>.

OSHA recognition of an NRTL signifies that the organization has met the legal requirements in section 1910.7 of title 29, Code of Federal Regulations

(29 CFR 1910.7). Recognition is an acknowledgment that the organization can perform independent safety testing and certification of the specific products covered within its scope of recognition and is not a delegation or grant of government authority. As a result of recognition, employers may use products "properly certified" by the NRTL to meet OSHA standards that require testing and certification.

The Agency processes applications by an NRTL for initial recognition or for expansion or renewal of this recognition following requirements in Appendix A to 29 CFR 1910.7. This appendix requires that the Agency publish two notices in the **Federal Register** in processing an application. In the first notice, OSHA announces the application and provides its preliminary finding and, in the second notice, the Agency provides its final decision on an application. These notices set forth the NRTL's scope of recognition or modifications of this scope.

UL submitted an application, dated November 8, 2001 (*see* Exhibit 27), to expand its recognition to include a site in Seoul, Korea, and another application, dated March 15, 2002 (*see* Exhibit 27-1), to expand its recognition to include a site in Neu-Isenburg, Germany, and a site in Veenendaal, Netherlands. The NRTL Program staff performed an on-site review (assessment) of the Korea facility on March 11-14, 2002. In the on-site review report, dated May 23, 2002 (*see* Exhibit 28), the program staff recommended a "positive finding," which means a positive recommendation on the recognition to the Assistant Secretary. However, the Agency delayed consideration of the application in order to combine it for processing purposes with the application that had by then been received for the two additional sites listed above. The NRTL Program staff performed an on-site review (assessment) of the Netherlands facility on June 11-14, 2002, and an on-site review (assessment) of the Germany facility on June 18-21, 2002. In each on-site review report, dated September 27 and 30, 2002 (*see* Exhibits 28 and 28-1), respectively, the program staff recommended a "positive finding." OSHA published the notice of its preliminary findings on the expansion request in the **Federal Register** on January 6, 2003 (68 FR 583). The notice requested submission of any public comments by January 21, 2003. OSHA did not receive any comments pertaining to the application.

The previous notice published by OSHA for UL's recognition covered a

renewal and expansion of recognition, which became effective on May 8, 2002 (67 FR 30966).

The current addresses of the UL facilities (sites) already recognized by OSHA are:

- Underwriters Laboratories Inc., 333 Pfingsten Road, Northbrook, Illinois 60062.
 - Underwriters Laboratories Inc., 1285 Walt Whitman Road, Melville, Long Island, New York 11747.
 - Underwriters Laboratories Inc., 1655 Scott Boulevard, Santa Clara, California 95050.
 - Underwriters Laboratories Inc., 12 Laboratory Drive, P.O. Box 13995, Research Triangle Park, North Carolina 27709.
 - Underwriters Laboratories Inc., 2600 NW. Lake Road, Camas, Washington, 98607.
 - UL International Limited, Veristrong Industrial Centre, Block B, 14th Floor, 34 Au Pui Wan Street, Fo Tan Sha Tin, New Territories, Hong Kong.
 - UL International Services, Ltd., Taiwan Branch, 4th Floor, 260 Da-Yeh Road, Pei Tou District Taipei City, Taiwan.
 - UL International Demko A/S, Lyskaer 8, P.O. Box 514, DK-2730, Herlev, Denmark.
 - Underwriters Laboratory International (U.K.) Ltd., Womersley House, The Guildway, Old Portsmouth Road Guildford, Surrey GU3 1LR, United Kingdom.
 - Underwriters Laboratory International Italia S.r.l., Via Archimede 42, 1-20041 Agrate Brianza, Milan, Italy. Testing facility: Z.I. Predda Niedda st. 18, I-07100, Sassari, Italy.
 - Underwriters Laboratories of Canada, 7 Crouse Road, Scarborough, Ontario, Canada M1R 3A9.
 - UL Japan Co., Ltd., Shimbashi Ekimae Bldg.—1 Gohkan, 4th floor, Room 402, 2-20-15 Shimbashi Minato Ku, Tokyo 105-0004, Japan.
- The current addresses of the three additional UL sites covered by the expansion are:
- UL Korea, Ltd., #805, Manhattan Building 36-2, Yeoui-dong, Yeoungdeungpo-gu, Seoul 150-010, Korea.
 - UL International Germany GmbH, Frankfurter Strasse 229, D-63263 Neu-Isenburg, Germany.
 - UL International (Netherlands) B.V., Landjuweel 52, NL-3905 PH Veenendaal, Netherlands.

Final Decision and Order

The NRTL Program staff has examined the applications, the assessor's reports, and other pertinent information. Based upon this examination and the assessor's

recommendation, OSHA finds that Underwriters Laboratories Inc. has met the requirements of 29 CFR 1910.7 for expansion of its recognition to include the above additional sites subject to the limitation and conditions, listed below. Pursuant to the authority in 29 CFR 1910.7, OSHA hereby expands the recognition of UL, subject to this limitation and these conditions.

Limitation

Recognition of Facilities

The applications contain sufficient information demonstrating the testing capabilities of the Korean, German, and Netherlands sites listed above. OSHA's recognition of the additional sites would not be limited to any particular test standards. However, recognition of these sites would be limited to performing product testing only to the test standards for which each site has the proper capability and programs, and for which OSHA has recognized UL. This treatment is consistent with the recognition that OSHA has granted to other NRTLs that operate multiple sites. In addition, OSHA would permit the sites to use all eight of the "supplemental" programs, although not all programs would necessarily be used in the near future. UL's scope of recognition already includes these programs.

OSHA developed the programs to limit how an NRTL may perform certain aspects of its work and to permit the activities covered under the programs only when the NRTL meets certain criteria. In this sense, they are special conditions that the Agency places on an NRTL's recognition. OSHA does not consider these programs in determining whether an NRTL meets the requirements for recognition under 29 CFR 1910.7. However, these programs help to define the scope of that recognition.

Conditions

UL must also abide by the following conditions of the recognition, in addition to those already required by 29 CFR 1910.7:

OSHA must be allowed access to UL's facility and records for purposes of ascertaining continuing compliance with the terms of its recognition and to investigate as OSHA deems necessary;

If UL has reason to doubt the efficacy of any test standard it is using under this program, it must promptly inform the test standard developing organization of this fact and provide that organization with appropriate relevant information upon which its concerns are based;

UL must not engage in or permit others to engage in any misrepresentation of the scope or conditions of its recognition. As part of this condition, UL agrees that it will allow no representation that it is either a recognized or an accredited Nationally Recognized Testing Laboratory (NRTL) without clearly indicating the specific equipment or material to which this recognition is tied, or that its recognition is limited to certain products;

UL must inform OSHA as soon as possible, in writing, of any change of ownership, facilities, or key personnel, and of any major changes in its operations as an NRTL, including details;

UL will meet all the terms of its recognition and will always comply with all OSHA policies pertaining to this recognition;

UL will continue to meet the requirements for recognition in all areas where it has been recognized.

Signed in Washington, DC, this 25th day of February, 2003.

John L. Henshaw,

Assistant Secretary.

[FR Doc. 03-7015 Filed 3-24-03; 8:45 am]

BILLING CODE 4510-26-P

NATIONAL CREDIT UNION ADMINISTRATION

Notice of Meeting; Sunshine Act

TIME AND DATE: 2 p.m., Thursday, March 27, 2003.

PLACE: Board Room, 7th Floor, Room 7047, 1775 Duke Street, Alexandria, VA 22314-3428.

STATUS: Open.

MATTERS TO BE CONSIDERED:

1. Requests from Three (3) Federal Credit Unions to Convert to Community Charters.

2. *Proposed Rule:* Parts 702, 704, 712, and 723 of NCUA's Rules and Regulations, Member Business Loans.

3. *Final Rule:* Interpretive Ruling and Policy Statement (IRPS) 03-1, Section 701.1 of NCUA's Rules and Regulations, Amendments to NCUA's Chartering and Field of Membership Policies.

RECESS: 3:15 p.m.

TIME AND DATE: 3:30 p.m., Thursday, March 27, 2003.

PLACE: Board Room, 7th Floor, Room 7047, 1775 Duke Street, Alexandria, VA 22314-3428.

STATUS: Closed.

MATTERS TO BE CONSIDERED:

1. Revision to Delegations of Authority. Closed pursuant to Exemptions (2) and (6).

2. One (1) Insurance Appeal. Closed pursuant to Exemption (6).

FOR FURTHER INFORMATION CONTACT:

Becky Baker, Secretary of the Board, Telephone: 703-518-6304

Becky Baker,

Secretary of the Board.

[FR Doc. 03-7118 Filed 3-20-03; 4:11 pm]

BILLING CODE 7535-01-M

NATIONAL SCIENCE FOUNDATION

NSF-NASA National Astronomy & Astrophysics Advisory Committee; Notice of Meeting

In accordance with the Federal Advisory Committee Act (Pub. L. 92-463, as amended), the National Science Foundation announces the following meeting:

Name: NSF-NASA National Astronomy & Astrophysics Advisory Committee (13883).

Date and Time: April 8-9, 2003, 8 a.m.-5 p.m.

Place: National Science Foundation, 4201 Wilson Blvd., Arlington, VA 22230.

Type of Meeting: Open.

Contact Person: Dr. G. Wayne Van Citters, Director, Division of Astronomical Sciences, Suite 1045, National Science Foundation, 4201 Wilson Blvd., Arlington, VA 22230. Telephone: 703-292-4908.

Purpose of Meeting: To provide advice and recommendations to the National Science Foundation (NSF) and the National Aeronautics and Space Administration (NASA) on issues within the field of astronomy and astrophysics that are of mutual interest and concern to the two agencies.

Agenda: To hear presentations of current programming by representatives from NSF and NASA; to discuss current and potential areas of cooperation between the two agencies; to formulate recommendations for continued and new areas of cooperation and mechanisms for achieving them.

Dated: March 19, 2003.

Susanne E. Bolton,

Committee Management Officer.

[FR Doc. 03-6965 Filed 3-24-03; 8:45 am]

BILLING CODE 7555-01-M

NUCLEAR REGULATORY COMMISSION

Agency Information Collection Activities: Proposed Collection; Comment Request

AGENCY: Nuclear Regulatory Commission (NRC).

ACTION: Notice of pending NRC action to submit an information collection request to OMB and solicitation of public comment.

SUMMARY: The NRC is preparing a submittal to OMB for review of continued approval of information collections under the provisions of the Paperwork Reduction Act of 1995 (44 U.S.C. chapter 35).

Information pertaining to the requirement to be submitted:

1. *The title of the information collection:* Application/Permit for Use of the Two White Flint (TWFN) Auditorium.

2. *Current OMB approval number:* 3150-0181.

3. *How often the collection is required:* Each time public use of the NRC auditorium is requested.

4. *Who is required or asked to report:* Members of the public requesting use of the NRC Auditorium.

5. *The number of annual respondents:* 5.

6. *The number of hours needed annually to complete the requirement or request:* 1.25 hours (15 minutes per request).

7. *Abstract:* In accordance with the Public Buildings Act of 1959, an agreement was reached between the Maryland-National Capital Park and Planning Commission (MPPC), the General Services Administration (GSA) and the NRC, that the NRC auditorium will be made available for public use. Public users of the auditorium will be required to complete NRC Form 590, Application/Permit for Use of Two White Flint North (TWFN) Auditorium. The information is needed to allow for administrative and security review, scheduling, and to make a determination that there are no anticipated problems with the requester prior to utilization of the facility.

Submit, by May 27, 2003, comments that address the following questions:

1. Is the proposed collection of information necessary for the NRC to properly perform its functions? Does the information have practical utility?

2. Is the burden estimate accurate?

3. Is there a way to enhance the quality, utility, and clarity of the information to be collected?

4. How can the burden of the information collection be minimized, including the use of automated collection techniques or other forms of information technology?

A copy of the draft supporting statement may be viewed free of charge at the NRC Public Document Room, One White Flint North, 11555 Rockville Pike, Room O-1 F21, Rockville, MD 20852. OMB clearance requests are available at the NRC world wide Web site: <http://www.nrc.gov/public-involve/doc-comment/omb/index.html>. The document will be available on the NRC