Table 94. Select Family Planning and Medical Service Use by Women, 15 to 44 Years of Age: 2002

[61,561 represents 61,561,000. Based on the National Survey of Family Growth, see Appendix III]

		Percent using—							
		Family planning services			Medical services				
Characteristic	Number (1,000)	At least one family planning service	Birth control method	Birth control checkup or test	At least one medical service	Preg- nancy test	Pap smear	Pelvic exam	Counseling/ test/ treatment for STD 1
All women ² . 15 to 19 years old. 15 to 17 years old. 15 to 17 years old. 20 to 24 years old. 25 to 29 years old. 30 to 34 years old. 35 to 39 years old. 40 to 44 years old.	61,561	41.7	33.9	23.6	69.1	19.7	64.4	59.7	12.6
	9,834	39.9	31.1	22.0	40.6	18.3	34.6	27.0	15.2
	5,819	31.8	22.2	15.8	28.0	11.4	23.2	17.9	11.1
	4,016	51.6	43.9	31.0	58.9	28.2	51.2	40.2	21.1
	9,840	63.3	54.0	35.7	75.7	31.5	69.7	60.6	22.3
	9,249	55.4	46.3	30.2	75.9	30.2	70.7	66.0	16.6
	10,272	47.0	39.1	27.2	78.1	22.2	72.7	69.7	12.2
	10,853	30.5	23.9	18.6	71.5	13.6	68.3	65.9	6.9
	11,512	19.5	14.0	10.8	71.8	5.9	69.4	67.0	4.4
Currently married	28,327	39.5	31.5	21.3	77.2	21.1	73.1	69.8	8.1
	5,570	50.4	43.2	30.2	77.2	31.0	72.2	64.7	20.3
	21,568	44.4	36.4	25.4	55.8	16.5	50.7	43.9	15.9
	6,096	34.5	28.0	22.0	71.0	14.1	66.0	64.0	14.4
White only, Non-Hispanic Black only, Non-Hispanic Hispanic 3	39,498	43.1	36.4	25.4	70.1	17.3	66.1	63.2	11.8
	8,250	39.4	30.6	21.8	74.4	23.7	69.1	58.1	15.7
	9,107	39.7	28.9	20.6	63.4	24.3	57.1	48.5	12.5

¹ STD stands for sexually transmitted disease. ² Includes other races, not shown separately. ³ Persons of Hispanic origin may be any race.

Source: U.S. National Center for Health Statistics, *Advance Data*, Number 350, "Use of Contraception and Use of Family Planning Services in the United States: 1982–2002," December 10, 2004.