

Transmit (receive) (MHz)	Receive (transmit) (MHz)
22375 ¹	123575

¹ Alternate channels. These channels are set aside for narrow bandwidth systems and should be used only if all other channels are blocked.

² These frequencies may be assigned to low power systems, as defined in paragraph (8) of this section.

(8) *Special provisions for low power, limited coverage systems in the 21.8–22.0 GHz and 23.0–23.2 GHz band segments.* Notwithstanding any contrary provisions in this part, the frequency band segment 21.8–22.0 GHz paired with the frequency band segment 23.0–23.2 GHz may be authorized for low power, limited coverage systems subject to the following provisions:

(i) The maximum EIRP shall be 55 dBm and the rated transmitter output power shall not exceed 0.100 Watts;

(ii) In the band segments from 21.8–22.0 GHz and 23.0–23.2 GHz, the frequency tolerance for stations authorized on or before April 1, 2005 is 0.05%. Existing licensees and pending applicants on that date may continue to operate after that date with a frequency tolerance of 0.05%, provided that it does not cause harmful interference to the operation of any other licensee. The frequency tolerance of § 101.107(a) shall apply to stations applied for after April 1, 2005;

(iii) The maximum beamwidth shall not exceed 4 degrees;

(iv) The sidelobe suppression criteria contained in § 101.115 of this part shall not apply, except that a minimum front-to-back ratio of 38 dB shall apply;

(v) Upon showing of need, a maximum bandwidth of 50 MHz may be authorized per frequency assigned;

(vi) Radio systems authorized under the provisions of this section shall have no more than five hops in tandem, except upon showing of need, but in any event the maximum tandem length shall not exceed 40 km (25 miles);

(vii) Interfering signals at the antenna terminals of station authorized under this section shall not exceed –90 dBm and –70 dBm respectively, for co-channel and adjacent channel interfering signals; and

(viii) Stations authorized under the provisions of this section shall provide the protection from interference specified in § 101.105 to stations operating in accordance with the provisions of this part.

* * * * *

18. Section 101.507 is revised to read as follows:

§ 101.507 Frequency stability.

The frequency stability in the 10,550–10,680 MHz band must be ±0.0001% for each DEMS Nodal Station transmitter and ±0.0003% for each DEMS User Station transmitter. The frequency stability in the 24,250–25,250 MHz bands must be ±0.001% for each Nodal Station transmitter and ±0.003% for each User Station transmitter.

19. Section 101.603 is amended by revising paragraph (b)(1) to read as follows:

§ 101.603 Permissible communications.

* * * * *

(b) * * *

(1) Render a common carrier service of any kind. However, licensees are allowed to lease excess capacity to common carriers. In addition, Specialized Mobile Radio (SMR) licensees reclassified by the Commission as Commercial Mobile Radio Services (CMRS), that were formerly private land mobile radio service providers, may continue to utilize private operational fixed microwave systems licensed prior to April 1, 2003 for their land mobile connecting facilities.

* * * * *

20. Section 101.803 is amended by revising paragraph (a)(5), paragraph (d) (8), by removing paragraph (e) and redesignating paragraphs (f) and (g) as paragraphs (e) and (f) to read as follows:

§ 101.803 Frequencies.

(a) * * *

(5) This frequency band is shared with the common carrier and private-operational fixed point-to-point microwave services.

* * * * *

(d) * * *

(8) This frequency band is shared with the common carrier and private-operational fixed point-to-point microwave services.

* * * * *

21. Section 101.809 is amended by revising paragraph (d) to read as follows:

§ 101.809 Bandwidth and emission limitations.

* * * * *

(d) Maximum bandwidths in the following frequency bands must not exceed the limits set forth below:

MAXIMUM AUTHORIZED

Frequency band (MHz)	Bandwidth (MHz)
3,700 to 4,200	1 20
5,925 to 6,425	1 30

MAXIMUM AUTHORIZED—Continued

Frequency band (MHz)	Bandwidth (MHz)
6,425 to 6,525	25
10,700 to 12,200	1 40
13,200 to 13,250	25
21,200 to 23,600	1 50

¹ The maximum bandwidth that will be authorized for each particular frequency in this band is detailed in the appropriate frequency table in § 101.147.

* * * * *

22. Section 101.815 is amended by revising paragraph (a)(1) to read as follows:

§ 101.815 Stations at temporary fixed locations.

(a) * * *

(1) When a fixed station is to remain at a single location for less than 6 months, the location is considered to be temporary.

* * * * *

23. Section 101.1325 is amended by revising paragraph (a) to read as follows:

§ 101.1325 Construction requirements.

(a) Incumbent and site-based licenses are subject to the construction requirements set forth in § 101.63.

* * * * *

24. Section 101.1333 is amended by revising paragraph (c) to read as follows:

§ 101.1333 Interference protection criteria

* * * * *

(c) EA licensees are prohibited from exceeding a signal strength of 40 dBµV/m at incumbent licensees' 40.2 kilometer (25-mile) radius composite contour specified in § 101.1331(c).

* * * * *

[FR Doc. 03–1325 Filed 1–30–03; 8:45 am]

BILLING CODE 6712–01–P

DEPARTMENT OF TRANSPORTATION

National Highway Traffic Safety Administration

49 CFR Part 571

[Docket No. NHTSA 02–14270]

RIN 2127–AI71

Federal Motor Vehicle Safety Standards; Occupant Crash Protection

AGENCY: National Highway Traffic Safety Administration (NHTSA), DOT.

ACTION: Final rule.

SUMMARY: In May 2000, we published a rule to require advanced air bags in light vehicles. The requirements of that rule

are being phased in during two stages, the first of which extends from September 1, 2003, to August 31, 2006. In September 2002, in response to petitions for rulemaking, we published a notice of proposed rulemaking (NPRM) to reduce the percentage of vehicles that must comply with the advanced air bag requirements during the first year of the first stage, *i.e.*, from September 1, 2003, through August 31, 2004, from 35 percent to 20 percent. This final rule adopts that proposed change, which reflects the technical challenges being faced by the vehicle manufacturers in meeting the new requirements and the fact that two of the automotive suppliers dropped plans to offer devices that suppress the passenger air bag when a child is present. In the NPRM, we also requested comments on possible adjustments in the alternative phase-in requirement available to limited line manufacturers. We plan to address that issue in a separate document, in the near future.

DATES: *Effective Date:* The amendments made in this rule are effective March 3, 2003.

Petitions: Petitions for reconsideration must be received by March 17, 2003.

ADDRESSES: Petitions for reconsideration should refer to the docket and notice number of this document and be submitted to: Administrator, National Highway Traffic Safety Administration, 400 Seventh Street, SW., Washington, DC 20590.

FOR FURTHER INFORMATION CONTACT: The following persons at the National Highway Traffic Safety Administration, 400 Seventh Street, SW., Washington, DC, 20590:

For technical issues: Mr. Louis Molino, Office of Crashworthiness Standards, NVS-112, telephone (202) 366-2264, facsimile (202) 493-2739.

For legal issues: Mr. Edward Glancy, Office of the Chief Counsel, NCC-112, telephone (202) 366-2992, facsimile (202) 366-3820.

SUPPLEMENTARY INFORMATION:

Table of Contents

- I. Background
 - A. The Advanced Air Bag Final Rule
 - B. September 2002 Proposal to Adjust Phase-in
- II. Public Comments
- III. Agency Decision
- IV. Rulemaking Analyses and Notices

I. Background

A. The Advanced Air Bag Final Rule

On May 12, 2000, we published in the **Federal Register** (65 FR 30680) a rule to require advanced air bags. (Docket No. NHTSA 00-7013; Notice 1.) The rule

amended Standard No. 208, *Occupant Crash Protection*, to require that future air bags be designed so that, compared to current air bags, they create less risk of serious air bag-induced injuries, particularly for small women and young children, and provide improved frontal crash protection for all occupants, by means that include advanced air bag technology.

The rule will be phased in during two stages. The first stage phase-in will improve protection by requiring vehicles to be certified as passing the unbelted test requirements¹ for both the 5th percentile adult female and 50th percentile adult male dummies in a 32-40 km/h (20-25 mph) rigid barrier crash, and belted test requirements² for the same two dummies in a rigid barrier crash with a maximum test speed of 48 km/h (30 mph). In addition, the first stage will minimize the risk of injury from air bags by requiring vehicles to include technologies that will minimize the risk of air bag-induced injuries for young children and small adults.

During the first stage phase-in, from September 1, 2003, to August 31, 2006, increasing percentages of motor vehicles will be required to meet requirements for minimizing air bag risks,³ primarily by either automatically turning off the air bag when young children are present or deploying the air bag more benignly so that it is much less likely to cause serious or fatal injury to out-of-position occupants.⁴ If they so wish, manufacturers may choose to use a combination of those approaches.

Manufacturers that decide to design their passenger air bags to turn off will use weight sensors and/or other means of detecting the presence of young children. To test the ability of those means to detect the presence of children, the rule specifies that child dummies be placed in child seats that are, in turn, placed on the passenger seat in both proper and (to simulate misuse) improper ways. It also specifies tests that are conducted with unrestrained child dummies sitting,

¹ "Unbelted test requirements" are requirements that specify the use of unbelted dummies in testing vehicles.

² "Belted test requirements" are requirements that specify the use of belted dummies in testing vehicles.

³ The complete phase-in schedule was: 9/1/03 to 8/31/04—35 percent; 9/1/04 to 8/31/05—65 percent; 9/1/05 to 8/31/06—100 percent (manufacturers may use credits for early compliance); 9/1/06—all vehicles must comply (no use of credits).

⁴ The rule also establishes very general performance requirements for dynamic automatic suppression systems (DASS) and a special expedited petitioning and rulemaking process for considering procedures for testing advanced air bag systems incorporating a DASS.

kneeling, standing, or lying on the passenger seat.

The ability of air bags to deploy in a low-risk manner will be tested using child dummies on the passenger side and the small adult female dummy on the driver side. For manufacturers that decide to design their passenger air bags to deploy in a low risk manner, the rule specifies that unbelted child dummies be placed against the instrument panel in two different positions. The air bag is then deployed with the dummies in each position. This placement was specified because pre-crash braking can cause unrestrained children to move forward into or near the instrument panel before the air bag deploys. The ability of driver air bags to deploy in a low risk manner will be tested by placing the 5th percentile adult female dummy against the steering wheel in two different positions and then deploying the air bag with the dummy in each position.

The second stage phase-in will require vehicles to be certified as passing the belted test requirements for the 50th percentile adult male dummy at a test speed up to 56 km/h (35 mph). This requirement will provide improved protection for belted occupants.

B. September 2002 Proposal To Adjust Phase-in

On September 24, 2002, we published in the **Federal Register** (67 FR 59800) a document responding to petitions for rulemaking from the Alliance of Automobile Manufacturers, Toyota, and DaimlerChrysler requesting changes in the advanced air bag final rule. (Docket No. NHTSA 02-13393; Notice 1.)

In response to the petitions, we proposed to reduce the percentage of vehicles that must comply with the advanced air bag requirements during the first year of the phase-in, *i.e.*, from September 1, 2003, through August 31, 2004, from 35 percent to 20 percent. We stated that the proposed change reflected the technical challenges being faced by the vehicle manufacturers in meeting the new requirements and the fact that two of the automotive suppliers had dropped plans to offer devices that suppress the passenger air bag when a child is present. We also stated that we had tentatively concluded that a reduction in the first year's phase-in requirement from 35 percent to 20 percent strikes a reasonable balance between ensuring that the industry provides advanced air bags as quickly as is reasonably possible, while avoiding a situation in which the industry must put new technologies into vehicles before they have been fully tested.

We otherwise denied the petitions or, as to certain requests, dismissed them because the agency had subsequently considered or was considering the same requests in the context of another rulemaking proceeding.

In addition, in response to a petition for rulemaking from Porsche, we stated that we were considering possible adjustments in the alternative phase-in requirements available to limited line manufacturers.

II. Public Comments

We received a total of nine comments, seven from automobile manufacturers and two from automotive suppliers. The automobile manufacturer commenters were the Alliance of Automobile Manufacturers (Alliance) and six individual manufacturers—Subaru, Nissan, Porsche, General Motors (GM), DaimlerChrysler (DC), and BMW. The automotive supplier commenters were Delphi and Elesys.

The commenters were generally supportive of the agency's proposal to reduce the percentage of vehicles that must comply with the advanced air bag requirements during the first year of the first stage phase-in. No commenter opposed reducing the percentage from 35 percent to 20 percent, although two, the Alliance and DC, argued that a greater reduction should be provided.

Nissan stated that it supports the proposal. According to that company, the developmental period for the occupant sensing technology needed to meet the requirements has been longer than expected due to the developmental capacity of the suppliers of this technology.

BMW cited the significant technical challenges it has faced and will continue to face and stated that it believes that reducing the first year percentage to 20 percent will provide the necessary flexibility such that sufficiently robust advanced air bag systems will be developed for new vehicles, as well as redesigned for current production vehicles and implemented during the phase-in period.

Subaru stated that a reduction in the first year percentage to 20 percent or less would permit it to focus on applying its manpower during the first year on implementing suppression functionality in a single specific model. That company stated that it would then be in a position to effectively develop systems with some certainty for vehicles in the second and third years.

GM stated that it agrees with the agency's proposed reduction to 20 percent of the percentage of vehicles that must meet the first-year phase-in

requirements for advanced air bags. That company stated that although it would be able to satisfy the original first-year requirement of 35 percent, it agrees with the agency that the proposal "strikes a reasonable balance between ensuring the industry provides advanced air bags as quickly as is reasonably possible, while avoiding a situation in which the industry must put new technologies into vehicles before they have been fully tested."

The Alliance stated that it is unaware of any new data or information that would lead it to change its conclusion, presented in its petition for rulemaking, that 10 percent is the correct phase-in percentage requirement to be applied to the first year. That organization argued that not every manufacturer could accede to a phase-in percentage greater than 10 percent. The Alliance also stated that, while it did not request modification of the second year percentage in its petition, the continued difficulty in developing effective and reliable air bag systems, including occupant classification sensor technologies, supplier constraints, as well as the significant challenge of implementing these new technologies might require modification of the second year phase-in percentage as well.

DC stated that it believes the agency has underestimated the complexity, difficulty, and technical challenges related to the phase-in of the advanced air bag requirements. It stated that in its quest to develop low risk air bag systems, which it believes minimizes real world risk, and to reduce the uncertainty associated with occupant classification systems in the real world, it continues to uncover additional unforeseen technical development and vehicle integration challenges. DC asked that the agency adopt a percentage of 10 percent for the first year phase-in and reconsider its decision not to reduce the second year percentage from 65 percent to 40 percent, as DC had requested in its petition for rulemaking.

Delphi stated that it has, at this time, both technical capability and production capacity to support its customers in meeting either the original or the proposed advanced air bag regulatory volume requirements. That company stated that its product enables compliance with Standard No. 208's suppression requirements and meets real world reliability requirements in calibrated production seats.

Elesys stated that its product meets or exceeds all applicable Standard No. 208 requirements, as well as the significant real-world durability, configuration, production and installation challenges posed by its automotive customers. That

company stated that it understands why the agency proposed to reduce the first year percentage, but that any further reduction in the required percentages for later years is unnecessary for two reasons: (1) Viable, real-world-tested solutions already exist in the marketplace, and (2) such a delay would unduly penalize companies, including Elesys, who have invested heavily in research and development to meet the implementation schedule as it is currently configured.

Only one commenter, Porsche, commented on the issue of possible adjustments in the alternative phase-in requirements available to limited line manufacturers. That company suggested a revised approach for addressing the issues it had raised in its petition.

III. Agency Decision

After carefully considering the comments, we have decided, for the reasons discussed in the NPRM, to adopt as final our proposal to reduce the percentage of vehicles that must comply with the advanced air bag requirements during the first year of the phase-in, *i.e.*, from September 1, 2003, through August 31, 2004, from 35 percent to 20 percent. We are making this change in light of the technical challenges being faced by the vehicle manufacturers in meeting the new requirements and the fact that two of the automotive suppliers had dropped plans to offer devices that suppress the passenger air bag when a child is present. We have not yet reached a decision with respect to possible adjustments in the alternative phase-in requirements available to limited line manufacturers, and will address that issue in a separate document, in the near future.

As noted above, no commenter opposed reducing the percentage from 35 percent to 20 percent, although two, the Alliance and DC, argued that a greater reduction should be provided. These commenters recommended that the agency reduce the first year percentage to 10 percent, and DC also recommended that the agency reduce the second year percentage from 65 percent to 40 percent.

While we have considered the recommendations of the Alliance and DC, they have not provided information or analysis demonstrating that a further reduction is necessary, either for the first or second year. We do not disagree with their contention that the advanced air bag final rule poses significant technical challenges, but believe a reduction in the first year percentage from 35 percent to 20 percent adequately addresses that concern. We have had periodic discussions with

vehicle manufacturers over the past two years to assess our original phase-in requirements, as well as the vehicle manufacturers' projections for meeting the phase-in schedule. We have also monitored the advanced air bag systems that they have been developing, as well as met with individual restraint system suppliers. While DC has commented that it is disappointed that the agency has denied its recommendation of a 10 percent first year phase-in, GM has indicated an ability to meet the original first-year requirement of 35 percent. As previously noted, four of the five larger manufacturers that commented on the NPRM, *i.e.*, GM, Subaru, Nissan and BMW, specifically indicated that the reduction of the first year phase-in to 20 percent would give them the necessary flexibility and relief to meet the new phase-in schedule. Thus, the remaining 15 percent of their respective fleets that no longer need to meet the first year phase-in requirements could be deferred to year two, if more development time is needed, or could be certified in model year 2003 to earn advanced credits.

Although the Alliance represents many manufacturers, the only member that provided specific comments supporting the Alliance position that the reduction to 20 percent is not sufficient was DC.

DC noted that the agency's original driver automatic protection rule included a phase-in of 10–25–40–100 percent, and argued that the advanced air bag final rule raises issues of even greater complexity. There is no reason, however, why the specific production year percentages for phase-ins of different rules should be the same. We also note that, as part of the May 2002 final rule for advanced air bags, we eliminated altogether the first year of the phase-in schedule we had proposed, which would have required 25 percent of each manufacturer's light vehicles manufactured during the production year beginning September 1, 2002, to comply with the advanced air bag requirements.

Finally, for model year 2003, which began approximately one year before the required phase-in begins, significant numbers of production vehicles are being certified to comply with the advanced air bag requirements. GM has announced introduction of a passenger sensing system that is being installed in nearly 1.6 million vehicles. This system is standard on most of GM's model year 2003 full-size pickups and sport-utility vehicles, including the Chevrolet Silverado and GMC Sierra pickups (except commercial models or chassis-cabs) and Chevrolet Suburban, Tahoe and Avalanche; GMC Yukon XL, Yukon and Denali; and Cadillac Escalade and

Escalade EXT. GM has certified that the system meets the advanced air bag requirements. NHTSA has performed some compliance tests on three of the GM C/K trucks that were certified to the advanced air bag requirements. These included the infant, three-year-old and six-year-old child dummy suppression (presence) tests, the 5th percentile adult female driver low risk deployment tests, the belted 5th percentile adult female offset deformable barrier crash test, the frontal unbelted 5th percentile adult female and 50th percentile adult male crash tests. The three units tested passed the applicable performance requirements.

Other manufacturers are certifying, for purposes of the risk minimization requirements for children, on the basis of a combination of air bag suppression (for the infant and three-year-old child dummy tests) and low risk deployment (for the six-year-old child dummy tests) in model year 2003. This demonstrates that vehicle manufacturers are not constrained to a particular advanced air bag technology, and that both suppression and low risk deployment certification methods are viable options for meeting the advanced air bag requirements ahead of the required phase-in schedule. We are also aware that vehicle manufacturers are working with multiple technology suppliers and are not reliant upon a single entity for production.

As with the phase-in of any new requirement involving the use of new technology, we will, of course, continue to monitor the ability of the automobile manufacturers to meet the specified requirements.

V. Rulemaking Analyses and Notices

A. Executive Order 12866 and DOT Regulatory Policies and Procedures

NHTSA has considered the impact of this rule under Executive Order 12866 and the Department of Transportation's regulatory policies and procedures. This rule was reviewed under E.O. 12866, "Regulatory Planning and Review." This action is "significant" under the Department of Transportation's regulatory policies and procedures.

This rule reduces the percentage of vehicles that must comply with the advanced air bag requirements during the first year of the phase-in, *i.e.*, from September 1, 2003, through August 31, 2004, from 35 percent to 20 percent. However, the rule does not change the requirements for vehicles equipped with advanced air bags. Readers who are interested in the costs and benefits of advanced air bags are referred to the agency's Final Economic Assessment

(FEA) for the May 2000 final rule. The estimated benefits compared to pre-model year 1998 (pre-depowered air bags) in that rule for the suppression technologies were estimated to be 93 fatalities and 151 AIS 3–5 injuries. These benefits can be considered to accrue over the 20–25 year lifetime of one model year's fleet. As noted in the NPRM, the reduction in the phase-in schedule for the model year 2004 fleet from 35 percent to 20 percent could result in the potential loss in benefits over the lifetime of the model year 2004 fleet of 14 lives and 23 AIS 3–5 injuries.

B. Regulatory Flexibility Act

We have considered the effects of this rulemaking action under the Regulatory Flexibility Act (5 U.S.C. 601 *et seq.*). I certify that the amendment will not have a significant economic impact on a substantial number of small entities. A Regulatory Flexibility Analysis was prepared for the May 2000 final rule as part of the FEA. This action will not have a significant economic impact on small businesses because the only change it makes to the May 2000 final rule is to reduce the percentage of vehicles that must comply with that rule during the first year of the phase-in. Small organizations and small governmental units will not be significantly affected since the potential cost impacts associated with this amendment should only slightly affect the price of new motor vehicles.

C. National Environmental Policy Act

NHTSA has analyzed this amendment for the purposes of the National Environmental Policy Act and determined that it will not have any significant impact on the quality of the human environment.

D. Executive Order 13132 (Federalism)

The agency has analyzed this rulemaking action in accordance with the principles and criteria contained in Executive Order 13132 and has determined that it does not have sufficient federalism implications to warrant consultation with State and local officials or the preparation of a federalism summary impact statement. The rule will have no substantial effects on the States, or on the current Federal-State relationship, or on the current distribution of power and responsibilities among the various local officials.

E. Unfunded Mandates Reform Act

The Unfunded Mandates Reform Act of 1995 requires agencies to prepare a written assessment of the costs, benefits and other effects of proposed or final

rules that include a Federal mandate likely to result in the expenditure by State, local or tribal governments, in the aggregate, or by the private sector, of more than \$100 million annually (adjusted for inflation with base year of 1995). While the May 2000 final rule is likely to result in over \$100 million of annual expenditures by the private sector, the only effect of today's amendment will be to reduce the percentage of vehicles that must comply with that rule during the first year of the phase-in. Accordingly, this rule will not mandate any expenditure by State, local or tribal governments, or by the private sector.

F. Executive Order 12778 (Civil Justice Reform)

This rule does not have any retroactive effect. Under section 49 U.S.C. 30103, whenever a Federal motor vehicle safety standard is in effect, a state may not adopt or maintain a safety standard applicable to the same aspect of performance which is not identical to the Federal standard, except to the extent that the state requirement imposes a higher level of performance and applies only to vehicles procured for the State's use. Section 49 U.S.C. 30161 sets forth a procedure for judicial review of final rules establishing, amending or revoking Federal motor vehicle safety standards. That section does not require submission of a petition for reconsideration or other administrative proceedings before parties may file suit in court.

G. Paperwork Reduction Act

Under the Paperwork Reduction Act of 1995, a person is not required to respond to a collection of information by a Federal agency unless the collection displays a valid OMB control number. This document does not establish any new information collection requirements.

H. Regulation Identifier Number (RIN)

The Department of Transportation assigns a regulation identifier number (RIN) to each regulatory action listed in the Unified Agenda of Federal Regulations. The Regulatory Information Service Center publishes the Unified Agenda in April and October of each year. You may use the RIN contained in the heading at the beginning of this document to find this action in the Unified Agenda.

List of Subjects in 49 CFR part 571

Imports, Motor vehicle safety, Reporting and recordkeeping requirements, Tires.

In consideration of the foregoing, NHTSA amends 49 CFR chapter V as follows:

PART 571—FEDERAL MOTOR VEHICLE SAFETY STANDARDS

1. The authority citation for part 571 of title 49 continues to read as follows:

Authority: 49 U.S.C. 322, 30111, 30115, 30117, and 30166; delegation of authority at 49 CFR 1.50.

2. Section 571.208 is amended by revising S14.1.1.1 to read as follows:

§ 571.208 Standard No. 208, Occupant crash protection.

* * * * *

S14.1.1.1 *Vehicles manufactured on or after September 1, 2003, and before September 1, 2004.* Subject to S14.1.2(a), for vehicles manufactured by a manufacturer on or after September 1, 2003, and before September 1, 2004, the amount of vehicles complying with S14.5.1(a), S14.5.2, S15.1, S15.2, S17, S19, S21, S23, and S25, shall be not less than 20 percent of:

(a) If the manufacturer has manufactured vehicles for sale in the United States during both of the two production years prior to September 1, 2003, the manufacturer's average annual production of vehicles manufactured on or after September 1, 2001, and before September 1, 2004, or

(b) The manufacturer's production on or after September 1, 2003, and before September 1, 2004.

* * * * *

Issued: January 28, 2003.

Jeffrey W. Runge,

Administrator.

[FR Doc. 03-2358 Filed 1-28-03; 5:03 pm]

BILLING CODE 4910-59-P

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

50 CFR Part 622

[Docket No. 001005281-0369-02; I.D. 012703A]

Fisheries of the Caribbean, Gulf of Mexico, and South Atlantic; Coastal Migratory Pelagic Resources of the Gulf of Mexico and South Atlantic; Trip Limit Increase

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Trip limit increase.

SUMMARY: NMFS increases the trip limit in the commercial hook-and-line fishery for king mackerel in the Florida east coast subzone to 75 fish per day in or from the exclusive economic zone (EEZ). This trip limit increase is necessary to maximize the socioeconomic benefits of the quota.

DATES: This rule is effective 12:01 a.m., local time, February 1, 2003, through March 31, 2003, unless changed by further notification in the **Federal Register**.

FOR FURTHER INFORMATION CONTACT:

Mark Godcharles, telephone: 727-570-5305, fax: 727-570-5583, e-mail: Mark.Godcharles@noaa.gov.

SUPPLEMENTARY INFORMATION: The fishery for coastal migratory pelagic fish (king mackerel, Spanish mackerel, cero, cobia, little tunny, dolphin, and, in the Gulf of Mexico only, bluefish) is managed under the Fishery Management Plan for the Coastal Migratory Pelagic Resources of the Gulf of Mexico and South Atlantic (FMP). The FMP was prepared by the Gulf of Mexico and South Atlantic Fishery Management Councils (Councils) and is implemented under the authority of the Magnuson-Stevens Fishery Conservation and Management Act (Magnuson-Stevens Act) by regulations at 50 CFR part 622.

Based on the Councils' recommended total allowable catch and the allocation ratios in the FMP, on April 30, 2001 (66 FR 17368, March 30, 2001) NMFS implemented a commercial quota of 2.25 million lb (1.02 million kg) for the eastern zone (Florida) of the Gulf migratory group of king mackerel. That quota is further divided into separate quotas for the Florida east coast subzone and the northern and southern Florida west coast subzones. The quota implemented for the Florida east coast subzone is 1,040,625 lb (472,020 kg) (50 CFR 622.42(c)(1)(i)(A) (1)).

In accordance with 50 CFR 622.44(a)(2)(i), beginning on February 1, if less than 75 percent of the Florida east coast subzone's quota has been harvested by that date, king mackerel in or from that subzone's EEZ may be possessed on board or landed from a permitted vessel in amounts not exceeding 75 fish per day. The 75-fish daily trip limit will continue until a closure of the subzone's fishery has been effected or the fishing year ends on March 31.

NMFS has determined that 75 percent of the quota for Gulf group king mackerel for vessels using hook-and-line gear in the Florida east coast subzone was not reached before February 1, 2003. Accordingly, a 75-fish