

Members of the BoV may also petition the Chairperson to allow specific persons to make oral presentations before the BoV. Any oral presentations before the BoV shall be in accordance with 41 CFR 102-3.140(c), section 10(a)(3) of the FACA, and this paragraph. The DFO and BoV Chairperson may, if desired, allot a specific amount of time for members of the public to present their issue for BoV review and discussion. Direct questioning of BoV members or meeting participants by the public is not permitted except with the approval of the DFO and Chairperson.

DATES: Meeting sessions will begin at 9 a.m. on 27 July 2007 in Harmon Hall, 2304 Cadet Drive, Suite 3300, USAFA, Colorado Springs, Colorado.

For further information or to attend this BoV meeting, contact Mr. Scotty Ashley, USAFA Programs Manager, Directorate of Airman Development and Sustainment, Deputy Chief of Staff, Manpower and Personnel, AF/A1DOA, 1040 Air Force Pentagon, Washington, DC 20330-1040, (703) 695-3594.

Bao-Anh Trinh,

Air Force Federal Register Liaison Officer.

[FR Doc. 07-3194 Filed 6-28-07; 8:45 am]

BILLING CODE 5001-05-M

DEPARTMENT OF DEFENSE

Department of the Army; Corps of Engineers

Notice of Availability for the Draft Environmental Impact Statement/Environmental Impact Report for the Berths 136-147 [TraPac] Container Terminal Project, Los Angeles County, CA

AGENCY: Department of the Army—U.S. Army Corps of Engineers, DoD.

ACTION: Notice of Availability.

SUMMARY: The U.S. Army Corps of Engineers, Los Angeles District (Regulatory Division), in coordination with the Port of Los Angeles, has completed a Draft Environmental Impact Statement/Environmental Impact Report (EIS/EIR) for the Berths 136-147 [TraPac] Container Terminal Project. The Port of Los Angeles requires authorization pursuant to Section 404 of the Clean Water Act and Section 10 of the River and Harbor Act to expand and modernize the container terminal at Berths 136-147 [TraPac], including: Expanding, redeveloping, and constructing container terminal facilities and a new on-dock rail facility; constructing 500 space parking lot for union workers; wharf work including

dredging 295,000 cubic yards, renovating 2,900 feet of existing wharf, and constructing 705 feet of new wharf; installing five new gantry cranes to replace six existing gantry cranes; relocating the existing PHL Pier A switcher yard to Rear Berth 200; widening Harry Bridges Boulevard and constructing a new 30-acre landscaped buffer area between "C" Street and Harry Bridges Boulevard; and filling the 10-acre Northwest Slip, constructing backlands facilities on the fill, and constructing a new 400-foot wharf along the edge of the fill. In addition, the Port of Los Angeles is considering transporting and discharging at ocean disposal sites excess clean material generated by the dredging activities, which would require authorization pursuant to Section 103 of the Marine Protection, Research, and Sanctuaries Act.

FOR FURTHER INFORMATION CONTACT:

Questions or comments concerning the Draft EIS/EIR should be directed to Dr. Spencer D. MacNeil, North Coast Branch, Regulatory Division, U.S. Army Corps of Engineers, P.O. Box 532711, Los Angeles, CA, 90053-2325, (805) 585-2152.

SUPPLEMENTARY INFORMATION: None.

David J. Castanon,

Chief, Regulatory Division, Los Angeles District.

[FR Doc. E7-12540 Filed 6-28-07; 8:45 am]

BILLING CODE 3710-KF-P

DELAWARE RIVER BASIN COMMISSION

Notice of Commission Meeting and Public Hearing

Notice is hereby given that the Delaware River Basin Commission will hold an informal conference followed by a public hearing on Wednesday, July 18, 2007. The hearing will be part of the Commission's regular business meeting. Both the conference session and business meeting are open to the public and will be held at the Commission's office building, located at 25 State Police Drive in West Trenton, New Jersey.

The conference among the commissioners and staff will begin at 10:15 a.m. Topics include a presentation on a revised proposal for a Flexible Flow Management Program (FFMP) for the New York City Delaware Basin Reservoirs; a presentation on proposed amendments to the Commission's Special Protection Waters regulations; and a presentation on proposed amendments to the Water Code relating

to water accountability and source metering, recording and reporting.

The subjects of the public hearing to be held during the 2 p.m. business meeting include the dockets listed below:

1. *South Coatesville Borough D-74-39 CP-2.* An application for approval of the rerate of the existing South Coatesville Borough wastewater treatment plant (WWTP). The permitted discharge from the applicant's WWTP will increase from an annual average daily flow of 0.365 million gallons per day (mgd) to 0.381 mgd and will continue to be discharged to the West Branch Brandywine Creek. The facility is located in South Coatesville Borough, Chester County, Pennsylvania.

2. *Kent County Levy Court D-77-87 CP-2.* An application for approval of the expansion of the existing Kent County Levy Court WWTP. The permitted discharge from the applicant's WWTP will increase from a daily flow of 15.0 mgd to 16.3 mgd and will continue to be discharged to The Gut, a tributary to the Murderkill River. The facility is located in the City of Milford, Kent County, Delaware.

3. *Hackettstown Municipal Utilities Authority D-91-30 CP-2.* An application to expand a 3.3 mgd wastewater treatment plant to process 3.39 mgd. The plant is located in Washington Township, Morris County, New Jersey. The plant will continue to treat wastewater from the Town of Hackettstown, Mansfield Township, Independence Township and Allamuchy Township, all in Warren County; and Washington Township and Mount Olive Township in Morris County, New Jersey. The additional capacity is needed to serve the service area previously served by the former Diamond Hill Sewer Company. Treatment plant effluent will continue to be discharged to the Musconetcong River in the Musconetcong River Watershed via the existing outfall. The defunct Diamond Hill treatment facility and discharge to Hence's Brook will be abandoned.

4. *Aqua New Jersey, Inc. D-93-13 CP-3.* An application for the renewal of a ground water withdrawal project to increase withdrawal from 198.5 mg/30 days to 237 mg/30 days to supply the applicant's Blackwood District public water supply distribution system from existing Wells Nos. 3, 6, 7, 13, 15, 17 and 20 located within the Delaware River basin and 8 wells located outside of the basin in the Cohansey, Mt. Laurel and Potomac-Raritan-Magothy Formations. The increased allocation is requested in order to meet projected increases in service area demand. The

project is located in the Big Timber Creek Watershed in Gloucester Township, Camden County, New Jersey.

5. *Reading Area Water Authority D-2000-59 CP-2*. An application for approval to transfer up to 1.5 mgd and up to 45 mg/30 days of potable water from the Reading Area Water Authority (RAWA) system to the Pennsylvania American Water Company (PAWC) Glen Alsace District water distribution system. Some of the water supply is also needed to serve PAWC's customers in its Douglassville District via an existing interconnection. RAWA proposes no increase of existing allocation of 35 mgd (1,050 mg/30 days) of water from its Lake Ontelaunee Reservoir, which is located in Ontelaunee Township, Berks County, Pennsylvania. The project also includes the revision of the RAWA Operating Plan to reflect the service area modification, conservation release improvements and fisheries protection measures. The reservoir is situated on Maiden Creek in the Schuylkill River Watershed.

6. *Borough of Portland D-2003-9 CP-2*. An application to modify the proposed WWTP that was approved by DRBC Docket No. D-2003-9 CP on January 19, 2005, but not constructed due to cost considerations. The WWTP design capacity will remain 0.105 mgd, but the modified design involves treatment processes that cost less to construct and maintain than those in the approved design. The proposed membrane ultra-filtration system will eliminate the need for clarifiers and a tertiary filter, while still meeting docket and NPDES permit limitations. The WWTP will provide tertiary treatment of flow from the proposed Portland Industrial Park and from local on-lot septic systems located in Portland Borough, Northampton County, Pennsylvania. The WWTP will be constructed in the southeast corner of Portland Borough and the project outfall diffuser will discharge to the Delaware River. The project is located within the drainage area to a section of the non-tidal Delaware River known as the Lower Delaware, which is classified as Special Protection Waters.

7. *Pennsylvania American Water Company D-2006-33 CP-2*. An application for approval of a groundwater withdrawal project to supply up to 7.34 mg/30 days of water to the applicant's public supply distribution system from new Well PW3 and to increase the existing withdrawal from all wells from 15.12 mg/30 days to 18.57 mg/30 days. The increased allocation is requested in order to meet projected increases in service area demand. New Well PW3 is located in

the Trimmers Rock Formation in the Brodhead Creek Watershed in Stroud Township, Monroe County, Pennsylvania. The site is located within the drainage area to the section of non-tidal Delaware River known as the Middle Delaware, which is classified as Special Protection Waters.

8. *Wissahickon Spring Water, Inc. D-2006-29-1*. An application for approval to discharge up to 0.1008 mgd to Kaercher Creek, a tributary of the Schuylkill River, from a bottled water filtration plant. The wastewater currently discharges into sanitary drains within the building. The applicant will install 3 reverse osmosis units and will discharge the rinse water through new Outfall No. 001. The facility is located in the Schuylkill River Watershed in Hamburg Borough, Berks County, Pennsylvania.

9. *Pocono Manor Investors Pt. 1, L.P. D-2006-43-1*. An application for approval of a ground water withdrawal project to supply up to 30.24 mg/30 days of water to the applicant's resort from new Wells Nos. 1, 2 and 3 and to limit the existing withdrawal from all wells to 30.24 mg/30 days. The project is located in the Catskill Formation in the Brodhead/Swiftwater Creek Watershed in Pocono Township, Monroe County, Pennsylvania. This withdrawal project is located within the drainage area to the section of the non-tidal Delaware River known as the Middle Delaware, which is classified as Special Protection Waters.

10. *Royersford Borough D-2006-45 CP-1*. An application for approval to expand the existing Royersford Borough WWTP from a design flow of 0.54 mgd to 0.70 mgd. WWTP effluent will continue to be discharged to the Schuylkill River. The facility is located directly outside of Royersford Borough, in Upper Providence Township, Montgomery County, Pennsylvania.

11. *Jackson Township Authority D-2007-4 CP-1*. An application for the approval of a new 0.5 mgd WWTP. The applicant's new WWTP will discharge to an unnamed tributary of the Tulpehocken Creek, a tributary to the Schuylkill River, at a point upstream of Blue Marsh Reservoir. The facility will be located in Jackson Township, Lebanon County, Pennsylvania.

12. *Cott Beverages Inc. D-2007-6-1*. An application for approval to expand the applicant's existing IWTP from 0.023 mgd to 0.070 mgd to serve its beverage (soft drinks and carbonated water) production facility. The IWTP will continue to discharge to the West Branch Chester Creek in the Chester Creek Watershed. The facility is located

in Concord Township, Delaware County, Pennsylvania.

13. *Bath Borough Authority D-2007-16 CP-1*. An application for approval of a ground water withdrawal project to supply up to 15 mg/30 days of water to the applicant's public supply distribution system from new Wells Smith Street, Allen Street and Holiday Hill. The project is located in the Ontelaunee and Martinsburg formations in the Monacacy Creek and East Monacacy Creek watersheds in Bath Borough, Northampton County, Pennsylvania. The project site is located within the drainage area to the section of the non-tidal Delaware River known as the Lower Delaware, which is classified as Special Protection Waters.

14. *Altivity Packaging LLC D-2007-20-1*. An application for approval of a surface water withdrawal project to supply up to 210 mg/30 days of water to the applicant's industrial operations from existing Intake No. 1. The project is located in the Schuylkill River Watershed in the City of Philadelphia, Pennsylvania.

In addition to the public hearing on the dockets listed above, the Commission's 2 p.m. business meeting will include: a public hearing and consideration of a resolution for the minutes increasing the authorized value of a contract with Princeton Hydrologics, LLC for modifications to the site of the Commission's West Trenton office building to improve stormwater management; a resolution authorizing the executive director to enter into an agreement for analysis of emerging contaminants in ambient waters of the tidal Delaware River; a resolution authorizing the executive director to enter into an agreement with the Susquehanna River Basin Commission for DRBC to perform tasks in connection with water conservation aspects of Pennsylvania's State Water Planning Act; and a resolution for the minutes authorizing the executive director to enter into an agreement to provide support to the Commonwealth of Pennsylvania on water resources issues.

The meeting will also include: adoption of the Minutes of the Commission's May 10, 2007 business meeting; announcements of upcoming advisory committee meetings and other events; a report by the Executive Director; a report by the Commission's General Counsel; and an opportunity for public dialogue.

Draft dockets scheduled for public hearing on July 18, 2007 will be posted on the Commission's Web site, <http://www.drbc.net>, where they can be accessed through the Notice of

Commission Meeting and Public Hearing. Additional documents relating to the dockets and other items may be examined at the Commission's offices. Please contact William Muszynski at 609-883-9500, extension 221, with any docket-related questions.

Individuals in need of an accommodation as provided for in the Americans with Disabilities Act who wish to attend the informational meeting, conference session or hearings should contact the commission secretary directly at 609-883-9500 ext. 203 or through the Telecommunications Relay Services (TRS) at 711, to discuss how the Commission can accommodate your needs.

Dated: June 25, 2007.

Pamela M. Bush,

Commission Secretary.

[FR Doc. E7-12638 Filed 6-28-07; 8:45 am]

BILLING CODE 6360-01-P

ELECTION ASSISTANCE COMMISSION

Sunshine Act Notice

AGENCY: United States Election Assistance Commission (EAC).

ACTION: Amended Notice of Virtual Public Forum for EAC Standards Board.

DATE AND TIME: Monday, July 2, 2007, 7 a.m. EDT through Friday, July 6, 2007, 6 p.m. EDT.

PLACE: EAC Standards Board Virtual Meeting Room at www.eac.gov. Once at the main page of EAC's Web site, viewers should click the link to the Standards Board Virtual Meeting Room. The virtual meeting room will open on Monday, July 2, 2007, at 7 a.m. EDT and will close on Friday, July 6, 2007, at 6 p.m. EDT. The site will be available 24 hours per day during that 5-day period.

PURPOSE: The EAC Standards Board will review and provide comment on a draft EAC manual on Poll Worker Recruitment, Training and Retention, and a draft EAC manual on Recruiting College Poll Workers. The draft manuals contains best practices suggestions. The EAC Standards Board Virtual Meeting Room was established to enable the Standards Board to conduct business in an efficient manner in a public forum, including being able to review and discuss draft documents, when it is not feasible for an in-person board meeting. The Standards Board will not take any votes or propose any resolutions during the 5-day forum of July 2-6, 2007. Members will post comments about the draft EAC manual on Poll Worker Recruitment, Training and Retention,

AMENDMENT: The original notice of this virtual public forum, which was published in the **Federal Register** on June 18, 2007, did not specify that there are two draft EAC manuals on poll workers for review and comment. Therefore, the notice is being amended to clarify that, in addition to the draft EAC manual on Poll Worker Recruitment, Training and Retention, a draft EAC manual on Recruiting College Poll Workers will also be available for review and comment.

This activity is open to the public. The public may view the proceedings of this special forum by visiting the EAC Standards Board virtual meeting room at www.eac.gov at any time between Monday, July 2, 2007, at 7 a.m. EDT and Friday, July 6, 2007, 6 p.m. EDT. The public also may view the draft manual on poll worker recruitment, training and retention, which will be posted on EAC's Web site beginning July 2, 2007. The public may file written statements to the EAC standards board at standardsboard@eac.gov. Data on EAC's Web site is accessible to visitors with disabilities and meets the requirements of section 508 of the Rehabilitation Act.
FOR FURTHER INFORMATION CONTACT: Bryan Whitener, Telephone: (202) 566-3100.

Thomas R. Wilkey,

Executive Director, U.S. Election Assistance Commission.

[FR Doc. 07-3220 Filed 6-27-07; 3:32 pm]

BILLING CODE 6820-KF-M

ELECTION ASSISTANCE COMMISSION

Sunshine Act Notice

AGENCY: United States Election Assistance Commission (EAC).

ACTION: Amended Notice of Virtual Public Forum for EAC Board of Advisors.

DATE AND TIME: Monday, July 2, 2007, 7 a.m. EDT through Friday, July 6, 2007, 6 p.m. EDT.

PLACE: EAC Board of Advisors Virtual Meeting Room at www.eac.gov. Once at the main page of EAC's Web site, viewers should click the link to the Board of Advisors Virtual Meeting Room. The virtual meeting room will open on Monday, July 2, 2007, at 7 a.m. EDT and will close on Friday, July 6, 2007, at 9 p.m. EDT. The site will be available 24 hours per day during that 5-day period.

PURPOSE: The EAC Board of Advisors will review and provide comment on a draft EAC manual on Poll Worker Recruitment, Training and Retention,

and a draft EAC manual on Recruiting College Poll Workers. The draft manuals contains best practices suggestions. The EAC Board of Advisors virtual meeting room was established to enable the Board of Advisors to conduct business in an efficient manner in a public forum, including being able to review and discuss draft documents, when it is not feasible for an in-person board meeting. The Board of Advisors will not take any votes or propose any resolutions during the 5-day forum of July 2-6, 2007. Members will post comments about the draft EAC manual on Poll Worker Recruitment, Training and Retention.

AMENDMENT: The original notice of this virtual public forum, which was published in the **Federal Register** on June 18, 2007, did not specify that there are two draft EAC manuals on pollworkers for review and comment. Therefore, the notice is being amended to clarify that, in addition to the draft EAC manual on Poll Worker Recruitment, Training and Retention, a draft EAC manual on Recruiting College Poll Workers will also be available for review and comment.

This activity is open to the public. The public may view the proceedings of this special forum by visiting the EAC Standards Board Virtual Meeting Room at www.eac.gov at any time between Monday, July 2, 2007, 7 a.m. EDT and Friday, July 6, 2007, 6 p.m. EDT. The public also may view the draft manual on poll worker recruitment, training and retention, which will be posted on EAC's Web site beginning July 2, 2007. The public may file written statements to the EAC Board of Advisors at boardofadvisors@eac.gov. Data on EAC's Web site is accessible to visitors with disabilities and meets the requirements of section 508 of the rehabilitation act.

FOR FURTHER INFORMATION CONTACT: Bryan Whitener, Telephone: (202) 566-3100.

Thomas R. Wilkey,

Executive Director, U.S. Election Assistance Commission.

[FR Doc. 07-3221 Filed 6-27-07; 3:32 pm]

BILLING CODE 6820-KF-M