

TABLE OF CONTENTS

	Sign Code	Page
Preface		
Regulatory Signs		
Stop.....	R1-1	1-1
Yield.....	R1-2	1-2
To Oncoming Traffic.....	R1-2a	1-3
Multiway Stop		
4-Way.....	R1-3	1-4
All Way.....	R1-4	1-5
Yield Here To Pedestrians (Left) with Ped Symbol.....	R1-5L	1-6
Yield Here To Pedestrians (Right) with Ped Symbol.....	R1-5R	1-6
Yield Here To Pedestrians.....	R1-5a	1-7
In-Street Pedestrian Crossing (Yield).....	R1-6	1-8
In-Street Pedestrian Crossing (Stop).....	R1-6a	1-9
Speed Limit Signs		
Speed Limit 50.....	R2-1	1-10
Speed Limit 80 km/h.....	R2-1	1-11
Trucks 40.....	R2-2	1-12
Trucks 60 km/h.....	R2-2	1-13
Night 45.....	R2-3	1-14
Night 70 km/h.....	R2-3	1-15
Minimum Speed 40.....	R2-4	1-16
Minimum Speed 60 km/h.....	R2-4	1-17
Combined Speed Limit 50, Minimum 30.....	R2-4a	1-18
Combined Speed Limit 80 km/h, Minimum 50 km/h.....	R2-4a	1-19
Fines Higher.....	R2-6	1-20
Turn Prohibition		
No Right Turn (symbol).....	R3-1	1-21
No Right Turn Across Tracks (activated blank-out).....	R3-1a	1-22
No Left Turn (symbol).....	R3-2	1-23
No Left Turn Across Tracks (activated blank-out).....	R3-2a	1-24
No Turns.....	R3-3	1-25
No U-Turn (symbol).....	R3-4	1-26
Lane-Use Control		
Mandatory Movement Lane Control (Left).....	R3-5L	1-27
Mandatory Movement Lane Control (Right).....	R3-5R	1-27
Mandatory Movement (Ahead).....	R3-5a	1-28
Left Lane Control plaque.....	R3-5b	1-29
High Occupancy Vehicle 2+ plaque.....	R3-5c	1-29
Taxi Lane plaque.....	R3-5d	1-29
Center Lane plaque.....	R3-5e	1-29
Right Lane plaque.....	R3-5f	1-29

	Sign Code	Page
Bus Lane plaque.....	R3-5g	1-29
Mandatory Movement Lane Control (Ahead, Left).....	R3-6L	1-27
Mandatory Movement Lane Control (Ahead, Right).....	R3-6R	1-27
Mandatory Movement Lane Control (Turn Left).....	R3-7L	1-30
Mandatory Movement Lane Control (Turn Right).....	R3-7R	1-31
Advance Intersection Lane Control (Left, Ahead).....	R3-8	1-32
Advance Intersection Lane Control (Left, Ahead, Right).....	R3-8a	1-33
Advance Intersection Lane Control (Left, Ahead, Right).....	R3-8b	1-34
 Two-Way Left Turn Only		
Overhead Mounted.....	R3-9a	1-35
Post-Mounted.....	R3-9b	1-36
Reversible Lane Control Signs.....	R3-9d	1-37
	R3-9f	1-38
	R3-9g	1-39
	R3-9h	1-40
	R3-9i	1-41
 Preferential Lane		
Preferential Only Lane Ahead (ground-mounted).....	R3-10	1-42
Bus Lane Ahead.....	R3-10a	1-43
Inherently Low Emission Vehicles Allowed (ground-mounted).....	R3-10b	1-44
HOV 2+ ONLY, Hours (overhead-mounted).....	R3-11	1-45
HOV 2+ ONLY, Hours, Center Lane.....	R3-11a	1-46
Right Lane Buses Only.....	R3-11b	1-47
HOV 2+ ONLY, 24 Hours.....	R3-11c	1-48
HOV 2+ Lane Ahead (overhead-mounted).....	R3-12	1-49
HOV Lane Ends (ground-mounted).....	R3-12a	1-50
HOV Lane Ends 1/2 Mile (ground-mounted).....	R3-12b	1-51
HOV 2+ ONLY 2 Or More Persons Per Vehicle (overhead-mounted).....	R3-13	1-52
HOV ONLY 2 Or More Persons Per Vehicle, Hours (overhead-mounted).....	R3-13a	1-53
HOV 2+ ONLY, Hours (overhead-mounted).....	R3-14	1-54
HOV 2+ ONLY, Hours, Mon-Fri (overhead-mounted).....	R3-14a	1-55
Bus & Taxi Only (overhead-mounted).....	R3-14b	1-56
HOV Lane Ahead (overhead-mounted).....	R3-15	1-57
HOV Lane Ends (overhead-mounted).....	R3-15a	1-58
Bicycle Lane Only (symbol).....	R3-17	1-59
Ahead.....	R3-17a	1-59
Ends.....	R3-17b	1-59
 Combination U-Turn and Left Turn Prohibition (symbol).....	 R3-18	 1-60
 Do Not Pass.....	 R4-1	 1-61
Pass With Care.....	R4-2	1-62
Slower Traffic Keep Right.....	R4-3	1-63
Begin Right Turn Lane Yield To Bikes.....	R4-4	1-64

	Sign Code	Page
Uphill Traffic Lanes		
Trucks Use Right Lane.....	R4-5	1-65
Truck Lane 500 Feet.....	R4-6	1-66
Keep Right & Left		
Keep Right (symbol).....	R4-7	1-67
Keep Right (with horizontal arrow).....	R4-7a	1-68
Keep Right (with oblique arrow).....	R4-7b	1-69
Keep Left (symbol).....	R4-8	1-70
Stay In Lane.....	R4-9	1-71
Runaway Vehicles Only.....	R4-10	1-72
Do Not Enter.....	R5-1	1-73
Wrong Way.....	R5-1a	1-74
Bicycle Wrong Way.....	R5-1b	1-75
Selective Exclusion Signs		
No Trucks (symbol).....	R5-2	1-76
No Trucks.....	R5-2a	1-77
No Motor Vehicles.....	R5-3	1-78
Commercial Vehicles Excluded.....	R5-4	1-79
Vehicles With Lugs Prohibited.....	R5-5	1-80
No Bicycles (symbol).....	R5-6	1-81
Non Motorized Traffic Prohibited.....	R5-7	1-82
Motor Driven Cycles Prohibited.....	R5-8	1-83
Pedestrians Bicycles, Motor-Driven Cycles Prohibited.....	R5-10a	1-84
Pedestrians And Bicycles Prohibited.....	R5-10b	1-85
Pedestrians Prohibited.....	R5-10c	1-85
One Way Signs		
One Way (enclosed in right arrow).....	R6-1(R)	1-86
One Way (enclosed in left arrow).....	R6-1(L)	1-86
One Way (with right arrow).....	R6-2(R)	1-87
Divided Highway (Four-Legged Intersection).....	R6-3	1-88
Divided Highway (T-Intersection).....	R6-3a	1-89
Urban Parking, Stopping and Parking		
Prohibition Signs		
No Parking Any Time.....	R7-1	1-90
No Parking 8:30 A.M. to 5:30 P.M.	R7-2	1-90
No Parking (symbol) 8:30 A.M. to 5:30 P.M.	R7-2a	1-90
No Parking Except Sundays and Holidays.....	R7-3	1-91
No Standing Any Time.....	R7-4	1-91
One Hour Parking 9 A.M. to 7 P.M.	R7-5	1-92
No Parking Loading Zone.....	R7-6	1-92

	Sign Code	Page
No Parking Bus Stop.....	R7-7	1-92
Reserved Parking (Handicapped).....	R7-8	1-92
Van Accessible.....	R7-8a	1-93
Van Accessible.....	R7-8b	1-93
No Parking Bike Lane.....	R7-9	1-94
No Parking (symbol) Bike Lane.....	R7-9a	1-95
No Parking Bus Stop.....	R7-107	1-96
No Parking (symbol) Bus Stop.....	R7-107a	1-96
2 Hour Parking 8:30 A.M. to 5:30 P.M. & Variations.....	R7-108	1-97
No Parking Any Time & One Hour Parking 9 A.M. to 7 P.M.	R7-200	1-98
Tow-Away Zone.....	R7-201	1-99
Tow-Away Zone (symbol).....	R7-201a	1-99
This Side Of Sign.....	R7-202	1-99
Emergency Snow Route.....	R7-203	1-100
 Parking Prohibition in Rural District and Emergency Parking Signs		
No Parking On Pavement.....	R8-1	1-101
No Parking Except On Shoulder.....	R8-2	1-102
No Parking.....	R8-3	1-103
No Parking (symbol).....	R8-3a	1-104
Except Sundays And Holidays (Plaque for R8-3a).....	R8-3b	1-105
On Pavement (supplemental plaque).....	R8-3c	1-106
On Bridge (supplemental plaque).....	R8-3d	1-107
Emergency Parking Only.....	R8-4	1-108
No Stopping On Pavement.....	R8-5	1-109
No Stopping Except On Shoulder.....	R8-6	1-110
Emergency Stopping Only.....	R8-7	1-111
Do Not Stop On Tracks.....	R8-8	1-112
Tracks Out Of Service.....	R8-9	1-113
Stop Here When Flashing (with arrow).....	R8-10	1-114
 Pedestrian Signs		
Walk On Left Facing Traffic.....	R9-1	1-115
Cross Only At Crosswalks.....	R9-2	1-115
No Pedestrian Crossing.....	R9-3	1-116
No Pedestrian Crossing (symbol).....	R9-3a	1-117
Use Crosswalk.....	R9-3b	1-117
Ride With Traffic.....	R9-3c	1-118
No Hitchhiking.....	R9-4	1-119
No Hitchhiking (symbol).....	R9-4a	1-120
Bicyclists (symbol) Use Pedestrian Signal.....	R9-5	1-121
Bicyclists (symbol) Yield To Pedestrians.....	R9-6	1-122
Keep Left/Right To Pedestrians & Bicyclists.....	R9-7	1-123
Pedestrian Crosswalk.....	R9-8	1-124
Sidewalk Closed.....	R9-9	1-124
Crosswalk Closed Use Other Side.....	R9-10	1-125

	Sign Code	Page
Sidewalk Closed Ahead Cross Here.....	R9-11	1-125
Sidewalk Closed Cross Here.....	R9-11a	1-126
 Traffic Signal Signs		
Cross On Green Light Only.....	R10-1	1-127
Cross Only On Signal (symbol).....	R10-2a	1-127
Push Button For Green Light.....	R10-3	1-128
To Cross Street Push Button Wait For Green Light.....	R10-3a	1-128
Educational plaque for pedestrian signals (symbols).....	R10-3b	1-129
Educational plaque for pedestrian signals.....	R10-3c	1-130
Educational plaque for pedestrian signals (To Median).....	R10-3d	1-131
Educational plaque for pedestrian signal (countdown)	R10-3e	1-132
Push Button For Walk Signal.....	R10-4	1-128
To Cross Street Push Button Wait For Walk Signal.....	R10-4a	1-128
Push Button For Walk Signal (symbol).....	R10-4b	1-133
Left On Green Arrow Only.....	R10-5	1-134
Stop Here On Red.....	R10-6	1-135
Stop Here On Red (with curved arrow).....	R10-6a	1-135
Do Not Block Intersection.....	R10-7	1-136
Use Lane With Green Arrow.....	R10-8	1-137
Left (or Right) Turn Signal.....	R10-10	1-138
No Turn On Red.....	R10-11	1-139
No Turn On Red.....	R10-11a	1-140
No Turn On Red.....	R10-11b	1-141
Left Turn Yield On green Ball.....	R10-12	1-142
Emergency Signal.....	R10-13	1-143
Turning Traffic Must Yield To Pedestrians.....	R10-15	1-144
U-Turn Yield To Right Turn.....	R10-16	1-145
Right On Red Arrow After Stop.....	R10-17a	1-146
Traffic Laws Photo Enforced.....	R10-18	1-147
Photo Enforced.....	R10-19	1-148
Mon-Fri, Hours (three line), (two line).....	R10-20a	1-149
Left Turn Signal Yield On Green.....	R10-21	1-150
To Request Green Wait On (Bike Actuation).....	R10-22	1-151
 Keep Off Median Sign.....	 R11-1	 1-152
 Road Closed and Local Traffic Only Signs		
Road Closed.....	R11-2	1-153
Road Closed 10 Miles Ahead Local Traffic Only.....	R11-3a	1-154
Bridge Out 10 Miles Ahead Local Traffic Only.....	R11-3b	1-154
Road Closed To Thru Traffic.....	R11-4	1-155
 Weight Limit Signs		
Weight Limit 10 Tons.....	R12-1	1-156
Weight Limit 9t.....	R12-1	1-157

	Sign Code	Page
Axle Weight Limit 5 Tons.....	R12-2	1-158
Axle Weight Limit 4.5t.....	R12-2	1-159
No Trucks Over 7000 lbs. Empty Weight.....	R12-3	1-160
No Trucks Over 3200 kg Empty Weight.....	R12-3	1-161
Weight Limit 2 Tons Per Axle 10 Tons Gross.....	R12-4	1-160
Weight Limit 1.8t Per Axle 9t Gross.....	R12-4	1-161
Weight Limit 8 T (symbol) 12 T (symbol) 16 T (symbol).....	R12-5	1-162
Weight Limit 7.2t (symbol) 10.8t (symbol) 14.5t (symbol).....	R12-5	1-163
Metric.....	R12-6	1-164
All Trucks Commercial Vehicles Next Right.....	R13-1	1-165
Truck Route.....	R14-1	1-166
Hazardous Cargo.....	R14-2	1-167
Hazardous Cargo Prohibited.....	R14-3	1-168
National Network Route (symbol).....	R14-4	1-169
National Network Prohibited (symbol).....	R14-5	1-170
Railroad Crossbuck.....	R15-1	1-171
Railroad Crossbuck (Shared Roads).....	R15-1	1-172
Railroad Crossing 3 Tracks.....	R15-2	1-171
Railroad Crossing 3 Tracks (Shared Roads).....	R15-2	1-172
Exempt.....	R15-3	1-171
Exempt (Shared Roads).....	R15-3	1-172
Light Rail Right Lane Control.....	R15-4a	1-173
Light Rail Center Lane Control.....	R15-4b	1-173
Light Rail Left Lane Control.....	R15-4c	1-173
Light Rail Do Not Pass.....	R15-5	1-174
Light Rail Do Not Pass Stopped Train (word message).....	R15-5a	1-175
Light Rail Don't Drive On Tracks.....	R15-6	1-176
Light Rail Do Not Drive On Tracks (plaque).....	R15-6a	1-175
Divided Highway With Light Rail Transit Crossing.....	R15-7	1-177
Divided Highway With Light Rail Transit Crossing (T-Intersection).....	R15-7a	1-178
Look (word message with arrow).....	R15-8	1-179
Seat Belt (Symbol).....	R16-1	1-180
Warning Signs		
Turn.....	W1-1	2-1
Turn (with advisory speed).....	W1-1a	2-2
Turn (with advisory speed km/h).....	W1-1a	2-2
Curve.....	W1-2	2-3
Curve (with advisory speed).....	W1-2a	2-3
Curve (with advisory speed km/h).....	W1-2a	2-3
Reverse Turn.....	W1-3	2-4
Reverse Curve.....	W1-4	2-5
Winding Road.....	W1-5	2-6
Large Arrow (1-direction).....	W1-6	2-7
Large Arrow (2-directions).....	W1-7	2-8

	Sign Code	Page
Chevron Alignment.....	W1-8	2-9
Combination Horizontal Alignment/Intersection.....	W1-10	2-10
Hairpin Curve.....	W1-11	2-11
Truck Rollover.....	W1-13	2-12
270 Degree Loop.....	W1-15	2-13
Cross Road.....	W2-1	2-14
Side Road (perpendicular).....	W2-2	2-15
Side Road (oblique).....	W2-3	2-16
T Symbol.....	W2-4	2-17
Y Symbol.....	W2-5	2-18
Circular Intersection.....	W2-6	2-19
Stop Ahead (symbol).....	W3-1	2-20
Stop Ahead.....	W3-1a	2-21
Yield Ahead (symbol).....	W3-2	2-22
Yield Ahead.....	W3-2a	2-23
Signal Ahead (symbol).....	W3-3	2-24
Signal Ahead.....	W3-3a	2-25
Be Prepared To Stop.....	W3-4	2-26
Speed Reduction (symbol).....	W3-5	2-27
Speed Reduction.....	W3-5a	2-28
Drawbridge Ahead.....	W3-6	2-29
Merge.....	W4-1	2-30
Lane Ends.....	W4-2	2-31
Added Lane.....	W4-3	2-32
Cross Traffic Does Not Stop.....	W4-4	2-33
Traffic From Left Does Not Stop.....	W4-4a	2-33
Oncoming Traffic Does Not Stop.....	W4-4b	2-33
Entering Roadway Merge.....	W4-5	2-34
Entering Roadway Added Lane.....	W4-6	2-35
Road Narrows.....	W5-1	2-36
Narrow Bridge.....	W5-2	2-37
One Lane Bridge.....	W5-3	2-38
Ramp Narrows.....	W5-4	2-39
Bikeway Narrows.....	W5-4a	2-40
Divided Highway (Road) (symbol).....	W6-1	2-41
Divided Highway.....	W6-1a	2-42
Divided Road.....	W6-1b	2-43
Divided Highway (Road) Ends (symbol).....	W6-2	2-44
Divided Highway Ends.....	W6-2a	2-45
Divided Road Ends.....	W6-2b	2-46
Two Way Traffic (symbol).....	W6-3	2-47

Hill Signs

Hill (symbol).....	W7-1	2-48
Hill.....	W7-1a	2-49

	Sign Code	Page
Hill (percent grade).....	W7-1b	2-50
Use Low Gear.....	W7-2	2-51
Trucks Use Low Gear.....	W7-2b	2-51
9% Grade.....	W7-3	2-52
Next 7 Miles.....	W7-3a	2-52
Next 11 km.....	W7-3a	2-53
9% Grade 7 Miles.....	W7-3b	2-52
9% Grade 11 km.....	W7-3b	2-53
Truck Escape Ramp 1 Mile.....	W7-4	2-54
Truck Escape Ramp (with arrow).....	W7-4b	2-54
Truck Escape Ramp.....	W7-4c	2-55
Sand (plaque).....	W7-4d	2-56
Gravel (plaque).....	W7-4e	2-56
Paved (plaque).....	W7-4f	2-56
Bicycle Hill.....	W7-5	2-57
Bicycle Hill (plaque).....	W7-5a	2-57
Hill Blocks View.....	W7-6	2-58
Bump.....	W8-1	2-59
Dip.....	W8-2	2-60
Pavement Ends.....	W8-3	2-61
Soft Shoulder.....	W8-4	2-62
Slippery When Wet (symbol).....	W8-5	2-63
Truck Crossing.....	W8-6	2-64
Loose Gravel.....	W8-7	2-65
Rough Road.....	W8-8	2-66
Low Shoulder.....	W8-9	2-67
Shoulder Drop-off (word message).....	W8-9a	2-68
Bicycle Slippery When Wet (symbol).....	W8-10	2-69
Bicycle Slippery When Wet (plaque).....	W8-10a	2-69
Uneven Lanes.....	W8-11	2-70
No Center Stripe.....	W8-12	2-71
Bridge Ices Before Road.....	W8-13	2-72
Right (Left) Lane Ends.....	W9-1	2-73
Lane Ends Merge Left (Right).....	W9-2	2-74
Center Lane Closed Ahead.....	W9-3	2-75

Rail Road Advance Signs

Highway-Rail Grade Crossing (advance warning).....	W10-1	2-76
	W10-2	2-77
	W10-3	2-78
	W10-4	2-79
Low Ground Clearance.....	W10-5	2-80
Light Rail (activated blank-out symbol).....	W10-7	2-81
Trains May Exceed 80 MPH.....	W10-8	2-82
Trains May Exceed 130 km/h.....	W10-8	2-82

	Sign Code	Page
No Train Horn.....	W10-9	2-83
No Signal.....	W10-10	2-83
Storage Space (symbol).....	W10-11	2-84
Storage Space XX Feet.....	W10-11a	2-85
Storage Space XX meters.....	W10-11a	2-85
Storage Space XX Feet (Between Highway & Tracks Behind You).....	W10-11b	2-86
Storage Space XX meters (Between Highway & Tracks Behind You).....	W10-11b	2-86
Skewed Crossing.....	W10-12	2-87
No Gates Or Lights (for use with W10-1).....	W10-13	2-88
Next Crossing.....	W10-14	2-89
Use Next Crossing.....	W10-14a	2-89
Rough Crossing.....	W10-15	2-90

Advance Crossing Signs

Bicycle (symbol).....	W11-1	2-91
Pedestrian (symbol).....	W11-2	2-92
Deer (symbol).....	W11-3	2-93
Cattle (symbol).....	W11-4	2-94
Farm Machinery (symbol).....	W11-5	2-95
Farm Machinery (alternate symbol).....	W11-5a	2-96
Snowmobile (symbol).....	W11-6	2-97
Equestrian (symbol).....	W11-7	2-98
Emergency Vehicle (symbol).....	W11-8	2-99
Handicapped (symbol).....	W11-9	2-100
Truck (symbol).....	W11-10	2-101
Golf Cart (symbol).....	W11-11	2-102
Emergency Signal Ahead.....	W11-12p	2-103
Horse And Buggy (symbol).....	W11-14	2-104

Crossing Signs

Double Arrow.....	W12-1	2-105
Low Clearance.....	W12-2	2-106
Low Clearance (meters).....	W12-2	2-106
Low Clearance (plaque).....	W12-2p	2-107
Low Clearance (meters) (plaque).....	W12-2p	2-107

Advisory Speed Signs

Advisory Speed.....	W13-1	2-108
Advisory Speed (km/h).....	W13-1	2-109
Advisory Exit Speed.....	W13-2	2-110
Advisory Exit Speed (km/h).....	W13-2	2-111
Advisory Ramp Speed.....	W13-3	2-112
Advisory Ramp Speed (km/h).....	W13-3	2-113
Advisory Curve Speed.....	W13-5	2-114
Advisory Curve Speed (km/h).....	W13-5	2-115

	Sign Code	Page
Dead End Signs		
Dead End.....	W14-1	2-116
Dead End (plaque with arrow).....	W14-1a	2-117
No Outlet (plaque with arrow).....	W14-2a	2-117
No Outlet.....	W14-2	2-118
No Passing Zone Sign.....	W14-3	2-119
 Miscellaneous and Supplemental Signs		
Playground (symbol).....	W15-1	2-120
Share The Road.....	W16-1	2-121
500 Feet (2-line).....	W16-2	2-122
150 Meters (2-line).....	W16-2	2-122
500 FT.....	W16-2a	2-123
150 m.....	W16-2a	2-123
2 Miles (2-line).....	W16-3	2-124
2 Miles (1-line).....	W16-3a	2-124
Next 500 FT.....	W16-4	2-124
 Supplemental Warning Arrows		
Right, Left Arrow.....	W16-5p	2-125
Right Turn, Left Turn Arrow.....	W16-6p	2-125
Left, Right Diagonal Arrow.....	W16-7	2-126
Advance Street Name (plaque).....	W16-8	2-127
Ahead (plaque).....	W16-9p	2-127
Advance Street Name (2-line plaque).....	W16-8a	2-128
Photo Enforced.....	W16-10	2-129
HOV.....	W16-11	2-130
Traffic Circle (plaque).....	W16-12p	2-131
When Flashing.....	W16-13	2-132
Speed Hump.....	W17-1	2-133
No Traffic Signs.....	W18-1	2-134
Oncoming Traffic Has Extended Green.....	W25-1	2-135
Oncoming Traffic May Have Extended Green.....	W25-2	2-136
 Temporary Traffic Control Warning Signs		
Two Lane Reverse Curve (right).....	W1-4bR	2-137
Two Lane Reverse Curve (left).....	W1-4bL	2-137
Three Lane Reverse Curve (right).....	W1-4cR	2-138
Three Lane Reverse Curve (left).....	W1-4cL	2-138
Thru Traffic Merge Left.....	W4-7	2-139
Two Way Traffic.....	W6-4	2-140
Center Lane Closed.....	W9-3a	2-141
On Ramp.....	W13-4	2-142
Ahead (500 FT, 1000 FT, 1/2 Mile).....	W20-1	2-143

	Sign Code	Page
Detour (Ahead, 500 FT, 1000 FT, 1/2 Mile).....	W20-2	2-144
Road (Street) Closed (Ahead, 500 FT, 1000 FT, 1/2 Mile).....	W20-3	2-145
One Lane Road (Ahead, 500 FT, 1000 FT, 1/2 Mile).....	W20-4	2-146
Right (Center/Left) Lane Closed (Ahead, 500 FT, 1000 FT, 1/2 Mile).....	W20-5	2-147
Right Two Lanes Closed (Ahead, 500 FT, 1000 FT, 1/2 Mile).....	W20-5a	2-148
Flagger (Ahead, 500 FT, 1000 FT, 1/2 Mile).....	W20-7	2-149
Flagger (symbol).....	W20-7a	2-150
Workers.....	W21-1	2-151
Workers (symbol).....	W21-1a	2-152
Fresh Oil (Tar).....	W21-2	2-153
Road Machinery Ahead (Ahead, 500 FT, 1000 FT, 1/2 Mile).....	W21-3	2-154
Shoulder Work.....	W21-5	2-155
Right (Left) Shoulder Closed.....	W21-5a	2-156
Right (Left) Shoulder Closed (Ahead, 500 FT, 1000 FT, 1/2 Mile).....	W21-5b	2-157
Survey Crew.....	W21-6	2-158
Utility Work Ahead.....	W21-7	2-159
Blasting Zone Ahead.....	W22-1	2-160
Turn Off 2-Way Radio And Cell Phone.....	W22-2	2-161
End Blasting Zone.....	W22-3	2-162
Slow Traffic Ahead.....	W23-1	2-163
Stop Paddle.....		2-164
Slow Paddle.....		2-165
Double Reverse Curve (1-lane) (left).....	W24-1L	2-166
Double Reverse Curve (1-lane) (right).....	W24-1R	2-166
Double Reverse Curve (2-lane) (left).....	W24-1aL	2-167
Double Reverse Curve (2-lane) (right).....	W24-1aR	2-167
Double Reverse Curve (3-lane) (left).....	W24-1bL	2-168
Double Reverse Curve (3-lane) (right).....	W24-1bR	2-168
Road Work, Detour and Exit Signs		
Length of Road Work Sign (miles).....	G20-1	2-169
Length of Road Work Sign (km).....	G20-1	2-169
End Road Work.....	G20-2	2-169
Pilot Car.....	G20-4	2-169
Exit Only (plaque).....	E5-3	2-170
Exit Open (plaque).....	E5-2	2-170
Exit Closed (plaque).....	E5-2a	2-170
Detour Marker.....	M4-8	2-171
End Detour Marker.....	M4-8a	2-172
End Marker.....	M4-8b	2-172
Detour Sign (with arrow) (right).....	M4-9R	2-173

	Sign Code	Page
Detour Sign (with arrow) (left).....	M4-9L	2-173
Bicycle Pedestrian Detour.....	M4-9a	2-174
Pedestrian Detour.....	M4-9b	2-175
Bicycle Detour.....	M4-9c	2-176
Detour (inside arrow) (left).....	M4-10L	2-177
Detour (inside arrow) (right).....	M4-10R	2-177
 Guide Signs		
Route Markers		
Interstate Route (for independent and guide sign use).....	M1-1	3-1
Off-Interstate Business Loop Marker.....	M1-2	3-2
Off-Interstate Business Spur Marker.....	M1-3	3-3
U.S. Route Marker (for independent use).....	M1-4	3-4
U.S. Route Marker (for guide sign use).....	M1-4	3-5
State Route Marker.....	M1-5	3-6
County Route Marker.....	M1-6	3-7
Forest Route Marker.....	M1-7	3-8
Bicycle Route Marker.....	M1-8	3-9
Bicycle Interstate Route Marker.....	M1-9	3-10
Eisenhower Interstate System.....	M1-10	3-11
Eisenhower Interstate System (alternate).....	M1-10a	3-12
 Route Marker Auxiliaries		
Junction Marker.....	M2-1	3-13
Combination Junction Sign.....	M2-2	3-13
Cardinal Direction Marker - North.....	M3-1	3-14
Cardinal Direction Marker - East.....	M3-2	3-14
Cardinal Direction Marker - South.....	M3-3	3-15
Cardinal Direction Marker - West.....	M3-4	3-15
Alternate Marker.....	M4-1	3-16
Alt Marker.....	M4-1a	3-16
Bypass Marker.....	M4-2	3-16
Business Route Marker.....	M4-3	3-16
Truck Route Marker.....	M4-4	3-17
To Marker.....	M4-5	3-17
End Marker.....	M4-6	3-17
Temporary Marker.....	M4-7a	3-18
Supplemental Plaques "Begin, End To" (bicycles).....	M4-11, 12, 13	3-19
Advance Turn Arrow.....	M5-1, 2, M6-1	3-20
Directional Arrows.....	M6-2, 3, 4	3-21
	M6-5, 6, 7	3-22
	M6-8, 9	3-23
Bicycle Directional Arrows.....	M7-1, 2, 3, 4	3-24
	M7-5, 6, 7	3-25
Destination Sign.....	D1-1	3-26

	Sign Code	Page
Destination Sign.....	D1-1a	3-26
Supplemental Plaques to Bicycle Route Sign.....	D1-1b	3-27
Supplemental Plaques to Bicycle Route Sign.....	D1-1c	3-27
Destination Sign.....	D1-2	3-28
Destination Sign.....	D1-2 a	3-28
Destination Sign.....	D1-3	3-29
Destination Sign.....	D1-3a	3-29
Distance Sign.....	D2-1, 2, 3	3-30
Street Name Sign.....	D-3	3-31
Parking Area Sign.....	D4-1	3-31
Advance Street Name.....	D3-2	3-32
Park & Ride Sign.....	D4-2	3-33
Bicycle Parking Sign.....	D4-3	3-34
 Rest Area Signs		
Rest Area (distance).....	D5-1	3-35
Rest Area (distance).....	D5-1a	3-36
Rest Area Next Right.....	D5-1b	3-37
Rest Area (with arrow).....	D5-2	3-35
Rest Area (oblique arrow).....	D5-2a	3-37
Rest Area Gore.....	D5-2b	3-38
Parking Area 1 Mile.....	D5-3	3-39
Parking Area 1 Mile (with arrow).....	D5-3c	3-39
Parking Area (with arrow).....	D5-4	3-40
Roadside Table (with arrow).....	D5-5	3-40
Roadside Table (symbol).....	D5-5a	3-41
Roadside Park (with arrow).....	D5-5b	3-42
Picnic Area.....	D5-5c	3-42
Next Rest Area (XX Miles).....	D5-6	3-43
Rest Area Tourist Info Center 2 Miles.....	D5-7	3-44
Tourist Info Center.....	D5-7a	3-44
Rest Area Tourist Info Center (with oblique arrow).....	D5-8	3-45
Rest Area State Welcome Center 2 Miles.....	D5-9	3-46
State Welcome Center.....	D5-9a	3-46
Rest Area State Welcome Center (with oblique arrow).....	D5-10	3-47
Rest Area State Welcome Center Next Right.....	D5-11	3-48
 Scenic Area Signs		
Scenic Area (with arrow).....	D6-1	3-49
Scenic Overlook X Miles.....	D6-2	3-50
Scenic Overlook (with arrow).....	D6-3	3-50
National Scenic Byways.....	D6-4	3-51
National Scenic Byways (alternate).....	D6-4a	3-51
Rocky Mountain National Park 6 Miles.....	D7-1	3-52
Rocky Mountain National Park.....	D7-2	3-52

	Sign Code	Page
Weigh Station Signs		
Weigh Station 1 Mile.....	D8-1	3-53
Weigh Station Next Right (Open, Closed).....	D8-2	3-54
Weigh Station (exit direction).....	D8-3	3-55
General Service Signs		
Telephone (symbol).....	D9-1	3-56
Telephone (symbol) with arrow.....	D9-1a	3-57
Telephone (symbol) 1/4 Mile.....	D9-1b	3-58
Hospital (symbol).....	D9-2	3-59
Camping (symbol).....	D9-3	3-60
Trailer Camping (symbol).....	D9-3a	3-61
Trash Receptacle (symbol).....	D9-4	3-62
International Symbol of Access for the Handicapped.....	D9-6	3-63
Gas (symbol).....	D9-7	3-64
Food (symbol).....	D9-8	3-65
Lodging (symbol).....	D9-9	3-66
Tourist Information (symbol).....	D9-10	3-67
Diesel Fuel (symbol).....	D9-11	3-68
Alternative Fuel (symbol).....	D9-11a	3-69
Recreational Vehicle Sanitary Station (symbol).....	D9-12	3-70
Emergency Medical Services (symbol).....	D9-13	3-71
Hospital.....	D9-13a	3-72
Ambulance Station.....	D9-13b	3-72
Emergency Medical Care.....	D9-13c	3-73
Police Assistance.....	D9-14	3-74
Propane Gas.....	D9-15	3-75
Truck Parking (word message).....	D9-16	3-76
Next Services (miles).....	D9-17	3-77
Next Services (km).....	D9-17	3-77
Motor Services (symbols) (combination).....	D9-18	3-78
Motor Services (word message).....	D9-18a	3-78
Motor Services Next Exit.....	D9-18c	3-79
Reference Location Signs.....	D10-1, 2, 3	3-80
Intermediate Reference Location Signs.....	D10-1a, 2a, 3a	3-81
Enhanced Reference Location Signs.....	D10-4	3-82
Intermediate Enhanced Reference Location Signs.....	D10-5	3-83
Bike Route Guide.....	D11-1	3-84
Radio Information.....	D12-1	3-85
Car Pool Information.....	D12-2	3-86
Police Monitor CB.....	D12-3	3-87
Emergency Dial 911.....	D12-4	3-88
Travel Info Call 511.....	D12-5	3-89
Crossover Direction Arrow.....	D13-1	3-90

	Sign Code	Page
Crossover.....	D13-2	3-90
Freeway Entrance.....	D13-3	3-91
Freeway Entrance (with oblique arrow).....	D13-3a	3-92
Traffic Signal Speed (MPH).....	I1-1	3-93
Traffic Signal Speed (km/h).....	I1-1	3-94
 General Information Signs		
State Line.....	I-2	3-95
Geographical interest or boundary.....	I-3	3-96
Airport (symbol).....	I-5	3-97
Bus Station (symbol).....	I-6	3-98
Train Station (symbol).....	I-7	3-99
Library (symbol).....	I-8	3-100
Library (plaque).....	I-8p	3-100
Recycling Collection Center (symbol).....	I-11	3-101
Light Rail Station.....	I-12	3-102
Emergency Notification.....	I-13	3-103
Emergency Notification (Alternate).....	I-13a	3-104
 Motorist Service Signs		
Exit 123.....	E1-5	3-105
1/2 Mile.....	E2-3	3-105
500 m.....	E2-3	3-105
Motorist Services (symbols).....	D9-18	3-106
Next Services XX Miles.....	D9-17	3-106
Second Right.....	E2-2	3-106
Motor Services (word message).....	D9-18a	3-107
Motor Services (symbols).....	D9-18b	3-107
1/2 Mile.....	E2-3	3-107
Exit 123.....	E1-5	3-108
Motor Services (symbols).....	D9-18c	3-108
Motor Services (word message).....	D9-18c	3-109
 Recreational and Cultural Interest Area Signs		
Symbol Summary.....		3-110 thru 3-112
Design Application Guidelines.....		3-113
Recreation and Cultural Sign Array.....		3-114
 General Information (RG Series).....		
Automobile.....	RG-010	3-115
Bear Viewing Area.....	RG-020	3-115
Dam.....	RG-030	3-116
Deer Viewing Area.....	RG-040	3-116
Drinking Water.....	RG-050	3-117
Environmental Study Area.....	RG-060	3-117
Falling Rock.....	RG-070	3-118

	Sign Code	Page
Firearms.....	RG-080	3-118
Fish Hatchery.....	RG-090	3-119
Information.....	RG-100	3-119
Leashed Pets.....	RG-110	3-120
Lighthouse.....	RG-120	3-120
Litter Container.....	RG-130	3-121
Lookout Tower.....	RG-140	3-121
Pedestrian Crossing.....	RG-150	3-122
Point of Interest.....	RG-160	3-122
Ranger Station.....	RG-170	3-123
Smoking.....	RG-180	3-123
Truck.....	RG-190	3-124
Tunnel.....	RG-200	3-124
Dog.....	RG-240	3-125
Seaplane.....	RG-260	3-125
 Motorist Services (RM Series).....		
Camping (Tent).....	RM-010	3-126
Camping (Trailer).....	RM-020	3-126
Ferry.....	RM-030	3-127
First Aid.....	RM-040	3-127
Food.....	RM-050	3-128
Gas.....	RM-060	3-128
Grocery Store.....	RM-070	3-129
Handicapped (Access Symbol).....	RM-080	3-129
Lodging.....	RM-090	3-130
Mechanic.....	RM-100	3-130
Post Office.....	RM-110	3-131
Picnic Area.....	RM-120	3-131
Picnic Shelter.....	RM-130	3-132
Rest Room.....	RM-140	3-132
Telephone.....	RM-150	3-133
Trailer Sanitary Station.....	RM-160	3-133
Viewing Area.....	RM-170	3-134
Motor Home.....	RM-200	3-134
Group Camping.....	RM-210	3-135
Group Picnicking.....	RM-220	3-135
 Accommodation Services (RA Series).....		
Airport.....	RA-010	3-136
Bus Stop.....	RA-020	3-136
Campfire.....	RA-030	3-137
Elevator.....	RA-040	3-137
Kennel.....	RA-050	3-138
Laundry.....	RA-060	3-138
Locker.....	RA-070	3-139

	Sign Code	Page
Parking.....	RA-080	3-139
Rest Rooms (Men).....	RA-090	3-140
Rest Rooms (Women).....	RA-100	3-140
Shelter (Sleeping).....	RA-110	3-141
Shelter (Trail).....	RA-120	3-141
Showers.....	RA-130	3-142
Family Rest Room.....	RA-150	3-142
Helicopter.....	RA-160	3-143
 Land Recreation (RL Series).....		
Amphitheater.....	RL-010	3-143
Climbing.....	RL-020	3-144
Climbing (Rock).....	RL-030	3-144
Hunting.....	RL-040	3-145
Playground.....	RL-050	3-145
Rock Collecting.....	RL-060	3-146
Spelunking.....	RL-070	3-146
Stable.....	RL-080	3-147
Trail (Bicycle).....	RL-090	3-147
Trail (Hiking).....	RL-100	3-148
Trail (Horse).....	RL-110	3-148
Trail (Interpretative, Auto).....	RL-120	3-149
Trail (Interpretative, Pedestrian).....	RL-130	3-149
Trail/Road (4-WD Vehicle).....	RL-140	3-150
Trail (Trail Bike).....	RL-150	3-150
Tramway.....	RL-160	3-151
All-Terrain Vehicle.....	RL-170	3-151
Archer.....	RL-190	3-152
Hang Glider.....	RL-210	3-152
 Water Recreation (RW Series).....		
Boat Tours.....	RW-010	3-153
Canoeing.....	RW-020	3-153
Diving.....	RW-030	3-154
Diving (Scuba).....	RW-040	3-154
Fishing.....	RW-050	3-155
Marina.....	RW-060	3-155
Motorboating.....	RW-070	3-156
Ramp (Launch).....	RW-080	3-156
Rowboating.....	RW-090	3-157
Sailboating.....	RW-100	3-157
Skiing (Water).....	RW-110	3-158
Surfing.....	RW-120	3-158
Swimming.....	RW-130	3-159
Wading.....	RW-140	3-159
Fishing Pier.....	RW-160	3-160

	Sign Code	Page
Hand Launch.....	RW-170	3-160
Kayak.....	RW-190	3-161
Wind Surf.....	RW-210	3-161
Winter Recreation (RS Series).....		
Skating (Ice).....	RS-010	3-162
Ski Jumping.....	RS-020	3-162
Skiing (Bobbing).....	RS-030	3-163
Skiing (Cross Country).....	RS-040	3-163
Skiing (Downhill).....	RS-050	3-164
Sledding.....	RS-060	3-164
Snowmobiling.....	RS-070	3-165
Snowshoeing.....	RS-080	3-165
Winter Recreation Area.....	RS-090	3-166
Ski Lift.....	RS-100	3-166
Emergency Management & Civil Defense Signs.....		
Evacuation Route.....	EM-1	4-1
Area Closed Sign.....	EM-2	4-2
Traffic Control Point.....	EM-3	4-2
Maintain Top Safe Speed.....	EM-4	4-3
Road (Area) Use Permit Required for Thru Traffic.....	EM-5	4-3
Emergency Aid Centers Signs.....		
Medical Center.....	EM-6a	4-4
Welfare Center.....	EM-6b	4-4
Registration Center.....	EM-6c	4-5
Decontamination Center.....	EM-6d	4-5
Shelter Directional Signs.....		
Emergency Shelter.....	EM-7a	4-6
Hurricane Shelter.....	EM-7b	4-6
Fallout Shelter.....	EM-7c	4-7
Chemical Shelter.....	EM-7d	4-7
School Signs.....		
School Sign (symbol).....	S1-1	5-1
School Bus Stop Ahead.....	S3-1	5-2
School Speed Limit Signs		
8:30 A.M. to 5:30 P.M.	S4-1	5-3
When Children Are Present.....	S4-2	5-4
School.....	S4-3	5-5
When Flashing.....	S4-4	5-6
Reduced Speed (School) Zone Ahead.....	S4-5	5-7
Reduced Speed (School) Zone Ahead (MPH) (km/h).....	S4-5a	5-8
Mon-Fri.....	S4-6	5-9
Speed Limit 20 When Flashing.....	S5-1	5-10

Speed Limit 30 When Flashing (km/h).....	S5-1	5-11
End School Zone.....	S5-2	5-12

Appendix.....

Standard Arrow.....		6-1
Arrow Details.....		6-2
“Up” and “Down” Arrows (for use with Guide Signs).....		6-3
Symbols.....		
Truck.....		6-4
12T.....		6-5
16T.....		6-6
Bicycle.....		6-7
Open Hand “STOP”.....		6-8
Hitch-hiking.....		6-9
Pedestrian walking.....		6-10
Towing.....		6-11
Fuel pump.....		6-12
Rail-highway Low Ground Clearance.....		6-13
Recycle.....		6-14
Trash Receptacle.....		6-15
Fire Truck.....		6-16
Light Rail Car.....		6-17
Light Rail Station.....		6-18
Automobile (front).....		6-19
Divided Highway with Light Rail Crossing.....		6-20
Seat Belt.....		6-21
Hill symbol.....		6-22
Slippery When Wet.....		6-23
Railroad Tracks.....		6-24
Deer.....		6-25
Cattle.....		6-26
Farm Machinery.....		6-27
Farm Machinery (alternate).....		6-28
Snowmobile.....		6-29
Equestrian.....		6-30
Handicapped.....		6-31
Golf Cart.....		6-32
Bus.....		6-33
Playground.....		6-34
Flagger.....		6-35
Circular Intersection.....		6-36
Horse and Buggy.....		6-37
National Forest logo.....		6-38
Bicycle Interstate Route Marker Shield.....		6-39
Eisenhower Five Star Symbol.....		6-40
Eisenhower Interstate System Lettering.....		6-41

Car Pool.....	6-42
Roadside Table.....	6-43
Telephone.....	6-44
Camping.....	6-45
Camping Trailer.....	6-46
Food.....	6-47
Lodging.....	6-48
Tourist Information.....	6-49
Recreational Vehicle Sanitation Station.....	6-50
Emergency Medical Services.....	6-51
Propane.....	6-52
Airport.....	6-53
Train Station.....	6-54
Library.....	6-55
Civil Defense Logo.....	6-56
Civil Defense Symbol.....	6-57
School Children.....	6-58
Worker.....	6-59
All Terrain Vehicle.....	6-60
National Scenic Byways.....	6-61
National Network.....	6-62

Blank Standards

Summary of Sizes and Border Dimensions.....	7-1
Octagon & Equilateral Triangle.....	7-2
Vertical Rectangle & Square.....	7-3
Diamond & Horizontal Rectangle.....	7-4
Interstate Shield, U.S. Shield, Pentagon (School) & Country Shield.....	7-5
Circle, National Forest Shield & Isosceles Triangle.....	7-6
Symbolic Pedestrian Signal Indications.....	7-7

Design Guidelines

8-1, 2, 3

Diagrammatic Signs

Example 1.....	8-4
Example 2.....	8-5
Example 3.....	8-6
Example 4.....	8-7
Example 5.....	8-8

Interchange, Exit, Pull-Through

Interchange Advance Guide Sign (with U.S. Route Marker).....	E1-1a	8-9
Interchange Advance Guide Sign (Alternate).....	E1-2	8-9
Exit, Next Exit Advance.....	E1-5, E2-1, 1a	8-10
Exit with interchange number.....	E5-1a	8-11

Pull-Through Signs.....	E6-2, 2a	8-12
Post-Interchange Distance Sign.....	E7	8-13
Exit Only panels.....	E11-1, 1a	8-14
Exit Only panels.....	E11-1b, 1c	8-15
Standard Alphabets Series2000 for Sign Usage.....		9-1 thru 9-52
Pavement Markings.....		10-1 thru 10-25
Object Markers		
Type 1.....	OM1-1, 2, 3	11-1
Type 2.....	OM2-1V, 2V, 1H, 2H	11-2
Type3.....	OM-3L, 3C, 3R	11-3
End Of Road.....	OM4-1, 2 3	11-4

PREFACE

Detailed drawings of the Standard Highway Signs prescribed or provided for in the Manual on Uniform Traffic Control Devices (MUTCD), 2003 Edition, have been prepared by the Office of Transportation Operations, Federal Highway Administration, U. S. Department of Transportation, for use by all traffic authorities, agencies, jurisdictions and persons involved with the fabrication, installation and maintenance of traffic signs on streets and highways in the United States.

These drawings are presented in English units as an alternate to metric dimensional designs. They are provided to promote uniformity in design throughout the United States in accordance with Title 23, U.S. Code, Sections 109(b), 109(d) and 402 (a), and Highway Safety Program Standard 13, "Traffic Engineering Services". As stated in the MUTCD, "Uniformity in design includes shape, color, dimensions, legends and retroreflection. This manual shows typical signs approved for use on streets and highways. Detailed drawings of these and other approved signs are available to State and local highway and traffic authorities and similarly interested agencies. All symbols shall be unmistakably similar to those shown and where a word message is applicable, the wording shall be as herein provided unless alternative wording is optional. Most standard symbols are oriented facing left; however, this does not preclude the use of mirror images of these symbols where the reverse orientation might better convey a direction of movement to vehicle operators. Standardization of these designs does not preclude further improvements by minor changes in the proportion of the symbols, width of borders, or layout of word messages, but all shapes and colors shall be as indicated.

The format for the English and metric versions of the SHS has a basis in English units.

A soft conversion from the standard English measure has been used. For example, an 18 inch is now represented as 450 millimeters as opposed to 457.2 millimeters. It should be noted that the difference is only 1.016% and any of these layouts can be applied to any standard English measure blank size by simply scaling up all dimensions by a factor of 1.016%.

The signs shall be fabricated in reasonable conformity to the dimensions in the detailed drawing contained herein. It is recognized that there is a small difference in dimensions between the metric and English versions of the sign details. This small variation in size between English and metric units does not affect the sign legibility. Minor Adjustments to legend spacing dimensions on a sign face will be permitted to achieve design accuracy and accommodate reasonable fabrication tolerances. Small variations in letter height, letter stroke width, letter spacing and interline spacing between lines of legend are expected as reasonable tolerances in the sign fabrication process. These variations will not affect the legibility of the sign. Placement of the sign legend on the sign face in reasonable conformity to the sign details will provide the design legibility for the sign.

An attempt has been made to provide uniformity of specific design details between two or more different types of signs having approximate sizes. Additionally, details for arrows and other items have been standardized as much as possible to facilitate fabrication of the signs and for national uniformity.

For word messages, only the overall length and placement of the characters are shown. Only the Series 2000 Standard Alphabet spacing charts may be used to determine overall length.

The spacing between individual character combinations can be adjusted visually to attain the most satisfying balance. Where spacing between individual letters has been reduced or increased the dimension is noted by an asterisk on the plate dimension detail. Any such change represents a deviation from the full spacing as suggested in the spacing charts on the following pages.

For symbol messages, the overall height and width of the symbol and its placement on the sign is shown. The exact detail of the symbol is shown on a grid. All symbols and symbol drawings are contained in the Appendix in Section 6. Any symbol may be enlarged to any size if done proportionally. The grid is provided as a reference to ensure the proportional relationship(s) remain correct.

The Standard Highway Signs publication prescribes design details for a number of different sign sizes to reflect the specified sizes in the MUTCD base on 3 categories of highway facilities and Minimum and Oversized as follows:

Freeways - A divided highway with full control of access.

Expressway - A divided highway with partial control of access.

Conventional Road - A street or highway other than Freeway, expressway or low-volume road.

Minimum - For use on low-speed roadways where the reduced legend size would be adequate for sign legibility.

Low-Volume Road - A roadway outside built-up areas of cities, towns and communities that is either paved or unpaved having a traffic volume less than 400 vehicles AADT.

Special Purpose Road - A low-volume, low-speed, road that serves recreational or resource development activities or that provides local access.

Bicycle Facilities - Facilities provided for bicycle usage defined as either in the roadway or a shared-use path that is physically separated from motorized traffic.

Oversized - The oversized sign size and larger freeway or expressway signs may be used for those applications where speed, volume or other factors result in conditions where increased emphasis, improved recognition or increased legibility would be desirable.

The sign size tables from the MUTCD are duplicated for each section of this publication to assist in selecting the appropriate size of sign. The specified sign sizes may also be found in the appropriate sections of the MUTCD (<http://mutcd.fhwa.dot.gov>).

The decision to use the most appropriate sign size is the responsibility of the street or transportation agency or engineer having authority over the traffic facility. Larger traffic signs are needed for two reasons. The driving population is aging with reduced visual acuity requiring larger sign legends for the signs to be read. There has been an increase in traffic volumes and multi-lane roadways dictating larger and more effective signing for conspicuity and legibility.

C Indicates sign size for conventional road.