

and revise existing definitions in the State's New Source Review (NSR) rules. The revisions update the State's NSR rules so that they are consistent with the revisions EPA made to its NSR rules on July 21, 1992. These revisions were referred to as the WEPCO rule (for the Wisconsin Electric Power Company court ruling). In the July 1992 action, EPA adopted a broad NSR exclusion for utility pollution control projects and an "actual to future actual" methodology for determining whether all other non-routine physical or operational changes at utilities (other than the replacement of a unit or addition of a new unit) are subject to NSR, and modified its regulations to reflect changes made by Congress in the 1990 Amendments to the Clean Air Act to the applicability of new source requirements to clean coal technology (CCT) and repowering projects, and to "very clean" units. The purpose of this action is to make the changes to the State's rule federally enforceable. This action is being taken under section 110 of the Clean Air Act. In the "Rules and Regulations" section of this **Federal Register**, EPA is approving the State's SIP revision as a direct final rule without prior proposal because the Agency views this as a noncontroversial SIP revision and anticipates no adverse comments. A detailed rationale for the approval is set forth in the preamble to the direct final rule. If EPA receives no adverse comments, EPA will not take further action on this proposed rule. If EPA receives adverse comments, EPA will withdraw the direct final rule and it will not take effect. EPA will address all public comments in a subsequent final rule based on this proposed rule. EPA will not institute a second comment period on this action. Any parties interested in commenting must do so at this time. Please note that if EPA receives adverse comment on an amendment, paragraph, or section of this rule and if that provision may be severed from the remainder of the rule, EPA may adopt as final those provisions of the rule that are not the subject of an adverse comment.

DATES: Written comments must be received on or before September 20, 2004.

ADDRESSES: Submit your comments, identified by RME Docket Number R08-OAR-2004-UT-0002, by one of the following methods:

- Federal eRulemaking Portal: <http://www.regulations.gov>. Follow the on-line instructions for submitting comments.
- Agency Web site: <http://docket.epa.gov/rmepub/index.jsp>. Regional Materials in EDOCKET (RME),

EPA's electronic public docket and comment system for regional actions, is EPA's preferred method for receiving comments. Follow the on-line instructions for submitting comments.

- E-mail: long.richard@epa.gov and daly.carl@epa.gov.
- Fax: (303) 312-6064 (please alert the individual listed in the **FOR FURTHER INFORMATION CONTACT** if you are faxing comments).
- Mail: Richard R. Long, Director, Air and Radiation Program, Environmental Protection Agency (EPA), Region 8, Mailcode 8P-AR, 999 18th Street, Suite 300, Denver, Colorado 80202-2466.
- Hand Delivery: Richard R. Long, Director, Air and Radiation Program, Environmental Protection Agency, Region 8, Mailcode 8P-AR, 999 18th Street, Suite 300, Denver, Colorado 80202-2466. Such deliveries are only accepted Monday through Friday, 8 a.m. to 4:55 p.m., excluding Federal holidays. Special arrangements should be made for deliveries of boxed information.

Please see the direct final rule which is located in the rules section of this **Federal Register** for detailed instructions on how to submit comments.

FOR FURTHER INFORMATION CONTACT: Carl Daly, Air & Radiation Program, Mailcode 8P-AR, EPA, Region 8, 999 18th Street, Suite 300, Denver, Colorado 80202-2466, (303) 312-6446, daly.carl@epa.gov.

SUPPLEMENTARY INFORMATION: See the information provided in the Direct Final action of the same title which is located in the rules and regulations section of this **Federal Register**.

Authority: 42 U.S.C. 7401 *et seq.*

Dated: July 14, 2004.

Max H. Dodson,

Acting Regional Administrator, Region 8.

[FR Doc. 04-18935 Filed 8-18-04; 8:45 am]

BILLING CODE 6560-50-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket No. FEMA-D-7596]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA), Emergency Preparedness and Response

Directorate, Department of Homeland Security.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed Base (1% annual chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed below. The BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Doug Bellomo, P.E., Hazard Identification Section, Emergency Preparedness and Response Directorate, FEMA, 500 C Street, SW., Washington, DC 20472, (202) 646-2903.

SUPPLEMENTARY INFORMATION: FEMA proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act.

This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act. The Mitigation Division Director of the Emergency Preparedness and Response Directorate certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified BFEs are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. As a result, a regulatory flexibility analysis has not been prepared.

Regulatory Classification. This proposed rule is not a significant regulatory action under the criteria of

Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform. This proposed rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, flood insurance, reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

State	City/town/county	Source of flooding	Location	#Depth in feet above ground.	
				*Elevation in feet (NGVD)	•Elevation in feet (NAVD)
				Existing	Modified
Alabama	Roanoke (City), Randolph County.	Graves Creek	Approximately 1,000 feet upstream of the confluence with High Pine Creek. Approximately 1.2 miles upstream of U.S. Highway 431.	None	*733
				None	*770

Maps available for inspection at Roanoke City Hall, 809 East Main Street, Roanoke, Alabama.

Send comments to The Honorable Betty Ziglar, Mayor of the City of Roanoke, P.O. Box 1270, Roanoke, Alabama 36274.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: August 10, 2004.

David I. Maurstad,

Acting Director, Mitigation Division, Emergency Preparedness and Response Directorate.

[FR Doc. 04-19013 Filed 8-18-04; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket No. FEMA-D-7594]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA), Emergency Preparedness and Response Directorate, Department of Homeland Security.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed Base (1% annual chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed below. The BFEs are the basis for the floodplain management measures that the community is required either to

adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Doug Bellomo, P.E., Hazard Identification Section, Emergency Preparedness and Response Directorate, FEMA, 500 C Street, SW., Washington, DC 20472, (202) 646-2903.

SUPPLEMENTARY INFORMATION: FEMA proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances

that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act. The Mitigation Division Director of the Emergency Preparedness and Response Directorate certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified BFEs are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are required to establish and maintain community eligibility in the NFIP. As a result, a regulatory flexibility analysis has not been prepared.

Regulatory Classification. This proposed rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of