received will be considered prior to finalization of this rule.

After consideration of all relevant material presented, including the Board's recommendation, and other information, it is found that this interim final rule, as hereinafter set forth, will tend to effectuate the declared policy of the Act.

Pursuant to 5 U.S.C. 553, it is also found and determined upon good cause that it is impracticable, unnecessary, and contrary to the public interest to give preliminary notice prior to putting this rule into effect and that good cause exists for not postponing the effective date of this action until 30 days after publication in the Federal Register because: (1) The 2004–2005 marketing year began July 1, 2004, and the percentages established herein apply to all merchantable hazelnuts handled from the beginning of the crop year; (2) handlers are aware of this rule, which was recommended at an open Board meeting, and need no additional time to comply with this rule; and (3) interested persons are provided a 60-day comment period in which to respond, and all comments timely received will be considered prior to finalization of this action.

List of Subjects in 7 CFR Part 982

Filberts, Hazelnuts, Marketing agreements, Nuts, Reporting and recordkeeping requirements.

■ For the reasons set forth in the preamble, 7 CFR part 982 is amended as follows:

PART 982—HAZELNUTS GROWN IN OREGON AND WASHINGTON

■ 1. The authority citation for 7 CFR part 982 continues to read as follows:

Authority: 7 U.S.C. 601-674.

■ 2. A new section 982.252 is added to read as follows:

[Note: This section will not be published in the annual Code of Federal Regulations.]

§ 982.252 Free and restricted percentages—2004–2005 marketing year.

The final free and restricted percentages for merchantable hazelnuts for the 2004–2005 marketing year shall be 6.4921 and 93.5079 percent, respectively.

Dated: December 15, 2004.

A.J. Yates,

Administrator, Agricultural Marketing Service.

[FR Doc. 04–27907 Filed 12–20–04; 8:45 am] BILLING CODE 3410–02–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 25

[Docket No. NM294; Special Conditions No. 25–277–SC]

Special Conditions: Raytheon Aircraft Company Model MU–300 and MU–300– 10 Airplanes and Model 400 Airplanes; High-Intensity Radiated Fields (HIRF)

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final special conditions; request for comments.

SUMMARY: These special conditions are issued for Raytheon Aircraft Company Model MU-300 and MU-300-10 airplanes and Model 400 airplanes modified by Beechjet TECH. These modified airplanes will have a novel or unusual design feature when compared to the state of technology envisioned in the airworthiness standards for transport category airplanes. The modification incorporates installation of two Shadin ADC-6400 RVSM-capable air data computers that perform critical functions. The applicable airworthiness regulations do not contain adequate or appropriate safety standards for the protection of these systems from the effects of high-intensity radiated fields (HIRF). These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

DATES: The effective date of these special conditions is December 6, 2004. Comments must be received on or before January 20, 2005.

ADDRESSES: Comments on these special conditions may be mailed in duplicate to: Federal Aviation Administration, Transport Airplane Directorate, Attention: Rules Docket (ANM–113), Docket No. NM294 1601 Lind Avenue, SW., Renton, Washington 98055–4056; or delivered in duplicate to the Transport Airplane Directorate at the above address. All comments must be marked Docket No. NM294.

FOR FURTHER INFORMATION CONTACT: Greg Dunn, FAA, Airplane and Flight Crew Interface Branch, ANM-111, Transport Airplane Directorate, Aircraft Certification Service, 1601 Lind Avenue, SW., Renton, Washington 98055-4056; telephone (425) 227-2799; facsimile (425) 227-1320.

SUPPLEMENTARY INFORMATION:

Comments Invited

The FAA has determined that notice and opportunity for prior public comment is impracticable because these procedures would significantly delay certification of the airplane and thus delivery of the affected aircraft. In addition, the substance of these special conditions has been subject to the public comment process in several prior instances with no substantive comments received. The FAA therefore finds that good cause exists for making these special conditions effective upon issuance; however, we invite interested persons to participate in this rulemaking by submitting written comments, data, or views. The most helpful comments reference a specific portion of the special conditions, explain the reason for any recommended change, and include supporting data. We ask that you send us two copies of written comments.

We will file in the docket all comments we receive, as well as a report summarizing each substantive public contact with FAA personnel concerning these special conditions. The docket is available for public inspection before and after the comment closing date. If you wish to review the docket in person, go to the address in the ADDRESSES section of this preamble between 7:30 a.m. and 4 p.m., Monday through Friday, except Federal holidays.

We will consider all comments we receive on or before the closing date for comments. We will consider comments filed late if it is possible to do so without incurring expense or delay. We may change these special conditions based on the comments we receive.

If you want the FAA to acknowledge receipt of your comments on these special conditions, include with your comments a pre-addressed, stamped postcard on which the docket number appears. We will stamp the date on the postcard and mail it back to you.

Background

On July 19, 2004, Beechiet TECH, 4500 S. Garnett, Suite #600, Tulsa, Oklahoma 74146 applied for a supplemental type certificate (STC) to modify Raytheon Aircraft Company Model MU-300 and MU-300-10 airplanes and Model 400 airplanes. Model MU-300 is currently approved under Type Certificate No. A14SW and Models MU-300-10 and 400 are currently approved under Type Certificate No. A16SW. The Raytheon Aircraft Company Model MU-300 and MU-300-10 airplanes and Model 400 airplanes are small transport category airplanes powered by two turbojet

engines. They operate with a 2-pilot crew and can seat up to 9 passengers. The modification incorporates the installation of two Shadin ADC–6400 air data computers, with the capability for operating the airplane at a reduced vertical separation minimum (RVSM). The avionics/electronics and electrical systems installed in this airplane have the potential to be vulnerable to high-intensity radiated fields (HIRF) external to the airplane.

Type Certification Basis

Under the provisions of 14 CFR 21.101, Beechjet TECH must show that the Raytheon Aircraft Company Model MU–300 and MU–300–10 airplanes and Model 400 airplanes, as changed, continue to meet the applicable provisions of the regulations incorporated by reference in Type Certificates No. A16SW or A14SW, as applicable, or the applicable regulations in effect on the date of application for the change. The regulations incorporated by reference in the type certificate are commonly referred to as the "original type certification basis." The certification bases for the Raytheon Aircraft Company Model MU–300 and MU-300-10 airplanes and Model 400 airplanes include 14 CFR part 25, as amended by Amendments 25-1 through 25-40; §§ 25.1351(d), 25.1353(c)(5), and 25.1450 as amended by Amendment 25– 41; §§ 25.29, 25.255, and 25.1353(c)(6) as amended by Amendment 25-42; § 25.361(b) as amended by Amendment 25-46; and 14 CFR part 36 as amended by Amendment 36-1 through 36-12.

If the Administrator finds that the applicable airworthiness regulations (i.e., part 25, as amended) do not contain adequate or appropriate safety standards for the Raytheon Aircraft Company Model MU–300 and MU–300–10 airplanes and Model 400 airplanes because of a novel or unusual design feature, special conditions are prescribed under the provisions of § 21.16.

In addition to the applicable airworthiness regulations and special conditions, the Raytheon Aircraft Company Model MU–300 and MU–300–10 airplanes and Model 400 airplanes must comply with the fuel vent and exhaust emission requirements of 14 CFR part 34 and the noise certification requirements of 14 CFR part 36.

Special conditions, as defined in 14 CFR 11.19, are issued in accordance with § 11.38 and become part of the type certification basis in accordance with § 21.101.

Special conditions are initially applicable to the model for which they are issued. Should Beechjet TECH apply

at a later date for a supplemental type certificate to modify any other model included on Type Certificate No. A16SW or A14SW, as applicable, to incorporate the same or similar novel or unusual design feature, these special conditions would also apply to the other model under the provisions of § 21.101.

Novel or Unusual Design Features

As noted earlier, the Raytheon Aircraft Company Model MU-300 and MU-300-10 airplanes and Model 400 airplanes modified by Beechjet TECH will incorporate two Shadin ADC-6400 RVSM-capable air data computers that will perform critical functions. These systems may be vulnerable to highintensity radiated fields external to the airplane. The current airworthiness standards of part 25 do not contain adequate or appropriate safety standards for the protection of this equipment from the adverse effects of HIRF. Accordingly, this system is considered to be a novel or unusual design feature.

Discussion

There is no specific regulation that addresses protection requirements for electrical and electronic systems from HIRF. Increased power levels from ground-based radio transmitters and the growing use of sensitive avionics/ electronics and electrical systems to command and control airplanes have made it necessary to provide adequate protection.

To ensure that a level of safety is achieved equivalent to that intended by the regulations incorporated by reference, special conditions are needed for the Raytheon Aircraft Company Model MU–300 and MU–300–10 airplanes and Model 400 airplanes modified by Beechjet TECH. These special conditions require that new avionics/electronics and electrical systems that perform critical functions be designed and installed to preclude component damage and interruption of function due to both the direct and indirect effects of HIRF.

High-Intensity Radiated Fields (HIRF)

With the trend toward increased power levels from ground-based transmitters, and the advent of space and satellite communications, coupled with electronic command and control of the airplane, the immunity of critical avionics/electronics and electrical systems to HIRF must be established.

It is not possible to precisely define the HIRF to which the airplane will be exposed in service. There is also uncertainty concerning the effectiveness of airframe shielding for HIRF. Furthermore, coupling of electromagnetic energy to cockpitinstalled equipment through the cockpit window apertures is undefined. Based on surveys and analysis of existing HIRF emitters, an adequate level of protection exists when compliance with the HIRF protection special condition is shown with either paragraph 1 or 2 below:

1. A minimum threat of 100 volts rms (root-mean-square) per meter electric field strength from 10 KHz to 18 GHz.

a. The threat must be applied to the system elements and their associated wiring harnesses without the benefit of airframe shielding.

b. Demonstration of this level of protection is established through system tests and analysis.

2. A threat external to the airframe of the field strengths identified in the table below for the frequency ranges indicated. Both peak and average field strength components from the table are to be demonstrated.

Frequency	Field strength (volts per meter)	
	Peak	Average
10 kHz-100 kHz 100 kHz-500 kHz 500 kHz-2 MHz 2 MHz-30 MHz 30 MHz-70 MHz 70 MHz-100 MHz 100 MHz-200 MHz 200 MHz-400 MHz 400 MHz-700 MHz 700 MHz-1 GHz 1 GHz-2 GHz 2 GHz—4 GHz 4 GHz-6 GHz 8 GHz-12 GHz	50 50 50 100 50 100 100 700 700 2000 3000 3000 1000	50 50 50 100 50 100 100 200 200 200 200 300
12 GHz–18 GHz 18 GHz–40 GHz	2000 600	200 200

The field strengths are expressed in terms of peak of the root-mean-square (rms) over the complete modulation period.

The threat levels identified above are the result of an FAA review of existing studies on the subject of HIRF, in light of the ongoing work of the Electromagnetic Effects Harmonization Working Group of the Aviation Rulemaking Advisory Committee.

Applicability

As discussed above, these special conditions are applicable to Raytheon Aircraft Company Model MU–300 and MU–300–10 airplanes and Model 400 airplanes modified by Beechjet TECH. Should Beechjet TECH apply at a later date for a supplemental type certificate to modify any other model included on Type Certificate No. A16SW or A14SW, as applicable, to incorporate the same or similar novel or unusual design feature, these special conditions would apply to

that model as well under the provisions of § 21.101.

Conclusion

This action affects only certain novel or unusual design features on Raytheon Aircraft Company Model MU–300 and MU–300–10 airplanes and Model 400 airplanes modified by Beechjet TECH. It is not a rule of general applicability and affects only the applicant who applied to the FAA for approval of these features on the airplane.

The substance of these special conditions has been subjected to the notice and comment procedure in several prior instances and has been derived without substantive change from those previously issued. Because a delay would significantly affect the certification of the airplane, which is imminent, the FAA has determined that prior public notice and comment are unnecessary and impracticable, and good cause exists for adopting these special conditions upon issuance. The FAA is requesting comments to allow interested persons to submit views that may not have been submitted in response to the prior opportunities for comment described above.

List of Subjects in 14 CFR Part 25

Aircraft, Aviation safety, Reporting and recordkeeping requirements.

■ The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701, 44702, 44704.

The Special Conditions

- Accordingly, pursuant to the authority delegated to me by the Administrator, the following special conditions are issued as part of the supplemental type certification basis for the Raytheon Aircraft Company Model MU–300 and MU–300–10 airplanes and Model 400 airplanes modified by Beechjet TECH.
- 1. Protection from Unwanted Effects of High-Intensity Radiated Fields (HIRF). Each electrical and electronic system that performs critical functions must be designed and installed to ensure that the operation and operational capability of these systems to perform critical functions are not adversely affected when the airplane is exposed to high-intensity radiated fields.
- 2. For the purpose of these special conditions, the following definition applies: *Critical Functions:* Functions whose failure would contribute to or cause a failure condition that would prevent the continued safe flight and landing of the airplane.

Issued in Renton, Washington, on December 6, 2004.

Ali Bahrami.

Manager, Transport Airplane Directorate, Aircraft Certification Service.

[FR Doc. 04–27824 Filed 12–20–04; 8:45 am] **BILLING CODE 4910–13–P**

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 71

[Docket No. FAA-2004-18897; Airspace Docket No. 04-AAL-12]

Revision of Class E Airspace; Kotzebue, AK

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final rule.

SUMMARY: This action revises Class E airspace at Kotzebue, AK to provide adequate controlled airspace to contain aircraft executing two new Standard Instrument Approach Procedures (SIAP). This Rule results in additional Class E surface area airspace at Kotzebue, AK.

EFFECTIVE DATE: 0901 UTC, March 17, 2005.

FOR FURTHER INFORMATION CONTACT:

Jesse Patterson, AAL–538G, Federal Aviation Administration, 222 West 7th Avenue, Box 14, Anchorage, AK 99513–7587; telephone number (907) 271–5898; fax: (907) 271–2850; e-mail: Jesse.ctr.Patterson@faa.gov. Internet address: http://www.alaska.faa.gov/at.

SUPPLEMENTARY INFORMATION:

History

On Friday, September 10, 2004, the FAA proposed to revise part 71 of the Federal Aviation Regulations (14 CFR part 71) to create additional Class E surface area airspace at Kotzebue, AK (69 FR 54758). The action was proposed in order to add Class E airspace sufficient in size to contain aircraft while executing two new Standard Instrument Approach Procedures for the Kotzebue Airport. The new approaches are (1) Area Navigation-Global Positioning System (RNAV GPS) Runway (RWY) 26, original, (2) RNAV (GPS) Y RWY 8, original. Interested parties were invited to participate in this rulemaking proceeding by submitting written comments on the proposal to the FAA. No public comments have been received, thus, the rule is adopted as proposed.

The area will be depicted on aeronautical charts for pilot reference.

The coordinates for this airspace docket are based on North American Datum 83. The Class E airspace areas designated as surface areas are published in paragraph 6002 of FAA Order 7400.9M, Airspace Designations and Reporting Points, dated August 30, 2004, and effective September 16, 2004, which is incorporated by reference in 14 CFR 71.1. The Class E airspace designation listed in this document will be revised subsequently in the Order.

The Rule

This revision to 14 CFR part 71 revises Class E airspace at Kotzebue, Alaska. This additional Class E airspace was created to accommodate aircraft executing two new SIAPs and will be depicted on aeronautical charts for pilot reference. The intended effect of this rule is to provide adequate controlled airspace for IFR operations at Kotzebue Airport, Kotzebue, Alaska.

The FAA has determined that this regulation only involves an established body of technical regulations for which frequent and routine amendments are necessary to keep them operationally current. It, therefore'(1) is not a "significant regulatory action" under Executive Order 12866; (2) is not a "significant rule" under DOT Regulatory Policies and Procedures (44 FR 11034; February 26, 1979); and (3) does not warrant preparation of a regulatory evaluation as the anticipated impact is so minimal. Since this a routine matter that will only affect air traffic procedures and air navigation, it is certified that this rule will not have a significant economic impact on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

The FAA's authority to issue rules regarding aviation safety is found in title 49 of the United States Code. Subtitle 1, section 106 describes the authority of the FAA Administrator. Subtitle VII, Aviation Programs, describes in more detail the scope of the agency's authority.

This rulemaking is promulgated under the authority described in subtitle VII, part A, subpart 1, section 40103, Sovereignty and use of airspace. Under that section, the FAA is charged with prescribing regulations to ensure the safe and efficient use of the navigable airspace. This regulation is within the scope of that authority because it revises Class E surface area sufficient in size to contain aircraft executing two new Standard Instrument Approach Procedures for the Kotzebue Airport and represents the FAA's continuing effort to safely and efficiently use the navigable airspace.