

measures into performance-based standards. Other modifications provide necessary updates to reflect current laws and regulations.

We have posted final draft versions of the revised Plan and Procedures on our Web site showing the changes in a redline and strikeout format. The final drafts are available at <http://www.ferc.gov/gas/environment/guidelines.htm>.

Comments on the proposed revisions should be sent by electronic mail no later than December 20, 2002, to [plan.comments@ferc.gov](mailto:plan.comments@ferc.gov).

**Linwood A. Watson, Jr.,**

*Deputy Secretary.*

[FR Doc. 02-31189 Filed 12-10-02; 8:45 am]

BILLING CODE 6717-01-P

## ENVIRONMENTAL PROTECTION AGENCY

[FRL-7420-2]

### Office of Research and Development; Ambient Air Monitoring Reference and Equivalent Methods: Designation of a New Equivalent Method for PM<sub>10</sub>

**AGENCY:** Environmental Protection Agency.

**ACTION:** Notice of the designation of a new equivalent method for monitoring ambient air quality.

**SUMMARY:** Notice is hereby given that the Environmental Protection Agency (EPA) has designated, in accordance with 40 CFR part 53, a new equivalent method for measuring concentrations of particulate matter as PM<sub>10</sub> in the ambient air.

**FOR FURTHER INFORMATION CONTACT:** Elizabeth Hunike, Human Exposure and Atmospheric Sciences Division (MD-D205-03), National Exposure Research Laboratory, U.S. EPA, Research Triangle Park, North Carolina 27711. Phone: (919) 541-3737, e-mail: [Hunike.Elizabeth@epa.gov](mailto:Hunike.Elizabeth@epa.gov).

**SUPPLEMENTARY INFORMATION:** In accordance with regulations at 40 CFR part 53, the EPA evaluates various methods for monitoring the concentrations of those ambient air pollutants for which EPA has established National Ambient Air Quality Standards (NAAQSs) as set forth in 40 CFR part 50. Monitoring methods that are determined to meet specific requirements for adequacy are designated by the EPA as either reference methods or equivalent methods (as applicable), thereby permitting their use under 40 CFR part 58 by States and other agencies for determining attainment of the NAAQSs.

The EPA hereby announces the designation of one new equivalent method for measuring concentrations of particulate matter as PM<sub>10</sub> in ambient air. This designation is made under the provisions of 40 CFR part 53, as amended on July 18, 1997 (62 FR 38764).

The new equivalent method for PM<sub>10</sub> is an automated method (analyzer) that utilizes a measurement principle based on sample collection by filtration and analysis by beta-ray attenuation. The newly designated equivalent method is identified as follows:

EQPM-1102-150, "Thermo Andersen Series FH 62 C14 Continuous PM10 Ambient Particulate Monitor," operated for 24-hour average measurements, with the specified 10-micron Inlet, Inlet Connector, Sample Tube with heater, Roof Flange Kit, Mass Foil Kit, Pump Kit, Sample Filter Tape; with Operational Settings of 1000 L/h (16.67 L/min) sample flow rate, daily filter change, auto filter change at volumetric flow < 950 L/h, auto filter change at Mass > 1500 micrograms, and factory default calculation mode settings; and with operational calibration and servicing as outlined in the Operator Manual.

An application for an equivalent method determination for this method was received by the EPA on August 5, 2002. The method is available commercially from the applicant, Thermo Anderson, 500 Technology Court, Smyrna, Georgia 30082 (<http://www.ThermoAndersen.com>).

Test analyzers representative of this method have been tested by the applicant in accordance with the applicable test procedures specified in 40 CFR part 53 (as amended on July 18, 1997). After reviewing the results of those tests and other information submitted by the applicant, EPA has determined, in accordance with part 53, that this method should be designated as an equivalent method. The information submitted by the applicant will be kept on file, either at EPA's National Exposure Research Laboratory, Research Triangle Park, North Carolina 27711 or in an approved archive storage facility, and will be available for inspection (with advance notice) to the extent consistent with 40 CFR part 2 (EPA's regulations implementing the Freedom of Information Act).

As a designated reference or equivalent method, this method is acceptable for use by states and other air monitoring agencies under the requirements of 40 CFR part 58, Ambient Air Quality Surveillance. For such purposes, the method must be used in strict accordance with the operation or instruction manual associated with the method and subject

to any specifications and limitations (e.g., configuration or operational settings) specified in the applicable designation method description (see the identification of the method above).

Users of the method should also note that its equivalent method designation applies only to 24-hour average PM<sub>10</sub> concentration measurements. The Series FH 62 C14 Monitor can also provide average PM<sub>10</sub> concentration measurements over other, shorter averaging periods, including one-half-hour averages. However, such shorter average concentration measurements may be less precise than the 24-hour measurements and are not required for use in determining attainment under the air quality surveillance requirements of part 58 (although they may be useful for other purposes). Use of the method should also be in general accordance with the guidance and recommendations of applicable sections of the "Quality Assurance Handbook for Air Pollution Measurement Systems, Volume I," EPA/600/R-94/038a and "Quality Assurance Handbook for Air Pollution Measurement Systems, Volume II, Part 1," EPA-454/R-98-004. Vendor modifications of a designated reference or equivalent method used for purposes of part 58 are permitted only with prior approval of the EPA, as provided in part 53. Provisions concerning modification of such methods by users are specified under section 2.8 (Modifications of Methods by Users) of appendix C to 40 CFR part 58.

In general, a method designation applies to any sampler or analyzer which is identical to the sampler or analyzer described in the application for designation. In some cases, similar samplers or analyzers manufactured prior to the designation may be upgraded or converted (e.g., by minor modification or by substitution of the approved operation or instruction manual) so as to be identical to the designated method and thus achieve designated status. The manufacturer should be consulted to determine the feasibility of such upgrading or conversion.

Part 53 requires that sellers of designated reference or equivalent method analyzers or samplers comply with certain conditions. These conditions are specified in 40 CFR 53.9 and are summarized below:

(a) A copy of the approved operation or instruction manual must accompany the sampler or analyzer when it is delivered to the ultimate purchaser.

(b) The sampler or analyzer must not generate any unreasonable hazard to operators or to the environment.

(c) The sampler or analyzer must function within the limits of the applicable performance specifications given in 40 CFR parts 50 and 53 for at least one year after delivery when maintained and operated in accordance with the operation or instruction manual.

(d) Any sampler or analyzer offered for sale as part of a reference or equivalent method must bear a label or sticker indicating that it has been designated as part of a reference or equivalent method in accordance with part 53 and showing its designated method identification number.

(e) If such an analyzer has two or more selectable ranges, the label or sticker must be placed in close proximity to the range selector and indicate which range or ranges have been included in the reference or equivalent method designation.

(f) An applicant who offers samplers or analyzers for sale as part of a reference or equivalent method is required to maintain a list of ultimate purchasers of such samplers or analyzers and to notify them within 30 days if a reference or equivalent method designation applicable to the method has been canceled or if adjustment of the sampler or analyzer is necessary under 40 CFR 53.11(b) to avoid a cancellation.

(g) An applicant who modifies a sampler or analyzer previously designated as part of a reference or equivalent method is not permitted to sell the sampler or analyzer (as modified) as part of a reference or equivalent method (although it may be sold without such representation), nor to attach a designation label or sticker to the sampler or analyzer (as modified) under the provisions described above, until the applicant has received notice under 40 CFR 53.14(c) that the original designation or a new designation applies to the method as modified, or until the applicant has applied for and received notice under 40 CFR 53.8(b) of a new reference or equivalent method determination for the sampler or analyzer as modified.

Aside from occasional breakdowns or malfunctions, consistent or repeated noncompliance with any of these conditions should be reported to: Director, Human Exposure and Atmospheric Sciences Division (MD-E205-01), National Exposure Research Laboratory, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina 27711.

Designation of this new equivalent method is intended to assist the States in establishing and operating their air quality surveillance systems under 40

CFR part 58. Questions concerning the commercial availability or technical aspects of the method should be directed to the applicant.

**Jewell Morris,**

*Acting Director, National Exposure Research Laboratory.*

[FR Doc. 02-31241 Filed 12-10-02; 8:45 am]

**BILLING CODE 6560-50-P**

## **ENVIRONMENTAL PROTECTION AGENCY**

**[OPP-2002-0251; FRL-7283-9]**

### **Diazinon; Availability of Interim Reregistration Eligibility Decision Document for Comment; Reopening of Comment Period**

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice; reopening of comment period.

**SUMMARY:** EPA issued a notice in the **Federal Register** of September 25, 2002, announcing the availability and start of a 60-day public comment period on the Interim Reregistration Eligibility Decision (IRED) document for the pesticide active ingredient diazinon. This document is reopening the comment period from November 25, 2002, to January 10, 2003.

**DATES:** Comments identified by docket ID number OPP-2002-0251 must be received on or before January 10, 2003.

**ADDRESSES:** Comments may be submitted electronically, by mail, or through hand delivery/courier. Follow the detailed instructions as provided in Unit I.C. of the **SUPPLEMENTARY INFORMATION** of the September 25, 2002 **Federal Register** document.

**FOR FURTHER INFORMATION CONTACT:** Laura Parsons, Special Review and Reregistration Division (7508C), Office of Pesticide Programs, Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460-0001; telephone number: (703) 305-5776; e-mail address: parsons.laura@epa.gov.

#### **SUPPLEMENTARY INFORMATION:**

#### **I. General Information**

##### *A. Does this Action Apply to Me?*

The Agency included in the September 25, 2002 **Federal Register** Notice, a list of those who may be potentially affected by this action. If you have questions regarding the applicability of this action to a particular entity, consult the person listed under **FOR FURTHER INFORMATION CONTACT**.

#### *B. How Can I Get Copies of this Document and Other Related Information?*

1. *Docket.* EPA has established an official public docket for this action under docket ID number OPP-2002-0251. The official public docket consists of the documents specifically referenced in this action, any public comments received, and other information related to this action. Although, a part of the official docket, the public docket does not include Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. The official public docket is the collection of materials that are available for public viewing at the Public Information and Records Integrity Branch (PIRIB), Rm. 119, Crystal Mall #2, 1921 Jefferson Davis Hwy., Arlington, VA. This docket facility is open from 8:30 a.m. to 4 p.m., Monday through Friday, excluding legal holidays. The docket telephone number is (703) 305-5805.

2. *Electronic access.* You may access this **Federal Register** document electronically through the EPA internet under the "**Federal Register**" listings at <http://www.epa.gov/fedrgstr/>.

An electronic version of the public docket is available through EPA's electronic public docket and comment system, EPA Dockets. You may use EPA Dockets at <http://www.epa.gov/edocket/> to submit or view public comments, access the index listing of the contents of the official public docket, and to access those documents in the public docket that are available electronically. Once in the system, select "search," then key in the appropriate docket ID number.

#### *C. How and to Whom Do I Submit Comments?*

To submit comments, or access the official public docket, please follow the detailed instructions as provided in Unit I.C. of the **SUPPLEMENTARY INFORMATION** of the September 25, 2002 **Federal Register** document. If you have questions, consult the person listed under **FOR FURTHER INFORMATION CONTACT**.

#### **II. What Action is EPA Taking?**

This document reopens the public comment period established in the **Federal Register** of September 25, 2002 (67 FR 60231) (FRL-7274-4). In that document, EPA announced the availability of the IRED for the pesticide active ingredient diazinon and invited comment on the benefit assessments and risk mitigation in the document. EPA is hereby reopening the comment