

Figure 76. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Nemaha County.





Figure 77. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Neosho County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ◀ 3116 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07141600 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07141600 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 3171 Lake and determination site identification number






Figure 78. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Ness County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ← 766 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06847900 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06845100 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 382 Lake and determination site identification number






Figure 79. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Norton County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ← 3034 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06910800 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06911000 ▽ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2886 Lake and determination site identification number






Figure 80. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Osage County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ◀ 1641 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06873700 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06873500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 1408 Lake and determination site identification number





Figure 81. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Osborne County.



EXPLANATION

- ← 1987 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06869500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06876900 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 1708 Lake and determination site identification number





Figure 82. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Ottawa County.



EXPLANATION

- ← 3601 **Location of streamflow-statistics determination site (small triangle) and associated identification number**—small triangle points in downstream direction
- 07141200 ▲ **U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration**
- 07141200 △ **U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values**
- 3069 **Lake and determination site identification number**





Figure 83. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Pawnee County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ← 800 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06871900 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06871000 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 630 Lake and determination site identification number




Figure 84. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Phillips County.





Figure 85. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Pottawatomie County.



EXPLANATION

- ← 4614 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07144910 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07144850 ▽ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 4545 Lake and determination site identification number





Figure 86. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Pratt County.



EXPLANATION

- ← 701 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06844900 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06846000 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 249 Lake and determination site identification number




Figure 86. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Rawlins County.