



Figure 88. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Reno County.



EXPLANATION

- ← 3577 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction

Figure 88. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Reno County.—Continued



EXPLANATION

- ← 731 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06854500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06856100 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 702 Lake and determination site identification number






Figure 89. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Republic County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ← 3294 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07142620 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07143300 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2995 Lake and determination site identification number






Figure 90. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Rice County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ← 1672 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06887000 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06879700 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 1441 Lake and determination site identification number





Figure 91. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Riley County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- 1643** Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06873200** U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06873460** U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 1416** Lake and determination site identification number





Figure 92. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Rooks County.



EXPLANATION

- ← 3126 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07141900 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07141800 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 3002 Lake and determination site identification number





Figure 93. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Rush County.



EXPLANATION

- ← 2387 **Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction**
- 06864000 ▲ **U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration**
- 06864050 △ **U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values**
- 2102 **Lake and determination site identification number**





Figure 94. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Russell County.



EXPLANATION

- ← 2804 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06865500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06869950 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2701 Lake and determination site identification number









Figure 95. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Saline County.



EXPLANATION

- 
2992 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 
06844900 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 
06846000 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 
2350 Lake and determination site identification number





Figure 96. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Scott County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)

EXPLANATION

- ◀ 4511 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07144550 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07145300 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 4437 Lake and determination site identification number





Figure 97. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Sedgwick County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ← 5263 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06844900 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06846000 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2350 Lake and determination site identification number






Figure 98. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Seward County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)

EXPLANATION

- ← 2222 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06889000 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06889600 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2105 Lake and determination site identification number



Index map

Figure 99. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Shawnee County.