

EXPLANATION

- ← 1655 **Location of streamflow-statistics determination site (small triangle) and associated identification number**—small triangle points in downstream direction
- 06844900 ▲ **U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration**
- 06846000 ▲ **U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values**
- 1458 **Lake and determination site identification number**





Figure 100. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Sheridan County.



EXPLANATION

- ← 1431 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06844700 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06844700 ▴ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 1216 Lake and determination site identification number





Figure 101. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Sherman County.



EXPLANATION

- ← 865 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06872500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06872500 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 782 Lake and determination site identification number






Figure 102. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Smith County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ← 3920 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07142300 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07142500 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 3803 Lake and determination site identification number





Figure 103. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Stafford County.



EXPLANATION

- ← 4436 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07156100 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07156220 ▴ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 3902 Lake and determination site identification number





Figure 104. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Stanton County.



EXPLANATION

- ← 5005 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07156100 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07156220 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 3902 Lake and determination site identification number





Figure 105. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Stevens County.



EXPLANATION

- ← 5394 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07145700 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07151500 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 5388 Lake and determination site identification number





Figure 106. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Sumner County.



EXPLANATION

- ← 1382 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07156100 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07156220 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 1201 Lake and determination site identification number





Figure 107. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Thomas County.



EXPLANATION

- ← 2431 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06862000 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06861000 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2235 Lake and determination site identification number





Figure 108. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Trego County.



EXPLANATION

- ← 2628 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06888500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06888600 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2213 Lake and determination site identification number






Figure 109. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Wabaunsee County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ◀ 2172 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07156100 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07156220 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2160 Lake and determination site identification number





Figure 110. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Wallace County.



EXPLANATION

- ◀ 869 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06884200 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06856320 ▴ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 216 Lake and determination site identification number





Figure 111. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Washington County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)

EXPLANATION

- ← 3226 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07138650 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07138650 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 2494 Lake and determination site identification number






Figure 112. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Wichita County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ← 4853 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 07169500 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 07166500 ▴ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 4103 Lake and determination site identification number






Figure 113. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Wilson County.



Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ◀ 4179 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- ▲ 07166000 U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- △ 07183100 U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 4103 Lake and determination site identification number





Figure 114. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Woodson County.




Base map from U.S. Geological Survey digital data, 1:2,000,000, 1994
 Albers Conic Equal-Area Projection,
 Standard parallels 29°30' and 45°30', central meridian 96°
 Horizontal coordinate information is referenced to the
 North American Datum of 1983 (NAD 83)



EXPLANATION

- ◀ 1969 Location of streamflow-statistics determination site (small triangle) and associated identification number—small triangle points in downstream direction
- 06893000 ▲ U.S. Geological Survey streamflow-gaging station and number used for estimates of flow duration
- 06893000 △ U.S. Geological Survey streamflow-gaging station and number used for estimates of peak-discharge frequency values
- 1868 Lake and determination site identification number



Index map

Figure 115. Location of streamflow-statistics determination sites, associated identification numbers, and U.S. Geological Survey streamflow-gaging stations used in the flow-duration and peak-discharge frequency analyses for Wyandotte County.