

U.S. Department of the Interior  
U.S. Geological Survey

# Geologic Map of the Hart Peak Quadrangle, California and Nevada: A Digital Database

Geology by

Jane E. Nielson<sup>1</sup> and Ryan D. Turner<sup>2</sup>

Digital Database by

David R. Bedford<sup>1</sup>

Open - File Report 99-34



<sup>1</sup>U.S. Geological Survey, 345 Middlefield Rd., M/S 975, Menlo Park, CA 94025

<sup>2</sup>Turner Associates, Chapel Hill, North Carolina

U.S. Department of the Interior  
Bruce Babbitt, Secretary

U.S. Geological Survey  
Charles Groat, Director

This report is preliminary and has not been reviewed for conformity with U.S. Geological Survey editorial standards or with the North American Stratigraphic Code. Any use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government.

This database, identified as "Geologic Map of the Hart Peak Quadrangle, California and Nevada: A Digital Database" has been approved for release and publication by the Director of the USGS. Although this database has been subjected to rigorous review and is substantially complete, the USGS reserves the right to revise the data pursuant to further analysis and review. Furthermore, it is released on condition that neither the USGS nor the United States Government may be held liable for any damages resulting from its authorized or unauthorized use.

To obtain this pamphlet, contact:  
USGS Information Services  
Box 25286  
Denver Federal Center  
Denver, CO 80225  
303-202-4700  
303-202-4693 FAX

## Introduction

This Open-File report is a digital geologic map database. This pamphlet serves to introduce and describe the digital data. There is no paper map included in the Open-File report. The report does include, however, PostScript and PDF plot files containing images of a geologic map sheet, as well as the accompanying text describing the geology of the area. For those interested in a paper plot of information contained in the database or in obtaining the PostScript plot files, please see the section entitled "For Those Who Don't Use Digital Geologic Map Databases" below.

This digital map database represents the general distribution of bedrock and surficial deposits in the mapped area. Together with the accompanying text files (hpk\_geo.txt, hpk\_geo.pdf or hpk\_geo.ps), it provides current information on the geologic structure and stratigraphy of the area covered. The database delineates map units that are identified by general age and lithology following the stratigraphic nomenclature of the U.S. Geological Survey. The scale of the source maps limits the spatial resolution (scale) of the database to 1:24,000 or smaller. The content and character of the database, as well as three methods of obtaining the database, are described below.

## For those who don't use digital geologic map databases

For those interested in the geology of the mapped area who do not use an ARC/INFO compatible Geographic Information System (GIS), we have provided two sets of plotfiles containing images of much of the information in the database. Each set contains an image of a geologic map sheet and explanation, and an explanatory pamphlet. There is a set of images in PostScript format and another in Adobe Acrobat PDF format (see the sections "PostScript plot files" and "PDF plot files" below).

Those interested who have computer capability can access the plot file packages in any of the three ways described below (see the section "Obtaining the digital database and plotfile packages"). However, it should be noted the plot file packages do require gzip and tar utilities to access the plot files. Therefore additional software, available free on the Internet, may be required to use the plot files (see section "Tar files").

Those without computer capability can obtain plots of the map files through USGS plot-on-demand service for digital geologic maps (see section "Obtaining plots from USGS Open-File Services") or from an outside vendor (see section "Obtaining plots from an outside vendor").

## Digital Open-File contents

This Open-File report consists of three digital packages. The first is the PostScript Plotfile Package, which consists of PostScript plot files of a geologic map sheet with explanation, geologic description, this document, and a revision document. The second is the PDF Plotfile Package, and contains the same plotfiles as the first package, but in Portable Document Format (PDF). The third is the Digital Database Package, and contains the geologic map database itself, and the supporting data, including base maps, map explanation, geologic description, and references

### Postscript plotfile package

This package contains the images described here in PostScript format (see below for more information on PostScript plot files):

hpk_map.ps	A PostScript plottable file containing an image of the geologic map and base maps of the Hart Peak 7.5 minute quadrangle at a scale of 1:24,000, along with the map keys, and index maps
hpk_geo.ps	A PostScript plot file of a report containing detailed unit descriptions and geological information, plus references cited.
of99-34_2b.ps	A PostScript file of this document
of99-34_1b.ps	A Postscript file of any revisions made to this publication

### PDF plotfile package

This package contains the images described here in PDF format (see below for more information on PDF plot files):

hpk_map.pdf	A PDF file containing an image of the geologic map and base maps of the Hart Peak 7.5 minute quadrangle at a scale of 1:24,000, along with the map keys, and index maps
hpk_geo.pdf	A PDF file of a report containing detailed unit descriptions and geological information, plus references cited.
of99_34_2c.pdf	A PDF file of this document
of99-34_1b.pdf	A PDF file of any revisions made to this publication

## Digital database package

The database package includes geologic map database files for the Hart Peak 7.5 minute quadrangle. The digital maps, or coverages, along with their associated INFO directory have been converted to uncompressed ARC/INFO export files. ARC export files promote ease of data handling, and are usable by some Geographic Information Systems in addition to ARC/INFO (see below for a discussion of working with export files). The ARC export files and the associated ARC/INFO coverages and directories, as well as the additional digital material included in the database, are described below:

ARC/INFO export file -----	Resultant Coverage -----	Description of Coverage -----
hpk_geol.e00	hpk_geol/	Faults, depositional contacts, and rock units in the Hart Peak 7.5 minute quadrangle
hpk_str.e00	hpk_str/	Strike and dip information in the Hart Peak 7.5 minute quadrangle
hpk_smpl.e00	hpk_smpl/	Dated Sample localities in the Hart Peak 7.5 minute quadrangle
hpk_shr.e00	hpk_shr/	Polygonal layer depicting outlines of shear zones in the Hart Peak 7.5 minute quadrangle

ASCII text files, including explanatory text, ARC/INFO key files, PostScript plot files, and an ARC Macro Language file for conversion of ARC export files into ARC coverages:

hpk_geo.ps	A PostScript plot file of a report containing detailed unit descriptions and geological information, plus sources of data and references cited.
hpk_geo.ps	A PDF version of hpk_geo.ps.
hpk_geo.txt	A text-only file containing an unformatted version of hpk_geo.ps.
of99_34_2a.txt	A text-only file containing an unformatted version of this document.
of99-34_2b.ps	A PostScript version of his document.
of99_34_2c.pdf	A PDF version of this document.
of99_34_1a.txt	A text-only file containing a list of revisions to this publication
of99_34_1b.ps	A Postscript version of of99-34_1a.txt
of99_34_1c.pdf	A PDF version of of99-34_1a.txt
import.aml	ASCII text file in ARC Macro Language to convert ARC export files

to ARC coverages in ARC/INFO.

The following supporting directory is not included in the database package, but is produced in the process of reconverting the export files into ARC coverages:

info/ INFO directory containing files supporting the databases.

## Tar files

The two data packages described above are stored in tar (UNIX tape archive) files. A tar utility is required to extract the database from the tar file. This utility is included in most UNIX systems, and can be obtained free of charge over the Internet from Internet Literacy's Common Internet File Formats Webpage (<http://www.matisse.net/files/formats.html>). Both tar files have been compressed, and may be uncompressed with **gzip**, which is available free of charge over the Internet via links from the USGS Public Domain Software page (<http://edcwww.cr.usgs.gov/doc/edchome/ndcddb/public.html>). When the tar file is uncompressed and the data is extracted from the tar file, a directory is produced that contains the data in the package as described above. The specifics of the tar files are listed below:

Name of compressed tar file	Size of compressed tar file (uncompressed)	Directory produced when extracted from tar file	Data package contained
-----	-----	-----	-----
of99-34_3a.tar.gz	403 kB (2.1 MB)	hpkgeo	Digital Database Package
of99-34_4a.tar.gz	2.6 MB ( 10.1 MB)	hpkps	PostScript Plotfile Package
of99-34_5a.tar.gz	2.6 MB (2.7 MB)	hpkpdf	PDF Plotfile Package

## PostScript plot files

For those interested in the geology of the Hart Peak 7.5 minute quadrangles who don't use an ARC/INFO compatible GIS system we have included a separate data package with two PostScript plot files. One contains a color plot of the geologic map database at 1:24,000 scale (hpk\_map.ps). Although this release is primarily a digital database, the plot files (and plots derived therefrom) have been edited to conform to U.S. Geological Survey standards. Small units have been labeled with leaders and in some instances map features or annotation overlap. Sample plots by the authors have proven to be quite legible and useful, however. In addition, a second PostScript file containing the geologic description and discussion is provided (hpk\_geo.ps).

The PostScript image of the geologic maps and map explanation are 38 inches wide by 34 inches high, so it requires a large plotter to produce paper copies at the intended scale. In addition, some plotters, such as those with continual paper feed from a roll, are oriented with the long axis in the horizontal direction, so the PostScript image will have to be rotated 90 degrees to fit entirely onto the page. Some plotters and plotter drivers, as well as many graphics software packages, can perform this rotation. The geologic description is on 8.5 by 11 inch pages.

The PostScript plotfiles for maps were produced by the 'postscript' command with compression set to zero in ARC/INFO version 7.2.1. The PostScript plotfiles for pamphlets were produced in Microsoft Word 97 using the Destination PostScript File option from the Print command.

## PDF plot files

We have also included a second digital package containing PDF versions of the PostScript map sheet and pamphlet described above. Adobe Acrobat PDF (Portable Document Format) files are similar to PostScript plot files in that they contain all the information needed to produce a paper copy of a map or pamphlet and they are platform independent. Their principal advantage is that they require less memory to store and are therefore quicker to download from the Internet. In addition, PDF files allow for printing of portions of a map image on a printer smaller than that required to

print the entire map without the purchase of expensive additional software. All PDF files in this report have been created from PostScript plot files using Adobe Acrobat Distiller. In test plots we have found that paper maps created with PDF files contain almost all the detail of maps created with PostScript plot files. We would, however, recommend that those users with the capability to print the large PostScript plot files use them in preference to the PDF files.

To use PDF files, the user must get and install a copy of Adobe Acrobat Reader. This software is available **free** from the Adobe website (<http://www.adobe.com>). Please follow the instructions given at the website to download and install this software. Once installed, the Acrobat Reader software contains an on-line manual and tutorial.

There are two ways to use Acrobat Reader in conjunction with the Internet. One is to use the PDF reader plug-in with your Internet browser. This allows for interactive viewing of PDF file images within your browser. This is a very handy way to quickly look at PDF files without downloading them to your hard disk. The second way is to download the PDF file to your local hard disk, and then view the file with Acrobat Reader. **We strongly recommend that large map images be handled by downloading to your hard disk**, because viewing them within an Internet browser tends to be very slow.

To print a smaller portion of a PDF map image using Acrobat Reader, it is necessary to cut out the portion desired using Acrobat Reader and the standard cut and paste tools for your platform, and then to paste the portion of the image into a file generated by another software program that can handle images. Most word processors (such as Microsoft Word) will suffice. The new file can then be printed. Image conversion in the cut and paste process, as well as changes in the scale of the map image, may result in loss of image quality. However, test plots have proven adequate.

## Digital database format

The databases in this report were compiled in ARC/INFO, a commercial Geographic Information System (Environmental Systems Research Institute, Redlands, California), with version 3.0 of the menu interface ALACARTE (Fitzgibbon and Wentworth, 1991, Fitzgibbon, 1991, Wentworth and Fitzgibbon, 1991). The files are in COVERAGE (ARC/INFO vector data) format. Coverages are stored in uncompressed ARC export format (ARC/INFO version 7.x). ARC/INFO export files (files with the .e00 extension) can be converted into ARC/INFO coverages in ARC/INFO (see below) and can be read by some other Geographic Information Systems, such as MapInfo via ArcLink and ESRI's ArcView (version 1.0 for Windows 3.1 to 3.11 is available for free from ESRI's web site: <http://www.esri.com>). The digital compilation was done in version 7.2.1 of ARC/INFO with version 3.0 of the menu interface ALACARTE (Fitzgibbon and Wentworth, 1991, Fitzgibbon, 1991, Wentworth and Fitzgibbon, 1991).

## Obtaining the Digital Database and Plotfile Packages

The digital data can be obtained in any of three ways:

- a. From the Western Region Geologic Information Web Page.
- b. Anonymous ftp over the Internet
- c. Sending a tape with request

To obtain tar files of database or plotfile packages from the USGS web pages:

The U.S. Geological Survey now supports a set of graphical pages on the World Wide Web. Digital publications (including this one) can be accessed via these pages. The location of the main Web page for the entire USGS is

<http://www.usgs.gov>

The Web server for digital publications from the Western Region is

<http://wrgis.wr.usgs.gov>

Go to

<http://wrgis.wr.usgs.gov/open-file/of99-34>

to access this publication. Besides providing easy access to the entire digital database, the Western Region Web page also affords easy access to the PostScript plot files for those who do not use digital databases (see below).

To obtain tar files of database or plotfile packages by ftp:

The files in these reports are stored on the U.S. Geological Survey Western Region FTP server. The Internet ftp address of this server is:

ftp://wrgis.wr.usgs.gov

The user should log in with the user name 'anonymous' and then input their e-mail address as the password. This will give the user access to all the publications available via ftp from this server.

The files in this report are stored in the subdirectory:

pub/open-file/of99-34

To obtain tar files of database or plotfile packages on tape:

Database files, PostScript plotfiles, and related files can be obtained by sending a tape with request and return address to:

Hart Peak 7.5 minute quadrangle Geologic Database  
c/o Database Coordinator  
U.S. Geological Survey  
345 Middlefield Road, M/S 975  
Menlo Park, CA 94025

Do not omit any part of this address!

NOTE: Be sure to include with your request the exact names, as listed above, of the tar files you require. An Open-File Report number is not sufficient, unless you are requesting both the database package and plotfile package for the report.

The compressed tar file will be returned on the tape. The acceptable tape types are:

2.3 or 5.0 GB, 8 mm Exabyte tape.

If you are obtaining a plot file on tape to give to a commercial vendor to plot, make sure your vendor is capable of reading these tape types and PostScript plot files. Important information regarding tape file format is included in the sections "Database Release Format," "Tar Files," and "PostScript Plot Files" above, so be certain to provide a copy of this document to your vendor.

## Obtaining plots from USGS Open-File Services

**NOTE:** As of this writing, plot-on-demand is **not available** from USGS. It is anticipated in 1999.

U.S. Geological Survey is planning to provide a plot-on-demand service for map files, such as those described in this report, through Open-File Services. In order to obtain plots, contact Open-File Services at:

USGS Information Services  
Box 25286  
Denver Federal Center  
Denver, CO 80225-0046

(303) 202-4200  
1-800-USA-MAPS

FAX: (303) 202-4695

e-mail: [infoservices@usgs.gov](mailto:infoservices@usgs.gov)

Be sure to include with your request the Open-File Report number **and** the exact names, as listed in the Database Contents section above, of the plotfiles you require. An Open-File Report number and its letter alone may not be sufficient, unless you are requesting plots of all the plotfiles for that report.

## Converting ARC export files

ARC export files are converted to ARC coverages using the ARC command IMPORT with the option COVER. To ease conversion and maintain naming conventions, we have included an ASCII text file in ARC Macro Language that will convert all of the export files in the database into coverages and create the associated INFO directory. From the ARC command line type:

```
Arc: &run import.aml
```

ARC export files can also be read by some other Geographic Information Systems. Please consult your GIS documentation to see if you can use ARC export files and the procedure to import them.

## Digital compilation

The geologic map information was digitized from stable originals of the geologic maps at 1:24,000 scale. The author manuscripts (pencil on mylar) were scanned using an Altek monochrome scanner with a resolution of 800 dots per inch. The scanned images were vectorized and transformed from scanner coordinates to projection coordinates with digital tics placed by hand at quadrangle corners. The scanned lines were edited interactively by hand using ALACARTE, unit boundaries were tagged as appropriate, and scanning artifacts were removed.

## Faults

This map is intended to be of general use to engineers and land-use planners. However, its small scale does not provide sufficient detail for site development purposes. In addition, this map does not take the place of fault-rupture hazard zones designated by the California State Geologist (Hart, 1988).

## Spatial resolution

Uses of this digital geologic map should not violate the spatial resolution of the data. Although the digital form of the data removes the constraint imposed by the scale of a paper map, the detail and accuracy inherent in map scale are also present in the digital data. The fact that this database was edited at a scale of 1:24,000 means that higher resolution information is not present in the dataset. Plotting at scales larger than 1:24,000 will not yield greater real detail, although it may reveal fine-scale irregularities below the intended resolution of the database. Similarly, where this database is used in combination with other data of higher resolution, the resolution of the combined output will be limited by the lower resolution of these data.

## Database specifics

The map databases consist of ARC coverages and supporting INFO files, which are stored in UTM projection (Table 1). Digital tics define a 2.5 minute grid of latitude and longitude in the geologic coverages corresponding with quadrangle corners and internal tics. In the base map layers, the tics define a 7.5 minute grid, corresponding with quadrangle corners.

**Table 1 - Map Projection**  
The maps are stored in UTM projection



```

PROJECTION UTM
UNITS METERS                -on the ground
ZONE 11                     -UTM zone number for map area
DATUM NAD27
PARAMETERS
END

```

The content of the geologic database can be described in terms of the lines and the areas that compose the map. Descriptions of the database fields use the terms explained in Table 2.

**Table 2 - Field Definition Terms**

ITEM NAME	name of the database field (item)
WIDTH	maximum number of digits or characters stored
OUTPUT	output width
TYPE	B-binary integer, F-binary floating point number, I-ASCII integer, C-ASCII character string
N. DEC.	number of decimal places maintained for floating point numbers

## Lines

The lines (arcs) are recorded as strings of vectors and are described in the arc attribute table (Table 3). They define the boundaries of the map units, the boundaries of open bodies of water, and the map boundaries. These distinctions, including the geologic identities of the unit boundaries, are recorded in the LTYPE field according to the line types listed in Table 4.

**Table 3 - Content of the Arc Attribute Tables**

ITEM NAME	WIDTH	OUTPUT	TYPE	N. DEC	
FNODE#	4	5	B		starting node of arc (from node)
TNODE#	4	5	B		ending node of arc (to node)
LPOLY#	4	5	B		polygon to the left of the arc
RPOLY#	4	5	B		polygon to the right of the arc
LENGTH	4	12	F	3	length of arc in meters
<coverage>#	4	5	B		unique internal control number
<coverage>-ID	4	5	B		unique identification number
LTYPE	35	35	C		line type (see Table 4)
SEL	1	1	I		user defined field used to save a selected set
SYMB	3	3	I		user defined field used to save symbol assignments (such as color)

**Table 4 – Unique Line Types Recorded in the LTYPE Field of hpk\_geol.aat**

contact, certain	dike, Tib	dike, Tir
fault, approx. located	fault, certain	fault, concealed
fault, inferred, queried	map boundary, certain	normal fault, certain
normal fault, inferred, queried		

With the exception of the line types 'dike, Tib' and 'dike, Tir,' the geologic line types are ALACARTE line types that correlate with the geologic line symbols in the ALACARTE line set GEOLOGY.LIN according to the ALACARTE lines lookup table (ALCLINE.LUT). For more information on ALACARTE and its linesets, see Wentworth and Fitzgibbon (1991).

## Areas

Map units (polygons) are described in the polygon attribute table (Table 5). The identities of the map units from compilation sources are recorded in the PTYPE field by map label (Table 6). Map units are described more fully in the accompanying text file hpk\_geo.txt, hpk\_geo.pdf or hpk\_geo.ps. Note that ARC/INFO coverages cannot contain both point and polygon information, so only coverages with polygon information will have a polygon attribute table, and these coverages will not have a point attribute table.

**Table 5 - Content of the Polygon Attribute Tables**

ITEM NAME	WIDTH	OUTPUT	TYPE	N. DEC	
AREA	4	12	F	3	area of polygon in square meters
PERIMETER	4	12	F	3	length of perimeter in meters
<coverage>#	4	5	B		unique internal control number
<coverage>-ID	4	5	B		unique identification number
PTYPE	35	35	C		unit label
SEL	1	1	I		user defined field used to save a selected set
SYMB	3	3	I		user defined field used to save symbol assignments (such as color)

**Table 6 - Map Units**

(See hpk\_geo.txt or hpk\_geo.ps for descriptions of units)

Pzl	QTg	Qia1	Qia2b
Qoa	Qya	Ta	Tap
Tb	Tbr	Tbts	Tcm
Tg	Tia	Tib	Til
Tir	Tj	Tjw	Tlss
Tpr	Tps	Tr	Trf
Tts	Tvl	Tvss	Xlg
Xmg			

Data gathered at a single locality (points) are described in the point attribute table (Table 7 and Table 9). The identities of the points from compilation sources are recorded in the PTTYPE field by map label (Table 8 and 10). Map units are described more fully in the accompanying text file hpk\_geo.txt, hpk\_geo.pdf or hpk\_geo.ps. Note that ARC/INFO coverages cannot contain both point and polygon information, so only coverages with point information will have a point attribute table, and these coverages will not have a polygon attribute table.

**Table 7 - Content of the Structural Point Attribute Tables**

ITEM NAME	WIDTH	OUTPUT	TYPE	N. DEC	
AREA	4	12	F	3	area of polygon in square meters
PERIMETER	4	12	F	3	length of perimeter in meters
<coverage>#	4	5	B		unique internal control number
<coverage>-ID	4	5	B		unique identification number
PTTYPE	35	35	C		unit label
DIP	3	3	I		dip of bedding or foliation (structure coverages only)
STRIKE	3	3	I		strike of bedding or foliation (structure coverages only)
SEL	1	1	I		user defined field used to save a selected set

SYMB	3	3	I	user defined field used to save symbol assignments (such as color)
------	---	---	---	--

**Table 8 - Point Types Recorded in the PTTYE Field**

hpk_str -----		
_l_lineation_i_ foliation	bedding joint	flat bedding vert foliation and bedding

**Table 9 - Content of the Sample Point Attribute Tables**

ITEM NAME	WIDTH	OUTPUT	TYPE	N. DEC	
AREA	4	12	F	3	area of polygon in square meters
PERIMETER	4	12	F	3	length of perimeter in meters
<coverage>#	4	5	B		unique internal control number
<coverage>-ID	4	5	B		unique identification number
PTTYPE	35	35	C		unit label
Sampno	35	35	C		sample number
SEL	1	1	I		user defined field used to save a selected set
SYMB	3	3	I		user defined field used to save symbol assignments (such as color)

**Table 10 - Point Types Recorded in the PTTYE Field**

hpk_smpl -----
sample

The dated sample localities (hpk\_smpl) database contains locations and sample numbers only. See the associated geologic pamphlet (hpk\_geo.txt, hpk\_geo.pdf, or hpk\_geo.ps) for sample information and accuracy.

## References Cited

- Fitzgibbon, T.T., 1991, ALACARTE installation and system manual (version 1.0): U.S. Geological Survey Open-File Report 91-587B.
- Fitzgibbon, T.T., and Wentworth, C.M., 1991, ALACARTE user interface - AML code and demonstration maps (version 1.0): U.S. Geological Survey Open-File Report 91-587A.
- Hart, E.W., 1988, Fault-rupture hazard zones in California: Alquist-Priolo Special Studies Zones Act of 1972 with index to special studies zones maps: California Division of Mines and Geology Special Publication 42.
- Wentworth, C.M., and Fitzgibbon, T.T., 1991, ALACARTE user manual (version 1.0): U.S. Geological Survey Open-File Report 91-587C.