August 8, 2006



400 Seventh Street, S.W. Washington, D.C. 20590

Pipeline and Hazardous Materials Safety Administration

> DOT-SP 11791 (FIFTH REVISION)

EXPIRATION DATE: July 31, 2010

(FOR RENEWAL, SEE 49 CFR § 107.109)

1. <u>GRANTEE</u>: The Coleman Company, Inc. Wichita, KS

2. PURPOSE AND LIMITATION:

a. This special permit authorizes the transportation in commerce of a Division 2.1 material in a DOT Specification 2Q non-refillable inner container which exceeds the authorized maximum charging pressure. This special permit provides no relief from the Hazardous Materials Regulations (HMR) other than as specifically stated herein.

b. The safety analyses performed in development of this special permit only considered the hazards and risks associated with transportation in commerce.

c. No party status will be granted to this special permit.

- 3. REGULATORY SYSTEM AFFECTED: 49 CFR Parts 106, 107 and 171-180.
- 4. <u>REGULATIONS FROM WHICH EXEMPTED</u>: 49 CFR <u>§</u> 173.304a(d)(3)(ii) in that the maximum charging pressure and volume are exceeded.
- 5. <u>BASIS</u>: This special permit is based on the application of The Coleman Company, Inc. dated July 31, 2006, submitted in accordance with § 107.109.

Continuation of DOT-SP 11791 (5th Rev.)

Page 2 August 8, 2006

6. HAZARDOUS MATERIALS (49 CFR § 172.101):

Proper Shipping Name/ Hazardous Materials Description	Hazard Class/ Division	Identi- fication Number	Packing Group
Petroleum gases, liquefied or Liquefied petroleum gas/Butane- propane mixture	2.1	UN1075	N/A

7. SAFETY CONTROL MEASURES:

a. <u>PACKAGING</u> - Prescribed packagings are two designs of DOT 2Q non-refillable inner containers having a water capacity not exceeding 0.66 liter (40.28 in³). The first design conforms to Exal drawing 66135A02 and the second design conforms to Exal drawing 66220A01. Drawings are on file with the Office of Hazardous Materials Special Permits and Approvals (OHMSPA).

b. TESTING

§ 178.33a-8

(a) One container out of each lot of 25,000 containers or less successively produced each day must be pressure tested to destruction and must not burst below 285 psig. The containers must be complete with ends assembled. The end must reverse before any leakage or bursting.

c. OPERATIONAL CONTROLS:

(1) Each container must be filled in accordance with the provisions of § 173.304a(d)(1) and (d)(3) except that the maximum charging pressure may not exceed 4.13 bar (60 psig) at $21^{\circ}C$ ($70^{\circ}F$), or 10.34 bar (150 psig) at $55^{\circ}C$ ($131^{\circ}F$).

(2) Each completed container filled for shipment must have been heated until the pressure in the container is equivalent to the equilibrium pressure of the contents at 55°C (131°F) without evidence of leakage, distortion, or other defect.

(3) Each container must be packed in a strong outside packaging. Each outside packaging must be marked "INNER CONTAINERS CONFORM WITH DOT-SP 11791". Continuation of DOT-SP 11791 (5th Rev.)

8. SPECIAL PROVISIONS:

a. A person who is not a holder of this special permit who receives a package covered by this special permit may reoffer it for transportation provided no modification or change is made to the package or its contents and it is reoffered for transportation in conformance with this special permit and the HMR.

b. A current copy of this special permit must be maintained at each facility where the package is offered or reoffered for transportation.

c. <u>Marking</u> - In addition to the marking specified in § 178.33a-9 each container must be marked "DOT-SP 11791".

d. Transportation of Division 2.1 (flammable gases) materials are not authorized aboard cargo vessel unless specifically authorized in the Hazardous Materials Table (§ 172.101).

e. Packagings permanently marked 'DOT-E 11791', prior to October 1, 2007 may continue to be used under this special permit for the remaining service life of the packaging or until the special permit is no longer valid. Packagings marked on or after October 1, 2007 must be marked 'DOT-SP 11791'.

f. Shipping papers displaying 'DOT-E 11791' may continue to be used until October 1, 2007, provided the special permit remains valid.

- 9. <u>MODES OF TRANSPORTATION AUTHORIZED</u>: Motor vehicle, rail freight and cargo vessel. Transportation by aircraft is prohibited.
- 10. <u>MODAL REQUIREMENTS</u>: A current copy of this special permit must be carried aboard each cargo vessel used to transport packages covered by this special permit.
- 11. <u>COMPLIANCE</u>: Failure by a person to comply with any of the following may result in suspension or revocation of this special permit and penalties prescribed by the Federal hazardous materials transportation law, 49 U.S.C. 5101 et seq:
 - All terms and conditions prescribed in this special permit and the Hazardous Materials Regulations, Parts 171-180.

Continuation of DOT-SP 11791 (5th Rev.)

August 8, 2006

Page 4

- Persons operating under the terms of this special permit must comply with the security plan requirement in Subpart I of Part 172 of the HMR, when applicable.
- o Registration required by § 107.601 et seq., when
 applicable.

Each "Hazmat employee", as defined in § 171.8 who performs a function subject to this special permit must receive training on the requirements and conditions of this special permit in addition to the training required by §§ 172.700 through 172.704.

No person may use or apply this special permit, including display of its number, when the special permit has expired or it is otherwise no longer in effect.

Under Title VII of the Safe, Accountable, Flexible, Efficient Transportation Equity Act: A Legacy for Users (SAFETEA-LU)- 'The Hazardous Materials Safety and Security Reauthorization Act of 2005' (Pub. L. 109-59), 119 Stat. 1144 (August 10, 2005), amended the Federal hazardous materials transportation law by changing the term 'exemption' to 'special permit' and authorizes a special permit to be granted up to two years for new special permits and up to four years for renewals.

12. <u>REPORTING REQUIREMENTS</u>: Shipments or operations conducted under this special permit are subject to the Hazardous Materials Incident Reporting requirements specified in 49 CFR §§ 171.15 - Immediate notice of certain hazardous materials incidents, and 171.16 - Detailed hazardous materials incident reports. In addition, the grantee(s) of this special permit must notify the Associate Administrator for Hazardous Materials Safety, in writing, of any incident involving a package, shipment or operation conducted under terms of this special permit.

Issued in Washington, D.C.:

R. Ryan Porta

for Robert A. McGuire Associate Administrator for Hazardous Materials Safety

Address all inquiries to: Associate Administrator for Hazardous Materials Safety, Pipeline and Hazardous Materials Safety Administration, Department of Transportation, Washington, D.C. 20590. Attention: PHH-31. Copies of this special permit may be obtained by accessing the Hazardous Materials Safety Homepage at http://hazmat.dot.gov/sp_app/special_permits/spec_perm_index.htm Photo reproductions and legible reductions of this special permit are permitted. Any alteration of this special permit is prohibited.

PO: MMT/AM