Underreporting of Foodborne Illness: Strategies to Increase Awareness and Diagnosis

Caroline Smith DeWaal
Center for Science in the Public Interest
2006 Food Safety Education Conference

Foodborne Disease Surveillance & Investigation in the U.S.

- FoodNet active surveillance
- PulseNet laboratory network that performs microbial sub-typing
- Outbreak Alert! food attribution

Foodborne Diseases Active Surveillance Network (FoodNet)

- Active, laboratory-based surveillance within ten welldefined surveillance areas around the United States
- Monitor trends in foodborne diseases
- Conduct case-control studies

FoodNet (cont.)

FoodNet Pathogens Campylobacter Cyclospora Cryptosporidium Escherichia coli 0157:H7 Listeria monocytogenes Salmonella Shigella

Yersinia enterocolitica

Vibrio

- Approximately

 15,000 laboratory diagnosed cases,
 each year
 - Data collected includes patient demographics, comorbidities, hospital stay details, and laboratory results

PulseNet USA

- National database of pulsedfield gel electrophoresis (PFGE) patterns
- Enables outbreak cases and concurrent sporadic cases to be distinguished
- Does not include routine PFGE patterns from food and animal sources

PulseNet USA (cont.)

PulseNet Pathogens Campylobacter jejuni Cyclospora Cryptosporidium Escherichia coli 0157:H7 Listeria monocytogenes Salmonella Shigella **Vibrio** Yersinia enterocolitica

- The PulseNet database includes tens of thousands of PFGE patterns
- Labs at the national, state, and local levels have access to the database

Outbreak Alert!

Food Categories

Beef

Beverages

Breads & Bakery

Dairy

Eggs & Egg Dishes

Game

Luncheon/Other Meats

Multi-Ingredient Foods

Multiple Foods

Pork


Poultry

Produce


Seafood

- Outbreaks in the U.S. occurring between 1990-2004
- Contains almost 5,000 outbreaks including over 152,000 individual cases of foodborne illness
- Covers an unlimited number of pathogens
- A project managed and maintained by a private, non-profit, consumer advocacy group

Trends in Outbreak Reporting, 1990-2004



Outbreaks With Unknown Food or Etiology Are the MAJORITY of Reported Outbreaks



■ Outbreak Alert ■ CDC

Advice for Consumers

- Many intestinal problems commonly referred to as "stomach flu" are not caused by the influenza virus but by foodborne pathogens.
- Foodborne illness often shows itself with symptoms such as nausea, vomiting, diarrhea, or fever.
- Many people may not recognize that the illness is caused by bacteria or other pathogens in food because the onset of symptoms often occurs 2 or more days after the contaminated food was eaten.

Advice for Consumers

- A health care provider should be consulted for a diarrheal illness is accompanied by
 - high fever (temperature over 101.5 F, measured orally)
 - o blood in the stools
 - prolonged vomiting that prevents keeping liquids down (which can lead to dehydration)
 - signs of dehydration, including a decrease in urination, a dry mouth and throat, and feeling dizzy when standing up.
 - o diarrheal illness that lasts more than 3 days

How are foodborne illnesses diagnosed?

- The infection is often diagnosed using laboratory tests that identify the causative organism.
 - o Bacteria such as Salmonella and E. coli O157 are found by culturing stool samples in the laboratory and identifying the bacteria that grow on the agar or other culture medium.
 - Parasites such as Giardia can be identified by examining stools under the microscope.
 - O Viruses like Norovirus or Hepatitis A are more difficult to identify, as they are too small to see under a light microscope and are difficult to culture. Viruses are usually identified by testing stool samples for genetic markers that indicate a specific virus is present.

BUT IF NO TEST IS DONE, THERE WILL BE NO CONFIRMED DIAGNOSIS

Advice for Consumers

- If you believe you or someone you know became ill from something they ate, please contact your county or city health department.
- Most state health department have websites that give consumers information about how to reach the local health department.
- Reporting illnesses to your local health department promptly helps them identify and possibly stop foodborne disease outbreaks.
- By investigating foodborne disease outbreaks, public health officials learn about practices in food production, distribution and preparation that may cause illness.