

Chloride	Atomic Absorption; Furnace				3113 B
	Inductively Coupled Plasma				3120 B
	Silver Nitrate Titration		D 512-04 B		4500-Cl ⁻ B
	Ion Chromatography				4110 B
	Potentiometric Titration				4500-Cl ⁻ D
	Visual Comparison				2120 B
Foaming Agents	Methylene Blue Active Substances (MBAS)				5540 C
Iron	Axially viewed inductively coupled plasma-atomic emission spectrometry (AVICP-AES)	200.5, Revision 4.2			
	Atomic Absorption; Direct				3111 B
	Atomic Absorption; Furnace				3113 B
Manganese	Inductively Coupled Plasma				3120 B
	Axially viewed inductively coupled plasma-atomic emission spectrometry (AVICP-AES)	200.5, Revision 4.2			
	Atomic Absorption; Direct				3111 B
Odor	Atomic Absorption; Furnace				3113 B
	Inductively Coupled Plasma				3120 B
	Threshold Odor Test				2150 B
Silver	Axially viewed inductively coupled plasma-atomic emission spectrometry (AVICP-AES)	200.5, Revision 4.2			
	Atomic Absorption; Direct				3111 B
	Atomic Absorption; Furnace				3113 B
Sulfate	Inductively Coupled Plasma				3120 B
	Ion Chromatography				4110 B
	Gravimetric with ignition of residue				4500-SO ₄ ⁻² C
	Gravimetric with drying of residue				4500-SO ₄ ⁻² D
	Turbidimetric method				4500-SO ₄ ⁻² E