

TC-21

CONSUMER PRODUCT INCIDENT REPORT

1. Name of Respondent SANDRA K. Mullins	2. Telephone No. (Home) (Work) (303) 935-2873 (303) 766-8861
3. Street Address 675 So. Stuart	4. City State Zip Code Denver Co 80219

5. Describe accident situation or hazard, including data on injuries. (Use second page if necessary.)

SEE ATTACHED

MFR/PRVLR NOTIFIED 7/7/97  
 No Comments made  
 Comments attached  
 Excisions/Revisions  
 Firm has not requested further notice

DEC 17 1996

6. Date of Incident(s) Sept. 3, 1996	7. If injury or near miss, obtain Age [48] sex [F] and describe injury SEE ATTACHED	8. If victim different from respondent, provide Name: Relationship:
9. Description of Product Round glass casserole dish with lid	10. Brand Name ANCHOR HOCKING	11. Manufacturer/Distributor Name, Address & Phone Anchor Hocking
	12. Model, Serial No.'s See Attached	13. Dealer's Name, Address, & Phone Gibsons GRAND JUNCTION, CO.
14. Was the product damaged, repaired or modified? Yes [ ] No [X] If yes, before or after the incident? Describe:	15. Product purchased New [X] Used [ ] Date purchased [DEC. 95] Age [9mo]	16. Does product have warning labels? If so, Note:
17. Have you contacted the manufacturer? Yes [ ] No [X] If not, Do you plan to contact them? Yes [X] No [ ] Other	18. Is the product still available? Yes [X] No [ ] If not, its disposition Saved some of the pieces of BROKEN GLASS	19. May we use your name with this report? Yes [X] No [ ]

FOR ADMINISTRATION USE

20. Date Received 12-3-96	21. Received by (Name & Office) Teresa Bloxham, FOWR/Denver	22. Document No. F96 C 5001 A
23. Follow-Up Action Section 15 1997 961209CWE5001 status = ?	24. Product Code(s) 0461	
25. Distribution O: EHDJ cc: SFRO	26. Endorser's Name & Title JPD Sup.	

Dec 1, 1996



I Sandra K. Mullins was preparing to use the Anchor Locking casserole dish. I reached in the cupboard took out the casserole, put the lid on the counter, left side of counter. Had the casserole in my left hand - was walking to the other side of counter. I was standing approximately one foot in front of counter and the casserole dish exploded in my hand. It sounded like a bomb blew up. It caused a puncture wound to my left hand, middle finger. The glass put a hole in the tendon sheath. The puncture wound became infected. My hand became swollen, especially my middle finger. The middle finger became stiff and I could not move it at all. My doctor sent me to a Hand surgeon. The Hand surgeon did surgery on my hand, opened it up and drained it. The doctor said it was really a big deal - as infection eats up tendons in the hand. I'm a Cosmetologist and own my Beauty Salon. I had to keep my hand immobilized, and wasn't able to work. I went to the Hand doctor many times then I started therapy at the Hand clinic. I was released Nov 18, 1996. My finger still

I am back at work, I try not to do as many purses etc. as it does affect it. The therapist said, I should set a limit.

I received the Anchor Hocking casserole dish for Xmas last year and I had used it a few times.

My husband saved some of the broken glass, hoping we could have it tested to see if it was defective.

We have four pieces of glass mostly shattered with a lot of lines thru them. But this is a diagram (the best I can draw) of the four pieces. The rest of the pieces have no writing on them.



The casserole was a round one, the brown colored glass.

Sandra K. Mullins  
675 So. Stuart  
Denver, Co.

80219

Q

If you have any changes, additions, or comments you wish to make concerning your attached report, please make them in the space below.

I confirm that the information in the attached report (including any changes, additions, or comments I have made) is accurate to the best of my knowledge and belief.

Shandra K. Mullins      Jan. 27, 1997  
Signature                                  Date

I request that you do not release my name.

You may release my name to the manufacturer but I request that you not release it to the general public.

You may release my name to the manufacturer and to the public.

I-12  
F9625001