U.S. Fish & Wildlife Service

## Santee

National Wildlife Refuge Bird List





Santee National Wildlife Refuge



This blue goose, designed by J. N. "Ding" Darling, has become a symbol of the National Wildlife Refuge System.

Santee National Wildlife Refuge was established in 1941 to alleviate the loss of natural waterfowl and wildlife habitat caused by the construction of hydroelectric projects on the Santee and Cooper Rivers.

Stretching for eighteen miles along the northern shore of Lake Marion, the refuge encompasses 15,095 acres of mixed hardwoods, pine-hardwoods, pine plantations, marsh, croplands, old fields, ponds, impoundments and open waters. This diversity of habitats support a myriad of wildlife species including 296 bird species recorded on the refuge.

Excellent birding opportunities exist on all four units of Santee Refuge. A walk along the one-mile Wrights Bluff Nature Trail affords visitors the chance to observe songbirds, wading birds, and several species of waterfowl. Dingle Pond is home to a Carolina Bay and provides unique habitat for several wetland species including a great diversity of songbirds, wading birds, and waterfowl. Visitors may utilize a one-mile trail to get a closer look at wildlife.

The Pine Island and Cuddo Units provide the greatest diversity of habitats of the four units. Visitor access on Pine Island is limited to foot and bicycle traffic only. A wildlife drive on the Cuddo Unit provides numerous wildlife observation opportunities along with access to 3-1/2 miles of hiking trails.

An automatic gate on the Cuddo Unit controls hours of access to minimize disturbance to wildlife during critical periods. Current visitor use hours are posted at the entrance gate or may be obtained by contacting the refuge office. Visitor access on all refuge units may be limited to provide total sanctuary for wintering ducks and geese.

This checklist is based on records and observations by refuge personnel, state biologists, and visiting birders as well as a information gleaned from numerous publications. Since we try to keep our list up-to-date, it is important that persons who see a bird not listed, report this sighting to the refuge manager at Santee National Wildlife Refuge, 2125 Fort Watson Road, Summerton, SC 29148 (Telephone: (803)478 2217).

## How to use your checklist

The bird checklist was designed to be informative and simple to use. The names for birds used comply with recommendations of the American Ornithologists' Union (AOU). Species are listed in the order set by the AOU's Checklist of North American Birds, 7th Edition (1998). Symbols that appear in this checklist represent the following:

Seasonal Appearance Sp- Spring March-May

S- Summer June-August

F- Fall September-November

W- Winter December-February

## Seasonal Abundance

a— abundant (common species - very numerous)

c— common (certain to be seen in suitable habitat)

u— uncommon (present but not certain to be seen)

o— occasional (seen only a few times a season)

r — rare (seen at intervals of 2 to 5 years)

ac — very rarely seen with only one or two sightings within the past ten years

\* — breeds on the refuge

Laura	SP	S	F	W
Loons Red-throated Loon	0.0		0.0	
Common Loon	ac		ac	u
				u
Grebes				
Pied-billed Grebe*	u	0	c	a
Horned Grebe				u
Red-necked Grebe				ac
Eared Grebe				ac
Pelicans, Cormorants & Darters				
American White Pelican				ac
Double-crested Cormorant	c	u	c	a
Anhinga	c	a	c	u
Bitterns, Herons & Egrets				
American Bittern	r			u
Least Bittern* Great Blue Heron*	u	u	u	
Great Egret	c c	c c	a a	c c
Great Egret Snowy Egret	0	u	u u	r
Little Blue Heron	0	u	u	r
Tricolored Heron	ů	u	u	ac
Cattle Egret	a	a	a	r
Green Heron*	a	a	a	r
Black-crowned Night-Heron	r	r	r	ac
Yellow-crowned Night-Heron	c	c	c	
Ibises				
White Ibis	0	0	0	r
Glossy Ibis	ac		ac	
Storks				
Wood Stork	r	r	0	ac
New World Vultures				
Black Vulture	u	u	u	u
Turkey Vulture	c	c	c	c
Waterfowl				
Fulvous Whistling-Duck				ac
Greater White-fronted Goose				0
Snow Goose				u
Ross's Goose				ac
Canada Goose				c
Barnacle Goose				ac
Mute Swan				ac
Tundra Swan				u
Wood Duck*	$\mathbf{a}$	a	a	a
Gadwall				c
Eurasian Wigeon				ac
American Wigeon American Black Duck	**			c
American Diack Duck	r			0

	SP	S	F	W
Mallard	0	0	u	a
Blue-winged Teal	0		c	0
Cinnamon Teal				ac
Northern Shoveler	r			c
Northern Pintail				0
Green-winged Teal Canvasback	r			a
Redhead				u u
Ring-necked Duck	r			c
Greater Scaup	•			r
Lesser Scaup				0
White-winged Scoter				ac
Bufflehead				c
Common Goldeneye				r
Hooded Merganser				c
Common Merganser				ac
Red-breasted Merganser				0
Ruddy Duck				0
Hawks, Eagles and Kites				
Osprey	c	c	c	u
Swallow-tailed Kite	ac	C	ac	u
Mississippi Kite	0	0	ac ac	
Bald Eagle*	c	u	u	c
Northern Harrier	0		0	c
Sharp-shinned Hawk	0		0	u
Cooper's Hawk	r	r	r	u
Red-shouldered Hawk	$\mathbf{c}$	c	c	c
Broad-winged Hawk	0		0	ac
Red-tailed Hawk*	c	c	c	c
Rough-legged Hawk				ac
Golden Eagle				ac
True Falcons				
American Kestrel	r		0	c
Merlin	r		r	ac
Peregrine Falcon	r		r	r
Turkey and New World Quail				
Wild turkey*	u	u	u	u
Northern Bobwhite*	u	u	u	u
Rails, Gallinules, Coots & Cranes				
Yellow Rail	ac			ac
Black Rail	ac			ac
King Rail*	0	0	0	0
Virginia Rail	r			0
Sora	r			
Purple Gallinule*	u	u		
Common Moorhen*	a	a	a	c
American Coot	u	0	0	a
Sandhill Crane				ac

DI.	SP	S	F	W
Plovers Black-bellied Plover				
American Golden-Plover	r		r	
Wilson's Plover	ac		ac	
Semipalmated Plover	ac		ac	
Piping Plover	u ac		u ac	
Killdeer*	c	c	c	c
Sandpipers				
American Avocet				ac
Greater Yellowlegs	0		0	0
Lesser Yellowlegs	r		r	r
Solitary Sandpiper	0		0	
Willet	$\mathbf{r}$		r	
Spotted Sandpiper	0		0	r
Upland Sandpiper	0		0	
Whimbrel	ac		ac	
Marbled Godwit	ac		ac	
Ruddy Turnstone	ac		ac	
Red Knot	ac		ac	
Sanderling	ac		ac	
Semipalmated Plover	r		r	
Western Sandpiper	r			
Least Sandpiper	u		u	r
White-rumped Sandpiper	r		r	
Pectoral Sandpiper	0		u	
Dunlin	r		r	ac
Stilt Sandpiper	r		r	
Buff-breasted Sandpiper	ac		ac	
Ruff	ac		ac	
Short-billed Dowitcher	u		u	
Long-billed Dowitcher				ac
Wilson's Snipe	0		r	c
American Woodcock*	0	0	0	u
Wilson's Phalarope	ac		ac	
Gulls, Terns & Skimmers				
Laughing Gull	0	0	u	r
Franklin's Gull				ac
Bonaparte's Gull	r			u
Ring-billed Gull	c	r	c	c
Herring Gull	u	r	u	u
Caspian Tern	0		0	r
Royal Tern	r		r	
Common tern	ac		ac	ac
Forster's Tern	r	7.0	0	u
Least Tern	0	r	0	
Black Tern	r		r	
Black Skimmer			ac	

	SP	S	F	W
Pigeons and Doves				
Rock Pigeon*	c	c	c	c
Mourning Dove*	$\mathbf{a}$	a	$\mathbf{a}$	a
Common Ground Dove	ac	ac	ac	ac
Cuckoos				
Black-billed Cuckoo	ac		ac	
Yellow-billed Cuckoo	u	u	u	
0wls				
Barn Owl*	0	0	0	0
Eastern Screech Owl*	c	c	c	c
Great Horned Owl*	c	c	c	c
Barred Owl*	c	c	c	c
Long-eared Owl				ac
Short-eared Owl	ac			ac
Northern Saw-whet Owl				ac
Nightjars & Swifts				
Common Nighthawk*	u	0	u	
Chuck-will's Widow*	c	c	u	
Whip-por-will*	c	c	u	ac
Chimney Swift*	c	c	c	ac
Hummingbirds				
Ruby-throated Hummingbird*	c	u	c	
Kingfishers				
Belted Kingfisher*	u	0	u	c
Derect ixingfisher	u	U	u	·
Noodpeckers				
Red-headed Woodpecker*	u	u	u	u
Red-bellied Woodpecker*	c	c	c	c
Yellow-bellied Sapsucker	0		r	c
Downy Woodpecker*	c	c	c	c
Hairy Woodpecker* Red-cockaded Woodpecker	u	u	u	u
Northern Flicker*	ac	ac	ac	ac
Pileated Woodpecker*	c c	u c	c c	a c
r neated woodpecker	C	C	C	C
Tyrant Flycatchers				
Oliver-sided Flycatcher	ac		ac	
Eastern Wood-Pewee*	c	c	c	
Yellow-bellied Flycatcher	ac		ac	
Acadian Flycatcher*	c	c	c	
Willow Flycatcher	r		r	
Least Flycatcher Eastern Phoebe	ac		ac	
Vermillion Flycatcher	0		0	c
Great Crested Flycatcher*	c	c	ac c	
Western Kingbird	C	C	ac	
			ac	

	SP	S	F	W
Eastern Kingbird*	c	c	c	• • •
Gray Kingbird	Č		·	ac
Scissor-tailed Flycatcher				ac
				ac
Shrikes				
Loggerhead Shrike*	u	u	u	u
Vireos				
White-eyed Vireo*	c	c	c	c
Bell's Vireo		_	ac	
Yellow-throated Vireo*	c	c	c	
Blue-headed Vireo	0		0	c
Warbling Vireo	0	0	0	
Philadelphia Vireo	Ü		ac	
Red-eyed Vireo*	c	c	c	
rtea eyea viico	C		·	
Jays & Crows				
Blue Jay*	c	c	c	c
American Crow*	a	a	a	a
Fish Crow*	a	a	c	r
	а	а	C	1
Larks & Swallows				
Horned Lark				ac
Purple Martin*	c	c	11	ac
Tree Swallow	c	c ac	u a	r
Northern Rough-winged Swallow	a * 11			1
Bank Swallow		u	u o	
Cliff Swallow	0	u	_	
Barn Swallow*	0	u	0	
Barn Swanow	a	a	a	
Titmice & Chickadees				
Carolina Chickadee*				0
Tufted Titmouse*	c c	c c	c c	c c
Turted Trimouse	C	C	C	C
Nuthatches & Creepers				
Red-breasted Nuthatch*				r
White-breasted Nuthatch*	u	u	u	u
Brown-headed Nuthatch*	c	c	c	c
Brown Creeper	C	C	C	u
Brown Creeper				u
Wrens				
Carolina Wren*	c	c	c	c
Bewick's Wren	C	C	ac	C
House Wren	0		ac	0
Winter Wren	0			c
Sedge Wren	0			u
Marsh Wren*	0	11	11	u
WIAISH WIEH	u	u	u	u
Kinglets & Gnatcatchers				
Golden-crowned Kinglet			•	11
Ruby-crowned Kinglet	11		0	u
Ruby-crowned Kinglet Blue-gray Gnatcatcher*	u c	c	o c	a u
Diuc-gray dilateateller	·		C	u

c u r r	c	c u	c
u r	c		c
r		11	
		•	
r		r	
-		r	
u		u	
u		0	c
c	c	С	c
u	u	С	c
u	0	u	u
$\mathbf{c}$	c	c	c
$\mathbf{c}$	c	c	c
c	c	a	a
14			
r			u
		ac	
0		r	c
r		r	
			u
r			
c	c		
			ac
0		u	
0		u	
0		u	
0		u	
0		0	a
0		u	
0		u	
c	c	c	r
c	c	c	c
ac		ac	
c	u	u	r
0		0	u
0		u	
u		r	
r		r	
u	0	u	0
u	r	u	
$\mathbf{c}$	c	c	
u		u	
	u u c c r o r o o r c o o o o o o o o c c ac c o u r u u c	u u u c c c c c c c c c c c c c c c c c	u         u         c           u         c         c           c         c         c           c         c         a    T  T  T  T  T  T  T  T  T  T  T  T  T

	~ 5	~	-	
C	SP	S	F	W
Swainson's Warbler*	u	u	0	
Ovenbird	u		u	
Northern Waterthrush	u		u	
Louisiana Waterthrush*	u	u	u	
Kentucky Warbler*	u	u	u	
Connecticut Warbler			r	
Mourning Warbler	r		r	
Common Yellowthroat*	c	c	С	c
Hooded Warbler*	c	c	c	
Wilson's Warbler	0		0	r
Canada Warbler	u		u	
Yellow-breasted Chat*	c	c	u	
Tanagers				
Summer Tanager*	c	c	c	
Scarlet Tanager	0	·	u	
Western Tanager	Ū		u	ac
Western ranager				ac
Emberizids				
Eastern Towhee*	$\mathbf{c}$	c	c	c
Bachman's Sparrow*	r	r	r	ac
Chipping Sparrow*	c	u	c	c
Clay-colored Sparrow				ac
Field Sparrow*	c	u	c	c
Vesper Sparrow				0
Lark Sparrow			ac	
Savannah Sparrow	u		u	c
Grasshopper Sparrow	ac			ac
Henslow's Sparrow	ac			ac
LeConte's Sparrow	r			r
Fox Sparrow			r	r
Song Sparrow	0		0	c
Lincoln's Sparrow				r
Swamp Sparrow	0		0	c
White-throated Sparrow	0		0	c
White-crowned Sparrow	Ü			r
Dark-eyed Junco	0		r	c
	ŭ		-	
Cardinals & Allies				
Northern Cardinal*	a	a	a	a
Rose-breasted Grosbeak	u		u	
Blue Grosbeak*	$\mathbf{c}$	c	c	
Indigo Bunting*	c	c	c	
Painted Bunting*	u	u	0	
Dickcissel	r	r	r	
Plackbirds				
Blackbirds				
Bobolink	u	_	u	
Red-winged Blackbird*	c	c	c	u
Eastern Meadowlark*	u	u	u	u
Western Meadowlark			ac	
Yellow-headed Blackbird			ac	

	SP	S	F	W
Rusty Blackbird	0			u
Brewer's Blackbird				ac
Common Grackle*	c	c	c	a
Boat-tailed Grackle	r	r	r	ac
Brown-headed Cowbird*	c	c	c	a
Orchard Oriole*	c	c	c	
Baltimore Oriole	0		0	
Northern Finches				
Purple Finch				0
House Finch*	u	u	u	u
Pine Siskin	r			0
American Goldfinch	r	r	r	c
Evening Grosbeak				r
Old World Sparrows				
House Sparrow	0	0	0	0

## **Birding Ethics**

The membership of the American Birding Association believes that all birders have an obligation at all times to protect wildlife, the natural environment, and the rights of others. They ask that all birders adhere to the following general guidelines of good birding behavior.

I. Birders must always act in ways that do not endanger the welfare of birds or other wildlife. In keeping with this principle, we will:

Observe and photograph birds without knowingly disturbing them in any significant way;

Avoid chasing or repeatedly flushing birds;

Keep an appropriate distance from nests and nesting colonies so as not to disturb the birds or expose them to danger;

Disturb wintering wildlife as little as possible, particularly during critical feeding and resting periods. They need all of their energy reserves to withstand the stresses of harsh weather and migration.

II. Birders must always act in ways that do not harm the natural environment. In keeping with this principle, we will:

Stay on existing roads, trails and pathways whenever possible to avoid trampling;

Leave all habitat as it was found. Many birds die when they become entangled in discarded fishing lines, 6 pack rings and other trash, or when they mistake garbage for food.

III. Birders must always respect the rights of others. In keeping with this principle, we will:

Respect the privacy and property of others by observing "No Trespassing" signs;

Observe all laws and the rules and regulations that govern public use of birding areas;

Always behave in a manner that will enhance the image of the birding community in the eyes of the public.





Sighting Notes Date	
Time	
Weather	
No. of Species	
Route or Area	
Observers	
Remarks	

Check out the American Birding Association's website at http://www.aba.org for additional information on birding ethics.



