

duty truck conforming to the applicable Transitional Low-Emission Vehicle standard.

Ultra Low-Emission Vehicle means any light-duty vehicle or light-duty truck conforming to the applicable Ultra Low-Emission Vehicle standard, or any heavy-duty vehicle with an engine conforming to the applicable Ultra Low-Emission Vehicle standard.

Zero-Emission Vehicle means any light-duty vehicle or light-duty truck conforming to the applicable Zero-Emission Vehicle standard, or any heavy-duty vehicle conforming to the applicable Zero-Emission Vehicle standard.

[57 FR 60046, Dec. 17, 1992. Redesignated and amended at 59 FR 50074, Sept. 30, 1994]

§ 88.103-94 Abbreviations.

The abbreviations of part 86 also apply to this subpart. The abbreviations in this section apply to all of part 88.

ALVW—Adjusted Loaded Vehicle Weight
 CO—Carbon Monoxide
 HCHO—Formaldehyde
 HC—Hydrocarbon
 HDV—Heavy-Duty Vehicle
 LDT—Light-Duty Truck
 LDV—Light-Duty Vehicle
 NMHC—Non-Methane Hydrocarbon
 NMHCE—Non-Methane Hydrocarbon Equivalent
 NMOG—Non-Methane Organic Gas
 NO_x—Nitrogen Oxides
 PM—Particulate Matter
 GVWR—Gross Vehicle Weight Rating
 LVW—Loaded Vehicle Weight
 TW—Test Weight
 TLEV—Transitional Low-Emission Vehicle
 LEV—Low-Emission Vehicle
 ULEV—Ultra Low-Emission Vehicle
 ZEV—Zero-Emission Vehicle

[57 FR 60046, Dec. 17, 1992. Redesignated and amended at 59 FR 50074, Sept. 30, 1994]

§ 88.104-94 Clean-fuel vehicle tailpipe emission standards for light-duty vehicles and light-duty trucks.

(a) A light-duty vehicle or light-duty truck will be considered as a TLEV, LEV, ULEV, or ZEV if it meets the applicable requirements of this section.

(b) Light-duty vehicles certified to the exhaust emission standards for TLEVs, LEVs, and ULEVs in Tables A104-1 and A104-2 shall be considered as meeting the requirements of this section for that particular vehicle emis-

sion category for model years 1994-2000 for the California Pilot Program.

(c) Light-duty vehicles certified to the exhaust emission standards for LEVs and ULEVs in Tables A104-1 and A104-2 shall be considered as meeting the requirements of this section for that particular vehicle emission category for model years 2001 and later for the California Pilot Program, and for model years 1998 and later for the Clean Fuel Fleet Program.

(d) Light light-duty trucks certified to the exhaust emission standards for a specific weight category for TLEVs, LEVs, and ULEVs in Tables A104-3 and A104-4 shall be considered as meeting the requirements of this section for that particular vehicle emission category. For model years 1994-2000 for the California Pilot Program.

(e) Light Light-duty trucks certified to the exhaust emission standards for a specific weight category for LEVs and ULEVs in Tables A104-3 and A104-4 shall be considered as meeting the requirements of this section for that particular vehicle emission category. For model years 2001 and later for the California Pilot Program, and for model years 1998 and later for the Clean Fuel Fleet Program.

(f) Heavy light-duty trucks certified to the exhaust emission standards for a specific weight category of LEVs and ULEVs in Tables A104-5 and A104-6 for model years 1998 and later shall be considered as meeting the requirements of this section for that particular vehicle emission category.

(g) A light-duty vehicle or light-duty truck shall be certified as a ZEV if it is determined by engineering analysis that the vehicle satisfies the following conditions:

(1) The vehicle fuel system(s) must not contain either carbon or nitrogen compounds (including air) which, when burned, form any of the pollutants listed in Table A104-1 as exhaust emissions.

(2) All primary and auxiliary equipment and engines must have no emissions of any of the pollutants listed in Table A104-1.

(3) The vehicle fuel system(s) and any auxiliary engine(s) must have no evaporative emissions in use.

Environmental Protection Agency

§ 88.104-94

(4) Any auxiliary heater must not operate at ambient temperatures above 40 degrees Fahrenheit.

(h) *NMOG standards for flexible- and dual-fueled vehicles when operating on clean alternative fuel*—(1) *Light-duty vehicles, and light light-duty trucks.* Flexible- and dual-fueled LDVs and light LDTs of 1996 model year and later shall meet all standards in Table A104-7 for vehicles of the applicable model year, loaded vehicle weight, and vehicle emission category.

(2) *Light-duty trucks above 6,000 lbs GVWR.* Flexible- and dual-fueled LDTs above 6,000 lbs. GVWR of 1998 model year and later shall meet all standards in Table A104-8 for vehicles of the applicable test weight and vehicle emission category.

(i) *NMOG standards for flexible- and dual-fueled vehicles when operating on conventional fuel*—(1) *Light-duty vehicles, and light light-duty trucks.* Flexible- and dual-fueled LDVs and light LDTs of 1996 model year and later shall meet all standards in Table A104-9 for vehicles of the applicable model year, loaded vehicle weight, and vehicle emission category.

(2) *Light-duty trucks above 6,000 lbs GVWR.* Flexible- and dual-fueled LDTs of 1998 model year and later shall meet all standards in Table A104-10 for vehicles of the applicable test weight and vehicle emission category.

(j) *Other standards for flexible- and dual-fueled vehicles.* When operating on clean alternative fuel, flexible- and dual-fueled light-duty vehicles and light light-duty trucks must also meet the appropriate standards for carbon monoxide, oxides of nitrogen, formaldehyde, and particulate matter as designated in paragraphs (a) through (f) of this section as well as all other applicable standards and requirements. When operating on conventional fuel, flexible- and dual-fueled vehicles must also meet all other applicable stand-

ards and requirements in 40 CFR part 86.

(k) Motor vehicles subject to standards and requirements of this section shall also comply with all applicable standards and requirements of 40 CFR part 86, except that any exhaust emission standards in 40 CFR part 86 pertaining to pollutants for which standards are established in this section shall not apply. For converted vehicles, the applicable standards and requirements of 40 CFR part 86 and this part 88 shall apply based on the model year in which the conversion is performed, regardless of the model year in which the base vehicle was originally manufactured prior to conversion.

(1) Gaseous-fueled, diesel-fueled, and electric clean-fuel vehicles are waived from cold CO test requirements of subpart C of this part if compliance is demonstrated by engineering analysis or test data.

(2) The standards in this section shall be administered and enforced in accordance with the California Regulatory Requirements Applicable to the Clean Fuel Fleet and California Pilot Programs, April 1, 1994, which are incorporated by reference.

(i) This incorporation by reference was approved by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51.

(ii) Copies may be inspected at U.S. EPA, OAR, 401 M St., SW., Washington, DC 20460, or at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, call 202-741-6030, or go to: http://www.archives.gov/federal_register/code_of_federal_regulations/ibr_locations.html. Copies of these materials may be obtained from Barclay's Law Publishers, 400 Oyster Point Boulevard, P.O. Box 3066, South San Francisco, CA 94080, phone (415) 244-6611.

TABLES TO § 88.104-94

TABLE A104-1—INTERMEDIATE USEFUL LIFE STANDARDS (G/MI) FOR LIGHT-DUTY VEHICLES FOR HCS, CO, NO_x, HCHO, AND PM

Vehicle emission category	NMOG	CO	NO _x	HCHO	PM ¹
TLEV	0.125	3.4	0.4	0.015
LEV	2.075	23.4	.2	2.015

§ 88.104-94

40 CFR Ch. I (7-1-04 Edition)

TABLE A104-1—INTERMEDIATE USEFUL LIFE STANDARDS (G/MI) FOR LIGHT-DUTY VEHICLES FOR HCS, CO, NO_x, HCHO, AND PM—Continued

Vehicle emission category	NMOG	CO	NO _x	HCHO	PM ¹
ULEV040	1.7	² .2	.008

¹ Applies to diesel vehicles only.
² Applies to ILEVs.

TABLE A104-2—FULL USEFUL LIFE STANDARDS (G/MI) FOR LIGHT-DUTY VEHICLES FOR HCS, CO, NO_x, HCHO, AND PM

Vehicle emission category	NMOG	CO	NO _x	HCHO	PM ¹
TLEV	0.156	4.2	0.6	0.018	0.08
LEV	² 0.090	² 4.2	.3	² .018	² .08
ULEV055	2.1	² .3	.011	.04

¹ Applies to diesel vehicles only.
² Applies to ILEVs.

TABLE A104-3—INTERMEDIATE USEFUL LIFE STANDARDS (G/MI) FOR LIGHT LIGHT-DUTY TRUCKS FOR HCS, CO, NO_x, HCHO, AND PM

LVW (lbs)	Vehicle emission category	NMOG	CO	NO _x	HCHO	PM ¹
0-3750	TLEV125	3.4	.4	.015
	LEV	² .075	² 3.4	.2	² .015
	ULEV040	1.7	² .2	.008
3751-5750	TLEV	0.160	4.4	.7	.018
	LEV	² .100	² 4.4	.4	² .018
	ULEV050	2.2	² .4	.009

¹ Applies to diesel vehicles only.
² Applies to ILEVs.

TABLE A104-4—FULL USEFUL LIFE STANDARDS (G/MI) FOR LIGHT LIGHT-DUTY TRUCKS FOR HCS, CO, NO_x, HCHO, AND PM

LVW (lbs)	Vehicle emission category	NMOG	CO	NO _x	HCHO	PM ¹
0-3750	TLEV	0.156	4.2	0.6	0.018	0.08
	LEV	² 0.090	² 4.2	0.3	² .018	² .08
	ULEV055	2.1	² .3	.011	.04
3751-5750	TLEV200	5.5	.9	.023	.08
	LEV	² .130	² 5.5	.5	² .023	² .08
	ULEV070	2.8	² .5	.013	.04

¹ Applies to diesel vehicles only.
² Applies to ILEVs.

TABLE A104-5—INTERMEDIATE USEFUL LIFE STANDARDS (G/MI) FOR HEAVY LIGHT-DUTY TRUCKS FOR HCS, CO, NO_x, HCHO, AND PM

ALVW (lbs)	Vehicle emission category	NMOG	CO	NO _x ²	HCHO	PM ¹
0-3750	LEV	³ 0.125	³ 3.4	0.4	³ 0.015
	ULEV075	1.7	³ .2	.008
3751-5750	LEV	³ .160	³ 4.4	.7	³ .018
	ULEV100	2.2	³ .4	.009
5751-	LEV	³ .195	³ 5.0	1.1	³ .022
	ULEV117	2.5	³ .6	.011

¹ Applies to diesel vehicles only.
² Does not apply to diesel vehicles.
³ Applies to ILEVs.

TABLE A104-6—FULL USEFUL LIFE STANDARDS (G/MI) FOR HEAVY LIGHT-DUTY TRUCKS FOR HCS, CO, NO_x, HCHO, AND PM

ALVW (lbs)	Vehicle emission category	NMOG	CO	NO _x	HCHO	PM ¹
0-3750	LEV	² 0.180	² 5.0	0.6	² 0.022	² 0.08
	ULEV107	2.5	² .3	.012	.04
3751-5750	LEV	² .230	² 6.4	1.0	² .027	² 1.0

Environmental Protection Agency

§ 88.104-94

TABLE A104-6—FULL USEFUL LIFE STANDARDS (G/MI) FOR HEAVY LIGHT-DUTY TRUCKS FOR HCS, CO, NO_x, HCHO, AND PM—Continued

ALVW (lbs)	Vehicle emission category	NMOG	CO	NO _x	HCHO	PM ¹
5751-	ULEV143	3.2	2.5	.013	.05
	LEV	2.280	27.3	1.5	2.032	2.12
	ULEV167	3.7	2.8	.016	.06

¹ Applies to diesel vehicles only.

² Applies to ILEVs.

TABLE A104-7—NMOG STANDARDS (G/MI) FOR FLEXIBLE- AND DUAL-FUELED VEHICLES WHEN OPERATING ON CLEAN ALTERNATIVE FUEL FOR LIGHT LIGHT-DUTY TRUCKS AND LIGHT-DUTY VEHICLES

Vehicle type	50,000 mile NMOG standard	100,000 mile NMOG standard
MY 1996 and later:		
LDTs (0-3,750 lbs. LVW) and LDVs	0.125	0.156
LDTs (3,751-5,750 lbs. LVW)160	.200
Beginning MY 2001:		
LDTs (0-3,750 lbs. LVW) and LDVs075	.090
LDTs (3,751-5,750 lbs. LVW)100	.130

TABLE A104-8—NMOG STANDARDS (G/MI) FOR FLEXIBLE- AND DUAL-FUELED VEHICLES WHEN OPERATING ON CLEAN ALTERNATIVE FUEL FOR HEAVY LIGHT-DUTY TRUCKS

Vehicle type	50,000 mile NMOG standard	120,000 mile NMOG standard
Beginning MY 1998:		
LDTs (0-3,750 lbs. ALVW)	0.125	0.180
LDTs (3,751-5,750 lbs. ALVW)160	.230
LDTs (5,751-8,500 lbs. ALVW)195	.280

TABLE A104-9—NMOG STANDARDS (G/MI) FOR FLEXIBLE- AND DUAL-FUELED VEHICLES WHEN OPERATING ON CONVENTIONAL FUEL FOR LIGHT LIGHT-DUTY TRUCKS AND LIGHT-DUTY VEHICLES

Vehicle type	50,000 mile NMOG standard	100,000 mile NMOG standard
Beginning MY 1996:		
LDTs (0-3,750 lbs. LVW) and LDVs	0.25	0.31
LDTs (3,751-5,750 lbs. LVW)32	.40
Beginning MY 2001:		
LDTs (0-3,750 lbs. LVW) and LDVs125	.156
LDTs (3,751-5,750 lbs. LVW)160	.200

TABLE A104-10—NMOG STANDARDS (G/MI) FOR FLEXIBLE- AND DUAL-FUELED VEHICLES WHEN OPERATING ON CONVENTIONAL FUEL FOR LIGHT LIGHT-DUTY TRUCKS

Vehicle type	50,000 mile NMOG standard	120,000 mile NMOG standard
Beginning MY 1998:		
LDTs (0-3,750 lbs. ALVW)	0.25	0.36
LDTs (3,751-5,750 lbs. ALVW)32	.46
LDTs (5,751-8,500 lbs. ALVW)39	.56

[59 FR 50074, Sept. 30, 1994, as amended at 61 FR 127, Jan. 3, 1996]