§471.43

40 CFR Ch. I (7-1-04 Edition)

SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals alkaline cleaned	
Cadmium	0.381	0.168
Copper	2.13	1.12
Cyanide	0.325	0.135
Silver	0.459	0.191

(r) Alkaline cleaning prebonding wastewater.

SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per mil- lion off-pounds) of pre- cious metal and base metal cleaned prior to bonding	
Cadmium	0.400	0.174
Copper	2.210	1.16
Cyanide	0.337	0.139
Silver	0.476	0.197

(s) Tumbling or burnishing wastewater.

SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per mil- lion off-pounds) of pre- cious metals tumbled or burnished	
Cadmium	0.412	0.182
Copper	2.300	1.21
Cyanide	0.351	0.145
Silver	0.496	0.206

- (t) Sawing or grinding spent neat oils—Subpart D—BAT. There shall be no discharge of process wastewater pollutants.
 - $(u) \ \textit{Sawing or grinding spent emulsions}.$

SUBPART D-BAT

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		nds) of pre- s sawed or
Cadmium	0.0327	0.014
Copper	0.178	0.094
Cyanide	0.0277	0.011
Silver	0.0381	0.016

(v) Degreasing spent solvents—Subpart D—BAT. There shall be no discharge of process wastewater pollutants.

[50 FR 34270, Aug. 23, 1985; 51 FR 2886, Jan. 22, 1986]

§ 471.43 New source performance standards (NSPS).

Any new source subject to this subpart must achieve the following new source performance standards (NSPS):

- (a) Rolling Spent Neat Oils—Subpart D—NSPS. There shall be no discharge of process wastewater pollutants.
 - (b) Rolling spent emulsions.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	off-pounds)	nds per million of precious d with emul-
Cadmium	0.026	0.012
Copper	0.147	0.077
Cyanide	0.023	0.010
Silver	0.032	0.013
Oil and grease	1.54	0.925
TSS	3.16	1.51
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

- (c) *Drawing spent neat oils—Subpart D—NSPS.* There shall be no discharge of process wastewater pollutants.
 - (d) Drawing spent emulsions.

Environmental Protection Agency

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals drawn with emul- sions	
Cadmium	0.017	0.007
Copper	0.091	0.048
Cyanide	0.014	0.006
Silver	0.020	0.008
Oil and grease	0.950	0.570
TSS	1.95	0.927
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

(e) Drawing spent soap solutions.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	off-pounds)	nds per million of precious n with soap so-
Cadmium	0.001	0.0005
Copper	0.006	0.003
Cyanide	0.0009	0.0004
Silver	0.002	0.0006
Oil and grease	0.063	0.038
TSS	0.128	0.061
pH	(1)	(1)

 $^{^{\}mbox{\scriptsize 1}}$ Within the range of 7.5 to 10.0 at all times.

(f) Metal powder production atomization wastewater.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	off-pounds)	nds per million of precious der wet atom-
Cadmium	2.27	1.00
Copper	12.7	6.68
Cyanide	1.94	0.802
Silver	2.74	1.14
Oil and grease	134	80.2
TSS	274	131
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

(g) Heat treatment contact cooling water.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		nds per million of precious treated
Cadmium	0.142 0.793	0.063 0.417
Cyanide	0.793	0.050
Silver	0.171	0.071
Oil and grease	8.34	5.01
TSS	17.1	8.13
pH	(1)	(¹)

¹ Within the range of 7.5 to 10.0 at all times.

(h) Semi-continuous and continuous casting contact cooling water.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals cast by the semi continuous or continuous method	
Cadmium	0.350	0.155
Copper	1.96	1.03
Cyanide	0.299	0.124
Silver	0.423	0.175
Oil and grease	20.6	12.4
TSS	42.3	20.1
pH	(1)	(¹)

¹ Within the range of 7.5 to 10.0 at all times.

- (i) Stationary casting contact cooling water—Subpart D—NSPS. There shall be no discharge of process wastewater pollutants.
- (j) Direct chill casting contact cooling water.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	off-pounds)	nds per million of precious by the direct
Cadmium	0.367	0.162
Copper	2.05	1.08
Cyanide	0.313	0.130
Silver	0.443	0.184
Oil and grease	21.6	13.0
TSS	44.3	21.1
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

⁽k) Shot casting contact cooling water.

§471.43

40 CFR Ch. I (7-1-04 Edition)

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
		nds per million of precious cast
Cadmium Copper Cyanide Silver Oil and grease TSS pH	0.125 0.698 0.107 0.151 7.34 15.1	0.055 0.367 0.044 0.063 4.41 7.16

¹ Within the range of 7.5 to 10.0 at all times.

- (l) Wet air pollution control scrubber blowdown—Subpart D—NSPS. There shall be no discharge of process wastewater pollutants.
- (m) Pressure bonding contact cooling water.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals and base metal pressure bonded	
Cadmium	0.029	0.013
Copper	0.159	0.084
Cyanide	0.024	0.010
Silver	0.034	0.014
Oil and grease	1.67	1.00
TSS	3.43	1.63
pH	(1)	(1)

 $^{^{\}mbox{\scriptsize 1}}\mbox{\ensuremath{\mbox{Within}}}$ the range of 7.5 to 10.0 at all times.

(n) Surface treatment spent baths.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals surface treated	
Cadmium	0.033 0.183	0.015 0.097
Cyanide	0.028 0.040	0.012 0.017
Oil and grease	1.93	1.16
TSS	3.95	1.88
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

(o) Surface treatment rinse.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per millior off-pounds) of precious metals surface treated	
Cadmium	0.210	0.093
Copper	1.17	0.616
Cyanide	0.179	0.074
Silver	0.253	0.105
Oil and grease	12.3	7.39
TSS	25.3	12.0
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

(p) Alkaline cleaning spent baths.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly aver- age
	mg/off-kg (pounds per million off-pounds) of precious metals alkaline cleaned	
Cadmium	0.021	0.009
Copper	0.114	0.060
Cyanide	0.018	0.007
Silver	0.025	0.010
Oil and grease	1.20	0.720
TSS	2.46	1.17
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

(q) Alkaline cleaning rinse.

SUBPART D-NSPS

Maximum for any 1 day	Maximum for monthly average
mg/off-kg (pounds per millior off-pounds) of precious metals alkaline cleaned	
0.381	0.168
2.13	1.112
0.325	0.135
0.459	0.191
22.4	13.5
45.9	21.9
(1)	(1)
	mg/off-kg (pou off-pounds) metals alkali 0.381 2.13 0.325 0.459 22.4 45.9

¹ Within the range of 7.5 to 10.0 at all times.

(r) Alkaline cleaning pre-bonding wastewater.

Environmental Protection Agency

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals and base metal cleaned prior to bonding	
Cadmium	0.400	0.174
Copper	2.21	1.16
Cyanide	0.337	0.139
Silver	0.476	0.197
Oil and grease	23.2	13.9
TSS	47.6	22.6
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

(s) Tumbling or burnishing wastewater.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals tumbled or bur- nished	
Cadmium	0.412	0.182
Copper	2.30	1.21
Cyanide	0.351	0.145
Silver	0.496	0.206
Oil and grease	24.2	14.5
TSS	49.6	23.6
pH	(¹)	(¹)

¹ Within the range of 7.5 to 10.0 at all times.

(t) Sawing or grinding spent neat oils—Subpart D—NSPS. There shall be no discharge of process wastewater pollutants.

(u) Sawing or grinding spent emulsions.

SUBPART D-NSPS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals sawed or ground with emulsions	
Cadmium	0.032	0.014
Copper	0.178	0.094
Cyanide	0.027	0.011
Silver	0.038	0.016
Oil and grease	1.87	1.12
TSS	3.83	1.82
pH	(1)	(1)

¹ Within the range of 7.5 to 10.0 at all times.

(v) *Degreasing spent solvents—Subpart D—NSPS.* There shall be no discharge of process wastewater pollutants.

[50 FR 34270, Aug. 23, 1985; 51 FR 2886, Jan. 22, 1986]

§ 471.44 Pretreatment standards for existing sources (PSES).

Except as provided in 40 CFR 403.7 and 403.13, any existing source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and by August 23, 1985 achieve the following pretreatment standards for existing sources (PSES). The mass of wastewater pollutants in precious metals forming process wastewater introduced into a POTW shall not exceed the following values:

(a) Rolling spent neat oils—Subpart D—PSES. There shall be no discharge of process wastewater pollutants.

(b) Rolling spent emulsions.

SUBPART D-PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals rolled with emul- sions	
Cadmium	0.026	0.012
Copper	0.147	0.077
Cyanide	0.023	0.010
Silver	0.032	0.013

(c) *Drawing spent neat oils—Subpart D—PSES.* There shall be no discharge of process wastewater pollutants.

(d) Drawing spent emulsions.

SUBPART D-PSES

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	mg/off-kg (pounds per million off-pounds) of precious metals drawn with emulsions	
Cadmium	0.016	0.007
Copper	0.091	0.048
Cyanide	0.014	0.006
Silver	0.020	0.008

(e) Drawing spent soap solutions.