§461.14

| Pollutant or pollutant property | Maximum for any 1 day | Maximum for monthly average |
|---------------------------------|---|-----------------------------------|
| | Metric units—mg/kg of silver powder produced | |
| | English units—pounds per 1,000,000 pounds of silver powder produced | |
| Cadmium | 0.64 | 0.26 |
| Nickel | 1.77 | 1.19 |
| Silver | 0.93 | 0.39 |
| Zinc | 3.27 | 1.35 |
| Cobalt | 0.45 | 0.22 |
| Oil and grease | 32.10 | 32.10 |
| TSS | 48.15 | 38.52 |
| pH | (¹) | (1) |

¹ Within the range of 7.5-10.0 at all times.

(8) Subpart A—Cadmium Hydroxide Production—NSPS.

| Pollutant or pollutant property | Maximum for any 1 day | Maximum for monthly average |
|---------------------------------|--|-----------------------------|
| | Metric units—mg/kg of cadmium used | |
| | English units—pounds per 1,000,000 pounds of cad-mium used | |
| Cadmium | 0.028 | 0.011 |
| Nickel | 0.077 | 0.051 |
| Zinc | 0.142 | 0.058 |
| Cobalt | 0.019 | 0.009 |
| Oil and grease | 1.40 | 1.40 |
| TSS | 2.10 | 1.68 |
| pH | (1) | (1) |

¹ Within the range of 7.5–10.0 at all times.

(9) Subpart A—Nickel Hydroxide Production—NSPS.

| Pollutant or pollutant property | Maximum for any 1 day | Maximum for monthly average |
|---------------------------------|--|-----------------------------|
| | Metric units—mg/kg of nickel used | |
| | English units—pounds per 1,000,000 pounds of nicker used | |
| Cadmium | 3.30 | 1.32 |
| Nickel | 9.08 | 6.11 |
| Zinc | 16.83 | 6.93 |
| Cobalt | 2.31 | 1.16 |
| Oil and grease | 165.0 | 165.0 |
| TSS | 247.5 | 198.0 |
| pH | (1) | (1) |

¹ Within the range of 7.5-10.0 at all times.

(b) There shall be no discharge allowance for process wastewater pollutants from any battery manufacturing operation other than those battery manufacturing operations listed above.

[49 FR 9134, Mar. 9, 1984; 49 FR 13879, Apr. 9, 1984]

§461.14 Pretreatment standards for existing sources (PSES).

- (a) Except as provided in 40 CFR 403.7 and § 403.13, any existing source subject to this subpart which introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve the pretreatment standards for existing sources listed below:
- (1) Subpart A—Electrodeposited Anodes.

PSES

| Pollutant or pollutant property for N Eng 1, | | Maximum for monthly average |
|---|----------------------------------|-----------------------------|
| Eng 1, cs | | -ma/ka of |
| 1, ca | Metric units—mg/kg of cadmium | |
| | lish units- 000,000 admium | —pounds per pounds of |
| Nickel | | 5.27 |
| INICKEI | 11.95 | |
| Zinc | 11.95 67.49 | 44.64 |
| Cobalt | | 44.64 21.44 |

(2) Subpart A—Impregnated Anodes.

PSES

| Pollutant or pollutant property | Maximum for any 1 day | Maximum for monthly average |
|---------------------------------|---|-----------------------------------|
| | Metric units—mg/kg of cadmium | |
| | English units—pounds p 1,000,000 pounds cadmium | |
| Cadmium | 68.0 | 30.0 |
| Nickel | 384.0 | 254.0 |
| Zinc | 292.0 | 122.0 |
| Cobalt | 42.0 | 18.0 |

(3) Subpart A—Nickel Electrodeposited Cathodes.

Environmental Protection Agency

PSES

| Pollutant or pollutant property | Maximum for any 1 day | Maximum for monthly average |
|---------------------------------|---|-----------------------------------|
| | Metric units—mg/kg of nickel applied | |
| | English units—pounds per 1,000,000 pounds or nickel applied | |
| Cadmium | 11.22 | 4.95 |
| Nickel | 63.36 | 41.91 |
| Zinc | 48.18 | 20.13 |
| Cobalt | 6.93 | 2.97 |

(4) Subpart A—Nickel Impregnated Cathodes—PSES.

| Maximum for any 1 day | Maximum for monthly average |
|---|--|
| Metric units—mg/kg of nickel applied | |
| English units—pounds pe 1,000,000 pounds o nickel applied | |
| 68.0 | 30.0 |
| 384.0 | 254.0 |
| 292.0 | 122.0 |
| 42.0 | 18.0 |
| | for any 1 day Metric units nickel : English units 1,000,000 nickel applii 68.0 384.0 292.0 |

(5) Subpart A—Miscellaneous Wastewater Streams—PSES.

| Maximum for any 1 day | Maximum for monthly average |
|---|--|
| Metric units—mg/kg of cells produced | |
| English units—pounds pe 1,000,000 pounds o cells produced | |
| 0.79 | 0.35 |
| 4.47 | 2.96 |
| 3.40 | 1.42 |
| 0.49 | 0.21 |
| | for any 1 day Metric units cells pr English units 1,000,000 cells produc 0.79 4.47 3.40 |

(6) Subpart A—Cadmium Powder Production—PSES.

| Pollutant or pollutant property | Maximum for any 1 day | Maximum for monthly average |
|---------------------------------|-----------------------------|---|
| | | mg/kg of der produced |
| | 1,000,000 | —pounds per pounds of powder pro- |
| Cadmium Nickel Zinc | 2.23 12.61 9.59 | 0.99 8.34 4.01 |
| Cobalt | 1.38 | 0.59 |

(7) Subpart A—Silver Powder Production—PSES.

| Pollutant or pollutant property | Maximum for any 1 day | Maximum for monthly average |
|---------------------------------|---|-----------------------------------|
| | Metric units—mg/kg of silver powder produced | |
| | English units—pounds per 1,000,000 pounds of sil- ver powder produced | |
| Cadmium | 1.09 | 0.48 |
| Nickel | 6.16 | 4.08 |
| Silver | 1.32 | 0.55 |
| Zinc | 4.69 | 1.96 |
| Cobalt | 0.67 | 0.29 |

(8) Subpart A—Cadmium Hydroxide Production—PSES.

| Pollutant or pollutant property | Maximum for any 1 day | Maximum for monthly average |
|---------------------------------|---|-------------------------------|
| | Metric units—mg/kg of cadmium used | |
| | English units—pounds p 1,000,000 pounds of ca mium used | |
| Cadmium Nickel Zinc Cobalt | 0.05 0.27 0.20 0.03 | 0.02 0.18 0.09 0.012 |

(9) Subpart A—Nickel Hydroxide Production—PSES.

| Pollutant or pollutant property | Maximum for any 1 day | Maximum for monthly average |
|---------------------------------|--|-----------------------------------|
| | Metric units—mg/kg of nickel used | |
| | English units—pounds per 1,000,000 pounds of nickel used | |
| Cadmium | 5.61 | 2.48 |
| Nickel | 31.68 | 20.96 |
| Zinc | 24.09 | 10.07 |
| Cobalt | 3.47 | 1.49 |

(b) There shall be no discharge allowance for process wastewater pollutants from any battery manufacturing operation other than those battery manufacturing operations listed above.

(a) Except as provided in 40 CFR 403.7 any new source subject to this subpart that introduces pollutants into a publicly owned treatment works must comply with 40 CFR part 403 and achieve the pretreatment standards for new sources listed below: