

§ 461.72

40 CFR Ch. I (7-1-04 Edition)

BPT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of silver processed	
	English units—pounds per 1,000,000 pounds of silver processed	
Chromium .....	21.6	8.84
Mercury .....	12.3	4.91
Silver .....	20.2	8.35
Zinc .....	71.7	30.0
Manganese .....	33.4	14.3
Oil and grease .....	982.0	589.2
TSS .....	2,013.1	957.5
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.5–10.0 at all times.

(11) Subpart G—Silver Peroxide Production.

BPT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of silver peroxide processed	
	English units—pounds per 1,000,000 pounds of silver peroxide processed	
Chromium .....	23.0	9.40
Mercury .....	13.1	5.22
Silver .....	21.4	8.88
Zinc .....	76.2	31.80
Manganese .....	35.5	15.10
Oil and grease .....	1,044.0	627.00
TSS .....	2,140.0	1,018.00
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.5–10.0 at all times.

(12) Subpart G—Silver Powder Production.

BPT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of silver powder processed	
	English units—pounds per 1,000,000 pounds of silver powder processed	
Chromium .....	9.33	3.82
Mercury .....	5.30	2.12
Silver .....	8.69	3.61
Zinc .....	30.95	12.93
Manganese .....	14.42	6.15
Oil and grease .....	424.0	254.40
TSS .....	869.0	413.40
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the range of 7.5–10.0 at all times.

(b) There shall be no discharge allowance for process wastewater pollutants from any battery manufacturing operation other than those battery manufacturing operations listed above.

[49 FR 9134, Mar. 9, 1984; 49 FR 13879, Apr. 9, 1984]

§ 461.72 Effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable (BAT).

(a) Except as provided in 40 CFR 125.30 through 125.32, any existing point source subject to this subpart must achieve the following effluent limitations representing the degree of effluent reduction attainable by the application of the best available technology economically achievable:

(1) Subpart G—Wet Amalgamated Powder Anodes.

BAT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of Zinc	
	English units—pounds per 1,000,000 pounds of Zinc	
Chromium .....	0.24	0.099
Mercury .....	0.14	0.055
Silver .....	0.23	0.093
Zinc .....	0.80	0.34
Manganese .....	0.37	0.16

(2) Subpart G—Gelled Amalgam Anodes.

BAT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of Zinc	
	English units—pounds per 1,000,000 pounds of Zinc	
Chromium .....	0.030	0.012
Mercury .....	0.017	0.007
Silver .....	0.028	0.012
Zinc .....	0.099	0.042
Manganese .....	0.046	0.020

(3) Subpart G—Zinc Oxide Formed Anodes.

**Environmental Protection Agency**

**§ 461.72**

**BAT EFFLUENT LIMITATIONS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of Zinc English units—pounds per 1,000,000 pounds of Zinc	
Chromium .....	9.53	3.90
Mercury .....	5.42	2.17
Silver .....	8.89	3.68
Zinc .....	31.64	13.22
Manganese .....	14.74	6.28

(4) Subpart G—Electrodeposited Anodes.

**BAT EFFLUENT LIMITATIONS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of zinc deposited English units—pounds per 1,000,000 pounds of zinc deposited	
Chromium .....	94.47	38.65
Mercury .....	53.68	21.47
Silver .....	88.03	36.50
Zinc .....	313.46	130.97
Manganese .....	146.00	62.26

(5) Subpart G—Silver Powder Formed Cathodes.

**BAT EFFLUENT LIMITATIONS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of silver applied English units—pounds per 1,000,000 pounds of silver applied	
Chromium .....	13.07	5.35
Mercury .....	7.43	2.97
Silver .....	12.18	5.05
Zinc .....	43.36	18.12
Manganese .....	20.20	8.61

(6) Subpart G—Silver Oxide Powder Formed Cathodes.

**BAT EFFLUENT LIMITATIONS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of silver applied English units—pounds per 1,000,000 pounds of silver applied	
Chromium .....	8.73	3.57
Mercury .....	4.96	1.99
Silver .....	8.14	3.37
Zinc .....	28.98	12.11
Manganese .....	13.50	5.76

(7) Subpart G—Silver Peroxide Cathodes.

**BAT EFFLUENT LIMITATIONS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of silver applied English units—pounds per 1,000,000 pounds of silver applied	
Chromium .....	2.09	0.87
Mercury .....	1.19	0.48
Silver .....	1.95	0.81
Zinc .....	6.95	2.90
Manganese .....	3.24	1.38

(8) Subpart G—Nickel Impregnated Cathodes.

**BAT EFFLUENT LIMITATIONS**

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of nickel applied English units—pounds per 1,000,000 pounds of nickel applied	
Chromium .....	88.0	36.0
Mercury .....	50.0	20.0
Nickel .....	384.0	254.0
Silver .....	82.0	34.0
Zinc .....	292.0	122.0
Manganese .....	136.0	58.0

(9) Subpart G—Miscellaneous Wastewater Streams.

§ 461.73

40 CFR Ch. I (7-1-04 Edition)

BAT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of cells produced	
	English units—pounds per 1,000,000 pounds of cells produced	
Chromium .....	0.57	0.23
Cyanide .....	0.38	0.16
Mercury .....	0.32	0.13
Nickel .....	2.48	1.64
Silver .....	0.53	0.22
Zinc .....	1.88	0.79
Manganese .....	0.88	0.37

(10) Subpart G—Silver Etch.

BAT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of silver processed	
	English units—pounds per 1,000,000 pounds of silver processed	
Chromium .....	3.27	1.34
Mercury .....	1.86	0.74
Silver .....	3.05	1.26
Zinc .....	10.86	4.54
Manganese .....	5.06	2.16

(11) Subpart G—Silver Peroxide Production.

BAT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of silver peroxide produced	
	English units—pounds per 1,000,000 pounds of silver peroxide produced	
Chromium .....	3.48	1.42
Mercury .....	1.98	0.79
Silver .....	3.24	1.34
Zinc .....	11.55	4.83
Manganese .....	5.38	2.29

(12) Subpart G—Silver Powder Production.

BAT EFFLUENT LIMITATIONS

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of silver powder produced	
	English units—pounds per 1,000,000 pounds of silver powder produced	
Chromium .....	1.41	0.58
Mercury .....	0.80	0.32
Silver .....	1.32	0.55
Zinc .....	4.69	1.96
Manganese .....	2.18	0.93

(b) There shall be no discharge allowance for process wastewater pollutants from any battery manufacturing operation other than those battery manufacturing operations listed above.

[49 FR 9134, Mar. 9, 1984; 49 FR 13879, Apr. 9, 1984]

§ 461.73 New source performance standards. (NSPS).

(a) The discharge of wastewater pollutants from any new source subject to this subpart shall not exceed the standards set forth below:

(1) Subpart G—Zinc Oxide Formed Anodes—NSPS.

Pollutant or pollutant property	Maximum for any 1 day	Maximum for monthly average
	Metric units—mg/kg of zinc	
	English units—pounds per 1,000,000 pounds of zinc	
Chromium .....	4.55	1.97
Mercury .....	2.82	1.19
Silver .....	4.55	1.97
Zinc .....	0.87	0.39
Manganese .....	6.50	4.98
Oil and grease .....	216.7	216.7
TSS .....	325.0	260.0
pH .....	( <sup>1</sup> )	( <sup>1</sup> )

<sup>1</sup> Within the limits of 7.5–10.0 at all times.

(2) Subpart G—Electrodeposited Anodes—NSPS.