§ 58.147

be given to the proper procedures to assure satisfactory cleaning. All C.I.P. installations and cleaning procedures shall be in accordance with 3-A Suggested Method for the Installation and Cleaning of Cleaned-In-Place Sanitary Milk Pipelines for Milk and Milk Products Plants. Because of the possibilities of corrosion, the recommendations of the cleaning compound manufacturer should be followed with respect to time, temperature and concentration of specific acid or alkaline solutions and bactericides. Such cleaning operation should be preceded by a thorough rinse at approximately 110-115 °F. continuously discarding the water. Following the circulation of the cleaning solution the equipment and lines shall be thoroughly rinsed with lukewarm water and checks should be made for effectiveness of cleaning. All caps, plugs, special fittings, valve seats, cross ends, pumps, and tee ends shall be opened or removed and brushed clean. All non-pasteurized product contact surfaces should be sanitized. Immediately prior to starting the product flow, the pasteurized product contact surfaces shall be given sanitizing treatment.

(b) Milk cans and can washers. Milk cans and lids shall be cleaned, sanitized and dried before returning to producers. Inspection, repair or replacement of cans and lids shall be adequate to substantially exclude from use cans and lids showing open seams, cracks, rust condition, milkstone or any unsanitary condition.

Washers shall be maintained in a clean and satisfactory operating condition and kept free from accumulation of scale or debris which will adversely affect the efficiency of the washer. Only washing compounds which are compatible with the water for effective cleaning, should be used. The can washer should be checked regularly during the run for proper operation. At the end of the day, the wash and rinse tanks should be drained and cleaned, jets and strainers cleaned, air filters checked and changed or cleaned if needed, and checks should be made for proper adjustment and condition of mechanical

(c) Milk transport tanks. A covered or enclosed wash dock and cleaning and

sanitizing facilities shall be available to all plants that receive or ship milk in tanks. Milk transport tanks, sanitary piping, fittings, and pumps shall be cleaned and sanitized at least once each day after use: Provided that, if they are not to be used immediately after emptying a load of milk, they shall be washed promptly after use and given bactericidal treatment immediately before use. After being washed and sanitized, each tank should be identified by a tag attached to the outlet valve, bearing the following information: Plant and specific location where cleaned, date and time of day of washing and sanitizing, and name of person who washed and name of person who sanitized the tank. The tag shall not be removed until the tank is again washed and sanitized.

(d) Building. All windows, glass, partitions, and skylights should be washed as often as necessary to keep them clean. Cracked or broken glass shall be replaced promptly. The walls, ceilings and doors should be washed periodically and kept free from soil and unsightly conditions. The shelves and ledges should be wiped or vacuumed as often as necessary to keep them free from dust and debris. The material picked up by the vacuum cleaners shall be disposed of in sealed containers which will prevent contamination or insect infestation from the waste material

§ 58.147 Insect and rodent control program.

In addition to any commercial pest control service, if one is utilized, a specially designated employee should be made responsible for the performance of a regularly scheduled insect and rodent control program. Poisonous substances shall be properly labeled, and shall be handled, stored and used in such a manner as considered satisfactory by the Environmental Protection Agency.

§58.148 Plant records.

Adequate plant records shall be maintained of all required tests and analyses performed in the laboratory or throughout the plant during storage, processing and manufacturing, on all raw milk receipts and dairy products.

Such records shall be available for examination at all reasonable times by the inspector. The following are the records which shall be maintained for examination at the plant or receiving station where performed.

- (a) Sediment and bacterial test results on raw milk from each producer. Retain for 12 months.
- (1) Routine tests and monthly summary of all producers showing number and percent of total in each class.
- (2) Retests, if initial test places milk in probationary status.
- (3) Rejections of raw milk over No. 3 in quality.
- (b) Pasteurization recorder charts. Retain for 3 months.
- (c) Water supply test certificate. Retain current copy for $\boldsymbol{\theta}$ months.
- (d) Cooling and heating recorder charts. Retain for 3 months.
- (e) Load and individual drug residue test results. Retain for 12 months.
- (f) Notifications to appropriate State regulatory agencies of positive drug residue tests and intended and final dispositions of milk testing positive for drug residue. Retain for 12 months.
- (g) Somatic cell count test results on raw milk from each producer. Retain for 12 months

(Approved by the Office of Management and Budget under OMB control number 0583-0047) ¹

[40 FR 47911, Oct. 10, 1975. Redesignated at 42 FR 32514, June 27, 1977, and further redesignated at 46 FR 63203, Dec. 31, 1981, as amended at 47 FR 745, Jan. 7, 1982; 58 FR 26913, May 6, 1993]

§58.149 Alternate quality control programs for dairy products.

(a) When a plant has in operation an acceptable quality control program which is approved by the Administrator as being effective in obtaining results comparable to or higher than the quality control program as outlined in this subpart, then such a program may be accepted in lieu of the program herein prescribed.

(b) Where a minimum number of samples per batch of product, or per unit of time on continuous production runs are not specified, the phrase "as

many samples shall be taken as is necessary to assure compliance to specific quality requirements" is used. Acceptable performance of this would be any method approved by the Administrator as meeting sound statistical methods of selecting samples and determining the number of samples to be taken.

PACKAGING AND GENERAL IDENTIFICATION

§58.150 Containers.

- (a) The size, style, and type of packaging used for dairy products shall be commercially acceptable containers and packaging materials which will satisfactorily cover and protect the quality of the contents during storage and regular channels of trade and under normal conditions of handling.
- (b) Packaging materials for dairy products shall be selected which will provide sufficiently low permeability to air and vapor to prevent the formation of mold growth and surface oxidation. In addition, the wrapper should be resistant to puncturing, tearing, cracking or breaking under normal conditions of handling, shipping and storage. When special type packaging is used, the instructions of the manufacturer shall be followed closely as to its application and methods of closure.

§58.151 Packaging and repackaging.

- (a) Packaging dairy products or cutting and repackaging all styles of dairy products shall be conducted under rigid sanitary conditions. The atmosphere of the packaging rooms, the equipment and packaging materials shall be practically free from mold and bacterial contamination. Methods for checking the level of contamination shall be as prescribed by the latest edition of Standard Methods or by other satisfactory methods approved by the Administrator.
- (b) When officially graded bulk dairy products are to be repackaged into consumer type packages with official grade labels or other official identification, a supervisor of packaging shall be required, see subpart A of this part. (title 7, §§58.2 and 58.53 of the Code of Federal Regulations). If the packaging or repackaging is done in a plant other

 $^{^1\}mathrm{EDITORIAL}$ Note: See table appearing in §58.100 for correct OMB control number.