

**Awards to Disabled Beneficiaries and Nondisabled Dependents**

**Table 31.**  
**Number, selected years 1960–2003**

Year	Total	Workers and nondisabled dependents				Widow(er)s	Adult children of—		
		Workers	Spouses	Children under age 18	Students aged 18–19		Disabled workers	Retired workers	Deceased workers
1960	388,861	207,805	54,187	102,516	...	...	1,794	12,740	9,819
1965	538,983	253,499	69,183	175,109	19,794	...	2,713	10,017	8,668
1970	799,616	350,384	96,304	241,627	71,145	15,609	3,774	11,348	9,425
1975	1,305,345	592,049	148,741	391,284	117,043	23,521	6,889	14,636	11,182
1980	933,597	396,559	108,500	235,079	143,935	16,054	6,194	16,650	10,626
1981	826,340	351,847	95,575	199,829	134,390	14,154	5,435	15,365	9,745
1982	672,333	297,131	77,835	153,205	103,015	12,440	4,250	14,772	9,685
1983	661,467	311,549	80,079	152,954	68,834	14,412	5,107	17,309	11,223
1984	730,135	361,998	81,834	172,721	59,990	17,165	5,541	18,330	12,556
1985	763,363	377,371	83,511	190,204	56,108	17,086	6,713	19,661	12,709
1986	809,424	416,865	82,435	198,192	52,989	18,418	6,986	20,295	13,244
1987	799,180	415,848	77,316	195,030	54,925	16,396	6,787	20,761	12,117
1988	795,690	409,490	73,790	196,655	61,725	15,328	6,646	20,544	11,512
1989	801,893	425,582	69,113	197,950	57,079	15,168	6,358	19,668	10,975
1990	868,793	467,977	69,667	218,059	58,894	15,424	6,633	20,862	11,277
1991	990,500	536,434	72,754	250,287	60,349	29,590	7,552	21,850	11,684
1992	1,167,001	636,637	78,083	306,002	66,035	33,235	9,548	23,615	13,846
1993	1,177,268	635,238	74,605	317,263	71,081	31,835	10,254	23,173	13,819
1994	1,177,236	631,870	69,549	327,067	74,364	29,903	9,774	22,119	12,590
1995	1,173,317	645,832	63,097	315,587	75,929	29,597	9,779	21,566	11,930
1996	1,139,054	624,335	57,528	311,228	76,769	28,611	9,353	20,169	11,061
1997	1,059,556	587,417	50,818	278,040	76,034	28,546	8,474	19,611	10,616
1998	1,087,352	608,131	47,550	279,764	82,567	29,399	9,095	19,932	10,914
1999	1,106,343	620,488	46,164	283,768	84,525	29,650	9,851	20,467	11,430
2000	1,051,900	610,700	38,500	263,200	74,600	27,600	7,000	21,100	9,200
2001	1,118,300	661,900	41,100	268,800	75,700	26,500	9,800	22,300	12,200
2002	1,219,670	730,383	43,301	293,131	77,927	28,339	8,507	22,798	15,284
2003	1,259,672	755,706	44,638	302,756	82,447	27,324	9,740	21,836	15,225

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement* to the *Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; for 2000–2001, Annual Award and Termination Transaction file, 1 percent data; data after 2001 are 100 percent data from that file.

NOTES: Data exclude closed period awards and expedited reinstatement cases.

... = not applicable.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

**Awards to Disabled Beneficiaries and Nondisabled Dependents**

**Table 32.**  
**Average monthly benefit, by basis of entitlement, age, and sex, 2003**

Basis of entitlement and age	Total		Male		Female	
	Number	Average monthly benefit <sup>a</sup> (dollars)	Number	Average monthly benefit <sup>a</sup> (dollars)	Number	Average monthly benefit <sup>a</sup> (dollars)
<b>Workers</b>						
Total	755,706	937.50	408,516	1,064.90	347,190	787.60
Under 25	24,340	481.60	14,130	490.60	10,210	469.10
25-29	27,855	637.20	14,569	657.20	13,286	615.30
30-34	37,856	730.00	19,140	759.00	18,716	700.30
35-39	54,496	792.70	27,861	842.20	26,635	741.00
40-44	80,121	853.20	40,959	932.70	39,162	770.10
45-49	101,055	921.10	51,833	1,030.30	49,222	806.10
50-54	137,035	991.40	72,915	1,132.10	64,120	831.50
55-59	170,198	1,053.30	94,860	1,226.70	75,338	835.00
60 or older	122,750	1,072.30	72,249	1,246.10	50,501	823.60
<b>Spouses of disabled workers</b>						
Total	44,638	238.10	2,210	166.10	42,428	241.90
Entitlement based on care						
of children	19,453	174.40	1,060	130.90	18,393	177.00
Under 30	2,606	118.50	72	84.30	2,534	119.40
30-34	3,072	132.60	132	98.00	2,940	134.20
35-39	4,117	155.50	211	117.00	3,906	157.60
40-44	4,169	187.20	259	128.80	3,910	191.00
45-49	3,000	213.10	182	144.50	2,818	217.50
50-54	1,618	236.70	126	174.80	1,492	241.90
55 or older	871	269.40	78	171.00	793	279.00
Entitlement based on age						
62-64	25,185	287.30	1,150	198.60	24,035	291.60
65 or older	21,339	282.00	572	188.90	20,767	284.50
	3,846	316.90	578	208.20	3,268	336.20
<b>Children of disabled workers</b>						
Total	394,943	247.20	206,825	250.30	188,118	243.80
Under age 18	302,756	219.00	154,461	219.30	148,295	218.70
Under 5	56,071	175.40	28,544	175.90	27,527	174.90
5-9	70,703	191.30	35,971	191.60	34,732	191.00
10-14	104,139	220.80	53,184	221.50	50,955	220.20
15-17	71,843	277.60	36,762	277.00	35,081	278.20
Students aged 18-19	82,447	343.10	46,686	344.80	35,761	340.80
Disabled aged 18 or older	9,740	311.80	5,678	314.60	4,062	307.90
<b>Widow(er)s</b>						
Total	27,324	578.70	1,354	426.40	25,970	586.60
50-54	10,237	574.40	573	414.30	9,664	583.90
55-59	14,743	584.40	681	429.90	14,062	591.90
60 or older	2,344	561.40	100	472.00	2,244	565.40

(Continued)

**Awards to Disabled Beneficiaries and Nondisabled Dependents**

**Table 32.**  
**Average monthly benefit, by basis of entitlement, age, and sex, 2003—Continued**

Basis of entitlement and age	Total		Male		Female	
	Number	Average monthly benefit <sup>a</sup> (dollars)	Number	Average monthly benefit <sup>a</sup> (dollars)	Number	Average monthly benefit <sup>a</sup> (dollars)
<i>Adult children</i>						
Total	46,801	436.90	27,036	435.70	19,765	438.40
Children of—						
Disabled workers	9,740	311.80	5,678	314.60	4,062	307.90
Retired workers	21,836	396.50	12,479	393.90	9,357	400.00
Deceased workers	15,225	574.70	8,879	571.80	6,346	578.60
Under 25	17,923	448.90	10,641	450.70	7,282	446.20
25–29	6,271	448.70	3,621	447.60	2,650	450.10
30–34	7,492	442.10	4,242	436.50	3,250	449.30
35–39	7,506	431.30	4,336	430.50	3,170	432.50
40–44	5,173	395.90	2,901	389.20	2,272	404.40
45–49	1,514	377.70	816	379.70	698	375.30
50–54	489	435.10	254	425.00	235	446.00
55–59	244	468.20	128	427.00	116	513.70
60–64	122	473.20	61	423.40	61	522.90
65 or older	67	470.20	36	471.10	31	469.20

SOURCE: Social Security Administration, Annual Award and Termination Transaction file, 100 percent data.

NOTE: Data exclude closed period awards and expedited reinstatement cases.

a. Benefits awarded before the December cost-of-living increase are converted to the December rates before averages are computed.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

**Awards to All Disabled Beneficiaries**

**Table 33.**  
**Distribution, by sex and diagnostic group, 2003**

Diagnostic group	Total		Workers		Widow(er)s		Adult children	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>All disabled beneficiaries</b>								
Total	829,831	100.0	755,706	100.0	27,324	100.0	46,801	100.0
Congenital anomalies	2,005	0.2	1,152	0.2	31	0.1	822	1.8
Endocrine, nutritional, and metabolic diseases	25,614	3.1	23,407	3.1	1,872	6.9	335	0.7
Infectious and parasitic diseases	11,353	1.4	10,879	1.4	257	0.9	217	0.5
Injuries	30,377	3.7	28,612	3.8	743	2.7	1,022	2.2
Mental disorders								
Retardation	43,178	5.2	19,338	2.6	1,002	3.7	22,838	48.8
Other	190,098	22.9	172,341	22.8	6,132	22.4	11,625	24.8
Neoplasms	72,280	8.7	70,942	9.4	1,095	4.0	243	0.5
Diseases of the—								
Blood and blood-forming organs	2,674	0.3	2,408	0.3	49	0.2	217	0.5
Circulatory system	89,031	10.7	85,896	11.4	2,808	10.3	327	0.7
Digestive system	17,567	2.1	17,084	2.3	406	1.5	77	0.2
Genitourinary system	17,537	2.1	16,968	2.2	310	1.1	259	0.6
Musculoskeletal system and connective tissue	207,549	25.0	199,014	26.3	7,982	29.2	553	1.2
Nervous system and sense organs	72,192	8.7	64,369	8.5	1,908	7.0	5,915	12.6
Respiratory system	33,734	4.1	32,007	4.2	1,620	5.9	107	0.2
Skin and subcutaneous tissue	1,704	0.2	1,622	0.2	62	0.2	20	a
Other	2,070	0.2	1,871	0.2	54	0.2	145	0.3
Unknown	10,868	1.3	7,796	1.0	993	3.6	2,079	4.4
<b>Men</b>								
Subtotal	436,906	100.0	408,516	100.0	1,354	100.0	27,036	100.0
Congenital anomalies	1,064	0.2	619	0.2	b	b	b	b
Endocrine, nutritional, and metabolic diseases	12,708	2.9	12,486	3.1	67	4.9	155	0.6
Infectious and parasitic diseases	7,990	1.8	7,849	1.9	19	1.4	122	0.5
Injuries	19,695	4.5	18,904	4.6	62	4.6	729	2.7
Mental disorders								
Retardation	24,525	5.6	11,822	2.9	50	3.7	12,653	46.8
Other	89,703	20.5	81,910	20.1	259	19.1	7,534	27.9
Neoplasms	37,495	8.6	37,289	9.1	62	4.6	144	0.5
Diseases of the—								
Blood and blood-forming organs	1,286	0.3	1,168	0.3	b	b	b	b
Circulatory system	59,344	13.6	58,944	14.4	214	15.8	186	0.7
Digestive system	10,559	2.4	10,489	2.6	33	2.4	37	0.1
Genitourinary system	10,588	2.4	10,418	2.6	26	1.9	144	0.5
Musculoskeletal system and connective tissue	101,525	23.2	100,949	24.7	316	23.3	260	1.0
Nervous system and sense organs	36,813	8.4	33,491	8.2	96	7.1	3,226	11.9
Respiratory system	17,027	3.9	16,902	4.1	80	5.9	45	0.2
Skin and subcutaneous tissue	712	0.2	700	0.2	b	b	b	b
Other	992	0.2	907	0.2	b	b	b	b
Unknown	4,880	1.1	3,669	0.9	59	4.4	1,152	4.3

(Continued)

**Table 33.**  
**Distribution, by sex and diagnostic group, 2003—Continued**

Diagnostic group	Total		Workers		Widow(er)s		Adult children	
	Number	Percent	Number	Percent	Number	Percent	Number	Percent
<b>Women</b>								
Subtotal	392,925	100.0	347,190	100.0	25,970	100.0	19,765	100.0
Congenital anomalies	941	0.2	533	0.2	b	b	b	b
Endocrine, nutritional, and metabolic diseases	12,906	3.3	10,921	3.1	1,805	7.0	180	0.9
Infectious and parasitic diseases	3,363	0.9	3,030	0.9	238	0.9	95	0.5
Injuries	10,682	2.7	9,708	2.8	681	2.6	293	1.5
Mental disorders								
Retardation	18,653	4.7	7,516	2.2	952	3.7	10,185	51.5
Other	100,395	25.6	90,431	26.0	5,873	22.6	4,091	20.7
Neoplasms	34,785	8.9	33,653	9.7	1,033	4.0	99	0.5
Diseases of the—								
Blood and blood-forming organs	1,388	0.4	1,240	0.4	b	b	b	b
Circulatory system	29,687	7.6	26,952	7.8	2,594	10.0	141	0.7
Digestive system	7,008	1.8	6,595	1.9	373	1.4	40	0.2
Genitourinary system	6,949	1.8	6,550	1.9	284	1.1	115	0.6
Musculoskeletal system and connective tissue	106,024	27.0	98,065	28.2	7,666	29.5	293	1.5
Nervous system and sense organs	35,379	9.0	30,878	8.9	1,812	7.0	2,689	13.6
Respiratory system	16,707	4.3	15,105	4.4	1,540	5.9	62	0.3
Skin and subcutaneous tissue	992	0.3	922	0.3	b	b	b	b
Other	1,078	0.3	964	0.3	b	b	b	b
Unknown	5,988	1.5	4,127	1.2	934	3.6	927	4.7

SOURCE: Social Security Administration, Annual Award and Termination Transaction file, 100 percent data.

NOTES: Data exclude closed period awards and expedited reinstatement cases.

Effective 2001, the Social Security Administration initiated a special review of 130,000 Supplemental Security Income (SSI) recipients who are potentially eligible for Social Security disability benefits because of earnings while receiving SSI. Many of these claims awarded since 2001 were for individuals under age 35 who were diagnosed with a mental disorder.

a. Less than 0.05 percent.

b. Data not shown to avoid disclosure of information for particular individuals.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

**Awards to All Disabled Beneficiaries**

**Table 34.  
Distribution and average monthly benefit, by state or other area, 2003**

State or area	Workers			Widow(er)s			Adult children		
	Number	Percent	Average monthly benefit (dollars)	Number	Percent	Average monthly benefit (dollars)	Number	Percent	Average monthly benefit (dollars)
All areas <sup>a</sup>	755,706	100.0	937.50	27,324	100.0	578.70	46,801	100.0	436.90
Alabama	18,950	2.5	916.20	869	3.2	541.80	1,047	2.2	400.80
Alaska	1,213	0.2	923.70	24	0.1	562.00	79	0.2	420.70
Arizona	14,537	1.9	945.30	390	1.4	584.40	742	1.6	442.80
Arkansas	12,443	1.6	887.50	564	2.1	546.90	693	1.5	385.70
California	71,471	9.5	892.40	1,981	7.3	621.70	3,758	8.0	468.20
Colorado	7,540	1.0	964.20	212	0.8	603.10	368	0.8	486.20
Connecticut	7,660	1.0	1,008.60	200	0.7	617.30	528	1.1	493.00
Delaware	2,563	0.3	985.10	54	0.2	600.90	98	0.2	449.50
District of Columbia	1,280	0.2	854.00	25	0.1	471.40	56	0.1	472.20
Florida	41,662	5.5	934.50	1,446	5.3	567.30	2,264	4.8	441.70
Georgia	21,654	2.9	939.20	904	3.3	534.90	1,146	2.4	450.20
Hawaii	2,140	0.3	972.50	69	0.3	633.30	120	0.3	490.70
Idaho	3,432	0.5	912.20	122	0.4	685.40	186	0.4	445.60
Illinois	27,390	3.6	979.80	931	3.4	613.40	2,065	4.4	447.30
Indiana	17,029	2.3	956.20	645	2.4	607.90	1,116	2.4	449.80
Iowa	6,144	0.8	917.90	196	0.7	553.10	592	1.3	372.10
Kansas	6,178	0.8	945.30	206	0.8	564.00	436	0.9	398.10
Kentucky	16,794	2.2	902.20	862	3.2	584.90	934	2.0	426.90
Louisiana	13,070	1.7	900.00	779	2.9	611.50	1,169	2.5	392.80
Maine	5,259	0.7	859.70	139	0.5	544.00	352	0.8	384.50
Maryland	11,225	1.5	985.50	307	1.1	608.80	584	1.2	482.40
Massachusetts	17,296	2.3	933.90	414	1.5	597.20	1,176	2.5	422.40
Michigan	27,780	3.7	993.80	1,031	3.8	652.10	1,889	4.0	496.50
Minnesota	10,877	1.4	952.00	216	0.8	581.20	718	1.5	427.90
Mississippi	10,702	1.4	895.70	590	2.2	521.80	729	1.6	383.10
Missouri	17,925	2.4	929.70	705	2.6	537.80	1,113	2.4	383.00
Montana	2,101	0.3	883.90	77	0.3	547.00	149	0.3	467.10
Nebraska	3,846	0.5	900.20	102	0.4	545.80	302	0.6	397.50
Nevada	5,806	0.8	976.20	167	0.6	645.40	230	0.5	485.80
New Hampshire	3,974	0.5	948.90	100	0.4	560.90	196	0.4	434.50
New Jersey	19,691	2.6	1,056.20	563	2.1	607.90	1,198	2.6	489.50
New Mexico	5,284	0.7	870.70	162	0.6	599.50	266	0.6	399.80
New York	44,564	5.9	1,006.40	1,478	5.4	599.00	3,033	6.5	454.80
North Carolina	27,693	3.7	933.20	1,134	4.2	473.00	1,483	3.2	413.40
North Dakota	1,143	0.2	894.70	27	0.1	632.20	102	0.2	355.30
Ohio	27,235	3.6	925.10	1,096	4.0	626.20	1,884	4.0	461.90
Oklahoma	11,265	1.5	900.80	483	1.8	579.20	574	1.2	426.50
Oregon	8,598	1.1	966.30	293	1.1	618.00	559	1.2	438.60
Pennsylvania	36,182	4.8	938.00	1,243	4.5	596.20	2,220	4.7	446.20
Rhode Island	3,206	0.4	875.80	77	0.3	594.80	171	0.4	422.20

(Continued)

**Table 34.**  
**Distribution and average monthly benefit, by state or other area, 2003—Continued**

State or area	Workers			Widow(er)s			Adult children		
	Number	Percent	Average monthly benefit (dollars)	Number	Percent	Average monthly benefit (dollars)	Number	Percent	Average monthly benefit (dollars)
South Carolina	14,209	1.9	939.30	637	2.3	476.20	736	1.6	432.80
South Dakota	1,353	0.2	850.20	50	0.2	511.60	124	0.3	359.30
Tennessee	19,372	2.6	917.10	946	3.5	535.50	1,114	2.4	429.30
Texas	51,612	6.8	913.80	2,010	7.4	578.00	2,706	5.8	439.70
Utah	3,045	0.4	954.40	80	0.3	616.30	270	0.6	480.80
Vermont	1,730	0.2	892.00	56	0.2	542.60	151	0.3	391.50
Virginia	18,942	2.5	952.90	671	2.5	568.20	1,027	2.2	435.60
Washington	14,710	1.9	971.60	442	1.6	647.40	873	1.9	475.30
West Virginia	8,946	1.2	939.50	431	1.6	628.50	511	1.1	434.50
Wisconsin	13,348	1.8	968.10	339	1.2	596.30	1,025	2.2	423.00
Wyoming	1,001	0.1	956.90	30	0.1	643.90	51	0.1	506.30
Outlying areas									
Puerto Rico	10,726	1.4	811.30	538	2.0	473.30	930	2.0	326.90
Other <sup>b</sup>	1,280	0.2	735.40	105	0.4	504.30	226	0.5	342.30

SOURCE: Social Security Administration, Annual Award and Termination Transaction file, 100 percent data.

NOTES: Benefits awarded before December cost-of-living increase are converted to December rates before averages are computed.

Data exclude closed period awards and expedited reinstatement cases.

a. Includes beneficiaries with unknown state code.

b. Includes American Samoa, Guam, Northern Mariana Islands, Virgin Islands, and foreign countries.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

## Awards to Disabled Workers

**Table 35.**  
**Percentage distribution, by sex and age,**  
**1960–2003**

Year	Number	Percentage distribution										Average age
		Total, all ages	Under 30	30–34	35–39 <sup>a</sup>	40–44	45–49	50–54	55–59	60–61	62–FRA	
<i>All disabled workers<sup>b</sup></i>												
2000	610,700	100.0	6.4	4.9	8.4	11.5	13.1	18.1	21.3	8.7	7.8	48.9
2001	661,900	100.0	7.8	5.3	8.0	10.8	12.9	18.0	21.6	8.5	7.1	48.6
2002	730,383	100.0	7.6	5.0	7.5	10.8	13.3	18.0	22.1	8.6	7.1	48.7
2003	755,706	100.0	6.9	5.0	7.2	10.6	13.4	18.1	22.5	9.0	7.3	49.0
<i>Men</i>												
1960	168,466	100.0	0.8	a	7.0	6.5	10.5	16.7	20.0	11.8	26.7	54.5
1965	186,808	100.0	1.8	a	8.2	7.9	11.1	17.1	25.7	14.0	14.0	53.0
1970	258,072	100.0	6.7	a	7.6	6.5	10.1	14.7	23.5	12.3	18.7	52.1
1975	408,531	100.0	7.7	a	8.6	6.2	9.5	15.7	23.1	12.1	17.1	51.5
1980	275,185	100.0	8.3	a	9.7	6.0	8.4	14.7	24.6	12.3	16.0	51.2
1981	244,984	100.0	8.6	a	10.2	6.2	8.4	14.5	24.3	13.0	14.8	50.8
1982	207,453	100.0	8.4	a	10.4	6.3	8.4	14.1	24.6	12.9	14.8	50.9
1983	217,422	100.0	9.5	a	11.7	6.6	8.4	13.6	23.4	12.2	14.6	50.2
1984	247,833	100.0	9.2	a	12.8	7.1	8.7	13.4	22.6	12.2	14.0	50.0
1985	274,400	100.0	8.7	a	13.3	7.0	9.9	14.6	23.1	12.4	10.9	50.1
1986	273,700	100.0	10.7	a	15.3	8.1	9.4	14.3	21.3	11.1	9.8	48.7
1987	265,900	100.0	9.4	a	16.0	8.6	9.3	13.9	20.8	10.9	11.2	49.0
1988	265,700	100.0	8.4	a	16.0	9.7	9.0	14.6	21.3	10.5	10.4	49.2
1989	268,600	100.0	8.7	a	16.0	9.5	10.2	14.2	20.6	9.7	11.1	49.0
1990	293,300	100.0	10.9	a	16.9	9.4	9.5	13.5	20.5	10.3	8.9	48.1
1991	322,700	100.0	9.5	a	17.7	10.6	11.0	14.1	18.4	9.4	9.3	47.9
1992	395,600	100.0	9.5	a	18.5	10.8	11.0	13.0	18.6	9.8	8.9	47.8
1993	391,800	100.0	9.2	a	18.9	10.1	11.7	14.7	18.8	8.6	8.0	47.7
1994	379,300	100.0	6.8	a	18.4	10.8	12.7	15.4	19.3	9.0	7.7	48.4
1995	368,400	100.0	7.2	a	16.3	10.7	11.5	15.7	20.4	8.9	9.3	48.9
1996	347,100	100.0	6.9	7.2	9.0	10.8	13.2	16.2	19.9	9.3	7.6	48.3
1997	311,100	100.0	6.3	5.6	8.9	10.8	13.5	16.1	21.6	8.8	8.3	48.8
1998	331,400	100.0	6.3	6.2	8.1	11.1	12.4	18.3	21.6	8.1	8.0	48.8
1999	338,900	100.0	6.2	5.2	7.6	11.4	12.4	18.2	21.7	8.8	8.3	49.1
2000	328,700	100.0	6.8	4.6	8.3	10.7	12.7	17.6	21.1	9.1	9.1	49.1
2001	360,000	100.0	7.5	4.8	7.9	10.0	12.2	17.5	22.7	9.2	8.1	49.1
2002	394,741	100.0	7.9	4.7	7.1	10.2	12.6	17.6	22.9	9.3	7.8	49.0
2003	408,516	100.0	7.0	4.7	6.8	10.0	12.7	17.8	23.2	9.7	8.0	49.4

(Continued)



**Table 35.**  
**Percentage distribution, by sex and age,**  
**1960–2003—Continued**

Year	Number	Percentage distribution										Average age
		Total, all ages	Under 30	30–34	35–39 <sup>a</sup>	40–44	45–49	50–54	55–59	60–61	62–FRA	
<i>Women</i>												
1960	39,339	100.0	0.7	a	8.1	8.0	13.3	21.9	24.6	12.4	10.9	52.5
1965	66,691	100.0	1.1	a	6.5	7.4	11.7	19.3	28.3	14.1	11.5	53.2
1970	92,312	100.0	4.2	a	6.3	6.1	11.0	17.5	27.2	13.0	14.6	52.8
1975	183,518	100.0	6.1	a	7.3	6.1	10.1	17.7	25.5	12.2	15.0	52.1
1980	121,374	100.0	7.4	a	9.7	6.4	9.3	16.3	25.5	11.7	13.7	51.1
1981	106,863	100.0	7.8	a	10.2	6.5	9.5	16.4	25.1	12.0	12.5	50.8
1982	89,678	100.0	8.0	a	10.9	6.8	9.5	15.6	24.9	11.7	12.5	50.5
1983	94,127	100.0	9.0	a	12.2	7.4	9.5	14.8	23.5	10.9	12.7	49.8
1984	114,165	100.0	8.3	a	13.2	7.9	9.7	14.9	22.8	10.9	12.9	49.7
1985	134,500	100.0	8.6	a	12.9	8.0	10.6	15.8	23.3	10.1	10.6	49.7
1986	135,700	100.0	9.0	a	15.5	10.4	10.5	14.8	21.3	9.6	8.8	48.8
1987	143,700	100.0	7.5	a	15.2	8.1	11.2	15.8	23.4	9.6	9.1	49.5
1988	147,000	100.0	8.5	a	14.0	8.8	10.9	16.1	23.5	10.5	7.7	49.3
1989	146,900	100.0	7.8	a	14.8	10.4	11.9	13.8	21.2	10.8	9.2	49.1
1990	168,500	100.0	8.5	a	16.3	9.8	13.1	14.2	22.3	8.9	6.9	48.4
1991	190,400	100.0	8.5	a	16.8	10.1	12.2	16.2	19.5	8.9	7.8	48.4
1992	241,300	100.0	8.6	a	17.7	12.0	12.4	15.6	17.6	8.4	7.7	47.7
1993	237,900	100.0	7.5	a	17.5	11.2	13.1	16.5	19.7	6.8	7.6	48.1
1994	234,000	100.0	7.4	a	16.9	11.1	12.9	17.0	20.8	7.3	6.6	48.2
1995	263,200	100.0	6.4	a	16.7	11.4	13.8	17.2	20.5	7.6	6.4	48.5
1996	256,900	100.0	5.3	6.2	8.9	11.3	14.0	19.0	21.2	8.3	5.9	48.7
1997	250,200	100.0	6.2	6.0	10.3	12.2	14.1	19.0	19.0	6.8	6.4	47.9
1998	271,900	100.0	5.4	5.9	9.0	12.2	14.5	19.1	20.4	7.6	5.9	48.5
1999	266,900	100.0	5.7	5.9	8.7	12.5	15.4	18.1	20.6	6.6	6.5	48.7
2000	282,000	100.0	5.8	5.2	8.6	12.3	13.5	18.7	21.6	8.1	6.3	48.7
2001	301,900	100.0	8.0	5.9	8.2	11.8	13.8	18.5	20.2	7.7	6.0	48.0
2002	335,642	100.0	7.3	5.3	8.0	11.4	14.2	18.5	21.2	7.7	6.3	48.3
2003	347,190	100.0	6.8	5.4	7.7	11.3	14.2	18.5	21.7	8.1	6.5	48.6

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; for 2000–2001, Annual Award and Termination Transaction file, 1 percent data; data after 2001 are 100 percent data from that file.

NOTES: Age in year of award for 1960–1984; age in month of award after 1984.

Data exclude closed period awards and expedited reinstatement cases.

FRA = full retirement age.

a. Ages 30–34 were grouped with ages 35–39 before 1996.

b. Combined data for men and women are not available before 2000.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

**Awards to Disabled Workers**

**Table 36.**  
**Distribution, by diagnostic group, 1960–2003**

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases <sup>a</sup>	Injuries	Mental disorders <sup>b</sup>			Neoplasms
						Total	Retardation	Other	
<i>Number</i>									
1960	207,805	865	5,406	10,903	--	17,287	--	--	17,739
1961	279,758	1,637	7,070	15,153	--	26,864	--	--	23,103
1962	286,434	2,026	9,383	15,271	--	37,315	--	--	27,632
1963	224,229	1,646	7,563	10,859	6,496	24,526	--	--	25,042
1967	310,947	--	10,743	10,945	19,815	35,344	--	--	33,358
1968	330,783	2,670	11,359	10,360	25,319	41,894	--	--	36,560
1969	344,741	3,004	12,169	9,828	28,473	43,225	--	--	35,740
1970	350,384	3,597	13,141	8,760	28,231	38,406	--	--	36,095
1971	415,897	4,365	15,823	8,524	31,810	42,687	--	--	39,629
1972	455,438	4,033	17,352	8,627	31,728	45,253	--	--	43,667
1973	491,776	5,276	18,131	7,957	30,418	47,014	--	--	50,644
1975	592,049	6,576	23,176	7,579	32,341	67,213	--	--	59,852
1976	551,460	5,817	20,966	6,049	29,848	63,667	--	--	57,656
1977	568,874	6,681	21,725	5,807	31,942	70,825	--	--	59,833
1978	464,415	5,850	16,855	4,512	27,490	54,329	--	--	54,878
1981	351,847	3,118	14,768	2,596	20,868	36,318	--	--	56,410
1982	298,531	2,432	13,187	2,312	16,617	31,531	--	--	50,999
1983	311,490	2,827	14,904	6,730	15,646	50,633	--	--	52,379
1984	357,140	2,439	14,418	3,185	16,189	64,078	--	--	59,104
1985	377,371	2,480	16,976	2,985	16,558	68,610	--	--	55,120
1986	416,865	1,953	21,260	2,736	3,629	123,983	--	--	53,176
1987	415,848	787	21,114	4,676	20,889	81,241	--	--	55,339
1988	409,490	550	14,513	2,802	21,022	85,756	--	--	53,944
1989	425,582	534	14,279	3,773	21,531	88,500	--	--	60,352
1990	467,977	511	16,255	22,023	22,315	105,173	--	--	65,939
1991	536,434	575	19,931	28,245	24,129	126,184	--	--	69,244
1992	636,637	619	29,904	39,253	25,042	164,093	--	--	77,175
1993	635,238	543	30,862	37,450	23,206	166,045	--	--	80,266
1994	631,870	602	31,532	36,087	22,560	156,703	--	--	89,231
1995	645,645	722	33,370	27,993	27,566	147,900	16,681	131,219	64,401
1996	624,254	777	33,832	23,324	27,616	132,022	14,062	117,960	63,321
1997	587,700	654	33,807	15,327	25,930	122,901	12,888	110,013	62,279
1998	608,382	676	36,373	12,680	25,926	131,502	14,506	116,996	63,973
1999	620,559	645	36,975	11,743	25,925	138,980	16,608	122,372	65,681
2000	610,700	700	17,100	10,700	28,700	143,200	17,600	125,600	63,600
2001	661,900	d	19,500	11,200	25,400	168,600	22,500	146,100	62,000
2002	730,383	1,113	21,830	10,966	28,169	185,313	22,352	162,961	70,369
2003	755,706	1,152	23,407	10,879	28,612	191,679	19,338	172,341	70,942

(Continued)

**Table 36.**  
**Distribution, by diagnostic group, 1960–2003—Continued**

Year	Diseases of the—								Other	Unknown <sup>c</sup>
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
<i>Number</i>										
1960	442	55,855	3,575	1,077	17,124	32,105	16,489	463	89	28,386
1961	566	71,860	4,300	1,608	23,241	44,709	20,030	794	125	38,698
1962	739	82,015	5,922	2,040	33,751	45,261	23,408	1,177	494	--
1963	597	66,468	4,437	1,725	21,744	32,712	19,107	719	588	--
1967	--	81,507	7,627	--	41,090	38,278	24,646	--	7,594	--
1968	--	80,906	7,806	2,926	43,677	41,758	22,635	--	2,913	--
1969	--	105,760	8,719	2,717	47,357	21,967	23,265	--	2,517	--
1970	--	108,906	9,051	2,912	52,086	22,575	24,254	--	2,370	--
1971	1,043	131,854	11,629	3,501	66,558	26,442	30,103	1,667	262	--
1972	1,155	146,684	13,369	4,304	75,923	28,216	33,038	1,756	293	40
1973	1,347	158,202	14,614	4,810	85,431	31,139	34,656	1,854	283	--
1975	1,491	177,311	17,474	5,719	110,637	39,960	39,485	2,306	929	--
1976	2,039	165,182	15,194	4,907	105,907	36,156	35,210	2,532	330	--
1977	1,516	167,801	15,342	5,271	107,840	36,751	35,002	1,766	772	--
1978	1,236	134,634	12,407	4,719	86,921	29,314	28,005	2,017	1,248	--
1981	942	85,994	7,363	6,230	58,639	28,516	21,520	1,345	616	6,604
1982	808	74,242	6,067	3,165	48,985	26,886	19,766	998	536	--
1983	958	68,352	5,272	6,489	41,782	26,203	17,978	848	d	d
1984	904	70,891	5,895	3,441	45,826	28,201	18,891	983	776	21,919
1985	890	72,764	5,626	3,348	49,214	28,733	20,213	1,110	992	31,752
1986	1,186	73,226	6,262	3,099	54,560	30,328	23,449	1,075	--	16,943
1987	1,205	76,758	6,122	5,801	63,807	35,206	22,978	1,173	--	18,752
1988	1,419	72,224	6,388	7,131	68,623	34,443	23,073	785	16,817	--
1989	1,524	70,235	6,803	9,010	71,419	34,756	21,400	828	20,638	--
1990	1,734	73,585	7,431	10,294	74,501	37,737	22,158	866	7,455	--
1991	1,904	78,339	8,648	10,874	92,469	41,551	23,798	1,021	9,522	--
1992	2,277	89,818	9,872	12,763	96,895	46,952	27,264	1,070	13,640	--
1993	2,075	88,623	10,026	13,390	94,255	45,742	27,494	1,118	14,143	--
1994	2,066	86,645	10,520	15,531	84,705	47,820	30,958	1,116	15,794	--
1995	2,006	83,065	11,167	11,956	141,306	46,477	28,831	1,643	14,746	2,496
1996	1,836	81,209	11,530	12,206	142,776	45,960	27,983	1,588	18,274	2,590
1997	1,815	76,531	11,310	12,151	135,430	45,496	26,483	1,473	14,436	1,677
1998	1,801	76,698	12,413	13,118	141,847	47,517	27,148	1,466	13,744	1,500
1999	1,911	74,755	13,389	13,842	146,754	49,869	26,981	1,416	10,252	1,441
2000	1,500	75,400	12,700	14,900	153,600	50,100	26,200	1,700	9,300	1,300
2001	2,200	82,500	15,600	16,300	162,100	54,600	28,300	d	10,000	1,800
2002	2,491	85,252	15,976	16,412	186,923	62,519	30,591	1,609	1,866	8,984
2003	2,408	85,896	17,084	16,968	199,014	64,369	32,007	1,622	1,871	7,796

(Continued)

**Awards to Disabled Workers**

**Table 36.**  
**Distribution, by diagnostic group, 1960–2003—Continued**

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases <sup>a</sup>	Injuries	Mental disorders <sup>b</sup>			Neoplasms
						Total	Retardation	Other	
<i>Percent</i>									
1960	100.0	0.4	2.6	5.2	--	8.3	--	--	8.5
1961	100.0	0.6	2.5	5.4	--	9.6	--	--	8.3
1962	100.0	0.7	3.3	5.3	--	13.0	--	--	9.6
1963	100.0	0.7	3.4	4.8	2.9	10.9	--	--	11.2
1967	100.0	--	3.5	3.5	6.4	11.4	--	--	10.7
1968	100.0	0.8	3.4	3.1	7.7	12.7	--	--	11.1
1969	100.0	0.9	3.5	2.9	8.3	12.5	--	--	10.4
1970	100.0	1.0	3.8	2.5	8.1	11.0	--	--	10.3
1971	100.0	1.0	3.8	2.0	7.6	10.3	--	--	9.5
1972	100.0	0.9	3.8	1.9	7.0	9.9	--	--	9.6
1973	100.0	1.1	3.7	1.6	6.2	9.6	--	--	10.3
1975	100.0	1.1	3.9	1.3	5.5	11.4	--	--	10.1
1976	100.0	1.1	3.8	1.1	5.4	11.5	--	--	10.5
1977	100.0	1.2	3.8	1.0	5.6	12.5	--	--	10.5
1978	100.0	1.3	3.6	1.0	5.9	11.7	--	--	11.8
1981	100.0	0.9	4.2	0.7	5.9	10.3	--	--	16.0
1982	100.0	0.8	4.4	0.8	5.6	10.6	--	--	17.1
1983	100.0	0.9	4.8	2.2	5.0	16.3	--	--	16.8
1984	100.0	0.7	4.0	0.9	4.5	17.9	--	--	16.5
1985	100.0	0.7	4.5	0.8	4.4	18.2	--	--	14.6
1986	100.0	0.5	5.1	0.7	0.9	29.7	--	--	12.8
1987	100.0	0.2	5.1	1.1	5.0	19.5	--	--	13.3
1988	100.0	0.1	3.5	0.7	5.1	20.9	--	--	13.2
1989	100.0	0.1	3.4	0.9	5.1	20.8	--	--	14.2
1990	100.0	0.1	3.5	4.7	4.8	22.5	--	--	14.1
1991	100.0	0.1	3.7	5.3	4.5	23.5	--	--	12.9
1992	100.0	0.1	4.7	6.2	3.9	25.8	--	--	12.1
1993	100.0	0.1	4.9	5.9	3.7	26.1	--	--	12.6
1994	100.0	0.1	5.0	5.7	3.6	24.8	--	--	14.1

(Continued)

**Table 36.**  
**Distribution, by diagnostic group, 1960–2003—Continued**

Year	Diseases of the—								Other	Unknown <sup>c</sup>
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
	<i>Percent</i>									
1960	0.2	26.9	1.7	0.5	8.2	15.4	7.9	0.2	e	13.7
1961	0.2	25.7	1.5	0.6	8.3	16.0	7.2	0.3	e	13.8
1962	0.3	28.6	2.1	0.7	11.8	15.8	8.2	0.4	0.2	--
1963	0.3	29.6	2.0	0.8	9.7	14.6	8.5	0.3	0.3	--
1967	--	26.2	2.5	--	13.2	12.3	7.9	--	2.4	--
1968	--	24.5	2.4	0.9	13.2	12.6	6.8	--	0.9	--
1969	--	30.7	2.5	0.8	13.7	6.4	6.7	--	0.7	--
1970	--	31.1	2.6	0.8	14.9	6.4	6.9	--	0.7	--
1971	0.3	31.7	2.8	0.8	16.0	6.4	7.2	0.4	0.1	--
1972	0.3	32.2	2.9	0.9	16.7	6.2	7.3	0.4	0.1	e
1973	0.3	32.2	3.0	1.0	17.4	6.3	7.0	0.4	0.1	--
1975	0.3	29.9	3.0	1.0	18.7	6.7	6.7	0.4	0.2	--
1976	0.4	30.0	2.8	0.9	19.2	6.6	6.4	0.5	0.1	--
1977	0.3	29.5	2.7	0.9	19.0	6.5	6.2	0.3	0.1	--
1978	0.3	29.0	2.7	1.0	18.7	6.3	6.0	0.4	0.3	--
1981	0.3	24.4	2.1	1.8	16.7	8.1	6.1	0.4	0.2	1.9
1982	0.3	24.9	2.0	1.1	16.4	9.0	6.6	0.3	0.2	--
1983	0.3	21.9	1.7	2.1	13.4	8.4	5.8	0.3	d	d
1984	0.3	19.8	1.7	1.0	12.8	7.9	5.3	0.3	0.2	6.1
1985	0.2	19.3	1.5	0.9	13.0	7.6	5.4	0.3	0.3	8.4
1986	0.3	17.6	1.5	0.7	13.1	7.3	5.6	0.3	--	4.1
1987	0.3	18.5	1.5	1.4	15.3	8.5	5.5	0.3	--	4.5
1988	0.3	17.6	1.6	1.7	16.8	8.4	5.6	0.2	4.1	--
1989	0.4	16.5	1.6	2.1	16.8	8.2	5.0	0.2	4.8	--
1990	0.4	15.7	1.6	2.2	15.9	8.1	4.7	0.2	1.6	--
1991	0.4	14.6	1.6	2.0	17.2	7.7	4.4	0.2	1.8	--
1992	0.4	14.1	1.6	2.0	15.2	7.4	4.3	0.2	2.1	--
1993	0.3	14.0	1.6	2.1	14.8	7.2	4.3	0.2	2.2	--
1994	0.3	13.7	1.7	2.5	13.4	7.6	4.9	0.2	2.5	--

(Continued)

**Awards to Disabled Workers**

**Table 36.**  
**Distribution, by diagnostic group, 1960–2003—Continued**

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases <sup>a</sup>	Injuries	Mental disorders <sup>b</sup>			Neoplasms
						Total	Retardation	Other	
<i>Percent (cont.)</i>									
1995	100.0	0.1	5.2	4.3	4.3	22.9	2.6	20.3	10.0
1996	100.0	0.1	5.4	3.7	4.4	21.1	2.3	18.9	10.1
1997	100.0	0.1	5.8	2.6	4.4	20.9	2.2	18.7	10.6
1998	100.0	0.1	6.0	2.1	4.3	21.6	2.4	19.2	10.5
1999	100.0	0.1	6.0	1.9	4.2	22.4	2.7	19.7	10.6
2000	100.0	0.1	2.8	1.8	4.7	23.4	2.9	20.6	10.4
2001	100.0	d	2.9	1.7	3.8	25.5	3.4	22.1	9.4
2002	100.0	0.2	3.0	1.5	3.9	25.4	3.1	22.3	9.6
2003	100.0	0.2	3.1	1.4	3.8	25.4	2.6	22.8	9.4

(Continued)

**Table 36.**  
**Distribution, by diagnostic group, 1960–2003—Continued**

Year	Diseases of the—								Other	Unknown <sup>c</sup>
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
<i>Percent (cont.)</i>										
1995	0.3	12.9	1.7	1.9	21.9	7.2	4.5	0.3	2.3	0.4
1996	0.3	13.0	1.8	2.0	22.9	7.4	4.5	0.3	2.9	0.4
1997	0.3	13.0	1.9	2.1	23.0	7.7	4.5	0.3	2.5	0.3
1998	0.3	12.6	2.0	2.2	23.3	7.8	4.5	0.2	2.3	0.2
1999	0.3	12.0	2.2	2.2	23.6	8.0	4.3	0.2	1.7	0.2
2000	0.2	12.3	2.1	2.4	25.2	8.2	4.3	0.3	1.5	0.2
2001	0.3	12.5	2.4	2.5	24.5	8.2	4.3	d	1.5	0.3
2002	0.3	11.7	2.2	2.2	25.6	8.6	4.2	0.2	0.3	1.2
2003	0.3	11.4	2.3	2.2	26.3	8.5	4.2	0.2	0.2	1.0

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; for 2000–2001, Annual Award and Termination Transaction file, 1 percent data; data after 2001 are 100 percent data from that file.

NOTES: Data exclude closed period awards and expedited reinstatement cases.

Data for 1964–1966 are not available. Before 1995, diagnostic data for cases awarded at the appeals levels were estimated on the basis of the diagnosis of cases allowed at the initial disability determination level.

Effective 2001, the Social Security Administration initiated a special review of 130,000 Supplemental Security Income (SSI) recipients who are potentially eligible for Social Security disability benefits because of earnings while receiving SSI. Many of these claims awarded since 2001 were for individuals under age 35 who were diagnosed with a mental disorder.

-- = not available.

- a. AIDS and HIV records are counted in Infectious and Parasitic Diseases. Before 1990, they were included in Other.
- b. Mental retardation was not identified separately before 1995.
- c. Beginning with 2002, several ill-defined impairment codes were reclassified and added to Unknown.
- d. Data not shown to avoid disclosure of information for particular individuals.
- e. Less than 0.05 percent.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

**Awards to Disabled Workers**

**Table 37.**  
**Distribution of workers under age 50, by diagnostic group, selected years 1975–2003**

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases <sup>a</sup>	Injuries	Mental disorders <sup>b</sup>			Neoplasms
						Total	Retardation	Other	
<i>Number</i>									
1975	183,493	3,712	6,511	3,357	17,945	42,119	--	--	15,588
1981	123,090	1,945	5,188	1,209	13,327	24,633	--	--	15,017
1982	109,279	1,579	4,739	1,096	11,088	21,654	--	--	14,581
1983	120,606	1,429	5,630	3,759	10,036	35,331	--	--	14,827
1984	140,792	1,375	5,750	1,528	9,535	43,680	--	--	16,173
1985	158,152	1,438	7,534	1,510	10,357	49,313	--	--	16,857
1986	188,355	1,202	10,816	1,534	1,882	89,821	--	--	16,318
1987	184,481	498	12,405	3,262	13,064	58,970	--	--	17,595
1988	183,017	326	5,848	1,383	12,590	63,282	--	--	16,859
1989	189,708	311	6,088	2,497	12,761	64,093	--	--	19,298
1990	215,381	317	7,190	19,290	12,929	77,901	--	--	21,597
1991	255,448	384	8,949	24,838	13,892	94,345	--	--	23,162
1992	313,175	404	15,349	34,766	13,691	125,609	--	--	26,485
1993	312,619	350	15,550	33,072	12,690	126,586	--	--	27,841
1994	292,987	384	15,107	31,210	11,563	116,812	--	--	30,791
1995	308,624	472	14,963	23,736	15,325	108,516	13,731	94,785	22,367
1996	294,077	513	15,013	19,633	15,674	95,089	11,661	83,428	21,940
1997	265,019	435	14,667	12,361	14,401	85,486	10,679	74,807	21,245
1998	273,282	462	15,768	9,817	14,321	90,072	11,880	78,192	22,093
1999	259,680	370	15,426	8,667	13,399	86,642	9,341	77,301	21,960
2000	269,800	d	6,000	6,900	16,200	98,300	14,400	83,900	21,100
2001	296,800	d	7,300	8,900	12,900	118,700	20,200	98,500	20,600
2002	322,539	796	7,875	7,677	13,952	128,791	19,544	109,247	23,725
2003	325,723	857	7,944	7,559	13,716	130,964	16,605	114,359	23,381

(Continued)



**Table 37.**  
**Distribution of workers under age 50, by diagnostic group, selected years 1975–2003—Continued**

Year	Diseases of the—								Other	Unknown <sup>c</sup>
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
	<i>Number</i>									
1975	748	30,293	5,856	2,534	30,635	17,326	5,459	954	456	--
1981	516	15,278	3,000	3,314	21,076	14,478	3,189	687	d	d
1982	416	14,309	2,761	1,740	17,889	13,882	2,757	538	250	--
1983	457	13,589	2,292	2,540	14,158	13,456	2,434	486	d	d
1984	537	13,508	2,304	1,711	14,295	14,041	2,463	475	270	13,147
1985	472	13,650	2,756	1,791	15,060	14,724	2,771	485	--	19,434
1986	688	13,946	3,020	1,684	17,148	16,295	3,043	537	--	10,421
1987	739	16,518	2,764	3,005	20,519	19,057	3,535	659	--	11,891
1988	867	15,535	3,158	4,257	23,285	18,364	3,771	457	13,035	--
1989	946	14,224	3,311	5,364	22,628	18,896	3,464	404	15,424	--
1990	1,094	15,157	3,693	6,171	22,068	20,627	3,538	428	3,381	--
1991	1,218	16,559	4,403	6,437	29,444	22,795	4,073	524	4,425	--
1992	1,478	18,775	5,182	7,595	26,347	26,120	4,599	573	6,202	--
1993	1,342	19,040	5,328	7,812	26,920	24,901	4,664	593	5,930	--
1994	1,278	16,949	5,537	8,840	17,918	25,350	4,929	572	5,747	--
1995	1,250	17,490	6,036	6,705	51,664	24,814	5,705	899	6,859	1,823
1996	1,118	17,608	6,308	6,872	54,008	24,412	5,747	945	9,197	--
1997	1,053	16,333	6,029	6,724	48,741	23,479	5,286	826	6,565	1,388
1998	1,072	16,607	6,683	7,066	50,426	24,297	5,517	851	7,000	1,230
1999	1,031	15,065	7,022	7,172	49,302	23,386	4,783	783	4,383	289
2000	d	15,900	6,900	8,500	51,900	25,000	5,400	d	4,700	--
2001	d	16,900	7,600	9,900	50,400	29,900	5,200	d	4,600	1,000
2002	1,481	18,348	7,999	8,649	58,796	31,571	6,221	877	945	4,836
2003	1,405	18,479	8,178	8,738	60,594	31,514	6,663	848	920	3,963

(Continued)

**Awards to Disabled Workers**

**Table 37.**  
**Distribution of workers under age 50, by diagnostic group, selected years 1975–2003—Continued**

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases <sup>a</sup>	Injuries	Mental disorders <sup>b</sup>			Neoplasms
						Total	Retardation	Other	
<i>Percent</i>									
1975	100.0	2.0	3.5	1.8	9.8	23.0	--	--	8.5
1981	100.0	1.6	4.2	1.0	10.8	20.0	--	--	12.2
1982	100.0	1.4	4.3	1.0	10.1	19.8	--	--	13.3
1983	100.0	1.2	4.7	3.1	8.3	29.3	--	--	12.3
1984	100.0	1.0	4.1	1.1	6.8	31.0	--	--	11.5
1985	100.0	0.9	4.8	1.0	6.5	31.2	--	--	10.7
1986	100.0	0.6	5.7	0.8	1.0	47.7	--	--	8.7
1987	100.0	0.3	6.7	1.8	7.1	32.0	--	--	9.5
1988	100.0	0.2	3.2	0.8	6.9	34.6	--	--	9.2
1989	100.0	0.2	3.2	1.3	6.7	33.8	--	--	10.2
1990	100.0	0.1	3.3	9.0	6.0	36.2	--	--	10.0
1991	100.0	0.2	3.5	9.7	5.4	36.9	--	--	9.1
1992	100.0	0.1	4.9	11.1	4.4	40.1	--	--	8.5
1993	100.0	0.1	5.0	10.6	4.1	40.5	--	--	8.9
1994	100.0	0.1	5.2	10.7	3.9	39.9	--	--	10.5
1995	100.0	0.2	4.8	7.7	5.0	35.2	4.4	30.7	7.2
1996	100.0	0.2	5.1	6.7	5.3	32.3	4.0	28.4	7.5
1997	100.0	0.2	5.5	4.7	5.4	32.3	4.0	28.2	8.0
1998	100.0	0.2	5.8	3.6	5.2	33.0	4.3	28.6	8.1
1999	100.0	0.1	5.9	3.3	5.2	33.4	3.6	29.8	8.5
2000	100.0	d	2.2	2.6	6.0	36.5	5.4	31.2	7.8
2001	100.0	d	2.5	3.0	4.3	40.0	6.8	33.2	6.9
2002	100.0	0.2	2.4	2.4	4.3	39.9	6.1	33.9	7.4
2003	100.0	0.3	2.4	2.3	4.2	40.2	5.1	35.1	7.2

(Continued)

**Table 37.**  
**Distribution of workers under age 50, by diagnostic group, selected years 1975–2003—Continued**

Year	Diseases of the—								Other	Unknown <sup>c</sup>
	Blood and blood-forming organs	Circulatory system	Digestive system	Genito-urinary system	Musculo-skeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
<i>Percent</i>										
1975	0.4	16.5	3.2	1.4	16.7	9.4	3.0	0.5	0.2	--
1981	0.4	12.4	2.4	2.7	17.1	11.8	2.6	0.6	d	d
1982	0.4	13.1	2.5	1.6	16.4	12.7	2.5	0.5	0.2	--
1983	0.4	11.3	1.9	2.1	11.7	11.2	2.0	0.4	d	d
1984	0.4	9.6	1.6	1.2	10.2	10.0	1.7	0.3	0.2	9.3
1985	0.3	8.6	1.7	1.1	9.5	9.3	1.8	0.3	--	12.3
1986	0.4	7.4	1.6	0.9	9.1	8.7	1.6	0.3	--	5.5
1987	0.4	9.0	1.5	1.6	11.1	10.3	1.9	0.4	--	6.4
1988	0.5	8.5	1.7	2.3	12.7	10.0	2.1	0.2	7.1	--
1989	0.5	7.5	1.7	2.8	11.9	10.0	1.8	0.2	8.1	--
1990	0.5	7.0	1.7	2.9	10.2	9.6	1.6	0.2	1.6	--
1991	0.5	6.5	1.7	2.5	11.5	8.9	1.6	0.2	1.7	--
1992	0.5	6.0	1.7	2.4	8.4	8.3	1.5	0.2	2.0	--
1993	0.4	6.1	1.7	2.5	8.6	8.0	1.5	0.2	1.9	--
1994	0.4	5.8	1.9	3.0	6.1	8.7	1.7	0.2	2.0	--
1995	0.4	5.7	2.0	2.2	16.7	8.0	1.8	0.3	2.2	0.6
1996	0.4	6.0	2.1	2.3	18.4	8.3	2.0	0.3	3.1	--
1997	0.4	6.2	2.3	2.5	18.4	8.9	2.0	0.3	2.5	0.5
1998	0.4	6.1	2.4	2.6	18.5	8.9	2.0	0.3	2.6	0.5
1999	0.4	5.8	2.7	2.8	19.0	9.0	1.8	0.3	1.7	0.1
2000	d	5.9	2.6	3.2	19.3	9.3	2.0	d	1.7	--
2001	d	5.7	2.6	3.3	17.0	10.1	1.8	d	1.6	0.3
2002	0.5	5.7	2.5	2.7	18.2	9.8	1.9	0.3	0.3	1.5
2003	0.4	5.7	2.5	2.7	18.6	9.7	2.0	0.3	0.3	1.2

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; for 2000–2001, Annual Award and Termination Transaction file, 1 percent data; data after 2001 are 100 percent data from that file.

NOTES: Data exclude closed period awards and expedited reinstatement cases.

Before 1995, diagnostic data for cases awarded at the appeals levels were estimated on the basis of the diagnosis of cases allowed at the initial disability determination level.

Effective 2001, the Social Security Administration initiated a special review of 130,000 Supplemental Security Income (SSI) recipients who are potentially eligible for Social Security disability benefits because of earnings while receiving SSI. Many of these claims awarded since 2001 were for individuals under age 35 who were diagnosed with a mental disorder.

-- = not available.

- a. AIDS and HIV records are counted in Infectious and Parasitic Diseases. Before 1990, they were included in Other.
- b. Mental retardation was not identified separately before 1995.
- c. Beginning with 2002, several ill-defined impairment codes were reclassified and added to Unknown.
- d. Data not shown to avoid disclosure of information for particular individuals.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

**Awards to Disabled Workers**

**Table 38.**  
**Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2003**

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases <sup>a</sup>	Injuries	Mental disorders <sup>b</sup>			Neoplasms
						Total	Retardation	Other	
<i>Number</i>									
1975	408,556	2,864	16,665	4,222	14,396	25,094	--	--	44,264
1981	222,162	1,173	9,580	1,387	7,541	11,685	--	--	41,393
1982	189,252	853	8,448	1,216	5,529	9,877	--	--	36,418
1983	190,884	1,398	9,274	2,971	5,610	15,302	--	--	37,552
1984	216,348	1,064	8,668	1,657	6,654	20,398	--	--	42,931
1985	219,219	1,042	9,442	1,475	6,201	19,297	--	--	38,263
1986	228,510	751	10,444	1,202	1,747	34,162	--	--	36,858
1987	231,367	289	8,709	1,414	7,825	22,271	--	--	37,744
1988	226,473	224	8,665	1,419	8,432	22,474	--	--	37,085
1989	235,874	223	8,191	1,276	8,770	24,407	--	--	41,054
1990	252,596	194	9,065	2,733	9,386	27,272	--	--	44,342
1991	280,986	191	10,982	3,407	10,237	31,839	--	--	46,082
1992	323,462	215	14,555	4,487	11,351	38,484	--	--	50,690
1993	322,619	193	15,312	4,378	10,516	39,459	--	--	52,425
1994	338,833	218	16,425	4,877	10,997	39,891	--	--	58,440
1995	337,021	250	18,407	4,257	12,241	39,384	2,950	36,434	42,034
1996	330,177	264	18,819	3,691	11,942	36,933	2,401	34,532	41,381
1997	322,681	219	19,140	2,966	11,529	37,415	2,209	35,206	41,034
1998	335,100	214	20,605	2,863	11,605	41,430	2,626	38,804	41,880
1999	360,879	275	21,549	3,076	12,526	52,338	7,267	45,071	43,721
2000	340,900	d	11,100	3,800	12,500	44,900	3,200	41,700	42,500
2001	365,100	d	12,200	2,300	12,500	49,900	2,300	47,600	41,400
2002	407,844	317	13,955	3,289	14,217	56,522	2,808	53,714	46,644
2003	429,983	295	15,463	3,320	14,896	60,715	2,733	57,982	47,561

(Continued)

**Table 38.**  
**Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2003—Continued**

Year	Diseases of the—								Other	Unknown <sup>c</sup>
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
	<i>Number</i>									
1975	743	147,018	11,618	3,185	80,002	22,634	34,026	1,352	473	--
1981	426	70,716	4,363	2,916	37,563	14,038	18,331	658	d	d
1982	392	59,933	3,306	1,425	31,096	13,004	17,009	460	287	--
1983	501	54,763	2,980	3,949	27,624	12,747	15,544	362	d	d
1984	367	57,383	3,591	1,730	31,531	14,160	16,428	508	506	8,772
1985	418	59,114	2,870	1,557	34,154	14,009	17,442	625	--	13,310
1986	498	59,280	3,242	1,415	37,412	14,033	20,406	538	--	6,522
1987	466	60,240	3,358	2,796	43,288	16,149	19,443	514	--	6,861
1988	552	56,689	3,230	2,874	45,338	16,079	19,302	328	3,782	--
1989	578	56,011	3,492	3,646	48,791	15,860	17,936	424	5,216	--
1990	640	58,428	3,738	4,123	52,433	17,110	18,620	438	4,074	--
1991	686	61,780	4,245	4,437	63,025	18,756	19,725	497	5,097	--
1992	799	71,043	4,690	5,168	70,548	20,832	22,665	497	7,438	--
1993	733	69,583	4,698	5,578	67,335	20,841	22,830	525	8,213	--
1994	788	69,696	4,983	6,691	66,787	22,470	26,029	544	10,047	--
1995	756	65,575	5,131	5,251	89,642	21,663	23,126	744	8,560	--
1996	718	63,601	5,222	5,334	88,768	21,548	22,236	643	9,077	--
1997	762	60,198	5,281	5,427	86,689	22,017	21,197	647	7,871	289
1998	729	60,091	5,730	6,052	91,421	23,200	21,631	615	6,744	290
1999	880	59,690	6,367	6,670	97,452	26,483	22,198	633	5,869	1,152
2000	d	59,500	5,800	6,400	101,700	25,100	20,800	d	4,600	600
2001	d	65,600	8,000	6,400	111,700	24,700	23,100	d	5,400	800
2002	1,010	66,904	7,977	7,763	128,127	30,948	24,370	732	921	4,148
2003	1,003	67,417	8,906	8,230	138,420	32,855	25,344	774	951	3,833

(Continued)

**Awards to Disabled Workers**

**Table 38.**  
**Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2003—Continued**

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases <sup>a</sup>	Injuries	Mental disorders <sup>b</sup>			Neoplasms
						Total	Retardation	Other	
<i>Percent</i>									
1975	100.0	0.7	4.1	1.0	3.5	6.1	--	--	10.8
1981	100.0	0.5	4.3	0.6	3.4	5.3	--	--	18.6
1982	100.0	0.5	4.5	0.6	2.9	5.2	--	--	19.2
1983	100.0	0.7	4.9	1.6	2.9	8.0	--	--	19.7
1984	100.0	0.5	4.0	0.8	3.1	9.4	--	--	19.8
1985	100.0	0.5	4.3	0.7	2.8	8.8	--	--	17.5
1986	100.0	0.3	4.6	0.5	0.8	14.9	--	--	16.1
1987	100.0	0.1	3.8	0.6	3.4	9.6	--	--	16.3
1988	100.0	0.1	3.8	0.6	3.7	9.9	--	--	16.4
1989	100.0	0.1	3.5	0.5	3.7	10.3	--	--	17.4
1990	100.0	0.1	3.6	1.1	3.7	10.8	--	--	17.6
1991	100.0	0.1	3.9	1.2	3.6	11.3	--	--	16.4
1992	100.0	0.1	4.5	1.4	3.5	11.9	--	--	15.7
1993	100.0	0.1	4.7	1.4	3.3	12.2	--	--	16.2
1994	100.0	0.1	4.8	1.4	3.2	11.8	--	--	17.2
1995	100.0	0.1	5.5	1.3	3.6	11.7	0.9	10.8	12.5
1996	100.0	0.1	5.7	1.1	3.6	11.2	0.7	10.5	12.5
1997	100.0	0.1	5.9	0.9	3.6	11.6	0.7	10.9	12.7
1998	100.0	0.1	6.1	0.9	3.5	12.4	0.8	11.6	12.5
1999	100.0	0.1	6.0	0.9	3.5	14.5	2.0	12.5	12.1
2000	100.0	d	3.3	1.1	3.7	13.2	0.9	12.2	12.5
2001	100.0	d	3.3	0.6	3.4	13.7	0.6	13.0	11.3
2002	100.0	0.1	3.4	0.8	3.5	13.9	0.7	13.2	11.4
2003	100.0	0.1	3.6	0.8	3.5	14.1	0.6	13.5	11.1

(Continued)

**Table 38.**  
**Distribution of workers aged 50 or older, by diagnostic group, selected years 1975–2003—Continued**

Year	Diseases of the—								Other	Unknown <sup>c</sup>
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
	<i>Percent</i>									
1975	0.2	36.0	2.8	0.8	19.6	5.5	8.3	0.3	0.1	--
1981	0.2	31.8	2.0	1.3	16.9	6.3	8.3	0.3	d	d
1982	0.2	31.7	1.7	0.8	16.4	6.9	9.0	0.2	0.2	--
1983	0.3	28.7	1.6	2.1	14.5	6.7	8.1	0.2	d	d
1984	0.2	26.5	1.7	0.8	14.6	6.5	7.6	0.2	0.2	4.1
1985	0.2	27.0	1.3	0.7	15.6	6.4	8.0	0.3	--	6.1
1986	0.2	25.9	1.4	0.6	16.4	6.1	8.9	0.2	--	2.9
1987	0.2	26.0	1.5	1.2	18.7	7.0	8.4	0.2	--	3.0
1988	0.2	25.0	1.4	1.3	20.0	7.1	8.5	0.1	1.7	--
1989	0.2	23.7	1.5	1.5	20.7	6.7	7.6	0.2	2.2	--
1990	0.3	23.1	1.5	1.6	20.8	6.8	7.4	0.2	1.6	--
1991	0.2	22.0	1.5	1.6	22.4	6.7	7.0	0.2	1.8	--
1992	0.2	22.0	1.4	1.6	21.8	6.4	7.0	0.2	2.3	--
1993	0.2	21.6	1.5	1.7	20.9	6.5	7.1	0.2	2.5	--
1994	0.2	20.6	1.5	2.0	19.7	6.6	7.7	0.2	3.0	--
1995	0.2	19.5	1.5	1.6	26.6	6.4	6.9	0.2	2.5	--
1996	0.2	19.3	1.6	1.6	26.9	6.5	6.7	0.2	2.7	--
1997	0.2	18.7	1.6	1.7	26.9	6.8	6.6	0.2	2.4	0.1
1998	0.2	17.9	1.7	1.8	27.3	6.9	6.5	0.2	2.0	0.1
1999	0.2	16.5	1.8	1.8	27.0	7.3	6.2	0.2	1.6	0.3
2000	d	17.5	1.7	1.9	29.8	7.4	6.1	d	1.3	0.2
2001	d	18.0	2.2	1.8	30.6	6.8	6.3	d	1.5	0.2
2002	0.2	16.4	2.0	1.9	31.4	7.6	6.0	0.2	0.2	1.0
2003	0.2	15.7	2.1	1.9	32.2	7.6	5.9	0.2	0.2	0.9

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; for 2000–2001, Annual Award and Termination Transaction file, 1 percent data; data after 2001 are 100 percent data from that file.

NOTES: Data exclude closed period awards and expedited reinstatement cases.

Before 1995, diagnostic data for cases awarded at the appeals levels were estimated on the basis of the diagnosis of cases allowed at the initial disability determination level.

Effective 2001, the Social Security Administration initiated a special review of 130,000 Supplemental Security Income (SSI) recipients who are potentially eligible for Social Security disability benefits because of earnings while receiving SSI. Many of these claims awarded since 2001 were for individuals under age 35 who were diagnosed with a mental disorder.

-- = not available.

- a. AIDS and HIV records are counted in Infectious and Parasitic Diseases. Before 1990, they were included in Other.
- b. Mental retardation was not identified separately before 1995.
- c. Beginning with 2002, several ill-defined impairment codes were reclassified and added to Unknown.
- d. Data not shown to avoid disclosure of information for particular individuals.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

## Awards to Disabled Workers

**Table 39.**

**Average primary insurance amount and average monthly benefit, by sex, selected years 1960–2003 (in dollars)**

Year	Average primary insurance amount			Average monthly benefit		
	All disabled workers	Men	Women	All disabled workers	Men	Women
1960	--	--	--	91.20	94.00	78.90
1965 (Jan.–Aug.)	--	--	--	93.30	97.90	80.30
1965 (Sept.–Dec.)	--	--	--	101.30	106.50	86.80
1970	--	--	--	139.80	148.40	115.70
1975	--	--	--	241.20	263.80	190.90
1980	--	--	--	406.30	449.40	308.50
1985	--	--	--	475.60	530.40	363.70
1986	--	--	--	473.80	531.50	357.40
1987	--	--	--	506.00	573.20	381.60
1988	--	--	--	297.40	321.20	263.50
1989	--	--	--	562.10	634.40	429.90
1990	--	--	--	594.20	667.90	465.80
1991	--	--	--	605.50	685.20	470.60
1992	--	--	--	621.90	699.80	494.20
1993	--	--	--	639.80	720.10	507.70
1994	--	--	--	672.80	757.70	535.00
1995	--	--	--	687.70	786.90	549.00
1996	734.00	836.40	595.70	709.10	807.90	575.60
1997	752.00	855.40	623.50	728.10	824.00	608.80
1998	771.30	879.50	639.50	746.30	846.80	623.80
1999	813.20	922.30	674.70	787.80	890.70	657.10
2000	856.80	975.30	718.70	833.70	947.70	700.90
2001	891.60	1,019.60	739.00	867.70	989.30	722.60
2002	923.90	1,053.00	772.10	898.60	1,021.70	753.90
2003	963.10	1,096.70	805.90	937.50	1,064.90	787.60

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; for 2000–2001, Annual Award and Termination Transaction file, 1 percent data; data after 2001 are 100 percent data from that file.

NOTES: Data exclude closed period awards and expedited reinstatement cases.

Benefits awarded before the December cost-of-living increase are converted to the December rates before averages are computed.

-- = not available.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.



**Table 40.**  
**Distribution, by diagnostic group, sex, and age, 2003**

Diagnostic group	Total				Men				Women			
	All ages	Under 35	35-49	50 or older	All ages	Under 35	35-49	50 or older	All ages	Under 35	35-49	50 or older
	<b>Number</b>											
Total	755,706	90,051	235,672	429,983	408,516	47,839	120,653	240,024	347,190	42,212	115,019	189,959
Congenital anomalies	1,152	523	334	295	619	286	171	162	533	237	163	133
Endocrine, nutritional, and metabolic diseases	23,407	1,601	6,343	15,463	12,486	759	3,215	8,512	10,921	842	3,128	6,951
Infectious and parasitic diseases	10,879	1,723	5,836	3,320	7,849	1,193	4,522	2,134	3,030	530	1,314	1,186
Injuries	28,612	4,445	9,271	14,896	18,904	3,194	6,221	9,489	9,708	1,251	3,050	5,407
Mental disorders												
Retardation	19,338	9,814	6,791	2,733	11,822	5,833	4,210	1,779	7,516	3,981	2,581	954
Other	172,341	41,264	73,095	57,982	81,910	21,307	32,606	27,997	90,431	19,957	40,489	29,985
Neoplasms	70,942	4,026	19,355	47,561	37,289	2,072	9,037	26,180	33,653	1,954	10,318	21,381
Diseases of the—												
Blood and blood-forming organs	2,408	683	722	1,003	1,168	330	308	530	1,240	353	414	473
Circulatory system	85,896	2,309	16,170	67,417	58,944	1,263	10,323	47,358	26,952	1,046	5,847	20,059
Digestive system	17,084	1,201	6,977	8,906	10,489	570	4,288	5,631	6,595	631	2,689	3,275
Genitourinary system	16,968	2,501	6,237	8,230	10,418	1,432	3,843	5,143	6,550	1,069	2,394	3,087
Musculoskeletal system and connective tissue	199,014	7,829	52,765	138,420	100,949	3,585	26,745	70,619	98,065	4,244	26,020	67,801
Nervous system and sense organs	64,369	9,879	21,635	32,855	33,491	5,006	10,692	17,793	30,878	4,873	10,943	15,062
Respiratory system	32,007	808	5,855	25,344	16,902	319	2,628	13,955	15,105	489	3,227	11,389
Skin and subcutaneous tissue	1,622	220	628	774	700	69	287	344	922	151	341	430
Other	1,871	217	703	951	907	122	312	473	964	95	391	478
Unknown	7,796	1,008	2,955	3,833	3,669	499	1,245	1,925	4,127	509	1,710	1,908

(Continued)

## Awards to Disabled Workers

**Table 40.**  
**Distribution, by diagnostic group, sex, and age, 2003—Continued**

Diagnostic group	Total				Men				Women			
	All ages	Under 35	35–49	50 or older	All ages	Under 35	35–49	50 or older	All ages	Under 35	35–49	50 or older
	<b>Percent</b>											
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Congenital anomalies	0.2	0.6	0.1	0.1	0.2	0.6	0.1	0.1	0.2	0.6	0.1	0.1
Endocrine, nutritional, and metabolic diseases	3.1	1.8	2.7	3.6	3.1	1.6	2.7	3.5	3.1	2.0	2.7	3.7
Infectious and parasitic diseases	1.4	1.9	2.5	0.8	1.9	2.5	3.7	0.9	0.9	1.3	1.1	0.6
Injuries	3.8	4.9	3.9	3.5	4.6	6.7	5.2	4.0	2.8	3.0	2.7	2.8
Mental disorders												
Retardation	2.6	10.9	2.9	0.6	2.9	12.2	3.5	0.7	2.2	9.4	2.2	0.5
Other	22.8	45.8	31.0	13.5	20.1	44.5	27.0	11.7	26.0	47.3	35.2	15.8
Neoplasms	9.4	4.5	8.2	11.1	9.1	4.3	7.5	10.9	9.7	4.6	9.0	11.3
Diseases of the—												
Blood and blood-forming organs	0.3	0.8	0.3	0.2	0.3	0.7	0.3	0.2	0.4	0.8	0.4	0.2
Circulatory system	11.4	2.6	6.9	15.7	14.4	2.6	8.6	19.7	7.8	2.5	5.1	10.6
Digestive system	2.3	1.3	3.0	2.1	2.6	1.2	3.6	2.3	1.9	1.5	2.3	1.7
Genitourinary system	2.2	2.8	2.6	1.9	2.6	3.0	3.2	2.1	1.9	2.5	2.1	1.6
Musculoskeletal system and connective tissue	26.3	8.7	22.4	32.2	24.7	7.5	22.2	29.4	28.2	10.1	22.6	35.7
Nervous system and sense organs	8.5	11.0	9.2	7.6	8.2	10.5	8.9	7.4	8.9	11.5	9.5	7.9
Respiratory system	4.2	0.9	2.5	5.9	4.1	0.7	2.2	5.8	4.4	1.2	2.8	6.0
Skin and subcutaneous tissue	0.2	0.2	0.3	0.2	0.2	0.1	0.2	0.1	0.3	0.4	0.3	0.2
Other	0.2	0.2	0.3	0.2	0.2	0.3	0.3	0.2	0.3	0.2	0.3	0.3
Unknown	1.0	1.1	1.3	0.9	0.9	1.0	1.0	0.8	1.2	1.2	1.5	1.0

SOURCE: Social Security Administration, Annual Award and Termination Transaction file, 100 percent data.

NOTES: Data exclude closed period awards and expedited reinstatement cases.

Effective 2001, the Social Security Administration initiated a special review of 130,000 Supplemental Security Income (SSI) recipients who are potentially eligible for Social Security disability benefits because of earnings while receiving SSI. Many of these claims awarded since 2001 were for individuals under age 35 who were diagnosed with a mental disorder.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

**Table 41.**  
**Distribution, by monthly benefit and sex, 2003**

Monthly benefit (dollars)	All disabled workers		Men		Women	
	Number	Percent	Number	Percent	Number	Percent
Total	755,706	100.0	408,516	100.0	347,190	100.0
Less than 100.00	5,975	0.8	3,279	0.8	2,696	0.8
100.00–199.90	10,313	1.4	3,779	0.9	6,534	1.9
200.00–299.90	24,377	3.2	8,886	2.2	15,491	4.5
300.00–399.90	29,931	4.0	10,878	2.7	19,053	5.5
400.00–499.90	32,948	4.4	11,920	2.9	21,028	6.1
500.00–599.90	63,380	8.4	22,497	5.5	40,883	11.8
600.00–699.90	82,379	10.9	31,411	7.7	50,968	14.7
700.00–799.90	75,693	10.0	32,588	8.0	43,105	12.4
800.00–899.90	68,578	9.1	32,770	8.0	35,808	10.3
900.00–999.90	60,175	8.0	31,907	7.8	28,268	8.1
1,000.00–1,099.90	52,176	6.9	30,292	7.4	21,884	6.3
1,100.00–1,199.90	45,287	6.0	28,989	7.1	16,298	4.7
1,200.00–1,299.90	38,609	5.1	26,533	6.5	12,076	3.5
1,300.00–1,399.90	33,058	4.4	23,933	5.9	9,125	2.6
1,400.00–1,499.90	29,236	3.9	22,222	5.4	7,014	2.0
1,500.00–1,599.90	37,711	5.0	29,777	7.3	7,934	2.3
1,600.00 or more	65,880	8.7	56,855	13.9	9,025	2.6
Average benefit (dollars)	937.50		1,064.90		787.60	

SOURCE: Social Security Administration, Annual Award and Termination Transaction file, 100 percent data.

NOTES: Benefits awarded before the December cost-of-living increase are converted to the December rates before averages are computed.

Data exclude closed period awards and expedited reinstatement cases.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

## Awards to Disabled-Worker Families

**Table 42.**  
**Number, average primary insurance amount, and average monthly family benefit, by family composition, 2003**

Family composition	Number of families	Number of beneficiaries	Average primary insurance amount (dollars)	Average monthly family benefit (dollars)	Percentage of families receiving maximum family benefit <sup>a</sup>
Worker only					
Men	320,499	320,499	1,094.40	1,064.40	10.1
Women	289,297	289,297	803.60	785.40	22.0
Worker with children					
By sex of worker					
Men	68,719	181,912	1,080.80	1,524.20	88.0
Women	56,502	148,643	815.70	1,100.20	91.8
By number of children					
1 child	69,139	138,278	979.90	1,357.10	89.2
2 children	38,605	115,815	957.00	1,331.40	90.6
3 or more children	17,477	76,462	896.50	1,240.30	89.6
Worker with—					
Spouse aged 62 or older <sup>b</sup>	6,166	12,360	1,369.20	1,649.30	8.6
Spouse aged 62 or older and 1 or more children	131	427	1,307.10	2,074.30	67.2
Spouse and 1 child	5,048	15,147	1,130.70	1,633.90	87.0
Spouse and 2 children	5,217	20,869	1,093.30	1,560.50	87.6
Spouse and 3 or more children	3,795	20,971	1,021.00	1,428.20	82.5

SOURCE: Social Security Administration, Annual Award and Termination Transaction file, 100 percent data.

NOTES: A family means beneficiaries entitled on one worker's account. The data may understate the number of families with dependents because records of awards to dependents made in a different calendar year are not available for inclusion.

Data exclude closed period awards and expedited reinstatement cases; they include beneficiaries whose benefits are being withheld.

a. Includes families and worker-only beneficiaries for whom the primary insurance amount is equal to the family maximum amount.

b. If the spouse is also entitled to a retired-worker benefit, only the benefit amount received as a spouse is included.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

**Table 43.**  
**Distribution, by family composition and age of worker, 2003**

Family composition	Total, all ages	Under 30	30–34	35–39	40–44	45–49	50–54	55–59	60–FRA
<b>Number</b>									
Worker only	609,796	40,959	22,112	30,587	50,453	76,218	118,516	157,764	113,187
Worker with—									
Spouse									
Aged 62 or older <sup>a</sup>	6,297	0	b	b	b	31	182	1,037	5,039
Child in care	14,060	871	1,412	2,279	2,837	2,493	2,090	1,459	619
Children									
1 child	69,139	5,216	5,310	8,454	13,608	14,150	11,721	7,572	3,108
2 children	38,605	3,395	5,436	8,384	9,281	6,174	3,530	1,831	574
3 or more children	17,477	1,733	3,551	4,753	3,896	1,934	948	491	171
Families receiving maximum benefit <sup>c</sup>	221,103	33,268	20,979	29,103	36,661	33,425	29,771	25,356	12,540
<b>Percent</b>									
Worker only	100.0	6.7	3.6	5.0	8.3	12.5	19.4	25.9	18.6
Worker with—									
Spouse									
Aged 62 or older <sup>a</sup>	100.0	0	b	b	b	0.5	2.9	16.5	80.0
Child in care	100.0	6.2	10.0	16.2	20.2	17.7	14.9	10.4	4.4
Children									
1 child	100.0	7.5	7.7	12.2	19.7	20.5	17.0	11.0	4.5
2 children	100.0	8.8	14.1	21.7	24.0	16.0	9.1	4.7	1.5
3 or more children	100.0	9.9	20.3	27.2	22.3	11.1	5.4	2.8	1.0
Families receiving maximum benefit <sup>c</sup>	29.3	63.8	55.5	53.4	45.8	33.1	21.7	14.9	10.2

SOURCE: Social Security Administration, Annual Award and Termination Transaction file, 100 percent data.

NOTES: A family means beneficiaries entitled on one worker's account. The data may understate the number of families with dependents because records of awards to dependents made in a different calendar year are not available for inclusion.

Data exclude closed period awards and expedited reinstatement cases; they include beneficiaries whose benefits are being withheld.

FRA = full retirement age.

a. Includes spouses aged 62 or older with children.

b. Data not shown to avoid disclosure of information for particular individuals.

c. Includes families and worker-only beneficiaries for whom the primary insurance amount is equal to the family maximum amount.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

## Benefits Withheld from All Disabled Beneficiaries

**Table 44.**  
**Number, by reason for withholding benefit, December 2003**

Reason	All beneficiaries	Workers and nondisabled dependents				Widow(er)s	Adult children of—		
		Workers	Spouses	Children under age 18	Students aged 18–19		Disabled workers	Retired workers	Deceased workers
Total	559,554	102,492	55,466	218,127	6,841	4,159	19,982	88,784	63,703
Address unknown	18,186	8,672	393	6,536	149	263	281	327	1,565
Determination of continuing disability pending	5,952	3,892	141	1,565	6	7	95	54	192
Recoupment of overpayment	14,062	5,806	793	6,604	102	254	120	109	274
Workers' compensation offset	7,908	1,851	516	5,329	114	...	98	...	...
Payee not determined	4,300	1,515	a	1,864	a	23	79	127	680
Substantial gainful activity	38,583	25,780	871	10,324	72	114	475	310	637
Imprisoned or confined	42,379	33,470	294	390	38	133	1,364	1,151	5,539
Entitled child not in care	10,998	...	10,998	...	...	...	...	...	...
Beneficiary earnings	30,748	...	30,688	a	a	...	...	...	...
Earnings of the other beneficiaries	113	...	...	...	...	...	...	113	...
Government pension offset	2,479	...	1,946	...	...	533	...	...	...
Technical entitlement	338,314	...	7,354	169,277	6,072	2,332	15,504	85,521	52,254
Other	45,532	21,506	a	a	276	500	1,966	1,072	2,562

SOURCE: Social Security Administration, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

NOTES: These data represent the total number of beneficiaries with benefits withheld in December 2003 regardless of when their benefits were initially withheld.

... = not applicable.

a. Data not shown to avoid disclosure of information for particular individuals.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

**Benefits Terminated for All Disabled Beneficiaries**

**Table 45.**  
**Number and rate, 1960–2003**

Year	Total		Workers		Widow(er)s		Adult children	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1960	91,543	164	89,090	196	--	--	2,453	24
1961	118,842	160	115,546	187	--	--	3,296	27
1962	132,144	149	128,299	173	--	--	3,845	26
1963	143,008	144	137,850	167	--	--	5,158	31
1964	144,422	134	138,576	155	--	--	5,846	32
1965	163,276	138	156,648	159	--	--	6,628	33
1966	175,959	134	168,630	154	--	--	7,329	34
1967	218,077	153	208,899	175	--	--	9,178	40
1968	232,817	151	222,197	172	--	--	10,620	44
1969	263,191	159	251,269	180	--	--	11,922	46
1970	272,239	154	260,444	174	--	--	11,795	44
1971	278,092	144	266,471	162	--	--	11,621	41
1972	275,663	129	261,739	143	--	--	13,924	46
1973	317,237	136	304,792	151	--	--	12,445	39
1974	336,246	130	320,958	143	--	--	15,288	45
1975	344,727	121	329,532	132	--	--	15,195	42
1976	367,608	120	351,504	132	--	--	16,104	42
1977	418,394	129	401,334	141	--	--	17,060	42
1978	431,067	131	413,571	144	--	--	17,496	42
1979	441,101	133	422,503	147	--	--	18,598	43
1980	422,612	128	408,051	143	--	--	14,561	32
1981	449,669	139	434,187	156	--	--	15,482	33
1982	500,282	163	483,847	186	--	--	16,435	35
1983	473,327	155	453,621	177	--	--	19,706	40
1984	391,190	126	371,913	143	--	--	19,277	38
1985	357,006	112	339,984	128	--	--	17,022	32
1986	358,289	109	341,276	125	--	--	17,013	31
1987	365,004	109	347,948	125	--	--	17,056	30
1988	375,621	110	356,143	126	--	--	19,478	34
1989	371,128	107	351,402	121	--	--	19,726	34
1990	368,208	102	348,194	116	--	--	20,014	33
1991	369,026	97	351,303	110	--	--	17,723	29
1992	379,653	92	361,796	104	--	--	17,857	28
1993	391,159	89	372,317	100	--	--	18,842	29
1994	404,624	87	384,590	97	--	--	20,034	30

-----  
(Continued)

## Benefits Terminated for All Disabled Beneficiaries

**Table 45.**  
**Number and rate, 1960–2003—Continued**

Year	Total		Workers		Widow(er)s		Adult children	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
1995	422,114	87	399,475	95	--	--	22,639	33
1996	420,756	83	396,980	91	--	--	23,776	34
1997	491,194	94	464,984	103	--	--	26,210	37
1998	436,244	81	409,489	87	--	--	26,755	38
1999	463,394	83	433,950	89	--	--	29,444	41
2000	493,651	86	460,351	91	--	--	33,300	46
2001	513,472	83	459,073	87	21,411	105	32,988	45
2002	535,465	82	479,364	87	21,379	103	34,722	47
2003	501,222	73	447,485	76	20,707	99	33,030	44

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; for 2000, Social Security Disabled Beneficiaries 100 Percent file and Annual Termination file (100 percent data); beginning with 2001, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

NOTES: The termination rate is the number of terminations per 1,000 beneficiaries in current-payment status.

-- = not available.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.



**Benefits Terminated for All Disabled Beneficiaries**

**Table 46.**  
**Number, by reason for termination, 2003**

Reason for termination	All beneficiaries	Workers and nondisabled dependents				Widow(er)s	Adult children of—		
		Workers	Spouses	Children under age 18	Students aged 18–19		Disabled workers	Retired workers	Deceased workers
Total	923,015	447,485	48,969	280,623	92,201	20,707	9,476	6,091	17,463
Death of beneficiary	211,118	185,209	1,421	714	39	6,750	544	3,076	13,365
Termination resulting from death of worker	34,645	...	6,476	25,307	1,178	...	1,676	8	...
Attainment of age—									
18 by children	181,232	...	...	181,232	...	...	...	...	...
19 by students	4,848	...	...	...	4,848	...	...	...	...
FRA by disabled workers	225,519	199,662	15,817	5,839	327	...	3,874	...	...
FRA by disabled widow(er)s	12,378	...	...	...	...	12,378	...	...	...
Termination of spouse's benefit because child attains age 16	16,098	...	16,098	...	...	...	...	...	...
Marriage, remarriage, or divorce of beneficiary	7,972	...	2,510	3,288	257	65	356	256	1,240
Entitlement to an equal or larger Social Security benefit	3,621	...	1,505	795	35	524	177	391	194
Does not meet medical standards <sup>a</sup>	97,891	53,396	2,177	36,682	361	290	1,740	795	2,450
Medical improvement <sup>b</sup>	--	13,701	--	--	--	57	--	--	--
Work above substantial gainful activity <sup>c</sup>	--	27,926	--	--	--	159	--	--	--
Miscellaneous reasons <sup>d</sup>	--	11,769	--	--	--	66	--	--	--
Student no longer attending school	83,752	...	...	...	83,752	...	...	...	...
Other	43,941	9,218	2,965	26,766	1,404	700	1,109	1,565	214

SOURCE: Social Security Administration, Annual Termination file and the Termination Supplement file, 100 percent data.

NOTES: These data represent the total number of beneficiaries whose benefits were terminated during the calendar year regardless of the effective date of the termination.

... = not applicable; FRA = full retirement age; -- = not available.

- a. Dependents benefits terminate when the disabled worker no longer meets the requirements for disability benefits. Disabled widow(er)s and disabled adult children of deceased or retired workers lose their benefits when they no longer meet the requirements for disability benefits.
- b. Includes beneficiaries who medically improved, who did not cooperate during the medical review, or whose whereabouts are unknown.
- c. Excludes disabled beneficiaries whose monthly benefits have been suspended because they are engaging in substantial gainful activity during the extended period of eligibility.
- d. Includes beneficiaries who did not comply with alcohol or drug abuse treatment programs or who refused vocational rehabilitation services.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

## Benefits Terminated for All Disabled Beneficiaries

**Table 47.**  
**Number and rate, by state or other area, 2003**

State or area	Total		Workers		Widow(er)s		Adult children	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
All areas <sup>a</sup>	501,222	73	447,485	76	20,707	99	33,030	44
Alabama	11,632	68	10,201	69	613	94	818	48
Alaska	657	68	610	70	18	78	29	40
Arizona	8,850	75	8,187	77	280	91	383	44
Arkansas	7,551	72	6,728	73	365	96	458	51
California	42,419	74	38,611	77	1,390	101	2,418	39
Colorado	5,862	80	5,428	82	178	102	256	44
Connecticut	5,327	74	4,776	79	186	119	365	38
Delaware	1,589	79	1,460	82	48	97	81	42
District of Columbia	878	83	786	88	24	87	68	51
Florida	31,655	78	29,117	81	1,045	92	1,493	45
Georgia	15,959	77	14,306	80	713	98	940	47
Hawaii	1,522	78	1,374	82	54	114	94	40
Idaho	2,132	74	1,940	76	67	86	125	49
Illinois	18,160	75	15,998	79	828	112	1,334	42
Indiana	11,185	75	9,930	78	429	89	826	48
Iowa	4,627	72	4,043	75	163	96	421	49
Kansas	4,195	76	3,744	78	138	90	313	52
Kentucky	11,234	67	9,807	68	651	93	776	48
Louisiana	9,621	75	8,062	78	629	109	930	51
Maine	3,122	66	2,757	66	121	102	244	54
Maryland	7,562	80	6,885	85	260	109	417	38
Massachusetts	11,032	69	9,915	72	322	95	795	44
Michigan	17,701	69	15,517	72	780	97	1,404	42
Minnesota	6,866	73	6,140	77	179	98	547	48
Mississippi	8,230	72	7,233	74	417	92	580	49
Missouri	12,118	73	10,760	75	531	99	827	51
Montana	1,672	77	1,508	79	71	120	93	43
Nebraska	2,588	75	2,265	76	91	112	232	55
Nevada	3,719	85	3,484	86	119	108	116	47
New Hampshire	2,123	66	1,924	67	74	102	125	46
New Jersey	13,094	79	11,886	85	400	95	808	41
New Mexico	3,188	73	2,877	75	137	112	174	41
New York	31,974	73	28,402	76	1,210	99	2,362	42
North Carolina	18,844	73	17,027	75	711	85	1,106	48
North Dakota	938	76	820	81	32	115	86	42
Ohio	20,499	78	17,799	82	1,035	111	1,665	47
Oklahoma	6,989	77	6,243	80	327	100	419	46
Oregon	5,858	76	5,367	79	195	98	296	42
Pennsylvania	21,589	70	18,923	73	970	100	1,696	43
Rhode Island	2,027	67	1,807	68	72	108	148	48

(Continued)

**Benefits Terminated for All Disabled Beneficiaries**

**Table 47.**  
**Number and rate, by state or other area, 2003—Continued**

State or area	Total		Workers		Widow(er)s		Adult children	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate
South Carolina	10,086	74	9,051	76	464	94	571	43
South Dakota	1,211	77	1,054	80	49	127	108	52
Tennessee	14,231	75	12,617	77	710	95	904	49
Texas	28,765	76	25,831	80	1,332	99	1,602	40
Utah	2,223	75	2,011	79	61	87	151	45
Vermont	1,206	73	1,072	75	48	110	86	46
Virginia	12,526	73	11,253	76	524	93	749	44
Washington	8,901	73	8,094	75	321	107	486	43
West Virginia	5,609	65	4,783	66	393	107	433	43
Wisconsin	8,462	73	7,571	77	229	85	662	42
Wyoming	790	80	709	82	28	112	53	60
Outlying areas								
Puerto Rico	8,603	54	7,260	55	537	104	806	35
Other <sup>b</sup>	1,821	81	1,532	97	138	149	151	27

SOURCES: Social Security Administration, Annual Termination file and Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

NOTE: The termination rate is the number of terminations per 1,000 beneficiaries in current-payment status.

a. Includes beneficiaries with unknown state code.

b. Includes American Samoa, Guam, Northern Mariana Islands, Virgin Islands, and foreign countries.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

## Disabled Workers Who Work

**Table 48.**

**Distribution of workers with benefits withheld because of substantial work, by diagnostic group and age, December 2003**

Diagnostic group	Total	Under 30	30-39	40-49	50-59	60-FRA
	<i>Number</i>					
Total	25,780	2,460	5,763	8,898	6,825	1,834
Congenital anomalies	67	24	22	14	a	a
Endocrine, nutritional, and metabolic diseases	843	39	166	316	269	53
Infectious and parasitic diseases	942	34	268	461	162	17
Injuries	1,843	227	474	562	437	143
Mental disorders						
Retardation	872	311	271	215	70	5
Other	7,544	816	1,975	2,856	1,652	245
Neoplasms	2,378	174	389	733	864	218
Diseases of the—						
Blood and blood-forming organs	177	34	56	56	a	a
Circulatory system	1,308	38	156	334	533	247
Digestive system	597	35	91	221	211	39
Genitourinary system	942	106	272	319	194	51
Musculoskeletal system and connective tissue	4,587	121	618	1,664	1,622	562
Nervous system and sense organs	2,626	419	771	810	483	143
Respiratory system	333	18	58	101	97	59
Skin and subcutaneous tissue	69	a	26	18	18	a
Other	56	a	14	22	12	a
Unknown	596	56	136	196	168	40

(Continued)

**Table 48.**  
**Distribution of workers with benefits withheld because of substantial work, by diagnostic group and age, December 2003—Continued**

Diagnostic group	Total	Under 30	30–39	40–49	50–59	60–FRA
	<i>Percent</i>					
Total	100.0	100.0	100.0	100.0	100.0	100.0
Congenital anomalies	0.3	1.0	0.4	0.2	a	a
Endocrine, nutritional, and metabolic diseases	3.3	1.6	2.9	3.6	3.9	2.9
Infectious and parasitic diseases	3.7	1.4	4.7	5.2	2.4	0.9
Injuries	7.1	9.2	8.2	6.3	6.4	7.8
Mental disorders						
Retardation	3.4	12.6	4.7	2.4	1.0	0.3
Other	29.3	33.2	34.3	32.1	24.2	13.4
Neoplasms	9.2	7.1	6.7	8.2	12.7	11.9
Diseases of the—						
Blood and blood-forming organs	0.7	1.4	1.0	0.6	a	a
Circulatory system	5.1	1.5	2.7	3.8	7.8	13.5
Digestive system	2.3	1.4	1.6	2.5	3.1	2.1
Genitourinary system	3.7	4.3	4.7	3.6	2.8	2.8
Musculoskeletal system and connective tissue	17.8	4.9	10.7	18.7	23.8	30.6
Nervous system and sense organs	10.2	17.0	13.4	9.1	7.1	7.8
Respiratory system	1.3	0.7	1.0	1.1	1.4	3.2
Skin and subcutaneous tissue	0.3	a	0.5	0.2	0.3	a
Other	0.2	a	0.2	0.2	0.2	a
Unknown	2.3	2.3	2.4	2.2	2.5	2.2

SOURCE: Social Security Administration, Disabled Beneficiaries and Dependents Master Beneficiary Record file, 100 percent data.

NOTES: These data represent the total number of beneficiaries with benefits withheld in December 2003 regardless of when their benefits were initially withheld.

FRA = full retirement age.

a. Data not shown to avoid disclosure of information for particular individuals.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

## Disabled Workers Who Work

**Table 49.**  
**Distribution of workers with benefits terminated because of successful return to work, by diagnostic group and age, 2003**

Diagnostic group	Total	Under 30	30-39	40-49	50-59	60-FRA
	<b>Number</b>					
Total	27,926	1,894	7,416	9,824	6,745	2,047
Congenital anomalies	84	a	36	13	12	a
Endocrine, nutritional, and metabolic diseases	991	33	176	413	293	76
Infectious and parasitic diseases	1,245	18	377	622	209	19
Injuries	1,737	131	504	594	366	142
Mental disorders						
Retardation	1,801	303	795	520	154	29
Other	9,365	609	2,755	3,561	2,080	360
Neoplasms	1,303	88	249	362	442	162
Diseases of the—						
Blood and blood-forming organs	180	30	76	38	29	7
Circulatory system	1,217	31	134	285	486	281
Digestive system	448	13	80	150	173	32
Genitourinary system	1,003	74	330	348	220	31
Musculoskeletal system and connective tissue	4,237	96	586	1,557	1,353	645
Nervous system and sense organs	3,157	392	1,077	985	580	123
Respiratory system	370	12	72	102	113	71
Skin and subcutaneous tissue	62	a	12	23	21	a
Other	46	a	8	17	16	a
Unknown	680	38	149	234	198	61
	<b>Percent</b>					
Total	100.0	100.0	100.0	100.0	100.0	100.0
Congenital anomalies	0.3	a	0.5	0.1	0.2	a
Endocrine, nutritional, and metabolic diseases	3.5	1.7	2.4	4.2	4.3	3.7
Infectious and parasitic diseases	4.5	1.0	5.1	6.3	3.1	0.9
Injuries	6.2	6.9	6.8	6.0	5.4	6.9
Mental disorders						
Retardation	6.4	16.0	10.7	5.3	2.3	1.4
Other	33.5	32.2	37.1	36.2	30.8	17.6
Neoplasms	4.7	4.6	3.4	3.7	6.6	7.9
Diseases of the—						
Blood and blood-forming organs	0.6	1.6	1.0	0.4	0.4	0.3
Circulatory system	4.4	1.6	1.8	2.9	7.2	13.7
Digestive system	1.6	0.7	1.1	1.5	2.6	1.6
Genitourinary system	3.6	3.9	4.4	3.5	3.3	1.5
Musculoskeletal system and connective tissue	15.2	5.1	7.9	15.8	20.1	31.5
Nervous system and sense organs	11.3	20.7	14.5	10.0	8.6	6.0
Respiratory system	1.3	0.6	1.0	1.0	1.7	3.5
Skin and subcutaneous tissue	0.2	a	0.2	0.2	0.3	a
Other	0.2	a	0.1	0.2	0.2	a
Unknown	2.4	2.0	2.0	2.4	2.9	3.0

SOURCE: Social Security Administration, Termination Supplement file, 100 percent data.

NOTE: FRA = full retirement age.

a. Data not shown to avoid disclosure of information for particular individuals.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

**Table 50.**  
**Average monthly benefit for workers with benefits withheld or terminated, by diagnostic group and age, December 2003 (in dollars)**

Diagnostic group	Total	Under 30	30-39	40-49	50-59	60-FRA
<i>Withheld</i>						
Total	958.90	761.40	897.30	972.70	1,044.40	1,032.20
Congenital anomalies	853.80	798.50	853.60	875.70	1,009.10	946.60
Endocrine, nutritional, and metabolic diseases	866.10	796.60	838.10	850.00	896.80	945.70
Infectious and parasitic diseases	992.60	860.70	907.60	1,037.00	1,037.00	971.10
Injuries	1,042.50	875.70	1,002.80	1,050.20	1,138.40	1,115.20
Mental disorders						
Retardation	671.50	629.50	697.60	685.00	679.90	1,167.90
Other	887.60	728.70	838.70	911.00	972.20	967.10
Neoplasms	1,158.80	887.90	1,095.40	1,200.00	1,211.40	1,140.40
Diseases of the—						
Blood and blood-forming organs	1,040.30	801.90	950.30	1,204.80	1,127.60	1,433.30
Circulatory system	1,072.40	837.80	988.70	1,038.50	1,114.90	1,115.40
Digestive system	1,099.10	770.80	985.20	1,088.60	1,193.50	1,208.20
Genitourinary system	1,063.10	823.80	962.60	1,109.70	1,221.50	1,201.50
Musculoskeletal system and connective tissue	944.00	753.60	896.90	937.70	982.60	944.10
Nervous system and sense organs	948.70	777.50	917.40	974.60	1,065.80	1,077.10
Respiratory system	918.50	741.20	816.00	915.40	1,005.00	936.60
Skin and subcutaneous tissue	996.90	742.20	856.20	1,042.60	1,196.60	1,083.50
Other	969.50	896.80	824.30	918.50	1,209.50	1,111.30
Unknown	914.80	706.70	893.00	955.40	948.90	937.30
<i>Terminated</i>						
Total	875.10	745.70	830.70	875.80	939.20	941.60
Congenital anomalies	831.90	802.40	828.30	896.90	823.50	818.90
Endocrine, nutritional, and metabolic diseases	830.10	860.60	835.20	810.40	835.10	892.80
Infectious and parasitic diseases	925.80	936.50	897.70	928.00	962.60	995.00
Injuries	974.50	878.30	954.60	980.90	1,018.20	994.30
Mental disorders						
Retardation	693.60	651.30	678.70	709.70	788.30	750.40
Other	823.70	702.90	790.60	822.50	888.60	917.80
Neoplasms	1,049.60	861.50	999.40	1,075.60	1,091.10	1,057.90
Diseases of the—						
Blood and blood-forming organs	899.80	754.50	807.00	988.00	1,148.30	1,021.60
Circulatory system	954.80	792.20	884.70	930.10	968.70	1,007.00
Digestive system	964.40	647.30	845.30	939.70	1,066.20	956.00
Genitourinary system	955.40	791.50	911.30	965.80	1,046.40	1,052.10
Musculoskeletal system and connective tissue	897.20	788.70	897.50	890.20	917.10	887.90
Nervous system and sense organs	896.10	767.70	860.20	927.10	974.90	1,000.00
Respiratory system	865.80	844.60	797.70	840.30	920.00	888.70
Skin and subcutaneous tissue	839.90	595.00	918.40	832.20	867.50	719.00
Other	879.50	699.90	727.40	951.10	899.80	891.10
Unknown	902.10	796.90	820.70	899.60	975.60	937.50

SOURCE: Social Security Administration, Disabled Beneficiaries and Dependents Master Beneficiary Record file and Termination Supplement file, 100 percent data.

NOTE: FRA = full retirement age.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.

## Disabled Workers Who Work

**Table 51.**  
**Distribution, by state or other area, 2003**

State or area	All workers, December	Workers with benefits withheld because of substantial work, December		Workers with benefits terminated because of successful return to work, calendar year	
		Number	Percentage of all workers	Number	Percentage of all workers
All areas <sup>a</sup>	5,868,541	25,780	0.4	27,926	0.5
Alabama	148,715	240	0.2	331	0.2
Alaska	8,719	54	0.6	52	0.6
Arizona	106,001	556	0.5	596	0.6
Arkansas	91,584	258	0.3	307	0.3
California	500,805	2,619	0.5	2,688	0.5
Colorado	66,080	403	0.6	590	0.9
Connecticut	60,506	401	0.7	369	0.6
Delaware	17,778	107	0.6	128	0.7
District of Columbia	8,963	27	0.3	51	0.6
Florida	360,386	1,328	0.4	1,570	0.4
Georgia	179,753	424	0.2	579	0.3
Hawaii	16,744	89	0.5	70	0.4
Idaho	25,519	78	0.3	112	0.4
Illinois	202,250	1,258	0.6	1,326	0.7
Indiana	127,447	556	0.4	628	0.5
Iowa	53,793	275	0.5	283	0.5
Kansas	47,741	296	0.6	247	0.5
Kentucky	145,116	399	0.3	384	0.3
Louisiana	103,784	341	0.3	375	0.4
Maine	41,733	270	0.6	281	0.7
Maryland	80,733	354	0.4	508	0.6
Massachusetts	138,588	983	0.7	1,169	0.8
Michigan	215,789	927	0.4	1,144	0.5
Minnesota	80,252	530	0.7	610	0.8
Mississippi	97,461	190	0.2	244	0.3
Missouri	143,681	608	0.4	556	0.4
Montana	18,983	70	0.4	86	0.5
Nebraska	29,638	183	0.6	160	0.5
Nevada	40,414	201	0.5	253	0.6
New Hampshire	28,510	269	0.9	228	0.8
New Jersey	140,617	832	0.6	805	0.6
New Mexico	38,332	144	0.4	188	0.5
New York	371,648	2,343	0.6	2,211	0.6
North Carolina	225,926	616	0.3	783	0.3
North Dakota	10,073	45	0.4	53	0.5
Ohio	218,386	1,194	0.5	1,305	0.6
Oklahoma	78,407	204	0.3	264	0.3
Oregon	67,580	299	0.4	341	0.5
Pennsylvania	259,516	1,277	0.5	1,110	0.4
Rhode Island	26,447	185	0.7	154	0.6

(Continued)



**Table 51.**  
**Distribution, by state or other area, 2003—Continued**

State or area	All workers, December	Workers with benefits withheld because of substantial work, December		Workers with benefits terminated because of successful return to work, calendar year	
		Number	Percentage of all workers	Number	Percentage of all workers
South Carolina	118,734	205	0.2	354	0.3
South Dakota	13,250	97	0.7	80	0.6
Tennessee	164,127	425	0.3	520	0.3
Texas	324,308	1,114	0.3	1,322	0.4
Utah	25,583	139	0.5	134	0.5
Vermont	14,246	130	0.9	112	0.8
Virginia	147,946	591	0.4	705	0.5
Washington	108,082	677	0.6	653	0.6
West Virginia	72,182	183	0.3	130	0.2
Wisconsin	98,234	641	0.7	626	0.6
Wyoming	8,685	53	0.6	61	0.7
Outlying areas					
Puerto Rico	132,648	80	0.1	71	0.1
Other <sup>b</sup>	15,873	12	0.1	19	0.1

SOURCES: Social Security Administration, Disabled Beneficiaries and Dependents Master Beneficiary Record file and Termination Supplement file, 100 percent data.

a. Includes beneficiaries with unknown state code.

b. Includes American Samoa, Guam, Northern Mariana Islands, Virgin Islands, and foreign countries.

CONTACT: Carolyn A. Harrison (410) 965-5522 or di.asr@ssa.gov.