Classic XXI System



Prices Effective June 2006.

Contents

Section/Product	Page	Section/Product	Pago
Terms and Conditions	4	Variable Height 90° Corner Post (CAC) - Upholstered	8
Standard Product Overview	6	45° Corner Post	8
Technical Specifications	8	60° Corner Post	8
Panels		Two Way Top Cap	8
Fabric Acoustical Panels	14	Four Way Top Cap	8
Open Frame Panels	20	ERP Panel Trim (Extended Raceway Panel)	
Glass Panels	21	ERP End of Run Caps	8
Open Frame Panel Cover	23	ERP T-Post (CTC) Upholstered	8
Fabric/Laminate	24	ERP 2½" CTC Spacer	8
Half Glass/Half Fabric	30	ERP 90° Corner Post (CAC) - Upholstered	8
Half Open Frame/Half Fabric	32	Panel Trim Accessories	
Bottom Open Frame	34	Wall Mount	8
Bottom Open Frame Cover	38	Adjustable Wall Mount	8
Special Bottom Open Frame Panel 7" Opening	42	Panel Center Mount	8
Bottom Open Frame Panels With Access Openings	44	Stackable Panels	
Open Frame Panels With Access Openings	48	Stackable Panel Section - Fabric	9
Curved Panels		Stackable Panel Section - Glass Frame	9
Curved Fabric Panels	50	Stackable Panel Section - Open Frame	9:
Curved Glass Panels	50	Stackable Panel Trim	
Curved Fabric/Laminate Panels	52	Stackable End of Run	9:
ERP Panels (Extended Raceway Panel)		Stackable 3 T-Post (CTC)	9:
ERP Fabric Acoustical Panels	54	Stackable 90° Corners (CAC)	9:
ERP Glass Panels	60	Stackable Variable End of Run	9.
ERP Open Frame Panels	62	Stackable Variable 3 T-Post (CTC)	9.
ERP Half Glass/Half Fabric	64	Stackable Variable 90° Post (CAC)	9.
ERP Half Open Frame/Half Fabric	66	Panel Doors	
ERP Bottom Open Frame	68	Door	9:
Raceway Communication and Data		ERP Door	9:
Data Panels	72	Door Threshold	9:
Data 1 Non-Powered Raceway Cover	74	Electrical - 8 Wire	
Data 2 Non-Powered Raceway Cover	74	Base Feed	9
Data 1 P8 Raceway Cover	74	Top Feed	9
Data 2 P8 Raceway Cover	75	Panel to Panel Power Connector	9
Non-Powered (One) Single Gang Raceway Cover	75	Duplex Receptacles	9
Non-Powered (Two) Single Gang Raceway Cover	75	Simplex Receptacles	9
ERP Raceway Communication and Data		Power Pass Through	98
ERP Data 1 Non-Powered Raceway Cover	76	Power Retrofit Kits	9
ERP Data 2 Non-Powered Raceway Cover	76	Electrical - 10 Wire	
ERP Data 1 P8 Raceway Cover	76	Base Feed	100
ERP Data 2 P8 Raceway Cover	77	Top Feed	10
ERP Non-Powered Raceway Cover With Single Gang Mounting Hole	77	Panel to Panel Power Jumper	10
ERP P8 Raceway Cover With Single Gang Mounting Hole	77	Duplex Receptacles	10
Raceway Communication and Data - 10 Wire		Power Pass Through	102
Data 1 - 10 Wire Raceway Cover	78	Power Up Module	
Data 2 - 10 Wire Raceway Cover	78	Power Up Surface Mounted Power and Data	103
ERP Data 1 - 10 Wire Raceway Cover	78	Worksurfaces - Bulinose T-Edge	
ERP Data 2 - 10 Wire Raceway Cover	79	Rectangular	10
ERP Single Gang - 10 Wire Raceway Cover	79	90° Corner	10
Panel Trim		Curved	100
Panel End Cap	80	D-Shaped - Panel Mount	10
In-Line Variable Height Panel End Cap	81	D-Shaped - End Mount	10
T-Post (CTC) - Upholstered	82	Adjustable D-Leg - Panel Mount	10
Variable Height T-Post (CTC) - Upholstered	83	Adjustable D-Leg - End Mount	100
2½" CTC Spacer	84	Adjustable D-Leg	10:
90° Corner Post (CAC) - Upholstered	84	Conference End	109

Contents

Section/Product	Page	Section/Product	Page
Worksurfaces - 3mm PVC		Coat Rack	135
Rectangular	110	Shelf Divider	135
Mitered Rectangular	111	Coat Hook/Picture Hanger	135
P-Shaped Peninsula	113	Hang-on Lateral File - Fabric	136
Piano Peninsula	113	Hang-on Lateral File - Laminate	136
Radius Corner Peninsula	114	Fabric Flipper Door	138
Radius Shoe	115	Laminate Flipper Door	138
Square Shoe	116	Steel Flipper Door	140
90° Diagonal Corner	117	Flipper Door Unit Backs	140
90° Curvilinear Corner	117	Overhead Panel Storage - Bookshelves	
Conference End	118	Corner Bookshelf - T-Edge	141
D-Shaped Peninsula - Panel Mount	118	Corner Bookshelf - 3mm PVC Edge	141
D-Shaped Peninsula - End Mount	119	Overhead Panel Storage - Steel End	
Curved	119	Universal Low Shelf	142
Dual Curvilinear 90° Corner with Position Mate	120	Universal Regular Shelf	142
Countertops - Bullnose T-Edge	120	Universal Shelf Dividers	142
Straight	121	Universal Overhead - Steel Front	143
90°	121	Universal Overhead - Fabric Front	144
Curved	121	Universal Overhead - Laminate Front	144
Straight for 32" Panel	122	Overhead Panel Storage - Venus TM Overheads	177
90° for 32" Panel	122	Solid Color Upper Door	146
Curved for 32" Panel	122	Laminate Upper Door	146
Countertops - 3 mm PVC	122	Fabric Upper Door	146
Straight	123	Veneer Upper Door	146
90°		· ·	140
	123	Panel Hung Accessories Tackboards	140
Curved	123		148
Straight for 32" Panel	124	Markerboard	149
90° for 32" Panel	124	Under Shelf/Cabinet Lighting	150
Curved for 32" Panel	124	Standard Ballast Task Light	150
Worksurface Accessories	405	Electronic Ballast Task Light	150
Worksurface Support Bracket & Lock Clip	125	Vertical Cord Manager	150
C-Leg Supports	125	Accessories - Misc.	150
Worksurface Support Panel	126	Wall Track	152
Worksurface Vertical Filler - T-edge	128	Coat Hook/Picture Hanger	152
Worksurface Cord Manager	128	Traditional Paper Management	
Worksurface Wire Manager	128	Mounting Rail	154
Basic CPU Holder	129	Vertical Storage Unit	154
Basic CPU Holder with Covers	129	Vertical Paper Management Unit	154
Covers	129	Diagonal Storage Unit	154
Basic CPU Holder with Covers and Security Kit	130	Telephone Pad	154
Security Kt	130	Paper Tray - Letter Size	155
Extra Cable	131	Paper Tray - Legal Size	155
Cord Manager Hanger	131	Paper Management Clips	155
Vertical Cord Manager	131	Overhead Hanging Rails	155
Grommets	131	Support Clips	155
Computer Accessories		Contemporary Paper Management	
Center Drawer	132	Tool Rail	156
CPU Sling	132	Plastic Hanging Folder Holder	156
Composer Articulating Keyboard	132	Plastic Paper Tray Unit	156
Optional Tilting Mousepad with Bracket Assembly	133	Plastic Diagonal Storage Unit	156
Monitor Lift	133	Plastic Vertical Storage Unit	157
Carousel	133	Section/Product	Page
Overhead Panel Storage - Laminate End		Telephone Caddy	157
Low Shelf	134	CD Holder	157
Regular Shelf	134	Accessory Tray	157

Contents

Pencil Cup	157
Budget Typicals	
Receptionist Station	158
Assistant Station	158
Clerk Station	159
Shared Station	159
Engineer Station	160
Manager Station	160

Te rms & Conditions

Terms of Sale

All prices listed are FOB Destination unless otherwise requested and

Billing is Net 30 days on all products. All other services rendered are subject to payment at completion of each phase, when signed off by the customer. All prices are subject to annual review for adjustments. All custom and non-standard products are subject to a customer letter of intent to purchase in good faith, in lieu of a deposit.

Glossary of Terms used within this price list are as follows: COM - Customer's own material, customer purchased and supplied to UNICOR/FPI.

COL - Customer's own leather, customer purchased and supplied to

Due Date - Date required for product to be at customer site, installation to begin.

Order Acknowledgment- Written confirmation of acceptance of order, containing the following information; work order number/purchase order number, project manager name and invoicing information.

Receipt of Order - Date UNICOR/FPI receives the order.

Ship Date - Date product ships from UNICOR/FPI factory.

Sales Policy

Products sold through this catalog are intended for federal government customers and their designee, and must be procured with federal funds.

Order Acknowledgment

UNICOR/FPI accepts orders, manufactures products, provides installation services and invoices based on the customer's request. The written order confirmation is verification and confirmation that requirements have been correctly translated to a sales order. An acknowledgment will be provided in writing, by fax or e-mail. If there is any information discrepancy in your order acknowledgment, please advise us immediately to avoid any mis-communication or problems. Communications should be directed to the assigned project manager listed on your order acknowledgment. Your order will be invoiced based on your request. Standard process is for product to be billed when it ships and the services are billed after confirmation of acceptance from the customer. Requests for billing, other than through the standard method, must be identified on the customer purchase order.

Your order acknowledgment indicates a date when your product is scheduled to arrive. In the event your order is manufactured earlier than scheduled, we will contact you with the option of providing an early shipment authorization. This will be coordinated through the project manager.

Order Modifications

Modification to your purchase order will be accepted up to two weeks prior to the due date indicated on your order acknowledgment. However, any modification made after production has begun, which changes the due date, product requested, or quantity requested will be subject to additional charges. For example, a delay in the delivery date could result in storage charges, a change in the quantity may result in a new ship date, or cancellation after the order is in production is subject to restocking fees. All purchase order modifications will be acknowledged in writing, including the annotation of any adjusted delivery dates and/or charges. UNICOR will assist the customer in obtaining storage for their product if delays in receipt are necessary. Product will not be stored at the UNICOR locations beyond 15 days, all storage will be arranged by our installation vendors or at the customer location.

Standard Lead Time

Typical lead time for products with this price list is 45 days ARO (after receipt of order). Orders which include custom items, e.g., COM, COL or special fabrics may require a longer manufacturing cycle. The extended date will be reflected on your order acknowledgment. The project manager, listed on your order acknowledgment, will gladly discuss your options with you.

Product Delivery and Pricing

All pricing listed in this publication is FOB Destination, CONUS (Continental United States) only, unless otherwise noted. Freight charges are included in the product price as listed in the FOB Destination column. FOB Origin pricing is available upon written request through, the UNICOR/FPI Customer Service Center.

On FOB Destination orders, the ownership responsibility passes to the customer at the time the product is accepted at the designated off-load point. Responsibility for inside delivery passes to the customer at final placement, or as specified in writing by the project manager.

On FOB Origin orders, UNICOR/FPI can arrange a coordinated delivery with the carrier of your choice. If no carrier is specified at time of order, it will be shipped common carrier, using our contract carrier at your expense. Freight charges will be added to your invoice.

Services, such as space planning, storage, inside delivery and installation are available at competitive prices. UNICOR/FPI offers both fee for service and negotiated pricing tailored to each project. Contact your sales representative or project manager to discuss these services.

Special Note: On shipments "Out of CONUS", FOB Destination orders, shipments are prepaid to the designated point of debarkation. Freight and handling charges beyond the point of debarkation are the responsibility of the local purchasing/governing agency, unless other arrangement are made with the project manager. The freight charges for deliveries out of CONUS, including Alaska and Hawaii, will be negotiated and quoted at competitive freight rates, at time of shipment.

Packaging of Product
UNICOR/FPI products are packaged to comply with carrier requirements to insure that products arrive in excellent condition. UNICOR/FPI can accommodate special packaging requests, special identification markings and special delivery instructions. Normally, this is a fee-for-service option. Contact your project manager to discuss options.

Direct Shipment Claims

UNICOR/FPI products are inspected and packaged to comply with shipping carrier requirements prior to leaving the manufacturing site. All shipments need to be inspected by the consignee, before acceptance. At the time of acceptance, any visible damage or shortage of items must be recorded with the freight carrier and reported to the UNICOR/FPI project manager immediately. Claims for visual shipping damage and/or shortage must be filed within 12 days of receipt of product. This applies to both FOB Destination and Origin shipments.

UNICOR/FPI reserves the right to use contracted carriers or commercial carriers for "best method" shipments. Any other shipping requirements must be negotiated with the project manager prior to shipping.

Concealed Damage Claims

By utilizing improved packaging and handling UNICOR/FPI takes great care to avoid concealed damages. UNICOR/FPI recommends inspection of all products within 12 days of delivery for both FOB Destination and Origin shipments, in order to insure prompt shipment of a replacement, and determination of liability.

Product Storage

UNICOR/FPI will provide free storage for up to 15 calendar days from original ship date. However, if additional time is needed, UNICOR/FPI can arrange for storage at current rates. Discuss the options with your project manager

Customer Delayed Deliveries

UNICOR/FPI will accommodate requests to delay your order if we are notified two weeks before the product is scheduled to ship. The request for delay must be made as soon as possible. Contact your project manager to discuss date changes. If product is already in production at the time of delay notification, storage arrangements must be coordinated through your project manager. If product is en route, in most cases the product can be diverted to a storage location designated by the customer, or UNICOR/FPI can arrange storage at an additional cost. Costs usually include loading and unloading of product, plus any warehousing/storage cost. Order modifications are required when additional costs are incurred and are invoiced to you on your order.

Product Returns

Any product returns must be negotiated with the project manager. The terms and conditions will be evaluated on a case by case basis through negotiation with the project manager. UNICOR/FPI reserves the right to inspect the returned product and evaluate the resale value of the product when considering a credit or exchange.

Product Order Status

Order status can be verified by:

(1) Contacting your project manager (name and phone number are listed on your order acknowledgment)

Te rms & Conditions

(2) Making an inquiry at www.unicor.gov/customer/index.htm - Enter your work order / purchase order number, for a shipping status report for your order. Credit card order delivery status can be verified by logging the last name of the card holder in the purchase order number box.

Shipped orders will be identified by a tracking number in response to your inquiry. If a tracking number is not reported, contact the project manager for a current status report.

Invoice Payments

All general billing questions should be directed to UNICOR/FPI Customer Service Center, in writing to the following address:

FPI - LEX Accounts Receivable P.O. Box 11670 Lexington, KY 40583-3640

Send Payments from government agencies to the following address:

FPI - FPI P.O. Box 371736 Pittsburgh, PA 15252-7736

Send Payments from sources other than government agencies to the following address:

FPI - LEX Accounts Receivable P.O. Box 11670 Lexington, KY 40583-3640

Product Warranty

UNICOR/FPI guarantees all product to meet or exceed the standard commercial life expectancy of the product. UNICOR/FPI will repair or replace any defective product promptly, during the life expectancy of that product. UNICOR/FPI does warranty all product to be free of defects in material and workmanship. This does not apply to any COM or COL fabrics supplied by sources other than UNICOR/FPI.

COM Fabric Requirements

All fabric or upholsteries must be approved prior to acceptance of an order. Upon approval a memo sample swatch must accompany the order. UNICOR/FPI assumes no responsibility for wear or defects of performance of any COM or COL supplied by sources other than FPI.


Use of COM as panel fabrics require UL approval and must be tested for approval prior to acceptance of an order. UNICOR/FPI will require three yards of the actual panel fabric to be tested prior to quoting.

All COM fabric or upholstery must be received in continuous linear yards. UNICOR/FPI requires a 5 to 10% overage clause to insure appropriate amount of coverage.

COM Material Acceptance


UNICOR/FPI reserves the right to reject COM fabrics or upholstery that are not suitable for the intended application. Customer selecting any COM or COL takes responsibility of performance of the supplied product.

Standard Products Overview



"Note: All components are on module.

Standard Products Overview



All modular panel system components shall originate from ISO 9000, ISO 9001, or ISO 9002registered facilities. UNICOR CLASSIC XXI SYSTEM MEETS OR EXCEEDS THE REQUIRED ANSI/BIFMA X5.6-1993 PANEL SYSTEM TESTS.

UL Listed

Classic XXI System panels are Listed to applicable U.S. and Canadian safety standards and requirements by Underwriters Laboratories Inc. Two of the standards used to evaluate Classic XXI System are UL 1286, Office Furnishings and UL 723, Standard for Test for Surface Burning Characteristics of Building Materials.

Panel Flammability

UL 723 is equivalent to ASTM E84 and National Fire Protection Association Life Safety Code 255. They define acceptable Flame Spread and Smoke Developed indices that have been adopted by the Federal and many State and Local Governments as law in the form of building codes or regulations.

Note: The indices are determined on the system, consisting of the core substrate, fabric covering, and adhesive. Classic XXI System panel cores have been judged acceptable for use with UL Recognized Component Fabrics under the UL Office Furnishing Listing Program. Check with the FPI Systems Department for the current list of fabrics that are acceptable for use on Classic XXI System panels.

PANELS AND ACCESSORIES

Fabric Acoustical Panels

- Product Offering The panel shall be offered in heights of 32", 42", 48", 54", 62", 66", 72" and 80". The panel widths offered shall be 12", 18", 24", 30", 36", 42", 48", 54" and 60". The panel shall be offered in a non-powered and powered version. The panel shall be 2½" thick.
- 2. Panel Construction
 - a. Fabric Panel Core The panel core shall consist of a galvanized steel frame made from roll-formed steel "U" channels around the perimeter of the panel, two steel reinforcement gussets on each corner and an expanded steel skin. The "U" channels shall be positioned so the open side is towards the frame perimeter permitting easy cable access. The frame, gussets and skin shall be resistance welded to form a rigid structural unit. On all panels wider than 42", a third vertical support member shall be resistance welded to the frame. The panel shall receive its acoustical properties by the use of two
 - 1" sheets of high density fiberglass separated by an aluminum septum. This fiberglass/aluminum acoustical barrier shall be enclosed within the steel panel frame and 20-gauge expanded metal sides. The fabric panel shall be tackable with the use of "T" pins.
 - Panel Raceway The raceway shall consist of the following components:
 - (1) Raceway Pan A 14-gauge galvanized steel pan shall run the width of the panel and form a third horizontal structural cross member. Two threaded steel nuts shall be attached to the raceway pan for attachment of glides. The raceway pan shall allow for the attachment of the interlocks, glides, support housings and spring clips.
 - (2) SupportHousing Two fiberglass filled, structural nylon support housings shall be included in each panel. The support housing shall provide rigidity to the panel assembly and support at each end of the panel.
 - (3) Interlock Block The base of each panel side shall contain an interlock block. The interlock shall be made from either die cast aluminum or die cast zinc. The interlocks of one panel shall mate with interlocks of adjacent panels providing lateral support and uniform height.
 - (4) Glide The glides shall provide for 3½" of vertical adjustment. Each panel shall contain a minimum of two glides.
 - (5) Raceway Covers The raceway covers shall be offered in a powered and non-powered version. They shall be made of 22-gauge powder-coated steel and shall be 4" high. The powered version shall contain openings for the use of U.S. standard receptacles. These openings shall have an injection- molded bezel to cover the opening whenreceptacles a re not being used. Raceway covers shall be secured with a roof top latch and spring clips at the bottom.

- (6) Data Raceway Covers The raceway covers shall be the same construction as the standard raceway covers but will have a data access opening to accommodate a data faceplate and modular jack. One opening shall be available on 12"-60" wide nonpowered panels or two openings on 18"-60" wide panels. The opening(s) shall be located near the center of the cover. One opening shall be available on 24"-60" powered panels or two openings on 36"-60" panels. Data faceplates and modular jacks must be ord e red separately by the customer.
- c. Panel Trim Rails The panel trim rail shall be made of extruded aluminum. The trim rail shall be secured by sliding the rail onto pre-formed flanges extending the entirelength of the vertical ends of the panel and fastened with screws. The trimrail shall be slotted to allow for the placement of hang-on components in 1" vertical increments.
- d. Trim on Panel
 - (1) Top Cap All panels shall have a top trim cap made from rigid PVC with trim color permeating throughout the entire part with textured surface to hide fingerprints. Paint or surface coatings are not permitted. Installation of the top cap shall be a press fit without the use of tools. The top cap shall extend the full length of the panel top and shall be joined to the adjacent top cap by a top cap sleeve.
 - (2) Panel-To-Panel Connectors The panel-to-panel connector must be universal for simplicity in specification and inventory. Panels shall be joined by a full height extruded polypropylene hinge. The hinge shall attach one panel to the next by sliding into preformed slots on the panel trim rail. This same hinge shall be used to secure panels to corner posts, "T" posts and wall mount.
- e. Upholstery Fabric shall be held in place by an elastic extruded spline rolled into the welting groove on the panel vertical and horizontal members. The fabric shall be field replaceable.
- Acoustical Properties The modular office systems acoustical properties will have been tested at independent laboratories using random production samples. The acoustical properties shall be determined by using three different testing procedures.
 - Noise Reduction Coefficient (Test Method ASTM C-423) –
 The standard acoustical panels shall have an NRC rating of at least .80.
 - b. Speech Privacy/Noise Isolation Class (NIC) The modular office system shall have an NIC barrier ranking of 21 at a distance of 7'. The modular office system shall have an NIC flanking rating of 22 at a distance of 12'.
 - Sound Transmissions Classification (STC) (Test Method ASTM-E-90 and E413) – The modular office system shall have an STC rating of 23 or higher.
- 4. Cable Management Capabilities of Straight Panels Each

straight panel shall allow cable management access around the entire perimeter of the panel. Separation of communication and power cables into top and bottom raceways shall be accommodated. Capacity shall be up to 40 (25 pair) cables. Complete perimeter cable management <u>must</u> be incorporated as a standard feature of each straight panel.

Worksurface Height Cable Access

 The fabric panels shall allow for the factory installation of worksurface height cable access and/or simplex receptacle. Standardlocation is installed on the right hand of either/or both sides of the panel and is approximately 35" high.

Curved Fabric Panels

- P roduct Offering The panels shall have a radius of 24" and be available in heights of 32", 42", 48", 54", 62", 66", 72" and 80"
- 2. Construction
 - a. Panels shall be 2½" thick constructed of a metal and wood frame, aluminum septum and fiberglass sandwiched between radius plywood skins, covered with fiberglass and fabric. The panels shall blend aesthetically with straight panels.
 - B. Raceway Construction This assembly shall include a steel raceway pan and include support housings, aluminum die cast interlocks with 3½" adjustable glides, with 4" high steel raceway covers.

Glazed Panels

- P roduct Offering Glazed panels shall be offered in 12", 18", 24", 30", 36", 42", and, 48" widths and in 42", 48", 54", 62", 66", 72" and 80" heights and shall be available in a non-powered and powered version.
- 2. Construction
 - a. Panel shall consist of 1/4" bronze or clear tempered glazed surrounded by powder-coated aluminum extrusion frame and shall be 2½" thick. The trim of the glazed panel is identical to the acoustical panel.
 - b. The cable capacity shall be the same as in the fabric panels.

Curved Glazed Panels

- P roduct Offering Curved glazed panels shall be offered in 24" radius and 48", 54", 62", 66", 72", and 80" heights. The panels shall be available in a non-powered version and a powered pass-through version.
- Construction Panels shall consist of 1/4" bronze or clear, curved plexiglass surrounded by a powder-coated aluminum extrusion frame. The trim of the glazed panel shall be identical to the acoustical panel.

Half Glazed/Half Fabric Panels

- P roduct Offering Panels are offered in 24", 30", 36", 42", and 48" widths and in 54", 62", 66", 72" and 80" heights and shall be available in a non-powered and powered version.
- 2. Construction
 - The panel shall be a combination of the same materials used to build the glazed panel and standard acoustical panel.
 - b. The cable capacity shall be the same as in the fabric panels.

Half Open/Half Fabric Panels

- P roduct Offering Panels will be offered iin 24", 30", 36", 42", and 48" widths and in 54", 62", 66", 72" and 80" heights and shall be available in a non-powered and powered version.
- 2. Construction
 - a. The construction of the half open frame/half fabric panel shall be identical to the half glazed/half fabric panel with the exception that the glaze is removed and the gro ove for the glaze is filled by a rigid PVC extruded filler.
 - The cable capacity shall be the same as in the fabric panels.

Door

- Product Offering Panel doors are available in 36" and 42" widths and 80" and 84" height to provide visual and acoustical privacy.
- 2. Construction
 - a. The construction of the door shall be corrugated cardboard honeycomb wrapped by hardwood stiles, MDF rails, faced with hardboard and covered with high-pressure laminate. The frame shall be powder-coated aluminum to match panel frames.
 - b. The door is available non-locking or locking.

Wall Mounts

The panel system shall allow for fastening a panel run to a
wall. The wall mounts shall consist of an aluminum extrusion
to allow for panels to be attached to the existing building
walls. A panel shall be secured to a wall mount with a universal panel hinge. Method of attachment to the existing
building depends on the existing wall construction.

Adjustable Wall Mounts

 The adjustable wall mounts shall consist of an aluminum extrusion along with 1/8" thick cork/rubber washers enclosed in a steel "U" channel to allow panels to be attached to existing building walls. This unit has a total adjustable depth of 5/8" in 1/8" increments. Method of attachment to the existing building depends on the existing wall construction.

90° Corner Post Trim

- Product Offering Trim shall be offered upholstered and unupholstered.
- 2. Construction
 - a. The modular office system shall include a 90° comer post trim whenever panels are joined at 90°. This comer post trim shall consist of an inside rigid PVC extrusion offered in the same colors as the panel trim. An outside rigid PVC extrusion shall snap into the inner extrusion and be available unupholstered and upholstered. The 90° corner post trim shall have a molded top available with veneer wrapped PVC and molded bottom cap in order to aesthetically connect with the panel top caps and the raceway covers. The corner post shall be attached to adjacent panels with the universal panel hinge.

Variable Height Corner Post Trim

- Product Offering Trim shall be offered upholstered and unupholstered.
- 2. Construction
 - a. The modular office system shall include a variable height corner post whenever two panels of different heights meet in T-conditions. The variable height corner post consists of an inside rigid PVC extrusion offered in the same colors as the panel trim. An outside rigid PVC extrusion shall snap into the inner extrusion. The variable height corner post trim shall have a molded top cap and molded bottom cap in order to aesthetically connect with the panel top caps and the raceway covers. The corner post shall be attached to adjacent panels with the universal panel hinge.

60° Corner Post Trim

- Product Offering Trim shall be offered in upholstered style only.
- 2. Construction
 - a. The modular office system shall include a 60° comer post trim whenever panels are joined at 60°. Components are identical in concept as the 90° corner post trim and shall be fastened to adjacent panels with the universal panel hinge.

45° Corner Post Trim

- 1. Product Offering Trim shall be offered in upholstered style only.
- 2. Construction
 - a. The modular office system shall include a 45° comer post trim whenever panels are joined at 45°. Components are identical in concept as the 90° corner post trim and shall be fastened to adjacent panels with the universal panel hinge.

T-Post Trim

- Product Offering Trim shall be offered upholstered and unupholstered.
- 2. Construction
 - a. The modular office system shall include "T" post panel trim whenever three panels are joined forming a "T" connection. Components are identical in concept as the 90° comer post trim and shall be fastened to adjacent panels with the universal panel hinge.

Variable Height T-Posts

- Product Offering Trim shall be offered upholstered and unupholstered.
- 2. Construction
 - a. The modular office system shall include "T" post panel trim whenever three panels are joined forming a "T" connection or for 4-way conditions. Components are identical in concept as the variable height corner post trim and a re fastened to adjacent panels with the universal panel hinge.

Panel End Caps

1. All exposed ends of a panel run shall be covered with a vertical trim cap. Panel end caps shall be made from extruded rigid PVC with the trim color permeated throughout the entire part and surface textured to hide fingerprints. End caps shall be installed using a snap fit method and require no assembly or disassembly tools. Panel end cap lengths shall correspond to panel heights. An end of run top cap shall be included with each panel end cap.

In-Line Variable Height Panel End Caps

All exposed ends of a panel run shall be covered with a vertical trim cap when in-line panels are of different heights.
 Panel end caps shall be made from extruded PVC with the trim color permeated throughout the entire part and the surface textured to hide fingerprints. End caps shall be installed using a snap fit method and requireno assembly or disassembly tools. Panel end cap lengths shall correspond to the different panel heights. An end of run top cap shall be included with each end cap.

Two-Way Caps

 Injection-molded two way top caps shall be available for spanning the gap when panels are assembled requiring a two-way cap. The trim color shall permeate throughout the entire part.

Four-Way Caps

 Injection-molded four-way caps shall be available to cover the gap that exists when four panels are connected to each other at 90°. The trim color shall permeate throughout the entire part.

Panel Center Mount

 A panel center mount shall allow a panel to be connected at 90° along an adjoining panel at any point except directly on the panel joint. It shall be available only to join panels of similar height and does not allow for the transfer of power.

In-Line Fabric Spacer

1. The in-line fabric spacer shall be an upholstered plastic and aluminum extrusion that is used to provide a 2½" space along a run of panels. The in-line fabric spacer consists of two PVC extrusions that attach to a rigid aluminum extrusion. The bottom trim plate and top cap are injection-molded with color throughout. The part also includes two polypropylene hinges. The spacer allows panel runs to line up with each other.

WORKSURFACES AND ACCESSORIES

Rectangular Worksurfaces

- Product Offering The standard rectangular worksurface shall be offered in widths of 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", and 84". The worksurfaces shall be offered in 20", 24" and 30" depths.
- Construction Worksuraces shall be available in highpressure laminate. Surface shall be constructed of a 45 lb. density particle board core.
 The laminate worksurface shall consist of a high-pressure
 - Ine laminate worksurface shall consist of a high-pressure laminate face with phenolic backer. Laminate worksurface edges shall be trimmed with either a 3mm vinyl edge banding or extruded flat vinyl T-molding.
- 3. All worksurfaces with a flat vinyl T-edge shall be pre-drilled for cantilever brackets and hanging pedestals. All worksurfaces with other edge treatments shall have threaded inserts. Corner surfaces shall be pre-drilled for keyboards. The 60" wide surfaces shall have an integrated steel reinforcement to allow adequate support for load bearing. Worksurfaces 60" and wider shall include additional left-hand cantilever bracket. The worksurface shall be supported by one piece 14-gauge steel cantilever brackets. These brackets shall prevent dislodment by the use of an integral top bracket tooth.

Mitered Worksurfaces

- Product Offering Mitered worksurfaces shall be offered in 24" and 30" depths with widths of 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90" and 96". (NOTE: 30" deep surface with 24" and 30" widths not available.)
- Construction The construction of the mitered worksurfaces shall be the same as that for the rectangular worksurfaces except that the mitered worksurface is not available with a flat vinyl T-molded edge.

Curved Worksurfaces

The following curved worksurfaces shall be available:

- 1. Piano Peninsula, Radius Corner Peninsula, "P" Top Peninsula, Shoe Peninsula, and "D" Shaped worksurfaces.
- Construction The construction shall be identical to that specified for the rectangular worksurfaces, with the exception that there shall be no flat vinyl T-molding edge available in the laminate series.

Transitional Surface

- The following transitional worksufaces shall be available: Conference End, Quarter Round Transitional worksurfaces.
- Construction The construction shall be identical to that specified for the rectangular worksurfaces.

Mobile Surfaces

- The following mobile worksurfaces shall be available: Teardrop and Semi-Circle worksurfaces.
- 2. Construction The construction shall be identical to that specified for the rectangular worksurfaces.

90° Corner Worksurfaces

- Product Offering The 90° worksurfaces shall be available in: Diagonal, Curvilinear, Dual Curvilinear and Wing options in various widths and depths.
- Construction Construction of the 90° worksurface shall be identical to that specified for rectangular worksurfaces. The 90° diagonal cornerworksurface will have a center round grommet as standard with T-mold edge. The curvilinear, dual c u rvilinear and wing options will have rectangular shaped grommets as standard.

Variable Height Front Surface Adjustment Mechanism

- Product Offering The variable height adjustment mechanism mounts underneath the dual curvilinear front worksurface and is available in black powder-coated finish only.
- Construction The construction shall be steel construction finished in a durable black powder coat and offers front surface height adjustment and tilt. Height adjustment of 5¾" below and 7" above worksurface. Tilt adjustment of 9° positive and 15° negative. Mechanism has a 20 lb. capacity spring assist for ease of adjustment.

Worksurface Vertical Fillers

- P roduct Offering A worksurface vertical filler shall be available to fill the gap when one worksurface drops from the standard 29" down to an adjacent 26" secretarial typing height worksurface. Worksurface vertical fillers shall be available in 20", 24" and 30" widths. The height of the worksurface vertical filler shall be 3".
- Construction The construction of the worksurface vertical filler shall be 16-gauge steel, powder coat painted to the trim colors of the panel. The worksurface vertical filler shall be attached to the worksurface through the use of wood screws.

Fully Adjustable Keyboard Tray

- P roduct Offering The keyboard mechanism shall be fully adjustable front-to-back with tilt adjustment and storability. The tray shall slide in and out on a ball bearing mechanism. The adjustable tray shall rotate 359°, adjust vertically 5½" and tilt 15° down and 15° up. The mechanism that supports the keyb o a rdpad passes all appropriate BIFMA tests.
- Construction The construction of the keyboard tray shall be molded plastic with non-skid surface and molded palm rest. The keyboard tray shall measure 22%" wide by 11" deep.

Fully Adjustable Keyboard Tray With Mouse Tray

- 1. P roduct Offering The keyboard mechanism shall be fully adjustable front-to-back with tilt adjustment and storability. The tray shall slide in and out on a ball bearing mechanism. The adjustable tray shall rotate 359°, adjust vertically 5½" and tilt 15° down and 15° up. The mechanism that supports the keyb a rdpad passes all appropriate BIFMA tests.
- Construction The construction of the actual keyboard tray shall be molded plastic with non-handed sliding mouse tray and molded palm rest. Keyboard tray shall measure 21½" wide by 11½" deep. The mouse tray measures 9" wide by 9" deep. The keyboard tray and mouse tray is available in black only.

Sliding Keyboard Drawer

- P roduct Offering Drawer shall consist of molded plastic tray mounted to steel ball bearing drawer slides. Drawer slides are 16" long with height adjustment at 3", 3.5" or 4".
- Construction The keyboard tray shall be molded plastic with non-skid surface and molded palm rest. Keyboard tray shall measure 22%" wide by 12" deep.

Carousels

- 1. P roduct Offering A 18" wide by 16%" deep carousel shall be offered.
- Construction The carousel shall be ¾" particleboard with high-pressure laminate and backer with vinyl molding a round perimeter. A ball bearing turntable below the carousel shall allow for 350° rotation. The mechanism shall rest on a ¾" rubber pad.

Worksurface Grommets

- 1. Product Offering Circular worksurface grommets, 2½" I.D. and 3" O.D. shall be standard on T-edge worksurfaces. Trapezoidal shapedworksurface grommets 2½" x 6" shall be standard on 3mm PVC edge.
- Construction The worksurface grommet shall be a two-piece molded component with the ability to remove the top cover to allow full access to the grommet hole.

Worksurface Support Panels

- P roduct Offering The support panels shall be available in the following sizes: 26" and 29" height and 20", 24" and 30" depth.
- 2. Construction The worksurface support panel shall be 1½" thick and constructed of 45 lb. density particleboard with high-pressure laminate. The front edge of the high-pressure laminate panel shall be a 3mm vinyl edge. The worksurface support panel brackets shall prevent dislodgement from the trim rail of the panel. There shall also be an 18-gauge supp ortbracket that attaches to the side of the support panel and to the underside of the worksurface.

Center Drawers

- Product Offering A locking center drawer shall be available with a minimum size of 2½" height, 16½" width and 18½" denth
- Construction The center drawer shall be molded plastic construction with molded component trays. The drawer operates on ball bearing slides.

Countertops

- Product Offering The countertops shall be offered in widths of 24", 30", 36", 42", 48", 54", 60", 66", 72" and 84" with a countertop depth of 16". Countertops shall also be available for 90° corner and curved corner applications.
- Construction Construction of the countertops shall be identical to the construction for the rectangular worksurfaces. The bracket to support the countertops shall consist of steel brackets and locking clips to prevent dislodgement. The brackets are mounted on the inside of the workstation allowing for a 4" extension over the top of the panel to conform with ADA guidelines. The countertops will also accommodate a task light.

Wall Track

- Product Offering Wall track shall be available to allow for hanging of components onto an existing structural wall in the identical method as if the components were hung on Classic XXI System panels available in either 66" length or 84" length.
- Construction The wall track shall consist of a double slotted aluminum extruded rail with powder coat finish in the panel trim colors.

Coat Hook/Picture Hanger

- Product Offering Coat hook shall be available to allow for hanging of coats or pictures.
- Construction The coat hook shall consist of injectionmolded plastic available in panel trim colors and shall be attached to top edge before top cap is installed.

STORAGE AND ACCESSORIES

Regular Shelf

- Product Offering The product shall be offered in widths of 24", 30", 36", 42", 48", 54" and 60". The overall dimensions of the end panels shall be 16½" high and 14½" deep. The shelf depth shall be 13½".
- Construction The end panels shall be constructed of 14-gauge steel with a powder coat finish. The end panels shall have self-locking mounting tabs formed into the back edge. The shelf shall be an 18-gauge steel weldment with a powder coat finish. The front edge of the shelf shall be a PVC extrusion that also provides space for a concealed flush mount task light.

Low Shelf

- P roduct Offering The product shall be offered in widths of 24", 30", 36", 42", 48", 54" and 60". The overall dimensions of the end panels shall be 9½" high and 14½" deep. The shelf depth shall be 13½".
- Construction The end panels shall be constructed of 14-gauge steel with a powder coat finish. The end panels shall have self-locking mounting tabs formed into the back edge. The shelf shall be an 18-gauge steel weldment with a powder coat finish. The front edge of the shelf shall be a PVC extrusion that also provides space for a concealed flush mount task light.

Overhead Cabinet

- Product Offering The product shall be offered in widths of 24", 30", 36", 42", 48", 54" and 60". The overall dimensions of the end panels shall be 16½" high and 14½" deep. The shelf depth shall be 13½".
- Construction The construction of the end panels and shelves of the overhead cabinet shall be identical to the low/regular shelf. Door fronts shall be offered in steel, fabric or laminate, with a dual durometer extruded handle. The

door front will operate on a rack and pinion gear system and

utilize a center lock mechanism. The door front will store recessed inside the cabinet with the handle exposed. The steel door front shall be of honeycomb core construction with a powder coat finish. The construction of the fabric door front shall be identical to the steel door front except that the outer surface of the door front is covered with fabric. The laminate door front shall be high-pressure laminate covering a particleboard core

Steel Paper Management

- P roduct Offering The following products shall be available in five finishes:
 - a. Mounting Rail
 - b. Paper Tray (in letter and legal size)
 - c. Diagonal Storage Unit
 - d. Vertical Storage Unit
- 2. Construction
 - a. Mounting Rail The mounting rail shall be fabricated from a powder-coated aluminum extrusion with injection-molded plastic end caps. The mounting rail shall have wire management capabilities and be attached to the panel through the use of self-locking steel brackets. The mounting rails shall support legal and letter size paper trays along with diagonal and vertical storage units
 - b. Paper Trays The legal and letter-sized paper trays shall have a powder-coated steel bottom and back. The sides shallbe injection-molded and sonic-welded to the steel bottom and back. The paper tray shall be supported on the mounting rail using unit support clips.
 - c. Diagonal Storage Unit The diagonal storage unit shall consist of a three-piece unit with a powder-coated steel bottom and back. The front piece shall be injection-molded and sonic-welded to the bottom. Injection-molded and painted ABS dividers shall be able to be used in either left or right positions.
 - d. Ve rtical Storage Unit The steel bottom and back of this unit shall be finished in powder coat. The sides of injection- molded ABS shall be sonic-welded to the steel bottom and back.

Plastic Paper Management

1. Product Offering – The following products shall be available:

- a. Tool Rail
- b. Hanging Folder Holder
- c. Paper Tray Unit
- d. Diagonal Storage Unit
- e. Vertical Storage Unit
- f. Telephone Caddy
- g. CD Holder
- h. Accessory Tray
- i. Pencil Cup
- 2. Construction
 - Tool Rail The tool rail shall be constructed from a powder-coated aluminum which shall attach to the panel. The rail shall consist of four slots to accept paper management components.
 - b. The paper management accessories shall be constructed of molded plastic and shall be available in six finishes and shall mount to the tool rail with molded hooks.

Shelf Dividers

- Product Offering Shelf dividers shall be offered in the same color trim as the panels.
- Construction The shelf dividers shall be powder-coated steel. Installation or removal shall be accomplished without the use of tools or fasteners.

Tackboards

- Product Offering Tackboards shall be available in 12", 16", 30", and 48" heights and in 24", 30", 36", 42", 48", and 60" widths.
- Construction The tackboard shall be constructed of ¾"
 industrial insulation board covered with fabric. The mounted
 brackets shall be steel powder-coated and attached to the
 coreboard with T-nuts and machine screws. Fabric shall be
 attached to the coreboard with staples.

CPU Sling

- Product Offering Vertical CPU sling that supports and stores the CPU beneath the worksurface available with providing a 360° swivel and 5½" travel range.
- Construction The CPU sling is constructed of a steel mounting plate with 17% track which attaches to the underside of the worksurface. Front and back bumpers are included to prevent over travel. CPU sling is held by an adjustable strap to accommodate most computers and has positive locking clamp. The CPU sling is finished in durable black powder coat.

Markerboards

- Product offering Markerboards shall be available in 16" and 32" height and 24", 30", 36", 42", 48", 54", and 60" widths
- Construction The markerboard shall be constructed of painted aluminum framed units with a white porcelain painted marker surface. The markerboard surface shall be magnetic with an eraser and markers. The markerboards will mount in the trim rail slds of a panel the same width as the board or to wall track.

ELECTRICAL COMPONENTS

The factory-installed U.S. standard electrical system supplied for the modular office system shall be an 8-wire design. This design consists of 4 hot wires, 2 ground wires and 2 neutral wires which provide 4 separate circuits each having a rated capacity of 20 amps.

Panel Rigid Wireway

A rigid one-piece wireway shall be attached to the raceway pan by four machine screws. The wireway design shall allow for the snap connection of the rigid wireway of one panel to another through the use of rigid connection blocks.

Base Infeeds

The electrical system shall permit power infeed along the base raceway of the panel. Base feed power shall feed into the rigid wireway of the panel raceway through the use of a slip connection and attach to the rigid wireway by screws. The base feed shall be constructed of a 6' long, $\frac{1}{2}$ " liquid-tight flexible metal conduit that contains 8 wires with a receptacle type design allowing for quick installation and removal. The infeed shall be available with a left, right, or straight configuration.

Top Infeed:

The electrical system shall permit power infeed through the top of the panel. The top feed assembly shall consist of a 7' extruded aluminum power pole, top cap and ceiling trim plate and 12' flexible conduit containing 8 wires to span the ceiling with a snap fit attachment for connection to the rigid wireway. The interior of the power pole shall be divided for power and communication management.

Data Top Feed

The data top feed consist of an aluminum extruded power pole, top cap and ceiling trim pieces but does not include power infeed wiring.

Power Pass-Through

The electrical system shall provide for a method of passing power from one powered panel through the raceway of a non-powered panel and connected to the powered rigid wireway of the next panel. This power pass through shall attach from the one p owered panel to the next with a snap fit connection that requires no tools for assembly.

Receptacles

The receptacles for the modular electrical system shall be made of steel and injection-molded components which slip fit into the rigid wireways of the panels and fasten securely with the use of machine screws. The rated capacity of the receptacles shall be 15 amps.

Power Retrofit Kits

The electrical system shall be designed so power can be retrofitted into a non-powered panel in the field. This retrofit kit shall install in the base raceway with simple hand tools while the panels are assembled.

Overhead Cabinet Task Lights

Task lights shall be available which suspend from the shelf and overhead cabinet. The task light shall mount flush with the underside of the shelf and overhead cabinet. Task lights shall be offered in standard panel trim colors. The task light shall have a 9' cord. Task lights will be available in three versions: standard high power factor ballast, variable (high/low) high power factor ballast and electronic ballast. All three options include a cool white lamp. Two plastic 20" cord managers for above and below worksurfaces to conceal cords and cables along the exterior of the panels are included.

Countertop Task Lights

Task lights shall be available which suspend from the underside of the countertop. Task lights shall be offered in standard panel trim colors. The task light shall have an 8' cord. Task lights shall be available in three versions: standard high power factor ballast, variable (high/low) high power factor ballast and electronic ballast. All three options include a cool white lamp. Two plastic 20" cord managers for above and below worksurfaces to conceal cords and cables along the exterior of the panels.

Cabinet Mount Task Light

Ambient lights shall be available which mount on the top of the radius front overheads. The ambient lights shall be offered in standard panel trim colors. The ambient light shall have a 9' cord that is attached to the back of the light. The ambient light includes three T-8 cool white lamps with electronic ballast. They shall be available in four sizes. An optional Chicago Code fused cord shall be available.

Panel Mount Task Light

Task light shall be available which suspends from panel with mounting bracket. Brackets shall adjust horizontally to allow lights to be hung on smaller width panels. Task light shall be available in three sizes. The light shall have a 9' cord. Task light shall include T-5 cool white lamps with electronic ballast. An optional Chicago Code fused cord shall be available. Brackets shall hang from Classic XXI System Panels.

Worksurface Wi re Manager

Constructed of high-quality black velcro 7.5" wide by 2" deep. The harness is fastened to the underside of the worksurface with pressure sensitive adhesive. This manager supports cords and communication cables under the worksurface.

Worksurface Height Power

The panel and electrical system shall be designed to allow for factory installation of a simplex receptacle at worksurface height on fabric panels.

Electrical System Test Requirements

The panel system, including the modular U.S. electrical components, shall be listed to applicable UL standards and requirements by Underwriters Laboratories, Inc.

Fabric Covered Acoustical

Fabric Acoustical Panels

MODEL

- Panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access. 12" and 18" wide panels are power pass through only.
- 12" and 18" panels not recommended for use as return panels.
- NRC rating is .80 and STC rating is 23. Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Class A fire rated. Certain fabrics only.
- Meets BIFMA standards: X5.6-1993.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

Basic Model Base Power Trim Fabric			MODEL NU	JMBER			
12"	W	Н		Base Power	Trim	Fabric	
12" 48" CICP1248	12"	32"	CICP1232				
12" 54" CICP1254	12"	42"	CICP1242				
12" 62" CICP1262	12"	48"	CICP1248				
12" 66" CICP1266 12" 72" CICP1272 12" 80" CICP1280 18" 32" CICP1832 18" 42" CICP1842 18" 42" CICP1848	12"	54"	CICP1254				
12" 72" CICP1272	12"	62"	CICP1262				
12" 80" CICP1280	12"	66"	CICP1266				
18" 32" CICP1832	12"	72"	CICP1272				
18" 42" CICP1842	12"	80"	CICP1280				
18" 48" CICP1848	18"	32"	CICP1832				
18" 54" CICP1854	18"	42"	CICP1842				
18" 62" CICP1862	18"	48"	CICP1848				
18" 66" CICP1866	18"	54"	CICP1854				
18" 72" CICP1872	18"	62"					
18" 80" CICP1880	18"	66"	CICP1866				
24" 32" CICP2432		72"	CICP1872				
24" 42" CICP2442	18"	80"	CICP1880				
24" 48" CICP2448	24"	32"	CICP2432				
24" 54" CICP2454	24"	42"	CICP2442				
24" 62" CICP2462	24"	48"	CICP2448				
24" 66" CICP2466	24"	54"	CICP2454				
24" 72" CICP2472	24"	62"	CICP2462				
24" 80" CICP2480	24"	66"	CICP2466				
	24"	72"	CICP2472				
A B O	24"	80"	CICP2480				
A B G D							
A B G D							
			A	B		•	
			w	U	•	U	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ct trim color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

Group A - FR701	
1511 = Blue Neutr	al
1506 = Green Neu	tral
1518 =Wedgewoo	
1510 = Silver Pap	er
1546 = Cherry Ne	utral
1515 = Quartz	
1531 = Gray Mix	
Group A - Eclipse	
aroup A - Lumpse	
4595 = Meteor	
4595 = Meteor 1690 = Tournaline)
4595 = Meteor	3
4595 = Meteor 1690 = Tournaline	
4595 = Meteor 1690 = Tourmaline 4604 = Chicory 4605 = Amber Gra 4593 = Serengeti	in
4595 = Meteor 1690 = Tourmaline 4604 = Chicory 4605 = Amber Gra	in

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9445 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberry Sky


45452 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

NP Sal	es Price
Fabric Group A	Fabric Group B
 \$120	\$122
128	131
149	152
153	157
173	178
174	179
175	179
178	181
122	124
129	131
145	147
154	157
175	179
177	181
180	184
184	187
138	141
147	149
152	155
165	168
184	188
192	196
198	200
212	216



9617 = Coincidence

_	_	-		
q	62	76	- Four Leaf Clover	

 <sup>9626
 =</sup> Four Lear Clover

 9622
 = Lady Luck

 9619
 = Guardian Angel

 9620
 = Lucky Duck

 9618
 = Fortuitous

 9624
 = Silver Spoon

MODEL Fabric Acoustical Panels

- Panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access. 12" and 18" wide panels are power pass through only.
- 12" and 18" panels not recommended for use as return panels.
- NRC rating is .80 and STC rating is 23. Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Class A fire rated. Certain fabrics only.
- Meets BIFMA standards: X5.6-1993.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

		MODEL NU	JMBER			
W	Н	Basic Model	Base Power	Trim	Fabric	
30"	32"	CICP3032				
30"	42"	CICP3042				
30"	48"	CICP3048				
30"	54"	CICP3054				
30"	62"	CICP3062				
30"	66"	CICP3066				
30"	72"	CICP3072				
30"	80"	CICP3080				
36"	32"	CICP3632				
36"	42"	CICP3642				
36"	48"	CICP3648				
36"	54"	CICP3654				
36"	62"	CICP3662				
36"	66"	CICP3666				
36"	72"	CICP3672				
36"	80"	CICP3680				
42"	32"	CICP4232				
42"	42"	CICP4242				
42"	48"	CICP4248				
42"	54"	CICP4254				
42"	62"	CICP4262				
42"	66"	CICP4266				
42"	72"	CICP4272				
42"	80"	CICP4280				
48"	32"	CICP4832				
48"	42"	CICP4842				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ect trim color.
_	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9445 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberrry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

NP Sale	es Price
Fabric Group A	Fabric Group B
\$153	\$157
163	166
170	173
182	184
207	211
213	217
216	219
248	252
168	170
175	179
179	181
195	199
216	219
217	221
220	224
263	267
200	202
210	214
217	221
223	227
244	248
247	251
248	253
282	288
209	213
220	224

Groun	R -	Carar	utinitu

9617 = Coincidence

	• • • • • • • • • • • • • • • • • • • •	
9626	= Four Leaf Clover	

 <sup>9626
 =</sup> Four Leaf Clover

 9622
 = Lady Luck

 9619
 = Guardian Angel

 9620
 = Lucky Duck

 9618
 = Fortuitous

 9624
 = Silver Spoon

Eahria	Acoustical	Danala
гаинь	ALUUSIILAI	railtis

MODEL

- Panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access. 12" and 18" wide panels are power pass through only.
- 12" and 18" panels not recommended for use as return panels.
- NRC rating is .80 and STC rating is 23. Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Class A fire rated. Certain fabrics only.
- Meets BIFMA standards: X5.6-1993.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

		MODEL NU	JMBER			
W	Н	Basic Model	Base Power	Trim	Fabric	
48"	48"	CICP4848				
48"	54"	CICP4854				
48"	62"	CICP4862				
48"	66"	CICP4866				
48"	72"	CICP4872				
48"	80"	CICP4880				
54"	32"	CICP5432				
54"	42"	CICP5442				
54"	48"	CICP5448				
54"	54"	CICP5454				
54"	62"	CICP5462				
54"	66"	CICP5466				
54"	72"	CICP5472				
54"	80"	CICP5480				
60"	32"	CICP6032				
60"	42"	CICP6042				
60"	48"	CICP6048				
60"	54"	CICP6054				
60"	62"	CICP6062				
60"	66"	CICP6066				
60"	72"	CICP6072				
60"	80"	CICP6080				
			B	•	•	
			U	U	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ect trim color.
_	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

	A - FR701
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
Group	A - Eclipse
4595	= Meteor
1690	= Tourmaline
4604	= Chicory
4605	= Amber Grain
4593	= Serengeti
4594	= Coco Palm
4004	= Iron Ore

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9445 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberrry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver


NP Sal	es Price
Fabric Group A	Fabric Group B
\$222	\$226
235	239
258	262
259	264
284	290
305	311
182	185
248	253
259	264
266	272
306	312
318	324
326	332
342	349
210	214
222	226
244	249
263	268
265	270
290	296
322	328
330	337

Group	В-	Seren	dipity

9617 = Coincidence

^{9617 =} Coincidence 9626 = Four Leaf Clover 9622 = Lady Luck 9619 = Guardian Angel 9620 = Lucky Duck 9618 = Fotuitous 9624 = Silver Spoon

Panels Open Frame



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.


B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	=Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

C Select trim color.

,		
	В	= Black
	G	= Gray
	S	= Sand
	W	= Warm Gray
	L	= Light Tone



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	=Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 svs (+\$40

NP - Non-poweredeight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ct trim color.
	В	= Black
	G	= Gray
-	S	= Sand
7	W	= Warm Gray
	L	= Light Tone



MODEL

tempered glass. Product is UL 1286 listed.

cable access.

specified separately.

· Painted aluminum frame with 1/4-inch clear

• Panels are connected through single piece poly • Panel-to-Panel Power Connectors must be

24" panel contains two locations for power and

 Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers. · Specify non-powered eight-wire (NP); or nonpowered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or

ten-wire powered (T6) 622 system.

		MODEL NUMBER				
W	Н	Basic Model	Base Power	Trim	Glass	NP Sales Price
30"	72"	CICGP3072				\$256
30"	80"	CICGP3080				272
36"	42"	CICGP3642				184
36"	48"	CICGP3648				192
36"	54"	CICGP3654				200
36"	62"	CICGP3662				208
36"	66"	CICGP3666				216
36"	72"	CICGP3672				272
36"	80"	CICGP3680				288
42"	42"	CICGP4242				160
42"	48"	CICGP4248				176
42"	54"	CICGP4254				192
42"	62"	CICGP4262				208
42"	66"	CICGP4266				224
42"	72"	CICGP4272				288
42"	80"	CICGP4280				320
48"	42"	CICGP4842				176
48"	48"	CICGP4848				192
48"	54"	CICGP4854				208
48"	62"	CICGP4862				224
48"	66"	CICGP4866				240
48"	72"	CICGP4872				320
48"	80"	CICGP4880				384

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of $\hfill\Box$ indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.


NP	= Non-powered eight-wire *
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ect trim color.
_	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select glass color. **CL** = Clear

22



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER



Select basic model.




Select fabric color.

Group A - FR701
1511 = Blue Neutral
1506 = Green Neutral
1518 =Wedgewood
1510 = Silver Papier
1546 = Cherry Neutral
1515 = Quartz
1531 = Gray Mix
Group A - Eclipse
4595 = Meteor
4595 = Meteor
4595 = Meteor 1690 = Tournaline
4595 = Meteor 1690 = Tournaline 4604 = Chicory
4595 = Meteor 1690 = Tourmaline 4604 = Chicory 4605 = Amber Grain

Group	A - Carrara
9447	= Beeswax
9454	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
Group	A - Galaxy
	A - Galaxy = Desert Sand Gravel
4526	
4526 4538	= Desert Sand Gravel
4526 4538 4544	= Desert Sand Gravel = Bermuda Seamist
4526 4538 4544 4542	= Desert Sand Gravel = Bermuda Seamist = Blueberrry Sky
4526 4538 4544 4542 4525	= Desert Sand Gravel = Bermuda Seamist = Blueberrry Sky = Sundew Sandrift

Group	B - Serendipity
9617	= Coincidence
9626	= Four Leaf Clover
9622	= Lady Luck
9619	= Guardian Angel
	= Lucky Duck
9618	= Fortuitous
9624	= Silver Spoon

Fabric/Laminate



MODEL

Fabric/Laminate Panels • Panel is constructed of a metal fra

- Panel is constructed of a metal frame with fiberglass sandwiched between masonite skins covered with fiberglass and fabric/laminate.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access. 12" and 18" wide panels are power pass through only.
- 12" and 18" panels not recommended for use as return panels.
- Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

		MODEL NU	MBER				
W	Н	Basic Model	Base Power	Trim	Fabric	Laminate	
12"	32"	CICPFL1232					
12"	42"	CICPFL1242					
12"	48"	CICPFL1248					
12"	54"	CICPFL1254					
12"	62"	CICPFL1262					
12"	66"	CICPFL1266					
12"	72"	CICPFL1272					
12"	80"	CICPFL1280					
18"	32"	CICPFL1832					
18"	42"	CICPFL1842					
18"	48"	CICPFL1848					
18"	54"	CICPFL1854					
18"	62"	CICPFL1862					
18"	66"	CICPFL1866					
18"	72"	CICPFL1872					
18"	80"	CICPFL1880					
24"	32"	CICPFL2432					
24"	42"	CICPFL2442					
24"	48"	CICPFL2448					
24"	54"	CICPFL2454					
24"	62"	CICPFL2462					
24"	66"	CICPFL2466					
24"	72"	CICPFL2472					
24"	80"	CICPFL2480					
30"	32"	CICPFL3032					
30"	42"	CICPFL3042					
30"	48"	CICPFL3048					
		A	В	•	D	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ect trim color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

D Select fabric color.

	A - FR701
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
Group	A - Eclipse
4595	= Meteor
1690	= Tourmaline
4604	= Chicory
4605	= Amber Grain
4593	= Serengeti
4594	= Coco Palm

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9449 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam


4541 = Wrought Silver

NP Sale	es Price
Fabric Group A	Fabric Group B
\$192	\$197
200	205
204	209
208	213
220	226
228	233
256	263
280	287
184	189
200	205
212	217
224	230
232	237
240	247
248	254
256	263
224	230
240	247
248	254
256	263
264	270
272	280
276	283
280	287
216	221
224	230
260	266

	= Coincidence
	= Four Leaf Clover
9622	= Lady Luck
9619	= Guardian Angel
9620	= Lucky Duck
9618	= Fortuitous
9624	= Silver Spoon
AA	t laminate color. = Cream
AA	= Cream
AB	= Champagne
AC	
AF	= Aruba Tan
AG	= Black
AH	= Dark Gray
Al	= Dawn Gray (Greige)
AJ	= Fog
AK	= Black Grandin
	= Smoke Granite

AM	= Sand Grandin
AN	= Light Granite
A0	= Tundra
AP	= Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= Kentucky Walnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

Fabric/Laminate



MODEL Fabric/Laminate Panels

- Panel is constructed of a metal frame with fiberglass sandwiched between masonite skins covered with fiberglass and fabric/laminate.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access. 12" and 18" wide panels are power pass through only.
- 12" and 18" panels not recommended for use as return panels.
- Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

		MODEL NU	MBER			
W	Н	Basic Model	Base Power	Trim	Fabric	Laminate
30"	54"	CICPFL3054				
30"	62"	CICPFL3062				
30"	66"	CICPFL3066				
30"	72"	CICPFL3072				
30"	80"	CICPFL3080				
36"	32"	CICPFL3632				
36"	42"	CICPFL3642				
36"	48"	CICPFL3648				
36"	54"	CICPFL3654				
36"	62"	CICPFL3662				
36"	66"	CICPFL3666				
36"	72"	CICPFL3672				
36"	80"	CICPFL3680				
42"	32"	CICPFL4232				
42"	42"	CICPFL4242				
42"	48"	CICPFL4248				
42"	54"	CICPFL4254				
42"	62"	CICPFL4262				
42"	66"	CICPFL4266				
42"	72"	CICPFL4272				
42"	80"	CICPFL4280				
48"	32"	CICPFL4832				
48"	42"	CICPFL4842				
48"	48"	CICPFL4848				
48"	54"	CICPFL4854				
48"	62"	CICPFL4862				
48"	66"	CICPFL4866				

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ct trim color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

	A - FR701
1511	= Blue Neutral
	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
Group) A - Eclipse
	A - Eclipse = Meteor
4595	
4595 1690	= Meteor
4595 1690 4604	= Meteor = Tournaline
4595 1690 4604 4605 4593	= Meteor = Tournaline = Chicory = Amber Grain = Serengeti
4595 1690 4604 4605 4593	= Meteor = Tourmaline = Chicory = Amber Grain
4595 1690 4604 4605 4593 4594	= Meteor = Tournaline = Chicory = Amber Grain = Serengeti

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9449 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam


4541 = Wrought Silver

NP Sale	es Price
Fabric Group A	Fabric Group B
 \$264	\$270
268	275
272	280
276	283
280	287
240	247
256	263
264	270
272	280
280	287
288	296
300	307
304	312
248	254
256	263
264	270
272	280
280	287
288	296
304	312
320	328
256	263
264	270
272	280
280	287
296	303
304	312

	= Coincidence
9626	= Four Leaf Clover
9622	= Lady Luck
9619	= Guardian Angel
	= Lucky Duck
9618	= Fortuitous
9624	= Silver Spoon
AA	= Cream
AA	
ΔR	 Champagne
	= Champagne
AC	= Barcelona
AC AF	
AB AC AF AG AH	= Barcelona = Aruba Tan
AC AF AG	= Barcelona = Aruba Tan = Black
AC AF AG AH	= Barcelona = Aruba Tan = Black = Dark Gray
AC AF AG AH AI	= Barcelona = Aruba Tan = Black = Dark Gray = Dawn Gray (Greige)

AM	= Sand Grandin
AN	= Light Granite
A0	= Tundra
AP	= Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= Kentucky Walnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

Fabric/Laminate



MODEL Fabric/Laminate Panels

- Panel is constructed of a metal frame with fiberglass sandwiched between masonite skins
- covered with fiberglass and fabric/laminate.

 Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access. 12" and 18" wide panels are power pass through only.
- 12" and 18" panels not recommended for use as return panels.
- Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

		MODEL NU	MBER				
W	Н	Basic Model	Base Power	Trim	Fabric	Laminate	
48"	72"	CICPFL4872					
48"	80"	CICPFL4880					
54"	32"	CICPFL5432					
54"	42"	CICPFL5442					
54"	48"	CICPFL5448					
54"	54"	CICPFL5454					
54"	62"	CICPFL5462					
54"	66"	CICPFL5466					
54"	72"	CICPFL5472					
54"	80"	CICPFL5480					
60"	32"	CICPFL6032					
60"	42"	CICPFL6042					
60"	48"	CICPFL6048					
60"	54"	CICPFL6054					
60"	62"	CICPFL6062					
60"	66"	CICPFL6066					
60"	72"	CICPFL6072					
60"	80"	CICPFL6080					
				_			
		A	B	G	O	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Select trim color.			
	В	= Black		
	G	= Gray		
	S	= Sand		
	W	= Wa rm Gray		
	L	= Light Tone		

Select fabric color.

	A - FR701
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
	A - Eclipse
	A - Eclipse = Meteor
4595	
4595 1690	= Meteor
4595 1690 4604	= Meteor = Tourmaline
4595 1690 4604 4605 4593	= Meteor = Tourmaline = Chicory = Amber Grain = Serengeti
4595 1690 4604 4605 4593	= Meteor = Tournaline = Chicory = Amber Grain

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9445 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberrry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

Panels Fabric/Laminate

NP Sale	es Price
Fabric Group A	Fabric Group B
\$312	\$320
336	344
264	270
272	280
280	287
288	296
296	303
312	320
328	336
344	353
320	328
328	336
336	344
344	353
348	357
352	360
356	365
360	369

9617	= Coincidence
9626	= Four Leaf Clover
9622	= Lady Luck
9619	= Guardian Angel
9620	= Lucky Duck
9618	= Fortuitous
9624	= Silver Spoon
AA AB AC AF	= Cream = Champagne = Barcelona = Aruba Tan
AG AH AI	= Black = Dark Gray = Dawn Gray (Greige)
AJ AK	= Fog = Black Grandin
AL	= Smoke Granite

AM	= Sand Grandin
AN	= Light Granite
A0	= Tundra
AP	= Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= Kentucky Walnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

Half Glass/Half Fabric Panels

MODEL

- The top half of the panel is ¼" tempered glass panel in a painted aluminum frame. The bottom half of the panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric. Glass begins at 29" height.
- Product is UL 1286 listed.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

		MODEL NU	MBER				
W	Н	Basic Model	Base Power	Trim	Fabric	Glass	
24"	54"	CICGFP2454					
24"	62"	CICGFP2462					
24"	66"	CICGFP2466					
24"	72"	CICGFP2472					
24"	80"	CICGFP2480					
30"	54"	CICGFP3054					
30"	62"	CICGFP3062					
30"	66"	CICGFP3066					
30"	72"	CICGFP3072					
30"	80"	CICGFP3080					
36"	54"	CICGFP3654					
36"	62"	CICGFP3662					
36"	66"	CICGFP3666					
36"	72"	CICGFP3672					
36"	80"	CICGFP3680					
42"	54"	CICGFP4254					
42"	62"	CICGFP4262					
42"	66"	CICGFP4266					
42"	72"	CICGFP4272					
42"	80"	CICGFP4280					
48"	54"	CICGFP4854					
48"	62"	CICGFP4862					
48"	66"	CICGFP4866					
48"	72"	CICGFP4872					
48"	80"	CICGFP4880					
		A	B	•	0	•	I

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Select trim color.			
	В	= Black		
	G	= Gray		
	S	= Sand		
	W	= Wa rm Gray		
	L	= Light Tone		

Select fabric color.

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9449 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

Panels Half Glass/Half Fabric

	NP Sal	es Price
Fahric	Group A	Fabric Group B
	\$199	\$203
	216	221
	221	227
	224	230
	235	241
	211	216
	231	236
	234	240
	240	246
	249	256
	234	240
	280	288
	296	302
	320	328
	336	344
	296	303
	304	312
	312	319
	328	336
	344	352
	288	296
	291	297
	296	304
	304	312
	312	320

Group B - Serendipity 9617 = Coincidence	<u> </u>
9617 = Confictuence 9626 = Four Leaf Clov	ıor
9622 = Lady Luck	'EI
9619 = Guardian Ange	el
9620 = Lucky Duck	
9618 = Fortuitous	
9624 = Silver Spoon	
Select glass color.	
CL = Clear	

•

MODEL

- Half Open Frame/Half Fabric Panels
- Half open frame/half fabric panel with fabric section on bottom. Opening begins at 29" height.
- The bottom half of the panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric. The top half of the panel is constructed of a painted aluminum frame.
- · Half open panels are connected through single
- piece poly hinges.

 Panel-to-Panel Power Connectors must be specified separately.
- · Powered panel raceway includes four locations for power and cable access for panels wider than 24". 24" panel contains two locations for power and cable access.
- Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Class A fire rated. Certain fabrics only.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

		MODEL NUI	MBER			
W	Н	Basic Model	Base Power	Trim	Fabric	
24"	54"	CICOFP2454				
24"	62"	CICOFP2462				
24"	66"	CICOFP2466				
24"	72"	CICOFP2472				
24"	80"	CICOFP2480				
30"	54"	CICOFP3054				
30"	62"	CICOFP3062				
30"	66"	CICOFP3066				
30"	72"	CICOFP3072				
30"	80"	CICOFP3080				
36"	54"	CICOFP3654				
36"	62"	CICOFP3662				
36"	66"	CICOFP3666				
36"	72"	CICOFP3672				
36"	80"	CICOFP3680				
42"	54"	CICOFP4254				
42"	62"	CICOFP4262				
42"	66"	CICOFP4266				
42"	72"	CICOFP4272				
42"	80"	CICOFP4280				
48"	54"	CICOFP4854				
48"	62"	CICOFP4862				
48"	66"	CICOFP4866				
48"	72"	CICOFP4872				
48"	80"	CICOFP4880				
			<u> </u>			_
			B	0	O	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model.

Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ect trim color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

Group A - FR701
1511 = Blue Neutral
1506 = Green Neutral
1518 =Wedgewood
1510 = Silver Papier
1546 = Cherry Neutral
1515 = Quartz
1531 = Gray Mix
Group A - Eclipse
4595 = Meteor
4595 = Meteor 1690 = Tournaline
4595 = Meteor 1690 = Tournaline 4604 = Chicory
4595 = Meteor 1690 = Tournaline
4595 = Meteor 1690 = Tournaline 4604 = Chicory 4605 = Amber Grain 4593 = Serengeti
4595 = Meteor 1690 = Tournaline 4604 = Chicory 4605 = Amber Grain

Group A - Carrara = Beeswax **9454** = Verdigris = Tinctoria = Green Earth = Teak Oil **9445** = Gesso **9444** = Casein Group A - Galaxy = Desert Sand Gravel = Bermuda Seamist = Blueberrry Sky = Sundew Sandrift = Fog Stardust = Gobi Moonbeam = Wrought Silver

NP Salo	es Price
Fabric Group A	Fabric Group B
\$195	\$200
204	209
205	211
208	214
218	224
208	214
216	221
218	224
224	230
231	236
228	233
240	247
244	250
248	254
252	259
236	243
243	248
220	226
232	237
240	247
250	257
263	269
248	254
264	270
275	281




9617 = Coincidence

9626 = Four	Leaf Clover
--------------------	-------------

⁹⁶²b = Four Lear Clover 9622 = Lady Luck 9619 = Guardian Angel 9620 = Lucky Duck 9618 = Fortuitous 9624 = Silver Spoon

Bottom Open Frame



MODEL

Bottom Open Frame Panels

- Used when panels will cover items on the building wall that need to be accessed (heating, A/C, data and electrical boxes).
- Bottom open frame panel with open section at bottom of panel in varying heights determined by panel height.
- The bottom panel is constructed of a painted aluminum frame. The top panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Bottom open frame panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access.
- Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

		MODEL NUI	MBER			
W	Н	Basic Model	Base Power	Trim	Fabric	
24"	42"	CIBOFP2442				
24"	48"	CIBOFP2448				
24"	54"	CIBOFP2454				
24"	62"	CIBOFP2462				
24"	66"	CIBOFP2466				
24"	72"	CIBOFP2472				
24"	80"	CIBOFP2480				
30"	42"	CIBOFP3042				
30"	48"	CIBOFP3048				
30"	54"	CIBOFP3054				
30"	62"	CIBOFP3062				
30"	66"	CIBOFP3066				
30"	72"	CIBOFP3072				
30"	80"	CIBOFP3080				
36"	42"	CIBOFP3642				
36"	48"	CIBOFP3648				
36"	54"	CIBOFP3654				
36"	62"	CIBOFP3662				
36"	66"	CIBOFP3666				
36"	72"	CIBOFP3672				
36"	80"	CIBOFP3680				
42"	42"	CIBOFP4242				
42"	48"	CIBOFP4248				
42"	54"	CIBOFP4254				
42"	62"	CIBOFP4262				
42"	66"	CIBOFP4266				
42"	72"	CIBOFP4272				
		A	B	0	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Select trim color.					
	В	= Black				
	G	= Gray				
	S	= Sand				
	W	= Wa rm Gray				
	L	= Light Tone				

Select fabric color.

	A - FR701			
1511	= Blue Neutral			
1506	= Green Neutral			
1518	=Wedgewood			
1510	= Silver Papier			
1546	= Cherry Neutral			
	= Quartz			
1531	= Gray Mix			
Group A - Eclipse				
4595	= Meteor			
1690	= Tourmaline			
4604	= Chicory			
	= Amber Grain			
4593	= Serengeti			
4594	= Coco Palm			
1691	= Iron Ore			

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9445 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberrry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

NP Sale	es Price
Fabric Group A	Fabric Group B
\$192	\$197
195	200
204	209
205	211
208	214
218	224
228	236
200	205
208	214
216	221
218	224
224	230
231	236
241	250
208	214
228	233
240	247
244	250
248	254
252	259
262	270
224	230
236	243
243	248
247	253
251	256
255	262

Group	В	- S	ere	ndi	pity	ı
-------	---	-----	-----	-----	------	---

9617 = Coincidence

^{9617 =} Coincidence 9626 = Four Leaf Clover 9622 = Lady Luck 9619 = Guardian Angel 9620 = Lucky Duck 9618 = Fotuitous 9624 = Silver Spoon

Panels

Bottom Open Frame

MODEL Bottom Open Frame Panels

- Used when panels will cover items on the building wall that need to be accessed (heating, A/C, data and electrical boxes).
- Bottom open frame panel with open section at bottom of panel in varying heights determined by panel height.
- The bottom panel is constructed of a painted aluminum frame. The top panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- Bottom open frame panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access.
- Product is UL 1286 listed.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

		MODEL NU	DDEL NUMBER			
W	Н	Basic Model	Base Power	Trim	Fabric	
42"	80"	CIBOFP4280				
48"	42"	CIBOFP4842				
48"	48"	CIBOFP4848				
48"	54"	CIBOFP4854				
48"	62"	CIBOFP4862				
48"	66"	CIBOFP4866				
48"	72"	CIBOFP4872				
48"	80"	CIBOFP4880				
54"	42"	CIBOFP5442				
54"	48"	CIBOFP5448				
54"	54"	CIBOFP5454				
54"	62"	CIBOFP5462				
54"	66"	CIBOFP5466				
54"	72"	CIBOFP5472				
54"	80"	CIBOFP5480				
60"	42"	CIBOFP6042				
60"	48"	CIBOFP6048				
60"	54"	CIBOFP6054				
60"	62"	CIBOFP6062				
60"	66"	CIBOFP6066				
60"	72"	CIBOFP6072				
60"	80"	CIBOFP6080				
		A	B	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ect trim color.
_	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

	A - FR701
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
Group	A - Eclipse
4595	= Meteor
1690	= Tourmaline
4604	= Chicory
4605	= Amber Grain
4593	= Serengeti
4594	= Coco Palm
4004	= Iron Ore

Group A - Carrara
9447 = Beeswax
9454 = Verdigris
9456 = Tinctoria
9455 = Green Earth
9448 = Teak Oil
9445 = Gesso
9444 = Casein
Group A - Galaxy
4526 = Desert Sand Gravel
4538 = Bermuda Seamist
4544 = Blueberrry Sky
4542 = Sundew Sandrift
4525 = Fog Stardust
4531 = Gobi Moonbeam
4541 = Wrought Silver

NP Sales Price	
Fabric Group A	Fabric Group B
\$265	\$275
240	247
248	254
250	257
263	269
264	272
270	280
275	285
248	254
256	263
264	270
272	280
280	287
288	296
296	303
256	263
264	270
274	280
280	287
288	296
296	303
304	312


Group	B - Ser	endipity
9617	= Coinc	idence

90 I 1	=	Conficialitie
0000		F I (O I

9626 = F	our Leaf	Clover
----------	----------	--------

⁹⁶²b = Four Lear Clover 9622 = Lady Luck 9619 = Guardian Angel 9620 = Lucky Duck 9618 = Fortuitous 9624 = Silver Spoon

Bottom Open Frame Panel Cover



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- Model number, including options. See
 "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select fabric color

•	Select	fabric color.
	Group	A - FR701
	1511	= Blue Neutral
	1506	= Green Neutral
	1518	= Wedgewood
	1510	= Silver Papier
	1546	= Cherry Neutral
	1515	= Quart z
	1531	= Gray Mix
	Group	A - Eclipse
	4595	= Meteor
	1690	= Tournaline
		= Chicory
	4605	= Amber Grain
	4593	= Serengeti
	4594	= Coco Palm
	1691	= Iron Ore

Group	A - Carrara
9447	= Beeswax
9454	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
Group	A - Galaxy
	A - Galaxy = Desert Sand Gravel
4526	
4526 4538	= Desert Sand Gravel
4526 4538 4544	= Desert Sand Gravel = Bermuda Seamist
4526 4538 4544 4542	= Desert Sand Gravel = Bermuda Seamist = Blueberrry Sky
4526 4538 4544 4542 4525	= Desert Sand Gravel = Bermuda Seamist = Blueberrry Sky = Sundew Sandrift

₿

Group B - Serendipity

9617 = Coincidence

9626 = Four Leaf Clover

9622 = Lady Luck

9619 = Guardian Angel

9620 = Lucky Duck

9618 = Fotuitous

9624 = Silver Spoon

NP Sale	es Price
Fabric Group A	Fabric Group B
\$10	\$11
11	12
12	13
13	14
15 16	16
17	17
18	18 19
11	12
12	13
13	14
13	14
14	15
14	15
15	16
16	17
12	13
13	14
13	14
14	15
15	16
16	17
17	18
18	19
13	13
13	14

MODEL **Bottom Open Frame Panel Cover**

- Cover is formed steel covered with fabric.
- Cover is held in place by a hanging flange and hook and loop patches.
- Cover is designed to give bottom open frame panels the look of a fabric acoustic panel. Removing the cover allows access to areas behind the open frame panel (wall or column elec. or comm. boxes).

			MODEL NUMBER		
W	Н	Fits BOFP Panel Height	Basic Model	Fabric	
30"	21"	54"	CIBOFC3021		
36"	21"	54"	CIBOFC3621		
42"	21"	54"	CIBOFC4221		
48"	21"	54"	CIBOFC4821		
54"	21"	54"	CIBOFC5421		
60"	21"	54"	CIBOFC6021		
6"	24"	66"/72"	CIBOFC0624		
24"	24"	66"/72"	CIBOFC2424		
30"	24"	66"/72"	CIBOFC3024		
36"	24"	66"/72"	CIBOFC3624		
42"	24"	66"/72"	CIBOFC4224		
48"	24"	66"/72"	CIBOFC4824		
54"	24"	66"/72"	CIBOFC5424		
60"	24"	66"/72"	CIBOFC6024		
6"	26"	80"	CIBOFC0626		
24"	26"	80"	CIBOFC2426		
30"	26"	80"	CIBOFC3026		
36"	26"	80"	CIBOFC3626		
42"	26"	80"	CIBOFC4226		
48"	26"	80"	CIBOFC4826		
54"	26"	80"	CIBOFC5426		
60"	26"	80"	CIBOFC6026		
				_	•
			A	B	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B

)	Select fabric color.
	Group A - FR701
	1511 = Blue Neutral
	1506 = Green Neutral
	1518 = Wedgewood
	1510 = Silver Papier
	1546 = Cherry Neutral
	1515 = Quart z
	1531 = Gray Mix
	Group A - Eclipse
	4595 = Meteor
	1690 = Tourmaline
	4604 = Chicory
	4605 = Amber Grain
	4593 = Serengeti
	4594 = Coco Palm
	1691 = Iron Ore

Group	A - Carrara
9447	= Beeswax
9454	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
Group	A - Galaxy
4526	= Desert Sand Gravel
4538	= Bermuda Seamist
4544	= Blueberrry Sky
4542	= Sundew Sandrift
4525	= Fog Stardust
4531	= Gobi Moonbeam
4541	= Wrought Silver

Group B - Serendipity 9617 = Coincidence 9626 = Four Leaf Clover **9622** = Lady Luck 9619 = Guardian Angel **9620** = Lucky Duck **9618** = Fortuitous **9624** = Silver Spoon

Fabric Group A \$14 15 16 17 18 19 13 13 14 15 16 17 18 19 13 14 15 16 17 18 19 13 14 15 16 17 18 19 13 13 14 15 16 17 18 19 13 13 14 15 16 17 18 19 13	
Fabric Group A \$14 15 16 17 18 19 13 13 14 15 16 17 18 19 13 14 15 16 17 18 19 13 17 18 19 17 18 19 13 14 15 16 17 18 19 13 13 14 15 16 17 18	NP Sales Price
\$14 15 16 17 18 19 13 13 14 15 16 17 18 19 13 14 15 16 17 18 19 13 13 14 17 18 19 13 13 14 15 16 17 18	
15 16 17 18 19 13 13 14 15 16 17 18 19 13 14 15 16 17 18 19 13 13 14 15 16 17 18	ric Group A Fabric Grou
16 17 18 19 13 13 14 15 16 17 18 19 15 16 17 18 19 13 13 14 15 16 17 18	
17 18 19 13 13 14 15 16 17 18 19 13 16 17 18 19 13 13 14 15 16 17 18	
18 19 13 13 14 15 16 17 18 19 13 14 15 16 17 18 19 13 13 14 15 16 17 18	16 17
19 13 13 14 15 16 17 18 19 13 14 15 16 17 18 19 17 18 19 17 18 19 17 18 19 18	17 18
13 13 14 15 16 17 18 19 13 13 14 15 16 17 18 17 18 19 18 19 18 19 18 19 18	18 19
13 14 15 16 17 18 19 13 14 15 16 17 17 18 19 17 18 19 17 18	
14 15 16 17 18 19 13 13 14 15 16 17 18	13 14
15 16 17 18 19 13 13 14 15 16	13 14
16 17 18 19 13 13 14 15 16 17	14 15
17 18 19 13 13 14 15 16 17	15 16
18 19 13 13 14 15 16 17	16 17
19 13 13 14 15 16 17	17 18
13 13 14 15 16 17	18 19
13 14 15 16 17 18	19 20
14 15 16 17 18	13 14
15 16 17 18	13 14
16 17 18	14 15
17 18	15 16
18	16 17
	17 18
	18 19
	19 20

MODEL NUMBER Basic MODEL W Н Model Base Power Trim Fabric 18" 54" CISBOFP1854 Special Bottom Open Frame Panels -7" Opening 18" 66" CISBOFP1866 • Bottom open frame panel with 7-inch high open 24" 54" CISBOFP2454 section. 24" 66" CISBOFP2466 • The bottom panel is constructed of a painted aluminum frame. The top panel is constructed of a 54" 30" CISBOFP3054 metal frame, aluminum septum and fiberglass 30" 66" CISBOFP3066 sandwiched between expanded metal, covered with 54" 36" CISBOFP3654 fiberglass and fabric. Bottom open frame panels are connected through 36" 66" CISBOFP3666 single piece poly hinges. 42" 54" CISBOFP4254 Panel-to-Panel Power Connectors must be 42" 66" CISBOFP4266 specified separately. · Powered panel raceway includes four locations for 48" 54" CISBOFP4854 power and cable access for panels wider than 24". 48" 66" CISBOFP4866 24" panel contains two locations for power and 60" 54" CISBOFP6054 cable access. 12" and 18" wide panels are power pass through only. 60" 66" CISBOFP6066 Product is UL 1286 listed. · Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers. · Specify non-powered eight-wire (NP); or nonpowered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ect trim color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

0	
Group	A - FR701
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
Group	A - Eclipse
4595	= Meteor
	= Meteor = Tournaline
1690	
1690 4604 4605	= Tournaline = Chicory = Amber Grain
1690 4604 4605 4593	= Tournaline = Chicory = Amber Grain = Serengeti
1690 4604 4605 4593	= Tournaline = Chicory = Amber Grain
1690 4604 4605 4593 4594	= Tournaline = Chicory = Amber Grain = Serengeti

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9449 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberrry Sky

4545 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

ND Cal	oo Drioo
NP Sales Price	
Fabric Group A	Fabric Group B
 \$192	\$197
200	205
208	214
216	221
228	233
240	247
248	254
256	263
248	254
256	263
264	270
272	280
280	287
288	296

Group	B - Serendipity
9617	 Coincidence

9617 = Coincidend	e
--------------------------	---

^{9617 =} Coincidence 9626 = Four Leaf Clover 9622 = Lady Luck 9619 = Guardian Angel 9620 = Lucky Duck 9618 = Fotuitous 9624 = Silver Spoon

				MODEL NUM	BER		
	MODEL	W	Н	Basic Model	Base Power	Trim	Fabric
	Bottom Open Frame Panels with Access	24"	42"	CIBOFPA2442			
	Opening ·	24"	48"	CIBOFPA2448			
	Bottom open frame panel with open section at bottom of panel in varying beingted determined by	24"	54"	CIBOFPA2454			
	bottom of panel in varying heights determined by panel height.	24"	62"	CIBOFPA2462			
	 The two vertical open frame members each 	24"	66"	CIBOFPA2466			
9	have a 1¾" x 3½" oval access opening	24"	72"	CIBOFPA2472			
H	located at the vertical center line of the frame member (see drawing). Access	24"	80"	CIBOFPA2480			
The same of the sa	opening allows data/comm. cables to be routed	30"	42"	CIBOFPA3042			
	from a wall plate or box directly into the panel	30"	48"	CIBOFPA3048			
v-/	vertical wireway. Access opening on opposite frame member can be used to internally feed	30"	54"	CIBOFPA3054			
F	electrical power into the panel by separately	30"	62"	CIBOFPA3062			
	ordering a top feed electrical harness.	30"	66"	CIBOFPA3066			
	Panel is used when the 3" space required for an electrical basefeed is not available between the	30"	72"	CIBOFPA3072			
	panel and a building wall, or when access is	30"	80"	CIBOFPA3080			
	required to the electrical and data/comm. junction	36"	42"	CIBOFPA3642			
	boxes that are located on a building column or	36"	48"	CIBOFPA3648			
	wall.O rder a bottom open frame cover separately to	36"	40 54"				
	prevent cables from being exposed in the open area.			CIBOFPA3654			
	The bottom panel is constructed of a painted	36"	62"	CIBOFPA3662			
	aluminum frame. The top panel is constructed of a metal frame, aluminum septum and fiberglass	36"	66"	CIBOFPA3666			
	sandwiched between expanded metal, covered with	36"	72"	CIBOFPA3672			
	fiberglass and fabric.	36"	80"	CIBOFPA3680			
	Bottom open frame panels are connected through	42"	42"	CIBOFPA4242			
	single piece poly hinges. • Panel-to-Panel Power Connectors must be	42"	48"	CIBOFPA4248			
	specified separately.	42"	54"	CIBOFPA4254			
	 Powered panel raceway includes four locations for 	42"	62"	CIBOFPA4262			
	power and cable access for panels wider than 24". 24" panel contains two locations for power and	42"	66"	CIBOFPA4266			
	cable access.	42"	72"	CIBOFPA4272			
	 Product is UL 1286 listed. Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers. Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) 			A	В	•	0

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

version; or ten-wire powered (T4) 442 system; or

ten-wire powered (T6) 622 system.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ct trim color.
_	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

Group	A-FK/UI
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
Group	A - Eclipse
4595	= Meteor
1690	= Tourmaline
4604	= Chicory
	= Amber Grain
	= Serengeti
	= Coco Palm
1691	= Iron Ore

aroup	A - Carrara
9447	= Beeswax
	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
Group	A - Galaxy
4526	= Desert Sand Gravel
	= Desert Sand Gravel = Bermuda Seamist
4538 4544	= Bermuda Seamist = Blueberrry Sky
4538 4544	= Bermuda Seamist
4538 4544 4542	= Bermuda Seamist = Blueberrry Sky
4538 4544 4542 4525	= Bermuda Seamist = Blueberrry Sky = Sundew Sandrift

NP Sales Price	
Fabric Group A	Fabric Group B
\$240	\$247
256	263
264	270
280	287
288	296
296	303
304	312
256	263
272	280
280	287
288	296
304	312
312	320
320	328
272	280
288	296
296	303
304	312
312	319
328	336
336	344
288	296
296	303
304	312
320	328
336	344
344	352

Groun	D	Carar	dinite

9617 = Coincidence	9
---------------------------	---

^{9617 =} Coincidence 9626 = Four Leaf Clover 9622 = Lady Luck 9619 = Guardian Angel 9620 = Lucky Duck 9618 = Fotuitous 9624 = Silver Spoon

				MODEL NUM	IBER		
				Basic		T	
	MODEL	W	Н	Model	Base Power	Trim	Fabric
	Bottom Open Frame Panels with Access	42"	80"	CIBOFPA4280			
	Openings	48"	42"	CIBOFPA4842			
	 Bottom open frame panel with open section at bottom of panel in varying heights determined by 	48"	48"	CIBOFPA4848			
	panel height.	48"	54"	CIBOFPA4854			
	The two vertical open frame members each	48"	62"	CIBOFPA4862			
l l	have a 136" x 316" oval access opening	48"	66"	CIBOFPA4866			
	located at the vertical center line of the	48"	72"	CIBOFPA4872		_	
Sarano Sarano	frame member (see drawing). Access opening allows data/comm. cables to be routed						
The second	from a wall plate or box directly into the panel	48"	80"	CIBOFPA4880			
ORDER	vertical wireway. Access opening on opposite	54"	42"	CIBOFPA5442			
SEP ARATELY	frame member can be used to internally feed	54"	48"	CIBOFPA5448			
	electrical power into the panel by separately	54"	54"	CIBOFPA5454			
	ordering a top feed electrical harness.	54"	62"	CIBOFPA5462		П	
	 Panel is used when the 3" space required for an electrical basefeed is not available between the 	54"	66"	CIBOFPA5466			
	panel and a building wall, or when access is	54"	72"	CIBOFPA5472			
	required to the electrical and data/comm. junction boxes that are located on a building column or wall. • O rder a bottom open frame cover separately to			1			
			80"	CIBOFPA5480			
			42"	CIBOFPA6042			
			48"	CIBOFPA6048			
	prevent cables from being exposed in the open area. • The bottom panel is constructed of a painted	60"	54"	CIBOFPA6054			
	aluminum frame. The top panel is constructed of a	60"	62"	CIBOFPA6062			
	metal frame, aluminum septum and fiberglass	60"	66"	CIBOFPA6066		П	
	sandwiched between expanded metal, covered with	60"	72"	CIBOFPA6072			
	fiberglass and fabric.						
	 Bottom open frame panels are connected through single piece poly hinges. 	60"	80"	CIBOFPA6080			
	Panel-to-Panel Power Connectors must be						
	specified separately.						
	 Powered panel raceway includes four locations for 						
	power and cable access for panels wider than 24".						
	24" panel contains two locations for power and						
	cable access. Product is UL 1286 listed.			<u> </u>	<u> </u>	<u> </u>	
	Product is of 1200 listed. Product includes complete panel assembly with			A	B	0	0
	apparetors (name), binggo, along aids trim rails						

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.

• Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or

ten-wire powered (T6) 622 system.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

Ø	Select trim color.				
	В	= Black			
	G	= Gray			
	S	= Sand			
	W	= Wa rm Gray			
	L	= Light Tone			

Select fabric color.

Group	A - FK/UI
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
Group	A - Eclipse
4595	= Meteor
1690	= Tourmaline
4604	= Chicory
	= Amber Grain
4593	= Serengeti
	= Coco Palm
1691	= Iron Ore

Group	A - Carrara
	= Beeswax
9454	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
	A - Galaxy
	= Desert Sand Gravel
4526	
4526 4538	= Desert Sand Gravel
4526 4538 4544	= Desert Sand Gravel = Bermuda Seamist
4526 4538 4544 4542 4525	= Desert Sand Gravel = Bermuda Seamist = Blueberrry Sky = Sundew Sandrift = Fog Stardust
4526 4538 4544 4542 4525	= Desert Sand Gravel = Bermuda Seamist = Blueberrry Sky = Sundew Sandrift

NP Sales Price	
	-
Fabric Group A	Fabric Group B
\$352	\$360
304	312
320	328
328	336
344	352
352	360
360	369
368	376
320	328
336	344
344	352
360	369
368	376
376	385
384	393
336	344
352	360
360	369
368	376
376	386
392	402
400	409

Group B - :	Serendipity
-------------	-------------

9617 = Coincidence

9626	- Four Leaf Clover	

 <sup>9626
 =</sup> Four Leaf Clover

 9622
 = Lady Luck

 9619
 = Guardian Angel

 9620
 = Lucky Duck

 9618
 = Fortuitous

 9624
 = Silver Spoon

				MODEL NUM	MODEL NUMBER	
	MODEL	W	Н	Basic Model	Base Power	Trim
	Open Frame Panels with Access Openings	24"	32"	CIOFPA2432		
	 Panel is constructed of a painted aluminum frame. 	30"	32"	CIOFPA3032		
	• The two vertical open frame members each	36"	32"	CIOFPA3632		
	have a 136" x 316" oval access opening located at the vertical center line of the	42"	32"	CIOFPA4232		П
No. of the last	frame member (see drawing). Access	48"	32"	CIOFPA4832		
To particular to the same of t	opening allows data/comm. cables to be routed	70	02	01011714002		
	from a wall plate or box directly into the panel					
DER ATELY	vertical wireway. Access opening on opposite frame member can be used to internally feed					
	electrical power into the panel by separately					
	ordering a top feed electrical harness.Panel is used when the 3" space required for an					
	electrical basefeed is not available between the					
	panel and a building wall, or when access is					
	required to the electrical and data/comm. junction					
	boxes that are located on a building column or wall.					
	O rder an open frame cover separately to prevent					
	cables from being exposed in the open area.					
	 Panels are connected through single piece poly hinges. 					
	Panel-to-Panel Power Connectors must be					
	specified separately.					
	Powered panel raceway includes four locations for					
	power and cable access for panels wider than 24". 24" panel contains two locations for power and					
	cable access.					
	 Product includes complete panel assembly with 					
	connectors (panel, hinges, sleeve, side trim rails,					
	top cap, base raceway) plus carpet grippers. • Specify non-powered eight-wire (NP); or non-					
	powered ten-wire (TN); eight-wire powered (P8)					
	version; or ten-wire powered (T4) 442 system; or					
	ten-wire powered (T6) 622 system.					
	 Other sizes available by special order. 					<u> </u>
				A	B	0

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ect trim color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Panels Open Frame with Access Openings

		opon man too oo oponiigo
ND Calas Dries		
NP Sales Price		
\$160		
176		
192		
208		
224		

Curved Panels

Curved Fabric

 Curved Glass

MODEL NUMBER Basic MODEL W Н Model Base Power Trim Fabric 24" 32" CICP32C **Curved Fabric Panels** · Panel is constructed of a metal and wood frame, 24" 42" CICP42C fiberglass core covered with masonite, fiberglass CICP48C 24" 48" Panels are connected through single piece poly 24" 54" CICP54C hinges. 24" 62" CICP62C • Product is UL 1286 listed. 24" 66" CICP66C • Product includes complete panel assembly with 72" 24" CICP72C connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers. 24" 80" CICP80C Powered panel provides pass-through capabilities only. · Specify non-powered eight-wire (NP); or nonpowered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system. **Curved Glass Panels** 48" CICGP48C 24' Painted aluminum frame with 1/4-inch clear acrylic 24" 54" CICGP54C plastic. 62" CICGP62C 24" Product is UL 1286 listed. Panels are connected through single piece poly 24" 66" CICGP66C 24" 72" CICGP72C · Product includes complete panel assembly with 24" 80" CICGP80C connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers. Powered panel provides pass-through capabilities only. Specify non-powered eight-wire (NP); or nonpowered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system. Clear glass only.

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Select trim color.					
_	В	= Black				
	G	= Gray				
	S	= Sand				
	W	= Wa rm Gray				
	L	= Light Tone				

Select fabric color.

C	
) A - FR701
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
1515	= Quartz
1531	= Gray Mix
Group	A - Eclipse
4595	= Meteor
	= Meteor = Tourmaline
1690	
1690 4604	= Tournaline
1690 4604 4605 4593	= Tournaline = Chicory = Amber Grain = Serengeti
1690 4604 4605 4593	= Tournaline = Chicory = Amber Grain
1690 4604 4605 4593 4594	= Tournaline = Chicory = Amber Grain = Serengeti

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9445 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberrry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

	NP Sales Price	
Fabric Group A	Fabric Group B	Glass
\$384	\$388	Ulass
392	400	
400	408	
416	426	
432	442	
440	452	
448	460	
464	476	
		\$480
		560
		600
		640 680
		720
		720

Group B - Serendipity
9617 = Coincidence
9626 = Four Leaf Clover
9622 = Lady Luck
9619 = Guardian Angel
9620 = Lucky Duck
9618 = Fortuitous
9624 = Silver Spoon

Curved Panels

Curved Fabric/Laminate

MODEL NUMBER Basic MODEL W Н Model Base Power Trim Fabric Laminate 24" 32" CICPFL32C **Curved Fabric/Laminate Panels** · Panel is constructed of a metal and wood frame, 24" 42" CICPFL42C and fiberglass core covered with masonite, 24" 48" CICPFL48C П laminate, or fiberglass and fabric. 24" 54" CICPFL54C • Panels are connected through single piece poly hinges. 24" 62" CICPFL62C • Product is UL 1286 listed. 24" 66" CICPFL66C • Product includes complete panel assembly with 24" 72" CICPFL72C connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers. 24" 80" CICPFL80C Powered panel provides pass-through capabilities only. Specify non-powered eight-wire (NP); or nonpowered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system. · Laminate surface is on the "outside curve" of the panel.

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ct trim color.
_	В	= Black
		= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

	A - FR701
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
Group	A - Eclipse
4595	= Meteor
1690	= Tourmaline
4604	= Chicory
4605	= Amber Grain
4593	= Serengeti
4594	= Coco Palm

Group A - Carrara
9447 = Beeswax
9454 = Verdigris
9456 = Tinctoria
9455 = Green Earth
9448 = Teak Oil
9449 = Gesso
9444 = Casein
Group A - Galaxy
4526 = Desert Sand Gravel
4538 = Bermuda Seamist
4544 = Blueberry Sky
4542 = Sundew Sandrift
4525 = Fog Stardust
4531 = Gobi Moonbeam
4541 = Wrought Silver


Curved Panels Curved Fabric/Laminate

		C divide i dello, Editillato
ND Onless Dries		
NP Sales Price		
\$400		
408		
416		
432		
448		
456		
464		
480		
155		

	= Coincidence
	= Four Leaf Clover
	= Lady Luck
9619	= Guardian Angel
9620	= Lucky Duck
9618	= Fortuitous
9624	= Silver Spoon
AA	= Cream
AB	= Champagne
AC	= Barcelona
AF	= Aruba Tan
AG	= Black
	= Dark Gray
AH	- Dark Gray
AH Al	= Dawn Gray (Greige)
Al	= Dawn Gray (Greige)

AM	= Sand Grandin
AN	= Light Granite
AO	= Tundra
AP	= Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= Kentucky Walnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
AZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

FRP Fabric Acoustical



ERP Fabric Acoustical Panels

MODEL

- Panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access.
 12" and 18" wide panels are power pass through only.
- 12" and 18" panels not recommended for use as return panels.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels.
- Class A fire rated. Certain fabrics only.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

		MODEL NUMBER				
W	Н	Basic Model	Base Power	Trim	Fabric	
12"	36"	CIEFP1236				
12"	46"	CIEFP1246				
12"	52"	CIEFP1252				
12"	58"	CIEFP1258				
12"	66"	CIEFP1266				
12"	70"	CIEFP1270				
12"	76"	CIEFP1276				
12"	84"	CIEFP1284				
18"	36"	CIEFP1836				
18"	46"	CIEFP1846				
18"	52"	CIEFP1852				
18"	58"	CIEFP1858				
18"	66"	CIEFP1866				
18"	70"	CIEFP1870				
18"	76"	CIEFP1876				
18"	84"	CIEFP1884				
24"	36"	CIEFP2436				
24"	46"	CIEFP2446				
24"	52"	CIEFP2452				
24"	58"	CIEFP2458				
24"	66"	CIEFP2466				
24"	70"	CIEFP2470				
24"	76"	CIEFP2476				
24"	84"	CIEFP2484				
30"	36"	CIEFP3036				
30"	46"	CIEFP3046				
		A	B	•	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ct trim color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

	A - FR701
1511	= Blue Neutral
	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
_	A = 11
Group) A - Eclipse
	= Meteor
4595	
4595 1690	= Meteor
4595 1690 4604	= Meteor = Tournaline
4595 1690 4604 4605 4593	= Meteor = Tournaline = Chicory = Amber Grain = Serengeti
4595 1690 4604 4605 4593	= Meteor = Tourmaline = Chicory = Amber Grain
4595 1690 4604 4605 4593 4594	= Meteor = Tournaline = Chicory = Amber Grain = Serengeti

uroup	A - Carrara
9447	= Beeswax
	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
Group	A - Galaxv
4526	= Desert Sand Gravel
4538	= Desert Sand Gravel
4538 4544	= Desert Sand Gravel = Bermuda Seamist
4538 4544 4542	= Desert Sand Gravel = Bermuda Seamist = Blueberrry Sky
4538 4544 4542 4525	= Desert Sand Gravel = Bermuda Seamist = Blueberrry Sky = Sundew Sandrift

NP Sales Price Fabric Group B Fabric Group A \$140 \$143

Group B - Serendipity

9617 = Coincidence


= Four Leaf Clover

9620 = Lucky Duck 9618 = Fortuitous 9624 = Silver Spoon

= Lady Luck

= Guardian Angel

ERP Fabric Acoustical



ERP Fabric Acoustical Panels

MODEL

- Panel is constructed of a metal frame, aluminum septum and fiberglass sandwiched between expanded metal, covered with fiberglass and fabric.
- 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges.
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access.
 12" and 18" wide panels are power pass through only.
- 12" and 18" panels not recommended for use as return panels.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels
- Class A fire rated. Certain fabrics only.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.

		MODEL NUMBER			
W	Н	Basic Model	Base Power	Trim	Fabric
30"	52"	CIEFP3052			
30"	58"	CIEFP3058			
30"	66"	CIEFP3066			
30"	70"	CIEFP3070			
30"	76"	CIEFP3076			
30"	84"	CIEFP3084			
36"	36"	CIEFP3636			
36"	46"	CIEFP3646			
36"	52"	CIEFP3652			
36"	58"	CIEFP3658			
36"	66"	CIEFP3666			
36"	70"	CIEFP3670			
36"	76"	CIEFP3676			
36"	84"	CIEFP3684			
42"	36"	CIEFP4236			
42"	46"	CIEFP4246			
42"	52"	CIEFP4252			
42"	58"	CIEFP4258			
42"	66"	CIEFP4266			
42"	70"	CIEFP4270			
42"	76"	CIEFP4276			
42"	84"	CIEFP4284			
48"	36"	CIEFP4836		П	
48"	46"	CIEFP4846			
		0.2			
		A	B	Œ	0

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Select trim color.					
B = Black						
	G	= Gray				
	S	= Sand				
	W	= Wa rm Gray				
	L	= Light Tone				

Select fabric color.

	A - FR701
1511	= Blue Neutral
	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
Group) A - Eclipse
	A - Eclipse = Meteor
4595	
4595 1690	= Meteor
4595 1690 4604	= Meteor = Tournaline
4595 1690 4604 4605 4593	= Meteor = Tournaline = Chicory = Amber Grain = Serengeti
4595 1690 4604 4605 4593	= Meteor = Tourmaline = Chicory = Amber Grain
4595 1690 4604 4605 4593 4594	= Meteor = Tournaline = Chicory = Amber Grain = Serengeti

Group	A - Carrara
9447	= Beeswax
	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
	A - Galaxy
	= Desert Sand Gravel
4538	= Bermuda Seamist
4544	= Blueberrry Sky
4542	= Sundew Sandrift
4525	= Fog Stardust
4531	= Gobi Moonbeam
4541	= Wrought Silver

NP Sales Price Fabric Group A Fabric Group B \$182 \$186

Group B -	Serendipity
9617 = Co	incidence

9017	= Conficiuence
0000	E I (A)

9626 = Four L	_eaf Clover
----------------------	-------------

^{9622 =} Lady Luck 9619 = Guardian Angel

9620	= Lucky	Duck

9618 = Fortuitous 9624 = Silver Spoon

FRP Fabric Acoustical

MODEL NUMBER Basic MODEL W Н Model Base Power Trim Fabric 48" 52" CIEFP4852 **ERP Fabric Acoustical Panels** · Panel is constructed of a metal frame, aluminum 48" 58" CIEFP4858 septum and fiberglass sandwiched between CIEFP4866 48" П 66" expanded metal, covered with fiberglass and fabric. 48" 70" CIEFP4870 • 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels 48' 76" CIEFP4876 and a 4" tall wireway for routing of data/comm. 48' 84" CIEFP4884 cables. The two wireways are separated by a 54" 36" CIEFP5436 continuous steel septum. Panels are connected through single piece poly 54" 46" CIEFP5446 54" 52" CIEFP5452 Panel-to-Panel Power Connectors must be 54" 58" CIEFP5458 specified separately. Powered panel raceway includes four locations for 54" 66" CIEFP5466 power and cable access for panels wider than 24". 54" 70" CIEFP5470 24" panel contains two locations for power and 54" 76" CIEFP5476 cable access. 12" and 18" wide panels are power pass through only. 54" 84" CIEFP5484 • 12" and 18" panels not recommended for use as 60' 36" CIEFP6036 return panels. 60' 46" CIEFP6046 · Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, 60" 52" CIEFP6052 top cap, base raceway) plus carpet grippers. 60" 58" CIEFP6058 Product is UL 1286 listed. 66" • ERP panels are compatible with standard System XXI 60" CIEFP6066 60' 70" CIEFP6070 · Class A fire rated. Certain fabrics only.

60'

60'

76"

84"

CIEFP6076

CIEFP6084

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Specify non-powered eight-wire (NP); or non-

ten-wire powered (T6) 622 system.

powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or

> B Select base power.

= Non-powered eight-wire* TN = Non-powered ten-wire (+\$5) =Eight-wirepowered (+\$30) P8 **T4** = Ten-wire pwd 442 sys (+\$35) **T6** = Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

Select trim color. **B** = Black G = Gray = Sand S = Warm Gray = Light Tone


Select fabric color. Group A - FR701 **1511** = Blue Neutral 1506 = Green Neutral 1518 = Wedgewood 1510 = Silver Papier **1546** = Cherry Neutral **1515** = Quartz **1531** = Gray Mix Group A - Eclipse **4595** = Meteor 1690 = Tournaline

 = Chicory = Amber Grain = Serengeti = Coco Palm = Iron Ore

G roup A - Carrara **9447** = Beeswax **9454** = Verdigris **9456** = Tinctoria **9455** = Green Earth **9448** = Teak Oil **9445** = Gesso **9444** = Casein Group A - Galaxy **4526** = Desert Sand Gravel **4538** = Bermuda Seamist 4544 = Blueberrry Sky 4542 = Sundew Sandrift **4525** = Fog Stardust **4531** = Gobi Moonbeam **4541** = Wrought Silver

NP Sales Price	
Fabric Group A	Fabric Group B
\$237	\$243
245	251
260	266
267	274
293	300
301	308
199	203
227	232
242	248
260	266
275	281
281	289
303	311
319	328
204	209
237	243
252	259
270	277
289	296
296	303
320	328
312	319

Group B - Serendipity
9617 = Coincidence
9626 = Four Leaf Clover
9622 = Lady Luck
9619 = Guardian Angel
9620 = Lucky Duck
9618 = Fortuitous
9624 = Silver Spoon



			MODEL NU	MBER			
MODEL	W	Н	Basic Model	Base Power	Trim	Glass	NP Sales Price
ERP Glass Panels	12"	46"	CIEGP1246				\$192
Painted aluminum frame with 1/4-inch tempered	12"	52"	CIEGP1252				196
glass. • 8" panel raceway features a 4" tall wireway that	12"	58"	CIEGP1258				208
houses the electrical harness on powered panels	12"	66"	CIEGP1266				220
and a 4"_tall wireway for routing of data/comm.	12"	70"	CIEGP1270				228
cables. The two wireways are separated by a continuous steel septum.	12"	76"	CIEGP1276				240
Panels are connected through single piece poly	12"	84"	CIEGP1284				248
hinges.	18"	46"	CIEGP1846				204
 Panel-to-Panel Power Connectors must be specified separately. 	18"	52"	CIEGP1852				212
Powered panel raceway includes four locations for	18"	58"	CIEGP1858				224
power and cable access for panels wider than 24".	18"	66"	CIEGP1866				236
24" panel contains two locations for power and cable access. 12" and 18" wide panels are	18"	70"	CIEGP1870				240
power pass through only.	18"	76"	CIEGP1876				252
 Product includes complete panel assembly with 	18"	84"	CIEGP1884				280
connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.	24"	46"	CIEGP2446				224
Product is UL 1286 listed.	24"	52"	CIEGP2452				240
ERP panels are compatible with standard System XXI	24"	58"	CIEGP2458				256
panels. • Specify non-powered eight-wire (NP); or non-	24"	66"	CIEGP2466				268
powered ten-wire (TN); eight-wire powered (P8)	24"	70"	CIEGP2470				280
version; or ten-wire powered (T4) 442 system; or	24"	76"	CIEGP2476				288
ten-wire powered (T6) 622 system.	24"	84"	CIEGP2484				304
	30"	46"	CIEGP3046				256
	30"	52"	CIEGP3052				264
	30"	58"	CIEGP3058				276
	30"	66"	CIEGP3066				288

CIEGP3070

₿

0

296

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire *
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 svs (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add


2	Colo	ct trim color.
"	SEIF	CLUTITI COTOL.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select glass color.

CL = Clear

30"

indicated amount to sales price.



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	=Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ect trim color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Warm Gray
	L	= Light Tone

Select glass color.

CL = Clear

ERP Panels ERP Open Frame

				MODEL NUM	DED.		1
				MODEL NUM Basic	IBEK		
	MODEL	W	Н	Model	Base Power	Trim	NP Sales Price
<i></i>	ERP Open Frame Panels	24"	36"	CIEOFP2436			\$172
	Panel is constructed of a painted aluminum frame.	24"	46"	CIEOFP2446			190
	8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels	24"	52"	CIEOFP2452			197
ff III	and a 4" tall wireway for routing of data/comm.	30"	36"	CIEOFP3036			183
	cables. The two wireways are separated by a	30"	46"	CIEOFP3046			200
	continuous steel septum. • Panels are connected through single piece poly	30"	52"	CIEOFP3052			207
	hinges.	36"	36"	CIEOFP3636			192
	 Panel-to-Panel Power Connectors must be 	36"	46"	CIEOFP3646			210
	specified separately.	36"	52"	CIEOFP3652			216
	 Powered panel raceway includes four locations for power and cable access for panels wider than 24". 	42"	36"	CIEOFP4236			192
	24" panel contains two locations for power and	42"	46"	CIEOFP4246			208
	cable access. 12" and 18" wide panels are	42"	52"	CIEOFP4252			214
	power pass through only.Product includes complete panel assembly with	48"	36"	CIEOFP4836			224
	connectors (panel, hinges, sleeve, side trim rails,	48"	46"	CIEOFP4846			232
	top cap, base raceway) plus carpet grippers.	48"	52"	CIEOFP4852			240
	P roduct is UL 1286 listed.ERP panels are compatible with standard System XXI	.0	02	0.20.1 1002			2.0
	panels.						
	 Specify non-powered eight-wire (NP); or non- 						
	powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or						
	ten-wire powered (T6) 622 system.						
							J
				A	B	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wire powered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ct trim color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

ERP Panels ERP Open Frame

FRP Half Glass/Half Fabric

MODEL NUMBER Basic MODEL W Н Model Base Power Trim Fabric Glass 24" 58" CIEGFP2458 **ERP Half Glass/Half Fabric Panels** . Tempered glass panels with glass beginning at 33" 24" 66" CIEGFP2466 height. (See description of standard fabric and 24" 70" ПП П ПП CIEGFP2470 glass panels for construction details.) 24" 76" CIEGFP2476 • 8" panel raceway features a 4" tall wireway that houses the electrical harness on powered panels 84" CIEGFP2484 24" and a 4" tall wireway for routing of data/comm. 30" 58" CIEGFP3058 cables. The two wireways are separated by a 30" 66" CIEGFP3066 continuous steel septum. Panels are connected through single piece poly 30" 70" CIEGFP3070 hinges. 30" 76" CIEGFP3076 • Panel-to-Panel Power Connectors must be 30" 84" CIEGFP3084 specified separately. · Powered panel raceway includes four locations for 36" 58" CIEGFP3658 power and cable access for panels wider than 24". 36" 66" CIEGFP3666 24" panel contains two locations for power and 36" 70" CIEGFP3670 cable access. · Product includes complete panel assembly with 76" 36" CIEGFP3676 connectors (panel, hinges, sleeve, side trim rails, 36" 84" CIEGFP3684 top cap, base raceway) plus carpet grippers. 42" 58" CIEGFP4258 Product is UL 1286 listed. · ERP panels are compatible with standard System XXI 42" 66" CIEGFP4266 panels. 42" 70" CIEGFP4270 · Specify non-powered eight-wire (NP); or non-42" CIEGFP4276 powered ten-wire (TN); eight-wire powered (P8) 76" version; or ten-wire powered (T4) 442 system; or 42" 84" CIEGFP4284 ten-wire powered (T6) 622 system. 48" 58" CIEGFP4858 48" 66" CIEGFP4866 48" 70" CIEGFP4870 48" 76" CIEGFP4876 84" 48" CIEGFP4884 П

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ect trim color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

	A - FR701
1511	= Blue Neutral
	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
Group) A - Eclipse
	A - Eclipse = Meteor
4595	
4595 1690	= Meteor
4595 1690 4604	= Meteor = Tournaline
4595 1690 4604 4605 4593	= Meteor = Tournaline = Chicory = Amber Grain = Serengeti
4595 1690 4604 4605 4593	= Meteor = Tourmaline = Chicory = Amber Grain
4595 1690 4604 4605 4593 4594	= Meteor = Tournaline = Chicory = Amber Grain = Serengeti

B

O

Group	A - Carrara
9447	= Beeswax
	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
Group	A - Galaxy
4526	= Desert Sand Gravel
4538	= Bermuda Seamist
4544	= Blueberrry Sky
4542	= Sundew Sandrift
4525	= Fog Stardust
4531	= Gobi Moonbeam
4541	= Wrought Silver

ERP Panels ERP Half Glass/Half Fabric

NP Sales Price		
51:0 A	E1:0 B	
Fabric Group A	Fabric Group B	
\$268	\$274	
282	288	
288 302	294 309	
318		
288	325 294	
304	311	
310	316	
328	333	
336	343	
307	313	
333	339	
338	344	
355	362	
360	367	
320	327	
343	349	
353	360	
384	392	
396	406	
345	353	
380	388	
400	408	
424	433	
448	456	

Group B	- S	erend	ipity
---------	-----	-------	-------

9617 = Coincidence	9
---------------------------	---

9626	= Four	Leaf	Clover
------	--------	------	--------



Select glass color.

CL = Clear

^{9626 =} Four Leat Clover 9622 = Lady Luck 9619 = Guardian Angel 9620 = Lucky Duck 9618 = Fotuitous 9624 = Silver Spoon

ERP Half Open Frame/Half Fabric

MODEL NUMBER Basic MODEL W Н Model Base Power Trim Fabric 24" 58" CIECOFP2458 **ERP Half Open Frame/Half Fabric Panels** Half open frame/half fabric panel with open area 24" 66" CIECOFP2466 beginning at 33" height. (See description of 70" 24" CIECOFP2470 П standard fabric and glass panels for construction 24" 76" CIECOFP2476 8" panel raceway features a 4" tall wireway that 84" 24" CIECOFP2484 houses the electrical harness on powered panels 30" 58" CIECOFP3058 and a 4" tall wireway for routing of data/comm. 30" 66" CIECOFP3066 cables. The two wireways are separated by a continuous steel septum. 30" 70" CIECOFP3070 · Panels are connected through single piece poly 30" 76" CIECOFP3076 hinges 30" 84" CIECOFP3084 Panel-to-Panel Power Connectors must be specified separately. 58" 36" CIECOFP3658 Powered panel raceway includes four locations for 36" 66" CIECOFP3666 power and cable access for panels wider than 24". 36" 70" CIECOFP3670 24" panel contains two locations for power and cable access. 36" 76" CIECOFP3676 Product includes complete panel assembly with 36" 84" CIECOFP3684 connectors (panel, hinges, sleeve, side trim rails, 42" 58" CIECOFP4258 top cap, base raceway) plus carpet grippers. Product is UL 1286 listed. 42" 66" CIECOFP4266 · Class A fire rated. Certain fabrics only. 42" CIECOFP4270 70" ERP panels are compatible with standard System XXI 42" CIECOFP4276 76" panels. Specify non-powered eight-wire (NP); or non-42" 84" CIECOFP4284 powered ten-wire (TN); eight-wire powered (P8) 48" 58" CIECOFP4858 version; or ten-wire powered (T4) 442 system; or 48" 66" CIECOFP4866 ten-wire powered (T6) 622 system. 48" 70" CIECOFP4870 48" 76" CIECOFP4876 48" 84" CIECOFP4884

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ct trim color.
	_	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

	A - FR701
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
	A - Eclipse
	A - Eclipse = Meteor
4595	
4595 1690	= Meteor
4595 1690 4604	= Meteor = Tourmaline
4595 1690 4604 4605 4593	= Meteor = Tourmaline = Chicory = Amber Grain = Serengeti
4595 1690 4604 4605 4593	= Meteor = Tournaline = Chicory = Amber Grain

B

O

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9449 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberrry Sky

4545 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

NP Sale	es Price
Fabric Group A	Fabric Group B
\$240	\$245
244	248
248	253
255	260
263	268
248	253
255	260
259	264
265	271
274	280
301	307
304	311
312	318
320	328
330	340
311	317
314	323
322	330
330	338
340	346
321	327
324	330
332	338
340	347
350	356

Group	R -	Seren	dinity

9617 = Coincidence	9
---------------------------	---

_	_	-	
q	62	<u> 6 –</u>	Four Leaf Clover

 <sup>9626
 =</sup> Four Leaf Clover

 9622
 = Lady Luck


 9619
 = Guardian Angel

 9620
 = Lucky Duck

 9618
 = Fortuitous

 9624
 = Silver Spoon

ERP Bottom Open Frame



MODEL	
ERP Bottom Open Frame Panels	
 Bottom open frame panel with fabric section on 	
top. (See description of standard fabric and glass	
panels for construction details.)	

- 8" panel raceway features a 4" fall wireway that houses the electrical harness on powered panels and a 4" tall wireway for routing of data/comm. cables. The two wireways are separated by a continuous steel septum.
- Panels are connected through single piece poly hinges
- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Standard bottom open frame panel covers
 (CIBOFC) may be used on these panels. Use the
 cover for a standard CIBOFP that is 4" shorter than
 the ERP height.

			MODEL NUMBER			
٧	V	Н	Basic Model	Base Power	Trim	 Fabric
	4"	46"	CIEBOFP2446		П	
	4"	52"	CIEBOFP2452			
2	4"	58"	CIEBOFP2458			
2	4"	66"	CIEBOFP2466			
2	4"	70"	CIEBOFP2470			
2	4"	76"	CIEBOFP2476			
2	4"	84"	CIEBOFP2484			
3	0"	46"	CIEBOFP3046			
3	0"	52"	CIEBOFP3052			
3	0"	58"	CIEBOFP3058			
3	0"	66"	CIEBOFP3066			
3	0"	70"	CIEBOFP3070			
3	0"	76"	CIEBOFP3076			
3	0"	84"	CIEBOFP3084			
3	6"	46"	CIEBOFP3646			
3	6"	52"	CIEBOFP3652			
3	6"	58"	CIEBOFP3658			
	6"	66"	CIEBOFP3666			
3	6"	70"	CIEBOFP3670			
3	6"	76"	CIEBOFP3676			
	6"	84"	CIEBOFP3684			
4	2"	46"	CIEBOFP4246			
4	2"	52"	CIEBOFP4252			
4	2"	58"	CIEBOFP4258			
	2"	66"	CIEBOFP4266			
4	2"	70"	CIEBOFP4270			
					<u></u>	
			A	B	•	0
			W	B	U	U

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ect trim color.
_	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Select fabric color.

MODEL MUMBED

	A - FR701
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
	A - Eclipse
	A - Eclipse = Meteor
4595	
4595 1690	= Meteor
4595 1690 4604	= Meteor = Tourmaline
4595 1690 4604 4605 4593	= Meteor = Tourmaline = Chicory = Amber Grain = Serengeti
4595 1690 4604 4605 4593	= Meteor = Tournaline = Chicory = Amber Grain

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9445 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberrry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

ERP Panels ERP Bottom Open Frame

NP Sale	es Price
Fabric Group A	Fabric Group B
\$228	\$232
236	241
244	248
248	254
253	259
260	266
275	281
237	243
248	253
256	263
264	271
269	275
278	285
292	299
254	261
264	270
273	280
284	291
290	296
305	312
320	328
280	286
284	291
295	302
309	315
312	320

Group B - Serendipity

9617 = Coincidence

9626 = Four	Leaf Clover
--------------------	-------------

⁹⁶²b = Four Lear Clover 9622 = Lady Luck 9619 = Guardian Angel 9620 = Lucky Duck 9618 = Fortuitous 9624 = Silver Spoon

ERP Bottom Open Frame

MODEL	١
ERP Bottom Open Frame Panels	4
 Bottom open frame panel with fabric section on 	4
top. (See description of standard fabric and glass panels for construction details.)	4
8" panel raceway features a 4" tall wireway that	4
houses the electrical harness on powered panels	4
and a 4"_tall wireway for routing of data/comm.	4

continuous steel septum.

• Panels are connected through single piece poly hinges.

cables. The two wireways are separated by a

- Panel-to-Panel Power Connectors must be specified separately.
- Powered panel raceway includes four locations for power and cable access for panels wider than 24".
 24" panel contains two locations for power and cable access.
- Product includes complete panel assembly with connectors (panel, hinges, sleeve, side trim rails, top cap, base raceway) plus carpet grippers.
- Product is UL 1286 listed.
- ERP panels are compatible with standard System XXI panels.
- Specify non-powered eight-wire (NP); or non-powered ten-wire (TN); eight-wire powered (P8) version; or ten-wire powered (T4) 442 system; or ten-wire powered (T6) 622 system.
- Standard bottom open frame panel covers
 (CIBOFC) may be used on these panels. Use the
 cover for a standard CIBOFP that is 4" shorter than
 the ERP height.

		MODEL NUM	BER		
W	Н	Basic Model	Base Power	Trim	Fabric
42"	76"	CIEBOFP4276			
42"	84"	CIEBOFP4284			
48"	46"	CIEBOFP4846			
48"	52"	CIEBOFP4852			
48"	58"	CIEBOFP4858			
48"	66"	CIEBOFP4866			
48"	70"	CIEBOFP4870			
48"	76"	CIEBOFP4876			
48"	84"	CIEBOFP4884			
54"	46"	CIEBOFP5446			
54"	52"	CIEBOFP5452			
54"	58"	CIEBOFP5458			
54"	66"	CIEBOFP5466			
54"	70"	CIEBOFP5470			
54"	76"	CIEBOFP5476			
54"	84"	CIEBOFP5484			
60"	46"	CIEBOFP6046			
60"	52"	CIEBOFP6052			
60"	58"	CIEBOFP6058			
60"	66"	CIEBOFP6066			
60"	70"	CIEBOFP6070			
60"	76"	CIEBOFP6076			
60"	84"	CIEBOFP6084			
		A	B	0	O

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select base power.

NP	= Non-powered eight-wire*
TN	= Non-powered ten-wire (+\$5)
P8	= Eight-wirepowered (+\$30)
T4	= Ten-wire pwd 442 sys (+\$35)
T6	= Ten-wire pwd 622 sys (+\$40)

NP - Non-powered eight wire price shown. For TN, P8, T4 and T6 - add indicated amount to sales price.

0	Sele	ct trim color.
_	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

D Select fabric color.

	A - FR701
1511	= Blue Neutral
1506	= Green Neutral
1518	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
	= Quartz
1531	= Gray Mix
Group	A - Eclipse
4595	= Meteor
1690	= Tourmaline
4604	= Chicory
	= Amber Grain
4593	= Serengeti
4594	= Coco Palm
1691	= Iron Ore

Group A - Carrara

9447 = Beeswax

9454 = Verdigris

9456 = Tinctoria

9455 = Green Earth

9448 = Teak Oil

9449 = Gesso

9444 = Casein

Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist

4544 = Blueberry Sky

4542 = Sundew Sandrift

4525 = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver

ERP Panels ERP Bottom Open Frame

NP Sale	es Price	
Fabric Group A	Fabric Group B	
\$315	\$323	
317	325	
300	307	
305	311	
315	323	
330	338	
335	343	
340	348	
345	352	
320	327	
325	331	
335	343	
350	359	
355	363	
360	367	
365	374	
340	346	
345	353	
355	363	
370	377	
375	384	
380	390	
385	394	

Groun	R.	Carar	utinitu

9617 = Coincidence

9626 = Four I	Leaf Clover
----------------------	-------------

Data Panels

MODEL NUMBER Basic Description Sales Price MODEL Model 1 single gang access above worksurface height -S1 \$25 **Data Panels** · Any of our fabric acoustical panels (standard and ERP) 2 single gang access above worksurface height -S2 50 may be ordered with one of three factory installed steel 25 1 single gang access below worksurface height -S3 access boxes, that allow for the attachment of either a single gang faceplate, double gang faceplate, or sur-2 single gang access below worksurface height -S4 50 face mount data box. 1 single gang access above; 1 below worksurface height -S5 25 This option means any faceplate that could be installed on a J-Box in the building walls may now be mounted on the face of a Classic XXI System panel. Single Gang Faceplate • The steel access boxes may be specified at two different standard heights. Above worksurface height. Center line of faceplate is approximately 4½" (8½" on ERP) above the stan-1 double gang access above worksurface height -D1 25 dard worksurface height. 2 double gang access above worksurface height -D2 50 Below worksurface height. Center line of faceplate is approximately 634" (234" on ERP) below the stan-25 1 double gang access below worksurface height -D3 dard worksurface height. 2 double gang access below worksurface height -D4 50 You may also specify two steel access boxes on one panel to service two workstations. When delivered to 1 double gang access above; 1 below worksurface height -D5 25 the install site, the data panel will look identical to a standard fabric panel. The data installer simply makes an X cut in the fabric to expose the opening and attach **Double Gang** the faceplate/box. · Data faceplates/boxes must be ordered sepa-1 surface mount access above worksurface height -B1 25 rately.

2 surface mount access above worksurface height

1 surface mount access below worksurface height

2 surface mount access below worksurface height

1 surface mount access above; 1 below worksurface height

-B2

-B3

-B4

-B5

A

50

25

50

25

HOW TO ORDER

Surface Mount Data Box

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.
- Note: The ☐ indicates that a choice is required.
 - The absence of □ indicates that no choice is required.
 - Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select suffix.

• The panel you want to use may be specified by adding

the appropriate suffix shown below after the power

designation in the model number.

S = Single gang data panel

D = Double gang data panel

B = Surface mount data box panel

Example: CI-CP-3666-T4-**\$2**-B-(XXX)
Fabric acoustical panel, 36" wide, 66" high, 10-wire powered 442 version, **2 single gang boxes above worksurface height**, black trim, (fabric color number).

Raceway Communication and Data

		MODEL NU	MBER	
	MODEL	Basic Model	Trim	Sales Price
	Data 1 NP Raceway Cover	53283512		\$ 7.15
	• A non-powered raceway cover with (1) opening for	53283518		7.75
B 8	(1) data faceplate. • Sizes available 12-60	53283524		8.35
(MS)	Opening is located to the left of center on the	53283530		9.05
	cover.	53283536		9.50
	 Data faceplates and modular jacks must be ordered separately. 	53283542		10.45
	5.15.51 55pm.11.51).	53283548		11.40
		53283554		12.35
		53283560		12.85
	Data 2 NP Raceway Cover A non-powered raceway cover with (2) openings for (2) data faceplates. Sizes available 18-60 Data faceplates and modular jacks must be ordered separately.	53283618		9.20
		53283624		10.00
		53283630		10.45
Lagran (53283636		11.40
		53283642		12.00
		53283648		12.85
		53283654		13.80
		53283660		15.20
	Data 1 P8 Raceway Cover • A powered raceway cover with the standard	53283724		9.50
	powered raceway receptacle bezels, and (1)	53283730		10.45
100	opening for (1) data faceplate.	53283736		10.95
IN ING	• Sizes available 24-60	53283742		11.90
	 Opening is located to the left of center on the cover. 	53283748		12.85
	Data faceplates and modular jacks must be	53283754		13.30
	ordered separately.	53283760		14.25
			В	-

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

₿

Sele	ect trim color.
В	= Black
G	= Gray
S	= Sand
W	= Wa rm Gray
L	= Light Tone

Raceway and Communication Data 8-Wire

		MODEL NUI	MBER	
	MODEL	Basic Model	Trim	Sales Price
	Data 2 P8 Raceway Cover	53283836		\$12.35
	A powered raceway cover with the standard	53283842		13.30
The last last	powered raceway receptacle bezels, and (1) opening for (1) data faceplate.	53283848		14.25
10 (Mg)	Sizes available 36-60	53283854		14.75
	Data faceplates and modular jacks must be ordered separately.	53283860		15.20
	Non-Powered (One) Single Gang Cover	53284018		8.55
200	 A non-powered raceway cover with (1) opening for a standard single gang faceplate. 	53284024		9.00
1/2	Sizes available 18-60	53284030		9.50
part of the second	 Data faceplates and modular jacks must be 	53284036		10.45
ordered separately.	ordered separately.	53284042		11.40
		53284048		12.00
		53284054		12.35
		53284060		13.00
and the same of th	Non-Powered (Two) Single Gang Cover	53283924		9.05
	A non-powered raceway cover with (2) opening for (1) tendered single gang feedlets.	53283930		10.00
16 37	(1) standard single gang faceplate. • Sizes available 24-60	53283936		11.40
18 m 3 m 3 m 3 m 3 m 3 m 3 m 3 m 3 m 3 m	Data faceplates and modular jacks must be	53283942		12.00
	ordered separately.	53283948		12.50
•		53283954		13.30
		53283960		14.00

HOW TO ORDER

Indicate the following information on

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

 B
 = Black

 G
 = Gray

 S
 = Sand
 W = Warm Gray

= Light Tone

Raceway Communication and Data

			NODEL NUI	MBER	
	MODEL		Basic Model	Trim	Sales Price
	ERP Data 1 NP Raceway Cover		53286112		\$ 11
	 A non-powered ERP raceway cover with (1) 	!	53286118		12
THE STATE OF THE S	opening for (1) data faceplate. • Sizes available 12-60		53286124		13
	Opening is located to the left of center on the		53286130		14
	cover, in the top half of the cover.		53286136		15
	 Data faceplates and modular jacks must be ordered separately. 	!	53286142		16
	ordered separatery.		53286148		17
			53286154		18
			53286160		19
	ERP Data 2 NP Raceway Cover A non-powered ERP raceway cover with (2) openings for (2) data faceplates. Sizes available 18-60		53286318		13
6			53286324		14
and the second			53286330		15
	 Opening is located to the left of center on the 		53286336		16
	cover, in the top half of the cover. • Data faceplates and modular jacks must be		53286342		17
	ordered separately.		53286348		18
	. ,		53286354		19
			53286360		20
			53286524		15
<i>p</i> 1	ERP Data 1 P8 Raceway Cover		53286530		16
	A powered ERP raceway cover with the standard		53286536		17
	powered raceway receptacle bezels, and (1)		53286542		18
[Bez	opening for (1) data faceplate. • Sizes available 24-60		53286548		19
	Opening is located to the left of center on the		53286554		20
	cover, in the top half of the cover. • Data faceplates and modular jacks must be		53286560		21
	ordered separately.				
			A	B	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Outout triffi outor.		
В	= Black	
G	= Gray	
S	= Sand	
W	= Wa rm Gray	
L	= Light Tone	
	·	

Raceway and Communication Data 8-Wire

		MODEL NU	MBER	
	MODEL	Basic Model	Trim	Sales Price
	ERP Data 2 P8 Raceway Cover	53286724		\$16
	A powered ERP raceway cover with the standard	53286730		17
	powered raceway receptacle bezels, and (2) openings for (2) data faceplates.	53286736		18
	• Sizes available 24-60	53286742		19
	 Openings are located in the top half of the cover. 	53286748		20
	 Data faceplates and modular jacks must be ordered separately. 	53286754		21
	ulueleu sepalalely.	53286760		22
	ERP NP Raceway Cover with Single Gang	53285918		19
	Mounting Hole • A non-powered ERP raceway cover with (1)	53285924		20
	opening for (1) single gang data faceplate.	53285930		21
	Sizes available 18-60	53285936		22
	 Opening is located to the left of center on the cover, in the top half of the cover. 	53285942		23
*	Data faceplates and modular jacks must be	53285948		24
	ordered separately.	53285954		25
		53285960		26
	ERP P8 Raceway Cover with Single Gang	53286924		20
	Mounting Hole • A powered ERP raceway cover with the standard	53286930		21
	powered raceway receptacle bezels, and (1) data	53286936		22
	plate opening for (1) single gang data faceplate.	53286942		23
	 Sizes available 24-60 Opening is located to the left of center on the 	53286948		24
₩/	cover, in the top half of the cover.	53286954		25
	 Data faceplates and modular jacks must be 	53286960		26
	ordered separately.			

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

'	OCIO	יכופטנ נו וווו טטוטו.			
	В	= Black			
	G	= Gray			
	S	= Sand			
	W	= Wa rm Gray			
	L	= Light Tone			

Raceway Communication and Data 10-Wire

	MODEL NU	JMBER		
MODEL	Basic Model	Trim	Sales Price	
Data 1 10-Wire Raceway Cover • Sizes available 36-60	53368236		\$10	
• Sizes available 36-60	53368242		11	
	53368248		12	
	53368254		13	
<u></u>	53368260		14	
Data 2 10-Wire Raceway Cover	53368442		14	
01 1111 10 00	53368448		15	
	53368454		16	
	53368460		17	
• Sizes available 42-60		_		
ERP Data 1 10-Wire Raceway Cover	53267324		21	
ERP Data 1 10-Wire Raceway Cover • Sizes available 24-60	53267330		22	
	53267336		23	
• Sizes available 24-60	53267342		24	
	53267348		25	
	53267354		26	
	53267360		27	
	A	B		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

В	= Black
G	= Gray
S	= Sand
W	= Wa rm Gray
L	= Light Tone

Raceway and Communication Data

	[
	MODEL NUMBER		
MODEL	Basic Model	Trim	Sales Price
ERP Data 2 10-Wire Raceway Cover	53267524		\$22
• Sizes available 24-60	53267530		23
• Sizes available 24-60	53267536		24
	53267542		25
	53267548		26
	53267554		27
	53267560		28
ERP 10-Wire Raceway Cover with Single	53267724		21
Gang Mounting Hole	53267730		22
	53267736		23
	53267742		24
	53267748		25
	53267754		26
	53267760		27
	A	В	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color. B = Black

_	Didon
G	= Gray
S	= Sand
W	= Wa rm Gray
L	= Light Tone

Panel Trim

End Caps

		MODEL NUMBER	
	DIMENSIONS	Basic	Sales Price
MODEL	W H D	Model Trim	
Panel End Caps • Extruded plastic cap covers panel end. • Includes transition cap to top cap.	21/2" 32" 1"	CIECP32	\$ 5
Includes transition cap to top cap.	21/2" 42" 1"	CIECP42	6
	21/2" 48" 1"	CIECP48	7
	21/2" 54" 1"	CIECP54	8
	21/2" 62" 1"	CIECP62	9
	21/2" 66" 1"	CIECP66	10
	21/2" 72" 1"	CIECP72	11
	21/2" 80" 1"	CIECP80	12
"			
		B	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.


- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

 $\begin{array}{ccc}
\mathbf{G} &= \operatorname{Gray} \\
\mathbf{S} &= \operatorname{Sand}
\end{array}$

W = Wa rm Gray
L = Light Tone



Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

2616	ect trim color.	
В	= Black	
G	= Gray	
S	= Sand	
W	= Wa rm Gray	
L	= Light Tone	

Panel Trim

MODEL NUMBER DIMENSIONS Basic Н Model Trim Fabric **Sales Price** MODEL 32" CICTC32 \$16 21/2" T-Post (CTC) - Upholstered Fabric covered extruded plastic trim 21/2" 42" CICTC42 17 piece covers exposed panel ends 21/2" 48" CICTC48 18 where three panels form a "T" con-21/2" 19 54" CICTC54 figuration. T-post top cap included. 21/2" 62" CICTC62 20 21/2" 66" CICTC66 21 22 21/2" 72" CICTC72 80" CICTC80 23 21/2" B

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color. **B** = Black = Gray

= Sand W = Wa rm Gray = Light Tone

Select fabric color.

Group A - FR701 **1511** = Blue Neutral 1506 = Green Neutral **1518** = Wedgewood 1510 = Silver Papier **1546** = Cherry Neutral

1515 = Quartz **1531** = Gray Mix Group A - Eclipse

4595 = Meteor **1690** = Tourmaline **4604** = Chicory

4605 = Amber Grain

4593 = Serengeti

4594 = Coco Palm **1691** = Iron Ore Group A - Carrara

9447 = Beeswax **9454** = Verdigris

9456 = Tinctoria **9455** = Green Earth

9448 = Teak Oil **9445** = Gesso

9444 = Casein **Group A - Galaxy**

4526 = Desert Sand Gravel 4538 = Bermuda Seamist

4544 = Blueberrry Sky 4542 = Sundew Sandrift


4525 = Fog Stardust 4531 = Gobi Moonbeam **4541** = Wrought Silver

Group B - Serendipity

9617 = Coincidence **9626** = Four Leaf Clover

9622 = Lady Luck 9619 = Guardian Angel

9620 = Lucky Duck **9618** = Fortuitous



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

G = Gray
S = Sand
W = Wa rm Gray

Select fabric color.

Group A - FR701 1511 = Blue Neutral 1506 = Green Neutral

= Light Tone

1518 = Wedgewood **1510** = Silver Papier

1546 = Cherry Neutral 1515 = Quartz 1531 = Gray Mix

Group A - Eclipse 4595 = Meteor

1690 = Tournaline

4604 = Chicory **4605** = Amber Grain

4593 = Serengeti **4594** = Coco Palm

1691 = Iron Ore Group A - Carrara

9447 = Beeswax **9454** = Verdigris

9456 = Tinctoria **9455** = Green Earth

9448 = Teak Oil **9445** = Gesso

9444 = Casein Group A - Galaxy

4526 = Desert Sand Gravel 4538 = Bermuda Seamist

4544 = Blueberrry Sky **4542** = Sundew Sandrift **4525** = Fog Stardust

4531 = Gobi Moonbeam **4541** = Wrought Silver Group B - Serendipity
9617 = Coincidence
9626 = Four Leaf Clover

9622 = Lady Luck **9619** = Guardian Angel

9620 = Lucky Duck 9618 = Fatuitous

Panel Trim

2½" CTC Spacer - 90° Corner Post (CAC) - Upholstered and Unupholstered

					MODEL NU	MBER		
	MODEL	W DIM	ENSIO H	NS D	Basic Model	Trim	Fabric	Sales Price
<>>	2½" CTC Spacer	21/2"	32"		CICTCS32			\$18
P	Upholstered plastic and aluminum extrusion that is	21/2"	42"		CICTCS42			19
Ĩď	used to provide a 2½-inch space along a run of panels.	21/2"	48"		CICTCS48			20
	• The CTC spacer is used to make up the 2½-inch	21/2"	54"		CICTCS54			21
2.1	difference that is creaated in a workstation when a	21/2"	62"		CICTCS62			22
	CTC intersection has taken place on the opposite wall.	21/2"	66"		CICTCS66			23
	 Includes the two-way top cap. 	21/2"	72"		CICTCS72			24
A STATE OF THE STA	Available in 32-80" lengths.	21/2"	80"		CICTCS80			25
[/]								
3 1								
· /2	90° Corner Post (CAC) - Upholstered	21/2"	32"	21/2"	CICAC32			22
No.	 Fabric covered extruded plastic corner covers exposed panel ends where two panels form a 90° 	21/2"	42"	21/2"	CICAC42			26
	configuration.	21/2"	48"	21/2"	CICAC48			28
	• 90° corner top cap included.	21/2"	54"	21/2"	CICAC54			30
_ *		21/2"	62"	21/2"	CICAC62			33
del L		21/2"	66"	21/2"	CICAC66			35
		21/2"	72"	21/2"	CICAC72			37
		21/2"	80"	21/2"	CICAC80			39
					A	B	0	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color. **B** = Black = Gray

= Sand = Wa rm Gray = Light Tone

Select fabric color.

Group A - FR701 1511 = Blue Neutral

 = Green Neutral 1518 = Wedgewood = Silver Papier = Cherry Neutral

1515 = Quartz **1531** = Gray Mix

Group A - Eclipse **4595** = Meteor

1690 = Tournaline

4604 = Chicory **4605** = Amber Grain

4593 = Serengeti

4594 = Coco Palm **1691** = Iron Ore

Group A - Carrara **9447** = Beeswax

9454 = Verdigris **9456** = Tinctoria

9455 = Green Earth **9448** = Teak Oil

9445 = Gesso **9444** = Casein

Group A - Galaxy


4526 = Desert Sand Gravel **4538** = Bermuda Seamist

4544 = Blueberrry Sky 4542 = Sundew Sandrift **4525** = Fog Stardust

4531 = Gobi Moonbeam **4541** = Wrought Silver

Group B - Serendipity
9617 = Coincidence
9626 = Four Leaf Clover
9622 = Lady Luck
9619 = Guardian Angel
9620 = Lucky Duck
9618 = Fatuitous
9624 = Silver Spoon

Variable Height 90° Corner Post (CAC) - Upholstered



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

S = Sand **W** = Wa rm Gray

W = Wa rm GrayL = Light Tone

Select fabric color. **Group A - FR701**

1511 = Blue Neutral **1506** = Green Neutral **1518** = Wedgewood

1510 = Silver Papier 1546 = Cherry Neutral

1515 = Quartz 1531 = Gray Mix

Group A - Eclipse 4595 = Meteor

1690 = Tournaline

4604 = Chicory

4605 = Amber Grain **4593** = Serengeti

4594 = Coco Palm **1691** = Iron Ore

Group A - Carrara 9447 = Beeswax

9454 = Verdigris **9456** = Tinctoria

9455 = Green Earth **9448** = Teak Oil **9445** = Gesso

9444 = Casein Group A - Galaxy

4526 = Desert Sand Gravel

4538 = Bermuda Seamist **4544** = Blueberrry Sky **4542** = Sundew Sandrift **4525** = Fog Stardust

4531 = Gobi Moonbeam 4541 = Wrought Silver

Group B - Serendipity					
9617	= Coincidence				
9626	= Four Leaf Clover				
9622	= Lady Luck				
9619	= Guardian Angel				
9620	= Lucky Duck				
	= Fortuitous				
9624	= Silver Spoon				

B

A

0

Panel Trim

45° Corner Post - 60° Corner Post - Two Way and Four Way Top Caps

			MODEL NUI	VIBER		
MODEL	DIM W	ENSIONS H	Basic Model	Trim	Fabric	Sales Prid
- 45° Corner Post		32"	CICAC4532			\$44
Fabric covered extruded plastic trim conceals		42"	CICAC4542			52
hinge on 135° two-way panel configuration. • 45° corner top cap included.		48"	CICAC4548			57
to como top out monadou.		54"	CICAC4554			65
		62"	CICAC4562			71
		66"	CICAC4566			76
		72"	CICAC4572			82
		80"	CICAC4580			87
60° Corner Post		32"	CICAC6032			44
Fabric covered extruded plastic trim conceals hinge on 120° two-way panel configuration.		42"	CICAC6042			52
• 60° corner top cap included.		48"	CICAC6048			57
		54"	CICAC6054			65
		62"	CICAC6062			71
		66"	CICAC6066			76
		72"	CICAC6072			82
		80"	CICAC6080			87
Two Way Top Cap • Provides continuation of the top cap design when used in conjunction with the CIFECPT/CIUECPT	21/2"	21/2"	CITWC			2
(in some configurations).						
_						
ष						
Four Way Top Cap	21/2"	21/2"	CIFWC			2
 Provides continuation of the top cap design when four panels of the same height meet at 90° angles. 			A	B	•	•

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color. **B** = Black = Gray

= Sand = Wa rm Gray = Light Tone

Select fabric color.

Group A - FR701 1511 = Blue Neutral

 = Green Neutral = Wedgewood = Silver Papier = Cherry Neutral **1515** = Quartz

1531 = Gray Mix Group A - Eclipse **4595** = Meteor

1690 = Tourmaline

4604 = Chicory **4605** = Amber Grain

4593 = Serengeti **4594** = Coco Palm **1691** = Iron Ore

Group A - Carrara

9447 = Beeswax **9454** = Verdigris **9456** = Tinctoria

9455 = Green Earth **9448** = Teak Oil

9445 = Gesso **9444** = Casein

Group A - Galaxy

4526 = Desert Sand Gravel 4538 = Bermuda Seamist

4544 = Blueberrry Sky **4542** = Sundew Sandrift **4525** = Fog Stardust

4531 = Gobi Moonbeam **4541** = Wrought Silver

Group B - Serendipity


9617 = Coincidence **9626** = Four Leaf Clover

9619 = Guardian Angel

9618 = Fortuitous

9622 = Lady Luck **9620** = Lucky Duck **9624** = Silver Spoon

ERP End of Run Caps - ERP T Post (CTC) - Upholstered



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B	Select trim color.
B	= Black
G	= Gray
S	= Sand
W	= Wa rm Gray
L	= Light Tone

A	Coloct	fabric color.
U		A - FR701
		= Blue Neutral
		= Green Neutral
		= Wedgewood
		= Silver Papier
		= Cherry Neutral
		= Quartz
		= Gray Mix
		A - Eclipse
		= Meteor
		= Tournaline
	1030	- Iouinamo

ioo i — omoory
4605 = Amber Grain
4593 = Serengeti
4594 = Coco Palm
1691 = Iron Ore
Group A - Carrara
9447 = Beeswax
9454 = Verdigris
9456 = Tinctoria
9455 = Green Earth
9448 = Teak Oil
9445 = Gesso
9444 = Casein
Group A - Galaxy
4526 = Desert Sand Gravel
4538 = Bermuda Seamist
4544 = Blueberrry Sky
4542 = Sundew Sandrift
4525 = Fog Stardust
4531 = Gobi Moonbeam
4541 = Wrought Silver

4604 = Chicory

Group	B - Serendipity
9617	= Coincidence
9626	= Four Leaf Clover
9622	= Lady Luck
9619	= Guardian Angel
9620	= Lucky Duck
9618	= Fortuitous
9624	= Silver Spoon

ERP 21/2" CTC Spacer - ERP 90° Corner Post (CAC) - Upholstered and Unupholstered

					MODEL NUI	MBER		
		DIMENSIONS W H D		Basic		F	Oalaa Brisa	
	MODEL		Н	D	Model	Trim	Fabric	Sales Price
	ERP 2½" CTC Spacer	21/2"	36"		CIERCTCS36			\$53
	 Upholstered plastic and aluminum extrusion that is used to provide a 2½-inch space along a run of 	21/2"	46"		CIERCTCS46			58
II	panels.	21/2"	52"		CIERCTCS52			61
	• The CTC spacer is used to make up the 2½-inch	21/2"	58"		CIERCTCS58			67
	difference that is created in a workstation when a CTC intersection has taken place on the opposite	21/2"	66"		CIERCTCS66			70
	wall.	21/2"	70"		CIERCTCS70			72
•	 Includes the two-way top cap. 	21/2"	76"		CIERCTCS76			82
		21/2"	84"		CIERCTCS84			86
8	ERP 90° Corner Post (CAC) - Upholstered	21/2"	36"	21/2"	CIERCAC36			27
	 Fabric covered extruded plastic corner covers 	21/2"	46"	21/2"	CIERCAC46			28
	exposed panel ends where two panels form a 90° configuration.	21/2"	52"	21/2"	CIERCAC52			29
	•90° corner top cap included.	21/2"	58"	21/2"	CIERCAC58			29
	 Steel raceway cover included. 	21/2"	66"	21/2"	CIERCAC66			30
***	•90° septum bridge included.	21/2"	70"	21/2"	CIERCAC70			31
		21/2"	76"	21/2"	CIERCAC76			32
		21/2"	84"	21/2"	CIERCAC84			33
					A	B	O	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

3	Select trim color.					
	В	= Black				
	G	= Gray				
	S	= Sand				
	W	= Wa rm Gray				
	L	= Light Tone				

Select fabric color.

Group A - FR701

U	ocicul iabilic coloi.						
	Group	A - FR701					
	1511	= Blue Neutral					
	1506	= Green Neutral					
	1518	= Wedgewood					
	1510	= Silver Papier					
	1546	= Cherry Neutral					
		= Quartz					
		= Gray Mix					
	Group	A - Eclipse					
	4595	= Meteor					
	1690	= Tournaline					

4604	= Chicory
4605	= Amber Grain
4593	= Serengeti
4594	= Coco Palm
1691	= Iron Ore
Group	A - Carrara
	= Beeswax
9454	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
	A - Galaxy
4526	= Desert Sand Gravel
	= Bermuda Seamist
4544	= Blueberrry Sky
4542	= Sundew Sandrift
4525	= Fog Stardust
4531	= Gobi Moonbeam
4541	= Wrought Silver

ACOA Chicary

Group B - Serendipity

9617 = Coincidence

9626 = Four Leaf Clover


9622 = Lady Luck

9619 = Guardian Angel

9620 = Lucky Duck

9618 = Fotuitous

9624 = Silver Spoon



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

В	= Black
G	= Gray
S	= Sand
W	= Wa rm Gray
L	= Light Tone

Stackable Panel Section - Fabric

MODEL NUMBER Sales Price DIMENSIONS Basic W Н Model Trim Fabric Fabric Group A Fabric Group B MODEL 12" 24' CISPSF24S12 \$89 \$91 Stackable Panel Section - Fabric · Aluminum frame with fiberglass and fabric-covered 24" 18" CISPSF24S18 97 99 fiberboard faces. 24" 24" CISPSF24S24 98 100 Alignment brackets allow a stackable section to 100 slide onto an existing panel to increase the height. 24" 30" CISPSF24S30 102 Stackable panel section may be installed without 30" 12" CISPSF30S12 91 93 removing existing panel from the panel run. 30" 18" CISPSF30S18 100 102 Stackable panel sections are connected through single piece poly hinges. 30" 24" CISPSF30S24 103 105 Product is UL 1286 listed. CISPSF30S30 30" 30" 105 106 36" 12" CISPSF36S12 98 100 36" 18" CISPSF36S18 105 107 36" 24" CISPSF36S24 108 110 36" 30" CISPSF36S30 110 112 42" 12" CISPSF42S12 102 104 42" 18" CISPSF42S18 108 110 42" 24" CISPSF42S24 111 113 42" 30" CISPSF42S30 116 114 48" 12" CISPSF48S12 103 105 48" 18" CISPSF48S18 113 115 48" 24" CISPSF48S24 115 117 48' 30" CISPSF48S30 117 119

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color. ₿ **B** = Black

= Gray = Sand =Warm Gray = Light Tone

0 Select fabric color.

Group A - FR701

1511 = Blue Neutral

1011	- Diuc Neutrai
	= Green Neutral
	=Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
1515	= Quart z
1531	= Gray Mix
Group) A - Eclipse
4595	= Meteor
1690	= Tourmaline


4004	= Unicory
4605	= Amber Grain
4593	= Serengeti
4594	= Coco Palm
1691	= Iron Ore
Group	A - Carrara
	= Beeswax
9454	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
Group	A - Galaxy
4526	= Desert Sand Gravel
4538	= Bermuda Seamist
4544	= Blueberrry Sky
4542	= Sundew Sandrift
4525	= Fog Stardust
4531	= Gobi Moonbeam
4541	= Wrought Silver

1601 - Chicory

₿

Group B - Serendipity 9617 = Coincidence 9626 = Four Leaf Clover **9622** = Lady Luck 9619 = Guardian Angel **9620** = Lucky Duck **9618** = Fortuitous **9624** = Silver Spoon

Stackable Panel Section - Glass



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

G = Gray **S** = Sand

W = Wa rm GrayL = Light Tone

Stackable Panels Stackable Panel Section - Open Frame

				MODEL NUMBER		
		DIMENSIONS		Basic	T	Sales Price
	MODEL	W	Н	Model	Trim	
	Stackable Panel Section - Open Frame Painted aluminum frame.	24"	12"	CISPS024S12		\$ 116
	Alignment brackets allow a stackable section to slide onto an existing panel to increase the height.	24"	18"	CISPS024S18		127
		24"	24"	CISPS024S24		133
	Stackable panel section may be installed without	24"	30"	CISPS024S30		143
	removing existing panel from the panel run. • Stackable panel sections are connected through	30"	12"	CISPS030S12		124
	single piece poly hinges.	30"	18"	CISPS030S18		128
	Product is UL 1286 listed.	30"	24"	CISPS030S24		136
		30"	30"	CISPS030S30		152
		36"	12"	CISPS036S12		133
U		36"	18"	CISPS036S18		144
		36"	24"	CISPS036S24		152
		36"	30"	CISPS036S30		160
		42"	12"	CISPS042S12		118
		42"	18"	CISPS042S18		133
		42"	24"	CISPS042S24		138
		42"	30"	CISPS042S30		145
		48"	12"	CISPS048S12		140
		48"	18"	CISPS048S18		155
		48"	24"	CISPS048S24		159
		48"	30"	CISPS048S30		167

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


A Select basic model.

B Select trim color. B = Black

G = Gray

= Sand W = Wa rm Gray

= Light Tone



Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How to Build a Model Number."
- 3. Any special service required.

Note: • The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
B = Black
G = Gray
S = Sand
W = Warm Gray
L = Light Tone

)	Select	fabric color.
	Group	A - FR701
	1511	= Blue Neutral
	1506	= Green Neutral
	1518	= Wedgewood
	1510	= Silver Papier
	1546	= Cherry Neutral
	1515	= Quartz
		= Gray Mix
	Group	A - Eclipse
	4595	= Meteor
	1690	= Tourmaline

4605 = Amber Grain
4593 = Serengeti
4594 = Coco Palm
1691 = Iron Ore
Group A - Carrara
9447 = Beeswax
9454 = Verdigris
9456 = Tinctoria
9455 = Green Earth
9448 = Teak Oil
9445 = Gesso
9444 = Casein
Group A - Galaxy
4526 = Desert Sand Gravel
4538 = Bermuda Seamist
4544 = Blueberrry Sky
4542 = Sundew Sandrift
4525 = Fog Stardust
4531 = Gobi Moonbeam
4541 = Wrought Silver
TOTI - Mought Offvor

4604 = Chicory

	B - Serendipity
9617	= Coincidence
9626	= Four Leaf Clover
9622	= Lady Luck
9619	= Guardian Angel
9620	= Lucky Duck
9618	= Fortuitous
9624	= Silver Spoon

Stackable Panels

	MODEL	Use when difference in height equals:	Basic Model	R Trim	Fabric	Sales Price	
	Stackable Variable End of Run	6"	CISPSVEORS06			\$ 2	
STACKABLE	 Extruded plastic cap covers stackable section end, 	12"	CISPSVEORS12			3	
STACKABLE VARIABLE ND-OF-RUN	when adjacent panel steps down in height. • Specify to match the height of the stackable sec-	18"	CISPSVEORS18			4	
	tions or the difference in panel heights.	24"	CISPSVEORS24			5	
The state of the s	, ,	30"	CISPSVEORS30			6	
1							s Price
						Fabric Group A	Fabric Group B
STACKABLE VARIABLE 3-T POST	Stackable Variable 3-T Post (CTC)	6"	CISPSVCTFCS06			\$ 4	\$ 6
3-1 POST	 Fabric covered extruded plastic trim piece covers exposed stackable section ends where three sec- 	12"	CISPSVCTFCS12			5	7
	tions form a "T" configuration and a fourth shorter panel is at a lower height. • Specify to match the height of the stackable sections or the difference in panel heights.	18"	CISPSVCTFCS18			6	8
		24"	CISPSVCTFCS24			7	9
		30"	CISPSVCTFCS30			8	10
STACKABLE VARVABLE	Stackable Variable 90° Corners (CAC)	6"	CISPSVCAFCS06			6	8
90° CORNER POST	Fabric covered extruded plastic trim piece covers exposed stackable section ends where two sections	12"	CISPSVCAFCS12			7	9
	form a 90° configuration and a third (or third and fourth) panel(s) is at a lower height.	18"	CISPSVCAFCS18			8	10
		24"	CISPSVCAFCS24			9	10
	Specify to match the height of the stackable sections or the difference in panel heights.	30"	CISPSVCAFCS30			10	11
			A E	•	0		

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of □ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color. **B** = Black G = Gray

S = Sand = Warm Gray = Light Tone

Select fabric color. **Group A - FR701**

1511 = Blue Neutral

1506 = Green Neutral 1518 = Wedgewood **1510** = Silver Papier

1546 = Cherry Neutral 1515 = Quartz 1531 = Gray Mix

Group A - Eclipse

4595 = Meteor

1690 = Tournaline

4604 = Chicory

4605 = Amber Grain

4593 = Serengeti

4594 = Coco Palm **1691** = Iron Ore Group A - Carrara

9447 = Beeswax

9454 = Verdigris **9456** = Tinctoria

9455 = Green Eart h 9448 = Teak Oil

9445 = Gesso **9444** = Casein

Group A - Galaxy **4526** = Desert Sand Gravel

4538 = Bermuda Seamist **4544** = Blueberrry Sky


4542 = Sundew Sandrift **4525** = Fog Stardust 4531 = Gobi Moonbeam

4541 = Wrought Silver

Group B - Serendipity 9617 = Coincidence **9626** = Four Leaf Clover **9622** = Lady Luck

9619 = Guardian Angel **9620** = Lucky Duck **9618** = Fortuitous

9624 = Silver Spoon



Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

AL


B Select trim color.
B = Black
G = Gray
S = Sand
W = Wa rm Gray
L = Light Tone

C Select laminate color. AA = Cream AB = Champagne AC = Barcelona AF = Aruba Tan AG = Black = Dark Gray AH ΑI = Dawn Gray (Greige) ΑJ = Fog AK = Black Grandin

= Smoke Granite

AM = Sand Grandin = Light Granite AN A0 = Tundra AP =Earthen AO = Rose Grafix AS = Sierra Grafix AT = Beige Grafix AU = Sand Stone AV = Kentucky Walnut AW = Tennessee Oak AX = Light Oak AY = Red Birch AZ = Ash = Philadelphia Cherry BA BB = Pennsylvania Cherry BC = Mahogany = Oak BD = Maple = Pearwood ZZ = COM

Electrical



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.


Note: • The ☐ indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

00.0	00. 011111 001011	
В	= Black	
GS	= Gray	
S	= Sand	
W	= Warm Gray	
L	= Light Tone	



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.


- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

В	= Black
G	= Gray
S	= Sand
W	= Warm Gray
L	= Light Tone

Electrical



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

 $\frac{\text{Select trim color.}}{\mathbf{B}} = \text{Black}$

G	= Gray	
S	= Sand	
W	= Warm Gray	
L	= Light Tone	

MODEL NUMBER Basic Model MODEL Panel Length Trim Sales Price 24" CI8EPR24 \$ 80 8-Wire Power Retro Kit Consists of a panel power module, two powered 30" CI8EPR30 81 raceway covers, and attachment screws. 36" CI8EPR36 83 Provides for electrification of non-powered panel as a retrofit (24" - 60" panels only). 42" CI8EPR42 89 • Panel-to-panel connectors and recep-48" CI8EPR48 91 tacles must be specified separately. 54" CI8EPR54 93 • Product is UL 1286 listed. 60" CI8EPR60 95

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


A Select basic model.

B Select trim color.

В	= Black
G	= Gray
S	= Sand
W	= Warm Gray

= Light Tone

Electrical



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

00.000	
В	= Black
G S	= Gray
S	= Sand
W	= Warm Gray
L	= Light Tone

			MODEL NU	MBER	
MODEL	Length	Description	Basic Model	Trim	Sales Price
10-Wire Panel-to-Panel Jumper Used to connect one powered panel to an adjacent powered panel. Available in two lengths. Available in 442 or 622 style. NOTE: TWO SYLES WILL NOT CONNECT TOGETHER.	18" 20" 18" 20"	442 style 442 style 622 style 622 style	CIT4PJ18 CIT4PJ20 CIT6PJ18 CIT6PJ20		\$ 44 46 44 46
Product is UL 1286 listed.					
10-Wire Duplex Receptacle Attaches to wireways of 10-wire powered panels (except curved, 12" and 18" panels). Provides two (duplex) receptacles, each rated at 15 amps. Isolated ground circuits are color coded orange;		442 Circuit #1 442 Circuit #2 442 Circuit #3 (isolated ground circuit) 442 Circuit #4 (isolated ground circuit)	CIT4CER1 CIT4CER2 CIT4CER3 CIT4CER4		9 9 10 10
specify black (B), gray (G), sand (S), warm gray (W) or light tone (L) trim color for all others. • Available in 442 or 622 style. NOTE: TWO SYLES WILL NOT CONNECT TOGETHER . • Product is UL 1286 listed.		622 Circuit #1 622 Circuit #2 622 Circuit #3 622 Circuit #4 (isolated ground circuit)	CIT6CER1 CIT6CER2 CIT6CER3 CIT6CER4		9 9 9 10

Indicate the following information on order

- Quantity of each item.
 Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

₿ Select trim color. В = Black

= Gray S = Sand

= Warm Gray

= Light Tone

Electrical

			MODEL NUI		
MODEL	Corresponding Panel Width	Style	Basic Model	Trim	Sales Price
10-Wire Power Pass Through	12"	442	CIT4EPT12		\$ 43
Provides continuation of power through a non-	18"	442	CIT4EPT18		44
powered panel that is between two powered panels.	24"	442	CIT4EPT24		45
Receptacle access is not provided on power pass	30"	442	CIT4EPT30		46
through panel.	36"	442	CIT4EPT36		48
Panel-to-panel connectors are not required.Product is UL 1286 listed.	42"	442	CIT4EPT42		49
Available in 442 or 622 style.	48"	442	CIT4EPT48		50
·	54"	442	CIT4EPT54		51
	60"	442	CIT4EPT60		53
	12"	622	CIT6EPT12		45
	18"	622	CIT6EPT18		46
	24"	622	CIT6EPT24		47
	30"	622	CIT6EPT30		48
	36"	622	CIT6EPT36		49
	42"	622	CIT6EPT42		51
	48"	622	CIT6EPT48		52
	54"	622	CIT6EPT54		53
	60"	622	CIT6EPT60		55

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.


Note: ullet The \square indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Octobe triff color.				
В	= Black			
G S	= Gray			
S	= Sand			
W	= Warm Gray			
L	= Light Tone			



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- ◆ Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.


HOW TO BUILD A MODEL NUMBER

A Select basic model.

В	= Black	
G	= Gray	
S	= Sand	
W	= Warm Gray	
L	= Light Tone	

Worksurfaces T-Edge

Rectangular



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select laminate color.

= Light Tone

AA = Cream = Champagne AC = Barcelona AF = Aruba Tan AG = Black AH = Dark Gray ΑI = Dawn Gray (Greige) ΑJ = Fog AK = Black Grandin = Smoke Granite

ΑM = Sand Grandin = Light Granite AN A0 = Tundra AP =Earthen AQ = Rose Grafix AS = Sierra Grafix AT = Beige Grafix = Sand Stone AU = KentuckyWalnut AV AW = Tennessee Oak AX = Light Oak AY = Red Birch AZ = Ash = Philadelphia Cherry BA BB = Pennsylvania Cherry = Mahogany BC BD = 0ak = Maple BE BF = Pearwood ZZ = COM

Select grommet code.

L = Left

C = Center


R = Right

LR = Left and Right

LC = Left and Center

LCR = Left, Center and Right

Add \$3 for each grommet.



Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

₿	Sele	ect trim color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone


L	= Light fone
Sele	ect laminate color.
AA	= Cream
AB	= Champagne
AC	= Barcelona
AF	= Aruba Tan
AG	= Black
AH	= Dark Gray
ΑI	= Dawn Gray (Greige)
AJ	= Fog
AK	= Black Grandin
AL	= Smoke Granite

AN	= Light Granite
AO	= Tundra
AP	= Eart h e n
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

AM = Sand Grandin


0	Select grommet code.					
_	L	= Left				
	C	= Center				
	R	= Right				
	LR	= Left and Right				
	LC	= Left and Center				
	LCR	= Left, Center and Right				
	Add S	3 for each grommet.				

Worksurfaces T-Edge 90° Corner



MODEL 90° Corner Worksurfaces T-Edge

- 90° corner worksurfaces provide a straight
- front edge to access corner worksurface area. • A 36" width attaches to 36" panels; 48" width to 48" panels.
- Product is constructed of 1½" particleboard between laminate and backer with vinyl Tedge molding around the perimeter of the surfaces.
- Meets BIFMA standards: X5.6-1993.
- Mounting hardware is included. A left hand cantilever is provided for rear corner.
- · Worksurfaces are predrilled for adjustable keyboard pad.
- · Cantilevers allow mounting to panels at 1" height increments.
- 3" diameter grommet optional on vinyl T-edge worksurfaces only.



Curved Worksurfaces T-Edge

- Product is constructed of 1½" particleboard between laminate and backer with vinyl Tedge molding around the perimeter of the surfaces.
- Meets BIFMA standards: X5.6-1993.
- Worksurface is typically used so radius corresponds to curved panels.
- Sides match up to 24" deep worksurfaces.
- Includes worksurface cantilever brackets.
- 3" diameter grommet optional on vinyl T-edge worksurfaces only.

			MODEL NUMBER				
D	Panel Width	Front Edge	Basic Model	Trim	Laminate	Grommet Option	Sales Price
24"	36"	15½"	CIWS902436				\$ 100
24"	42"	23¾"	CIWS902442				114
24"	48"	32½"	CIWS902448				119
30"	42"	15½"	CIWS903042				124
30"	48"	23¾"	CIWS903048				128
0.411							100
24"	24"		CIWSC24				100
			A	B	0	O	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color. = Black = Gray

= Sand = Wa rm Gray = Light Tone

Select laminate color.

AA = Cream = Champagne = Barcelona AF = Aruba Tan AG = Black = Dark Gray AΗ ΑI = Dawn Gray (Greige) ΑJ = Fog AK = Black Grandin = Smoke Granite


AN = Light Granite A0 = Tundra AP =Earthen AQ = Rose Grafix AS = Sierra Grafix AT = Beige Grafix = Sand Stone AU = KentuckyWalnut AV = Tennessee Oak = Light Oak AX AY = Red Birch ΑZ = Ash = Philadelphia Cherry BA BB = Pennsylvania Cherry BC = Mahogany BD = 0ak = Maple BE BF = Pearwood ZZ = COM

= Sand Grandin

AM

Select grommet code. = Left = Center = Right = Left and Right = Left and Center **LCR** = Left, Center and Right

Add \$3 for each grommet.



Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model.

Select trim color. **B** = Black = Gray = Sand = Wa rm Gray

= Light Tone

Select laminate color. AA = Cream = Champagne AC = Barcelona

> AF = Aruba Tan AG = Black = Dark Gray AH

= Dawn Gray (Greige) ΑI ΑJ = Fog

AK = Black Grandin = Smoke Granite

= Sand Grandin = Light Granite AN A0 = Tundra AP =Earthen AQ = Rose Grafix AS = Sierra Grafix AT = Beige Grafix AU = Sand Stone = KentuckyWalnut AV AW = Tennessee Oak AX = Light Oak AY = Red Birch ΑZ = Ash = Philadelphia Cherry BA BB = Pennsylvania Cherry BC = Mahogany BD = 0ak = Maple BE BF = Pearwood ZZ = COM

AM

Worksurfaces T-Edge Adjustable D-Shaped

			MODEL NUMBER	R		
	MODEL	Adjustable Height	Basic Model	Trim	Laminate	Sales Price
	Adjustable D-Shaped Worksurfaces	24" - 29"	CIWSDAD2460			\$ 190
	(Panel Mount) T-Edge • Same as standard D-shaped worksurfaces,	24" - 29"	CIWSDAD2472			200
2 3	except the metal column that supports the	24" - 29"	CIWSDAD3048			190
	round end is height adjustable.	24" - 29"	CIWSDAD3054			200
	 Adjustable height is specified as DOWN from the standard 29" height (24-29") or UP 	24" - 29"	CIWSDAD3060			204
	from the standard 29" height (29-34").	24" - 29"	CIWSDAD3072			214
	• Leg is 3" in diameter with adjustable glides.	24" - 29"	CIWSDAD3660			223
	 3" diameter grommet optional on vinyl T-edge worksurfaces only. 	24" - 29"	CIWSDAD3672			233
U	worksurfuces only.	29" - 34"	CIWSDAU2460			190
		29" - 34"	CIWSDAU2472			200
		29" - 34"	CIWSDAU3048			190
		29" - 34"	CIWSDAU3054			200
		29" - 34"	CIWSDAU3060			204
		29" - 34"	CIWSDAU3072			214
		29" - 34"	CIWSDAU3660			223
		29" - 34"	CIWSDAU3672			233
	Adjustable D-Shaped Worksurfaces	24" - 29"	CIWSDSMAD3048			190
	(End Mount) T-Edge • Same as standard D-shaped worksurfaces.	24" - 29"	CIWSDSMAD3060			204
	except the metal column that supports the	24" - 29"	CIWSDSMAD3072			214
	round end is height adjustable.	24" - 29"	CIWSDSMAD3660			223
	 Adjustable height is specified as DOWN from the standard 29" height (24-29") or UP 	24" - 29"	CIWSDSMAD3672			233
	from the standard 29" height (29-34").	29" - 34"	CIWSDSMAU3048			190
	Leg is 3" in diameter with adjustable glides.	29" - 34"	CIWSDSMAU3060			204
	 3" diameter grommet optional on vinyl T-edge worksurfaces only. 	29" - 34"	CIWSDSMAU3072			214
U	WUINSUITAGES UTILY.	29" - 34"	CIWSDSMAU3660			223
		29" - 34"	CIWSDSMAU3672			233
			A	В	•	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.


HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color. **B** = Black **G** = Gray **S** = Sand **W** = Wa rm Gray = Light Tone

a	Select	laminate color.
•	AA	= Cream
	AB	= Champagne
	AC	= Barcelona
	AF	= Aruba Tan
	AG	= Black
	AH	= Dark Gray
	Al	= Dawn Gray (Greige)
	AJ	= Fog
	AK	= Black Grandin
	AL	= Smoke Granite

AM	= Sand Grandin
AN	= Light Granite
A0	= Tundra
AP	= Eart h e n
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
AZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
77	= COM



Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

System panel

B	Sele	ect trim color.	
	В	= Black	
	G	= Gray	
	S	= Sand	
	W	= Wa rm Gray	
	L	= Light Tone	

L :	= Light Tone
Selec	t laminate color.
AA	= Cream
AB	= Champagne
AC	= Barcelona
AF	= Aruba Tan
AG	= Black
AH	= Dark Gray
Al	= Dawn Gray (Greige)
AJ	= Fog
AK	= Black Grandin
AL	= Smoke Granite


AN	= Light Granite
A0	= Tundra
AP	=Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
AZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

AM = Sand Grandin

Note: Optional casters are available on semi-circle worksurface only. Add "C" to model number and \$26 to cost.

Worksurfaces 3mm PVC Edge

Rectangular



30" 78"

30" 84"

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of $\hfill\Box$ indicates that no choice is required.
- · Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model.

Select trim color. = Black = Gray = Sand = Wa rm Gray = Light Tone

•	Select	laminate color.
	AA	= Cream
	AB	= Champagne
	AC	= Barcelona
	AF	= Aruba Tan
	AG	= Black
	AH	= Dark Gray
	Al	= Dawn Gray (Greige)
	AJ	= Fog
	AK	= Black Grandin
	AL	= Smoke Granite

AM	= Sand Grandin
AN	= Light Granite
A0	= Tundra
AP	= Eart h e n
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM


CIWR3084

3L

₿

0

162



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B	Sele	ct trim color.	
	В	= Black	
	G	= Gray	Ī
	S	= Sand	
	W	= Wa rm Gray	
	L	= Light Tone	
			_


AA	et laminate color. = Cream
AB	= Champagne
AC	= Barcelona
AF	= Aruba Tan
AG	= Black
AH	= Dark Gray
ΑI	= Dawn Gray (Greige)
AJ	= Fog
AK	= Black Grandin
AL	= Smoke Granite

AW	= Sand Grandin
AN	= Light Granite
A0	= Tundra
AP	= Eart h e n
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
77	= COM

Cand Crandin

Worksurfaces 3mm PVC Edge

Mitered Rectangular



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of $\hfill\Box$ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


A Select basic model.

B Select trim color.
B = Black
G = Gray
S = Sand
W = Warm Gray
L = Light Tone

2	Coloot	laminate color.
J		
	AA	= Cream
	AB	= Champagne
	AC	= Barcelona
	AF	= Aruba Tan
	AG	= Black
	AH	= Dark Gray
	Al	= Dawn Gray (Greige)
	AJ	= Fog
	AK	= Black Grandin
	AL	= Smoke Granite

AW	= Sand Grandin
AN	= Light Granite
AO	= Tundra
AP	=Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

Cand Crandin



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
B = Black
G = Gray
S = Sand
W = Wa rm Gray
L = Light Tone


_	- Light folio
Sele	ct laminate color.
AA	= Cream
AB	= Champagne
AC	= Barcelona
AF	= Aruba Tan
AG	= Black
AH	= Dark Gray
ΑI	= Dawn Gray (Greige)
AJ	= Fog
AK	= Black Grandin
AL	= Smoke Granite

AIVI	= Sand Grandin
AN	= Light Granite
AO	= Tundra
AP	= Eart h e n
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

- Cand Grandin

Worksurfaces 3mm PVC Edge

Peninsula



Radiused Corner Peninsula Worksurfaces 3mm PVC Edge

- Radiused corner peninsula worksurfaces consist of 1½" particleboard between laminate and backer with 3mm PVC edge banding around the perimeter of the surfaces.
- Last letter of model number indicates lefthand (L) or right-hand (R).
- Includes worksurface support.
- Cantilever brackets allow mounting to panels at 1" height increments.
- 60" worksurfaces include reinforcing bars set into the underside of the worksurface.
- All surfaces 60" and longer are provided with an additional left hand cantilever bracket for mid-surface support.
- 72" worksurfaces include an additional left hand cantilever bracket for mid-surface support.
- Worksurfaces with 3mm PVC, postformed and veneer edges have one 2½" X 6" grommet up to 54" wide, 60-96" have two grommets.

		MODEL NUMBER				
D	W	Basic Model	Edge	Trim	Laminate	Sales Price
24"	48"	CIWRC2448L	3L			\$ 105
24"	48"	CIWRC2448R	3L			105
24"	60"	CIWRC2460L	3L			119
24"	60"	CIWRC2460R	3L			119
24"	72"	CIWRC2472L	3L			128
24"	72"	CIWRC2472R	3L			128
30"	48"	CIWRC3048L	3L			119
30"	48"	CIWRC3048R	3L			119
30"	60"	CIWRC3060L	3L			128
30"	60"	CIWRC3060R	3L			128
30"	72"	CIWRC3072L	3L			138
30"	72"	CIWRC3072R	3L			138
		A		B	0	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color.

B = Black
G = Gray
S = Sand
W = Warm Gray
L = Light Tone

Select laminate color.

AA = Cream

AB = Champagne

AC = Barcelona

AF = Aruba Tan

AG = Black

AH = Dark Gray

AI = Dawn Gray (Greige)

AJ = Fog


AK = Black Grandin

= Smoke Granite

= Light Granite AN A0 = Tundra AP =Earthen AQ = Rose Grafix AS = Sierra Grafix AT = Beige Grafix = Sand Stone AU = KentuckyWalnut AV = Tennessee Oak = Light Oak AX AY = Red Birch ΑZ = Ash = Philadelphia Cherry BA BB = Pennsylvania Cherry BC = Mahogany BD = 0ak = Maple BE BF = Pearwood = COM

= Sand Grandin

AM



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


B	Sele	ect trim color.	
	В	= Black	
	G	= Gray	
	S	= Sand	
	W	= Wa rm Gray	
	L	= Light Tone	
			_

Select	laminate color.
AA	= Cream
AB	= Champagne
AC	= Barcelona
AF	= Aruba Tan
AG	= Black
AH	= Dark Gray
Al	= Dawn Gray (Greige)
AJ	= Fog
AK	= Black Grandin
AL	= Smoke Granite
	AA AB AC AF AG AH AI AJ

AM	= Sand Grandin
AN	= Light Granite
AO	= Tundra
AP	= Eart h e n
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

Worksurfaces 3mm PVC Edge

Square Shoe



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.


HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
B = Black
G = Gray
S = Sand
W = Wa rm Gray
L = Light Tone

Select laminate color. **AA** = Cream = Champagne = Barcelona AF = Aruba Tan AG = Black AΗ = Dark Gray ΑI = Dawn Gray (Greige) ΑJ = Fog AK = Black Grandin = Smoke Granite

AM = Sand Grandin = Light Granite AN A0 = Tundra AP =Earthen AQ = Rose Grafix AS = Sierra Grafix AT = Beige Grafix AU = Sand Stone = KentuckyWalnut AV = Tennessee Oak AX = Light Oak AY = Red Birch ΑZ = Ash = Philadelphia Cherry BA BB = Pennsylvania Cherry BC = Mahogany BD = 0ak = Maple BE BF = Pearwood ZZ = COM



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- \bullet The absence of $\hfill\Box$ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


B	Sele	ect trim color.	
	В	= Black	
	G	= Gray	
	S	= Sand	
	W	= Wa rm Gray	
	L	= Light Tone	

•	Coloot	laminata color
"		: laminate color.
	AA	= Cream
	AB	= Champagne
	AC	= Barcelona
	AF	= Aruba Tan
	AG	= Black
	AH	= Dark Gray
	Al	= Dawn Gray (Greige)
	AJ	= Fog
	AK	= Black Grandin
	AL	= Smoke Granite

AM	= Sand Grandin
AN	= Light Granite
AO	= Tundra
AP	= Eart h e n
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

Worksurfaces 3mm PVC Edge

Conference End/Peninsula



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- \bullet The absence of $\hfill\Box$ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

B = Black
G = Gray
S = Sand
W = Wa rm Gray
L = Light Tone


_	Light folio
Select	laminate color.
AA	= Cream
AB	= Champagne
AC	= Barcelona
AF	= Aruba Tan
AG	= Black
AH	= Dark Gray
Al	= Dawn Gray (Greige)
AJ	= Fog
AK	= Black Grandin
AL	= Smoke Granite
	AA AB AC AF AG AH AI AJ

,,,,	- Light diamito
A0	= Tundra
AP	= Eart h e n
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
77	= COM

AM = Sand Grandin

= Light Granite

Note: Optional casters are available on semi-circle worksurface only. Add "C" to model number and \$26 to cost.



Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model.


Select trim color. **B** = Black **G** = Gray **S** = Sand = Wa rm Gray = Light Tone

Selec	t laminate color.
AA	= Cream
AB	= Champagne
AC	= Barcelona
AF	= Aruba Tan
AG	= Black
AH	= Dark Gray
ΑI	= Dawn Gray (Greige)
AJ	= Fog
AK	= Black Grandin
AL	= Smoke Granite

AM	= Sand Grandin
AN	
	= Light Granite
AO	= Tundra
AP	=Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

Worksurfaces 3mm PVC Edge

Dual Curvilinear



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.


B Select trim color.
B = Black
G = Gray
S = Sand
W = Warm Gray
L = Light Tone

	۰	
"	Select	laminate color.
	AA	= Cream
	AB	= Champagne
	AC	= Barcelona
	AF	= Aruba Tan
	AG	= Black
	AH	= Dark Gray
	Al	= Dawn Gray (Greige)
	AJ	= Fog
	AK	= Black Grandin
	AL	= Smoke Granite

AN	= Light Granite
AO	= Tundra
AP	=Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWaInut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

AM = Sand Grandin

Countertops Bullnose T-Edge



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color.

B = Black
G = Gray
S = Sand
W = Wa rm Gray
L = Light Tone

Select laminate color. **AA** = Cream = Champagne AC = Barcelona AF = Aruba Tan AG = Black AH = Dark Gray ΑI = Dawn Gray (Greige) ΑJ AK = Black Grandin = Smoke Granite

AN	= Light Granite
A0	= Tundra
AP	=Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

AM = Sand Grandin

Countertops - Bullnose T-Edge Straight/90°/Curved (for 32" High Panels)

			MODEL NUMBER	MODEL NUMBER		
	MODEL	Corresponding Panel Width	Basic Model	Trim	Laminate	Sales Price
	Straight Countertop (for 32" High Panel)	24"	CICTA24BN32			\$ 76
	T-Edge Countertop is the same as a standard	30"	CICTA30BN32			81
	countertop. Mounting brackets are different to	36"	CICTA36BN32			86
	prevent interference with worksurface on 32"	42"	CICTA42BN32			105
V	high panels.	48"	CICTA48BN32			114
		54"	CICTA54BN32			124
		60"	CICTA60BN32			133
		66"	CICTA66BN32			147
		72"	CICTA72BN32			157
		Width				
	90° Countertop (for 32" High Panel)	24"	CICTA9024RABN32			95
	T-EdgeCountertop is the same as a standard	30"	CICTA9030RABN32			119
	countertop. Mounting brackets are different to	36"	CICTA9036RABN32			138
preve	prevent interference with worksurface on 32" high panels.					
Value (4)						
	Curved Countertop (for 32" High Panel)	24"	CICTA24CVBN32			105
	T-Edge ↑ • Countertop is the same as a standard					
	countertop. Mounting brackets are different to					
	prevent interference with worksurface on 32" high panels.					

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


A Select basic model.

Select trim color. **B** = Black **G** = Gray **S** = Sand = Wa rm Gray = Light Tone

Select laminate color. **AA** = Cream = Champagne = Barcelona AF = Aruba Tan AG = Black AH = Dark Gray ΑI = Dawn Gray (Greige) AJ = Fog AK = Black Grandin = Smoke Granite

= Sand Grandin AM AN = Light Granite A0 = Tundra AP =Earthen AQ = Rose Grafix AS = Sierra Grafix = Beige Grafix AT AU = Sand Stone AV = KentuckyWalnut = Tennessee Oak AX = Light Oak = Red Birch AY ΑZ = Ash = Philadelphia Cherry BA BB = Pennsylvania Cherry = Mahogany BC BD = Oak BE = Maple BF = Pearwood = COM

Countertops 3mm PVC Edge



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.
B = Black
G = Gray
S = Sand
W = Warm Gray
L = Light Tone

Select laminate color. **AA** = Cream AB = Champagne AC = Barcelona AF = Aruba Tan AG = Black AH = Dark Gray ΑI = Dawn Gray (Greige) ΑJ = Fog AK = Black Grandin = Smoke Granite

AM	= Sand Grandin
AN	= Light Granite
AO	= Tundra
AP	= Eart h e n
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

Countertops 3mm PVC Edge Straight/90°/Curved

MODEL NUMBER Corresponding Panel Width Basic Model Laminate **Sales Price** Straight Countertop (for 32" High Panel) 24" CIWCTWC243L \$ 86 3mm PVC Edge 30" CIWCTWC303L 90 • Countertop is the same as a standard 36" ПП CIWCTWC363L 95 countertop. Mounting brackets are different to prevent interference with worksurface on 32" 42" CIWCTWC423L 114 high panels. 48" CIWCTWC483L 124 54" CIWCTWC543L 133 60" CIWCTWC603L 143 66" CIWCTWC663L 160 72" CIWCTWC723L 171 Width 90° Countertop (for 32" High Panel) 24" CIWCTWC90243L 114 3mm PVC Edge 30" CIWCTWC90303L 138 Countertop is the same as a standard 36" CIWCTWC90363L countertop. Mounting brackets are different to 152 prevent interference with worksurface on 32" high panels. CIWCCTWC243L **Curved Countertop (for 32" High Panel)** 3mm PVC Edge Countertop is the same as a standard countertop. Mounting brackets are different to prevent interference with worksurface on 32" high panels. A B

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select basic model.

AK

Select trim color. = Black G = Gray S = Sand = Wa rm Gray = Light Tone

Select laminate color. AA = Cream = Champagne AC = Barcelona AF = Aruba Tan AG = Black = Dark Gray AΗ ΑI = Dawn Gray (Greige) ΑJ = Fog


= Black Grandin

= Smoke Granite

= Light Granite AN A0 = Tundra AP =Earthen AQ = Rose Grafix AS = Sierra Grafix AT = Beige Grafix AU = Sand Stone = KentuckyWalnut AV AW = Tennessee Oak = Light Oak AX AY = Red Birch ΑZ = Ash = Philadelphia Cherry BA BB = Pennsylvania Cherry BC = Mahogany BD = 0ak = Maple BE BF = Pearwood ZZ = COM

= Sand Grandin

AM



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Support Panels

MODEL NUMBER Basic L/R Edge MODEL W Н Model Location Style Trim Fabric Laminate 26" 20" CIWSSPL2026 N/A **Laminate Worksurface Support Panel** · Laminate finish on both sides. 26" 24" CIWSSPL2426 N/A • Support panel provides additional worksurface 30" 26" CIWSSPL3026 N/A support in excessive worksurface loading 29" 20" CIWSSPL2029 N/A applications. Mounts to panels. Screws to worksurface. 29" 24" CIWSSPL2429 N/A • Adjustable glides provide leveling capacity. 29" 30" CIWSSPL3029 N/A Available in 26" and 29" heights. Location is determined by the side of the worksurface support panel that adjoins the vertical panel. L=left; R=right. Fabric/Laminate Worksurface Support Panel 26" 20" CIWSSP2026 BN · T-edge. 26" 24" CIWSSP2426 BN · Laminate finish on one side; fabric on other. 30" CIWSSP3026 BN 26" • Support panel provides additional worksurface support in excessive worksurface loading 20" BN 29" CIWSSP2029 applications. 29" 24" CIWSSP2429 BN Mounts to panels. Screws to worksurface. Adjustable glides provide leveling capacity. 29" 30" CIWSSP3029 BN Available in 26" and 29" heights. · Location is determined by the side of the worksurface support panel that adjoins the vertical panel. L=left; R=right.

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select panel location.

L = Left

 \mathbf{R} = Right

Select edge style.

BN = T-edge 3L = 3mm PVC edge

Select trim color.

B = Black
 G = Gray
 S = Sand

W = Wa rm Gray

L = Light Tone

Select fabric color.

Group A - FR701

1511 = Blue Neutral **1506** = Green Neutral

1518 = Wedgewood **1510** = Silver Papier

1546 = Cherry Neutral **1515** = Quartz

1531 = Gray Mix Group A - Eclipse 4595 = Meteor

1690 = Tourmaline **4604** = Chicory

4605 = Amber Grain

4593 = Serengeti **4594** = Coco Palm

1691 = Iron Ore

Group A - Carrara

9447 = Beeswax **9454** = Verdigris

9456 = Tinctoria **9455** = Green Earth

9455 = Green Ear **9448** = Teak Oil

9445 = Gesso 9444 = Casein Group A - Galaxy

4526 = Desert Sand Gravel **4538** = Bermuda Seamist

4544 = Blueberrry Sky **4542** = Sundew Sandrift

4525 = Fog Stardust **4531** = Gobi Moonbeam

4541 = Wrought Silver

Worksurface Accessories Support Panels

				- Oupport i dilolo
Ф.С7	ф 7 0			
\$ 67	\$ 72			
74	79			
72	77			
		\$ 70		
		77		
		11		
		7.4		
		74		

					MODEL NUMB	BER	
	MODEL	Н	D	L	Basic Model	Trim	Sales Price
	Worksurface Vertical Filler	3"	20"		CIWSVF20		\$ 5
	 Steel bracket connects worksurfaces with 3" height differences. 	3"	24"		CIWSVF24		6
200	 Fills gap between surfaces to prevent accidental dropping of work tools or paper. 	3"	30"		CIWSVF30		7
,	accidental dropping of work tools of paper.						
	Worksurface Cord Manager			6"	CIWCM24	В	11
	 Manages cords below worksurface in a 1" x 2" trough. 			12"	CIWCM30	В	12
	 Attaches to the underside of worksurface between grommets. Cord Manager has holes to allow cables to be "zip tied" in place. Available in black only. 			18"	CIWCM36	В	14
				24"	CIWCM42	В	16
				30"	CIWCM48	В	17
32				36"	CIWCM54	В	19
				42"	CIWCM60	В	21
V							
/^>	Worksurface Wire Manager	2"	2½"		CCWWM		2
					A	B	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required

- The absence of □ indicates that no choice is required.
- ◆ Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

= Black	
= Gray	
= Sand	
= Wa rm Gray	
= Light Tone	
	= Gray = Sand = Wa rm Gray

		MODEL NUMBER	
	MODEL	Basic Model	Sales Price
And the state of t	Basic CPU Holder Slide mechanism of 14 ga. steel with 5" forward slide. Adjustable side panels of 16 ga. steel to accommodate CPUs with vertical dimensions of 11-21" and horizontal (side-to-side) dimensions of 2-10½" Three lengths of ½-20 clamping bolts: 4", 7" and 10". Torx head mounting screws to aid in tamper resistance, includes torx drivers. Black only.	ACPUNCNOLOCK	\$ 60
The state of the s	Basic CPU Holder with Covers Slide mechanism of 14 ga. steel with 5" forward slide. Adjustable side panels of 16 ga. steel to accommodate CPUs with vertical dimensions of 11-21" and horizontal (side-to-side) dimensions of 2-10½" Three lengths of ¼-20 clamping bolts: 4", 7" and 10". Torx head mounting screws to aid in tamper resistance, includes torx drivers. Includes adjustable covers of 16 ga. steel to enhance aesthetics. Black only. No lock.	ACPUWCNOLOCK	87
	 Covers Can be retrofitted in field to basic CPU holder to enhance aesthetics. Adjustable covers of 16 ga. steel. Black only. 	ACPUCK	28

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is

- ullet The absence of \square indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

MODEL	MODEL NUMBER Basic Model	Sales Price
Basic CPU Holder with Covers and Security Kit • Slide mechanism of 14 ga. steel with 5" forward slide. • Adjustable side panels of 16 ga. steel to accommodate CPUs with vertical dimensions of 11-21" and horizontal (side-to-side) dimensions of 2-10%" • Three lengths of ⅓-20 clamping bolts: 4", 7" and 10". • Torx head mounting screws to aid in tamper resistance, includes torx drivers. • Includes adjustable covers of 16 ga. steel to enhance aesthetics. • Includes two each ⅓" diameter plastic coated steel aircraft cables with lock collars. • Includes ¾∞" allen wrench for lock collars. • Black only.	ACPUWCLOCK	\$ 130
Security Kit Accommodates CPU 16" maximum depth at 10½" wide. Requires 16 ga. steel covers to be installed. Three lengths of ¾6" diameter bolts with holes for padlock: 4", 7" and 10". Includes two each ¾" diameter plastic coated steel aircraft cables with lock collars. Includes ¾2" allen wrench for lock collars. Rear access guard with tamper-resistant screws. Black only.	ACPUSK	42

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is

- \bullet The absence of $\hfill\Box$ indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER



					MODEL NUMB	ER	
	MODEL	In. Dia. Out Dia.	W	D	Basic Model	Trim	Sales Price
	Extra Cable M' diameter plastic coated steel aircraft cable with lock collar. Includes ½" allen wrench for lock collar. Black only.				ACPUCABLE	В	\$ 5
	Cord Manager Hanger Manages cords below the worksurface by providing two hooks 7½" apart that allow cords to be wrapped around hooks. Black only.				CICMH	В	10
The same of the sa	Vertical Cord Manager • Manages vertical cords above and below the worksurface. • Snaps into side trim rail. • Can be field cut to any length.	72" length			CICM6		4
Grommets		2¾" 3"			CIWSG		3
	• Slimline (inner) for 3mm PVC edge		7"	2"	39.06.6020		1
	Slimline (outer) for 3mm PVC edge		8½"	2¼"	39.06.6021		1

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.


 $\frac{\text{Select trim color.}}{\mathbf{B}} = \text{Black}$

G = Gray **S** = Sand

W = Wa rm Gray
L = Light Tone

131

Computer Accessories



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.


- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

Computer Accessories



HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color.

B = Black
G = Gray
S = Sand
W = Warm Gray
L = Light Tone

Select laminate color. AA = Cream = Champagne AC = Barcelona AF = Aruba Tan AG = Black AH = Dark Gray ΑI = Dawn Gray (Greige) ΑJ = Fog AK = Black Grandin = Smoke Granite

AM	= Sand Grandin
AN	= Light Granite
A0	= Tundra
AP	= Eart h e n
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM
	·

Storage and Accessories Laminate End Shelves

					MODEL N	JMBER	
	MODEL	W	Н	D	Basic Model	Trim	Sales Price
	Low Shelf	24"	91⁄4"	135/8"	CILS24		\$ 57
	9" high monochromatic laminate-covered particleboard end panels with vinyl T-edge	30"	91⁄4"	135⁄8"	CILS30		62
	molding.	36"	91⁄4"	135⁄8"	CILS36		67
	Steel shelf.	42"	91⁄4"	135/8"	CILS42		71
	Accepts shelf dividers.Meets BIFMA standards: X5.6-1993.	48"	91⁄4"	135/8"	CILS48		76
	End panel bracket design prevents accidental	54"	91⁄4"	135⁄8"	CILS54		81
ll.	dislodging of components.	60"	91⁄4"	135⁄8"	CILS60		86
	On module.						
	-						
	Regular Shelf 15" high monochromatic laminate-covered particleboard end panels with vinyl T-edge	24"	15%"	135⁄8"	CIRS24		62
		30"	15%"	135⁄8"	CIRS30		67
	molding.	36"	15%"	135⁄8"	CIRS36		71
	Steel shelf.Accepts shelf dividers.	42"	15%"	135⁄8"	CIRS42		76
	Meets BIFMA standards: X5.6-1993.	48"	15%"	135⁄8"	CIRS48		81
	 End panel bracket design prevents accidental 	54"	15%"	135/8"	CIRS54		86
is.	dislodging of components.	60"	15%"	135/8"	CIRS60		90
	On module.						
					A	B	
					w	U	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

В	= Black
G	= Gray
S	= Sand
W	= Wa rm Gray
L	= Light Tone

					MODEL NUM	IBER	
	MODEL	W	Н	D	Basic Model	Trim	Sales Price
	Coat Rack	24"	91⁄4"	135⁄8"	CICR24		\$ 47
•	9" laminate-covered particleboard end panel with vinyl T-edge molding.	30"	91/4"	135⁄8"	CICR30		48
\leq //	Steel storage shelf located above steel	36"	91⁄4"	135⁄8"	CICR36		49
	chrome plated handing rod.	42"	91/4"	135⁄8"	CICR42		50
	 End panel bracket design prevents accidental dislodging of components. 	48"	91⁄4"	135⁄8"	CICR48		51
	End panels are monochromatic.On module.	54"	91⁄4"	135⁄8"	CICR54		52
	helf Dividers		8"	13"	CISD		10
Steel shelf dividers work on laminate low end shelves, regular shelves, flipper door units, and coat racks.		8"	13"	CISD (8 pk)		59	
	Coat Hook/Picture Hanger	3⁄4"		(single)	CICH		1
	Plastic hook attaches under the top cap of the	3/4"		k of 12)	CICH12		10
	panel to support coat hanger or hang picture.	94	(рас	N UI 12)	GIGITIZ		10

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

B = Black
G = Gray
S = Sand
W = Warm Gray
L = Light Tone

Storage and Accessories Laminate End Hang-on Lateral Files

					MODE	L NI	UMBER		
	MODEL	W	Н	D	Basic Mode		Trim	Fabric	Laminate
	Hang-on Lateral File - Fabric • Monochromatic laminate-covered particleboard	24"	13¾	" 143⁄8"	CIHLF	-24			
		30"	13¾	" 143⁄8"	CIHLF				
	end panels with vinyl T-edge molding. • Powder coated steel drawer with fabric covered	36"	13¾	" 143⁄8"	CIHLF				
	particleboard front.	42"	13¾	" 143⁄8"	CIHLF				
	Meets BIFMA standards: X5.6-1993.	48"	13¾	" 143⁄8"	CIHLF	48			
	End panel bracket design prevents accidental dislodging of components.								
	 Accepts letter-size hanging folders. 								
	Lock is included with two keys. Available with key-alike option.								
	Available with key-alike option. On module.								
\sim	Hang-on Lateral File - Laminate			" 143/8"	CIHLF			N/A	
	 Monochromatic laminate-covered particleboard end panels with vinyl T-edge molding. 			" 143⁄8"	CIHLF			N/A	
	Powder coated steel drawer with laminate covered			" 143⁄8"	CIHLF			N/A	
	particleboard front.			" 143⁄8"	CIHLF			N/A	
	 Meets BIFMA standards: X5.6-1993. End panel bracket design prevents accidental dislodging of components. Accepts letter-size hanging folders. Lock is included with two keys. Available with key-alike option. 	48"	13¾	" 143⁄8"	CIHLF	_48		N/A	
	On module.								
					A		B	•	O

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color. **B** = Black **G** = Gray

S = Sand = Wa rm Gray = Light Tone

C Select fabric color.

Group A - FR701 1511 = Blue Neutral **1506** = Green Neutral **1518** = Wedgewood

1510 = Silver Papier **1546** = Cherry Neutral

1515 = Quart z **1531** = Gray Mix

G roup A - Éclipse **4595** = Meteor

1690 = Tourmaline **4604** = Chicory

4605 = Amber Grain **4593** = Serengeti

4594 = Coco Palm

1691 = Iron Ore **Group A - Carrara 9447** = Beeswax

9454 = Verdigris **9456** = Tinctoria **9455** = Green Earth

9448 = Teak Oil **9445** = Gesso **9444** = Casein

Group A - Galaxy

4538 = Bermuda Seamist **4544** = Blueberrry Sky

4526 = Desert Sand Gravel **4542** = Sundew Sandrift **4525** = Fog Stardust

4531 = Gobi Moonbeam 4541 = Wrought Silver

Group B - Serendipity 9617 = Coincidence 9626 = Four Leaf Clover

9622 = Lady Luck 9619 = Guardian Angel

9620 = Lucky Duck **9618** = Fortuitous **9624** = Silver Spoon

Select laminate color.

AA = Cream = Champagne = Barcelona AF = Aruba Tan AG = Black AH = Dark Gray ΑI = Dawn Gray (Greige) = Fog

Storage and Accessories Laminate End Hang-on Lateral Files

		3
	Sales Price	<u>—</u>
Laminate Panel	Fabric Panel	
	\$ 285	
	309	
	333	
	347	
	356	
\$ 314		
323		
333		
342		
352		

AK	= Black Grandin
AL	= Smoke Granite
AM	= Sand Grandin
AN	= Light Granite
A0	= Tundra
AP	= Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= Kentucky Walnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
AZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple

BF	= Pearwood
ZZ	= COM

Storage and Accessories Laminate End Flipper Doors

				MOD	EL N	NUMBER		
MODEL	W	Н	D	Basi Mod		Trim	Fabric	Laminate
Fabric Flipper Door	24"	15%"	143⁄8"	CIFD	F24			N/A
• 15" high monochromatic laminate-covered	30"	15%"	143⁄8"	CIFD	F30			N/A
particleboard end panels with vinyl T-edge molding.	36"	15%"	143/8"	CIFD	F36			N/A
Steel bottom and top shelves and fabric covered	42"	15%"	143/8"	CIFD	F42			N/A
front.	48"	15%"	143⁄8"	CIFD	F48			N/A
 Meets BIFMA standards: X5.6-1993. End panel bracket design prevents accidental 	54"	15%"	143⁄8"	CIFD	F54			N/A
dislodging of components.	60"	15%"	143⁄8"	CIFD	F60			N/A
 Door opens above cabinet. 								
Lock is included with two keys.Available with key-alike option.								
Namable with Rey-alike option. On module.								
Laminate Flipper Door	24"	15%"	143⁄8"	CIFD	L24		N/A	
15" high monochromatic laminate-covered particleboard end panels with vinyl T-edge	30"	15%"	143⁄8"	CIFD	L30		N/A	
molding.	36"	15%"	143⁄8"	CIFD	L36		N/A	
Steel bottom and top shelves and laminate front	42"	15%"	143⁄8"	CIFD	L42		N/A	
surface. • Meets BIFMA standards: X5.6-1993.	48"	15%"	143⁄8"	CIFD	L48		N/A	
End panel bracket design prevents accidental	54"	15%"	143⁄8"	CIFD	L54		N/A	
dislodging of components.	60"	15%"	143⁄8"	CIFD	L60		N/A	
 Door opens above cabinet. Lock is included with two keys. 								
 Available with key-alike option. 								
• On module.								
				A		B	•	0

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color. **B** = Black **G** = Gray

S = Sand = Wa rm Gray = Light Tone

Select fabric color.

Group A - FR701 1511 = Blue Neutral **1506** = Green Neutral

1518 = Wedgewood 1510 = Silver Papier

1546 = Cherry Neutral

1515 = Quart z **1531** = Gray Mix

G roup A - Éclipse **4595** = Meteor

1690 = Tourmaline

4604 = Chicory **4605** = Amber Grain **4593** = Serengeti

4594 = Coco Palm **1691** = Iron Ore

Group A - Carrara 9447 = Beeswax

9454 = Verdigris **9456** = Tinctoria **9455** = Green Earth

9448 = Teak Oil **9445** = Gesso **9444** = Casein

Group A - Galaxy

4526 = Desert Sand Gravel **4538** = Bermuda Seamist

4544 = Blueberrry Sky **4542** = Sundew Sandrift **4525** = Fog Stardust

4531 = Gobi Moonbeam

4541 = Wrought Silver **Group B - Serendipity 9617** = Coincidence

9626 = Four Leaf Clover **9622** = Lady Luck

9619 = Guardian Angel = Lucky Duck = Fortuitous = Silver Spoon

Select laminate color.

AA = Cream = Champagne = Barcelona AF = Aruba Tan AG = Black AH = Dark Gray ΑI = Dawn Gray (Greige) = Fog

Storage and Accessories Laminate End Flipper Doors

	Sales Price
	Sales Fille
Laminate Panel	Fabric Panel
	\$ 119
	124
	128
	133
	138
	143
	147
\$ 133	
138	
143	
147	
152	
157	
166	

AK	= Black Grandin
AL	= Smoke Granite
AM	= Sand Grandin
AN	= Light Granite
A0	= Tundra
AP	= Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= Kentucky Walnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple

BF	= Pearwood
ZZ	= COM

Storage and Accessories Laminate End Flipper Doors

			MODEL NUMBER		
MODEL	W H	D	Basic Model	Trim	Sales Price
Steel Flipper Door 15" high monochromatic laminate-covered particleboard end panels with vinyl T-edge molding. Steel bottom shelf, top shelf and front. Meets BIFMA standards: X5.6-1993. End panel bracket design prevents accidental dislodging of components. Door opens above cabinet. Lock is included with two keys. Available with key-alike option. On module.	24" 1556" 30" 1558" 36" 1556" 42" 1556" 48" 1556" 54" 1556" 60" 1556"	143⁄8" 143⁄8" 143⁄8" 143⁄8" 143⁄8"	CIFDS24 CIFDS30 CIFDS36 CIFDS42 CIFDS48 CIFDS54 CIFDS60		\$ 166 171 176 181 185 190 204
Flipper Door Unit Backs • Optional steel back attaches to laminate end flipper door units (CI-FDF, FDL, FDS).	24" 1556" 30" 1556" 36" 1556" 42" 1556" 48" 1556" 54" 1558" 60" 1556"		CIFDB24 CIFDB30 CIFDB36 CIFDB42 CIFDB48 CIFDB54 CIFDB60		11 13 15 17 19 21 23
			A	B	

HOW TO ORDER

Indicate the following information on order


- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

Select tilli coloi.					
В	= Black				
G	= Gray				
S	= Sand				
W	= Wa rm Gray				
L	= Light Tone				



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of ☐ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

B	Sele	ect trim color.	
	В	= Black	
	G	= Gray	
	S	= Sand	
	W	= Wa rm Gray	
	L	= Light Tone	

	t laminate color.
AA	= Cream
AB	= Champagne
AC	= Barcelona
AF	= Aruba Tan
AG	= Black
AH	= Dark Gray
Al	= Dawn Gray (Greige)
AJ	= Fog
AK	= Black Grandin
AL	= Smoke Granite

AM	= Sand Grandin
AN	= Light Granite
A0	= Tundra
AP	= Eart h e n
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= KentuckyWalnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
BC	= Mahogany
BD	= Oak
BE	= Maple
BF	= Pearwood
ZZ	= COM

Storage and Accessories Universal Shelves

					MODEL NU	MBER	
	MODEL	W	Н	D	Basic Model	Trim	Sales Price
74.	Universal Low Shelf	24"	91⁄4"	15"	CIULSR24		\$ 100
20 W	Accepts shelf dividers.Includes 5" high back.	30"	91/4"	15"	CIULSR30		106
	 Includes separate brackets which allow for 	36"	91⁄4"	15"	CIULSR36		113
James Comment	on-module or off-module mounting.	42"	91/4"	15"	CIULSR42		119
~ k	 Plastic radiused edge runs the full width of shelf front. 	48"	91⁄4"	15"	CIULSR48		125
	 Mounting bracket design prevents accidental 	54"	91⁄4"	15"	CIULSR54		134
	dislodging of components.	60"	91⁄4"	15"	CIULSR60		146
	On module.						
.75	Universal Regular Shelf	24"	16½"	15"	CIURSR24		107
	Accepts shelf dividers. Includes full back.	30"	16½"		CIURSR30		114
	Includes separate brackets which allow for	36"	16½"		CIURSR36		121
Ann was	on-module or off-module mounting.	42"	16½"		CIURSR42		127
A STATE OF THE STA	 Plastic radiused edge runs the full width of shelf front. 	48"	16½"		CIURSR48		134
	Mounting bracket design prevents accidental	54"	16½"		CIURSR54		142
	dislodging of components.	60"	16½"	15"	CIURSR60		150
	On module.						
	Universal Shelf Dividers • Steel shelf dividers with powder coat finish.				NSD		10
	Fits on all shelves and cabinets.						
()	On module.						
- Po							
					A	B	
					•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

2616	CU UTITI COTOT.
В	= Black
G	= Gray
S	= Sand
W	= Wa rm Gray
L	= Light Tone

			MODEL NUMBER		
		W II D	Basic		
	MODEL	W H D	Model	Trim	Sales Price
Mr.	Steel Universal Overhead Includes separate brackets which	24" 16½" 15"	CIRDS24		\$169
74. P	allow for on-module or off-module	30" 16½" 15"	CIRDS30		181
418	mounting.	36" 16½" 15"	CIRDS36		194
177	 Open door recedes inside of 	42" 161⁄2" 15"	CIRDS42		203
	cabinet.	48" 16½" 15"	CIRDS48		217
	 Plastic radiused edge runs the full width of shelf front. 	54" 16½" 15"	CIRDS54		246
	Mounting bracket design prevents	60" 16½" 15"	CIRDS60		269
	accidental dislodging of	00 1072 10	OINDOOD		200
	components.				
	Full height back.On module.				
	• Oil filodule.				
				1	
			A	B	

Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim colo

Sel	Select trim color.				
В	= Black				
G	= Gray				
S	= Sand				
W	= Wa rm Gray				
L	= Light Tone				

Storage and Accessories Universal Overheads

				MODEL I	NUMBER		
MODEL	W	Н	D	Basic Model	Trim	Fabric	Laminate
`⊫ Universal Overhead - Fabric Front	24"	16½"	15"	CIRDF24			
 Includes separate brackets which allow for on- 	30"	16½"	15"	CIRDF30			
module or off-module mounting. • Open door recedes inside of cabinet.	36"	16½"	15"	CIRDF36			
Plastic radiused edge runs the full width of shelf	42"	16½"	15"	CIRDF42			
front.	48"	161⁄2"	15"	CIRDF48			
 Mounting bracket design prevents accidental dislodging of components. 	54"	161⁄2"	15"	CIRDF54			
Full height back.	60"	16½"	15"	CIRDF60			
 On module. 							
Universal Overhead - Laminate Front		16½"		CIRDL24			
Includes separate brackets which allow for on- module properties.	30"	16½"	15"	CIRDL30			
module or off-module mounting. • Open door recedes inside of cabinet.	36"	16½"	15"	CIRDL36			
 Plastic radiused edge runs the full width of shelf 	42"	16½"	15"	CIRDL42			
front.	48"	16½"		CIRDL48			
 Mounting bracket design prevents accidental dislodging of components. 		16½"		CIRDL54			
 Full height back. 	60"	16½"	15"	CIRDL60			
• On module.							
							1

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color. **B** = Black **G** = Gray

S = Sand = Wa rm Gray = Light Tone

Select fabric color.

4595 = Meteor

Group A - FR701 1511 = Blue Neutral **1506** = Green Neutral **1518** = Wedgewood 1510 = Silver Papier **1546** = Cherry Neutral **1515** = Quart z **1531** = Gray Mix G roup A - Éclipse

 = Chicory = Amber Grain = Serengeti = Coco Palm = Iron Ore **Group A - Carrara** = Beeswax = Verdigris = Tinctoria = Green Earth = Teak Oil **9445** = Gesso **9444** = Casein Group A - Galaxy 4526 = Desert Sand Gravel = Bermuda Seamist = Blueberrry Sky = Sundew Sandrift

4525 = Fog Stardust

1690 = Tourmaline

4531 = Gobi Moonbeam 4541 = Wrought Silver **Group B - Serendipity 9617** = Coincidence 9626 = Four Leaf Clover **9622** = Lady Luck 9619 = Guardian Angel **9620** = Lucky Duck **9618** = Fortuitous

 Select laminate color. **AA** = Cream = Champagne = Barcelona AF = Aruba Tan AG = Black AH = Dark Gray ΑI = Greige = Fog

9624 = Silver Spoon

Storage and Accessories Universal Overheads

	Sales Price
Laurianta Danal	Fabric David
Laminate Panel	Fabric Panel
	\$ 178
	190
	203
	214
	227
	258
	282
\$ 186	
201	
224	
233	
244	
272	
285	

AK	= Black Grandin
AL	= Smoke Granite
AM	= Sand Grandin
AN	= Light Granite
A0	= Tundra
AP	= Earthen
AQ	= Rose Grafix
AS	= Sierra Grafix
AT	= Beige Grafix
AU	= Sand Stone
AV	= Kentucky Walnut
AW	= Tennessee Oak
AX	= Light Oak
AY	= Red Birch
ΑZ	= Light Ash
BA	= Philadelphia Cherry
BB	= Pennsylvania Cherry
0A	= Oak
PA	= Pearwood
MA	= Mahogany

GA	= Maple	
ZZ	= COM	

Storage and Accessories Venus™ Overheads

			MODEL NUM	ИBER				
	MODEL	W H D	Basic Model	Cabinet Paint Color	Upper Door Color	Upper Door Laminate	Upper Door Fabric	
	Venus Solid Color Upper Door Overhead	30" 17" 191⁄4"	CIVNOS30					
	Colored or translucent extruded	36" 17" 191⁄4"	CIVNOS36					
	PVC door Painted cabinet and lower door	42" 17" 191⁄4"	CIVNOS42					
	Mounting brackets included	48" 17" 191⁄4"	CIVNOS48					
	Shelf dividers available separately	54" 17" 191⁄4"	CIVNOS54					
	Fully assembledWill accept hanging tool rail	60" 17" 191⁄4"	CIVNOS60					
	and tackboards (Attachment bar ordered							
	separately)							
	On module							
	Venus Laminate Upper Door Overhead	30" 17" 191/4"	CIVNOL30					
-100	Laminate upper door	36" 17" 191⁄4"	CIVNOL36					
	Painted cabinet and lower doorMounting brackets included	42" 17" 191/4"	CIVNOL42					
Kill Share	Shelf dividers available separately	48" 17" 191⁄4"	CIVNOL48					
) June	Fully assembled	54" 17" 191⁄4"	CIVNOL54					
	 Will accept hanging tool rail and tackboards (Attachment bar ordered 	60" 17" 191⁄4"	CIVNOL60					
	separately) • On module							
\sim	Venus Fabric Upper Door Overhead	30" 17" 191⁄4"	CIVNOF30					
	 Fabric covered upper door Painted cabinet and lower door Mounting brackets included 	36" 17" 191⁄4"	CIVNOF36					
		42" 17" 191⁄4"	CIVNOF42					
	 Shelf dividers available separately 	48" 17" 191⁄4"	CIVNOF48					
	Fully assembled	54" 17" 191⁄4"	CIVNOF54					
	 Will accept hanging tool rail and tackboards (Attachment bar ordered separately) 	60" 17" 191⁄4"	CIVNOF60					
	On module		A	В	•	•	•	

HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select cabinet paint color. **B** = Black

G = Gray **S** = Sand = Wa rm Gray = Light Tone

)	Sele	ct upper aoor solia color.
	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone
	T	= Translucent

Select laminate color.

AA = Cream AB = Champagne AC = Barcelona AF = Aruba Tan AG = Black AH = Dark Gray = Dawn Gray (Greige) ΑI AJ = Fog = Black Grandin AK AL = Smoke Granite AM = Sand Grandin AN = Light Granite = Tundra A0 AP =Earthen = Rose Grafix AQ AS = Sierra Grafix AT = Beige Grafix AU = Sand Stone

= KentuckyWalnut

AW = Tennessee Oak AX = Light Oak AY = Red Birch ΑZ = Ash = Philadelphia Cherry BB = Pennsylvania Cherry = Mahogany = Oak BC BD BE = Maple = Pearwood = COM

Storage and Accessories Venus™ Overheads


Solid Color Laminate Group A Group B \$224 249 268 289 321 353 \$275 288
Fabric Solid Color Laminate Group A Group B \$224 249 268 289 321 353 \$275
Solid Color Laminate Group A Group B \$224 249 268 289 321 353 353 \$275 \$275 \$275 \$275 \$350
\$224 249 268 289 321 353
268 289 321 353 \$275
289 321 353 \$275
321 353 \$275
353 \$275
\$275
288
306
325
363
400
фОО А — фОО О
\$234 \$239 250 264
259 264 279 282
278 283 299 304
331 337 363 369
202 209

••••	fabric color.
	A - FR701
1511	= Blue Neutral
1506	= Green Neutral
1518	= Wedgewood
1510	= Silver Papier
1546	= Cherry Neutral
1515	= Quartz
1531	= Gray Mix
Group	A - Eclipse
4595	= Meteor
1690	= Tourmaline
4604	= Chicory
4605	= Amber Grain
4593	= Serengeti
4594	= Coco Palm
1691	= Iron Ore

Group	A - Carrara
9447	= Beeswax
9454	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
Group	A - Galaxy
4526	= Desert Sand Gravel
4538	= Bermuda Seamist
4544	= Blueberrry Sky
4542	= Sundew Sandrift
4525	= Fog Stardust
4531	= Gobi Moonbeam
4541	= Wrought Silver

	B - Serendipity
	= Coincidence
	= Four Leaf Clover
	= Lady Luck
9619	= Guardian Angel
9620	= Lucky Duck
	= Fortuitous
9624	= Silver Spoon

Accessories Panel Hung



MODEL Tackboards

- Tackboards are constructed of ¼" tackable board laminated to a ½" masonite sheet and the front is covered with fabric..
- Includes mounting brackets to hang on panel the same width.
- On module.

		MODEL NUMBER		Color	. Deino	
W	Н	Basic Model	Fabric	Fabric Group A	Fabric Group B	
24"	12"	CITBB2412		\$ 21	\$ 22	
30"	12"	CITBB3012		24	25	
36"	12"	CITBB3612		28	29	
42"	12"	CITBB4212		30	31	
48"	12"	CITBB4812		34	35	
54"	12"	CITBB5412		37	38	
60"	12"	CITBB6012		40	41	
24"	16"	CITBB2416		26	27	
30"	16"	CITBB3016		29	30	
36"	16"	CITBB3616		33	34	
42"	16"	CITBB4216		35	36	
48"	16"	CITBB4816		39	40	
54"	16"	CITBB5416		42	43	
60"	16"	CITBB6016		45	46	
24"	30"	CITBB2430		32	33	
30"	30"	CITBB3030		45	46	
36"	30"	CITBB3630		48	49	
42"	30"	CITBB4230		56	57	
48"	30"	CITBB4830		60	61	
54"	30"	CITBB5430		67	68	
60"	30"	CITBB6030		76	77	
24"	48"	CITBB2448		51	53	
30"	48"	CITBB3048		64	66	
36"	48"	CITBB3648		76	78	
42"	48"	CITBB4248		88	90	
48"	48"	CITBB4848		92	94	
54"	48"	CITBB5448		95	97	
60"	48"	CITBB6048		97	99	





HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- ◆ Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER


A Select basic model.

B Select fabric color.

,		IADITO COTOL
	G roup	A - FR701
	1511	= Blue Neutral
	1506	= Green Neutral
		= Wedgewood
	1510	= Silver Papier
	1546	= Cherry Neutral
	1515	= Quart z
	1531	= Gray Mix
		A - Eclipse
	4595	= Meteor
	1690	= Tourmaline
	4604	= Chicory
	4605	= Amber Grain
	4593	= Serengeti
	4594	= Coco Palm
	1691	= Iron Ore

Group	A - Carrara
9447	= Beeswax
9454	= Verdigris
9456	= Tinctoria
9455	= Green Earth
9448	= Teak Oil
9445	= Gesso
9444	= Casein
Group	A - Galaxy
	D 10 10 1
4526	= Desert Sand Gravel
	= Desert Sand Gravel = Bermuda Seamist
4538	
4538 4544	= Bermuda Seamist
4538 4544 4542	= Bermuda Seamist = Blueberrry Sky
4538 4544 4542 4525	= Bermuda Seamist = Blueberrry Sky = Sundew Sandrift
4538 4544 4542 4525 4531	= Bermuda Seamist = Blueberrry Sky = Sundew Sandrift = Fog Stardust

Group B - Serendipity	
9617 = Coincidence	
9626 = Four Leaf Clover	
9622 = Lady Luck	
9619 = Guardian Angel	
9620 = Lucky Duck	
9618 = Fortuitous	
9624 = Silver Spoon	



Indicate the following information on order form:

- 1. Quantity of each item.
- Model number, including options. See
 "How to Build a Model Number."
- 3. Any special service required.


Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Accessories Task Lights



HOW TO ORDER

Indicate the following information on order

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: ullet The \square indicates that a choice is required.

- \bullet The absence of $\hfill\Box$ indicates that no choice is required.
- of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

• Alpha-numeric characters in place

_		
3	Sele	ect trim color.
_	В	= Black
	G	= Gray
	S	= Sand
	W	= Wa rm Gray
	L	= Light Tone

Accessories

Accessories Miscellaneous

					MODEL NU	MBER	
	MODEL	W	Н	D	Basic Model	Trim	
	Wall Track Double-slotted track accommodates wall mounting of components.	1¼"	66"	1"	CICWT66		
		1¼"	84"	1"	CICWT84		
	 No attachment hardware included. See 						
	installation guidelines for mounting restrictions.						
		978		/ · · · · · · ·	01011		
	Coat Hooks/Picture Hanger Plastic hook attaches under the top cap of the panel to support coat hanger or hang picture.	3⁄4" 3⁄4"		(single) ack of 12)	CICH CICH12		
		94	(þ	10K UI 12)	GIGITIZ		
9 p							
Ŭ							
וען							
						B	
					•	U	

HOW TO ORDER

Indicate the following information on order form:

- 1. Quantity of each item.
 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that
- natives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B

no choice is required.

• Alpha-numeric characters in place of \square indicate that no other alter-

Sele	ect trim color.
В	= Black
G	= Gray
S	= Sand
W	= Wa rm Gray
L	= Light Tone
	B G S

Sales Price		
\$ 57 67		
07		
1		
10		
10		

					MODEL NU	IMBER	
	MODEL	W	Н	D	Basic Model	Trim	Sales Price
	Mounting Rail	18"	3½"	5⁄8"	CILB18		\$ 19
	Painted aluminum extrusion.Includes mounting brackets and end caps.	24"	3½"	5⁄8"	CILB24		20
	Wire management capability.	30"	3½"	5⁄8"	CILB30		21
1-8	For use with accessories on page 154-155.	36"	31/2"	5⁄8"	CILB36		22
		42"	31/2"	5⁄8"	CILB42		25
		48"	3½"	5⁄8"	CILB48		26
		54"	3½"	5⁄8"	CILB54		29
		60"	3½"	5⁄8"	CILB60		30
	Vertical Storage Unit • Painted steel bottom/back unit.	5"	9"	12"	CIBBIN		19
	 Front is injection molded. Includes removable hanging bracket. Includes identification clip. 						
\D	Madical Bass Massacrat	0411	401/11	011	OII /DM		40
	Vertical Paper Management Hangs from horizontal panel frame members at top of panel. Mounting clip included.	21"	131/8"	2"	CIVPM		48
	 Six vertical paper slots. Painted steel in desired trim color. ID clips must be ordered separately. 						
~ ~ ~	Diagonal Storage Unit	9"	3"	12"	CISS3		30
	 Painted steel bottom/back unit. Front is injection molded. 						
Lolala	 Includes removable hanging bracket. 						
	 Dividers can be used in left or right position. Includes three identification clips. Set of three dividers. 						
A	Telephone Pad	25 ¹³ ⁄16"	8"	105⁄64"	CITP		24
	Painted steel in desired trim color. Hangs from standard load bar. Accommodates standard phone sizes.	20 710		10 704	A	•	

Indicate the following information on order form:

- 1. Quantity of each item.
 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- no choice is required.
- of \square indicate that no other alter-


HOW TO BUILD A MODEL NUMBER

A Select basic model.

ullet The absence of \Box indicates that

• Alpha-numeric characters in place natives are available.

	ect trim color.	
В	= Black	
G	= Gray	
S	= Sand	
W	= Wa rm Gray	
L	= Light Tone	



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.

- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

Select trim color.

B = Black **G** = Gray

= Sand

= Wa rm Gray = Light Tone

					MODEL NUMBER		
	MODEL	W	Н	D	Basic Model	Trim	Sales Price
	Tool Rail	12"	4½"	<u> </u>	CIPMTR12		\$ 21
	Accommodates the contemporary paper	18"	31/2"		CIPMTR18		22
	management components on pages 154-157. • Includes mounting bracket and end caps.	24"	31/2"		CIPMTR24		23
	 Hangs on a panel of matching length. 	30"	31/2"		CIPMTR30		24
	Multiple rails may be stacked together.	36"	31/2"		CIPMTR36		25
	 Consists of four slots to accept components. 72" rail consists of two 36" rails with middle 	42"	3½"		CIPMTR42		28
	support.	48"	31/2"		CIPMTR48		29
		54"	3½"		CIPMTR54		31
		60"	31/2"		CIPMTR60		32
		72"	31/2"		CIPMTR72		38
	Plastic Hanging Folder HolderPlastic construction.One pair in each set.	2"	1"	8½"	PFH		10
R	 Allows for hanging letter and legal size folders. Suspends from tool rail. 						
	Plantic Paner Trey Unit	2"	91/5"	14"	PLL		15
	Plastic Paper Tray Unit Plastic construction. Accepts letter and legal size paper. Suspends from tool rail.	2	972	14	PLL		10
	Plastic Diagonal Storage Unit • Plastic construction.	2½"	7"	12½"	PDS		29
WW.	Three slanted partitions per unit with dividers.Suspends from tool rail.						
					A	₿	

Indicate the following information on order form:

- Quantity of each item.
 Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: \bullet The \square indicates that a choice is required.


- ullet The absence of \Box indicates that no choice is required.
- Alpha-numeric characters in place of \square indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.

B Select trim color.

001	oot ti iiii ooloi.	
В	= Black	
G	= Gray	
S	= Sand	
W	= Wa rm Gray	
T	= Light Tone	



Indicate the following information on order form:

- 1. Quantity of each item.
- 2. Model number, including options. See "How to Build a Model Number."
- 3. Any special service required.

Note: • The ☐ indicates that a choice is required.

- The absence of □ indicates that no choice is required.
- Alpha-numeric characters in place of ☐ indicate that no other alternatives are available.

HOW TO BUILD A MODEL NUMBER

A Select basic model.


 $\frac{\text{Select trim color.}}{\mathbf{B} = \text{Black}}$


G = Gray **S** = Sand

S = Sand V = Wa rm Gray

L = Light Tone

Classic XXI Budget Typicals






Receptionist Station


Workspace 48 sq. ft. Budget Price \$3,695

Note: Budget price is based on single typical workstation. Price will decrease when workstations are clustered.

Workstation Features:

- Fabric acoustical panels, 66" high with electrical capabilities
- ADA laminate countertop on 42" high panels
- Laminate surfaces with flat vinyl T-edge
- Fabric overhead units with task lights
- A rticulating keyboard with mouse pad
- Two mobile pedestals pencil/box/file
- Paper management tool rail and accessories
- Tackboard





Assistant Station


Workspace 36 sq. ft. Budget Price \$3,030


Note: Budget price is based on single typical workstation. Price will decrease when workstations are clustered.

Workstation Features:

- Fabric acoustical panels, 66" high with electrical capabilities
- · Laminate surfaces with flat vinyl T-edge
- Fabric overhead units with task lights
- A rticulating keyboard with mouse pad
- Two mobile pedestals pencil/box/file
- Paper management tool rail and accessories
- Tackboard

Classic XXI Budget Typicals






Clerk Station


Workspace 36 sq. ft. Budget Price \$2,470

Note: Budget price is based on single typical workstation. Price will decrease when workstations are clustered.

Workstation Features:

- Fabric acoustical panels, 66" high with electrical capabilities
- Laminate surfaces with flat vinyl T-edge
- Fabric overhead unit with task light
- Articulating keyboard with mouse pad
- Mobile pedestal pencil/box/file
- Paper management tool rail and accessories
- Center pencil drawer





Shared Station


Workspace 87 sq. ft. Budget Price \$5,209


Note: Budget price is based on single typical workstation. Price will decrease when workstations are clustered.

Workstation Features:

- Fabric acoustical panels, 32" high, 42" high, 54" high and 66" high with electrical capabilities
- Laminate surfaces with flat vinyl T-edge including peninsula top
- Fabric overhead units and open shelf with task lights
- Articulating keyboard with mouse pad
- Mobile pedestal pencil/box/file
- Paper management tool rail and accessories
- Tackboards

Classic XXI Budget Typicals






Engineer Station


Workspace 64 sq. ft. Budget Price \$4,643

Note: Budget price is based on single typical workstation. Price will decrease when workstations are clustered.

Workstation Features:

- Fabric acoustical panels, 66" high with electrical capabilities
- Laminate surfaces with flat vinyl T-edge
- · Fabric overhead units and open shelf with task lights
- Two 30" wide 2-high lateral files
- · A rticulating keyboard with mouse pad
- Mobile pedestal pencil/box/file
- Tackboard





Manager Station

Workspace 103 sq. ft. Budget Price \$4,834 This station can be ordered at 80" high with a door for \$6,194

Note: Budget price is based on single typical workstation. Price will decrease when workstations are clustered.

Workstation Features:

- Fabric acoustical panels, 66" high with electrical capabilities
- Clear or bronze glazed panels, 66" high
- Laminate surfaces with flat vinyl T-edge including peninsula top
- · Fabric overhead units with task lights, open shelf
- A rticulating keyboard with mouse pad
- Two mobile pedestals pencil/box/file
- Paper management tool rail and accessories
- Center pencil drawer
- Tackboard



CATPP403



800.827.3168 www.unicor.gov