

SELECTED REPORTS ON GEOLOGY AND WATER RESOURCES OF CONNECTICUT

- Ahearn, E.A., 2002, Streamflow in the Quinnipiac River Basin, Connecticut—Statistics and trends, 1931–2000: U.S. Geological Survey Water-Resources Investigations Report 02-4217, 42 p.
- Ahearn, E.A., 2003, Peak-flow frequency estimates for U.S. Geological Survey streamflow-gaging stations in Connecticut: U.S. Geological Survey Water-Resources Investigations Report 03-4196, 29 p. Online only at <http://water.usgs.gov/pubs/wri/wri034196/>
- Ahearn, E.A., 2004, Regression equations for estimating flood flows for the 2-, 10-, 25-, 50-, 100-, and 500-year recurrence intervals in Connecticut: U.S. Geological Survey Scientific Investigations Report 2004-5160, 62 p. Online at <http://pubs.usgs.gov/sir/2004/5160/>
- Ashley, G.M., and Stone, J.R., 1995, The paleoclimatic record for southern New England, 15 ka to 12 ka [abs.], in 1995 GSA abstracts with programs, 30th annual Northeastern Section meeting, Cromwell, Conn., March 20-22, 1995: Boulder, Colo., Geological Society of America, v. 27, no. 1, p. 27.
- Baker, J.A., 1966, Records and logs of selected wells and test borings, ground-water levels in selected observation wells, and freshwater inflow into the Connecticut River at the CANEL site, Middletown, Connecticut: Connecticut Water Resources Bulletin 10, 18 p.
- Baker, J.A., Lang, S.M., and Thomas, M.P., 1965, Geology and hydrology of the Hartford Research Center, CANEL site, Middletown, Connecticut: U.S. Geological Survey Bulletin 1133-G, p. G1-G42.
- Barker, R.M., 1972, Landforms, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-H, scale 1:24,000.
- Barker, R.M., and Stone, C.S., 1972, Natural land slopes, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-I, scale 1:24,000.
- Barksdale, H.C., O'Bryan, Deric, and Schneider, W.J., 1966, Effects of drought on water resources in the Northeast: U.S. Geological Survey Hydrologic Investigation Atlas 243, 1 sheet.
- Barnes, H.H., Jr., 1967, Roughness characteristics of natural channels: U.S. Geological Survey Water-Supply Paper 1849, 213 p.
- Benson, M.A., 1962, Factors influencing the occurrence of floods in a humid region of diverse terrain: U.S. Geological Survey Water-Supply Paper 1580-B, p. B1-B64.
- Bent, G.C. 2000, Suspended-sediment characteristics in the Housatonic River Basin, western Massachusetts and parts of eastern New York and northwestern Connecticut: U.S. Geological Survey 00-4059, 121 p.
- Beres, Milan, Jr., and Haeni, F.P., 1991, Application of ground-penetrating-radar methods in hydrogeologic studies: *Ground Water*, v. 29, no. 3, p. 375-386.
- Bigham, D.K., and Bohr, J.R., 1989, Offstream freshwater use in Connecticut, 1985: U.S. Geological Survey Open-File Report 88-457, 1 sheet.
- Bigwood, B.L., and Thomas, M.P., 1955, A flood-flow formula for Connecticut: U.S. Geological Survey Circular 365, 16 p.
- Bingham, J.W., 1976, Contour map of the bedrock surface, Middletown quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-639-B, scale 1:24,000.
- Bingham, J.W., 1984, Hydrogeologic reconnaissance of the stratified-drift aquifers near Simsbury, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 83-4145, 16 p.
- Bingham, J.W., 1991, Water availability and quality from the stratified drift in Anguilla Brook basin, Stonington and North Stonington, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 85-4276, 49 p.
- Bingham, J.W., and Paine, F.D., 1976, Contour map of the bedrock surface, Durham quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-776-A, scale 1:24,000.
- Bingham, J.W., and Rolston, J.L., 1978, Road salt storage and road network in Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-981-A, scale 1:125,000.
- Bingham, J.W., and Todd, A.R., 1979, Proximity of agricultural areas to major aquifers in Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-981-F, scale 1:125,000.

- Bingham, J.W., McKeegan, D.K., and Potterton, R.S., Jr., 1987, Hydrogeologic data for southwest Connecticut: Connecticut Water Resources Bulletin 33A, 54 p.
- Bingham, J.W., Paine, F.D., and Weiss, L.A., 1975, Hydrogeologic data for the lower Connecticut River basin, Connecticut: Connecticut Water Resources Bulletin 30, 59 p.
- Blakey, J.F., 1966, Temperature of surface waters in the conterminous United States: U.S. Geological Survey Hydrologic Investigation Atlas 235, scale 1:5,000,000, 3 sheets.
- Bogart, D.B., 1960, Floods of August-October 1955, New England to North Carolina: U.S. Geological Survey Water-Supply Paper 1420, 854 p.
- Brackley, R.A., and Thomas, M.P., 1978, Map showing mean annual runoff and major drainage basins in the Connecticut Valley urban area, central New England: U.S. Geological Survey Miscellaneous Investigations Series Map I-1074-G, scale 1:125,000, 2 sheets.
- Brackley, R.A., and Thomas, M.P., 1979, Map showing estimated 7-day, 10-year low flow of streams in the Connecticut Valley urban area, central New England: U.S. Geological Survey Miscellaneous Investigations Series Map I-1074-H, scale 1:125,000, 2 sheets.
- Breault, R.F., and Harris, S.L., 1997, Geographical distribution and potential for adverse biological effects of selected trace elements and organic compounds in streambed sediment in the Connecticut, Housatonic, and Thames River Basins, 1992-94: U.S. Geological Survey Water-Resources Investigations Report 97-4169, 24 p.
- Britton, L.J., Averett, R.C., and Ferreira, R.F., 1975, An introduction to the processes, problems, and management of urban lakes: U.S. Geological Survey Circular 601-K, 22 p.
- Brown, C.E., 1974, Contour map of the bedrock surface, Branford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-560-C, scale 1:24,000.
- Brown, C.E., 1974, Map showing resources of coarse aggregate, Branford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-560-B, scale 1:24,000.
- Brown, C.E., 1974, Map showing unconsolidated materials, Branford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-560-A, scale 1:24,000.
- Brown, C.E., 1976, Map showing depths to bedrock, Branford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-560-E, scale 1:24,000.
- Brown, C.J., and Chute, S.K., 2002, Arsenic concentrations in bedrock wells in Colchester, East Hampton, and Woodstock, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 02-4135, 23 p.
- Brown, J.S., 1925, A study of coastal ground water with special reference to Connecticut: U.S. Geological Survey Water-Supply Paper 537, 101 p.
- Brown, J.S., 1928, Ground water in the New Haven area, Connecticut: U.S. Geological Survey Water-Supply Paper 540, 206 p.
- Bue, C.D., 1963, Principal lakes of the United States: U.S. Geological Survey Circular 476, 22 p.
- Bue, C.D., 1970, Streamflow from the United States into the Atlantic Ocean during 1931-60: U.S. Geological Survey Water-Supply Paper 1899-I, p. I1-I36.
- Burke, E.L., 1974, Streamflow on north coast of Long Island Sound, Connecticut River Estuary, Connecticut: U.S. Geological Survey Open-File Report 74-322, 1 sheet.
- Burke, E.L., 1974, Streamflow on north coast of Long Island Sound, south-central Connecticut: U.S. Geological Survey Open-File Report 74-325, 1 sheet.
- Burke, E.L., 1974, Streamflow on the north coast of Long Island Sound, western Long Island Sound area, New York and Connecticut: U.S. Geological Survey Open-File Report 74-318, 1 sheet.
- Burke, E.L., 1974, Streamflow on the north coast of Long Island Sound, greater Bridgeport valley, Connecticut: U.S. Geological Survey Open-File Report 74-316, 1 sheet.
- Burke, E.L., 1974, Streamflow on the north coast of Long Island Sound, southwestern Connecticut: U.S. Geological Survey Open-File Report 74-315, 1 sheet.

- Burke, E.L., 1974, Streamflow on the north coast of Long Island Sound, southeastern Connecticut: U.S. Geological Survey Open-File Report 74- 314, 1 sheet.
- Busby, M.W., 1963, Yearly variations in runoff for conterminous United States, 1931-60: U.S. Geological Survey Water-Supply Paper 1669-S, p. S1-S49.
- Busby, M.W., 1966, Annual runoff in the conterminous United States: U.S. Geological Survey Hydrologic Investigation Atlas 212, scale 1:7,500,000, 1 sheet.
- Cederstrom, D.J., 1972, Evaluation of yields of wells in consolidated rocks, Virginia to Maine: U.S. Geological Survey Water-Supply Paper 2021, 38 p.
- Cederstrom, D.J., and A.L. Hodges, Jr., 1967, Ground-water favorability of the Connecticut River basin, New England States: U.S. Geological Survey Hydrologic Investigation Atlas 249, scale 1:250,000, 2 sheets.
- Cervione, M.A., Jr., 1972, Time of travel of a dye in Quinnipiac River, Connecticut: Connecticut Department of Environmental Protection Bulletin 2, 11 p.
- Cervione, M.A., Jr., 1982, Streamflow information for Connecticut with applications to land-use planning: Connecticut Water Resources Bulletin 35, 35 p.
- Cervione, M.A., Jr., Davies, B.S. 3rd, Bohr, J.R., and Bingham, J.W., 1989, Water resources data, Connecticut, water year 1988: U.S. Geological Survey Water-Data Report CT-88-1, 346 p.
- Cervione, M.A., Jr., Davies, B.S. 3rd, Bohr, J.R., and Hunter, B.W., 1990, Water resources data, Connecticut, water year 1989: U.S. Geological Survey Water-Data Report CT-89-1, 321 p.
- Cervione, M.A., Jr., Davies, B.S. 3rd, Bohr, J.R., and Hunter, B.W., 1991, Water resources data, Connecticut, water year 1990: U.S. Geological Survey Water-Data Report CT-90-1, 265 p.
- Cervione, M.A., Jr., Davies, B.S., 3rd, Bohr, J.R., and Hunter, B.W., 1992, Water resources data, Connecticut, water year 1991: U.S. Geological Survey Water-Data Report CT-91-1, 255 p.
- Cervione, M.A., Jr., Davies, B.S., 3rd, Bohr, J.R., and Hunter, B.W., 1993, Water resources data, Connecticut, water year 1992, U.S. Geological Survey Water-Data Report CT-92-1, 261 p.
- Cervione, M.A., Jr., Grossman, I.G., and Thomas, C.E., Jr., 1968, Hydrogeologic data for the lower Thames and southeastern coastal river basins, Connecticut: Connecticut Water Resources Bulletin 16, 65 p.
- Cervione, M.A., Jr., Mazzaferro, D.L., and Melvin, R.L., 1972, Water resources inventory of Connecticut, part 6, upper Housatonic River basin: Connecticut Water Resources Bulletin 21, 84 p.
- Cervione, M.A., Jr., Melvin, R.L., and Cyr, K.A., 1982, A method for estimating the 7-day, 10-year low flow of streams in Connecticut: Connecticut Water Resources Bulletin 34, 17 p.
- Cervione, M.A., Jr., Richardson, A.R., and Weiss, L.A., 1993, Low-flow characteristics of selected streams in Rhode Island: U.S. Geological Survey Water-Resources Investigations Report 93-4046, 16 p.
- Cervione, M.A., Jr., Shepard, T.B., Gasperini, I.S., and Bingham, J.W., 1986, Water resources data, Connecticut, water year 1984: U.S. Geological Survey Water-Data Report CT-84-1, 347 p.
- Cervione, M.A., Jr., Weiss, L.A., Bohr, J.R., and Bingham, J.W., 1987, Water resources data, Connecticut, water year 1985: U.S. Geological Survey Water-Data Report CT-85-1, 279 p.
- Cervione, M.A., Jr., Weiss, L.A., Bohr, J.R., and Bingham, J.W., 1988, Water resources data, Connecticut, water year 1986: U.S. Geological Survey Water-Data Report CT-86-1, 263 p.
- Cervione, M.A., Jr., Weiss, L.A., Bohr, J.R., and Bingham, J.W., 1989, Water resources data, Connecticut, water year 1987: U.S. Geological Survey Water-Data Report CT-87-1, 295 p.
- Clebnik, S.M., 1974, Map showing unconsolidated materials, Willimantic quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-586-A, scale 1:24,000.
- Coles, J.F., 1996, Organochlorine compounds and trace elements in fish tissue and ancillary data for the Connecticut, Housatonic, and Thames River Basins study unit, 1992-94: U.S. Geological Survey Open-File Report 96-358, 26 p.

- Collins, W.D., 1925, Temperature of water available for industrial use in the United States: U.S. Geological Survey Water-Supply Paper 520-F, p. 97-104.
- Colombo, M.J., 2001, Continuous water-quality monitoring of nonpoint-source pollution in four Connecticut basins [abs.], *in* Clausen, J.C. (ed.), 8th National Nonpoint Source Monitoring Workshop, Sept. 11-14, 2001, Hartford, Conn., Proceedings: Chicago, Ill., U.S. Environmental Protection Agency, EPA/905-R-01-008, p. 228.
- Colombo, M.J., Grady, S.J., and Trench, E.C.T., 2004, Nutrient enrichment, phytoplankton algal growth, and estimated rates of instream metabolic processes in the Quinebaug River Basin, Connecticut, 2000–2001: U.S. Geological Survey Scientific Investigations Report 2004-5227, 61 p. Online at <http://pubs.usgs.gov/sir/2004/5227/>
- Colombo, M.J., and Trench, E.C.T., 2002, Trends in surface-water quality in Connecticut: U.S. Geological Survey Water-Resources Investigations Report 02-4012, 39 p.
- Colton, R.B., 1960, Surficial geology of the Windsor Locks quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-137, scale 1:24,000.
- Colton, R.B., 1965, Geologic map of the Broad Brook quadrangle, Hartford and Tolland Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-434, scale 1:24,000.
- Colton, R.B., 1965, Geologic map of the Manchester quadrangle, Hartford and Tolland Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-433, scale 1:24,000.
- Colton, R.B., 1965, Geologic map of the Manchester quadrangle, Hartford and Tolland Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-433, scale 1:24,000.
- Colton, R.B., 1965, Geologic map of the Broad Brook quadrangle, Hartford and Tolland Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-434, scale 1:24,000.
- Colton, R.B., 1965, Pleistocene stratigraphy of Tudor Hill, South Windsor, Connecticut [abs.]: Geological Society of America Special Paper 82, p. 30.
- Colton, R.B., 1968, Surficial geologic map of the West Torrington quadrangle, Litchfield County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-727, scale 1:24,000.
- Colton, R.B., 1969, Surficial geologic map of the New Preston quadrangle, Litchfield County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-782, scale 1:24,000.
- Colton, R.B., 1970, Surficial geology of the Collinsville quadrangle, Connecticut: U.S. Geological Survey Open-File map, scale 1:24,000.
- Colton, R.B., 1971, Surficial geologic map of the Torrington quadrangle, Litchfield and Hartford Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-939, scale 1:24,000.
- Colton, R.B., 1972, Surficial geologic map of the Ellington quadrangle, Hartford and Tolland Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-965, scale 1:24,000.
- Colton, R.B., and Cushman, R.V., 1963, Contour map of the bedrock surface of the Manchester quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-402, scale 1:24,000.
- Colton, R.B., and Hartshorn, J.H., 1966, Bedrock geologic map of the West Springfield quadrangle, Massachusetts and Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-537, scale 1:24,000.
- Colton, R.B., and Hartshorn, J.H., 1971, Surficial geologic map of the West Springfield quadrangle, Massachusetts and Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-892, scale 1:24,000.
- Connecticut Water Resources Commission, 1975, Water resources of Connecticut: Report to the General Assembly-1957.
- Curtis, W.F., Culbertson, J.K., and Chase, E.B., 1973, Fluvial-sediment discharge to the oceans from the conterminous United States: U.S. Geological Survey Circular 670, 17 p.
- Cushman, R.V., 1950, Bibliography of publications relating to ground water in Connecticut: U.S. Geological Survey Open-File Report, 12 p., 1 map.

- Cushman, R.V., 1954, Memorandum on ground-water conditions on Haddam, Connecticut: U.S. Geological Survey Open-File Report, 7 p., 1 pl.
- Cushman, R.V., 1954, Progress report of cooperative ground-water investigations for Connecticut for the year ended June 30, 1954: U.S. Geological Survey Open-File Report, 1 p.
- Cushman, R.V., 1963, Geology of the Hartford North quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-223, scale 1:24,000.
- Cushman, R.V., 1964, Ground-water resources of north-central Connecticut: U.S. Geological Survey Water-Supply Paper 1752, 96 p.
- Cushman, R.V., Allen, W.B., and Pree, H.L., Jr., 1953, Geologic factors affecting the yield of rock wells in southern New England: New England Water Works Association Journal, v. 67, p. 77-95.
- Cushman, R.V., Baker, J.A., and Meikle, R.L., 1964, Records and logs of selected wells and test borings, and chemical analyses of water in north-central Connecticut: Connecticut Water Resources Bulletin 4, 27 p.
- Cushman, R.V., and Colton, R.B., 1963, Contour map of the bedrock surface of the Broad Brook quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-401, scale 1:24,000.
- Cushman, R.V., Pauszek, F.H., Randall, A.D., and Thomas, M.P., 1965, Water resources of the Waterbury-Bristol area, Connecticut: U.S. Geological Survey Water-Supply Paper 1499-J, p. J1-J86 (Revised by H.L. Baldwin, 1965.)
- Cushman, R.V., Tanski, Daniel, and Thomas, M.P., 1964, Water resources of the Hartford-New Britain area, Connecticut: U.S. Geological Survey Water-Supply Paper 1499-H, p. H1-H96.
- Davies, B.S., 3rd, Bohr, J.R., and Hunter, B.W., 1994, Water resources data, Connecticut, water year 1993: U.S. Geological Survey Water-Data Report CT-93-1, 273 p.
- Davies, B.S., 3rd, Bohr, J.R., Mullaney, J.R., and Morrison, Jonathan, 1995, Water resources data, Connecticut, water year 1994: U.S. Geological Survey Water-Data Report CT-94-1, 333 p.
- Davies, B.S., 3rd, Bohr, J.R., Morrison, Jonathan, Kiesman, S.S., and Loos, D.A., 1996, Water resources data, Connecticut, water year 1995: U.S. Geological Survey Water-Data Report CT-95-1, 367 p.
- Davies, B.S., 3rd, Morrison, Jonathan, Kiesman, S.S., and Colombo, M.J., 1997, Water resources data, Connecticut, water year 1996: U.S. Geological Survey Water-Data Report CT-96-1, 275 p.
- Davies, B.S., 3rd, Morrison, Jonathan, Bohr, J.R., and Sargent, T.C., 1998, Water resources data, Connecticut, water year 1997: U.S. Geological Survey Water-Data Report CT-97-1, 328 p.
- Davies, B.S., 3rd, Morrison, Jonathan, Norris, J.R., and Organek, J.A., 1999, Water resources data, Connecticut, water year 1998: U.S. Geological Survey Water-Data Report CT-98-1, 340 p.
- Davis, G.H., and Wood, L.A., 1974, Water demands for expanding energy development: U.S. Geological Survey Circular 703, 14 p.
- DiGiacomo-Cohen, M.L., Stone, J.R., and Lewis, R.S., 1991, Detailed seismic-reflection analysis of an ice-marginal lacustrine fan in eastern Long Island Sound [abs.]: Geological Society of America Abstracts with Programs, v. 23, no. 1, p. 22.
- Dixon, H.R., 1965, Bedrock geologic map of the Plainfield quadrangle, Windham and New London Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-481, scale 1:24,000.
- Dixon, H.R., 1968, Bedrock geologic map of the Danielson quadrangle, Windham County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-696, scale 1:24,000.
- Dixon, H.R., 1974, Bedrock geologic map of the Thompson quadrangle, Windham County, Connecticut and Providence County, Rhode Island: U.S. Geological Survey Geologic Quadrangle Map GQ-1165, scale 1:24,000.
- Dixon, H.R., 1982, Bedrock geologic map of the Putnam quadrangle, Windham County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1562, scale 1:24,000.

- Dixon, H.R., and Felmlee, J.K., 1986, Bedrock geologic map of the Jewett City quadrangle, New London County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1575, scale 1:24,000.
- Dixon, H.R., and Pessl, Fred, Jr., 1966, Geologic map of the Hampton quadrangle, Windham County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-468, scale 1:24,000.
- Dixon, H.R., and Shaw, C.E., Jr., 1965, Geologic map of the Scotland quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-392, scale 1:24,000.
- Doenges, J.M., Allan, C.P., Jontos, R.J., Jr., and Liebler, C.A., 1990, Carrying capacity of public water supply watersheds—a literature review of impacts on water quality from residential development: Connecticut Department of Environmental Protection Bulletin 11, 130 p., 12 appendixes.
- Dupuy, C.J., Healy, D.F., Thomas, M.A., Brown, D.R., Siniscalchi, A.J., and Dembek, Z.F., 1991, A survey of naturally occurring radionuclides in groundwater in selected bedrock aquifers in Connecticut and implications for public health policy, *in* Gilbert, C.E., and Calabrese, E.J., eds., *Regulating Drinking Water Quality*: Boca Raton, Florida, Lewis Publishers, p. 95-119.
- Durfor, C.N., and Becker, Edith, 1964, Chemical quality of public water supplies of the United States and Puerto Rico, 1962: U.S. Geological Survey Hydrologic Investigation Atlas 200, 1 sheet.
- Durfor, C.N., and Becker, Edith, 1964, Public water supplies of the 100 largest cities in the United States, 1962: U.S. Geological Survey Water- Supply Paper 1812, 364 p.
- Durum, W.H., Hem, J.D., and Heidel, S.G., 1971, Reconnaissance of selected minor elements in surface waters of the United States, October 1970: U.S. Geological Survey Circular 643, 49 p.
- Duxbury, A.C., A hydrographic survey of New Haven Harbor 1962-1963: Connecticut Water Resources Bulletin 3A, unpaginated. Ellis, A.J., 1916, Ground water in the Waterbury area, Connecticut: U.S. Geological Survey Water-Supply Paper 397, 73 p.
- Feininger, Tomas, 1965, Bedrock geologic map of the Ashaway quadrangle, Connecticut-Rhode Island: U.S. Geological Survey Geologic Quadrangle Map GQ-403, scale 1:24,000.
- Feininger, Tomas, 1965, Bedrock geologic map of the Voluntown quadrangle, New London County, Connecticut and Kent and Washington Counties, Rhode Island: U.S. Geological Survey Geologic Quadrangle Map GQ-436, scale 1:24,000.
- Feininger, Tomas, 1965, Surficial geologic map of the Voluntown quadrangle, Connecticut-Rhode Island: U.S. Geological Survey Geologic Quadrangle Map GQ-469 scale 1:24,000.
- Feth, J.H., 1973, Water facts and figures for planners and managers: U.S. Geological Survey Circular 601-I, p. 11-130.
- Feth, J.H., and others, 1965, Preliminary map of the conterminous United States showing depth to and quality of shallowest ground water containing more than 1,000 parts per million dissolved solids: U.S. Geological Survey Hydrologic Investigation Atlas 199, scale 1:3,168,000, 2 sheets.
- Ficke, J.F., and Hawkinson, R.O., 1975, The National Stream Quality Accounting Network (NASQAN)-Some questions and answers: U.S. Geological Survey Circular 719, 23 p.
- Fretwell, J.D., Williams, J.S., Redman, P.J. (compilers), 1996, National water summary 1992-93—wetland resources: U.S. Geological Survey Water-Supply Paper 2425, 431 p.
- Frick, T.W., 1998, Estimated withdrawals and use of water in Connecticut in 1995: U.S. Geological Survey Fact Sheet FS-043-98, 2 p.
- Frimpter, M.H., 1980, Ground-water availability in the north part of the Connecticut Valley urban area, central New England: U.S. Geological Survey Miscellaneous Investigations Series Map I-1074-I, scale 1:125,000.
- Frink, C.R., Sawhney, B.L., Kulp, K.P., and Fredette, C.G., 1982, PCBs in Housatonic River sediments in Massachusetts and Connecticut— Determination, distribution, and transport: Connecticut Agricultural Experiment Station Bulletin 800, 43 p.
- Fritts, C.E., 1963, Bedrock geology of the Mount Carmel quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-199, scale 1:24,000.

- Fritts, C.E., 1963, Bedrock geology of the Southington quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-200, scale 1:24,000.
- Fritts, C.E., 1965, Bedrock geologic map of the Ansonia quadrangle, Fairfield and New Haven Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-426, scale 1:24,000.
- Fritts, C.E., 1965, Bedrock geologic map of the Milford quadrangle, Fairfield and New Haven Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-427, scale 1:24,000.
- Garabedian, S.P., Coles, J.F., Grady, S.J., Trench, E.C.T., and Zimmerman, M.J., 1998, Water quality in the Connecticut, Housatonic, and Thames River Basins, Connecticut, Massachusetts, New Hampshire, New York, and Vermont, 1992-95: U.S. Geological Survey Circular 1155, 32 p.
- Gates, R.M., 1959, Bedrock geology of the Roxbury quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-121, scale 1:24,000.
- Ginsberg, M.H., 1976, Map showing depth to bedrock, Guilford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-583-C, scale 1:24,000.
- Ginsberg, M.H., 1976, Map showing depth to bedrock, New Haven-Woodmont quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-557-C, scale 1:24,000.
- Ginsberg, M.H., 1984, Map showing depth to bedrock, Clinton quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-553-C, scale 1:24,000.
- Ginsberg, M.H., 1984, Map showing depth to bedrock, Meriden quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-661-B, scale 1:24,000.
- Goldsmith, Richard, 1960, Surficial geology of the Uncasville quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-138, scale 1:24,000.
- Goldsmith, Richard, 1962, Surficial geology of the Montville quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-148, scale 1:24,000.
- Goldsmith, Richard, 1962, Surficial geology of the New London quadrangle, Connecticut-New York: U.S. Geological Survey Geologic Quadrangle Map GQ-176, scale 1:24,000.
- Goldsmith, Richard, 1964, Surficial geology of the Niantic quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-329, scale 1:24,000.
- Goldsmith, Richard, 1967, Bedrock geologic map of the New London quadrangle in Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-574, scale 1:24,000.
- Goldsmith, Richard, 1967, Bedrock geologic map of the Niantic quadrangle, New London County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-575, scale 1:24,000.
- Goldsmith, Richard, 1967, Bedrock geologic map of the Uncasville quadrangle, New London County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-576, scale 1:24,000.
- Goldsmith, Richard, 1967, Bedrock geologic map of the Montville quadrangle, New London County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-609, scale 1:24,000.
- Goldsmith, Richard, 1974, Map showing unconsolidated materials, Montville quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-580-A, scale 1:24,000.
- Goldsmith, Richard, 1974, Map showing unconsolidated materials, Niantic quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-593-A, scale 1:24,000.
- Goldsmith, Richard, 1985, Bedrock geologic map of the Old Mystic and part of the Mystic quadrangles, Connecticut, New York, and Rhode Island: U.S. Geological Survey Miscellaneous Investigations Series Map I-1524, scale 1:24,000, 8 p.
- Gorin, S.R., and Haeni, F.P., 1989, Use of surface-geophysical methods to assess riverbed scour at bridge piers: U.S. Geological Survey Water-Resources Investigations Report 88-4212, 33 p.
- Grady, S.J., 1989, Statistical comparison of ground-water quality in four land-use areas of stratified-drift aquifers in Connecticut, *in* Mallard, G.E., and Ragone, S.E., eds., U.S. Geological Survey Toxic Substances Hydrology Program—Proceedings of the technical meeting, Phoenix, Arizona, September 26-30, 1988: U.S. Geological Survey Water-Resources Investigations Report 88-4220, p. 473-481.

- Grady, S.J., 1989, Use of electromagnetic methods in ground-water contamination studies—an application at the sanitary landfill, Farmington, Connecticut: Connecticut Water Resources Bulletin 41, 58 p.
- Grady, S.J., 1993, Analysis of nonpoint source ground-water contamination in relation to land use—Chapter B, Effects of land use on water quality in stratified-drift aquifers in Connecticut: U.S. Geological Survey Open- File Report 91-200, 87 p.
- Grady, S.J., 1994, Effects of land use on quality of water in stratified-drift aquifers in Connecticut—Chapter B, Analysis of nonpoint-source ground-water contamination in relation to land use: U.S. Geological Survey Water-Supply Paper 2381, 56 p.
- Grady, S.J., 1994, Relations of pesticides in ground water to land use in Connecticut, Massachusetts, and Vermont [abs.], *in* Sorenson, S.K., ed., American Water Resources Association's Symposium on the National Water-Quality Assessment (NAWQA) Program—Proceedings abstracts, Chicago, Illinois, November 7-9, 1994: U.S. Geological Survey Open-File Report 94-397, p. 11.
- Grady, S.J., 1997, Volatile organic compounds in ground water in the Connecticut, Housatonic, and Thames River Basins, 1993-1995: U.S. Geological Survey Fact Sheet FS-029-97.
- Grady, S.J., and Casey, G.D., 1999, A plan for assessing the occurrence and distribution of methyl tert-butyl ether and other volatile organic compounds in drinking water and ambient ground water in the Northeast and Mid-Atlantic regions of the United States: U.S. Geological Survey Open-File Report 99-207, 36 p.
- Grady, S.J., and Casey, G.D., 2001, Occurrence and distribution of methyl tert-butyl ether and other volatile organic compounds in drinking water in the Northeast and Mid-Atlantic regions of the United States, 1993-98: U.S. Geological Survey Water-Resources Investigations Report 00-4228 123 p.
- Grady, S.J., and Haeni, F.P., 1984, Application of electromagnetic techniques on determining distribution and extent of ground-water contamination at a sanitary landfill, Farmington, Connecticut, *in* Nielson, D.M., and Curl, Mary, eds., National Water Well Association/U.S. Environmental Protection Agency Conference on Surface and Borehole Geophysical Methods in Ground-Water Investigations, San Antonio, Texas, Proceedings: Worthington, Ohio, National Water Well Association, p. 338-367.
- Grady, S.J. and Handman, E.H., 1983, Hydrogeologic evaluation of selected stratified-drift deposits in Connecticut: U.S. Geological Survey Water-Resources Investigations Report 83-4010, 51 p.
- Grady, S.J., and Mullaney, J.R., 1998, Natural and human factors affecting shallow water quality in surficial aquifers in the Connecticut, Housatonic, and Thames River Basins: U.S. Geological Survey Water-Resources Investigations Report 98-4042, 81 p.
- Grady, S.J., and Weaver, M.F., 1988, Preliminary appraisal of the effects of land use on water quality in stratified-drift aquifers in Connecticut—U.S. Geological Survey Toxic Waste—Ground-Water Contamination Program: U.S. Geological Survey Water-Resources Investigations Report 87-4005, 41 p.
- Grady, S.J., and Weaver, M.F., 1989, Evaluation of groundwater quality in relation to land use for stratified-drift aquifers in Connecticut, *in* Ragone, S.E., ed., Regional characterization of water quality, Proceedings of the Baltimore Symposium, May 1989: International Association of Hydrological Sciences, Publication 182, p. 19-29.
- Grady, S.J., Weaver, M.F., and Bingham, J.W., 1992, Ground-water availability and water quality in the Titicus River valley, Ridgefield, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 87-4144, 50 p.
- Green, Aaron, Lane, J.W., Jr., Johnson, C.D., Williams, J.H., Mondazzi, R.A., and Joesten, P.K., 2004, Combined use of borehole geophysics and packers to site potable wells in a contaminated area in Montville, Connecticut, in 2004 U.S. EPA/NGWA Fractured Rock Conference: State of the Science and Measuring Success in Remediation, September 13-15, 2004, Portland, Maine. Proceedings: National Ground Water Association, CD-ROM, p. 295-307.
- Gregory, H.E., 1905, Underground waters of eastern United States, with a section on Connecticut: U.S. Geological Survey Water-Supply Paper 114, p. 76-81.
- Gregory, H.E., 1909, Underground water resources of Connecticut, with a study of Occurrence of water in crystalline rocks, by E.E. Ellis: U.S. Geological Survey Water-Supply Paper 232, 200 p.

- Gregory, H.E., and Ellis, A.J., 1916, Ground water in the Hartford, Stamford, Salisbury, Willimantic, and Saybrook areas, Connecticut: U.S. Geological Survey Water-Supply Paper 374, 150 p.
- Grossman, I.G., 1970, Waterborne styrene in a crystalline bedrock aquifer in the Gales Ferry area, Ledyard, southeastern Connecticut, *in* Geological Survey Research 1970: U.S. Geological Survey Professional Paper 700-B, p. B203-B209.
- Grossman, I.G., and Wilson, W.E., 1970, Hydrogeologic data for the lower Housatonic River basin, Connecticut: Connecticut Water Resources Bulletin 20, 50 p.
- Grover, N.C., 1937, The floods of March 1936-Part 1, New England rivers: U.S. Geological Survey Water-Supply Paper 798, 466 p.
- Guy, H.P., 1970, Sediment problems in urban areas: U.S. Geological Survey Circular 601-E, p. E1-E8.
- Haeni, F.P., 1974, Contour map of the bedrock surface, Clinton quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-553-A, scale 1:24,000.
- Haeni, F.P., 1974, Contour map of the bedrock surface, Guilford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-583-A, scale 1:24,000.
- Haeni, F.P., 1974, Contour map of the bedrock surface, Mount Carmel quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-540-A, scale 1:24,000.
- Haeni, F.P., 1974, Contour map of the bedrock surface, Wallingford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-554-A, scale 1:24,000.
- Haeni, F.P., 1976, Contour map of the bedrock surface, Meriden quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-661-A, scale 1:24,000.
- Haeni, F.P., 1978, Computer modeling of ground water availability in the Pootatuck River Valley, Newtown, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 78-77, 64 p.
- Haeni, F.P., 1986, Application of continuous seismic-reflection methods to hydrologic studies: *Ground Water*, v. 24, no. 1, p. 23-31.
- Haeni, F.P., 1986, Application of seismic-refraction methods in ground-water modeling studies in New England: *Geophysics*, v. 51, no. 2, p. 236-249.
- Haeni, F.P., 1986, The use of electromagnetic methods to delineate vertical and lateral lithologic changes in glacial aquifers, *in* National Water Well Association Conference on Surface and Borehole Geophysical Methods and Ground Water Instrumentation, Denver, Colorado, October 15-17, 1986, Proceedings: Worthington, Ohio, National Water Well Association, p. 259- 282.
- Haeni, F.P., 1988, Application of seismic-refraction techniques to hydrologic studies: U.S. Geological Survey Techniques of Water-Resources Investigations, Book 2, Chapter D2, 86 p.
- Haeni, F.P., 1988, Evaluation of the continuous seismic-refraction method for determining the thickness and lithology of stratified drift in the glaciated northeast, *in* Randall, A.D., and Johnson, A.I., eds., Regional aquifer systems of the United States—the northeast glacial aquifers: American Water Resources Association Monograph Series no. 11, p. 63-82.
- Haeni, F.P., 1992, Use of ground-penetrating radar and continuous seismic-reflection profiling on surface-water bodies in environmental and engineering studies, *in* Bell, R.S., ed., Symposium on the Application of Geophysics to Engineering and Environmental Problems, Oakbrook, Illinois, April 26-29, 1992, Proceedings: Golden, Colorado, Society of Engineering and Mineral Exploration Geophysicists, p. 145-162.
- Haeni, F.P., 1995, Application of surface-geophysical methods to investigations of sand and gravel aquifers in the glaciated northeastern United States: U.S. Geological Survey Professional Paper 1415-A, 70 p.
- Haeni, F.P., and Anderson, H.R., 1980, Hydrogeologic data for south-central Connecticut: Connecticut Water Resources Bulletin 32, 43 p.
- Haeni, F.P., and Gorin, S.R., 1989, Post-flood measurement of a refilled scour hole at the Bulkeley Bridge in Hartford, Connecticut, *in* Proceedings of the Bridge Scour Symposium: McLean, Virginia, Federal Highway Administration Report FHWA-RD-90-035, p. 147-174.

- Haeni, F.P., McKeegan, D.K., and Capron, D.R., 1987, Ground penetrating radar study of the thickness and extent of sediments beneath Silver Lake, Berlin and Meriden, Connecticut: U.S. Geological Survey Water- Resources Investigations Report 85-4108, 19 p.
- Haeni, F.P., and Melvin, R.L., 1974, Contour map of the bedrock surface, New London quadrangle, Connecticut: U.S. Geological Survey Open-File Report 74-254, 1 p, 1 sheet.
- Haeni, F.P., and Melvin, R.L., 1984, High resolution continuous seismic- reflection studies of a stratified-drift deposit in Farmington, Connecticut, *in* Nielson, D.M., and Curl, Mary, eds., National Water Well Association/U.S. Environmental Protection Agency Conference on Surface and Borehole Geophysical Methods in Ground-Water Investigations, San Antonio, Texas, Proceedings: Worthington, Ohio, National Water Well Association, p. 237-256.
- Haeni, F.P., and Placzek, Gary, 1991, Use of processed geophysical data to improve the delineation of infilled scour holes at bridge piers, *in* Expanded Abstracts with Biographies, SEG 61st Annual International Meeting, Houston, Texas, November 10-14, 1991: Tulsa, Oklahoma, Society of Exploration Geophysicists, p. 549-552.
- Haeni, F.P., Placzek, Gary, and Trent, R.E., 1992, Use of ground-penetrating radar to investigate refilled scour holes at bridge foundations, *in* Hanninen, Pauli and Autio, Sini, eds., Fourth International Conference on Ground Penetrating Radar, Rovaniemi, Finland, June 8-13, 1992, Proceedings: Geological Survey of Finland Special Paper 16, p. 285-292.
- Haeni, F.P., and Sanders, 1974, Contour map of the bedrock surface, New Haven-Woodmont quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-557-A, scale 1:24,000.
- Haeni, F.P., and Wilson, W.E., 1974, Contour map of the bedrock surface, Milford quadrangle, Connecticut: U.S. Geological Survey Open-File Report 74-253, 1 p., 1 sheet.
- Hanchar, D.W., and Grady, S.J., 1994, Effects of urban land use on shallow ground-water quality in stratified-drift aquifers—comparison of data from the Hudson River basin, New York and the Connecticut River basin, Connecticut and Massachusetts [abs.], *in* EOS Transactions, 1994 Spring meeting, Baltimore, Maryland, May 23-27, 1994: Washington D.C., American Geophysical Union, v. 75, no. 16, p. 150.
- Handman, E.H., 1972, Depth to water table, Hartford North, quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-L, scale 1:24,000.
- Handman, E.H., 1973, Depth to bedrock, Windsor Locks quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-450-B, scale 1:24,000.
- Handman, E.H., 1974, Contour map of the bedrock surface, Tariffville quadrangle, Connecticut-Massachusetts: U.S. Geological Survey Miscellaneous Field Study Map MF-512-C, scale 1:24,000.
- Handman, E.H., 1975, Contour map of the bedrock surface, Collinsville quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-654-A, scale 1:24,000.
- Handman, E.H., 1975, Contour map of the bedrock surface, New Britain quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-523-C, scale 1:24,000.
- Handman, E.H., 1986, Delineating recharge areas for stratified-drift aquifers in Connecticut with geologic and topographic maps: U.S. Geological Survey Water-Resources Investigations Report 83-4230, 39 p.
- Handman, E.H., and Bingham, J.W., 1980, Effects of selected sources of contamination on ground-water quality at seven sites in Connecticut: U.S. Geological Survey Water-Resources Investigations Open-File Report 79-1596, 63 p.
- Handman, E.H., and Byrnes, J.B., 1974, Map showing depth to bedrock, Hartford South quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-487-D, scale 1:24,000.
- Handman, E.H., and Colton, R.B., 1973, Depth to bedrock, Manchester quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-452-B, scale 1:24,000.
- Handman, E.H., and Ginsberg, M.H., 1975, Map showing depth to bedrock, Mount Carmel quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-540-B, scale 1:24,000.

- Handman, E.H., Grossman, I.G., Bingham, J.W., and Rolston, J.L., 1979, Major sources of ground-water contamination in Connecticut: U.S. Geological Survey Water-Resources Investigations Open-File Report 79-1069, 59 p.
- Handman, E.H., Haeni, F.P., and Thomas, M.P., 1986, Water resources inventory of Connecticut, part 9, Farmington River basin: Connecticut Water Resources Bulletin 29, 91 p.
- Handman, E.H., and Hildreth, C.T., 1972, Depth to bedrock, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I- 784-D, scale 1:24,000.
- Handman, E.H., and Meade, D.B., 1975, Contour map of the bedrock surface, Bristol quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-665-A, scale 1:24,000.
- Handman, E.H., and Ryder, R.B., 1973, Contour map of the bedrock surface, Avon quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-514-A, scale 1:24,000.
- Handman, E.H., and Ryder, R.B., 1974, Contour map of the bedrock surface, Ellington quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-604-A, scale 1:24,000.
- Handman, E.H., and Schnabel, R.W., 1973, Map showing depth to bedrock, Avon quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-514-B, scale 1:24,000.
- Hanshaw, P.M., 1962, Surficial geology of the Meriden quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-150, scale 1:24,000.
- Hanshaw, P.M., 1968, Bedrock geologic map of the Meriden quadrangle, New Haven, Hartford, and Middlesex Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-738, scale 1:24,000.
- Hanshaw, P.M., and Snyder, G.L., 1962, Surficial geology of the Norwich quadrangle: U.S. Geological Survey Geologic Quadrangle Map GQ-165, scale 1:24,000.
- Harris, S.J., 1996, Connecticut wetland resources, *in* Fretwell, J.D., Williams, J.S., Redman, P.J. (compilers), 1996, National water summary 1992-93—wetland resources: U.S. Geological Survey Water-Supply Paper 2425, p. 141-146.
- Hartshorn, J.H., and Koteff, Carl, 1967, Geologic map of the Springfield South quadrangle, Hampden County, Massachusetts, and Hartford and Tolland Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-678, scale 1:24,000.
- Harwood, D.S., 1979, Bedrock geologic map of the Norfolk quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1518, scale 1:24,000.
- Harwood, D.S., 1979, Bedrock geologic map of the South Sandisfield quadrangle, Massachusetts and Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1519, scale 1:24,000.
- Harwood, D.S., and Goldsmith, Richard, 1971, Surficial geologic map of the Oneco quadrangle, Connecticut-Rhode Island: U.S. Geological Survey Geologic Quadrangle Map GQ-917, scale 1:24,000.
- Harwood, D.S., and Goldsmith, Richard, 1971, Bedrock geologic map of the Oneco quadrangle, Connecticut-Rhode Island: U.S. Geological Survey Geologic Quadrangle Map GQ-930, scale 1:24,000.
- Healy, D.F., 1990, Connecticut water supply and use, with sections on “public-supply water use” by H.D. Sternberg and “water management” by C.J. Hughes, *in* Carr, J.E., Chase, E.B., Paulson, R.W., and Moody, D.W. (compilers), National Water Summary 1987—Hydrologic events and water supply and use: U.S. Geological Survey Water-Supply Paper 2350, p. 193- 200.
- Healy, D.F., and Kulp, K.P., 1995, Water-quality characteristics of selected public recreational lakes and ponds in Connecticut: U.S. Geological Survey Water-Resources Investigations Report 95-4098, 277 p.
- Healy, D.F., Pizzuto, E.J., and Hoffman, G.F., 1994, Water-quality data for selected rivers and harbors in Connecticut, 1973-85: Connecticut Water Resources Bulletin 44, 293 p.
- Hem, J.D., 1970, Study and interpretation of the chemical characteristics of natural water (2d ed.): U.S. Geological Survey Water-Supply Paper 1473, 269 p.
- Hildreth, C.T., and Colton, R.B., 1982, Surficial geologic map of the Hampden quadrangle, Massachusetts and Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1544, scale 1:24,000.

- Hildreth, C.T., and Keune, C.H., 1972, Location of wells and test holes, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-P, scale 1:24,000.
- Holmes, G.W., and Newman, W.S., 1971, Surficial geologic map of the Ashley Falls quadrangle, Massachusetts-Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-936, scale 1:24,000.
- Holmes, G.W., Newman, W.S., and Melvin, R.L., 1970, Preliminary surficial geologic map of the South Canaan quadrangle: U.S. Geological Survey unnumbered open-file report.
- Hopkins, H.J., and Handman, E.H., 1975, Hydrogeologic data for the Farmington River basin, Connecticut: Connecticut Water Resources Bulletin 28, 49 p.
- House, J.R., Boyd, T.M., and Haeni, F.P., 1995, Haddam Meadows, CT—A case study for the acquisition, processing, and relevance of the 3-D seismic reflection method as applied to near-surface concerns, *in* Expanded Abstracts with Author's Biographies, SEG International Exposition and 65th Annual Meeting, Houston, Texas, October 8-13, 1995: Tulsa, Oklahoma, Society of Exploration Geophysicists, p. 411-414.
- Hunter, B.W., Kulp, K.P., and Meade, D.B., 1985, Mashapaug Pond, Union, Connecticut: Connecticut Department of Environmental Protection Map- pamphlet, I oversize sheet.
- Hyde, R.C., and Colton, R.B., 1973, Depth to bedrock, Broad Brook quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-451-G, scale 1:24,000.
- Hyde, R.C., and Cotton, R.B., 1984, Map showing depth to bedrock, Rockville quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-1701, scale 1:24,000.
- Jackson, D.D., 1905, The normal distribution of chlorine in the natural waters of New York and New England: U.S. Geological Survey Water-Supply Paper 144, 31 p.
- Johnson, C.D., Dawson, C.B., Belaval, Marcel, and Lane, J.W., Jr., 2002, An integrated surface-geophysical investigation of the University of Connecticut landfill, Storrs, Connecticut—2000: U.S. Geological Survey, Water-Resources Investigations Report 02-4008, 39 p.
- Johnson, C.D., Haeni, F.P., and Lane, J.W., Jr., 2001, Importance of discrete-zone monitoring systems in fractured-bedrock wells—A case study for the University of Connecticut landfill, Storrs, Connecticut: *in* Fractured Rock 2001 Conference, Proceedings, Toronto, Ontario, March 26-28, 2001, CD-ROM.
- Johnson, C.D., Haeni, F.P., Lane, J.W., and White, E.A., 2002, Borehole-geophysical investigation of the University of Connecticut landfill, Storrs, Connecticut: U.S. Geological Survey, Water-Resources Investigations Report 01-4033, 187 p.
- Johnson, C.D., Joesten, P.K., and Mondazzi, R.A., 2005, Borehole-geophysical and hydraulic investigation of the fractured-rock aquifer near the University of Connecticut landfill, Storrs, Connecticut, 2000 to 2001: U.S. Geological Survey, Water-Resources Investigations Report 03-4125, 133 p.
- Johnson, C.D., and Kastrinos, J.R., 2002, Use of geophysical, hydraulic, and geochemical methods to develop a site conceptual ground-water flow model in central Connecticut, *in* Fractured Rock 2002 Conference, Denver, Colorado, March 13-15, 2002, Proceedings [abs.]: Westerville, Ohio, National Ground Water Association.
- Johnson, C.D., Lane, J.W., Jr., Williams, J.H., and Haeni, F.P., 2001, Application of geophysical methods to delineate contamination in fractured rock at the University of Connecticut landfill, Storrs, Connecticut: *in* Symposium on the Application of Geophysics to Engineering and Environmental Problems, Denver, Colorado, March 4-7, 2001, Proceedings: Wheat Ridge, Colo., Environmental and Engineering Geophysical Society, CD-ROM.
- Johnson, K.E., 1961, Ground-water map of the Watch Hill quadrangle, Rhode Island-Connecticut: Rhode Island Water Resources Coordinating Board Ground-Water Map GWM-14.
- Kinnison, H.B., Conover, L.F., and Bigwood, B.L., 1938, Stages and flood discharges of the Connecticut River at Hartford, Connecticut: U.S. Geological Survey Water-Supply Paper 836-A, p. 1-18.
- Knoll, M.D., Haeni, F.P., and Knight, R.J., 1991, Characterization of a sand and gravel aquifer using ground-penetrating radar, Cape Cod, Massachusetts, *in* Mallard, G.E., and Aronson, D.A., eds. U.S. Geological Survey Toxic Substances Hydrology Program—Proceedings of the technical meeting, Monterey, California, March 11-15, 1991: U.S. Geological Survey Water-Resources Investigations Report 91-4034, p. 29- 35.

- Knox, C.E., and Nordenson, T.J., 1955, Average annual runoff and precipitation in the New England-New York area: U.S. Geological Survey Hydrologic Investigation Atlas 7, scale 1:1,000,000, 1 sheet.
- Korzendorfer, B.A., and Horn, M.A., 1995, Estimated water use in the New England States, 1990: U.S. Geological Survey Water-Resources Investigations Report 94-4252, 21 p.
- Korzendorfer, B.A., Horn, M.A., and Medalie, Laura, 1995, Estimated withdrawals and use of freshwater in Connecticut, 1990: U.S. Geological Survey Water-Resources Investigations Report 93-4010, 1 sheet.
- Koteff, Carl, 1973, Map showing resources of coarse aggregate, Springfield South quadrangle, Massachusetts-Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-509-B, scale 1:24,000.
- Koteff, Carl, 1973, Map showing unconsolidated materials, Springfield South quadrangle, Massachusetts-Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-509-A, scale 1:24,000, 2 sheets.
- Koteff, Carl, Stone, J.R., Larsen, F.D., Ashley, G.M., Boothroyd, Jon, and Dincauze, Dena, 1988, Glacial Lake Hitchcock, postglacial uplift, and post-lake archaeology, p. 169-208, *in* Field Trip Guidebook AMQUA 1988, Julie Brigham-Grette, ed.: Dept. of Geology and Geography, Univ. of Massachusetts, Contribution 63, 243 p.
- Koteff, Carl, Stone, J.R., Larsen, F.D., and Hartshorn, J.H., 1987, Glacial Lake Hitchcock and postglacial uplift: Guidebook for the 50th Annual Field Conference of the Friends of the Pleistocene. also, U.S. Geological Survey Open-File Report 87-329.
- Koza, D.M., 1979, Map showing unconsolidated materials, Ellington quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-604-B, scale 1:24,000.
- Kroll, R.L., 1977, Bedrock geology of the Norwalk North and Norwalk South quadrangles: State Geological and Natural History Survey of Connecticut Quadrangle Report 34, 55 p. with maps.
- Kulp, K.P., 1981, Bathymetry and aquatic plants of Lake Waramaug, Connecticut: U.S. Geological Survey Open-File Report 81-477, 1 sheet.
- Kulp, K.P., 1982, Quality of surface waters in Wilton, Connecticut: U.S. Geological Survey Water-Resources Investigations Open-File Report 82-260, 51 p.
- Kulp, K.P., 1984, Suspended-sediment characteristics of the Yantic River at Yantic, Connecticut: Connecticut Water Resources Bulletin 39, 34 p.
- Kulp, K.P., 1991, Concentration and transport of polychlorinated biphenyls in the Housatonic River between Great Barrington, Massachusetts, and Kent, Connecticut, 1984-88: U.S. Geological Survey Water-Resources Investigations Report 91-4014, 12 p.
- Kulp, K.P., 1991, Suspended-sediment characteristics of Muddy Brook at Woodstock, Connecticut, with a section on The water quality of Roseland Lake and its major tributaries, Muddy Brook and Mill Brook: Connecticut Water Resources Bulletin 43, 64 p.
- Kulp, K.P., and Bohr, J.R., 1993, Connecticut stream water quality, *with a section on* "water-quality management" by F.S. Banach, *in* Paulson, R.W., Chase, E.B., Williams, J.S., and Moody, D.W., compilers, National Water Summary 1990-91—Hydrologic events and stream water quality: U.S. Geological Survey Water-Supply Paper 2400, p. 207-214.
- Kulp, K.P., and Gay, F.B., 1986, Polychlorinated biphenyls in the Housatonic River: Proceedings of the Fourth Federal Interagency Sedimentation Conference 1986, v. 2, sec. 7, p. 31-40.
- Kulp, K.P., and Grason, David, 1992, A water-quality investigation of Lake Waramaug and surrounding watershed, Litchfield County, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 85-4267, 97 p.
- Kulp, K.P., and Hunter, B.W., 1985, Mashapaug Pond, Union, Connecticut: Connecticut Department of Environmental Protection Map-pamphlet, 1 oversize sheet.
- Kulp, K.P., and Hunter, B.W., 1987, Bashan Lake, East Haddam, Connecticut: Connecticut Department of Environmental Protection Map-pamphlet, 1 oversize sheet.

- Kulp, K.P., and Hunter, B.W., 1987, Cedar Lake, Chester, Connecticut: Connecticut Department of Environmental Protection Map-pamphlet, 1 oversize sheet.
- Kulp, K.P., and Hunter, B.W., 1987, Lake Waramaug, Kent, Warren, and Washington, Connecticut: Connecticut Department of Environmental Protection Map-pamphlet, 1 oversize sheet.
- Kulp, K.P., and Hunter, B.W., 1987, Lake Winchester, Winchester, Connecticut: Connecticut Department of Environmental Protection Map- pamphlet, 1 oversize sheet.
- Kulp, K.P., and Hunter, B.W., 1987, Mansfield Hollow Lake, Mansfield and Windham, Connecticut: Connecticut Department of Environmental Protection Map-pamphlet, 1 oversize sheet.
- Kulp, K.P., and Hunter, B.W., 1987, Pachaug Pond, Griswold, Connecticut: Connecticut Department of Environmental Protection Map-pamphlet, 1 oversize sheet.
- Kulp, K.P., and Hunter, B.W., 1987, Precipitation chemistry in Connecticut, 1981-83: Connecticut Water Resources Bulletin 40, 28 p.
- Kulp, K.P., and Hunter, B.W., 1988, Beseck Lake, Middlefield, Connecticut: Connecticut Department of Environmental Protection Map-pamphlet, 1 oversize sheet.
- Kulp, K.P., and Hunter, B.W., 1988, Mudge Pond, Sharon, Connecticut: Connecticut Department of Environmental Protection Map-pamphlet, 1 oversize sheet.
- Kulp, K.P., and Hunter, B.W., 1988, Squantz Pond, Sherman and New Fairfield, Connecticut: Connecticut Department of Environmental Protection Map- pamphlet, 1 oversize sheet.
- Kulp, K.P., and Hunter, B.W., 1989, Breakneck Pond, Union, Connecticut and Sturbridge, Massachusetts: Connecticut Department of Environmental Protection Map-pamphlet, 1 oversize sheet.
- Kulp, K.P., and Hunter, B.W., 1989, West Thompson Lake, Thompson, Connecticut: Connecticut Department of Environmental Protection Map- pamphlet, 1 oversize sheet.
- Lai, Chintu, Ruggles, F.H., Jr., and Weiss, L.A., 1971, Evaluation of flow in tidal reaches of the Connecticut River by mathematical model: U.S. Geological Survey unnumbered open-file report, 24 p.
- Lane, J.W. Jr., Williams, J.H., Johnson, C.D., Savino, Sr. D.-M., and Haeni, F.P., 2002, An integrated geophysical and hydraulic investigation to characterize a fractured-rock aquifer, Norwalk, Connecticut: U.S. Geological Survey Water-Resources Investigation Report 01-4133, 97 p.
- Langer, W.H., 1972, Thickness of principal clay unit, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-E, scale 1:24,000.
- Langer, W.H., 1972, Thickness of material overlying principal clay unit, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-F, scale 1:24,000.
- Langer, W.H., 1972, Resources of coarse aggregate, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-G, scale 1:24,000.
- Langer, W.H., 1973, Map showing resources of coarse aggregate, Broad Brook quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-451-E, scale 1:24,000.
- Langer, W.H., 1973, Map showing thickness of material overlying principal clay unit, Windsor Locks quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-450-D, scale 1:24,000.
- Langer, W.H., 1973, Map showing thickness of material overlying Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-452-E, scale 1:24,000.
- Langer, W.H., 1973, Map showing thickness of material overlying principal clay unit, Broad Brook quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-451-D, scale 1:24,000.
- Langer, W.H., 1973, Map showing thickness of principal clay unit, Broad Brook quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-451-C, scale 1:24,000.
- Langer, W.H., 1973, Map showing thickness of principal clay unit, Manchester quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-452-D, scale 1:24,000.

- Langer, W.H., 1973, Map showing unconsolidated materials, New Britain quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-523-A, scale 1:24,000, 2 sheets.
- Langer, W.H., 1974, Map showing resources of coarse aggregate, New Britain quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-523-B, scale 1:24,000.
- Langer, W.H., 1974, Map showing thickness of material overlying principal clay unit, Hartford South quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-487-C, scale 1:24,000.
- Langer, W.H., 1974, Map showing thickness of principal clay unit, Glastonbury quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-561-A, scale 1:24,000.
- Langer, W.H., 1974, Map showing thickness of principal clay unit, Hartford South quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-487-B, scale 1:24,000.
- Langer, W.H., 1974, Map showing thickness of principal clay unit, Windsor Locks quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-450-C, scale 1:24,000.
- Langer, W.H., 1976, Map showing unconsolidated materials, Glastonbury quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-561-D, scale 1:24,000.
- Langer, W.H., 1977, Surficial geologic map of the Glastonbury quadrangle, Hartford and Middlesex Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1354, scale 1:24,000.
- Langer, W.H., 1979, Map showing distribution and thickness of the principal fine-grained deposits, Connecticut Valley urban area, central New England: U.S. Geological Survey Miscellaneous Investigations Series Map I-1074-C, scale 1:125,000, 2 sheets.
- Langer, W.H., and Colton, R.B., 1973, Map showing unconsolidated materials, Broad Brook quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-451-B, scale 1:24,000, 2 sheets.
- Langer, W.H., and Recny, C.J., 1977, Map showing unconsolidated materials, Manchester quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-452-F, scale 1:24,000.
- Langer, W.H., Recny, C.J., and Koza, D.M., 1976, Map showing unconsolidated materials, Hartford South quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-487-F, scale 1:24,000.
- LaSala, A.M., Jr., 1961, Surficial geology of the Southington quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-146, scale 1:24,000.
- LaSala, A.M., Jr., 1962, Ground-water levels in Connecticut, 1956-1959: Connecticut Water Resources Bulletin 2, 33 p.
- LaSala, A.M., Jr., 1964, Geology and ground-water resources of the Bristol- Plainville-Southington area, Connecticut: U.S. Geological Survey Water-Supply Paper 1578, 70 p.
- LaSala, A.M., Jr., 1968, Ground-water resources of the Hamden-Wallingford area, Connecticut: Connecticut Water Resources Bulletin 14, 18 p.
- LaSala, A.M., Jr., and Meikle, R.L., 1964, Records and logs of selected wells and test borings, and chemical analyses of water in the Bristol- Plainville-Southington area, Connecticut: Connecticut Water Resources Bulletin 5, 18 p.
- Leifeste, D.K., 1974, Dissolved-solids discharge to the oceans from the conterminous United States: U.S. Geological Survey Circular 685, 8 p.
- Leopold, L.B., 1968, Hydrology for urban land planning-A guidebook on the hydrologic effects of urban land use: U.S. Geological Survey Circular 554, 18 p.
- Leopold, L.B., Clarke, F.E., Hanshaw, B.B., and Balsley, J.R., 1971, A procedure for evaluating environmental impact: U.S. Geological Survey Circular 645, 13 p. L
- Lewis, R.S. and Stone, J.R., 1990, Glaciolacustrine facies as seismic units in Long Island Sound (abs.): Geological Society of America Abstracts with Programs, v. 22, no. 2, p. 30.

- Lewis, R.S., and Stone, J.R., 1991, Late Quaternary stratigraphy and depositional history of the Long Island Sound basin—Connecticut and New York: *Journal of Coastal Research*, v. 11, p. 1-23.
- Lewis, R.S., Stone, J.R., and DiGiacomo-Cohen, M.L., 1993, Interpretation of glaciolacustrine and post-glacial marine facies in Long Island Sound [abs.]: *Geological Society of America Abstracts with Programs*, v. 25, no. 2, p. 33.
- Lieblich, D.A., Haeni, F.P., and Cromwell, R.E., 1992, Integrated use of surface-geophysical methods to indicate subsurface fractures at Tibbetts Road, Barrington, New Hampshire: U.S. Geological Survey Water-Resources Investigations Report 92-4012, 33 p.
- Lieblich, D.A., Haeni, F.P., and Lane, J.W., Jr., 1992, Integrated use of surface-geophysical methods to indicate subsurface fractures at Milford, New Hampshire: U.S. Geological Survey Water-Resources Investigations Report 92-4056, 38 p.
- Lieblich, D.A., Lane, J.W., Jr., and Haeni, F.P., 1991, Results of integrated surface-geophysical studies for shallow subsurface fracture detection at three New Hampshire sites, *in* Expanded Abstracts with Biographies, SEG 61st Annual International Meeting, Houston, Texas, November 10-14, 1991: Houston, Texas, Society of Exploration Geophysicists, p. 553-556.
- Lieblich, D.A., Legchenko, A., Haeni, F.P., and Portselan, A., 1994, Surface nuclear magnetic resonance experiments to detect subsurface water at Haddam Meadows, Connecticut, *in* Bell, R.S., and Lep-per, C.M., eds., *Symposium on the Application of Geophysics to Engineering and Environmental Problems*, Boston, Mass., March 27-31, 1994, Proceedings: Golden, Colorado, Society of Engineering and Mineral Exploration Geophysicists, p. 717-736.
- Lohr, E.W., and Love, S.K., 1954, The industrial utility of public water supplies in the United States, 1952-Part 1, States east of the Mississippi River: U.S. Geological Survey Water-Supply Paper 1299, 639 p.
- London, E.H., 1984, Surficial geologic map of the Bethel quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-1519, scale 1:24,000.
- London, E.H., 1984, Surficial geologic map of the Norwalk North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-1520, scale 1:24,000.
- London, E.H., and Melvin, R.L., 1981, Reconnaissance map of surficial deposits in the Connecticut part of the Thompson quadrangle, Connecticut-Rhode Island: U.S. Geological Survey Open-File Report 81-1042, 1 sheet, scale 1:24,000.
- Londquist, C.J., 1973, Contour map of the bedrock surface, Hampden quadrangle, Massachusetts-Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-486-A, scale 1:24,000.
- Londquist, C.J., 1973, Depth of bedrock, Hampden quadrangle, Massachusetts- Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-486-B, scale 1:24,000.
- Londquist, C.J., and Thomas, M.P., 1974, Map showing drainage area, Hampden quadrangle, Massachusetts-Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-486-C, scale 1:24,000.
- Londquist, C.J., and Thomas, M.P., 1975, Map showing drainage areas, West Springfield quadrangle, Massachusetts-Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-653-A, scale 1:24,000.
- MacKichan, K.A., and Kammerer, J.C., 1961, Estimated use of water in the United States, 1960: U.S. Geological Survey Circular 456, 44 p.
- MacKichan, K.A., Estimated use of water in the United States, 1955: U.S. Geological Survey Circular 398, 18 p. Martin, R.O.R., and Hanson, R.L., 1966, Reservoirs in the United States: U.S. Geological Survey Water-Supply Paper 1838, 115 p.
- Malde, H.E., 1967, Surficial geologic map of the roxbury quadrangle, Litchfield and New Haven Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-611, scale 1:24,000.
- Malde, H.E., 1968, Surficial geologic map of the Norwalk South quadrangle, Fairfield County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-718, scale 1:24,000.

- Mazzaferro, D.L., 1973, Hydrogeologic data for the Quinnipiac River basin, Connecticut: Connecticut Water Resources Bulletin 26, 54 p.
- Mazzaferro, D.L., 1975, Contour map of the bedrock surface, Southington quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-660-A, scale 1:24,000.
- Mazzaferro, D.L., 1980, Ground-water availability and water quality in Farmington, Connecticut: U.S. Geological Survey Water-Resources Investigations Open-File Report 80-751, 57 p.
- Mazzaferro, D.L., 1986, Depth to bedrock, depth to the water table, and classification of unconsolidated materials above the water table in stratified-drift areas of part of the Pomperaug River valley, Southbury and Woodbury, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-1690, scale 1:24,000.
- Mazzaferro, D.L., 1986, Ground-water availability and water quality in Southbury and Woodbury, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 84-4221, 105 p.
- Mazzaferro, D.L. (compiler), 1986, Ground-water yields for selected stratified drift areas in Connecticut: Connecticut Geological and Natural History Survey, Natural Resources Atlas Series Map, scale 1:125,000.
- Mazzaferro, D.L., 1989, Estimation of the recharge area of a pumped, stratified-drift aquifer in Connecticut by simulation modeling: U.S. Geological Survey Water-Resources Investigations Report 87-4124, 100 p.
- Mazzaferro, D.L., Handman, E.H., and Thomas, M.P., 1979, Water resources inventory of Connecticut, part 8, Quinnipiac River basin: Connecticut Water Resources Bulletin 27, 88 p.
- McGuinness, C.L., 1963, The role of ground water in the national water situation: U.S. Geological Survey Water-Supply Paper 1800, 1121 p.
- McGuinness, C.L. (compiler), 1964, Generalized map showing annual runoff and productive aquifers in the conterminous United States: U.S. Geological Survey Hydrologic Investigation Atlas 194, scale 1:5,000,000, 1 sheet.
- McKeegan, D.K., 1986, Depth to bedrock and classification of unconsolidated materials above the water table in stratified-drift areas of part of the Pootatuck River valley, Newtown, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-1702, scale 1:12,000.
- McKeegan, D.K., 1986, Depth to bedrock, depth to the water table, and classification of unconsolidated materials above the water table in stratified-drift areas of part of the Farmington River valley, Farmington, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-1691, scale 1:24,000.
- Meade, D.B., 1976, Contour map of the bedrock surface, Spring Hill quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-622-B, scale 1:24,000.
- Meade, D.B., 1976, Contour map of the bedrock surface, Willimantic quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-586-B, scale 1:24,000.
- Meade, D.B., 1978, Ground-water availability in Connecticut: Connecticut Geological and Natural History Survey, Natural Resources Atlas Series Map, scale 1:125,000.
- Meade, D.B., and Knowlton, R.G., Jr., 1990, Ground-water availability in southwestern Connecticut: Connecticut Water Resources Bulletin 33C, 53 p.
- Meade, D.B., and Melvin, R.L., 1974, Contour map of the bedrock surface, Old Lyme quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-558-A, scale 1:24,000.
- Meade, D.B., and Melvin, R.L., 1974, Map showing depth to bedrock, Old Lyme quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-558-B, scale 1:24,000.
- Meade, R.H., 1966, Salinity variations in the Connecticut River: Water Resources Research, v. 2, no. 3, p. 567-579.
- Meikle, R.L., 1967, Ground-water levels in Connecticut, 1965-66: Connecticut Water Resources Bulletin 13, 12 p.

- Meikle, R.L., and Baker, J.A., 1965, Ground-water levels in Connecticut, 1960-1964: Connecticut Water Resources Bulletin 7, 26 p.
- Meinzer, O.E., and Stearns, N.D., 1929, A study of ground water in the Pomperaug basin, Connecticut, with special reference to intake and discharge: U.S. Geological Survey Water-Supply Paper 597-B, p. 73-146.
- Melvin, R.L., 1970, Hydrogeologic data for the upper Housatonic River basin, Connecticut: Connecticut Water Resources Bulletin 22, 33 p.
- Melvin, R.L., 1974, Hydrogeology of southeastern Connecticut: Connecticut Department of Finance and Control, Office of State Planning Map Report, 6 plates.
- Melvin, R.L., 1976, Hydrogeology of stratified drift in Farmington, Connecticut—Available data and future needs: U.S. Geological Survey Open-File Report 76-248, 28 p.
- Melvin, R.L., 1978, Use of drainage area maps in evaluating waste disposal conditions, assessing the impact of highway salting and designing bridges and culverts, *in* Spieker, A.M., and Robinson, G.D., eds., *Nature to be commanded*: U.S. Geological Survey Professional Paper 950, p. 52-54.
- Melvin, R.L., 1985, Connecticut ground-water resources, *in* National Water Summary 1984—Hydrologic events, selected water-quality trends and ground-water resources: U.S. Geological Survey Water-Supply Paper 2275, p. 161-166.
- Melvin, R.L., 1986, Connecticut observation wells—guidelines for network modification: U.S. Geological Survey Water-Resources Investigations Report 85-4079, 24 p.
- Melvin, R.L., 1988, U.S. Geological Survey ground-water studies in Connecticut: U.S. Geological Survey Open-File Report 88-152, 2 p.
- Melvin, R.L., and Bingham, J.W., 1991, Availability of water from stratified-drift aquifers in the Farmington River valley, Simsbury, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 89-4140, 77 p.
- Melvin, R.L., deLima, V.A., and Stone, B.D., 1992, Stratigraphy and hydraulic properties of tills in southern New England: U.S. Geological Survey Open-File Report 91-481, 53 p. (Reprinted as part of Connecticut Department of Environmental Protection Bulletin 20.)
- Melvin, R.L., Grady, S.J., and Healy, D.F., 1988, Connecticut ground-water quality, with a section on “ground-water quality management” by Fred Banach, *in* Moody, D.W., Carr, Jerry, Chase, E.B., and Paulson, R.W. (compilers), National Water Summary 1986—Hydrologic events and ground-water quality: U.S. Geological Survey Water-Supply Paper 2325, p. 191- 198.
- Melvin, R.L., Grady, S.J., Healy, D.F., and Banach, Fred, 1988, Connecticut ground-water quality: U.S. Geological Survey Open-File Report 87-0717, 9 p.
- Melvin, R.L., and Haeni, F.P., 1974, Map showing availability and use of ground water on north coast of Long Island Sound, western Long Island Sound area, New York and Connecticut: U.S. Geological Survey Open-File Report 74-326, 1 sheet.
- Melvin, R.L., and Haeni, F.P., 1974, Map showing availability and use of ground water on north coast of Long Island Sound, southeastern Connecticut: U.S. Geological Survey Open-File Report 74-327, 1 sheet.
- Melvin, R.L., and Haeni, F.P., 1974, Map showing availability and use of ground water on north coast of Long Island Sound, south-central Connecticut: U.S. Geological Survey Open-File Report 74-324, 1 sheet.
- Melvin, R.L., and Haeni, F.P., 1974, Map showing availability and use of ground water on north coast of Long Island Sound, Connecticut River Estuary, Connecticut: U.S. Geological Survey Open-File Report 74-321, 1 sheet.
- Melvin, R.L., and Haeni, F.P., 1974, Map showing availability and use of ground water on the north coast of Long Island Sound, greater Bridgeport valley, Connecticut: U.S. Geological Survey Open-File Report 74-317, 1 sheet.

- Melvin, R.L., and Haeni, F.P., 1974, Map showing availability and use of ground water on the north coast of Long Island Sound, southwestern Connecticut: U.S. Geological Survey Open-File Report 74-319, 1 sheet.
- Melvin, R.L., and Haeni, F.P., 1974, Map showing dissolved solids in streams and in ground water on the north coast of Long Island Sound, Connecticut: U.S. Geological Survey Open-File Report 74-313, 1 sheet.
- Melvin, R.L., and Haeni, F.P., 1974, Map showing hardness of ground water on north coast of Long Island Sound, Connecticut: U.S. Geological Survey Open-File Report 74-323, 1 sheet.
- Melvin, R.L., and Haeni, F.P., 1974, Map showing iron and manganese concentrations in streams at low flow and in ground water on the north coast of Long Island Sound, Connecticut: U.S. Geological Survey Open-File Report 74-320, 1 sheet.
- Melvin, R.L., Schafer, J.P., and Demars, K.R., 1994, Laboratory-determined hydraulic conductivity and total porosity of tills in the southern part of the Connecticut Valley lowland: *Northeastern Geology*, v. 16, no. 3&4, p. 251-267.
- Melvin, R.L., and Stone, J.R., 1995, Geohydrologic characterization of the sedimentary bedrock at the Durham Center area, Durham, Conn. [abs.], *in* 1995 GSA abstracts with programs, 30th annual Northeastern Section meeting, Cromwell, Conn., March 20-22, 1995: Boulder, Colo., Geological Society of America, v. 27, no. 1, p. 68.
- Melvin, R.L., Stone, B.D., and Stone, J.R., 1992, Hydrogeology of thick till deposits in Connecticut and inferences for siting low-level radioactive- waste disposal facilities [abs.], *in* 1992 spring meeting, Montreal, Canada, May 12-16, 1992, Proceedings: Washington, D.C., American Geophysical Union, p. 125.
- Melvin, R.L., Stone, B.D., Stone, J.R., and Trask, N.J., 1992, Hydrogeology of thick till deposits in Connecticut: U.S. Geological Survey Open-File Report 92-43, 43 p. (Reprinted as part of Connecticut Department of Environmental Protection Bulletin 20.)
- Melvin, R.L., Stone, J.R., Craft, P.A., and Lane, J.W., Jr., 1995, Geohydrology of the Gallup's Quarry area, Plainfield, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 93-4138, 52 p.
- Melvin, R.L., Stone, J.R., Craft, P.A., Lane, J.W., Jr., and Davies, B.S., 1995, Geohydrology and water quality of the Durham Center area, Durham, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 94-4237, 97 p.
- Melvin, R.L., Thomas, H.F., and Moore, R.E., 1988, Cooperative efforts in ground-water protection—A Connecticut history: U.S. Geological Survey Yearbook Fiscal Year 1987, p. 8-18.
- Mondazzi, R.A., and Starn, J.J., 2003, Hydrology and ground-water quality in glacial deposits in the Nepaug Reservoir watershed, northwestern Connecticut, 1998–2000: U.S. Geological Survey Open-File Report 03-350, 28 p.
- Moore, G.E., Jr., 1967, Bedrock geologic map of the Watch Hill quadrangle, Washington County, Rhode Island and New London County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-655, scale 1:24,000.
- Moore, G.E., Jr., 1983, Bedrock geologic map of the East Killingly quadrangle, Connecticut and Rhode Island: U.S. Geological Survey Geologic Quadrangle Map GQ-1571, scale 1:24,000.
- Morrison, Jonathan, 1998, Suspended-sediment loads and yields in the Salmon and Coginchaug River Basins, central Connecticut: U.S. Geological Survey Fact Sheet FS-129-98, 4 p.
- Morrison, Jonathan, 2001, Nonpoint-source pollution in the Sasco Brook watershed, southwestern Connecticut, 1994-98 [abs.], in Clausen, J.C. (ed.), 8th National Nonpoint Source Monitoring Workshop, Sept. 11-14, 2001, Hartford, Conn., Proceedings: Chicago, Ill., U.S. Environmental Protection Agency, EPA/905-R-01-008, p. 222.
- Morrison, Jonathan, 2002, Water quality and streamflow in Sasco Brook watershed, southwestern Connecticut: U.S. Geological Survey Water-Resources Investigations Report 02-4002, 30 p.

- Morrison, Jonathan, Davies, B.S., 3rd, Martin, J.W., and Norris, J.R., 2003, Water resources data, Connecticut, water year 2002: U.S. Geological Survey Water-Data Report CT-02-1, 377 p.
- Morrison, Jonathan, Organek, J.A., Martin, J.W., and Norris, J.R., 2004, Water resources data, Connecticut, water year 2003: U.S. Geological Survey Water-Data Report CT-03-1, 430 p.
- Morrison, Jonathan, Provencher, P.L., Martin, J.W., and Norris, J.R., 2002, Water resources data, Connecticut, water year 2001: U.S. Geological Survey Water-Data Report CT-01-1, 353 p.
- Morrison, Jonathan, Provencher, P.L., Martin, J.W., and Norris, J.R., 2005, Water resources data, Connecticut, water year 2004: U.S. Geological Survey Water-Data Report CT-04-1, 380 p. Online only <http://water.usgs.gov/pubs/wdr/2004/wdr-ct-04-1/>.
- Mullaney, J.R., 1995, Hydrogeology and ground-water flow at the Muddy Brook riparian zone, north-central Connecticut: U.S. Geological Survey Water-Resources Investigations Report 94-4255, 31 p.
- Mullaney, J.R., 1996, Ground-water/surface-water interactions on the Konkapot River, Massachusetts and Connecticut [abs.], in Puckett, L.J., and Triska, F.J. (eds), U.S. Geological Survey Nitrogen-Cycling Workshop: U.S. Geological Survey Open-File Report 96-477, p. 47.
- Mullaney, J.R., 2004, Water use, ground-water recharge and availability, and quality of water in the Greenwich area, Fairfield County, Connecticut and Westchester County, New York, 2000-2002: U.S. Geological Survey Water-Resources Investigations Report 03-4300, 64 p. Online at <http://water.usgs.gov/pubs/wri/wri034300/>
- Mullaney, J.R., 2004, Summary of water quality trends in the Connecticut River, 1968–1998, in Jacobson, P.M. and others (eds.), *The Connecticut River ecological study (1965–1978) revisited—Ecology of the lower Connecticut River 1973–2003*: Bethesda, Md., American Fisheries Society Monograph 9, p. 273–286.
- Mullaney, J.R., 2005, The distribution of deicing chemicals in ground water and surface water in glaciated parts of the United States [abs.], in *The Abstract Book of the 2005 NGWA Ground Water Summit*, San Antonio, Texas, April 17–20, 2005: Westerville, Ohio, National Ground Water Association, p. 94.
- Mullaney, J.R., Church, P.E., and Pina-Springer, C.J., 2002, Nutmeg Valley Road Superfund site, Wolcott and Waterbury, Connecticut, in Church, P.E., Vroblesky, D.A., and Lyford, F.P., and Willey, R.E., 2002, Guidance of the use of passive-vapor-diffusion samplers to detect volatile organic compounds in ground-water-discharge areas, and examples applications in New England: U.S. Geological Survey Water-Resources Investigations Report 02-4186, p. 28-33.
- Mullaney, J.R., and Grady, S.J., 1997, Hydrogeology and water quality of a surficial aquifer underlying an urban area, Manchester, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 97-4195, 40 p.
- Mullaney, J.R., Melvin, R.L., Adamik, J.T., Robinson, B.R., and Frink, C.R., 1992, Pesticides in unconsolidated sediments and ground water at selected agricultural and nonagricultural sites in Connecticut: Connecticut Water Resources Bulletin 42, 40 p.
- Mullaney, J.R., Mondazzi, R.A., and Stone, J.R., 1999, Hydrogeology and water quality of the Nutmeg Valley area, Wolcott and Waterbury, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 99-4081, 90 p.
- Mullaney, J.R., Schwarz, G.E., and Trench, E.C.T., 2002, Estimation of nitrogen yields and loads from basins draining to Long Island Sound, 1988-98: U.S. Geological Survey Water-Resources Investigations Report 02-4044, 84 p.
- Mullaney, J.R., and Trench, E.C.T., 2002, Estimation of nonpoint nitrogen loads and yields from monitored and unmonitored basins draining to Long Island Sound, 1988-98 [abs.], in *Programs and Abstracts of the Sixth Biennial LIS/NEERS (Long Island Sound/New England Estuarine Research Society) Research Conference*, Groton, Conn., October 24-26, 2002.
- Mullaney, J.R. and Zimmerman, M.J., 1996, Nitrogen and pesticide concentrations in an agricultural basin in north-central Connecticut [abs.], in Puckett, L.J., and Triska, F.J. (eds), U.S. Geological Survey Nitrogen-Cycling Workshop: U.S. Geological Survey Open-File Report 96-477, p. 60.

- Mullaney, J.R., and Zimmerman, M.J., 1997, Nitrogen and pesticide concentrations in an agricultural basin in north-central Connecticut: U.S. Geological Survey Water-Resources Investigations Report 97-4076, 13 p.
- Murray, C.R., 1968, Estimated use of water in the United States, 1965: U.S. Geological Survey Circular 556, 53 p.
- Murray, C.R., and Reeves, E.B., 1972, Estimated use of water in the United States in 1970: U.S. Geological Survey Circular 676, 37 p.
- Nace, R.L., 1967, Are we running out of water?: U.S. Geological Survey Circular 536, 7 p.
- Naylor, R.G., 1974, Contour map of the bedrock surface, Essex quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-587-C, scale 1:24,000.
- Naylor, R.G., 1974, Map showing resources of coarse aggregate, Essex quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-587-B, scale 1:24,000.
- Naylor, R.G., 1974, Map showing unconsolidated materials, Essex quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-587-A, scale 1:24,000.
- New England River Basin Commission, 1974, Sources and movements of water in Long Island Sound Regional Study, 45 p.
- Norcross, T.W., 1906, Destructive floods in the United States in 1905 with a section on Flood on Pequonnock River, Connecticut: U.S. Geological Survey Water-Supply Paper 162, p. 1-3.
- Norvitch, R.F., Farrell, D.F., Pauszek, F.H., and Peterson, R.G., 1968, Hydrology and water resources of the Housatonic River basin, Massachusetts: U.S. Geological Survey Hydrologic Investigation Atlas 281, scale 1:125,000, 4 sheets.
- O'Leary, D.W., 1973, Map showing unconsolidated material, Moodus quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-510-A, scale 1:24,000, 2 sheets.
- O'Leary, D.W., 1973, Map showing unconsolidated materials, Deep River quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-524-A, scale 1:24,000, 2 sheets.
- O'Leary, D.W., 1974, Map showing resources of coarse aggregate, Deep River quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-524-B, scale 1:24,000.
- O'Leary, D.W., 1974, Map showing resources of coarse aggregate, Moodus quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-510-B, scale 1:24,000.
- O'Leary, D.W., 1975, Map showing unconsolidated materials, Marlborough quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-645-A, scale 1:24,000.
- O'Leary, D.W., 1975, Surficial geologic map of the Moodus quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1205, scale 1:24,000.
- O'Leary, D.W., 1977, Surficial geologic map of the Deep River quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1370, scale 1:24,000.
- O'Leary, D.W., 1979, Surficial geologic map of the Marlborough quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1504, scale 1:24,000.
- Olcott, P.G., 1995, Ground water atlas of the United States, segment 12, Connecticut, Maine, Massachusetts, New Hampshire, New York, Rhode Island, Vermont: U.S. Geological Survey Hydrologic Investigations Atlas 730-M, 28 p.
- Olin, D.A., 1972, Low flow of streams, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-N, scale 1:24,000.
- Orlando, M.F. (compiler), 1994, Water-resources activities in New England, fiscal year 1993: U.S. Geological Survey Open-File Report 94-339, 134 p.
- Palmer, H.S., 1920, Ground water in the Norwalk, Suffield, and Glastonbury areas, Connecticut: U.S. Geological Survey Water-Supply Paper 470, 171 p.
- Palmer, H.S., 1921, Ground water in the Southington-Granby area, Connecticut: U.S. Geological Survey Water-Supply Paper 466, 219 p.

- Palmer, J.E., Langer, W.H., Jansky, J.H., and Bingham, J.W., 1984, Map showing depth to bedrock, Glastonbury quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-561-E, scale 1:24,000.
- Paulsen, C.G., Bigwood, B.L., Harrington, A.W., Hartwell, O.W., and Kinnison, H.B., 1940, Hurricane floods of September 1938: U.S. Geological Survey Water-Supply Paper 867, 562 p.
- Paulson, R.W., Chase, E.B., Williams, J.S., and Moody, D.W., compilers, 1993, National Water Summary 1990-91—Hydrologic events and stream water quality: U.S. Geological Survey Water-Supply Paper 2400, 590 p.
- Pauszek, F.H., 1961, Chemical and physical quality of water resources in Connecticut, 1955-1958: Connecticut Water Resources Bulletin 1, 79 p.
- Pauszek, F.H., and Edmonds, R.J., 1965, A preliminary appraisal of water quality in the Housatonic river basin in Connecticut: Connecticut Water Resources Bulletin 6, 70 p.
- Pearre, N.C., compiler, 1957, Mineral deposits and occurrences in Connecticut exclusive of clay, sand and gravel, and peat: U.S. Geological Survey Mineral Investigations Resource Map MR-7, scale, 1:500,000.
- Pearson, F.J., Jr., and Fisher, D.W., 1971, Chemical composition of atmospheric precipitation in the northeastern United States: U.S. Geological Survey Water-Supply Paper 1535-P, p. P1-P23.
- Pease, M.H., Jr., 1972, Geologic map of the Eastford quadrangle, Windham and Tolland Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1023, scale 1:24,000.
- Pease, M.H., Jr., 1974, Map showing unconsolidated materials, Stafford Springs quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-581-A, scale 1:24,000.
- Pease, M.H., Jr., 1975, Surficial geologic map of the Stafford Springs quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1216, scale 1:24,000.
- Pease, M.H., Jr., 1988, Bedrock geologic map of the Spring Hill quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1650, scale 1:24,000.
- Peper, J.D., 1977, Bedrock geologic map of the Hampden quadrangle, Massachusetts and Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1368, scale 1:24,000.
- Peper, J.D., 1977, Bedrock geologic map of the Monson quadrangle, Massachusetts and Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1374, scale 1:24,000.
- Peper, J.D., 1977, Surficial geologic map of the Monson quadrangle, Massachusetts and Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1429, scale 1:24,000.
- Peper, J.D., and Pease, M.H., Jr., 1975, Geologic map of the Westford quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1214, scale 1:24,000.
- Pessl, Fred, Jr., 1966, Surficial geologic map of the Fitchville quadrangle, New London County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-485, scale 1:24,000.
- Pessl, Fred, Jr., 1970, Surficial geologic map of the Woodbury quadrangle, Litchfield and New Haven Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-896, scale 1:24,000.
- Pessl, Fred, Jr., 1973, Map showing resources of coarse aggregate, Tariffville quadrangle, Connecticut-Massachusetts: U.S. Geological Survey Miscellaneous Field Study Map MF-512-B, scale 1:24,000.
- Pessl, Fred, Jr., 1973, Map showing unconsolidated materials, Tariffville quadrangle, Connecticut-Massachusetts: U.S. Geological Survey Miscellaneous Field Study Map MF-512-A, scale 1:24,000, 2 sheets.
- Pessl, Fred, Jr., and Hildreth, C.T., 1972, Unconsolidated materials, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-A, scale 1:24,000.
- Pessl, Fred, Jr., and Langer, W.H., 1972, Bedrock geology, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-B, scale 1:24,000.

- Pessl, Fred, Jr., Langer, W.H., and Ryder, R.B., 1972, Geologic and hydrologic maps for land-use planning in the Connecticut Valley with examples from The folio for the Hartford quadrangle, Connecticut: U.S. Geological Survey Circular 674, 12 p.
- Piper, A.M., 1969, Disposal of liquid wastes by injection underground- Neither myth nor millennium: U.S. Geological Survey Circular 631, 15 p.
- Placzek, Gary, and Haeni, F.P., 1995, Surface-geophysical techniques used to detect existing and infilled scour holes near bridge piers: U.S. Geological Survey Water-Resources Investigations Report 95-4009, 44 p.
- Placzek, Gary, Haeni, F.P., and Trent, R.E., 1993, Use of geophysical data to assess scour development, *in* Hydraulic Engineering '93, National Conference on Engineering Hydrology, San Francisco, July 25-30, 1993, Proceedings: American Society of Civil Engineers, p. 2051-2056.
- Powers, C.J., Wilson, Joanna, Haeni, F.P., and Johnson, C.D., 1999, Surface-geophysical investigation of the University of Connecticut landfill, Storrs, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 99-4211, 34 p.
- Radway, J. A., 1974, Map showing natural land slopes, Glastonbury quadrangle, Connecticut: U.S. Geological Survey Open-File Report 75-120, Connecticut Valley Urban Area Project Contribution 110, scale 1:24,000.
- Radway, J.A., and Schnabel, R.W., 1975, Map showing unconsolidated materials, Avon quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-514-C, scale 1:24,000, 1 sheet, 4 p.
- Rainwater, F.H., 1962, Stream composition of the conterminous United States: U.S. Geological Survey Hydrologic Investigation Atlas 61, 3 sheets.
- Randall, A.D., 1964, Geology and ground water in the Farmington-Granby area, Connecticut: U.S. Geological Survey Water-Supply Paper 1661, 129 p.
- Randall, A.D., 1964, Records of logs of selected wells and test borings, Farmington-Granby area, Connecticut: Connecticut Water Resources Bulletin 3, 25 p.
- Randall, A.D., 1970, Surficial geologic map of the Tariffville quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-798, scale 1:24,000.
- Randall, A.D., and Johnson, A.I., The Northeast glacial aquifers RASA project—an overview of results through 1987 *in* Randall, A.D., and Johnson, A.I., eds., Regional aquifer systems of the United States—the northeast glacial aquifers: American Water Resources Association Monograph Series 11, p. 1-15
- Randall, A.D., and Pessl, Fred, Jr., 1968, Surficial geologic map of the Danielson quadrangle, Windham County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-660, scale 1:24,000.
- Randall, A.D., Thomas, M.P., Thomas, C. E., Jr., and Baker, J.A., 1966, Water resources inventory of Connecticut, part 1, Quinebaug River basin: Connecticut Water Resources Bulletin 8, 102 p.
- Ranzau, C.E., Jr., Davies, B.S. 3rd, Frick, T.W., and Organek, J.A., 2001, Water resources data, Connecticut, water year 2000: U.S. Geological Survey Water-Data Report CT-00-1, 333 p.
- Ranzau, C.E., Jr., Frick, T.W., Norris, J.R., and Martin, J.W., 2000, Water resources data, Connecticut, water year 1999: U.S. Geological Survey Water-Data Report CT-99-1, 351 p.
- Recny, C.J., 1976, Map showing unconsolidated materials, New Haven and Woodmont quadrangles, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-557-D, scale 1:24,000.
- Rickert, D.A., and Spieker, A.M., 1972, Real-estate lakes: U.S. Geological Survey Circular 601-G, p. G1-G19.
- Rima, D.R., Chase, E.B., and Myers, B.M., 1971, Subsurface waste disposal by means of wells-A selective annotated bibliography: U.S. Geological Survey Water-Supply Paper 2020, 305 p.
- Rodgers, John (compiler), 1982, Preliminary bedrock geological map of Connecticut: Connecticut Geological and Natural History Survey, scale 1:250,000.

- Rodgers, John (compiler), 1985, Bedrock geological map of Connecticut: Connecticut Geological and Natural History Survey, Natural Resources Atlas Series Map, 2 sheets, scale 1:125,000.
- Rogers, R.J., 1987, Geochemical evolution of groundwater in stratified-drift and arkosic bedrock aquifers in north-central Connecticut: *Water Resources Research*, v. 23, no. 8, p. 1531-1545.
- Rogers, R.J., 1989, Geochemical comparison of ground water in areas of New England, New York, and Pennsylvania: *Ground Water*, v. 27, no. 5, p. 690- 712.
- Rolston, J.L., Banach, F.S., and Handman, E.H., 1978, Surface-water quality and built-up areas in Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-981-C, scale 1:125,000.
- Rolston, J.L., and Bingham, J.W., 1978, Nonsewered built-up areas and septage disposal sites in Connecticut, includes favorable aquifers: U.S. Geological Survey Miscellaneous Field Studies Map MF-981-E, scale 1:125,000.
- Rolston, J.L., Bingham, J.W., and Handman, E.H., 1979, Proximity of pipelines and storage facilities for gas and oil to major aquifers in Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-0981-H, scale 1:125,000.
- Rolston, J.L., Grossman, I.G., and Handman, E.H., 1978, Industrial areas and ground disposal of industrial wastes in Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-981-D, scale 1:125,000.
- Rolston, J.L., Grossman, I.G., Potterton, R.S., Jr., and Handman, E.H., 1979, Places in Connecticut where ground water is known to have deteriorated in quality: U.S. Geological Survey Miscellaneous Field Studies Map MF-981-G, scale 1:125,000.
- Rolston, J.L., Pregman, T.H., and Handman, E.H., 1978, Disposal of solid wastes in Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-981-B, scale 1:125,000.
- Rostvedt, J.O, and others, 1973, Summary of floods in the United States during 1968: U.S. Geological Survey Water-Supply Paper 1970-B, p. B1- B73.
- Ruggles, F.H., 1973, Plume development in Long Island Sound observed by remote sensing, *in* Symposium on Significant Results Obtained from the Earth Resources Technology Satellite-1, Goddard Space Flight Center, New Carrollton, Miss., March 5-9, 1973, Proceedings: National Aeronautics and Space Administration special publication SP-327, v. 1, tech. presentations, sec. B, p. 1299-1303.
- Ruggles, F.H., 1977, Application of LANDSAT-1 data to hydrology and water resources, *in* CENTO workshop on the application of remote-sensing data methods: U.S. Geological Survey Open-File Report 77-488, ___ p.
- Ruggles, F.H., 1978, Connecticut River plume development in Long Island Sound observed by Landsat I, NASA, Internal Report, SP-840: NASA Internal Administrative Report, 15 p.
- Ryder, R.B., 1972, Availability of ground water, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-K, scale 1:24,000.
- Ryder, R.B., 1972, Contour map of the bedrock surface, Broad Brook quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-451-A, scale 1:24,000.
- Ryder, R.B., 1972, Contour map of the bedrock surface, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-C, scale 1:24,000.
- Ryder, R.B., 1972, Contour map of the bedrock surface, Manchester quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-452-A, scale 1:24,000.
- Ryder, R.B., 1973, Availability of ground water, Broad Brook quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-451-F, scale 1:24,000.
- Ryder, R.B., 1973, Availability of ground water, Manchester quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-452-C, scale 1:24,000.
- Ryder, R.B., Cervione, M.A., Jr., Thomas, C.E., Jr., and Thomas, M.P., 1970, Water resources inventory of Connecticut, part 4, southwestern coastal river basins: *Connecticut Water Resources Bulletin* 17, 54 p.

- Ryder, R.B., and Handman, E.H., 1972, Contour map of bedrock surface Windsor Locks quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-450-A, scale 1:24,000.
- Ryder, R.B., and Handman, E.H., 1973, Contour map of the bedrock surface, Hartford South quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-487-A, scale 1:24,000.
- Ryder, R.B., and Handman, E.H., 1974, Contour map of the bedrock surface, Glastonbury quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-561-B, scale 1:24,000.
- Ryder, R.B., Thomas, M.P., and Weiss, L.A., 1981, Water resources inventory of Connecticut, part 7, upper Connecticut River basin: Connecticut Water Resources Bulletin 24, 78 p.
- Ryder, R.B., and Weiss, L.A., 1971, Hydrogeologic data for the upper Connecticut River basin, Connecticut: Connecticut Water Resources Bulletin 25, 54 p.
- Schafer, J.P., 1965, Surficial geologic map of the Watch Hill quadrangle, Rhode Island-Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-410, scale 1:24,000.
- Schafer, J.P., 1968, Surficial geologic map of the Ashaway quadrangle, Connecticut-Rhode Island: U.S. Geological Survey Geologic Quadrangle Map GQ-712, scale 1:24,000.
- Schafer, J.P., Obermeier, S.F., and Stone, J.R., 1987, On the origin of wedge structures in southern New England [abs.]: Geological Society of America Abstracts with Programs, v. 19, p. 55.
- Schafer, J.P. and Stone, J.R., 1983, Stagnation zone retreat of the last ice sheet in Connecticut [abs.]: Geological Society of America Abstracts with Programs, v. 15, p.
- Schnabel, R.W., 1960, Bedrock geology of the Avon quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-134, scale 1:24,000.
- Schnabel, R.W., 1962, Surficial geology of the Avon quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-147, scale 1:24,000.
- Schnabel, R.W., 1971, Surficial geologic map of the Southwick quadrangle, Massachusetts and Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-891, scale 1:24,000.
- Schnabel, R.W., 1973, Map showing unconsolidated materials, New Hartford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-542-A, scale 1:24,000.
- Schnabel, R.W., 1974, Bedrock geologic map of the Southwick quadrangle, Massachusetts and Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1170, scale 1:24,000.
- Schnabel, R.W., 1974, Map showing resources of coarse aggregate, New Hartford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-542-B, scale 1:24,000.
- Schnabel, R.W., 1974, Map showing unconsolidated materials, Southwick quadrangle, Massachusetts-Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-606-A, scale 1:24,000.
- Schnabel, R.W., 1975, Geologic map of the Hartford quadrangle, northwestern Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1257, scale 1:24,000.
- Schnabel, R.W., and Eric, J.H., 1964, Bedrock geologic map of the Windsor Locks quadrangle, Hartford County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-388, scale 1:24,000.
- Schnabel, R.W., and Eric, J.H., 1965, Bedrock geologic map of the Tariffville quadrangle, Hartford County, Connecticut and Hampden County, Massachusetts: U.S. Geological Survey Geologic Quadrangle Map GQ-370, scale 1:24,000.
- Schneider, W.J., (compiler), 1968, Water data for metropolitan areas-A summary of data for 222 areas in the United States: U.S. Geological Survey Water-Supply Paper 1871, 397 p.
- Schneider, W.J., 1970, Hydrologic implications of solid-waste disposal: U.S. Geological Survey Circular 601-F, 10 p. Schneider, W.J., and Goddard, J.E., 1974, Extent and development of urban flood plains: U.S. Geological Survey Circular 601-J, p. J1-J14.
- Schneider, W.J., and Spieker, A.M., 1969, Water for the cities-The outlook: U.S. Geological Survey Circular 601-A, p. A1-A6.
- Schneider, W.J., Rickert, D.A., and Spieker, A.M., 1973, Role of water in urban planning and management: U.S. Geological Survey Circular 601-H, 10 p.

- Seiders, V.M., 1976, Bedrock geologic map of the Wales quadrangle, Massachusetts and Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1320, scale 1:24,000.
- Shepard, T.B., and Weiss, L.A., 1988, Cost-effectiveness of the U.S. Geological Survey's stream-gaging program in Connecticut: U.S. Geological Survey Water-Resources Investigations Report 85-4333, 63 p.
- Signor, D.C., Growitz, D.J., and Kam, William, 1970, Annotated bibliography on artificial recharge of ground water, 1955-67: U.S. Geological Survey Water-Supply Paper 1990, 141 p.
- Simpson, H.E., 1959, Surficial geology of the New Britain quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-119, scale 1:24,000.
- Simpson, H.E., 1961, Surficial geology of the Bristol quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-145, scale 1:24,000.
- Simpson, H.E., 1966, Bedrock geologic map of the New Britain quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-494, scale 1:24,000.
- Simpson, H.E., 1968, Surficial geologic map of the Durham quadrangle, Middlesex and New Haven Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-756, scale 1:24,000.
- Simpson, H.E., 1990, Bedrock geology of the Bristol quadrangle, Hartford, Litchfield, and New Haven Counties, Connecticut: U.S. Geological Survey Bulletin 1573, 13 p.
- Sinnot, Allen and Cushing, E.M., 1978, Summary appraisals of the Nation's ground-water resources—Mid-Atlantic Region: U.S. Geological Survey Professional Paper 813-I.
- Snyder, G.L., 1961, Bedrock geology of the Norwich quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-144, scale 1:24,000.
- Snyder, G.L., 1964, Bedrock geology of the Willimantic quadrangle, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-335, scale 1:24,000.
- Snyder, G.L., 1964, Petrochemistry and bedrock geology of the Fitchville quadrangle, Connecticut: U.S. Geological Survey Bulletin 1161-I, p. I1-I63.
- Snyder, G.L., 1967, Bedrock geologic map of the Columbia quadrangle, east-central Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-592, scale 1:24,000.
- Snyder, G.L., 1970, Bedrock geologic and magnetic maps of the Marlborough quadrangle, east-central Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-791, scale 1:24,000.
- Starn, J.J., 1998, Simplified analysis of ground-water flow in fractured rock [abs.] *in* 1998 Spring Meeting, American Geophysical Union, Boston, Mass., May 26-29, 1998.
- Starn, J.J., 2001, Analysis of uncertainty of contributing areas to wells using parameter estimation and Monte Carlo simulation, in MODFLOW 2001 and Other Modeling Odysseys, September 11-14, 2001, Golden, Colorado, Proceedings: International Ground Water Modeling Center, Colorado School of Mines, and the U.S. Geological Survey, v. 1, p. 305-311.
- Starn, J.J., and Stone, J.R., 2002, Simulation of contributing areas in a fractured crystalline aquifer [abs.]: *in* 2002 Annual Meeting, Denver, Colo., October 27-30, 2002: Boulder, Colo., Geological Society of America.
- Starn, J.J., and Stone, J.R., 2005, Simulation of ground-water flow to assess geohydrologic factors and their effect on source-water areas for bedrock wells in Connecticut: U.S. Geological Survey Scientific Investigations Report 2004-5132, 78 p. Online only--<http://pubs.usgs.gov/sir/2004/5132/>
- Starn, J.J., Stone, J.R., and Mondazzi, R.A., 2002, Characterization of bedrock aquifers in Connecticut—(2) Hydrologic simulation [abs.], *in* 37th annual Northeastern Section meeting, Springfield, Mass., March 25-27, 2002: Boulder, Colo., Geological Society of America.
- Starn, J.J., Stone, J.R., and Mondazzi, R.A., 2002, Multiple-scale investigation of contributing areas to wells in fractured rock [abs.], *in* Fractured-Rock Aquifers 2002, Denver, Colo., March 13-15, 2002, Proceedings: Westerville, Ohio, National Ground Water Association, p. 46.

- Starn, J.J., Stone, J.R., and Mullaney, J.R., 2000, Delineation and analysis of uncertainty of contributing areas to wells at the Southbury Training School, Southbury, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 00-4158, 53 p.
- State of Connecticut (Office of State Planning), 1972, Sanitary and water- related facilities, services, and use, July 1970, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-R, scale 1:24,000.
- Stone, B.D., 1974, The Quaternary geology of the Plainfield and Jewett City quadrangles, central eastern Connecticut: Baltimore, Maryland, The Johns Hopkins University, unpublished Ph.D. thesis, 217 p.
- Stone, B.D., 1978, Surficial geologic map of the Jewett City quadrangle, New London County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1434, scale 1:24,000.
- Stone, B.D., 1995, Progress toward higher resolution of the late Wisconsinan glaciation sidereal chronology of the New England region, 30 to 13 ka [abs.], *in* 1995 GSA abstracts with programs, 30th annual Northeastern Section meeting, Cromwell, Conn., March 20-22, 1995: Boulder, Colo., Geological Society of America, v. 27, no. 1, p. 84.
- Stone, B.D., and Randall, A.D., 1978, Surficial geologic map of the Plainfield quadrangle, Windham and New London Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1422, scale 1:24,000.
- Stone, J.R., 1976, Map showing unconsolidated materials, Windsor Locks, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-450-E, scale 1:24,000, 5 p.
- Stone, J.R., 1978, Preliminary map of the surficial deposits in the Shutesbury quadrangle, Massachusetts: U.S. Geological Survey Open-File Report 78-285, scale 1:24,000
- Stone, J.R., 1999, Use of glacial morphosequence models to produce 3-D surficial geologic maps--Examples from Connecticut, Rhode Island, Massachusetts, and Maine [abs.], *in* Wright, S.F. (ed.), New England Intercollegiate Geological Conference 91st Annual Meeting, Burlington, Vt., Oct. 1-3, 1999, Guidebook to field trips in Vermont and adjacent regions of New Hampshire and New York, Symposium on Surfial Mapping: University of Vermont, Dept. of Geology, p. S-10.
- Stone, J.R. and Ashley, G.M., 1989, Fossil Pingos? - New evidence for active permafrost in southern New England during Late Wisconsinan deglaciation [abs.]: Geological Society of America Abstracts with Programs, v. 21, no. 2, p. 69.
- Stone, J.R. and Ashley, G.M., 1992, Ice-wedge casts, pingo scars and the drainage of glacial Lake Hitchcock, *in* Robinson, P. and Brady, (eds.) New England Intercollegiate Geological Conference 84th Annual Meeting, Amherst, Mass., Oct. 9-11, 1992, Guidebook for fieldtrips in the Connecticut Valley region of Massachusetts and adjacent States: University of Mass., Dept. of Geology and Geography Contribution 66, Trip A-7, p. 305-331.
- Stone, J.R., and Ashley, G.M., 1995, Timing and mechanisms of glacial Lake Hitchcock drainage [abs.], *in* 1995 GSA abstracts with programs, 30th annual Northeastern Section meeting, Cromwell, Conn., March 20-22, 1995: Boulder, Colo., Geological Society of America, v. 27, no. 1, p. 85.
- Stone, J.R., Ashley, G.M., and Peteet, D.M., 1991, Cross-section through a post-lake Hitchcock surface depression: new ¹⁴C dates and evidence for periglacial origin [abs.]: Geological Society of America Abstracts with Programs, v. 23, no. 1, p. 135.
- Stone, J.R., Barlow, P.M., and Starn, J.J., 1996, Geohydrology and conceptual model of a ground-water-flow system near a Superfund site in Cheshire, Connecticut: U.S. Geological Survey Open-File Report 96-162, 88 p.
- Stone, J.R., Casey, G.D., Mondazzi, R.A., and Frick, T.W., 1997, Preliminary hydrogeologic assessment of a ground-water contamination area in Wolcott, Connecticut: U.S. Geological Survey Open-File Report 97-219, 29 p., 8 pl.
- Stone, J.R. and Digiacommo-Cohen, M.L., and Lewis, R.S., 1995, A presentation of the State surficial geologic maps of Connecticut [abs.], *in* 1995 GSA abstracts with programs, 30th annual Northeastern Section meeting, Cromwell, Conn., March 20-22, 1995: Boulder, Colo., Geological Society of America, v. 27, no. 1, p. 84.

- Stone, J.R. and DiGiacomo-Cohen, M.L., and Lewis, R.S., 1999, The surficial geologic maps of Connecticut [abs.], *in* Wright, S.F. (ed.), New England Intercollegiate Geological Conference 91st Annual Meeting, Burlington, Vt., Oct. 1-3, 1999, Guidebook to field trips in Vermont and adjacent regions of New Hampshire and New York, Symposium on Surfial Mapping: University of Vermont, Dept. of Geology, p. S-10.
- Stone, J.R. and Lewis, R.S., 1991, A drowned marine delta in east-central Long Island Sound: evidence for a -40-m relative sea level at ~12.3 ka [abs.]: Geological Society of America Abstracts with Programs, v. 23, no. 1, p. 135.
- Stone, J.R., and London, E.H., 1981, Surficial geologic map of the Westport and Sherwood Point quadrangles, Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-1295, scale 1:24,000.
- Stone, J.R. and London, E.H., 1981, Surficial geologic map of the Botsford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-1524, scale 1:24,000.
- Stone, J.R., and London, E.H., 1985, Surficial geologic map of the Botsford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-1524, scale 1:24,000.
- Stone, J.R., London, E.H., and Langer, W.H., 1979, Map showing textures of unconsolidated materials, Connecticut Valley urban area, central New England: U.S. Geological Survey Miscellaneous Investigations Series Map I-1074-B, scale 1:125,000, 2 sheets.
- Stone, J.R., Schafer, J.P., and London, E.H., 1982, The surficial geologic maps of Connecticut illustrated by a fieldtrip in central Connecticut, p. 5-29, *in* New England Intercollegiate Geological Conference, 74th Annual Meeting, Storrs, Conn., October 2-3, 1982, Guidebook for field trips in Connecticut and south central Massachusetts, R. Joesten and S.S. Quarrier, eds.: Connecticut Geological and Natural History Survey Guidebook 5, 482 p.
- Stone, J.R., Schafer, J.P., London, E.H., DiGiacomo-Cohen, Mary, Lewis, R.S., and Thompson, W.B., 1998, Quaternary geologic map of Connecticut and Long Island Sound Basin: U.S. Geological Survey Open-File Report 98-371.
- Stone, J.R., Schafer, J.P., London, E.H., DiGiacomo-Cohen, Mary, Lewis, R.S., and Thompson, W.B., in press, Quaternary geologic map of Connecticut and Long Island Sound Basin, *with a section on* sedimentary facies and morphosequences of glacial meltwater deposits by B.D. Stone: U.S. Geological Survey Geologic Investigations Map I-2784.
- Stone, J.R., Schafer, J.P., London, E.H., and Thompson, W.B., 1985, Surficial materials map of Connecticut: U.S. Geological Survey Open-File Report 85-0266, scale 1:125,000, 3 sheets.
- Stone, J.R., Schafer, J.P., London, E.H., and Thompson, W.B., 1992, Surficial materials map of Connecticut: U.S. Geological Survey Special Map, scale 1:125,000, 2 sheets.
- Stone, J.R., Schafer, J.P., London, E.H., DiGiacomo-Cohen, Mary, Lewis, R.S., and Thompson, W.B., in press, Quaternary geologic map of Connecticut and Long Island Sound, *with a section on* sedimentary facies and morphosequences of glacial meltwater deposits by B.D. Stone: U.S. Geological Survey Geologic Investigations Map I-2784.
- Stone, J.R., Starn, J.J., and Melvin, R.L., 1996, Hydrogeologic characterization of fractured sedimentary bedrock in the Hartford Rift Basin using borehole-geophysical techniques [abs.]: *in* LeTourneau, P.M., and Olsen, P.E., eds., Conference on aspects of Triassic-Jurassic rift basin geoscience, Rocky Hill, Connecticut, Nov. 9-10, 1996: Hartford, Connecticut, State Geological and Natural History Survey of Connecticut Miscellaneous Reports 1, p. 48-49.
- Stone, J.R., Starn, J.J., and Morrison, Jonathan, 2001, Hydrogeology of sand and gravel deposits near the Nepaug Reservoir, New Hartford and Burlington, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 01-4059, 38 p.

- Stone, J.R., Stone, B.D., and Lewis, R.S., 1985, Late Quaternary deposits of the southern Quinnipiac-Farmington Lowland and Long Island Sound Basin: their place in a regional stratigraphic framework, p. 535-575, *in* New England Intercollegiate Geological Conference, 77th Annual Meeting, New Haven, Conn., October 4-6, 1985, Guidebook for field trips in Connecticut and adjacent areas of New York and Rhode Island, R.J. Tracy, ed.: Connecticut Geological and Natural History Survey Guidebook 6, 590 p.
- Stone, J.R., Walsh, G.J., and Thomas, M.A., 2002, Characterization of bedrock aquifers in Connecticut—(1) Geologic mapping and analysis [abs.], in 37th annual Northeastern Section meeting, Springfield, Mass., March 25-27, 2002: Boulder, Colo., Geological Society of America.
- Thomas, C.E., Jr., 1968, The quality of Connecticut's surface waters: The University of Connecticut Institute of Water Resources Report 6.
- Thomas, C.E., Jr., Bednar, G.A., Thomas, M.P., and Wilson, W.E., 1967, Hydrogeologic data for the Shetucket River basin, Connecticut: Connecticut Water Resources Bulletin 12, 48 p.
- Thomas, C.E., Jr., Cervione, M.A., Jr., and Grossman, I.G., 1968, Water resources inventory of Connecticut, part 3, lower Thames and southeastern coastal river basins: Connecticut Water Resources Bulletin 15, 105 p.
- Thomas, C.E., Jr., Randall, A.D., and Thomas, M.P., 1966, Hydrogeologic data in the Quinebaug River basin, Connecticut: Connecticut Water Resources Bulletin 9, 84 p.
- Thomas, C.E., Jr., Shepard, T.B., Gasperini, I.S., and Wing, S.E., 1983, Water resources data for Connecticut, water year 1982: U.S. Geological Survey Water Data Report CT-82-1, 327 p.
- Thomas, C.E., Jr., Weiss, L.A., Gasperini, I.S., and Bingham, J.W., 1985, Water resources data for Connecticut, water year 1983: U.S. Geological Survey Water Data Report CT-83-1, 300 p.
- Thomas, H.E., and Schneider, W.J., 1970, Water as an urban resource and nuisance: U.S. Geological Survey Circular 601-D, 9 p.
- Thomas, M.P., 1966, Effect of glacial geology upon the time distribution of streamflow in eastern and southern Connecticut, *in* Geological Survey Research 1966: U.S. Geological Survey Professional Paper 550-B, p. B209- B212.
- Thomas, M.P., 1972, Drainage areas, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-J, scale 1:24,000.
- Thomas, M.P., 1972, Flood-prone areas, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-M, scale 1:24,000.
- Thomas, M.P., 1972, Gazetteer of natural areas of streams and water bodies within the State of Connecticut: Connecticut Department of Environmental Protection Bulletin 1, 89 p.
- Thomas, M.P., 1974, Map showing drainage areas, Broad Brook quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-451-H, scale 1:24,000.
- Thomas, M.P., 1974, Map showing drainage areas, Essex quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-587-D, scale 1:24,000.
- Thomas, M.P., 1974, Map showing drainage areas, Moodus quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-510-C, scale 1:24,000.
- Thomas, M.P., 1975, Map showing drainage areas, New Haven-Woodmont quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-557-B, scale 1:24,000.
- Thomas, M.P., 1975, Map showing drainage areas, Niantic quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-593-B, scale 1:24,000.
- Thomas, M.P., 1975, Map showing drainage areas, Old Lyme quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-558-C, scale 1:24,000.
- Thomas, M.P., 1976, Map showing drainage areas, Hartford South quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-487-E, scale 1:24,000.
- Thomas, M.P., 1976, Map showing drainage areas, Windsor Locks, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-450-F, scale 1:24,000.

- Thomas, M.P., 1978, Map showing drainage areas, Columbia quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-941-A, scale 1:24,000.
- Thomas, M.P., and Adams, P.A., 1977, Map showing drainage areas, Tariffville quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-512-D, scale 1:24,000.
- Thomas, M.P., and Adams, P.A., 1978, Map showing drainage areas, Collinsville quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-654-B, scale 1:24,000.
- Thomas, M.P., Bednar, G.A., Thomas, C.E., Jr., and Wilson, W.E., 1967, Water resources inventory of Connecticut, part 2, Shetucket River basin: Connecticut Water Resources Bulletin 11, 96 p.
- Thomas, M.P., and Cervione, M.A., Jr., 1970, A proposed streamflow data program for Connecticut: Connecticut Water Resources Bulletin 23, 18 p.
- Thomas, M.P., and Jansky, J.H., 1976, Map showing drainage areas, Glastonbury quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-561-C, scale 1:24,000.
- Thomas, M.P., and Meade, D.B., 1974, Map showing drainage areas, Spring Hill quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-622-A, scale 1:24,000.
- Thomas, M.P., and Melvin, R.L., 1977, Map showing drainage areas, Avon quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-514-D, scale 1:24,000.
- Thomas, M.P., and Melvin, R.L., 1978, Map showing drainage areas, New Britain quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-523-D, scale 1:24,000.
- Thomas, M.P., and Palmer, J.E., 1974, Map showing drainage areas, Clinton quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-553-B, scale 1:24,000.
- Thomas, M.P., and Palmer, J.E., 1974, Map showing drainage areas, Deep River quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-524-C, scale 1:24,000.
- Thomas, M.P., and Palmer, J.E., 1974, Map showing drainage areas, Middle Haddam quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-630-A, scale 1:24,000.
- Thomas, M.P., and Palmer, J.E., 1975, Map showing drainage area, Guilford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-583-B, scale 1:24,000.
- Thomas, M.P., and Palmer, J.E., 1975, Map showing drainage areas, Marlborough quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-645-B, scale 1:24,000.
- Thomas, M.P., and Palmer, J.E., 1975, Map showing drainage areas, Branford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-560-D, scale 1:24,000.
- Thomas, M.P., and Palmer, J.E., 1975, Map showing drainage areas, Haddam quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-638-A, scale 1:24,000.
- Thomas, M.P., and Palmer, J.E., 1975, Map showing drainage areas, Middletown quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-639-A, scale 1:24,000.
- Thomas, M.P., Ryder, R.B., and Thomas, C.E., Jr., 1969, Hydrogeologic data for the southwestern coastal river basins, Connecticut: Connecticut Water Resources Bulletin 18, 45 p.
- Thomas, M.P., and White, R.L., 1977, Map showing drainage areas, New Hartford quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-542-C, scale 1:24,000.
- Thomas, M.P., and White, R.L., 1978, Map showing drainage areas, Norfolk quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Field Study Map MF-942-A, scale 1:24,000.
- Thomson, M.T., Ganon, W.B., Thomas, M.P., Hayes, G.S., and others, 1964, Historical floods in New England: U.S. Geological Survey Water-Supply Paper 1779-M, p. M1-M105.
- Trench, E.C.T., 1996, Trends in nitrogen in Connecticut streams, 1975-88 [abs.], *in* Puckett, L.J., and Triska, F.J. (eds), U.S. Geological Survey Nitrogen-Cycling Workshop: U.S. Geological Survey Open-File Report 96-477, p. 22.
- Trench, E.C.T., 1996, Trends in surface-water quality in Connecticut, 1969-88: U.S. Geological Survey Water-Resources Investigations Report 96-4161, 176 p.

- Trench, E.C.T., 2000, Nutrient sources and loads in the Connecticut, Housatonic, and Thames River Basins: U.S. Geological Survey Water-Resources Investigations Report 99-4236, 66 p.
- Trench, E.C.T., 2001, Trend analysis and load estimation using long-term water-quality data for Connecticut streams [abs.], *in* Clausen, J.C. (ed.), 8th National Nonpoint Source Monitoring Workshop, Sept. 11-14, 2001, Hartford, Conn., Proceedings: Chicago, Ill., U.S. Environmental Protection Agency, EPA/905-R-01-008, p. 226.
- Trench, E.C.T., 2004, Analysis of phosphorus trends and evaluation of sampling designs in the Quinebaug River Basin, Connecticut: U.S. Geological Survey Scientific Investigations Report 2004-5094, 18 p. Online at <http://pubs.usgs.gov/sir/2004/5094/>
- Trench, E.C.T., 2005, The Thames science plan—Suggested hydrologic investigations to support nutrient-related water-quality improvements in the Thames River Basin, Connecticut: U.S. Geological Survey Open-File Report 2005-1208, 47 p. Online at <http://water.usgs.gov/pubs/of/2005/1208/>
- Trench, E.C.T., and Kiesman, S.S., 1998, Surface-water quality information in Connecticut—Answering key scientific and management questions: U.S. Geological Survey Fact Sheet FS-088-98, 6 p.
- Trench, E.C.T., and Korzendorfer, B.A., 1997, Trends in surface-water quality in Connecticut: U.S. Geological Survey Fact Sheet FS-133-97, 4 p.
- Trench, E.C.T., and Vecchia, A.V., 2002, Water-quality trend analysis and sampling design for streams in Connecticut, 1968-98: U.S. Geological Survey Water-Resources Investigations Report 02-4011, 94 p.
- Trench, E.C.T., and Zimmerman, M.J., 1994, Concentrations, trends, and loads of nitrogen and phosphorus in the Connecticut, Housatonic, and Thames River basins, 1972-92 [abs.], *in* Sorenson, S.K., ed., American Water Resources Association's Symposium on the National Water-Quality Assessment (NAWQA) Program—Proceedings abstracts, Chicago, Illinois, November 7-9, 1994: U.S. Geological Survey Open-File Report 94-397, p. 4.
- Upton, J.E., 1971, Surficial geologic map of the Mystic quadrangle, Connecticut, New York, and Rhode Island: U.S. Geological Survey Geologic Quadrangle Map GQ-940, scale 1:24,000.
- U.S. Geological Survey and National Oceanic and Atmospheric Administration, 1973, Sources and movement of water—An interim report, Long Island Sound regional study: New England River Basins Commission.
- U.S. Geological Survey, 1905, Contributions to the hydrology of eastern United States, with a section on Hydrologic work in Eastern United States and publications on ground water: U.S. Geological Survey Water- Supply Paper 145, 220 p.
- U.S. Geological Survey, 1956, Floods of August 1955 in the northeastern States: U.S. Geological Survey Circular 377, 76 p.
- U.S. Geological Survey, 1961-64, Surface-water records of Connecticut. [published annually]
- U.S. Geological Survey, 1964, Water-quality records in Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- U.S. Geological Survey, 1965-66, Water resources data for Connecticut—Part 1, Surface-water records; Part 2, Water-quality records.
- U.S. Geological Survey, 1967, Engineering geology of the Northeast Corridor, Washington, D.C., to Boston, Mass.—Bedrock geology: U.S. Geological Survey Miscellaneous Investigations Series Map I-514-A, scale 1:250,000, 7 sheets, 9 p.
- U.S. Geological Survey, 1967, Engineering geology of the Northeast Corridor, Washington, D.C., to Boston, Mass.—Earthquake epicenters, geothermal gradients, and excavations and borings: U.S. Geological Survey Miscellaneous Investigations Series Map I-514-C, scale 1:1,500,000, 2 sheets.
- U.S. Geological Survey, 1967, Engineering geology of the Northeast Corridor, Washington, D.C., to Boston, Mass.—Coastal plain and surficial deposits: U.S. Geological Survey Miscellaneous Investigations Series Map I-514-B, scale 1:250,000; 1:1,500,000, 8 sheets, 9 p.
- U.S. Geological Survey, 1967-74, Water resources data for Connecticut—Part 1, Surface-water records; Part 2, Water-quality records; Part 3, Ground- water records.

- U.S. Geological Survey, 1979, Map showing ranges in elevation of land surface above mean sea level, Connecticut Valley urban area, central New England: U.S. Geological Survey Miscellaneous Investigations Series Map I-1074-E, scale 1:125,000, 2 sheets.
- U.S. Geological Survey, 1979, Slope map, Connecticut Valley urban area, central New England: U.S. Geological Survey Miscellaneous Investigations Series Map I-1074-F, scale 1:125,000, 2 sheets.
- U.S. Geological Survey, 1979, Water resources data for Connecticut, water year 1977: U.S. Geological Survey Water Data Report CT-77-1, 383 p.
- U.S. Geological Survey, 1979, Water resources data for Connecticut, water year 1978: U.S. Geological Survey Water Data Report CT-78-1, 363 p.
- U.S. Geological Survey, 1980, Water resources data for Connecticut, water year 1979: U.S. Geological Survey Water Data Report CT-79-1, 366 p.
- U.S. Geological Survey, 1981, Water resources data for Connecticut, water year 1980: U.S. Geological Survey Water Data Report CT-80-1, 400 p.
- U.S. Geological Survey, 1982, Water resources data for Connecticut, water year 1981: U.S. Geological Survey Water Data Report CT-81-1, 325 p.
- U.S. Geological Survey, 1984, Connecticut water issues, *in* National Water Summary 1983—Hydrologic events and issues: U.S. Geological Survey Water-Supply Paper 2250, p. 100-103.
- U.S. Geological Survey, 1995, United States Geological Survey programs in Connecticut: U.S. Geological Survey Fact Sheet FS-007-95, 4 p.
- U.S. Geological Survey, 1997, United States Geological Survey programs in Connecticut: U.S. Geological Survey Fact Sheet FS-007-96, 4 p.
- U.S. Geological Survey, 1999, United States Geological Survey programs in Connecticut: U.S. Geological Survey Fact Sheet FS-008-99, 4 p.
- Waring, G.A., 1920, Ground water in the Meriden area, Connecticut: U.S. Geological Survey Water-Supply Paper 449, 83 p.
- Warren, C.R., 1970, Surficial geologic map of the Litchfield quadrangle, Litchfield County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-848, scale 1:24,000.
- Warren, C.R., 1970, Surficial geologic map of the Winsted quadrangle, Litchfield and Hartford Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-871, scale 1:24,000.
- Warren, C.R., 1972, Surficial geologic map of the Norfolk quadrangle, Litchfield County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-983, scale 1:24,000.
- Warren, C.R., 1972, Surficial geologic map of the Thomaston quadrangle, Litchfield, New Haven, and Hartford Counties, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-984, scale 1:24,000.
- Warren, C.R., and Colton, R.B., 1974, Surficial geologic map of the Cornwall quadrangle, Litchfield County, Connecticut: U.S. Geological Survey Geologic Quadrangle Map GQ-1148, scale 1:24,000.
- Warren, C.R., and Harwood, D.S., 1978, Deglaciation ice fronts in the South Sandisfield and Ashley Falls quadrangles, Massachusetts and Connecticut: U.S. Geological Survey Miscellaneous Field Studies Map MF-1016, scale 1:24,000.
- Weaver, M.F., 1988, Ground-water availability from selected stratified-drift aquifers in southwestern Connecticut: Connecticut Water Resources Bulletin 33B, 63 p.
- Weiss, L.A., 1971, Dispersion computation and temperature simulation for the Connecticut River estuary by mathematical model, *in* Geological Survey Research 1971: U.S. Geological Survey Professional Paper 750-B, p. B211- B217.
- Weiss, L.A., 1971, Mathematical model to compute reaeration coefficients for the Connecticut River, *in* Geological Survey Research 1971: U.S. Geological Survey Professional Paper 750-D, p. D165-D170.

- Weiss, L.A., 1972, Maximum concentration of dissolved solids in surface water, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-O, scale 1:24,000.
- Weiss, L.A., 1972, Sites of solid-waste storage and liquid-waste discharge, Hartford North quadrangle, Connecticut: U.S. Geological Survey Miscellaneous Investigations Series Map I-784-Q, scale 1:24,000.
- Weiss, L.A., 1975, Floodflow formulas for urbanized and nonurbanized areas of Connecticut, *in* Watershed Management Symposium, Logan, Utah, Proceeding: American Society of Civil Engineers, Irrigation and Drainage Division, p. 658-675.
- Weiss, L.A., 1983, Evaluation and design of a streamflow data network for Connecticut: Connecticut Water Resources Bulletin 36, 30 p.
- Weiss, L.A., 1988, Rainfall-runoff relationships of the Hop Brook basin, Manchester, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 85-4327, 22 p.
- Weiss, L.A., 1990, Effects of urbanization on peak streamflows in four Connecticut communities, 1980-84: U.S. Geological Survey Water-Resources Investigations Report 89-4167, 40 p.
- Weiss, L.A., 1991, Connecticut floods and droughts, with a section on "water management" by C.J. Hughes, *in* Paulson, R.W., Chase, E.B., Roberts, R.S., and Moody, D.W. (compilers), National Water Summary 1988-89—Hydrologic events and floods and droughts: U.S. Geological Survey Water-Supply Paper 2375, p. 215-222.
- Weiss, L.A., Bingham, J.W., and Thomas, M.P., 1982, Water resources inventory of Connecticut, part 10, lower Connecticut River basin: Connecticut Water Resources Bulletin 31, 85 p.
- Weiss, L.A., and Cervione, M.A., Jr., 1986, Connecticut surface-water resources, *in* Moody, D.W., Chase, E.B., and Aronson, D.A. (compilers), National Water Summary 1985—Hydrologic events and surface-water resources: U.S. Geological Survey Water-Supply Paper 2300, p. 175-180.
- Weiss, L.A., Sears, M.P., and Cervione, M.A., Jr., 1994, Hydraulic modeling of stream channels and structures in Harbor and Crow Hollow Brooks, Meriden, Connecticut: U.S. Geological Survey Water-Resources Investigations Report 94-4153, 31 p.
- Wershaw, R.L., Leenheer, J.A., Sperline, R.P., Song, Yuan, Noll, L.A., Melvin, R.L., and Rigatti, G.P., 1995, Mechanism of formation of humus coatings on mineral surfaces, 1. Evidence for multidentate binding of organic acids from compost leachate on alumina: *Colloids and Surfaces, Part A. Physicochemical and Engineering Aspects*, v. 96, p. 93-104.
- Wilson, W.E., Burke, E.L., and Thomas, C.E., Jr., 1974, Water resources inventory of Connecticut, part 5, lower Housatonic River basin: Connecticut Water Resources Bulletin 19, 79 p.
- Wilson, W.E., Ryder, R.B., and Thomas, C.E., Jr., 1968, Trip B-3, Hydrogeology of southwestern Connecticut, *in* Orvill, P.M., ed., Guidebook for fieldtrips in Connecticut, New England Intercollegiate Geologic Conference, 60th annual meeting, October 25-27, 1968, Yale University, New Haven, Conn., Proceedings: State Geological and Natural History Survey of Connecticut Guidebook 2, 33 p.
- Zen, E-an, and Hartshorn, J.H., 1966, Geologic map of the Babbish Falls quadrangle, Massachusetts, Connecticut, and New York: U.S. Geological Survey Geologic Quadrangle Map GQ-507, scale 1:24,000.
- Zimmerman, M.J., 1997, Trends in nitrogen and phosphorus concentrations in southern New England streams, 1974-92: U.S. Geological Survey Fact Sheet FS-001-97.
- Zimmerman, M.J., 1999, Pesticides in surface water in the Connecticut, Housatonic, and Thames River Basins, 1992-95: U.S. Geological Survey Water-Resources Investigations Report 98-4247, 83 p.
- Zimmerman, M.J., Grady, S.J., Trench, E.C.T., Flanagan, S.M., and Nielsen, M.G., 1996, Water-quality assessment of the Connecticut, Housatonic, and Thames River Basins study unit—analysis of available data on nutrients, suspended sediments, and pesticides, 1972-92: U.S. Geological Survey Water-Resources Investigations Report 95-4203, 162 p.