

Table 40.
Distribution, by diagnostic group, selected years 1960–2007

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders ^b			Neoplasms
						Total	Retardation	Other	
<i>Number</i>									
1960	207,805	865	5,406	10,903	--	17,287	--	--	17,739
1961	279,758	1,637	7,070	15,153	--	26,864	--	--	23,103
1962	286,434	2,026	9,383	15,271	--	37,315	--	--	27,632
1963	224,229	1,646	7,563	10,859	6,496	24,526	--	--	25,042
1967	310,947	--	10,743	10,945	19,815	35,344	--	--	33,358
1968	330,783	2,670	11,359	10,360	25,319	41,894	--	--	36,560
1969	344,741	3,004	12,169	9,828	28,473	43,225	--	--	35,740
1970	350,384	3,597	13,141	8,760	28,231	38,406	--	--	36,095
1971	415,897	4,365	15,823	8,524	31,810	42,687	--	--	39,629
1972	455,438	4,033	17,352	8,627	31,728	45,253	--	--	43,667
1973	491,776	5,276	18,131	7,957	30,418	47,014	--	--	50,644
1975	592,049	6,576	23,176	7,579	32,341	67,213	--	--	59,852
1976	551,460	5,817	20,966	6,049	29,848	63,667	--	--	57,656
1977	568,874	6,681	21,725	5,807	31,942	70,825	--	--	59,833
1978	464,415	5,850	16,855	4,512	27,490	54,329	--	--	54,878
1981	351,847	3,118	14,768	2,596	20,868	36,318	--	--	56,410
1982	298,531	2,432	13,187	2,312	16,617	31,531	--	--	50,999
1983	311,490	2,827	14,904	6,730	15,646	50,633	--	--	52,379
1984	357,140	2,439	14,418	3,185	16,189	64,078	--	--	59,104
1985	377,371	2,480	16,976	2,985	16,558	68,610	--	--	55,120
1986	416,865	1,953	21,260	2,736	3,629	123,983	--	--	53,176
1987	415,848	787	21,114	4,676	20,889	81,241	--	--	55,339
1988	409,490	550	14,513	2,802	21,022	85,756	--	--	53,944
1989	425,582	534	14,279	3,773	21,531	88,500	--	--	60,352
1990	467,977	511	16,255	22,023	22,315	105,173	--	--	65,939
1991	536,434	575	19,931	28,245	24,129	126,184	--	--	69,244
1992	636,637	619	29,904	39,253	25,042	164,093	--	--	77,175
1993	635,238	543	30,862	37,450	23,206	166,045	--	--	80,266
1994	631,870	602	31,532	36,087	22,560	156,703	--	--	89,231
1995	645,645	722	33,370	27,993	27,566	147,900	16,681	131,219	64,401
1996	624,254	777	33,832	23,324	27,616	132,022	14,062	117,960	63,321
1997	587,700	654	33,807	15,327	25,930	122,901	12,888	110,013	62,279
1998	608,382	676	36,373	12,680	25,926	131,502	14,506	116,996	63,973
1999	620,559	645	36,975	11,743	25,925	138,980	16,608	122,372	65,681
2000	610,700	700	17,100	10,700	28,700	143,200	17,600	125,600	63,600
2001	661,900	d	19,500	11,200	25,400	168,600	22,500	146,100	62,000
2002	730,383	1,113	21,830	10,966	28,169	185,313	22,352	162,961	70,369
2003	755,706	1,152	23,407	10,879	28,612	191,679	19,338	172,341	70,942
2004	775,244	1,166	24,341	10,510	29,580	192,832	20,479	172,353	73,637
2005	821,207	1,214	26,969	10,534	31,019	198,549	21,165	177,384	83,303
2006	798,675	1,170	27,272	10,165	31,231	185,035	19,842	165,193	82,146
2007	804,787	1,196	27,354	9,504	31,543	183,475	18,694	164,781	81,453

(Continued)

Awards to Disabled Workers

Table 40.
Distribution, by diagnostic group, selected years 1960–2007—Continued

Year	Diseases of the—								Other	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
<i>Number</i>										
1960	442	55,855	3,575	1,077	17,124	32,105	16,489	463	89	28,386
1961	566	71,860	4,300	1,608	23,241	44,709	20,030	794	125	38,698
1962	739	82,015	5,922	2,040	33,751	45,261	23,408	1,177	494	--
1963	597	66,468	4,437	1,725	21,744	32,712	19,107	719	588	--
1967	--	81,507	7,627	--	41,090	38,278	24,646	--	7,594	--
1968	--	80,906	7,806	2,926	43,677	41,758	22,635	--	2,913	--
1969	--	105,760	8,719	2,717	47,357	21,967	23,265	--	2,517	--
1970	--	108,906	9,051	2,912	52,086	22,575	24,254	--	2,370	--
1971	1,043	131,854	11,629	3,501	66,558	26,442	30,103	1,667	262	--
1972	1,155	146,684	13,369	4,304	75,923	28,216	33,038	1,756	293	40
1973	1,347	158,202	14,614	4,810	85,431	31,139	34,656	1,854	283	--
1975	1,491	177,311	17,474	5,719	110,637	39,960	39,485	2,306	929	--
1976	2,039	165,182	15,194	4,907	105,907	36,156	35,210	2,532	330	--
1977	1,516	167,801	15,342	5,271	107,840	36,751	35,002	1,766	772	--
1978	1,236	134,634	12,407	4,719	86,921	29,314	28,005	2,017	1,248	--
1981	942	85,994	7,363	6,230	58,639	28,516	21,520	1,345	616	6,604
1982	808	74,242	6,067	3,165	48,985	26,886	19,766	998	536	--
1983	958	68,352	5,272	6,489	41,782	26,203	17,978	848	d	d
1984	904	70,891	5,895	3,441	45,826	28,201	18,891	983	776	21,919
1985	890	72,764	5,626	3,348	49,214	28,733	20,213	1,110	992	31,752
1986	1,186	73,226	6,262	3,099	54,560	30,328	23,449	1,075	--	16,943
1987	1,205	76,758	6,122	5,801	63,807	35,206	22,978	1,173	--	18,752
1988	1,419	72,224	6,388	7,131	68,623	34,443	23,073	785	16,817	--
1989	1,524	70,235	6,803	9,010	71,419	34,756	21,400	828	20,638	--
1990	1,734	73,585	7,431	10,294	74,501	37,737	22,158	866	7,455	--
1991	1,904	78,339	8,648	10,874	92,469	41,551	23,798	1,021	9,522	--
1992	2,277	89,818	9,872	12,763	96,895	46,952	27,264	1,070	13,640	--
1993	2,075	88,623	10,026	13,390	94,255	45,742	27,494	1,118	14,143	--
1994	2,066	86,645	10,520	15,531	84,705	47,820	30,958	1,116	15,794	--
1995	2,006	83,065	11,167	11,956	141,306	46,477	28,831	1,643	14,746	2,496
1996	1,836	81,209	11,530	12,206	142,776	45,960	27,983	1,588	18,274	2,590
1997	1,815	76,531	11,310	12,151	135,430	45,496	26,483	1,473	14,436	1,677
1998	1,801	76,698	12,413	13,118	141,847	47,517	27,148	1,466	13,744	1,500
1999	1,911	74,755	13,389	13,842	146,754	49,869	26,981	1,416	10,252	1,441
2000	1,500	75,400	12,700	14,900	153,600	50,100	26,200	1,700	9,300	1,300
2001	2,200	82,500	15,600	16,300	162,100	54,600	28,300	d	10,000	1,800
2002	2,491	85,252	15,976	16,412	186,923	62,519	30,591	1,609	1,866	8,984
2003	2,408	85,896	17,084	16,968	199,014	64,369	32,007	1,622	1,871	7,796
2004	2,479	85,449	18,045	16,869	210,315	64,566	32,562	1,709	1,909	9,275
2005	2,501	89,247	19,094	18,317	226,914	66,712	33,998	1,783	1,989	9,064
2006	2,405	85,636	18,655	18,414	225,179	65,320	32,577	1,731	1,862	9,877
2007	2,509	86,706	18,558	19,060	233,608	65,187	32,336	1,781	2,112	8,405

(Continued)

Table 40.
Distribution, by diagnostic group, selected years 1960–2007—Continued

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders ^b			Neoplasms
						Total	Retardation	Other	
<i>Percent</i>									
1960	100.0	0.4	2.6	5.2	--	8.3	--	--	8.5
1961	100.0	0.6	2.5	5.4	--	9.6	--	--	8.3
1962	100.0	0.7	3.3	5.3	--	13.0	--	--	9.6
1963	100.0	0.7	3.4	4.8	2.9	10.9	--	--	11.2
1967	100.0	--	3.5	3.5	6.4	11.4	--	--	10.7
1968	100.0	0.8	3.4	3.1	7.7	12.7	--	--	11.1
1969	100.0	0.9	3.5	2.9	8.3	12.5	--	--	10.4
1970	100.0	1.0	3.8	2.5	8.1	11.0	--	--	10.3
1971	100.0	1.0	3.8	2.0	7.6	10.3	--	--	9.5
1972	100.0	0.9	3.8	1.9	7.0	9.9	--	--	9.6
1973	100.0	1.1	3.7	1.6	6.2	9.6	--	--	10.3
1975	100.0	1.1	3.9	1.3	5.5	11.4	--	--	10.1
1976	100.0	1.1	3.8	1.1	5.4	11.5	--	--	10.5
1977	100.0	1.2	3.8	1.0	5.6	12.5	--	--	10.5
1978	100.0	1.3	3.6	1.0	5.9	11.7	--	--	11.8
1981	100.0	0.9	4.2	0.7	5.9	10.3	--	--	16.0
1982	100.0	0.8	4.4	0.8	5.6	10.6	--	--	17.1
1983	100.0	0.9	4.8	2.2	5.0	16.3	--	--	16.8
1984	100.0	0.7	4.0	0.9	4.5	17.9	--	--	16.5
1985	100.0	0.7	4.5	0.8	4.4	18.2	--	--	14.6
1986	100.0	0.5	5.1	0.7	0.9	29.7	--	--	12.8
1987	100.0	0.2	5.1	1.1	5.0	19.5	--	--	13.3
1988	100.0	0.1	3.5	0.7	5.1	20.9	--	--	13.2
1989	100.0	0.1	3.4	0.9	5.1	20.8	--	--	14.2
1990	100.0	0.1	3.5	4.7	4.8	22.5	--	--	14.1
1991	100.0	0.1	3.7	5.3	4.5	23.5	--	--	12.9
1992	100.0	0.1	4.7	6.2	3.9	25.8	--	--	12.1
1993	100.0	0.1	4.9	5.9	3.7	26.1	--	--	12.6
1994	100.0	0.1	5.0	5.7	3.6	24.8	--	--	14.1

(Continued)

Awards to Disabled Workers

Table 40.
Distribution, by diagnostic group, selected years 1960–2007—Continued

Year	Diseases of the—								Other	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
	<i>Percent</i>									
1960	0.2	26.9	1.7	0.5	8.2	15.4	7.9	0.2	e	13.7
1961	0.2	25.7	1.5	0.6	8.3	16.0	7.2	0.3	e	13.8
1962	0.3	28.6	2.1	0.7	11.8	15.8	8.2	0.4	0.2	--
1963	0.3	29.6	2.0	0.8	9.7	14.6	8.5	0.3	0.3	--
1967	--	26.2	2.5	--	13.2	12.3	7.9	--	2.4	--
1968	--	24.5	2.4	0.9	13.2	12.6	6.8	--	0.9	--
1969	--	30.7	2.5	0.8	13.7	6.4	6.7	--	0.7	--
1970	--	31.1	2.6	0.8	14.9	6.4	6.9	--	0.7	--
1971	0.3	31.7	2.8	0.8	16.0	6.4	7.2	0.4	0.1	--
1972	0.3	32.2	2.9	0.9	16.7	6.2	7.3	0.4	0.1	e
1973	0.3	32.2	3.0	1.0	17.4	6.3	7.0	0.4	0.1	--
1975	0.3	29.9	3.0	1.0	18.7	6.7	6.7	0.4	0.2	--
1976	0.4	30.0	2.8	0.9	19.2	6.6	6.4	0.5	0.1	--
1977	0.3	29.5	2.7	0.9	19.0	6.5	6.2	0.3	0.1	--
1978	0.3	29.0	2.7	1.0	18.7	6.3	6.0	0.4	0.3	--
1981	0.3	24.4	2.1	1.8	16.7	8.1	6.1	0.4	0.2	1.9
1982	0.3	24.9	2.0	1.1	16.4	9.0	6.6	0.3	0.2	--
1983	0.3	21.9	1.7	2.1	13.4	8.4	5.8	0.3	d	d
1984	0.3	19.8	1.7	1.0	12.8	7.9	5.3	0.3	0.2	6.1
1985	0.2	19.3	1.5	0.9	13.0	7.6	5.4	0.3	0.3	8.4
1986	0.3	17.6	1.5	0.7	13.1	7.3	5.6	0.3	--	4.1
1987	0.3	18.5	1.5	1.4	15.3	8.5	5.5	0.3	--	4.5
1988	0.3	17.6	1.6	1.7	16.8	8.4	5.6	0.2	4.1	--
1989	0.4	16.5	1.6	2.1	16.8	8.2	5.0	0.2	4.8	--
1990	0.4	15.7	1.6	2.2	15.9	8.1	4.7	0.2	1.6	--
1991	0.4	14.6	1.6	2.0	17.2	7.7	4.4	0.2	1.8	--
1992	0.4	14.1	1.6	2.0	15.2	7.4	4.3	0.2	2.1	--
1993	0.3	14.0	1.6	2.1	14.8	7.2	4.3	0.2	2.2	--
1994	0.3	13.7	1.7	2.5	13.4	7.6	4.9	0.2	2.5	--

(Continued)

Table 40.
Distribution, by diagnostic group, selected years 1960–2007—Continued

Year	Total	Congenital anomalies	Endocrine, nutritional, and metabolic diseases	Infectious and parasitic diseases ^a	Injuries	Mental disorders ^b			Neoplasms
						Total	Retardation	Other	
<i>Percent (cont.)</i>									
1995	100.0	0.1	5.2	4.3	4.3	22.9	2.6	20.3	10.0
1996	100.0	0.1	5.4	3.7	4.4	21.1	2.3	18.9	10.1
1997	100.0	0.1	5.8	2.6	4.4	20.9	2.2	18.7	10.6
1998	100.0	0.1	6.0	2.1	4.3	21.6	2.4	19.2	10.5
1999	100.0	0.1	6.0	1.9	4.2	22.4	2.7	19.7	10.6
2000	100.0	0.1	2.8	1.8	4.7	23.4	2.9	20.6	10.4
2001	100.0	d	2.9	1.7	3.8	25.5	3.4	22.1	9.4
2002	100.0	0.2	3.0	1.5	3.9	25.4	3.1	22.3	9.6
2003	100.0	0.2	3.1	1.4	3.8	25.4	2.6	22.8	9.4
2004	100.0	0.2	3.1	1.4	3.8	24.8	2.6	22.2	9.5
2005	100.0	0.1	3.3	1.3	3.8	24.2	2.6	21.6	10.1
2006	100.0	0.1	3.4	1.3	3.9	23.2	2.5	20.7	10.3
2007	100.0	0.1	3.4	1.2	3.9	22.8	2.3	20.5	10.1

(Continued)

Awards to Disabled Workers

Table 40.
Distribution, by diagnostic group, selected years 1960–2007—Continued

Year	Diseases of the—								Other	Unknown ^c
	Blood and blood-forming organs	Circulatory system	Digestive system	Genitourinary system	Musculoskeletal system and connective tissue	Nervous system and sense organs	Respiratory system	Skin and subcutaneous tissue		
<i>Percent (cont.)</i>										
1995	0.3	12.9	1.7	1.9	21.9	7.2	4.5	0.3	2.3	0.4
1996	0.3	13.0	1.8	2.0	22.9	7.4	4.5	0.3	2.9	0.4
1997	0.3	13.0	1.9	2.1	23.0	7.7	4.5	0.3	2.5	0.3
1998	0.3	12.6	2.0	2.2	23.3	7.8	4.5	0.2	2.3	0.2
1999	0.3	12.0	2.2	2.2	23.6	8.0	4.3	0.2	1.7	0.2
2000	0.2	12.3	2.1	2.4	25.2	8.2	4.3	0.3	1.5	0.2
2001	0.3	12.5	2.4	2.5	24.5	8.2	4.3	d	1.5	0.3
2002	0.3	11.7	2.2	2.2	25.6	8.6	4.2	0.2	0.3	1.2
2003	0.3	11.4	2.3	2.2	26.3	8.5	4.2	0.2	0.2	1.0
2004	0.3	11.0	2.3	2.2	27.1	8.3	4.2	0.2	0.2	1.2
2005	0.3	10.9	2.3	2.2	27.6	8.1	4.1	0.2	0.2	1.1
2006	0.3	10.7	2.3	2.3	28.2	8.2	4.1	0.2	0.2	1.2
2007	0.3	10.8	2.3	2.4	29.0	8.1	4.0	0.2	0.3	1.0

SOURCES: Social Security Administration. For years before 2000, *Annual Statistical Supplement to the Social Security Bulletin*, based on the Master Beneficiary Record, various sampling rates; from 2000 to 2001, Annual Award and Termination Transaction file, 1 percent sample; data after 2001 are 100 percent data.

NOTES: Data exclude closed period awards in 2002 and 2003 and expedited reinstatement cases since 2002.

Data from 1964 to 1966 are not available. Before 1995, diagnostic data for cases awarded at the appeals levels were estimated on the basis of the diagnosis of cases allowed at the initial disability determination level.

Effective 2001, the Social Security Administration initiated a special review of 130,000 Supplemental Security Income (SSI) recipients who are potentially eligible for Social Security disability benefits because of earnings while receiving SSI. Many of these claims awarded since 2001 were for individuals under the age of 35 who were diagnosed with a mental disorder.

-- = not available.

- a. AIDS and HIV records are counted in "Infectious and parasitic diseases." Before 1990, they were included in "Other."
- b. Mental retardation was not identified separately before 1995.
- c. Beginning with 2002, several ill-defined impairment codes were reclassified and added to "Unknown."
- d. Data not shown to avoid disclosure of information for particular individuals.
- e. Less than 0.05 percent.

CONTACT: Hazel P. Jenkins (410) 965-0164 or di.asr@ssa.gov.