2008 Marijuana Sourcebook

MARIJUANA: THE GREATEST CAUSE OF ILLEGAL DRUG ABUSE



Office of National Drug Control Policy Executive Office of the President Washington, DC 20503

July 2008

Table of Contents

| SE | ECTION | TITLE | PAGE |
|-----|---|---|------|
| IN | ITRODUCTION | | 1 |
| US | SE PATTERNS AND TRENDS | | 2 |
| 1. | | ug | |
| 2. | • | | |
| 3. | | | |
| 4. | | | |
| 5. | | juana Are Associated with Lower Rates of Use | |
| 6. | | tive for Marijuana is Declining | |
| 7. | | g. | |
| ЦΕ | ENITH EFFECTS | | 6 |
| 8. | | Risk of Dependence or Abuse | |
| 9. | | Nisk of Dependence of Abuse | |
| | | a | |
| 11. | | ve and More Dangerous | |
| 12. | | peen Increasing | |
| 13. | | th Disorders | |
| 14. | | zards | |
| 14. | i. Manjuana Growers Fresent Environmental na. | _di us | 7 |
| ۲R | RIMINAL HISTICE ASPECTS | | Q |
| | | ated with Marijuana Use | |
| | | s for Drug Violations | |
| | | o a Large Share of Offenders in Prison | |
| | B. Substantial Proportions of Treatment Referrals | | 10 |
| 10. | | | 11 |
| | - | | |
| | | | |
| | | | |
| | | r Obtaining Marijuana for Individual Use | |
| | | | |
| | | r Are Increasingly More Potent | |
| | | ijuana Supply | |
| | | ce of Supply | |
| | | | |
| 26. | 6. Canada Is a Consumer as Well as a Producer of | f Marijuana | 17 |
| TH | HE 'MEDICAL MARIJUANA' ISSUE | | 18 |
| | | | |
| | | Another Front for Drug Trafficking? | |
| | | ave Higher Marijuana Use and Initiation Rates | |
| | | A Closer Look | |

INTRODUCTION

This Chartbook recognizes marijuana as a major component of the illicit drug problem. Major progress has been achieved in reducing youth marijuana use; nevertheless, the overall demand for marijuana remains strong.

The supply of cannabis is complex, involving domestic and foreign growers — both outdoor and indoor — as well as intricate networks that involve not only conventional drug traffickers, but also established social networks of friends and family. The potency of cannabis has risen dramatically in the past two decades, with concomitant abuse and dependence consequences reflected in increasing cannabis-related emergency and treatment events.

Today, in addition to traditional methods of promoting and consuming the drug, marijuana is being marketed as candy to young people, the next generation of potential buyers.

The data summary on these pages looks at marijuana use patterns and trends, health

effects, criminal justice aspects, the supply network, and the issue of so-called medical marijuana.















hotos: Drug Enforcement Administrati

Marijuana Is the Most Commonly Used Illicit Drug




2 Marijuana Use Rates Vary Across the Country




3 Age Variability in Marijuana Use


Marijuana use rates accelerate to a peak at age 20, with one in five reporting current use of marijuana.




4 Marijuana Use Among Youth




Higher Rates of Perceived Harmfulness of Marijuana Are Associated with Lower Rates of Use



Percentage of National Workforce Testing Positive for Marijuana Is Declining








Approximately 2 million new users began using marijuana in the past year.

- Marijuana initiation occurs at a younger age than for most drugs of abuse.
- associated with drug dependence as an adult: the younger the age at first use, the higher the likelihood of adult drug Early initiation of marijuana use is dependence.



20.6 20.3

17.4

16.3


Š

Inhalants

rsp

Cocaine Ecstasy Heroin Pain Relievers Stimulants

Marijuana



Sedatives

narijuana

Age First Used Marijuana


nsed

Older

14 or


SAMHSA, 2006 National Survey on Drug Use and Health (September 2007). Source:

8 A Major Consequence Marijuana Use Is the Risk of Dependence or Abuse




Growing Need for Marijuana Treatment

Steady Increase in Treatment Admissions with Marijuana as the Primary Substance of Abuse Since 1994








For Younger Users, Marijuana Is More Addictive and More Dangerous


According to NSDUH, one in four 12- to 17-year-olds who report using marijuana in the past year display the characteristics of abuse or dependency. For younger users, the risk of marijuana abuse or dependency exceeds that for alcohol or tobacco. Recent research supports the "gateway" dimension of marijuana that its use creates greater risk of abuse or dependency on other drugs, such as heroin and cocaine. Marijuana use itself is a serious risk, not only for addiction, but also is an added risk for developing psychosis, including schizophrenia.



12

The Burden on Emergency Departments Has Been Increasing


Emergency department episodes involving marijuana almost tripled from 1994 to 2002. Marijuana steadily increased over that decade, surpassing heroin — which remained relatively flat — in 1998.



13

Marijuana Use Is Associated with Mental Health Disorders

Marijuana use is associated with depression, suicidal thoughts, and suicide attempts. Besides the links to depression shown below, teens who smoke marijuana at least once a month are three times more likely to have suicidal thoughts than non-users.





One marijuana garden can generate:


Up to 53 30-gallon garbage bags of trash



CRIMINAL JUSTICE ASPECTS

15 Juvenile Delinquent Behavior Is Closely Associated With Marijuana Use

Youth who engage in anti-social behavior are far more likely to use marijuana than those who do not engage in these behaviors.







Marijuana Accounts for Two Out of Five Arrests for Drug Violations



However, Marijuana Arrests Do Not Translate to a Large Share of Offenders in Prison




18 Substantial Proportions of Treatment Referrals for Marijuana, Methamphetamine, and Alcohol Are from the Criminal Justice System




SUPPLY SITUATION




What Marijuana Users Spend




Method of Obtaining Most Recently Used Marijuana Among Past Year Users



20



Marijuana Seizures Along the Southwest Border Are Increasingly More Potent




Page 14

23


The Southwest Border is a Key Conduit of Marijuana Supply



- The largest number of eradicated marijuana plants are concentrated in the West and in Appalachian states
- Although indoor-grown marijuana plants comprise less than 10 percent of total eradicated plants, the quantity is rapidly increasing



Areas in Mexico, 2006 Mucatan Marijuana Survey Source: United Nations Office on Drugs and Crime, 2007 World Drug Report, Seizures (June 2007). Mexican Seizures of Cannabis Herb, 2000-2005 Mexican Production of Marijuana UNITED STATES Coahnila 2000 2001 2002 2003 2004 2005 Density (ha per sq km) Mexican States 0.60 - 0.02 0.02-0.35 Over 0.35 Baja 000 2005 5,600 Net Cultivation Eradication Impact on Production **Eradication and Net Cultivation** 2000 2001 2002 2003 2004 5,800 Source: Crime and Narcotics Center, 2006. Kilograms 2,000,000 1,000,000 -500,000 2,500,000 7,500 Marijuana (hectares) 4,400 4,100 3,900 0 5,000 15,000 30,000 25,000 20,000 10,000





Smoked Marijuana Is Not Medicine

In April 2006, the Food and Drug Administration (FDA) issued an interagency advisory stating that it has not approved smoked marijuana for any medical condition or disease indication. FDA's drug approval process requires well-controlled clinical trials that provide the necessary scientific data upon which FDA makes its approval and labeling decisions, consistent with the standards of the Federal Food, Drug, and Cosmetic Act. New drugs must be shown to be safe and effective for their intended use before being marketed in this country.

Efforts that seek to bypass the FDA drug approval process might expose patients to unsafe and ineffective drug products. A growing number of states have passed voter referenda or legislative initiatives making smoked marijuana available for a variety of medical conditions upon a doctor's recommendation. These measures are deemed by FDA to be inconsistent with efforts to ensure that medications undergo the rigorous scientific scrutiny of the approval process. Accordingly, FDA, along with the Drug Enforcement Administration and the Office of National Drug Control Policy, do not support the use of smoked marijuana for medical purposes.




28 Compassionate Care for the Sick and Dying Or Another Front for Drug Trafficking?



Marijuana Dispensary Vending Machine (California 2008)




Medical Marijuana States Are More Likely to Have Higher Marijuana Use and Initiation Rates




30

Marijuana Dispensary Locations in California, 2007

Medical marijuana dispensary location information was collected in 2007; some locations are approximate



- Data from San Diego marijuana dispensaries provide a window into the clientele
- Only a small minority of marijuana dispensary customers have AIDS, glaucoma, or cancer – ailments for which medical marijuana is advocated by proponents
- The vast majority of dispensary customers are relatively young – almost 4 out of 5 are age 40 or younger



Office of National Drug Control Policy Executive Office of the President Washington, DC 20503

July 2008

Marijuana 08-1 [07-29]