

UNICOR 2/90 SIGNAGE



Modular Signage Products

UNICOR

Elevadores



7

7
4
0

Pedro Cortés
Expresa Asociados

Corporativo BOA
Torre de Profesionistas

Corporativo BOA
Torre de Profesionistas

ISE Gerardo Guzmán

BOA Corp. Latinoamérica

Guzman Asesores

Expressa & Asociados

Reyo Maldonado & Ruiz

Servicios Administrativos del Norte

Table of Contents

*System 2/90 is the flexible response
to the demand for modular interior
and exterior facility signage.*


The System.....	2
Combo Signs.....	3
Three Systems in One.....	4-5
Component Design Options.....	6-7
Graphic Design Options.....	8-9
People and Department Signs.....	10-11
Direction/Directory Signs.....	12-13
Window Signs.....	14-15
Window Insert Signs.....	14-15
Sliding Insert Signs.....	16-17
In/Out Signs.....	16-17
Quick Change Number Signs.....	18-19
Quick Change LNS Signs.....	18-19
Freestanding Signs.....	20-21
Frame Signs.....	22-23
Quad Signs.....	24-25
Display Signs.....	24-25
Heavy Duty Interior Signs.....	26-27
Exterior Signs (Standard Duty).....	28-29
Exterior Signs (Heavy Duty).....	30-31
System 2/90 SPECS.....	32
Mounting Options.....	Inside Back Cover
Product Chart.....	Back Pocket
Color Chart.....	Back Pocket
Typestyle Chart.....	Back Pocket

The System

The System is composed of three primary elements: a structural rail, removable copy inserts and interlocking end caps or frame.

Rails

Rails are made of extruded aluminum and can be specified as Thin, Standard or Box Rail. Rails are 2", 3", 4" or 6" in height, and up to 90" in width.



Inserts

Inserts range in height from 1" to 24". Maximum width is 90". Standard insert material is Korad® clad ABS, with aluminum and woodgrain laminate along with numerous special materials available.

End Caps

End caps interlock with the ends of the rail to enclose and secure the inserts. End caps can be ordered with locking features.


COMBO Signs

Larger signs can be made by combining smaller individual signs from the System 2/90 Product Chart to form COMBO Signs.

COMBO Signs

All standard System 2/90 signs are illustrated in the Product Chart (back pocket of brochure). To specify larger signs, a combination of standard signs can be specified.

System 2/90 COMBO signs accommodate large volumes of information as well as irregular formats such as very high or very wide layouts. COMBO signs can be expanded by adding any sign of the same height or width. The example illustrated here shows one of many ways in which a COMBO sign can be created, using standard System 2/90 signs.



Three Systems In One

System 2/90 signs are available in three basic structural styles: the one-sided 2/90 Thin, the two-sided System 2/90 Standard, and the two-sided Box Rail design used for Heavy Duty Interior options.

From these three structural styles virtually any System 2/90 sign can be created. All rail faces are identical, allowing any System 2/90 insert to be used on any sign style, including Series 1 exterior signs.* End cap, accent strip, frame, top and bottom trim and insert options allow for infinite creative flexibility, within a system that is elegantly simple.

System 2/90 THIN


- 9/32" thickness
- Recommended maximum of 400 square inches
- Accepts inserts on face side only

System 2/90 Standard

- 9/16" thickness
- Recommended maximum of 2000 square inches
- Accepts inserts on both sides

System 2/90 Box Rail

- 2" or 3 1/4" thickness
- Used for Heavy Duty Interior Signs
- Recommended maximum of 5400 square inches
- Accepts inserts on both sides



* System 2/90 Heavy Duty Exterior signs (pages 30 & 31) utilize aluminum panels instead of rails and inserts.



8

Ω
Casa Omega

Cristina Gonzalez
Director de Residentes

Ana Valero
Director de Asistentes

Javier Garcia
Director de Asistentes

Alfonso Villalba
Coordinador de Actividades

Belen Lopez
Asociado

Antonio Santillana
Personal

Francisco Linare
Gerente de Mantenimiento

José Gomez
Gerente de Asistentes

Silvia Casado
Representativo

Carmen Losada
Representativo

126

Dr. Henri DuVall

Circuit Courts

Pending Judge

Courtroom A

The Hon. Judge Andrew Madison

Courtroom B

The Hon. Judge Phyllis Kinnel

Courtroom C

The Hon. Judge Edward Smith

Courtroom D

The Hon. Judge Wilson Adendorf

Courtroom E

The Hon. Judge Kristie Harbeck

Courtroom F

The Hon. Judge Richard Myers

H

Erste Hilfe
Toiletten

Hombres

Component Design Options

Each component of the system is available in a variety of styles, providing a virtually unlimited range of possible configurations.


End Caps and Trim Options

Six end cap styles are offered in eight standard colors plus natural anodized aluminum. An unlimited range of optional Color Match selections is available. Wood and chrome end caps are also offered. Top and Bottom Trim and Accent Strip options are available to customize System 2/90 signage.


Other Sign Styles

Other Sign Styles—including Small and Large Frame, Heavy Duty Interior, Exterior, Freestanding, Quad Signs and Display Signs—are covered in later sections of this catalog.

End Caps




RC
Round Corner



SL
Slimline



SC
Square Corner



BN
Bullnose




AB
Angleback



SB
Stepback

Trim Options



- A 10 x 8 Standard
Machine Trim Caps
w/ Top & Bottom Trim
& Accent Strip
- B 10 x 12 Standard
Tallened Series 1
Pendulum Mount
Machine Square Post Trim
- C 2 x 20 Thin
Bullnose End Caps
Top and Bottom Trim
- D 4 x 16 Thin
Square End Caps
- E 4 x 8 Standard
Bullnose End Caps
Top and Bottom Trim
Yellow Accent Strip
- F 8 x 8 Thin
Standard End Caps

Graphic Design Options

System 2/90 projects your company's commitment to quality. A comprehensive selection of standard features plus custom options is available to provide flexibility in color, texture and style.

Colors, Copy and Textures

Korad® clad ABS copy inserts are available in eight standard colors. More than 30 standard Color Match colors plus unlimited custom colors are also offered. Brushed aluminum and woodgrain laminate inserts are also available.

System 2/90's durable premium grade PVC copy material is available in 18 standard colors as well as hundreds of additional colors through special order. Standard finish is gloss. Matte finish is used for ADA* and under glass applications.

In addition to standard surface application of vinyl copy, System 2/90 offers Silkscreened, Engraved, Sub-Surface, Tactile and Braille.*

System 2/90 offers a large selection of popular type styles. Additional styles or custom font development are available through special order. Copy ranges from 3/8" to 24" in height. (See Typestyle Chart in back pocket of brochure.)

A comprehensive selection of international symbols are available as well as logos or custom graphics in any size or color desired.


Standard Copy Application

Surface-applied vinyl copy is standard and is available in a wide range of colors and type styles. (See System 2/90 Color Chart and Typestyle Chart)



Copy Application Options


Optional copy application methods can be ordered for part or all of any System 2/90 sign.



LNS signs—offer individual changeable letters that slide into LNS inserts behind a clear lens. Letters are printed white on black PVC, creating a near perfect match with black face of the window insert.



U-Do Sub-Surface signs—allow you to create your own custom graphics as a background behind lens-applied letters. Or you can create your own copy on supplied laser-print paper, to be inserted behind a clear Lexan® lens.



A 18 x 28 Standard
Bulbous and
Sliding End Caps
Window Sign
12" inserts

B 28 x 6 Standard
Angle-Back End Caps

C 2 x 10 Thin
Stepback End Caps
Sliding Knob

D 9 x 12 Standard
Bulbous End Caps
Recessed Insert

E 12 x 18 Standard
Bulbous End Caps
Photocopy Insert

F 16 x 36 Standard
Bulbous End Caps
'Edge' graphic Insert

* Specifying signage for accessibility, including compliance with government regulations such as the Americans with Disabilities Act (ADA), does not compromise the original simplicity of the system. For more information, refer to the System 2/90 ADA Facts and Specifications brochure.

Panthers Roster

Mike Laemmle
Christopher Douglas
Kris Pedersen
Eric Tamm
Adam Zobes
Travis Murrill
Haley Olson
Cameron Nunez
Edward Dryden
Michael Davis
Jordan Bertelli
Lance Shultz
Derek Miller
Dwight Bush
Trenton Edwards
Stephanie Ladd
Jordan Miller
Jordan O'Neil



Immobiliaria Peterson

2110
2112
2114
2116
2118
2120
2122
2124
2126
2128
2130
2132
2134
2136
2138
2140
2142

Marcel
Available

4TH STREET STATION

GOTA –
GREATER OAKLAND TRANSIT AUTHORITY

Italian Frescos
→

Boxen für Anfänger

Stunden – Eintritt nur für Mitglieder der "Newcomer-Sporthalle"

Montag – Donnerstag 6.00 Uhr – 23.00 Uhr

Freitag & Samstag 8.30 Uhr – 24.00 Uhr

Sonntags geschlossen



pharmacy

© Orlando EyeBank



recovery/patient rooms

Orlando EyeBank

8 lounge

admissions

Dr. Harriet Marx

Staff Physician

Rm. 102

© Orlando EyeBank

consultation

© Orlando EyeBank



Oliver Sente

Feuerwache 23

Küche

Feuerwache 23

Feuerwehr
Hausmeister

Helmut Fischer
Stations Pfeifer

Feuerwache
23

Philip Worn
Brandmeister

WELCOME

Please sign register

INFORMACIÓN

Jason Hendricks

Humanities Director

Next Window Please

3

People and Department Signs

System 2/90, in its most basic application, offers facilities a consistent program of identification signage for people and departments that can be updated quickly, easily and inexpensively.

People Signs

Layouts for people signs accommodate name only, name and title, name and room number, and even name and photo. Choice of sign sizes range from our smallest 2" x 6" signs to any size needed.


System 2/90 Photo Signs can be used in roster style applications as well as in people signs.

Department Signs

The ability to create a variety of sizes is critical to creating effective department signs. Some facilities standardize the height of their department signs and determine width by the length of copy to be included. Others prefer a single size sign which accommodates various copy.


People Signs

= 2"



Department Signs


= 2"



- A. 4 x 10 Standard Square End Caps
- B. 9 x 9 Standard Square End Caps
- C. 6 x 10 Standard Square End Caps
- D. 4 x 10 Standard Square End Caps
- E. 3 x 10 Standard Square End Caps
- F. 6 x 12 Standard Square End Caps
- G. 6 x 18 Standard Square End Caps
- H. 2 x 10 Standard Square End Caps
- I. 6 x 6 Thin Angleback End Caps
- J. 4 x 8 Thin Angleback End Caps - Side Knob
- K. 4 x 10 Thin Angleback End Caps
- L. 4 x 15 Thin Angleback End Caps
- M. 2 x 6 Thin Square End Caps
- N. 2 x 10 Standard Round Corner End Caps
- O. 2 x 10 Standard Ballknob End Caps
- P. 2 x 10 Triangle Signs
- Q. 2 x 4 Triangle Signs

Department Signs

= 2"



Direction/Directory Signs

Ease of insert changes, range of insert sizes and variety of insert layouts make System 2/90 Direction Signs and Directory Signs the most complete in the industry.

Direction Signs

In larger direction signage the flexibility of System 2/90 provides an economical solution when changes have to be made.

Any System 2/90 sign can be used for direction sign applications.

Colors and contrasting copy add emphasis and clarity to direction signs. Price is not affected by either copy color or insert color combinations.

Direction Signs = 2"

↑ Purchasing	↑ Marketing
↑ Accounting	↑ Facilities
← Personnel	→ Interior Design
← Medical	→ Product Design
← Customer Service	→ Human Factors

12X30C (MODIFIED)

↑ Purchasing	↑ Marketing
↑ Accounting	↑ Facilities
← Personnel	Interior Design →
← Medical	Product Design →
← Customer Service	Human Factors →

12X40C

←	↑	→
Personnel	Purchasing	Interior Design
Medical	Accounting	Product Design
Customer Service	Marketing	Human Factors
	Facilities	

12X60 COMBO (3ea. 12X20B)

Directory Signs = 2"

1

Alpha Building

100	800
100	800
100	800
100	800
100	800
100	800
100	800

12X30E

2

Plaza Suites

300-306

308-312

314-320

322-324

326-330

332-336

332-336

54X15 COMBO

(3ea. 6X15S

& 3ea. 12X15C)

36X30 COMBO

(8X30S, 2ea. 12X30A & 4X30A)

3



INTERNATIONALE ABFLÜGE
INTERNATIONAL DEPARTURES
DEPARTS INTERNATIONAUX
SALIDAS INTERNACIONALES

CONCOURSE

B



1	ABDUL R.
	AGUILAR J.
	BOONE S.
	BRADLEY K.
	BUCHBORN J.
	CARINO V.
	CHURCH M.
	DEMOOR M.
	EDGREN S.
	FUNG S.
	GARRETT A.
	HOBSON R.
2	HANCOCK P.
	HEINZ T.
	JAKOB C.
	LEIGHTON C.
	MOSKOWITZ M.
	MULLER B.
	NEWMAN A.
	RODRIGUEZ J.
	SCHWARTZ B.
	TAUSS D.
	WEISS T.
3	BLONDEAU J.
	BRUNO C.
	CHEWELL P.
	DARLAK H.
	DELMONTE N.
	DERRIDA J.
	DUFOUR C.
	FRASER A.
	GARRETT S.
	HOBSON R.
	JOHNSON L.
	KELLY S.



Executive Plaza

8000

- 201 Krause & Assoc
202 Rafael J. Diaz
203 Newman & Winter, PC
204 Conner Consulting Inc.
205 Frontier Developers
206 Janet P. Bogard
207 Stanley Kleinman
208 Summit Financial Inc.
209 Lynch & Company
210 Samuel E. Merrill
211 The Ames Group
212 James T. Galliano
213 Modern Engineering
214 Robertson, Inc.
215 Philip Thompson
216 Sally Gibbs & Assoc.
217 TRC Productions
218 Aaron J. Kilbane



DIRETORIA

- Financiero
Administrativo
Recursos Humanos

SORTIE ➤

Courts

Magistrate's Court

Justice of the peace John Tide

Crown Court

Phylis Himel presiding chairperson

Assize Court

Edward Smith presiding barrister

Court of Appeals

Lord Chief Justice William Adleman

Lords Justice of Appeals K. Hume

Puisne Judge Richard Myers

Civil Office:

Ronald
Montegue
III

Department of officials



Evacuation Route



Mary Combs

Rm 1005



Civic Calendar	
DATE	EVENT
December 7	Edgerton Coloured Light Festival
December 9	Founder's Day
December 14	Council Meeting
December 15	Civ. Planning Commission Meeting
December 25	Christmas Day
December 26	Boxing Day
December 31	End of Fiscal Year

EDGERTON

THE PLACE TO WORK™

EDGERTON

Rate Poundage
Assessment has
moved to third floor


Window and Window Insert Signs

System 2/90 provides specialty-insert solutions for temporary or customized displaying of documents, photographs, messages and names.

Window Sign

The System 2/90 Window Sign displays any letter-size printed matter, including photographs, under glass. The clear, low glare, acrylic face insert can be attached to the sign by standard sliding hook or by front-loading magnetic strip.



An 8 1/2" x 11" viewing size is standard, but any size up to 400 square inches is acceptable.



Window Insert

Primarily used as people signs—any standard System 2/90 sign, using 1", 2", 3" or 4" high inserts can be specified with Window Insert. Window Inserts can be combined with other standard insert materials within a particular sign.

Standard insert color is black anodized channels and white paper. Color Match sign colors are available, and special paper colors and/or patterns can be specified. Window Inserts can be used for computer-generated signs (printing on die-cut paper inserts) and for U-Do Subsurface, where reverse-cut vinyl copy is applied to back surface of Lexan® lens.



- A 28 x 20 Window Insert Standard Round Corner End Caps
- B 12 x 20 Window Signs Standard Round Corner End Caps
- C 12 x 10 Window Signs w/ 4 x 10 Header Standard Freestanding
- D 4 x 18 Photo Signs Standard Round Corner End Caps
- E 18 x 10 Window Signs w/ 4 x 10 Header Standard Round Corner End Caps
- F 12 x 20 Window Insert Standard Round Corner End Caps

Sliding Insert Signs

Clear and convenient display of the availability of key personnel and facilities is provided by System 2/90 Sliding Insert Signs and In/Out Signs.


Basic Sliding Insert Signs

Sliding Insert Signs are typically used for conference or meeting rooms to indicate availability. Any sign with a 1", 2", 3" or 4" high insert can be used as a Sliding Insert Sign. All Sliding Insert Signs have Locking End Caps with the exception of Angleback and Stepback End Caps.

In/Out Sign

In/Out Signs have the same flexibility as any System 2/90 sign. The basic sign measures 12" in height by 20" in width and will accept up to 10 names. Name capacity can be increased by adding 4" x 20" modules, which accommodate four additional names each.

The sign can also be expanded by adding modules to the right. The standard addition is a 5" wide white dry marker material. Corkboard sections can also be specified.




Two styles of Sliding Insert Signs are offered. The slide insert (above) and the slide knob (right).





= 2"

The basic In/Out Sign is 12" high by 20" wide and will accept up to ten names.



Additional 4" x 20" modules, which accommodate four names each, can be attached to the bottom.



- A 18 x 25 Standard In/Out Sign
Dry Marker Board
w/ Pen Shelf
Ballnose End Caps
- B 13 x 12 Thin In/Out Sign
Ballnose End Caps
- C 18 x 18 Sliding Insert
Standard
w/ Nicks
Ballnose End Caps
- D 4 x 6 Sliding Knob
Thin
Ballnose End Caps
- E 4 x 10 Sliding Insert
Thin
Ballnose End Caps
- F 2 x 10 Sliding Insert
Thin
Ballnose End Caps

Message center modules in white dry marker material or corkboard expand sign width in 5" sections.

PINE STATE UNIVERSITY

ADMISSIONS

NOTES

NAME	WILL RETURN AT:									
	IN	9	10	11	12	1	2	3	4	5
TRATTIO, R.										
O'NEIL, J.										
CASSIDY, S.										
RENICK, F.										
BROWN, D.										
CHUNG, C.										
HINKLE, T.										
FUENTES, A.										
ALBOM, G.										


STAFF
MEETING
3/14
8:00 AM
SHARP!

PINE STATE UNIVERSITY

BOOKSTORE

IN OUT

RON PHILLIPS	
CYNTHIA ROGERS	
OSCAR OLIVAREZ	
HANS GUTENBERG	
LARRY McNICHOLS	
MIKE WAYBRIGHT	
SHARON TRENT	
MITCHELL HABER	



PLEASE COME IN



CAPER WILLIAMS
JOB PLACEMENT COUNSELOR

MESSAGES

Mr. Williams
I would like to set up
an appointment with
you before the break.
Please call me at
546-7785
Thank you,
Matt Carrera

RODRIGO
LOPEZ CARRERA

OFFICE HOURS
M, W, F 9:00AM - 10:30AM
T, TH 2:00PM - 4:30PM
OTHER BY APPOINTMENT

LATIN AMERICAN STUDIES
COLLEGE OF FOREIGN STUDIES

AVAILABILITY

C. M. CUMMINGS FINE ARTS AUDITORIUM

Box Office

SOLD OUT

WEST CONFERENCE ROOM

Occupied

International Currency Exchange Rates

Taux de Change Internationaux — Dólar Canadien
Tipos de Cambio de Divisas Internacionales

Country	Currency	Buy	Sell
Australia	Dollar	0.7900	0.89100
Belgium	Franç	0.65200	0.66230
Canada	Dollar	0.7830	0.86820
France	Franç	0.7830	0.86820
Germany	Dólar Alemán	0.7610	0.84920
Ireland	Peso	0.78250	0.86550
Italy	Lira	0.71100	0.75800
Japan	Yen	0.000500	0.000590
Mexico	Peso	0.01030	0.00920
Netherlands	Guilder	0.75400	0.77300
Portugal	Escudo	0.661800	0.658000
Spain	Peseta	0.001230	0.001220
Switzerland	Franc	0.038640	0.039110
United Kingdom	Pound	0.92140	0.82100
		1658.00	1740.00

All exchange rates are in United States Dollars.
Tous les taux de change sont en dollars américains. — Alle Wechselkurse sind in US-Dollar. — Todos los tipos de cambio están en dólares americanos.

Blue Moon Video

NEW RELEASES

- Cat Women on the Moon
- The Wasp
- Bride of the Gorilla
- The Indestructible Man

Vía
16

Madrid/Cordoba

Salida 16:40

325 Unfallfreie Tage!

Industrie Service Hannover
West Küsten
Händler

Konferenz-Raum A

Douglas Brothers Development

Project Building	Status	Comments
Forsyth Medical	75% Occup.	3rd Available
Green Acres Business Park	88%	Exp. 4/17
McKay Tower	90%	
Marco Mall	3rd Stage	Sold Out
Watertown Plaza	?	4/18 - Colossal

CREDIT REGIONAL EUROPEEN

PLAN D'EPARGNE	5.50%
COMpte ÉPARGNE	1.25%
COMpte RETRAITE	2.75%
CREDIT LOGEMENT	8.50%
C.D. - 6 MOIS	5.00%
C.D. - 1 AN	5.00%
PRÉT ENTREPRISES	9.50%
PRÉT PERSONNEL	8.25%

LC Imobiliária

Plano Venda	Valor
Andersen	755.50
Carolina	640.00
Lucas	625.00
Elizabeth	475.50
Neptuno	300.00



Quick Change Signs

System 2/90 offers the ultimate in changeable-on-demand signage.

Quick Change Number Sign

System 2/90's is the simplest and most easily maintained changeable numbers sign available. The reusable printed fluorescent paper insert slips into System 2/90's Window Insert, protected by a clear Lexan® lens. The result is a simulated electronic LCD sign that is unbelievably realistic.

Numbers are changed by wiping clean the paper insert and creating a new number with the water soluble black marker pen (supplied). Both magnetic (front-loading) and standard hook-mounted inserts are offered.

Quick Change LNS Sign

LNS—Letter, Number and Symbol inserts slide into System 2/90's standard Window Insert to create messages that can be changed on site. A non-glare Lexan® lens protects the changeable inserts from vandalism. Both magnetic (front loading) and standard hook-mounted Window Inserts are available. For further information, refer to the *System 2/90 LNS Brochure*.



A. 24 x 26 Quick Change - 1" LCD
Standard
Round Corner End Caps
Window Inserts Not Flaps

B. 24 x 30 Quick Change - 2" LNS
Standard
Round Corner End Caps
Acrylic Strip

C. 6 x 26 Quick Change - 2" LNS
Thin
Bulbous End Caps


D. 12 x 39 Quick Change - 2" LNS
Standard
Square End Caps

E. 15 x 12 Quick Change - 1" LCD
Standard
Freestanding

F. 6 x 15 Modified Quick Change -
2" LNS
Thin
Bulbous End Caps

G. 15 x 48 Quick Change - 4" LNS
Thin
Bulbous End Caps

H. 18 x 22 Quick Change - 2" LCD
Thin
Square Corner End Caps



Freestanding Signs

Freestanding signs include light duty, medium duty and heavy duty stands for System 2/90 signs.

Light Duty


Light Duty stands are constructed of a fabricated aluminum frame with a welded steel base. Stand height is 48" and maximum sign size is 400 square inches.

The Brochure Holder Sign is similar to the Light Duty Freestanding Sign with the addition of a lower filler panel and a clear acrylic pocket. A sign above the pocket is 9" wide and may be any standard height. Brochure holder holds 8 1/2" x 11" materials and can be specified for one or two sides of sign.


The brochure holder is also available on custom applications for all freestanding signs. Other holder sizes can also be specified.

Medium Duty

Light Duty



Medium Duty



Medium Duty

Medium Duty stands are constructed of welded steel square tubing. Standard height is 60", and maximum sign size is 1200 square inches.



Heavy Duty

Heavy Duty stands are constructed of the same 2 1/4" round extruded aluminum as is used in System 2/90 standard duty exterior signs (see page 28 for assembly details). Recommended maximum sign size is 2400 square inches, in total height up to 72".

Copy inserts on Medium and Heavy Duty signs are under glass (clear acrylic). Leveler feet are standard, with casters offered as an option on Medium Duty only.

Standard finish on all freestanding signs is black.

Heavy Duty



- A 10 x 12 Light Duty Freestanding Sign
- B 10 x 12 Light Duty Freestanding Sign
- C 20 x 30 Medium Duty Freestanding w/ UFS Inserts, Window Sign and Casters
- D 10 x 48 Light Duty Freestanding Sign with Brochure Holder
- E 8 x 18 Light Duty Freestanding Sign
- F 20 x 20 Heavy Duty Freestanding Sign

Horario de
Funcionamiento

9:00 - 4:00 Seg.-Sáb.
10:00 - 2:00 Dom.

Balcony
Closed

Stand yes

Las Palmas

Hotel and Convention Center

Association of
International Travel Agents

Welcome!
Bienvenidos!
Willkommen!

ACHTUNG
RUTSCHGEFAHR

E
vénements

Aôut
Jazz

Metroplex

4

ROOM

coat and
hat room

Girls
Restrooms

Boys
Restrooms

SUNSHINE
DAYCARE

AUDITORIO SÃO PAULO

FUNDADORES

ROBERTO MACHADO	EDMUND COSTA PACHECO
MARIA DEL MAR CARRELO	PETRANCIA COPACABANA
FRANCISCA TASSIEN	LIMA CRUZ
JULIANA LIMA	PAULO DE SOUZA
FRANCISCO ALVES	RENATO RODRIGUES
CAROLINA CAVALCANTI	AURORA
MARCOS TAVARES HESPERIA	BRUNO CHAMPS
VALMIR PIRES FILHO	ETTO GARCIA
ERICA SANTOS	MARCOS FIO MELLO
MATILDA MOURA	ELIANA PEREIRA
FLORE MARQUES DE FREITAS	ELIZABETH CRISTINA FREIRE
ELIZETE DAHIA	BRUNO KOMADA
PATRICIA PECORI	JOSÉ CARLOS HESPERIA
JORDY VIEIRA	MARIA DE OLIVEIRA
MARCOS RUI	TONI PEREIRA
PATRÍCIA FERREIRA	FRANCISCO LOPES

CAMAROTES

K-S

Frame Signs

System 2/90 Frame Signs add both vandalism resistance and structural strength.


Small Frames

The Small Frame is ideal for signs up to 400 square inches. Side frames are removable to allow for insert change. A protective lens, made of clear, low-glare acrylic, protects the sign copy from vandalism.

Sign thickness is $3/4"$. Width of side frame is $3/8"$ and top/bottom frame is $3/16"$.

Frame material is extruded aluminum with natural anodized finish. Color match finishes are optional. Locking side frame available.

Small Frame Sign



Large Frames


The Large Frame, offered with and without clear, low-glare acrylic* lens, is used for larger signs up to 5400 square inches.

Large Frame section measures $3/4"$ wide by $1\frac{3}{4}"$ deep. Side frame standard finish is brushed natural anodized aluminum.


Top/bottom frame is finished to match insert color unless otherwise specified. Side frame also has four optional wood finishes: Light or Medium Oak, Walnut or Mahogany. Color match finishes are also available. Side frames are attached with special screws and are removable for insert change. Mitered corner detail is optional.

Low glare tempered glass is available for both frame designs as a special order item.

Large Frame Sign With Lens



Large Frame Sign Without Lens



* Low-glare acrylic is not offered for signs larger than 900 square inches; larger signs must use glossy clear acrylic.



A: 12 x 12 Standard Small Frame Perpendicular Model

B: 8 x 20 Small Frame Acrylic Cover

C: 12 x 40 Large Frame Acrylic Cover

D: 30 x 12 Large Frame

E: 30 x 40 Large Frame

F: 32 x 15 Large Frame

Quad Signs/ Display Signs

System 2/90 Quad Signs and Display Signs with changeable inserts are ideal for intersection applications or high-impact visuals.

Quad Signs

The System 2/90 Quad Sign is a four-sided, changeable insert sign ideal for intersection applications. They can be mounted directly to a ceiling grid system or various overhead details and can also be used in a freestanding configuration.


Standard Quad Sign dimensions are 2' x 2' (20" wide inserts), 3' x 3' (30" wide inserts), and 4' x 4' (44" wide inserts). Inserts range in height from 1" to full sign height.

Quad Signs are shipped assembled, ready for installation.


Display Signs

Display Signs use the three-sided sign rail as a post to support various signs or display panels. Based on an equilateral triangle, an endless variety of freestanding configurations can be formed. Standard System 2/90 sign rails and inserts attach to rail posts at any height to create full-post-height sign walls or partial-height spanner signs.

Quad Signs



Display Signs



An infinite variety of configurations can be created by varying post heights or sign size and position.



A 12 x 29 Quad Sign
Ceiling Grid Mount
B 32 x 39
Freestanding Quad Post
C 60 x 29
Triangular Display Sign
with UNI Inserts
and Backplane Holders

Science et Technologie

Musée d'Orsay

Science et Technologie

Musée d'Orsay

Hall de la Découverte >

- Exposition libre
- Le monde est petit
- Voir, entendre et sentir

Salle Centrale >

- L'aéronautique
- Voyage interstellaire
- Pour tous

Allée de l'Innovation <

- Autour de la maison
- Petits miracles
- Machines intelligentes



Musée d'Orsay

Planetarium Mercury

Projection en Cours

Mystères de la Voie Lactée



Heures de Projection

Lundi-Vendredi
10:30 12:30 16:30
Vendredi-Samedi-Dimanche
10:30 12:30 16:30 17:30



FOURTH
4

Burn Unit
Cardiovascular Services
Children's Hospital
CT Scanner
EEG
EKG
Endoscopy
Hyperbaric Oxygen Therapy
Critical Care Unit
Intermediate Care Unit
MRI
Nuclear Medicine
OB-Special Care Unit
Pediatrics
Pediatrics Intensive Care
Radiation Oncology
Surgical Critical Care
Ultrasound
Visitors Lounge
Restrooms
Telephones

BIOHAZARD AREA

AUTHORIZED PERSONNEL ONLY
PERSONAL PROTECTION MUST BE WORN AT ALL TIMES



East Wing Nursing Station

Patient Information
Restrooms

Resident Hall

- ↑ Library
- ↑ Recreation Center / Music Room
- ↑ Resident Hall Director's Office
- ← Resident Rooms – A-I
- Resident Rooms – K-Z

MHH

**METROPOLITAN HOSPITAL
ADMITTING DESK**

**PLEASE HAVE INSURANCE PAPERS
READY FOR PRESENTATION**

**PLEASE FILL OUT ADMITTING
FORMS UPON ARRIVAL**

Heavy Duty Interior Signs

Large interior environments, such as airports and shopping malls, may require the added thickness of System 2/90 Heavy Duty Interior Signs.

Sign Structure

System 2/90 Heavy Duty Interior uses the same structural rails and inserts as standard System 2/90, in a "box-rail" design which is offered in thicknesses of 2" (Series 2) and 3 1/4" (Series 3). The thicker sections provide added structure and "architectural" thickness proportional to larger sign sizes.

Three top/bottom trim packages are offered: Square Corner, Round Corner and Bullnose. Removable end caps are 1/8" thick aluminum, shaped to match the top/bottom trim shape.

Mounting Options

Three mounting options are offered: Wall Mount, Perpendicular Mount and Hanging Mount. Sign height equal to, or greater than, width of sign is recommended for perpendicular mount.

Heavy Duty Interior Signs

= 2"

Ticketing



12X20A Square Corner Trim

Ticketing



12X20A Round Corner Trim

Ticketing



12X20A Bullnose Trim



- A 60 x 15 Heavy Duty Interior Bullnose Trim Wall Mount
- B 12 x 12 Heavy Duty Interior Square Corner Trim Perpendicular Mount
- C 15 x 60 Heavy Duty Interior Square Corner Trim
- D 12 x 36 Heavy Duty Interior Square Corner Trim Royal Post Hanging Mount
- E 28 x 48 Heavy Duty Interior Square Corner Trim
- F 30 x 30 Heavy Duty Interior Round Corner Trim Self Surface Insert

Series 1 Standard Duty Exterior Signs

Versatile post options used with Standard System 2/90 rails and inserts, for exterior signs up to 1800 square inches.

Sign Structure



Series 1 accepts standard System 2/90 signs. Two design options are offered: Post Only and Post and Spanner. The sign is captured at each end by the slotted post. All standard System 2/90 insert sizes, colors and materials are offered. Maximum sign size is 1800 square inches.

Series 1 Exterior signs can also be used to create quad signs, freestanding kiosks and a variety of other interior applications.


Posts and Mounting Options

Four post shapes are offered (see right). All System 2/90 standard colors plus unlimited color match finishes are available.


In addition to mounting signs into various post configurations, three other mounts are standard: Wall Mount, Perpendicular Mount and Hanging Mount.



- A 24 x 48 Exterior Recessed Post w/ Spanner
- B 22 x 24 x 24 4-sided Backlit Exterior Square Post
- C 4 x 12 x 8' Standard Exterior 71° Post Mount Square Post
- D 12 x 12 Standard Exterior 4° Round Post Flag Mount
- E 24 x 36 Standard Exterior 90° Inset Mount 4° Round Post
- F 12 x 12 x 12 Standard Exterior 4° Round Post 90° Flag Inset Mount



Post Shapes





M+H

EMERGENCY
MAIN ENTRANCE
VISITOR PARKING
FAMILY HEALTH CLINIC
COMMUNITY SERVICES
DAYCARE FACILITY
ADMINISTRATIVE OFFICES
DELRAY CANCER CENTER



Center Center



AMBULANCE/
PARAMEDIC ONLY

Emergency
Main Entrance
Visitor Parking

DISABILITY
ENTRANCE



STAFF
PARKING



VISITOR
PARKING





METROPOLITAN
HOSPITAL

MAIN ENTRANCE



METROPOLITAN
HOSPITAL

PHARMACY

East Wing

- ◀ Burn Center
- ◀ Women's Center
- ◀ Mammography
- ◀ Maternity

West Wing




- Orthotics/Prosthetics ▶
- Regional Poison Center ▶
- Radiation/Oncology ▶
- Cardiac Rehabilitation ▶

Series 3 Heavy Duty Exterior Signs

An all aluminum system, in
3 1/4" thickness for heavy
duty applications.

Series 3 is an aluminum system which features box-shaped extrusions clad with 1/8"-thick aluminum sheet. Finished panel thickness of 3 1/4" with heights up to 96" are available. Maximum sign size is 5600 square inches for Series 3.

When larger or illuminated signs are needed, we also offer Series 7 (7" thick), and Series 12 (12" thick).



System 2/90 SPECS

Design and specify System 2/90 signage on your PC.


System 2/90 SPECS (Sign Programming Electronic Catalog System) was developed to aid in the specification and design of your System 2/90 modular facility signage.

System 2/90 SPECS provides easy, point-and-click access to all of the variables and options that have made System 2/90 the best signage system for change. Using System 2/90 SPECS enhances the ordering process while creating a personalized, up-to-date and readily available record of your facility's signage.

Features include the System 2/90 Order Form, a complete Product Chart, and onscreen design of all sign elements. Each window has a help menu or button to explain all the features of that particular window as well as general information about the program. Printing capabilities include completed Order Forms and individual sign illustrations.

System Requirements

The minimum recommended system configuration is a 486 33 megahertz computer running Windows version 3.1 with a VGA card, 256 colors. Memory requirements are 4MB RAM, 12MB free hard drive space, and at least 512K VRAM (1MB VRAM recommended).



System 2/90 SPECS software enables onscreen design of all sign elements, with Electronic Order Form for efficient, accurate completion of your signage order.

Mounting Options

Prices for all Mounting Options, except "N", are included in blank sign price.

A Pressure Sensitive – Pressure sensitive mounting intended for smooth, hard surfaces. Not recommended for selected vinyl wall coverings. Can be used with silastic bonding.

B Magnetic – Same as "A" but uses magnetic mounting for steel surfaces.

C Velcro – Same as "A" but uses Velcro mounting for fabric surfaces.

D Screw-on – Screw-on mounting for rough surfaces such as brick and drywall, where "A" mount is not recommended. Recommended on all wall mounted signs larger than 12" x 20".

E Pin – A specially designed pin device for fabric surfaces. Unique one piece pin design enables mounting to any fabric surface including fabrics mounted over hard base materials.

F Hook – Hook device in clear plastic which "hooks over" top of panel. Automatically locates sign two inches from top of panel. ORDER MUST SPECIFY PANEL MAKE AND THICKNESS.

G Freestanding – For freestanding applications such as receptionist. Clear extruded Lexan® bracket. MAXIMUM SIGN HEIGHT OF 8" IS RECOMMENDED.

*Not available for 2/90 THIN

H Panel Top – For mounting on top surface of panel. Pressure sensitive. Clear extruded Lexan® bracket. MAXIMUM SIGN HEIGHT OF 8" IS RECOMMENDED.*

I Ceiling Mount (Suspended Ceiling) – Connects to ceiling grid system using clear 2" plastic brackets. Signs appear to be "floating" below ceiling line. SPECIFY 1/2" OR 1" GRID SYSTEM.*

J Ceiling Mount (Hanging) – General purpose hanging applications for high or irregular ceilings. Hang lines tie to various points (rafters, beams, duct work, piping etc.). Customer must supply hang line material.*

K Perpendicular Wall Mount – Mounts sign at 90° angle to wall surface. Screw on device. NOT RECOMMENDED ON SIGNS WIDER THAN 15".*

L Inside of Glass Mount – Clear acrylic bracket attached to glass with clear pressure sensitive tape.

M Ceiling Mount (Hanging) – Clear plastic, screw mount. No mounting screws provided with this mount.*

N Ceiling Mount (Rigid Post) – Sign mounts 6, 12 or 24 inches from ceiling using 1/2" aluminum rod. Refer to Price List for added cost*

UNICOR 2/90 SIGNAGE



U.S. Department of Justice

UNICOR

Federal Prison Industries, Inc.

115-99

(800) 347-2005

www.unicor.gov



CATSSP101A