



GE
159 Plastics Avenue
Pittsfield, MA 01201
USA

Transmitted Via Overnight Courier

October 31, 2007

Mr. Dean Tagliaferro
USEPA – Region 1
c/o Weston Solutions
10 Lyman Street, Suite 2
Pittsfield, MA 01201

**Re: GE-Pittsfield/Housatonic River Site
East Street Area 2-North (GEC140)
Modifications to Revised Attachment E – Post-Removal Site Control Plan**

Dear Mr. Tagliaferro:

Pursuant to the United States Environmental Protection Agency's October 17, 2007 conditional approval letter for GE's August 31, 2007 *East Street Area 2-North Revised Attachment E - Post-Removal Site Control Plan*, enclosed please find the requested modifications to subject plan and associated Figure E-1 for your review.

Please call me (413-448-5909) if you have any questions or comments regarding this report.

Sincerely,

Richard W. Gates / RAK

Richard W. Gates
Remediation Project Manager

Enclosure

G:\GE\Pittsfield_CD_ESA_2_North\Reports and Presentations\Final RDRA WP Addendum\Revised Atta E\513711324Ltr.doc

cc: Richard Hull, EPA
Tim Conway, EPA
Holly Inglis, EPA
Rose Howell, EPA*
Linda Palmieri, Weston (2 copies)
K.C. Mitkevicius, USACE
Susan Steenstrup, MDEP (2 copies)
Anna Symington, MDEP*
Jane Rothchild, MDEP*
Thomas Angus, MDEP*
Nancy E. Harper, MA AG*
Dale Young, MA EOE*

Jeffrey Bernstein, BCK Law
Mayor James Ruberto, City of Pittsfield
Pittsfield Department of Health
Michael Carroll, GE*
Rod McLaren, GE*
Andrew Silber, GE*
James Nuss, ARCADIS BBL
Laurence Kirsch, Goodwin Procter LLP
James Bieke, Goodwin Procter LLP
Public Information Repositories
GE Internal Repository

* *without attachments*

Attachment E – Post-Removal Site Control Plan

In accordance with Section 3.7 of the *Statement of Work for Removal Actions Outside the River* (SOW), which is Appendix E of the Consent Decree (CD), this Post-Removal Site Control Plan describes the future inspection, maintenance, and repair activities (I/M activities) to be conducted at the East Street Area 2-North Removal Action Area (RAA). Technical Attachment J to the SOW describes the future I/M activities required to be conducted by GE at all areas where soil removal and replacement activities are performed. Specifically, Section 2.3 of Attachment J sets forth the I/M requirements applicable to backfilled/restored areas such as those that will be present at East Street Area 2-North following completion of the remediation actions. The I/M activities described herein will be consistent with those requirements.

The CD and the SOW do not require I/M activities for paved areas and building foundations that have not been subject to remediation. However, based on an agreement between EPA and GE and on EPA's conditional approval letter of August 20, 2007, GE will either (a) conduct periodic inspections of the paved/building foundation areas within East Street Area 2-North and perform maintenance and repair activities for such areas as necessary, or (b) cover the paved/building foundation areas with an appropriate soil cover and conduct inspection and maintenance activities for that soil cover.

In these circumstances, to assist in implementing the I/M activities at this RAA and as directed by EPA in its August 20, 2007 letter, GE has developed a figure showing two types of areas within this RAA: (1) areas that have been characterized on an unpaved grid sampling frequency, which would meet the definition of an "Open Soil/Vegetated Area" under a Grant of Environmental Restriction and Easement (ERE); and (2) areas that have been characterized as paved, as well as areas covered by existing buildings and building foundations, which would meet the definition of "Other Ground-Covering Feature Areas" under an ERE. This figure is provided as Figure E-1.¹ The area designations on this figure reflect current conditions and are subject to change, if appropriate, in the actual ERE(s) that will be developed for East Street Area 2-North, which will identify the Open Soil/Vegetated Areas and Other Ground-Covering Feature Areas that exist at that time.

¹ The only currently paved areas or building foundations that have been characterized and evaluated as unpaved are the foundations of four buildings. These building foundation areas are identified on Figure E-1 and would currently meet the definition of Open Soil/Vegetated Areas.

The proposed I/M activities are described separately below for each of these types of areas. This Post-Removal Site Control Plan will be replaced by the Post-Removal Site Control Plan in the Final Completion Report for East Street Area 2-North, which will depict the final extent of the Open Soil/Vegetated Areas and Other Ground-Covering Feature Areas, as identified in the ERE(s).

Inspection Activities

The post-remediation inspections to be conducted at East Street Area 2-North are described below for Open Soil/Vegetated Areas and Other Ground-Covering Feature Areas.

Open Soil/Vegetated Areas

Within the Open Soil/Vegetated Areas, post-remediation inspections will be conducted at the specific areas that have been subject to remediation/restoration activities, consistent with the requirements in Section 2.3 of Attachment J to the SOW.² The inspections of these restored/backfilled areas will consist of visual observations, focusing on the following: (a) evidence of topsoil or gravel erosion (depending on the cover type); (b) the effectiveness of erosion controls in areas where vegetation is not established; (c) evidence of depressions and/or surface water ponding; (d) any areas where excessive settlement has occurred relative to the surrounding areas; (e) any drainage or growth problems; and (f) other conditions that could jeopardize the performance of the completed remediation actions. These inspections of backfilled/restored areas will be conducted approximately one month after completion of construction activities, semi-annually for the first year after restoration, and annually thereafter (subject to subsequent EPA approval of a different frequency). In addition to these regularly scheduled inspections, these backfilled/restored areas will be inspected following severe storms to verify that these areas have not sustained significant damage. For this purpose, a severe storm is defined as one in which a 15-minute instantaneous peak of 3,500 cubic feet per second (cfs) or greater is measured on the Housatonic River at the United States Geological Society (USGS) gauging station at Coltsville, MA.

² Although, as noted above, the Open Soil/Vegetated Areas include certain areas that are in fact currently paved or represent building foundations but have been characterized and evaluated as unpaved, remediation activities are not necessary in those areas, and hence those areas will not be subject to the inspection procedures described in this section.

In addition, the vegetation planted at the revegetated areas will be inspected semi-annually for a two-year period after the planting of the vegetation to assess the establishment, coverage, and condition of the vegetation, including any evidence of stressed or sparse cover, and to ensure that the vegetation is growing as anticipated and providing the desired degree of erosion control. These inspections will be conducted in the late spring and in the mid-late summer of each year during this two-year period.

Other Ground-Covering Feature Areas

Within the Other Ground-Covering Feature Areas, inspections will be conducted at any areas that are not covered by buildings at the time of the inspections. (The areas underneath existing buildings will not be subject to such inspections unless the buildings are demolished.) These will include paved and building foundation areas that are not covered by soil, as well as those that have been covered with a soil cover. To date, there are no specific areas where a soil cover has been placed over a paved area or former building foundations. If such a cover is installed in the future, the inspection reports (discussed below) will include a revised Figure E-1 that identifies any area(s) where such a soil cover has been installed.

For areas that GE elects to maintain as paved, the inspections will be conducted approximately one month after completion of construction activities, semi-annually for the first year after restoration, and annually thereafter (subject to subsequent EPA approval of a different frequency), as well as after severe storms (as defined above). These inspections will consist of visual observations, focusing on: (1) in all such areas, evidence of excessive cracking, fissures, spalling, rutting, potholes, or exposed subgrade material; and (2) in such areas that were subject to remediation activities, evidence of exposed subbase materials, excessive settlement relative to the surrounding areas, any drainage problems, and other conditions that could jeopardize the performance of the completed remediation.

For paved areas or building foundations that GE has covered with an appropriate soil cover, the inspections will be conducted at the same frequencies described above for Open Soil/Vegetated Areas. These inspections will consist of visual observations, focusing on the following: (a) evidence of topsoil erosion; (b) the effectiveness of erosion controls in areas where vegetation is not established; (c) during the semi-annual vegetation inspections conducted during the two-year period after planting, the establishment, coverage, and condition of the vegetation planted on the soil cover; (d) evidence of depressions and/or surface water ponding; (e) any areas where excessive settlement has occurred relative to the surrounding areas; (f) any drainage or growth problems

due to possible over-compaction of the soil cover materials; and (g) other conditions that could jeopardize the soil cover.

Maintenance and Repair Activities

GE will maintain and repair site features as necessary to meet the requirements of the CD and SOW, as well as those agreed upon with EPA for paved/building foundation areas. Maintenance and repair activities for Open Soil/Vegetated Areas and Other Ground-Covering Feature Areas are further described below.

Open Soil/Vegetated Areas

For areas that are inspected within the Open Soil/Vegetated Areas, maintenance and repair activities will be conducted as needed to address any conditions identified during the periodic inspections. Examples of such maintenance/repair activities include, but are not limited to, placement of additional topsoil in areas of erosion or settlement, repair or replacement of any components of the backfilled/restored areas exhibiting deficiencies or potential problems, and additional planting or seeding (if needed) to replace dead or dying vegetation.

Other Ground-Covering Feature Areas

For areas that are inspected within the Other Ground-Covering Feature Areas, maintenance and repair activities will be conducted as needed to address any conditions identified during the periodic inspections. Examples of such maintenance/repair activities in the areas maintained as paved include, but are not limited to, repair or replacement of pavement in areas of settlement or cracking, as well as repair or replacement of any components of the restoration exhibiting deficiencies or potential problems. Examples of maintenance/repair activities in the paved areas covered with a soil cover include, but are not limited to, placement of additional topsoil in areas of erosion or settlement, additional planting or seeding (if needed) to replace dead or dying vegetation on the soil cover, and repair or replacement of any other components of the soil cover exhibiting deficiencies or potential problems. If GE or EPA determines, following the implementation of inspection and maintenance activities, that a soil cover over any paved/building foundation area has become compromised, GE will either repair the soil cover as necessary, or upon notice to EPA, inspect and maintain the area as paved.

Reporting

Reports on the overall inspection activities will be prepared after each inspection. These reports will be submitted to EPA within 30 days of the inspection, and any deficiencies noted will be corrected within 90 days of the inspection (or as otherwise proposed by GE, and approved by EPA, based on seasonal or other relevant factors). These reports will document I/M activities performed since submittal of the previous inspection report. As required by Attachment J of the SOW, these reports will include the following information (as relevant):



- Description of the type and frequency of inspection and/or monitoring activities conducted;
- Description of any significant modifications to the inspection and/or monitoring program made since submittal of the preceding monitoring report;
- Description of any conditions or problems noted during the inspection and/or monitoring period which are affecting or may affect the completed remediation;
- Description of any measures taken to correct conditions affecting the performance of the response action;
- Results of any sampling analyses and screening conducted as part of the inspection and/or monitoring program; and
- Description of any measures that may need to be performed to correct any conditions affecting the completed response actions.
- Identification of paved areas and former building foundations where a soil cover has been installed.



















Contact Information

In accordance with Section 2.0 of Technical Attachment J of the SOW, provided below is the name and contact information for the person who will be responsible for conducting inspection and monitoring activities at East Street Area 2-North. The individual shown below may change during the period that these activities are conducted.

Name	Company/Entity	Telephone Number
Richard W. Gates	General Electric Company	(413) 448-5909

S:\R-05-NES DMW LAF L: ON= * OFF=REF* APPROX-AREA* EIGCONT* hater-bu-demo* SP* *IB* UTIL-CORR* uw-fire*
 G:\CAD\GE-CAD\GE_ACTIVE\N\40469025\ADDENDUM\CURRENT\40469025.DWG SAVED:10/31/2007 8:52 AM LAYOUT:Layout1
 PAGES: 10/10
 PAGES SETUP: DL2B-PDF
 PRINTED: 10/31/2007 8:52 AM BY: LFORAKER



LEGEND			
	REMOVAL ACTION AREA BOUNDARY		WATER MAIN / FIRE PROTECTION MAIN
	OPEN SOIL/VEGETATED AREA (SEE NOTE 3)		STEAM LINE
	BUILDING FOUNDATIONS THAT HAVE BEEN CHARACTERIZED AND EVALUATED AS UNPAVED		NATURAL GAS MAIN
	OTHER GROUND-COVERING FEATURE AREA (SEE NOTE 3)		ELECTRIC/TELEPHONE CONDUIT
14	BUILDING ID		LIGHT POLE
	APPROXIMATE AREA TO BE TRANSFERRED TO PITTSFIELD ECONOMIC DEVELOPMENT AUTHORITY (PEDA)		CATCH BASIN
	STORM SEWER		DRAIN MANHOLE
	SANITARY SEWER		UTILITY POLE
			GAS VALVE
			FIRE HYDRANT
			WATER SHUTOFF

- NOTES:**
1. BASE MAPPING FROM TOPOGRAPHIC SURVEY (DRAWING S2059W01) BY FORESIGHT LAND SURVEYORS DATED 2/9/05.
 2. NOT ALL PHYSICAL FEATURES SHOWN.
 3. AREAS SHOWN CURRENTLY MEET THE DEFINITIONS OF OPEN SOIL/VEGETATED AREAS AND OTHER GROUND-COVERING FEATURE AREAS IN A GRANT OF ENVIRONMENTAL RESTRICTION AND EASEMENT (ERE).



GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**FINAL RD/RA WORK PLAN ADDENDUM FOR
 EAST STREET AREA 2-NORTH**
CURRENT SURFACE FEATURES



 infrastructure, environment, facilities

FIGURE
E-1