

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
WEST AREA					
GE-Owned Commercial/Industrial Property					
PAVED					
	EXISTING:	--	--	--	--
B17	PROPOSED:	RAA10-W-B17	RAA10-W-B17	RAA10-W-B17	RAA10-W-B17
	EXISTING:	--	--	--	--
C15	PROPOSED:	RAA10-W-C15	RAA10-W-C15	RAA10-W-C15	RAA10-W-C15
	EXISTING:	--	--	--	--
D12	PROPOSED:	RAA10-W-D12	RAA10-W-D12	RAA10-W-D12	RAA10-W-D12
	EXISTING:	--	--	--	--
E10	PROPOSED:	RAA10-W-E10	RAA10-W-E10	RAA10-W-E10	RAA10-W-E10
	EXISTING:	--	--	--	--
E13	PROPOSED:	RAA10-W-E13	RAA10-W-E13	RAA10-W-E13	RAA10-W-E13
	EXISTING:	--	--	--	--
F9	PROPOSED:	RAA10-W-F9	RAA10-W-F9	RAA10-W-F9	RAA10-W-F9
	EXISTING:	--	--	--	--
F13	PROPOSED:	RAA10-W-F13	RAA10-W-F13	RAA10-W-F13	RAA10-W-F13
	EXISTING:	--	--	--	--
G7	PROPOSED:	RAA10-W-G7	RAA10-W-G7	RAA10-W-G7	RAA10-W-G7
	EXISTING:	--	--	--	--
G9	PROPOSED:	RAA10-W-G9	RAA10-W-G9	RAA10-W-G9	RAA10-W-G9
	EXISTING:	--	--	--	--
G15	PROPOSED:	RAA10-W-G15	RAA10-W-G15	RAA10-W-G15	RAA10-W-G15
	EXISTING:	--	--	--	--
H4	PROPOSED:	RAA10-W-H4	RAA10-W-H4	RAA10-W-H4	RAA10-W-H4
	EXISTING:	--	--	--	--
H10	PROPOSED:	RAA10-W-H10	RAA10-W-H10	RAA10-W-H10	RAA10-W-H10
	EXISTING:	--	--	--	--
H15	PROPOSED:	RAA10-W-H15	RAA10-W-H15	RAA10-W-H15	RAA10-W-H15
	EXISTING:	--	--	--	--
I7	PROPOSED:	RAA10-W-I7	RAA10-W-I7	RAA10-W-I7	RAA10-W-I7
	EXISTING:	--	--	--	--
I10	PROPOSED:	RAA10-W-I10	RAA10-W-I10	RAA10-W-I10	RAA10-W-I10
	EXISTING:	--	--	--	--
I17	PROPOSED:	RAA10-W-I17	RAA10-W-I17	RAA10-W-I17	RAA10-W-I17
	EXISTING:	--	--	--	--
I22	PROPOSED:	RAA10-W-I22	RAA10-W-I22	RAA10-W-I22	RAA10-W-I22
	EXISTING:	--	--	--	--
J4	PROPOSED:	RAA10-W-J4	RAA10-W-J4	RAA10-W-J4	RAA10-W-J4
	EXISTING:	--	--	--	--
J11	PROPOSED:	RAA10-W-J11	RAA10-W-J11	RAA10-W-J11	RAA10-W-J11
	EXISTING:	--	--	--	--
J17	PROPOSED:	RAA10-W-J17	RAA10-W-J17	RAA10-W-J17	RAA10-W-J17
	EXISTING:	--	--	--	--
J20	PROPOSED:	RAA10-W-J20	RAA10-W-J20	RAA10-W-J20	RAA10-W-J20
	EXISTING:	--	--	--	--
J21	PROPOSED:	RAA10-W-J21	RAA10-W-J21	RAA10-W-J21	RAA10-W-J21
	EXISTING:	--	--	--	--
K8	PROPOSED:	RAA10-W-K8	RAA10-W-K8	RAA10-W-K8	RAA10-W-K8
	EXISTING:	--	--	--	--
K11	PROPOSED:	RAA10-W-K11	RAA10-W-K11	RAA10-W-K11	RAA10-W-K11
	EXISTING:	--	--	--	--
K17	PROPOSED:	RAA10-W-K17	RAA10-W-K17	RAA10-W-K17	RAA10-W-K17
	EXISTING:	--	--	--	--
K18	PROPOSED:	RAA10-W-K18	RAA10-W-K18	RAA10-W-K18	RAA10-W-K18
	EXISTING:	--	--	--	--
K19	PROPOSED:	RAA10-W-K19	RAA10-W-K19	RAA10-W-K19	RAA10-W-K19
	EXISTING:	--	--	--	--
L12	PROPOSED:	RAA10-W-L12	RAA10-W-L12	RAA10-W-L12	RAA10-W-L12

**TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS**

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
L19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-L19	RAA10-W-L19	RAA10-W-L19	RAA10-W-L19
M8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M8	RAA10-W-M8	RAA10-W-M8	RAA10-W-M8
M11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M11	RAA10-W-M11	RAA10-W-M11	RAA10-W-M11
M12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M12	RAA10-W-M12	RAA10-W-M12	RAA10-W-M12
M13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M13	RAA10-W-M13	RAA10-W-M13	RAA10-W-M13
M17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M17	RAA10-W-M17	RAA10-W-M17	RAA10-W-M17
M18	EXISTING:	UB-MW-7	UB-MW-7	UB-MW-7	UB-MW-7
	PROPOSED:	--	--	--	--
P9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P9	RAA10-W-P9	RAA10-W-P9	RAA10-W-P9
P11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P11	RAA10-W-P11	RAA10-W-P11	RAA10-W-P11
R13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-R13	RAA10-W-R13	RAA10-W-R13	RAA10-W-R13
S11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-S11	RAA10-W-S11	RAA10-W-S11	RAA10-W-S11
UNPAVED					
A18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-A18	RAA10-W-A18	RAA10-W-A18	RAA10-W-A18
B15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-B15	RAA10-W-B15	RAA10-W-B15	RAA10-W-B15
B18	EXISTING:	RF-14	RF-14	RF-14	RF-14
	PROPOSED:	--	--	--	--
B19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-B19	RAA10-W-B19	RAA10-W-B19	RAA10-W-B19
C12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-C12	RAA10-W-C12	RAA10-W-C12	RAA10-W-C12
C13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-C13	RAA10-W-C13	RAA10-W-C13	RAA10-W-C13
C18	EXISTING:	UB-SS-2	--	--	--
	PROPOSED:	--	RAA10-W-C18	RAA10-W-C18	RAA10-W-C18
C19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-C19	RAA10-W-C19	RAA10-W-C19	RAA10-W-C19
D10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D10	RAA10-W-D10	RAA10-W-D10	RAA10-W-D10
D11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D11	RAA10-W-D11	RAA10-W-D11	RAA10-W-D11
D19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D19	RAA10-W-D19	RAA10-W-D19	RAA10-W-D19
D20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D20	RAA10-W-D20	RAA10-W-D20	RAA10-W-D20
E8	EXISTING:	UB-SS-1	--	--	--
	PROPOSED:	--	RAA10-W-E8	RAA10-W-E8	RAA10-W-E8
E9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-E9	RAA10-W-E9	RAA10-W-E9	RAA10-W-E9
E19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-E19	RAA10-W-E19	RAA10-W-E19	RAA10-W-E19
E20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-E20	RAA10-W-E20	RAA10-W-E20	RAA10-W-E20
F6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-F6	RAA10-W-F6	RAA10-W-F6	RAA10-W-F6
F8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-F8	RAA10-W-F8	RAA10-W-F8	RAA10-W-F8

TABLE 3
 GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
I23	EXISTING: -- PROPOSED: RAA10-E-I23	--	--	--	--
I24	EXISTING: -- PROPOSED: RAA10-E-I24	--	--	--	--
I25	EXISTING: -- PROPOSED: RAA10-E-I25	--	--	--	--
I26	EXISTING: -- PROPOSED: RAA10-E-I26	--	--	--	--
I27	EXISTING: -- PROPOSED: RAA10-E-I27	--	--	--	--
J17	EXISTING: -- PROPOSED: RAA10-E-J17	--	--	--	--
J18	EXISTING: -- PROPOSED: RAA10-E-J18	--	RAA10-E-J18	RAA10-E-J18	RAA10-E-J18
J22	EXISTING: -- PROPOSED: RAA10-E-J22	--	RAA10-E-J22	RAA10-E-J22	RAA10-E-J22
J23	EXISTING: -- PROPOSED: RAA10-E-J23	--	--	--	--
J24	EXISTING: -- PROPOSED: RAA10-E-J24	--	RAA10-E-J24	RAA10-E-J24	RAA10-E-J24
J25	EXISTING: -- PROPOSED: RAA10-E-J25	--	--	--	--
J26	EXISTING: -- PROPOSED: RAA10-E-J26	--	RAA10-E-J26	RAA10-E-J26	RAA10-E-J26
J27	EXISTING: -- PROPOSED: RAA10-E-J27	--	--	--	--
K16	EXISTING: -- PROPOSED: RAA10-E-K16	--	--	--	--
K17	EXISTING: -- PROPOSED: RAA10-E-K17	--	--	--	--
K18	EXISTING: -- PROPOSED: RAA10-E-K18	--	--	--	--
K22	EXISTING: -- PROPOSED: RAA10-E-K22	--	--	--	--
K23	EXISTING: -- PROPOSED: RAA10-E-K23	--	--	--	--
K24	EXISTING: -- PROPOSED: RAA10-E-K24	--	--	--	--
K25	EXISTING: -- PROPOSED: RAA10-E-K25	--	--	--	--
K26	EXISTING: -- PROPOSED: RAA10-E-K26	--	--	--	--
L16	EXISTING: -- PROPOSED: RAA10-E-L16	--	RAA10-E-L16	RAA10-E-L16	RAA10-E-L16
L17	EXISTING: -- PROPOSED: RAA10-E-L17	--	--	--	--
L22	EXISTING: -- PROPOSED: RAA10-E-L22	--	RAA10-E-L22	RAA10-E-L22	RAA10-E-L22
L23	EXISTING: -- PROPOSED: RAA10-E-L23	--	--	--	--
L24	EXISTING: -- PROPOSED: RAA10-E-L24	--	RAA10-E-L24	RAA10-E-L24	RAA10-E-L24
L25	EXISTING: -- PROPOSED: RAA10-E-L25	--	--	--	--
L26	EXISTING: -- PROPOSED: RAA10-E-L26	--	RAA10-E-L26	RAA10-E-L26	RAA10-E-L26
M15	EXISTING: -- PROPOSED: RAA10-E-M15	--	--	--	--

TABLE 3
 GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
M16	EXISTING: -- PROPOSED: RAA10-E-M16	--	--	--	--
M17	EXISTING: -- PROPOSED: RAA10-E-M17	--	--	--	--
M21	EXISTING: -- PROPOSED: RAA10-E-M21	--	--	--	--
M22	EXISTING: -- PROPOSED: RAA10-E-M22	--	--	--	--
M23	EXISTING: -- PROPOSED: RAA10-E-M23	--	--	--	--
M24	EXISTING: -- PROPOSED: RAA10-E-M24	--	--	--	--
M25	EXISTING: -- PROPOSED: RAA10-E-M25	--	--	--	--
N16	EXISTING: -- PROPOSED: RAA10-E-N16	--	RAA10-E-N16	RAA10-E-N16	RAA10-E-N16
N17	EXISTING: -- PROPOSED: RAA10-E-N17	--	--	--	--
N18	EXISTING: -- PROPOSED: RAA10-E-N18	--	RAA10-E-N18	RAA10-E-N18	RAA10-E-N18
N19	EXISTING: -- PROPOSED: RAA10-E-N19	--	--	--	--
N20	EXISTING: -- PROPOSED: RAA10-E-N20	--	RAA10-E-N20	RAA10-E-N20	RAA10-E-N20
N21	EXISTING: -- PROPOSED: RAA10-E-N21	--	--	--	--
N22	EXISTING: -- PROPOSED: RAA10-E-N22	--	RAA10-E-N22	RAA10-E-N22	RAA10-E-N22
N23	EXISTING: -- PROPOSED: RAA10-E-N23	--	--	--	--
N24	EXISTING: -- PROPOSED: RAA10-E-N24	--	RAA10-E-N24	RAA10-E-N24	RAA10-E-N24
N25	EXISTING: -- PROPOSED: RAA10-E-N25	--	--	--	--
O19	EXISTING: -- PROPOSED: RAA10-E-O19	--	--	--	--
O20	EXISTING: -- PROPOSED: RAA10-E-O20	--	--	--	--
O21	EXISTING: -- PROPOSED: RAA10-E-O21	--	--	--	--
O22	EXISTING: -- PROPOSED: RAA10-E-O22	--	--	--	--
O23	EXISTING: -- PROPOSED: RAA10-E-O23	--	--	--	--
O24	EXISTING: -- PROPOSED: RAA10-E-O24	--	--	--	--
O25	EXISTING: -- PROPOSED: RAA10-E-O25	--	--	--	--
P13	EXISTING: -- PROPOSED: RAA10-E-P13	--	--	--	--
P21	EXISTING: -- PROPOSED: RAA10-E-P21	--	--	--	--
P22	EXISTING: -- PROPOSED: RAA10-E-P22	--	RAA10-E-P22	RAA10-E-P22	RAA10-E-P22
P23	EXISTING: -- PROPOSED: RAA10-E-P23	--	--	--	--
P24	EXISTING: -- PROPOSED: RAA10-E-P24	--	RAA10-E-P24	RAA10-E-P24	RAA10-E-P24

TABLE 3
 GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
X12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X12	RAA10-E-X12	RAA10-E-X12	RAA10-E-X12
X13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X13	--	--	--
Y7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y7	--	--	--
Y8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y8	--	--	--
Y9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y9	--	--	--
Y10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y10	--	--	--
Y11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y11	--	--	--
Y12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y12	--	--	--
Y13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y13	--	--	--
Z6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z6	RAA10-E-Z6	RAA10-E-Z6	RAA10-E-Z6
Z7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z7	--	--	--
Z9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z9	--	--	--
Z10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z10	RAA10-E-Z10	RAA10-E-Z10	RAA10-E-Z10
Z11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z11	--	--	--
Z12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z12	RAA10-E-Z12	RAA10-E-Z12	RAA10-E-Z12
Z13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z13	--	--	--
AA6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA6	--	--	--
AA7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA7	--	--	--
AA10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA10	--	--	--
AA11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA11	--	--	--
AA12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA12	--	--	--
AA13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA13	--	--	--
BB5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB5	--	--	--
BB6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB6	RAA10-E-BB6	RAA10-E-BB6	RAA10-E-BB6
BB7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB7	--	--	--
BB9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB9	--	--	--
BB10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB10	RAA10-E-BB10	RAA10-E-BB10	RAA10-E-BB10
BB11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB11	--	--	--
BB12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB12	RAA10-E-BB12	RAA10-E-BB12	RAA10-E-BB12

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
BB13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB13	--	--	--
CC4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC4	--	--	--
CC5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC5	--	--	--
CC6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC6	--	--	--
CC7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC7	--	--	--
CC8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC8	--	--	--
CC9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC9	--	--	--
CC10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC10	--	--	--
CC11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC11	--	--	--
DD4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD4	RAA10-E-DD4	RAA10-E-DD4	RAA10-E-DD4
DD5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD5	--	--	--
DD6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD6	RAA10-E-DD6	RAA10-E-DD6	RAA10-E-DD6
DD7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD7	--	--	--
DD8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD8	RAA10-E-DD8	RAA10-E-DD8	RAA10-E-DD8
DD9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD9	--	--	--
DD10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD10	RAA10-E-DD10	RAA10-E-DD10	RAA10-E-DD10
DD11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD11	--	--	--
DD12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD12	RAA10-E-DD12	RAA10-E-DD12	RAA10-E-DD12
EE3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE3	--	--	--
EE4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE4	--	--	--
EE5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE5	--	--	--
EE6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE6	--	--	--
EE7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE7	--	--	--
EE8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE8	--	--	--
EE9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE9	--	--	--
EE10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE10	--	--	--
EE11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE11	--	--	--
EE12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE12	--	--	--
FF2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF2	RAA10-E-FF2	RAA10-E-FF2	RAA10-E-FF2

TABLE 3
 GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
FF3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF3	--	--	--
FF4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF4	RAA10-E-FF4	RAA10-E-FF4	RAA10-E-FF4
FF5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF5	--	--	--
FF6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF6	RAA10-E-FF6	RAA10-E-FF6	RAA10-E-FF6
FF7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF7	--	--	--
FF8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF8	RAA10-E-FF8	RAA10-E-FF8	RAA10-E-FF8
FF9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF9	--	--	--
FF10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF10	RAA10-E-FF10	RAA10-E-FF10	RAA10-E-FF10
FF11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF11	--	--	--
FF12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF12	RAA10-E-FF12	RAA10-E-FF12	RAA10-E-FF12
GG1	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG1	--	--	--
GG2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG2	--	--	--
GG3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG3	--	--	--
GG4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG4	--	--	--
GG5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG5	--	--	--
GG6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG6	--	--	--
GG7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG7	--	--	--
GG8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG8	--	--	--
GG9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG9	--	--	--
GG10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG10	--	--	--
GG11	EXISTING:	UW1474A	--	--	--
	PROPOSED:	--	--	--	--
HH99	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH99	RAA10-E-HH99	RAA10-E-HH99	RAA10-E-HH99
HH1	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH1	--	--	--
HH2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH2	RAA10-E-HH2	RAA10-E-HH2	RAA10-E-HH2
HH3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH3	--	--	--
HH4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH4	RAA10-E-HH4	RAA10-E-HH4	RAA10-E-HH4
HH5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH5	--	--	--
HH6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH6	RAA10-E-HH6	RAA10-E-HH6	RAA10-E-HH6
HH7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH7	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
HH9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH9	--	--	--
HH10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH10	RAA10-E-HH10	RAA10-E-HH10	RAA10-E-HH10
HH11	EXISTING:	UE1411A	--	--	--
	PROPOSED:	--	--	--	--
II4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II4	--	--	--
II5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II5	--	--	--
II6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II6	--	--	--
II7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II7	--	--	--
II8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II8	--	--	--
III10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-III10	--	--	--
III11	EXISTING:	UE1377A	--	--	--
	PROPOSED:	--	--	--	--
JJ5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ5	--	--	--
JJ6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ6	RAA10-E-JJ6	RAA10-E-JJ6	RAA10-E-JJ6
JJ7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ7	--	--	--
JJ8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ8	RAA10-E-JJ8	RAA10-E-JJ8	RAA10-E-JJ8
JJ9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ9	--	--	--
JJ10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ10	RAA10-E-JJ10	RAA10-E-JJ10	RAA10-E-JJ10
KK6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK6	--	--	--
KK7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK7	--	--	--
KK8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK8	--	--	--
KK9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK9	--	--	--
KK10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK10	--	--	--
LL7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL7	--	--	--
LL8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL8	RAA10-E-LL8	RAA10-E-LL8	RAA10-E-LL8
LL9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL9	--	--	--
LL10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL10	RAA10-E-LL10	RAA10-E-LL10	RAA10-E-LL10
MM8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM8	--	--	--
MM9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM9	--	--	--
NN9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN9	--	--	--
Non-GE-Owned Recreational Property					
D27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D27	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
E27	EXISTING: -- PROPOSED: RAA10-E-E27	--	--	--	--
E28	EXISTING: -- PROPOSED: RAA10-E-E28	--	--	--	--
F27	EXISTING: -- PROPOSED: RAA10-E-F27	--	--	--	--
F28	EXISTING: -- PROPOSED: RAA10-E-F28	--	RAA10-E-F28	RAA10-E-F28	RAA10-E-F28
G29	EXISTING: -- PROPOSED: RAA10-E-G29	--	--	--	--
H29	EXISTING: -- PROPOSED: RAA10-E-H29	--	--	--	--
I28	EXISTING: -- PROPOSED: RAA10-E-I28	--	--	--	--
I29	EXISTING: -- PROPOSED: RAA10-E-I29	--	--	--	--
I30	EXISTING: -- PROPOSED: RAA10-E-I30	--	--	--	--
J28	EXISTING: -- PROPOSED: RAA10-E-J28	--	RAA10-E-J28	RAA10-E-J28	RAA10-E-J28
J29	EXISTING: -- PROPOSED: RAA10-E-J29	--	--	--	--
K27	EXISTING: -- PROPOSED: RAA10-E-K27	--	--	--	--
K28	EXISTING: -- PROPOSED: RAA10-E-K28	--	--	--	--
K29	EXISTING: -- PROPOSED: RAA10-E-K29	--	--	--	--
L27	EXISTING: -- PROPOSED: RAA10-E-L27	--	--	--	--
L28	EXISTING: UOP3S-18 PROPOSED: --	--	RAA10-E-L28	RAA10-E-L28	RAA10-E-L28
M26	EXISTING: -- PROPOSED: RAA10-E-M26	--	--	--	--
M27	EXISTING: -- PROPOSED: RAA10-E-M27	--	--	--	--
M28	EXISTING: -- PROPOSED: RAA10-E-M28	--	--	--	--
N15	EXISTING: -- PROPOSED: RAA10-E-N15	--	--	--	--
N26	EXISTING: -- PROPOSED: RAA10-E-N26	--	RAA10-E-N26	RAA10-E-N26	RAA10-E-N26
N27	EXISTING: -- PROPOSED: RAA10-E-N27	--	--	--	--
O15	EXISTING: L-39 PROPOSED: --	--	--	--	--
O16	EXISTING: -- PROPOSED: RAA10-E-O16	--	--	--	--
O17	EXISTING: UOP3S-14 PROPOSED: --	--	--	--	--
O18	EXISTING: -- PROPOSED: RAA10-E-O18	--	--	--	--
O26	EXISTING: -- PROPOSED: RAA10-E-O26	--	--	--	--
O27	EXISTING: UOP3S-17 PROPOSED: --	--	--	--	--
P15	EXISTING: -- PROPOSED: RAA10-E-P15	--	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
P16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P16	RAA10-E-P16	RAA10-E-P16	RAA10-E-P16
P17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P17	--	--	--
P18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P18	RAA10-E-P18	RAA10-E-P18	RAA10-E-P18
P19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P19	--	--	--
P20	EXISTING:	UOP3S-13	--	--	--
	PROPOSED:	--	RAA10-E-P20	RAA10-E-P20	RAA10-E-P20
P25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P25	--	--	--
P26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P26	RAA10-E-P26	RAA10-E-P26	RAA10-E-P26
Q15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q15	--	--	--
Q16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q16	--	--	--
Q17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q17	--	--	--
Q18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q18	--	--	--
Q19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q19	--	--	--
Q20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q20	--	--	--
Q21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q21	--	--	--
Q22	EXISTING:	UOP3S-15	--	--	--
	PROPOSED:	--	--	--	--
Q23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q23	--	--	--
Q25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q25	--	--	--
R15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R15	--	--	--
R16	EXISTING:	UOP3S-10	--	--	--
	PROPOSED:	--	RAA10-E-R16	RAA10-E-R16	RAA10-E-R16
R17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R17	--	--	--
R18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R18	RAA10-E-R18	RAA10-E-R18	RAA10-E-R18
R19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R19	--	--	--
R20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R20	RAA10-E-R20	RAA10-E-R20	RAA10-E-R20
R21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R21	--	--	--
R22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R22	RAA10-E-R22	RAA10-E-R22	RAA10-E-R22
R23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R23	--	--	--

TABLE 3
 GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
R24	EXISTING: -- PROPOSED: RAA10-E-R24	--	RAA10-E-R24	RAA10-E-R24	RAA10-E-R24
R25	EXISTING: -- PROPOSED: RAA10-E-R25	--	--	--	--
S17	EXISTING: -- PROPOSED: RAA10-E-S17	--	--	--	--
S18	EXISTING: UOP3S-11 PROPOSED: --	--	--	--	--
S19	EXISTING: -- PROPOSED: RAA10-E-S19	--	--	--	--
S20	EXISTING: -- PROPOSED: RAA10-E-S20	--	--	--	--
S21	EXISTING: -- PROPOSED: RAA10-E-S21	--	--	--	--
S22	EXISTING: -- PROPOSED: RAA10-E-S22	--	--	--	--
S23	EXISTING: -- PROPOSED: RAA10-E-S23	--	--	--	--
S24	EXISTING: -- PROPOSED: RAA10-E-S24	--	--	--	--
T16	EXISTING: UOP3S-7 PROPOSED: --	--	--	--	--
T18	EXISTING: -- PROPOSED: RAA10-E-T18	--	--	--	--
T20	EXISTING: -- PROPOSED: RAA10-E-T20	--	--	--	--
T21	EXISTING: -- PROPOSED: RAA10-E-T21	--	--	--	--
T22	EXISTING: -- PROPOSED: RAA10-E-T22	RAA10-E-T22	RAA10-E-T22	RAA10-E-T22	RAA10-E-T22
T23	EXISTING: -- PROPOSED: RAA10-E-T23	--	--	--	--
T24	EXISTING: UOP3S-12 PROPOSED: --	--	RAA10-E-T24	RAA10-E-T24	RAA10-E-T24
V16	EXISTING: UOP3S-6 PROPOSED: --	--	RAA10-E-V16	RAA10-E-V16	RAA10-E-V16
V18	EXISTING: -- PROPOSED: RAA10-E-V18	--	--	--	--
V20	EXISTING: UOP3S-8 PROPOSED: --	--	RAA10-E-V20	RAA10-E-V20	RAA10-E-V20
V22	EXISTING: -- PROPOSED: RAA10-E-V22	--	--	--	--
X16	EXISTING: -- PROPOSED: RAA10-E-X16	--	--	--	--
X18	EXISTING: -- PROPOSED: RAA10-E-X18	--	--	--	--
X20	EXISTING: -- PROPOSED: RAA10-E-X20	--	--	--	--
Z16	EXISTING: -- PROPOSED: RAA10-E-Z16	RAA10-E-Z16	RAA10-E-Z16	RAA10-E-Z16	RAA10-E-Z16
Z18	EXISTING: -- PROPOSED: RAA10-E-Z18	--	--	--	--
Z20	EXISTING: -- PROPOSED: RAA10-E-Z20	RAA10-E-Z20	RAA10-E-Z20	RAA10-E-Z20	RAA10-E-Z20
Z22	EXISTING: -- PROPOSED: RAA10-E-Z22	--	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
BB16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB16	--	--	--
BB18	EXISTING:	UOP3S-2	--	--	--
	PROPOSED:	--	--	--	--
BB20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB20	--	--	--
BB22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB22	--	--	--
DD14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD14	--	--	--
DD16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD16	RAA10-E-DD16	RAA10-E-DD16	RAA10-E-DD16
DD18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD18	--	--	--
DD20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD20	RAA10-E-DD20	RAA10-E-DD20	RAA10-E-DD20
DD22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD22	--	--	--
DD24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD24	RAA10-E-DD24	RAA10-E-DD24	RAA10-E-DD24
FF14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF14	--	--	--
FF16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF16	--	--	--
FF18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF18	--	--	--
FF20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF20	--	--	--
FF22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF22	--	--	--
FF24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF24	--	--	--
HH13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH13	--	--	--
HH14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH14	RAA10-E-HH14	RAA10-E-HH14	RAA10-E-HH14
HH16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH16	RAA10-E-HH16	RAA10-E-HH16	RAA10-E-HH16
HH18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH18	--	--	--
HH20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH20	RAA10-E-HH20	RAA10-E-HH20	RAA10-E-HH20
HH22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH22	--	--	--
HH24	EXISTING:	UFP2-R7	--	--	--
	PROPOSED:	--	RAA10-E-HH24	RAA10-E-HH24	RAA10-E-HH24
HH26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH26	--	--	--

TABLE 3
 GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
II13	EXISTING:	UE1319A	--	--	--
	PROPOSED:	--	--	--	--
II14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II14	--	--	--
II15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II15	--	--	--
JJ12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ12	RAA10-E-JJ12	RAA10-E-JJ12	RAA10-E-JJ12
JJ13	EXISTING:	UW1300A	--	--	--
	PROPOSED:	--	--	--	--
JJ14	EXISTING:	UE1250A	--	--	--
	PROPOSED:	--	RAA10-E-JJ14	RAA10-E-JJ14	RAA10-E-JJ14
JJ15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ15	--	--	--
JJ16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ16	RAA10-E-JJ16	RAA10-E-JJ16	RAA10-E-JJ16
JJ18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ18	--	--	--
JJ20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ20	--	--	--
JJ22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ22	--	--	--
JJ24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ24	--	--	--
JJ26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ26	--	--	--
KK12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK12	--	--	--
KK13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK13	--	--	--
KK14	EXISTING:	UW1205A	--	--	--
	PROPOSED:	--	--	--	--
KK15	EXISTING:	UE1100A	--	--	--
	PROPOSED:	--	--	--	--
KK16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK16	--	--	--
KK17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK17	--	--	--
LL12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL12	RAA10-E-LL12	RAA10-E-LL12	RAA10-E-LL12
LL13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL13	--	--	--
LL14	EXISTING:	UW1150A	--	--	--
	PROPOSED:	--	RAA10-E-LL14	RAA10-E-LL14	RAA10-E-LL14
LL15	EXISTING:	UE1050A	--	--	--
	PROPOSED:	--	--	--	--
LL16	EXISTING:	UE1000A	--	--	--
	PROPOSED:	--	RAA10-E-LL16	RAA10-E-LL16	RAA10-E-LL16
LL17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL17	--	--	--
LL18	EXISTING:	UFP2-R2	UFP2-R2	--	--
	PROPOSED:	--	--	RAA10-E-LL18	RAA10-E-LL18
LL19	EXISTING:	UFP2-R3	--	--	--
	PROPOSED:	--	--	--	--
LL20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL20	RAA10-E-LL20	RAA10-E-LL20	RAA10-E-LL20

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
LL22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL22	--	--	--
LL24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL24	RAA10-E-LL24	RAA10-E-LL24	RAA10-E-LL24
LL26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL26	--	--	--
MM13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM13	--	--	--
MM14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM14	--	--	--
MM15	EXISTING:	UW1050A	--	--	--
	PROPOSED:	--	--	--	--
MM16	EXISTING:	UW1000A	--	--	--
	PROPOSED:	--	--	--	--
MM17	EXISTING:	UFP2-R1	--	--	--
	PROPOSED:	--	--	--	--
MM18	EXISTING:	UE0900A	--	--	--
	PROPOSED:	--	--	--	--
MM19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM19	--	--	--
MM20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM20	--	--	--
MM21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM21	--	--	--
MM22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM22	--	--	--
MM23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM23	--	--	--
NN12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN12	--	--	--
NN14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN14	RAA10-E-NN14	RAA10-E-NN14	RAA10-E-NN14
NN15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN15	--	--	--
NN16	EXISTING:	UFP2-L3	UFP2-L3	--	--
	PROPOSED:	--	--	RAA10-E-NN16	RAA10-E-NN16
NN17	EXISTING:	UFP2-L2	--	--	--
	PROPOSED:	--	--	--	--
NN18	EXISTING:	UW0900A	--	--	--
	PROPOSED:	--	RAA10-E-NN18	RAA10-E-NN18	RAA10-E-NN18
NN19	EXISTING:	UE0850A	--	--	--
	PROPOSED:	--	--	--	--
NN20	EXISTING:	UW0800A	--	--	--
	PROPOSED:	--	RAA10-E-NN20	RAA10-E-NN20	RAA10-E-NN20
NN21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN21	--	--	--
NN22	EXISTING:	UE0750A	--	--	--
	PROPOSED:	--	RAA10-E-NN22	RAA10-E-NN22	RAA10-E-NN22
NN23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN23	--	--	--
NN24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN24	RAA10-E-NN24	RAA10-E-NN24	RAA10-E-NN24
NN26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN26	--	--	--
OO15	EXISTING:	UFP2-L4	--	--	--
	PROPOSED:	--	--	--	--
OO16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO16	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
OO17	EXISTING: -- PROPOSED: RAA10-E-OO17	--	--	--	--
OO18	EXISTING: -- PROPOSED: RAA10-E-OO18	--	--	--	--
OO19	EXISTING: UW0850A PROPOSED: --	--	--	--	--
OO20	EXISTING: -- PROPOSED: RAA10-E-OO20	--	--	--	--
OO21	EXISTING: UW0750A PROPOSED: --	--	--	--	--
OO22	EXISTING: UE0700A PROPOSED: --	--	--	--	--
OO23	EXISTING: -- PROPOSED: RAA10-E-OO23	--	--	--	--
OO24	EXISTING: -- PROPOSED: RAA10-E-OO24	--	--	--	--
PP12	EXISTING: -- PROPOSED: RAA10-E-PP12	RAA10-E-PP12	RAA10-E-PP12	RAA10-E-PP12	RAA10-E-PP12
PP14	EXISTING: UFP2-L6 PROPOSED: --	--	--	--	--
PP16	EXISTING: -- PROPOSED: RAA10-E-PP16	RAA10-E-PP16	RAA10-E-PP16	RAA10-E-PP16	RAA10-E-PP16
PP18	EXISTING: -- PROPOSED: RAA10-E-PP18	RAA10-E-PP18	RAA10-E-PP18	RAA10-E-PP18	RAA10-E-PP18
PP20	EXISTING: -- PROPOSED: RAA10-E-PP20	RAA10-E-PP20	RAA10-E-PP20	RAA10-E-PP20	RAA10-E-PP20
PP21	EXISTING: -- PROPOSED: RAA10-E-PP21	--	--	--	--
PP22	EXISTING: UW0700A PROPOSED: --	RAA10-E-PP22	RAA10-E-PP22	RAA10-E-PP22	RAA10-E-PP22
PP23	EXISTING: UE0650A PROPOSED: --	--	--	--	--
PP24	EXISTING: -- PROPOSED: RAA10-E-PP24	RAA10-E-PP24	RAA10-E-PP24	RAA10-E-PP24	RAA10-E-PP24
PP25	EXISTING: -- PROPOSED: RAA10-E-PP25	--	--	--	--
PP26	EXISTING: UFP1-R4 PROPOSED: --	--	--	--	--
QQ20	EXISTING: -- PROPOSED: RAA10-E-QQ20	--	--	--	--
QQ21	EXISTING: -- PROPOSED: RAA10-E-QQ21	--	--	--	--
QQ22	EXISTING: -- PROPOSED: RAA10-E-QQ22	--	--	--	--
QQ23	EXISTING: -- PROPOSED: RAA10-E-QQ23	--	--	--	--
QQ24	EXISTING: -- PROPOSED: RAA10-E-QQ24	--	--	--	--
QQ25	EXISTING: UFP1-R3 PROPOSED: --	--	--	--	--
RR14	EXISTING: -- PROPOSED: RAA10-E-RR14	--	--	--	--
RR16	EXISTING: -- PROPOSED: RAA10-E-RR16	--	--	--	--
RR18	EXISTING: -- PROPOSED: RAA10-E-RR18	--	--	--	--
RR19	EXISTING: -- PROPOSED: RAA10-E-RR19	--	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
RR20	EXISTING: PROPOSED:	-- RAA10-E-RR20	-- RAA10-E-RR20	-- RAA10-E-RR20	-- RAA10-E-RR20
RR21	EXISTING: PROPOSED:	-- RAA10-E-RR21	-- --	-- --	-- --
RR22	EXISTING: PROPOSED:	-- RAA10-E-RR22	-- RAA10-E-RR22	-- RAA10-E-RR22	-- RAA10-E-RR22
RR23	EXISTING: PROPOSED:	UW0600A --	-- --	-- --	-- --
RR24	EXISTING: PROPOSED:	UFP1-L1 --	-- RAA10-E-RR24	-- RAA10-E-RR24	-- RAA10-E-RR24
RR25	EXISTING: PROPOSED:	-- RAA10-E-RR25	-- --	-- --	-- --
SS19	EXISTING: PROPOSED:	-- RAA10-E-SS19	-- --	-- --	-- --
SS21	EXISTING: PROPOSED:	-- RAA10-E-SS21	-- --	-- --	-- --
SS22	EXISTING: PROPOSED:	-- RAA10-E-SS22	-- --	-- --	-- --
SS23	EXISTING: PROPOSED:	UFP1-L2 --	-- --	-- --	-- --
SS24	EXISTING: PROPOSED:	UF0500A --	-- --	-- --	-- --
SS25	EXISTING: PROPOSED:	-- RAA10-E-SS25	-- --	-- --	-- --
TT16	EXISTING: PROPOSED:	-- RAA10-E-TT16	-- RAA10-E-TT16	-- RAA10-E-TT16	-- RAA10-E-TT16
TT18	EXISTING: PROPOSED:	-- RAA10-E-TT18	-- --	-- --	-- --
TT19	EXISTING: PROPOSED:	-- RAA10-E-TT19	-- --	-- --	-- --
TT20	EXISTING: PROPOSED:	-- RAA10-E-TT20	-- RAA10-E-TT20	-- RAA10-E-TT20	-- RAA10-E-TT20
TT21	EXISTING: PROPOSED:	-- RAA10-E-TT21	-- --	-- --	-- --
TT22	EXISTING: PROPOSED:	UFP1-L3 --	-- RAA10-E-TT22	-- RAA10-E-TT22	-- RAA10-E-TT22
TT23	EXISTING: PROPOSED:	UW0450A --	-- --	-- --	-- --
TT24	EXISTING: PROPOSED:	-- RAA10-E-TT24	-- RAA10-E-TT24	-- RAA10-E-TT24	-- RAA10-E-TT24
TT25	EXISTING: PROPOSED:	-- RAA10-E-TT25	-- --	-- --	-- --
TT26	EXISTING: PROPOSED:	-- RAA10-E-TT26	-- RAA10-E-TT26	-- RAA10-E-TT26	-- RAA10-E-TT26
UU19	EXISTING: PROPOSED:	-- RAA10-E-UU19	-- --	-- --	-- --
UU21	EXISTING: PROPOSED:	UFP1-L4 --	-- --	-- --	-- --
UU22	EXISTING: PROPOSED:	-- RAA10-E-UU23	-- --	-- --	-- --
UU23	EXISTING: PROPOSED:	-- RAA10-F-UU23	-- --	-- --	-- --
UU24	EXISTING: PROPOSED:	-- RAA10-E-UU24	-- --	-- --	-- --
UU25	EXISTING: PROPOSED:	-- RAA10-E-UU25	-- --	-- --	-- --
UU26	EXISTING: PROPOSED:	-- RAA10-E-UU26	-- --	-- --	-- --

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
UU27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU27	--	--	--
VV18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV18	--	--	--
VV19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV19	--	--	--
VV20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV20	RAA10-E-VV20	RAA10-E-VV20	RAA10-E-VV20
VV22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV22	RAA10-E-VV22	RAA10-E-VV22	RAA10-E-VV22
VV23	EXISTING:	UW0355A	--	--	--
	PROPOSED:	--	--	--	--
VV24	EXISTING:	UW0300A	--	--	--
	PROPOSED:	--	RAA10-E-VV24	RAA10-E-VV24	RAA10-E-VV24
VV25	EXISTING:	UW0250A	--	--	--
	PROPOSED:	--	--	--	--
VV26	EXISTING:	UE0250A	--	--	--
	PROPOSED:	--	RAA10-E-VV26	RAA10-E-VV26	RAA10-E-VV26
VV27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV27	--	--	--
WW19	EXISTING:	UFP1-L5	--	--	--
	PROPOSED:	--	--	--	--
WW20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW20	--	--	--
WW22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW22	--	--	--
WW23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW23	--	--	--
WW24	EXISTING:	UW0200A	--	--	--
	PROPOSED:	--	--	--	--
WW25	EXISTING:	UE0150A	--	--	--
	PROPOSED:	--	--	--	--
WW26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW26	--	--	--
WW27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW27	--	--	--
WW28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW28	--	--	--
XX20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX20	RAA10-E-XX20	RAA10-E-XX20	RAA10-E-XX20
XX22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX22	--	--	--
XX23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX23	--	--	--
XX24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX24	RAA10-E-XX24	RAA10-E-XX24	RAA10-E-XX24
XX25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX25	--	--	--
XX26	EXISTING:	UW0100A	--	--	--
	PROPOSED:	--	RAA10-E-XX26	RAA10-E-XX26	RAA10-E-XX26
XX27	EXISTING:	UE0100A	--	--	--
	PROPOSED:	--	--	--	--
XX28	EXISTING:	UE0050A	--	--	--
	PROPOSED:	--	RAA10-E-XX28	RAA10-E-XX28	RAA10-E-XX28
YY21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY21	--	--	--
YY24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY24	--	--	--

TABLE 3
 GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
YY25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY25	--	--	--
YY26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY26	--	--	--
YY27	EXISTING:	UW0050A	--	--	--
	PROPOSED:	--	--	--	--
YY28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY28	--	--	--
ZZ21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ21	--	--	--
ZZ22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ22	RAA10-E-ZZ22	RAA10-E-ZZ22	RAA10-E-ZZ22
ZZ24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ24	RAA10-E-ZZ24	RAA10-E-ZZ24	RAA10-E-ZZ24
ZZ25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ25	--	--	--
ZZ26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ26	RAA10-E-ZZ26	RAA10-E-ZZ26	RAA10-E-ZZ26
ZZ27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ27	--	--	--
ZZ28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ28	RAA10-E-ZZ28	RAA10-E-ZZ28	RAA10-E-ZZ28
ZZ29	EXISTING:	UW0000A	--	--	--
	PROPOSED:	--	--	--	--
AAA22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA22	--	--	--
AAA23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA23	--	--	--
AAA24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA24	--	--	--
AAA25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA25	--	--	--
AAA29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA29	--	--	--
AAA30	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA30	--	--	--
BBB23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BBB23	--	--	--
BBB24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BBB24	RAA10-E-BBB24	RAA10-E-BBB24	RAA10-E-BBB24
BBB25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BBB25	--	--	--
NORTH AREA					
Non-Industrial GE-Owned Area East of Former Interior Landfill					
A28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-A28	--	--	--
C24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-C24	RAA10-N-C24	RAA10-N-C24	RAA10-N-C24
C26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-C26	--	--	--
C28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-C28	RAA10-N-C28	RAA10-N-C28	RAA10-N-C28
E20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E20	--	--	--
E22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E22	--	--	--
E24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E24	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
E26	EXISTING: -- PROPOSED: RAA10-N-E26	--	--	--	--
E28	EXISTING: -- PROPOSED: RAA10-N-E28	--	--	--	--
G16	EXISTING: -- PROPOSED: RAA10-N-G16	RAA10-N-G16	RAA10-N-G16	RAA10-N-G16	RAA10-N-G16
G18	EXISTING: -- PROPOSED: RAA10-N-G18	--	--	--	--
G20	EXISTING: -- PROPOSED: RAA10-N-G20	RAA10-N-G20	RAA10-N-G20	RAA10-N-G20	RAA10-N-G20
G22	EXISTING: -- PROPOSED: RAA10-N-G22	--	--	--	--
G24	EXISTING: -- PROPOSED: RAA10-N-G24	RAA10-N-G24	RAA10-N-G24	RAA10-N-G24	RAA10-N-G24
G26	EXISTING: -- PROPOSED: RAA10-N-G26	--	--	--	--
G28	EXISTING: UFP3-R10 PROPOSED: --	RAA10-N-G28	RAA10-N-G28	RAA10-N-G28	RAA10-N-G28
I12	EXISTING: -- PROPOSED: RAA10-N-I12	--	--	--	--
I14	EXISTING: -- PROPOSED: RAA10-N-I14	--	--	--	--
I16	EXISTING: -- PROPOSED: RAA10-N-I16	--	--	--	--
I18	EXISTING: -- PROPOSED: RAA10-N-I18	--	--	--	--
I20	EXISTING: -- PROPOSED: RAA10-N-I20	--	--	--	--
I22	EXISTING: -- PROPOSED: RAA10-N-I22	--	--	--	--
I24	EXISTING: -- PROPOSED: RAA10-N-I24	--	--	--	--
I26	EXISTING: UFP3-R9 PROPOSED: --	--	--	--	--
I28	EXISTING: -- PROPOSED: RAA10-N-I28	--	--	--	--
J10	EXISTING: -- PROPOSED: RAA10-N-J10	--	--	--	--
K8	EXISTING: -- PROPOSED: RAA10-N-K8	RAA10-N-K8	RAA10-N-K8	RAA10-N-K8	RAA10-N-K8
K9	EXISTING: -- PROPOSED: RAA10-N-K9	--	--	--	--
K10	EXISTING: -- PROPOSED: RAA10-N-K10	RAA10-N-K10	RAA10-N-K10	RAA10-N-K10	RAA10-N-K10
K12	EXISTING: -- PROPOSED: RAA10-N-K12	RAA10-N-K12	RAA10-N-K12	RAA10-N-K12	RAA10-N-K12
K14	EXISTING: -- PROPOSED: RAA10-N-K14	--	--	--	--
K16	EXISTING: -- PROPOSED: RAA10-N-K16	RAA10-N-K16	RAA10-N-K16	RAA10-N-K16	RAA10-N-K16
K18	EXISTING: -- PROPOSED: RAA10-N-K18	--	--	--	--
K20	EXISTING: -- PROPOSED: RAA10-N-K20	RAA10-N-K20	RAA10-N-K20	RAA10-N-K20	RAA10-N-K20
K22	EXISTING: -- PROPOSED: RAA10-N-K22	--	--	--	--
K24	EXISTING: UFP3-R8 PROPOSED: --	RAA10-N-K24	RAA10-N-K24	RAA10-N-K24	RAA10-N-K24

TABLE 3
 GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
K26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K26	--	--	--
K28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K28	RAA10-N-K28	RAA10-N-K28	RAA10-N-K28
L8	EXISTING:	UB-IRA-1-L1	--	--	--
	PROPOSED:	--	--	--	--
L10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L10	--	--	--
L11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L11	--	--	--
L12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L12	--	--	--
L13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L13	--	--	--
L14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L14	--	--	--
L15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L15	--	--	--
L16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L16	--	--	--
M9	EXISTING:	UB-IRA-2-L1	--	--	--
	PRMPMSD:	--	--	--	--
M10	EXISTING:	--	--	--	--
	PRMPMSD:	RAA10-N-M10	RAA10-N-M10	RAA10-N-M10	RAA10-N-M10
M11	EXISTING:	--	--	--	--
	PRMPMSD:	RAA10-N-M11	--	--	--
M12	EXISTING:	--	--	--	--
	PRMPMSD:	RAA10-N-M12	RAA10-N-M12	RAA10-N-M12	RAA10-N-M12
M13	EXISTING:	--	--	--	--
	PRMPMSD:	RAA10-N-M13	--	--	--
M14	EXISTING:	--	--	--	--
	PRMPMSD:	RAA10-N-M14	RAA10-N-M14	RAA10-N-M14	RAA10-N-M14
M15	EXISTING:	--	--	--	--
	PRMPMSD:	RAA10-N-M15	--	--	--
M22	EXISTING:	--	--	--	--
	PRMPMSD:	RAA10-N-M22	--	--	--
M24	EXISTING:	--	--	--	--
	PRMPMSD:	RAA10-N-M24	--	--	--
M26	EXISTING:	--	--	--	--
	PRMPMSD:	RAA10-N-M26	--	--	--
M28	EXISTING:	--	--	--	--
	PRMPMSD:	RAA10-N-M28	--	--	--
N9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N9	--	--	--
N10	EXISTING:	UB-IRA-3-L1	--	--	--
	PROPOSED:	--	--	--	--
N11	EXISTING:	UB-IRA-4-R1	--	--	--
	PROPOSED:	--	--	--	--
N12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N12	--	--	--
O24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O24	RAA10-N-O24	RAA10-N-O24	RAA10-N-O24
O26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O26	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
O28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O28	RAA10-N-O28	RAA10-N-O28	RAA10-N-O28
Q24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Q24	--	--	--
Q26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Q26	--	--	--
Q28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Q28	--	--	--
S24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S24	RAA10-N-S24	RAA10-N-S24	RAA10-N-S24
S26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S26	--	--	--
S28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S28	RAA10-N-S28	RAA10-N-S28	RAA10-N-S28
U24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U24	--	--	--
U26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U26	--	--	--
U28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U28	--	--	--
W24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W24	RAA10-N-W24	RAA10-N-W24	RAA10-N-W24
W26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W26	--	--	--
W28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W28	RAA10-N-W28	RAA10-N-W28	RAA10-N-W28
Y20	EXISTING:	UB-IRA-18-L1	--	--	--
	PROPOSED:	--	RAA10-N-Y20	RAA10-N-Y20	RAA10-N-Y20
Y24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y24	--	--	--
Y26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y26	--	--	--
Y28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y28	--	--	--
AA24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA24	RAA10-N-AA24	RAA10-N-AA24	RAA10-N-AA24
AA26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA26	--	--	--
AA28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA28	RAA10-N-AA28	RAA10-N-AA28	RAA10-N-AA28
BB23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-BB23	--	--	--
BB24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-BB24	--	--	--
BB25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-BB25	--	--	--
CC22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC22	RAA10-N-CC22	RAA10-N-CC22	RAA10-N-CC22
CC23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC23	--	--	--
CC25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC25	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
CC26	EXISTING: -- PROPOSED: RAA10-N-CC26	--	--	--	--
CC28	EXISTING: -- PROPOSED: RAA10-N-CC28	--	--	--	--
DD26	EXISTING: -- PROPOSED: RAA10-N-DD26	--	--	--	--
EE23	EXISTING: -- PROPOSED: RAA10-N-EE23	--	--	--	--
EE26	EXISTING: L-38 PROPOSED: --	L-38	L-38	L-38	L-38
EE27	EXISTING: -- PROPOSED: RAA10-N-EE27	--	--	--	--
FF23	EXISTING: -- PROPOSED: RAA10-N-FF23	--	--	--	--
FF26	EXISTING: -- PROPOSED: RAA10-N-FF26	--	--	--	--
FF27	EXISTING: -- PROPOSED: RAA10-N-FF27	--	--	--	--
GG24	EXISTING: -- PROPOSED: RAA10-N-GG24	--	--	--	--
GG25	EXISTING: -- PROPOSED: RAA10-N-GG25	--	--	--	--
GG26	EXISTING: -- PROPOSED: RAA10-N-GG26	--	--	--	--
HH24	EXISTING: -- PROPOSED: RAA10-N-HH24	--	--	--	--
HH25	EXISTING: -- PROPOSED: RAA10-N-HH25	--	--	--	--
II24	EXISTING: -- PROPOSED: RAA10-N-II24	--	--	--	--
Two Inundated (Palustrine/Emergent) Wetlands					
M16	EXISTING: -- PROPOSED: RAA10-N-M16	--	--	--	--
M18	EXISTING: -- PROPOSED: RAA10-N-M18	--	--	--	--
M20	EXISTING: -- PROPOSED: RAA10-N-M20	--	--	--	--
O18	EXISTING: -- PROPOSED: RAA10-N-O18	--	--	--	--
O20	EXISTING: -- PROPOSED: RAA10-N-O20	--	--	--	--
O22	EXISTING: -- PROPOSED: RAA10-N-O22	--	--	--	--
Q20	EXISTING: -- PROPOSED: RAA10-N-Q20	--	--	--	--
Q22	EXISTING: -- PROPOSED: RAA10-N-Q22	--	--	--	--
S20	EXISTING: -- PROPOSED: RAA10-N-S20	--	--	--	--
S22	EXISTING: -- PROPOSED: RAA10-N-S22	--	--	--	--
U20	EXISTING: -- PROPOSED: RAA10-N-U20	--	--	--	--
U22	EXISTING: -- PROPOSED: RAA10-N-U22	--	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
W20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W20	--	--	--
W22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W22	--	--	--
Y22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y22	--	--	--
CC24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC24	--	--	--
EE24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE24	--	--	--
GE-Owned Commercial/Industrial Property					
PAVED					
O8	EXISTING:	UB-SB-16	UB-SB-16	--	--
	PROPOSED:	--	--	RAA10-N-O8	--
U7	EXISTING:	UB-SB-7	--	--	--
	PROPOSED:	--	RAA10-N-U7	RAA10-N-U7	--
Y2	EXISTING:	MG-02	MG-02	MG-02	--
	PROPOSED:	--	--	--	--
Y6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y6	RAA10-N-Y6	RAA10-N-Y6	--
AA5	EXISTING:	BLDG-130-EP-C8	--	--	--
	PROPOSED:	--	RAA10-N-AA5	RAA10-N-AA5	--
AA6	EXISTING:	BLDG-130-EP-C5	--	--	--
	PROPOSED:	--	RAA10-N-AA6	RAA10-N-AA6	--
AA7	EXISTING:	BLDG-130-EP-C1	--	--	--
	PROPOSED:	--	RAA10-N-AA7	RAA10-N-AA7	--
AA18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA18	RAA10-N-AA18	RAA10-N-AA18	--
CC3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC3	RAA10-N-CC3	RAA10-N-CC3	--
CC16	EXISTING:	60G-01	60G-01	--	--
	PROPOSED:	--	--	RAA10-N-CC16	--
EE16	EXISTING:	60G-02	60G-02	60G-02	--
	PROPOSED:	--	--	--	--
GG10	EXISTING:	UB-SB-3	UB-SB-3	UB-SB-3	--
	PROPOSED:	--	--	--	--
II7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-II7	RAA10-N-II7	RAA10-N-II7	--
II8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-II8	RAA10-N-II8	RAA10-N-II8	--
III10	EXISTING:	UB-SB-4	--	--	--
	PROPOSED:	--	RAA10-N-III10	RAA10-N-III10	--
III16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-III16	RAA10-N-III16	RAA10-N-III16	--
III18	EXISTING:	--	UB-SB-2	--	--
	PROPOSED:	RAA10-N-III18	--	RAA10-N-III18	--
JJ5	EXISTING:	51G-01	51G-01	51G-01	--
	PROPOSED:	--	--	--	--
JJ6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-JJ6	RAA10-N-JJ6	RAA10-N-JJ6	--
JJ10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-JJ10	RAA10-N-JJ10	RAA10-N-JJ10	--
JJ14	EXISTING:	UB-SB-10	UB-SB-10	UB-SB-10	--
	PROPOSED:	--	--	--	--
JJ20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-JJ20	RAA10-N-JJ20	RAA10-N-JJ20	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
JJ22	EXISTING: -- PROPOSED: RAA10-N-JJ22	--	RAA10-N-JJ22	--	RAA10-N-JJ22
KK5	EXISTING: -- PROPOSED: RAA10-N-KK5	--	RAA10-N-KK5	--	RAA10-N-KK5
KK10	EXISTING: -- PROPOSED: RAA10-N-KK10	--	RAA10-N-KK10	--	RAA10-N-KK10
KK16	EXISTING: -- PROPOSED: RAA10-N-KK16	--	RAA10-N-KK16	--	RAA10-N-KK16
KK18	EXISTING: -- PROPOSED: RAA10-N-KK18	--	RAA10-N-KK18	--	RAA10-N-KK18
KK20	EXISTING: -- PROPOSED: RAA10-N-KK20	--	RAA10-N-KK20	--	RAA10-N-KK20
LL12	EXISTING: -- PROPOSED: RAA10-N-LL12	--	RAA10-N-LL12	--	RAA10-N-LL12
MM12	EXISTING: -- PROPOSED: RAA10-N-MM12	--	RAA10-N-MM12	--	RAA10-N-MM12
MM18	EXISTING: -- PROPOSED: RAA10-N-MM18	--	RAA10-N-MM18	--	RAA10-N-MM18
NN10	EXISTING: -- PROPOSED: RAA10-N-NN10	--	RAA10-N-NN10	--	RAA10-N-NN10
NN12	EXISTING: -- PROPOSED: RAA10-N-NN12	--	RAA10-N-NN12	--	RAA10-N-NN12
NN14	EXISTING: -- PROPOSED: RAA10-N-NN14	--	RAA10-N-NN14	--	RAA10-N-NN14
OO8	EXISTING: -- PROPOSED: RAA10-N-OO8	--	RAA10-N-OO8	--	RAA10-N-OO8
PP8	EXISTING: -- PROPOSED: RAA10-N-PP8	--	RAA10-N-PP8	--	RAA10-N-PP8
UNPAVED					
M7	EXISTING: UB-SS-13 PROPOSED: --	UB-SS-13	--	--	--
O5	EXISTING: UB-SS-11 PROPOSED: --	UB-SS-11	RAA10-N-M7	--	RAA10-N-M7
O7	EXISTING: ELTR-18 PROPOSED: --	ELTR-18	RAA10-N-O5	--	RAA10-N-O5
Q3	EXISTING: UB-SS-12 PROPOSED: --	UB-SS-12	RAA10-N-O7	--	RAA10-N-O7
Q7	EXISTING: ELTR-7 PROPOSED: --	ELTR-7	RAA10-N-Q3	--	RAA10-N-Q3
S1	EXISTING: ELTR-7 PROPOSED: --	ELTR-7	RAA10-N-Q7	--	RAA10-N-Q7
S2	EXISTING: RAA10-N-S1 PROPOSED: --	RAA10-N-S1	RAA10-N-S1	--	RAA10-N-S1
S7	EXISTING: RAA10-N-S2 PROPOSED: --	RAA10-N-S2	RAA10-N-S2	--	RAA10-N-S2
U1	EXISTING: ELTR-1 PROPOSED: --	ELTR-1	RAA10-N-S7	--	RAA10-N-S7
U2	EXISTING: RAA10-N-U1 PROPOSED: --	RAA10-N-U1	RAA10-N-U1	--	RAA10-N-U1
U3	EXISTING: UB-SS-5 PROPOSED: --	UB-SS-5	RAA10-N-U2	--	RAA10-N-U2
U4	EXISTING: RAA10-N-U3 PROPOSED: --	RAA10-N-U3	RAA10-N-U3	--	RAA10-N-U3
U5	EXISTING: ELTR-10 PROPOSED: --	ELTR-10	RAA10-N-U4	--	RAA10-N-U4
U6	EXISTING: ELTR-8 PROPOSED: --	ELTR-8	RAA10-N-U5	--	RAA10-N-U5
W1	EXISTING: ELTR-5 PROPOSED: --	ELTR-5	RAA10-N-U6	--	RAA10-N-U6
	EXISTING: -- PROPOSED: RAA10-N-W1	--	RAA10-N-W1	--	RAA10-N-W1

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
W2	EXISTING:	MG-01	MG-01		MG-01
	PROPOSED:	--	--		--
W3	EXISTING:	ELTR-13	--		--
	PROPOSED:	--	RAA10-N-W3	RAA10-N-W3	
W4	EXISTING:	MG-24	--		--
	PROPOSED:	--	RAA10-N-W4	RAA10-N-W4	
W5	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-W5	RAA10-N-W5		RAA10-N-W5
W6	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-W6	RAA10-N-W6		RAA10-N-W6
W7	EXISTING:	PB-C2	--		--
	PROPOSED:	--	RAA10-N-W7	RAA10-N-W7	
W8	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-W8	RAA10-N-W8		RAA10-N-W8
Y3	EXISTING:	NWBG-2	--		--
	PROPOSED:	--	RAA10-N-Y3	RAA10-N-Y3	
Y7	EXISTING:	PB-C1	--		--
	PROPOSED:	--	RAA10-N-Y7	RAA10-N-Y7	
Y18	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-Y18	RAA10-N-Y18		RAA10-N-Y18
AA2	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-AA2	RAA10-N-AA2		RAA10-N-AA2
AA4	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-AA4	RAA10-N-AA4		RAA10-N-AA4
AA10	EXISTING:	PL-125-PB-C3	--		--
	PROPOSED:	--	RAA10-N-AA10	RAA10-N-AA10	
AA12	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-AA12	RAA10-N-AA12		RAA10-N-AA12
AA14	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-AA14	RAA10-N-AA14		RAA10-N-AA14
CC4	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-CC4	RAA10-N-CC4		RAA10-N-CC4
CC8	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-CC8	RAA10-N-CC8		RAA10-N-CC8
CC14	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-CC14	RAA10-N-CC14		RAA10-N-CC14
CC20	EXISTING:	--	UB-SB-15		UB-SB-15
	PROPOSED:	RAA10-N-CC20	--		--
EE3	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-EE3	RAA10-N-EE3		RAA10-N-EE3
EE4	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-EE4	RAA10-N-EE4		RAA10-N-EE4
EE5	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-EE5	RAA10-N-EE5		RAA10-N-EE5
EE7	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-EE7	RAA10-N-EE7	--	--
EE8	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-EE8	RAA10-N-EE8		RAA10-N-EE8
EE14	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-EE14	RAA10-N-EE14		RAA10-N-EE14
EE18	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-EE18	RAA10-N-EE18		RAA10-N-EE18
EE20	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-EE20	RAA10-N-EE20		RAA10-N-EE20
EE22	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-EE22	RAA10-N-EE22		RAA10-N-EE22
GG4	EXISTING:	--	--		--
	PROPOSED:	RAA10-N-GG4	RAA10-N-GG4		RAA10-N-GG4

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
GG5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG5	RAA10-N-GG5	--	--
GG6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG6	RAA10-N-GG6	--	--
GG7	EXISTING:	UB-SS-9	--	--	--
	PROPOSED:	--	RAA10-N-GG7	--	--
GG14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG14	RAA10-N-GG14	--	RAA10-N-GG14
GG18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG18	RAA10-N-GG18	--	RAA10-N-GG18
GG20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG20	RAA10-N-GG20	--	RAA10-N-GG20
GG22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG22	RAA10-N-GG22	--	RAA10-N-GG22
II5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-II5	RAA10-N-II5	--	RAA10-N-II5
II20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-II20	RAA10-N-II20	--	RAA10-N-II20
II22	EXISTING:	39D	39D	39D	39D
	PROPOSED:	--	--	--	--
KK22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK22	RAA10-N-KK22	--	RAA10-N-KK22
LL6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-LL6	RAA10-N-LL6	--	RAA10-N-LL6
LL20	EXISTING:	UB-SB-12	UB-SB-12	--	--
	PROPOSED:	--	--	--	RAA10-N-LL20
MM6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-MM6	RAA10-N-MM6	--	RAA10-N-MM6
MM7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-MM7	RAA10-N-MM7	--	RAA10-N-MM7
NN7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-NN7	RAA10-N-NN7	--	RAA10-N-NN7
NN18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-NN18	RAA10-N-NN18	--	RAA10-N-NN18
OO7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-OO7	RAA10-N-OO7	--	RAA10-N-OO7
OO16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-OO16	RAA10-N-OO16	--	RAA10-N-OO16
PP12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-PP12	RAA10-N-PP12	--	RAA10-N-PP12
PP14	EXISTING:	UB-SB-14	UB-SB-14	--	--
	PROPOSED:	--	--	--	RAA10-N-PP14
QQ8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-QQ8	RAA10-N-QQ8	--	RAA10-N-QQ8
QQ12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-QQ12	RAA10-N-QQ12	--	RAA10-N-QQ12
RR10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-RR10	RAA10-N-RR10	--	RAA10-N-RR10
UNKAMET BROOK PROPOSED SEDIMENT SAMPLES					
NORTH AREA					
UB-01	EXISTING:	UB-IRA-1-C1	--	--	--
	PROPOSED:	--	--	--	--
UB-02	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-02	--	--	--
UB-03	EXISTING:	UB-IRA-3-C1	--	--	--
	PROPOSED:	--	--	--	--
UB-04	EXISTING:	UB-IRA-4-C1	--	--	--
	PROPOSED:	--	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
UB-05	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-05	--	--	--
UB-06	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-06	--	--	--
UB-07	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-07	--	--	--
UB-08	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-08	--	--	--
UB-09	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-09	--	--	--
UB-10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-10	--	--	--
UB-11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-11	--	--	--
EAST AREA					
UB-12	EXISTING:	UC2210A	--	--	--
	PROPOSED:	--	--	--	--
UB-13	EXISTING:	UC2160A	--	--	--
	PROPOSED:	--	--	--	--
UB-14	EXISTING:	UC2110A	--	--	--
	PROPOSED:	--	--	--	--
UB-15	EXISTING:	UC2060A	--	--	--
	PROPOSED:	--	--	--	--
UB-16	EXISTING:	UC1411A	--	--	--
	PROPOSED:	--	--	--	--
UB-17	EXISTING:	UC1377A	--	--	--
	PROPOSED:	--	--	--	--
UB-18	EXISTING:	UC1250A	--	--	--
	PROPOSED:	--	--	--	--
UB-19	EXISTING:	UC1150A	--	--	--
	PROPOSED:	--	--	--	--
UB-20	EXISTING:	UC1100A	--	--	--
	PROPOSED:	--	--	--	--
UB-21	EXISTING:	UC1050A	--	--	--
	PROPOSED:	--	--	--	--
UB-22	EXISTING:	UC1000A	--	--	--
	PROPOSED:	--	--	--	--
UB-23	EXISTING:	UC0950A	--	--	--
	PROPOSED:	--	--	--	--
UB-24	EXISTING:	UC0900A	--	--	--
	PROPOSED:	--	--	--	--
UB-25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-25	--	--	--
UB-26	EXISTING:	UC0850A	--	--	--
	PROPOSED:	--	--	--	--
UB-27	EXISTING:	UC0800A	--	--	--
	PROPOSED:	--	--	--	--
UB-28	EXISTING:	UC0750A	--	--	--
	PROPOSED:	--	--	--	--
UB-29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-29	--	--	--
UB-30	EXISTING:	UC0700A	--	--	--
	PROPOSED:	--	--	--	--
UB-31	EXISTING:	UC0650A	--	--	--
	PROPOSED:	--	--	--	--
UB-32	EXISTING:	UC0600A	--	--	--
	PROPOSED:	--	--	--	--
UB-33	EXISTING:	UC0550A	--	--	--
	PROPOSED:	--	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
UB-34	EXISTING:	UC0500A	--	--	--
	PROPOSED:	--	--	--	--
UB-35	EXISTING:	UC0450A	--	--	--
	PROPOSED:	--	--	--	--
UB-36	EXISTING:	UC0400A	--	--	--
	PROPOSED:	--	--	--	--
UB-37	EXISTING:	UC0355A	--	--	--
	PROPOSED:	--	--	--	--
UB-38	EXISTING:	UC0300A	--	--	--
	PROPOSED:	--	--	--	--
UB-39	EXISTING:	UC0250A	--	--	--
	PROPOSED:	--	--	--	--
UB-40	EXISTING:	UW0240A	--	--	--
	PROPOSED:	--	--	--	--
UB-41	EXISTING:	UC0200A	--	--	--
	PROPOSED:	--	--	--	--
UB-42	EXISTING:	UC0150A	--	--	--
	PROPOSED:	--	--	--	--
UB-43	EXISTING:	UC0100A	--	--	--
	PROPOSED:	--	--	--	--
UB-44	EXISTING:	UC0050A	--	--	--
	PROPOSED:	--	--	--	--
UB-45	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-45	--	--	--
UB-46	EXISTING:	UC0000A	--	--	--
	PROPOSED:	--	--	--	--

TABLE 3
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

SUMMARY OF PROPOSED PCB CHARACTERIZATION

NOTES:

1. This table identifies the soil and sediment sampling locations that will be used to satisfy pre-design investigation requirements for PCBs (as described in the text) for the Unkamet Brook Area pre-design investigation. These requirements are generally grid-based, except in paved portions of GE-owned commercial/industrial areas (where sampling will be at an approximate frequency of two locations per acre) and in Unkamet Brook (where sampling will be at specified intervals).
2. Other existing soil data will not be utilized in support of the pre-design sampling requirements, but may be used in the design of the Removal Action (as discussed in the text).
3. Shaded depth increments indicate that soil sampling is not required.
4. Existing samples are assumed to represent a grid node if they are located less than one-half the SOW grid node spacing from the grid node in question (e.g. less than 25 feet from a 50-foot grid node, less than 50 feet from a 100-foot grid node).
5. Existing sample depths are assumed to satisfy the depth interval requirements (i.e., either 0 to 1, 1 to 3, 3 to 6, 6 to 15 feet) if the existing depth(s) constitute at least 50% of the depth requirement. For example, existing data for 8- to 10 foot, 10- to 12-foot and 12- to 14-foot depths will satisfy the 6-15-foot requirements at a node, but existing data for the 10- to 12-foot depth alone will not.
6. The table does not include all existing PCB samples collected at Unkamet Brook Area. Refer to Table 1 for a complete list of all existing soil and sediment PCB samples.

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
WEST AREA							
GE-Owned Commercial/Industrial Property							
PAVED							
RAA10-W-B17	B17	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-W-C15	C15	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-W-D12	D12	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-E10	E10	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-E13	E13	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-W-F9	F9	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-F13	F13	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-W-G7	G7	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-G9	G9	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-G15	G15	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-H4	H4	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-H10	H10	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-H15	H15	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-I7	I7	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-I10	I10	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-I17	I17	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-I22	I22	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-W-J4	J4	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-W-J11	J11	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-J17	J17	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-W-J20	J20	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-J21	J21	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-W-K8	K8	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-K11	K11	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-K17	K17	0-1 ft	X	--	--	--	--
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-W-K18	K18	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-K19	K19	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-L12	L12	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-W-L19	L19	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	--	X	X
RAA10-W-M8	M8	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-M11	M11	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-M12	M12	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-M13	M13	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-M17	M17	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-P9	P9	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-P11	P11	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-R13	R13	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-W-S11	S11	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
UNPAVED							
RAA10-W-A18	A18	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-W-B15	B15	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-W-B19	B19	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-C12	C12	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-C13	C13	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-C18	C18	0-1 ft	--	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-C19	C19	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-D10	D10	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-D11	D11	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-D19	D19	0-1 ft	X	--	--	--	--
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-D20	D20	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-E8	E8	0-1 ft	--	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-W-E9	E9	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-W-E19	E19	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-E20	E20	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-F6	F6	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-W-F8	F8	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--

**TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS**

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-W-F20	F20	0-1 ft	--	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-W-G4	G4	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-G20	G20	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-G21	G21	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-W-H2	H2	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-H9	H9	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-I2	I2	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-I21	I21	0-1 ft	--	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-W-J10	J10	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-W-K21	K21	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-L11	L11	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-L18	L18	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-W-L20	L20	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-M15	M15	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-N12	N12	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-N13	N13	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-W-N17	N17	0-1 ft	--	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-W-N18	N18	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
GE-Owned Commercial/Industrial Property							
UNPAVED							
RAA10-W-O15	O15	0-1 ft	X	--	--	--	--
RAA10-W-O16	O16	0-1 ft	X	X	X	X	X
		1-3 ft	--	X	X	X	X
		3-6 ft	--	X	X	X	X
		6-15 ft	--	X	X	X	X
RAA10-W-P15	P15	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-P16	P16	0-1 ft	X	X	X	X	X
RAA10-W-P17	P17	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-W-Q14	Q14	0-1 ft	X	X	X	X	X
RAA10-W-Q15	Q15	0-1 ft	X	X	X	X	X
RAA10-W-Q16	Q16	0-1 ft	X	--	--	--	--
RAA10-W-R15	R15	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
EAST AREA							
Non-GE-Owned Commercial/Industrial Property							
RAA10-E-A21	A21	0-1 ft	X	--	--	--	--
RAA10-E-A22	A22	0-1 ft	X	X	X	X	X
RAA10-E-B21	B21	0-1 ft	X	--	--	--	--
RAA10-E-B22	B22	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-B23	B23	0-1 ft	X	--	--	--	--
RAA10-E-B24	B24	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-C20	C20	0-1 ft	X	--	--	--	--
RAA10-E-C21	C21	0-1 ft	X	--	--	--	--
RAA10-E-C22	C22	0-1 ft	X	--	--	--	--
RAA10-E-C23	C23	0-1 ft	X	--	--	--	--
RAA10-E-C24	C24	0-1 ft	X	X	X	X	X
RAA10-E-C25	C25	0-1 ft	X	--	--	--	--
RAA10-E-C26	C26	0-1 ft	X	--	--	--	--
RAA10-E-D21	D21	0-1 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-D22	D22	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	X
RAA10-E-D23	D23	0-1 ft	X	--	--	--	--
RAA10-E-D24	D24	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-D25	D25	0-1 ft	X	--	--	--	--
RAA10-E-D26	D26	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-E19	E19	0-1 ft	X	X	X	X	X
RAA10-E-E20	E20	0-1 ft	X	--	--	--	--
RAA10-E-E21	E21	0-1 ft	X	--	--	--	--
RAA10-E-E22	E22	0-1 ft	X	--	--	--	--
RAA10-E-E23	E23	0-1 ft	X	X	X	X	X
RAA10-E-E24	E24	0-1 ft	X	--	--	--	--
RAA10-E-E25	E25	0-1 ft	X	--	--	--	--
RAA10-E-E26	E26	0-1 ft	X	--	--	--	--
RAA10-E-F19	F19	0-1 ft	X	--	--	--	--
RAA10-E-F20	F20	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-F21	F21	0-1 ft	X	--	--	--	--
RAA10-E-F22	F22	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-F25	F25	0-1 ft	X	--	--	--	--
RAA10-E-F26	F26	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-G19	G19	0-1 ft	X	--	--	--	--
RAA10-E-G20	G20	0-1 ft	X	--	--	--	--
RAA10-E-G21	G21	0-1 ft	X	X	X	X	X
RAA10-E-G24	G24	0-1 ft	X	X	X	X	X
RAA10-E-G25	G25	0-1 ft	X	--	--	--	--
RAA10-E-G26	G26	0-1 ft	X	--	--	--	--
RAA10-E-G27	G27	0-1 ft	X	--	--	--	--
RAA10-E-G28	G28	0-1 ft	X	X	X	X	X
RAA10-E-H18	H18	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-H19	H19	0-1 ft	X	--	--	--	--
RAA10-E-H20	H20	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-E-H21	H21	0-1 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-H23	H23	0-1 ft	X	--	--	--	--
RAA10-E-H24	H24	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-H25	H25	0-1 ft	X	--	--	--	--
RAA10-E-H26	H26	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-H27	H27	0-1 ft	X	--	--	--	--
RAA10-E-H28	H28	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-I18	I18	0-1 ft	X	--	--	--	--
RAA10-E-I19	I19	0-1 ft	X	--	--	--	--
RAA10-E-I20	I20	0-1 ft	X	X	X	X	X
RAA10-E-I21	I21	0-1 ft	X	--	--	--	--
RAA10-E-I23	I23	0-1 ft	X	--	--	--	--
RAA10-E-I24	I24	0-1 ft	X	--	--	--	--
RAA10-E-I25	I25	0-1 ft	X	X	X	X	X
RAA10-E-I26	I26	0-1 ft	X	--	--	--	--
RAA10-E-I27	I27	0-1 ft	X	--	--	--	--
RAA10-E-J17	J17	0-1 ft	X	--	--	--	--
RAA10-E-J18	J18	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-J22	J22	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-J23	J23	0-1 ft	X	--	--	--	--
RAA10-E-J24	J24	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-J25	J25	0-1 ft	X	--	--	--	--
RAA10-E-J26	J26	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-J27	J27	0-1 ft	X	--	--	--	--
RAA10-E-K16	K16	0-1 ft	X	X	X	X	X
RAA10-E-K17	K17	0-1 ft	X	--	--	--	--
RAA10-E-K18	K18	0-1 ft	X	--	--	--	--
RAA10-E-K22	K22	0-1 ft	X	X	X	X	X
RAA10-E-K23	K23	0-1 ft	X	--	--	--	--
RAA10-E-K24	K24	0-1 ft	X	--	--	--	--
RAA10-E-K25	K25	0-1 ft	X	--	--	--	--
RAA10-E-K26	K26	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-L16	L16	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-L17	L17	0-1 ft	X	--	--	--	--
RAA10-E-L22	L22	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-L23	L23	0-1 ft	X	--	--	--	--
RAA10-E-L24	L24	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-E-L25	L25	0-1 ft	X	--	--	--	--
RAA10-E-L26	L26	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-M15	M15	0-1 ft	X	X	X	X	X
RAA10-E-M16	M16	0-1 ft	X	--	--	--	--
RAA10-E-M17	M17	0-1 ft	X	--	--	--	--
RAA10-E-M21	M21	0-1 ft	X	--	--	--	--
RAA10-E-M22	M22	0-1 ft	X	--	--	--	--
RAA10-E-M23	M23	0-1 ft	X	X	X	X	X
RAA10-E-M24	M24	0-1 ft	X	--	--	--	--
RAA10-E-M25	M25	0-1 ft	X	--	--	--	--
RAA10-E-N16	N16	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-N17	N17	0-1 ft	X	--	--	--	--
RAA10-E-N18	N18	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	--	X
RAA10-E-N19	N19	0-1 ft	X	--	--	--	--
RAA10-E-N20	N20	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-N21	N21	0-1 ft	X	--	--	--	--
RAA10-E-N22	N22	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-N23	N23	0-1 ft	X	--	--	--	--
RAA10-E-N24	N24	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-N25	N25	0-1 ft	X	--	--	--	--
RAA10-E-O19	O19	0-1 ft	X	X	X	X	X
RAA10-E-O20	O20	0-1 ft	X	--	--	--	--
RAA10-E-O21	O21	0-1 ft	X	--	--	--	--
RAA10-E-O22	O22	0-1 ft	X	--	--	--	--
RAA10-E-O23	O23	0-1 ft	X	--	--	--	--
RAA10-E-O24	O24	0-1 ft	X	X	X	X	X
RAA10-E-O25	O25	0-1 ft	X	--	--	--	--
RAA10-E-P13	P13	0-1 ft	X	--	--	--	--
RAA10-E-P21	P21	0-1 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-P22	P22	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-P23	P23	0-1 ft	X	--	--	--	--
RAA10-E-P24	P24	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-Q13	Q13	0-1 ft	X	X	X	X	X
RAA10-E-Q24	Q24	0-1 ft	X	--	--	--	--
RAA10-E-R12	R12	1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-R13	R13	0-1 ft	X	--	--	--	--
RAA10-E-S11	S11	0-1 ft	X	--	--	--	--
RAA10-E-S12	S12	0-1 ft	X	--	--	--	--
RAA10-E-T10	T10	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-T11	T11	0-1 ft	X	--	--	--	--
RAA10-E-T12	T12	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-E-U10	U10	0-1 ft	X	X	X	X	X
RAA10-E-U11	U11	0-1 ft	X	--	--	--	--
RAA10-E-U12	U12	0-1 ft	X	X	X	X	X
RAA10-E-U13	U13	0-1 ft	X	--	--	--	--
RAA10-E-V9	V9	0-1 ft	X	--	--	--	--
RAA10-E-V10	V10	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-V11	V11	0-1 ft	X	--	--	--	--
RAA10-E-V12	V12	1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-W9	W9	0-1 ft	X	X	X	X	X
RAA10-E-W10	W10	0-1 ft	X	--	--	--	--
RAA10-E-W11	W11	0-1 ft	X	--	--	--	--
RAA10-E-W12	W12	0-1 ft	X	--	--	--	--
RAA10-E-W13	W13	0-1 ft	X	X	X	X	X
RAA10-E-X8	X8	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-X9	X9	0-1 ft	X	--	--	--	--
RAA10-E-X10	X10	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-E-X11	X11	0-1 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-X12	X12	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-X13	X13	0-1 ft	X	--	--	--	--
RAA10-E-Y7	Y7	0-1 ft	X	--	--	--	--
RAA10-E-Y8	Y8	0-1 ft	X	--	--	--	--
RAA10-E-Y9	Y9	0-1 ft	X	X	X	X	X
RAA10-E-Y10	Y10	0-1 ft	X	--	--	--	--
RAA10-E-Y11	Y11	0-1 ft	X	--	--	--	--
RAA10-E-Y12	Y12	0-1 ft	X	--	--	--	--
RAA10-E-Y13	Y13	0-1 ft	X	X	X	X	X
RAA10-E-Z6	Z6	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-E-Z7	Z7	0-1 ft	X	--	--	--	--
RAA10-E-Z9	Z9	0-1 ft	X	--	--	--	--
RAA10-E-Z10	Z10	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-Z11	Z11	0-1 ft	X	--	--	--	--
RAA10-E-Z12	Z12	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-Z13	Z13	0-1 ft	X	--	--	--	--
RAA10-E-AA6	AA6	0-1 ft	X	X	X	X	X
RAA10-E-AA7	AA7	0-1 ft	X	--	--	--	--
RAA10-E-AA10	AA10	0-1 ft	X	--	--	--	--
RAA10-E-AA11	AA11	0-1 ft	X	--	--	--	--
RAA10-E-AA12	AA12	0-1 ft	X	X	X	X	X
RAA10-E-AA13	AA13	0-1 ft	X	--	--	--	--
RAA10-E-BB5	BB5	0-1 ft	X	--	--	--	--
RAA10-E-BB6	BB6	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-BB7	BB7	0-1 ft	X	--	--	--	--
RAA10-E-BB9	BB9	0-1 ft	X	--	--	--	--
RAA10-E-BB10	BB10	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-BB11	BB11	0-1 ft	X	--	--	--	--
RAA10-E-BB12	BB12	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-BB13	BB13	0-1 ft	X	--	--	--	--
RAA10-E-CC4	CC4	0-1 ft	X	--	--	--	--
RAA10-E-CC5	CC5	0-1 ft	X	--	--	--	--
RAA10-E-CC6	CC6	0-1 ft	X	X	X	X	X
RAA10-E-CC7	CC7	0-1 ft	X	--	--	--	--
RAA10-E-CC8	CC8	0-1 ft	X	--	--	--	--
RAA10-E-CC9	CC9	0-1 ft	X	--	--	--	--
RAA10-E-CC10	CC10	0-1 ft	X	X	X	X	X

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-CC11	CC11	0-1 ft	X	--	--	--	--
RAA10-E-DD4	DD4	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-DD5	DD5	0-1 ft	X	--	--	--	--
RAA10-E-DD6	DD6	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-DD7	DD7	0-1 ft	X	--	--	--	--
RAA10-E-DD8	DD8	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-DD9	DD9	0-1 ft	X	--	--	--	--
RAA10-E-DD10	DD10	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-DD11	DD11	0-1 ft	X	--	--	--	--
RAA10-E-DD12	DD12	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-EE3	EE3	0-1 ft	X	--	--	--	--
RAA10-E-EE4	EE4	0-1 ft	X	--	--	--	--
RAA10-E-EE5	EE5	0-1 ft	X	--	--	--	--
RAA10-E-EE6	EE6	0-1 ft	X	--	--	--	--
RAA10-E-EE7	EE7	0-1 ft	X	--	--	--	--
RAA10-E-EE8	EE8	0-1 ft	X	--	--	--	--
RAA10-E-EE9	EE9	0-1 ft	X	--	--	--	--
RAA10-E-EE10	EE10	0-1 ft	X	--	--	--	--
RAA10-E-EE11	EE11	0-1 ft	X	--	--	--	--
RAA10-E-EE12	EE12	0-1 ft	X	--	--	--	--
RAA10-E-FF2	FF2	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-FF3	FF3	0-1 ft	X	--	--	--	--
RAA10-E-FF4	FF4	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-FF5	FF5	0-1 ft	X	--	--	--	--
RAA10-E-FF6	FF6	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-FF7	FF7	0-1 ft	X	--	--	--	--
RAA10-E-FF8	FF8	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-E-FF9	FF9	0-1 ft	X	--	--	--	--
RAA10-E-FF10	FF10	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-FF11	FF11	0-1 ft	X	--	--	--	--
RAA10-E-FF12	FF12	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-GG1	GG1	0-1 ft	X	--	--	--	--
RAA10-E-GG2	GG2	0-1 ft	X	--	--	--	--
RAA10-E-GG3	GG3	0-1 ft	X	X	X	X	X
RAA10-E-GG4	GG4	0-1 ft	X	--	--	--	--
RAA10-E-GG5	GG5	0-1 ft	X	--	--	--	--
RAA10-E-GG6	GG6	0-1 ft	X	--	--	--	--
RAA10-E-GG7	GG7	0-1 ft	X	--	--	--	--
RAA10-E-GG8	GG8	0-1 ft	X	--	--	--	--
RAA10-E-GG9	GG9	0-1 ft	X	X	X	X	X
RAA10-E-GG10	GG10	0-1 ft	X	--	--	--	--
RAA10-E-HH99	HH99	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-HH1	HH1	0-1 ft	X	--	--	--	--
RAA10-E-HH2	HH2	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-E-HH3	HH3	0-1 ft	X	--	--	--	--
RAA10-E-HH4	HH4	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-E-HH5	HH5	0-1 ft	X	--	--	--	--
RAA10-E-HH6	HH6	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-HH7	HH7	0-1 ft	X	--	--	--	--
RAA10-E-HH99	HH9	0-1 ft	X	--	--	--	--
RAA10-E-HH10	HH10	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-II4	II4	0-1 ft	X	--	--	--	--
RAA10-E-II5	II5	0-1 ft	X	--	--	--	--
RAA10-E-II6	II6	0-1 ft	X	X	X	X	X
RAA10-E-II7	II7	0-1 ft	X	--	--	--	--
RAA10-E-II8	II8	0-1 ft	X	--	--	--	--
RAA10-E-II10	II10	0-1 ft	X	--	--	--	--
RAA10-E-JJ5	JJ5	0-1 ft	X	--	--	--	--
RAA10-E-JJ6	JJ6	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-JJ7	JJ7	0-1 ft	X	--	--	--	--
RAA10-E-JJ8	JJ8	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-E-JJ9	JJ9	0-1 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-JJ10	JJ10	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-KK6	KK6	0-1 ft	X	--	--	--	--
RAA10-E-KK7	KK7	0-1 ft	X	--	--	--	--
RAA10-E-KK8	KK8	0-1 ft	X	--	--	--	--
RAA10-E-KK9	KK9	0-1 ft	X	X	X	X	X
RAA10-E-KK10	KK10	0-1 ft	X	--	--	--	--
RAA10-E-LL7	LL7	0-1 ft	X	--	--	--	--
RAA10-E-LL8	LL8	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-E-LL9	LL9	0-1 ft	X	--	--	--	--
RAA10-E-LL10	LL10	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-E-MM8	MM8	0-1 ft	X	--	--	--	--
RAA10-E-MM9	MM9	0-1 ft	X	--	--	--	--
RAA10-E-NN9	NN9	0-1 ft	X	--	--	--	--
Non-GE-Owned Recreational Property							
RAA10-E-D27	D27	0-1 ft	X	--	--	--	--
RAA10-E-E27	E27	0-1 ft	X	--	--	--	--
RAA10-E-E28	E28	0-1 ft	X	--	--	--	--
RAA10-E-F27	F27	0-1 ft	X	--	--	--	--
RAA10-E-F28	F28	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-G29	G29	0-1 ft	X	--	--	--	--
RAA10-E-H29	H29	0-1 ft	X	--	--	--	--
RAA10-E-I28	I28	0-1 ft	X	--	--	--	--
RAA10-E-I29	I29	0-1 ft	X	X	X	X	X
RAA10-E-I30	I30	0-1 ft	X	--	--	--	--
RAA10-E-J28	J28	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-J29	J29	0-1 ft	X	--	--	--	--
RAA10-E-K27	K27	0-1 ft	X	--	--	--	--
RAA10-E-K28	K28	0-1 ft	X	--	--	--	--
RAA10-E-K29	K29	0-1 ft	X	--	--	--	--
RAA10-E-L27	L27	0-1 ft	X	--	--	--	--
RAA10-E-L28	L28	1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-M26	M26	0-1 ft	X	--	--	--	--
RAA10-E-M27	M27	0-1 ft	X	X	X	X	X
RAA10-E-M28	M28	0-1 ft	X	--	--	--	--
RAA10-E-N15	N15	0-1 ft	X	--	--	--	--
RAA10-E-N26	N26	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-N27	N27	0-1 ft	X	--	--	--	--
RAA10-E-O16	O16	0-1 ft	X	X	X	X	X
RAA10-E-O18	O18	0-1 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-Q26	Q26	0-1 ft	X	--	--	--	--
RAA10-E-P15	P15	0-1 ft	X	--	--	--	--
RAA10-E-P16	P16	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-P17	P17	0-1 ft	X	--	--	--	--
RAA10-E-P18	P18	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-E-P19	P19	0-1 ft	X	--	--	--	--
RAA10-E-P20	P20	1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-P25	P25	0-1 ft	X	--	--	--	--
RAA10-E-P26	P26	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-Q15	Q15	0-1 ft	X	--	--	--	--
RAA10-E-Q16	Q16	0-1 ft	X	--	--	--	--
RAA10-E-Q17	Q17	0-1 ft	X	--	--	--	--
RAA10-E-Q18	Q18	0-1 ft	X	--	--	--	--
RAA10-E-Q19	Q19	0-1 ft	X	--	--	--	--
RAA10-E-Q20	Q20	0-1 ft	X	X	X	X	X
RAA10-E-Q21	Q21	0-1 ft	X	--	--	--	--
RAA10-E-Q23	Q23	0-1 ft	X	--	--	--	--
RAA10-E-Q25	Q25	0-1 ft	X	X	X	X	X
RAA10-E-R15	R15	0-1 ft	X	--	--	--	--
RAA10-E-R16	R16	0-1 ft	--	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-R17	R17	0-1 ft	X	--	--	--	--
RAA10-E-R18	R18	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-R19	R19	0-1 ft	X	--	--	--	--
RAA10-E-R20	R20	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-R21	R21	0-1 ft	X	--	--	--	--
RAA10-E-R22	R22	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-R23	R23	0-1 ft	X	--	--	--	--
RAA10-E-R24	R24	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-R25	R25	0-1 ft	X	--	--	--	--
RAA10-E-S17	S17	0-1 ft	X	--	--	--	--
RAA10-E-S19	S19	0-1 ft	X	X	X	X	X
RAA10-E-S20	S20	0-1 ft	X	--	--	--	--
RAA10-E-S21	S21	0-1 ft	X	--	--	--	--

TABLE 4
 GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-S22	S22	0-1 ft	X	--	--	--	--
RAA10-E-S23	S23	0-1 ft	X	X	X	X	X
RAA10-E-S24	S24	0-1 ft	X	--	--	--	--
RAA10-E-T18	T18	0-1 ft	X	--	--	--	--
RAA10-E-T20	T20	0-1 ft	X	--	--	--	--
RAA10-E-T21	T21	0-1 ft	X	--	--	--	--
RAA10-E-T22	T22	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-T23	T23	0-1 ft	X	--	--	--	--
RAA10-E-T24	T24	1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-V16	V16	1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-V18	V18	0-1 ft	X	--	--	--	--
RAA10-E-V20	V20	0-1 ft	--	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-E-V22	V22	0-1 ft	X	--	--	--	--
RAA10-E-X16	X16	0-1 ft	X	--	--	--	--
RAA10-E-X18	X18	0-1 ft	X	X	X	X	X
RAA10-E-X20	X20	0-1 ft	X	--	--	--	--
RAA10-E-Z16	Z16	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-Z18	Z18	0-1 ft	X	--	--	--	--
RAA10-E-Z20	Z20	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-Z22	Z22	0-1 ft	X	--	--	--	--
RAA10-E-BB16	BB16	0-1 ft	X	--	--	--	--
RAA10-E-BB18	BB18	0-1 ft	--	X	X	X	X
RAA10-E-BB20	BB20	0-1 ft	X	--	--	--	--
RAA10-E-BB22	BB22	0-1 ft	X	--	--	--	--
RAA10-E-DD14	DD14	0-1 ft	X	--	--	--	--
RAA10-E-DD16	DD16	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	
RAA10-E-KK16	KK16	0-1 ft	X	--	--	--	--	
RAA10-E-KK17	KK17	0-1 ft	X	--	--	--	--	
RAA10-E-LL12	LL12	0-1 ft	X	--	--	--	--	
		1-3 ft	X	X	X	X	X	
		3-6 ft	X	--	--	--	--	
		6-15 ft	X	--	--	--	--	
RAA10-E-LL13	LL13	0-1 ft	X	--	--	--	--	
RAA10-E-LL14	LL14	0-1 ft	--	X	X	X	X	X
		1-3 ft	X	--	--	--	--	
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X
RAA10-E-LL16	LL16	1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	
		6-15 ft	X	X	X	X	X	X
RAA10-E-LL17	LL17	0-1 ft	X	--	--	--	--	
RAA10-E-LL18	LL18	0-1 ft	--	X	X	X	X	X
		3-6 ft	X	--	--	--	--	
		6-15 ft	X	X	X	X	X	X
RAA10-E-LL20	LL20	0-1 ft	X	--	--	--	--	
		1-3 ft	X	--	--	--	--	
		3-6 ft	X	--	--	--	--	
		6-15 ft	X	X	X	X	X	X
RAA10-E-LL22	LL22	0-1 ft	X	--	--	--	--	
RAA10-E-LL24	LL24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	
		6-15 ft	X	--	--	--	--	
RAA10-E-LL26	LL26	0-1 ft	X	--	--	--	--	
RAA10-E-MM13	MM13	0-1 ft	X	X	X	X	X	
RAA10-E-MM14	MM14	0-1 ft	X	--	--	--	--	
RAA10-E-MM19	MM19	0-1 ft	X	--	--	--	--	
RAA10-E-MM20	MM20	0-1 ft	X	X	X	X	X	
RAA10-E-MM21	MM21	0-1 ft	X	--	--	--	--	
RAA10-E-MM22	MM22	0-1 ft	X	--	--	--	--	
RAA10-E-MM23	MM23	0-1 ft	X	--	--	--	--	
RAA10-E-NN12	NN12	0-1 ft	X	--	--	--	--	
RAA10-E-NN14	NN14	0-1 ft	X	--	--	--	--	
		1-3 ft	X	--	--	--	--	
		3-6 ft	X	--	--	--	--	
		6-15 ft	X	X	X	X	X	X
RAA10-E-NN15	NN15	0-1 ft	X	--	--	--	--	
RAA10-E-NN16	NN16	3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X
RAA10-E-NN18	NN18	1-3 ft	X	--	--	--	--	
		3-6 ft	X	--	--	--	--	
		6-15 ft	X	--	--	--	--	
RAA10-E-NN20	NN20	1-3 ft	X	--	--	--	--	
		3-6 ft	X	--	--	--	--	
		6-15 ft	X	--	--	--	--	
RAA10-E-NN21	NN21	0-1 ft	X	--	--	--	--	
RAA10-E-NN22	NN22	1-3 ft	X	--	--	--	--	
		3-6 ft	X	--	--	--	--	
		6-15 ft	X	--	--	--	--	
RAA10-E-NN23	NN23	0-1 ft	X	--	--	--	--	
RAA10-E-NN24	NN24	0-1 ft	X	--	--	--	--	
		1-3 ft	X	--	--	--	--	
		3-6 ft	X	--	--	--	--	
		6-15 ft	X	--	--	--	--	
RAA10-E-NN26	NN26	0-1 ft	X	--	--	--	--	
RAA10-E-OO16	OO16	0-1 ft	X	--	--	--	--	

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-OO17	OO17	0-1 ft	X	--	--	--	--
RAA10-E-OO18	OO18	0-1 ft	X	X	X	X	X
RAA10-E-OO20	OO20	0-1 ft	X	--	--	--	--
RAA10-E-OO23	OO23	0-1 ft	X	X	X	X	X
RAA10-E-OO24	OO24	0-1 ft	X	--	--	--	--
RAA10-E-PP12	PP12	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-PP14	PP14	0-1 ft	--	X	--	X	X
RAA10-E-PP16	PP16	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-PP18	PP18	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-PP20	PP20	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-PP21	PP21	0-1 ft	X	--	--	--	--
RAA10-E-PP22	PP22	1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-PP24	PP24	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-PP25	PP25	0-1 ft	X	--	--	--	--
RAA10-E-PP26	PP26	0-1 ft	--	X	X	X	X
RAA10-E-QQ20	QQ20	0-1 ft	X	--	--	--	--
RAA10-E-QQ21	QQ21	0-1 ft	X	--	--	--	--
RAA10-E-QQ22	QQ22	0-1 ft	X	--	--	--	--
RAA10-E-QQ23	QQ23	0-1 ft	X	--	--	--	--
RAA10-E-QQ24	QQ24	0-1 ft	X	--	--	--	--
RAA10-E-RR14	RR14	0-1 ft	X	--	--	--	--
RAA10-E-RR16	RR16	0-1 ft	X	--	--	--	--
RAA10-E-RR18	RR18	0-1 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-RR19	RR19	0-1 ft	X	--	--	--	--
RAA10-E-RR20	RR20	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-RR21	RR21	0-1 ft	X	--	--	--	--
RAA10-E-RR22	RR22	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-E-RR24	RR24	1-3 ft	X	--	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-RR25	RR25	0-1 ft	X	X	X	X	X
RAA10-E-SS19	SS19	0-1 ft	X	--	--	--	--
RAA10-E-SS21	SS21	0-1 ft	X	X	X	X	X
RAA10-E-SS22	SS22	0-1 ft	X	--	--	--	--
RAA10-E-SS25	SS25	0-1 ft	X	--	--	--	--
RAA10-E-TT16	TT16	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-E-TT18	TT18	0-1 ft	X	--	--	--	--
RAA10-E-TT19	TT19	0-1 ft	X	--	--	--	--
RAA10-E-TT20	TT20	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-TT21	TT21	0-1 ft	X	--	--	--	--
RAA10-E-TT22	TT22	1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-TT24	TT24	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-TT25	TT25	0-1 ft	X	--	--	--	--
RAA10-E-TT26	TT26	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-E-UU19	UU19	0-1 ft	X	X	X	X	X
RAA10-E-UU22	UU22	0-1 ft	X	--	--	--	--
RAA10-E-UU23	UU23	0-1 ft	X	--	--	--	--
RAA10-E-UU24	UU24	0-1 ft	X	--	--	--	--
RAA10-E-UU25	UU25	0-1 ft	X	--	--	--	--
RAA10-E-UU26	UU26	0-1 ft	X	--	--	--	--
RAA10-E-UU27	UU27	0-1 ft	X	--	--	--	--
RAA10-E-VV18	VV18	0-1 ft	X	--	--	--	--
RAA10-E-VV19	VV19	0-1 ft	X	--	--	--	--
RAA10-E-VV20	VV20	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-VV22	VV22	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-VV24	VV24	1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-VV26	VV26	1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-VV27	VV27	0-1 ft	X	X	X	X	X
RAA10-E-WW20	WW20	0-1 ft	X	--	--	--	--
RAA10-E-WW22	WW22	0-1 ft	X	--	--	--	--
RAA10-E-WW23	WW23	0-1 ft	X	--	--	--	--
RAA10-E-WW26	WW26	0-1 ft	X	--	--	--	--
RAA10-E-WW27	WW27	0-1 ft	X	--	--	--	--
RAA10-E-WW28	WW28	0-1 ft	X	--	--	--	--
RAA10-E-XX20	XX20	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-XX22	XX22	0-1 ft	X	--	--	--	--
RAA10-E-XX23	XX23	0-1 ft	X	--	--	--	--
RAA10-E-XX24	XX24	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-XX25	XX25	0-1 ft	X	--	--	--	--
RAA10-E-XX26	XX26	1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-E-XX28	XX28	1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-YY21	YY21	0-1 ft	X	--	--	--	--
RAA10-E-YY24	YY24	0-1 ft	X	X	X	X	X
RAA10-E-YY25	YY25	0-1 ft	X	--	--	--	--
RAA10-E-YY26	YY26	0-1 ft	X	--	--	--	--
RAA10-E-YY28	YY28	0-1 ft	X	X	X	X	X
RAA10-E-ZZ21	ZZ21	0-1 ft	X	--	--	--	--
RAA10-E-ZZ22	ZZ22	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-ZZ24	ZZ24	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-ZZ25	ZZ25	0-1 ft	X	--	--	--	--
RAA10-E-ZZ26	ZZ26	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-E-ZZ27	ZZ27	0-1 ft	X	--	--	--	--
RAA10-E-ZZ28	ZZ28	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-E-AAA22	AAA22	0-1 ft	X	--	--	--	--
RAA10-E-AAA23	AAA23	0-1 ft	X	--	--	--	--
RAA10-E-AAA24	AAA24	0-1 ft	X	--	--	--	--
RAA10-E-AAA25	AAA25	0-1 ft	X	--	--	--	--
RAA10-E-AAA29	AAA29	0-1 ft	X	--	--	--	--
RAA10-E-AAA30	AAA30	0-1 ft	X	X	X	X	X
RAA10-E-BBB23	BBB23	0-1 ft	X	--	--	--	--
RAA10-E-BBB24	BBB24	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-E-BBB25	BBB25	0-1 ft	X	X	X	X	X
NORTH AREA							
Non-Industrial GE-Owned Area East of Former Interior Landfill							
RAA10-N-A28	A28	0-1 ft	X	X	X	X	X
RAA10-N-C24	C24	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-C26	C26	0-1 ft	X	X	X	X	X
RAA10-N-C28	C28	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-E20	E20	0-1 ft	X	--	--	--	--
RAA10-N-E22	E22	0-1 ft	X	X	X	X	X
RAA10-N-E24	E24	0-1 ft	X	--	--	--	--
RAA10-N-E26	E26	0-1 ft	X	X	X	X	X
RAA10-N-E28	E28	0-1 ft	X	X	X	X	X
RAA10-N-G16	G16	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-G18	G18	0-1 ft	X	--	--	--	--
RAA10-N-G20	G20	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-G22	G22	0-1 ft	X	--	--	--	--
RAA10-N-G24	G24	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-G26	G26	0-1 ft	X	--	--	--	--
RAA10-N-G28	G28	1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-I12	I12	0-1 ft	X	X	X	X	X
RAA10-N-I14	I14	0-1 ft	X	--	--	--	--
RAA10-N-I16	I16	0-1 ft	X	X	X	X	X
RAA10-N-I18	I18	0-1 ft	X	--	--	--	--
RAA10-N-I20	I20	0-1 ft	X	X	X	X	X
RAA10-N-I22	I22	0-1 ft	X	X	X	X	X
RAA10-N-I24	I24	0-1 ft	X	--	--	--	--
RAA10-N-I28	I28	0-1 ft	X	X	X	X	X
RAA10-N-J10	J10	0-1 ft	X	--	--	--	--
RAA10-N-K8	K8	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-N-K9	K9	0-1 ft	X	--	--	--	--
RAA10-N-K10	K10	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-K12	K12	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-K14	K14	0-1 ft	X	X	X	X	X
RAA10-N-K16	K16	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-K18	K18	0-1 ft	X	X	X	X	X
RAA10-N-K20	K20	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-K22	K22	0-1 ft	X	--	--	--	--
RAA10-N-K24	K24	0-1 ft	--	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-K26	K26	0-1 ft	X	X	X	X	X
RAA10-N-K28	K28	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-L10	L10	0-1 ft	X	--	--	--	--
RAA10-N-L11	L11	0-1 ft	X	X	X	X	X
RAA10-N-L12	L12	0-1 ft	X	X	X	X	X
RAA10-N-L13	L13	0-1 ft	X	--	--	--	--
RAA10-N-L14	L14	0-1 ft	X	--	--	--	--
RAA10-N-L15	L15	0-1 ft	X	--	--	--	--
RAA10-N-L17	L16	0-1 ft	X	X	X	X	X
RAA10-N-M10	M10	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-M11	M11	0-1 ft	X	--	--	--	--
RAA10-N-M12	M12	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-M13	M13	0-1 ft	X	X	X	X	X
RAA10-N-M14	M14	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-M15	M15	0-1 ft	X	--	--	--	--
RAA10-N-M22	M22	0-1 ft	X	X	X	X	X
RAA10-N-M24	M24	0-1 ft	X	--	--	--	--
RAA10-N-M26	M26	0-1 ft	X	X	X	X	X
RAA10-N-M28	M28	0-1 ft	X	X	X	X	X
RAA10-N-N9	N9	0-1 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-N-N12	N12	0-1 ft	X	--	--	--	--
RAA10-N-O24	O24	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-O26	O26	0-1 ft	X	X	X	X	X
RAA10-N-O28	O28	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-Q24	Q24	0-1 ft	X	--	--	--	--
RAA10-N-Q26	Q26	0-1 ft	X	--	--	--	--
RAA10-N-Q28	Q28	0-1 ft	X	X	X	X	X
RAA10-N-S24	S24	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-S26	S26	0-1 ft	X	X	X	X	X
RAA10-N-S28	S28	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-U24	U24	0-1 ft	X	X	X	X	X
RAA10-N-U26	U26	0-1 ft	X	X	X	X	X
RAA10-N-U28	U28	0-1 ft	X	--	--	--	--
RAA10-N-W24	W24	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-W26	W26	0-1 ft	X	--	--	--	--
RAA10-N-W28	W28	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-Y20	Y20	0-1 ft	--	X	--	X	X
		1-3 ft	X	X	--	X	X
		3-6 ft	X	X	--	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-Y24	Y24	0-1 ft	X	X	X	X	X
RAA10-N-Y26	Y26	0-1 ft	X	X	X	X	X
RAA10-N-Y28	Y28	0-1 ft	X	X	X	X	X
RAA10-N-AA24	AA24	0-1 ft	X	--	--	--	--
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-AA26	AA26	0-1 ft	X	--	--	--	--
RAA10-N-AA28	AA28	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-BB23	BB23	0-1 ft	X	--	--	--	--
RAA10-N-BB24	BB24	0-1 ft	X	--	--	--	--
RAA10-N-BB25	BB25	0-1 ft	X	X	X	X	X
RAA10-N-CC22	CC22	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	--	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-CC23	CC23	0-1 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-N-CC25	CC25	0-1 ft	X	--	--	--	--
RAA10-N-CC26	CC26	0-1 ft	X	X	X	X	X
RAA10-N-CC28	CC28	0-1 ft	X	X	X	X	X
RAA10-N-DD26	DD26	0-1 ft	X	--	--	--	--
RAA10-N-EE23	EE23	0-1 ft	X	--	--	--	--
RAA10-N-EE27	EE27	0-1 ft	X	X	X	X	X
RAA10-N-FF23	FF23	0-1 ft	X	X	X	X	X
RAA10-N-FF26	FF26	0-1 ft	X	--	--	--	--
RAA10-N-FF27	FF27	0-1 ft	X	--	--	--	--
RAA10-N-GG24	GG24	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-GG25	GG25	0-1 ft	X	--	--	--	--
RAA10-N-GG26	GG26	0-1 ft	X	X	X	X	X
		1-3 ft	X	X	X	X	X
		3-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-HH24	HH24	0-1 ft	X	--	--	--	--
RAA10-N-HH25	HH25	0-1 ft	X	X	X	X	X
RAA10-N-II24	II24	0-1 ft	X	--	--	--	X
		1-3 ft	X	--	--	--	--
		3-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	X	X
Two Inundated (Palustrine/Emergent) Wetlands							
RAA10-N-M16	M16	0-1 ft	X	--	--	--	--
RAA10-N-M18	M18	0-1 ft	X	--	--	--	--
RAA10-N-M20	M20	0-1 ft	X	--	--	--	--
RAA10-N-O18	O18	0-1 ft	X	--	--	--	--
RAA10-N-O20	O20	0-1 ft	X	--	--	--	--
RAA10-N-Q22	Q22	0-1 ft	X	--	--	--	--
RAA10-N-Q20	Q20	0-1 ft	X	--	--	--	--
RAA10-N-Q22	Q22	0-1 ft	X	--	--	--	--
RAA10-N-S20	S20	0-1 ft	X	--	--	--	--
RAA10-N-S22	S22	0-1 ft	X	--	--	--	--
RAA10-N-U20	U20	0-1 ft	X	--	--	--	--
RAA10-N-U22	U22	0-1 ft	X	--	--	--	--
RAA10-N-W20	W20	0-1 ft	X	--	--	--	--
RAA10-N-W22	W22	0-1 ft	X	--	--	--	--
RAA10-N-Y22	Y22	0-1 ft	X	--	--	--	--
RAA10-N-CC24	CC24	0-1 ft	X	--	--	--	--
RAA10-N-EE24	EE24	0-1 ft	X	--	--	--	--
GE-Owned Commercial/Industrial Property							
PAVED							
RAA10-N-O8	O8	6-15 ft	X	--	--	--	--
RAA10-N-U7	U7	1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-Y6	Y6	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-AA5	AA5	1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-AA6	AA6	1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-AA7	AA7	0-1 ft	--	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-AA18	AA18	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-N-CC3	CC3	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-CC16	CC16	6-15 ft	X	--	--	--	--
RAA10-N-II7	II7	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-II8	II8	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-II10	II10	0-1 ft	--	X	X	X	X
		1-6 ft	X	X	--	X	X
		6-15 ft	X	--	--	X	X
RAA10-N-II16	II16	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	--	--	--
RAA10-N-II18	II18	0-1 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-JJ6	JJ6	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-JJ10	JJ10	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-JJ20	JJ20	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-JJ22	JJ22	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	X
RAA10-N-KK5	KK5	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-KK10	KK10	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-KK16	KK16	0-1 ft	X	--	--	--	--
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-KK18	KK18	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-KK20	KK20	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-LL12	LL12	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-MM12	MM12	0-1 ft	X	--	--	--	--
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-MM18	MM18	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-N-NN10	NN10	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-NN12	NN12	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-NN14	NN14	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-O08	O08	0-1 ft	X	--	--	--	--
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-PP8	PP8	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
UNPAVED							
RAA10-N-M7	M7	0-1 ft	--	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-O5	O5	0-1 ft	--	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-O7	O7	1-6 ft	X	--	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-Q3	Q3	0-1 ft	--	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-Q7	Q7	0-1 ft	--	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-S1	S1	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-S2	S2	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-S7	S7	0-1 ft	--	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-U1	U1	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-U2	U2	0-1 ft	--	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-U3	U3	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-U4	U4	0-1 ft	--	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-U5	U5	1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-U6	U6	0-1 ft	--	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-W1	W1	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-N-W3	W3	1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-W4	W4	1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-W5	W5	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-W6	W6	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-W7	W7	0-1 ft	--	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-W8	W8	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-Y3	Y3	1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-Y7	Y7	0-1 ft	--	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-Y18	Y18	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-AA2	AA2	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-AA4	AA4	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-AA10	AA10	0-1 ft	--	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-AA12	AA12	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-AA14	AA14	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-CC4	CC4	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-CC8	CC8	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-CC14	CC14	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-CC20	CC20	0-1 ft	X	X	X	X	X
RAA10-N-EE3	EE3	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-EE4	EE4	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-EE5	EE5	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-EE7	EE7	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-N-EE8	EE8	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-EE14	EE14	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-EE18	EE18	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-EE20	EE20	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-EE22	EE22	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-GG4	GG4	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-GG5	GG5	0-1 ft	X	--	--	--	--
		1-3 ft	X	--	--	--	--
RAA10-N-GG6	GG6	0-1 ft	X	X	X	X	X
		1-3 ft	X	--	--	--	--
RAA10-N-GG7	GG7	1-3 ft	X	--	--	--	--
RAA10-N-GG14	GG14	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-GG18	GG18	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-GG20	GG20	0-1 ft	X	X	X	X	X
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-GG22	GG22	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-II5	II5	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
RAA10-N-II20	II20	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-KK22	KK22	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-LL6	LL6	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-LL20	LL20	0-1 ft	--	--	--	X	X
		1-6 ft	--	--	--	--	X
		6-15 ft	X	--	--	--	--
RAA10-N-MM6	MM6	0-1 ft	X	--	--	--	--
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-MM7	MM7	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--

TABLE 4
 GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS

PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)				
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs
RAA10-N-NN7	NN7	0-1 ft	X	--	--	--	--
		1-6 ft	X	X	X	X	X
		6-15 ft	X	X	X	X	X
RAA10-N-NN18	NN18	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-OO7	OO7	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-OO16	OO16	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-PP12	PP12	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-PP14	PP14	1-6 ft	--	--	--	X	--
		6-15 ft	X	X	X	X	X
RAA10-N-QQ8	QQ8	0-1 ft	X	--	--	--	--
		1-6 ft	X	X	X	X	X
		6-15 ft	X	--	--	--	--
RAA10-N-QQ12	QQ12	0-1 ft	X	--	--	--	--
		1-6 ft	X	--	--	--	--
		6-15 ft	X	--	--	--	--
RAA10-N-RR10	RR10	0-1 ft	X	X	X	X	X
		1-6 ft	X	--	--	--	--
		6-15 ft	X	X	X	X	X
UNKAMET BROOK							
North Area							
RAA10-UB-02	UB-02	0-1 ft	X	--	--	--	--
RAA10-UB-05	UB-05	0-1 ft	X	--	--	--	--
RAA10-UB-06	UB-06	0-1 ft	X	--	--	--	--
RAA10-UB-07	UB-07	0-1 ft	X	--	--	--	--
RAA10-UB-08	UB-08	0-1 ft	X	--	--	--	--
RAA10-UB-09	UB-09	0-1 ft	X	--	--	--	--
RAA10-UB-10	UB-10	0-1 ft	X	--	--	--	--
RAA10-UB-11	UB-11	0-1 ft	X	--	--	--	--
East Area							
RAA10-UB-25	UB-25	0-1 ft	X	--	--	--	--
RAA10-UB-29	UB-29	0-1 ft	X	--	--	--	--
RAA10-UB-45	UB-45	0-1 ft	X	--	--	--	--

TABLE 4
GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS


PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION

PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

Notes:

1. This table identifies soil and sediment samples to be collected and the analyses to be performed as part of the pre-design investigation at the Unkamet Brook Area.
2. The Appendix IX+3 sample depth intervals shown above may be modified in the field based on the results of photoionization detector (PID) readings and visual observations at the time of sample collection.

Figures



- LEGEND**
- APPROXIMATE BOUNDARY OF UNKAMET BROOK REMOVAL ACTION AREA (AS DEPICTED IN SOW)
 - PORTIONS OF REMOVAL ACTION AREA SUBJECT TO PRE-DESIGN SOIL INVESTIGATIONS

- NOTES:**
1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
 2. SITE BOUNDARIES ARE APPROXIMATE.
 3. NOT ALL PHYSICAL FEATURES SHOWN.

<p>GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA</p>	
<p>SITE LOCATION</p>	
	<p>FIGURE 1</p>

SECTION OF UNKAMET BROOK
SUBJECT TO RE-ROUTING

APPROXIMATE AREA OF
PHRAGMITES

NORTH AREA


WEST AREA

EAST AREA

- LEGEND:**
- APPROXIMATE REMOVAL ACTION AREA BOUNDARY
 - FENCE
 - PROPERTY LINE
 - PROPERTY IDENTIFICATION
 - APPROXIMATE EDGE OF WATER
 - INTERMITTENT STREAM
 - RAILROAD TRACK
 - 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
 - APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
 - PAVED AREA
 - WATER
 - BUILDING
 - GE OWNED INDUSTRIAL PROPERTY
 - NON-GE OWNED COMMERCIAL/INDUSTRIAL PROPERTY
 - NON-GE OWNED NON-INDUSTRIAL/RECREATIONAL PROPERTY
 - GE OWNED FORMER INTERIOR LANDFILL
 - GE-OWNED NON-INDUSTRIAL PROPERTY

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. SITE BOUNDARIES ARE APPROXIMATE.
3. NOT ALL PHYSICAL FEATURES SHOWN.
4. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
5. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
6. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH JUNE 19, 2002.



GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA

SITE MAP

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists


FIGURE
2

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- K11-7-8** PROPERTY IDENTIFICATION
- RAILROAD TRACK
- STORM SEWER
- SANITARY SEWER
- WATER MAIN
- FIRE PROTECTION MAIN
- NATURAL GAS MAIN
- ELECTRIC/TELEPHONE CONDUIT
- 100-FOOT PCB SAMPLING GRID
- 50-FOOT PCB SAMPLING GRID
- PAVED AREA
- BUILDING
- EXISTING SOIL BORING LOCATION (1-FOOT OR GREATER SAMPLE DEPTH)
- EXISTING SURFACE SOIL SAMPLE LOCATION (0- TO 1- FOOT SAMPLE DEPTH)
- PROPOSED SURFACE SOIL SAMPLE LOCATION
- PROPOSED SOIL BORING LOCATION

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. ONLY EXISTING PCB SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLES ONE AND THREE FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
7. BUILDINGS OP-1 AND OP-2 MAKE-UP PARCEL K11-7-46 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF PARCEL K11-7-2.



SUMMARY OF SOIL PCB SAMPLE RESULTS
(PPM DRY WT)(SAMPLE INCREMENTS IN FEET)

Location ID	0-1	0-1.5	0-2	1-2	1.5-3
NETE-C1	---	ND(1)	---	---	ND(1)
OP-1-ARS-C1	---	---	---	ND(23)	---
OP-1-ARS-C2	---	---	---	ND(4.5)	---

SUMMARY OF SURFACE SOIL PCB SAMPLE RESULTS
(PPM DRY WT)(SAMPLE INCREMENTS IN FEET)

Location ID	0-0.5
UB-SS-1	0.16
UB-SS-2	ND(0.85)
UB-SS-3	0.14
UB-SS-4	14.0 P

SUMMARY OF SOIL BORING PCB SAMPLE RESULTS
(PPM DRY WT)(SAMPLE INCREMENTS IN FEET)

Location ID	0-0.5	0-2	0.5-2	2-4	4-6	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24
RF-14	---	ND(0.05)	---	ND(0.05)	0.15	0.08	0.29	---	0.05	ND(0.05)	ND(0.05)	0.11	0.38	0.15
RF-15	---	0.06	---	ND(0.05)	ND(0.05)	ND(0.05)	0.31	ND(0.05)	0.71	ND(0.02)	0.076	ND(0.05)	0.35	ND(0.05)
SB-1	---	ND(1.2)	---	ND(1)	ND(1.0)	ND(1.0)	ND(1.1)	ND(1.1)	ND(1.2)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)
SB-2	---	ND(1.2)	---	ND(1.2)	ND(1.0)	ND(1.0)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.2)	ND(1.1)
UB-MW-7	0.57	---	0.026	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND

TABLE NOTES:
 1. --- = No sample collected.
 2. ND(0.05) = Not detected. Detection limit in parenthesis, (if available).
 3. [0.076] = Duplicate analysis result shown in brackets.

GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**
**WEST AREA - EXISTING AND
 PROPOSED PCB
 CHARACTERIZATION LOCATIONS**


BBL
 BLASLAND, BOUCK & LEE, INC.
 engineers & scientists

FIGURE
3

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- L12-2-1 PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- STORM SEWER
- SANITARY SEWER
- WATER MAIN
- FIRE PROTECTION MAIN
- NATURAL GAS MAIN
- ELECTRIC/TELEPHONE CONDUIT
- 100 - FOOT PCB SAMPLING GRID
- 50 - FOOT PCB SAMPLING GRID

- PAVED AREA
- BUILDING
- WATER
- APPROXIMATE LOCATION OF BAND SURROUNDING SUBSURFACE UTILITIES (25 FEET WIDE ON EACH SIDE OF UTILITY)
- EXISTING SURFACE SOIL SAMPLE LOCATION (0- TO 1- FOOT SAMPLE DEPTH)
- EXISTING SOIL BORING LOCATION (1- FOOT OR GREATER SAMPLE DEPTH)
- EXISTING SEDIMENT SAMPLE LOCATION
- PROPOSED SURFACE SOIL SAMPLE LOCATION
- PROPOSED SOIL BORING LOCATION
- PROPOSED SEDIMENT SAMPLING LOCATION



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS, ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 19987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING PCB SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE ONE AND THREE FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).

SUMMARY OF SURFACE SOIL AND SEDIMENT PCB SAMPLE RESULTS
(PPM DRY WT.)(SAMPLE INCREMENTS IN FEET)


Location ID	0-0.5	0-1	0.5-1	1-1.5	1.5-2	2-2.5	2.5-3
UW0000A	ND(0.5)	5.2					
UW0000B	ND(0.5)	1.4					
UW0000C	ND(0.5)	0.8					
UW0000D	ND(0.5)	4.7					
UW0000E	ND(0.5)	3.9					
UW0000F	ND(0.5)	4.1					
UW0000G	ND(0.5)	3.1					
UW0000H	ND(0.5)	4.3					
UW0000I	ND(0.5)	2.3					
UW0000J	ND(0.5)	1.8					
UW0000K	ND(0.5)	3.8					
UW0000L	ND(0.5)	1.7					
UW0000M	ND(0.5)	1.6					
UW0000N	ND(0.5)	2.2					
UW0000O	ND(0.5)	1.5					
UW0000P	ND(0.5)	2.3					
UW0000Q	ND(0.5)	1.1					
UW0000R	ND(0.5)	4.5					
UW0000S	ND(0.5)	2.2					
UW0000T	ND(0.5)	1.0					
UW0000U	ND(0.5)	2.4					
UW0000V	ND(0.5)	9.3					
UW0000W	ND(0.5)	2.7					
UW0000X	ND(0.5)	2.9					
UW0000Y	ND(0.5)	7.4					
UW0000Z	ND(0.5)	0.8					
UW0000AA	ND(0.5)	1.2					
UW0000AB	ND(0.5)	1.6					
UW0000AC	ND(0.5)	1.0					
UW0000AD	ND(0.5)	3.5					
UW0000AE	ND(0.5)	3.9					
UW0000AF	ND(0.5)	3					
UW0000AG	ND(0.5)	1.5					
UW0000AH	ND(0.5)	1.5					
UW0000AI	ND(0.5)	2.7					
UW0000AJ	ND(0.5)	1.3					
UW0000AK	ND(0.5)	2.4					
UW0000AL	ND(0.5)	1.5					
UW0000AM	ND(0.5)	2.6					
UW0000AN	ND(0.5)	4.4					
UW0000AO	ND(0.5)	3.1					
UW0000AP	ND(0.5)	3.1					
UW0000AQ	ND(0.5)	3.2					
UW0000AR	ND(0.5)	1.9					
UW0000AS	ND(0.5)	4.1					
UW0000AT	ND(0.5)	1.9					
UW0000AU	ND(0.5)	0.1					
UW0000AV	ND(0.5)	0.1					
UW0000AW	ND(0.5)	0.1					
UW0000AX	ND(0.5)	0.1					
UW0000AY	ND(0.5)	0.1					
UW0000AZ	ND(0.5)	0.1					
UW0000BA	ND(0.5)	0.1					
UW0000BB	ND(0.5)	0.1					
UW0000BC	ND(0.5)	0.1					
UW0000BD	ND(0.5)	0.1					
UW0000BE	ND(0.5)	0.1					
UW0000BF	ND(0.5)	0.1					
UW0000BG	ND(0.5)	0.1					
UW0000BH	ND(0.5)	0.1					
UW0000BI	ND(0.5)	0.1					
UW0000BJ	ND(0.5)	0.1					
UW0000BK	ND(0.5)	0.1					
UW0000BL	ND(0.5)	0.1					
UW0000BM	ND(0.5)	0.1					
UW0000BN	ND(0.5)	0.1					
UW0000BO	ND(0.5)	0.1					
UW0000BP	ND(0.5)	0.1					
UW0000BQ	ND(0.5)	0.1					
UW0000BR	ND(0.5)	0.1					
UW0000BS	ND(0.5)	0.1					
UW0000BT	ND(0.5)	0.1					
UW0000BU	ND(0.5)	0.1					
UW0000BV	ND(0.5)	0.1					
UW0000BW	ND(0.5)	0.1					
UW0000BX	ND(0.5)	0.1					
UW0000BY	ND(0.5)	0.1					
UW0000BZ	ND(0.5)	0.1					
UW0000CA	ND(0.5)	0.1					
UW0000CB	ND(0.5)	0.1					
UW0000CC	ND(0.5)	0.1					
UW0000CD	ND(0.5)	0.1					
UW0000CE	ND(0.5)	0.1					
UW0000CF	ND(0.5)	0.1					
UW0000CG	ND(0.5)	0.1					
UW0000CH	ND(0.5)	0.1					
UW0000CI	ND(0.5)	0.1					
UW0000CJ	ND(0.5)	0.1					
UW0000CK	ND(0.5)	0.1					
UW0000CL	ND(0.5)	0.1					
UW0000CM	ND(0.5)	0.1					
UW0000CN	ND(0.5)	0.1					
UW0000CO	ND(0.5)	0.1					
UW0000CP	ND(0.5)	0.1					
UW0000CQ	ND(0.5)	0.1					
UW0000CR	ND(0.5)	0.1					
UW0000CS	ND(0.5)	0.1					
UW0000CT	ND(0.5)	0.1					
UW0000CU	ND(0.5)	0.1					
UW0000CV	ND(0.5)	0.1					
UW0000CW	ND(0.5)	0.1					
UW0000CX	ND(0.5)	0.1					
UW0000CY	ND(0.5)	0.1					
UW0000CZ	ND(0.5)	0.1					
UW0000DA	ND(0.5)	0.1					
UW0000DB	ND(0.5)	0.1					
UW0000DC	ND(0.5)	0.1					
UW0000DD	ND(0.5)	0.1					
UW0000DE	ND(0.5)	0.1					
UW0000DF	ND(0.5)	0.1					
UW0000DG	ND(0.5)	0.1					
UW0000DH	ND(0.5)	0.1					
UW0000DI	ND(0.5)	0.1					
UW0000DJ	ND(0.5)	0.1					
UW0000DK	ND(0.5)	0.1					
UW0000DL	ND(0.5)	0.1					
UW0000DM	ND(0.5)	0.1					
UW0000DN	ND(0.5)	0.1					
UW0000DO	ND(0.5)	0.1					
UW0000DP	ND(0.5)	0.1					
UW0000DQ	ND(0.5)	0.1					
UW0000DR	ND(0.5)	0.1					
UW0000DS	ND(0.5)	0.1					
UW0000DT	ND(0.5)	0.1					
UW0000DU	ND(0.5)	0.1					
UW0000DV	ND(0.5)	0.1					
UW0000DW	ND(0.5)	0.1					
UW0000DX	ND(0.5)	0.1					
UW0000DY	ND(0.5)	0.1					
UW0000DZ	ND(0.5)	0.1					
UW0000EA	ND(0.5)	0.1					
UW0000EB	ND(0.5)	0.1					
UW0000EC	ND(0.5)	0.1					
UW0000ED	ND(0.5)	0.1					
UW0000EE	ND(0.5)	0.1					
UW0000EF	ND(0.5)	0.1					
UW0000EG	ND(0.5)	0.1					
UW0000EH	ND(0.5)	0.1					
UW0000EI	ND(0.5)	0.1					
UW0000EJ	ND(0.5)	0.1					
UW0000EK	ND(0.5)	0.1					
UW0000EL	ND(0.5)	0.1					
UW0000EM	ND(0.5)	0.1					
UW0000EN	ND(0.5)	0.1					
UW0000EO	ND(0.5)	0.1					
UW0000EP	ND(0.5)	0.1					
UW0000EQ	ND(0.5)	0.1					
UW0000ER	ND(0.5)	0.1					
UW0000ES	ND(0.5)	0.1					
UW0000ET	ND(0.5)	0.1					
UW0000EU	ND(0.5)	0.1					
UW0000EV	ND(0.5)	0.1					
UW0000EW	ND(0.5)	0.1					
UW0000EX	ND(0.5)	0.1					
UW0000EY	ND(0.5)	0.1					
UW0000EZ	ND(0.5)	0.1					
UW0000FA	ND(0.5)	0.1					
UW0000FB	ND(0.5)	0.1					
UW0000FC	ND(0.5)	0.1					
UW0000FD	ND(0.5)	0.1					
UW0000FE	ND(0.5)	0.1					
UW0000FF	ND(0.5)	0.1					
UW0000FG	ND(0.5)	0.1					
UW0000FH	ND(0.5)	0.1					
UW0000FI	ND(0.5)	0.1					
UW0000FJ	ND(0.5)	0.1					
UW0000FK	ND(0.5)	0.1					
UW0000FL	ND(0.5)	0.1					
UW0000FM	ND(0.5)	0.1					
UW0000FN	ND(0.5)	0.1					
UW0000FO	ND(0.5)	0.1					
UW0000FP	ND(0.5)	0.1					
UW0000FQ	ND(0.5)	0.1					
UW0000FR	ND(0.5)	0.1					
UW0000FS	ND(0.5)	0.1					
UW0000FT	ND(0.5)	0.1					
UW0000FU	ND(0.5)	0.1					
UW0000FV	ND(0.5)	0.1					
UW0000FW	ND(0.5)	0.1					
UW0000FX	ND(0.5)	0.1					
UW0000FY	ND(0.5)	0.1					
UW0000FZ	ND(0.5)	0.1					
UW0000GA	ND(0.5)	0.1					
UW0000GB	ND(0.5)	0.1					
UW0000GC	ND(0.5)	0.1					
UW0000GD	ND(0.5)	0.1					
UW0000GE	ND(0.5)	0.1					
UW0000GF	ND(0.5)	0.1					
UW0000GG	ND(0.5)	0.1					
UW0000GH	ND(0.5)	0.1					
UW0000GI	ND(0.5)	0.1					
UW0000GJ	ND(0.5)	0.1					
UW0000GK	ND(0.5)	0.1					
UW0000GL	ND(0.5)	0.1					
UW0000GM	ND(0.5)	0.1					
UW0000GN	ND(0.5)	0.1					
UW0000GO	ND(0.5)	0.1					
UW0000GP	ND(0.5)	0.1					
UW0000GQ	ND(0.5)	0.1					

LEGEND:

-  PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
-  FENCE
-  PROPERTY LINE
- K11-7-8** PROPERTY IDENTIFICATION
-  RAILROAD TRACK
-  PAVED AREA
-  BUILDING
-  W-G7 PROPOSED SURFACE SOIL SAMPLE LOCATION
-  UB-SS-2 EXISTING SURFACE SOIL SAMPLE LOCATION

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. ONLY EXISTING IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
7. SAMPLES FROM ALL PROPOSED SOIL AND SEDIMENT SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE (VOCs)
 S = SEMI-VOLATILE (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS
8. BUILDINGS OP-1 AND OP-2 MAKE-UP PARCEL K11-7-46 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF PARCEL K11-7-2.



GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**

**WEST AREA - PROPOSED
 APPENDIX IX+3 SOIL SAMPLING LOCATIONS
 (0- TO 1-FOOT DEPTH INTERVAL)**



FIGURE
6

BLASLAND, BOUCK & LEE, INC.
 engineers & scientists


X: 40190X01,40190X02,40190X04,40190X05.DWG
 P: PAGESET/PLT-B2DP HALF CTB, BP FULL CTB
 11/25/02 SYR-54-JER LAF S0L
 N/40190001/DRAFT2/40190B07.DWG

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- +—+—+ FENCE
- — — — — PROPERTY LINE
- K11-7-8 PROPERTY IDENTIFICATION
- +—+—+ RAILROAD TRACK
- PAVED AREA
- BUILDING
- W-M15 PROPOSED SOIL BORING LOCATION (1- TO 6-FOOT SAMPLE DEPTH)
- W-D16 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTHS)

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. SAMPLES FROM ALL PROPOSED SOIL SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 ANALYTE GROUPS (EXCLUDING PESTICIDES AND HERBICIDES).
7. BUILDING OP-1 AND OP-2 MAKE-UP PARCEL K11-7-46 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF K11-7-2.



GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA	
WEST AREA - PROPOSED APPENDIX IX+3 SOIL SAMPLE LOCATIONS (1- TO 6-FOOT DEPTH INTERVAL)	
	FIGURE 7

LEGEND:

-  PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
-  FENCE
-  PROPERTY LINE
- K12-9-1** PROPERTY IDENTIFICATION
-  APPROXIMATE EDGE OF WATER
-  INTERMITTENT STREAM
-  RAILROAD TRACK
-  100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
-  APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
-  SECTION OF UNKAMET BROOK SUBJECT TO RE-ROUTING
-  PAVED AREA
-  BUILDING
-  WATER
-  ▲UB-98-12 EXISTING SURFACE SOIL SAMPLE LOCATION (0- TO 1- FOOT SAMPLE DEPTH)
-  ▲N-H22 PROPOSED SURFACE SOIL SAMPLE LOCATION
-  ▲USW-1 EXISTING SEDIMENT SAMPLE LOCATION



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS AND SEDIMENTS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL PROPOSED SOIL SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS

GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**

**NORTH AREA - EXISTING AND PROPOSED
 APPENDIX IX+3 SOIL AND SEDIMENT SAMPLE
 LOCATIONS (0- TO 1-FOOT DEPTH INTERVAL)**




**FIGURE
 9**

X: 40190X01,40190X02,40190X04,40190X05.DWG
 L: OFF=GRID_NORTH_LABEL
 P: PAGESET/PLT-B2DP
 11/25/02 SYR-54-DMW LJP SDL
 N:40190001/DRAFT2/40190B04.DWG

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
 - FENCE
 - PROPERTY LINE
 - K12-9-1 PROPERTY IDENTIFICATION
 - APPROXIMATE EDGE OF WATER
 - INTERMITTENT STREAM
 - RAILROAD TRACK
 - 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
 - APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
 - SECTION OF UNKAMET BROOK SUBJECT TO RE-ROUTING
 - PAVED AREA
 - BUILDING
 - WATER
- BA-2 EXISTING SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
 - BA-1 EXISTING SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTHS)
 - ◇ MG-02 EXISTING SOIL BORING LOCATION (1- TO 6-FOOT SAMPLE DEPTH)
 - N-E28 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
 - N-M24 PROPOSED SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)
 - N-EE8 PROPOSED SOIL BORING LOCATION (1- TO 6-FOOT SAMPLE DEPTH)
 - N-Y20 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTH)
 - 120W-5 EXISTING SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL PROPOSED SOIL SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 - V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 - S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 - D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 - I = INORGANICS

GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
**PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA**
**NORTH AREA - EXISTING AND PROPOSED
APPENDIX IX+3 SOIL SAMPLE LOCATIONS
(1- TO 6-FOOT DEPTH INTERVAL)**




FIGURE
10

X: 40190X01,40190X02,40190X04,40190X05.DWG
P: PAGESET/PLT-B20P HALF CTB, BP FULL CTB
11/25/02 SYR-54-DNW LJP SDL
N/40190001/DRAFT2/40190B05.DWG

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- K12-9-1 PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- INTERMITTENT STREAM
- RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
- SECTION OF UNKAMET BROOK SUBJECT TO RE-ROUTING
- PAVED AREA
- BUILDING
- WATER
- 60C-02 EXISTING SOIL BORING LOCATION
- N-AA2 PROPOSED SOIL BORING LOCATION



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL PROPOSED SOIL SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS

GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**
**NORTH AREA - EXISTING AND PROPOSED
 APPENDIX IX+3 SOIL SAMPLE LOCATIONS
 (6- TO 15-FOOT DEPTH INTERVAL)**




FIGURE
11

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- L12-2-1** PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- PAVED AREA
- BUILDING
- WATER
- ▲ UFP2-L7 EXISTING SURFACE SOIL SAMPLE LOCATION (0- TO 1- FOOT SAMPLE DEPTH)
- ▲ E-A22 PROPOSED SURFACE SOIL SAMPLE LOCATION

NOTES:



1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY A WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL PROPOSED SOIL AND SEDIMENT SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS



GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**
**EAST AREA - EXISTING AND PROPOSED
 APPENDIX IX+3 SOIL SAMPLE LOCATIONS
 (0- TO 1-FOOT DEPTH INTERVAL)**

- LEGEND:**
- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
 - FENCE
 - PROPERTY LINE
 - L12-2-1** PROPERTY IDENTIFICATION
 - APPROXIMATE EDGE OF WATER
 - RAILROAD TRACK
 - 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
 - PAVED AREA
 - BUILDING
 - WATER
 - UFP1-L1 EXISTING SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
 - SS-4 EXISTING SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)
 - E-X12 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
 - E-TT10 PROPOSED SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)
 - E-HH4 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTHS)

- NOTES:**
1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
 2. NOT ALL PHYSICAL FEATURES SHOWN.
 3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
 4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
 5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
 6. ALL LOCATIONS ARE APPROXIMATE.
 7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
 8. SAMPLES FROM ALL PROPOSED SOIL AND SEDIMENT SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS



GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**



**EAST AREA - EXISTING AND PROPOSED
 APPENDIX IX+3 SOIL SAMPLE LOCATIONS
 (1- TO 6-FOOT DEPTH INTERVAL)**

BBL
 BLASLAND, BOUCK & LEE, INC.
 engineers & scientists

FIGURE
13

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- +— FENCE
- PROPERTY LINE
- L12-2-1 PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- +— RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- PAVED AREA
- BUILDING
- WATER
- UB-SB-11 EXISTING SOIL BORING LOCATION
- E-B24 PROPOSED SOIL BORING LOCATION



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISH BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL PROPOSED SOIL SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES, FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS

GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
**PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA**

**EAST AREA - EXISTING AND PROPOSED
APPENDIX IX+3 SOIL SAMPLE LOCATIONS
(6- TO 15-FOOT DEPTH INTERVAL)**



FIGURE
14