

Specialized Records Center
FBI: _____
LINKS: _____
OTHER: _____

***Revised Pre-Design Investigation
Work Plan for Unkamet Brook
Area Removal Action***

**General Electric Company
Pittsfield, Massachusetts**

May 2003

BBL[®]
BLASLAND, BOUCK & LEE, INC.
engineers & scientists



Corporate Environmental Programs
General Electric Company
700 Woodlawn Avenue, Pittsfield, MA 01207

May 8, 2003

Bryan Olson
EPA Project Coordinator
U.S. Environmental Protection Agency
EPA New England
One Congress Street, Suite 1100
Boston, Massachusetts 02114-2023

**Re: GE-Pittsfield/Housatonic River Site
Unkamet Brook Area (GECD170)
Revised Pre-Design Investigation Work Plan**

Dear Mr. Olson:

In accordance with the schedule in the letter providing EPA's *Comments on General Electric's November 2002 Pre-Design Investigation Work Plan for Unkamet Brook Removal Action* (March 10, 2003), enclosed for your review is General Electric Company's *Revised Pre-Design Investigation Work Plan for the Unkamet Brook Area*.

Please call John Novotny or me if you have any questions about this Revised Work Plan.

Very truly yours,

Andrew T. Silfer, P.E.
GE Project Coordinator

Enclosure

Y:\GE_Pittsfield_CD_Unkamet_Brook_Area\Rpts\Revised_PDI\WP2943CovLet.doc

cc: Tim Conway, EPA
Holly Inglis, EPA
Rose Howell, EPA
Michael Nalipinski, EPA
Susan Steenstrup, MDEP
Alan Weinberg, MDEP*
Robert Bell, MDEP*
Thomas Angus, MDEP*
Susan Keydel, MDEP
K.C. Mitkevicius, USACE
Dawn Jamros, Weston
Joseph Schmidl, Weston
Nancy Harper, MA AG*
Dale Young, MA EOE
Theresa Bowers, Gradient
Mayor Sara Hathaway, City of Pittsfield
Jeffrey Bernstein, Bernstein, Cushner & Kimmell*
Pittsfield Department of Health
Michael Carroll, GE*
John Novotny, GE
Rod McLaren, GE*
James Nuss, BBL

James Bieke, Shea & Gardner
Laurence Kirsch, Shea & Gardner
Andrew Hoagland, GE Plastics
Keith Dodge, GE Plastics
Scott LeBeau, General Dynamics
Massachusetts Department of Highways,
Rights of Way Bureau
Massachusetts Board of Regional Community
Colleges
United States Navy
Property Owner – Parcel K11-7-8
Property Owner – Parcel L11-4-11
Property Owner – Parcel L11-4-112
Property Owner – Parcel L11-4-213
Property Owner – Parcel L12-1-2
Property Owner – Parcel L12-1-3
Property Owner – Parcel L12-1-4
Property Owner – Parcel L12-1-5
Public Information Repositories
GE Internal Repository

*cover letter only

WORK PLAN

Revised Pre-Design Investigation Work Plan for Unkamet Brook Area Removal Action

**General Electric Company
Pittsfield, Massachusetts**

May 2003

BBL[®]
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

Table of Contents

Section 1. Introduction.....	1-1
1.1 General	1-1
1.2 Format of Document	1-3
Section 2. Background Information	2-1
2.1 General	2-1
2.2 Description of the Unkamet Brook Area	2-1
2.3 Summary of Available Soil/Sediment Analytical Data	2-3
Section 3. Applicable Performance Standards and Investigation Requirements	3-1
3.1 General	3-1
3.2 Applicable Soil and Sediment Performance Standards	3-1
3.3 Pre-Design Soil Sampling Requirements	3-9
3.3.1 PCB Characterization Requirements	3-10
3.3.2 Non-PCB Constituent Characterization Requirements.....	3-12
3.4 Performance Standards for Natural Resource Restoration/Enhancement Activities	3-12
Section 4. Identification of Data Needs and Proposed Pre-Design Investigation	4-1
4.1 General	4-1
4.2 Pre-Design Investigation Needs and Overall Scope	4-1
4.2.1 GE-Owned Industrial Areas	4-2
4.2.2 GE-Owned Non-Industrial Area	4-3
4.2.3 Non-GE-Owned Commercial/Industrial Areas	4-5
4.2.4 Non-GE-Owned Non-Industrial/Recreational Areas	4-6
4.2.5 Unkamet Brook and Inundated Wetlands	4-8
4.2.6 Decorative Pond	4-10
4.3 Assessment of Existing Soil Analytical Data	4-10
4.3.1 Existing PCB Data	4-10
4.3.2 Non-PCB Appendix IX+3 Constituents	4-13
4.4 Proposed Pre-Design Sampling Activities	4-15
4.4.1 GE-Owned Industrial Areas	4-15
4.4.2 GE-Owned Non-Industrial Area	4-18
4.4.3 Non-GE-Owned Commercial/Industrial and Non-Industrial/ Recreational Areas	4-21
4.4.4 Unkamet Brook and Inundated Wetlands	4-24
4.4.5 Decorative Pond	4-26
4.5 Sampling and Analytical Procedures	4-26
Section 5. Schedule.....	5-1
Section 6. Summary of Anticipated Post-Removal Site Control Activities.....	6-1

Tables

- 1 Existing Soil PCB Data and Proposed Usage
- 2 Existing Soil Appendix IX+3 Data and Proposed Usage
- 3 Summary of Proposed Grid Characterization of PCBs
- 4 Proposed Soil Sampling Locations, Depths, and Parameters

Figures

- 1 Site Location
- 2 Site Map
- 3 West Area - Existing and Proposed PCB Characterization Locations
- 4 North Area - Existing and Proposed PCB Characterization Locations
- 5 East Area - Existing and Proposed PCB Characterization Locations
- 6 West Area - Existing and Proposed Appendix IX+3 Sampling Locations (0- to 1-Foot Depth Interval)
- 7 West Area - Existing and Proposed Appendix IX+3 Sampling Locations (1- to 6-Foot Depth Interval)
- 8 West Area - Existing and Proposed Appendix IX+3 Sampling Locations (6- to 15-Foot Depth Interval)
- 9 North Area - Existing and Proposed Appendix IX+3 Sampling Locations (0- to 1-Foot Depth Interval)
- 10 North Area - Existing and Proposed Appendix IX+3 Sampling Locations (1- to 6-Foot Depth Interval)
- 11 North Area - Existing and Proposed Appendix IX+3 Sampling Locations (6- to 15-Foot Depth Interval)
- 12 East Area - Existing and Proposed Appendix IX+3 Sampling Locations (0- to 1-Foot Depth Interval)
- 13 East Area - Existing and Proposed Appendix IX+3 Sampling Locations (1- to 6-Foot Depth Interval)
- 14 East Area - Existing and Proposed Appendix IX+3 Sampling Locations (6- to 15-Foot Depth Interval)

Appendix

A Compilation of Prior Soil Sampling Data

- Figure A-1 - West Area - Existing Soil Sample Locations
- Figure A-2 - North Area - Existing Soil Sample Locations
- Figure A-2 (b) - Existing Soil Sample Locations (Data Insert)
- Figure A-3 - Existing Soil Sample Locations

1. Introduction

1.1 General

On October 27, 2000, a Consent Decree (CD) executed in 1999 by the General Electric Company (GE), the United States Environmental Protection Agency (EPA), the Massachusetts Department of Environmental Protection (MDEP), and several other government agencies was entered by the United States District Court for the District of Massachusetts. The CD governs (among other things) the performance of response actions to address polychlorinated biphenyls (PCBs) and other hazardous constituents in soils, sediment, and groundwater in several Removal Action Areas (RAAs) located in or near Pittsfield, Massachusetts that are part of the GE-Pittsfield/Housatonic River Site (the Site). For each Removal Action, the CD and accompanying *Statement of Work for Removal Actions Outside the River (SOW)* (Appendix E to the CD) establish Performance Standards that must be achieved and specify the work plans and other documents that must be prepared to support the response actions for each RAA. For most of the Removal Actions, these work plans/documents include the following: Pre-Design Investigation Work Plan, Pre-Design Investigation (PDI) Report, Conceptual Removal Design/Removal Action (RD/RA) Work Plan, and Final RD/RA Work Plan. In addition to implementation of the Removal Actions, the CD requires the performance of natural resource restoration/enhancement activities in certain RAAs.

In November 2002, GE submitted to EPA a document entitled *Pre-Design Investigation Work Plan for Unkamet Brook Area Removal Action (PDI Work Plan)*. In a letter dated March 10, 2003, EPA provided conditional approval of the PDI Work Plan (Conditional Approval Letter) and required, among other things, that GE prepare a Revised PDI Work Plan to address and incorporate each of the comments contained in EPA's conditional approval letter.

This Revised *Pre-Design Investigation Work Plan for Unkamet Brook Area Removal Action* (Revised PDI Work Plan) addresses and incorporates the comments of the Conditional Approval Letter and includes updated versions of all tables and figures from the original PDI Work Plan. This Revised PDI Work Plan describes the soil- and sediment-related investigations proposed by GE to support future response actions for the Unkamet Brook Area RAA. The results of certain of the pre-design investigations proposed herein will be presented first in an Interim Pre-Design Investigation Report (Interim PDI Report) described in Section 5 and otherwise throughout this Revised PDI Work Plan. The Interim PDI Report will address certain areas of this RAA where

additional investigations may be needed based on the outcome of initial activities. The results of all pre-design investigations, including any additional investigations conducted pursuant to the Interim PDI Report, in combination with usable information from prior investigations (as well as any future EPA-conducted investigations within this RAA), will be presented in the final PDI Report and used to develop portions of the Conceptual RD/RA Work Plan. Following EPA approval of that document, GE will then prepare a Final RD/RA Work Plan for this Removal Action.

This Revised PDI Work Plan includes a summary of available information related to the Unkamet Brook Area soils and sediments, an assessment of the adequacy of this information for pre-design characterization purposes (relative to the overall usability of the data and the investigation requirements established in the CD and SOW), and a proposal for additional investigations. The primary focus of this Revised PDI Work Plan is to identify the investigations that are necessary to satisfy the pre-design characterization requirements related to soil and sediments within certain portions of the Unkamet Brook Area. The results of the pre-design investigations (in combination with other usable data) will be used to identify the need for and scope of response actions for the majority of soils and sediments present within the Unkamet Brook Area.

Separate from the pre-design soil investigations proposed herein, there are several other Performance Standards and related response actions applicable to the Unkamet Brook Area that are not dependent on pre-design investigations. These are described below and will be subject to further development in future submittals required under the CD and SOW. Specifically, the CD and SOW require that GE cap the former Interior Landfill and re-route an existing section of Unkamet Brook. Each of these response actions will require the development of technical design information that will be presented in the Conceptual RD/RA Work Plan. At this time, no specific pre-design soil or sediment investigation activities have been identified to support these specific response actions, although some investigations may be necessary in the future in conjunction with RD/RA evaluations.

The CD and SOW also establish Performance Standards relating to groundwater and non-aqueous-phase liquids (NAPL). Currently, response actions related to groundwater and NAPL within the Unkamet Brook Area are being addressed separately as part of activities for Groundwater Management Areas (GMAs) 3 and 4 pursuant to the CD and SOW. These activities consist of the performance of a baseline monitoring program in accordance with GE's *Baseline Monitoring Program Proposal for Plant Site 2 Groundwater Management Area (GMA 3 Baseline Monitoring Proposal, April 2001)* and *Baseline Monitoring Program Proposal for Plant Site 3 Groundwater Management Area (GMA 4 Baseline Monitoring Proposal, July 23, 2001)*, as conditionally

approved by EPA in letters dated November 21 and December 28, 2001, respectively. Therefore, this Revised PDI Work Plan does not address groundwater or NAPL.

1.2 Format of Document

The remainder of this Revised PDI Work Plan is presented in five sections. Section 2 provides a summary of background information concerning the Unkamet Brook Area, including a brief description of the various areas that comprise the RAA and a summary of prior investigations and available analytical data. Section 3 discusses the applicable soil- and sediment-related Performance Standards identified in the CD and SOW and the related pre-design investigation requirements. Section 4 presents an evaluation of the pre-design investigation data needs for the various areas within this RAA, an assessment of the general usability of existing data and their applicability in satisfying the pre-design characterization requirements, and a proposal for additional investigations to characterize the soils and sediments within these areas. Section 5 presents a proposed schedule for performing the pre-design investigations. Finally, Section 6 provides a summary of anticipated Post-Removal Site Control activities for the Unkamet Brook Area following completion of the Removal Action.

2. Background Information

2.1 General

This section of the Revised PID Work Plan provides a general summary of the Unkamet Brook Area, with an emphasis on the various properties and areas that comprise the RAA, and the existing soil and sediment analytical data available from prior investigations performed by GE and others in this area. Section 2.2 describes the general features of the Unkamet Brook Area and describes the areas of the RAA proposed for pre-design soil investigations, while Section 2.3 summarizes prior soil and sediment investigations and available soil analytical data.

2.2 Description of the Unkamet Brook Area

The Unkamet Brook Area generally encompasses the eastern portion of the GE Plant Area in Pittsfield, as well as a number of non-GE-owned properties between the GE Plant Area and the Housatonic River (Figure 1). The boundaries of this approximately 140-acre area are shown on Figure 2. As described below, the Unkamet Brook Area contains several commercial and industrial properties (under a variety of ownerships), as well as several undeveloped recreational properties and areas (also under a variety of ownerships). The GE-owned properties that have been developed for commercial/industrial use include its corporate headquarters for the GE Plastics business unit, as well as property leased to General Dynamics. Undeveloped land owned by GE is generally located to the east of Unkamet Brook. The non-GE-owned properties include developed portions (owned by the United States and several local businesses) and undeveloped areas. Unkamet Brook is largely an open channel that flows from north of Dalton Avenue (north of the RAA) through the RAA until it discharges into the Housatonic River.

Within the GE Plastics facility is an approximately 1.7-acre Decorative Pond, located south of Dalton Avenue. This pond receives stormwater from the GE Plastics area and is hydraulically connected to Unkamet Brook, to which it discharges during periods of high flow. The pond, constructed in the early 1980s as part of the GE Plastics Technology Center expansion, is approximately 10 feet deep and lined with construction-grade filter fabric and 6 inches of crushed stone or crushed gravel. Its banks are reinforced with filter fabric, a 12-inch gravel bed, and 12 inches of rip-rap.

As shown on Figure 2, all or portions of 14 separate City of Pittsfield tax parcels are located within the Unkamet Brook Area. These parcels, property type, and current owners (based on a review of information available at the Berkshire County Registry of Deeds) are listed below:

Parcel ID	Property Type
K11-7-2	Commercial/Industrial
K11-7-8	Commercial/Industrial
K11-7-9	Commercial/Industrial
K11-7-46	Commercial/Industrial Buildings ¹
K12-9-1	Commercial/Industrial/Non-Industrial
L11-4-11	Non-Industrial/Recreational
L11-4-112	Commercial/Industrial
L11-4-213	Commercial/Industrial
L12-1-2	Commercial/Industrial
L12-1-3	Commercial/Industrial
L12-1-4	Commercial/Industrial
L12-1-5	Commercial/Industrial
L12-2-1	Non-Industrial/Recreational
L12-2-2	Partly Commercial/Industrial and Partly Recreational

The CD and SOW identify certain areas within the Unkamet Brook RAA that are excluded from pre-design soil investigations, including soils located beneath existing buildings, soil beneath paved portions of public roadways and beneath active rail lines, and soils within the limits of the former Interior Landfill. Based on the above, Figure 2 identifies the boundaries of the Unkamet Brook Area and the specific areas within the RAA that would be subject to pre-design investigations.

¹ Parcel K11-7-46 consists entirely of two existing buildings -- Buildings OP-1 and OP-2 -- that are owned by the United States Government (the soils beneath these buildings are part of Parcel K11-7-2). Since the buildings themselves are not subject to Removal Actions required by the CD and SOW, and since soils under existing buildings are also not subject to the CD and SOW, Parcel K11-7-46 is not considered part of the Unkamet Brook Area RAA.

2.3 Summary of Available Soil/Sediment Analytical Data

Beginning in the early 1980s, several soil and sediment investigations have been conducted within the Unkamet Brook Area. These include investigations conducted by GE in the 1990s pursuant to an Administrative Consent Order executed in July 1990 by GE and the MDEP and/or a Resource Conservation and Recovery Act (RCRA) Corrective Action Permit issued by EPA to GE effective in January 1994.

Information concerning the Unkamet Brook Area and, in particular, the results of prior soil and sediment investigations have been presented in a number of documents. The primary documents that provide data relevant to this Revised PDI Work Plan are as follows:

- *Study of Housatonic River Unkamet Brook Investigation Groundwater Investigation*, O'Brien & Gere, June 1982.
- *Environmental Site Assessment, 440 Merrill Road Pittsfield, Massachusetts*, Environmental Risk Limited October 1993.
- *MCP Interim Phase II Report and Current Assessment Summary for Unkamet Brook Area/USEPA Area 1, Volumes I – XIV*, Blasland, Bouck & Lee, Inc. (BBL), January 1995.
- *Immediate Response Action Plan Completion Statement*, letter from GE to MDEP dated July 26, 1996.
- *Status Report for the Phase II RCRA Facility Investigation of Unkamet Brook Area/USEPA Area 1, Pittsfield, Massachusetts*, Golder Associates, Inc., May 1997.
- *Immediate Response Action Status Report Unkamet Brook Area*, BBL, September 1998.
- *Site Investigation Report for the General Electric Unkamet Brook Sampling Project, Pittsfield, Massachusetts*, Roy F. Weston, Inc. October 1998.
- Miscellaneous soil investigation data relating to proposed renovation activities at the GE Plastics gate areas, presented in GE's Monthly Status Report for September 2002 under the CD (Item 7, Tables 7-2 through 7-4), dated October 9, 2002.

-
- Miscellaneous historical sampling data presented in GE's Monthly Status Report for October 2002 under the CD (Item 7, Tables 7-3 through 7-13), dated November 8, 2002.

The investigations previously performed and described in the above documents have resulted in the collection of approximately 1,100 soil and sediment samples for PCB analysis. In addition, approximately 250 soil and sediment samples collected from this RAA during prior investigations have been analyzed for one or more groups of non-PCB constituents listed in Appendix IX of 40 CFR Part 264, plus three additional constituents (benzidine, 2-chloroethyl vinyl ether, and 1,2-diphenylhydrazine) (Appendix IX+3). Summaries related to these prior investigations are presented in this Revised PDI Work Plan as follows:

- PCB sample locations and depths are listed in Table 1;
- Non-PCB Appendix IX+3 sampling locations, depths, and analytes are listed in Table 2;
- Figures A-1 through A-3 in Appendix A identify the prior sampling locations; and
- Tables from previously submitted documents summarizing the analytical results are presented in Appendix A.

Subject to certain conditions, the CD and SOW allow the existing soil data to be incorporated into the pre-design investigations for the RAAs. Section 4.3 of this Revised PDI Work Plan describes the process by which the general usability of these data were assessed and, if appropriate, included in the development of the proposed pre-design investigations.

3. Applicable Performance Standards and Investigation Requirements

3.1 General

This section summarizes the Performance Standards established in the CD and SOW for certain soils and sediments located within the Unkamet Brook Area. In addition to summarizing the Performance Standards for those areas subject to pre-design investigations, this section also describes the requirements established in the CD and SOW concerning the performance of pre-design investigations.

3.2 Applicable Soil and Sediment Performance Standards

Response actions for soils and sediments within the Unkamet Brook Area must achieve the Performance Standards included in the CD and SOW for the GE Plant Area, which are set forth in Paragraph 25 of the CD and Section 2.2.2 of the SOW. In general, the Performance Standards reflect several considerations related to each RAA, including property type (e.g. industrial/commercial, recreational, etc.), property ownership within the RAA (and whether a Grant of Environmental Restriction and Easement (ERE) can be obtained), and the presence of subsurface utilities subject to emergency repair.

The CD and SOW establish different soil- and sediment-related Performance Standards for the various areas within the Unkamet Brook Area, as shown on Figure 2. A description of these areas and the applicable Performance Standards is presented below. The need for and scope of response actions to achieve many of the Performance Standards will be based on the outcome of evaluation procedures established in the SOW. For PCBs in soils, the need for and type of response actions will be based on the results of spatial averaging conducted in accordance with Attachment E to the SOW. That attachment identifies the specific averaging areas subject to evaluation within this RAA, methods to be used to determine existing spatial average PCB concentrations, and procedures to be used to assess whether the anticipated response actions will achieve the PCB Performance Standards. Attachment F to the SOW describes the evaluation process for non-PCB Appendix IX+3 constituents in soils. The evaluation of non-PCB constituents will generally address the same areas and depths evaluated for PCBs and will take into account the response actions necessary to address PCBs. The remainder of this section addresses the Performance Standards for PCBs.

GE-Owned Industrial Areas

As shown in yellow on Figure 2, several parcels within the Unkamet Brook Area are owned by GE and used primarily for industrial/commercial purposes. These consist of Parcel K11-7-2 and the developed portion of Parcel K12-9-1. As noted above, separate from these GE-owned parcels, Buildings OP-1 and OP-2 (the building portion only) are part of Parcel K-11-7-46 and are not included as part of the Unkamet Brook Area RAA. For GE-owned parcels, the CD requires that GE execute and record an ERE in accordance with Section XIII of the CD. These properties are divided into two averaging areas: Unkamet Brook Area – OP-1/OP-2 (Area 9C) and Unkamet Brook Area -- GE Plastics Area (excluding the former Interior Landfill) (Area 9E). The CD sets forth the following PCB-related Performance Standards for each such averaging area:

- If the spatial average PCB concentration in the top foot of soil in the unpaved areas located within the 100-year floodplain of Unkamet Brook exceeds 25 ppm, GE shall remove and replace soils as necessary to achieve that spatial average PCB concentration. In addition, GE shall remove soils containing PCB concentrations in excess of a not-to-exceed concentration of 125 ppm in the top foot of these areas.
- If the spatial average PCB concentration in the top foot of soil in the unpaved areas located outside the 100-year floodplain of Unkamet Brook exceeds 25 ppm, GE shall either remove and replace soils or install a soil cover (in accordance with the specifications for soil covers described in Attachment G to the SOW) as necessary to achieve that spatial average PCB concentration. In addition, GE shall remove soils containing PCB concentrations in excess of a not-to-exceed concentration of 125 ppm in the top foot of these areas.
- If the spatial average PCB concentration in the top foot of the entire averaging area (paved and unpaved portions combined, whether located within or outside the 100-year floodplain of Unkamet Brook) exceeds 25 ppm, GE shall recalculate the spatial average PCB concentration for the top foot in that entire averaging area after incorporating the anticipated performance of the response actions described above, as applicable. If that recalculated spatial average PCB concentration still exceeds 25 ppm, GE shall maintain and enhance the existing pavement/concrete surfaces in those paved areas determined to cause the exceedance of that spatial average PCB concentration. Such enhancements will be in accordance with the specifications described for pavement enhancement in Attachment G of the SOW.
- If the spatial average PCB concentration in the 1- to 6-foot depth interval exceeds 200 ppm (considering the paved and unpaved portions together), GE shall perform the following response actions: In any such area

located within the 100-year floodplain of Unkamet Brook, GE shall remove and replace the soils as necessary to achieve that spatial average PCB concentration. In any such area located outside the 100-year floodplain of Unkamet Brook, GE shall undertake a combination of removal and replacement of soils in unpaved areas and/or enhancement of existing pavement/concrete surfaces in paved areas (in accordance with the specifications for pavement enhancement in Attachment G of the SOW) as necessary to ensure that the PCB concentrations causing the spatial average to exceed 200 ppm are removed or covered by enhanced pavement.

- If the spatial average PCB concentration in the top 15 feet of soil exceeds 100 ppm after incorporating the anticipated performance of the response actions (if any) for the top foot and 1- to 6-foot depth interval, GE shall install an engineered barrier (in accordance with the specifications for such barriers in Attachment G of the SOW) in those areas determined to cause the exceedance of the 100 ppm spatial average concentration.
- For areas subject to pavement enhancement or engineered barriers located within the 100-year floodplain of Unkamet Brook, GE shall provide flood storage compensation with the same general area, but not necessarily in the specific location of the pavement enhancement.
- Where utilities potentially subject to emergency repair requirements are present and the spatial average PCB concentration for the soils in the utility corridor exceeds 200 ppm in the 1- to 6-foot depth interval, GE shall evaluate whether additional response actions are necessary for that corridor and submit that evaluation and a proposal for such response actions to EPA, if needed. In addition, if a new subgrade utility is installed or an existing subgrade utility is repaired or replaced in the future, GE shall ensure that the spatial average PCB concentration of the backfill material does not exceed 25 ppm.

GE-Owned Non-Industrial Area

The undeveloped portion of Parcel K12-9-1, shown in orange on Figure 2 and generally located east of Unkamet Brook and the former Interior Landfill, is a non-industrial area owned by GE. This area (excluding the inundated palustrine/emergent wetlands shown on Figure 2 and described below) is subject to future RD/RA evaluations as a single averaging area: Unkamet Brook Area - East of Landfill/Wetland Area (Area 9F). This area is subject to the following Performance Standards:

- GE shall execute and record an ERE for the parcel in accordance with Section XIII of the CD.

-
- If the spatial average PCB concentration exceeds 10 ppm in the top foot or 15 ppm in the 1- to 3-foot depth interval, GE shall remove and replace soils as necessary to achieve those spatial average PCB concentrations for the increments specified.
 - If the spatial average PCB concentration in the top 15 feet of soil exceeds 100 ppm after incorporating the anticipated performance of any response actions for the top foot and 1- to 3-foot depth interval, GE shall install an engineered barrier in accordance with the specifications for such barriers in Attachment G of the SOW.
 - GE shall evaluate potential changes to the current flood storage capacity of the Unkamet Brook floodplain due to the performance of the response actions described above and, to the extent practical, provide flood storage compensation. To achieve such compensation, however, GE shall not be required to remove soils from the Interior Landfill prior to installation of any barrier or cap.
 - Where utilities potentially subject to emergency repair requirements are present and the spatial average PCB concentration for the soils in the utility corridor exceeds 200 ppm in the 1- to 6-foot depth interval, GE shall evaluate whether additional response actions are necessary for that corridor and submit that evaluation and a proposal for such response actions to EPA, if needed. In addition, if a new subgrade utility is installed or an existing subgrade utility is repaired or replaced in the future, GE shall ensure that the spatial average PCB concentration of the backfill material does not exceed 25 ppm.

GE-Owned Inundated (Palustrine/Emergent) Wetlands

As shown on Figure 2, there are two separate inundated (palustrine/emergent) wetland areas located within Parcel K12-9-1. As part of future RD/RA evaluations, each of these areas will be considered a separate averaging area: Unkamet Brook Area - East of Brook/Inundated Wetlands - North (excluding the former Interior Landfill) (Area 9G); and Unkamet Brook Area - East of Brook/Inundated Wetlands - South (Area 9H). For these areas, the CD and SOW establish the following Performance Standards:

- GE shall calculate the existing Exposure Point Concentrations (EPCs) for PCBs in the top foot of soil in each wetland. For each such wetland area, the EPC shall be either: (a) the spatial average PCB concentration, calculated using the protocols contained in Attachment E, provided PCB data are available from an appropriate sampling grid, with a minimum 25-foot sample grid spacing within such wetland area;

or (b) the 95% Upper Confidence Limit (UCL) on the arithmetic mean (95% UCL) of the PCB data (or the maximum PCB concentration if the 95% UCL exceeds the maximum).

- If the PCB EPC in the top foot of soil in each such wetland area exceeds 1 ppm, GE shall either remove and replace soils or provide a soil surface cover as necessary to achieve a 1 ppm EPC. The loss of any wetlands shall be mitigated through the payment that GE has made pursuant to Paragraph 114.b of the CD.
- GE shall evaluate potential changes to the current flood storage capacity of the Unkamet Brook floodplain due to the performance of the response actions described above and, to the extent practical, provide flood storage compensation. To achieve such compensation, however, GE shall not be required to remove soils from the Interior Landfill prior to installation of any barrier or cap.

Non-GE-Owned Commercial/Industrial Properties

As shown in green on Figure 2, there are nine non-GE-owned commercial/industrial properties located within the Unkamet Brook Area subject to the CD and SOW. These consist of Parcels K11-7-8, K11-7-9, K11-4-112, L11-4-213, L12-1-2, L12-1-3, L12-1-4, L12-1-5, and part of L12-2-2. For these properties, GE must use "best efforts" (as defined in the CD) to obtain an ERE from each property owner. If an ERE cannot be obtained, GE must implement a Conditional Solution in accordance with Paragraph 34 of the CD.

The CD provides, in Paragraph 56.b, that GE must notify the EPA and the MDEP at the time of submittal of the PDI Work Plan for a given Removal Action, or within such other time proposed by GE and approved by EPA, whether each person who owns or controls a non-GE-owned property within that RAA agrees to execute and record an ERE on the property. As documented in a February 15, 2002 letter from GE to EPA, EPA agreed that GE's written ERE notice will be submitted one month after submission of the Pre-Design Investigation Report for this RAA, or at such other time as may be proposed by GE and approved by EPA at the time of submission of that report.

Based on the above, the applicable Performance Standards for PCB response actions vary depending on whether an ERE will be obtained or a Conditional Solution will be implemented, as described below:

-
- For each property where an ERE is obtained:
 - If the spatial average PCB concentration in the top foot in the unpaved portion exceeds 25 ppm, GE shall remove and replace soils as necessary to achieve that spatial average PCB concentration. In addition, if the property is over one-half acre, GE shall remove any soils containing PCB concentrations greater than 125 ppm in the top foot of the unpaved portion.
 - If the spatial average PCB concentration in the top foot in the paved portion exceeds 25 ppm, GE shall remove and replace soils as necessary to achieve that spatial average concentration or enhance the existing concrete/asphalt surface in accordance with the specifications for pavement enhancement in Attachment G to the SOW.
 - If the spatial average PCB concentration in the 1- to 6-foot depth interval exceeds 200 ppm (considering the paved and unpaved portions together), GE shall remove and replace soils as necessary to achieve that spatial average PCB concentration.
 - If the remaining spatial average PCB concentration in the top 15 feet of soil exceeds 100 ppm (after incorporating the anticipated performance of any response actions for the 0- to 1-foot and 1- to 6-foot depth intervals), GE shall install an engineered barrier (in accordance with Attachment G to the SOW) in those areas determined to cause the exceedance of the 100 ppm spatial average concentration.
 - For areas subject to pavement enhancement or engineered barriers, GE shall provide appropriate flood storage compensation in accordance with the CD and SOW.
 - Where utilities potentially subject to emergency repair requirements are present and the spatial average PCB concentration for the soils in the utility corridor exceeds 200 ppm, GE shall evaluate whether additional response actions are necessary for that corridor and submit that evaluation and a proposal for such response actions to EPA, if needed. In addition, if a new subgrade utility is installed or an existing subgrade utility is repaired or replaced in the future, GE shall ensure that the spatial average PCB concentration of the backfill material does not exceed 25 ppm.

-
- For each property where an ERE is not obtained:
 - GE shall conduct response actions as necessary to meet the same Performance Standards described above for properties for which an ERE is obtained, except that GE must remove and replace soils as necessary to meet a spatial average PCB concentration of 25 ppm in both the top foot (considering the combined paved and unpaved areas together) and 0- to 3-foot depth intervals.
 - GE must also meet the other conditions for a Conditional Solution specified in the CD.

Non-GE-Owned Recreational Properties

For the recreational parcels not owned by GE -- i.e., Parcels L11-4-11, L12-2-1, and part of Parcel L12-2-2 (shown in magenta on Figure 2) -- GE must use "best efforts" to obtain an ERE from each property owner. If GE cannot obtain an ERE, GE must implement a Conditional Solution. The Performance Standards applicable to a particular property depend on whether an ERE can be obtained, as described below:

- For each such property where an ERE is obtained:
 - If the spatial average PCB concentration in the top foot exceeds 10 ppm, GE shall remove and replace soils as necessary to achieve that spatial average concentration. In addition, if the property is over one-half acre, GE shall remove soils containing PCB concentrations greater than 50 ppm in the top foot of unpaved soils.
 - If the spatial average PCB concentration in the 1- to 3-foot depth interval exceeds 15 ppm, GE shall remove and replace soils as necessary to achieve that spatial average.
 - If the remaining spatial average PCB concentration in the top 15 feet of soil exceeds 100 ppm (after incorporating the anticipated performance of any response actions for the 0- to 1-foot and 1- to 3-foot depth intervals), GE shall install an engineered barrier (in accordance with Attachment G to the SOW) in those areas determined to cause the exceedance of the 100 ppm spatial average concentration. In such areas subject to engineered barriers, GE shall provide appropriate flood storage compensation in accordance with the CD and SOW.

-- Where utilities potentially subject to emergency repair requirements are present and the spatial average PCB concentration for soils in the utility corridor exceeds 200 ppm, GE shall evaluate whether additional response actions are necessary for that corridor and submit that evaluation and a proposal for such response actions to EPA, if needed. In addition, if a new subgrade utility is installed or an existing subgrade utility is repaired or replaced in the future, GE shall ensure that the spatial average PCB concentration of the backfill material does not exceed 10 ppm in the top 3 feet and 25 ppm for greater depths.

- For each property where an ERE is not obtained:

-- GE shall conduct response actions as necessary to meet the same Performance Standards described above, except that GE must remove and replace soils as necessary to meet a spatial average PCB concentration of 10 ppm in both the top foot and 0- to 3-foot depth interval (rather than achieving a spatial average of 15 ppm in the 1- to 3-foot depth interval).

-- GE must also meet the other conditions for a Conditional Solution specified in the CD.

Former Interior Landfill

The former Interior Landfill located within Parcel K12-9-1, shown in brown on Figure 2, is subject to the following Performance Standards:

- In the unpaved portion of the former landfill, GE shall install an engineered landfill cap in accordance with the requirements described for landfill caps in Attachment G of the SOW. GE shall then plant vegetation on the surface of the cap as provided in Section 2.8 and Attachment I of the SOW.
- In the currently paved portion of the former landfill area, GE shall install an asphalt engineered barrier in accordance with the specifications described in Attachment G of the SOW.
- GE shall re-route an approximate 600-foot section of Unkamet Brook currently located within the former Interior Landfill limits to flow via its approximate former channel, which makes a gradual meander to the east beyond the eastern edge of the former Interior Landfill.

-
- GE shall evaluate potential changes to the current flood storage capacity of the Unkamet Brook floodplain due the performance of the response actions described above and, to the extent practical, provide Flood Storage Compensation. However, to achieve such compensation, GE shall not be required to remove soils from the former Interior Landfill prior to installation of the barrier/cap.

Unkamet Brook

As previously described, the portion of Unkamet Brook located within the limits of the former Interior Landfill is subject to re-routing. For the remainder of Unkamet Brook, the CD and SOW establish Performance Standards for sediments that are applicable to three separate sections (i.e., averaging areas) of the brook: North of Merrill Road (Area 9J), South of Merrill Road/North of Railroad Tracks (Area 9K), and South of Merrill Road/South of Railroad Tracks (Area 9L) (as shown on Figure E-1 of Attachment E to the SOW). The following Performance Standards are established in the CD and SOW for each such averaging area:

- GE shall calculate the existing EPCs for PCBs in the top foot of sediments for each of the three reaches of the brook. For each such reach, the EPC shall be either: (a) the spatial average PCB concentration, calculated using the protocols contained in Attachment E, provided that PCB data are available for transects located along each reach at an appropriate spacing, with a minimum spacing of 25 feet; or (b) the 95% UCL of the PCB data (or the maximum PCB concentration if the 95% UCL exceeds the maximum).
- If the PCB EPC in the top foot of sediments in each reach exceeds 1 ppm, GE shall remove and replace brook sediments as necessary to achieve that PCB EPC.

3.3 Pre-Design Soil Sampling Requirements

Similar to the Performance Standards summarized in Section 3.2, the scope of pre-design characterization activities differ depending on the specific area subject to sampling. A summary of the pre-design PCB and Appendix IX+3 characterization requirements for each area is presented below.

3.3.1 PCB Characterization Requirements

- **GE-Owned Industrial Areas** For unpaved areas within these properties, the SOW requires PCB soil characterization (using either existing usable or new data) on an approximate 100-foot grid sampling pattern. For paved areas, characterization data are required at an approximate frequency of two locations per acre, with an emphasis placed on those areas where limited data currently exist. For both the paved and unpaved sampling locations, soil samples must be collected from the 0- to 1-foot, 1- to 6-foot, and 6- to 15-foot depth intervals.
- **GE-Owned Non-Industrial Area** – For this area, the SOW requires PCB soil characterization (using either existing usable data or new pre-design data) on an approximate 50-foot sampling grid for the 0- to 1-foot depth interval and an approximate 100-foot sampling grid for the 1- to 3-foot, 3- to 6-foot, and 6- to 15-foot depth intervals. (As discussed below, given the relatively large size of this area and the existing PCB sampling data showing only minor PCB soil impacts in much of the area, GE has developed and is proposing an iterative sampling plan for portions of this area. See Section 4.2.2.)
- **GE-Owned Inundated (Palustrine/Emergent) Wetlands** – Consistent with the applicable Performance Standard for soil in the inundated wetland areas, the SOW requires the collection of samples from the top 1 foot of soil. As discussed in Section 3.2 above, the Performance Standard allows GE to utilize spatial averaging to achieve the 1 ppm PCB standard for the upper 1 foot of soil provided data are available from a minimum 25-foot sampling grid; it also provides that if data are not available from such a grid, GE must use the 95% UCL or the maximum concentration (whichever is lower) to assess achievement of the 1 ppm standard. The SOW later states that the spatial distribution of the 0- to 1-foot sampling locations in these areas must be appropriate to support the response action evaluations and that the minimum sample distribution should involve a 25-foot sampling grid. However, it is clear from the Performance Standard itself that the latter requirement applies only if GE intends to use the spatial averaging approach in its RD/RA evaluations. In the event GE decides to conduct the required remediation (removal or capping) for all or part of these wetland areas based on the 95% UCL, or the maximum detected PCB concentration or other data, there would be no need for sampling on a 25-foot grid in such areas. To account for this circumstance, GE has developed an iterative sampling plan for the two wetland areas. This proposed approach is described in Section 4.2.5.

-
- **GE-Owned Decorative Pond** – Although there are no specific Performance Standards related to the Decorative Pond in the GE Plastics area, Condition No. 2 of EPA’s Conditional Approval Letter requires GE to propose a process for assessing the sediments in the Decorative Pond that must include several components specified in EPA’s letter. GE’s proposal relating to the sediments in the Decorative Pond is provided in Section 4.4.5.
 - **Non-GE-Owned Commercial/Industrial Properties** – For these properties, the SOW requires PCB soil characterization (using existing usable data and new pre-design data) on an approximate 50-foot sampling grid for the 0- to 1-foot depth interval and an approximate 100-foot sampling grid for the 0- to 1-foot, 1- to 3-foot, 3- to 6-foot, and 6- to 15-foot depth intervals.
 - **Non-GE-Owned Recreational Properties** – Similar to the above requirements, the SOW requires pre-design soil characterization for PCBs on an approximate 50-foot sampling grid for the 0- to 1-foot depth interval and a 100-foot sampling grid for the 1- to 3-foot, 3- to 6-foot, and 6- to 15-foot depth intervals. These sampling requirements can be achieved using the combination of existing usable data and new pre-design data.
 - **Unkamet Brook** – Consistent with the Performance Standard established for the Unkamet Brook sediments, the SOW requires the collection of samples from the top 1 foot of sediment. As discussed above, the Performance Standard allows GE to utilize spatial averaging to achieve the 1 ppm PCB standard for the upper 1 foot of sediment provided that data are available from transects spaced a minimum of 25 feet apart along the brook; it also provides that if data are not available at such spacing, GE must use the 95% UCL or the maximum concentration (whichever is lower) to assess achievement of the 1 ppm standard. The SOW also indicates that the spatial distribution of the sample locations must be appropriate to support the response action evaluations and that the minimum sample distribution should involve sampling at transects spaced 25 feet apart. As with the inundated wetlands, however, it is clear that the 25-foot sampling requirement applies only if GE intends to use the spatial averaging approach in its RD/RA evaluations. In the event GE decides to conduct the remediation (sediment removal) for all or part of Unkamet Brook, there would be no need for sampling at a 25-foot spacing in such areas. To account for this circumstance, GE has developed a sampling program for the brook that involves an iterative sampling approach for the portions of the brook that are not subject to rerouting. Section 4.2.5 describes this proposed sampling program.

3.3.2 Non-PCB Constituent Characterization Requirements

In addition to PCBs, soils present in the various commercial/industrial, non-industrial, and recreational properties within the Unkamet Brook Area are subject to characterization for other Appendix IX+3 constituents. Attachment D to the SOW describes the procedures used to identify the scope of Appendix IX+3 soil investigations. In general, the total number of Appendix IX+3 analyses must be approximately one-third the total number of PCB samples used to meet the applicable pre-design investigation requirements. Further, the Appendix IX+3 samples must be approximately evenly distributed between surface soil samples (from the top foot of soil) and subsurface soils (from the various deeper intervals). EPA's March 10, 2003 Conditional Approval Letter allows for certain modifications of these general requirements for specific groups of Appendix IX+3 constituents in particular areas within this RAA, as described in Section 4 of this Revised PDI Work Plan.

3.4 Performance Standards for Natural Resource Restoration/Enhancement Activities

Attachment I to the SOW sets forth the Performance Standards and other requirements for the natural resource restoration/enhancement activities that must be carried out at the Unkamet Brook Area. These Performance Standards and other requirements are summarized below.

- GE shall remove the existing stand of phragmites located in an approximate 2-acre wetland area east of Unkamet Brook, as shown on Figure 2. GE shall excavate the surface soil in this area to approximately 1 foot below shallow groundwater, as determined during the month of May (total excavation depth of a minimum of 2 feet depending on the nature and quality of the soil), to minimize the possibility for natural re-establishment of phragmites in the area. Following the surface topography adjustment, GE shall allow for the re-development of the wetlands community through natural succession. GE shall ensure that invasive species do not re-vegetate the area through actions described in Section 8.0 of Technical Attachment I of the SOW.
- After re-routing Unkamet Brook to its approximate original channel, GE shall plant a vegetative community along the western bank of the new channel to ensure bank stability. Since this bank will abut the former Interior Landfill, GE shall plant a diverse herbaceous community so as not to interfere with the integrity of the landfill cap. Areas east of the new channel that are disturbed by activities associated with re-routing Unkamet Brook shall also be seeded with a herbaceous seed mixture.

-
- After installation of the landfill cap over the unpaved portion of the former Interior Landfill, GE shall plant on the surface of the cap, a herbaceous vegetative community that will not interfere with the integrity of the cap. In addition, GE shall place bluebird boxes along the edges of the former Interior Landfill area.

To achieve the foregoing Performance Standards, Attachment I to the SOW sets forth more specific requirements relating to these activities. Based on review of those requirements, GE has not identified any need at this time for additional pre-design characterization activities beyond those presented in this Revised PDI Work Plan. However, these Performance Standards do affect the pre-design sampling depths for the phragmites area. Specifically, the proposed pre-design sampling depths in this area are affected by the fact that a minimum of 2 feet of soil will be removed in this area (without any backfilling) to minimize the re-establishment of the phragmites. Therefore, the sampling depths in this area have been modified to account for the future removal of soils in this area without the subsequent placement of backfill material. This modification is described in Section 4.4.1 below.

4. Identification of Data Needs and Proposed Pre-Design Investigation

4.1 General

As summarized in Section 3.3 of this Revised PDI Work Plan, the SOW requires the performance of pre-design characterization activities to support the evaluation of response actions and achievement of applicable Performance Standards for certain soils and sediments within the Unkamet Brook Area. This section considers the investigation requirements included in the SOW and the data available from prior investigations to identify the proposed pre-design soil investigations for this RAA. To support this discussion, numerous tables and figures have been prepared and are referenced as appropriate.

The Data Quality Objective (DQO) for the pre-design investigation is to collect the necessary analytical data for PCBs and other Appendix IX+3 constituents to: (a) meet the applicable pre-design sampling requirements specified in the SOW and in EPA's Conditional Approval Letter of March 10, 2003; and (b) support future RD/RA evaluations to assess achievement of the applicable Performance Standards for this area.

4.2 Pre-Design Investigation Needs and Overall Scope

As a starting point for the development of the proposed pre-design sampling program, the soil and sediment characterization requirements established in the SOW and summarized in Section 3.3, as well as the existing usable sampling data, were considered. In most cases, this information served as the basis for the proposed pre-design activities. However, for certain areas of the RAA, a review of the pre-design sampling requirements (in combination with the currently available sampling data) indicates that alternative, iterative pre-design sampling approaches would be appropriate for characterizing these areas. As a result, based on discussions with EPA since submittal of the PDI Work Plan GE proposes to conduct alternative sampling approaches for certain areas of this RAA -- specifically, certain portions of the GE-owned non-industrial area east of Unkamet Brook, utility-related evaluations for the GE-owned industrial areas, the Unkamet Brook sediments, and the inundated wetland areas. The pre-design investigation data needs for the various areas within the Unkamet Brook Area are described in the following sections.

4.2.1 GE-Owned Industrial Areas

The GE-owned industrial areas within the Unkamet Brook Area consist of Parcel K11-7-2 and the portion of Parcel K12-9-1 located west of Unkamet Brook and the former Interior Landfill. The pre-design characterization requirements described in the SOW for PCBs for such industrial areas within the GE Plant Site include sampling on a 100-foot grid in unpaved portions, and sampling in paved portions at an approximate frequency of two locations per acre. A summary of the scope of pre-design investigations is presented below.

For unpaved areas, a 100-foot sampling grid was overlaid onto site mapping of the RAA. The grid lines and corresponding sampling locations are shown on Figures 3 and 4. In identifying proposed PCB sampling locations, grid nodes related to the sampling grids that fell outside of, but within 15 feet of, the RAA boundary were included for sampling but relocated to a position within the RAA. Similarly, grid nodes that fell within the footprint of an existing structure and were within 15 feet of the exterior of the structure adjacent to an unpaved area were relocated to a position outside the structure in the unpaved area and included for sampling.

In accordance with Condition No. 18.a.i of EPA's Conditional Approval Letter, Figure 3 shows the unpaved median strips in the General Dynamics parking lot. GE intends to pave these currently unpaved median strips after completing RD/RA evaluations for the Unkamet Brook Area; therefore, no additional surface soil sampling to characterize these unpaved median strips is proposed in this Revised PDI Work Plan.

For paved areas, the pre-design investigation sampling is required at approximately two locations per acre. In identifying proposed PCB sampling locations, emphasis was placed on areas with limited existing data and with subsurface utilities.

Certain modifications to the SOW sampling requirements are necessary for the interior courtyard area of Buildings 105/106 at the GE Plastics Area. Within this interior courtyard, physical access limitations will require samples to be collected by manual means using hand tools. As a result, sampling within this unpaved area will be limited to the 0- to 1-foot and 1- to 3-foot depth intervals. To characterize the deeper sampling intervals that cannot be sampled within this courtyard, GE proposes to apply the soil data obtained at the appropriate depth intervals from sample locations outside of Buildings 105/106.

Based on the required/proposed pre-design investigations described above, and without consideration of any existing usable PCB sampling data, the pre-design soil investigation program for the GE-owned industrial areas

in the Unkamet Brook Area would require 185 surface soil samples (from the top foot) and 366 subsurface soil samples from 184 boring locations for PCB analysis, for a total of 551 samples.

For Appendix IX+3 constituents, the SOW requires that the number of pre-design samples must be approximately one-third the required number of PCB samples, with these samples approximately evenly distributed between the top one foot and depths greater than one foot. Based on the required number of PCB samples, this would require approximately 184 Appendix IX+3 analyses for the GE-owned industrial areas of the Unkamet Brook Area. (As discussed below, GE proposes to exclude analysis for pesticides and herbicides from the Appendix IX+3 sampling for the GE-owned industrial areas of this RAA.)

An assessment of the extent to which the existing soil data from GE-owned industrial areas in the Unkamet Brook Area can be used to satisfy the PCB and Appendix IX+3 pre-design characterization requirements for those areas is included in Section 4.3 below, and the proposed initial pre-design sampling activities for those areas are described further in Section 4.4.1.

4.2.2 GE-Owned Non-Industrial Area

The GE-owned non-industrial area within the Unkamet Brook Area consists of the portion of Parcel K12-9-1 located east of Unkamet Brook. For this area – excluding the inundated wetlands (discussed separately in Section 4.2.5) and the former Interior Landfill (at which soil sampling is not required given the engineered landfill cap to be installed) – the pre-design characterization requirements described in the SOW for PCBs involve sampling of the top foot of soil on a 50-foot grid and sampling of deeper soil increments on a 100-foot grid. However, when considering the overall size of the area subject to sampling, the existing PCB data in these areas, and accessibility issues, GE's PDI Work Plan proposed an alternative pre-design sampling approach for this area as follows:

- For the portion of this area located within approximately 100 feet of Unkamet Brook and/or the former Interior Landfill, GE will conduct pre-design investigations based on the SOW requirements set forth above.
- For areas located beyond the approximate 100-foot distance (excluding the inundated wetlands discussed below), an iterative sampling approach is proposed involving a larger sampling grid for the initial round of sampling, followed by an evaluation of the need for additional sampling. Specifically, in the initial round of sampling, soil samples will be collected on an approximate 100-foot sampling grid for the 0- to 1-foot depth

interval and on an approximate 200-foot sampling grid for the 1- to 3-foot, 3- to 6-foot, and 6- to 15-foot depth intervals.

In Condition No. 3 of its Conditional Approval Letter, EPA accepted this proposed approach subject to the following conditions:

- (1) GE must collect additional surface (0- to 1-foot) soil samples for PCB analysis at 22 grid nodes specified by EPA (N-E23, N-H21, N-H23, N-J13, N-J15, N-J17, N-J19, N-J21, N-J23, N-L21, N-N23, N-N25, N-P23, N-P25, N-P27, N-R23, N-R25, N-R27, N-T25, N-V23, N-V25, and N-X25);
- (2) GE must collect samples for PCB analysis from the 0- to 1-foot, 1- to 3-foot, 3- to 6-foot, and 6- to 15-foot depth increments at four other grid nodes (N-E26, N-I26, N-M26, and N-CC26);
- (3) GE must install five additional soil borings and collect an additional 15 surface soil samples at locations to be identified by EPA to GE based upon the results of a future EPA and MDEP walk-over; and
- (4) Following receipt of the initial pre-design PCB sampling results for this area, GE must evaluate whether additional PCB sampling at this area (excluding the inundated wetlands and portions of Unkamet Brook and the former Interior Landfill that are located within the area) is needed to assess achievement of the applicable PCB Performance Standards, and submit the results of that evaluation and, if necessary a proposal for such additional sample to EPA for review and approval.

Based on the proposed/required pre-design investigations described above, and without consideration of any existing usable PCB sampling data, the first iteration of the pre-design soil investigation program for the GE-owned non-industrial portion of the Unkamet Brook Area will require 125 surface soil samples (from the top foot) and 99 subsurface soil samples from 33 boring locations for PCB analysis, for a total of 224 samples. Up to an additional 20 surface soil samples (from the top foot) and 15 subsurface soil samples from five boring locations (a total of 35 samples) will be collected for PCB analyses from locations identified by EPA to GE based upon the results of a future EPA and MDEP walk-over of the area.

For Appendix IX+3 sampling at the GE-owned non-industrial area of Parcel K12-9-1, the PDI Work Plan proposed an iterative approach as well. Under this approach, the initial round of Appendix IX+3 sampling would involve the collection of one-third the number of PCB samples required to be collected in that round in

this area. GE also subsequently proposed to modify the number of soil samples to be analyzed for polychlorinated dibenzo-p-dioxins (PCDDs) and polychlorinated dibenzofurans (PCDFs) in this area. In its Conditional Approval Letter, EPA accepted this proposed approach, provided that: (1) the number of samples from this area to be analyzed for PCDDs/PCDFs must be at least be approximately one-third of the number of samples proposed for other Appendix IX+3 analyses; (2) GE must collect samples for analysis of pesticides and herbicides at the same locations and depths proposed for PCDD/PCDF sampling; and (3) following receipt of the initial pre-design Appendix IX+3 and PCDD/PCDF sampling results for this area, GE must evaluate whether additional Appendix IX+3 or PCDD/PCDF sampling at this area is needed to assess achievement of the applicable Performance Standards, and submit the results of that evaluation and, if necessary a proposal for such additional sample to EPA for review and approval.

Thus, for Appendix IX+3 constituents, the number of proposed samples for the first iteration must approximately one-third the number of samples proposed for PCB analysis (except for those samples collected for PCDDs/PCDFs, pesticides and herbicides, which will be collected at the rate of approximately one-third the required number of Appendix IX+3 samples). Based on the required number of PCB samples for the initial sampling round, this would require approximately 75 Appendix IX+3 analyses and approximately 25 PCDD/PCDF and pesticide/herbicide analyses. Up to an additional 12 Appendix IX+3 samples, of which one-third will be analyzed for PCDD/PCDF and pesticide/herbicides, will be collected from locations identified by EPA to GE based upon the results of a future EPA and MDEP walk-over of the area.

An assessment of the extent to which the existing soil data for the GE-owned non-industrial area can be used to satisfy the PCB and Appendix IX+3 pre-design characterization requirements for those areas is included in Section 4.3 below, and the proposed initial pre-design sampling activities for this area are described further in Section 4.4.2.

4.2.3 Non-GE-Owned Commercial/Industrial Areas

The non-GE-owned commercial/industrial areas within the Unkamet Brook Area consist of Parcels K11-7-8, K11-7-9, L12-1-2, L12-1-3, L12-1-4, L12-1-5, L11-4-112, L11-4-213, and a portion of L12-2-2. The pre-design characterization requirements described in the SOW for PCBs for non-GE-owned commercial/industrial areas include sampling of the top foot of soil on a 50-foot grid and sampling of deeper soil increments on a 100-foot grid.

For these areas, the required 50-foot and 100-foot sampling grids were overlaid onto site mapping of the RAA. The grid lines and corresponding sampling locations are shown on Figures 3 and 5. In identifying proposed PCB sampling locations, grid nodes related to the sampling grids that fell outside of, but within 15 feet of, the RAA boundary were included for sampling but relocated to a position within the RAA. Similarly, grid nodes that fell within the footprint of an existing structure and were within 15 feet of the exterior of the structure adjacent to an unpaved area were relocated to a position outside the structure in the unpaved area and included for sampling. Also, consistent with Condition No. 1 of EPA's Conditional Approval Letter, while Parcel L11-4-112 is included in the pre-design investigations, the ballast of the active rail lines within that parcel will not be included in the pre-design investigations. For purposes of estimating proposed sampling locations within this parcel, GE assumed that the ballast extends to ten feet on either side of the rail lines shown on Figure 2.

Based on the pre-design investigations described above, and without consideration of any existing usable PCB sampling data, the pre-design soil investigation program for the non-GE-owned commercial/industrial areas in the Unkamet Brook Area would require 293 surface soil samples (from the top foot) and 228 subsurface soil samples from 76 boring locations for PCB analysis, for a total of 521 samples.

For Appendix IX+3 constituents, the number of samples must be approximately one-third the required number of PCB samples with these samples approximately evenly distributed between the top 1 foot and depths greater than 1 foot. Based on the required number of PCB samples, this would require approximately 174 Appendix IX+3 analyses. (As discussed below, GE proposes not to analyze samples taken within the non-GE-owned commercial/industrial areas for pesticides and herbicides.)

An assessment of the extent to which the existing soil data from the non-GE-owned commercial/industrial areas within the Unkamet Brook Area can be used to satisfy the PCB and Appendix IX+3 pre-design characterization requirements for these areas is included in Section 4.3 below, and the proposed pre-design sampling activities for those areas are described further in Section 4.4.3.

4.2.4 Non-GE-Owned Non-Industrial/Recreational Areas

The non-GE-owned non-industrial/recreational areas within the Unkamet Brook Area consist of Parcels L11-4-11, L12-2-1, and a portion of L12-2-2. The pre-design characterization requirements described in the SOW for PCBs include sampling of the top foot of soil on a 50-foot grid and sampling of deeper soil increments on a 100-foot grid.

For each of these areas subject to pre-design investigations, the required sampling grids were overlaid onto site mapping of the RAA. The grid lines and corresponding sampling locations are shown on Figure 5. In identifying proposed PCB sampling locations, grid nodes related to the sampling grids that fell outside of, but within 15 feet of, the RAA boundary were included for sampling but relocated to a position within the RAA.

Based on the pre-design investigations described above, and without consideration of any existing usable PCB sampling data, the pre-design soil investigation program for the non-GE-owned non-industrial/recreational portion of the Unkamet Brook Area will require 467 surface soil samples (from the top foot) and 330 subsurface soil samples from 110 boring locations for PCB analysis, for a total of 797 samples.

For Appendix IX+3 constituents, the number of samples generally must be approximately one-third the required number of PCB samples, with these samples approximately evenly distributed between the top 1 foot and depths greater than 1 foot. However, EPA's Conditional Approval Letter (Condition No. 5) states that, for the non-GE-owned non-industrial/recreational Parcels L11-4-11 and L12-2-1, GE may propose to modify the number of soil samples to be analyzed for PCDDs and PCDFs, so long as the number of samples for PCDD/PCDF analyses is at least approximately one-half of the number of samples proposed for other Appendix IX+3 analyses. In addition, EPA's letter (Condition No. 13) requires GE to sample for pesticides and herbicides within these parcels at the same locations and depths proposed for PCDD/PCDF sampling.

Thus, based on the required number of PCB samples for these areas, there must be approximately 266 Appendix IX+3 analyses. Of these 266 Appendix IX+3 analyses, approximately 153 samples must be analyzed for PCDDs/PCDFs and 113 samples must be analyzed for pesticides and herbicides. Of the 153 Appendix IX+3 samples proposed to be analyzed for PCDDs/PCDFs, 40 are proposed within the non-industrial/recreational portion of Parcel L12-2-2 and 113 samples are proposed within Parcels L11-4-11 and L12-2-1. In accordance with Condition No. 13 of EPA's Conditional Approval Letter, only Parcels L11-4-11 and L12-2-1 of these areas must be sampled for herbicides and pesticides.

An assessment of the extent to which the existing soil data from the non-GE-owned non-industrial/recreational areas within the Unkamet Brook Area can be used to satisfy the PCB and Appendix IX+3 pre-design characterization requirements for these areas is included in Section 4.3 below, and the proposed pre-design sampling activities are described further in Section 4.4.3.

4.2.5 Unkamet Brook and Inundated Wetlands

Pursuant to Condition No. 7 of EPA's Conditional Approval Letter, and for pre-design purposes, GE has defined the boundary of Unkamet Brook as the mean annual high water line. For this Revised PDI Work Plan, GE has revised Tables 1, 2, and 3 in accordance with this definition, distinguishing existing and proposed data points, as needed, to distinguish Unkamet Brook sediments from adjacent soils. As a conservative measure, any existing data described as collected from either "east" or "west" bank were assumed to be located below the mean annual high water line of Unkamet Brook; therefore, these samples were not used to satisfy soil characterization locational requirements.

The SOW provides that the pre-design sampling of the Unkamet Brook sediments and soils in the designated inundated wetlands must involve surface sediment/soil sampling at a 25-foot linear spacing in the brook and on a 25-foot grid in the wetlands if spatial averaging is to be used to assess achievement of the 1 ppm PCB Performance Standard. However, such intensive sampling would not be necessary for any such portion where GE determines, based on existing data and/or a smaller set of pre-design sampling data, that remediation (i.e., sediment removal in the brook and soil removal or capping in the inundated wetlands) will be required in any event. In such cases, there would be no reason to conduct the intensive sampling specified in the SOW for sediments or soils that will be removed (or capped) anyway.

Based on the above considerations, GE has identified an iterative pre-design sampling approach for these areas, as described below:

- For the section of Unkamet Brook subject to re-routing, there is no need for sampling and analysis since that section of the brook will be covered by the former Interior Landfill cap. In addition, for the area where the re-routed brook will flow, GE intends to construct the new section of the brook in such a manner that the uppermost foot of the brook will consist of imported clean soil. Hence, no pre-design sampling and analysis is needed for the area of the new section of brook.
- For an existing section of Unkamet Brook just downstream of the section to be re-routed (as shown on Figure 4), the existing PCB data are sufficient to conclude that sediment removal is necessary without any further pre-design sampling. For this area, no further sampling is proposed.

-
- For the remaining existing portions of Unkamet Brook, GE proposes to supplement the existing PCB data with additional PCB sampling to achieve characterization of the brook sediments at an approximate spacing of 50 feet along the brook.
 - For the inundated wetland areas, GE proposes to initially conduct pre-design sampling for PCBs on an approximate 100-foot sampling grid.

Based on the pre-design investigations described above for Unkamet Brook and the inundated wetlands, and without consideration of any existing usable PCB sampling data, the pre-design soil investigation program for these areas would require 46 samples from the brook and 17 from the inundated wetlands, for a total of 63 samples for PCB analysis. An assessment of the extent to which the existing data can be used to satisfy these requirements is included in Section 4.3 below, and the proposed initial pre-design sampling activities for the brook and the inundated wetlands are described further in Section 4.4.4.

Following completion of the initial sampling activities, GE will review the resulting PCB data for these areas and evaluate the need for and scope of any additional pre-design sampling. If the available data set indicates that, in any of the three designated reaches of Unkamet Brook or in either of the designated inundated wetlands, all or significant portions of the brook sediments or wetland soils contain PCB concentrations above 1 ppm (i.e., existing conditions do not meet the applicable Performance Standards), GE may determine that response actions in these areas (removal for brook sediments, removal or capping for the inundated wetlands) are necessary and forgo any further pre-design investigations. If, however, the available PCB data indicate that any of the three designated reaches of the brook or either of the inundated wetlands may meet the applicable PCB Performance Standards, or that portions of such areas may not need remediation to achieve those Performance Standards, GE would perform additional PCB pre-design sampling activities in those areas at the spacing specified in the SOW for cases where spatial averaging will be used. In addition, in accordance with Condition No. 10 of EPA's Conditional Approval Letter, for any portions of Unkamet Brook and/or the inundated wetlands where remediation may not be necessary (and thus additional PCB sampling will be performed), GE will provide a proposal to address Appendix IX+3 constituents in the upper foot of sediments and/or soils in those portions.

The results of these evaluations and any proposals regarding additional characterization sampling will be presented to EPA for review and approval in the Interim PDI Report mentioned above and discussed in more detail in Section 5.0. Additional details regarding these subsequent evaluations are also included in Section 4.4.4.

4.2.6 Decorative Pond

The data needs for the Decorative Pond are to comply with Condition No. 2 of EPA's Conditional Approval Letter, which establishes a process for evaluating sediments within the pond. That process is described in Section 4.3.5.

4.3 Assessment of Existing Soil Analytical Data

The existing soil and sediment data for the Unkamet Brook Area are listed in Tables 1 and 2 (for PCBs and Appendix IX+3 constituents, respectively), while summaries of the analytical data from those samples are provided in Appendix A. These data have been reviewed to assess their usability to satisfy pre-design investigation requirements and/or otherwise support future RD/RA activities for this area. As provided in Attachment D to the SOW, the criteria for determining the usability of existing data to support RD/RA activities include: (1) an evaluation of whether such data reflect the appropriate locations and depth intervals necessary to meet the sampling requirements specified in the SOW, and to apply the Performance Standards for the Removal Action in question; and (2) an assessment of the general analytical quality of such data. To perform this review, the existing analytical data were reviewed to determine whether and to what extent they meet the spatial- and depth-related pre-design sampling requirements (i.e., their location and depth intervals relative to the requirements of the SOW). The data were also assessed for overall analytical usability based on several considerations, as discussed below.

4.3.1 Existing PCB Data

For the existing PCB soil and sediment data within or in close proximity to this RAA (1,102 sample results), the usability assessment involved, at the outset, a review of the depth intervals and locations from which the samples were taken. This review indicated that certain sample results are not usable for pre-design or RD/RA evaluation purposes; therefore, these data were eliminated from further consideration. These data consisted of PCB results from:

- 109 samples collected from locations beneath buildings;
- 83 samples collected from locations within the former Interior Landfill;
- 331 samples collected from unspecified depths or from depths greater than 15 feet; and

-
- 10 composite samples collected from multiple locations.

The remaining data, consisting of 569 PCB sample results, were then assessed to determine their overall data quality and usability to satisfy pre-design investigation requirements and/or in future RD/RA evaluations. This assessment indicated the following categories of PCB data (all samples listed were collected and analyzed on GE's behalf except as otherwise noted):

- For 39 PCB sample results, the samples were analyzed before 1991. For these sample results, full laboratory documentation is not available -- i.e., either there is only a standard laboratory reporting form (Form I) or no documentation. PCB analytical methodology used at that time was somewhat different from the current method. Accordingly, these data will not be used to satisfy the pre-design investigation requirements. However, GE has seen no evidence at the GE Pittsfield/Housatonic River Site that PCB data analyzed by the prior method are significantly different from those analyzed by the current method. Hence, GE anticipates using these pre-1991 data as supplemental data in future RD/RA evaluations.
- For 169 PCB sample results from 1991 or thereafter, full laboratory data packages are available. These data packages were reviewed for reporting completeness, analytical methodologies, and any apparent method or analytical discrepancies or other significant data quality issues noted in the data packages. Review of that documentation showed no deficiencies that would preclude use of these data in RD/RA evaluations for this RAA. Hence, these data are considered usable to satisfy the pre-design investigation requirements (if they meet the specific grid node and depth interval sampling requirements), or alternately, as supplemental data in future RD/RA activities.
- For 160 PCB sample results from 1991 or thereafter, only a standard laboratory reporting form (Form I) is available. However, those forms are sufficient to identify the analytical methods utilized and the associated detection limits. These data are considered usable to satisfy pre-design investigation requirements (if the requisite locational criteria are met) or as supplemental data in future RD/RA activities for the following reasons: (1) the reporting form confirms the date of sample analyses, and thus the analytical methodologies being used at the time; (2) those analytical methodologies are consistent with current procedures; (3) the reporting form is a laboratory-generated document, and thus incorporates certain inherent quality assurance checks performed by the laboratory concerning data quality; and (4) review of other PCB data collected during the same period and analyzed by the same method for which full laboratory data packages are available indicates that those data are 100% usable, thus suggesting that the

PCB analyses from this time period and using the same method are generally of sufficient quality for use in RD/RA evaluations.

- For 66 PCB sample results from 1991 or thereafter, no form of laboratory documentation has been located. Despite the lack of laboratory documentation, GE proposes to use these sample results in future RD/RA activities since, based on the other PCB sample results for which laboratory documentation has been reviewed, there is no reason to believe that these PCB results would not be suitable for use in RD/RA evaluations. However, as a conservative measure, GE will only utilize these results as supplemental data and will not use these results to satisfy specific pre-design characterization requirements (e.g., grid-based sample nodes).
- For 22 PCB sample results, the samples were analyzed at an on-site laboratory that was not certified to perform the PCB analysis. Therefore, this type of screening-level data will not be used to satisfy the pre-design investigation requirements and will not be used in any future RD/RA activities.
- For 113 PCB sample results, the samples were collected and analyzed by EPA and the analytical data were provided to GE by EPA. GE understands that these data have been validated by EPA. As such, GE proposes, at this time, to use these data for pre-design and RD/RA evaluation purposes.

The next step in the assessment was to determine which of the existing PCB data that are potentially usable to meet pre-design investigation requirements (442 PCB sample results) can, in fact, be used to satisfy the characterization sampling requirements. First, the sample locations were reviewed in relation to the various sampling grids and paved areas discussed in Section 4.2. Consistent with other pre-design investigations performed pursuant to the CD and SOW, an existing PCB sample location was assumed to represent a sample grid node if it is located no more than one-half of the grid node spacing from the sample node in question. (In areas in which GE proposes to use a larger spacing between samples than specified in the SOW for an initial iteration of sampling, an existing PCB sample location was assumed to represent a sample grid node if it is located no more than one-half of the SOW grid node spacing, not the larger spacing, from the sample node in question.) Additionally, an existing PCB sample location within a paved area was assumed to be used toward meeting the requirements of these areas. Further, existing sample depths were assumed to satisfy a depth interval requirement if the existing depth(s) constitute 50% or more of the depth requirement. Based on this evaluation, the usable existing PCB data adequately address the pre-design sampling requirements for 160 of the

required samples (123 surface samples and 37 subsurface samples), as shown in Table 3. These usable PCB samples are located in the following areas:

- 42 surface soil samples and 29 subsurface soil samples in the GE-owned industrial areas;
- Four surface soil samples and three subsurface soil samples in the GE-owned non-industrial area;
- One surface soil sample and three subsurface soil samples in the non-GE-owned commercial/industrial areas;
- 41 surface soil samples and two subsurface soil samples in the non-GIL-owned recreational areas;
- 35 surface sediment samples in Unkamet Brook (and none in the inundated wetlands).

Table 1 provides a summary of the categorization of all prior PCB samples based on their proposed use related to pre-design and future RD/RA activities. Specifically, the prior PCB data are categorized into one of the following three categories:

- PCB data that will be used to satisfy pre-design soil investigation requirements and will be incorporated into future RD/RA activities (designated “Characterization”);
- PCB data that have not been specifically identified to satisfy pre-design characterization requirements, but will be used in future RD/RA evaluations (designated “Supplemental”); or
- PCB data that have not been incorporated into the proposed pre-design investigations and will not be used in any future RD/RA activities (designated “Rejected” or “Eliminated,” with the reasons given in Table 1).

4.3.2 Non-PCB Appendix IX+3 Constituents

For non-PCB Appendix IX+3 constituents, data for one or more groups of such constituents are available from 247 soil and sediment samples. Certain of these data were eliminated from further consideration based on the following criteria:

- Six samples were collected from locations under buildings;
- Five samples were collected from locations within the former Interior Landfill; and
- 65 samples were collected from unspecified depths or depths beyond the scope of this project.

The remaining data, consisting of 171 Appendix IX+3 sample results, were then assessed to determine their overall data quality, with the following results:

- For 48 of these samples, full laboratory data packages are available for one or more constituents groups other than pesticides and herbicides. These data packages were reviewed for completeness and the analytical techniques used, as well as to identify any apparent discrepancies or other significant data quality issues noted by the laboratory that would seem likely to render the data unusable. This review revealed no deficiencies of the type that, based on GE's prior assessment of similar data, seem likely to cause these data to be rejected. Accordingly, GE proposes to use these data to satisfy pre-design investigation requirements for non-PCB constituents. Of these 48 samples, 24 are located in the GE-owned industrial areas, none in the GE-owned non-industrial area, two in the non-GE-owned commercial industrial areas, 18 in the non-GE-owned recreational areas, and four in Unkamet Brook.
- For one of these samples (collected from a GE-owned industrial area), a full laboratory data package is available only for pesticide/herbicide constituents. Since GE is proposing to exclude analyses for pesticides and herbicides from the required Appendix IX+3 analyses in the GE-owned industrial areas (as discussed in Section 4.4.1), the sample results for this sample were not considered usable for pre-design investigations.
- For 69 samples, no laboratory documentation or only a standard laboratory data form could be located. These data have not been considered in the calculation of the required number of non-PCB Appendix IX+3 analyses. GE will consider the usability of these data within the context of future RD/RA evaluations following determination of the necessary PCB-related response actions. For example, if some of these sample locations will be addressed through the response actions identified for PCBs, the lack of documentation for those sample results would not be critical in determining the need for additional response actions to address non-PCB constituents.
- Fifty-three samples were analyzed before 1986 for VOCs or chlorobenzene only. There was no analytical method promulgated by EPA for VOC analysis prior to 1986; therefore, these data will be rejected from further consideration and will not be used in future RD/RA evaluations.

Table 2 categorizes the prior non-PCB Appendix IX+3 data based on their proposed use related to pre-design and future RD/RA activities. Specifically, these prior data are categorized as follows:

-
- Non-PCB data that will be used to satisfy pre-design investigation requirements for such constituents will be incorporated into future RD/RA activities (designated “Appendix IX Characterization”);
 - Non-PCB data that will not be used to satisfy pre-design investigation requirements, but may be considered further in the future as part of RD/RA evaluations subject to review of usability and determination of future PCB response actions (designated “Appendix IX Supplemental”); or
 - Non-PCB data that have not been incorporated into the proposed pre-design investigations and will not be used in any future RD/RA activities (designated “Rejected” or “Eliminated,” with the reasons given in Table 2).

4.4 Proposed Pre-Design Sampling Activities

This section describes the initial pre-design investigations proposed by GE, after taking into account the existing usable data, to satisfy the required/proposed soil and sediment characterization activities. The proposed sampling program is presented separately for: (1) the GE-owned commercial/industrial areas; (2) the GE-owned non-industrial area; (3) the non-GE-owned commercial/industrial areas and non-industrial/recreational areas; (4) Unkamet Brook and the GE-owned inundated wetlands; and (5) the Decorative Pond in the GE Plastics area. The proposed PCB sampling locations are shown on Figures 3 through 5, while the proposed sampling locations for other Appendix IX+3 constituents are shown on Figures 6 through 14. The overall proposed sampling program is summarized, by location, depth increment, and constituent group, in Table 4.

4.4.1 GE-Owned Industrial Areas

PCB Investigations

As discussed in Section 4.2.1, the pre-design sampling program for PCBs would require a total of 185 surface soil samples and 366 subsurface soil samples (from 184 borings) within the GE-owned industrial areas of the Unkamet Brook Area. Based on the assessment of data usability (Section 4.3.1), existing PCB data can be used for 42 surface soil and 29 subsurface soil samples within these areas. To satisfy the remaining data needs for these areas, GE proposes to collect soil samples for PCB analysis at the locations shown on Figures 3 and 4 within the GE-owned industrial areas, and at the depth increments shown on Tables 3 and 4. In some cases, GE

is proposing more than two samples per acre in paved areas to increase the available sampling coverage for subsurface utilities and to provide adequate coverage of all paved areas of the RAA.

The surface soil samples will be collected from the upper one foot of soil, and the subsurface soil samples will be collected from the appropriate depth intervals discussed in Section 3.3.1, with one exception: As noted in Section 4.2.1, physical access limitations in the interior courtyard of Buildings 105/106 will limit sampling to the 0- to 1-foot and 1- to 3-foot depth intervals. To characterize the deeper sampling intervals that cannot be sampled at this location, GE proposes to apply the soil data obtained at the appropriate depth intervals from sample locations outside of Buildings 105/106.

In total, the proposed PCB sampling for these areas will involve the collection of 143 samples from the top foot of soil and 337 subsurface soil samples for PCB analysis.

GE has also evaluated the proposed PCB sampling locations in relation to the locations of existing subsurface utilities within these GE-owned industrial areas, based on review of the available mapping (obtained from GE facility records and the City of Pittsfield). Utilities within these areas include electricity and telephone lines, storm drains, and water, fire protection, gas, and sewer lines. The approximate locations of the utility lines within these areas are shown on Figures 3 and 4. As shown on those figures, it would be difficult to create distinct sampling bands along these utility lines due to the pervasive presence of utilities throughout these areas and their web-like branching. Therefore, consistent with Condition No. 12.A of EPA's Conditional Approval Letter, instead of identifying additional pre-design sampling at the present time related to specific utility bands, GE proposes an iterative approach to further characterize utilities in the GE-owned industrial areas.

Specifically, GE proposes to collect the PCB data proposed herein as the first iteration. Based on those data and the existing usable data, GE will assess the need for any further utility-related sampling and make a proposal to the EPA. In accordance with Condition No. 12.A of the Conditional Approval Letter, if discrete PCB results exceed 200 ppm in the 1- to 6-foot depth interval, GE will then identify in the Interim PDI Report any active subsurface utilities in the area(s) where such concentrations were found, and will evaluate the need for and scope of any additional PCB sampling for soils in those active utility corridors, taking into account other nearby data as appropriate. GE will then propose any additional sampling necessary so that active utility areas have adequate sampling coverage. If, on the other hand, the available PCB concentrations in the vicinity of the utility lines are far lower than an average of 200 ppm (which is the Performance Standard set forth in the CD and SOW for evaluating the need for response actions to address utility corridors in the GE Plant Area), GE will consider

the available data sufficient to support future RD/RA evaluations without additional sampling. If additional sampling is required, GE will assess existing active subsurface utilities consistent with the approach used at other RAAs in the GE Plant Area (i.e., to ensure the availability of PCB data within a 50-foot band centered along the utility line, at a linear spacing of approximately 100 to 150 feet, and to a depth of six feet).

In addition to the known utilities shown on Figures 3 and 4, other subsurface utilities are likely to be present within the GE-owned industrial areas, such as individual water, sewer, gas, and electrical service connections to the existing buildings. These individual service connections are not shown on available mapping and thus will have to be field located prior to the initiation of the field sampling. At that time, GE will evaluate whether other proposed PCB sampling locations should be moved to provide data within utility bands and, if appropriate, will propose such modifications to EPA.

Non-PCB Investigations

With respect to Appendix IX+3 constituents other than PCBs, as discussed in Section 4.2.1, the SOW criteria would require a total of approximately 184 sets of analyses for the GE-owned industrial areas (approximately one-third of the number of PCB samples required to satisfy the pre-design investigation requirements). Based on the assessment of data usability (Section 4.3.2), existing non-PCB data from these areas that are usable to satisfy these requirements are available from 24 samples for one or more constituent groups. Some of these samples, however, consist of multiple samples taken within a given depth increment from the same location. Taking these overlapping data into account, the usable existing non-PCB samples satisfy some or all of the pre-design sampling requirements for 19 of the required samples. Of this number, seven (two surface and five subsurface) have usable data for all constituents other than pesticides and herbicides, while the remaining 12 samples (all of which are subsurface) have data for one or more but not all such constituent groups. To satisfy the above requirements, GE proposes to collect 165 soil samples from the GE-owned industrial areas for Appendix IX+3 analysis and an additional 12 soil samples for the constituents for which usable data are not available from the 12 prior samples. The samples to be submitted for these analyses will be collected from the locations and depths shown on Figures 6 through 11 and listed in Table 4 (on a sample-by-sample basis). Specifically, these figures show the proposed distribution of Appendix IX+3 samples in these areas from: the 0- to 1-foot depth increment (Figures 6 and 9); the 1- to 6-foot depth increment (Figures 7 and 10); and the 6- to 15-foot depth increment (Figures 8 and 11).

For the GE-owned industrial areas, GE proposes to exclude analyses for pesticides and herbicides for the Appendix IX+3 analyses for the following reasons: (1) the presence of pesticides and herbicides in these areas, if found, would likely be attributable to the application of such materials in accordance with their intended and appropriate commercial application; and (2) review of the available pesticide/herbicide data from the Unkamet Brook Area (Appendix A) indicates that the 23 samples that were historically analyzed for these constituents (21 of which were collected in the GE-owned industrial areas) all showed non-detect results for these constituents.

Finally, it should be noted that the specific locations/depths of some of the non-PCB Appendix IX+3 samples listed in Table 4 may be modified in the field considering PID readings or other observations (e.g., odors or evidence of staining) or if site conditions (e.g., standing/flowing water, large trees, subsurface utilities, other obstructions) prevent sampling at any of the designated locations. If such field modifications are made, GE will endeavor to maintain the proper ratio of the number of non-PCB Appendix IX+3 analyses at the various depth intervals (i.e., approximately half from the top foot and half from deeper increments), to the extent practical. GE will tabulate the results of field PID readings and present the data in the Pre-Design Investigation Report.

4.4.2 GE-Owned Non-Industrial Area

PCB Investigations

As discussed in Section 4.2.2, GE is proposing an iterative sampling approach for the GE-owned non-industrial portion of Parcel K12-9-1 east of Unkamet Brook (excluding the inundated wetlands and the former Interior Landfill). For this area, as also discussed in Section 4.2.2, the initial round of sampling, taking into account the 22 additional surface soil samples and four additional borings specified in EPA's Conditional Approval Letter, would require a total of 125 surface soil samples and 99 subsurface soil samples (from 33 borings) for PCB analysis. Based on the assessment of data usability (Section 4.3.1), existing PCB data can be used for four surface soil and three subsurface soil samples within this area. To satisfy the remaining data needs for these areas, GE proposes to collect soil samples for PCB analysis at the locations shown on Figure 4 within the GE-owned non-industrial area, and at the depth increments shown for that area on Tables 3 and 4.

The surface soil samples will be collected from the upper one foot of soil, and the subsurface soil samples will be collected from the appropriate depth intervals discussed in Section 3.3.1, with one exception: As discussed in Section 3.4, the CD and SOW require that GE remove an existing stand of phragmites located in an approximate

two-acre wetland area east of Unkamet Brook, as shown on Figure 4. As described in Attachment I to the SOW, removal of this stand of phragmites will be accomplished by excavating the surface soil in this area to a depth of approximately one foot below the shallow groundwater as determined in May (total excavation depth of a minimum of 2 feet depending on the nature and quality of the soil). As a result, for the purposes of this Revised PDI Work Plan, it is assumed that two feet of soil will be removed from the phragmites area. Accordingly, the pre-design sampling depths in this area will be adjusted downward by two feet, i.e., will be measured from two feet below the existing ground surface. Prior to performing this sampling, GE will review available hydrogeologic information in this area to assess further the groundwater elevation in the spring months (e.g., May), and may further adjust the sampling depth increments accordingly.

In total, the proposed initial round of PCB sampling for this area will involve the collection of 121 samples from the top foot of soil and 96 subsurface soil samples for PCB analysis.

In addition to the samples mentioned above, as stated in Condition 3.c of EPA's Conditional Approval Letter, up to an additional 20 samples from the top foot of soil and 15 subsurface soil samples are to be added within this GE-owned non-industrial area for further PCB characterization. These additional sampling locations will be identified to GE by EPA after a future EPA and MDEP walk-over of the area.

Following receipt of the initial pre-design PCB sampling results for this area, GE will evaluate whether additional PCB sampling at this area (excluding the inundated wetlands and portions of Unkamet Brook and the former Interior Landfill located within the area) is needed to assess achievement of the applicable PCB Performance Standards. If the data show PCB concentrations well below the applicable PCB Performance Standards (e.g., all or most discrete sampling results below the levels of those standards or data that would result in average PCB concentrations substantially below the PCB Performance Standards) for all or discrete portions of those areas, it will be concluded that the data collected are sufficient for use to support future RD/RA evaluations. If the data indicate that the area could potentially exceed the PCB Performance Standards in its current condition, then additional sampling will be proposed in the relevant areas, in accordance with the SOW requirements. GE will submit the results of its evaluation of the initial round of data to EPA for its review and approval, along with a proposal for additional sampling in this area if necessary.

According to EPA's Conditional Approval Letter (Condition No. 3.d), in the event that GE determines that no additional sampling is necessary or that any additional sampling would amount to less overall sampling in this

area than would otherwise be required by the SOW, and EPA approves that determination, GE and EPA will file a non-material modification to the SOW with the federal District Court, pursuant to Paragraph 216 of the CD.

Non-PCB Investigations

With respect to Appendix IX+3 constituents other than PCBs, as discussed in Section 4.2.2, the initial round of sampling would require a total of approximately 75 sets of Appendix IX+3 analyses from the GE-owned non-industrial area (approximately one-third of the number of required PCB samples), except that for PCDDs/PCDFs and pesticides/herbicides, approximately 25 analyses are required. Based on the assessment of data usability (Section 4.3.2), existing non-PCB data from this area that are usable to satisfy these requirements are not available from any samples for one or more constituent groups. To satisfy the above requirements, GE proposes to collect 75 soil samples from the GE-owned non-industrial area for Appendix IX+3 analysis (excluding PCDDs/PCDFs and pesticides/herbicides). Of these samples, 25 will be also be analyzed for PCDDs/PCDFs and pesticides/herbicides. The samples to be submitted for these analyses will be collected from the locations and depths shown for this area on Figures 9 through 11 and listed in Table 4 (by location, depth, and analyte group on a sample-by-sample basis). Specifically, these figures show the proposed distribution of Appendix IX+3 samples in this area from the 0- to 1-foot depth increment (Figure 9), the 1- to 3-foot and 3- to 6-foot depth increments (Figure 10), and the 6- to 15-foot depth increment (Figure 11).

In addition to the samples mentioned above, as stated in Condition 3.c of EPA's Conditional Approval Letter, up to an additional 12 samples are to be added within this GE-owned non-industrial area for further Appendix IX+3 characterization. These additional sampling locations will be identified to GE by EPA after a future EPA and MDEP walk-over of the area. Analyses for PCDDs/PCDFs and pesticides/herbicides will be performed on these samples at the rate of one-third the number of samples analyzed for other Appendix IX+3 constituents.

Again, the specific locations/depths of some of the non-PCB Appendix IX+3 samples listed in Table 4 may be modified in the field considering PID readings or other observations (e.g., odors or evidence of staining) or if site conditions (e.g., standing/flowing water, large trees, subsurface utilities, other obstructions) prevent sampling at any of the designated locations. If such field modifications are made, GE will endeavor to maintain the proper ratio of the number of non-PCB Appendix IX+3 analyses at the various depth intervals (i.e., approximately half from the top foot and half from deeper increments), to the extent practical.

Following receipt of the initial pre-design Appendix IX+3 and PCDD/PCDF sampling results for this area, GE will evaluate whether additional Appendix IX+3 or PCDD/PCDF sampling at this area is needed to assess achievement of the applicable Performance Standards. GE proposes that if the data show Appendix IX+3 or PCDD/PCDF concentrations well below the applicable Performance Standards for all or discrete portions of those areas, it will be concluded that the data collected are sufficient for use to support future RD/RA evaluations. If the data indicate that the area could potentially exceed the applicable Performance Standards in its current condition, then additional sampling will be proposed in the relevant areas, as may be warranted by the data obtained in the initial sampling round. GE will submit the results of its evaluation of the initial round of data to EPA for its review and approval, along with a proposal for additional Appendix IX+3 or PCDD/PCDF sampling at the appropriate areas of the parcel if necessary.

Again, EPA's Conditional Approval Letter states that if GE determines that no additional Appendix IX+3 sampling is necessary or that any additional sampling would amount to less overall sampling in this area than would otherwise be required by the SOW, and EPA approves that determination, GE and EPA will file a non-material modification to the SOW with the federal District Court, pursuant to Paragraph 216 of the CD.

4.4.3 Non-GE-Owned Commercial/Industrial and Non-Industrial/Recreational Areas

PCB Investigations

As discussed in Sections 4.2.3 and 4.2.4, the pre-design sampling program for PCBs would require a total of 293 surface soil samples and 228 subsurface soil samples (from 76 borings) within the non-GE-owned commercial/industrial areas of the Unkarnet Brook Area, as well as a total of 467 surface soil samples and 330 subsurface soil samples (from 110 borings) within the non-GE-owned non-industrial/recreational areas. Based on the assessment of data usability (Section 4.3.1), existing PCB data can be used for 42 surface soil and five subsurface soil samples within these areas. To satisfy the remaining data needs for these areas, GE proposes to collect soil samples for PCB analysis at the locations shown on Figure 5 and at the depth increments shown for these areas in Tables 3 and 4. The surface soil samples will be collected from the upper one foot of soil, and the subsurface soil samples will be collected from the appropriate depth intervals discussed in Section 3.3.1.

In total, the proposed PCB sampling for these areas will involve the collection of 718 samples from the top foot of soil and 553 subsurface soil samples for PCB analysis.

GE has also evaluated the proposed PCB sampling locations in relation to the locations of existing subsurface utilities within these non-GE-owned areas, based on review of the available mapping (obtained from GE facility records and the City of Pittsfield). The approximate locations of the utility lines within these areas are shown on Figures 5. Based on the locations of these utilities, the scope of the PCB soil investigations in these areas was reviewed to ensure that sufficient PCB soil data are or will be available to support the evaluations of the utility corridors.

For these non-GE-owned areas, this review involved evaluation of the PCB sampling program to ensure that PCB soil data are or will be available within an approximate 50-foot-wide band centered on and parallel to a given utility, at a linear spacing of approximately 100 to 150 feet, and at an appropriate depth to reflect the vertical location of the utility bedding. These bands are shown on Figure 5. To meet these criteria on non-GE-owned properties, the following changes to the proposed pre-design PCB investigations were included:

- RAA10-E-D22 was moved approximately 20 feet to within the utility band;
- RAA10-E-F20 was moved approximately 5 feet to within the utility band;
- RAA10-E-J18 was moved approximately 10 feet to within the utility band;
- RAA10-E-J26 was moved approximately 2 feet to within the utility band;
- RAA10-E-L16 was moved approximately 40 feet to within the utility band;
- RAA10-E-P16 was moved approximately 2 feet to within the utility band;
- RAA10-E-R20 was moved approximately 25 feet to within the utility band;
- RAA10-E-PP16 was moved approximately 2 feet to within the utility band;
- RAA10-E-PP18 was moved approximately 18 feet to within the utility band;
- RAA10-E-RR20 was moved approximately 10 feet to within the utility band;
- RAA10-E-TT20 was moved approximately 25 feet to within the utility band;
- RAA10-E-VV20 was moved approximately 5 feet to within the utility band;
- RAA10-E-VV26 was moved approximately 2 feet to within the utility band; and
- RAA10-E-ZZ24 was moved approximately 25 feet to within the utility band.

In addition to the known utilities shown on Figure 5, other subsurface utilities are likely to be present within these non-GE-owned industrial areas, such as individual water, sewer, gas, and electrical service connections to the existing buildings. These individual service connections are not shown on publicly available mapping and thus will have to be field located and/or identified based on discussions with the individual property owners prior to the initiation of the field sampling. At that time, GE will evaluate whether other proposed PCB

sampling locations should be moved to provide data within utility bands and, if appropriate, will propose such modifications to EPA.

Also located within the non-GE-owned non-industrial/recreational areas are two branches of an intermittent stream depicted in aerial photos as flowing from the Building OP-3 area toward the Housatonic River and located north of Unkamet Brook. These branches of the intermittent stream are shown on Figures 2 and 5 (and the other figures showing the East Area of this RAA). Condition No. 11 of EPA's Conditional Approval Letter requires that, after establishing the PCB sampling grids, GE should relocate or add PCB samples so that a minimum of eight samples are located within these two intermittent stream branches at a linear spacing of approximately 150 feet. As shown on Figure 5, samples E-Q19, E-S21, E-U22, E-A22, E-BB19, and E-Z17 have been relocated to within this intermittent stream. Samples E-CC22 and E-X15 appear to be situated within this intermittent stream without being relocated from their originally proposed locations.

Non-PCB Investigations

With respect to Appendix IX+3 constituents other than PCBs, as discussed in Sections 4.2.3 and 4.2.4, the SOW criteria would require a total of approximately 174 sets of Appendix IX+3 analyses for the non-GE-owned commercial/industrial areas and approximately 266 sets of such analyses for the non-GE-owned non-industrial/recreational areas. However, consistent with EPA's Conditional Approval Letter (Condition Nos. 5 and 13), GE is proposing to modify those requirements as follows: (1) for the non-GE-owned/recreational Parcels L11-4-11 and L-12-2-1, GE proposes to conduct analyses for PCDDs/PCDFs and pesticides/herbicides on one half the samples collected for other Appendix IX+3 analyses; and (2) for the non-GE-owned commercial/industrial areas and the non-GE-owned non-industrial/recreational portion of Parcel L12-2-2, GE proposes to omit analyses for pesticides and herbicides for reasons similar to those discussed in Section 4.4.1.

Based on the assessment of data usability (Section 4.3.2), existing non-PCB data from these non-GE-owned areas that are usable to satisfy the above criteria are available from 20 samples for one or more constituent groups. Some of these samples, however, consist of multiple samples taken within a given depth increment from the same location. Taking these overlapping data into account, the usable existing non-PCB samples satisfy some or all of the pre-design sampling requirements for eight of the required samples. Of this number, four have usable data for all constituents, while the remaining four samples have data for one or more but not all such constituent groups. To satisfy the above criteria, GE proposes to collect the following numbers of soil samples for analyses of Appendix IX+3 constituents or particular groups thereof: (1) 174 from the non-GE-

owned commercial/industrial areas (excluding pesticides/herbicides); and (2) 262 from the non-GE-owned non-industrial/recreational areas, of which 149 will be analyzed for PCDDs/PCDFs and 113 will be analyzed for pesticides/herbicides. The samples to be submitted for these analyses will be collected from the locations and depths shown on Figures 12 through 14 and listed in Table 4 (by location, depth, and analyte group on a sample-by-sample basis). Specifically, these figures show the proposed distribution of Appendix IX+3 samples in these areas from: the 0- to 1-foot depth increment (Figure 12); the 1- to 3-foot, 3- to 6-foot, and 1- to 6-foot depth increment (Figure 13); and the 6- to 15-foot depth increment (Figure 14).

As in the areas discussed above, the specific locations/depths of some of the non-PCB Appendix IX+3 samples listed in Table 4 may be modified in the field considering PID readings or other observations (e.g., odors or evidence of staining) or if site conditions (e.g., standing/flowing water, large trees, subsurface utilities, other obstructions) prevent sampling at any of the designated locations. If such field modifications are made, GE will endeavor to maintain the proper ratio of the number of non-PCB Appendix IX+3 analyses at the various depth intervals (i.e., approximately half from the top foot and half from deeper increments), to the extent practical. GE will tabulate the results of field PID readings and present the data in the Pre-Design Investigation Report.

4.4.4 Unkamet Brook and Inundated Wetlands

As described in Section 4.2.5, GE proposes no sampling in certain areas of Unkamet Brook and an iterative approach to the investigation of the remaining Unkamet Brook sediments and the GE-owned inundated wetlands. Under this approach, the initial scope of pre-design sampling will involve: (a) no sampling in the section of Unkamet Brook subject to re-routing or in the area along which the re-routed brook will flow (since the new section of the brook will be constructed such that the top foot will consist of clean soil); (b) no sampling in certain other areas of Unkamet Brook (identified on Figure 4) where the existing data are sufficient to determine that sediment removal is necessary without any further sampling; (c) collection of surface sediment samples (from the top foot of sediment) in the remaining areas of the brook (as shown on Figures 4 and 5) as necessary (after considering existing usable data) to achieve an approximate spacing of 50 feet along the brook; and (d) collection of surface soil samples (top foot) in the two inundated wetlands (as shown on Figure 4) as necessary to satisfy an approximate 100-foot grid in those areas.

Based on the assessment of data usability, PCB data can be used to satisfy these initial pre-design sampling requirements for 35 sediment samples located within Unkamet Brook. None of the existing sediment samples

located within the inundated wetland areas can be used to satisfy initial pre-design sampling requirements. GE proposes to collect sediment/soil samples for PCB analysis at each of the remaining locations shown on Figures 4 and 5 as part of the first iteration. The proposed PCB sampling locations shown on Figures 4 and 5 are also listed in Tables 3 and 4. The samples will be collected from the upper one foot of sediment or soil. In total, the proposed PCB sampling for these areas will involve the collection of 28 sediment/soil samples for PCB analysis.

Four existing non-PCB data from locations within Unkamet Brook or the inundated wetlands are usable to satisfy characterization requirements. GE proposes to collect no additional sediment samples for Appendix IX+3 analyses at this time from Unkamet Brook or the inundated wetlands.

As discussed in Section 4.2.5, following completion of the initial sampling activities, GE will review the resulting PCB data for these areas and evaluate the need for and scope of any additional pre-design sampling. The results of these evaluations and any proposals regarding additional characterization sampling will be presented to EPA for review and approval in the Interim PDI Report. In that Interim PDI Report, in accordance with Condition Nos. 8 and 9 of EPA's Conditional Approval Letter, GE will present the pre-design PCB sampling results for the brook sediments and inundated wetlands, assess these and the historical PCB data in terms of potential data needs, and present a preliminary assessment regarding the need for remedial actions. In making these evaluations, consistent with Condition No. 6 of the Conditional Approval Letter, GE will evaluate each averaging area within Unkamet Brook (i.e., Areas 9J, 9K, and 9L) as a whole, to evaluate the extent of remedial actions needed to achieve the specified Performance Standards. Based on these activities, for those portions of the brook sediments and/or inundated wetlands that may not require remediation, GE will propose additional PCB sampling for EPA review and approval, as necessary to meet the pre-design requirements established in the SOW. In addition, as required by Condition No. 10 of the Conditional Approval Letter, for those portions of Unkamet Brook and/or the inundated wetland areas where remediation may not be necessary (and thus additional PCB sampling will be performed), GE will include, in the Interim PDI Report, a proposal to address Appendix IX+3 constituents in the upper foot of sediments and/or soils in those portions, taking into account the existing non-PCB data.

4.4.5 Decorative Pond

Although there are no specific Performance Standards related to the Decorative Pond located in the GE Plastics area, GE proposes the following iterative process for assessing sediments contained within the Decorative Pond, consistent with Condition No. 2 of EPA's Conditional Approval Letter:

- GE will inspect the flow-control structures located between the Decorative Pond and Unkamet Brook to assess the presence of accumulated sediments within the structures.
- If accumulated sediments are present with the flow-control structure, GE will sample the sediments for PCBs and report the results in an Interim PDI Report.
- If no accumulated sediments are observed with the flow-control structure, GE will measure the sediment thickness at the bottom of the pond and report such measurements in an Interim PDI Report.
- If PCBs are detected in the accumulated sediments in the flow-control structures or if no accumulated sediments are observed in the flow-control structures, GE will evaluate the need for and scope of any additional sampling of surficial sediments with the Decorative Pond for PCBs, and, if appropriate, present a proposal and schedule for such sampling in the Interim PDI Report.

4.5 Sampling and Analytical Procedures

The collection and analysis of the soil samples at the Unkamet Brook Area will be conducted following the procedures set forth in GE's approved *Field Sampling Plan/Quality Assurance Project Plan (FSP/QAPP)*. Specifically, the analytical procedures for the analysis of soil samples will be consistent with the EPA-approved procedures presented in Table 1 of the FSP/QAPP. The field procedures will follow the Standard Operating Procedures (SOPs) presented in Appendices B through X of the FSP/QAPP.

Soil samples collected for PCBs will utilize EPA Method 8082 for the analysis of Aroclor-specific PCBs. Results for PCBs will be reported on a dry-weight basis with a detection limit of 0.05 ppm for all Aroclors.

Soil samples to be analyzed for other Appendix IX+3 constituents (excluding pesticides and herbicides) will be analyzed following the methods presented in Table 1 of the FSP/QAPP. Sample results will be presented on a dry-weight basis with detection limits consistent with those presented in Table 3 of the FSP/QAPP.

Analysis of samples for polychlorinated PCDDs and PCDFs will be performed using EPA Method 8290 for samples collected from: (1) the 0- to 1-foot depth interval at all of the areas in this RAA; and (2) the 1- to 3-foot depth interval at recreational or other non-commercial/industrial properties/areas. Method 8280A will be used for all other samples. Since Method 8290 has lower detection and reporting limits, it will be used for samples from areas and depth intervals for which the SOW prescribes lower Performance Standards for PCDD/PCDF Toxicity Equivalency Quotients (TEQs) (i.e., 1 part per billion (ppb) for the top foot in recreational properties, 1.5 ppb for the 1- to 3-foot depth interval at recreational properties, and 5 ppb for the top foot in commercial/industrial properties), while Method 8280A is adequate to ensure achievement of the higher Performance Standard set forth in the SOW for subsurface soil at commercial/industrial areas (20 ppb). PCDD/PCDF results will be reported on a dry-weight basis for both total homologues and 2,3,7,8-substituted congeners, using sample detection limits consistent with those presented in Table 3 of the FSP/QAPP. In addition, total TEQ concentrations will be calculated for the PCDD/PCDF compounds using the Toxicity Equivalency Factors (TEFs) derived by the World Health Organization (WHO) and representing non-detected compounds as one-half the analytical detection limit.

Quality control samples (i.e., matrix spike/matrix spike duplicates, field duplicates, trip blanks, and field blanks) will be collected at the frequency specified in Table 4 of the FSP/QAPP for each sample matrix collected. Tables 4 and 5 of the FSP/QAPP present the quality control criteria and corrective action procedures to be followed for each of the analytical procedures listed in Table 1 and for field-generated quality control samples. Overall project quality assurance will be ensured by following the procedures specified in the FSP/QAPP for sample collection and analysis, corrective action, and data reporting and validation.

5. Schedule

In accordance with Condition No. 19 of EPA's Conditional Approval Letter, GE will submit an Interim PDI Report for the Unkamet Brook Area within six months after EPA's approval of this Revised PDI Work Plan, subject to possible changes due to delays in obtaining access permission or weather-related delays. This Interim PDI Report will address the following areas of the RAA where additional investigations may be needed based on the outcome of initial activities:

- Decorative Pond (see Section 4.4.5);
- Unkamet Brook sediments (see Sections 4.2.5 and 4.4.4);
- Inundated wetlands (see Sections 4.2.5 and 4.4.4); and
- The need for additional utility-related sampling in the GE-owned commercial/industrial areas (see Section 4.4.1).

The Interim PDI Report will summarize the findings of the activities conducted for the above areas and present GE's assessment and proposals related to such findings. It will also consider the sufficiency of the available data to support RD/RA activities for this Removal Action. Specifically, GE will review the data gathered from the initial iteration of data gathering proposed in this Revised PDI Work Plan and will evaluate the need for additional sampling as described herein. If it is determined that further data are needed as part of the iterative approaches proposed herein or otherwise to support RD/RA activities to achieve the applicable Performance Standards, that report will propose supplemental investigations to fill those data needs.

As also provided in Condition No. 19 of the Conditional Approval Letter, GE will complete the pre-design investigations proposed in this Revised PDI Work Plan and those that may be proposed in the Interim PDI Report and submit a Final PDI Report for the Unkamet Brook Area within 12 months after EPA's approval of the Interim PDI Report.

In the event that delays to this proposed schedule are identified, GE will notify EPA and propose a revised schedule for completing the investigations and submitting the Interim and/or Final PDI Reports. With respect to access, if GE is unable to obtain access permission from particular property owners after using "best efforts" (as defined in the CD) to do so, it will so advise EPA and MDEP and seek their assistance in obtaining such access pursuant to Paragraph 60.f(i) of the CD.

6. Summary of Anticipated Post-Removal Site Control Activities

Following the completion of construction activities to implement the necessary response actions, GE will continue to inspect, maintain, and monitor the completed actions and to perform repairs and replacement as needed, so as to ensure that the completed response actions are performing as designed. The specific scope and methodologies for such inspection and maintenance activities will be detailed in a Post-Removal Site Control Plan for the Unkamet Brook Area Removal Action. Such activities will include the periodic inspection and maintenance of surface covers installed (i.e., engineered barriers), inspection and maintenance of certain ancillary components of the response actions (e.g., fencing and warning signs, if any), and repair or replacement of response actions at areas exhibiting deficiencies or potential problems. In addition, the Post-Removal Site Control Plan will incorporate the Restoration Project Monitoring and Maintenance Plan for the natural resource restoration/enhancement measures, with any proposed modifications based on implementation of those measures or other relevant developments.

The Post-Removal Site Control activities will be conducted in accordance with the pertinent requirements specified in Attachment J (Inspection and Maintenance Activities) to the SOW, except as otherwise proposed in the specific Post-Removal Site Control Plan and approved by EPA. In addition, inspection reports on these activities will be prepared and submitted periodically in accordance with the requirements of Section 4 of Attachment J to the SOW.

Natural resource restoration/enhancement measures implemented at this RAA will be monitored, inspected, and maintained in accordance with the Performance Standards and other requirements set forth in Section 8 of Attachment I (Natural Resource Restoration/Enhancement Activities) to the SOW and the approved Restoration Project Monitoring and Maintenance Plan.

Tables

**TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE**

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 10)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
SOIL DATA						
West Area						
A	1B-1-C2(19,20,21)	1B-1-C2	0-0.5	February 19, 1987	See Note 11	Eliminated (Location)
A	1B-1-C3(19,20,21)	1B-1-C3	1.5-2.0	February 19, 1987	See Note 11	Eliminated (Location)
A	1B-1-C3-F2(2,8,9,11)	1B-1-C3-F2	0.3-0.5	June 27, 1986	See Note 11	Eliminated (Location)
A	1B-1-C4-F5(2,8,9,11)	1B-1-C4-F5	1.5-2.0	June 27, 1986	See Note 11	Eliminated (Location)
A	1B-1-C5(8,9)	1B-1-C5	5.5-6.0	June 27, 1986	See Note 11	Eliminated (Location)
A	1B-1-C7-F1(14,15,16)	1B-1-C7-F1	0-0.5	June 27, 1986	See Note 11	Eliminated (Location)
A	1B-1-C8-F4(14,15,16)	1B-1-C8-F4	1.5-2.0	June 27, 1986	See Note 11	Eliminated (Location)
A	NETE-C1	NETE-C1 (0-18")	0-1.5	April 6, 1993	None	Supplemental (Note 7)
A	NETE-C1	NETE-C1 (18-36")	1.5-3	April 6, 1993	None	Supplemental (Note 7)
A	OP1-09	S1-OP1-09-Bottom	Unspecified	December 31, 1991	See Note 9	Eliminated (Depth)
A	OP1-09	S1-OP1-09-ESW	Unspecified	December 31, 1991	See Note 9	Eliminated (Depth)
A	OP1-09	S1-OP1-09-NSW	Unspecified	December 31, 1991	See Note 9	Eliminated (Depth)
A	OP1-09	S1-OP1-09-SSW	Unspecified	December 31, 1991	See Note 9	Eliminated (Depth)
A	OP1-09	S1-OP1-09-WSW	Unspecified	December 31, 1991	See Note 9	Eliminated (Depth)
A	OP1-10	OP1-10-Bottom	Unspecified	December 27, 1991	See Note 9	Eliminated (Depth)
A	OP1-10	OP1-10-East	Unspecified	December 27, 1991	See Note 9	Eliminated (Depth)
A	OP1-10	OP1-10-North	Unspecified	December 27, 1991	See Note 9	Eliminated (Depth)
A	OP1-10	OP1-10-South	Unspecified	December 27, 1991	See Note 9	Eliminated (Depth)
A	OP1-10	OP1-10-West	Unspecified	December 27, 1991	See Note 9	Eliminated (Depth)
A	OP1-11	OP1-11 Bottom #1	Unspecified	December 27, 1991	See Note 9	Eliminated (Depth)
A	OP1-11	OP1-11 Bottom #2	Unspecified	December 27, 1991	See Note 9	Eliminated (Depth)
A	OP1-11	OP1-11 East	Unspecified	December 27, 1991	See Note 9	Eliminated (Depth)
A	OP1-11	OP1-11 North	Unspecified	December 27, 1991	See Note 9	Eliminated (Depth)
A	OP1-11	OP1-11 South	Unspecified	December 27, 1991	See Note 9	Eliminated (Depth)
A	OP1-11	OP1-11 West	Unspecified	December 27, 1991	See Note 9	Eliminated (Depth)
A	OP1-A1	S1-OP1-A1-Bottom	Unspecified	December 23, 1991	See Note 9	Eliminated (Depth)
A	OP1-A1	S1-OP1-A1-East	Unspecified	December 23, 1991	See Note 9	Eliminated (Depth)
A	OP1-A1	S1-OP1-A1-North	Unspecified	December 23, 1991	See Note 9	Eliminated (Depth)
A	OP1-A1	S1-OP1-A1-SSW	Unspecified	December 19, 1991	See Note 9	Eliminated (Depth)
A	OP1-A1	S1-OP1-A1-West	Unspecified	December 23, 1991	See Note 9	Eliminated (Depth)
A	OP-1-ARS-C1	OP-1-ARS-C1	0-2	June 2, 1993	Certificate of Analysis	Characterization
A	OP-1-ARS-C2	OP-1-ARS-C2	0-2	June 2, 1993	Certificate of Analysis	Supplemental (Note 8)
A	OP-1-FR-C1	OP-1-FR-C1	0-1.5	February 2, 1993	See Note 11	Eliminated (Location)
A	OP-1-FR-C2	OP-1-FR-C2	0-1.5	February 2, 1993	See Note 11	Eliminated (Location)
A	OP-1-FR-C3	OP-1-FR-C3	0-1.5	February 2, 1993	See Note 11	Eliminated (Location)
A	OP-1-FR-C4	OP-1-FR-C4	0-1.5	February 2, 1993	See Note 11	Eliminated (Location)
A	OP-1-FR-C5	OP-1-FR-C5	0-1.5	February 3, 1993	See Note 11	Eliminated (Location)
A	OP-1-FR-C6	OP-1-FR-C6	0-1.33	February 3, 1993	See Note 11	Eliminated (Location)
A	OP-1-FRS-C1	OP-1-FRS-C1	0-1.5	August 13, 1992	See Note 11	Eliminated (Location)
A	OP-1-FRS-C5	OP-1-FRS-C5	0-1.5	August 13, 1992	See Note 11	Eliminated (Location)
A	OP-1-FRS-C9	OP-1-FRS-C9	0-1.5	August 13, 1992	See Note 11	Eliminated (Location)
A	OP-1-FRS-C13	OP-1-FRS-C13	0-1.5	August 13, 1992	See Note 11	Eliminated (Location)
A	OP-1-FRS-C21	OP-1-FRS-C21	0-1.5	August 18, 1992	See Note 11	Eliminated (Location)
A	OP-1-FRS-C25	OP-1-FRS-C25	0-1.5	August 18, 1992	See Note 11	Eliminated (Location)
A	OP-1-FRS-C29	OP-1-FRS-C29	0-1.5	August 18, 1992	See Note 11	Eliminated (Location)
A	OP-1-MTF-C1	OP-1-MTF-C1(0-1')	0-1	May 18, 1993	See Note 11	Eliminated (Location)
A	OP-1-MTF-C1	OP-1-MTF-C1(1-2')	1-2	May 18, 1993	See Note 11	Eliminated (Location)
A	OP-1-MTF-C2	OP-1-MTF-C2(0-1')	0-1	May 18, 1993	See Note 11	Eliminated (Location)
A	OP-1-MTF-C2	OP-1-MTF-C2(1-2')	1-2	May 18, 1993	See Note 11	Eliminated (Location)
A	ORD-HYD-C8	ORD-HYD-C8	Unspecified	September 7, 1989	See Note 9	Eliminated (Depth)
A	ORD-HYD-C9	ORD-HYD-C9	Unspecified	September 7, 1989	See Note 9	Eliminated (Depth)
A	ORD-HYD-C12	ORD-HYD-C12	Unspecified	September 7, 1989	See Note 9	Eliminated (Depth)

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 18)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 8-15)
A	RF-14	PG14B0002	0-2	June 10, 1991	Certificate of Analysis	Characterization
A	RF-14	PG14B0204	2-4	June 10, 1991	Certificate of Analysis	Characterization
A	RF-14	PG14B0406	4-6	June 10, 1991	Certificate of Analysis	Characterization
A	RF-14	PG14B0608	6-8	June 10, 1991	Certificate of Analysis	Characterization
A	RF-14	PG14B0810	8-10	June 10, 1991	Certificate of Analysis	Characterization
A	RF-14	PG14B1012	10-12	June 10, 1991	Complete Laboratory Data Package	Characterization
A	RF-14	PG14B1214	12-14	June 10, 1991	Certificate of Analysis	Characterization
A	RF-14	PG14B1416	14-18	June 10, 1991	Certificate of Analysis	Characterization
A	RF-14	PG14B1618	16-18	June 10, 1991	See Note 9	Eliminated (Depth)
A	RF-14	PG14B1820	18-20	June 10, 1991	See Note 9	Eliminated (Depth)
A	RF-14	PG14B2022	20-22	June 10, 1991	See Note 9	Eliminated (Depth)
A	RF-14	PG14B2224	22-24	June 11, 1991	See Note 9	Eliminated (Depth)
A	RF-15	PG15B0002	0-2	June 17, 1991	Certificate of Analysis	Characterization
A	RF-15	PG15B0204	2-4	June 17, 1991	Certificate of Analysis	Characterization
A	RF-15	PG15B0406	4-6	June 17, 1991	Certificate of Analysis	Characterization
A	RF-15	PG15B0608	6-8	June 17, 1991	Certificate of Analysis	Characterization
A	RF-15	PG15B0810	8-10	June 17, 1991	Certificate of Analysis	Characterization
A	RF-15	PG15B1012	10-12	June 17, 1991	Certificate of Analysis	Characterization
A	RF-15	PG15B1214	12-14	June 17, 1991	Certificate of Analysis	Characterization
A	RF-15	PG15B1416 [CP-1]	14-16	June 17, 1991	Complete Laboratory Data Package	Characterization
A	RF-15	PG15B1618	16-18	June 17, 1991	See Note 9	Eliminated (Depth)
A	RF-15	PG15B1820	18-20	June 17, 1991	See Note 9	Eliminated (Depth)
A	RF-15	PG15B2022	20-22	June 17, 1991	See Note 9	Eliminated (Depth)
A	RF-15	PG15B2224	22-24	June 17, 1991	See Note 9	Eliminated (Depth)
A	SB-1	SB-1.1A	0-2	August 9, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SB-1	SB-1.2A	2-4	August 9, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SB-1	SB-1.3A	4-6	August 9, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SB-1	SB-1.4A	6-8	August 9, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SB-1	SB-1.5A	8-10	August 9, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SB-1	SB-1.6A	10-12	August 9, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SB-1	SB-1.7A	12-14	August 9, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SB-1	SB-1.8A	14-16	August 9, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SB-1	SB-1.9A	16-18	August 9, 1994	See Note 9	Eliminated (Depth)
A	SB-1	SB-1.10A	18-20	August 9, 1994	See Note 9	Eliminated (Depth)
A	SB-1	SB-1.11A	20-22	August 9, 1994	See Note 9	Eliminated (Depth)
A	SB-1	SB-1.12A	22-24	August 9, 1994	See Note 9	Eliminated (Depth)
A	SB-2	SB-2.1A	0-2	August 9, 1994	Certificate of Analysis	Characterization
A	SB-2	SB-2.2A	2-4	August 9, 1994	Certificate of Analysis	Characterization
A	SB-2	SB-2.3A	4-6	August 9, 1994	Certificate of Analysis	Characterization
A	SB-2	SB-2.4A	6-8	August 9, 1994	Certificate of Analysis	Characterization
A	SB-2	SB-2.5A	8-10	August 9, 1994	Certificate of Analysis	Characterization
A	SB-2	SB-2.6A	10-12	August 9, 1994	Certificate of Analysis	Characterization
A	SB-2	SB-2.7A	12-14	August 9, 1994	Certificate of Analysis	Characterization
A	SB-2	SB-2.8A	14-16	August 9, 1994	Certificate of Analysis	Characterization
A	SB-2	SB-2.9A	16-18	August 9, 1994	See Note 9	Eliminated (Depth)
A	SB-2	SB-2.10A	18-20	August 9, 1994	See Note 9	Eliminated (Depth)
A	SB-2	SB-2.11A	20-22	August 9, 1994	See Note 9	Eliminated (Depth)
A	SB-2	SB-2.12A	22-24	August 9, 1994	See Note 9	Eliminated (Depth)
C	UB-MW-7	UBW0700.5	0-0.5	August 2, 1996	Complete Laboratory Data Package	Characterization
D	UB-MW-7	UB-MW-7	0.5-2	December 16, 1997	Complete Laboratory Data Package	Characterization
C	UB-MW-7	UBW070204	2-4	August 2, 1996	Complete Laboratory Data Package	Characterization
C	UB-MW-7	UBW070406	4-6	August 2, 1996	Complete Laboratory Data Package	Characterization
C	UB-MW-7	UBW070608	6-8	August 2, 1996	Complete Laboratory Data Package	Characterization
C	UB-MW-7	UBW070810	8-10	August 2, 1996	Complete Laboratory Data Package	Characterization
C	UB-MW-7	UBW071012	10-12	August 2, 1996	Complete Laboratory Data Package	Characterization

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE
REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
C	UB-MW-7	UBW071214	12-14	August 2, 1996	Complete Laboratory Data Package	Characterization
C	UB-MW-7	UBW071416	14-16	August 2, 1996	Complete Laboratory Data Package	Characterization
C	UB-SS-1	UB-SS-1	0-0.5	December 18, 1996	Complete Laboratory Data Package	Characterization
C	UB-SS-2	UB-SS-2	0-0.5	December 18, 1996	Complete Laboratory Data Package	Characterization
C	UB-SS-3	UB-SS-3	0-0.5	December 18, 1996	Complete Laboratory Data Package	Characterization
C	UB-SS-4	UB-SS-4	0-0.5	December 18, 1996	Complete Laboratory Data Package	Characterization
North Area						
A	118-DC-C1	118-DC-C1	0-2	July 8, 1992	See Note 11	Eliminated (Location)
A	118-DC-C2	118-DC-C2	0-1	July 8, 1992	See Note 11	Eliminated (Location)
A	118-DC-C3	118-DC-C3	0-2	July 8, 1992	See Note 11	Eliminated (Location)
A	119-1	119-1A	0-4	June 3, 1989	See Note 9	Eliminated (Depth)
A	119-1	119-1B	4-8	June 3, 1989	See Note 9	Eliminated (Depth)
A	119-2	119-2A	0-4	June 2, 1989	See Note 9	Eliminated (Depth)
A	119-2	119-2B	4-8	June 2, 1989	See Note 9	Eliminated (Depth)
A	119-3	119-3A	0-4	June 2, 1989	See Note 9	Eliminated (Depth)
A	119-3	119-3B	4-8	June 2, 1989	See Note 9	Eliminated (Depth)
A	119-4	119-4A	0-4	June 2, 1989	See Note 9	Eliminated (Depth)
A	119-4	119-4B	4-8	June 2, 1989	See Note 9	Eliminated (Depth)
A	119-5	119-5A	0-4	June 2, 1989	See Note 9	Eliminated (Depth)
A	119-5	119-5B	4-8	June 2, 1989	See Note 9	Eliminated (Depth)
A	119-6	119-6A	0-4	June 8, 1989	See Note 11	Eliminated (Location)
A	119-6	119-6B	4-8	June 8, 1989	See Note 11	Eliminated (Location)
A	119-7	119-7A	0-4	June 8, 1989	See Note 11	Eliminated (Location)
A	119-7	119-7B	4-8	June 8, 1989	See Note 11	Eliminated (Location)
A	119-8	119-8A	0-4	June 8, 1989	See Note 11	Eliminated (Location)
A	119-8	119-8B	4-8	June 8, 1989	See Note 11	Eliminated (Location)
A	119-9	119-9A	0-4	June 8, 1989	See Note 11	Eliminated (Location)
A	119-9	119-9B	4-8	June 8, 1989	See Note 11	Eliminated (Location)
A	119-10	119-10A	0-4	June 3, 1989	See Note 9	Eliminated (Depth)
A	119-10	119-10B	4-8	June 3, 1989	See Note 9	Eliminated (Depth)
A	119-11	119-11A	0-4	June 3, 1989	See Note 9	Eliminated (Depth)
A	119-11	119-11B	4-8	June 3, 1989	See Note 9	Eliminated (Depth)
A	119-12	119-12A	0-4	June 8, 1989	See Note 11	Eliminated (Location)
A	119-12	119-12B	4-8	June 8, 1989	See Note 11	Eliminated (Location)
A	119W-C2	119W-C2	0-0.5	March 15, 1990	Certificate of Analysis	Supplemental (Note 14)
A	119W-C4	119W-C4	0-0.5	March 15, 1990	Certificate of Analysis	Supplemental (Note 14)
A	119W-C6	119W-C6	0-0.5	March 15, 1990	Certificate of Analysis	Supplemental (Note 14)
A	119W-C8	119W-C8	0-0.5	October 29, 1990	Certificate of Analysis	Supplemental (Note 14)
A	119W-C10	119W-C10	0-0.5	October 29, 1990	Certificate of Analysis	Supplemental (Note 14)
A	119W-C12	119W-C12	0-0.5	October 29, 1990	Certificate of Analysis	Supplemental (Note 14)
A	120W-5	120W-5 (0-4')	0-4	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-5	120W-5 (4-8')	4-8	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-6	120W-6 (0-4')	0-4	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-6	120W-6 (4-8')	4-8	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-7	120W-7 (0-4')	0-4	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-7	120W-7 (4-8')	4-8	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-8	120W-8 (0-4')	0-4	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-8	120W-8 (4-8')	4-8	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-9	120W-9 (0-4')	0-4	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-9	120W-9 (4-8')	4-8	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-10	120W-10 (0-4')	0-4	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-10	120W-10 (4-8')	4-8	August 21-22, 1989	See Note 9	Eliminated (Depth)
A	120W-11	120W-11 (0-2')	0-2	August 21-22, 1989	Certificate of Analysis	Supplemental (Note 14)
A	120W-11	120W-11 (2-4')	2-4	August 21-22, 1989	Certificate of Analysis	Supplemental (Note 14)
A	120W-11	120W-11 (4-6')	4-6	August 21-22, 1989	Certificate of Analysis	Supplemental (Note 14)

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE
REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIED, MASSACHUSETTS

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
A	39D	PU39B0002	0-2	January 24, 1991	Certificate of Analysis	Characterization
A	39D	PU39B0204	2-4	January 24, 1991	Certificate of Analysis	Characterization
A	39D	PU39B0400	4-6	January 24, 1991	Certificate of Analysis	Characterization
A	39D	PU39B0808	6-8	January 24, 1991	Certificate of Analysis	Characterization
A	39D	PU39B0810	8-10	January 24, 1991	Certificate of Analysis	Characterization
A	39D	PU39B1012	10-12	January 24, 1991	Certificate of Analysis	Characterization
A	39D	PU39B1214	12-14	January 24, 1991	Certificate of Analysis	Characterization
A	39D	PU39B1416	14-16	January 24, 1991	Certificate of Analysis	Characterization
A	39D	PU39B1618	16-18	January 24, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B1820	18-20	January 24, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B2022	20-22	January 24, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B2224	22-24	January 24, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B2426	24-26	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B2628	26-28	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B2830	28-30	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B3032	30-32	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B3234	32-34	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B3436	34-36	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B3638	36-38	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B3840	38-40	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B4042	40-42	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B4244	42-44	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B4446	44-46	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B4648	46-48	January 25, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B4850	48-50	January 28, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B5052	50-52	January 28, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B5254	52-54	January 28, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B5456	54-56	January 28, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B5658	56-58	January 28, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B5860	58-60	January 28, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B6062	60-62	January 28, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B6466	64-66	January 28, 1991	See Note 9	Eliminated (Depth)
A	39D	PU39B6668	66-68	January 28, 1991	See Note 9	Eliminated (Depth)
A	39E	PU39B8688	86-88	January 31, 1991	See Note 9	Eliminated (Depth)
A	39E	PU39B0698	96-98	January 31, 1991	See Note 9	Eliminated (Depth)
A	39E	PU39B106	106-108	January 31, 1991	See Note 9	Eliminated (Depth)
A	39E	PU39B116	116-118	January 31, 1991	See Note 9	Eliminated (Depth)
A	39E	PU39B127	127-129	January 31, 1991	See Note 9	Eliminated (Depth)
A	39E	PU39B137	137-139	January 31, 1991	See Note 9	Eliminated (Depth)
A	39E	PU39B733	233-235	March 7, 1991	See Note 9	Eliminated (Depth)
A	51-1-C1	51-1-C1A	0-2	May 31, 1989	Certificate of Analysis	Supplemental (Note 14)
A	51-1-C2	51-1-C2A	0-2	May 31, 1989	Certificate of Analysis	Supplemental (Note 14)
A	51-1-C3	51-1-C3A	0-2	May 31, 1989	Certificate of Analysis	Supplemental (Note 14)
A	51-1-C4	51-1-C4A	0-2	May 31, 1989	Certificate of Analysis	Supplemental (Note 14)
A	51-1-C5	51-1-C5A	0-2	May 31, 1989	Certificate of Analysis	Supplemental (Note 14)
A	51-1-C6	51-1-C6A	0-2	June 1, 1989	See Note 11	Eliminated (Location)
A	51-1-C7	51-1-C7A	0-2	June 1, 1989	See Note 11	Eliminated (Location)
A	51-1-C8	51-1-C8A	0-2	June 2, 1989	See Note 11	Eliminated (Location)
A	51-1-C8	51-1-C8C	2-4	June 2, 1989	See Note 11	Eliminated (Location)
A	51-1-C9	51-1-C9A	0-2	June 2, 1989	See Note 11	Eliminated (Location)
A	51-1-C9	51-1-C9C	2-4	June 2, 1989	See Note 11	Eliminated (Location)
A	51-1-C10	51-1-C10A	0-2	June 1, 1989	See Note 11	Eliminated (Location)
A	51-1-C11	51-1-C11A	0-2	June 1, 1989	See Note 11	Eliminated (Location)
A	51-1-C12	51-1-C12A	0-2	June 1, 1989	See Note 11	Eliminated (Location)
A	51-1-C13	51-1-C13A	0-2	June 1, 1989	See Note 11	Eliminated (Location)

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
A	51-1-C14	51-1-C14A	0-2	June 1, 1989	See Note 11	Eliminated (Location)
A	51-1-C15	51-1-C15A	0-2	June 1, 1989	See Note 11	Eliminated (Location)
A	51A-1-C16	51A-1-C16A	0-2	June 2, 1989	See Note 11	Eliminated (Location)
A	51A-1-C17	51A-1-C17A	0-2	June 2, 1989	See Note 11	Eliminated (Location)
A	51A-1-C18	51A-1-C18A	0-2	June 2, 1989	See Note 11	Eliminated (Location)
A	51A-1-C19	51A-1-C19A	0-2	June 3, 1989	See Note 11	Eliminated (Location)
A	51A-1-C20	51A-1-C20A	0-2	June 2, 1989	See Note 11	Eliminated (Location)
A	51A-1-C21	51A-1-C21A	0-2	June 3, 1989	See Note 11	Eliminated (Location)
G	51G-01	51G-01	0-1	August 27, 2002	Complete Laboratory Data Package	Characterization
C	51G-01	51G-01	1-6	August 27, 2002	Complete Laboratory Data Package	Characterization
G	51G-01	51G-01	6-15	August 27, 2002	Complete Laboratory Data Package	Characterization
G	60G-01	60G-01	0-1	August 27, 2002	Complete Laboratory Data Package	Characterization
G	60G-01	60G-01	1-6	August 27, 2002	Complete Laboratory Data Package	Characterization
G	60G-02	60G-02	0-1	August 27, 2002	Complete Laboratory Data Package	Characterization
G	60G-02	60G-02	1-6	August 27, 2002	Complete Laboratory Data Package	Characterization
C	60G-02	60G-02	6-15	August 27, 2002	Complete Laboratory Data Package	Characterization
A	B1, B2, B3, B4, B5	B1-B5, 0-2.5	0-2.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B1, B2, B3, B4, B5	B1-B5, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B11, B12, B13, B14, B15	B11-B15, 0-2.5	0-2.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B11, B12, B13, B14, B15	B11-B15, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B16, B17, B18, B19, B20	B16-B20, 0-2.5	0-2.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B16, B17, B18, B19, B20	B16-B20, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B21, B22, B23, B24, B25	B21-B25, 0-2.5	0-2.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B21, B22, B23, B24, B25	B21-B25, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B26, B27, B28, B29, B30	B26-B30, 0-2.5	0-2.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B26, B27, B28, B29, B30	B26-B30, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B31, B32, B33, B34, B35	B31-B35, 0-2.5	0-2.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B31, B32, B33, B34, B35	B31-B35, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B36, B37, B38, B39, B40	B36-B40, 0-2.5	0-2.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B36, B37, B38, B39, B40	B36-B40, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B41, B42, B43, B44, B45	B41-B45, 0-2.5	0-2.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B41, B42, B43, B44, B45	B41-B45, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B46, B47, B48, B49, B50	B46-B50, 0-2.5	0-2.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B46, B47, B48, B49, B50	B46-B50, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B51, B50, B51	B51, B50, B51, 0-2.5	0-2.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B51, B50, B51	B51, B50, B51, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B52, B54, B55	B52, B54, B55, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B56, B58, B59, B65, B66	B56, B58, B59, B65, B66, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B6, B7, B8, B9, B10	B6-B10, 0-2.5	0-2.5	December 24, 1985	See Note 11	Eliminated (Location)
A	B6, B7, B8, B9, B10	B6-B10, 2.5-4.5	2.5-4.5	December 24, 1985	See Note 11	Eliminated (Location)
C	BA-1	BBA0100.5	0-0.5	August 13, 1996	None	Supplemental (Note 15)
C	BA-1	BBA01502	0.5-2	August 13, 1996	None	Supplemental (Note 15)
C	BA-1	BBA010204	2-4	August 13, 1996	None	Supplemental (Note 15)
C	BA-1	BBA010406	4-6	August 13, 1996	None	Supplemental (Note 16)
C	BA-2	BBA0200.5	0-0.5	August 13, 1996	Complete Laboratory Data Package	Supplemental (Note 15)
C	BA-2	BBA02502	0.5-2	August 13, 1996	Complete Laboratory Data Package	Supplemental (Note 15)
C	BA-2	BBA020204	2-4	August 13, 1996	Complete Laboratory Data Package	Supplemental (Note 15)
C	BA-2	BBA020405	4-5	August 13, 1996	Complete Laboratory Data Package	Supplemental (Note 15)
C	BA-2	BBA020506FD	5-6	August 13, 1996	None	Supplemental (Note 15)
C	BA-3	BBA0300.5	0-0.5	August 13, 1996	None	Supplemental (Note 15)
C	BA-3	BBA03602	0.5-2	August 13, 1996	None	Supplemental (Note 16)
C	BA-3	BBA030204	2-4	August 13, 1996	None	Supplemental (Note 15)
C	BA-3	BBA030406	4-6	August 13, 1996	None	Supplemental (Note 15)
A	BLDG-130-EP-C1	BLDG-130-EP-C1	0-2	July 16, 1991	Certificate of Analysis	Characterization
A	BLDG-130-EP-C2	BLDG-130-EP-C2	0-2	July 16, 1991	Certificate of Analysis	Supplemental (Note 8)

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
A	BLDG-130-EP-C3	BLDG-130-EP-C3	0-2	July 16, 1991	Certificate of Analysis	Supplemental (Note 8)
A	BLDG-130-EP-C4	BLDG-130-EP-C4	0-2	July 16, 1991	Certificate of Analysis	Supplemental (Note 8)
A	BLDG-130-EP-C5	BLDG-130-EP-C5	0-2	July 16, 1991	Certificate of Analysis	Characterization
A	BLDG-130-EP-C6	BLDG-130-EP-C6	0-2	July 16, 1991	Certificate of Analysis	Supplemental (Note 8)
A	BLDG-130-EP-C7	BLDG-130-EP-C7	0-2	July 16, 1991	Certificate of Analysis	Supplemental (Note 8)
A	BLDG-130-EP-C8	BLDG-130-EP-C8	0-2	July 16, 1991	Certificate of Analysis	Characterization
A	BLDG-130-EP-C9	BLDG-130-EP-C9	0-2	July 16, 1991	Certificate of Analysis	Supplemental (Note 8)
A	BLDG-130-EP-C10	BLDG-130-EP-C10	0-2	July 16, 1991	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-1	PL-EL-TR-1	0-2	October 17, 1994	Certificate of Analysis	Characterization
A	ELTR-2	PL-EL-TR-2	0-2	October 17, 1994	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-3	PL-EL-TR-3	0-2	October 18, 1994	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-4	PL-EL-TR-4	0-2	October 18, 1994	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-5	PL-EL-TR-5	0-2	October 18, 1994	Certificate of Analysis	Characterization
A	ELTR-6	PL-EL-TR-6	0-2	October 18, 1994	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-7	PL-EL-TR-7	0-2	October 18, 1994	Certificate of Analysis	Characterization
A	ELTR-8	PL-EL-TR-8	0-2	October 19, 1994	Certificate of Analysis	Characterization
A	ELTR-9	PL-EL-TR-9	0-2	October 19, 1994	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-10	PL-EL-TR-10	0-2	October 19, 1994	Certificate of Analysis	Characterization
A	ELTR-11	PL-EL-TR-11	0-2	October 19, 1994	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-12	PL-EL-TR-12	0-2	October 19, 1994	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-13	PL-EL-TR-13	0-2	October 19, 1994	Certificate of Analysis	Characterization
A	ELTR-14	PL-EL-TR-14	0-2	October 19, 1994	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-15	PL-EL-TR-15	0-2	October 19, 1994	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-16	PL-EL-TR-16	0-2	October 19, 1994	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-17	PL-EL-TR-17	0-2	October 21, 1994	Certificate of Analysis	Supplemental (Note 8)
A	ELTR-18	PL-EL-TR-18	0-2	October 21, 1994	Certificate of Analysis	Characterization
A	ELTR-19	PL-EL-TR-19	0-2	October 21, 1994	Certificate of Analysis	Supplemental (Note 8)
A	L-1	L-1	Unspecified	April 12, 1993	See Note 9	Eliminated (Depth)
A	L-2	L-2	Unspecified	April 12, 1993	See Note 9	Eliminated (Depth)
A	L-3	L-3	Unspecified	April 12, 1993	See Note 9	Eliminated (Depth)
A	L-3A	L-3A	Unspecified	April 13, 1993	See Note 9	Eliminated (Depth)
A	L-4	L-4	Unspecified	April 12, 1993	See Note 9	Eliminated (Depth)
A	L-5	L-5	Unspecified	April 12, 1993	See Note 9	Eliminated (Depth)
A	L-6	L-6	Unspecified	April 12, 1993	See Note 9	Eliminated (Depth)
A	L-7	L-7	Unspecified	April 13, 1993	See Note 9	Eliminated (Depth)
A	L-8	L-8	Unspecified	April 13, 1993	See Note 9	Eliminated (Depth)
A	L-9	L-9	Unspecified	April 13, 1993	See Note 9	Eliminated (Depth)
A	L-10	L-10	Unspecified	April 13, 1993	See Note 9	Eliminated (Depth)
A	L-11	L-11	Unspecified	April 13, 1993	See Note 9	Eliminated (Depth)
A	L-12	L-12	Unspecified	May 10, 1993	See Note 9	Eliminated (Depth)
A	L-13	L-13	Unspecified	May 10, 1993	See Note 9	Eliminated (Depth)
A	L-14	L-14	Unspecified	May 10, 1993	See Note 9	Eliminated (Depth)
A	L-15	L-15	Unspecified	May 10, 1993	See Note 9	Eliminated (Depth)
A	L-16	L-16	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-17	L-17	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-18	L-18	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-19	L-19	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-20	L-20	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-21	L-21	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-22	L-22	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-23	L-23	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-24	L-24	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-25	L-25	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-26	L-26	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-27	L-27	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
A	L-28	L-28	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-29	L-29	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-30	L-30	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-31	L-31	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-32	L-32	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-33	L-33	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-34	L-34	Unspecified	May 11, 1993	See Note 9	Eliminated (Depth)
A	L-35	L-35	Unspecified	May 12, 1993	See Note 9	Eliminated (Depth)
A	L-36	L-36	Unspecified	May 12, 1993	See Note 9	Eliminated (Depth)
A	L-37	L-37	Unspecified	May 12, 1993	See Note 9	Eliminated (Depth)
A	L-38	L-38 (0-2)	0-2	May 12, 1993	Certificate of Analysis	Characterization
A	L-38	L-38 (2-4)	2-4	May 12, 1993	Certificate of Analysis	Characterization
A	L-38	L-38 (4-6)	4-6	May 12, 1993	Certificate of Analysis	Characterization
A	L-38	L-38 (6-8)	6-8	May 12, 1993	Certificate of Analysis	Characterization
A	L-38	L-38 (8-10)	8-10	May 17, 1993	Certificate of Analysis	Characterization
A	L-38	L-38 (10-12)	10-12	May 17, 1993	Certificate of Analysis	Characterization
A	L-38	L-38	Unspecified	May 12, 1993	See Note 9	Eliminated (Depth)
G	MG-01	MG-01	0-1	August 29, 2002	Complete Laboratory Data Package	Characterization
G	MG-01	MG-01	1-6	August 29, 2002	Complete Laboratory Data Package	Characterization
G	MG-01	MG-01	6-15	August 29, 2002	Complete Laboratory Data Package	Characterization
G	MG-02	MG-02	0-1	August 29, 2002	Complete Laboratory Data Package	Characterization
G	MG-02	MG-02	1-6	August 29, 2002	Complete Laboratory Data Package	Characterization
G	MG-02	MG-02	6-15	August 29, 2002	Complete Laboratory Data Package	Characterization
G	MG-03	MG-03	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-04	MG-04	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-05	MG-05	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-06	MG-06	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-07	MG-07	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-08	MG-08	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-09	MG-09	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-10	MG-10	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-11	MG-11	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-12	MG-12	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-13	MG-13	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-14	MG-14	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-15	MG-15	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-16	MG-16	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-17	MG-17	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-18	MG-18	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-19	MG-19	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-20	MG-20	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-21	MG-21	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-22	MG-22	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-23	MG-23	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-24	MG-24	0-1	September 19, 2002	Complete Laboratory Data Package	Characterization
G	MG-25	MG-25	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-26	MG-26	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-27	MG-27	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-28	MG-28	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-29	MG-29	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-30	MG-30	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-31	MG-31	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-32	MG-32	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-33	MG-33	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)
G	MG-34	MG-34	0-1	September 19, 2002	Complete Laboratory Data Package	Supplemental (Note 8)

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
A	NEBG-1	PL-NE-BG-1	0-1	October 14, 1994	Certificate of Analysis	Supplemental (Note 8)
A	NEBG-2	PL-NE-BG-2	0-1	October 14, 1994	Certificate of Analysis	Supplemental (Note 8)
A	NEBG-3	PL-NE-BG-3	0-1	October 14, 1994	Certificate of Analysis	Supplemental (Note 8)
A	NEBG-4	PL-NE-BG-4	0-1.5	October 21, 1994	Certificate of Analysis	Supplemental (Note 6)
A	NSF-1	PL-NSF-C1	0-3	October 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-2	PL-NSF-C2	0-3	October 11, 1994	See Note 12	Eliminated (Location)
A	NSF-3	PL-NSF-C3	0-3	October 11, 1994	See Note 12	Eliminated (Location)
A	NSF-4	PL-NSF-C4	0-3	October 11, 1994	See Note 12	Eliminated (Location)
A	NSF-5	PL-NSF-C5	0-3	October 11, 1994	See Note 12	Eliminated (Location)
A	NSF-6	PL-NSF-C6	0-3	October 11, 1994	See Note 12	Eliminated (Location)
A	NSF-7	PL-NSF-C7	0-3	October 11, 1994	See Note 12	Eliminated (Location)
A	NSF-8	PL-NSF-C8	0-3	October 12, 1994	See Note 12	Eliminated (Location)
A	NSF-9	PL-NSF-C9	0-3	October 12, 1994	See Note 12	Eliminated (Location)
A	NSF-10	PL-NSF-C10	0-3	October 12, 1994	See Note 12	Eliminated (Location)
A	NSF-11	PL-NSF-C11	0-3	October 12, 1994	See Note 12	Eliminated (Location)
A	NSF-12	PL-NSF-C12	0-3	October 12, 1994	See Note 12	Eliminated (Location)
A	NSF-13	PL-NSF-C13	0-3	October 12, 1994	See Note 12	Eliminated (Location)
A	NSF-14	PL-NSF-C14	0-3	October 12, 1994	See Note 9	Eliminated (Depth)
A	NSF-15	PL-NSF-C15	0-3	October 28, 1994	See Note 9	Eliminated (Depth)
A	NSF-16	PL-NSF-C16	0-3	October 28, 1994	See Note 9	Eliminated (Depth)
A	NSF-17	PL-NSF-C17	0-3	October 28, 1994	See Note 9	Eliminated (Depth)
A	NSF-18	PL-NSF-C18	0-3	October 31, 1994	See Note 9	Eliminated (Depth)
A	NSF-19	PL-NSF-C19	0-3	October 31, 1994	See Note 9	Eliminated (Depth)
A	NSF-20	PL-NSF-C20	0-3	November 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-21	PL-NSF-C21	0-3	November 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-22	PL-NSF-C22	0-3	November 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-23	PL-NSF-C23	0-3	November 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-24	PL-NSF-C24	0-3	November 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-25	PL-NSF-C25	0-3	November 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-26	PL-NSF-C26	0-3	November 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-27	PL-NSF-C27	0-3	November 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-28	PL-NSF-C28	0-3	November 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-29	PL-NSF-C29	0-3	November 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-30	PL-NSF-C30	0-3	November 7, 1994	See Note 9	Eliminated (Depth)
A	NSF-31	PL-NSF-C31	0-3	November 8, 1994	See Note 9	Eliminated (Depth)
A	NSF-32	PL-NSF-C32	0-3	November 8, 1994	See Note 9	Eliminated (Depth)
A	NSF-33	PL-NSF-C33	0-3	November 8, 1994	See Note 9	Eliminated (Depth)
A	NSF-34	PL-NSF-C34	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-35	PL-NSF-C35	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-36	PL-NSF-C36	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-37	PL-NSF-C37	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-38	PL-NSF-C38	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-39	PL-NSF-C39	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-40	PL-NSF-C40	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-41	PL-NSF-C41	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-42	PL-NSF-C42	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-43	PL-NSF-C43	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-44	PL-NSF-C44	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-45	PL-NSF-C45	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-46	PL-NSF-C46	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-47	PL-NSF-C47	0-3	November 3, 1994	See Note 9	Eliminated (Depth)
A	NSF-48	PL-NSF-C48	0-3	November 8, 1994	See Note 9	Eliminated (Depth)
A	NSF-49	PL-NSF-C49	0-3	November 8, 1994	See Note 9	Eliminated (Depth)
A	NSF-50	PL-NSF-C50	0-3	November 8, 1994	See Note 9	Eliminated (Depth)
A	NSF-51	PL-NSF-C51	0-3	November 8, 1994	See Note 9	Eliminated (Depth)

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 18)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 8-15)
A	NSF-52	PL-NSF-C52	0-3	November 8, 1994	See Note 9	Eliminated (Depth)
A	NSF-53	PL-NSF-C53	0-3	November 8, 1994	See Note 9	Eliminated (Depth)
A	NSF-54	PL-NSF-C54	0-3	November 8, 1994	See Note 9	Eliminated (Depth)
A	NWBG-1	PL-NW-BG-1	0-0.33	October 14, 1994	See Note 9	Eliminated (Depth)
A	NWBG-2	PL-NW-BG-2	0-0.67	October 14, 1994	Certificate of Analysis	Characterization
A	NWBG-3	PL-NW-BG-3	0-2	October 25, 1994	Certificate of Analysis	Supplemental (Note 8)
A	NWBG-4	PL-NW-BG-4	0-4	October 25, 1994	See Note 9	Eliminated (Depth)
A	OP-1-PCL-C1(1,2,3,4,5,6,7,8)	OP-1-PCL-C1	0.45-1.0	June 26, 1986	See Note 10	Eliminated (Location)
A	OP-1-PCL-C4(1,2,3,4,5,6,7,8)	OP-1-PCL-C4	2.5-3.0	June 26, 1986	See Note 10	Eliminated (Location)
A	OP-1-PCL-C5(1,3,6)	OP-1-PCL-C5	5.0-5.5	June 26, 1986	See Note 10	Eliminated (Location)
A	OP-1-PCL-C6(3)	OP-1-PCL-C6	8.5-9.0	June 26, 1986	See Note 10	Eliminated (Location)
A	OP-1-PCL-C7(6)	OP-1-PCL-C7	6.0-6.5	June 26, 1986	See Note 10	Eliminated (Location)
A	OP-59-C17(7,8,9,10)	OP-59-C17	0-0.5	June 16, 1987	See Note 11	Eliminated (Location)
A	OP-59-C18(7,8,9,10)	OP-59-C18	3.0-3.5	June 16, 1987	See Note 11	Eliminated (Location)
A	OP59-PL-C1(1,2,3,4,5)	OP59-PL-C1	0-0.5	June 30, 1986	See Note 10	Eliminated (Location)
A	OP59-PL-C2(1,2,3,4,5)	OP59-PL-C2	1.0-1.5	June 30, 1986	See Note 10	Eliminated (Location)
A	OP59-PL-C3(6,7,8,9)	OP59-PL-C3	0-0.5	June 30, 1986	See Note 10	Eliminated (Location)
A	OP59-PL-C4(6,7,8,9)	OP59-PL-C4	1.0-1.5	June 30, 1986	See Note 10	Eliminated (Location)
A	OP59-PL-C5(6,9)	OP59-PL-C5	3.5-4.0	June 30, 1986	See Note 10	Eliminated (Location)
A	PA-1	PA-1 0-5'	0-5	August 29, 1989	See Note 9	Eliminated (Depth)
A	PA-1	PA-1, 5-10'	5-10	August 29, 1989	See Note 9	Eliminated (Depth)
A	PA-2	PA-2 0-5'	0-5	August 29, 1989	See Note 9	Eliminated (Depth)
A	PA-2	PA-2, 5-10'	5-10	August 29, 1989	See Note 9	Eliminated (Depth)
A	PA-3	PA-3 0-5'	0-5	August 29, 1989	See Note 9	Eliminated (Depth)
A	PA-3	PA-3, 5-10'	5-10	August 29, 1989	See Note 9	Eliminated (Depth)
A	PA-4	PA-4 0-5'	0-5	August 29, 1989	See Note 9	Eliminated (Depth)
A	PA-4	PA-4, 5-10'	5-10	August 29, 1989	See Note 9	Eliminated (Depth)
A	PA-5	PA-5 0-5'	0-5	August 29, 1989	See Note 9	Eliminated (Depth)
A	PA-5	PA-5, 5-10'	5-10	August 29, 1989	See Note 9	Eliminated (Depth)
A	PA-6	PA-6 0-3'	0-3	August 29, 1989	See Note 9	Eliminated (Depth)
A	PA-6	PA-6, 3-6'	3-6	August 29, 1989	See Note 9	Eliminated (Depth)
A	PB-C1	PB-C1	0-2	August 14, 1991	Certificate of Analysis	Characterization
A	PB-C2	PB-C2	0-2	August 14, 1991	Certificate of Analysis	Characterization
A	PL-125-PB-C1	PL-125-PB-C1	0-2	August 28, 1991	Certificate of Analysis	Supplemental (Note 8)
A	PL-125-PB-C2	PL-125-PB-C2	0-2	August 28, 1991	Certificate of Analysis	Supplemental (Note 8)
A	PL-125-PB-C3	PL-125-PB-C3	0-2	August 28, 1991	Certificate of Analysis	Characterization
A	PL-125-PB-C4	PL-125-PB-C4	0-2	August 28, 1991	Certificate of Analysis	Supplemental (Note 8)
A	PL-125-PB-C5	PL-125-PB-C5	0-2	August 28, 1991	Certificate of Analysis	Supplemental (Note 8)
A	PL-125-PB-C6	PL-125-PB-C6	0-2	August 28, 1991	Certificate of Analysis	Supplemental (Note 8)
A	PL-125-PB-C7	PL-125-PB-C7	0-2	August 28, 1991	Certificate of Analysis	Supplemental (Note 8)
A	ST-4	ST-4A	Unspecified	June 2, 1989	See Note 9	Eliminated (Depth)
A	ST-4	ST-4B	Unspecified	June 2, 1989	See Note 9	Eliminated (Depth)
A	ST-5	ST-5A	Unspecified	June 2, 1989	See Note 9	Eliminated (Depth)
A	ST-5	ST-5B	Unspecified	June 2, 1989	See Note 9	Eliminated (Depth)
A	SWBG-1	PL-SW-BG-1	0-0.67	October 14, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SWBG-2	PL-SW-BG-2	0-0.67	October 14, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SWBG-3	PL-SW-BG-3	0-0.67	October 14, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SWNG-1	PL-SW-NG-1	0-0.5	October 21, 1994	Certificate of Analysis	Supplemental (Note 8)
A	SWNG-2	PL-SW-NG-2	0-0.5	October 21, 1994	Certificate of Analysis	Supplemental (Note 8)
A	TA	TA	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	TB1	TB1	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	TB2	TB2	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	TB3	TB3	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	TB4	TB4	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	TB5	TB5	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)

**TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE**

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMEI BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 18)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
A	T89	TD6	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	TC	TC	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	TD	TD	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	TE	TE	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	Trench A	Trench A, 0.5-1.5	0.5-1.5	November 22, 1985	Certificate of Analysis	Supplemental (Note 14)
A	Trench A	Trench A, 3.5-4.5	3.5-4.5	November 22, 1985	See Note 9	Eliminated (Depth)
A	Trench B	Trench B, 0.5-1.5	0.5-1.5	November 22, 1985	Certificate of Analysis	Supplemental (Note 14)
A	Trench B	Trench B, 3.5-4.5	3.5-4.5	November 22, 1985	See Note 9	Eliminated (Depth)
A	Trench C	Trench C, 0.5-1.5	0.5-1.5	November 22, 1985	See Note 11	Eliminated (Location)
A	Trench C	Trench C, 3.5-4.5	3.5-4.5	November 22, 1985	See Note 11	Eliminated (Location)
A	Trench D	Trench D, 0.5-1.5	0.5-1.5	November 22, 1985	See Note 11	Eliminated (Location)
A	Trench D	Trench D, 3.5-4.5	3.5-4.5	November 22, 1985	See Note 11	Eliminated (Location)
A	Trench E	Trench E, 0.5-1.5	0.5-1.5	November 22, 1985	Certificate of Analysis	Supplemental (Note 14)
A	Trench E	Trench E, 3.5-4.5	3.5-4.5	November 22, 1985	See Note 9	Eliminated (Depth)
F	UB-IRA-1-L1	UB-IRA-1-L1	0-0.5	July 8, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-1-R1	UB-IRA-1-R1	0-0.5	July 8, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-2-L1	UB-IRA-2-L1	0-0.5	July 8, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-2-R1	UB-IRA-2-R1	0-0.5	July 8, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-3-L1	UB-IRA-3-L1	0-0.5	July 8, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-3-R1	UB-IRA-3-R1	0-0.5	July 8, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-4-L1	UB-IRA-4-L1	0-0.5	July 8, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-4-R1	UB-IRA-4-R1	0-0.5	July 8, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-5-L1	UB-IRA-5-L1	0-0.5	July 8, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-5-R1	UB-IRA-5-R1	0-0.5	July 8, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-6-L1	UB-IRA-6-L1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-6-R1	UB-IRA-6-R1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-7-L1	UB-IRA-7-L1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-7-R1	UB-IRA-7-R1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-8-L1	UB-IRA-8-L1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-8-R1	UB-IRA-8-R1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-9-L1	UB-IRA-9-L1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-9-R1	UB-IRA-9-R1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-10-L1	UB-IRA-10-L1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-10-R1	UB-IRA-10-R1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-11-L1	UB-IRA-11-L1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-11-R1	UB-IRA-11-R1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-12-L1	UB-IRA-12-L1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-12-R1	UB-IRA-12-R1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-13-L1	UB-IRA-13-L1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-13-R1	UB-IRA-13-R1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-14-L1	UB-IRA-14-L1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-14-R1	UB-IRA-14-R1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-15-L1	UB-IRA-15-L1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-15-R1	UB-IRA-15-R1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-16-L1	UB-IRA-16-L1	0-0.5	July 7, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-16-R1	UB-IRA-16-R1	0-0.5	July 7, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-17-L1	UB-IRA-17-L1	0-0.5	July 7, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-17-R1	UB-IRA-17-R1	0-0.5	July 7, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-18-L1	UB-IRA-18-L1	0-0.5	July 7, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-18-R1	UB-IRA-18-R1	0-0.5	July 7, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-19-L1	UB-IRA-19-L1	0-0.5	July 7, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-19-R1	UB-IRA-19-R1	0-0.5	July 7, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-20-R1	UB-IRA-20-R1	0-0.5	July 7, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-21-L1	UB-IRA-21-L1	0-0.5	July 7, 1998	Complete Laboratory Data Package	Supplemental (Note 15)
F	UB-IRA-21-R1	UB-IRA-21-R1	0-0.5	July 7, 1998	Complete Laboratory Data Package	Supplemental (Note 15)

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE
REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 10)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
C	UB-SB-1	UBB0100.5	0-0.5	December 10, 1997	None	Supplemental (Note 7)
C	UB-SB-1	UBB010002	0-2	July 30, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SB-1	UBB010704	7-4	July 30, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SB-1	UBB010406	4-6	July 30, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SB-1	UBB010608	6-8	July 30, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SB-1	UBB010810	8-10	July 30, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SB-2	UBB020204	2-4	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-2	UBB020406	4-6	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-2	UBB020608	6-8	August 9, 1996	See Note 9	Eliminated (Depth)
C	UB-SB-3	UBB030002	0-2	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-3	UBB030204	2-4	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-3	UBB030406	4-6	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-3	UBB030608	6-8	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-3	UBB030810	8-10	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-3	UBB031012	10-12	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-4	UBB040002	0-2	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-4	UBB040704	7-4	August 9, 1996	See Note 9	Eliminated (Depth)
D	UB-SB-5	UBB0500.5 (UBB0500.5FD)	0-0.5	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-5	UBB05002	0.5-2	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-5	UBB050204	2-4	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-5	UBB050406	4-6	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-5	UBB050608	6-8	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-5	UBB050810	8-10	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-5	UBB051012	10-12	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-6	UBB060002	0-2	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-6	UBB060204	2-4	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-6	UBB060406	4-6	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-6	UBB060608	6-8	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-6	UBB060810	8-10	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-6	UBB061012	10-12	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-6	UBB061214	12-14	December 15, 1997	See Note 12	Eliminated (Location)
D	UB-SB-7	UBB070002	0-2	December 15, 1997	Complete Laboratory Data Package	Characterization
D	UB-SB-7	UBB070204	2-4	December 15, 1997	Complete Laboratory Data Package	Supplemental (Note 8)
D	UB-SB-7	UBB070406	4-6	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-7	UBB070608	6-8	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-7	UBB070810	8-10	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-7	UBB071214	12-14	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-7	UBB071618	16-18	December 15, 1997	See Note 9	Eliminated (Depth)
D	UB-SB-7	UBB071820	18-20	December 15, 1997	See Note 9	Eliminated (Depth)
D	UB-SB-8	UBB080002	0-2	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-8	UBB080204	2-4	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-8	UBB080406	4-6	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-8	UBB080608	6-8	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-8	UBB080810 (UBB080810FD)	8-10	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-8	UBB081012	10-12	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-9	UBB090002	0-2	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-9	UBB090204	2-4	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-9	UBB090406	4-6	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-9	UBB090608	6-8	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-9	UBB090810	8-10	December 15, 1997	None	Supplemental (Note 7)
D	UB-SB-9	UBB091012	10-12	December 15, 1997	None	Supplemental (Note 7)
C	UB-SB-10	UBB100002	0-2	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-10	UBB100204	2-4	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-10	UBB100406	4-6	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-10	UBB100608	6-8	August 9, 1996	Complete Laboratory Data Package	Characterization

**TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
C	UB-SB-10	UBB100810	8-10	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-10	UBB101012	10-12	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-10	UBB101214	12-14	August 9, 1996	Complete Laboratory Data Package	Characterization
D	UB-SB-12	UBB12000.5	0-0.5	December 18, 1997	None	Supplemental (Note 7)
C	UB-SB-12	UBB120002	0-2	July 30, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-12	UBB120204	2-4	July 30, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-12	UBB120406	4-6	July 30, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-12	UBB120608	6-8	July 30, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SB-12	UBB121012	10-12	July 30, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SB-14	UBB1400.5	0-0.5	August 7, 1996	Complete Laboratory Data Package	Characterization
D	UB-SB-14	UBB140.502	0.5-2	December 16, 1997	None	Supplemental (Note 7)
C	UB-SB-14	UBB140204	2-4	August 7, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-14	UBB140406	4-6	August 7, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-14	UBB141214	12-14	August 7, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SB-15	UBB150204	2-4	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-15	UBB150406	4-6	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-15	UBB150608	6-8	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-15	UBB150810	8-10	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-15	UBB151012 [UBB151012FD]	10-12	August 9, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-16	UBB1600.5	0-0.5	August 5, 1996	Complete Laboratory Data Package	Characterization
D	UB-SB-16	UBB160.502	0.5-2	December 16, 1997	None	Supplemental (Note 7)
C	UB-SB-16	UBB160204	2-4	August 5, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-16	UBB160406	4-6	August 5, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-16	UBB160608	6-8	August 5, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SB-16	UBB160810	8-10	August 5, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SB-17	UBB1700.5	0-0.5	August 5, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
D	UB-SB-17	UBB170.502	0.5-2	December 16, 1997	None	Supplemental (Note 7)
C	UB-SB-17	UBB170204	2-4	August 5, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SB-17	UBB170606	6-8	August 5, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
D	UB-SB-18	UBB180.502	0.5-2	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-19	UBB190002 [UBB190002FD]	0-2	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-19	UBB190204	2-4	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-19	UBB190406	4-6	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-19	UBB190608	6-8	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-19	UBB191012	10-12	December 16, 1997	None	Supplemental (Note 7)
C	UB-SS-5	UB-SS-5	0-0.5	December 18, 1996	Complete Laboratory Data Package	Characterization
C	UB-SS-6	UB-SS-6	0-0.5	December 18, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SS-7	UB-SS-7	0-0.5	December 18, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SS-8	UB-SS-8	0-0.5	December 18, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SS-9	UB-SS-9	0-0.5	December 18, 1996	Complete Laboratory Data Package	Characterization
C	UB-SS-10	UB-SS-10	0-0.5	December 18, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
C	UB-SS-11	UB-SS-11	0-0.5	December 18, 1996	Complete Laboratory Data Package	Characterization
C	UB-SS-12	UB-SS-12	0-0.5	December 18, 1996	Complete Laboratory Data Package	Characterization
C	UB-SS-13	UB-SS-13	0-0.5	December 18, 1996	Complete Laboratory Data Package	Characterization
C	UB-SS-14	UB-SS-14	0-0.5	December 18, 1996	See Note 12	Eliminated (Location)
C	UB-SS-15	UB-SS-15	0-0.5	December 18, 1996	See Note 12	Eliminated (Location)
A	UFP3-L1	UFP3-L1 [DUFP-3]	0-1	April 10-11, 1991	See Note 12	Eliminated (Location)
A	UFP3-R1	UFP3-R1	0-1	April 10-11, 1991	See Note 12	Eliminated (Location)
A	UFP3-R2	UFP3-R2	0-1	April 10-11, 1991	See Note 12	Eliminated (Location)
A	UFP3-R3	UFP3-R3	0-1	April 10-11, 1991	Certificate of Analysis	Supplemental (Note 8)
A	UFP3-R4	UFP3-R4	0-1	April 10-11, 1991	Certificate of Analysis	Supplemental (Note 8)
A	UFP3-R5	UFP3-R5	0-1	April 10-11, 1991	Certificate of Analysis	Supplemental (Note 8)
A	UFP3-R6	UFP3-R6	0-1	April 10-11, 1991	Certificate of Analysis	Supplemental (Note 8)
A	UFP3-R7	UFP3-R7	0-1	April 10-11, 1991	Certificate of Analysis	Supplemental (Note 8)
A	UFP3-R8	UFP3-R8	0-1	April 10-11, 1991	Certificate of Analysis	Characterization

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE
REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
A	UFP3-R9	UFP3-R9	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP3-R10	UFP3-R10	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP3-R11	UFP3-R11	0-1	April 10-11, 1991	Certificate of Analysis	Supplemental (Note 8)
A	X1	X1	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X2	X2	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X3	X3	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X4	X4	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X5	X5	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X6	X6	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X7	X7	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X8	X8	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X9	X9	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X10	X10	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X11	X11	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X12	X12	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X13	X13	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
A	X14	X14	Unspecified	September 5, 1986	See Note 11	Eliminated (Location)
East Area						
B	Excavation 1	OP3-GPR-EXC-1	Unspecified	November 16, 1995	See Note 9	Eliminated (Depth)
B	Excavation 11	OP3-GPR-EXC-11	Unspecified	November 16, 1995	See Note 9	Eliminated (Depth)
B	Excavation 24	OP3-GPR-EXC-24	Unspecified	November 16, 1995	See Note 9	Eliminated (Depth)
B	Excavation 25	OP3-GPR-EXC-25	Unspecified	November 16, 1995	See Note 9	Eliminated (Depth)
B	Excavation 31	OP3-GPR-EXC-31	Unspecified	November 16, 1995	See Note 9	Eliminated (Depth)
A	L-39	L-39	Unspecified	May 12, 1993	See Note 9	Eliminated (Depth)
A	L-39	L-39 (0-2)	0-2	May 12, 1993	Certificate of Analysis	Characterization
A	L-39	L-39 (2-4)	2-4	May 12, 1993	Certificate of Analysis	Supplemental (Note 8)
A	L-39	L-39 (4-6)	4-6	May 12, 1993	Certificate of Analysis	Supplemental (Note 8)
A	L-39	L-39 (6-8)	6-8	May 12, 1993	Certificate of Analysis	Supplemental (Note 8)
A	L-39	L-39 (8-10)	8-10	May 17, 1993	Certificate of Analysis	Supplemental (Note 8)
A	L-39	L-39 (10-12)	10-12	May 17, 1993	Certificate of Analysis	Supplemental (Note 8)
A	L-40	L-40	Unspecified	May 12, 1993	See Note 9	Eliminated (Depth)
A	L-41	L-41	Unspecified	May 12, 1993	See Note 9	Eliminated (Depth)
A	L-42	L-42	Unspecified	May 12, 1993	See Note 9	Eliminated (Depth)
A	L-43	L-43	Unspecified	May 12, 1993	See Note 9	Eliminated (Depth)
A	L-44	L-44	Unspecified	May 12, 1993	See Note 9	Eliminated (Depth)
A	OBG-1	OBG-1 S-1	5-7	November 13, 1992	See Note 9	Eliminated (Depth)
A	OBG-2	OBG-2 S-1	5-7	November 18, 1992	See Note 9	Eliminated (Depth)
A	OBG-3	OBG-3 S-2	10-12	November 18, 1992	See Note 9	Eliminated (Depth)
A	OP3-A1	OP3-A1 Bottom	Unspecified	February 3, 1992	See Note 9	Eliminated (Depth)
A	OP3-A1	OP3-A1 North	Unspecified	February 3, 1992	See Note 9	Eliminated (Depth)
A	OP3-A1	OP3-A1 South	Unspecified	February 3, 1992	See Note 9	Eliminated (Depth)
B	UB-OP-3-SS-1	UB-OP-3-SS-1 (0-6")	0-0.5	October 31, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-2	UB-OP-3-SS-2 (0-6")	0-0.5	October 31, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-3	UB-OP-3-SS-3 (0-6")	0-0.5	October 31, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-4	UB-OP-3-SS-4 (0-6")	0-0.5	October 31, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-5	UB-OP-3-SS-5 (0-6")	0-0.5	October 31, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-6	UB-OP-3-SS-6 (0-6")	0-0.5	October 31, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-7	UB-OP-3-SS-7 (0-6")	0-0.5	October 31, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-8	UB-OP-3-SS-8 (0-6")	0-0.5	October 31, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-9	UB-OP-3-SS-9 (0-6")	0-0.5	October 31, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-10	UB-OP-3-SS-10 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-11	UB-OP-3-SS-11 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-12	UB-OP-3-SS-12 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-13	UB-OP-3-SS-13 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-14	UB-OP-3-SS-14 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GPNFRAI ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 18)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
B	UB-OP-3-SS-15	UB-OP-3-SS-15 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-16	UB-OP-3-SS-16 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-17	UB-OP-3-SS-17 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-18	UB-OP-3-SS-18 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-19	UB-OP-3-SS-19 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-20	UB-OP-3-SS-20 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-21	UB-OP-3-SS-21 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
B	UB-OP-3-SS-22	UB-OP-3-SS-22 (0-6")	0-0.5	November 1, 1995	See Note 13	Rejected (Laboratory)
C	UB-SB-13	UBB130002	0-2	July 30, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-13	UBB130204	2-4	July 30, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-13	UBB130406	4-6	July 30, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-13	UBB130608	6-8	July 30, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-13	UBB130810	8-10	July 30, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-13	UBB131012	10-12	July 30, 1996	Complete Laboratory Data Package	Characterization
C	UB-SB-13	UBB131214	12-14	July 30, 1996	Complete Laboratory Data Package	Characterization
D	UB-SB-20	UBB2000.5	0-0.5	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-20	UBB200.502	0.5-2	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-20	UBB200204 [UBB200204FD]	2-4	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-20	UBB200406	4-6	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-20	UBB2006.9	6-6.9	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-20	UBB2006.98	6.9-8	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-20	UBB200810	8-10	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-21	UBB2100.5	0-0.5	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-21	UBB210.502	0.5-2	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-21	UBB210204	2-4	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-21	UBB210406	4-6	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-21	UBB210608	6-8	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-22	UBB2200.5	0-0.5	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-22	UBB220.502	0.5-2	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-22	UBB220204	2-4	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-22	UBB220406	4-6	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-22	UBB220608	6-6	December 16, 1997	None	Supplemental (Note 7)
D	UB-SB-22	UBB220810	8-10	December 16, 1997	None	Supplemental (Note 7)
E	UE0000A	UE0000A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UE0050A	UE0050A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UE0100A	UE0100A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UE0150A	UE0150A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UE0200A	UE0200A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UE0250A	UE0250A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UE0300A	UE0300A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE0342A	UE0342A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
F	UF0500A	UF0500A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE0550A	UE0550A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE0600A	UE0600A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE0650A	UE0650A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE0700A	UE0700A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE0750A	UE0750A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE0800A	UE0800A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE0850A	UE0850A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE0900A	UE0900A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE0950A	UE0950A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE1000A	UE1000A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE1050A	UE1050A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE1100A	UE1100A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UE1150A	UE1150A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 8-15)
E	UE1205A	UE1205A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UE1250A	UE1250A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UE1300A	UE1300A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UE1319A	UE1319A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UE1377A	UE1377A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UE1411A	UE1411A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UE1474A	UE1474A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UE2060A	UE2060A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UE2110A	UE2110A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UE2180A	UE2160A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UE2210A	UE2210A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UE2272A	UE2272A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
A	UFP1-L1	UFP1-L1	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
D	UFP1-L1	UFP1-L1	1.0-1.5	December 13, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
D	UFP1-L1	UFP1-L1	1.5-1.92	December 13, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
A	UFP1-L2	UFP1-L2	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP1-L3	UFP1-L3	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP1-L4	UFP1-L4	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP1-L5	UFP1-L5	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP1-R1	UFP1-R1	0-1	April 10-11, 1991	Certificate of Analysis	Supplemental (Note 8)
D	UFP1-R1	UFP1-R1	1.0-1.5	December 13, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
D	UFP1-R1	UFP1-R1	1.5-1.83	December 13, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
A	UFP1-R2	UFP1-R2	0-1	April 10-11, 1991	Certificate of Analysis	Supplemental (Note 8)
A	UFP1-R3	UFP1-R3	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP1-R4	UFP1-R4	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP1-R5	UFP1-R5	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP1-R6	UFP1-R6	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP2-L1	UFP2-L1	0-1	April 10-11, 1991	Certificate of Analysis	Supplemental (Note 8)
A	UFP2-L2	UFP2-L2	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP2-L3	UFP2-L3	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
D	UFP2-L3	UFP2-L3	0.0-0.5	December 11, 1996	Complete Laboratory Data Package	Characterization
D	UFP2-L3	UFP2-L3	0.5-1.0	December 11, 1996	Complete Laboratory Data Package	Characterization
D	UFP2-L3	UFP2-L3	1.0-1.5	December 11, 1996	Complete Laboratory Data Package	Characterization
D	UFP2-L3	UFP2-L3	1.5-2.0	December 11, 1996	Complete Laboratory Data Package	Characterization
A	UFP2-L4	UFP2-L4	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
D	UFP2-L4	UFP2-L4	1.0-1.5	December 16, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
D	UFP2-L4	UFP2-L4	1.5-2.0	December 16, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
D	UFP2-L4	UFP2-L4	2.0-2.5	December 16, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
D	UFP2-L4	UFP2-L4	2.5-3.0	December 16, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
A	UFP2-L5	UFP2-L5	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
D	UFP2-L6	UFP2-L6	0.0-0.5	December 17, 1996	Complete Laboratory Data Package	Characterization
D	UFP2-L6	UFP2-L6	0.5-1.0	December 17, 1996	Complete Laboratory Data Package	Characterization
D	UFP2-L7	UFP2-L7	0.0-0.5	December 17, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
D	UFP2-L7	UFP2-L7	0.5-1.0	December 17, 1996	Complete Laboratory Data Package	Supplemental (Note 8)
D	UFP2-L8	UFP2-L8	0.0-0.5	December 17, 1996	Complete Laboratory Data Package	Characterization
D	UFP2-L8	UFP2-L8	0.5-1.0	December 17, 1996	Complete Laboratory Data Package	Characterization
A	UFP2-R1	UFP2-R1	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP2-R2	UFP2-R2	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
D	UFP2-R2	UFP2-R2	1.0-1.5	December 16, 1996	Complete Laboratory Data Package	Characterization
D	UFP2-R2	UFP2-R2	1.5-2.0	December 16, 1996	Complete Laboratory Data Package	Characterization
D	UFP2-R2	UFP2-R2	2.0-2.5	December 16, 1996	Complete Laboratory Data Package	Characterization
D	UFP2-R2	UFP2-R2	2.5-3.0	December 16, 1996	Complete Laboratory Data Package	Characterization
A	UFP2-R3	UFP2-R3	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP2-R4	UFP2-R4 (UFP-2)	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP2-R5	UFP2-R5	0-1	April 10-11, 1991	Certificate of Analysis	Characterization

TABLE 1
 EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE
 REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR LINKANET BROOK AREA REMOVAL ACTION
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 18)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
A	UFP2-R6	UFP2-R6	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP2-R7	UFP2-R7	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP2-R8	UFP2-R8	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UFP2-R9	UFP2-R9	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-1	UOP3S-1	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-2	UOP3S-2	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-3	UOP3S-3	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-4	UOP3S-4	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-5	UOP3S-5	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-6	UOP3S-6	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-7	UOP3S-7	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-8	UOP3S-8	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-10	UOP3S-10	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-11	UOP3S-11	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-12	UOP3S-12	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-13	UOP3S-13	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-14	UOP3S-14	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-15	UOP3S-15	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-17	UOP3S-17	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
A	UOP3S-18	UOP3S-18	0-1	April 10-11, 1991	Certificate of Analysis	Characterization
E	UW0000A	UW0000A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UW0050A	UW0050A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UW0100A	UW0100A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UW0150A	UW0150A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UW0200A	UW0200A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UW0250A	UW0250A	0-0.5	August 24, 1998	Received from EPA	Supplemental (Note 15)
E	UW0300A	UW0300A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0342A	UW0342A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0355A	UW0355A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0450A	UW0450A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0500A	UW0500A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0550A	UW0550A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0600A	UW0600A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0650A	UW0650A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0700A	UW0700A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0750A	UW0750A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0800A	UW0800A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0850A	UW0850A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0900A	UW0900A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW0950A	UW0950A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW1000A	UW1000A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW1050A	UW1050A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW1100A	UW1100A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW1150A	UW1150A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 15)
E	UW1205A	UW1205A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UW1250A	UW1250A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UW1300A	UW1300A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UW1319A	UW1319A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UW1474A	UW1474A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UW2060A	UW2060A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UW2110A	UW2110A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UW2160A	UW2160A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UW2210A	UW2210A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)
E	UW2272A	UW2272A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 15)

**TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE**

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR LINKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 18)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
SEDIMENT DATA						
East Area						
I	2	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	2	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	2	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	7	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	7	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	7	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	12	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	12	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	12	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	13	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	13	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	13	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	14	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	14	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	14	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	15	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	15	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	15	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	16	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	16	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	16	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	17	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	17	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	17	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	18	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	18	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	18	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	18	Layer 4	Unspecified	1982	See Note 9	Eliminated (Depth)
I	18	Layer 5	Unspecified	1982	See Note 9	Eliminated (Depth)
I	24	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	24	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	24	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	25	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	25	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	25	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	26	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
I	26	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
I	26	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
I	26	Layer 4	Unspecified	1982	See Note 9	Eliminated (Depth)
I	26	Layer 5	Unspecified	1982	See Note 9	Eliminated (Depth)
A	S-4	S-4-ABC	Unspecified	1981	See Note 9	Eliminated (Depth)
A	S-5	S-5-ABC	Unspecified	1981	See Note 9	Eliminated (Depth)
A	S-6	S-6-ABC	Unspecified	1981	See Note 9	Eliminated (Depth)
A	S-7	S-7-ABC	Unspecified	1981	See Note 9	Eliminated (Depth)
A	S-8	S-8-ABC	Unspecified	1981	See Note 9	Eliminated (Depth)
A	S-9	S-9-ABC	Unspecified	1981	See Note 9	Eliminated (Depth)
A	S-10	S-10-ABC	Unspecified	1981	See Note 9	Eliminated (Depth)
A	S-13	S-13-E	Unspecified	1981	See Note 9	Eliminated (Depth)
A	S-14	S-14	Unspecified	1981	See Note 9	Eliminated (Depth)
E	UC0000A	UC0000A	0-0.5	August 24, 1998	Received from EPA	Characterization
E	UC0050A	UC0050A	0-0.5	August 24, 1998	Received from EPA	Characterization
E	UC0100A	UC0100A	0-0.5	August 24, 1998	Received from EPA	Characterization
E	UC0150A	UC0150A	0-0.5	August 24, 1998	Received from EPA	Characterization

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE
REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
E	UC0200A	UC0200A	0-0.5	August 24, 1998	Received from EPA	Characterization
E	UC0250A	UC0250A	0-0.5	August 24, 1998	Received from EPA	Characterization
E	UC0300A	UC0300A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0342A	UC0342A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 8)
E	UC0355A	UC0355A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0400A	UC0400A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0450A	UC0450A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0500A	UC0500A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0550A	UC0550A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0600A	UC0600A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0650A	UC0650A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0700A	UC0700A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0750A	UC0750A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0800A	UC0800A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0850A	UC0850A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0900A	UC0900A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC0950A	UC0950A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC1000A	UC1000A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC1050A	UC1050A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC1100A	UC1100A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC1150A	UC1150A	0-0.5	August 25, 1998	Received from EPA	Characterization
E	UC1205A	UC1205A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 8)
E	UC1250A	UC1250A	0-0.5	August 26, 1998	Received from EPA	Characterization
E	UC1300A	UC1300A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 8)
E	UC1319A	UC1319A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 8)
E	UC1377A	UC1377A	0-0.5	August 26, 1998	Received from EPA	Characterization
E	UC1411A	UC1411A	0-0.5	August 26, 1998	Received from EPA	Characterization
E	UC1474A	UC1474A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 8)
E	UC2060A	UC2060A	0-0.5	August 26, 1998	Received from EPA	Characterization
E	UC2110A	UC2110A	0-0.5	August 26, 1998	Received from EPA	Characterization
E	UC2160A	UC2160A	0-0.5	August 26, 1998	Received from EPA	Characterization
E	UC2210A	UC2210A	0-0.5	August 26, 1998	Received from EPA	Characterization
E	UC2272A	UC2272A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 8)
E	UE0355A	UE0355A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 8)
E	UE0400A	UE0400A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 8)
E	UE0450A	UE0450A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 8)
D	USED-4	USED-4	Unspecified	December 10, 1996	See Note 9	Eliminated (Depth)
D	USED-10	USED-10	Unspecified	December 10, 1996	See Note 9	Eliminated (Depth)
A	USW-4	SEW-4-0006	0-0.5	September 30, 1991	None	Supplemental (Note 7)
A	USW-4	SEW-4-0612	0.5-1.0	September 30, 1991	None	Supplemental (Note 7)
A	USW-8	SEW-8-0006	0-0.5	September 30, 1991	None	Supplemental (Note 7)
A	USW-8	SEW-8-0612	0.5-1.0	September 30, 1991	None	Supplemental (Note 7)
A	USW-10	SEW-10-0006	0-0.5	September 30, 1991	None	Supplemental (Note 7)
A	USW-10	SEW-10-0612	0.5-1.0	September 30, 1991	None	Supplemental (Note 7)
E	UW0240A	UW0240A	0-0.5	August 24, 1998	Received from EPA	Characterization
E	UW0370A	UW0370A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 8)
E	UW0400A	UW0400A	0-0.5	August 25, 1998	Received from EPA	Supplemental (Note 8)
E	UW1377A	UW1377A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 8)
E	UW1411A	UW1411A	0-0.5	August 26, 1998	Received from EPA	Supplemental (Note 8)

TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE
REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
North Area						
	27	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
	27	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
	27	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
	27	Layer 4	Unspecified	1982	See Note 9	Eliminated (Depth)
	27	Layer 5	Unspecified	1982	See Note 9	Eliminated (Depth)
	28	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
	28	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
	28	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
	29	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
	29	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
	29	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
	30	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
	30	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
	30	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
	30	Layer 4	Unspecified	1982	See Note 9	Eliminated (Depth)
	31	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
	31	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
	31	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
	32	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
	32	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
	33	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
	33	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
	33	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
	34	Layer 1	Unspecified	1982	See Note 12	Eliminated (Location)
	34	Layer 2	Unspecified	1982	See Note 12	Eliminated (Location)
	34	Layer 3	Unspecified	1982	See Note 12	Eliminated (Location)
	35	Layer 1	Unspecified	1982	See Note 12	Eliminated (Location)
	35	Layer 2	Unspecified	1982	See Note 12	Eliminated (Location)
	35	Layer 3	Unspecified	1982	See Note 12	Eliminated (Location)
	35	Layer 4	Unspecified	1982	See Note 12	Eliminated (Location)
	36	Layer 1	Unspecified	1982	See Note 12	Eliminated (Location)
	36	Layer 2	Unspecified	1982	See Note 12	Eliminated (Location)
	36	Layer 3	Unspecified	1982	See Note 12	Eliminated (Location)
	36	Layer 4	Unspecified	1982	See Note 12	Eliminated (Location)
	37	Layer 1	Unspecified	1982	See Note 12	Eliminated (Location)
	37	Layer 2	Unspecified	1982	See Note 12	Eliminated (Location)
	37	Layer 3	Unspecified	1982	See Note 12	Eliminated (Location)
	38	Layer 1	Unspecified	1982	See Note 12	Eliminated (Location)
	38	Layer 2	Unspecified	1982	See Note 12	Eliminated (Location)
	39	Layer 1	Unspecified	1982	See Note 12	Eliminated (Location)
	39	Layer 2	Unspecified	1982	See Note 12	Eliminated (Location)
	39	Layer 3	Unspecified	1982	See Note 12	Eliminated (Location)
	39	Layer 4	Unspecified	1982	See Note 12	Eliminated (Location)
	40	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
	40	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
	40	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
	40	Layer 4	Unspecified	1982	See Note 9	Eliminated (Depth)
	41	Layer 1	Unspecified	1982	See Note 9	Eliminated (Depth)
	41	Layer 2	Unspecified	1982	See Note 9	Eliminated (Depth)
	41	Layer 3	Unspecified	1982	See Note 9	Eliminated (Depth)
	41	Layer 4	Unspecified	1982	See Note 9	Eliminated (Depth)
	C-2	Layer 1	0-0.58	1982	None	Supplemental (Note 7)
	C-2	Layer 2	0.58-2.5	1982	None	Supplemental (Note 7)
	C-4	Layer 1	0-0.41	1982	See Note 9	Eliminated (Depth)

**TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

Data Source (See Note 16)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
I	C-4	Layer 2	0.41-2.25	1982	None	Supplemental (Note 7)
I	C-6	Layer 1	0-1.5	1982	None	Supplemental (Note 7)
I	C-6	Layer 2	1.5-1.75	1982	See Note 9	Eliminated (Depth)
I	F-2	Layer 1	0-0.33	1982	See Note 9	Eliminated (Depth)
I	F-2	Layer 2	0.33-2.67	1982	None	Supplemental (Note 7)
I	F-4	Layer 1	0-0.33	1982	See Note 9	Eliminated (Depth)
I	F-4	Layer 2	0.33-0.83	1982	None	Supplemental (Note 7)
I	F-4	Layer 3	0.83-2.58	1982	None	Supplemental (Note 7)
I	F-6	Layer 1	0-0.33	1982	See Note 9	Eliminated (Depth)
I	F-6	Layer 2	0.33-0.83	1982	None	Supplemental (Note 7)
I	F-6	Layer 3	0.83-1.67	1982	See Note 9	Eliminated (Depth)
I	F-6	Layer 4	1.67-2.5	1982	See Note 9	Eliminated (Depth)
I	G-4	Layer 1	0-0.92	1982	None	Supplemental (Note 7)
I	G-4	Layer 2	0.92-1.67	1982	See Note 9	Eliminated (Depth)
I	GH-5	Layer 1	0-0.42	1982	See Note 9	Eliminated (Depth)
I	GH-5	Layer 2	0.42-1.08	1982	None	Supplemental (Note 7)
I	GH-5	Layer 3	1.08-2.67	1982	None	Supplemental (Note 7)
I	H-4	Layer 1	0-0.33	1982	See Note 9	Eliminated (Depth)
I	H-4	Layer 2	0.33-2.33	1982	None	Supplemental (Note 7)
I	H-4	Layer 3	2.33-2.75	1982	See Note 9	Eliminated (Depth)
I	H-6	Layer 1	0-1	1982	None	Supplemental (Note 7)
I	H-6	Layer 2	1-2.92	1982	None	Supplemental (Note 7)
I	I-2	Layer 1	0-0.5	1982	None	Supplemental (Note 7)
I	I-2	Layer 2	0.5-1.58	1982	None	Supplemental (Note 7)
I	I-2	Layer 3	1.58-2.0	1982	See Note 9	Eliminated (Depth)
I	K-4	Layer 1	0-0.33	1982	See Note 9	Eliminated (Depth)
I	K-4	Layer 2	0.33-2.0	1982	None	Supplemental (Note 7)
I	K-6	Layer 1	0-2.0	1982	None	Supplemental (Note 7)
I	K-6	Layer 2	2.0-2.33	1982	See Note 9	Eliminated (Depth)
I	L-3	Layer 1	0-0.42	1982	See Note 9	Eliminated (Depth)
I	L-3	Layer 2	0.42-0.83	1982	See Note 9	Eliminated (Depth)
I	L-3	Layer 3	0.83-1.58	1982	See Note 9	Eliminated (Depth)
I	L-3	Layer 4	1.58-2.0	1982	See Note 9	Eliminated (Depth)
I	R-4	Layer 1	0-0.5	1982	None	Supplemental (Note 7)
I	R-4	Layer 2	0.5-1.42	1982	See Note 9	Eliminated (Depth)
I	R-4	Layer 3	1.42-2.17	1982	See Note 9	Eliminated (Depth)
I	R-6	Layer 1	0-0.58	1982	None	Supplemental (Note 7)
I	R-6	Layer 2	0.58-1.0	1982	See Note 9	Eliminated (Depth)
I	R-6	Layer 3	1.0-1.75	1982	See Note 9	Eliminated (Depth)
I	R-6	Layer 4	1.75-2.25	1982	See Note 9	Eliminated (Depth)
A	S-1	S-1-ABC	Unspecified	1981	See Note 9	Eliminated (Depth)
A	S-2	S-2-ABC	Unspecified	1981	See Note 9	Eliminated (Depth)
A	S-3	S-3-ABCD	Unspecified	1981	See Note 9	Eliminated (Depth)
A	SE-1	SE-1 [SE-D]	0-2.0	September 30, 1991	See Note 12	Eliminated (Location)
A	SE-2	SE-2	0-2.0	September 30, 1991	See Note 12	Eliminated (Location)
I	U-7	Layer 1	0-0.5	1982	None	Supplemental (Note 7)
I	U-7	Layer 2	0.5-1.17	1982	None	Supplemental (Note 7)
I	U-7	Layer 3	1.17-1.67	1982	See Note 9	Eliminated (Depth)
I	U-7	Layer 4	1.67-2.25	1982	See Note 9	Eliminated (Depth)
F	UB-IRA-1-C1	UB-IRA-1-C1	0-0.5	July 8, 1998	Certificate of Analysis	Characterization
F	UB-IRA-3-C1	UB-IRA-3-C1	0-0.5	July 8, 1998	Certificate of Analysis	Characterization
F	UB-IRA-4-C1	UB-IRA-4-C1	0-0.5	July 8, 1998	Certificate of Analysis	Characterization
F	UB-IRA-5-C1	UB-IRA-5-C1	0-0.5	July 8, 1998	Certificate of Analysis	Supplemental (Note 8)
F	UB-IRA-6-C1	UB-IRA-6-C1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-7-C1	UB-IRA-7-C1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)

**TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

Data Source (See Note 18)	Sample Location	Sample ID (See Note 2)	Depth Interval (See Notes 3,4)	Date Collected	Available Documentation (See Note 5)	Proposed Data Use (See Notes 6-15)
F	UB-IRA-8-C1	UB-IRA-8-C1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-9-C1	UB-IRA-9-C1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-10-C1	UB-IRA-10-C1	0-0.5	July 8, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-11-C1	UB-IRA-11-C1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-12-C1	UB-IRA-12-C1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-13-C1	UB-IRA-13-C1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-14-C1	UB-IRA-14-C1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-15-C1	UB-IRA-15-C1	0-0.5	July 7, 1998	See Note 12	Eliminated (Location)
F	UB-IRA-16-C1	UB-IRA-16-C1	0-0.5	July 7, 1998	Certificate of Analysis	Supplemental (Note 8)
F	UB-IRA-17-C1	UB-IRA-17-C1	0-0.5	July 7, 1998	Certificate of Analysis	Supplemental (Note 8)
F	UB-IRA-18-C1	UB-IRA-18-C1	0-0.5	July 7, 1998	Certificate of Analysis	Supplemental (Note 8)
F	UB-IRA-20-C1	UB-IRA-20-C1	0-0.5	July 7, 1998	Certificate of Analysis	Supplemental (Note 8)
F	UB-IRA-21-C1	UB-IRA-21-C1	0-0.5	July 7, 1998	Certificate of Analysis	Supplemental (Note 8)
A	USW-1	SEW-1-0006	0-0.5	September 30, 1991	None	Supplemental (Note 7)
A	USW-1	SEW-1-0012	0.5-1.0	September 30, 1991	None	Supplemental (Note 7)
A	USW-2	SEW-2-0006	0-0.5	September 30, 1991	None	Supplemental (Note 7)
A	USW-2	SEW-2-0012	0.5-1.0	September 30, 1991	None	Supplemental (Note 7)

**TABLE 1
EXISTING SOIL AND SEDIMENT PCB DATA AND PROPOSED USAGE**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

NOTES:

1. This table lists all existing PCB soil and sediment samples that Blasland, Bouck & Lee (BBL) and General Electric (GE) have on record for the Unkamet Brook Area.
2. Duplicate samples in brackets.
3. Depth intervals are in units of feet.
4. Unspecified - Depth that sample was collected could not be confirmed.
5. None = No laboratory documentation available; data located only in prior data summary table(s) and/or report figure(s).
6. Characterization = Result will be used to satisfy pre-design soil investigation requirements for PCBs (as described in the text) and will be incorporated into future RD/RA activities.
7. Supplemental (Note 7) = Data will be used for supplemental purposes only, due to no available laboratory documentation.
8. Supplemental (Note 8) = Data will be used for supplemental purposes only, due to no grid nodes within the vicinity of this data (e.g., within 25 feet for 50-foot grid nodes, or within 50 feet for 100-foot grid nodes) that have not already been characterized by other (i.e., closer) data.
9. Eliminated (Depth) = Result was eliminated from consideration because the depth of the sample collected is overly large, outside the scope of this project, or unspecified. Therefore, a laboratory data package search was not conducted.
10. Eliminated (Location) = Result was eliminated from consideration because the sample was collected as a multi-location composite.
11. Eliminated (Location) = Result was eliminated from consideration because the sample is located beneath an existing building slab and therefore, will not be reviewed to assess its usability to satisfy pre-design investigation requirements and/or to otherwise support future RD/RA activities because this area is not subject to response actions.
12. Eliminated (Location) = Result was eliminated from consideration because the sample is located within the former interior landfill area and therefore, will not be reviewed to assess its usability to satisfy pre-design investigation requirements and/or to otherwise support future RD/RA activities because the response action established in the CD and SOW for this area is not dependent upon data evaluation.
13. Rejected (Laboratory) = Result was rejected because the analysis was performed by an on-site lab not certified to perform that analysis.
14. Supplemental (Note 14) = Sample was analyzed prior to 1991; data will not be used to satisfy pre-design requirements but will be used for supplemental purposes.
15. Supplemental (Note 15) = Sample location may be within boundary of Unkamet Brook (defined as the mean annual high water line).
16. Data Source Legend:

A = MCP Interim Phase II Report and Current Assessment Summary for Unkamet Brook Area/USEPA Area 1, Volumes I - XIV, Blasland, Bouck & Lee, Inc. (BBL), January 1995.

B = Immediate Response Action Plan Completion Statement, letter from GE to MDEP dated July 26, 1995.

C = Status Report for the Phase II RCRA Facility Investigation of Unkamet Brook Area/USEPA Area 1, Pittsfield, Massachusetts, Golder Associates, Inc., May 1997.

D = Miscellaneous historical sampling data, presented in GE's Monthly Status Report for October 2002 under the CD (Item 7, Tables 7-3 through 7-13), dated November 8, 2002.

E = Site Investigation Report for the General Electric Unkamet Brook Sampling Project, Pittsfield, Massachusetts, Roy F. Weston, Inc. October 1998.

F = Immediate Response Action Status Report Unkamet Brook Area, BBL, September 1998.

G = Miscellaneous soil investigation data relating to proposed renovation activities at the GE Plastic gate areas, presented in GE's Monthly Status Report for September 2002 under the CD (Item 7, Tables 7-2 through 7-4), dated October 9, 2002.

I = Study of Housatonic River Unkamet Brook Investigation Groundwater Investigation, O'Brien & Gere, June 1982.

TABLE 2
EXISTING SOIL AND SEDIMENT APPENDIX IX-3 DATA AND PROPOSED USE
REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 18)	Location ID	Sample ID (See Note 2)	Depth Interval (See Notes 3, 4)	Date Collected	Constituent Group (See Notes 5, 6, 17)					Available Documentation (See Notes 7, 8)	Proposed Data Use (See Notes 9-15)
					VOCs	SVOCs	Pesticides/ Herbicides	PCDDs/ PCDFs	Inorganics		
SOIL DATA											
West Area											
A	NETE-C1	NETE-C1 (0-36")	0-3	April 6, 1993	X					See Note 11	Eliminated (Depth)
A	OP1-01	813422.4	Unspecified	June 3, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-02	813422.7	Unspecified	June 4, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-03	813422.8	Unspecified	June 4, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-10	OP1-10-Bottom	Unspecified	December 27, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-10	OP1-10-East	Unspecified	December 27, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-10	OP1-10-North	Unspecified	December 27, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-10	OP1-10-South	Unspecified	December 27, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-10	OP1-10-West	Unspecified	December 27, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-11	OP1-11 Bottom #1	Unspecified	December 27, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-11	OP1-11 Bottom #2	Unspecified	December 27, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-11	OP1-11 East	Unspecified	December 27, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-11	OP1-11 North	Unspecified	December 27, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-11	OP1-11 South	Unspecified	December 27, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-11	OP1-11 West	Unspecified	December 27, 1991	X					See Note 11	Eliminated (Depth)
A	OP1-A1	S1-OP1-A1-Bottom	Unspecified	December 23, 1991	X		X			See Note 11	Eliminated (Depth)
A	OP1-A1	S1-OP1-A1-East	Unspecified	December 23, 1991	X		X			See Note 11	Eliminated (Depth)
A	OP1-A1	S1-OP1-A1-North	Unspecified	December 23, 1991	X		X			See Note 11	Eliminated (Depth)
A	OP1-A1	S1-OP1-A1-SSW	Unspecified	December 19, 1991	X		X			See Note 11	Eliminated (Depth)
A	OP1-A1	S1-OP1-A1-West	Unspecified	December 23, 1991	X		X			See Note 11	Eliminated (Depth)
A	OP2A-09	813422.2	Unspecified	June 3, 1991	X					See Note 11	Eliminated (Depth)
A	RF-14	PG14R1012	10-12	June 10, 1991	X	X	X	X	X	Complete Laboratory Data Package (pesticides only, Certificate of Analysis for other analytes)	Appendix IX Supplemental
A	RF-15	PG15B1416 (DP-1)	14-16	June 17, 1991	X	X	X	X	X	Complete Laboratory Data Package (Certificate of Analysis for VOCs, PCDDs/PCDFs and Inorganics)	Appendix IX Characterization
A	SB-1	SB-1.4B	8-8	August 9, 1994	X					Certificate of Analysis	Appendix IX Supplemental
A	SB-1	SB-1.9B	16-18	August 9, 1994	X					See Note 11	Eliminated (Depth)
A	SB-1	SB-1.10B	18-20	August 9, 1994	X					See Note 11	Eliminated (Depth)
A	SB-1	SB-1.12B	22-24	August 9, 1994	X					See Note 11	Eliminated (Depth)
C	UB-MW-7	UBW071416	14-16	August 2, 1996	X	X		X	X	Complete Laboratory Data Package (no documentation for Sulfide)	Appendix IX Characterization
D	UB-SS-1	UB-SS-1	0-0.5	March 4, 1997	X	X			X	None	Appendix IX Supplemental
D	UB-SS-2	UB-SS-2	0-0.5	March 4, 1997	X	X			X	None	Appendix IX Supplemental
D	UB-SS-3	UB-SS-3	0-0.5	March 4, 1997	X	X			X	None	Appendix IX Supplemental
D	UB-SS-4	UB-SS-4	0-0.5	March 4, 1997	X	X			X	None	Appendix IX Supplemental
North Area											
A	120W-5	120W-5 (0-4')	0-4	August 21-22, 1989	X	X	X		X	See Note 11	Eliminated (Depth)
A	120W-5	120W-5 (4-8')	4-8	August 21-22, 1989	X	X	X		X	Certificate of Analysis	Appendix IX Supplemental
A	120W-6	120W-6 (0-4')	0-4	August 21-22, 1989	X	X	X		X	See Note 11	Eliminated (Depth)
A	120W-6	120W-6 (4-8')	4-8	August 21-22, 1989	X	X	X		X	Certificate of Analysis	Appendix IX Supplemental
A	120W-7	120W-7 (0-4')	0-4	August 21-22, 1989	X	X	X		X	See Note 11	Eliminated (Depth)
A	120W-7	120W-7 (4-8')	4-8	August 21-22, 1989	X	X	X		X	Certificate of Analysis	Appendix IX Supplemental
A	120W-8	120W-8 (0-4')	0-4	August 21-22, 1989	X	X	X		X	See Note 11	Eliminated (Depth)
A	120W-8	120W-8 (4-8')	4-8	August 21-22, 1989	X	X	X		X	Certificate of Analysis	Appendix IX Supplemental
A	120W-9	120W-9 (0-4')	0-4	August 21-22, 1989	X	X	X		X	See Note 11	Eliminated (Depth)
A	120W-9	120W-9 (4-8')	4-8	August 21-22, 1989	X	X	X		X	Certificate of Analysis	Appendix IX Supplemental
A	120W-10	120W-10 (0-4')	0-4	August 21-22, 1989	X	X	X		X	See Note 11	Eliminated (Depth)
A	120W-10	120W-10 (4-8')	4-8	August 21-22, 1989	X	X	X		X	Certificate of Analysis	Appendix IX Supplemental
A	120W-11	120W-11 (0-2') (120W-11 (0-2') RE)	0-2	August 21-22, 1989	X	X	X		X	Certificate of Analysis	Appendix IX Supplemental
A	120W-11	120W-11 (2-4') (120W-11 (2-4') RE)	2-4	August 21-22, 1989	X	X	X		X	Certificate of Analysis	Appendix IX Supplemental
A	120W-11	120W-11 (4-6')	4-6	August 21-22, 1989	X	X	X		X	Certificate of Analysis	Appendix IX Supplemental
A	39D	PU39D0810	8-10	January 24, 1991	X	X				Complete Laboratory Data Package	Appendix IX Characterization
A	39D	PU39D1012	10-12	January 24, 1991	X	X				Complete Laboratory Data Package (Certificate of Analysis for VOCs)	Appendix IX Characterization
A	39D	PU39D1214	12-14	January 24, 1991	X	X				Complete Laboratory Data Package	Appendix IX Characterization
A	39D	PU39D1416	14-16	January 24, 1991	X	X				Complete Laboratory Data Package	Appendix IX Characterization
A	39D	PU39D1618	16-18	January 24, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39D1820	18-20	January 24, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39D2022	20-22	January 24, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39D2224	22-24	January 24, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39D2426	24-26	January 25, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39D2628	26-28	January 25, 1991	X	X				See Note 11	Eliminated (Depth)

TABLE 2
EXISTING SOIL AND SEDIMENT APPENDIX IX-3 DATA AND PROPOSED USE

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Location ID	Sample ID (See Note 2)	Depth Interval (See Notes 3, 4)	Date Collected	Constituent Group (See Notes 5, 6, 17)					Available Documentation (See Notes 7, 8)	Proposed Data Use (See Notes 9-15)
					VOCs	SVOCs	Pesticides/ Herbicides	PCDDs/ PCDFs	Inorganics		
A	39D	PU39E2630	28-30	January 25, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39E3032	30-32	January 25, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39E3234	32-34	January 25, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39E3436	34-36	January 25, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39E3638	36-38	January 25, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39E3840	38-40	January 25, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39E4042	40-42	January 25, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39E4244	42-44	January 25, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39E4446	44-46	January 25, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39E4648	46-48	January 25, 1991	X	X				See Note 11	Eliminated (Depth)
A	39D	PU39E4850	48-50	January 26, 1991	X	X				See Note 11	Eliminated (Depth)
A	39E	PU39E6968	96-98	January 31, 1991	X	X				See Note 11	Eliminated (Depth)
A	39E	PU39E106	106-108	January 11, 1991	X	X				See Note 11	Eliminated (Depth)
A	39E	PU39E733	213-235	March 7, 1991	X	X				See Note 11	Eliminated (Depth)
G	51G-01	51G-01	0-1	August 27, 2002	X	X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
G	60G-01	60G-01	1-0	August 27, 2002		X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
G	60G-01	60G-01	3-4	August 27, 2002	X					Complete Laboratory Data Package	Appendix IX Characterization
C	60G-02	60G-02	8-15	August 27, 2002		X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
G	60G-02	60G-02	8-9	August 27, 2002	X					Complete Laboratory Data Package	Appendix IX Characterization
C	BA-1	BBA01502	0.5-2	August 13, 1996	X	X				See Note 15	Appendix IX Supplemental
C	BA-1	BBA010204	2-4	August 13, 1996	X	X				See Note 15	Appendix IX Supplemental
C	BA-1	BBA010408	4-6	August 13, 1996	X	X				See Note 15	Appendix IX Supplemental
C	BA-2	BBA020204	2-4	August 13, 1996	X	X				See Note 15	Appendix IX Supplemental
C	BA-3	BBA030408	4-8	August 13, 1996	X	X		X	X	See Note 11	Eliminated (Depth)
A	L-1	L-1 (8-8)	6-8	April 12, 1993	X					Certificate of Analysis	Appendix IX Supplemental
A	L-16	L-16 (8-10)	8-10	May 11, 1993	X					Certificate of Analysis	Appendix IX Supplemental
A	L-21	L-21 (14-10)	14-10	May 11, 1993	X					Certificate of Analysis	Appendix IX Supplemental
A	L-22	L-22 (0-2)	0-2	May 11, 1993	X					Certificate of Analysis	Appendix IX Supplemental
A	L-23	L-23 (6-8)	6-8	May 11, 1993	X					Certificate of Analysis	Appendix IX Supplemental
A	L-24	L-24 (6-8)	6-8	May 11, 1993	X					Certificate of Analysis	Appendix IX Supplemental
A	L-29	L-29 (10-12)	10-12	May 11, 1993	X					Certificate of Analysis	Appendix IX Supplemental
G	MG-01	MG-01	0-1	August 29, 2002	X	X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
G	MG-02	MG-02	1-6	August 29, 2002	X	X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
A	NSF-42	PL-NSF-C42	0-3	November 3, 1994	X					See Note 11	Eliminated (Depth)
A	NSF-43	PL-NSF-C43	0-3	November 3, 1994	X					See Note 11	Eliminated (Depth)
A	NSF-44	PL-NSF-C44	0-3	November 3, 1994	X					See Note 11	Eliminated (Depth)
A	NSF-47	PL-NSF-C47	0-3	November 3, 1994	X					See Note 11	Eliminated (Depth)
A	NSF-50	PL-NSF-C50	0-3	November 8, 1994	X					See Note 11	Eliminated (Depth)
A	NSF-52	PL-NSF-C52	0-3	November 8, 1994	X					See Note 11	Eliminated (Depth)
A	NSF-53	PL-NSF-C53	0-3	November 8, 1994	X					See Note 11	Eliminated (Depth)
A	Trench A	Trench A, 0.5-1.5	0.5-1.5	November 22, 1985	X					See Note 14	Rejected (Method)
A	Trench A	Trench A, 3.5-4.5	3.5-4.5	November 22, 1985	X					See Note 14	Rejected (Method)
A	Trench B	Trench B, 0.5-1.5	0.5-1.5	November 22, 1985	X					See Note 14	Rejected (Method)
A	Trench B	Trench B, 3.5-4.5	3.5-4.5	November 22, 1985	X					See Note 14	Rejected (Method)
A	Trench C	Trench C, 0.5-1.5	0.5-1.5	November 22, 1985	X					See Note 12	Eliminated (Location)
A	Trench C	Trench C, 3.5-4.5	3.5-4.5	November 22, 1985	X					See Note 12	Eliminated (Location)
A	Trench D	Trench D, 0.5-1.5	0.5-1.5	November 22, 1985	X					See Note 12	Eliminated (Location)
A	Trench D	Trench D, 3.5-4.5	3.5-4.5	November 22, 1985	X					See Note 12	Eliminated (Location)
A	Trench E	Trench E, 0.5-1.5	0.5-1.5	November 22, 1985	X					See Note 14	Rejected (Method)
A	Trench E	Trench E, 3.5-4.5	3.5-4.5	November 22, 1985	X					See Note 14	Rejected (Method)
C	UB-SR-1	UBB010910	0-2	July 30, 1996	X	X		X	X	Complete Laboratory Data Package (no documentation for Dioxin, Sulfide)	Appendix IX Characterization
C	UB-SR-1	UBB010910	8-10	July 30, 1996	X	X		X	X	Complete Laboratory Data Package (no documentation for Dioxin, Sulfide)	Appendix IX Characterization
C	UB-SR-2	UBB020406	4-9	August 9, 1996	X	X		X	X	Complete Laboratory Data Package (no documentation for Sulfide)	Appendix IX Characterization
C	UB-SR-3	UBB030608	6-8	August 9, 1996	X	X				None	Appendix IX Supplemental
C	UB-SR-3	UBB030608	6-8	November 1, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
C	UB-SR-4	UBB040204	2-4	August 9, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
D	UB-SS-5	UB-SS-5	0-0.5	March 4, 1997	X	X		X	X	None	Appendix IX Supplemental
D	UB-SS-6	UB-SS-6	0-0.5	March 4, 1997	X	X		X	X	None	Appendix IX Supplemental
D	UB-SS-7	UB-SS-7	0-0.5	March 4, 1997	X	X		X	X	None	Appendix IX Supplemental
D	UB-SS-8	UB-SS-8	0-0.5	March 4, 1997	X	X		X	X	None	Appendix IX Supplemental
D	UB-SS-9	UB-SS-9	0-0.5	March 4, 1997	X	X		X	X	None	Appendix IX Supplemental
C	UB-SR-10	UBB101214	12-14	August 9, 1996	X	X		X	X	Complete Laboratory Data Package (no documentation for VOCs, Sulfide)	Appendix IX Characterization
C	UB-SR-12	UBB120002	0-2	July 30, 1996	X	X		X	X	Complete Laboratory Data Package (no documentation for Dioxin, Inorganics, Sulfide)	Appendix IX Characterization

TABLE 2
EXISTING SOIL AND SEDIMENT APPENDIX IX+3 DATA AND PROPOSED USE

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Location ID	Sample ID (See Note 2)	Depth Interval (See Notes 3, 4)	Date Collected	Constituent Group (See Notes 5, 8, 17)					Available Documentation (See Notes 7, 8)	Proposed Data Use (See Notes 9-15)
					VOCs	SVOCs	Pesticides/ Herbicides	PCDDs/ PCDFs	Inorganics		
C	UB-SB-12	UBB120406	4-6	July 30, 1996	X	X		X	X	Complete Laboratory Data Package (no documentation for Dioxin, Sulfide)	Appendix IX Characterization
C	UB-SB-14	UBB140406	4-6	August 7, 1996	X	X		X	X	Complete Laboratory Data Package (no documentation for Dioxin, Sulfide)	Appendix IX Characterization
C	UB-SB-15	UBB150810	8-10	August 9, 1996	X	X		X	X	Complete Laboratory Data Package (no documentation for Inorganics, Sulfide)	Appendix IX Characterization
C	UB-SB-16	UBB160406	4-6	August 15, 1996	X					Complete Laboratory Data Package	Appendix IX Characterization
A	UFP3-R1	UFP3-R1 [DUFPC-2]	0-1	April 9-11, 1991	X	X				See Note 13	Eliminated (Location)
A	UFP3-R2	UFP3-R2	0-1	April 9-11, 1991	X	X				See Note 13	Eliminated (Location)
A	UFP3-R3	UFP3-R3	0-1	April 9-11, 1991	X	X				See Note 13	Eliminated (Location)
A	UFP3-R4	UFP3-R4	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP3-R5	UFP3-R5	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP3-R6	UFP3-R6	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP3-R7	UFP3-R7	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP3-R11	UFP3-R11	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
East Area											
B	Excavation 1	OP3-GPR-EXC-1	Unspecified	November 18, 1995	X	X			X	See Note 11	Eliminated (Depth)
B	Excavation 11	OP3-GPR-EXC-11	Unspecified	November 18, 1995	X	X			X	See Note 11	Eliminated (Depth)
B	Excavation 24	OP3-GPR-EXC-24	Unspecified	November 18, 1995	X	X			X	See Note 11	Eliminated (Depth)
B	Excavation 25	OP3-GPR-EXC-25	Unspecified	November 18, 1995	X	X			X	See Note 11	Eliminated (Depth)
B	Excavation 31	OP3-GPR-EXC-31	Unspecified	November 18, 1995	X	X			X	See Note 11	Eliminated (Depth)
A	L-39	L-39 (6-8)	5-8	May 12, 1993	X					Certificate of Analysis	Appendix IX Supplemental
H	SS-1	SS-1 (2'-4')	2-4	October 8, 1993	X					Certificate of Analysis	Appendix IX Supplemental
H	SS-2	SS-2 (2'-4')	2-4	October 8, 1993	X					Certificate of Analysis	Appendix IX Supplemental
H	SS-3	SS-3 (2'-4')	2-4	October 8, 1993	X					Certificate of Analysis	Appendix IX Supplemental
H	SS-3	SS-3 (6'-8')	5-8	October 8, 1993	X					Certificate of Analysis	Appendix IX Supplemental
H	SS-4	SS-4 (4'-6')	4-6	October 8, 1993	X					Certificate of Analysis	Appendix IX Supplemental
H	SS-4	SS-4 (6'-8')	5-8	October 8, 1993	X					Certificate of Analysis	Appendix IX Supplemental
H	SS-5	SS-5 (0'-2')	0-2	October 8, 1993	X					See Note 12	Eliminated (Location)
H	SS-5	SS-5 (2'-4')	2-4	October 8, 1993	X					See Note 12	Eliminated (Location)
C	UB-SB-11	UBB111012	10-12	July 31, 1996					X	Complete Laboratory Data Package	Appendix IX Characterization
C	UB-SB-13	UBB131214	12-14	July 30, 1996	X	X		X	X	Complete Laboratory Data Package (no documentation for Dioxin, Sulfide)	Appendix IX Characterization
A	UFP1-L1	UFP1-L1	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
D	UFP1-L1	UFP1-L1	0.0-0.5	December 13, 1996	X	X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
D	UFP1-L1	UFP1-L1	0.5-1.0	December 13, 1996	X	X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
D	UFP1-L1	UFP1-L1	1.0-1.5	December 13, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
D	UFP1-L1	UFP1-L1	1.5-1.92	December 13, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
A	UFP1-L2	UFP1-L2	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP1-L3	UFP1-L3	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP1-L4	UFP1-L4	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP1-L5	UFP1-L5	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP1-R1	UFP1-R1	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
D	UFP1-R1	UFP1-R1	0.0-0.5	December 13, 1996	X	X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
D	UFP1-R1	UFP1-R1	0.5-1.0	December 13, 1996	X	X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
D	UFP1-R1	UFP1-R1	1.0-1.5	December 13, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
D	UFP1-R1	UFP1-R1	1.5-1.83	December 13, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
A	UFP2-L1	UFP2-L1	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP2-L2	UFP2-L2	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
D	UFP2-L3	UFP2-L3	0.0-0.5	December 11, 1996	X	X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
D	UFP2-L3	UFP2-L3	0.5-1.0	December 11, 1996	X	X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
A	UFP2-L3	UFP2-L3 [DUFPC-1]	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP2-L4	UFP2-L4	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP2-L5	UFP2-L5	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
D	UFP2-L6	UFP2-L6	0.0-0.5	December 17, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
D	UFP2-L6	UFP2-L6	0.5-1.0	December 17, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
D	UFP2-L7	UFP2-L7	0.0-0.5	December 17, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
D	UFP2-L7	UFP2-L7	0.5-1.0	December 17, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
D	UFP2-L8	UFP2-L8	0.0-0.5	December 17, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
D	UFP2-L8	UFP2-L8	0.5-1.0	December 17, 1996	X	X				Complete Laboratory Data Package	Appendix IX Characterization
A	UFP2-R1	UFP2-R1	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
D	UFP2-R1	UFP2-R1	0.0-0.5	December 18, 1996	X	X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
D	UFP2-R1	UFP2-R1	0.5-1.0	December 18, 1996	X	X		X	X	Complete Laboratory Data Package	Appendix IX Characterization
A	UFP2-R2	UFP2-R2	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UFP2-R7	UFP2-R7	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UOP3S-1	UOP3S-1	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UOP3S-7	UOP3S-7	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental

TABLE 2
EXISTING SOIL AND SEDIMENT APPENDIX IX+3 DATA AND PROPOSED USE
REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR LINKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Location ID	Sample ID (See Note 2)	Depth Interval (See Notes 3, 4)	Date Collected	Constituent Group (See Notes 5, 6, 17)					Available Documentation (See Notes 7, 8)	Proposed Data Use (See Notes 9-15)
					VOCs	SVOCs	Pesticides/ Herbicides	PCDDs/ PCDFs	Inorganics		
A	UOP3S-13	UOP3-S-13	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UOP3S-14	UOP3-S-14	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	UOP3S-15	UOP3-S-15	0-1	April 9-11, 1991	X	X	X	X	X	Certificate of Analysis	Appendix IX Supplemental
A	UOP3S-17	UOP3-S-17	0-1	April 9-11, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
SEDIMENT DATA											
East Area											
D	USED-4	USED-4	Unspecified	December 10, 1996	X	X			X	See Note 11	Eliminated (Depth)
D	USED-10	USED-10	Unspecified	December 10, 1996	X	X			X	See Note 11	Eliminated (Depth)
A	USW-4	SEW-40-6/SEW-40-6(OL)	0-0.5	September 30, 1991	X	X				Certificate of Analysis	Appendix IX Supplemental
A	USW-4	SEW-46-12	0.5-1.0	September 30, 1991	X	X			X	Certificate of Analysis	Appendix IX Supplemental
A	USW-8	SEW-90-8	0-0.5	September 30, 1991	X	X			X	Certificate of Analysis	Appendix IX Supplemental
A	USW-8	SEW-98-12/SEW-98-12(RE)	0.5-1.0	September 30, 1991	X	X			X	Certificate of Analysis	Appendix IX Supplemental
A	USW-10	SEW-100-8	0-0.5	September 30, 1991	X	X			X	Certificate of Analysis	Appendix IX Supplemental
A	USW-10	SEW-106-12	0.5-1.0	September 30, 1991	X	X			X	Certificate of Analysis	Appendix IX Supplemental
North Area											
I	C-2	Layer 1	0-0.58	1982	X ¹					See Note 14	Rejected (Method)
I	C-2	Layer 2	0.58-2.5	1982	X ¹					See Note 14	Rejected (Method)
I	C-4	Layer 1	0-0.42	1982	X ¹					See Note 14	Rejected (Method)
I	C-4	Layer 2	0.42-2.25	1982	X ¹					See Note 14	Rejected (Method)
I	C-6	Layer 1	0-1.5	1982	X ¹					See Note 14	Rejected (Method)
I	C-6	Layer 2	1.5-1.75	1982	X ¹					See Note 14	Rejected (Method)
I	F-2	Layer 1	0-0.33	1982	X ¹					See Note 14	Rejected (Method)
I	F-2	Layer 2	0.33-2.67	1982	X ¹					See Note 14	Rejected (Method)
I	F-4	Layer 1	0-0.33	1982	X ¹					See Note 14	Rejected (Method)
I	F-4	Layer 2	0.33-0.83	1982	X ¹					See Note 14	Rejected (Method)
I	F-4	Layer 3	0.83-2.58	1982	X ¹					See Note 14	Rejected (Method)
I	F-6	Layer 1	0-0.33	1982	X ¹					See Note 14	Rejected (Method)
I	F-6	Layer 2	0.33-0.83	1982	X ¹					See Note 14	Rejected (Method)
I	F-6	Layer 3	0.83-1.67	1982	X ¹					See Note 14	Rejected (Method)
I	F-6	Layer 4	1.67-2.5	1982	X ¹					See Note 14	Rejected (Method)
I	C-4	Layer 1	0-0.92	1982	X ¹					See Note 14	Rejected (Method)
I	G-4	Layer 2	0.92-1.67	1982	X ¹					See Note 14	Rejected (Method)
I	GH-5	Layer 1	0-0.82	1982	X ¹					See Note 14	Rejected (Method)
I	GH-5	Layer 2	0.42-1.06	1982	X ¹					See Note 14	Rejected (Method)
I	GH-5	Layer 3	1.06-2.97	1982	X ¹					See Note 14	Rejected (Method)
I	H-4	Layer 1	0-0.33	1982	X ¹					See Note 14	Rejected (Method)
I	H-4	Layer 2	0.33-2.33	1982	X ¹					See Note 14	Rejected (Method)
I	H-4	Layer 3	2.33-7.75	1982	X ¹					See Note 14	Rejected (Method)
I	H-6	Layer 1	0-1.0	1982	X ¹					See Note 14	Rejected (Method)
I	H-6	Layer 2	1.0-2.92	1982	X ¹					See Note 14	Rejected (Method)
I	I-2	Layer 1	0-0.5	1982	X ¹					See Note 14	Rejected (Method)
I	I-2	Layer 2	0.5-1.58	1982	X ¹					See Note 14	Rejected (Method)
I	I-2	Layer 3	1.58-2.0	1982	X ¹					See Note 14	Rejected (Method)
I	K-4	Layer 1	0-0.33	1982	X ¹					See Note 14	Rejected (Method)
I	K-4	Layer 2	0.33-2.0	1982	X ¹					See Note 14	Rejected (Method)
I	K-6	Layer 1	0-2.0	1982	X ¹					See Note 14	Rejected (Method)
I	K-6	Layer 2	2.0-2.33	1982	X ¹					See Note 14	Rejected (Method)
I	L-3	Layer 1	0-0.42	1982	X ¹					See Note 14	Rejected (Method)
I	L-3	Layer 2	0.42-0.83	1982	X ¹					See Note 14	Rejected (Method)
I	L-3	Layer 3	0.83-1.58	1982	X ¹					See Note 14	Rejected (Method)
I	L-3	Layer 4	1.58-2.0	1982	X ¹					See Note 14	Rejected (Method)
I	R-4	Layer 1	0-0.5	1982	X ¹					See Note 14	Rejected (Method)
I	R-4	Layer 2	0.5-1.42	1982	X ¹					See Note 14	Rejected (Method)
I	R-4	Layer 3	1.42-2.17	1982	X ¹					See Note 14	Rejected (Method)
I	R-6	Layer 1	0-0.68	1982	X ¹					See Note 14	Rejected (Method)
I	R-6	Layer 2	0.68-1.0	1982	X ¹					See Note 14	Rejected (Method)
I	R-6	Layer 3	1.0-1.75	1982	X ¹					See Note 14	Rejected (Method)
I	R-6	Layer 4	1.75-2.26	1982	X ¹					See Note 14	Rejected (Method)

TABLE 2
EXISTING SOIL AND SEDIMENT APPENDIX IX+3 DATA AND PROPOSED USE

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Data Source (See Note 16)	Location ID	Sample ID (See Note 2)	Depth Interval (See Notes 3, 4)	Date Collected	Constituent Group (See Notes 5, 6, 17)					Available Documentation (See Notes 7, 8)	Proposed Data Use (See Notes 9-15)
					VOCs	SVOCs	Pesticides/ Herbicides	PCDDs/ PCDFs	Inorganics		
A	SE-1	SE-1(SE-D)	0-2	September 30, 1991	X	X			X	See Note 13	Eliminated (Location)
A	SF-2	SF-2(SF-2 DI)	0-2	September 30, 1991	X	X			X	See Note 13	Eliminated (Location)
I	U-7	Layer 1	0-0.5	1982	X ¹					See Note 14	Rejected (Method)
I	U-7	Layer 2	0.5-1.17	1982	X ¹					See Note 14	Rejected (Method)
I	U-7	Layer 3	1.17-1.87	1982	X ¹					See Note 14	Rejected (Method)
I	U-7	Layer 4	1.87-2.75	1982	X ¹					See Note 14	Rejected (Method)
A	USW-1	SFW-10 (SEW-10-BDI)	0-0.5	September 30, 1991	X	X			X	Certificate of Analysis	Appendix IX Supplemental
A	USW-1	SEW-16-12	0.5-1.0	September 30, 1991	X	X			X	Certificate of Analysis	Appendix IX Supplemental
A	USW-2	SEW-20-8	0-0.5	September 30, 1991	X	X			X	Certificate of Analysis	Appendix IX Supplemental
A	USW-2	SEW-26-12 (SEW-26-12DL)	0.5-1.0	September 30, 1991	X	X			X	Certificate of Analysis	Appendix IX Supplemental

NOTES:

- This table lists all existing soil and sediment samples analyzed for some or all Appendix IX+3 constituents and corresponding parameter groups that Blasland, Bouck & Lee (BBL) and General Electric (GE) have on record for the Unkamet Brook Area.
- Duplicates are in brackets.
- Depth intervals are in units of feet.
- Unspecified = Depth that sample was collected could not be confirmed.
- X = Analyses were performed for that parameter group.
- X1 = Analyses were performed for Chlorobenzene only.
- None = No laboratory documentation available; data located only in prior data summary table(s) and/or report figure(s).
- Exceptions indicated in parentheses.
- Appendix IX Characterization = Parameter groups having a complete data package available.
- Appendix IX Supplemental = A complete laboratory data package was not located, therefore the result will not be used to satisfy pre-design investigation requirements, but will be considered further in the future as part of RD/RA evaluations.
- Eliminated (Depth) = Result was eliminated from consideration because the depth of the sample collected is overly large, outside the scope of this project, or unspecified. Therefore, a laboratory data package search was not conducted.
- Eliminated (Location) = Result was eliminated from consideration because the sample is located beneath an existing building slab and therefore, will not be reviewed to assess its usability to satisfy pre-design investigation requirements and/or in otherwise support future RD/RA activities because this area is not subject to response actions.
- Eliminated (Location) = Result was eliminated from consideration because the sample is located within the former interior landfill area and therefore, will not be reviewed to assess its usability to satisfy pre-design investigation requirements and/or to otherwise support future RD/RA activities because the response action established in the CD and SOW for this area is not dependent upon data evaluation.
- Rejected (Method) = Result was rejected because there was no promulgated method for VOCs before 1986.
- Appendix IX Supplemental = Sample location may be within boundary of Unkamet Brook (defined as the mean annual high water line).
- Data Source Legend:
 A = MCP Interim Phase II Report and Current Assessment Summary for Unkamet Brook Area/USEPA Area 1, Volumes I - XIV, Blasland, Bouck & Lee, Inc. (BBL), January 1995
 B = Immediate Response Action Plan Completion Statement, letter from GE to MDEP dated July 26, 1996
 C = Status Report for the Phase II RCRA Facility Investigation of Unkamet Brook Area/USEPA Area 1, Pittsfield, Massachusetts, Golder Associates, Inc., May 1997
 D = Miscellaneous historical sampling data, presented in GE's Monthly Status Report for October 2002 under the CD (Item 7, Tables 7-3 through 7-13), dated November 8, 2002
 G = Miscellaneous site investigation data relating to proposed renovation activities at the GE Plastics gate areas, presented in GE's Monthly Status Report for September 2002 under the CD (Item 7, Tables 7-2 through 7-4), dated October 9, 2002
 H = Environmental Site Assessment, 440 Merrill Road Pittsfield, Massachusetts, Environmental Risk Limited, October 1993
 I = Study of Housatonic River Unkamet Brook Investigation Groundwater Investigation - O'Flinn & Gere, June 1982

17. Abbreviations:

PCDDs/PCDFs = polychlorinated dibenzo-dioxins/ polychlorinated dibenzo-furans
 SVOCs = semi-volatile organic compounds
 VOCs = volatile organic compounds

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
WEST AREA					
GE-Owned Commercial/Industrial Property					
PAVED					
B17	EXISTING: PROPOSED:	-- RAA10-W-B17	-- RAA10-W-B17	-- RAA10-W-B17	-- RAA10-W-B17
C15	EXISTING: PROPOSED:	-- RAA10-W-C15	-- RAA10-W-C15	-- RAA10-W-C15	-- RAA10-W-C15
D12	EXISTING: PROPOSED:	-- RAA10-W-D12	-- RAA10-W-D12	-- RAA10-W-D12	-- RAA10-W-D12
E10	EXISTING: PROPOSED:	-- RAA10-W-E10	-- RAA10-W-E10	-- RAA10-W-E10	-- RAA10-W-E10
E13	EXISTING: PROPOSED:	-- RAA10-W-E13	-- RAA10-W-E13	-- RAA10-W-E13	-- RAA10-W-E13
F9	EXISTING: PROPOSED:	-- RAA10-W-F9	-- RAA10-W-F9	-- RAA10-W-F9	-- RAA10-W-F9
F13	EXISTING: PROPOSED:	-- RAA10-W-F13	-- RAA10-W-F13	-- RAA10-W-F13	-- RAA10-W-F13
G7	EXISTING: PROPOSED:	-- RAA10-W-G7	-- RAA10-W-G7	-- RAA10-W-G7	-- RAA10-W-G7
G9	EXISTING: PROPOSED:	-- RAA10-W-G9	-- RAA10-W-G9	-- RAA10-W-G9	-- RAA10-W-G9
G15	EXISTING: PROPOSED:	-- RAA10-W-G15	-- RAA10-W-G15	-- RAA10-W-G15	-- RAA10-W-G15
H4	EXISTING: PROPOSED:	-- RAA10-W-H4	-- RAA10-W-H4	-- RAA10-W-H4	-- RAA10-W-H4
H10	EXISTING: PROPOSED:	-- RAA10-W-H10	-- RAA10-W-H10	-- RAA10-W-H10	-- RAA10-W-H10
H15	EXISTING: PROPOSED:	-- RAA10-W-H15	-- RAA10-W-H15	-- RAA10-W-H15	-- RAA10-W-H15
I7	EXISTING: PROPOSED:	-- RAA10-W-I7	-- RAA10-W-I7	-- RAA10-W-I7	-- RAA10-W-I7
I10	EXISTING: PROPOSED:	-- RAA10-W-I10	-- RAA10-W-I10	-- RAA10-W-I10	-- RAA10-W-I10
I17	EXISTING: PROPOSED:	-- RAA10-W-I17	-- RAA10-W-I17	-- RAA10-W-I17	-- RAA10-W-I17
I22	EXISTING: PROPOSED:	-- RAA10-W-I22	-- RAA10-W-I22	-- RAA10-W-I22	-- RAA10-W-I22
J4	EXISTING: PROPOSED:	-- RAA10-W-J4	-- RAA10-W-J4	-- RAA10-W-J4	-- RAA10-W-J4
J11	EXISTING: PROPOSED:	-- RAA10-W-J11	-- RAA10-W-J11	-- RAA10-W-J11	-- RAA10-W-J11
J17	EXISTING: PROPOSED:	-- RAA10-W-J17	-- RAA10-W-J17	-- RAA10-W-J17	-- RAA10-W-J17
J20	EXISTING: PROPOSED:	-- RAA10-W-J20	-- RAA10-W-J20	-- RAA10-W-J20	-- RAA10-W-J20
J21	EXISTING: PROPOSED:	-- RAA10-W-J21	-- RAA10-W-J21	-- RAA10-W-J21	-- RAA10-W-J21
K8	EXISTING: PROPOSED:	-- RAA10-W-K8	-- RAA10-W-K8	-- RAA10-W-K8	-- RAA10-W-K8
K11	EXISTING: PROPOSED:	-- RAA10-W-K11	-- RAA10-W-K11	-- RAA10-W-K11	-- RAA10-W-K11
K17	EXISTING: PROPOSED:	-- RAA10-W-K17	-- RAA10-W-K17	-- RAA10-W-K17	-- RAA10-W-K17
K18	EXISTING: PROPOSED:	-- RAA10-W-K18	-- RAA10-W-K18	-- RAA10-W-K18	-- RAA10-W-K18

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
K19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-K19	RAA10-W-K19	RAA10-W-K19	RAA10-W-K19
L12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-L12	RAA10-W-L12	RAA10-W-L12	RAA10-W-L12
L19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-L19	RAA10-W-L19	RAA10-W-L19	RAA10-W-L19
M8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M8	RAA10-W-M8	RAA10-W-M8	RAA10-W-M8
M11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M11	RAA10-W-M11	RAA10-W-M11	RAA10-W-M11
M12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M12	RAA10-W-M12	RAA10-W-M12	RAA10-W-M12
M13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M13	RAA10-W-M13	RAA10-W-M13	RAA10-W-M13
M17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M17	RAA10-W-M17	RAA10-W-M17	RAA10-W-M17
M18	EXISTING:	UB-MW-7	UB-MW-7	UB-MW-7	UB-MW-7
	PROPOSED:	--	--	--	--
P9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P9	RAA10-W-P9	RAA10-W-P9	RAA10-W-P9
P11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P11	RAA10-W-P11	RAA10-W-P11	RAA10-W-P11
R13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-R13	RAA10-W-R13	RAA10-W-R13	RAA10-W-R13
S11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-S11	RAA10-W-S11	RAA10-W-S11	RAA10-W-S11
UNPAVED					
A16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-A16	RAA10-W-A16	RAA10-W-A16	RAA10-W-A16
B15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-B15	RAA10-W-B15	RAA10-W-B15	RAA10-W-B15
B18	EXISTING:	RF-14	RF-14	RF-14	RF-14
	PROPOSED:	--	--	--	--
B19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-B19	RAA10-W-B19	RAA10-W-B19	RAA10-W-B19
C12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-C12	RAA10-W-C12	RAA10-W-C12	RAA10-W-C12
C13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-C13	RAA10-W-C13	RAA10-W-C13	RAA10-W-C13
C18	EXISTING:	UB-SS-2	--	--	--
	PROPOSED:	--	RAA10-W-C18	RAA10-W-C18	RAA10-W-C18
C19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-C19	RAA10-W-C19	RAA10-W-C19	RAA10-W-C19
D10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D10	RAA10-W-D10	RAA10-W-D10	RAA10-W-D10
D11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D11	RAA10-W-D11	RAA10-W-D11	RAA10-W-D11
D19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D19	RAA10-W-D19	RAA10-W-D19	RAA10-W-D19
D20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D20	RAA10-W-D20	RAA10-W-D20	RAA10-W-D20
E8	EXISTING:	UB-SS-1	--	--	--
	PROPOSED:	--	RAA10-W-E8	RAA10-W-E8	RAA10-W-E8
E9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-E9	RAA10-W-E9	RAA10-W-E9	RAA10-W-E9

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
E19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-E19	RAA10-W-E19	RAA10-W-E19	RAA10-W-E19
E20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-E20	RAA10-W-E20	RAA10-W-E20	RAA10-W-E20
F6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-F6	RAA10-W-F6	RAA10-W-F6	RAA10-W-F6
F8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-F8	RAA10-W-F8	RAA10-W-F8	RAA10-W-F8
F20	EXISTING:	OP-1-ARS-C1	--	--	--
	PROPOSED:	--	RAA10-W-F20	RAA10-W-F20	RAA10-W-F20
G4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-G4	RAA10-W-G4	RAA10-W-G4	RAA10-W-G4
G20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-G20	RAA10-W-G20	RAA10-W-G20	RAA10-W-G20
G21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-G21	RAA10-W-G21	RAA10-W-G21	RAA10-W-G21
H2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-H2	RAA10-W-H2	RAA10-W-H2	RAA10-W-H2
H9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-H9	RAA10-W-H9	RAA10-W-H9	RAA10-W-H9
H21	EXISTING:	SB-2	SB-2	SB-2	SB-2
	PROPOSED:	--	--	--	--
I2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-I2	RAA10-W-I2	RAA10-W-I2	RAA10-W-I2
I21	EXISTING:	UB-SS-4	--	--	--
	PROPOSED:	--	RAA10-W-I21	RAA10-W-I21	RAA10-W-I21
J10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-J10	RAA10-W-J10	RAA10-W-J10	RAA10-W-J10
K21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-K21	RAA10-W-K21	RAA10-W-K21	RAA10-W-K21
L11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-L11	RAA10-W-L11	RAA10-W-L11	RAA10-W-L11
L18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-L18	RAA10-W-L18	RAA10-W-L18	RAA10-W-L18
L20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-L20	RAA10-W-L20	RAA10-W-L20	RAA10-W-L20
M15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M15	RAA10-W-M15	RAA10-W-M15	RAA10-W-M15
M19	EXISTING:	RF-15	RF-15	RF-15	RF-15
	PROPOSED:	--	--	--	--
N12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-N12	RAA10-W-N12	RAA10-W-N12	RAA10-W-N12
N13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-N13	RAA10-W-N13	RAA10-W-N13	RAA10-W-N13
N17	EXISTING:	UB-SS-3	--	--	--
	PROPOSED:	--	RAA10-W-N17	RAA10-W-N17	RAA10-W-N17
N18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-N18	RAA10-W-N18	RAA10-W-N18	RAA10-W-N18
Non-GE-Owned Commercial Industrial Property					
UNPAVED					
O15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-O15	RAA10-W-O15	RAA10-W-O15	RAA10-W-O15
O16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-O16	RAA10-W-O16	RAA10-W-O16	RAA10-W-O16
P15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P15	RAA10-W-P15	RAA10-W-P15	RAA10-W-P15

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
P16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P16	--	--	--
P17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P17	RAA10-W-P17	RAA10-W-P17	RAA10-W-P17
Q14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-Q14	--	--	--
Q15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-Q15	--	--	--
Q16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-Q16	--	--	--
R15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-R15	RAA10-W-R15	RAA10-W-R15	RAA10-W-R15
EAST AREA					
<i>Non-GE-Owned Commercial/Industrial Property</i>					
A21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-A21	--	--	--
A22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-A22	--	--	--
B21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-B21	--	--	--
B22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-B22	RAA10-E-B22	RAA10-E-B22	RAA10-E-B22
B23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-B23	--	--	--
B24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-B24	RAA10-E-B24	RAA10-E-B24	RAA10-E-B24
C20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C20	--	--	--
C21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C21	--	--	--
C22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C22	--	--	--
C23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C23	--	--	--
C24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C24	--	--	--
C25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C25	--	--	--
C26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C26	--	--	--
D20	EXISTING:	UB-SB-13	UB-SB-13	UB-SB-13	UB-SB-13
	PROPOSED:	--	--	--	--
D21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D21	--	--	--
D22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D22	RAA10-E-D22	RAA10-E-D22	RAA10-E-D22
D23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D23	--	--	--
D24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D24	RAA10-E-D24	RAA10-E-D24	RAA10-E-D24
D25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D25	--	--	--
D26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D26	RAA10-E-D26	RAA10-E-D26	RAA10-E-D26
E19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E19	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
E20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E20	--	--	--
E21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E21	--	--	--
E22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E22	--	--	--
E23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E23	--	--	--
E24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E24	--	--	--
E25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E25	--	--	--
E26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E26	--	--	--
F19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F19	--	--	--
F20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F20	RAA10-E-F20	RAA10-E-F20	RAA10-E-F20
F21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F21	--	--	--
F22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F22	RAA10-E-F22	RAA10-E-F22	RAA10-E-F22
F25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F25	--	--	--
F26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F26	RAA10-E-F26	RAA10-E-F26	RAA10-E-F26
G19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G19	--	--	--
G20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G20	--	--	--
G21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G21	--	--	--
G24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G24	--	--	--
G25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G25	--	--	--
G26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G26	--	--	--
G27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G27	--	--	--
G28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G28	--	--	--
H18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H18	RAA10-E-H18	RAA10-E-H18	RAA10-E-H18
H19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H19	--	--	--
H20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H20	RAA10-E-H20	RAA10-E-H20	RAA10-E-H20
H21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H21	--	--	--
H23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H23	--	--	--
H24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H24	RAA10-E-H24	RAA10-E-H24	RAA10-E-H24
H25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H25	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
H26	EXISTING: -- PROPOSED: RAA10-E-H26	--	RAA10-E-H26	RAA10-E-H26	RAA10-E-H26
H27	EXISTING: -- PROPOSED: RAA10-E-H27	--	--	--	--
H28	EXISTING: -- PROPOSED: RAA10-E-H28	--	RAA10-E-H28	RAA10-E-H28	RAA10-E-H28
I18	EXISTING: -- PROPOSED: RAA10-E-I18	--	--	--	--
I19	EXISTING: -- PROPOSED: RAA10-E-I19	--	--	--	--
I20	EXISTING: -- PROPOSED: RAA10-E-I20	--	--	--	--
I21	EXISTING: -- PROPOSED: RAA10-E-I21	--	--	--	--
I23	EXISTING: -- PROPOSED: RAA10-E-I23	--	--	--	--
I24	EXISTING: -- PROPOSED: RAA10-E-I24	--	--	--	--
I25	EXISTING: -- PROPOSED: RAA10-E-I25	--	--	--	--
I26	EXISTING: -- PROPOSED: RAA10-E-I26	--	--	--	--
I27	EXISTING: -- PROPOSED: RAA10-E-I27	--	--	--	--
J17	EXISTING: -- PROPOSED: RAA10-E-J17	--	--	--	--
J18	EXISTING: -- PROPOSED: RAA10-E-J18	--	RAA10-E-J18	RAA10-E-J18	RAA10-E-J18
J22	EXISTING: -- PROPOSED: RAA10-E-J22	--	RAA10-E-J22	RAA10-E-J22	RAA10-E-J22
J23	EXISTING: -- PROPOSED: RAA10-E-J23	--	--	--	--
J24	EXISTING: -- PROPOSED: RAA10-E-J24	--	RAA10-E-J24	RAA10-E-J24	RAA10-E-J24
J25	EXISTING: -- PROPOSED: RAA10-E-J25	--	--	--	--
J26	EXISTING: -- PROPOSED: RAA10-E-J26	--	RAA10-E-J26	RAA10-E-J26	RAA10-E-J26
J27	EXISTING: -- PROPOSED: RAA10-E-J27	--	--	--	--
K16	EXISTING: -- PROPOSED: RAA10-E-K16	--	--	--	--
K17	EXISTING: -- PROPOSED: RAA10-E-K17	--	--	--	--
K18	EXISTING: -- PROPOSED: RAA10-E-K18	--	--	--	--
K22	EXISTING: -- PROPOSED: RAA10-E-K22	--	--	--	--
K23	EXISTING: -- PROPOSED: RAA10-E-K23	--	--	--	--
K24	EXISTING: -- PROPOSED: RAA10-E-K24	--	--	--	--
K25	EXISTING: -- PROPOSED: RAA10-E-K25	--	--	--	--
K26	EXISTING: -- PROPOSED: RAA10-E-K26	--	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
K27	EXISTING: PROPOSED:	-- RAA10-E-K27	-- --	-- --	-- --
K28	EXISTING: PROPOSED:	-- RAA10-E-K28	-- --	-- --	-- --
L16	EXISTING: PROPOSED:	-- RAA10-E-L16	-- RAA10-E-L16	-- RAA10-E-L16	-- RAA10-E-L16
L17	EXISTING: PROPOSED:	-- RAA10-E-L17	-- --	-- --	-- --
L22	EXISTING: PROPOSED:	-- RAA10-E-L22	-- RAA10-E-L22	-- RAA10-E-L22	-- RAA10-E-L22
L23	EXISTING: PROPOSED:	-- RAA10-E-L23	-- --	-- --	-- --
L24	EXISTING: PROPOSED:	-- RAA10-E-L24	-- RAA10-E-L24	-- RAA10-E-L24	-- RAA10-E-L24
L25	EXISTING: PROPOSED:	-- RAA10-E-L25	-- --	-- --	-- --
L26	EXISTING: PROPOSED:	-- RAA10-E-L26	-- RAA10-E-L26	-- RAA10-E-L26	-- RAA10-E-L26
L27	EXISTING: PROPOSED:	-- RAA10-E-L27	-- --	-- --	-- --
M15	EXISTING: PROPOSED:	-- RAA10-E-M15	-- --	-- --	-- --
M16	EXISTING: PROPOSED:	-- RAA10-E-M16	-- --	-- --	-- --
M17	EXISTING: PROPOSED:	-- RAA10-E-M17	-- --	-- --	-- --
M21	EXISTING: PROPOSED:	-- RAA10-E-M21	-- --	-- --	-- --
M22	EXISTING: PROPOSED:	-- RAA10-E-M22	-- --	-- --	-- --
M23	EXISTING: PROPOSED:	-- RAA10-E-M23	-- --	-- --	-- --
M24	EXISTING: PROPOSED:	-- RAA10-E-M24	-- --	-- --	-- --
M25	EXISTING: PROPOSED:	-- RAA10-E-M25	-- --	-- --	-- --
N16	EXISTING: PROPOSED:	-- RAA10-E-N16	-- RAA10-E-N16	-- RAA10-E-N16	-- RAA10-E-N16
N17	EXISTING: PROPOSED:	-- RAA10-E-N17	-- --	-- --	-- --
N18	EXISTING: PROPOSED:	-- RAA10-E-N18	-- RAA10-E-N18	-- RAA10-E-N18	-- RAA10-E-N18
N19	EXISTING: PROPOSED:	-- RAA10-E-N19	-- --	-- --	-- --
N20	EXISTING: PROPOSED:	-- RAA10-E-N20	-- RAA10-E-N20	-- RAA10-E-N20	-- RAA10-E-N20
N21	EXISTING: PROPOSED:	-- RAA10-E-N21	-- --	-- --	-- --
N22	EXISTING: PROPOSED:	-- RAA10-E-N22	-- RAA10-E-N22	-- RAA10-E-N22	-- RAA10-E-N22
N23	EXISTING: PROPOSED:	-- RAA10-E-N23	-- --	-- --	-- --
N24	EXISTING: PROPOSED:	-- RAA10-E-N24	-- RAA10-E-N24	-- RAA10-E-N24	-- RAA10-E-N24
N25	EXISTING: PROPOSED:	-- RAA10-E-N25	-- --	-- --	-- --

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
O14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q14	--	--	--
O19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q19	--	--	--
O20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q20	--	--	--
O21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q21	--	--	--
O22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q22	--	--	--
O23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q23	--	--	--
O24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q24	--	--	--
O25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q25	--	--	--
P13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P13	--	--	--
P14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P14	RAA10-E-P14	RAA10-E-P14	RAA10-E-P14
P21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P21	--	--	--
P22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P22	RAA10-E-P22	RAA10-E-P22	RAA10-E-P22
P23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P23	--	--	--
P24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P24	RAA10-E-P24	RAA10-E-P24	RAA10-E-P24
Q13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q13	--	--	--
Q14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q14	--	--	--
Q24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q24	--	--	--
R12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R12	RAA10-E-R12	RAA10-E-R12	RAA10-E-R12
R13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R13	--	--	--
R14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R14	RAA10-E-R14	RAA10-E-R14	RAA10-E-R14
S11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S11	--	--	--
S12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S12	--	--	--
S13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S13	--	--	--
S14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S14	--	--	--
T10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T10	RAA10-E-T10	RAA10-E-T10	RAA10-E-T10
T11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T11	--	--	--
T12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T12	RAA10-E-T12	RAA10-E-T12	RAA10-E-T12
T13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T13	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
T14	EXISTING: PROPOSED:	-- RAA10-E-T14	-- RAA10-E-T14	-- RAA10-E-T14	-- RAA10-E-T14
U10	EXISTING: PROPOSED:	-- RAA10-E-U10	-- --	-- --	-- --
U11	EXISTING: PROPOSED:	-- RAA10-E-U11	-- --	-- --	-- --
U12	EXISTING: PROPOSED:	-- RAA10-E-U12	-- --	-- --	-- --
U13	EXISTING: PROPOSED:	-- RAA10-E-U13	-- --	-- --	-- --
U14	EXISTING: PROPOSED:	-- RAA10-E-U14	-- --	-- --	-- --
V9	EXISTING: PROPOSED:	-- RAA10-E-V9	-- --	-- --	-- --
V10	EXISTING: PROPOSED:	-- RAA10-E-V10	-- RAA10-E-V10	-- RAA10-E-V10	-- RAA10-E-V10
V11	EXISTING: PROPOSED:	-- RAA10-E-V11	-- --	-- --	-- --
V12	EXISTING: PROPOSED:	-- RAA10-E-V12	-- RAA10-E-V12	-- RAA10-E-V12	-- RAA10-E-V12
V13	EXISTING: PROPOSED:	-- RAA10-E-V13	-- --	-- --	-- --
V14	EXISTING: PROPOSED:	-- RAA10-E-V14	-- RAA10-E-V14	-- RAA10-E-V14	-- RAA10-E-V14
W9	EXISTING: PROPOSED:	-- RAA10-E-W9	-- --	-- --	-- --
W10	EXISTING: PROPOSED:	-- RAA10-E-W10	-- --	-- --	-- --
W11	EXISTING: PROPOSED:	-- RAA10-E-W11	-- --	-- --	-- --
W12	EXISTING: PROPOSED:	-- RAA10-E-W12	-- --	-- --	-- --
W13	EXISTING: PROPOSED:	-- RAA10-E-W13	-- --	-- --	-- --
X8	EXISTING: PROPOSED:	-- RAA10-E-X8	-- RAA10-E-X8	-- RAA10-E-X8	-- RAA10-E-X8
X9	EXISTING: PROPOSED:	-- RAA10-E-X9	-- --	-- --	-- --
X10	EXISTING: PROPOSED:	-- RAA10-E-X10	-- RAA10-E-X10	-- RAA10-E-X10	-- RAA10-E-X10
X11	EXISTING: PROPOSED:	-- RAA10-E-X11	-- --	-- --	-- --
X12	EXISTING: PROPOSED:	-- RAA10-E-X12	-- RAA10-E-X12	-- RAA10-E-X12	-- RAA10-E-X12
X13	EXISTING: PROPOSED:	-- RAA10-E-X13	-- --	-- --	-- --
Y7	EXISTING: PROPOSED:	-- RAA10-E-Y7	-- --	-- --	-- --
Y8	EXISTING: PROPOSED:	-- RAA10-E-Y8	-- --	-- --	-- --
Y9	EXISTING: PROPOSED:	-- RAA10-E-Y9	-- --	-- --	-- --
Y10	EXISTING: PROPOSED:	-- RAA10-E-Y10	-- --	-- --	-- --
Y11	EXISTING: PROPOSED:	-- RAA10-E-Y11	-- --	-- --	-- --

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-5 ft.	6-15 ft.
Y12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y12	--	--	--
Y13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y13	--	--	--
Y14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y14	--	--	--
Z6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z6	RAA10-E-Z6	RAA10-E-Z6	RAA10-E-Z6
Z7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z7	--	--	--
Z9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z9	--	--	--
Z10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z10	RAA10-E-Z10	RAA10-E-Z10	RAA10-E-Z10
Z11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z11	--	--	--
Z12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z12	RAA10-E-Z12	RAA10-E-Z12	RAA10-E-Z12
Z13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z13	--	--	--
Z14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z14	RAA10-E-Z14	RAA10-E-Z14	RAA10-E-Z14
AA6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA6	--	--	--
AA7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA7	--	--	--
AA10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA10	--	--	--
AA11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA11	--	--	--
AA12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA12	--	--	--
AA13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA13	--	--	--
AA14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA14	--	--	--
BB5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB5	--	--	--
BB6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB6	RAA10-E-BB6	RAA10-E-BB6	RAA10-E-BB6
BB7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB7	--	--	--
BB9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB9	--	--	--
BB10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB10	RAA10-E-BB10	RAA10-E-BB10	RAA10-E-BB10
BB11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB11	--	--	--
BB12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB12	RAA10-E-BB12	RAA10-E-BB12	RAA10-E-BB12
BB13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB13	--	--	--
BB14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB14	RAA10-E-BB14	RAA10-E-BB14	RAA10-E-BB14
CC4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC4	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
CC5	EXISTING: PROPOSED:	-- RAA10-E-CC5	-- --	-- --	-- --
CC6	EXISTING: PROPOSED:	-- RAA10-E-CC6	-- --	-- --	-- --
CC7	EXISTING: PROPOSED:	-- RAA10-E-CC7	-- --	-- --	-- --
CC8	EXISTING: PROPOSED:	-- RAA10-E-CC8	-- --	-- --	-- --
CC9	EXISTING: PROPOSED:	-- RAA10-E-CC9	-- --	-- --	-- --
CC10	EXISTING: PROPOSED:	-- RAA10-E-CC10	-- --	-- --	-- --
CC11	EXISTING: PROPOSED:	-- RAA10-E-CC11	-- --	-- --	-- --
CC14	EXISTING: PROPOSED:	-- RAA10-E-CC14	-- --	-- --	-- --
DD4	EXISTING: PROPOSED:	-- RAA10-E-DD4	-- RAA10-E-DD4	-- RAA10-E-DD4	-- RAA10-E-DD4
DD5	EXISTING: PROPOSED:	-- RAA10-E-DD5	-- --	-- --	-- --
DD6	EXISTING: PROPOSED:	-- RAA10-E-DD6	-- RAA10-E-DD6	-- RAA10-E-DD6	-- RAA10-E-DD6
DD7	EXISTING: PROPOSED:	-- RAA10-E-DD7	-- --	-- --	-- --
DD8	EXISTING: PROPOSED:	-- RAA10-E-DD8	-- RAA10-E-DD8	-- RAA10-E-DD8	-- RAA10-E-DD8
DD9	EXISTING: PROPOSED:	-- RAA10-E-DD9	-- --	-- --	-- --
DD10	EXISTING: PROPOSED:	-- RAA10-E-DD10	-- RAA10-E-DD10	-- RAA10-E-DD10	-- RAA10-E-DD10
DD11	EXISTING: PROPOSED:	-- RAA10-E-DD11	-- --	-- --	-- --
DD12	EXISTING: PROPOSED:	-- RAA10-E-DD12	-- RAA10-E-DD12	-- RAA10-E-DD12	-- RAA10-E-DD12
DD13	EXISTING: PROPOSED:	-- RAA10-E-DD13	-- --	-- --	-- --
DD14	EXISTING: PROPOSED:	-- RAA10-E-DD14	-- RAA10-E-DD14	-- RAA10-E-DD14	-- RAA10-E-DD14
EE3	EXISTING: PROPOSED:	-- RAA10-E-EE3	-- --	-- --	-- --
EE4	EXISTING: PROPOSED:	-- RAA10-E-EE4	-- --	-- --	-- --
EE5	EXISTING: PROPOSED:	-- RAA10-E-EE5	-- --	-- --	-- --
EE6	EXISTING: PROPOSED:	-- RAA10-E-EE6	-- --	-- --	-- --
EE7	EXISTING: PROPOSED:	-- RAA10-E-EE7	-- --	-- --	-- --
EE8	EXISTING: PROPOSED:	-- RAA10-E-EE8	-- --	-- --	-- --
EE9	EXISTING: PROPOSED:	-- RAA10-E-EE9	-- --	-- --	-- --
EE10	EXISTING: PROPOSED:	-- RAA10-E-EE10	-- --	-- --	-- --
EE11	EXISTING: PROPOSED:	-- RAA10-E-EE11	-- --	-- --	-- --

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
EE12	EXISTING: -- PROPOSED: RAA10-E-EE12	--	--	--	--
FF2	EXISTING: -- PROPOSED: RAA10-E-FF2	RAA10-E-FF2	RAA10-E-FF2	RAA10-E-FF2	RAA10-E-FF2
FF3	EXISTING: -- PROPOSED: RAA10-E-FF3	--	--	--	--
FF4	EXISTING: -- PROPOSED: RAA10-E-FF4	RAA10-E-FF4	RAA10-E-FF4	RAA10-E-FF4	RAA10-E-FF4
FF5	EXISTING: -- PROPOSED: RAA10-E-FF5	--	--	--	--
FF6	EXISTING: -- PROPOSED: RAA10-E-FF6	RAA10-E-FF6	RAA10-E-FF6	RAA10-E-FF6	RAA10-E-FF6
FF7	EXISTING: -- PROPOSED: RAA10-E-FF7	--	--	--	--
FF8	EXISTING: -- PROPOSED: RAA10-E-FF8	RAA10-E-FF8	RAA10-E-FF8	RAA10-E-FF8	RAA10-E-FF8
FF9	EXISTING: -- PROPOSED: RAA10-E-FF9	--	--	--	--
FF10	EXISTING: -- PROPOSED: RAA10-E-FF10	RAA10-E-FF10	RAA10-F-FF10	RAA10-E-FF10	RAA10-E-FF10
FF11	EXISTING: -- PROPOSED: RAA10-E-FF11	--	--	--	--
FF12	EXISTING: -- PROPOSED: RAA10-E-FF12	RAA10-E-FF12	RAA10-E-FF12	RAA10-E-FF12	RAA10-E-FF12
GG1	EXISTING: -- PROPOSED: RAA10-E-GG1	--	--	--	--
GG2	EXISTING: -- PROPOSED: RAA10-E-GG2	--	--	--	--
GG3	EXISTING: -- PROPOSED: RAA10-E-GG3	--	--	--	--
GG4	EXISTING: -- PROPOSED: RAA10-E-GG4	--	--	--	--
GG5	EXISTING: -- PROPOSED: RAA10-E-GG5	--	--	--	--
GG6	EXISTING: -- PROPOSED: RAA10-E-GG6	--	--	--	--
GG7	EXISTING: -- PROPOSED: RAA10-E-GG7	--	--	--	--
GG8	EXISTING: -- PROPOSED: RAA10-E-GG8	--	--	--	--
GG9	EXISTING: -- PROPOSED: RAA10-E-GG9	--	--	--	--
GG10	EXISTING: -- PROPOSED: RAA10-E-GG10	--	--	--	--
GG11	EXISTING: -- PROPOSED: RAA10-E-GG11	--	--	--	--
GG12	EXISTING: -- PROPOSED: RAA10-E-GG12	--	--	--	--
GG13	EXISTING: -- PROPOSED: RAA10-E-GG13	--	--	--	--
HH99	EXISTING: -- PROPOSED: RAA10-E-HH99	RAA10-E-HH99	RAA10-E-HH99	RAA10-E-HH99	RAA10-E-HH99
HH1	EXISTING: -- PROPOSED: RAA10-E-HH1	--	--	--	--
HH2	EXISTING: -- PROPOSED: RAA10-E-HH2	RAA10-E-HH2	RAA10-E-HH2	RAA10-E-HH2	RAA10-E-HH2

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
HH3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH3	--	--	--
HH4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH4	RAA10-E-HH4	RAA10-E-HH4	RAA10-E-HH4
HH5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH5	--	--	--
HH6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH6	RAA10-E-HH6	RAA10-E-HH6	RAA10-E-HH6
HH7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH7	--	--	--
HH9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH9	--	--	--
HH10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH10	RAA10-E-HH10	RAA10-E-HH10	RAA10-E-HH10
HH11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH11	--	--	--
II4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II4	--	--	--
II5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II5	--	--	--
II6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II6	--	--	--
II7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II7	--	--	--
II8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II8	--	--	--
II10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II10	--	--	--
II11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II11	--	--	--
JJ5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ5	--	--	--
JJ6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ6	RAA10-E-JJ6	RAA10-E-JJ6	RAA10-E-JJ6
JJ7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ7	--	--	--
JJ8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ8	RAA10-E-JJ8	RAA10-E-JJ8	RAA10-E-JJ8
JJ9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ9	--	--	--
JJ10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ10	RAA10-E-JJ10	RAA10-E-JJ10	RAA10-E-JJ10
JJ11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ11	--	--	--
JJ12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ12	RAA10-E-JJ12	RAA10-E-JJ12	RAA10-E-JJ12
KK6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK6	--	--	--
KK7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK7	--	--	--
KK8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK8	--	--	--
KK9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK9	--	--	--
KK10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK10	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
KK12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK12	--	--	--
LL7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL7	--	--	--
LL8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL8	RAA10-E-LL8	RAA10-E-LL8	RAA10-E-LL8
LL9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL9	--	--	--
LL10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL10	RAA10-E-LL10	RAA10-E-LL10	RAA10-E-LL10
LL11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL11	--	--	--
MM8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM8	--	--	--
MM9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM9	--	--	--
MM10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM10	--	--	--
MM11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM11	--	--	--
NN9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN9	--	--	--
Non-GE-Owned Recreational Property					
D27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D27	--	--	--
E27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E27	--	--	--
E28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E28	--	--	--
F27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F27	--	--	--
F28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F28	RAA10-E-F28	RAA10-E-F28	RAA10-E-F28
G29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G29	--	--	--
H29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H29	--	--	--
I28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I28	--	--	--
I29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I29	--	--	--
I30	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I30	--	--	--
J28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J28	RAA10-E-J28	RAA10-E-J28	RAA10-E-J28
J29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J29	--	--	--
K29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K29	--	--	--
L28	EXISTING:	UOP3S-18	--	--	--
	PROPOSED:	--	RAA10-E-L28	RAA10-E-L28	RAA10-E-L28
M26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M26	--	--	--
M27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M27	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
M28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M28	--	--	--
N15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N15	--	--	--
N26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N26	RAA10-E-N26	RAA10-E-N26	RAA10-E-N26
N27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N27	--	--	--
O15	EXISTING:	L-39	--	--	--
	PROPOSED:	--	--	--	--
O16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O16	--	--	--
O17	EXISTING:	UOP3S-14	--	--	--
	PROPOSED:	--	--	--	--
O18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O18	--	--	--
O26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O26	--	--	--
O27	EXISTING:	UOP3S-17	--	--	--
	PROPOSED:	--	--	--	--
P15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P15	--	--	--
P16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P16	RAA10-E-P16	RAA10-E-P16	RAA10-E-P16
P17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P17	--	--	--
P18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P18	RAA10-E-P18	RAA10-E-P18	RAA10-E-P18
P19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P19	--	--	--
P20	EXISTING:	UOP3S-13	--	--	--
	PROPOSED:	--	RAA10-E-P20	RAA10-E-P20	RAA10-E-P20
P25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P25	--	--	--
P26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P26	RAA10-E-P26	RAA10-E-P26	RAA10-E-P26
Q15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q15	--	--	--
Q16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q16	--	--	--
Q17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q17	--	--	--
Q18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q18	--	--	--
Q19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q19	--	--	--
Q20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q20	--	--	--
Q21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q21	--	--	--
Q22	EXISTING:	UOP3S-15	--	--	--
	PROPOSED:	--	--	--	--
Q23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q23	--	--	--
Q25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q25	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
R15	EXISTING: PROPOSED:	-- RAA10-E-R15	-- --	-- --	-- --
R16	EXISTING: PROPOSED:	UOP3S-10 --	-- RAA10-E-R16	-- RAA10-E-R16	-- RAA10-E-R16
R17	EXISTING: PROPOSED:	-- RAA10-E-R17	-- --	-- --	-- --
R18	EXISTING: PROPOSED:	-- RAA10-E-R18	-- RAA10-E-R18	-- RAA10-E-R18	-- RAA10-E-R18
R19	EXISTING: PROPOSED:	-- RAA10-E-R19	-- --	-- --	-- --
R20	EXISTING: PROPOSED:	-- RAA10-E-R20	-- RAA10-E-R20	-- RAA10-E-R20	-- RAA10-E-R20
R21	EXISTING: PROPOSED:	-- RAA10-E-R21	-- --	-- --	-- --
R22	EXISTING: PROPOSED:	-- RAA10-E-R22	-- RAA10-E-R22	-- RAA10-E-R22	-- RAA10-E-R22
R23	EXISTING: PROPOSED:	-- RAA10-E-R23	-- --	-- --	-- --
R24	EXISTING: PROPOSED:	-- RAA10-E-R24	-- RAA10-E-R24	-- RAA10-E-R24	-- RAA10-E-R24
R25	EXISTING: PROPOSED:	-- RAA10-E-R25	-- --	-- --	-- --
S15	EXISTING: PROPOSED:	-- RAA10-E-S15	-- --	-- --	-- --
S16	EXISTING: PROPOSED:	-- RAA10-E-S16	-- --	-- --	-- --
S17	EXISTING: PROPOSED:	-- RAA10-E-S17	-- --	-- --	-- --
S18	EXISTING: PROPOSED:	UOP3S-11 --	-- --	-- --	-- --
S19	EXISTING: PROPOSED:	-- RAA10-E-S19	-- --	-- --	-- --
S20	EXISTING: PROPOSED:	-- RAA10-E-S20	-- --	-- --	-- --
S21	EXISTING: PROPOSED:	-- RAA10-E-S21	-- --	-- --	-- --
S22	EXISTING: PROPOSED:	-- RAA10-E-S22	-- --	-- --	-- --
S23	EXISTING: PROPOSED:	-- RAA10-E-S23	-- --	-- --	-- --
S24	EXISTING: PROPOSED:	-- RAA10-E-S24	-- --	-- --	-- --
T15	EXISTING: PROPOSED:	-- RAA10-E-T15	-- --	-- --	-- --
T16	EXISTING: PROPOSED:	UOP3S-7 --	-- RAA10-E-T16	-- RAA10-E-T16	-- RAA10-E-T16
T17	EXISTING: PROPOSED:	-- RAA10-E-T17	-- --	-- --	-- --
T18	EXISTING: PROPOSED:	-- RAA10-E-T18	-- RAA10-E-T18	-- RAA10-E-T18	-- RAA10-E-T18
T19	EXISTING: PROPOSED:	-- RAA10-E-T19	-- --	-- --	-- --
T20	EXISTING: PROPOSED:	-- RAA10-E-T20	-- RAA10-E-T20	-- RAA10-E-T20	-- RAA10-E-T20
T21	EXISTING: PROPOSED:	-- RAA10-E-T21	-- --	-- --	-- --

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
T22	EXISTING: PROPOSED:	-- RAA10-E-T22	-- RAA10-E-T22	-- RAA10-E-T22	-- RAA10-E-T22
T23	EXISTING: PROPOSED:	-- RAA10-E-T23	-- --	-- --	-- --
T24	EXISTING: PROPOSED:	UOP3S-12 --	-- RAA10-E-T24	-- RAA10-E-T24	-- RAA10-E-T24
U15	EXISTING: PROPOSED:	-- RAA10-E-U15	-- --	-- --	-- --
U16	EXISTING: PROPOSED:	-- RAA10-E-U16	-- --	-- --	-- --
U17	EXISTING: PROPOSED:	-- RAA10-E-U17	-- --	-- --	-- --
U18	EXISTING: PROPOSED:	-- RAA10-E-U18	-- --	-- --	-- --
U19	EXISTING: PROPOSED:	UOP3S-8 --	-- --	-- --	-- --
U20	EXISTING: PROPOSED:	-- RAA10-E-U20	-- --	-- --	-- --
U21	EXISTING: PROPOSED:	-- RAA10-E-U21	-- --	-- --	-- --
U22	EXISTING: PROPOSED:	-- RAA10-E-U22	-- --	-- --	-- --
U23	EXISTING: PROPOSED:	-- RAA10-E-U23	-- --	-- --	-- --
V15	EXISTING: PROPOSED:	-- RAA10-E-V15	-- --	-- --	-- --
V16	EXISTING: PROPOSED:	UOP3S-6 --	-- RAA10-E-V16	-- RAA10-E-V16	-- RAA10-E-V16
V17	EXISTING: PROPOSED:	-- RAA10-E-V17	-- --	-- --	-- --
V18	EXISTING: PROPOSED:	-- RAA10-E-V18	-- RAA10-E-V18	-- RAA10-E-V18	-- RAA10-E-V18
V19	EXISTING: PROPOSED:	-- RAA10-E-V19	-- --	-- --	-- --
V20	EXISTING: PROPOSED:	-- RAA10-E-V20	-- RAA10-E-V20	-- RAA10-E-V20	-- RAA10-E-V20
V21	EXISTING: PROPOSED:	-- RAA10-E-V21	-- --	-- --	-- --
V22	EXISTING: PROPOSED:	-- RAA10-E-V22	-- RAA10-E-V22	-- RAA10-E-V22	-- RAA10-E-V22
W15	EXISTING: PROPOSED:	-- RAA10-E-W15	-- --	-- --	-- --
W16	EXISTING: PROPOSED:	-- RAA10-E-W16	-- --	-- --	-- --
W17	EXISTING: PROPOSED:	-- RAA10-E-W17	-- --	-- --	-- --
W18	EXISTING: PROPOSED:	-- RAA10-E-W18	-- --	-- --	-- --
W19	EXISTING: PROPOSED:	-- RAA10-E-W19	-- --	-- --	-- --
W20	EXISTING: PROPOSED:	-- RAA10-E-W20	-- --	-- --	-- --
W21	EXISTING: PROPOSED:	-- RAA10-E-W21	-- --	-- --	-- --
W22	EXISTING: PROPOSED:	-- RAA10-E-W22	-- --	-- --	-- --

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
X15	EXISTING: PROPOSED:	-- RAA10-E-X15	-- --	-- --	-- --
X16	EXISTING: PROPOSED:	-- RAA10-E-X16	-- RAA10-E-X16	-- RAA10-E-X16	-- RAA10-E-X16
X17	EXISTING: PROPOSED:	-- RAA10-E-X17	-- --	-- --	-- --
X18	EXISTING: PROPOSED:	-- RAA10-E-X18	-- RAA10-E-X18	-- RAA10-E-X18	-- RAA10-E-X18
X19	EXISTING: PROPOSED:	UOP3S-4 --	-- --	-- --	-- --
X20	EXISTING: PROPOSED:	-- RAA10-E-X20	-- RAA10-E-X20	-- RAA10-E-X20	-- RAA10-E-X20
X21	EXISTING: PROPOSED:	UOP3S-5 --	-- --	-- --	-- --
Y15	EXISTING: PROPOSED:	UOP3S-3 --	-- --	-- --	-- --
Y16	EXISTING: PROPOSED:	-- RAA10-E-Y16	-- --	-- --	-- --
Y17	EXISTING: PROPOSED:	-- RAA10-E-Y17	-- --	-- --	-- --
Y18	EXISTING: PROPOSED:	-- RAA10-E-Y18	-- --	-- --	-- --
Y19	EXISTING: PROPOSED:	-- RAA10-E-Y19	-- --	-- --	-- --
Y20	EXISTING: PROPOSED:	-- RAA10-E-Y20	-- --	-- --	-- --
Y21	EXISTING: PROPOSED:	-- RAA10-E-Y21	-- --	-- --	-- --
Z15	EXISTING: PROPOSED:	-- RAA10-E-Z15	-- --	-- --	-- --
Z16	EXISTING: PROPOSED:	-- RAA10-E-Z16	-- RAA10-E-Z16	-- RAA10-E-Z16	-- RAA10-E-Z16
Z17	EXISTING: PROPOSED:	-- RAA10-E-Z17	-- --	-- --	-- --
Z18	EXISTING: PROPOSED:	-- RAA10-E-Z18	-- RAA10-E-Z18	-- RAA10-E-Z18	-- RAA10-E-Z18
Z19	EXISTING: PROPOSED:	-- RAA10-E-Z19	-- --	-- --	-- --
Z20	EXISTING: PROPOSED:	-- RAA10-E-Z20	-- RAA10-E-Z20	-- RAA10-E-Z20	-- RAA10-E-Z20
Z21	EXISTING: PROPOSED:	-- RAA10-E-Z21	-- --	-- --	-- --
Z22	EXISTING: PROPOSED:	-- RAA10-E-Z22	-- RAA10-E-Z22	-- RAA10-E-Z22	-- RAA10-E-Z22
AA15	EXISTING: PROPOSED:	-- RAA10-E-AA15	-- --	-- --	-- --
AA16	EXISTING: PROPOSED:	-- RAA10-E-AA16	-- --	-- --	-- --
AA17	EXISTING: PROPOSED:	-- RAA10-E-AA17	-- --	-- --	-- --
AA18	EXISTING: PROPOSED:	-- RAA10-E-AA18	-- --	-- --	-- --
AA19	EXISTING: PROPOSED:	-- RAA10-E-AA19	-- --	-- --	-- --
AA20	EXISTING: PROPOSED:	-- RAA10-E-AA20	-- --	-- --	-- --

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
AA21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA21	--	--	--
AA22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA22	--	--	--
BB15	EXISTING:	UOP3S-1	--	--	--
	PROPOSED:	--	--	--	--
BB16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB16	RAA10-E-BB16	RAA10-E-BB16	RAA10-E-BB16
BB17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB17	--	--	--
BB18	EXISTING:	UOP3S-2	--	--	--
	PROPOSED:	--	RAA10-E-BB18	RAA10-E-BB18	RAA10-E-BB18
BB19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB19	--	--	--
BB20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB20	RAA10-E-BB20	RAA10-E-BB20	RAA10-E-BB20
BB21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB21	--	--	--
BB22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB22	RAA10-E-BB22	RAA10-E-BB22	RAA10-E-BB22
BB23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB23	--	--	--
CC15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC15	--	--	--
CC16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC16	--	--	--
CC17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC17	--	--	--
CC18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC18	--	--	--
CC19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC19	--	--	--
CC20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC20	--	--	--
CC21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC21	--	--	--
CC22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC22	--	--	--
CC23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC23	--	--	--
DD15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD15	--	--	--
DD16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD16	RAA10-E-DD16	RAA10-E-DD16	RAA10-E-DD16
DD17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD17	--	--	--
DD18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD18	RAA10-E-DD18	RAA10-E-DD18	RAA10-E-DD18
DD19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD19	--	--	--
DD20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD20	RAA10-E-DD20	RAA10-E-DD20	RAA10-E-DD20
DD21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD21	--	--	--
DD22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD22	RAA10-E-DD22	RAA10-E-DD22	RAA10-E-DD22

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
DD23	EXISTING: -- PROPOSED: RAA10-E-DD23	--	--	--	--
DD24	EXISTING: -- PROPOSED: RAA10-E-DD24	--	RAA10-E-DD24	RAA10-E-DD24	RAA10-E-DD24
EE14	EXISTING: -- PROPOSED: RAA10-E-EE14	--	--	--	--
EE15	EXISTING: -- PROPOSED: RAA10-E-EE15	--	--	--	--
EE16	EXISTING: -- PROPOSED: RAA10-E-EE16	--	--	--	--
EE17	EXISTING: -- PROPOSED: RAA10-E-EE17	--	--	--	--
EE18	EXISTING: -- PROPOSED: RAA10-E-EE18	--	--	--	--
EE19	EXISTING: -- PROPOSED: RAA10-E-EE19	--	--	--	--
EE20	EXISTING: -- PROPOSED: RAA10-E-EE20	--	--	--	--
EE21	EXISTING: -- PROPOSED: RAA10-E-EE21	--	--	--	--
EE22	EXISTING: -- PROPOSED: RAA10-E-EE22	--	--	--	--
EE23	EXISTING: -- PROPOSED: RAA10-E-EE23	--	--	--	--
EE24	EXISTING: -- PROPOSED: RAA10-E-EE24	--	--	--	--
FF14	EXISTING: -- PROPOSED: RAA10-E-FF14	--	RAA10-E-FF14	RAA10-E-FF14	RAA10-E-FF14
FF15	EXISTING: -- PROPOSED: RAA10-E-FF15	--	--	--	--
FF16	EXISTING: -- PROPOSED: RAA10-E-FF16	--	RAA10-E-FF16	RAA10-E-FF16	RAA10-E-FF16
FF17	EXISTING: -- PROPOSED: RAA10-E-FF17	--	--	--	--
FF18	EXISTING: -- PROPOSED: RAA10-E-FF18	--	RAA10-E-FF18	RAA10-E-FF18	RAA10-E-FF18
FF19	EXISTING: -- PROPOSED: RAA10-E-FF19	--	--	--	--
FF20	EXISTING: -- PROPOSED: RAA10-E-FF20	--	RAA10-E-FF20	RAA10-E-FF20	RAA10-E-FF20
FF21	EXISTING: -- PROPOSED: RAA10-E-FF21	--	--	--	--
FF22	EXISTING: -- PROPOSED: RAA10-E-FF22	--	RAA10-E-FF22	RAA10-E-FF22	RAA10-E-FF22
FF23	EXISTING: -- PROPOSED: RAA10-E-FF23	--	--	--	--
FF24	EXISTING: UFP2-R8 PROPOSED: --	--	RAA10-E-FF24	RAA10-E-FF24	RAA10-E-FF24
FF25	EXISTING: UFP2-R9 PROPOSED: --	--	--	--	--
GG14	EXISTING: -- PROPOSED: RAA10-E-GG14	--	--	--	--
GG15	EXISTING: -- PROPOSED: RAA10-E-GG15	--	--	--	--
GG16	EXISTING: -- PROPOSED: RAA10-E-GG16	--	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
GG17	EXISTING: -- PROPOSED: RAA10-E-GG17	--	--	--	--
GG18	EXISTING: -- PROPOSED: RAA10-E-GG18	--	--	--	--
GG19	EXISTING: -- PROPOSED: RAA10-E-GG19	--	--	--	--
GG20	EXISTING: -- PROPOSED: RAA10-E-GG20	--	--	--	--
GG21	EXISTING: -- PROPOSED: RAA10-E-GG21	--	--	--	--
GG22	EXISTING: -- PROPOSED: RAA10-E-GG22	--	--	--	--
GG23	EXISTING: -- PROPOSED: RAA10-E-GG23	--	--	--	--
GG24	EXISTING: -- PROPOSED: RAA10-E-GG24	--	--	--	--
GG25	EXISTING: -- PROPOSED: RAA10-E-GG25	--	--	--	--
HH13	EXISTING: -- PROPOSED: RAA10-E-HH13	--	--	--	--
HH14	EXISTING: -- PROPOSED: RAA10-E-HH14	--	RAA10-E-HH14	RAA10-E-HH14	RAA10-E-HH14
HH15	EXISTING: -- PROPOSED: RAA10-E-HH15	--	--	--	--
HH16	EXISTING: -- PROPOSED: RAA10-E-HH16	--	RAA10-E-HH16	RAA10-E-HH16	RAA10-E-HH16
HH17	EXISTING: -- PROPOSED: RAA10-E-HH17	--	--	--	--
HH18	EXISTING: -- PROPOSED: RAA10-E-HH18	--	RAA10-E-HH18	RAA10-E-HH18	RAA10-E-HH18
HH19	EXISTING: -- PROPOSED: RAA10-E-HH19	--	--	--	--
HH20	EXISTING: -- PROPOSED: RAA10-E-HH20	--	RAA10-E-HH20	RAA10-E-HH20	RAA10-E-HH20
HH21	EXISTING: -- PROPOSED: RAA10-E-HH21	--	--	--	--
HH22	EXISTING: -- PROPOSED: RAA10-E-HH22	--	RAA10-E-HH22	RAA10-E-HH22	RAA10-E-HH22
HH23	EXISTING: -- PROPOSED: RAA10-E-HH23	--	--	--	--
HH24	EXISTING: UFP2-R7 PROPOSED: --	--	RAA10-E-HH24	RAA10-E-HH24	RAA10-E-HH24
HH25	EXISTING: -- PROPOSED: RAA10-E-HH25	--	--	--	--
HH26	EXISTING: -- PROPOSED: RAA10-E-HH26	--	RAA10-E-HH26	RAA10-E-HH26	RAA10-E-HH26
II13	EXISTING: -- PROPOSED: RAA10-E-II13	--	--	--	--
II14	EXISTING: -- PROPOSED: RAA10-E-II14	--	--	--	--
II15	EXISTING: -- PROPOSED: RAA10-E-II15	--	--	--	--
II16	EXISTING: -- PROPOSED: RAA10-E-II16	--	--	--	--
II17	EXISTING: -- PROPOSED: RAA10-E-II17	--	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
II18	EXISTING: -- PROPOSED: RAA10-E-II18	--	--	--	--
II19	EXISTING: -- PROPOSED: RAA10-E-II19	--	--	--	--
II20	EXISTING: -- PROPOSED: RAA10-E-II20	--	--	--	--
II21	EXISTING: -- PROPOSED: RAA10-E-II21	--	--	--	--
II22	EXISTING: UFP2-R6 PROPOSED: --	--	--	--	--
II23	EXISTING: -- PROPOSED: RAA10-E-II23	--	--	--	--
II24	EXISTING: -- PROPOSED: RAA10-E-II24	--	--	--	--
II25	EXISTING: -- PROPOSED: RAA10-E-II25	--	--	--	--
II26	EXISTING: -- PROPOSED: RAA10-E-II26	--	--	--	--
II27	EXISTING: -- PROPOSED: RAA10-E-II27	--	--	--	--
JJ13	EXISTING: -- PROPOSED: RAA10-E-JJ13	--	--	--	--
JJ14	EXISTING: -- PROPOSED: RAA10-E-JJ14	--	RAA10-E-JJ14	RAA10-E-JJ14	RAA10-E-JJ14
JJ15	EXISTING: -- PROPOSED: RAA10-E-JJ15	--	--	--	--
JJ16	EXISTING: -- PROPOSED: RAA10-E-JJ16	--	RAA10-E-JJ16	RAA10-E-JJ16	RAA10-E-JJ16
JJ17	EXISTING: -- PROPOSED: RAA10-E-JJ17	--	--	--	--
JJ18	EXISTING: -- PROPOSED: RAA10-E-JJ18	--	RAA10-E-JJ18	RAA10-E-JJ18	RAA10-E-JJ18
JJ19	EXISTING: -- PROPOSED: RAA10-E-JJ19	--	--	--	--
JJ20	EXISTING: -- PROPOSED: RAA10-E-JJ20	--	RAA10-E-JJ20	RAA10-E-JJ20	RAA10-E-JJ20
JJ21	EXISTING: UFP2-R5 PROPOSED: --	--	--	--	--
JJ22	EXISTING: -- PROPOSED: RAA10-E-JJ22	--	RAA10-E-JJ22	RAA10-E-JJ22	RAA10-E-JJ22
JJ23	EXISTING: -- PROPOSED: RAA10-E-JJ23	--	--	--	--
JJ24	EXISTING: -- PROPOSED: RAA10-E-JJ24	--	RAA10-E-JJ24	RAA10-E-JJ24	RAA10-E-JJ24
JJ25	EXISTING: -- PROPOSED: RAA10-E-JJ25	--	--	--	--
JJ26	EXISTING: -- PROPOSED: RAA10-E-JJ26	--	RAA10-E-JJ26	RAA10-E-JJ26	RAA10-E-JJ26
JJ27	EXISTING: -- PROPOSED: RAA10-E-JJ27	--	--	--	--
KK13	EXISTING: -- PROPOSED: RAA10-E-KK13	--	--	--	--
KK14	EXISTING: -- PROPOSED: RAA10-E-KK14	--	--	--	--
KK15	EXISTING: -- PROPOSED: RAA10-E-KK15	--	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
KK16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK16	--	--	--
KK17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK17	--	--	--
KK18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK18	--	--	--
KK19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK19	--	--	--
KK20	EXISTING:	UFP2-R4	--	--	--
	PROPOSED:	--	--	--	--
KK21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK21	--	--	--
KK22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK22	--	--	--
KK23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK23	--	--	--
KK24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK24	--	--	--
KK25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK25	--	--	--
KK26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK26	--	--	--
KK27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK27	--	--	--
LL12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL12	RAA10-E-LL12	RAA10-E-LL12	RAA10-E-LL12
LL13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL13	--	--	--
LL14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL14	RAA10-E-LL14	RAA10-E-LL14	RAA10-E-LL14
LL15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL15	--	--	--
LL16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL16	RAA10-E-LL16	RAA10-E-LL16	RAA10-E-LL16
LL17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL17	--	--	--
LL18	EXISTING:	UFP2-R2	UFP2-R2	--	--
	PROPOSED:	--	--	RAA10-E-LL18	RAA10-E-LL18
LL19	EXISTING:	UFP2-R3	--	--	--
	PROPOSED:	--	--	--	--
LL20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL20	RAA10-E-LL20	RAA10-E-LL20	RAA10-E-LL20
LL21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL21	--	--	--
LL22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL22	RAA10-E-LL22	RAA10-E-LL22	RAA10-E-LL22
LL23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL23	--	--	--
LL24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL24	RAA10-E-LL24	RAA10-E-LL24	RAA10-E-LL24
LL25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL25	--	--	--
LL26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL26	RAA10-E-LL26	RAA10-E-LL26	RAA10-E-LL26
LL27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL27	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
MM12	EXISTING: -- PROPOSED: RAA10-E-MM12	--	--	--	--
MM13	EXISTING: -- PROPOSED: RAA10-E-MM13	--	--	--	--
MM14	EXISTING: -- PROPOSED: RAA10-E-MM14	--	--	--	--
MM15	EXISTING: -- PROPOSED: RAA10-E-MM15	--	--	--	--
MM16	EXISTING: -- PROPOSED: RAA10-E-MM16	--	--	--	--
MM17	EXISTING: UFP2-R1 PROPOSED: --	--	--	--	--
MM18	EXISTING: -- PROPOSED: RAA10-E-MM18	--	--	--	--
MM19	EXISTING: -- PROPOSED: RAA10-E-MM19	--	--	--	--
MM20	EXISTING: -- PROPOSED: RAA10-E-MM20	--	--	--	--
MM21	EXISTING: -- PROPOSED: RAA10-E-MM21	--	--	--	--
MM22	EXISTING: -- PROPOSED: RAA10-E-MM22	--	--	--	--
MM23	EXISTING: -- PROPOSED: RAA10-E-MM23	--	--	--	--
MM24	EXISTING: -- PROPOSED: RAA10-E-MM24	--	--	--	--
MM25	EXISTING: -- PROPOSED: RAA10-E-MM25	--	--	--	--
MM26	EXISTING: -- PROPOSED: RAA10-E-MM26	--	--	--	--
MM27	EXISTING: -- PROPOSED: RAA10-E-MM27	--	--	--	--
NN11	EXISTING: -- PROPOSED: RAA10-E-NN11	--	--	--	--
NN12	EXISTING: -- PROPOSED: RAA10-E-NN12	--	RAA10-E-NN12	RAA10-E-NN12	RAA10-E-NN12
NN13	EXISTING: -- PROPOSED: RAA10-E-NN13	--	--	--	--
NN14	EXISTING: -- PROPOSED: RAA10-E-NN14	--	RAA10-E-NN14	RAA10-E-NN14	RAA10-E-NN14
NN15	EXISTING: -- PROPOSED: RAA10-E-NN15	--	--	--	--
NN16	EXISTING: UFP2-L3 PROPOSED: --	--	UFP2-L3	RAA10-E-NN16	RAA10-E-NN16
NN17	EXISTING: UFP2-L2 PROPOSED: --	--	--	--	--
NN18	EXISTING: -- PROPOSED: RAA10-E-NN18	--	RAA10-E-NN18	RAA10-E-NN18	RAA10-E-NN18
NN19	EXISTING: -- PROPOSED: RAA10-E-NN19	--	--	--	--
NN20	EXISTING: -- PROPOSED: RAA10-E-NN20	--	RAA10-E-NN20	RAA10-E-NN20	RAA10-E-NN20
NN21	EXISTING: -- PROPOSED: RAA10-E-NN21	--	--	--	--
NN22	EXISTING: -- PROPOSED: RAA10-E-NN22	--	RAA10-E-NN22	RAA10-E-NN22	RAA10-E-NN22

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
NN23	EXISTING: -- PROPOSED: RAA10-E-NN23	--	--	--	--
NN24	EXISTING: -- PROPOSED: RAA10-E-NN24	--	RAA10-E-NN24	RAA10-E-NN24	RAA10-E-NN24
NN25	EXISTING: -- PROPOSED: RAA10-E-NN25	--	--	--	--
NN26	EXISTING: -- PROPOSED: RAA10-E-NN26	--	RAA10-E-NN26	RAA10-E-NN26	RAA10-E-NN26
NN27	EXISTING: -- PROPOSED: RAA10-E-NN27	--	--	--	--
OO11	EXISTING: -- PROPOSED: RAA10-E-OO11	--	--	--	--
OO12	EXISTING: -- PROPOSED: RAA10-E-OO12	--	--	--	--
OO13	EXISTING: -- PROPOSED: RAA10-E-OO13	--	--	--	--
OO14	EXISTING: -- PROPOSED: RAA10-E-OO14	--	--	--	--
OO15	EXISTING: UFP2-L4 PROPOSED: --	--	--	--	--
OO16	EXISTING: -- PROPOSED: RAA10-E-OO16	--	--	--	--
OO17	EXISTING: -- PROPOSED: RAA10-E-OO17	--	--	--	--
OO18	EXISTING: -- PROPOSED: RAA10-E-OO18	--	--	--	--
OO19	EXISTING: -- PROPOSED: RAA10-E-OO19	--	--	--	--
OO20	EXISTING: -- PROPOSED: RAA10-E-OO20	--	--	--	--
OO21	EXISTING: -- PROPOSED: RAA10-E-OO21	--	--	--	--
OO22	EXISTING: -- PROPOSED: RAA10-E-OO22	--	--	--	--
OO23	EXISTING: -- PROPOSED: RAA10-E-OO23	--	--	--	--
OO24	EXISTING: -- PROPOSED: RAA10-E-OO24	--	--	--	--
OO25	EXISTING: -- PROPOSED: RAA10-E-OO25	--	--	--	--
OO26	EXISTING: -- PROPOSED: RAA10-E-OO26	--	--	--	--
OO27	EXISTING: -- PROPOSED: RAA10-E-OO27	--	--	--	--
PP11	EXISTING: -- PROPOSED: RAA10-E-PP11	--	--	--	--
PP12	EXISTING: -- PROPOSED: RAA10-E-PP12	--	RAA10-E-PP12	RAA10-E-PP12	RAA10-E-PP12
PP13	EXISTING: -- PROPOSED: RAA10-E-PP13	--	--	--	--
PP14	EXISTING: UFP2-L6 PROPOSED: --	--	RAA10-E-PP14	RAA10-E-PP14	RAA10-E-PP14
PP15	EXISTING: UFP2-L5 PROPOSED: --	--	--	--	--
PP16	EXISTING: -- PROPOSED: RAA10-E-PP16	--	RAA10-E-PP16	RAA10-E-PP16	RAA10-E-PP16

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-5 ft.	6-15 ft.
PP17	EXISTING: -- PROPOSED: RAA10-E-PP17	--	--	--	--
PP18	EXISTING: -- PROPOSED: RAA10-E-PP18	RAA10-E-PP18	RAA10-E-PP18	RAA10-E-PP18	RAA10-E-PP18
PP19	EXISTING: -- PROPOSED: RAA10-E-PP19	--	--	--	--
PP20	EXISTING: -- PROPOSED: RAA10-E-PP20	RAA10-E-PP20	RAA10-E-PP20	RAA10-E-PP20	RAA10-E-PP20
PP21	EXISTING: -- PROPOSED: RAA10-E-PP21	--	--	--	--
PP22	EXISTING: -- PROPOSED: RAA10-E-PP22	RAA10-E-PP22	RAA10-E-PP22	RAA10-E-PP22	RAA10-E-PP22
PP23	EXISTING: -- PROPOSED: RAA10-E-PP23	--	--	--	--
PP24	EXISTING: -- PROPOSED: RAA10-E-PP24	RAA10-E-PP24	RAA10-E-PP24	RAA10-E-PP24	RAA10-E-PP24
PP25	EXISTING: -- PROPOSED: RAA10-E-PP25	--	--	--	--
PP26	EXISTING: UFP1-R4 PROPOSED: --	--	RAA10-E-PP26	RAA10-E-PP26	RAA10-E-PP26
PP27	EXISTING: UFP1-R6 PROPOSED: --	--	--	--	--
QQ12	EXISTING: -- PROPOSED: RAA10-E-QQ12	--	--	--	--
QQ13	EXISTING: -- PROPOSED: RAA10-E-QQ13	--	--	--	--
QQ14	EXISTING: UFP2-L8 PROPOSED: --	--	--	--	--
QQ15	EXISTING: -- PROPOSED: RAA10-E-QQ15	--	--	--	--
QQ16	EXISTING: -- PROPOSED: RAA10-E-QQ16	--	--	--	--
QQ17	EXISTING: -- PROPOSED: RAA10-E-QQ17	--	--	--	--
QQ18	EXISTING: -- PROPOSED: RAA10-E-QQ18	--	--	--	--
QQ19	EXISTING: -- PROPOSED: RAA10-E-QQ19	--	--	--	--
QQ20	EXISTING: -- PROPOSED: RAA10-E-QQ20	--	--	--	--
QQ21	EXISTING: -- PROPOSED: RAA10-E-QQ21	--	--	--	--
QQ22	EXISTING: -- PROPOSED: RAA10-E-QQ22	--	--	--	--
QQ23	EXISTING: -- PROPOSED: RAA10-E-QQ23	--	--	--	--
QQ24	EXISTING: -- PROPOSED: RAA10-E-QQ24	--	--	--	--
QQ25	EXISTING: UFP1-R3 PROPOSED: --	--	--	--	--
QQ26	EXISTING: UFP1-R5 PROPOSED: --	--	--	--	--
QQ27	EXISTING: -- PROPOSED: RAA10-E-QQ27	--	--	--	--
RR13	EXISTING: -- PROPOSED: RAA10-E-RR13	--	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
RR14	EXISTING: -- PROPOSED: RAA10-E-RR14	--	RAA10-E-RR14	RAA10-E-RR14	RAA10-E-RR14
RR15	EXISTING: -- PROPOSED: RAA10-E-RR15	--	--	--	--
RR16	EXISTING: -- PROPOSED: RAA10-E-RR16	RAA10-E-RR16	RAA10-E-RR16	RAA10-E-RR16	RAA10-E-RR16
RR17	EXISTING: -- PROPOSED: RAA10-E-RR17	--	--	--	--
RR18	EXISTING: -- PROPOSED: RAA10-E-RR18	RAA10-E-RR18	RAA10-E-RR18	RAA10-E-RR18	RAA10-E-RR18
RR19	EXISTING: -- PROPOSED: RAA10-E-RR19	--	--	--	--
RR20	EXISTING: -- PROPOSED: RAA10-E-RR20	RAA10-E-RR20	RAA10-E-RR20	RAA10-E-RR20	RAA10-E-RR20
RR21	EXISTING: -- PROPOSED: RAA10-E-RR21	--	--	--	--
RR22	EXISTING: -- PROPOSED: RAA10-E-RR22	RAA10-E-RR22	RAA10-E-RR22	RAA10-E-RR22	RAA10-E-RR22
RR23	EXISTING: -- PROPOSED: RAA10-E-RR23	--	--	--	--
RR24	EXISTING: UFP1-L1 PROPOSED: --	--	RAA10-E-RR24	RAA10-E-RR24	RAA10-E-RR24
RR25	EXISTING: -- PROPOSED: RAA10-E-RR25	--	--	--	--
RR26	EXISTING: -- PROPOSED: RAA10-E-RR26	RAA10-E-RR26	RAA10-E-RR26	RAA10-E-RR26	RAA10-E-RR26
RR27	EXISTING: -- PROPOSED: RAA10-E-RR27	--	--	--	--
SS14	EXISTING: -- PROPOSED: RAA10-E-SS14	--	--	--	--
SS15	EXISTING: -- PROPOSED: RAA10-E-SS15	--	--	--	--
SS16	EXISTING: -- PROPOSED: RAA10-E-SS16	--	--	--	--
SS17	EXISTING: -- PROPOSED: RAA10-E-SS17	--	--	--	--
SS18	EXISTING: -- PROPOSED: RAA10-E-SS18	--	--	--	--
SS19	EXISTING: -- PROPOSED: RAA10-E-SS19	--	--	--	--
SS20	EXISTING: -- PROPOSED: RAA10-E-SS20	--	--	--	--
SS21	EXISTING: -- PROPOSED: RAA10-E-SS21	--	--	--	--
SS22	EXISTING: -- PROPOSED: RAA10-E-SS22	--	--	--	--
SS23	EXISTING: UFP1-L2 PROPOSED: --	--	--	--	--
SS24	EXISTING: -- PROPOSED: RAA10-E-SS24	--	--	--	--
SS25	EXISTING: -- PROPOSED: RAA10-E-SS25	--	--	--	--
SS26	EXISTING: -- PROPOSED: RAA10-E-SS26	--	--	--	--
SS27	EXISTING: -- PROPOSED: RAA10-E-SS27	--	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
TT15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT15	--	--	--
TT16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT16	RAA10-E-TT16	RAA10-E-TT16	RAA10-E-TT16
TT17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT17	--	--	--
TT18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT18	RAA10-E-TT18	RAA10-E-TT18	RAA10-E-TT18
TT19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT19	--	--	--
TT20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT20	RAA10-E-TT20	RAA10-E-TT20	RAA10-E-TT20
TT21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT21	--	--	--
TT22	EXISTING:	UFP1-L3	--	--	--
	PROPOSED:	--	RAA10-E-TT22	RAA10-E-TT22	RAA10-E-TT22
TT23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT23	--	--	--
TT24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT24	RAA10-E-TT24	RAA10-E-TT24	RAA10-E-TT24
TT25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT25	--	--	--
TT26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT26	RAA10-E-TT26	RAA10-E-TT26	RAA10-E-TT26
TT27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT27	--	--	--
UU16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU16	--	--	--
UU17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU17	--	--	--
UU18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU18	--	--	--
UU19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU19	--	--	--
UU20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU20	--	--	--
UU21	EXISTING:	UFP1-L4	--	--	--
	PROPOSED:	--	--	--	--
UU22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU22	--	--	--
UU23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU23	--	--	--
UU24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU24	--	--	--
UU25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU25	--	--	--
UU26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU26	--	--	--
UU27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU27	--	--	--
VV17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV17	--	--	--
VV18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV18	RAA10-E-VV18	RAA10-E-VV18	RAA10-E-VV18
VV19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV19	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
VV20	EXISTING: -- PROPOSED: RAA10-E-VV20	--	RAA10-E-VV20	RAA10-E-VV20	RAA10-E-VV20
VV21	EXISTING: -- PROPOSED: RAA10-E-VV21	--	--	--	--
VV22	EXISTING: -- PROPOSED: RAA10-E-VV22	RAA10-E-VV22	RAA10-E-VV22	RAA10-E-VV22	RAA10-E-VV22
VV23	EXISTING: -- PROPOSED: RAA10-E-VV23	--	--	--	--
VV24	EXISTING: -- PROPOSED: RAA10-E-VV24	RAA10-E-VV24	RAA10-E-VV24	RAA10-E-VV24	RAA10-E-VV24
VV25	EXISTING: -- PROPOSED: RAA10-E-VV25	--	--	--	--
VV26	EXISTING: -- PROPOSED: RAA10-E-VV26	RAA10-E-VV26	RAA10-E-VV26	RAA10-E-VV26	RAA10-E-VV26
VV27	EXISTING: -- PROPOSED: RAA10-E-VV27	--	--	--	--
WW18	EXISTING: -- PROPOSED: RAA10-E-WW18	--	--	--	--
WW19	EXISTING: UFP1-L5 PROPOSED: --	--	--	--	--
WW20	EXISTING: -- PROPOSED: RAA10-E-WW20	--	--	--	--
WW21	EXISTING: -- PROPOSED: RAA10-E-WW21	--	--	--	--
WW22	EXISTING: -- PROPOSED: RAA10-E-WW22	--	--	--	--
WW23	EXISTING: -- PROPOSED: RAA10-E-WW23	--	--	--	--
WW24	EXISTING: -- PROPOSED: RAA10-E-WW24	--	--	--	--
WW25	EXISTING: -- PROPOSED: RAA10-E-WW25	--	--	--	--
WW26	EXISTING: -- PROPOSED: RAA10-E-WW26	--	--	--	--
WW27	EXISTING: -- PROPOSED: RAA10-E-WW27	--	--	--	--
WW28	EXISTING: -- PROPOSED: RAA10-E-WW28	--	--	--	--
XX19	EXISTING: -- PROPOSED: RAA10-E-XX19	--	--	--	--
XX20	EXISTING: -- PROPOSED: RAA10-E-XX20	RAA10-E-XX20	RAA10-E-XX20	RAA10-E-XX20	RAA10-E-XX20
XX21	EXISTING: -- PROPOSED: RAA10-E-XX21	--	--	--	--
XX22	EXISTING: -- PROPOSED: RAA10-E-XX22	RAA10-E-XX22	RAA10-E-XX22	RAA10-E-XX22	RAA10-E-XX22
XX23	EXISTING: -- PROPOSED: RAA10-E-XX23	--	--	--	--
XX24	EXISTING: -- PROPOSED: RAA10-E-XX24	RAA10-E-XX24	RAA10-E-XX24	RAA10-E-XX24	RAA10-E-XX24
XX25	EXISTING: -- PROPOSED: RAA10-E-XX25	--	--	--	--
XX26	EXISTING: -- PROPOSED: RAA10-E-XX26	RAA10-E-XX26	RAA10-E-XX26	RAA10-E-XX26	RAA10-E-XX26
XX27	EXISTING: -- PROPOSED: RAA10-E-XX27	--	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
XX28	EXISTING: -- PROPOSED: RAA10-E-XX28	--	RAA10-E-XX28	RAA10-E-XX28	RAA10-E-XX28
YY20	EXISTING: -- PROPOSED: RAA10-E-YY20	--	--	--	--
YY21	EXISTING: -- PROPOSED: RAA10-E-YY21	--	--	--	--
YY22	EXISTING: -- PROPOSED: RAA10-E-YY22	--	--	--	--
YY23	EXISTING: -- PROPOSED: RAA10-E-YY23	--	--	--	--
YY24	EXISTING: -- PROPOSED: RAA10-E-YY24	--	--	--	--
YY25	EXISTING: -- PROPOSED: RAA10-E-YY25	--	--	--	--
YY26	EXISTING: -- PROPOSED: RAA10-E-YY26	--	--	--	--
YY27	EXISTING: -- PROPOSED: RAA10-E-YY27	--	--	--	--
YY28	EXISTING: -- PROPOSED: RAA10-E-YY28	--	--	--	--
ZZ21	EXISTING: -- PROPOSED: RAA10-E-ZZ21	--	--	--	--
ZZ22	EXISTING: -- PROPOSED: RAA10-E-ZZ22	--	RAA10-E-ZZ22	RAA10-E-ZZ22	RAA10-E-ZZ22
ZZ23	EXISTING: -- PROPOSED: RAA10-E-ZZ23	--	--	--	--
ZZ24	EXISTING: -- PROPOSED: RAA10-E-ZZ24	--	RAA10-E-ZZ24	RAA10-E-ZZ24	RAA10-E-ZZ24
ZZ25	EXISTING: -- PROPOSED: RAA10-E-ZZ25	--	--	--	--
ZZ26	EXISTING: -- PROPOSED: RAA10-E-ZZ26	--	RAA10-E-ZZ26	RAA10-E-ZZ26	RAA10-E-ZZ26
ZZ27	EXISTING: -- PROPOSED: RAA10-E-ZZ27	--	--	--	--
ZZ28	EXISTING: -- PROPOSED: RAA10-E-ZZ28	--	RAA10-E-ZZ28	RAA10-E-ZZ28	RAA10-E-ZZ28
ZZ29	EXISTING: -- PROPOSED: RAA10-E-ZZ29	--	--	--	--
AAA22	EXISTING: -- PROPOSED: RAA10-E-AAA22	--	--	--	--
AAA23	EXISTING: -- PROPOSED: RAA10-E-AAA23	--	--	--	--
AAA24	EXISTING: -- PROPOSED: RAA10-E-AAA24	--	--	--	--
AAA25	EXISTING: -- PROPOSED: RAA10-E-AAA25	--	--	--	--
AAA26	EXISTING: -- PROPOSED: RAA10-E-AAA26	--	--	--	--
AAA27	EXISTING: -- PROPOSED: RAA10-E-AAA27	--	--	--	--
AAA28	EXISTING: -- PROPOSED: RAA10-E-AAA28	--	--	--	--
AAA29	EXISTING: -- PROPOSED: RAA10-E-AAA29	--	--	--	--
AAA30	EXISTING: -- PROPOSED: RAA10-E-AAA30	--	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
BBB23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BBB23	--	--	--
BBB24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BBB24	RAA10-E-BBB24	RAA10-E-BBB24	RAA10-E-BBB24
BBB25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BBB25	--	--	--
NORTH AREA					
Non-Industrial GE-Owned Area East of Former Interior Landfill					
A28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-A28	--	--	--
C24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-C24	RAA10-N-C24	RAA10-N-C24	RAA10-N-C24
C26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-C26	--	--	--
C28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-C28	RAA10-N-C28	RAA10-N-C28	RAA10-N-C28
E20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E20	--	--	--
E22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E22	--	--	--
E23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E23	--	--	--
E24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E24	--	--	--
E26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E26	RAA10-N-E26	RAA10-N-E26	RAA10-N-E26
E28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E28	--	--	--
G16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G16	RAA10-N-G16	RAA10-N-G16	RAA10-N-G16
G18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G18	--	--	--
G20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G20	RAA10-N-G20	RAA10-N-G20	RAA10-N-G20
G22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G22	--	--	--
G24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G24	RAA10-N-G24	RAA10-N-G24	RAA10-N-G24
G26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G26	--	--	--
G28	EXISTING:	UFP3-R10	--	--	--
	PROPOSED:	--	RAA10-N-G28	RAA10-N-G28	RAA10-N-G28
H21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-H21	--	--	--
H23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-H23	--	--	--
I12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I12	--	--	--
I14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I14	--	--	--
I16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I16	--	--	--
I18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I18	--	--	--
I20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I20	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
I22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I22	--	--	--
I24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I24	--	--	--
I26	EXISTING:	UFP3-R9	--	--	--
	PROPOSED:	--	RAA10-N-I26	RAA10-N-I26	RAA10-N-I26
I28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I28	--	--	--
J10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J10	--	--	--
J13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J13	--	--	--
J15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J15	--	--	--
J17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J17	--	--	--
J19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J19	--	--	--
J21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J21	--	--	--
J23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J23	--	--	--
K8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K8	RAA10-N-K8	RAA10-N-K8	RAA10-N-K8
K9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K9	--	--	--
K10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K10	RAA10-N-K10	RAA10-N-K10	RAA10-N-K10
K12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K12	RAA10-N-K12	RAA10-N-K12	RAA10-N-K12
K14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K14	--	--	--
K16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K16	RAA10-N-K16	RAA10-N-K16	RAA10-N-K16
K18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K18	--	--	--
K20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K20	RAA10-N-K20	RAA10-N-K20	RAA10-N-K20
K22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K22	--	--	--
K24	EXISTING:	UFP3-R8	--	--	--
	PROPOSED:	--	RAA10-N-K24	RAA10-N-K24	RAA10-N-K24
K26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K26	--	--	--
K28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K28	RAA10-N-K28	RAA10-N-K28	RAA10-N-K28
L8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L8	--	--	--
L10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L10	--	--	--
L11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L11	--	--	--
L12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L12	--	--	--
L13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L13	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
L14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L14	--	--	--
L15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L15	--	--	--
L16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L16	--	--	--
L21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L21	--	--	--
M9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M9	--	--	--
M10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M10	RAA10-N-M10	RAA10-N-M10	RAA10-N-M10
M11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M11	--	--	--
M12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M12	RAA10-N-M12	RAA10-N-M12	RAA10-N-M12
M13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M13	--	--	--
M14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M14	RAA10-N-M14	RAA10-N-M14	RAA10-N-M14
M15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M15	--	--	--
M22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M22	--	--	--
M24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M24	--	--	--
M26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M26	RAA10-N-M26	RAA10-N-M26	RAA10-N-M26
M28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M28	--	--	--
N9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N9	--	--	--
N10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N10	--	--	--
N11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N11	--	--	--
N12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N12	--	--	--
N23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N23	--	--	--
N25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N25	--	--	--
O24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O24	RAA10-N-O24	RAA10-N-O24	RAA10-N-O24
O26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O26	--	--	--
O28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O28	RAA10-N-O28	RAA10-N-O28	RAA10-N-O28
P23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-P23	--	--	--
P25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-P25	--	--	--
P27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-P27	--	--	--
Q24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Q24	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
Q26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Q26	--	--	--
Q28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Q28	--	--	--
R23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-R23	--	--	--
R25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-R25	--	--	--
R27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-R27	--	--	--
S24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S24	RAA10-N-S24	RAA10-N-S24	RAA10-N-S24
S26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S26	--	--	--
S28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S28	RAA10-N-S28	RAA10-N-S28	RAA10-N-S28
T25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-T25	--	--	--
U24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U24	--	--	--
U26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U26	--	--	--
U28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U28	--	--	--
V23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-V23	--	--	--
V25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-V25	--	--	--
W24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W24	RAA10-N-W24	RAA10-N-W24	RAA10-N-W24
W26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W26	--	--	--
W28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W28	RAA10-N-W28	RAA10-N-W28	RAA10-N-W28
X25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-X25	--	--	--
Y20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y20	RAA10-N-Y20	RAA10-N-Y20	RAA10-N-Y20
Y24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y24	--	--	--
Y26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y26	--	--	--
Y28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y28	--	--	--
AA24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA24	RAA10-N-AA24	RAA10-N-AA24	RAA10-N-AA24
AA26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA26	--	--	--
AA28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA28	RAA10-N-AA28	RAA10-N-AA28	RAA10-N-AA28
BB23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-BB23	--	--	--
BB24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-BB24	--	--	--
BB25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-BB25	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
CC22	EXISTING: PROPOSED:	-- RAA10-N-CC22	-- RAA10-N-CC22	-- RAA10-N-CC22	-- RAA10-N-CC22
CC23	EXISTING: PROPOSED:	-- RAA10-N-CC23	-- --	-- --	-- --
CC25	EXISTING: PROPOSED:	-- RAA10-N-CC25	-- --	-- --	-- --
CC26	EXISTING: PROPOSED:	-- RAA10-N-CC26	-- RAA10-N-CC26	-- RAA10-N-CC26	-- RAA10-N-CC26
CC28	EXISTING: PROPOSED:	-- RAA10-N-CC28	-- --	-- --	-- --
DD26	EXISTING: PROPOSED:	-- RAA10-N-DD26	-- --	-- --	-- --
EE23	EXISTING: PROPOSED:	-- RAA10-N-EE23	-- --	-- --	-- --
EE26	EXISTING: PROPOSED:	L-38 --	L-38 --	L-38 --	L-38 --
EE27	EXISTING: PROPOSED:	-- RAA10-N-EE27	-- --	-- --	-- --
FF23	EXISTING: PROPOSED:	-- RAA10-N-FF23	-- --	-- --	-- --
FF26	EXISTING: PROPOSED:	-- RAA10-N-FF26	-- --	-- --	-- --
FF27	EXISTING: PROPOSED:	-- RAA10-N-FF27	-- --	-- --	-- --
GG24	EXISTING: PROPOSED:	-- RAA10-N-GG24	-- RAA10-N-GG24	-- RAA10-N-GG24	-- RAA10-N-GG24
GG25	EXISTING: PROPOSED:	-- RAA10-N-GG25	-- --	-- --	-- --
GG26	EXISTING: PROPOSED:	-- RAA10-N-GG26	-- RAA10-N-GG26	-- RAA10-N-GG26	-- RAA10-N-GG26
HH24	EXISTING: PROPOSED:	-- RAA10-N-HH24	-- --	-- --	-- --
HH25	EXISTING: PROPOSED:	-- RAA10-N-HH25	-- --	-- --	-- --
Two Inundated (Palustrine/Emergent) Wetlands					
M16	EXISTING: PROPOSED:	-- RAA10-N-M16	-- --	-- --	-- --
M18	EXISTING: PROPOSED:	-- RAA10-N-M18	-- --	-- --	-- --
M20	EXISTING: PROPOSED:	-- RAA10-N-M20	-- --	-- --	-- --
O18	EXISTING: PROPOSED:	-- RAA10-N-O18	-- --	-- --	-- --
O20	EXISTING: PROPOSED:	-- RAA10-N-O20	-- --	-- --	-- --
O22	EXISTING: PROPOSED:	-- RAA10-N-O22	-- --	-- --	-- --
Q20	EXISTING: PROPOSED:	-- RAA10-N-Q20	-- --	-- --	-- --
Q22	EXISTING: PROPOSED:	-- RAA10-N-Q22	-- --	-- --	-- --
S20	EXISTING: PROPOSED:	-- RAA10-N-S20	-- --	-- --	-- --
S22	EXISTING: PROPOSED:	-- RAA10-N-S22	-- --	-- --	-- --

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
U20	EXISTING: PROPOSED:	-- RAA10-N-U20	-- --	-- --	-- --
U22	EXISTING: PROPOSED:	-- RAA10-N-U22	-- --	-- --	-- --
W20	EXISTING: PROPOSED:	-- RAA10-N-W20	-- --	-- --	-- --
W22	EXISTING: PROPOSED:	-- RAA10-N-W22	-- --	-- --	-- --
Y22	EXISTING: PROPOSED:	-- RAA10-N-Y22	-- --	-- --	-- --
CC24	EXISTING: PROPOSED:	-- RAA10-N-CC24	-- --	-- --	-- --
EE24	EXISTING: PROPOSED:	-- RAA10-N-EE24	-- --	-- --	-- --
GE-Owned Commercial/Industrial Property					
PAVED					
O8	EXISTING: PROPOSED:	UB-SB-16 --	UB-SB-16 --	-- --	-- RAA10-N-O8
U7	EXISTING: PROPOSED:	UB-SB-7 --	-- RAA10-N-U7	-- --	-- RAA10-N-U7
Y2	EXISTING: PROPOSED:	MG-02 --	MG-02 --	-- --	MG-02 --
Y6	EXISTING: PROPOSED:	-- RAA10-N-Y6	-- RAA10-N-Y6	-- --	-- RAA10-N-Y6
AA5	EXISTING: PROPOSED:	BLDG-130-EP-C8 --	-- RAA10-N-AA5	-- --	-- RAA10-N-AA5
AA6	EXISTING: PROPOSED:	BLDG-130-EP-C5 --	-- RAA10-N-AA6	-- --	-- RAA10-N-AA6
AA7	EXISTING: PROPOSED:	BLDG-130-EP-C1 --	-- RAA10-N-AA7	-- --	-- RAA10-N-AA7
AA18	EXISTING: PROPOSED:	-- RAA10-N-AA18	-- RAA10-N-AA18	-- --	-- RAA10-N-AA18
CC3	EXISTING: PROPOSED:	-- RAA10-N-CC3	-- RAA10-N-CC3	-- --	-- RAA10-N-CC3
CC16	EXISTING: PROPOSED:	60G-01 --	60G-01 --	-- --	-- RAA10-N-CC16
EE16	EXISTING: PROPOSED:	60G-02 --	60G-02 --	-- --	60G-02 --
GG10	EXISTING: PROPOSED:	UB-SB-3 --	UB-SB-3 --	-- --	UB-SB-3 --
II7	EXISTING: PROPOSED:	-- RAA10-N-II7	-- RAA10-N-II7	-- --	-- RAA10-N-II7
II8	EXISTING: PROPOSED:	-- RAA10-N-II8	-- RAA10-N-II8	-- --	-- RAA10-N-II8
II10	EXISTING: PROPOSED:	UB-SB-4 --	-- RAA10-N-II10	-- --	-- RAA10-N-II10
II16	EXISTING: PROPOSED:	-- RAA10-N-II16	-- RAA10-N-II16	-- --	-- RAA10-N-II16
II18	EXISTING: PROPOSED:	-- RAA10-N-II18	UB-SB-2 --	-- --	-- RAA10-N-II18
JJ5	EXISTING: PROPOSED:	51G-01 --	51G-01 --	-- --	51G-01 --
JJ6	EXISTING: PROPOSED:	-- RAA10-N-JJ6	-- RAA10-N-JJ6	-- --	-- RAA10-N-JJ6
JJ10	EXISTING: PROPOSED:	-- RAA10-N-JJ10	-- RAA10-N-JJ10	-- --	-- RAA10-N-JJ10

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
JJ14	EXISTING:	UB-SB-10	UB-SB-10	UB-SB-10	UB-SB-10
	PROPOSED:	--	--	--	--
JJ20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-JJ20	RAA10-N-JJ20	RAA10-N-JJ20	RAA10-N-JJ20
JJ22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-JJ22	RAA10-N-JJ22	RAA10-N-JJ22	RAA10-N-JJ22
KK5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK5	RAA10-N-KK5	RAA10-N-KK5	RAA10-N-KK5
KK10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK10	RAA10-N-KK10	RAA10-N-KK10	RAA10-N-KK10
KK16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK16	RAA10-N-KK16	RAA10-N-KK16	RAA10-N-KK16
KK18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK18	RAA10-N-KK18	RAA10-N-KK18	RAA10-N-KK18
KK20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK20	RAA10-N-KK20	RAA10-N-KK20	RAA10-N-KK20
LL12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-LL12	RAA10-N-LL12	RAA10-N-LL12	RAA10-N-LL12
MM12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-MM12	RAA10-N-MM12	RAA10-N-MM12	RAA10-N-MM12
MM18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-MM18	RAA10-N-MM18	RAA10-N-MM18	RAA10-N-MM18
NN10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-NN10	RAA10-N-NN10	RAA10-N-NN10	RAA10-N-NN10
NN12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-NN12	RAA10-N-NN12	RAA10-N-NN12	RAA10-N-NN12
NN14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-NN14	RAA10-N-NN14	RAA10-N-NN14	RAA10-N-NN14
OO8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-OO8	RAA10-N-OO8	RAA10-N-OO8	RAA10-N-OO8
PP8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-PP8	RAA10-N-PP8	RAA10-N-PP8	RAA10-N-PP8
UNPAVED					
M7	EXISTING:	UB-SS-13	--	--	--
	PROPOSED:	--	RAA10-N-M7	RAA10-N-M7	RAA10-N-M7
O5	EXISTING:	UB-SS-11	--	--	--
	PROPOSED:	--	RAA10-N-O5	RAA10-N-O5	RAA10-N-O5
O7	EXISTING:	ELTR-18	--	--	--
	PROPOSED:	--	RAA10-N-O7	RAA10-N-O7	RAA10-N-O7
Q3	EXISTING:	UB-SS-12	--	--	--
	PROPOSED:	--	RAA10-N-Q3	RAA10-N-Q3	RAA10-N-Q3
Q7	EXISTING:	ELTR-7	--	--	--
	PROPOSED:	--	RAA10-N-Q7	RAA10-N-Q7	RAA10-N-Q7
S1	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S1	RAA10-N-S1	RAA10-N-S1	RAA10-N-S1
S2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S2	RAA10-N-S2	RAA10-N-S2	RAA10-N-S2
S7	EXISTING:	ELTR-1	--	--	--
	PROPOSED:	--	RAA10-N-S7	RAA10-N-S7	RAA10-N-S7
U1	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U1	RAA10-N-U1	RAA10-N-U1	RAA10-N-U1
U2	EXISTING:	UB-SS-5	--	--	--
	PROPOSED:	--	RAA10-N-U2	RAA10-N-U2	RAA10-N-U2
U3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U3	RAA10-N-U3	RAA10-N-U3	RAA10-N-U3

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
U4	EXISTING:	ELTR-10	--	--	--
	PROPOSED:	--	RAA10-N-U4	RAA10-N-U4	RAA10-N-U4
U5	EXISTING:	ELTR-8	--	--	--
	PROPOSED:	--	RAA10-N-U5	RAA10-N-U5	RAA10-N-U5
U6	EXISTING:	ELTR-5	--	--	--
	PROPOSED:	--	RAA10-N-U6	RAA10-N-U6	RAA10-N-U6
W1	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W1	RAA10-N-W1	RAA10-N-W1	RAA10-N-W1
W2	EXISTING:	MG-01	MG-01	MG-01	MG-01
	PROPOSED:	--	--	--	--
W3	EXISTING:	ELTR-13	--	--	--
	PROPOSED:	--	RAA10-N-W3	RAA10-N-W3	RAA10-N-W3
W4	EXISTING:	MG-24	--	--	--
	PROPOSED:	--	RAA10-N-W4	RAA10-N-W4	RAA10-N-W4
W5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W5	RAA10-N-W5	RAA10-N-W5	RAA10-N-W5
W6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W6	RAA10-N-W6	RAA10-N-W6	RAA10-N-W6
W7	EXISTING:	PB-C2	--	--	--
	PROPOSED:	--	RAA10-N-W7	RAA10-N-W7	RAA10-N-W7
W8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W8	RAA10-N-W8	RAA10-N-W8	RAA10-N-W8
Y3	EXISTING:	NWBG-2	--	--	--
	PROPOSED:	--	RAA10-N-Y3	RAA10-N-Y3	RAA10-N-Y3
Y7	EXISTING:	PB-C1	--	--	--
	PROPOSED:	--	RAA10-N-Y7	RAA10-N-Y7	RAA10-N-Y7
Y18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y18	RAA10-N-Y18	RAA10-N-Y18	RAA10-N-Y18
AA2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA2	RAA10-N-AA2	RAA10-N-AA2	RAA10-N-AA2
AA4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA4	RAA10-N-AA4	RAA10-N-AA4	RAA10-N-AA4
AA10	EXISTING:	PL-125-PB-C3	--	--	--
	PROPOSED:	--	RAA10-N-AA10	RAA10-N-AA10	RAA10-N-AA10
AA12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA12	RAA10-N-AA12	RAA10-N-AA12	RAA10-N-AA12
AA14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA14	RAA10-N-AA14	RAA10-N-AA14	RAA10-N-AA14
CC4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC4	RAA10-N-CC4	RAA10-N-CC4	RAA10-N-CC4
CC8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC8	RAA10-N-CC8	RAA10-N-CC8	RAA10-N-CC8
CC10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC10	RAA10-N-CC10	RAA10-N-CC10	RAA10-N-CC10
CC12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC12	RAA10-N-CC12	RAA10-N-CC12	RAA10-N-CC12
CC14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC14	RAA10-N-CC14	RAA10-N-CC14	RAA10-N-CC14
CC20	EXISTING:	--	UB-SB-15	UB-SB-15	UB-SB-15
	PROPOSED:	RAA10-N-CC20	--	--	--
EE3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE3	RAA10-N-EE3	RAA10-N-EE3	RAA10-N-EE3
EE4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE4	RAA10-N-EE4	RAA10-N-EE4	RAA10-N-EE4
EE5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE5	RAA10-N-EE5	RAA10-N-EE5	RAA10-N-EE5

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
EE7	EXISTING: -- PROPOSED: RAA10-N-EE7	--	RAA10-N-EE7	--	--
EE8	EXISTING: -- PROPOSED: RAA10-N-EE8	--	RAA10-N-EE8	--	RAA10-N-EE8
EE10	EXISTING: -- PROPOSED: RAA10-N-EE10	--	RAA10-N-EE10	--	RAA10-N-EE10
EE14	EXISTING: -- PROPOSED: RAA10-N-EE14	--	RAA10-N-EE14	--	RAA10-N-EE14
EE18	EXISTING: -- PROPOSED: RAA10-N-EE18	--	RAA10-N-EE18	--	RAA10-N-EE18
EE20	EXISTING: -- PROPOSED: RAA10-N-EE20	--	RAA10-N-EE20	--	RAA10-N-EE20
EE22	EXISTING: -- PROPOSED: RAA10-N-EE22	--	RAA10-N-EE22	--	RAA10-N-EE22
GG4	EXISTING: -- PROPOSED: RAA10-N-GG4	--	RAA10-N-GG4	--	RAA10-N-GG4
GG5	EXISTING: -- PROPOSED: RAA10-N-GG5	--	RAA10-N-GG5	--	--
GG6	EXISTING: -- PROPOSED: RAA10-N-GG6	--	RAA10-N-GG6	--	--
GG7	EXISTING: UB-SS-9 PROPOSED: --	--	RAA10-N-GG7	--	--
GG14	EXISTING: -- PROPOSED: RAA10-N-GG14	--	RAA10-N-GG14	--	RAA10-N-GG14
GG18	EXISTING: -- PROPOSED: RAA10-N-GG18	--	RAA10-N-GG18	--	RAA10-N-GG18
GG20	EXISTING: -- PROPOSED: RAA10-N-GG20	--	RAA10-N-GG20	--	RAA10-N-GG20
GG22	EXISTING: -- PROPOSED: RAA10-N-GG22	--	RAA10-N-GG22	--	RAA10-N-GG22
II5	EXISTING: -- PROPOSED: RAA10-N-II5	--	RAA10-N-II5	--	RAA10-N-II5
II20	EXISTING: -- PROPOSED: RAA10-N-II20	--	RAA10-N-II20	--	RAA10-N-II20
II22	EXISTING: 39D PROPOSED: --	--	39D	--	39D
II24	EXISTING: -- PROPOSED: RAA10-N-II24	--	RAA10-N-II24	--	RAA10-N-II24
KK22	EXISTING: -- PROPOSED: RAA10-N-KK22	--	RAA10-N-KK22	--	RAA10-N-KK22
LL6	EXISTING: -- PROPOSED: RAA10-N-LL6	--	RAA10-N-LL6	--	RAA10-N-LL6
LL20	EXISTING: UB-SB-12 PROPOSED: --	--	UB-SB-12	--	RAA10-N-LL20
MM6	EXISTING: -- PROPOSED: RAA10-N-MM6	--	RAA10-N-MM6	--	RAA10-N-MM6
MM7	EXISTING: -- PROPOSED: RAA10-N-MM7	--	RAA10-N-MM7	--	RAA10-N-MM7
NN7	EXISTING: -- PROPOSED: RAA10-N-NN7	--	RAA10-N-NN7	--	RAA10-N-NN7
NN18	EXISTING: -- PROPOSED: RAA10-N-NN18	--	RAA10-N-NN18	--	RAA10-N-NN18
OO7	EXISTING: -- PROPOSED: RAA10-N-OO7	--	RAA10-N-OO7	--	RAA10-N-OO7
OO16	EXISTING: -- PROPOSED: RAA10-N-OO16	--	RAA10-N-OO16	--	RAA10-N-OO16

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
PP12	EXISTING: -- PROPOSED: RAA10-N-PP12	--	RAA10-N-PP12	--	RAA10-N-PP12
PP14	EXISTING: -- PROPOSED: UB-SB-14	UB-SB-14	UB-SB-14	--	RAA10-N-PP14
QQ8	EXISTING: -- PROPOSED: RAA10-N-QQ8	--	RAA10-N-QQ8	--	RAA10-N-QQ8
QQ12	EXISTING: -- PROPOSED: RAA10-N-QQ12	--	RAA10-N-QQ12	--	RAA10-N-QQ12
RR10	EXISTING: -- PROPOSED: RAA10-N-RR10	--	RAA10-N-RR10	--	RAA10-N-RR10
UNKAMET BROOK PROPOSED SEDIMENT SAMPLES					
NORTH AREA					
UB-01	EXISTING: -- PROPOSED: UB-IRA-1-C1	UB-IRA-1-C1	--	--	--
UB-02	EXISTING: -- PROPOSED: RAA10-UB-02	--	--	--	--
UB-03	EXISTING: -- PROPOSED: UB-IRA-3-C1	UB-IRA-3-C1	--	--	--
UB-04	EXISTING: -- PROPOSED: UB-IRA-4-C1	UB-IRA-4-C1	--	--	--
UB-05	EXISTING: -- PROPOSED: RAA10-UB-05	--	--	--	--
UB-06	EXISTING: -- PROPOSED: RAA10-UB-06	--	--	--	--
UB-07	EXISTING: -- PROPOSED: RAA10-UB-07	--	--	--	--
UB-08	EXISTING: -- PROPOSED: RAA10-UB-08	--	--	--	--
UB-09	EXISTING: -- PROPOSED: RAA10-UB-09	--	--	--	--
UB-10	EXISTING: -- PROPOSED: RAA10-UB-10	--	--	--	--
UB-11	EXISTING: -- PROPOSED: RAA10-UB-11	--	--	--	--
EAST AREA					
UB-12	EXISTING: -- PROPOSED: UC2210A	UC2210A	--	--	--
UB-13	EXISTING: -- PROPOSED: UC2160A	UC2160A	--	--	--
UB-14	EXISTING: -- PROPOSED: UC2110A	UC2110A	--	--	--
UB-15	EXISTING: -- PROPOSED: UC2060A	UC2060A	--	--	--
UB-16	EXISTING: -- PROPOSED: UC1411A	UC1411A	--	--	--
UB-17	EXISTING: -- PROPOSED: UC1377A	UC1377A	--	--	--
UB-18	EXISTING: -- PROPOSED: UC1250A	UC1250A	--	--	--
UB-19	EXISTING: -- PROPOSED: UC1150A	UC1150A	--	--	--
UB-20	EXISTING: -- PROPOSED: UC1100A	UC1100A	--	--	--
UB-21	EXISTING: -- PROPOSED: UC1050A	UC1050A	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
UB-22	EXISTING:	UC1000A	--	--	--
	PROPOSED:	--	--	--	--
UB-23	EXISTING:	UC0950A	--	--	--
	PROPOSED:	--	--	--	--
UB-24	EXISTING:	UC0900A	--	--	--
	PROPOSED:	--	--	--	--
UB-25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-25	--	--	--
UB-26	EXISTING:	UC0850A	--	--	--
	PROPOSED:	--	--	--	--
UB-27	EXISTING:	UC0800A	--	--	--
	PROPOSED:	--	--	--	--
UB-28	EXISTING:	UC0750A	--	--	--
	PROPOSED:	--	--	--	--
UB-29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-29	--	--	--
UB-30	EXISTING:	UC0700A	--	--	--
	PROPOSED:	--	--	--	--
UB-31	EXISTING:	UC0650A	--	--	--
	PROPOSED:	--	--	--	--
UB-32	EXISTING:	UC0600A	--	--	--
	PROPOSED:	--	--	--	--
UB-33	EXISTING:	UC0550A	--	--	--
	PROPOSED:	--	--	--	--
UB-34	EXISTING:	UC0500A	--	--	--
	PROPOSED:	--	--	--	--
UB-35	EXISTING:	UC0450A	--	--	--
	PROPOSED:	--	--	--	--
UB-36	EXISTING:	UC0400A	--	--	--
	PROPOSED:	--	--	--	--
UB-37	EXISTING:	UC0355A	--	--	--
	PROPOSED:	--	--	--	--
UB-38	EXISTING:	UC0300A	--	--	--
	PROPOSED:	--	--	--	--
UB-39	EXISTING:	UC0250A	--	--	--
	PROPOSED:	--	--	--	--
UB-40	EXISTING:	UW0240A	--	--	--
	PROPOSED:	--	--	--	--
UB-41	EXISTING:	UC0200A	--	--	--
	PROPOSED:	--	--	--	--
UB-42	EXISTING:	UC0150A	--	--	--
	PROPOSED:	--	--	--	--
UB-43	EXISTING:	UC0100A	--	--	--
	PROPOSED:	--	--	--	--
UB-44	EXISTING:	UC0050A	--	--	--
	PROPOSED:	--	--	--	--
UB-45	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-45	--	--	--
UB-46	EXISTING:	UC0000A	--	--	--
	PROPOSED:	--	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

NOTES:

1. This table identifies the soil and sediment sampling locations that will be used to satisfy pre-design investigation requirements for PCBs (as described in the text) for the Unkamet Brook Area pre-design investigation. These requirements are generally grid-based, except in paved portions of GE-owned commercial/industrial areas (where sampling will be at an approximate frequency of two locations per acre) and in Unkamet Brook (where sampling will be at specified intervals).
2. Other existing soil data will not be utilized in support of the pre-design sampling requirements, but may be used in the design of the Removal Action (as discussed in the text).
3. Shaded depth increments indicate that soil sampling is not required.
4. Existing samples are assumed to represent a grid node if they are located less than one-half the SOW grid node spacing from the grid node in question (e.g. less than 25 feet from a 50-foot grid node, less than 50 feet from a 100-foot grid node).
5. Existing sample depths are assumed to satisfy the depth interval requirements (i.e., either 0 to 1, 1 to 3, 3 to 6, 6 to 15 feet) if the existing depth(s) constitute at least 50% of the depth requirement. For example, existing data for 8- to 10 foot, 10- to 12-foot and 12- to 14-foot depths will satisfy the 6-15-foot requirements at a node, but existing data for the 10- to 12-foot depth alone will not.
6. The table does not include all existing PCB samples collected at Unkamet Brook Area. Refer to Table 1 for a complete list of all existing soil and sediment PCB samples.

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCS	INORGANICS	PCDDs/PCDFs	Pest/Herb
WEST AREA								
GE-Owned Commercial/Industrial Property								
PAVED								
RAA10-W-B17	B17	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-C15	C15	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-D12	D12	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-E10	E10	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-E13	E13	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-F9	F9	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-F13	F13	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-G7	G7	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-G9	G9	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-G15	G15	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-H4	H4	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-H10	H10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-H15	H15	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-I7	I7	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-I10	I10	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-I17	I17	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-I22	I22	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-J4	J4	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-J11	J11	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-J17	J17	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-W-J20	J20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-J21	J21	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-K8	K8	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-K11	K11	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-K17	K17	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-K18	K18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-K19	K19	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-L12	L12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-L19	L19	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	--	X	X	--
RAA10-W-M8	M8	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-M11	M11	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-M12	M12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-M13	M13	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-M17	M17	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-P9	P9	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-P11	P11	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-R13	R13	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-S11	S11	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
UNPAVED								
RAA10-W-A18	A18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-B15	B15	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-B19	B19	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS
REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-W-C12	C12	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-C13	C13	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-C18	C18	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-C19	C19	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-D10	D10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-D11	D11	0-1 ft	X	--	--	--	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-D19	D19	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-D20	D20	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-F8	F8	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-F9	F9	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-E19	E19	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-E20	E20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-F6	F6	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-F8	F8	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-F20	F20	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-G4	G4	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-G20	G20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-G21	G21	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-H2	H2	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-H9	H9	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-I2	I2	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)						
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb	
RAA10-W-I21	I21	0-1 ft	--	X	X	--	X	X	--
		1-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X	--
RAA10-W-J10	J10	0-1 ft	X	--	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X	--
RAA10-W-K21	K21	0-1 ft	X	--	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--	--
RAA10-W-L11	L11	0-1 ft	X	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--	--
RAA10-W-L18	L18	0-1 ft	X	--	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--	--
RAA10-W-L20	L20	0-1 ft	X	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--	--
RAA10-W-M15	M15	0-1 ft	X	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	X	--
RAA10-W-N12	N12	0-1 ft	X	--	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--	--
RAA10-W-N13	N13	0-1 ft	X	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--	--
RAA10-W-N17	N17	0-1 ft	--	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--	--
RAA10-W-N18	N18	0-1 ft	X	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--	--
Non-GE-Owned Commercial/Industrial Property									
UNPAVED									
RAA10-W-O15	O15	0-1 ft	X	--	--	--	--	--	--
RAA10-W-O16	O16	0-1 ft	X	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	X	--
RAA10-W-P15	P15	0-1 ft	X	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	X	--
RAA10-W-P16	P16	0-1 ft	X	X	X	X	X	--	
RAA10-W-P17	P17	0-1 ft	X	--	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	X	--
RAA10-W-Q14	Q14	0-1 ft	X	--	--	--	--	--	
RAA10-W-Q15	Q15	0-1 ft	X	X	X	X	X	--	
RAA10-W-Q16	Q16	0-1 ft	X	--	--	--	--	--	
RAA10-W-R15	R15	0-1 ft	X	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	X	--
EAST AREA									
Non-GE-Owned Commercial/Industrial Property									
RAA10-E-A21	A21	0-1 ft	X	--	--	--	--	--	--
RAA10-E-A22	A22	0-1 ft	X	X	X	X	X	X	--
RAA10-E-B21	B21	0-1 ft	X	--	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pes/Herb
RAA10-E-D22	D22	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-B23	B23	0-1 ft	X	--	--	--	--	--
RAA10-E-B24	B24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-C20	C20	0-1 ft	X	--	--	--	--	--
RAA10-E-C21	C21	0-1 ft	X	--	--	--	--	--
RAA10-E-C22	C22	0-1 ft	X	--	--	--	--	--
RAA10-E-C23	C23	0-1 ft	X	--	--	--	--	--
RAA10-E-C24	C24	0-1 ft	X	X	X	X	X	--
RAA10-E-C25	C25	0-1 ft	X	--	--	--	--	--
RAA10-E-C26	C26	0-1 ft	X	--	--	--	--	--
RAA10-E-D21	D21	0-1 ft	X	--	--	--	--	--
RAA10-E-D22	D22	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	X	--
RAA10-E-D23	D23	0-1 ft	X	--	--	--	--	--
RAA10-E-D24	D24	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-D25	D25	0-1 ft	X	--	--	--	--	--
RAA10-E-D26	D26	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-E19	E19	0-1 ft	X	X	X	X	X	--
RAA10-E-E20	E20	0-1 ft	X	--	--	--	--	--
RAA10-E-E21	E21	0-1 ft	X	--	--	--	--	--
RAA10-E-E22	E22	0-1 ft	X	--	--	--	--	--
RAA10-E-E23	E23	0-1 ft	X	X	X	X	X	--
RAA10-E-E24	E24	0-1 ft	X	--	--	--	--	--
RAA10-E-E25	E25	0-1 ft	X	--	--	--	--	--
RAA10-E-E26	E26	0-1 ft	X	--	--	--	--	--
RAA10-E-F19	F19	0-1 ft	X	--	--	--	--	--
RAA10-E-F20	F20	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-F21	F21	0-1 ft	X	--	--	--	--	--
RAA10-E-F22	F22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-F25	F25	0-1 ft	X	--	--	--	--	--
RAA10-E-F26	F26	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-G19	G19	0-1 ft	X	--	--	--	--	--
RAA10-E-G20	G20	0-1 ft	X	--	--	--	--	--
RAA10-E-G21	G21	0-1 ft	X	X	X	X	X	--
RAA10-E-G24	G24	0-1 ft	X	X	X	X	X	--
RAA10-E-G25	G25	0-1 ft	X	--	--	--	--	--
RAA10-E-G26	G26	0-1 ft	X	--	--	--	--	--
RAA10-E-G27	G27	0-1 ft	X	--	--	--	--	--
RAA10-E-G28	G28	0-1 ft	X	X	X	X	X	--
RAA10-E-H18	H18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-H19	H19	0-1 ft	X	--	--	--	--	--
RAA10-E-H20	H20	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-H21	H21	0-1 ft	X	--	--	--	--	
RAA10-E-H23	H23	0-1 ft	X	--	--	--	--	
RAA10-E-H24	H24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-H25	H25	0-1 ft	X	--	--	--	--	
RAA10-E-H26	H26	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-H27	H27	0-1 ft	X	--	--	--	--	
RAA10-E-H28	H28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-I18	I18	0-1 ft	X	--	--	--	--	
RAA10-E-I19	I19	0-1 ft	X	--	--	--	--	
RAA10-E-I20	I20	0-1 ft	X	X	X	X	X	
RAA10-E-I21	I21	0-1 ft	X	--	--	--	--	
RAA10-E-I23	I23	0-1 ft	X	--	--	--	--	
RAA10-F-I24	I24	0-1 ft	X	--	--	--	--	
RAA10-E-I25	I25	0-1 ft	X	X	X	X	X	
RAA10-E-I26	I26	0-1 ft	X	--	--	--	--	
RAA10-F-I27	I27	0-1 ft	X	X	X	X	X	
RAA10-E-J17	J17	0-1 ft	X	--	--	--	--	
RAA10-C-J18	J18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-F-J22	J22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-J23	J23	0-1 ft	X	--	--	--	--	
RAA10-C-J24	J24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-J25	J25	0-1 ft	X	--	--	--	--	
RAA10-E-J26	J26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-J27	J27	0-1 ft	X	--	--	--	--	
RAA10-E-K16	K16	0-1 ft	X	X	X	X	X	
RAA10-E-K17	K17	0-1 ft	X	--	--	--	--	
RAA10-E-K18	K18	0-1 ft	X	--	--	--	--	
RAA10-E-K22	K22	0-1 ft	X	X	X	X	X	
RAA10-F-K23	K23	0-1 ft	X	--	--	--	--	
RAA10-E-K24	K24	0-1 ft	X	X	X	X	X	
RAA10-C-K25	K25	0-1 ft	X	--	--	--	--	
RAA10-E-K26	K26	0-1 ft	X	X	X	X	X	
RAA10-E-K27	K27	0-1 ft	X	--	--	--	--	
RAA10-E-K28	K28	0-1 ft	X	--	--	--	--	
RAA10-E-L16	L16	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-L17	L17	0-1 ft	X	--	--	--	--	

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMFT BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-L22	L22	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-L23	L23	0-1 ft	X	--	--	--	--	--
RAA10-E-L24	L24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-L25	L25	0-1 ft	X	X	X	X	X	--
RAA10-F-L26	L26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-L27	L27	0-1 ft	X	--	--	--	--	--
RAA10-C-M15	M15	0-1 ft	X	X	X	X	X	--
RAA10-F-M16	M16	0-1 ft	X	--	--	--	--	--
RAA10-E-M17	M17	0-1 ft	X	--	--	--	--	--
RAA10-C-M21	M21	0-1 ft	X	--	--	--	--	--
RAA10-F-M22	M22	0-1 ft	X	--	--	--	--	--
RAA10-E-M23	M23	0-1 ft	X	X	X	X	X	--
RAA10-C-M24	M24	0-1 ft	X	--	--	--	--	--
RAA10-F-M25	M25	0-1 ft	X	--	--	--	--	--
RAA10-E-N16	N16	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-N17	N17	0-1 ft	X	--	--	--	--	--
RAA10-E-N18	N18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	--	X	--
RAA10-E-N19	N19	0-1 ft	X	--	--	--	--	--
RAA10-E-N20	N20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-N21	N21	0-1 ft	X	--	--	--	--	--
RAA10-E-N22	N22	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-N23	N23	0-1 ft	X	--	--	--	--	--
RAA10-E-N24	N24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-N25	N25	0-1 ft	X	X	X	X	X	--
RAA10-E-O14	O14	0-1 ft	X	--	--	--	--	--
RAA10-E-O19	O19	0-1 ft	X	X	X	X	X	--
RAA10-E-O20	O20	0-1 ft	X	--	--	--	--	--
RAA10-E-O21	O21	0-1 ft	X	X	X	X	X	--
RAA10-E-O22	O22	0-1 ft	X	--	--	--	--	--
RAA10-E-O23	O23	0-1 ft	X	--	--	--	--	--
RAA10-E-O24	O24	0-1 ft	X	X	X	X	X	--
RAA10-E-O25	O25	0-1 ft	X	--	--	--	--	--
RAA10-E-P13	P13	0-1 ft	X	--	--	--	--	--
RAA10-E-P14	P14	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-P21	P21	0-1 ft	X	--	--	--	--	--
RAA10-E-P22	P22	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-P23	P23	0-1 ft	X	--	--	--	--	--
RAA10-E-P24	P24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-Q13	Q13	0-1 ft	X	X	X	X	X	--
RAA10-E-Q14	Q14	0-1 ft	X	--	--	--	--	--
RAA10-E-Q24	Q24	0-1 ft	X	X	X	X	X	--
RAA10-E-R12	R12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-R13	R13	0-1 ft	X	--	--	--	--	
RAA10-E-R14	R14	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-S11	S11	0-1 ft	X	--	--	--	--	
RAA10-E-S12	S12	0-1 ft	X	X	X	X	X	--
RAA10-E-S13	S13	0-1 ft	X	--	--	--	--	--
RAA10-E-S14	S14	0-1 ft	X	--	--	--	--	--
RAA10-E-T10	T10	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-T11	T11	0-1 ft	X	--	--	--	--	--
RAA10-E-T12	T12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-T13	T13	0-1 ft	X	X	X	X	X	--
RAA10-E-T14	T14	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-U10	U10	0-1 ft	X	X	X	X	X	--
RAA10-E-U11	U11	0-1 ft	X	--	--	--	--	--
RAA10-E-U12	U12	0-1 ft	X	X	X	X	X	--
RAA10-E-U13	U13	0-1 ft	X	--	--	--	--	--
RAA10-E-U14	U14	0-1 ft	X	--	--	--	--	--
RAA10-E-V9	V9	0-1 ft	X	--	--	--	--	--
RAA10-E-V10	V10	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-V11	V11	0-1 ft	X	--	--	--	--	--
RAA10-E-V12	V12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-V13	V13	0-1 ft	X	--	--	--	--	--
RAA10-E-V14	V14	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-W9	W9	0-1 ft	X	X	X	X	X	--
RAA10-E-W10	W10	0-1 ft	X	--	--	--	--	--
RAA10-E-W11	W11	0-1 ft	X	X	X	X	X	--
RAA10-E-W12	W12	0-1 ft	X	--	--	--	--	--
RAA10-E-W13	W13	0-1 ft	X	X	X	X	X	--
RAA10-E-X8	X8	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-X9	X9	0-1 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-X10	X10	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-X11	X11	0-1 ft	X	--	--	--	--	--
RAA10-E-X12	X12	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
RAA10-E-X13	X13	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-F-Y7	Y7	0-1 ft	X	--	--	--	--	--
RAA10-E-Y8	Y8	0-1 ft	X	--	--	--	--	--
RAA10-E-Y9	Y9	0-1 ft	X	X	X	X	X	--
RAA10-F-Y10	Y10	0-1 ft	X	--	--	--	--	--
RAA10-E-Y11	Y11	0-1 ft	X	--	--	--	--	--
RAA10-E-Y12	Y12	0-1 ft	X	--	--	--	--	--
RAA10-F-Y13	Y13	0-1 ft	X	X	X	X	X	--
RAA10-E-Y14	Y14	0-1 ft	X	--	--	--	--	--
RAA10-E-Z0	Z0	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-F-Z7	Z7	0-1 ft	X	--	--	--	--	--
RAA10-E-Z9	Z9	0-1 ft	X	--	--	--	--	--
RAA10-E-Z10	Z10	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-F-Z11	Z11	0-1 ft	X	--	--	--	--	--
RAA10-E-Z12	Z12	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-Z13	Z13	0-1 ft	X	--	--	--	--	--
RAA10-F-Z14	Z14	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-AA6	AA6	0-1 ft	X	X	X	X	X	--
RAA10-E-AA7	AA7	0-1 ft	X	--	--	--	--	--
RAA10-E-AA10	AA10	0-1 ft	X	--	--	--	--	--
RAA10-E-AA11	AA11	0-1 ft	X	--	--	--	--	--
RAA10-E-AA12	AA12	0-1 ft	X	X	X	X	X	--
RAA10-E-AA13	AA13	0-1 ft	X	--	--	--	--	--
RAA10-E-AA14	AA14	0-1 ft	X	--	--	--	--	--
RAA10-E-BB5	BB5	0-1 ft	X	--	--	--	--	--
RAA10-E-BB6	BB6	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BB7	BB7	0-1 ft	X	--	--	--	--	--
RAA10-E-BB9	BB9	0-1 ft	X	--	--	--	--	--
RAA10-E-BB10	BB10	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-BB11	BB11	0-1 ft	X	--	--	--	--	--
RAA10-E-BB12	BB12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BB13	BB13	0-1 ft	X	--	--	--	--	--
RAA10-E-BB14	BB14	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-CC4	CC4	0-1 ft	X	--	--	--	--	--
RAA10-E-CC5	CC5	0-1 ft	X	--	--	--	--	--
RAA10-E-CC6	CC6	0-1 ft	X	X	X	X	X	--
RAA10-E-CC7	CC7	0-1 ft	X	--	--	--	--	--
RAA10-E-CC8	CC8	0-1 ft	X	--	--	--	--	--
RAA10-E-CC9	CC9	0-1 ft	X	--	--	--	--	--
RAA10-E-CC10	CC10	0-1 ft	X	X	X	X	X	--
RAA10-E-CC11	CC11	0-1 ft	X	--	--	--	--	--
RAA10-E-CC14	CC14	0-1 ft	X	--	--	--	--	--
RAA10-E-DD4	DD4	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD5	DD5	0-1 ft	X	X	X	X	X	--
RAA10-E-DD6	DD6	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-DD7	DD7	0-1 ft	X	--	--	--	--	--
RAA10-E-DD8	DD8	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD9	DD9	0-1 ft	X	--	--	--	--	--
RAA10-E-DD10	DD10	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD11	DD11	0-1 ft	X	--	--	--	--	--
RAA10-E-DD12	DD12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD13	DD13	0-1 ft	X	--	--	--	--	--
RAA10-E-DD14	DD14	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-EE3	EE3	0-1 ft	X	--	--	--	--	--
RAA10-E-EE4	EE4	0-1 ft	X	X	X	X	X	--
RAA10-E-EE5	EE5	0-1 ft	X	--	--	--	--	--
RAA10-E-EE6	EE6	0-1 ft	X	X	X	X	X	--
RAA10-E-EE7	EE7	0-1 ft	X	--	--	--	--	--
RAA10-E-EE8	EE8	0-1 ft	X	--	--	--	--	--
RAA10-E-EE9	EE9	0-1 ft	X	--	--	--	--	--
RAA10-E-EE10	EE10	0-1 ft	X	--	--	--	--	--
RAA10-E-EE11	EE11	0-1 ft	X	--	--	--	--	--
RAA10-E-EE12	EE12	0-1 ft	X	--	--	--	--	--
RAA10-E-FF2	FF2	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-FF3	FF3	0-1 ft	X	--	--	--	--	--
RAA10-E-FF4	FF4	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-FF5	FF5	0-1 ft	X	--	--	--	--	--
RAA10-E-FF6	FF6	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-FF7	FF7	0-1 ft	X	--	--	--	--	--
RAA10-E-FF8	FF8	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-F-FF9	FF9	0-1 ft	X	--	--	--	--	--
RAA10-E-FF10	FF10	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-FF11	FF11	0-1 ft	X	--	--	--	--	
RAA10-F-FF17	FF17	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-GG1	GG1	0-1 ft	X	--	--	--	--	
RAA10-E-GG2	GG2	0-1 ft	X	--	--	--	--	
RAA10-E-GG3	GG3	0-1 ft	X	X	X	X	X	
RAA10-E-GG4	GG4	0-1 ft	X	--	--	--	--	
RAA10-E-GG5	GG5	0-1 ft	X	--	--	--	--	
RAA10-E-GG6	GG6	0-1 ft	X	X	X	X	X	
RAA10-E-GG7	GG7	0-1 ft	X	--	--	--	--	
RAA10-E-GG8	GG8	0-1 ft	X	--	--	--	--	
RAA10-E-GG9	GG9	0-1 ft	X	X	X	X	X	
RAA10-E-GG10	GG10	0-1 ft	X	--	--	--	--	
RAA10-E-GG11	GG11	0-1 ft	X	X	X	X	X	
RAA10-E-GG12	GG12	0-1 ft	X	--	--	--	--	
RAA10-E-GG13	GG13	0-1 ft	X	X	X	X	X	
RAA10-E-HH99	HH99	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH1	HH1	0-1 ft	X	--	--	--	--	
RAA10-E-HH2	HH2	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-HH3	HH3	0-1 ft	X	X	X	X	X	
RAA10-E-HH4	HH4	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH5	HH5	0-1 ft	X	X	X	X	X	
RAA10-E-HH6	HH6	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-HH7	HH7	0-1 ft	X	--	--	--	--	
RAA10-E-HH9	HH9	0-1 ft	X	--	--	--	--	
RAA10-E-HH10	HH10	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH11	HH11	0-1 ft	X	--	--	--	--	
RAA10-E-II4	II4	0-1 ft	X	--	--	--	--	
RAA10-E-II5	II5	0-1 ft	X	--	--	--	--	
RAA10-E-II6	II6	0-1 ft	X	X	X	X	X	
RAA10-E-II7	II7	0-1 ft	X	--	--	--	--	
RAA10-E-II8	II8	0-1 ft	X	--	--	--	--	
RAA10-E-II10	II10	0-1 ft	X	X	X	X	X	
RAA10-E-II11	II11	0-1 ft	X	--	--	--	--	
RAA10-E-JJ5	JJ5	0-1 ft	X	--	--	--	--	
RAA10-E-JJ6	JJ6	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ7	JJ7	0-1 ft	X	--	--	--	--	
RAA10-E-JJ8	JJ8	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ9	JJ9	0-1 ft	X	--	--	--	--	
RAA10-E-JJ10	JJ10	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)						
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb	
RAA10-E-JJ11	JJ11	0-1 ft	X	X	X	X	X	X	--
RAA10-E-JJ12	JJ12	0-1 ft	X	--	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--	--
RAA10-E-KK6	KK6	0-1 ft	X	--	--	--	--	--	--
RAA10-E-KK7	KK7	0-1 ft	X	--	--	--	--	--	--
RAA10-E-KK8	KK8	0-1 ft	X	X	X	X	X	X	--
RAA10-E-KK9	KK9	0-1 ft	X	X	X	X	X	X	--
RAA10-E-KK10	KK10	0-1 ft	X	X	X	X	X	X	--
RAA10-E-KK12	KK12	0-1 ft	X	--	--	--	--	--	--
RAA10-E-LL7	LL7	0-1 ft	X	--	--	--	--	--	--
RAA10-E-LL8	LL8	0-1 ft	X	--	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	X	--
RAA10-E-LL9	LL9	0-1 ft	X	X	X	X	X	X	--
		1-3 ft	--	X	X	X	X	X	--
		3-6 ft	--	X	X	X	X	X	--
		6-15 ft	--	X	X	X	X	X	--
RAA10-E-LL10	LL10	0-1 ft	X	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	X	--
RAA10-E-LL11	LL11	0-1 ft	X	--	--	--	--	--	--
RAA10-E-MM8	MM8	0-1 ft	X	--	--	--	--	--	--
RAA10-E-MM9	MM9	0-1 ft	X	X	X	X	X	X	--
RAA10-E-MM10	MM10	0-1 ft	X	--	--	--	--	--	--
RAA10-E-MM11	MM11	0-1 ft	X	--	--	--	--	--	--
RAA10-E-NN9	NN9	0-1 ft	X	--	--	--	--	--	--
Non-GE-Owned Recreational Property									
RAA10-E-D27	D27	0-1 ft	X	--	--	--	--	--	--
RAA10-E-E27	E27	0-1 ft	X	X	X	X	X	X	--
RAA10-E-E28	E28	0-1 ft	X	--	--	--	--	--	--
RAA10-E-F27	F27	0-1 ft	X	--	--	--	--	--	--
RAA10-E-F28	F28	0-1 ft	X	--	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X	--
RAA10-E-G29	G29	0-1 ft	X	--	--	--	--	--	--
RAA10-E-H29	H29	0-1 ft	X	--	--	--	--	--	--
RAA10-E-I28	I28	0-1 ft	X	--	--	--	--	--	--
RAA10-E-I29	I29	0-1 ft	X	X	X	X	X	X	--
RAA10-E-I30	I30	0-1 ft	X	--	--	--	--	--	--
RAA10-E-J28	J28	0-1 ft	X	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	X	--
RAA10-E-J29	J29	0-1 ft	X	--	--	--	--	--	--
RAA10-E-K29	K29	0-1 ft	X	--	--	--	--	--	--
RAA10-E-L28	L28	1-3 ft	X	--	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--	--
RAA10-E-M26	M26	0-1 ft	X	--	--	--	--	--	--
RAA10-E-M27	M27	0-1 ft	X	X	X	X	X	X	--
RAA10-E-M28	M28	0-1 ft	X	--	--	--	--	--	--
RAA10-E-N15	N15	0-1 ft	X	--	--	--	--	--	--
RAA10-E-N26	N26	0-1 ft	X	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	X	--
RAA10-E-N27	N27	0-1 ft	X	--	--	--	--	--	--
RAA10-E-O16	O16	0-1 ft	X	X	X	X	X	X	--
RAA10-E-O17	O17	0-1 ft	--	X	X	X	X	X	--
RAA10-E-O18	O18	0-1 ft	X	--	--	--	--	--	--
RAA10-E-O26	O26	0-1 ft	X	--	--	--	--	--	--
RAA10-E-P15	P15	0-1 ft	X	--	--	--	--	--	--
RAA10-E-P16	P16	0-1 ft	X	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-P17	P17	0-1 ft	X	--	--	--	--	--
RAA10-E-P18	P18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-P19	P19	0-1 ft	X	X	X	X	X	
RAA10-E-P20	P20	1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-P25	P25	0-1 ft	X	--	--	--	--	
RAA10-E-P26	P26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-Q15	Q15	0-1 ft	X	--	--	--	--	
RAA10-E-Q16	Q16	0-1 ft	X	--	--	--	--	
RAA10-E-Q17	Q17	0-1 ft	X	--	--	--	--	
RAA10-E-Q18	Q18	0-1 ft	X	X	X	X	X	
RAA10-E-Q19	Q19	0-1 ft	X	--	--	--	--	
RAA10-E-Q20	Q20	0-1 ft	X	X	X	X	X	
RAA10-E-Q21	Q21	0-1 ft	X	--	--	--	--	
RAA10-E-Q23	Q23	0-1 ft	X	--	--	--	--	
RAA10-E-Q25	Q25	0-1 ft	X	X	X	X	X	
RAA10-E-R15	R15	0-1 ft	X	--	--	--	--	
RAA10-E-R16	R16	0-1 ft	--	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-R17	R17	0-1 ft	X	X	X	X	X	
RAA10-F-R18	R18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-R19	R19	0-1 ft	X	--	--	--	--	
RAA10-E-R20	R20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-F-R21	R21	0-1 ft	X	X	X	X	X	
RAA10-E-R22	R22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-R23	R23	0-1 ft	X	--	--	--	--	
RAA10-E-R24	R24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-R25	R25	0-1 ft	X	--	--	--	--	
RAA10-E-S15	S15	0-1 ft	X	--	--	--	--	
RAA10-E-S16	S16	0-1 ft	X	X	X	X	--	
RAA10-E-S17	S17	0-1 ft	X	--	--	--	--	
RAA10-E-S18	S18	0-1 ft	--	X	X	X	X	
RAA10-E-S19	S19	0-1 ft	X	X	X	X	X	
RAA10-F-S20	S20	0-1 ft	X	--	--	--	--	
RAA10-E-S21	S21	0-1 ft	X	--	--	--	--	
RAA10-E-S22	S22	0-1 ft	X	--	--	--	--	
RAA10-E-S23	S23	0-1 ft	X	X	X	X	X	
RAA10-E-S24	S24	0-1 ft	X	--	--	--	--	
RAA10-E-T15	T15	0-1 ft	X	--	--	--	--	
RAA10-E-T16	T16	1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-T17	T17	0-1 ft	X	--	--	--	--	
RAA10-E-T18	T18	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-T19	T19	0-1 ft	X	--	--	--	--	

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-T20	T20	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-T21	T21	0-1 ft	X	--	--	--	--	--
RAA10-E-T22	T22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-T23	T23	0-1 ft	X	X	X	X	X	--
RAA10-E-T24	T24	1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-U15	U15	0-1 ft	X	--	--	--	--	--
RAA10-E-U16	U16	0-1 ft	X	X	X	X	--	--
RAA10-E-U17	U17	0-1 ft	X	--	--	--	--	--
RAA10-E-U18	U18	0-1 ft	X	--	--	--	--	--
RAA10-E-U20	U20	0-1 ft	X	--	--	--	--	--
RAA10-E-U21	U21	0-1 ft	X	X	X	X	--	--
RAA10-E-U22	U22	0-1 ft	X	--	--	--	--	--
RAA10-E-U23	U23	0-1 ft	X	--	--	--	--	--
RAA10-E-V15	V15	0-1 ft	X	--	--	--	--	--
RAA10-E-V16	V16	0-1 ft	--	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-V17	V17	0-1 ft	X	--	--	--	--	--
RAA10-E-V18	V18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-V19	V19	0-1 ft	X	--	--	--	--	--
RAA10-E-V20	V20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-V21	V21	0-1 ft	X	--	--	--	--	--
RAA10-E-V22	V22	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-W15	W15	0-1 ft	X	--	--	--	--	--
RAA10-E-W16	W16	0-1 ft	X	--	--	--	--	--
RAA10-E-W17	W17	0-1 ft	X	X	X	X	--	--
RAA10-E-W18	W18	0-1 ft	X	--	--	--	--	--
RAA10-E-W19	W19	0-1 ft	X	--	--	--	--	--
RAA10-E-W20	W20	0-1 ft	X	--	--	--	--	--
RAA10-E-W21	W21	0-1 ft	X	--	--	--	--	--
RAA10-E-W22	W22	0-1 ft	X	--	--	--	--	--
RAA10-E-X15	X15	0-1 ft	X	--	--	--	--	--
RAA10-E-X16	X16	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-X17	X17	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-X16	X16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-X20	X20	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-Y16	Y16	0-1 ft	X	--	--	--	--	--
RAA10-E-Y17	Y17	0-1 ft	X	X	X	X	--	--
RAA10-E-Y18	Y18	0-1 ft	X	--	--	--	--	--
RAA10-E-Y19	Y19	0-1 ft	X	--	--	--	--	--
RAA10-E-Y20	Y20	0-1 ft	X	--	--	--	--	--
RAA10-E-Y21	Y21	0-1 ft	X	--	--	--	--	--
RAA10-E-Z15	Z15	0-1 ft	X	--	--	--	--	--
RAA10-E-Z16	Z16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-Z17	Z17	0-1 ft	X	--	--	--	--	--
RAA10-E-Z18	Z18	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-Z19	Z19	0-1 ft	X	--	--	--	--	--
RAA10-E-Z20	Z20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-Z21	Z21	0-1 ft	X	--	--	--	--	--
RAA10-E-Z22	Z22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-AA15	AA15	0-1 ft	X	X	X	X	--	--
RAA10-E-AA16	AA16	0-1 ft	X	--	--	--	--	--
RAA10-E-AA17	AA17	0-1 ft	X	--	--	--	--	--
RAA10-E-AA18	AA18	0-1 ft	X	--	--	--	--	--
RAA10-E-AA19	AA19	0-1 ft	X	--	--	--	--	--
RAA10-E-AA20	AA20	0-1 ft	X	X	X	X	--	--
RAA10-E-AA21	AA21	0-1 ft	X	--	--	--	--	--
RAA10-E-AA22	AA22	0-1 ft	X	--	--	--	--	--
RAA10-E-BB16	BB16	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-BB17	BB17	0-1 ft	X	--	--	--	--	--
RAA10-F-BB18	BB18	0-1 ft	--	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BB19	BB19	0-1 ft	X	--	--	--	--	--
RAA10-E-BB20	BB20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BB21	BB21	0-1 ft	X	X	X	X	--	--
RAA10-E-BB22	BB22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BB23	BB23	0-1 ft	X	--	--	--	--	--
RAA10-E-CC15	CC15	0-1 ft	X	X	X	X	--	--
RAA10-F-CC16	CC16	0-1 ft	X	--	--	--	--	--
RAA10-E-CC17	CC17	0-1 ft	X	--	--	--	--	--
RAA10-E-CC18	CC18	0-1 ft	X	--	--	--	--	--
RAA10-F-CC19	CC19	0-1 ft	X	--	--	--	--	--
RAA10-E-CC20	CC20	0-1 ft	X	X	X	X	--	--
RAA10-E-CC21	CC21	0-1 ft	X	--	--	--	--	--
RAA10-E-CC22	CC22	0-1 ft	X	--	--	--	--	--
RAA10-E-CC23	CC23	0-1 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-DD15	DD15	0-1 ft	X	--	--	--	--	--
RAA10-E-DD16	DD16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-DD17	DD17	0-1 ft	X	--	--	--	--	
RAA10-E-DD18	DD18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD19	DD19	0-1 ft	X	--	--	--	--	
RAA10-E-DD20	DD20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-DD21	DD21	0-1 ft	X	X	X	X	--	
RAA10-E-DD22	DD22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD23	DD23	0-1 ft	X	--	--	--	--	
RAA10-E-DD24	DD24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-F-FF14	FF14	0-1 ft	X	X	X	X	--	
RAA10-E-EE15	EE15	0-1 ft	X	--	--	--	--	
RAA10-E-EE16	EE16	0-1 ft	X	--	--	--	--	
RAA10-F-FF17	FF17	0-1 ft	X	--	--	--	--	
RAA10-E-EE18	EE18	0-1 ft	X	--	--	--	--	
RAA10-E-EE19	EE19	0-1 ft	X	X	X	X	--	
RAA10-F-FF20	EE20	0-1 ft	X	--	--	--	--	
RAA10-E-EE21	EE21	0-1 ft	X	--	--	--	--	
RAA10-E-EE22	EE22	0-1 ft	X	--	--	--	--	
RAA10-F-FF23	EE23	0-1 ft	X	--	--	--	--	
RAA10-E-EE24	EE24	0-1 ft	X	--	--	--	--	
RAA10-E-FF14	FF14	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-FF15	FF15	0-1 ft	X	--	--	--	--	
RAA10-E-FF16	FF16	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-FF17	FF17	0-1 ft	X	--	--	--	--	
RAA10-E-FF18	FF18	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X
RAA10-E-FF19	FF19	0-1 ft	X	--	--	--	--	
RAA10-E-FF20	FF20	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-FF21	FF21	0-1 ft	X	--	--	--	--	
RAA10-E-FF22	FF22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-FF23	FF23	0-1 ft	X	--	--	--	--	

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-FF24	FF24	1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-GG14	GG14	0-1 ft	X	X	X	X	--	--
RAA10-E-GG15	GG15	0-1 ft	X	--	--	--	--	--
RAA10-E-GG16	GG16	0-1 ft	X	--	--	--	--	--
RAA10-E-GG17	GG17	0-1 ft	X	--	--	--	--	--
RAA10-E-GG18	GG18	0-1 ft	X	--	--	--	--	--
RAA10-E-GG19	GG19	0-1 ft	X	--	--	--	--	--
RAA10-E-GG20	GG20	0-1 ft	X	--	--	--	--	--
RAA10-E-GG21	GG21	0-1 ft	X	--	--	--	--	--
RAA10-E-GG22	GG22	0-1 ft	X	--	--	--	--	--
RAA10-E-GG23	GG23	0-1 ft	X	--	--	--	--	--
RAA10-E-GG24	GG24	0-1 ft	X	--	--	--	--	--
RAA10-E-GG25	GG25	0-1 ft	X	X	X	X	--	--
RAA10-E-HH13	HH13	0-1 ft	X	--	--	--	--	--
RAA10-E-HH14	HH14	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH15	HH15	0-1 ft	X	--	--	--	--	--
RAA10-E-HH16	HH16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-HH17	HH17	0-1 ft	X	--	--	--	--	--
RAA10-E-HH18	HH18	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH19	HH19	0-1 ft	X	--	--	--	--	--
RAA10-E-HH20	HH20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH21	HH21	0-1 ft	X	--	--	--	--	--
RAA10-E-HH22	HH22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH23	HH23	0-1 ft	X	--	--	--	--	--
RAA10-E-HH24	HH24	0-1 ft	--	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-HH25	HH25	0-1 ft	X	--	--	--	--	--
RAA10-E-HH26	HH26	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-II13	II13	0-1 ft	X	--	--	--	--	--
RAA10-E-II14	II14	0-1 ft	X	X	X	X	X	X
RAA10-E-II15	II15	0-1 ft	X	--	--	--	--	--
RAA10-E-II16	II16	0-1 ft	X	--	--	--	--	--
RAA10-E-II17	II17	0-1 ft	X	--	--	--	--	--
RAA10-E-II18	II18	0-1 ft	X	X	X	X	--	--
RAA10-E-II19	II19	0-1 ft	X	--	--	--	--	--
RAA10-E-II20	II20	0-1 ft	X	--	--	--	--	--
RAA10-E-II21	II21	0-1 ft	X	--	--	--	--	--
RAA10-E-II23	II23	0-1 ft	X	--	X	--	--	--
RAA10-E-II24	II24	0-1 ft	X	--	--	--	--	--
RAA10-E-II25	II25	0-1 ft	X	--	--	--	--	--
RAA10-E-II26	II26	0-1 ft	X	--	--	--	--	--
RAA10-E-II27	II27	0-1 ft	X	--	--	--	--	--
RAA10-E-JJ13	JJ13	0-1 ft	X	--	--	--	--	--
RAA10-E-JJ14	JJ14	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-JJ15	JJ15	0-1 ft	X	X	X	X	--	--
RAA10-E-JJ16	JJ16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ17	JJ17	0-1 ft	X	--	--	--	--	
RAA10-E-JJ18	JJ18	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ19	JJ19	0-1 ft	X	--	--	--	--	
RAA10-E-JJ20	JJ20	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ22	JJ22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-JJ23	JJ23	0-1 ft	X	--	--	--	--	
RAA10-E-JJ24	JJ24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ25	JJ25	0-1 ft	X	--	--	--	--	
RAA10-E-JJ26	JJ26	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ27	JJ27	0-1 ft	X	--	--	--	--	
RAA10-E-KK13	KK13	0-1 ft	X	X	X	X	X	
RAA10-E-KK14	KK14	0-1 ft	X	--	--	--	--	
RAA10-E-KK15	KK15	0-1 ft	X	X	X	X	--	
RAA10-E-KK16	KK16	0-1 ft	X	--	--	--	--	
RAA10-E-KK17	KK17	0-1 ft	X	--	--	--	--	
RAA10-E-KK18	KK18	0-1 ft	X	--	--	--	--	
RAA10-E-KK19	KK19	0-1 ft	X	--	--	--	--	
RAA10-E-KK20	KK20	0-1 ft	--	X	X	X	--	
RAA10-E-KK21	KK21	0-1 ft	X	--	--	--	--	
RAA10-E-KK22	KK22	0-1 ft	X	--	--	--	--	
RAA10-E-KK23	KK23	0-1 ft	X	--	--	--	--	
RAA10-E-KK24	KK24	0-1 ft	X	--	--	--	--	
RAA10-E-KK25	KK25	0-1 ft	X	X	X	X	--	
RAA10-E-KK26	KK26	0-1 ft	X	--	--	--	--	
RAA10-E-KK27	KK27	0-1 ft	X	--	--	--	--	
RAA10-E-LL12	LL12	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-LL13	LL13	0-1 ft	X	--	--	--	--	
RAA10-E-LL14	LL14	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X
RAA10-E-LL16	LL16	0-1 ft	X	--	--	--	--	
RAA10-E-LL16	LL16	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-LL17	LL17	0-1 ft	X	--	--	--	--	
RAA10-E-LL18	LL18	0-1 ft	--	X	X	X	X	X
		1-3 ft	--	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-LL20	LL20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-LL21	LL21	0-1 ft	X	X	X	X	--	

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-LL22	LL22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-LL23	LL23	0-1 ft	X	--	--	--	--	--
RAA10-E-LL24	LL24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-LL25	LL25	0-1 ft	X	--	--	--	--	--
RAA10-E-LL26	LL26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-LL27	LL27	0-1 ft	X	--	--	--	--	--
RAA10-E-MM12	MM12	0-1 ft	X	--	--	--	--	--
RAA10-E-MM13	MM13	0-1 ft	X	X	X	X	X	X
RAA10-E-MM14	MM14	0-1 ft	X	--	--	--	--	--
RAA10-E-MM15	MM15	0-1 ft	X	--	--	--	--	--
RAA10-E-MM16	MM16	0-1 ft	X	--	--	--	--	--
RAA10-E-MM18	MM18	0-1 ft	X	--	--	--	--	--
RAA10-E-MM19	MM19	0-1 ft	X	X	X	X	--	--
RAA10-E-MM20	MM20	0-1 ft	X	X	X	X	X	X
RAA10-E-MM21	MM21	0-1 ft	X	--	--	--	--	--
RAA10-E-MM22	MM22	0-1 ft	X	--	--	--	--	--
RAA10-E-MM23	MM23	0-1 ft	X	--	--	--	--	--
RAA10-E-MM24	MM24	0-1 ft	X	--	--	--	--	--
RAA10-E-MM25	MM25	0-1 ft	X	X	X	X	--	--
RAA10-E-MM26	MM26	0-1 ft	X	--	--	--	--	--
RAA10-E-MM27	MM27	0-1 ft	X	--	--	--	--	--
RAA10-E-NN11	NN11	0-1 ft	X	--	--	--	--	--
RAA10-E-NN12	NN12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN13	NN13	0-1 ft	X	--	--	--	--	--
RAA10-E-NN14	NN14	0-1 ft	X	X	X	X	--	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-NN15	NN15	0-1 ft	X	--	--	--	--	--
RAA10-E-NN16	NN16	0-1 ft	--	--	--	--	--	--
		3-6 ft	X	--	--	X	--	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-NN18	NN18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN19	NN19	0-1 ft	X	--	--	--	--	--
RAA10-E-NN20	NN20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN21	NN21	0-1 ft	X	--	--	--	--	--
RAA10-E-NN22	NN22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN23	NN23	0-1 ft	X	--	--	--	--	--
RAA10-E-NN24	NN24	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN25	NN25	0-1 ft	X	--	--	--	--	--
RAA10-E-NN26	NN26	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN27	NN27	0-1 ft	X	--	--	--	--	--
RAA10-E-OO11	OO11	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-QQ12	QQ12	0-1 ft	X	X	X	X	X	X
RAA10-E-QQ13	QQ13	0-1 ft	X	X	X	X	--	--
RAA10-E-QQ14	QQ14	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ16	QQ16	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ17	QQ17	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ18	QQ18	0-1 ft	X	X	X	X	X	X
RAA10-E-QQ19	QQ19	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ20	QQ20	0-1 ft	X	X	X	X	--	--
RAA10-E-QQ21	QQ21	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ22	QQ22	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ23	QQ23	0-1 ft	X	X	X	X	X	X
RAA10-E-QQ24	QQ24	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ25	QQ25	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ26	QQ26	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ27	QQ27	0-1 ft	X	--	--	--	--	--
RAA10-E-PP11	PP11	0-1 ft	X	--	--	--	--	--
RAA10-E-PP12	PP12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-PP13	PP13	0-1 ft	X	--	--	--	--	--
RAA10-E-PP14	PP14	0-1 ft	--	X	--	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-PP16	PP16	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-PP17	PP17	0-1 ft	X	--	--	--	--	--
RAA10-E-PP18	PP18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-PP19	PP19	0-1 ft	X	--	--	--	--	--
RAA10-E-PP20	PP20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-PP21	PP21	0-1 ft	X	--	--	--	--	--
RAA10-E-PP22	PP22	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-PP23	PP23	0-1 ft	X	--	--	--	--	--
RAA10-E-PP24	PP24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-PP25	PP25	0-1 ft	X	--	--	--	--	--
RAA10-E-PP26	PP26	0-1 ft	--	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-QQ12	QQ12	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ13	QQ13	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ15	QQ15	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ16	QQ16	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ17	QQ17	0-1 ft	X	X	X	X	--	--
RAA10-E-QQ18	QQ18	0-1 ft	X	X	X	X	X	X
RAA10-E-QQ19	QQ19	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ20	QQ20	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ21	QQ21	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ22	QQ22	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ23	QQ23	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ24	QQ24	0-1 ft	X	X	X	X	--	X
RAA10-E-QQ27	QQ27	0-1 ft	X	--	--	--	--	--
RAA10-E-RR13	RR13	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS
REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-RR14	RR14	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-RR15	RR15	0-1 ft	X	X	X	X	--	--
RAA10-E-RR16	RR16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-RR17	RR17	0-1 ft	X	--	--	--	--	--
RAA10-E-RR18	RR18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-RR19	RR19	0-1 ft	X	--	--	--	--	--
RAA10-E-RR20	RR20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-RR21	RR21	0-1 ft	X	X	X	X	--	--
RAA10-E-RR22	RR22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X
RAA10-E-RR23	RR23	0-1 ft	X	--	--	--	--	--
RAA10-E-RR24	RR24	1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
		0-1 ft	X	--	--	--	--	--
RAA10-E-RR25	RR25	0-1 ft	X	X	X	X	X	X
RAA10-E-RR26	RR26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-RR27	RR27	0-1 ft	X	--	--	--	--	--
RAA10-E-SS14	SS14	0-1 ft	X	--	--	--	--	--
RAA10-E-SS15	SS15	0-1 ft	X	X	X	X	--	--
RAA10-E-SS16	SS16	0-1 ft	X	--	--	--	--	--
RAA10-E-SS17	SS17	0-1 ft	X	--	--	--	--	--
RAA10-E-SS18	SS18	0-1 ft	X	--	--	--	--	--
RAA10-E-SS19	SS19	0-1 ft	X	--	--	--	--	--
RAA10-E-SS20	SS20	0-1 ft	X	X	X	X	--	--
RAA10-E-SS21	SS21	0-1 ft	X	X	X	X	X	X
RAA10-E-SS22	SS22	0-1 ft	X	--	--	--	--	--
RAA10-E-SS24	SS24	0-1 ft	X	--	--	--	--	--
RAA10-E-SS25	SS25	0-1 ft	X	--	--	--	--	--
RAA10-E-SS26	SS26	0-1 ft	X	--	--	--	--	--
RAA10-E-SS27	SS27	0-1 ft	X	--	--	--	--	--
RAA10-E-TT15	TT15	0-1 ft	X	--	--	--	--	--
RAA10-E-TT16	TT16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-TT17	TT17	0-1 ft	X	--	--	--	--	--
RAA10-E-TT18	TT18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-TT19	TT19	0-1 ft	X	--	--	--	--	--
RAA10-E-TT20	TT20	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-TT21	TT21	0-1 ft	X	--	--	--	--	--
RAA10-E-TT22	TT22	1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-TT23	TT23	0-1 ft	X	--	--	--	--	--
RAA10-E-TT24	TT24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-TT25	TT25	0-1 ft	X	--	--	--	--	--
RAA10-E-TT26	TT26	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-TT27	TT27	0-1 ft	X	--	--	--	--	
RAA10-E-UU16	UU16	0-1 ft	X	--	--	--	--	
RAA10-E-UU17	UU17	0-1 ft	X	--	--	--	--	
RAA10-E-UU18	UU18	0-1 ft	X	--	--	--	--	
RAA10-E-UU19	UU19	0-1 ft	X	X	X	X	X	
RAA10-E-UU20	UU20	0-1 ft	X	--	--	--	--	
RAA10-E-UU21	UU21	0-1 ft	--	X	X	X	--	
RAA10-E-UU22	UU22	0-1 ft	X	--	--	--	--	
RAA10-E-UU23	UU23	0-1 ft	X	--	--	--	--	
RAA10-E-UU24	UU24	0-1 ft	X	--	--	--	--	
RAA10-E-UU25	UU25	0-1 ft	X	X	X	X	X	
RAA10-F-UU26	UU26	0-1 ft	X	--	--	--	--	
RAA10-E-UU27	UU27	0-1 ft	X	--	--	--	--	
RAA10-E-VV17	VV17	0-1 ft	X	X	X	X	--	
RAA10-F-VV18	VV18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-VV19	VV19	0-1 ft	X	--	--	--	--	
RAA10-E-VV20	VV20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-VV21	VV21	0-1 ft	X	--	--	--	--	
RAA10-E-VV22	VV22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-VV23	VV23	0-1 ft	X	--	--	--	--	
RAA10-E-VV24	VV24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-VV25	VV25	0-1 ft	X	--	--	--	--	
RAA10-E-VV26	VV26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-VV27	VV27	0-1 ft	X	X	X	X	X	
RAA10-E-WW18	WW18	0-1 ft	X	--	--	--	--	
RAA10-E-WW19	WW19	0-1 ft	--	X	X	X	--	
RAA10-E-WW20	WW20	0-1 ft	X	--	--	--	--	
RAA10-E-WW21	WW21	0-1 ft	X	--	--	--	--	
RAA10-E-WW22	WW22	0-1 ft	X	--	--	--	--	
RAA10-E-WW23	WW23	0-1 ft	X	--	--	--	--	
RAA10-E-WW24	WW24	0-1 ft	X	X	X	X	--	
RAA10-E-WW25	WW25	0-1 ft	X	--	--	--	--	
RAA10-E-WW26	WW26	0-1 ft	X	--	--	--	--	
RAA10-E-WW27	WW27	0-1 ft	X	X	X	X	--	
RAA10-E-WW28	WW28	0-1 ft	X	--	--	--	--	
RAA10-E-XX19	XX19	0-1 ft	X	--	--	--	--	
RAA10-E-XX20	XX20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-XX21	XX21	0-1 ft	X	--	--	--	--	
RAA10-E-XX22	XX22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-XX23	XX23	0-1 ft	X	X	X	X	--	
RAA10-E-XX24	XX24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-XX25	XX25	0-1 ft	X	--	--	--	--	

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-XX26	XX26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X
RAA10-E-XX27	XX27	0-1 ft	X	--	--	--	--	--
RAA10-E-XX28	XX28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-YY20	YY20	0-1 ft	X	X	X	X	--	--
RAA10-E-YY21	YY21	0-1 ft	X	--	--	--	--	--
RAA10-E-YY22	YY22	0-1 ft	X	--	--	--	--	--
RAA10-E-YY23	YY23	0-1 ft	X	--	--	--	--	--
RAA10-E-YY24	YY24	0-1 ft	X	X	X	X	X	X
RAA10-E-YY25	YY25	0-1 ft	X	--	--	--	--	--
RAA10-E-YY26	YY26	0-1 ft	X	X	X	X	--	--
RAA10-E-YY27	YY27	0-1 ft	X	--	--	--	--	--
RAA10-E-YY28	YY28	0-1 ft	X	X	X	X	X	X
RAA10-E-ZZ21	ZZ21	0-1 ft	X	--	--	--	--	--
RAA10-E-ZZ22	ZZ22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-ZZ23	ZZ23	0-1 ft	X	--	--	--	--	--
RAA10-E-ZZ24	ZZ24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-ZZ25	ZZ25	0-1 ft	X	--	--	--	--	--
RAA10-E-ZZ26	ZZ26	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-ZZ27	ZZ27	0-1 ft	X	--	--	--	--	--
RAA10-E-ZZ28	ZZ28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-ZZ29	ZZ29	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA22	AAA22	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA23	AAA23	0-1 ft	X	X	X	X	--	--
RAA10-E-AAA24	AAA24	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA25	AAA25	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA26	AAA26	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA27	AAA27	0-1 ft	X	X	X	X	--	--
RAA10-E-AAA28	AAA28	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA29	AAA29	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA30	AAA30	0-1 ft	X	X	X	X	X	X
RAA10-E-BBB23	BBB23	0-1 ft	X	--	--	--	--	--
RAA10-E-BBB24	BBB24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BBB25	BBB25	0-1 ft	X	X	X	X	X	X
NORTH AREA								
Non-Industrial GE-Owned Area East of Former Interior Landfill								
RAA10-N-A28	A28	0-1 ft	X	X	X	X	--	--
RAA10-N-C24	C24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-C26	C26	0-1 ft	X	X	X	X	X	X

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-C28	C28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-E20	E20	0-1 ft	X	--	--	--	--	
RAA10-N-E22	E22	0-1 ft	X	X	X	X	--	
RAA10-N-E23	E23	0-1 ft	X	--	--	--	--	
RAA10-N-E24	E24	0-1 ft	X	--	--	--	--	
RAA10-N-E26	E26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-E28	E28	0-1 ft	X	X	X	X	--	
RAA10-N-G16	G16	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-G18	G18	0-1 ft	X	--	--	--	--	
RAA10-N-G20	G20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-N-G22	G22	0-1 ft	X	--	--	--	--	
RAA10-N-G24	G24	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-G26	G26	0-1 ft	X	X	X	X	X	
RAA10-N-G28	G28	1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-H21	H21	0-1 ft	X	--	--	--	--	
RAA10-N-H23	H23	0-1 ft	X	--	--	--	--	
RAA10-N-I12	I12	0-1 ft	X	X	X	X	--	
RAA10-N-I14	I14	0-1 ft	X	--	--	--	--	
RAA10-N-I16	I16	0-1 ft	X	X	X	X	X	
RAA10-N-I18	I18	0-1 ft	X	--	--	--	--	
RAA10-N-I20	I20	0-1 ft	X	--	--	--	--	
RAA10-N-I22	I22	0-1 ft	X	X	X	X	X	
RAA10-N-I24	I24	0-1 ft	X	--	--	--	--	
RAA10-N-I26	I26	1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-I28	I28	0-1 ft	X	X	X	X	--	
RAA10-N-J10	J10	0-1 ft	X	--	--	--	--	
RAA10-N-J13	J13	0-1 ft	X	--	--	--	--	
RAA10-N-J15	J15	0-1 ft	X	--	--	--	--	
RAA10-N-J17	J17	0-1 ft	X	--	--	--	--	
RAA10-N-J19	J19	0-1 ft	X	--	--	--	--	
RAA10-N-J21	J21	0-1 ft	X	--	--	--	--	
RAA10-N-J23	J23	0-1 ft	X	--	--	--	--	
RAA10-N-K8	K8	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-K9	K9	0-1 ft	X	--	--	--	--	
RAA10-N-K10	K10	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-K12	K12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-N-K14	K14	0-1 ft	X	X	X	X	--	
RAA10-N-K16	K16	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
RAA10-N-K18	K18	6-15 ft	X	X	X	X	--	--
		0-1 ft	X	X	X	X	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-K20	K20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-N-K22	K22	0-1 ft	X	--	--	--	--	
RAA10 N K24	K24	0-1 ft	--	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-K26	K26	0-1 ft	X	--	--	--	--	
RAA10-N-K28	K28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-L8	L8	0-1 ft	X	--	--	--	--	
RAA10-N-L10	L10	0-1 ft	X	--	--	--	--	
RAA10-N-L11	L11	0-1 ft	X	--	--	--	--	
RAA10-N-L12	L12	0-1 ft	X	X	X	X	X	
RAA10-N-L13	L13	0-1 ft	X	--	--	--	--	
RAA10-N-L14	L14	0-1 ft	X	--	--	--	--	
RAA10-N-L15	L15	0-1 ft	X	--	--	--	--	
RAA10-N-L16	L16	0-1 ft	X	--	--	--	--	
RAA10-N-L21	L21	0-1 ft	X	--	--	--	--	
RAA10-N-M9	M9	0-1 ft	X	--	--	--	--	
RAA10-N-M10	M10	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-M11	M11	0-1 ft	X	--	--	--	--	
RAA10-N-M12	M12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-N-M13	M13	0-1 ft	X	--	--	--	--	
RAA10-N-M14	M14	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-M15	M15	0-1 ft	X	--	--	--	--	
RAA10-N-M22	M22	0-1 ft	X	X	X	X	--	
RAA10-N-M24	M24	0-1 ft	X	--	--	--	--	
RAA10-N-M26	M26	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-M28	M28	0-1 ft	X	--	--	--	--	
RAA10-N-N9	N9	0-1 ft	X	--	--	--	--	
RAA10-N-N10	N10	0-1 ft	X	--	--	--	--	
RAA10-N-N11	N11	0-1 ft	X	--	--	--	--	
RAA10-N-N12	N12	0-1 ft	X	--	--	--	--	
RAA10-N-N23	N23	0-1 ft	X	--	--	--	--	
RAA10-N-N25	N25	0-1 ft	X	--	--	--	--	
RAA10-N-O24	O24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-N-O26	O26	0-1 ft	X	--	--	--	--	
RAA10-N-O28	O28	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-N-P23	P23	0-1 ft	X	--	--	--	--	
RAA10-N-P25	P25	0-1 ft	X	--	--	--	--	
RAA10-N-P27	P27	0-1 ft	X	--	--	--	--	
RAA10-N-Q24	Q24	0-1 ft	X	--	--	--	--	
RAA10-N-Q26	Q26	0-1 ft	X	--	--	--	--	
RAA10-N-Q28	Q28	0-1 ft	X	--	--	--	--	
RAA10-N-R23	R23	0-1 ft	X	--	--	--	--	
RAA10-N-R25	R25	0-1 ft	X	--	--	--	--	
RAA10-N-R27	R27	0-1 ft	X	--	--	--	--	

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pes/Herb
RAA10-N-S24	S24	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-S26	S26	0-1 ft	X	X	X	X	X	X
RAA10-N-S28	S28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-T25	T25	0-1 ft	X	--	--	--	--	--
RAA10-N-U24	U24	0-1 ft	X	--	--	--	--	--
RAA10-N-U26	U26	0-1 ft	X	X	X	X	--	--
RAA10-N-U28	U28	0-1 ft	X	--	--	--	--	--
RAA10-N-V23	V23	0-1 ft	X	--	--	--	--	--
RAA10-N-V25	V25	0-1 ft	X	--	--	--	--	--
RAA10-N-W24	W24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-W26	W26	0-1 ft	X	--	--	--	--	--
RAA10-N-W28	W28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-X25	X25	0-1 ft	X	--	--	--	--	--
RAA10-N-Y20	Y20	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-Y24	Y24	0-1 ft	X	X	X	X	--	--
RAA10-N-Y26	Y26	0-1 ft	X	--	--	--	--	--
RAA10-N-Y28	Y28	0-1 ft	X	X	X	X	--	--
RAA10-N-AA24	AA24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA26	AA26	0-1 ft	X	--	--	--	--	--
RAA10-N-AA28	AA28	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-BB23	BB23	0-1 ft	X	--	--	--	--	--
RAA10-N-BB24	BB24	0-1 ft	X	--	--	--	--	--
RAA10-N-BB25	BB25	0-1 ft	X	X	X	X	X	X
RAA10-N-CC22	CC22	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-N-CC23	CC23	0-1 ft	X	--	--	--	--	--
RAA10-N-CC25	CC25	0-1 ft	X	--	--	--	--	--
RAA10-N-CC26	CC26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-CC28	CC28	0-1 ft	X	X	X	X	--	--
RAA10-N-DD26	DD26	0-1 ft	X	--	--	--	--	--
RAA10-N-EE23	EE23	0-1 ft	X	--	--	--	--	--
RAA10-N-EE27	EE27	0-1 ft	X	X	X	X	--	--
RAA10-N-FF23	FF23	0-1 ft	X	--	--	--	--	--
RAA10-N-FF26	FF26	0-1 ft	X	--	--	--	--	--
RAA10-N-FF27	FF27	0-1 ft	X	--	--	--	--	--
RAA10-N-GG24	GG24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-GG25	GG25	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-GG25	GC25	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-N-HH24	HH24	0-1 ft	X	--	--	--	--	
RAA10-N-HH25	HH25	0-1 ft	X	X	X	X	--	
Two Landed (Palustrine/Emergent) Wetlands								
RAA10-N-M16	M16	0-1 ft	X	--	--	--	--	--
RAA10-N-M18	M18	0-1 ft	X	--	--	--	--	--
RAA10-N-M20	M20	0-1 ft	X	--	--	--	--	--
RAA10-N-O16	O16	0-1 ft	X	--	--	--	--	--
RAA10-N-O20	O20	0-1 ft	X	--	--	--	--	--
RAA10-N-O22	O22	0-1 ft	X	--	--	--	--	--
RAA10-N-Q20	Q20	0-1 ft	X	--	--	--	--	--
RAA10-N-Q22	Q22	0-1 ft	X	--	--	--	--	--
RAA10-N-S20	S20	0-1 ft	X	--	--	--	--	--
RAA10-N-S22	S22	0-1 ft	X	--	--	--	--	--
RAA10-N-U20	U20	0-1 ft	X	--	--	--	--	--
RAA10-N-U22	U22	0-1 ft	X	--	--	--	--	--
RAA10-N-W20	W20	0-1 ft	X	--	--	--	--	--
RAA10-N-W22	W22	0-1 ft	X	--	--	--	--	--
RAA10-N-Y22	Y22	0-1 ft	X	--	--	--	--	--
RAA10-N-CC24	CC24	0-1 ft	X	--	--	--	--	--
RAA10-N-EE24	EE24	0-1 ft	X	--	--	--	--	--
GE-Owned Commercial/Industrial Property								
PAVED								
RAA10-N-O8	O8	6-15 ft	X	--	--	--	--	--
RAA10-N-U7	U7	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-Y6	Y6	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA5	AA5	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA6	AA6	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-AA7	AA7	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA18	AA18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	--	--	--	--
RAA10-N-CC3	CC3	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-CC16	CC16	6-15 ft	X	--	--	--	--	
RAA10-N-II7	II7	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-II8	II8	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-II10	II10	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	X	--	X	X	--
		6-15 ft	X	--	--	X	X	--
RAA10-N-II16	II16	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	--	--	--	--
RAA10-N-II18	II18	0-1 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-JJ6	JJ6	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-JJ10	JJ10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-JJ20	JJ20	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pes/Herb
RAA10-N-JJ22	JJ22	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	X	X	--
RAA10-N-KK5	KK5	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-KK10	KK10	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-KK16	KK16	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-KK18	KK18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-KK20	KK20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-LL12	LL12	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-MM12	MM12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-MM18	MM18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-NN10	NN10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-NN12	NN12	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-NN14	NN14	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-OO8	OO8	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-PP8	PP8	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
UNPAVED								
RAA10-N-M7	M7	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-O5	O5	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-O7	O7	1-6 ft	X	--	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-Q3	Q3	1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-Q7	Q7	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-S1	S1	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-S2	S2	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-S7	S7	1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-U1	U1	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-U2	U2	1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-U3	U3	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-U4	U4	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-U5	U5	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-U6	U6	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-W1	W1	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-W3	W3	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-W4	W4	1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-W5	W5	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-W6	W6	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-W7	W7	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-W8	W8	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-Y3	Y3	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-Y7	Y7	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-Y18	Y18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA2	AA2	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-AA4	AA4	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA10	AA10	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA12	AA12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA14	AA14	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-CC4	CC4	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-CC8	CC8	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-CC10	CC10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-CC12	CC12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-CC14	CC14	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-CC20	CC20	0-1 ft	X	X	X	X	X	--
RAA10-N-EE3	EE3	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS
REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-FF4	FF4	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE5	EE5	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE7	EE7	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
RAA10-N-EE8	EE8	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE10	EE10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE14	EE14	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE18	EE18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE20	EE20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE22	EE22	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-GG4	GG4	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-GG5	GG5	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
RAA10-N-GG6	GG6	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
RAA10-N-GG7	GG7	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
RAA10-N-GG14	GG14	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-GG18	GG18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-GG20	GG20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-GG22	GG22	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-II5	II5	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-II20	II20	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-II24	II24	0-1 ft	X	--	--	--	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	X	--
RAA10-N-KK22	KK22	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-LL6	LL6	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-LL20	LL20	0-1 ft	--	--	--	X	X	--
		1-6 ft	--	--	--	--	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-MM6	MM6	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-MM7	MM7	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-NN7	NN7	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-NN18	NN18	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-OO7	OO7	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-OO16	OO16	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-PP12	PP12	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-PP14	PP14	1-6 ft	--	--	--	X	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-QQ8	QQ8	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-QQ12	QQ12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-RR10	RR10	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
UNKAMET BROOK								
North Area								
RAA10-UB-02	UB-02	0-1 ft	X	--	--	--	--	--
RAA10-UB-05	UB-05	0-1 ft	X	--	--	--	--	--
RAA10-UB-06	UB-06	0-1 ft	X	--	--	--	--	--
RAA10-UB-07	UB-07	0-1 ft	X	--	--	--	--	--
RAA10-UB-08	UB-08	0-1 ft	X	--	--	--	--	--
RAA10-UB-09	UB-09	0-1 ft	X	--	--	--	--	--
RAA10-UB-10	UB-10	0-1 ft	X	--	--	--	--	--
RAA10-UB-11	UB-11	0-1 ft	X	--	--	--	--	--
East Area								
RAA10-UB-25	UB-25	0-1 ft	X	--	--	--	--	--
RAA10-UB-29	UB-29	0-1 ft	X	--	--	--	--	--
RAA10-UB-45	UB-45	0-1 ft	X	--	--	--	--	--

Notes:

1. This table identifies soil and sediment samples to be collected and the analyses to be performed as part of the pre-design investigation at the Unkamet Brook Area.
2. The Appendix IX-3 sample depth intervals shown above may be modified in the field based on the results of photoionization detector (PID) readings and visual observations at the time of sample collection

Figures



LEGEND

--- APPROXIMATE BOUNDARY OF UNKAMET BROOK REMOVAL ACTION AREA (AS DEPICTED IN SOW)

■ PORTIONS OF REMOVAL ACTION AREA SUBJECT TO PRE-DESIGN SOIL INVESTIGATIONS



- NOTES:**
1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
 2. SITE BOUNDARIES ARE APPROXIMATE.
 3. NOT ALL PHYSICAL FEATURES SHOWN.

GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
 REVISED PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA

SITE LOCATION



FIGURE
1

SECTION OF UNKAMET BROOK
SUBJECT TO RE-ROUTING

APPROXIMATE AREA OF
PHRAGMITES


NORTH AREA

WEST AREA

EAST AREA

- LEGEND:**
- APPROXIMATE REMOVAL ACTION AREA BOUNDARY
 - FENCE
 - PROPERTY LINE
 - L12-2-1 PROPERTY IDENTIFICATION
 - APPROXIMATE EDGE OF WATER
 - INTERMITTENT STREAM
 - RAILROAD TRACK
 - 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
 - APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
 - PAVED AREA
 - WATER
 - BUILDING
 - GE OWNED INDUSTRIAL PROPERTY
 - NON-GE OWNED COMMERCIAL/INDUSTRIAL PROPERTY
 - NON-GE OWNED NON-INDUSTRIAL/RECREATIONAL PROPERTY
 - GE OWNED FORMER INTERIOR LANDFILL
 - GE-OWNED NON-INDUSTRIAL PROPERTY

- NOTES:**
1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
 2. SITE BOUNDARIES ARE APPROXIMATE.
 3. NOT ALL PHYSICAL FEATURES SHOWN.
 4. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
 5. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1967; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
 6. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH JUNE 19, 2002.



GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA

SITE MAP



FIGURE
2



X: 40190X01,40190X02
LMAN: AREA-RAA
P: PAGESET/PL1-BL
5/7/02 51R-B5-DMW DJP LJP
N/40190001/WORKPLAN/40190B17.DWG

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- K11-7-8** PROPERTY IDENTIFICATION
- RAILROAD TRACK
- STORM SEWER
- SANITARY SEWER
- WATER MAIN
- FIRE PROTECTION MAIN
- NATURAL GAS MAIN
- ELECTRIC/TELEPHONE CONDUIT
- 100-FOOT PCB SAMPLING GRID
- 50-FOOT PCB SAMPLING GRID
- PAVED AREA
- BUILDING

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. ONLY EXISTING PCB SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLES ONE AND THREE FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
7. BUILDINGS OP-1 AND OP-2 MAKE-UP PARCEL K11-7-46 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF PARCEL K11-7-2.



SUMMARY OF SOIL PCB SAMPLE RESULTS
(PPM DRY WT.)(SAMPLE INCREMENTS IN FEET)

Location ID	0-1	0-1.5	0-2	1-2	1.5-3
NE-C1	---	ND(1)	---	---	ND(1)
OP-1-ARS-C1	---	---	ND(23)	---	---
OP-1-ARS-C2	---	---	ND(4.5)	---	---

SUMMARY OF SURFACE SOIL PCB SAMPLE RESULTS
(PPM DRY WT.)(SAMPLE INCREMENTS IN FEET)

Location ID	0-0.5
UB-SS-1	0.18
UB-SS-2	ND(0.85)
UB-SS-3	0.14
UB-SS-4	14.0 P

SUMMARY OF SOIL BORING PCB SAMPLE RESULTS
(PPM DRY WT.)(SAMPLE INCREMENTS IN FEET)

Location ID	0-0.5	0-2	0.5-2	2-4	4-6	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24
RF-14	---	ND(0.06)	---	ND(0.05)	0.15	0.06	0.29	---	0.05	ND(0.05)	ND(0.05)	0.11	0.38	0.15
RF-15	---	0.06	---	ND(0.05)	ND(0.05)	0.31	ND(0.05)	0.71	ND(0.02)	[0.076]	ND(0.05)	0.35	ND(0.05)	0.05
SB-1	---	ND(1.2)	---	ND(1.1)	ND(1.0)	ND(1.0)	ND(1.1)	ND(1.1)	ND(1.2)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)
SB-2	---	ND(1.2)	---	ND(1.2)	ND(1.0)	ND(1.0)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.2)	ND(1.1)
UB-MW-7	0.57	---	0.026	ND(0.071)	ND(0.072)	ND(0.074)	ND(0.074)	ND(0.074)	ND(0.074)	---	---	---	---	---

- TABLE NOTES:**
1. --- = No sample collected.
 2. ND(0.05) = Not detected. Detection limit in parenthesis, (if available).
 3. [0.076] = Duplicate analysis result shown in brackets.









GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA

**WEST AREA - EXISTING AND
PROPOSED PCB
CHARACTERIZATION LOCATIONS**





FIGURE
3

LEGEND:

-  PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
-  FENCE
-  PROPERTY LINE
- K11-7-8** PROPERTY IDENTIFICATION
-  RAILROAD TRACK
-  PAVED AREA
-  BUILDING
-  W-G7 PROPOSED SURFACE SOIL SAMPLE LOCATION
-  UB-SS-2 EXISTING SURFACE SOIL SAMPLE LOCATION

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. ONLY EXISTING IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
7. SAMPLES FROM ALL PROPOSED SOIL AND SEDIMENT SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESSES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESSES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE (VOCs)
 S = SEMI-VOLATILE (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND
 POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS
8. BUILDINGS OP-1 AND OP-2 MAKE-UP PARCEL K11-7-46 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF PARCEL K11-7-2.











GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
 REVISED PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA

**WEST AREA - PROPOSED
 APPENDIX IX+3 SOIL SAMPLING LOCATIONS
 (0- TO 1-FOOT DEPTH INTERVAL)**




FIGURE
6

LEGEND:

-  PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
-  FENCE
-  PROPERTY LINE
- K11-7-8** PROPERTY IDENTIFICATION
-  RAILROAD TRACK
-  PAVED AREA
-  BUILDING
-  PROPOSED SOIL BORING LOCATION (1- TO 6-FOOT SAMPLE DEPTH)
-  PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTHS)

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. SAMPLES FROM ALL PROPOSED SOIL SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 ANALYTE GROUPS (EXCLUDING PESTICIDES AND HERBICIDES).
7. BUILDING OP-1 AND OP-2 MAKE-UP PARCEL K11-7-46 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF K11-7-2.











GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA

**WEST AREA - PROPOSED
APPENDIX IX+3 SOIL SAMPLE LOCATIONS
(1- TO 6-FOOT DEPTH INTERVAL)**




FIGURE
7

LEGEND:

-  PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
-  FENCE
-  PROPERTY LINE
- K11-7-8** PROPERTY IDENTIFICATION
-  RAILROAD TRACK
-  PAVED AREA
-  BUILDING
-  UB-MW-7 EXISTING SOIL BORING LOCATION
-  W-K8 PROPOSED SOIL BORING LOCATION

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
7. SAMPLES FROM ALL PROPOSED SOIL SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS
8. BUILDINGS OP-1 AND OP-2 MAKE-UP PARCEL K11-7-46 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF PARCEL K11-7-2.



GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
 REVISED PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA



**WEST AREA - EXISTING AND PROPOSED
 APPENDIX IX+3 SOIL SAMPLE LOCATIONS
 (6- TO 15-FOOT DEPTH INTERVAL)**

BBL
 BLASLAND, BOUCK & LEE, INC.
 engineers & scientists

FIGURE
8

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- x—x— FENCE
- PROPERTY LINE
- K12-9-1 PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- INTERMITTENT STREAM
- +—+ RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
- ▨ SECTION OF UNKAMET BROOK SUBJECT TO RE-ROUTING
- PAVED AREA
- BUILDING
- WATER
- ▲ UB-SB-12 EXISTING SURFACE SOIL SAMPLE LOCATION (0- TO 1- FOOT SAMPLE DEPTH)
- USW-1 EXISTING SEDIMENT SAMPLE LOCATION
- △ N-H22 PROPOSED SURFACE SOIL SAMPLE LOCATION



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS AND SEDIMENTS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL AND SEDIMENT SAMPLE LOCATIONS HAVE BEEN OR WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS
 P = PESTICIDES AND HERBICIDES (PEST/HERB)

GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**REVISED PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**


**NORTH AREA - EXISTING AND PROPOSED
 APPENDIX IX+3 SOIL AND SEDIMENT SAMPLE
 LOCATIONS (0- TO 1-FOOT DEPTH INTERVAL)**



FIGURE
9

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
 - FENCE
 - PROPERTY LINE
 - K12-9-1 PROPERTY IDENTIFICATION
 - APPROXIMATE EDGE OF WATER
 - INTERMITTENT STREAM
 - RAILROAD TRACK
 - 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
 - APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
 - SECTION OF UNKAMET BROOK SUBJECT TO RE-ROUTING
 - PAVED AREA
 - BUILDING
 - WATER
- BA-2 EXISTING SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
 - 120W-5 EXISTING SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)
 - BA-1 EXISTING SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTHS)
 - ◇ MG-02 EXISTING SOIL BORING LOCATION (1- TO 6-FOOT SAMPLE DEPTH)
 - N-E28 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
 - N-M24 PROPOSED SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)
 - ◇ N-E28 PROPOSED SOIL BORING LOCATION (1- TO 6-FOOT SAMPLE DEPTH)
 - ◇ N-Y20 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTH)



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL SAMPLE LOCATIONS HAVE BEEN OR WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 - V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 - S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 - D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 - I = INORGANICS
 - P = PESTICIDES AND HERBICIDES (PEST/HERB)

GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
**REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA**


**NORTH AREA - EXISTING AND PROPOSED
APPENDIX IX+3 SOIL SAMPLE LOCATIONS
(1- TO 6-FOOT DEPTH INTERVAL)**



FIGURE
10

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- K12-9-1 PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- INTERMITTENT STREAM
- RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
- ▨ SECTION OF UNKAMET BROOK SUBJECT TO RE-ROUTING
- ▭ PAVED AREA
- ▭ BUILDING
- WATER
- 600-02 EXISTING SOIL BORING LOCATION
- N-AA2 PROPOSED SOIL BORING LOCATION



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL SAMPLE LOCATIONS HAVE BEEN OR WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 - V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 - S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 - D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 - I = INORGANICS
 - P = PESTICIDES AND HERBICIDES (PEST/HERB)

GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
**REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA**
**NORTH AREA - EXISTING AND PROPOSED
APPENDIX IX+3 SOIL SAMPLE LOCATIONS
(6- TO 15-FOOT DEPTH INTERVAL)**





FIGURE
11

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- L12-2-1** PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- INTERMITTENT STREAM
- RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- PAVED AREA
- BUILDING
- WATER
- UFP2-L7 EXISTING SURFACE SOIL SAMPLE LOCATION (0- TO 1- FOOT SAMPLE DEPTH)
- USW-4 EXISTING SEDIMENT SAMPLE LOCATION
- E-A22 PROPOSED SURFACE SOIL SAMPLE LOCATION

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY A WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL AND SEDIMENT SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS
 P = PESTICIDES AND HERBICIDES (PEST/HERB)



GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**REVISED PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**
**EAST AREA - EXISTING AND PROPOSED
 APPENDIX IX+3 SOIL SAMPLE LOCATIONS
 (0- TO 1-FOOT DEPTH INTERVAL)**





LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- L12-2-1** PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- INTERMITTENT STREAM
- RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- PAVED AREA
- BUILDING
- WATER**
- UFP1-L1 EXISTING SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
- SS-4 EXISTING SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)
- E-X12 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
- E-FF10 PROPOSED SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)
- E-HH4 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTHS)

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS
 P = PESTICIDES AND HERBICIDES (PEST/HERB)





GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
**REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA**
**EAST AREA - EXISTING AND PROPOSED
APPENDIX IX+3 SOIL SAMPLE LOCATIONS
(1- TO 6-FOOT DEPTH INTERVAL)**



FIGURE
13

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- L12-2-1 PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- INTERMITTENT STREAM
- RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- PAVED AREA
- BUILDING
- WATER
- UB-SB-11 EXISTING SOIL BORING LOCATION
- E-B24 PROPOSED SOIL BORING LOCATION



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISH BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY; "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL SAMPLE LOCATIONS HAVE BEEN OR WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:

- V = VOLATILE ORGANIC COMPOUNDS (VOCs)
- S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
- D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs)
- I = INORGANICS
- P = PESTICIDES AND HERBICIDES (PEST/HERB)

GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKEMET BROOK AREA
EAST AREA - EXISTING AND PROPOSED
APPENDIX IX+3 SOIL SAMPLE LOCATIONS
(6- TO 15-FOOT DEPTH INTERVAL)



Appendix

BBL[®]
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

Appendix A

Compilation of Prior Soil Sampling Data




LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- K11-7-8 PROPERTY IDENTIFICATION
- RAILROAD TRACK
- STORM SEWER
- SANITARY SEWER
- WATER MAIN
- FIRE PROTECTION MAIN
- NATURAL GAS MAIN
- ELECTRIC/TELEPHONE CONDUIT
- PAVED AREA
- BUILDING

- ▲ UB-SS-2 EXISTING SURFACE SOIL SAMPLE LOCATION (0- TO 1- FOOT SAMPLE DEPTH)
- SB-2 EXISTING SOIL BORING LOCATION (1- FOOT OR GREATER SAMPLE DEPTH)

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. SAMPLES OP1-01 THROUGH OP1-03 WERE ANALYZED FOR TPHS AND VOLATILE ORGANIC COMPOUNDS (VOCs) ONLY. OP2A-09 WAS ANALYZED FOR INORGANICS ONLY.
7. BUILDINGS OP-1 AND OP-2 MAKE-UP PARCEL K11-7-46 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF PARCEL K11-7-2.



SUMMARY OF SOIL PCB SAMPLE RESULTS
(PPM DRY WT.)(SAMPLE INCREMENTS IN FEET)

Location ID	0-1	1-2	2-3	3-4	4-5	5-6
NEE-C1	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-ARS-C1	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)	ND(2)
OP-1-ARS-C2	ND(4.5)	ND(4.5)	ND(4.5)	ND(4.5)	ND(4.5)	ND(4.5)
OP-1-FR-C1	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FR-C2	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FR-C3	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FR-C4	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FR-C5	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FR-C6	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C1	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C2	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C3	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C4	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C5	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C6	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C7	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C8	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C9	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C10	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C11	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C12	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C13	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C14	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C15	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C16	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C17	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C18	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C19	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-FRS-C20	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-MTF-C1	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP-1-MTF-C2	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)

SUMMARY OF SOIL PCB SAMPLE RESULTS WITH UNSPECIFIED DEPTHS

Location ID	Concentration
OP-1-HYO-C8	ND(5)
OP-1-HYO-C9	ND(5)
OP-1-HYO-C12	ND(5)

SUMMARY OF SOIL PCB SAMPLE RESULTS FROM TANK REMOVALS

Location ID	NSW*	SSW*	ESW*	WSW*	Bottom*
OP1-09	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP1-10	ND(1)	ND(1)	ND(1)	ND(1)	ND(1)
OP1-11	ND(0.5)	0.14	ND(0.5)	ND(0.5)	0.055 (0.17)
OP1-A1	2.34	ND(1)	ND(1)	ND(1)	3.54

SUMMARY OF SOIL PCB RESULTS FOR COMPOSITE SAMPLES
(PPM DRY WT.)(SAMPLE INCREMENTS IN FEET)

Location ID	0-0.5	0-1	0.3-0.5	1.5-2	2.5-3	5-5.5	5.5-6
IB-1-C2(19,20,21)**	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)
IB-1-C3(2,8,9,11)**	0.31	0.31	0.31	0.31	0.31	0.31	0.31
IB-1-C4(2,8,9,11)**	0.08	0.08	0.08	0.08	0.08	0.08	0.08
IB-1-C5(6,9)**	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)
IB-1-C7-F1(4,15,16)**	0.52	0.52	0.52	0.52	0.52	0.52	0.52
IB-1-C8(4,15,16)**	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)	ND(0.05)
OP-1-PCL-CH(1,2,3,4,5,6,7,8)**	0.46	0.46	0.46	0.46	0.46	0.46	0.46
OP-1-PCL-C4(1,2,3,4,5,6,7,8)**	0.18	0.18	0.18	0.18	0.18	0.18	0.18
OP-1-PCL-C5(1,3,6)**	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)	ND(0.33)

SUMMARY OF SURFACE SOIL PCB SAMPLE RESULTS
(PPM DRY WT.)(SAMPLE INCREMENTS IN FEET)

Location ID	0-0.5
UB-SS-1	0.16
UB-SS-2	ND(0.85)
UB-SS-3	0.14 P
UB-SS-4	14.0 P

SUMMARY OF SOIL BORING PCB SAMPLE RESULTS
(PPM DRY WT.)(SAMPLE INCREMENTS IN FEET)

Location ID	0-0.5	0-2	0.5-2	2-4	4-6	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24
RF-14	ND(0.05)	ND(0.05)	0.15	0.06	0.29	0.2	0.05	ND(0.05)	ND(1)	ND(1)	ND(0.05)	0.11	0.38	0.15
RF-15	0.06	ND(0.05)	ND(0.05)	ND(0.05)	0.31	ND(0.05)	0.71	ND(0.05)	0.76	ND(0.05)	0.35	ND(0.05)	0.05	
SB-1	ND(1.2)	ND(1.1)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.1)	ND(1.1)	ND(1.2)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)
SB-2	ND(1.2)	ND(1.2)	ND(1.2)	ND(1.0)	ND(1.0)	ND(1.0)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)
UB-MW-7	0.57	0.025	ND(0.073)	ND(0.073)	ND(0.074)	ND(0.074)	ND(0.074)	ND(0.074)	ND(0.074)	ND(0.074)	ND(0.074)	ND(0.074)	ND(0.074)	ND(0.074)

- TABLE NOTES:**
1. — No sample collected.
 2. ND(0.05) = Not detected. Detection limit in parenthesis, (if available).
 3. [0.076] = Duplicate analysis result shown in brackets.
 4. P = The analyte is detected in the sample. The percent differences calculated from two duplicate GC columns is greater than 25%. The value should be considered estimated.
 5. The numbers in parentheses in the Location IDs indicate the sample locations that comprise the composite sample.
 6. * = Indicates the location where samples were collected in excavation area.
NSW = North sidewall
SSW = South sidewall
ESW = East sidewall
WSW = West sidewall
Bottom = Bottom of excavation
 7. ** = Locations composing this composite sample are in parentheses. If all composite sample locations are not shown on this figure, Refer to figure A-2 for additional composite sample locations.

GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA
**WEST AREA - EXISTING PCB AND
APPENDIX IX+3 SOIL SAMPLE
LOCATIONS AND PCB DATA**

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

FIGURE
A-1

