



01-0612

SOMS 45121

Corporate Environmental Programs
General Electric Company
100 Woodtown Avenue, Pittsfield, MA 01201

Transmitted Via Overnight Delivery

July 30, 2003

Mr. Bryan Olson
EPA Project Coordinator
U.S. Environmental Protection Agency
EPA New England
One Congress Street, Suite 1100
Boston, Massachusetts 02114-2023

**Re: GE-Pittsfield/Housatonic River Site
Unkamet Brook Area (GEC170)
Response to EPA's July 17, 2003 Conditional Approval Letter for the
Revised Pre-Design Investigation Work Plan**

Dear Mr. Olson:

In November 2002, the General Electric Company (GE) submitted to the U.S. Environmental Protection Agency (EPA) a document titled *Pre-Design Investigation Work Plan for Unkamet Brook Area Removal Action* (PDI Work Plan). The PDI Work Plan described the pre-design investigations proposed by GE to gather additional data related to existing soil and sediment conditions, and to thus support future Removal Design/Removal Action (RD/RA) evaluations for the Unkamet Brook Area. EPA conditionally approved this PDI Work Plan in a letter dated March 10, 2003. Subsequently, as required by EPA's letter, GE submitted the *Revised Pre-Design Investigation Work Plan for Unkamet Brook Area Removal Action* (Revised PDI Work Plan).

Following submittal of the Revised PDI Work Plan, EPA conditionally approved the Revised PDI Work Plan in a letter dated July 17, 2003. In that letter, EPA directed GE to submit (within 14 days) a letter addressing the conditions in EPA's letter and confirming the scope of the soil/sediment pre-design investigations at the Unkamet Brook Area. This letter responds to EPA's direction. In addition, this response letter establishes the sampling/reporting schedule.

A. Modifications to and Conditions of the Soil/Sediment Sampling Plan

Sampling Plan Modifications

Comment Nos. 4, 5, and 6 of EPA's July 17, 2003 conditional approval letter require specific modifications to the proposed sampling plan set forth in the Revised PDI Work Plan. The tables and figures attached to this letter reflect the revised scope of the soil and sediment sampling plan, with the changes from the Revised PDI Work Plan described below. Except as noted in this letter, the procedures and methodologies described in the Revised PDI Work Plan for the pre-design sampling activities will remain unchanged.

- Condition No. 4 modifies the proposed distribution of the locations and depths of particular samples to be collected for polychlorinated biphenyls (PCB) analysis within certain utility bands located in the East and North Areas. These changes are reflected in attached Tables 3 and 4 and Figures 4 and 5. In lieu of moving sample location E-D24 50 feet to the southeast as stated in EPA Condition No. 4(a), GE proposes to move this sample location 40 feet to the southwest. If the E-D24 is located 50 feet to the southeast as requested the location would fall outside of the utility band and would not fill the currently existing 200 linear foot gap between soil borings in the utility band while moving this sample location to the southwest positions it within the utility band and eliminates the 200 linear foot gap.

- Condition No. 5 identifies several changes within the West, North, and East Areas related to the sampling locations and depth intervals proposed for soil sample collection and analyses for all or a portion of Appendix IX of 40 CFR Part 264, plus three additional constituents (benzidine, 2-chloroethyl vinyl ether, and 1,2-diphenylhydrazine) (Appendix IX +3). These changes are reflected in attached Table 4 and Figures 6 to 14.
- Condition No. 6 brings to GE's attention that a sample was mistakenly proposed for collection and PCB analysis at grid node N-E23 instead of grid node N-F23 as previously requested in the EPA's March 10, 2003 letter. This change is reflected in attached Tables 3 and 4 and Figure 4.

Sampling Plan Conditions

In addition to the above-mentioned modifications, EPA identified several conditions to the soil and sediment sampling plan. GE will comply with Condition Nos. 1, 3, and 7 of the July 17, 2003 conditional approval letter, summarized below. These conditions are not specifically reflected in the attached tables and figures.

1. Condition No. 1 requires that GE field verify (with EPA concurrence) the edge of the ballast of the active rail line relative to the established sampling grid in the East Area. Once GE has defined the edge of the ballast, GE will relocate samples as needed to allow sample collection adjacent to the edge of the ballast.
2. As stated in Condition No. 3, prior to sample collection, GE will confirm that samples with proposed locations within each of the two branches of the unnamed brook in the East Area are actually located within the unnamed brook and, if not, will relocate these samples from their proposed locations, as necessary, to fall within the unnamed brook.
3. In Condition No. 7, EPA requests that GE participate with EPA and MDEP in a site walk in the North and East Areas with EPA personnel to identify the locations of the five soil boring and 15 surface soil samples for the additional EPA-designated PCB and Appendix IX+3 samples specified in EPA's March 10, 2003 letter conditionally approving the original PDI Work Plan, and subsequently referred to in the Revised PDI Work Plan. GE will schedule and conduct the site walk with EPA and MDEP.

B. Miscellaneous Conditions

1. As specified in Condition 2, EPA directed GE to conduct a field evaluation with EPA oversight to assess the mean annual high water line (MAHW line) in accordance the MDEP's Wetland Regulations, 310 CMR 10.58(2)a.2. GE will complete this evaluation prior to collecting samples from within Unkamet Brook to assure that sediment samples being collected to characterize Unkamet Brook are being collected within the MAHW line.

C. Schedule

In accordance with the Revised PDI Work Plan and the July 17, 2003 conditional approval letter, GE will submit an Interim PDI Report for the Unkamet Brook Area within six months after EPA's approval of this response letter, subject to possible changes due to delays in obtaining access permission or weather-related delays. This Interim PDI Report will address the following areas of the pre-design investigations where additional investigations may be needed based on the outcome of initial activities described in the Revised PDI Work Plan:

- Decorative Pond;
- Unkamet Brook sediments;
- Inundated wetlands; and
- The need for additional utility-related sampling in the GE-owned commercial/industrial areas.

The Interim PDI Report will summarize the findings of the activities conducted for the above areas and present GE's assessment and proposals related to such findings. It will also consider the sufficiency of the available data to support RD/RA activities for the Unkamet Brook Area. Specifically, GE will review the data gathered from the initial


iteration of data gathering proposed in this Revised PDI Work Plan and will evaluate the need for additional sampling as described herein. If it is determined that further data are needed as part of the iterative approaches set forth in the Revised PDI Work Plan, or otherwise to support RD/RA activities to achieve the applicable Performance Standards, that report will propose supplemental investigations to fill those data needs.

As also provided in the Revised PDI Work Plan and the July 17, 2003 conditional approval letter, GE will complete the soil/sediment pre-design investigation sampling plan as proposed in the Revised PDI Work Plan, as modified by this response letter, along with any investigations that may be proposed in the Interim PDI Report, and submit a Final PDI Report for the Unkamet Brook Area within 12 months after EPA's approval of the Interim PDI Report.

In the event that delays to this proposed schedule are identified, GE will notify EPA and propose a revised schedule for completing the investigations and submitting the Interim and/or Final PDI Reports. With respect to access, if GE is unable to obtain access permission from particular property owners after using "best efforts" (as defined in the CD) to do so, it will so advise EPA and MDEP and seek their assistance in obtaining such access pursuant to Paragraph 60.f(i) of the CD.

Please contact John Novotny or me with any questions.

Sincerely,



Andrew T. Silfer, P.E.
GE Project Coordinator

Attachments

V:\GE_Pittsfield_CD_Unkamet_Brook_Area\Reports and Presentations\July 2003 Response Letter\54732196.doc

cc: Tim Conway, EPA
Holly Inglis, EPA
Rose Howell, EPA
Michael Nalipinski, EPA
Susan Steenstrup, MDEP
Alan Weinberg, MDEP*
Robert Bell, MDEP*
Thomas Angus, MDEP*
Anthony Kurpaska, MDEP
K.C. Mitkevicius, USACE
Dawn Jamros, Weston
Joseph Schmidl, Weston
Nancy Harper, MA AG*
Dale Young, MA EOEA
Theresa Bowers, Gradient
Mayor Sara Hathaway, City of Pittsfield
Jeffrey Bernstein, Bernstein, Cushner & Kimmell*
Pittsfield Department of Health
Michael Carroll, GE*
John Novotny, GE
Rod McLaren, GE*

James Nuss, BBL
James Bieke, Shea & Gardner
Laurence Kirsch, Shea & Gardner
Andrew Hoagland, GE Plastics
Keith Dodge, GE Plastics
Scott LeBeau, General Dynamics
Massachusetts Department of Highways,
Rights of Way Bureau
Massachusetts Board of Regional Community Colleges
United States Navy
Property Owner – Parcel K11-7-8
Property Owner – Parcel L11-4-11
Property Owner – Parcel L11-4-112
Property Owner – Parcel L11-4-213
Property Owner – Parcel L12-1-2
Property Owner – Parcel L12-1-3
Property Owner – Parcel L12-1-4
Property Owner – Parcel L12-1-5
Public Information Repositories
GE Internal Repository

**cover letter only*

Tables

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
WEST AREA					
GE-Owned Commercial/Industrial Property					
PAVED					
B17	EXISTING: PROPOSED:	-- RAA10-W-B17	-- RAA10-W-B17	-- RAA10-W-B17	-- RAA10-W-B17
C15	EXISTING: PROPOSED:	-- RAA10-W-C15	-- RAA10-W-C15	-- RAA10-W-C15	-- RAA10-W-C15
D12	EXISTING: PROPOSED:	-- RAA10-W-D12	-- RAA10-W-D12	-- RAA10-W-D12	-- RAA10-W-D12
E10	EXISTING: PROPOSED:	-- RAA10-W-E10	-- RAA10-W-E10	-- RAA10-W-E10	-- RAA10-W-E10
E13	EXISTING: PROPOSED:	-- RAA10-W-E13	-- RAA10-W-E13	-- RAA10-W-E13	-- RAA10-W-E13
F9	EXISTING: PROPOSED:	-- RAA10-W-F9	-- RAA10-W-F9	-- RAA10-W-F9	-- RAA10-W-F9
F13	EXISTING: PROPOSED:	-- RAA10-W-F13	-- RAA10-W-F13	-- RAA10-W-F13	-- RAA10-W-F13
G7	EXISTING: PROPOSED:	-- RAA10-W-G7	-- RAA10-W-G7	-- RAA10-W-G7	-- RAA10-W-G7
G9	EXISTING: PROPOSED:	-- RAA10-W-G9	-- RAA10-W-G9	-- RAA10-W-G9	-- RAA10-W-G9
G15	EXISTING: PROPOSED:	-- RAA10-W-G15	-- RAA10-W-G15	-- RAA10-W-G15	-- RAA10-W-G15
H4	EXISTING: PROPOSED:	-- RAA10-W-H4	-- RAA10-W-H4	-- RAA10-W-H4	-- RAA10-W-H4
H10	EXISTING: PROPOSED:	-- RAA10-W-H10	-- RAA10-W-H10	-- RAA10-W-H10	-- RAA10-W-H10
H15	EXISTING: PROPOSED:	-- RAA10-W-H15	-- RAA10-W-H15	-- RAA10-W-H15	-- RAA10-W-H15
I7	EXISTING: PROPOSED:	-- RAA10-W-I7	-- RAA10-W-I7	-- RAA10-W-I7	-- RAA10-W-I7
I10	EXISTING: PROPOSED:	-- RAA10-W-I10	-- RAA10-W-I10	-- RAA10-W-I10	-- RAA10-W-I10
I17	EXISTING: PROPOSED:	-- RAA10-W-I17	-- RAA10-W-I17	-- RAA10-W-I17	-- RAA10-W-I17
I22	EXISTING: PROPOSED:	-- RAA10-W-I22	-- RAA10-W-I22	-- RAA10-W-I22	-- RAA10-W-I22
J4	EXISTING: PROPOSED:	-- RAA10-W-J4	-- RAA10-W-J4	-- RAA10-W-J4	-- RAA10-W-J4
J11	EXISTING: PROPOSED:	-- RAA10-W-J11	-- RAA10-W-J11	-- RAA10-W-J11	-- RAA10-W-J11
J17	EXISTING: PROPOSED:	-- RAA10-W-J17	-- RAA10-W-J17	-- RAA10-W-J17	-- RAA10-W-J17
J20	EXISTING: PROPOSED:	-- RAA10-W-J20	-- RAA10-W-J20	-- RAA10-W-J20	-- RAA10-W-J20
J21	EXISTING: PROPOSED:	-- RAA10-W-J21	-- RAA10-W-J21	-- RAA10-W-J21	-- RAA10-W-J21
K8	EXISTING: PROPOSED:	-- RAA10-W-K8	-- RAA10-W-K8	-- RAA10-W-K8	-- RAA10-W-K8
K11	EXISTING: PROPOSED:	-- RAA10-W-K11	-- RAA10-W-K11	-- RAA10-W-K11	-- RAA10-W-K11
K17	EXISTING: PROPOSED:	-- RAA10-W-K17	-- RAA10-W-K17	-- RAA10-W-K17	-- RAA10-W-K17
K18	EXISTING: PROPOSED:	-- RAA10-W-K18	-- RAA10-W-K18	-- RAA10-W-K18	-- RAA10-W-K18

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
K19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-K19	RAA10-W-K19	RAA10-W-K19	RAA10-W-K19
L12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-L12	RAA10-W-L12	RAA10-W-L12	RAA10-W-L12
L19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-L19	RAA10-W-L19	RAA10-W-L19	RAA10-W-L19
M8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M8	RAA10-W-M8	RAA10-W-M8	RAA10-W-M8
M11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M11	RAA10-W-M11	RAA10-W-M11	RAA10-W-M11
M12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M12	RAA10-W-M12	RAA10-W-M12	RAA10-W-M12
M13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M13	RAA10-W-M13	RAA10-W-M13	RAA10-W-M13
M17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M17	RAA10-W-M17	RAA10-W-M17	RAA10-W-M17
M18	EXISTING:	UB-MW-7	UB-MW-7	UB-MW-7	UB-MW-7
	PROPOSED:	--	--	--	--
P9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P9	RAA10-W-P9	RAA10-W-P9	RAA10-W-P9
P11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P11	RAA10-W-P11	RAA10-W-P11	RAA10-W-P11
R13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-R13	RAA10-W-R13	RAA10-W-R13	RAA10-W-R13
S11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-S11	RAA10-W-S11	RAA10-W-S11	RAA10-W-S11
UNPAVED					
A18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-A18	RAA10-W-A18	RAA10-W-A18	RAA10-W-A18
B15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-B15	RAA10-W-B15	RAA10-W-B15	RAA10-W-B15
B18	EXISTING:	RF-14	RF-14	RF-14	RF-14
	PROPOSED:	--	--	--	--
B19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-B19	RAA10-W-B19	RAA10-W-B19	RAA10-W-B19
C12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-C12	RAA10-W-C12	RAA10-W-C12	RAA10-W-C12
C13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-C13	RAA10-W-C13	RAA10-W-C13	RAA10-W-C13
C18	EXISTING:	UB-SS-2	--	--	--
	PROPOSED:	--	RAA10-W-C18	RAA10-W-C18	RAA10-W-C18
C19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-C19	RAA10-W-C19	RAA10-W-C19	RAA10-W-C19
D10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D10	RAA10-W-D10	RAA10-W-D10	RAA10-W-D10
D11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D11	RAA10-W-D11	RAA10-W-D11	RAA10-W-D11
D19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D19	RAA10-W-D19	RAA10-W-D19	RAA10-W-D19
D20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-D20	RAA10-W-D20	RAA10-W-D20	RAA10-W-D20
E8	EXISTING:	UB-SS-1	--	--	--
	PROPOSED:	--	RAA10-W-E8	RAA10-W-E8	RAA10-W-E8
E9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-E9	RAA10-W-E9	RAA10-W-E9	RAA10-W-E9

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
E19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-E19	RAA10-W-E19	RAA10-W-E19	RAA10-W-E19
E20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-E20	RAA10-W-E20	RAA10-W-E20	RAA10-W-E20
F6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-F6	RAA10-W-F6	RAA10-W-F6	RAA10-W-F6
F8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-F8	RAA10-W-F8	RAA10-W-F8	RAA10-W-F8
F20	EXISTING:	OP-1-ARS-C1	--	--	--
	PROPOSED:	--	RAA10-W-F20	RAA10-W-F20	RAA10-W-F20
G4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-G4	RAA10-W-G4	RAA10-W-G4	RAA10-W-G4
G20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-G20	RAA10-W-G20	RAA10-W-G20	RAA10-W-G20
G21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-G21	RAA10-W-G21	RAA10-W-G21	RAA10-W-G21
H2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-H2	RAA10-W-H2	RAA10-W-H2	RAA10-W-H2
H9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-H9	RAA10-W-H9	RAA10-W-H9	RAA10-W-H9
H21	EXISTING:	SB-2	SB-2	SB-2	SB-2
	PROPOSED:	--	--	--	--
I2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-I2	RAA10-W-I2	RAA10-W-I2	RAA10-W-I2
I21	EXISTING:	UB-SS-4	--	--	--
	PROPOSED:	--	RAA10-W-I21	RAA10-W-I21	RAA10-W-I21
J10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-J10	RAA10-W-J10	RAA10-W-J10	RAA10-W-J10
K21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-K21	RAA10-W-K21	RAA10-W-K21	RAA10-W-K21
L11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-L11	RAA10-W-L11	RAA10-W-L11	RAA10-W-L11
L18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-L18	RAA10-W-L18	RAA10-W-L18	RAA10-W-L18
L20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-L20	RAA10-W-L20	RAA10-W-L20	RAA10-W-L20
M15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-M15	RAA10-W-M15	RAA10-W-M15	RAA10-W-M15
M19	EXISTING:	RF-15	RF-15	RF-15	RF-15
	PROPOSED:	--	--	--	--
N12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-N12	RAA10-W-N12	RAA10-W-N12	RAA10-W-N12
N13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-N13	RAA10-W-N13	RAA10-W-N13	RAA10-W-N13
N17	EXISTING:	UB-SS-3	--	--	--
	PROPOSED:	--	RAA10-W-N17	RAA10-W-N17	RAA10-W-N17
N18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-N18	RAA10-W-N18	RAA10-W-N18	RAA10-W-N18
Non-GE-Owned Commercial Industrial Property					
UNPAVED					
O15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-O15	--	--	--
O16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-O16	RAA10-W-O16	RAA10-W-O16	RAA10-W-O16
P15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P15	RAA10-W-P15	RAA10-W-P15	RAA10-W-P15

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
P16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P16	--	--	--
P17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-P17	RAA10-W-P17	RAA10-W-P17	RAA10-W-P17
Q14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-Q14	--	--	--
Q15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-Q15	--	--	--
Q16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-Q16	--	--	--
R15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-W-R15	RAA10-W-R15	RAA10-W-R15	RAA10-W-R15
EAST AREA					
Non-GE-Owned Commercial/Industrial Property					
A21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-A21	--	--	--
A22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-A22	--	--	--
B21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-B21	--	--	--
B22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-B22	RAA10-E-B22	RAA10-E-B22	RAA10-E-B22
B23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-B23	--	--	--
B24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-B24	RAA10-E-B24	RAA10-E-B24	RAA10-E-B24
C20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C20	--	--	--
C21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C21	--	--	--
C22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C22	--	--	--
C23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C23	--	--	--
C24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C24	--	--	--
C25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C25	--	--	--
C26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-C26	--	--	--
D20	EXISTING:	UB-SB-13	UB-SB-13	UB-SB-13	UB-SB-13
	PROPOSED:	--	--	--	--
D21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D21	--	--	--
D22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D22	RAA10-E-D22	RAA10-E-D22	RAA10-E-D22
D23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D23	--	--	--
D24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D24	RAA10-E-D24	RAA10-E-D24	RAA10-E-D24
D25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D25	--	--	--
D26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D26	RAA10-E-D26	RAA10-E-D26	RAA10-E-D26
E19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E19	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
E20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E20	--	--	--
E21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E21	--	--	--
E22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E22	--	--	--
E23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E23	--	--	--
E24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E24	--	--	--
E25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E25	--	--	--
E26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E26	--	--	--
F19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F19	--	--	--
F20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F20	RAA10-E-F20	RAA10-E-F20	RAA10-E-F20
F21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F21	--	--	--
F22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F22	RAA10-E-F22	RAA10-E-F22	RAA10-E-F22
F25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F25	--	--	--
F26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F26	RAA10-E-F26	RAA10-E-F26	RAA10-E-F26
G19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G19	--	--	--
G20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G20	--	--	--
G21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G21	--	--	--
G24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G24	--	--	--
G25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G25	--	--	--
G26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G26	--	--	--
G27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G27	--	--	--
G28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G28	--	--	--
H18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H18	RAA10-E-H18	RAA10-E-H18	RAA10-E-H18
H19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H19	--	--	--
H20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H20	RAA10-E-H20	RAA10-E-H20	RAA10-E-H20
H21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H21	--	--	--
H23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H23	--	--	--
H24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H24	RAA10-E-H24	RAA10-E-H24	RAA10-E-H24
H25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H25	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
H26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H26	RAA10-E-H26	RAA10-E-H26	RAA10-E-H26
H27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H27	--	--	--
H28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H28	RAA10-E-H28	RAA10-E-H28	RAA10-E-H28
I18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I18	--	--	--
I19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I19	--	--	--
I20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I20	--	--	--
I21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I21	--	--	--
I23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I23	--	--	--
I24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I24	--	--	--
I25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I25	--	--	--
I26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I26	--	--	--
I27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I27	--	--	--
J17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J17	--	--	--
J18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J18	RAA10-E-J18	RAA10-E-J18	RAA10-E-J18
J22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J22	RAA10-E-J22	RAA10-E-J22	RAA10-E-J22
J23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J23	--	--	--
J24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J24	RAA10-E-J24	RAA10-E-J24	RAA10-E-J24
J25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J25	--	--	--
J26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J26	RAA10-E-J26	RAA10-E-J26	RAA10-E-J26
J27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J27	--	--	--
K16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K16	--	--	--
K17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K17	--	--	--
K18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K18	--	--	--
K22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K22	--	--	--
K23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K23	--	--	--
K24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K24	--	--	--
K25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K25	--	--	--
K26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K26	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
K27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K27	--	--	--
K28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K28	--	--	--
L16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-L16	RAA10-E-L16	RAA10-E-L16	RAA10-E-L16
L17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-L17	--	--	--
L22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-L22	RAA10-E-L22	RAA10-E-L22	RAA10-E-L22
L23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-L23	--	--	--
L24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-L24	RAA10-E-L24	RAA10-E-L24	RAA10-E-L24
L25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-L25	--	--	--
L26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-L26	RAA10-E-L26	RAA10-E-L26	RAA10-E-L26
L27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-L27	--	--	--
M15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M15	--	--	--
M16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M16	--	--	--
M17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M17	--	--	--
M21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M21	--	--	--
M22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M22	--	--	--
M23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M23	--	--	--
M24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M24	--	--	--
M25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M25	--	--	--
N16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N16	RAA10-E-N16	RAA10-E-N16	RAA10-E-N16
N17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N17	--	--	--
N18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N18	RAA10-E-N18	RAA10-E-N18	RAA10-E-N18
N19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N19	--	--	--
N20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N20	RAA10-E-N20	RAA10-E-N20	RAA10-E-N20
N21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N21	--	--	--
N22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N22	RAA10-E-N22	RAA10-E-N22	RAA10-E-N22
N23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N23	--	--	--
N24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N24	RAA10-E-N24	RAA10-E-N24	RAA10-E-N24
N25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N25	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
O14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O14	--	--	--
O19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O19	--	--	--
O20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O20	--	--	--
O21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O21	--	--	--
O22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O22	--	--	--
O23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O23	--	--	--
O24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O24	--	--	--
O25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O25	--	--	--
P13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P13	--	--	--
P14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P14	RAA10-E-P14	RAA10-E-P14	RAA10-E-P14
P21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P21	--	--	--
P22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P22	RAA10-E-P22	RAA10-E-P22	RAA10-E-P22
P23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P23	--	--	--
P24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P24	RAA10-E-P24	RAA10-E-P24	RAA10-E-P24
Q13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q13	--	--	--
Q14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q14	--	--	--
Q24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q24	--	--	--
R12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R12	RAA10-E-R12	RAA10-E-R12	RAA10-E-R12
R13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R13	--	--	--
R14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R14	RAA10-E-R14	RAA10-E-R14	RAA10-E-R14
S11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S11	--	--	--
S12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S12	--	--	--
S13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S13	--	--	--
S14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S14	--	--	--
T10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T10	RAA10-E-T10	RAA10-E-T10	RAA10-E-T10
T11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T11	--	--	--
T12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T12	RAA10-E-T12	RAA10-E-T12	RAA10-E-T12
T13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T13	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
T14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T14	RAA10-E-T14	RAA10-E-T14	RAA10-E-T14
U10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U10	--	--	--
U11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U11	--	--	--
U12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U12	--	--	--
U13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U13	--	--	--
U14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U14	--	--	--
V9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V9	--	--	--
V10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V10	RAA10-E-V10	RAA10-E-V10	RAA10-E-V10
V11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V11	--	--	--
V12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V12	RAA10-E-V12	RAA10-E-V12	RAA10-E-V12
V13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V13	--	--	--
V14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V14	RAA10-E-V14	RAA10-E-V14	RAA10-E-V14
W9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W9	--	--	--
W10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W10	--	--	--
W11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W11	--	--	--
W12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W12	--	--	--
W13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W13	--	--	--
X8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X8	RAA10-E-X8	RAA10-E-X8	RAA10-E-X8
X9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X9	--	--	--
X10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X10	RAA10-E-X10	RAA10-E-X10	RAA10-E-X10
X11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X11	--	--	--
X12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X12	RAA10-E-X12	RAA10-E-X12	RAA10-E-X12
X13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X13	--	--	--
Y7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y7	--	--	--
Y8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y8	--	--	--
Y9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y9	--	--	--
Y10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y10	--	--	--
Y11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y11	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
Y12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y12	--	--	--
Y13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y13	--	--	--
Y14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y14	--	--	--
Z6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z6	RAA10-E-Z6	RAA10-E-Z6	RAA10-E-Z6
Z7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z7	--	--	--
Z9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z9	--	--	--
Z10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z10	RAA10-E-Z10	RAA10-E-Z10	RAA10-E-Z10
Z11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z11	--	--	--
Z12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z12	RAA10-E-Z12	RAA10-E-Z12	RAA10-E-Z12
Z13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z13	--	--	--
Z14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z14	RAA10-E-Z14	RAA10-E-Z14	RAA10-E-Z14
AA6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA6	--	--	--
AA7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA7	--	--	--
AA10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA10	--	--	--
AA11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA11	--	--	--
AA12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA12	--	--	--
AA13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA13	--	--	--
AA14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA14	--	--	--
BB5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB5	--	--	--
BB6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB6	RAA10-E-BB6	RAA10-E-BB6	RAA10-E-BB6
BB7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB7	--	--	--
BB9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB9	--	--	--
BB10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB10	RAA10-E-BB10	RAA10-E-BB10	RAA10-E-BB10
BB11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB11	--	--	--
BB12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB12	RAA10-E-BB12	RAA10-E-BB12	RAA10-E-BB12
BB13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB13	--	--	--
BB14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB14	RAA10-E-BB14	RAA10-E-BB14	RAA10-E-BB14
CC4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC4	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
CC5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC5	--	--	--
CC6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC6	--	--	--
CC7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC7	--	--	--
CC8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC8	--	--	--
CC9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC9	--	--	--
CC10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC10	--	--	--
CC11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC11	--	--	--
CC14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC14	--	--	--
DD4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD4	RAA10-E-DD4	RAA10-E-DD4	RAA10-E-DD4
DD5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD5	--	--	--
DD6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD6	RAA10-E-DD6	RAA10-E-DD6	RAA10-E-DD6
DD7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD7	--	--	--
DD8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD8	RAA10-E-DD8	RAA10-E-DD8	RAA10-E-DD8
DD9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD9	--	--	--
DD10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD10	RAA10-E-DD10	RAA10-E-DD10	RAA10-E-DD10
DD11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD11	--	--	--
DD12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD12	RAA10-E-DD12	RAA10-E-DD12	RAA10-E-DD12
DD13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD13	--	--	--
DD14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD14	RAA10-E-DD14	RAA10-E-DD14	RAA10-E-DD14
EE3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE3	--	--	--
EE4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE4	RAA10-E-EE4	RAA10-E-EE4	RAA10-E-EE4
EE5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE5	--	--	--
EE6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE6	--	--	--
EE7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE7	--	--	--
EE8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE8	--	--	--
EE9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE9	--	--	--
EE10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE10	--	--	--
EE11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE11	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
EE12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE12	--	--	--
FF2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF2	RAA10-E-FF2	RAA10-E-FF2	RAA10-E-FF2
FF3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF3	--	--	--
FF4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF4	RAA10-E-FF4	RAA10-E-FF4	RAA10-E-FF4
FF5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF5	--	--	--
FF6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF6	RAA10-E-FF6	RAA10-E-FF6	RAA10-E-FF6
FF7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF7	--	--	--
FF8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF8	RAA10-E-FF8	RAA10-E-FF8	RAA10-E-FF8
FF9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF9	--	--	--
FF10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF10	RAA10-E-FF10	RAA10-E-FF10	RAA10-E-FF10
FF11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF11	--	--	--
FF12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF12	RAA10-E-FF12	RAA10-E-FF12	RAA10-E-FF12
GG1	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG1	--	--	--
GG2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG2	--	--	--
GG3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG3	--	--	--
GG4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG4	--	--	--
GG5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG5	--	--	--
GG6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG6	--	--	--
GG7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG7	--	--	--
GG8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG8	--	--	--
GG9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG9	--	--	--
GG10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG10	--	--	--
GG11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG11	--	--	--
GG12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG12	--	--	--
GG13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG13	--	--	--
HH99	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH99	RAA10-E-HH99	RAA10-E-HH99	RAA10-E-HH99
HH1	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH1	--	--	--
HH2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH2	RAA10-E-HH2	RAA10-E-HH2	RAA10-E-HH2

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
HH3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH3	--	--	--
HH4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH4	RAA10-E-HH4	RAA10-E-HH4	RAA10-E-HH4
HH5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH5	--	--	--
HH6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH6	RAA10-E-HH6	RAA10-E-HH6	RAA10-E-HH6
HH7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH7	--	--	--
HH9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH9	--	--	--
HH10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH10	RAA10-E-HH10	RAA10-E-HH10	RAA10-E-HH10
HH11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH11	--	--	--
II4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II4	--	--	--
II5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II5	--	--	--
II6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II6	--	--	--
II7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II7	--	--	--
II8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II8	--	--	--
II10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II10	--	--	--
II11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II11	--	--	--
JJ5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ5	--	--	--
JJ6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ6	RAA10-E-JJ6	RAA10-E-JJ6	RAA10-E-JJ6
JJ7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ7	--	--	--
JJ8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ8	RAA10-E-JJ8	RAA10-E-JJ8	RAA10-E-JJ8
JJ9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ9	--	--	--
JJ10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ10	RAA10-E-JJ10	RAA10-E-JJ10	RAA10-E-JJ10
JJ11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ11	--	--	--
JJ12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ12	RAA10-E-JJ12	RAA10-E-JJ12	RAA10-E-JJ12
KK6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK6	--	--	--
KK7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK7	--	--	--
KK8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK8	--	--	--
KK9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK9	--	--	--
KK10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK10	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
KK12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK12	--	--	--
LL7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL7	--	--	--
LL8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL8	RAA10-E-LL8	RAA10-E-LL8	RAA10-E-LL8
LL9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL9	--	--	--
LL10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL10	RAA10-E-LL10	RAA10-E-LL10	RAA10-E-LL10
LL11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL11	--	--	--
MM8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM8	--	--	--
MM9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM9	--	--	--
MM10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM10	--	--	--
MM11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM11	--	--	--
NN9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN9	--	--	--
Non-GE-Owned Recreational Property					
D27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-D27	--	--	--
E27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E27	--	--	--
E28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-E28	--	--	--
F27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F27	--	--	--
F28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-F28	RAA10-E-F28	RAA10-E-F28	RAA10-E-F28
G29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-G29	--	--	--
H29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-H29	--	--	--
I28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I28	--	--	--
I29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I29	--	--	--
I30	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-I30	--	--	--
J28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J28	RAA10-E-J28	RAA10-E-J28	RAA10-E-J28
J29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-J29	--	--	--
K29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-K29	--	--	--
L28	EXISTING:	UOP3S-18	--	--	--
	PROPOSED:	--	RAA10-E-L28	RAA10-E-L28	RAA10-E-L28
M26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M26	--	--	--
M27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M27	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
M28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-M28	--	--	--
N15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N15	--	--	--
N26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N26	RAA10-E-N26	RAA10-E-N26	RAA10-E-N26
N27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-N27	--	--	--
O15	EXISTING:	L-39	--	--	--
	PROPOSED:	--	--	--	--
O16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O16	--	--	--
O17	EXISTING:	UOP3S-14	--	--	--
	PROPOSED:	--	--	--	--
O18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O18	--	--	--
O26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-O26	--	--	--
O27	EXISTING:	UOP3S-17	--	--	--
	PROPOSED:	--	--	--	--
P15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P15	--	--	--
P16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P16	RAA10-E-P16	RAA10-E-P16	RAA10-E-P16
P17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P17	--	--	--
P18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P18	RAA10-E-P18	RAA10-E-P18	RAA10-E-P18
P19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P19	--	--	--
P20	EXISTING:	UOP3S-13	--	--	--
	PROPOSED:	--	RAA10-E-P20	RAA10-E-P20	RAA10-E-P20
P25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P25	--	--	--
P26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-P26	RAA10-E-P26	RAA10-E-P26	RAA10-E-P26
Q15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q15	--	--	--
Q16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q16	--	--	--
Q17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q17	--	--	--
Q18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q18	--	--	--
Q19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q19	--	--	--
Q20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q20	--	--	--
Q21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q21	--	--	--
Q22	EXISTING:	UOP3S-15	--	--	--
	PROPOSED:	--	--	--	--
Q23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q23	--	--	--
Q25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Q25	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
R15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R15	--	--	--
R16	EXISTING:	UOP3S-10	--	--	--
	PROPOSED:	--	RAA10-E-R16	RAA10-E-R16	RAA10-E-R16
R17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R17	--	--	--
R18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R18	RAA10-E-R18	RAA10-E-R18	RAA10-E-R18
R19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R19	--	--	--
R20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R20	RAA10-E-R20	RAA10-E-R20	RAA10-E-R20
R21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R21	--	--	--
R22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R22	RAA10-E-R22	RAA10-E-R22	RAA10-E-R22
R23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R23	--	--	--
R24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R24	RAA10-E-R24	RAA10-E-R24	RAA10-E-R24
R25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-R25	--	--	--
S15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S15	--	--	--
S16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S16	--	--	--
S17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S17	--	--	--
S18	EXISTING:	UOP3S-11	--	--	--
	PROPOSED:	--	--	--	--
S19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S19	--	--	--
S20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S20	--	--	--
S21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S21	--	--	--
S22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S22	--	--	--
S23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S23	--	--	--
S24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-S24	--	--	--
T15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T15	--	--	--
T16	EXISTING:	UOP3S-7	--	--	--
	PROPOSED:	--	RAA10-E-T16	RAA10-E-T16	RAA10-E-T16
T17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T17	--	--	--
T18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T18	RAA10-E-T18	RAA10-E-T18	RAA10-E-T18
T19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T19	--	--	--
T20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T20	RAA10-E-T20	RAA10-E-T20	RAA10-E-T20
T21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T21	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
T22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T22	RAA10-E-T22	RAA10-E-T22	RAA10-E-T22
T23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-T23	--	--	--
T24	EXISTING:	UOP3S-12	--	--	--
	PROPOSED:	--	RAA10-E-T24	RAA10-E-T24	RAA10-E-T24
U15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U15	--	--	--
U16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U16	--	--	--
U17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U17	--	--	--
U18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U18	--	--	--
U19	EXISTING:	UOP3S-8	--	--	--
	PROPOSED:	--	--	--	--
U20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U20	--	--	--
U21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U21	--	--	--
U22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U22	--	--	--
U23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-U23	--	--	--
V15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V15	--	--	--
V16	EXISTING:	UOP3S-6	--	--	--
	PROPOSED:	--	RAA10-E-V16	RAA10-E-V16	RAA10-E-V16
V17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V17	--	--	--
V18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V18	RAA10-E-V18	RAA10-E-V18	RAA10-E-V18
V19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V19	--	--	--
V20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V20	RAA10-E-V20	RAA10-E-V20	RAA10-E-V20
V21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V21	--	--	--
V22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-V22	RAA10-E-V22	RAA10-E-V22	RAA10-E-V22
W15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W15	--	--	--
W16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W16	--	--	--
W17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W17	--	--	--
W18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W18	--	--	--
W19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W19	--	--	--
W20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W20	--	--	--
W21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W21	--	--	--
W22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-W22	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
X15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X15	--	--	--
X16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X16	RAA10-E-X16	RAA10-E-X16	RAA10-E-X16
X17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X17	--	--	--
X18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X18	RAA10-E-X18	RAA10-E-X18	RAA10-E-X18
X19	EXISTING:	UOP3S-4	--	--	--
	PROPOSED:	--	--	--	--
X20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-X20	RAA10-E-X20	RAA10-E-X20	RAA10-E-X20
X21	EXISTING:	UOP3S-5	--	--	--
	PROPOSED:	--	--	--	--
Y15	EXISTING:	UOP3S-3	--	--	--
	PROPOSED:	--	--	--	--
Y16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y16	--	--	--
Y17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y17	--	--	--
Y18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y18	--	--	--
Y19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y19	--	--	--
Y20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y20	--	--	--
Y21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Y21	--	--	--
Z15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z15	--	--	--
Z16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z16	RAA10-E-Z16	RAA10-E-Z16	RAA10-E-Z16
Z17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z17	--	--	--
Z18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z18	RAA10-E-Z18	RAA10-E-Z18	RAA10-E-Z18
Z19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z19	--	--	--
Z20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z20	RAA10-E-Z20	RAA10-E-Z20	RAA10-E-Z20
Z21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z21	--	--	--
Z22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-Z22	RAA10-E-Z22	RAA10-E-Z22	RAA10-E-Z22
AA15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA15	--	--	--
AA16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA16	--	--	--
AA17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA17	--	--	--
AA18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA18	--	--	--
AA19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA19	--	--	--
AA20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA20	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
AA21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA21	--	--	--
AA22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AA22	--	--	--
BB15	EXISTING:	UOP3S-1	--	--	--
	PROPOSED:	--	--	--	--
BB16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB16	RAA10-E-BB16	RAA10-E-BB16	RAA10-E-BB16
BB17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB17	--	--	--
BB18	EXISTING:	UOP3S-2	--	--	--
	PROPOSED:	--	RAA10-E-BB18	RAA10-E-BB18	RAA10-E-BB18
BB19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB19	--	--	--
BB20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB20	RAA10-E-BB20	RAA10-E-BB20	RAA10-E-BB20
BB21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB21	--	--	--
BB22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB22	RAA10-E-BB22	RAA10-E-BB22	RAA10-E-BB22
BB23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BB23	--	--	--
CC15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC15	--	--	--
CC16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC16	--	--	--
CC17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC17	--	--	--
CC18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC18	--	--	--
CC19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC19	--	--	--
CC20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC20	--	--	--
CC21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC21	--	--	--
CC22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC22	--	--	--
CC23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-CC23	--	--	--
DD15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD15	--	--	--
DD16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD16	RAA10-E-DD16	RAA10-E-DD16	RAA10-E-DD16
DD17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD17	--	--	--
DD18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD18	RAA10-E-DD18	RAA10-E-DD18	RAA10-E-DD18
DD19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD19	--	--	--
DD20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD20	RAA10-E-DD20	RAA10-E-DD20	RAA10-E-DD20
DD21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD21	--	--	--
DD22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD22	RAA10-E-DD22	RAA10-E-DD22	RAA10-E-DD22

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
DD23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD23	--	--	--
DD24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-DD24	RAA10-E-DD24	RAA10-E-DD24	RAA10-E-DD24
EE14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE14	--	--	--
EE15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE15	--	--	--
EE16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE16	--	--	--
EE17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE17	--	--	--
EE18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE18	--	--	--
EE19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE19	--	--	--
EE20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE20	--	--	--
EE21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE21	--	--	--
EE22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE22	--	--	--
EE23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE23	--	--	--
EE24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-EE24	--	--	--
FF14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF14	RAA10-E-FF14	RAA10-E-FF14	RAA10-E-FF14
FF15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF15	--	--	--
FF16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF16	RAA10-E-FF16	RAA10-E-FF16	RAA10-E-FF16
FF17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF17	--	--	--
FF18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF18	RAA10-E-FF18	RAA10-E-FF18	RAA10-E-FF18
FF19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF19	--	--	--
FF20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF20	RAA10-E-FF20	RAA10-E-FF20	RAA10-E-FF20
FF21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF21	--	--	--
FF22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF22	RAA10-E-FF22	RAA10-E-FF22	RAA10-E-FF22
FF23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-FF23	--	--	--
FF24	EXISTING:	UFP2-R8	--	--	--
	PROPOSED:	--	RAA10-E-FF24	RAA10-E-FF24	RAA10-E-FF24
FF25	EXISTING:	UFP2-R9	--	--	--
	PROPOSED:	--	--	--	--
GG14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG14	--	--	--
GG15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG15	--	--	--
GG16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG16	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
GG17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG17	--	--	--
GG18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG18	--	--	--
GG19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG19	--	--	--
GG20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG20	--	--	--
GG21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG21	--	--	--
GG22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG22	--	--	--
GG23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG23	--	--	--
GG24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG24	--	--	--
GG25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-GG25	--	--	--
HH13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH13	--	--	--
HH14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH14	RAA10-E-HH14	RAA10-E-HH14	RAA10-E-HH14
HH15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH15	--	--	--
HH16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH16	RAA10-E-HH16	RAA10-E-HH16	RAA10-E-HH16
HH17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH17	--	--	--
HH18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH18	RAA10-E-HH18	RAA10-E-HH18	RAA10-E-HH18
HH19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH19	--	--	--
HH20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH20	RAA10-E-HH20	RAA10-E-HH20	RAA10-E-HH20
HH21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH21	--	--	--
HH22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH22	RAA10-E-HH22	RAA10-E-HH22	RAA10-E-HH22
HH23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH23	--	--	--
HH24	EXISTING:	UFP2-R7	--	--	--
	PROPOSED:	--	RAA10-E-HH24	RAA10-E-HH24	RAA10-E-HH24
HH25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH25	--	--	--
HH26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-HH26	RAA10-E-HH26	RAA10-E-HH26	RAA10-E-HH26
II13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II13	--	--	--
II14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II14	--	--	--
II15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II15	--	--	--
II16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II16	--	--	--
II17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II17	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
II18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II18	--	--	--
II19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II19	--	--	--
II20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II20	--	--	--
II21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II21	--	--	--
II22	EXISTING:	UFP2-R6	--	--	--
	PROPOSED:	--	--	--	--
II23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II23	--	--	--
II24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II24	--	--	--
II25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II25	--	--	--
II26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II26	--	--	--
II27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-II27	--	--	--
JJ13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ13	--	--	--
JJ14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ14	RAA10-E-JJ14	RAA10-E-JJ14	RAA10-E-JJ14
JJ15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ15	--	--	--
JJ16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ16	RAA10-E-JJ16	RAA10-E-JJ16	RAA10-E-JJ16
JJ17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ17	--	--	--
JJ18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ18	RAA10-E-JJ18	RAA10-E-JJ18	RAA10-E-JJ18
JJ19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ19	--	--	--
JJ20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ20	RAA10-E-JJ20	RAA10-E-JJ20	RAA10-E-JJ20
JJ21	EXISTING:	UFP2-R5	--	--	--
	PROPOSED:	--	--	--	--
JJ22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ22	RAA10-E-JJ22	RAA10-E-JJ22	RAA10-E-JJ22
JJ23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ23	--	--	--
JJ24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ24	RAA10-E-JJ24	RAA10-E-JJ24	RAA10-E-JJ24
JJ25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ25	--	--	--
JJ26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ26	RAA10-E-JJ26	RAA10-E-JJ26	RAA10-E-JJ26
JJ27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-JJ27	--	--	--
KK13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK13	--	--	--
KK14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK14	--	--	--
KK15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK15	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
KK16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK16	--	--	--
KK17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK17	--	--	--
KK18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK18	--	--	--
KK19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK19	--	--	--
KK20	EXISTING:	UFP2-R4	--	--	--
	PROPOSED:	--	--	--	--
KK21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK21	--	--	--
KK22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK22	--	--	--
KK23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK23	--	--	--
KK24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK24	--	--	--
KK25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK25	--	--	--
KK26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK26	--	--	--
KK27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-KK27	--	--	--
LL12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL12	RAA10-E-LL12	RAA10-E-LL12	RAA10-E-LL12
LL13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL13	--	--	--
LL14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL14	RAA10-E-LL14	RAA10-E-LL14	RAA10-E-LL14
LL15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL15	--	--	--
LL16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL16	RAA10-E-LL16	RAA10-E-LL16	RAA10-E-LL16
LL17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL17	--	--	--
LL18	EXISTING:	UFP2-R2	UFP2-R2	--	--
	PROPOSED:	--	--	RAA10-E-LL18	RAA10-E-LL18
LL19	EXISTING:	UFP2-R3	--	--	--
	PROPOSED:	--	--	--	--
LL20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL20	RAA10-E-LL20	RAA10-E-LL20	RAA10-E-LL20
LL21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL21	--	--	--
LL22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL22	RAA10-E-LL22	RAA10-E-LL22	RAA10-E-LL22
LL23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL23	--	--	--
LL24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL24	RAA10-E-LL24	RAA10-E-LL24	RAA10-E-LL24
LL25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL25	--	--	--
LL26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL26	RAA10-E-LL26	RAA10-E-LL26	RAA10-E-LL26
LL27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-LL27	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
MM12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM12	--	--	--
MM13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM13	--	--	--
MM14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM14	--	--	--
MM15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM15	--	--	--
MM16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM16	--	--	--
MM17	EXISTING:	UFP2-R1	--	--	--
	PROPOSED:	--	--	--	--
MM18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM18	--	--	--
MM19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM19	--	--	--
MM20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM20	--	--	--
MM21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM21	--	--	--
MM22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM22	--	--	--
MM23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM23	--	--	--
MM24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM24	--	--	--
MM25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM25	--	--	--
MM26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM26	--	--	--
MM27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-MM27	--	--	--
NN11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN11	--	--	--
NN12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN12	RAA10-E-NN12	RAA10-E-NN12	RAA10-E-NN12
NN13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN13	--	--	--
NN14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN14	RAA10-E-NN14	RAA10-E-NN14	RAA10-E-NN14
NN15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN15	--	--	--
NN16	EXISTING:	UFP2-L3	UFP2-L3	--	--
	PROPOSED:	--	--	RAA10-E-NN16	RAA10-E-NN16
NN17	EXISTING:	UFP2-L2	--	--	--
	PROPOSED:	--	--	--	--
NN18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN18	RAA10-E-NN18	RAA10-E-NN18	RAA10-E-NN18
NN19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN19	--	--	--
NN20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN20	RAA10-E-NN20	RAA10-E-NN20	RAA10-E-NN20
NN21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN21	--	--	--
NN22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN22	RAA10-E-NN22	RAA10-E-NN22	RAA10-E-NN22

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
NN23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN23	--	--	--
NN24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN24	RAA10-E-NN24	RAA10-E-NN24	RAA10-E-NN24
NN25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN25	--	--	--
NN26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN26	RAA10-E-NN26	RAA10-E-NN26	RAA10-E-NN26
NN27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-NN27	--	--	--
OO11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO11	--	--	--
OO12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO12	--	--	--
OO13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO13	--	--	--
OO14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO14	--	--	--
OO15	EXISTING:	UFP2-L4	--	--	--
	PROPOSED:	--	--	--	--
OO16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO16	--	--	--
OO17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO17	--	--	--
OO18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO18	--	--	--
OO19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO19	--	--	--
OO20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO20	--	--	--
OO21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO21	--	--	--
OO22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO22	--	--	--
OO23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO23	--	--	--
OO24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO24	--	--	--
OO25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO25	--	--	--
OO26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO26	--	--	--
OO27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-OO27	--	--	--
PP11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP11	--	--	--
PP12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP12	RAA10-E-PP12	RAA10-E-PP12	RAA10-E-PP12
PP13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP13	--	--	--
PP14	EXISTING:	UFP2-L6	--	--	--
	PROPOSED:	--	RAA10-E-PP14	RAA10-E-PP14	RAA10-E-PP14
PP15	EXISTING:	UFP2-L5	--	--	--
	PROPOSED:	--	--	--	--
PP16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP16	RAA10-E-PP16	RAA10-E-PP16	RAA10-E-PP16

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
PP17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP17	--	--	--
PP18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP18	RAA10-E-PP18	RAA10-E-PP18	RAA10-E-PP18
PP19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP19	--	--	--
PP20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP20	RAA10-E-PP20	RAA10-E-PP20	RAA10-E-PP20
PP21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP21	--	--	--
PP22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP22	RAA10-E-PP22	RAA10-E-PP22	RAA10-E-PP22
PP23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP23	--	--	--
PP24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP24	RAA10-E-PP24	RAA10-E-PP24	RAA10-E-PP24
PP25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-PP25	--	--	--
PP26	EXISTING:	UFP1-R4	--	--	--
	PROPOSED:	--	RAA10-E-PP26	RAA10-E-PP26	RAA10-E-PP26
PP27	EXISTING:	UFP1-R6	--	--	--
	PROPOSED:	--	--	--	--
QQ12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ12	--	--	--
QQ13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ13	--	--	--
QQ14	EXISTING:	UFP2-L8	--	--	--
	PROPOSED:	--	--	--	--
QQ15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ15	--	--	--
QQ16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ16	--	--	--
QQ17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ17	--	--	--
QQ18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ18	--	--	--
QQ19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ19	--	--	--
QQ20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ20	--	--	--
QQ21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ21	--	--	--
QQ22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ22	--	--	--
QQ23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ23	--	--	--
QQ24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ24	--	--	--
QQ25	EXISTING:	UFP1-R3	--	--	--
	PROPOSED:	--	--	--	--
QQ26	EXISTING:	UFP1-R5	--	--	--
	PROPOSED:	--	--	--	--
QQ27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-QQ27	--	--	--
RR13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR13	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
RR14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR14	RAA10-E-RR14	RAA10-E-RR14	RAA10-E-RR14
RR15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR15	--	--	--
RR16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR16	RAA10-E-RR16	RAA10-E-RR16	RAA10-E-RR16
RR17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR17	--	--	--
RR18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR18	RAA10-E-RR18	RAA10-E-RR18	RAA10-E-RR18
RR19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR19	--	--	--
RR20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR20	RAA10-E-RR20	RAA10-E-RR20	RAA10-E-RR20
RR21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR21	--	--	--
RR22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR22	RAA10-E-RR22	RAA10-E-RR22	RAA10-E-RR22
RR23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR23	--	--	--
RR24	EXISTING:	UFP1-L1	--	--	--
	PROPOSED:	--	RAA10-E-RR24	RAA10-E-RR24	RAA10-E-RR24
RR25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR25	--	--	--
RR26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR26	RAA10-E-RR26	RAA10-E-RR26	RAA10-E-RR26
RR27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-RR27	--	--	--
SS14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS14	--	--	--
SS15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS15	--	--	--
SS16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS16	--	--	--
SS17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS17	--	--	--
SS18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS18	--	--	--
SS19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS19	--	--	--
SS20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS20	--	--	--
SS21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS21	--	--	--
SS22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS22	--	--	--
SS23	EXISTING:	UFP1-L2	--	--	--
	PROPOSED:	--	--	--	--
SS24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS24	--	--	--
SS25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS25	--	--	--
SS26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS26	--	--	--
SS27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-SS27	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
TT15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT15	--	--	--
TT16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT16	RAA10-E-TT16	RAA10-E-TT16	RAA10-E-TT16
TT17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT17	--	--	--
TT18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT18	RAA10-E-TT18	RAA10-E-TT18	RAA10-E-TT18
TT19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT19	--	--	--
TT20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT20	RAA10-E-TT20	RAA10-E-TT20	RAA10-E-TT20
TT21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT21	--	--	--
TT22	EXISTING:	UFP1-L3	--	--	--
	PROPOSED:	--	RAA10-E-TT22	RAA10-E-TT22	RAA10-E-TT22
TT23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT23	--	--	--
TT24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT24	RAA10-E-TT24	RAA10-E-TT24	RAA10-E-TT24
TT25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT25	--	--	--
TT26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT26	RAA10-E-TT26	RAA10-E-TT26	RAA10-E-TT26
TT27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-TT27	--	--	--
UU16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU16	--	--	--
UU17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU17	--	--	--
UU18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU18	--	--	--
UU19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU19	--	--	--
UU20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU20	--	--	--
UU21	EXISTING:	UFP1-L4	--	--	--
	PROPOSED:	--	--	--	--
UU22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU22	--	--	--
UU23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU23	--	--	--
UU24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU24	--	--	--
UU25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU25	--	--	--
UU26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU26	--	--	--
UU27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-UU27	--	--	--
VV17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV17	--	--	--
VV18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV18	RAA10-E-VV18	RAA10-E-VV18	RAA10-E-VV18
VV19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV19	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
VV20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV20	RAA10-E-VV20	RAA10-E-VV20	RAA10-E-VV20
VV21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV21	--	--	--
VV22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV22	RAA10-E-VV22	RAA10-E-VV22	RAA10-E-VV22
VV23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV23	--	--	--
VV24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV24	RAA10-E-VV24	RAA10-E-VV24	RAA10-E-VV24
VV25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV25	--	--	--
VV26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV26	RAA10-E-VV26	RAA10-E-VV26	RAA10-E-VV26
VV27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-VV27	--	--	--
WW18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW18	--	--	--
WW19	EXISTING:	UFP1-L5	--	--	--
	PROPOSED:	--	--	--	--
WW20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW20	--	--	--
WW21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW21	--	--	--
WW22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW22	--	--	--
WW23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW23	--	--	--
WW24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW24	--	--	--
WW25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW25	--	--	--
WW26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW26	--	--	--
WW27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW27	--	--	--
WW28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-WW28	--	--	--
XX19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX19	--	--	--
XX20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX20	RAA10-E-XX20	RAA10-E-XX20	RAA10-E-XX20
XX21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX21	--	--	--
XX22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX22	RAA10-E-XX22	RAA10-E-XX22	RAA10-E-XX22
XX23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX23	--	--	--
XX24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX24	RAA10-E-XX24	RAA10-E-XX24	RAA10-E-XX24
XX25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX25	--	--	--
XX26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX26	RAA10-E-XX26	RAA10-E-XX26	RAA10-E-XX26
XX27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX27	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
XX28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-XX28	RAA10-E-XX28	RAA10-E-XX28	RAA10-E-XX28
YY20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY20	--	--	--
YY21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY21	--	--	--
YY22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY22	--	--	--
YY23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY23	--	--	--
YY24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY24	--	--	--
YY25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY25	--	--	--
YY26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY26	--	--	--
YY27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY27	--	--	--
YY28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-YY28	--	--	--
ZZ21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ21	--	--	--
ZZ22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ22	RAA10-E-ZZ22	RAA10-E-ZZ22	RAA10-E-ZZ22
ZZ23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ23	--	--	--
ZZ24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ24	RAA10-E-ZZ24	RAA10-E-ZZ24	RAA10-E-ZZ24
ZZ25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ25	--	--	--
ZZ26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ26	RAA10-E-ZZ26	RAA10-E-ZZ26	RAA10-E-ZZ26
ZZ27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ27	--	--	--
ZZ28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ28	RAA10-E-ZZ28	RAA10-E-ZZ28	RAA10-E-ZZ28
ZZ29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-ZZ29	--	--	--
AAA22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA22	--	--	--
AAA23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA23	--	--	--
AAA24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA24	--	--	--
AAA25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA25	--	--	--
AAA26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA26	--	--	--
AAA27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA27	--	--	--
AAA28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA28	--	--	--
AAA29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA29	--	--	--
AAA30	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-AAA30	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
BBB23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BBB23	--	--	--
BBB24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BBB24	RAA10-E-BBB24	RAA10-E-BBB24	RAA10-E-BBB24
BBB25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-E-BBB25	--	--	--
NORTH AREA					
Non-Industrial GE-Owned Area East of Former Interior Landfill					
A28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-A28	--	--	--
C24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-C24	RAA10-N-C24	RAA10-N-C24	RAA10-N-C24
C26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-C26	--	--	--
C28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-C28	RAA10-N-C28	RAA10-N-C28	RAA10-N-C28
E20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E20	--	--	--
E22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E22	--	--	--
E24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E24	--	--	--
E26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E26	RAA10-N-E26	RAA10-N-E26	RAA10-N-E26
E28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-E28	--	--	--
F23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-F23	--	--	--
G16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G16	RAA10-N-G16	RAA10-N-G16	RAA10-N-G16
G18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G18	--	--	--
G20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G20	RAA10-N-G20	RAA10-N-G20	RAA10-N-G20
G22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G22	--	--	--
G24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G24	RAA10-N-G24	RAA10-N-G24	RAA10-N-G24
G26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-G26	--	--	--
G28	EXISTING:	UFP3-R10	--	--	--
	PROPOSED:	--	RAA10-N-G28	RAA10-N-G28	RAA10-N-G28
H21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-H21	--	--	--
H23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-H23	--	--	--
I12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I12	--	--	--
I14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I14	--	--	--
I16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I16	--	--	--
I18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I18	--	--	--
I20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I20	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
I22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I22	--	--	--
I24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I24	--	--	--
I25	EXISTING:	UFP3-R9	--	--	--
	PROPOSED:	--	RAA10-N-I26	RAA10-N-I26	RAA10-N-I26
I28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-I28	--	--	--
J10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J10	--	--	--
J13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J13	--	--	--
J15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J15	--	--	--
J17	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J17	--	--	--
J19	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J19	--	--	--
J21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J21	--	--	--
J23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-J23	--	--	--
K8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K8	RAA10-N-K8	RAA10-N-K8	RAA10-N-K8
K9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K9	--	--	--
K10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K10	RAA10-N-K10	RAA10-N-K10	RAA10-N-K10
K12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K12	RAA10-N-K12	RAA10-N-K12	RAA10-N-K12
K14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K14	--	--	--
K16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K16	RAA10-N-K16	RAA10-N-K16	RAA10-N-K16
K18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K18	--	--	--
K20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K20	RAA10-N-K20	RAA10-N-K20	RAA10-N-K20
K22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K22	--	--	--
K24	EXISTING:	UFP3-R8	--	--	--
	PROPOSED:	--	RAA10-N-K24	RAA10-N-K24	RAA10-N-K24
K26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K26	--	--	--
K28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-K28	RAA10-N-K28	RAA10-N-K28	RAA10-N-K28
L8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L8	--	--	--
L10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L10	--	--	--
L11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L11	--	--	--
L12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L12	--	--	--
L13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L13	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
L14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L14	--	--	--
L15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L15	--	--	--
L16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L16	--	--	--
L21	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-L21	--	--	--
M9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M9	--	--	--
M10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M10	RAA10-N-M10	RAA10-N-M10	RAA10-N-M10
M11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M11	--	--	--
M12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M12	RAA10-N-M12	RAA10-N-M12	RAA10-N-M12
M13	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M13	--	--	--
M14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M14	RAA10-N-M14	RAA10-N-M14	RAA10-N-M14
M15	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M15	--	--	--
M22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M22	--	--	--
M24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M24	--	--	--
M26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M26	RAA10-N-M26	RAA10-N-M26	RAA10-N-M26
M28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M28	--	--	--
N9	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N9	--	--	--
N10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N10	RAA10-N-N10	RAA10-N-N10	--
N11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N11	--	--	--
N12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N12	--	--	--
N23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N23	--	--	--
N25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-N25	--	--	--
O24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O24	RAA10-N-O24	RAA10-N-O24	RAA10-N-O24
O26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O26	--	--	--
O28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O28	RAA10-N-O28	RAA10-N-O28	RAA10-N-O28
P23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-P23	--	--	--
P25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-P25	--	--	--
P27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-P27	--	--	--
Q24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Q24	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
Q26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Q26	--	--	--
Q28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Q28	--	--	--
R23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-R23	--	--	--
R25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-R25	--	--	--
R27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-R27	--	--	--
S24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S24	RAA10-N-S24	RAA10-N-S24	RAA10-N-S24
S26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S26	--	--	--
S28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S28	RAA10-N-S28	RAA10-N-S28	RAA10-N-S28
T25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-T25	--	--	--
U24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U24	--	--	--
U26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U26	--	--	--
U28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U28	--	--	--
V23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-V23	--	--	--
V25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-V25	--	--	--
W24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W24	RAA10-N-W24	RAA10-N-W24	RAA10-N-W24
W26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W26	--	--	--
W28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W28	RAA10-N-W28	RAA10-N-W28	RAA10-N-W28
X25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-X25	--	--	--
Y20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y20	RAA10-N-Y20	RAA10-N-Y20	RAA10-N-Y20
Y24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y24	--	--	--
Y26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y26	--	--	--
Y28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y28	--	--	--
AA24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA24	RAA10-N-AA24	RAA10-N-AA24	RAA10-N-AA24
AA26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA26	--	--	--
AA28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA28	RAA10-N-AA28	RAA10-N-AA28	RAA10-N-AA28
BB23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-BB23	--	--	--
BB24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-BB24	RAA10-N-BB24	RAA10-N-BB24	--
BB25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-BB25	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
CC22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC22	RAA10-N-CC22	RAA10-N-CC22	RAA10-N-CC22
CC23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC23	--	--	--
CC25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC25	--	--	--
CC26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC26	RAA10-N-CC26	RAA10-N-CC26	RAA10-N-CC26
CC28	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC28	--	--	--
DD26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-DD26	RAA10-N-DD26	RAA10-N-DD26	--
EE23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE23	--	--	--
EE26	EXISTING:	L-38	L-38	L-38	L-38
	PROPOSED:	--	--	--	--
EE27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE27	--	--	--
FF23	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-FF23	--	--	--
FF26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-FF26	--	--	--
FF27	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-FF27	--	--	--
GG24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG24	RAA10-N-GG24	RAA10-N-GG24	RAA10-N-GG24
GG25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG25	--	--	--
GG26	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG26	RAA10-N-GG26	RAA10-N-GG26	RAA10-N-GG26
HH24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-HH24	--	--	--
HH25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-HH25	--	--	--
Two Inundated (Palustrine/Emergent) Wetlands					
M16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M16	--	--	--
M18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M18	--	--	--
M20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-M20	--	--	--
O18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O18	--	--	--
O20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O20	--	--	--
O22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-O22	--	--	--
Q20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Q20	--	--	--
Q22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Q22	--	--	--
S20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S20	--	--	--
S22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S22	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
U20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U20	--	--	--
U22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U22	--	--	--
W20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W20	--	--	--
W22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W22	--	--	--
Y22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y22	--	--	--
CC24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC24	--	--	--
EE24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE24	--	--	--
GE-Owned Commercial/Industrial Property					
PAVED					
O8	EXISTING:	UB-SB-16	UB-SB-16	--	--
	PROPOSED:	--	--	RAA10-N-O8	--
U7	EXISTING:	UB-SB-7	--	--	--
	PROPOSED:	--	RAA10-N-U7	RAA10-N-U7	--
Y2	EXISTING:	MG-02	MG-02	MG-02	--
	PROPOSED:	--	--	--	--
Y6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y6	RAA10-N-Y6	RAA10-N-Y6	--
AA5	EXISTING:	BLDG-130-EP-C8	--	--	--
	PROPOSED:	--	RAA10-N-AA5	RAA10-N-AA5	--
AA6	EXISTING:	BLDG-130-EP-C5	--	--	--
	PROPOSED:	--	RAA10-N-AA6	RAA10-N-AA6	--
AA7	EXISTING:	BLDG-130-EP-C1	--	--	--
	PROPOSED:	--	RAA10-N-AA7	RAA10-N-AA7	--
AA18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA18	RAA10-N-AA18	RAA10-N-AA18	--
CC3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC3	RAA10-N-CC3	RAA10-N-CC3	--
CC16	EXISTING:	60G-01	60G-01	--	--
	PROPOSED:	--	--	RAA10-N-CC16	--
EE16	EXISTING:	60G-02	60G-02	60G-02	--
	PROPOSED:	--	--	--	--
GG10	EXISTING:	UB-SB-3	UB-SB-3	UB-SB-3	--
	PROPOSED:	--	--	--	--
II7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-II7	RAA10-N-II7	RAA10-N-II7	--
II8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-II8	RAA10-N-II8	RAA10-N-II8	--
II10	EXISTING:	UB-SB-4	--	--	--
	PROPOSED:	--	RAA10-N-II10	RAA10-N-II10	--
II16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-II16	RAA10-N-II16	RAA10-N-II16	--
II18	EXISTING:	--	UB-SB-2	--	--
	PROPOSED:	RAA10-N-II18	--	RAA10-N-II18	--
JJ5	EXISTING:	51G-01	51G-01	51G-01	--
	PROPOSED:	--	--	--	--
JJ6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-JJ6	RAA10-N-JJ6	RAA10-N-JJ6	--
JJ10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-JJ10	RAA10-N-JJ10	RAA10-N-JJ10	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
JJ14	EXISTING:	UB-SB-10	UB-SB-10	UB-SB-10	UB-SB-10
	PROPOSED:	--	--	--	--
JJ20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-JJ20	RAA10-N-JJ20	RAA10-N-JJ20	RAA10-N-JJ20
JJ22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-JJ22	RAA10-N-JJ22	RAA10-N-JJ22	RAA10-N-JJ22
KK5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK5	RAA10-N-KK5	RAA10-N-KK5	RAA10-N-KK5
KK10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK10	RAA10-N-KK10	RAA10-N-KK10	RAA10-N-KK10
KK16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK16	RAA10-N-KK16	RAA10-N-KK16	RAA10-N-KK16
KK18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK18	RAA10-N-KK18	RAA10-N-KK18	RAA10-N-KK18
KK20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK20	RAA10-N-KK20	RAA10-N-KK20	RAA10-N-KK20
LL12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-LL12	RAA10-N-LL12	RAA10-N-LL12	RAA10-N-LL12
MM12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-MM12	RAA10-N-MM12	RAA10-N-MM12	RAA10-N-MM12
MM18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-MM18	RAA10-N-MM18	RAA10-N-MM18	RAA10-N-MM18
NN10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-NN10	RAA10-N-NN10	RAA10-N-NN10	RAA10-N-NN10
NN12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-NN12	RAA10-N-NN12	RAA10-N-NN12	RAA10-N-NN12
NN14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-NN14	RAA10-N-NN14	RAA10-N-NN14	RAA10-N-NN14
OO8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-OO8	RAA10-N-OO8	RAA10-N-OO8	RAA10-N-OO8
PP8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-PP8	RAA10-N-PP8	RAA10-N-PP8	RAA10-N-PP8
UNPAVED					
M7	EXISTING:	UB-SS-13	--	--	--
	PROPOSED:	--	RAA10-N-M7	RAA10-N-M7	RAA10-N-M7
O5	EXISTING:	UB-SS-11	--	--	--
	PROPOSED:	--	RAA10-N-O5	RAA10-N-O5	RAA10-N-O5
O7	EXISTING:	ELTR-18	--	--	--
	PROPOSED:	--	RAA10-N-O7	RAA10-N-O7	RAA10-N-O7
Q3	EXISTING:	UB-SS-12	--	--	--
	PROPOSED:	--	RAA10-N-Q3	RAA10-N-Q3	RAA10-N-Q3
Q7	EXISTING:	ELTR-7	--	--	--
	PROPOSED:	--	RAA10-N-Q7	RAA10-N-Q7	RAA10-N-Q7
S1	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S1	RAA10-N-S1	RAA10-N-S1	RAA10-N-S1
S2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-S2	RAA10-N-S2	RAA10-N-S2	RAA10-N-S2
S7	EXISTING:	ELTR-1	--	--	--
	PROPOSED:	--	RAA10-N-S7	RAA10-N-S7	RAA10-N-S7
U1	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U1	RAA10-N-U1	RAA10-N-U1	RAA10-N-U1
U2	EXISTING:	UB-SS-5	--	--	--
	PROPOSED:	--	RAA10-N-U2	RAA10-N-U2	RAA10-N-U2
U3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-U3	RAA10-N-U3	RAA10-N-U3	RAA10-N-U3

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
U4	EXISTING:	ELTR-10	--	--	--
	PROPOSED:	--	RAA10-N-U4	RAA10-N-U4	RAA10-N-U4
U5	EXISTING:	ELTR-8	--	--	--
	PROPOSED:	--	RAA10-N-U5	RAA10-N-U5	RAA10-N-U5
U6	EXISTING:	ELTR-5	--	--	--
	PROPOSED:	--	RAA10-N-U6	RAA10-N-U6	RAA10-N-U6
W1	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W1	RAA10-N-W1	RAA10-N-W1	RAA10-N-W1
W2	EXISTING:	MG-01	MG-01	MG-01	MG-01
	PROPOSED:	--	--	--	--
W3	EXISTING:	ELTR-13	--	--	--
	PROPOSED:	--	RAA10-N-W3	RAA10-N-W3	RAA10-N-W3
W4	EXISTING:	MG-24	--	--	--
	PROPOSED:	--	RAA10-N-W4	RAA10-N-W4	RAA10-N-W4
W5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W5	RAA10-N-W5	RAA10-N-W5	RAA10-N-W5
W6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W6	RAA10-N-W6	RAA10-N-W6	RAA10-N-W6
W7	EXISTING:	PB-C2	--	--	--
	PROPOSED:	--	RAA10-N-W7	RAA10-N-W7	RAA10-N-W7
W8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-W8	RAA10-N-W8	RAA10-N-W8	RAA10-N-W8
Y3	EXISTING:	NWBG-2	--	--	--
	PROPOSED:	--	RAA10-N-Y3	RAA10-N-Y3	RAA10-N-Y3
Y7	EXISTING:	PB-C1	--	--	--
	PROPOSED:	--	RAA10-N-Y7	RAA10-N-Y7	RAA10-N-Y7
Y18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-Y18	RAA10-N-Y18	RAA10-N-Y18	RAA10-N-Y18
AA2	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA2	RAA10-N-AA2	RAA10-N-AA2	RAA10-N-AA2
AA4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA4	RAA10-N-AA4	RAA10-N-AA4	RAA10-N-AA4
AA10	EXISTING:	PL-125-PB-C3	--	--	--
	PROPOSED:	--	RAA10-N-AA10	RAA10-N-AA10	RAA10-N-AA10
AA12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA12	RAA10-N-AA12	RAA10-N-AA12	RAA10-N-AA12
AA14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-AA14	RAA10-N-AA14	RAA10-N-AA14	RAA10-N-AA14
CC4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC4	RAA10-N-CC4	RAA10-N-CC4	RAA10-N-CC4
CC8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC8	RAA10-N-CC8	RAA10-N-CC8	RAA10-N-CC8
CC10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC10	RAA10-N-CC10	RAA10-N-CC10	RAA10-N-CC10
CC12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC12	RAA10-N-CC12	RAA10-N-CC12	RAA10-N-CC12
CC14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-CC14	RAA10-N-CC14	RAA10-N-CC14	RAA10-N-CC14
CC20	EXISTING:	--	UB-SB-15	UB-SB-15	UB-SB-15
	PROPOSED:	RAA10-N-CC20	--	--	--
EE3	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE3	RAA10-N-EE3	RAA10-N-EE3	RAA10-N-EE3
EE4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE4	RAA10-N-EE4	RAA10-N-EE4	RAA10-N-EE4
EE5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE5	RAA10-N-EE5	RAA10-N-EE5	RAA10-N-EE5

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
EE7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE7	RAA10-N-EE7	--	--
EE8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE8	RAA10-N-EE8	--	RAA10-N-EE8
EE10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE10	RAA10-N-EE10	--	RAA10-N-EE10
EE14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE14	RAA10-N-EE14	--	RAA10-N-EE14
EE18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE18	RAA10-N-EE18	--	RAA10-N-EE18
EE20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE20	RAA10-N-EE20	--	RAA10-N-EE20
EE22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-EE22	RAA10-N-EE22	--	RAA10-N-EE22
GG4	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG4	RAA10-N-GG4	--	RAA10-N-GG4
GG5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG5	RAA10-N-GG5	--	--
GG6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG6	RAA10-N-GG6	--	--
GG7	EXISTING:	UB-SS-9	--	--	--
	PROPOSED:	--	RAA10-N-GG7	--	--
GG14	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG14	RAA10-N-GG14	--	RAA10-N-GG14
GG18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG18	RAA10-N-GG18	--	RAA10-N-GG18
GG20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG20	RAA10-N-GG20	--	RAA10-N-GG20
GG22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-GG22	RAA10-N-GG22	--	RAA10-N-GG22
II5	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-II5	RAA10-N-II5	--	RAA10-N-II5
II20	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-II20	RAA10-N-II20	--	RAA10-N-II20
II22	EXISTING:	39D	39D	39D	39D
	PROPOSED:	--	--	--	--
II24	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-II24	RAA10-N-II24	--	RAA10-N-II24
KK22	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-KK22	RAA10-N-KK22	--	RAA10-N-KK22
LL6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-LL6	RAA10-N-LL6	--	RAA10-N-LL6
LL20	EXISTING:	UB-SB-12	UB-SB-12	--	--
	PROPOSED:	--	--	--	RAA10-N-LL20
MM6	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-MM6	RAA10-N-MM6	--	RAA10-N-MM6
MM7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-MM7	RAA10-N-MM7	--	RAA10-N-MM7
NN7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-NN7	RAA10-N-NN7	--	RAA10-N-NN7
NN18	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-NN18	RAA10-N-NN18	--	RAA10-N-NN18
OO7	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-OO7	RAA10-N-OO7	--	RAA10-N-OO7
OO16	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-OO16	RAA10-N-OO16	--	RAA10-N-OO16

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
PP12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-PP12	RAA10-N-PP12	RAA10-N-PP12	RAA10-N-PP12
PP14	EXISTING:	UB-SB-14	UB-SB-14	--	--
	PROPOSED:	--	--	RAA10-N-PP14	RAA10-N-PP14
QQ8	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-QQ8	RAA10-N-QQ8	RAA10-N-QQ8	RAA10-N-QQ8
QQ12	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-QQ12	RAA10-N-QQ12	RAA10-N-QQ12	RAA10-N-QQ12
RR10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-N-RR10	RAA10-N-RR10	RAA10-N-RR10	RAA10-N-RR10
UNKAMET BROOK PROPOSED SEDIMENT SAMPLES					
NORTH AREA					
UB-01	EXISTING:	UB-IRA-1-C1	--	--	--
	PROPOSED:	--	--	--	--
UB-02	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-02	--	--	--
UB-03	EXISTING:	UB-IRA-3-C1	--	--	--
	PROPOSED:	--	--	--	--
UB-04	EXISTING:	UB-IRA-4-C1	--	--	--
	PROPOSED:	--	--	--	--
UB-05	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-05	--	--	--
UB-06	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-06	--	--	--
UB-07	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-07	--	--	--
UB-08	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-08	--	--	--
UB-09	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-09	--	--	--
UB-10	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-10	--	--	--
UB-11	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-11	--	--	--
EAST AREA					
UB-12	EXISTING:	UC2210A	--	--	--
	PROPOSED:	--	--	--	--
UB-13	EXISTING:	UC2160A	--	--	--
	PROPOSED:	--	--	--	--
UB-14	EXISTING:	UC2110A	--	--	--
	PROPOSED:	--	--	--	--
UB-15	EXISTING:	UC2060A	--	--	--
	PROPOSED:	--	--	--	--
UB-16	EXISTING:	UC1411A	--	--	--
	PROPOSED:	--	--	--	--
UB-17	EXISTING:	UC1377A	--	--	--
	PROPOSED:	--	--	--	--
UB-18	EXISTING:	UC1250A	--	--	--
	PROPOSED:	--	--	--	--
UB-19	EXISTING:	UC1150A	--	--	--
	PROPOSED:	--	--	--	--
UB-20	EXISTING:	UC1100A	--	--	--
	PROPOSED:	--	--	--	--
UB-21	EXISTING:	UC1050A	--	--	--
	PROPOSED:	--	--	--	--

**TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

GRID COORDINATE	SAMPLE TYPE	DEPTH INCREMENT			
		0-1 ft.	1-3 ft.	3-6 ft.	6-15 ft.
UB-22	EXISTING:	UC1000A	--	--	--
	PROPOSED:	--	--	--	--
UB-23	EXISTING:	UC0950A	--	--	--
	PROPOSED:	--	--	--	--
UB-24	EXISTING:	UC0900A	--	--	--
	PROPOSED:	--	--	--	--
UB-25	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-25	--	--	--
UB-26	EXISTING:	UC0850A	--	--	--
	PROPOSED:	--	--	--	--
UB-27	EXISTING:	UC0800A	--	--	--
	PROPOSED:	--	--	--	--
UB-28	EXISTING:	UC0750A	--	--	--
	PROPOSED:	--	--	--	--
UB-29	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-29	--	--	--
UB-30	EXISTING:	UC0700A	--	--	--
	PROPOSED:	--	--	--	--
UB-31	EXISTING:	UC0650A	--	--	--
	PROPOSED:	--	--	--	--
UB-32	EXISTING:	UC0600A	--	--	--
	PROPOSED:	--	--	--	--
UB-33	EXISTING:	UC0550A	--	--	--
	PROPOSED:	--	--	--	--
UB-34	EXISTING:	UC0500A	--	--	--
	PROPOSED:	--	--	--	--
UB-35	EXISTING:	UC0450A	--	--	--
	PROPOSED:	--	--	--	--
UB-36	EXISTING:	UC0400A	--	--	--
	PROPOSED:	--	--	--	--
UB-37	EXISTING:	UC0355A	--	--	--
	PROPOSED:	--	--	--	--
UB-38	EXISTING:	UC0300A	--	--	--
	PROPOSED:	--	--	--	--
UB-39	EXISTING:	UC0250A	--	--	--
	PROPOSED:	--	--	--	--
UB-40	EXISTING:	UW0240A	--	--	--
	PROPOSED:	--	--	--	--
UB-41	EXISTING:	UC0200A	--	--	--
	PROPOSED:	--	--	--	--
UB-42	EXISTING:	UC0150A	--	--	--
	PROPOSED:	--	--	--	--
UB-43	EXISTING:	UC0100A	--	--	--
	PROPOSED:	--	--	--	--
UB-44	EXISTING:	UC0050A	--	--	--
	PROPOSED:	--	--	--	--
UB-45	EXISTING:	--	--	--	--
	PROPOSED:	RAA10-UB-45	--	--	--
UB-46	EXISTING:	UC0000A	--	--	--
	PROPOSED:	--	--	--	--

TABLE 3
SUMMARY OF PROPOSED PCB CHARACTERIZATION

REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

NOTES:

1. This table identifies the soil and sediment sampling locations that will be used to satisfy pre-design investigation requirements for PCBs (as described in the text) for the Unkamet Brook Area pre-design investigation. These requirements are generally grid-based, except in paved portions of GE-owned commercial/industrial areas (where sampling will be at an approximate frequency of two locations per acre) and in Unkamet Brook (where sampling will be at specified intervals).
2. Other existing soil data will not be utilized in support of the pre-design sampling requirements, but may be used in the design of the Removal Action (as discussed in the text).
3. Shaded depth increments indicate that soil sampling is not required.
4. Existing samples are assumed to represent a grid node if they are located less than one-half the SOW grid node spacing from the grid node in question (e.g. less than 25 feet from a 50-foot grid node, less than 50 feet from a 100-foot grid node).
5. Existing sample depths are assumed to satisfy the depth interval requirements (i.e., either 0 to 1, 1 to 3, 3 to 6, 6 to 15 feet) if the existing depth(s) constitute at least 50% of the depth requirement. For example, existing data for 8- to 10 foot, 10- to 12-foot and 12- to 14-foot depths will satisfy the 6-15-foot requirements at a node, but existing data for the 10- to 12-foot depth alone will not.
6. The table does not include all existing PCB samples collected at Unkamet Brook Area. Refer to Table 1 for a complete list of all existing soil and sediment PCB samples.

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
WEST AREA								
GE-Owned Commercial/Industrial Property								
PAVED								
RAA10-W-B17	B17	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-C15	C15	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-D12	D12	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-E10	E10	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-E13	E13	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-F9	F9	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-F13	F13	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-G7	G7	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-G9	G9	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-G15	G15	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-H4	H4	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-H10	H10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-H15	H15	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-I7	I7	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-I10	I10	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-W-I17	I17	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-I22	I22	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-J4	J4	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-J11	J11	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-J17	J17	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-J20	J20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-J21	J21	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-K8	K8	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-K11	K11	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-K17	K17	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-K18	K18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-K19	K19	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-L12	L12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-L19	L19	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	--	X	X	--
RAA10-W-M8	M8	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-M11	M11	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-W-M12	M12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-M13	M13	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-M17	M17	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-P9	P9	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-P11	P11	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-R13	R13	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-S11	S11	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
UNPAVED								
RAA10-W-A18	A18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-B15	B15	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-B19	B19	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-C12	C12	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-C13	C13	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-C18	C18	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-C19	C19	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-D10	D10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-W-D11	D11	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-D19	D19	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-D20	D20	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-E8	E8	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-E9	E9	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-E19	E19	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-E20	E20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-F6	F6	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-F8	F8	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-F20	F20	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-G4	G4	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-G20	G20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-G21	G21	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-H2	H2	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-H9	H9	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-I2	I2	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-W-I21	I21	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-J10	J10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-K21	K21	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-L11	L11	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-L18	L18	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-L20	L20	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-M15	M15	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-N12	N12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-N13	N13	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-N17	N17	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-W-N18	N18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
Non-GE-Owned Commercial/Industrial Property								
UNPAVED								
RAA10-W-O15	O15	0-1 ft	X	--	--	--	--	--
RAA10-W-O16	O16	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-P15	P15	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-P16	P16	0-1 ft	X	X	X	X	X	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-W-P17	P17	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-W-Q14	Q14	0-1 ft	X	--	--	--	--	--
RAA10-W-Q15	Q15	0-1 ft	X	X	X	X	X	--
RAA10-W-Q16	Q16	0-1 ft	X	--	--	--	--	--
RAA10-W-R15	R15	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
EAST AREA								
Non-GE-Owned Commercial/Industrial Property								
RAA10-E-A21	A21	0-1 ft	X	--	--	--	--	--
RAA10-E-A22	A22	0-1 ft	X	X	X	X	X	--
RAA10-E-B21	B21	0-1 ft	X	--	--	--	--	--
RAA10-E-B22	B22	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-B23	B23	0-1 ft	X	--	--	--	--	--
RAA10-E-B24	B24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-C20	C20	0-1 ft	X	--	--	--	--	--
RAA10-E-C21	C21	0-1 ft	X	--	--	--	--	--
RAA10-E-C22	C22	0-1 ft	X	--	--	--	--	--
RAA10-E-C23	C23	0-1 ft	X	--	--	--	--	--
RAA10-E-C24	C24	0-1 ft	X	X	X	X	X	--
RAA10-E-C25	C25	0-1 ft	X	--	--	--	--	--
RAA10-E-C26	C26	0-1 ft	X	--	--	--	--	--
RAA10-E-D21	D21	0-1 ft	X	--	--	--	--	--
RAA10-E-D22	D22	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	X	--
RAA10-E-D23	D23	0-1 ft	X	--	--	--	--	--
RAA10-E-D24	D24	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-D25	D25	0-1 ft	X	--	--	--	--	--
RAA10-E-D26	D26	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-E19	E19	0-1 ft	X	X	X	X	X	--
RAA10-E-E20	E20	0-1 ft	X	--	--	--	--	--
RAA10-E-E21	E21	0-1 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-E22	E22	0-1 ft	X	--	--	--	--	--
RAA10-E-E23	E23	0-1 ft	X	X	X	X	X	--
RAA10-E-E24	E24	0-1 ft	X	--	--	--	--	--
RAA10-E-E25	E25	0-1 ft	X	--	--	--	--	--
RAA10-E-E26	E26	0-1 ft	X	--	--	--	--	--
RAA10-E-F19	F19	0-1 ft	X	--	--	--	--	--
RAA10-E-F20	F20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-F21	F21	0-1 ft	X	--	--	--	--	
RAA10-E-F22	F22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-F25	F25	0-1 ft	X	--	--	--	--	
RAA10-E-F26	F26	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-G19	G19	0-1 ft	X	--	--	--	--	
RAA10-E-G20	G20	0-1 ft	X	--	--	--	--	
RAA10-E-G21	G21	0-1 ft	X	X	X	X	X	--
RAA10-E-G24	G24	0-1 ft	X	X	X	X	X	--
RAA10-E-G25	G25	0-1 ft	X	--	--	--	--	--
RAA10-E-G26	G26	0-1 ft	X	--	--	--	--	--
RAA10-E-G27	G27	0-1 ft	X	--	--	--	--	--
RAA10-E-G28	G28	0-1 ft	X	X	X	X	X	--
RAA10-E-H18	H18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-H19	H19	0-1 ft	X	--	--	--	--	
RAA10-E-H20	H20	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-H21	H21	0-1 ft	X	--	--	--	--	
RAA10-E-H23	H23	0-1 ft	X	--	--	--	--	
RAA10-E-H24	H24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-H25	H25	0-1 ft	X	--	--	--	--	

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-H26	H26	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-H27	H27	0-1 ft	X	--	--	--	--	--
RAA10-E-H28	H28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-I18	I18	0-1 ft	X	X	X	X	X	--
RAA10-E-I19	I19	0-1 ft	X	--	--	--	--	--
RAA10-E-I20	I20	0-1 ft	X	X	X	X	X	--
RAA10-E-I21	I21	0-1 ft	X	--	--	--	--	--
RAA10-E-I23	I23	0-1 ft	X	--	--	--	--	--
RAA10-E-I24	I24	0-1 ft	X	--	--	--	--	--
RAA10-E-I25	I25	0-1 ft	X	X	X	X	X	--
RAA10-E-I26	I26	0-1 ft	X	--	--	--	--	--
RAA10-E-I27	I27	0-1 ft	X	X	X	X	X	--
RAA10-E-J17	J17	0-1 ft	X	--	--	--	--	--
RAA10-E-J18	J18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-J22	J22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-J23	J23	0-1 ft	X	--	--	--	--	--
RAA10-E-J24	J24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-J25	J25	0-1 ft	X	--	--	--	--	--
RAA10-E-J26	J26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-J27	J27	0-1 ft	X	--	--	--	--	--
RAA10-E-K16	K16	0-1 ft	X	X	X	X	X	--
RAA10-E-K17	K17	0-1 ft	X	--	--	--	--	--
RAA10-E-K18	K18	0-1 ft	X	--	--	--	--	--
RAA10-E-K22	K22	0-1 ft	X	X	X	X	X	--
RAA10-E-K23	K23	0-1 ft	X	--	--	--	--	--
RAA10-E-K24	K24	0-1 ft	X	X	X	X	X	--
RAA10-E-K25	K25	0-1 ft	X	--	--	--	--	--
RAA10-E-K26	K26	0-1 ft	X	X	X	X	X	--
RAA10-E-K27	K27	0-1 ft	X	--	--	--	--	--
RAA10-E-K28	K28	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-L16	L16	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-L17	L17	0-1 ft	X	--	--	--	--	--
RAA10-E-L22	L22	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-L23	L23	0-1 ft	X	--	--	--	--	--
RAA10-E-L24	L24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-L25	L25	0-1 ft	X	X	X	X	X	--
RAA10-E-L26	L26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-L27	L27	0-1 ft	X	--	--	--	--	--
RAA10-E-M15	M15	0-1 ft	X	--	--	--	--	--
RAA10-E-M16	M16	0-1 ft	X	--	--	--	--	--
RAA10-E-M17	M17	0-1 ft	X	--	--	--	--	--
RAA10-E-M21	M21	0-1 ft	X	--	--	--	--	--
RAA10-E-M22	M22	0-1 ft	X	--	--	--	--	--
RAA10-E-M23	M23	0-1 ft	X	X	X	X	X	--
RAA10-E-M24	M24	0-1 ft	X	--	--	--	--	--
RAA10-E-M25	M25	0-1 ft	X	--	--	--	--	--
RAA10-E-N16	N16	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-N17	N17	0-1 ft	X	--	--	--	--	--
RAA10-E-N18	N18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	--	X	--
RAA10-E-N19	N19	0-1 ft	X	--	--	--	--	--
RAA10-E-N20	N20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-N21	N21	0-1 ft	X	--	--	--	--	--
RAA10-E-N22	N22	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-N23	N23	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-N24	N24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-N25	N25	0-1 ft	X	X	X	X	X	--
RAA10-E-O14	O14	0-1 ft	X	--	--	--	--	--
RAA10-E-O19	O19	0-1 ft	X	X	X	X	X	--
RAA10-E-O20	O20	0-1 ft	X	--	--	--	--	--
RAA10-E-O21	O21	0-1 ft	X	X	X	X	X	--
RAA10-E-O22	O22	0-1 ft	X	--	--	--	--	--
RAA10-E-O23	O23	0-1 ft	X	--	--	--	--	--
RAA10-E-O24	O24	0-1 ft	X	X	X	X	X	--
RAA10-E-O25	O25	0-1 ft	X	--	--	--	--	--
RAA10-E-P13	P13	0-1 ft	X	--	--	--	--	--
RAA10-E-P14	P14	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-P15	P15	1-3 ft	--	X	X	X	X	--
		3-6 ft	--	X	X	X	X	--
		6-15 ft	--	X	X	X	X	--
RAA10-E-P21	P21	0-1 ft	X	--	--	--	--	--
RAA10-E-P22	P22	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-P23	P23	0-1 ft	X	--	--	--	--	--
RAA10-E-P24	P24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-Q13	Q13	0-1 ft	X	X	X	X	X	--
RAA10-E-Q14	Q14	0-1 ft	X	--	--	--	--	--
RAA10-E-Q24	Q24	0-1 ft	X	X	X	X	X	--
RAA10-E-R12	R12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-R13	R13	0-1 ft	X	--	--	--	--	--
		1-3 ft	--	X	X	X	X	--
		3-6 ft	--	X	X	X	X	--
RAA10-E-R14	R14	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-S11	S11	0-1 ft	X	--	--	--	--	--
RAA10-E-S12	S12	0-1 ft	X	X	X	X	X	--
RAA10-E-S13	S13	0-1 ft	X	--	--	--	--	--
RAA10-E-S14	S14	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS
PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-T10	T10	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-T11	T11	0-1 ft	X	--	--	--	--	--
RAA10-E-T12	T12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-T13	T13	0-1 ft	X	X	X	X	X	--
RAA10-E-T14	T14	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-U10	U10	0-1 ft	X	X	X	X	X	--
RAA10-E-U11	U11	0-1 ft	X	--	--	--	--	--
RAA10-E-U12	U12	0-1 ft	X	X	X	X	X	--
RAA10-E-U13	U13	0-1 ft	X	--	--	--	--	--
RAA10-E-U14	U14	0-1 ft	X	--	--	--	--	--
RAA10-E-V9	V9	0-1 ft	X	--	--	--	--	--
RAA10-E-V10	V10	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-V11	V11	0-1 ft	X	--	--	--	--	--
RAA10-E-V12	V12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-V13	V13	0-1 ft	X	--	--	--	--	--
RAA10-E-V14	V14	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-W9	W9	0-1 ft	X	X	X	X	X	--
RAA10-E-W10	W10	0-1 ft	X	--	--	--	--	--
RAA10-E-W11	W11	0-1 ft	X	X	X	X	X	--
RAA10-E-W12	W12	0-1 ft	X	--	--	--	--	--
RAA10-E-W13	W13	0-1 ft	X	X	X	X	X	--
RAA10-E-X8	X8	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-X9	X9	0-1 ft	X	--	--	--	--	--
RAA10-E-X10	X10	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-X11	X11	0-1 ft	X	--	--	--	--	--

TABLE 4
 PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-X12	X12	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-X13	X13	0-1 ft	X	--	--	--	--	--
RAA10-E-Y7	Y7	0-1 ft	X	--	--	--	--	--
RAA10-E-Y8	Y8	0-1 ft	X	--	--	--	--	--
RAA10-E-Y9	Y9	0-1 ft	X	X	X	X	X	--
RAA10-E-Y10	Y10	0-1 ft	X	--	--	--	--	--
RAA10-E-Y11	Y11	0-1 ft	X	--	--	--	--	--
RAA10-E-Y12	Y12	0-1 ft	X	--	--	--	--	--
RAA10-E-Y13	Y13	0-1 ft	X	X	X	X	X	--
RAA10-E-Y14	Y14	0-1 ft	X	--	--	--	--	--
RAA10-E-Z6	Z6	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-Z7	Z7	0-1 ft	X	--	--	--	--	--
RAA10-E-Z9	Z9	0-1 ft	X	--	--	--	--	--
RAA10-E-Z10	Z10	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-Z11	Z11	0-1 ft	X	--	--	--	--	--
RAA10-E-Z12	Z12	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-Z13	Z13	0-1 ft	X	--	--	--	--	--
RAA10-E-Z14	Z14	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-AA6	AA6	0-1 ft	X	X	X	X	X	--
RAA10-E-AA7	AA7	0-1 ft	X	--	--	--	--	--
RAA10-E-AA10	AA10	0-1 ft	X	--	--	--	--	--
RAA10-E-AA11	AA11	0-1 ft	X	--	--	--	--	--
RAA10-E-AA12	AA12	0-1 ft	X	X	X	X	X	--
RAA10-E-AA13	AA13	0-1 ft	X	--	--	--	--	--
RAA10-E-AA14	AA14	0-1 ft	X	--	--	--	--	--
RAA10-E-BB5	BB5	0-1 ft	X	--	--	--	--	--
RAA10-E-BB6	BB6	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BB7	BB7	0-1 ft	X	--	--	--	--	--
RAA10-E-BB9	BB9	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS
PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-BB10	BB10	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-BB11	BB11	0-1 ft	X	--	--	--	--	--
RAA10-E-BB12	BB12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BB13	BB13	0-1 ft	X	X	X	X	X	--
RAA10-E-BB14	BB14	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-CC4	CC4	0-1 ft	X	--	--	--	--	--
RAA10-E-CC5	CC5	0-1 ft	X	--	--	--	--	--
RAA10-E-CC6	CC6	0-1 ft	X	X	X	X	X	--
RAA10-E-CC7	CC7	0-1 ft	X	--	--	--	--	--
RAA10-E-CC8	CC8	0-1 ft	X	--	--	--	--	--
RAA10-E-CC9	CC9	0-1 ft	X	--	--	--	--	--
RAA10-E-CC10	CC10	0-1 ft	X	X	X	X	X	--
RAA10-E-CC11	CC11	0-1 ft	X	--	--	--	--	--
RAA10-E-CC14	CC14	0-1 ft	X	--	--	--	--	--
RAA10-E-DD4	DD4	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD5	DD5	0-1 ft	X	X	X	X	X	--
RAA10-E-DD6	DD6	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-DD7	DD7	0-1 ft	X	--	--	--	--	--
RAA10-E-DD8	DD8	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD9	DD9	0-1 ft	X	--	--	--	--	--
RAA10-E-DD10	DD10	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD11	DD11	0-1 ft	X	--	--	--	--	--
RAA10-E-DD12	DD12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD13	DD13	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-DD14	DD14	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-EE3	EE3	0-1 ft	X	--	--	--	--	--
RAA10-E-EE4	EE4	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-EE5	EE5	0-1 ft	X	--	--	--	--	--
RAA10-E-EE6	EE6	0-1 ft	X	X	X	X	X	--
RAA10-E-EE7	EE7	0-1 ft	X	--	--	--	--	--
RAA10-E-EE8	EE8	0-1 ft	X	--	--	--	--	--
RAA10-E-EE9	EE9	0-1 ft	X	--	--	--	--	--
RAA10-E-EE10	EE10	0-1 ft	X	--	--	--	--	--
RAA10-E-EE11	EE11	0-1 ft	X	--	--	--	--	--
RAA10-E-EE12	EE12	0-1 ft	X	X	X	X	X	--
RAA10-E-FF2	FF2	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-FF3	FF3	0-1 ft	X	--	--	--	--	--
RAA10-E-FF4	FF4	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-FF5	FF5	0-1 ft	X	--	--	--	--	--
RAA10-E-FF6	FF6	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-FF7	FF7	0-1 ft	X	--	--	--	--	--
RAA10-E-FF8	FF8	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-FF9	FF9	0-1 ft	X	--	--	--	--	--
RAA10-E-FF10	FF10	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-FF11	FF11	0-1 ft	X	--	--	--	--	--
RAA10-E-FF12	FF12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-GG1	GG1	0-1 ft	X	--	--	--	--	--
RAA10-E-GG2	GG2	0-1 ft	X	--	--	--	--	--
RAA10-E-GG3	GG3	0-1 ft	X	X	X	X	X	--
RAA10-E-GG4	GG4	0-1 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-GG5	GG5	0-1 ft	X	--	--	--	--	--
RAA10-E-GG6	GG6	0-1 ft	X	X	X	X	X	--
RAA10-E-GG7	GG7	0-1 ft	X	--	--	--	--	--
RAA10-E-GG8	GG8	0-1 ft	X	--	--	--	--	--
RAA10-E-GG9	GG9	0-1 ft	X	X	X	X	X	--
RAA10-E-GG10	GG10	0-1 ft	X	--	--	--	--	--
RAA10-E-GG11	GG11	0-1 ft	X	X	X	X	X	--
RAA10-E-GG12	GG12	0-1 ft	X	--	--	--	--	--
RAA10-E-GG13	GG13	0-1 ft	X	X	X	X	X	--
RAA10-E-HH99	HH99	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH1	HH1	0-1 ft	X	--	--	--	--	
RAA10-E-HH2	HH2	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-HH3	HH3	0-1 ft	X	X	X	X	--	
RAA10-E-HH4	HH4	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH5	HH5	0-1 ft	X	X	X	X	--	
RAA10-E-HH6	HH6	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-HH7	HH7	0-1 ft	X	--	--	--	--	
RAA10-E-HH9	HH9	0-1 ft	X	--	--	--	--	
RAA10-E-HH10	HH10	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH11	HH11	0-1 ft	X	--	--	--	--	--
		3-6 ft	--	X	X	X	X	--
RAA10-E-II4	II4	0-1 ft	X	--	--	--	--	
RAA10-E-II5	II5	0-1 ft	X	--	--	--	--	
RAA10-E-II6	II6	0-1 ft	X	X	X	X	X	--
RAA10-E-II7	II7	0-1 ft	X	--	--	--	--	--
RAA10-E-II8	II8	0-1 ft	X	--	--	--	--	--
RAA10-E-II10	II10	0-1 ft	X	X	X	X	X	--
RAA10-E-II11	II11	0-1 ft	X	--	--	--	--	--
RAA10-E-JJ5	JJ5	0-1 ft	X	--	--	--	--	--
RAA10-E-JJ6	JJ6	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ7	JJ7	0-1 ft	X	--	--	--	--	

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pes/Herb
RAA10-E-JJ8	JJ8	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ9	JJ9	0-1 ft	X	--	--	--	--	--
RAA10-E-JJ10	JJ10	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ11	JJ11	0-1 ft	X	X	X	X	X	--
RAA10-E-JJ12	JJ12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-KK6	KK6	0-1 ft	X	--	--	--	--	--
RAA10-E-KK7	KK7	0-1 ft	X	--	--	--	--	--
RAA10-E-KK8	KK8	0-1 ft	X	X	X	X	X	--
RAA10-E-KK9	KK9	0-1 ft	X	--	--	--	--	--
RAA10-E-KK10	KK10	0-1 ft	X	X	X	X	X	--
RAA10-E-KK12	KK12	0-1 ft	X	--	--	--	--	--
RAA10-E-LL7	LL7	0-1 ft	X	--	--	--	--	--
RAA10-E-LL8	LL8	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-LL9	LL9	0-1 ft	X	X	X	X	X	--
		1-3 ft	--	X	X	X	X	--
		3-6 ft	--	X	X	X	X	--
		6-15 ft	--	X	X	X	X	--
RAA10-E-LL10	LL10	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-LL11	LL11	0-1 ft	X	--	--	--	--	--
RAA10-E-MM8	MM8	0-1 ft	X	--	--	--	--	--
RAA10-E-MM9	MM9	0-1 ft	X	X	X	X	X	--
RAA10-E-MM10	MM10	0-1 ft	X	--	--	--	--	--
RAA10-E-MM11	MM11	0-1 ft	X	--	--	--	--	--
RAA10-E-NN9	NN9	0-1 ft	X	--	--	--	--	--
Non-GE-Owned Recreational Property								
RAA10-E-D27	D27	0-1 ft	X	--	--	--	--	--
RAA10-E-E27	E27	0-1 ft	X	X	X	X	X	--
RAA10-E-E28	E28	0-1 ft	X	--	--	--	--	--
RAA10-E-F27	F27	0-1 ft	X	--	--	--	--	--

TABLE 4
 PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-F28	F28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-G29	G29	0-1 ft	X	--	--	--	--	--
RAA10-E-H29	H29	0-1 ft	X	--	--	--	--	--
RAA10-E-I28	I28	0-1 ft	X	--	--	--	--	--
RAA10-E-I29	I29	0-1 ft	X	X	X	X	X	--
RAA10-E-I30	I30	0-1 ft	X	--	--	--	--	--
RAA10-E-J28	J28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-J29	J29	0-1 ft	X	--	--	--	--	--
RAA10-E-K29	K29	0-1 ft	X	--	--	--	--	--
RAA10-E-L28	L28	1-3 ft	X	X	X	X	X	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-M26	M26	0-1 ft	X	--	--	--	--	--
RAA10-E-M27	M27	0-1 ft	X	X	X	X	X	--
RAA10-E-M28	M28	0-1 ft	X	--	--	--	--	--
RAA10-E-N15	N15	0-1 ft	X	--	--	--	--	--
RAA10-E-N26	N26	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-N27	N27	0-1 ft	X	--	--	--	--	--
RAA10-E-O15	O15	0-1 ft	--	X	X	X	X	--
RAA10-E-O16	O16	0-1 ft	X	--	--	--	--	--
RAA10-E-O17	O17	0-1 ft	--	X	X	X	X	--
RAA10-E-O18	O18	0-1 ft	X	--	--	--	--	--
RAA10-E-O26	O26	0-1 ft	X	--	--	--	--	--
RAA10-E-P15	P15	0-1 ft	X	--	--	--	--	--
		6-15 ft	--	X	X	X	X	--
RAA10-E-P16	P16	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-P17	P17	0-1 ft	X	--	--	--	--	--
RAA10-E-P18	P18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-P19	P19	0-1 ft	X	X	X	X	X	--
RAA10-E-P20	P20	1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-P25	P25	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-P26	P26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-Q15	Q15	0-1 ft	X	--	--	--	--	--
RAA10-E-Q16	Q16	0-1 ft	X	--	--	--	--	--
RAA10-E-Q17	Q17	0-1 ft	X	--	--	--	--	--
RAA10-E-Q18	Q18	0-1 ft	X	X	X	X	X	--
RAA10-E-Q19	Q19	0-1 ft	X	--	--	--	--	--
RAA10-E-Q20	Q20	0-1 ft	X	X	X	X	X	--
RAA10-E-Q21	Q21	0-1 ft	X	--	--	--	--	--
RAA10-E-Q23	Q23	0-1 ft	X	--	--	--	--	--
RAA10-E-Q25	Q25	0-1 ft	X	X	X	X	X	--
RAA10-E-R15	R15	0-1 ft	X	X	X	X	X	--
RAA10-E-R16	R16	1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-R17	R17	0-1 ft	X	X	X	X	X	--
RAA10-E-R18	R18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-R19	R19	0-1 ft	X	X	X	X	X	--
RAA10-E-R20	R20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-R21	R21	0-1 ft	X	X	X	X	X	--
RAA10-E-R22	R22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-R23	R23	0-1 ft	X	--	--	--	--	--
RAA10-E-R24	R24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-E-R25	R25	0-1 ft	X	--	--	--	--	--
RAA10-E-S15	S15	0-1 ft	X	--	--	--	--	--
RAA10-E-S16	S16	0-1 ft	X	X	X	X	--	--
RAA10-E-S17	S17	0-1 ft	X	--	--	--	--	--
RAA10-E-S18	S18	0-1 ft	--	X	X	X	X	--
RAA10-E-S19	S19	0-1 ft	X	--	--	--	--	--
RAA10-E-S20	S20	0-1 ft	X	--	--	--	--	--
RAA10-E-S21	S21	0-1 ft	X	--	--	--	--	--
RAA10-E-S22	S22	0-1 ft	X	--	--	--	--	--
RAA10-E-S23	S23	0-1 ft	X	X	X	X	X	--
RAA10-E-S24	S24	0-1 ft	X	--	--	--	--	--
RAA10-E-T15	T15	0-1 ft	X	--	--	--	--	--

TABLE 4
 PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-T16	T16	1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-T17	T17	0-1 ft	X	--	--	--	--	--
RAA10-E-T18	T18	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-T19	T19	0-1 ft	X	--	--	--	--	--
RAA10-E-T20	T20	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-T21	T21	0-1 ft	X	--	--	--	--	--
RAA10-E-T22	T22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	--
		3-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-T23	T23	0-1 ft	X	X	X	X	X	--
RAA10-E-T24	T24	1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-U15	U15	0-1 ft	X	--	--	--	--	--
RAA10-E-U16	U16	0-1 ft	X	--	--	--	--	--
RAA10-E-U17	U17	0-1 ft	X	--	--	--	--	--
RAA10-E-U18	U18	0-1 ft	X	--	--	--	--	--
RAA10-E-U20	U20	0-1 ft	X	--	--	--	--	--
RAA10-E-U21	U21	0-1 ft	X	X	X	X	--	--
RAA10-E-U22	U22	0-1 ft	X	--	--	--	--	--
RAA10-E-U23	U23	0-1 ft	X	--	--	--	--	--
RAA10-E-V15	V15	0-1 ft	X	--	--	--	--	--
RAA10-E-V16	V16	0-1 ft	--	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-V17	V17	0-1 ft	X	--	--	--	--	--
RAA10-E-V18	V18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-V19	V19	0-1 ft	X	X	X	X	X	X
RAA10-E-V20	V20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-V21	V21	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS
PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-V22	V22	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-W15	W15	0-1 ft	X	--	--	--	--	--
RAA10-E-W16	W16	0-1 ft	X	--	--	--	--	--
RAA10-E-W17	W17	0-1 ft	X	X	X	X	--	--
RAA10-E-W18	W18	0-1 ft	X	--	--	--	--	--
RAA10-E-W19	W19	0-1 ft	X	--	--	--	--	--
RAA10-E-W20	W20	0-1 ft	X	--	--	--	--	--
RAA10-E-W21	W21	0-1 ft	X	--	--	--	--	--
RAA10-E-W22	W22	0-1 ft	X	--	--	--	--	--
RAA10-E-X15	X15	0-1 ft	X	X	X	X	--	--
		6-15 ft	--	X	X	X	X	X
RAA10-E-X16	X16	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-X17	X17	0-1 ft	X	--	--	--	--	--
RAA10-E-X18	X18	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X
RAA10-E-X20	X20	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-Y16	Y16	0-1 ft	X	--	--	--	--	--
RAA10-E-Y17	Y17	0-1 ft	X	X	X	X	--	--
RAA10-E-Y18	Y18	0-1 ft	X	--	--	--	--	--
RAA10-E-Y19	Y19	0-1 ft	X	--	--	--	--	--
RAA10-E-Y20	Y20	0-1 ft	X	--	--	--	--	--
RAA10-E-Y21	Y21	0-1 ft	X	--	--	--	--	--
RAA10-E-Z15	Z15	0-1 ft	X	--	--	--	--	--
RAA10-E-Z16	Z16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-Z17	Z17	0-1 ft	X	--	--	--	--	--
RAA10-E-Z18	Z18	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-Z19	Z19	0-1 ft	X	--	--	--	--	--
RAA10-E-Z20	Z20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-Z21	Z21	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-Z22	Z22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-AA15	AA15	0-1 ft	X	X	X	X	--	--
RAA10-E-AA16	AA16	0-1 ft	X	--	--	--	--	--
RAA10-E-AA17	AA17	0-1 ft	X	--	--	--	--	--
RAA10-E-AA18	AA18	0-1 ft	X	--	--	--	--	--
RAA10-E-AA19	AA19	0-1 ft	X	--	--	--	--	--
RAA10-E-AA20	AA20	0-1 ft	X	--	--	--	--	--
RAA10-E-AA21	AA21	0-1 ft	X	--	--	--	--	--
RAA10-E-AA22	AA22	0-1 ft	X	X	X	X	--	--
RAA10-E-BB16	BB16	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-BB17	BB17	0-1 ft	X	--	--	--	--	--
RAA10-E-BB18	BB18	0-1 ft	--	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BB19	BB19	0-1 ft	X	--	--	--	--	--
RAA10-E-BB20	BB20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BB21	BB21	0-1 ft	X	X	X	X	--	--
RAA10-E-BB22	BB22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BB23	BB23	0-1 ft	X	--	--	--	--	--
RAA10-E-CC15	CC15	0-1 ft	X	X	X	X	--	--
RAA10-E-CC16	CC16	0-1 ft	X	--	--	--	--	--
RAA10-E-CC17	CC17	0-1 ft	X	--	--	--	--	--
RAA10-E-CC18	CC18	0-1 ft	X	--	--	--	--	--
RAA10-E-CC19	CC19	0-1 ft	X	--	--	--	--	--
RAA10-E-CC20	CC20	0-1 ft	X	X	X	X	--	--
RAA10-E-CC21	CC21	0-1 ft	X	--	--	--	--	--
RAA10-E-CC22	CC22	0-1 ft	X	X	X	X	X	X
RAA10-E-CC23	CC23	0-1 ft	X	--	--	--	--	--
RAA10-E-DD15	DD15	0-1 ft	X	--	--	--	--	--
RAA10-E-DD16	DD16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-DD17	DD17	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-DD18	DD18	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD19	DD19	0-1 ft	X	--	--	--	--	--
RAA10-E-DD20	DD20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-DD21	DD21	0-1 ft	X	--	--	--	--	--
RAA10-E-DD22	DD22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-DD23	DD23	0-1 ft	X	--	--	--	--	--
RAA10-E-DD24	DD24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-EE14	EE14	0-1 ft	X	--	--	--	--	--
RAA10-E-EE15	EE15	0-1 ft	X	--	--	--	--	--
RAA10-E-EE16	EE16	0-1 ft	X	--	--	--	--	--
RAA10-E-EE17	EE17	0-1 ft	X	--	--	--	--	--
RAA10-E-EE18	EE18	0-1 ft	X	--	--	--	--	--
RAA10-E-EE19	EE19	0-1 ft	X	X	X	X	--	--
RAA10-E-EE20	EE20	0-1 ft	X	--	--	--	--	--
RAA10-E-EE21	EE21	0-1 ft	X	--	--	--	--	--
RAA10-E-EE22	EE22	0-1 ft	X	--	--	--	--	--
RAA10-E-EE23	EE23	0-1 ft	X	--	--	--	--	--
RAA10-E-EE24	EE24	0-1 ft	X	--	--	--	--	--
RAA10-E-FF14	FF14	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-FF15	FF15	0-1 ft	X	--	--	--	--	--
RAA10-E-FF16	FF16	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-FF17	FF17	0-1 ft	X	--	--	--	--	--
RAA10-E-FF18	FF18	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X
RAA10-E-FF19	FF19	0-1 ft	X	--	--	--	--	--
RAA10-E-FF20	FF20	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-FF21	FF21	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-FF22	FF22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-FF23	FF23	0-1 ft	X	--	--	--	--	--
RAA10-E-FF24	FF24	1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-GG14	GG14	0-1 ft	X	X	X	X	--	--
RAA10-E-GG15	GG15	0-1 ft	X	--	--	--	--	--
RAA10-E-GG16	GG16	0-1 ft	X	--	--	--	--	--
RAA10-E-GG17	GG17	0-1 ft	X	--	--	--	--	--
RAA10-E-GG18	GG18	0-1 ft	X	--	--	--	--	--
RAA10-E-GG19	GG19	0-1 ft	X	--	--	--	--	--
RAA10-E-GG20	GG20	0-1 ft	X	--	--	--	--	--
RAA10-E-GG21	GG21	0-1 ft	X	--	--	--	--	--
RAA10-E-GG22	GG22	0-1 ft	X	--	--	--	--	--
RAA10-E-GG23	GG23	0-1 ft	X	--	--	--	--	--
RAA10-E-GG24	GG24	0-1 ft	X	--	--	--	--	--
RAA10-E-GG25	GG25	0-1 ft	X	X	X	X	--	--
RAA10-E-HH13	HH13	0-1 ft	X	--	--	--	--	--
RAA10-E-HH14	HH14	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH15	HH15	0-1 ft	X	--	--	--	--	--
RAA10-E-HH16	HH16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-HH17	HH17	0-1 ft	X	--	--	--	--	--
RAA10-E-HH18	HH18	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH19	HH19	0-1 ft	X	--	--	--	--	--
RAA10-E-HH20	HH20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH21	HH21	0-1 ft	X	--	--	--	--	--
RAA10-E-HH22	HH22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-HH23	HH23	0-1 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-HH24	HH24	0-1 ft	--	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X
RAA10-E-HH25	HH25	0-1 ft	X	--	--	--	--	--
RAA10-E-HH26	HH26	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-II13	II13	0-1 ft	X	X	X	X	X	X
		3-6 ft	--	X	X	X	X	X
		6-15 ft	--	X	X	X	X	X
RAA10-E-II14	II14	0-1 ft	X	--	--	--	--	--
RAA10-E-II15	II15	0-1 ft	X	--	--	--	--	--
RAA10-E-II16	II16	0-1 ft	X	--	--	--	--	--
RAA10-E-II17	II17	0-1 ft	X	--	--	--	--	--
RAA10-E-II18	II18	0-1 ft	X	X	X	X	--	--
RAA10-E-II19	II19	0-1 ft	X	--	--	--	--	--
RAA10-E-II20	II20	0-1 ft	X	--	--	--	--	--
RAA10-E-II21	II21	0-1 ft	X	--	--	--	--	--
RAA10-E-II23	II23	0-1 ft	X	--	X	--	--	--
RAA10-E-II24	II24	0-1 ft	X	--	--	--	--	--
RAA10-E-II25	II25	0-1 ft	X	--	--	--	--	--
RAA10-E-II26	II26	0-1 ft	X	--	--	--	--	--
RAA10-E-II27	II27	0-1 ft	X	--	--	--	--	--
RAA10-E-JJ13	JJ13	0-1 ft	X	--	--	--	--	--
RAA10-E-JJ14	JJ14	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ15	JJ15	0-1 ft	X	--	--	--	--	--
RAA10-E-JJ16	JJ16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ17	JJ17	0-1 ft	X	--	--	--	--	--
RAA10-E-JJ18	JJ18	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ19	JJ19	0-1 ft	X	--	--	--	--	--
RAA10-E-JJ20	JJ20	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ22	JJ22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-JJ23	JJ23	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-JJ24	JJ24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ25	JJ25	0-1 ft	X	--	--	--	--	--
RAA10-E-JJ26	JJ26	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-JJ27	JJ27	0-1 ft	X	--	--	--	--	--
RAA10-E-KK13	KK13	0-1 ft	X	X	X	X	X	X
RAA10-E-KK14	KK14	0-1 ft	X	--	--	--	--	--
RAA10-E-KK15	KK15	0-1 ft	X	X	X	X	--	--
RAA10-E-KK16	KK16	0-1 ft	X	--	--	--	--	--
RAA10-E-KK17	KK17	0-1 ft	X	--	--	--	--	--
RAA10-E-KK18	KK18	0-1 ft	X	--	--	--	--	--
RAA10-E-KK19	KK19	0-1 ft	X	--	--	--	--	--
RAA10-E-KK20	KK20	0-1 ft	--	X	X	X	--	--
RAA10-E-KK21	KK21	0-1 ft	X	--	--	--	--	--
RAA10-E-KK22	KK22	0-1 ft	X	--	--	--	--	--
RAA10-E-KK23	KK23	0-1 ft	X	--	--	--	--	--
RAA10-E-KK24	KK24	0-1 ft	X	--	--	--	--	--
RAA10-E-KK25	KK25	0-1 ft	X	X	X	X	--	--
RAA10-E-KK26	KK26	0-1 ft	X	--	--	--	--	--
RAA10-E-KK27	KK27	0-1 ft	X	--	--	--	--	--
RAA10-E-LL12	LL12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-LL13	LL13	0-1 ft	X	--	--	--	--	--
RAA10-E-LL14	LL14	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X
RAA10-E-LL15	LL15	0-1 ft	X	--	--	--	--	--
RAA10-E-LL16	LL16	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-LL17	LL17	0-1 ft	X	--	--	--	--	--
RAA10-E-LL18	LL18	0-1 ft	--	X	X	X	X	X
		1-3 ft	--	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-LL20	LL20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-LL21	LL21	0-1 ft	X	X	X	X	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-LL22	LL22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-LL23	LL23	0-1 ft	X	--	--	--	--	--
RAA10-E-LL24	LL24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-LL25	LL25	0-1 ft	X	--	--	--	--	--
RAA10-E-LL26	LL26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-LL27	LL27	0-1 ft	X	--	--	--	--	--
RAA10-E-MM11	MM11	0-1 ft	--	X	X	X	--	--
RAA10-E-MM12	MM12	0-1 ft	X	--	--	--	--	--
RAA10-E-MM13	MM13	0-1 ft	X	X	X	X	X	X
RAA10-E-MM14	MM14	0-1 ft	X	--	--	--	--	--
RAA10-E-MM15	MM15	0-1 ft	X	--	--	--	--	--
RAA10-E-MM16	MM16	0-1 ft	X	--	--	--	--	--
RAA10-E-MM18	MM18	0-1 ft	X	--	--	--	--	--
RAA10-E-MM19	MM19	0-1 ft	X	X	X	X	--	--
RAA10-E-MM20	MM20	0-1 ft	X	X	X	X	X	X
RAA10-E-MM21	MM21	0-1 ft	X	--	--	--	--	--
RAA10-E-MM22	MM22	0-1 ft	X	--	--	--	--	--
RAA10-E-MM23	MM23	0-1 ft	X	--	--	--	--	--
RAA10-E-MM24	MM24	0-1 ft	X	--	--	--	--	--
RAA10-E-MM25	MM25	0-1 ft	X	X	X	X	--	--
RAA10-E-MM26	MM26	0-1 ft	X	--	--	--	--	--
RAA10-E-MM27	MM27	0-1 ft	X	--	--	--	--	--
RAA10-E-NN11	NN11	0-1 ft	X	--	--	--	--	--
RAA10-E-NN12	NN12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN13	NN13	0-1 ft	X	--	--	--	--	--
RAA10-E-NN14	NN14	0-1 ft	X	X	X	X	--	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-NN15	NN15	0-1 ft	X	--	--	--	--	--
RAA10-E-NN16	NN16	0-1 ft	--	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-NN18	NN18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN19	NN19	0-1 ft	X	--	--	--	--	--
RAA10-E-NN20	NN20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN21	NN21	0-1 ft	X	--	--	--	--	--
RAA10-E-NN22	NN22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN23	NN23	0-1 ft	X	--	--	--	--	--
RAA10-E-NN24	NN24	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN25	NN25	0-1 ft	X	--	--	--	--	--
RAA10-E-NN26	NN26	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-NN27	NN27	0-1 ft	X	--	--	--	--	--
RAA10-E-OO11	OO11	0-1 ft	X	X	X	X	X	X
RAA10-E-OO12	OO12	0-1 ft	X	--	--	--	--	--
RAA10-E-OO13	OO13	0-1 ft	X	X	X	X	--	--
RAA10-E-OO14	OO14	0-1 ft	X	--	--	--	--	--
RAA10-E-OO16	OO16	0-1 ft	X	--	--	--	--	--
RAA10-E-OO17	OO17	0-1 ft	X	--	--	--	--	--
RAA10-E-OO18	OO18	0-1 ft	X	X	X	X	X	X
RAA10-E-OO19	OO19	0-1 ft	X	--	--	--	--	--
RAA10-E-OO20	OO20	0-1 ft	X	X	X	X	--	--
RAA10-E-OO21	OO21	0-1 ft	X	--	--	--	--	--
RAA10-E-OO22	OO22	0-1 ft	X	--	--	--	--	--
RAA10-E-OO23	OO23	0-1 ft	X	X	X	X	X	X
RAA10-E-OO24	OO24	0-1 ft	X	--	--	--	--	--
RAA10-E-OO25	OO25	0-1 ft	X	--	--	--	--	--
RAA10-E-OO26	OO26	0-1 ft	X	--	--	--	--	--
RAA10-E-OO27	OO27	0-1 ft	X	--	--	--	--	--
RAA10-E-PP11	PP11	0-1 ft	X	--	--	--	--	--
RAA10-E-PP12	PP12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-PP13	PP13	0-1 ft	X	--	--	--	--	--

TABLE 4
 PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-PP14	PP14	0-1 ft	--	X	--	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-PP16	PP16	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-PP17	PP17	0-1 ft	X	--	--	--	--	--
RAA10-E-PP18	PP18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-PP19	PP19	0-1 ft	X	--	--	--	--	--
RAA10-E-PP20	PP20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-PP21	PP21	0-1 ft	X	--	--	--	--	--
RAA10-E-PP22	PP22	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-PP23	PP23	0-1 ft	X	--	--	--	--	--
RAA10-E-PP24	PP24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-PP25	PP25	0-1 ft	X	--	--	--	--	--
RAA10-E-PP26	PP26	0-1 ft	--	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-QQ12	QQ12	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ13	QQ13	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ15	QQ15	0-1 ft	X	X	X	X	--	--
RAA10-E-QQ16	QQ16	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ17	QQ17	0-1 ft	X	X	X	X	--	--
RAA10-E-QQ18	QQ18	0-1 ft	X	X	X	X	X	X
RAA10-E-QQ19	QQ19	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ20	QQ20	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ21	QQ21	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ22	QQ22	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ23	QQ23	0-1 ft	X	X	X	X	--	X
RAA10-E-QQ24	QQ24	0-1 ft	X	--	--	--	--	--
RAA10-E-QQ27	QQ27	0-1 ft	X	--	--	--	--	--
RAA10-E-RR13	RR13	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-RR14	RR14	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-RR15	RR15	0-1 ft	X	--	--	--	--	--
RAA10-E-RR16	RR16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-RR17	RR17	0-1 ft	X	--	--	--	--	--
RAA10-E-RR18	RR18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-RR19	RR19	0-1 ft	X	--	--	--	--	--
RAA10-E-RR20	RR20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-RR21	RR21	0-1 ft	X	X	X	X	--	--
RAA10-E-RR22	RR22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	X	X
RAA10-E-RR23	RR23	0-1 ft	X	--	--	--	--	--
RAA10-E-RR24	RR24	1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	X	--	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-RR25	RR25	0-1 ft	X	X	X	X	X	X
RAA10-E-RR26	RR26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-RR27	RR27	0-1 ft	X	--	--	--	--	--
RAA10-E-SS14	SS14	0-1 ft	X	--	--	--	--	--
RAA10-E-SS15	SS15	0-1 ft	X	X	X	X	--	--
RAA10-E-SS16	SS16	0-1 ft	X	--	--	--	--	--
RAA10-E-SS17	SS17	0-1 ft	X	--	--	--	--	--
RAA10-E-SS18	SS18	0-1 ft	X	X	X	X	--	--
RAA10-E-SS19	SS19	0-1 ft	X	--	--	--	--	--
RAA10-E-SS20	SS20	0-1 ft	X	--	--	--	--	--
RAA10-E-SS21	SS21	0-1 ft	X	X	X	X	X	X
RAA10-E-SS22	SS22	0-1 ft	X	--	--	--	--	--
RAA10-E-SS24	SS24	0-1 ft	X	--	--	--	--	--
RAA10-E-SS25	SS25	0-1 ft	X	--	--	--	--	--
RAA10-E-SS26	SS26	0-1 ft	X	--	--	--	--	--
RAA10-E-SS27	SS27	0-1 ft	X	--	--	--	--	--
RAA10-E-TT15	TT15	0-1 ft	X	--	--	--	--	--

TABLE 4
 PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-TT16	TT16	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-TT17	TT17	0-1 ft	X	--	--	--	--	--
RAA10-E-TT18	TT18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-TT19	TT19	0-1 ft	X	--	--	--	--	--
RAA10-E-TT20	TT20	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-TT21	TT21	0-1 ft	X	--	--	--	--	--
RAA10-E-TT22	TT22	1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-TT23	TT23	0-1 ft	X	--	--	--	--	--
RAA10-E-TT24	TT24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-TT25	TT25	0-1 ft	X	--	--	--	--	--
RAA10-E-TT26	TT26	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-TT27	TT27	0-1 ft	X	--	--	--	--	--
RAA10-E-UU16	UU16	0-1 ft	X	--	--	--	--	--
RAA10-E-UU17	UU17	0-1 ft	X	--	--	--	--	--
RAA10-E-UU18	UU18	0-1 ft	X	--	--	--	--	--
RAA10-E-UU19	UU19	0-1 ft	X	X	X	X	X	X
RAA10-E-UU20	UU20	0-1 ft	X	--	--	--	--	--
RAA10-E-UU21	UU21	0-1 ft	--	X	X	X	--	--
RAA10-E-UU22	UU22	0-1 ft	X	--	--	--	--	--
RAA10-E-UU23	UU23	0-1 ft	X	--	--	--	--	--
RAA10-E-UU24	UU24	0-1 ft	X	--	--	--	--	--
RAA10-E-UU25	UU25	0-1 ft	X	X	X	X	--	X
RAA10-E-UU26	UU26	0-1 ft	X	--	--	--	--	--
RAA10-E-UU27	UU27	0-1 ft	X	--	--	--	--	--
RAA10-E-VV17	VV17	0-1 ft	X	X	X	X	--	--
RAA10-E-VV18	VV18	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-VV19	VV19	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-VV20	VV20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-VV21	VV21	0-1 ft	X	--	--	--	--	--
RAA10-E-VV22	VV22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-VV23	VV23	0-1 ft	X	--	--	--	--	--
RAA10-E-VV24	VV24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-VV25	VV25	0-1 ft	X	--	--	--	--	--
RAA10-E-VV26	VV26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-VV27	VV27	0-1 ft	X	X	X	X	X	X
RAA10-E-WW18	WW18	0-1 ft	X	--	--	--	--	--
RAA10-E-WW19	WW19	0-1 ft	--	X	X	X	--	--
RAA10-E-WW20	WW20	0-1 ft	X	--	--	--	--	--
RAA10-E-WW21	WW21	0-1 ft	X	--	--	--	--	--
RAA10-E-WW22	WW22	0-1 ft	X	--	--	--	--	--
RAA10-E-WW23	WW23	0-1 ft	X	--	--	--	--	--
RAA10-E-WW24	WW24	0-1 ft	X	X	X	X	--	--
RAA10-E-WW25	WW25	0-1 ft	X	--	--	--	--	--
RAA10-E-WW26	WW26	0-1 ft	X	--	--	--	--	--
RAA10-E-WW27	WW27	0-1 ft	X	X	X	X	--	--
RAA10-E-WW28	WW28	0-1 ft	X	--	--	--	--	--
RAA10-E-XX19	XX19	0-1 ft	X	--	--	--	--	--
RAA10-E-XX20	XX20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-XX21	XX21	0-1 ft	X	--	--	--	--	--
RAA10-E-XX22	XX22	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-XX23	XX23	0-1 ft	X	X	X	X	--	--
RAA10-E-XX24	XX24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-XX25	XX25	0-1 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-XX26	XX26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-E-XX27	XX27	0-1 ft	X	--	--	--	--	--
RAA10-E-XX28	XX28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-YY20	YY20	0-1 ft	X	X	X	X	--	--
RAA10-E-YY21	YY21	0-1 ft	X	--	--	--	--	--
RAA10-E-YY22	YY22	0-1 ft	X	--	--	--	--	--
RAA10-E-YY23	YY23	0-1 ft	X	--	--	--	--	--
RAA10-E-YY24	YY24	0-1 ft	X	X	X	X	X	X
RAA10-E-YY25	YY25	0-1 ft	X	--	--	--	--	--
RAA10-E-YY26	YY26	0-1 ft	X	X	X	X	--	--
RAA10-E-YY27	YY27	0-1 ft	X	--	--	--	--	--
RAA10-E-YY28	YY28	0-1 ft	X	X	X	X	X	X
RAA10-E-ZZ21	ZZ21	0-1 ft	X	--	--	--	--	--
RAA10-E-ZZ22	ZZ22	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-E-ZZ23	ZZ23	0-1 ft	X	--	--	--	--	--
RAA10-E-ZZ24	ZZ24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-ZZ25	ZZ25	0-1 ft	X	--	--	--	--	--
RAA10-E-ZZ26	ZZ26	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-E-ZZ27	ZZ27	0-1 ft	X	--	--	--	--	--
RAA10-E-ZZ28	ZZ28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-E-ZZ29	ZZ29	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA22	AAA22	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA23	AAA23	0-1 ft	X	X	X	X	--	--
RAA10-E-AAA24	AAA24	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA25	AAA25	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA26	AAA26	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA27	AAA27	0-1 ft	X	X	X	X	--	--
RAA10-E-AAA28	AAA28	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA29	AAA29	0-1 ft	X	--	--	--	--	--
RAA10-E-AAA30	AAA30	0-1 ft	X	X	X	X	X	X
RAA10-E-BBB23	BBB23	0-1 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-E-BBB24	BBB24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-E-BBB25	BBB25	0-1 ft	X	X	X	X	X	X
NORTH AREA								
Non-Industrial GE-Owned Area East of Former Interior Landfill								
RAA10-N-A28	A28	0-1 ft	X	X	X	X	--	--
RAA10-N-C24	C24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-C26	C26	0-1 ft	X	X	X	X	X	X
RAA10-N-C28	C28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-E20	E20	0-1 ft	X	--	--	--	--	--
RAA10-N-E22	E22	0-1 ft	X	X	X	X	--	--
RAA10-N-E24	E24	0-1 ft	X	--	--	--	--	--
RAA10-N-E26	E26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-E28	E28	0-1 ft	X	X	X	X	--	--
RAA10-N-F23	F23	0-1 ft	X	--	--	--	--	--
RAA10-N-G16	G16	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-G18	G18	0-1 ft	X	--	--	--	--	--
RAA10-N-G20	G20	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-N-G22	G22	0-1 ft	X	--	--	--	--	--
RAA10-N-G24	G24	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-G26	G26	0-1 ft	X	X	X	X	X	X
RAA10-N-G28	G28	1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-H21	H21	0-1 ft	X	--	--	--	--	--
RAA10-N-H23	H23	0-1 ft	X	--	--	--	--	--
RAA10-N-I12	I12	0-1 ft	X	X	X	X	--	--
RAA10-N-I14	I14	0-1 ft	X	--	--	--	--	--
RAA10-N-I16	I16	0-1 ft	X	X	X	X	X	X
RAA10-N-I18	I18	0-1 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-I20	I20	0-1 ft	X	--	--	--	--	--
RAA10-N-I22	I22	0-1 ft	X	X	X	X	X	X
RAA10-N-I24	I24	0-1 ft	X	--	--	--	--	--
RAA10-N-I26	I26	1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-I28	I28	0-1 ft	X	X	X	X	--	
RAA10-N-J10	J10	0-1 ft	X	--	--	--	--	
RAA10-N-J13	J13	0-1 ft	X	--	--	--	--	
RAA10-N-J15	J15	0-1 ft	X	--	--	--	--	
RAA10-N-J17	J17	0-1 ft	X	--	--	--	--	
RAA10-N-J19	J19	0-1 ft	X	--	--	--	--	
RAA10-N-J21	J21	0-1 ft	X	--	--	--	--	
RAA10-N-J23	J23	0-1 ft	X	--	--	--	--	
RAA10-N-K8	K8	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-K9	K9	0-1 ft	X	--	--	--	--	
RAA10-N-K10	K10	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-K12	K12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-N-K14	K14	0-1 ft	X	X	X	X	--	
RAA10-N-K16	K16	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-K18	K18	0-1 ft	X	X	X	X	--	
RAA10-N-K20	K20	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-N-K22	K22	0-1 ft	X	--	--	--	--	
RAA10-N-K24	K24	0-1 ft	--	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-K26	K26	0-1 ft	X	--	--	--	--	
RAA10-N-K28	K28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-L8	L8	0-1 ft	X	--	--	--	--	
RAA10-N-L10	L10	0-1 ft	X	--	--	--	--	
RAA10-N-L11	L11	0-1 ft	X	--	--	--	--	

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-L12	L12	0-1 ft	X	X	X	X	X	X
RAA10-N-L13	L13	0-1 ft	X	--	--	--	--	--
RAA10-N-L14	L14	0-1 ft	X	--	--	--	--	--
RAA10-N-L15	L15	0-1 ft	X	--	--	--	--	--
RAA10-N-L16	L16	0-1 ft	X	--	--	--	--	--
RAA10-N-L21	L21	0-1 ft	X	--	--	--	--	--
RAA10-N-M9	M9	0-1 ft	X	--	--	--	--	--
RAA10-N-M10	M10	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-M11	M11	0-1 ft	X	--	--	--	--	
RAA10-N-M12	M12	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-N-M13	M13	0-1 ft	X	--	--	--	--	
RAA10-N-M14	M14	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-M15	M15	0-1 ft	X	--	--	--	--	
RAA10-N-M22	M22	0-1 ft	X	X	X	X	--	
RAA10-N-M24	M24	0-1 ft	X	--	--	--	--	
RAA10-N-M26	M26	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-M28	M28	0-1 ft	X	--	--	--	--	
RAA10-N-N9	N9	0-1 ft	X	--	--	--	--	
RAA10-N-N10	N10	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
RAA10-N-N11	N11	0-1 ft	X	--	--	--	--	
RAA10-N-N12	N12	0-1 ft	X	--	--	--	--	
RAA10-N-N23	N23	0-1 ft	X	--	--	--	--	
RAA10-N-N25	N25	0-1 ft	X	--	--	--	--	
RAA10-N-O24	O24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-N-O26	O26	0-1 ft	X	--	--	--	--	
RAA10-N-O28	O28	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	--	--	--	--	--
RAA10-N-P23	P23	0-1 ft	X	--	--	--	--	
RAA10-N-P25	P25	0-1 ft	X	--	--	--	--	
RAA10-N-P27	P27	0-1 ft	X	--	--	--	--	
RAA10-N-Q24	Q24	0-1 ft	X	--	--	--	--	

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-Q26	Q26	0-1 ft	X	--	--	--	--	--
RAA10-N-Q28	Q28	0-1 ft	X	--	--	--	--	--
RAA10-N-R23	R23	0-1 ft	X	--	--	--	--	--
RAA10-N-R25	R25	0-1 ft	X	--	--	--	--	--
RAA10-N-R27	R27	0-1 ft	X	--	--	--	--	--
RAA10-N-S24	S24	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-S26	S26	0-1 ft	X	X	X	X	X	X
RAA10-N-S28	S28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-T25	T25	0-1 ft	X	--	--	--	--	--
RAA10-N-U24	U24	0-1 ft	X	--	--	--	--	--
RAA10-N-U26	U26	0-1 ft	X	X	X	X	--	--
RAA10-N-U28	U28	0-1 ft	X	--	--	--	--	--
RAA10-N-V23	V23	0-1 ft	X	--	--	--	--	--
RAA10-N-V25	V25	0-1 ft	X	--	--	--	--	--
RAA10-N-W24	W24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-W26	W26	0-1 ft	X	--	--	--	--	--
RAA10-N-W28	W28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-X25	X25	0-1 ft	X	--	--	--	--	--
RAA10-N-Y20	Y20	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-Y24	Y24	0-1 ft	X	X	X	X	--	--
RAA10-N-Y26	Y26	0-1 ft	X	--	--	--	--	--
RAA10-N-Y28	Y28	0-1 ft	X	X	X	X	--	--
RAA10-N-AA24	AA24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	X	X	X	X	X
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA26	AA26	0-1 ft	X	--	--	--	--	--

**TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS**

**PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-AA28	AA28	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	X	X	X	--	--
		6-15 ft	X	X	X	X	--	--
RAA10-N-BB23	BB23	0-1 ft	X	--	--	--	--	--
RAA10-N-BB24	BB24	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
RAA10-N-BB25	BB25	0-1 ft	X	X	X	X	X	X
RAA10-N-CC22	CC22	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	X
RAA10-N-CC23	CC23	0-1 ft	X	--	--	--	--	--
RAA10-N-CC25	CC25	0-1 ft	X	--	--	--	--	--
RAA10-N-CC26	CC26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-CC28	CC28	0-1 ft	X	X	X	X	--	--
RAA10-N-DD26	DD26	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
		3-6 ft	X	--	--	--	--	--
RAA10-N-EE23	EE23	0-1 ft	X	--	--	--	--	--
RAA10-N-EE27	EE27	0-1 ft	X	X	X	X	--	--
RAA10-N-FF23	FF23	0-1 ft	X	--	--	--	--	--
RAA10-N-FF26	FF26	0-1 ft	X	--	--	--	--	--
RAA10-N-FF27	FF27	0-1 ft	X	--	--	--	--	--
RAA10-N-GG24	GG24	0-1 ft	X	X	X	X	X	X
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-GG25	GG25	0-1 ft	X	--	--	--	--	--
RAA10-N-GG26	GG26	0-1 ft	X	X	X	X	--	--
		1-3 ft	X	X	X	X	--	--
		3-6 ft	X	X	X	X	X	X
		6-15 ft	X	X	X	X	--	--
RAA10-N-HH24	HH24	0-1 ft	X	--	--	--	--	--
RAA10-N-HH25	HH25	0-1 ft	X	X	X	X	--	--
Two Inundated (Palustrine/Emergent) Wetlands								
RAA10-N-M16	M16	0-1 ft	X	--	--	--	--	--
RAA10-N-M18	M18	0-1 ft	X	--	--	--	--	--
RAA10-N-M20	M20	0-1 ft	X	--	--	--	--	--
RAA10-N-O18	O18	0-1 ft	X	--	--	--	--	--
RAA10-N-O20	O20	0-1 ft	X	--	--	--	--	--
RAA10-N-O22	O22	0-1 ft	X	--	--	--	--	--
RAA10-N-Q20	Q20	0-1 ft	X	--	--	--	--	--
RAA10-N-Q22	Q22	0-1 ft	X	--	--	--	--	--
RAA10-N-S20	S20	0-1 ft	X	--	--	--	--	--
RAA10-N-S22	S22	0-1 ft	X	--	--	--	--	--

TABLE 4
 PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-U20	U20	0-1 ft	X	--	--	--	--	--
RAA10-N-U22	U22	0-1 ft	X	--	--	--	--	--
RAA10-N-W20	W20	0-1 ft	X	--	--	--	--	--
RAA10-N-W22	W22	0-1 ft	X	--	--	--	--	--
RAA10-N-Y22	Y22	0-1 ft	X	--	--	--	--	--
RAA10-N-CC24	CC24	0-1 ft	X	--	--	--	--	--
RAA10-N-EE24	EE24	0-1 ft	X	--	--	--	--	--
GE-Owned Commercial/Industrial Property								
PAVED								
RAA10-N-O8	O8	6-15 ft	X	--	--	--	--	--
RAA10-N-U7	U7	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-Y6	Y6	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA5	AA5	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA6	AA6	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-AA7	AA7	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA18	AA18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	--	--	--	--
RAA10-N-CC3	CC3	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-CC16	CC16	6-15 ft	X	--	--	--	--	--
RAA10-N-II7	II7	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-II8	II8	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-II10	II10	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	X	--	X	X	--
		6-15 ft	X	--	--	X	X	--
RAA10-N-II16	II16	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	--	--	--	--
RAA10-N-II18	II18	0-1 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-JJ6	JJ6	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--

TABLE 4
 PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-JJ10	JJ10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-JJ20	JJ20	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-JJ22	JJ22	0-1 ft	X	X	X	X	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	X	X	--
RAA10-N-KK5	KK5	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-KK10	KK10	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-KK16	KK16	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-KK18	KK18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-KK20	KK20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-LL12	LL12	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-MM12	MM12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-MM18	MM18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-NN10	NN10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-NN12	NN12	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-NN14	NN14	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-OO8	OO8	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-PP8	PP8	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
UNPAVED								
RAA10-N-M7	M7	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-O5	O5	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-O7	O7	1-6 ft	X	--	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-Q3	Q3	1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-Q7	Q7	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-S1	S1	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-S2	S2	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-S7	S7	1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-U1	U1	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-U2	U2	1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-U3	U3	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-U4	U4	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-U5	U5	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-U6	U6	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-W1	W1	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-W3	W3	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-W4	W4	1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-W5	W5	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-W6	W6	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-W7	W7	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-W8	W8	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-Y3	Y3	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-Y7	Y7	1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-Y18	Y18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA2	AA2	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-AA4	AA4	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA10	AA10	0-1 ft	--	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA12	AA12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-AA14	AA14	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-CC4	CC4	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-CC8	CC8	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-CC10	CC10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-CC12	CC12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-CC14	CC14	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-CC20	CC20	0-1 ft	X	X	X	X	X	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS

PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-EE3	EE3	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE4	EE4	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE5	EE5	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE7	EE7	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
RAA10-N-EE8	EE8	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE10	EE10	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE14	EE14	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE18	EE18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-EE20	EE20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-EE22	EE22	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-GG4	GG4	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-GG5	GG5	0-1 ft	X	--	--	--	--	--
		1-3 ft	X	--	--	--	--	--
RAA10-N-GG6	GG6	0-1 ft	X	X	X	X	X	--
		1-3 ft	X	--	--	--	--	--
RAA10-N-GG7	GG7	1-3 ft	X	--	--	--	--	--
RAA10-N-GG14	GG14	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-GG18	GG18	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-GG20	GG20	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-GG22	GG22	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS
PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
RAA10-N-II5	II5	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-II20	II20	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-II24	II24	0-1 ft	X	--	--	--	X	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	X	--
RAA10-N-KK22	KK22	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-LL6	LL6	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-LL20	LL20	0-1 ft	--	--	--	X	X	--
		1-6 ft	--	--	--	--	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-MM6	MM6	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-MM7	MM7	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-NN7	NN7	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-NN18	NN18	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-OO7	OO7	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-OO16	OO16	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-PP12	PP12	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-PP14	PP14	1-6 ft	--	--	--	X	--	--
		6-15 ft	X	X	X	X	X	--
RAA10-N-QQ8	QQ8	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	X	X	X	X	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-QQ12	QQ12	0-1 ft	X	--	--	--	--	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	--	--	--	--	--
RAA10-N-RR10	RR10	0-1 ft	X	X	X	X	X	--
		1-6 ft	X	--	--	--	--	--
		6-15 ft	X	X	X	X	X	--

TABLE 4
PROPOSED SOIL AND SEDIMENT SAMPLING LOCATIONS, DEPTHS, AND PARAMETERS
PRE-DESIGN INVESTIGATION FOR UNKAMET BROOK AREA REMOVAL ACTION
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

SAMPLE ID	GRID COORDINATE	SAMPLE DEPTH	ANALYSES (See Notes 1 and 2)					
			PCBs	VOCs	SVOCs	INORGANICS	PCDDs/PCDFs	Pest/Herb
UNKAMET BROOK								
North Area								
RAA10-UB-02	UB-02	0-1 ft	X	--	--	--	--	--
RAA10-UB-05	UB-05	0-1 ft	X	--	--	--	--	--
RAA10-UB-06	UB-06	0-1 ft	X	--	--	--	--	--
RAA10-UB-07	UB-07	0-1 ft	X	--	--	--	--	--
RAA10-UB-08	UB-08	0-1 ft	X	--	--	--	--	--
RAA10-UB-09	UB-09	0-1 ft	X	--	--	--	--	--
RAA10-UB-10	UB-10	0-1 ft	X	--	--	--	--	--
RAA10-UB-11	UB-11	0-1 ft	X	--	--	--	--	--
East Area								
RAA10-UB-25	UB-25	0-1 ft	X	--	--	--	--	--
RAA10-UB-29	UB-29	0-1 ft	X	--	--	--	--	--
RAA10-UB-45	UB-45	0-1 ft	X	--	--	--	--	--

Notes:

1. This table identifies soil and sediment samples to be collected and the analyses to be performed as part of the pre-design investigation at the Unkamet Brook Area.
2. The Appendix IX+3 sample depth intervals shown above may be modified in the field based on the results of photoionization detector (PID) readings and visual observations at the time of sample collection.