


Figures



LEGEND

--- APPROXIMATE BOUNDARY OF UNKAMET BROOK REMOVAL ACTION AREA (AS DEPICTED IN SOW)

■ PORTIONS OF REMOVAL ACTION AREA SUBJECT TO PRE-DESIGN SOIL INVESTIGATIONS



- NOTES:**
1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
 2. SITE BOUNDARIES ARE APPROXIMATE.
 3. NOT ALL PHYSICAL FEATURES SHOWN.

GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA	
SITE LOCATION	
	FIGURE 1

SECTION OF UNKAMET BROOK
SUBJECT TO RE-ROUTING

APPROXIMATE AREA OF
PHRAGMITES

NORTH AREA

WEST AREA

EAST AREA

- LEGEND:**
- APPROXIMATE REMOVAL ACTION AREA BOUNDARY
 - FENCE
 - PROPERTY LINE
 - L12-2-1 PROPERTY IDENTIFICATION
 - APPROXIMATE EDGE OF WATER
 - INTERMITTENT STREAM
 - RAILROAD TRACK
 - 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
 - APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
 - PAVED AREA
 - WATER
 - BUILDING
 - GE OWNED INDUSTRIAL PROPERTY
 - NON-GE OWNED COMMERCIAL/INDUSTRIAL PROPERTY
 - NON-GE OWNED NON-INDUSTRIAL/RECREATIONAL PROPERTY
 - GE OWNED FORMER INTERIOR LANDFILL
 - GE-OWNED NON-INDUSTRIAL PROPERTY

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. SITE BOUNDARIES ARE APPROXIMATE.
3. NOT ALL PHYSICAL FEATURES SHOWN.
4. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
5. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
6. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH JUNE 19, 2002.



GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA

SITE MAP




FIGURE
2

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- K11-7-8** PROPERTY IDENTIFICATION
- RAILROAD TRACK
- STORM SEWER
- SANITARY SEWER
- WATER MAIN
- FIRE PROTECTION MAIN
- NATURAL GAS MAIN
- ELECTRIC/TELEPHONE CONDUIT
- 100-FOOT PCB SAMPLING GRID
- 50-FOOT PCB SAMPLING GRID
- PAVED AREA
- BUILDING

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. ONLY EXISTING PCB SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLES ONE AND THREE FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
7. BUILDINGS OP-1 AND OP-2 MAKE-UP PARCEL K11-7-46 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF PARCEL K11-7-2.



SUMMARY OF SOIL PCB SAMPLE RESULTS
(PPM DRY WT.)(SAMPLE INCREMENTS IN FEET)

Location ID	0-1	0-1.5	0-2	1-2	1.5-3
RF-14	---	ND(1)	---	---	ND(1)
OP-1-ARS-C1	---	---	ND(23)	---	---
OP-1-ARS-C2	---	---	ND(4.5)	---	---

SUMMARY OF SURFACE SOIL PCB SAMPLE RESULTS
(PPM DRY WT.)(SAMPLE INCREMENTS IN FEET)

Location ID	0-0.5
UB-SS-1	0.16
UB-SS-2	ND(0.85)
UB-SS-3	0.14 P
UB-SS-4	14.0 P

SUMMARY OF SOIL BORING PCB SAMPLE RESULTS
(PPM DRY WT.)(SAMPLE INCREMENTS IN FEET)

Location ID	0-0.5	0-2	0.5-2	2-4	4-6	6-8	8-10	10-12	12-14	14-16	16-18	18-20	20-22	22-24
RF-14	---	ND(0.06)	---	ND(0.05)	0.15	0.06	0.29	---	0.05	ND(0.05)	ND(0.05)	0.11	0.38	0.15
SB-1	---	0.08	---	ND(0.05)	ND(0.05)	0.31	ND(0.05)	0.71	ND(0.02)	[0.076]	ND(0.05)	0.35	ND(0.05)	0.05
SB-2	---	ND(1.2)	---	ND(1.1)	ND(1.0)	ND(1.0)	ND(1.1)	ND(1.1)	ND(1.2)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)	ND(1.1)
UB-MW-7	0.57	---	0.026	ND(0.071)	ND(0.072)	ND(1.0)	ND(0.074)	ND(0.074)	ND(0.074)	ND(1.1)	ND(1.1)	ND(1.2)	ND(1.1)	---

TABLE NOTES:
 1. --- = No sample collected.
 2. ND(0.05) = Not detected. Detection limit in parenthesis, (if available).
 3. [0.076] = Duplicate analysis result shown in brackets.









GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
 REVISED PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA

**WEST AREA - EXISTING AND
 PROPOSED PCB
 CHARACTERIZATION LOCATIONS**

FIGURE
3


BLASLAND, BOUCK & LEE, INC.
 engineers & scientists

LEGEND:

-  PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
-  FENCE
-  PROPERTY LINE
- K11-7-8** PROPERTY IDENTIFICATION
-  RAILROAD TRACK
-  PAVED AREA
-  BUILDING
-  W-G7 PROPOSED SURFACE SOIL SAMPLE LOCATION
-  UB-SS-2 EXISTING SURFACE SOIL SAMPLE LOCATION

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. ONLY EXISTING IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
7. SAMPLES FROM ALL PROPOSED SOIL AND SEDIMENT SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE (VOCs)
 S = SEMI-VOLATILE (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND
 POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS
8. BUILDINGS OP-1 AND OP-2 MAKE-UP PARCEL K11-7-46 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF PARCEL K11-7-2.











GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
 REVISED PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA

**WEST AREA - PROPOSED
 APPENDIX IX+3 SOIL SAMPLING LOCATIONS
 (0- TO 1-FOOT DEPTH INTERVAL)**




FIGURE
6

LEGEND:

-  PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
-  FENCE
-  PROPERTY LINE
- K11-7-8** PROPERTY IDENTIFICATION
-  RAILROAD TRACK
-  PAVED AREA
-  BUILDING
-  PROPOSED SOIL BORING LOCATION (1- TO 6-FOOT SAMPLE DEPTH)
-  PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTHS)









NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. SAMPLES FROM ALL PROPOSED SOIL SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 ANALYTE GROUPS (EXCLUDING PESTICIDES AND HERBICIDES).
7. BUILDING OP-1 AND OP-2 MAKE-UP PARCEL K11-7-46 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF K11-7-2.




<p>GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS REVISED PRE-DESIGN INVESTIGATION WORK PLAN FOR UNKAMET BROOK AREA</p>	
<p>WEST AREA - PROPOSED APPENDIX IX+3 SOIL SAMPLE LOCATIONS (1- TO 6-FOOT DEPTH INTERVAL)</p>	
	<p>FIGURE 7</p>

LEGEND:

-  PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
-  FENCE
-  PROPERTY LINE
- K11-7-8** PROPERTY IDENTIFICATION
-  RAILROAD TRACK
-  PAVED AREA
-  BUILDING
-  UB-MW-7 EXISTING SOIL BORING LOCATION
-  W-K8 PROPOSED SOIL BORING LOCATION

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
5. ALL LOCATIONS ARE APPROXIMATE.
6. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
7. SAMPLES FROM ALL PROPOSED SOIL SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS
8. BUILDINGS OP-1 AND OP-2 MAKE-UP PARCEL K11-7-45 WHILE THE LAND THESE BUILDINGS ARE CONSTRUCTED ON IS PART OF PARCEL K11-7-2.




GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA
WEST AREA - EXISTING AND PROPOSED
APPENDIX IX+3 SOIL SAMPLE LOCATIONS
(6- TO 15-FOOT DEPTH INTERVAL)



FIGURE
8

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- K12-9-1 PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- INTERMITTENT STREAM
- RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
- SECTION OF UNKAMET BROOK SUBJECT TO RE-ROUTING
- PAVED AREA
- BUILDING
- WATER
- ▲ UB-SB-12 EXISTING SURFACE SOIL SAMPLE LOCATION (0- TO 1- FOOT SAMPLE DEPTH)
- ▲ USW-1 EXISTING SEDIMENT SAMPLE LOCATION
- ▲ N-H22 PROPOSED SURFACE SOIL SAMPLE LOCATION



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS AND SEDIMENTS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL AND SEDIMENT SAMPLE LOCATIONS HAVE BEEN OR WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 - V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 - S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 - D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 - I = INORGANICS
 - P = PESTICIDES AND HERBICIDES (PEST/HERB)



GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
**REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA**

**NORTH AREA - EXISTING AND PROPOSED
APPENDIX IX+3 SOIL AND SEDIMENT SAMPLE
LOCATIONS (0- TO 1-FOOT DEPTH INTERVAL)**



LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
 - FENCE
 - PROPERTY LINE
 - K12-9-1 PROPERTY IDENTIFICATION
 - APPROXIMATE EDGE OF WATER
 - INTERMITTENT STREAM
 - RAILROAD TRACK
 - 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
 - APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
 - SECTION OF UNKAMET BROOK SUBJECT TO RE-ROUTING
 - PAVED AREA
 - BUILDING
 - WATER
- BA-2 EXISTING SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
 - 120W-5 EXISTING SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)
 - BA-1 EXISTING SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTHS)
 - MG-02 EXISTING SOIL BORING LOCATION (1- TO 6-FOOT SAMPLE DEPTH)
 - N-E28 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
 - N-M24 PROPOSED SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)
 - N-E23 PROPOSED SOIL BORING LOCATION (1- TO 6-FOOT SAMPLE DEPTH)
 - N-Y20 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTH)



NOTES:















1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL SAMPLE LOCATIONS HAVE BEEN OR WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 - V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 - S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 - D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 - I = INORGANICS
 - P = PESTICIDES AND HERBICIDES (PEST/HERB)


GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**REVISED PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**

**NORTH AREA - EXISTING AND PROPOSED
 APPENDIX IX+3 SOIL SAMPLE LOCATIONS
 (1- TO 6-FOOT DEPTH INTERVAL)**



LEGEND:

-  PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
-  FENCE
-  PROPERTY LINE
- K12-9-1** PROPERTY IDENTIFICATION
-  APPROXIMATE EDGE OF WATER
-  INTERMITTENT STREAM
-  RAILROAD TRACK
-  100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
-  APPROXIMATE PALUSTRINE/EMERGENT WETLANDS BOUNDARY
-  SECTION OF UNKAMET BROOK SUBJECT TO RE-ROUTING
-  PAVED AREA
-  BUILDING
-  WATER
-  60G-02 EXISTING SOIL BORING LOCATION
-  N-AA2 PROPOSED SOIL BORING LOCATION



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL SAMPLE LOCATIONS HAVE BEEN OR WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 - V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 - S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 - D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 - I = INORGANICS
 - P = PESTICIDES AND HERBICIDES (PEST/HERB)

GENERAL ELECTRIC COMPANY
PITTSFIELD, MASSACHUSETTS
**REVISED PRE-DESIGN INVESTIGATION WORK PLAN
FOR UNKAMET BROOK AREA**
**NORTH AREA - EXISTING AND PROPOSED
APPENDIX IX+3 SOIL SAMPLE LOCATIONS
(6- TO 15-FOOT DEPTH INTERVAL)**



FIGURE
11




BLASLAND, BOUCK & LEE, INC.
engineers & scientists

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- L12-2-1 PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- INTERMITTENT STREAM
- RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- PAVED AREA
- BUILDING
- WATER
- UFP2-L7 EXISTING SURFACE SOIL SAMPLE LOCATION (0- TO 1- FOOT SAMPLE DEPTH)
- USW-4 EXISTING SEDIMENT SAMPLE LOCATION
- E-A22 PROPOSED SURFACE SOIL SAMPLE LOCATION

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY A WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL AND SEDIMENT SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS
 P = PESTICIDES AND HERBICIDES (PEST/HERB)



GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**REVISED PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**
**EAST AREA - EXISTING AND PROPOSED
 APPENDIX IX+3 SOIL SAMPLE LOCATIONS
 (0- TO 1-FOOT DEPTH INTERVAL)**



X: 40190X01_X02_X04_X05.DWG
 L: OFF: GRID_*_LABELS
 P: PAGESSET/PLT-B2DP
 7/29/03 SYR-85-DMW SDL D.J.P
 N/40190025/UNKAMET/40190B12.DWG


LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- L12-2-1** PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- INTERMITTENT STREAM
- RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- PAVED AREA
- BUILDING
- WATER

- UFP1-L1 EXISTING SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
- SS-4 EXISTING SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)
- E-X12 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT SAMPLE DEPTH)
- E-FF10 PROPOSED SOIL BORING LOCATION (3- TO 6-FOOT SAMPLE DEPTH)
- E-HH4 PROPOSED SOIL BORING LOCATION (1- TO 3-FOOT AND 3- TO 6-FOOT SAMPLE DEPTHS)

NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISHED BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL SAMPLE LOCATIONS WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:
 V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS
 P = PESTICIDES AND HERBICIDES (PEST/HERB)




GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**REVISED PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**
**EAST AREA - EXISTING AND PROPOSED
 APPENDIX IX+3 SOIL SAMPLE LOCATIONS
 (1- TO 6-FOOT DEPTH INTERVAL)**

BBL
 BLASLAND, BOUCK & LEE, INC.
 engineers & scientists

FIGURE
13

LEGEND:

- PORTION OF REMOVAL ACTION AREA SHOWN ON THIS FIGURE
- FENCE
- PROPERTY LINE
- L12-2-1 PROPERTY IDENTIFICATION
- APPROXIMATE EDGE OF WATER
- INTERMITTENT STREAM
- RAILROAD TRACK
- 100-YEAR FLOODPLAIN BOUNDARY (DASHED WHERE INFERRED)
- PAVED AREA
- BUILDING
- WATER
- UB-SB-11 EXISTING SOIL BORING LOCATION
- E-B24 PROPOSED SOIL BORING LOCATION



NOTES:

1. THE BASE MAP FEATURES PRESENTED ON THIS FIGURE WERE PHOTOGRAMMETRICALLY MAPPED FROM APRIL 1990 AERIAL PHOTOGRAPHS. ADDITIONALLY, CONSTRUCTION PLANS PROVIDED BY GENERAL ELECTRIC COMPANY WERE USED.
2. NOT ALL PHYSICAL FEATURES SHOWN.
3. EXTENT OF PAVED/UNPAVED AREAS IS APPROXIMATE.
4. 100-YEAR FLOODPLAIN BOUNDARY IS BASED ON FLOOD ELEVATION PUBLISH BY THE FEDERAL EMERGENCY MANAGEMENT AGENCY: "FLOOD INSURANCE STUDY - CITY OF PITTSFIELD, MASSACHUSETTS" JANUARY 19, 1987; AND "FLOOD INSURANCE RATE MAP - CITY OF PITTSFIELD, MASSACHUSETTS" (PANELS 250037 0010C AND 25037 0020C), FEBRUARY 19, 1982, AND TWO-FOOT CONTOUR TOPOGRAPHIC MAPPING GENERATED PHOTOGRAMMETRICALLY IN 1990 AT A BASE SCALE OF 1:2,400.
5. TAX ASSESSOR'S PARCEL IDENTIFICATION NUMBERS AND BOUNDARY INFORMATION OBTAINED FROM CITY OF PITTSFIELD'S TAX ASSESSOR'S OFFICE AND IS CURRENT THROUGH SEPTEMBER 20, 2002.
6. ALL LOCATIONS ARE APPROXIMATE.
7. ONLY EXISTING APPENDIX IX+3 SAMPLE LOCATIONS USED FOR CHARACTERIZATION OF SITE SOILS ARE SHOWN. REFER TO TABLE TWO FOR PROPOSED USE (CHARACTERIZATION OR SUPPLEMENTAL).
8. SAMPLES FROM ALL EXISTING AND PROPOSED SOIL SAMPLE LOCATIONS HAVE BEEN OR WILL BE ANALYZED FOR ALL APPENDIX IX+3 CONSTITUENT GROUPS (EXCLUDING PESTICIDES AND HERBICIDES) UNLESS OTHERWISE INDICATED IN PARENTHESES. FOR EXISTING AND PROPOSED SAMPLES THAT HAVE BEEN OR WILL BE ANALYZED FOR ONLY SOME GROUPS OF SUCH CONSTITUENTS, THOSE CONSTITUENT GROUPS ARE DESIGNATED IN PARENTHESES USING THE FOLLOWING DESIGNATIONS:

V = VOLATILE ORGANIC COMPOUNDS (VOCs)
 S = SEMI-VOLATILE ORGANIC COMPOUNDS (SVOCs)
 D = POLYCHLORINATED DIBENZO-P-DIOXINS (PCDDs) AND POLYCHLORINATED DIBENZOFURANS (PCDFs)
 I = INORGANICS
 P = PESTICIDES AND HERBICIDES (PEST/HERB)

GENERAL ELECTRIC COMPANY
 PITTSFIELD, MASSACHUSETTS
**REVISED PRE-DESIGN INVESTIGATION WORK PLAN
 FOR UNKAMET BROOK AREA**
**EAST AREA - EXISTING AND PROPOSED
 APPENDIX IX+3 SOIL SAMPLE LOCATIONS
 (6- TO 15-FOOT DEPTH INTERVAL)**

