

**REPORT**

---

*Plant Site 1  
Groundwater Management Area  
NAPL Monitoring Report  
for Fall 2003*

*Volume II of II*

**General Electric Company  
Pittsfield, Massachusetts**

**February 2004**

# ***Table of Contents***

---

**VOLUME I - REPORT (Bound Separately)**

**VOLUME II - APPENDICES**

**List of Appendices**

- A Automated Recovery System Construction Details
- B Summary of Historical NAPL Recovery
- C Summary of Automated LNAPL Recovery
- D Summary of Automated DNAPL Recovery
- E Groundwater Elevation and NAPL Thickness/Recovery Data
- F Soil Boring and Monitoring Well Logs
- G East Street Area 2-South LNAPL Recovery Efficiency Data
- H Newell Street Area II DNAPL Recovery Test Results


# *Appendices*

---

## *Appendix A*



---

# **Automated Recovery System Construction Details**



**CONSTRUCTION DETAILS  
CAISSON 64R**

FIGURE  
**2**



PLAN

N

133720

**CONSTRUCTION DETAILS**  
**CAISSON 64S**

FIGURE  
**3**

PROJECT: GE/EAST STREET AREA 2/MA

**RECORD OF BOREHOLE 64S PILOT**

SHEET: 1 OF

PROJECT LOCATION: PITTSFIELD, MASSACHUSETTS

BORING START: 09-29-97

DATUM:

PROJECT NUMBER: 963-6322

BORING LOCATION:



DEPTH SCALE FEET	BORING METHOD	SOIL PROFILE				SAMPLES					REMARKS	PIEZOMETER OR STANDPIPE INSTALLATION	
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV	NUMBER	TYPE	BLOWS / 6 in	N	REC/ATT			
					DEPTH								
0	2 1/4" ID H.S.A.	0.0-6.0 ft. FILL material. Dark brown, coarse to medium to fine SAND, little to some gravel with styrofoam, glass, and cardboard. (FILL)			0.00	S-1	/S	N/A	N/A	N/A	Boring P-1 was originally drilled using direct push drilling techniques. Due to poor sample recovery and premature refusal, the hole was abandoned and boring 64S pilot was drilled adjacent to the initial location using conventional drilling techniques.		
					S-2	/S	N/A	N/A	N/A				
5					S-3	CO	4,3,2,2	5	0.0/2.0				
		6.0-9.0 ft. Black SILTY SAND, little gravel, very moist, strong odor. No oil.	SM		6.00	S-4	CO	4,4,4,7	8	0.1/2.0			
					S-5	CO	3,3,4,4	7	0.0/2.0				
10		9.0-19.2 ft. Loose to compact, black SILTY SAND, little gravel saturated with water and oil, strong odor.	SM		9.00	S-6	CO	4,5,3,6	8	0.0/2.0			
				S-7	CO	7,4,2,7	6	0.0/2.0					
				S-8	AS	N/A	N/A	N/A					
				S-9	AS	N/A	N/A	N/A					
				S-10	DO	10,7,8,8	15	2.0/2.0					
20			19.2-20.0 ft. Compact, tan SILTY SAND, little gravel. No oil.	SM		19.20							
			20.0-21.5 ft. No recovery.			20.00							
			21.5-22.0 ft. Soft, tan SILT, little to some sand.	ML		21.50	S-11	DO	WOR,WOR,4,6	N/A			0.5/2.0
			22.0-23.5 ft. No recovery.			22.00	S-12	DO	4,8,16,16	24			0.5/2.0
25			23.5-30.0 ft. Compact, grey, coarse to medium to fine SAND and GRAVEL, little silt, saturated with water. No oil present.	SW/GW		23.50	S-13	DO	9,9,10,14	19			0.1/2.0
			S-14		DO	15,14,12,11	26	1.0/2.0					
			S-15		DO	20,11,12,14	23	2.0/2.0					
30		BORING TERMINATED AT 30.0 FT. BELOW GROUND SURFACE.				30.00							
35													
40													

DRILL RIG: MOBILE B-57  
 DRILLING CONTRACTOR: MAXYMILLIAN TECHNOLOGIES  
 DRILLER: G. RUSTENMEYER

LOGGED: M. ZARENSKI  
 CHECKED:  
 DATE: 02-03-98

**Golder Associates**

JOB NO. 963-6322 PROJECT GE/EAST STREET AREA 2/MA WELL NO. 64S(DEEPENING) SHEET 1 of 1  
 GA INSP. M. ZARENSKI DRILLING METHOD 24" DIA. BAYSHORE AUGER GROUND ELEV. N/A WATER DEPTH N/A  
 WEATHER SUNNY DRILLING COMPANY MAXYMILLIAN TECHNOLOGIES COLLAR ELEV. N/A TIME/DATE N/A  
 TEMP. 30°-40° F DRILL RIG BAYSHORE AUGER DRILLER H. BOHL STARTED 1000/11-13-97 COMPLETED 1200/11-13-97  
 LOCATION / COORDINATES N/A TIME / DATE TIME / DATE




**MATERIALS INVENTORY**

WELL CASING 12 in. dia. 5 I.F. WELL SCREEN 12 in. dia. 25 I.F. BENTONITE SEAL N/A  
 CASING TYPE STAINLESS STEEL SCREEN TYPE STAINLESS STEEL INSTALLATION METHOD GRAVITY  
 JOINT TYPE WELDED SLOT SIZE 0.140" MACHINE SLOTTED FILTER PACK QTY. 1300 LBS.  
 GROUT QUANTITY 10 GALLONS CENTRALIZERS NONE USED FILTER PACK TYPE #2 MORIE SAND  
 GROUT TYPE CEMENT/BENTONITE DRILLING MUD TYPE N/A INSTALLATION METHOD GRAVITY


ELEV./DEPTH	SOIL/ROCK DESCRIPTION	WELL SKETCH	INSTALLATION NOTES	
	GROUND SURFACE			
0.00	See pilot boring for 64S (deepening) for lithologic description.	<p>The well sketch shows a vertical well casing starting at 3.50 depth. At 12.00, a 12" dia. stainless steel riser is installed. At 15.00, a 24" dia. borehole is drilled. At 24.00, a 12" dia. stainless steel well screen is installed. At 28.50, a flush threaded end cap is placed. The casing ends at 30.00. The borehole is filled with crushed stone from 15.00 to 24.00, and the screen is surrounded by #2 Morie sand.</p>		
5.00				
10.00				
15.00				
20.00				
25.00				
30.00				
35.00				
40.00				
45.00				
50.00				
55.00				

**WELL DEVELOPMENT NOTES**






**LEGEND**

-  CRUSHED STONE
-  #2 MORIE SAND
-  CAVE-IN MATERIAL







LEGEND

-  12' SLOTTED RISER/SCREEN
-  16' SOLID STEEL SLEEVE
-  CRUSHED STONE
-  #2 MORIE SAND
-  CAVE-IN MATERIAL

NOTE: NOT TO SCALE



	<p>SPECTRA ENVIRONMENTAL GROUP 19 British American Blvd Latham, NY 12110</p>	<p>64S RECOVERY SYSTEM</p>	
	<p>INSPECTOR: J. FOX</p>	<p>GENERAL ELECTRIC COMPANY</p>	
<p>PITTSFIELD, MA</p>		<p>BERKSHIRE COUNTY</p>	
<p>PROJ. No.: 02348</p>	<p>DATE: 10/22/02</p>	<p>SCALE: NTS</p>	<p>DWG. NO. 02348002   FIGURE 1</p>



**CONSTRUCTION DETAILS  
CAISSON 64V**

**FIGURE  
6**

132720



PLAN

**CONSTRUCTION DETAILS  
CAISSON 64X(S)**

FIGURE

**4**



DEPTH SCALE FEET	BORING METHOD	SOIL PROFILE			SAMPLES					REMARKS	PIEZOMETER OR STANDPIPE INSTALLATION		
		DESCRIPTION	USCS	GRAPHIC LOG	ELEV DEPTH	NUMBER	TYPE	BLOWS / 6 in	N			REC/ATT	
0	2 1/4" ID H.S.A.	0.0-14.0 ft. FILL material. Mostly black SAND, SILT, and GRAVEL. Wood, pieces of wire, and brick fragments also present. Saturated with oily residue beginning at 13.6 ft. bgs. (FILL)			0.00	S-1	AS	N/A	N/A	N/A	Boring P-2 was originally drilled using direct push drilling techniques. Due to poor sample recovery and premature refusal, the hole was abandoned and boring RW-1(S) pilot was drilled adjacent to the initial location using conventional drilling techniques.		
					S-2	AS	N/A	N/A	N/A				
					S-3	AS	N/A	N/A	N/A				
					S-4	AS	N/A	N/A	N/A				
					S-5	AS	N/A	N/A	N/A				
					S-6	DO	6,18,50/1'	N/A	0.5/2.0				
					S-7	DO	3,4,6,6	10	0.4/2.0				
15			14.0-18.5 ft. Compact to loose, black coarse to medium to fine SAND, little to and gravel. Saturated with oily residue.	SW		14.00	S-8	DO	4,6,8,2	12			1.5/2.0
						S-9	DO	3,6,8,10	14	1.0/2.0			
20			18.5-22.4 ft. Loose to compact, grey, fine to very fine SAND, little to some silt. Strong odor. No oil.	SP		18.50	S-10	DO	3,4,4,7	8			2.0/2.0
						S-11	DO	4,5,6,7	11	1.8/2.0			
25			22.4-28.5 ft. Firm to stiff, grey SILT, little sand, little gravel at 28.0-28.5 ft. Strong to slight odor. No oil.	ML		22.40	S-12	DO	4,7,7,10	14			2.0/2.0
						S-13	DO	3,2,4,4	8	2.0/2.0			
						S-14	DO	3,6,8,9	14	2.0/2.0			
30			28.5-30.0 ft. Compact, grey, coarse to medium to fine SAND, little silt, little gravel.	SW		28.50	S-15	DO	6,10,8,5	18			1.5/2.0
30		BORING TERMINATED AT 30.0 FT. BELOW GROUND SURFACE.			30.00								

JOB NO. 963-6322 PROJECT GE/EAST STREET AREA 2/MA WELL NO. RW-1(S) SHEET 1 of 1  
 GA INSP. M. ZARENSKI DRILLING METHOD 24" DIA. BAYSHORE AUGER GROUND ELEV. N/A WATER DEPTH 13.70  
 WEATHER OVERCAST DRILLING COMPANY MAXYMILLIAN TECHNOLOGIES COLLAR ELEV. N/A TIME/DATE 0930/11-12-97  
 TEMP. 50° F DRILL RIG BAYSHORE AUGER DRILLER H. BOHL STARTED 1045/11-07-97 COMPLETED 1600/11-07-97  
 LOCATION / COORDINATES N/A TIME / DATE

**MATERIALS INVENTORY**

WELL CASING 12 in. dia. 10 I.F. WELL SCREEN 12 in. dia. 20 I.F. BENTONITE SEAL BENTONITE CHIPS  
 CASING TYPE STAINLESS STEEL SCREEN TYPE STAINLESS STEEL INSTALLATION METHOD GRAVITY  
 JOINT TYPE WELDED SLOT SIZE 0.040" MACHINE SLOTTED FILTER PACK QTY. 4100 LBS.  
 GROUT QUANTITY 10 GALLONS CENTRALIZERS NONE USED FILTER PACK TYPE #2 MORIE SAND  
 GROUT TYPE CEMENT/BENTONITE DRILLING MUD TYPE N/A INSTALLATION METHOD GRAVITY

ELEV./DEPTH	SOIL/ROCK DESCRIPTION	WELL SKETCH	INSTALLATION NOTES
	GROUND SURFACE		
0.00	See RW-1(S) pilot boring log for lithologic description.		
5.00			
7.00			
10.00			
15.00			
20.00			
25.00			
30.00			
30.50			
35.00			
40.00			
45.00			
50.00			
55.00			

**WELL DEVELOPMENT NOTES**  
 Volume of Annular space between borehole wall and steel screen is equal to the volume of 24" dia. borehole minus volume of 12" casing and is equal to 3.14 ft<sup>3</sup>/ft minus .785 ft<sup>3</sup>/ft or 2.34 ft<sup>3</sup>/ft.  
 Density of #2 sand = 85 lb/ft<sup>3</sup>  
 Amount of sand pack is (23.5 ft) (2.34 ft<sup>3</sup>/ft) (0.85 lb/ft<sup>3</sup>) = 4674 lbs

- LEGEND**
- CEMENT/BENTONITE
  - BENTONITE CHIPS
  - #2 MORIE SAND

GEOLOGIST'S LOG

(An interpretative combination of the sample, core, driller, and geophysical logs)

Well 40 Project AREA 2 (SOUTH-SIDE) Page 1 of 1

Date/ Time	Lithologic Unit Description	Lithologic Unit Depth Below Land Surface from (ft) to (ft)	
5/20/81			
	Brown, heterogeneous fill	0	2
	Black, oil-stained silty fill	2	10
	Black, oil-stained, loose cobbles	10	14
	Moist-wet, brown, fine-grained sand	14	
	and silt; clean		
	2½" PVC 10' screen		
	10' riser		
	1 curb box		

## BORING LOG

Boring 40-R


Site Area 2, GE      Drilling Area 2, GE  
 Location Pittsfield, MA      Started 6/20/95      Completed 6/20/95

Total Depth      Hole      Drilling Fluid      Method  
 Drilled 25 ft.      Diameter 6 in.      Used None      Hollow -stem augur


Drilling Contractor MTI      Driller George Rustemyer      Helper Timothy Dargie

Prepared By M.C. Phillips      Hammer Weight 140#      Hammer Drop 30 inches

Feet Below Land Surface		Core Description
From	To	
0	3	Clean gravel, brown humus layer
3	13	Black gravelly sand mixture
13	16	Humus layer
16	23	Black stained sand
23	25	Black stained sand and gravel



**WELL CONSTRUCTION LOG**  
(UNCONSOLIDATED)



Measuring Point is  
Top of Well Casing  
Unless Otherwise Noted.

\* Depth Below Land Surface

Project AY05312 Well RW-1(X)  
 Town/City Pittsfield  
 County Berkshire State Massachusetts  
 Permit No. \_\_\_\_\_  
 Land-Surface Elevation \_\_\_\_\_ feet  
 Surveyed  
 Estimated

Installation Date(s) 11/24/92 - 11/25/92  
 Drilling Method Hollow-Stem Auger  
 Drilling Contractor Empire Soils Investigations, Inc.  
 Drilling Fluid None

Development Technique(s) and Date(s)  
Centrifugal Pump and Polyethylene Tubing: 11/25/92

Fluid Loss During Drilling 0 gallons  
 Water Removed During Development 275 gallons  
 Static Depth to Water \_\_\_\_\_ feet below M.P.  
 Pumping Depth to Water \_\_\_\_\_ feet below M.P.  
 Pumping Duration \_\_\_\_\_ hours  
 Yield \_\_\_\_\_ gpm Date \_\_\_\_\_  
 Specific Capacity \_\_\_\_\_ gpm/ft.

Well Purpose Recovery Well

Remarks \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Prepared by A. LaBarge



PROJECT	East Street Area 2				SHEET	1 OF 3	
CLIENT	General Electric Company - Pittsfield, MA				JOB No.	87386.010	
DRILLING CONTRACTOR	Empire Soils Investigations, Inc.				MEAS. PT ELEV.		
PURPOSE	Recovery Well Installation				GROUND ELEV.		
DRILLING METHOD	Hollow Stem Auger	SAMPLE	CORE	CASING	DATUM	MSL	
DRILL RIG TYPE	Failing F-10	TYPE	SS	NA	HSA	DATE STARTED	10/27/93
GROUNDWATER ELEV.	14.63'	DIA.	2" OD	NA	6 5/8" ID	DATE FINISHED	10/28/93
MEASURING POINT	TIC	WEIGHT	300#			DRILLER	Ed Cole
DATE OF MEASUREMENT	10/28/93	FALL	30"			INSPECTOR	Mark A. Williams

DEPTH FT.	INTERVAL, RECOVERY, SAMPLE NUMBER	BLOWS ON SAMPLE SPOON PER 6"	UNIFIED CLASSIFICATION	GRAPHIC LOG	GEOLOGIC DESCRIPTION	ELEV. DEPTH	REMARKS
0					Augered down to 5.0' BGS		TIC = Top of Inner Casing
2							
4							
5.0							
6	S-1	4	SW-SP		Br lt br cm(+) S, l (-) mf G; freq cbls; Fe std; no odor; ls/med. dense (SW-SP) f	5.0	Rec = 1.05' Dry HS = 0.2 ppm LNAPL = none
		5			<u>Brown light brown coarse to medium (+) SAND, little (-) medium to fine Gravel; frequent cobbles; iron stained; no odor; loose/medium dense</u>		
		5					
		9					
8	S-2	4	SW-SP		Br br gr c(+)m S, t mf G; freq qtz cbl chps; med. dense (SW-SP)		Rec = 1.10' Dry HS = 0.3 ppm LNAPL = none
		8					
		8					
		7					
		3			Br cm S, l (+) mf G; occ. cbl pcs; ls (SW-SP)		Rec = 1.25' Dry/Moist HS = 0.6 ppm
		3			(OUTWASH)		

PROJECT **East Street Area 2**

SHEET **2** OF **3**

CLIENT **General Electric Company - Pittsfield, MA**

JOB No. **87386.010**

DEPTH FT.	INTERVAL, RECOVERY, SAMPLE NUMBER	BLOWS ON SAMPLE SPOON PER 6"	UNIFIED CLASSIFICATION	GRAPHIC LOG	GEOLOGIC DESCRIPTION	ELEV. DEPTH	REMARKS
	S-3	4	SW-SP				PCB Soil Sample Collected @ 10' BGS LNAPL = none
		5					Rec = 1.35' Dry
		6					HS = 1.8 ppm
12	S-4	8	GP		Br gr cm(+)f G, s (-) cmf S; mtd; freq. cbl chips; ls (GP) <u>Brown-gray coarse medium (+) to fine GRAVEL, some (-) coarse to fine Sand; mottled; frequent cobble chips; loose (GP) (OUTWASH)</u>		HS = 1.6 ppm (tip of SS) LNAPL = none
		9					
		9					
14			GP		Br cmf G, s (-) c(+)m S; freq. qtz. cbls; rk frag. noted; ls (GP)		Undisturbed Sample in two 2.5' sections Section 1 (13'-15.5') Moist/wet @ bottom of sample
							Section 2 (15.5'-18') 100% recovery 0.8' oil stained soils, between 16.7 -17.5' BGS
			SW-SP		Br Gr c(+)m S, a (-) cmf G; stnd w/oil; odr noted		
16							
18					Dk Gr cmf G, s (+) c(+)m S; occ. cbls; oil odr; stnd	17.5	
		3			Dk br/dk gr mf S, s (+) \$; mnr oil odr; mnr stnd; ls at 18.2' to 18.5'...Dk gr mf G, s (-) c(+)m S, occl cbls; oil odor, sl stnd; ls/med. dense (SM)		Rec = 1.35' Wet HS = 2.4 ppm LNAPL = slight sheen observed
	S-5	5	SM				
		6					
		8					
20		1			Dk gr c(+) m S, s(+) mf G; occ cbl chips; minor oil odr; mnr stnd; ls (SP)		Rec = 1.1' Wet HS = 3.2 ppm LNAPL = slight PCB soil sample collected at 20' BGS
	S-6	2	SP				
		3					
		4					
22							

PROJECT **East Street Area 2**

SHEET **3** OF **3**

CLIENT **General Electric Company - Pittsfield, MA**

JOB No. **87386.010**

DEPTH FT.	INTERVAL, RECOVERY, SAMPLE NUMBER	BLOWS ON SAMPLE SPOON PER 6"	UNIFIED CLASSIFICATION	GRAPHIC LOG	GEOLOGIC DESCRIPTION	ELEV. DEPTH	REMARKS
24	S-7	WOR WOR 2 4	GW-GP		Dk gr mf G, l cm S, occ. cbl chips; v ls; oil odor/std (GW-GP)  (OUTWASH)		Rec = 1.0' Wet HS = 2.1 ppm LNAPL = slight, minor sheen observed PCB soil sample collected at 24' BGS
					End of Boring @ 25.0' Recovery Well Installation (Stainless Steel, 60 slot screen) 0 - 2' Concrete/Cement Box 2 - 6' Cement/Bentonite Grout 6 - 8' Bentonite Pellets 9 - 24' Screen 8 - 25' Sand Pack	25.0	





**BORING/WELL CONSTRUCTION LOG**

PROJECT NUMBER P009-001  
 PROJECT NAME Source Control Upper Reach Housatonic River  
 LOCATION Pittsfield, Massachusetts  
 DRILLING METHOD Drive and Wash  
 SAMPLING METHOD SS  
 GROUND ELEVATION 980.93  
 TOP OF CASING 980.28  
 LOGGED BY MJJ/NSB  
 NORTHING 533486.57

BORING/WELL NUMBER RW-3(X)  
 CASING TYPE/DIAMETER 6" PVC  
 SCREEN TYPE/SLOT .080 Slot SS  
 GRAVEL PACK TYPE D30 = 5mm  
 GROUT TYPE/QUANTITY Portland/Volclay  
 DEPTH TO WATER 9.32'  
 GROUND WATER ELEVATION NM  
 EASTING 133387.39

FID (ppm)	BLOW COUNTS	SAMPLE ID.	EXTENT DEPTH (ft. BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DISCRPTION	CONTACT DEPTH	WELL DIAGRAM
						<p>No samples taken see Log of E2SC-03 for lithologic description.</p>		

BORING WELL P009-001 HSI-MA-GDT 9/28/99

Continued Next Page



**BORING/WELL CONSTRUCTION LOG**




PROJECT NUMBER P009-001

BORING/WELL NUMBER RW-3(X)

PROJECT NAME Source Control Upper Reach Housatonic River

DATE DRILLED 9/10/99

*Continued from Previous Page*


FID (ppm)	BLOW COUNTS	SAMPLE ID.	EXTENT	DEPTH (ft. BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DISCRPTION	CONTACT DEPTH	WELL DIAGRAM
NM		SS01		40 45			Dense, light to medium olive Brown, sandy SILT w/ few gravel, moist, well graded, angular, Till.	45.0 47.0	 <p>             ← D30 = 5mm Gravel Pack              ← .080 Slot SS Wire Wrapped Screen              ← 1' SS Sump Bottom Bentonite Seal           </p>

**SAMPLE/CORE LOG**

Boring/Well RW-1 Project/No. AY03702 Page 1 of     
 Site Location Oxbow Area D Drilling Started 4-1-91 Drilling Completed 4-5-91  
 Total Depth Drilled 21.0 feet Hole Diameter 36 inches Type of Sample/Coring Device Steel Bailer  
 Length and Diameter of Coring Device 8' x 0.5' Sampling Interval            feet  
 Land-Surface Elev. 984.30 feet  Surveyed  Estimated Datum Lyman St. Hydrant  
 Drilling Fluid Used Water Drilling Method Cable Tool/Bailer  
 Drilling Contractor Hydro-Group Driller B. Bumford Helper T. Gaberseck  
 Prepared By S. Beames Hammer Weight - Hammer Drop - inches

Sample/Core Depth (feet below land surface)		Core Recovery (feet)	Time/Hydraulic Pressure or Blows per 6 inches	Sample/Core Description
From	To			
0	0.5			ASPHALT (100%), Crushed Stone.
0.5	16.0			FILL(100%), SAND & GRAVEL, coarse to fine; Bricks, Concrete, 4x4 Wood Beams
16.0	18.0			Coarse SAND & GRAVEL (80%) Coarse to medium, subangular-subround; fine SAND (10%) coarse to medium; Peat (10%) Wood, reeds; Poorly sorted, wet-saturated
18.0	21.0			SILT (90%) light brown, hard packed, well sorted; Sand (10%) brown, fine; trace of medium-fine Gravel.
	21.0			End of Boring
				Water at 12.0'

**WELL CONSTRUCTION LOG**  
(UNCONSOLIDATED)



Measuring Point is  
Top of Well Casing  
Unless Otherwise Noted.

\*Depth Below Land Surface

Project AY03702 Well RW-1  
Town/City Pittsfield  
County Berkshire State MA  
Permit No. \_\_\_\_\_  
Land-Surface Elevation  
and Datum 984.30 feet

Installation Date(s) 4-5-91 to 4-9-91  
Drilling Method Cable Tool  
Drilling Contractor Hydro-Group  
Drilling Fluid Water

Development Technique(s) and Date(s)  
4-8-91; pumped with centrifugal pump

Fluid Loss During Drilling \_\_\_\_\_  
Water Removed During Development 25  
Static Depth to Water 12.95  
Pumping Depth to Water 13-18  
Pumping Duration 5 hours  
Yield 6 gpm Date 4-8-91  
Specific Capacity \_\_\_\_\_ gpm/ft  
Well Purpose Recovery Well

Prepared by S. Beames



Date Start/Finish: 09/01/98 / 09/03/98 Drilling Company: Maxymilian Driller's Name: -1 Drilling Method: Solid Stem Auger Bit Size: -1 Auger Size : 22 Rig Type: Drott 80 Spoon Size: -1-in.	Northing: 532583.084 Easting: 131024.138 Well Casing Elev.: 985.17 ft. Corehole Depth: -1 ft. Borehole Depth: 20 ft. Ground Surface Elev.: 984.80 ft.  Geologist: Ronald D. Kuhn	Well No. RW-1R  Client: General Electric Company  Site: Lyman Street Parking Lot Site Pittsfield, Massachusetts
---	---	--

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Blows/6 In.	N	Recovery (ft.)	PID (ppm)	Headspace	Geotechnical Test	Geologic Column	Stratigraphic Description	Well Construction
	GS elevation 984.80 ft.										GROUND SURFACE	12" diameter temporary plug cap
		(0-2')	NA NA NA NA	NA	NA	1.2	0.0				Brown fine SAND, little medium to coarse Sand, trace fine to medium Gravel, trace Silt, damp.	5' x5' concrete pad with rebar
		(2-4')	NA NA NA NA	NA	NA	1.5	4.1				Dark brown fine SAND, little medium to coarse Sand, little Silt, trace fine to medium Gravel, trace roots, trace to little glass, slag, coal, brick, and clay tile, damp.	Processed gravel (5'x5')
5	980	(4-6')	NA NA NA NA	NA	NA	1.0	0.0					Type I Portland cement/5% bentonite grout 0 to 3.0' bgs
		(6-8')	NA NA NA NA	NA	NA	0.4	0.4					Hydrated medium bentonite chips 3.0' to 5.4' bgs
		(8-10')	NA NA NA NA	NA	NA	1.5	0.0					12" ID Sch. 40 stainless steel riser 0 to 9.4' bgs
0	975	(10-12')	NA NA NA NA	NA	NA	1.3	0.0					Grade #2 unisil silica sand pack 5.4' to 19.4' bgs
		(12-14')	NA NA NA NA	NA	NA	1.3	3.3				Moist	24" diameter borehole
		(14-16')	NA NA NA NA	NA	NA	0.5	17.3				Color change to dark gray to black @ 14' bgs, saturated.	12" ID stainless steel wire wound 0.040" slot screen 9.4' to 19.4' bgs
5	970										Fill/Native Boundary	



**Remarks:**

No analytical samples were collected for this boring. Soil descriptions are from RW-1R (Pilot Boring) which was installed by BBL on 8/13/98 using a powerprobe direct push rig.

**Water Levels**

Date / Time	Elevation	Depth
8/13/98		14' ▼
		-1' ▼

Site:  
Lyman Street Parking Lot Site  
Pittsfield, Massachusetts

Well No. RW-1R

Total Depth = 20 ft.

Client:  
General Electric Company

DEPTH	ELEVATION	Sample Run Number	Sample/Int./Type	Blows/6 In.	N	Recovery (ft.)	P10 (ppm) Headspace	Geotechnical Test	Geologic Column	Stratigraphic Description	Well Construction
		(14-16')		NA NA	NA	0.5	17.3			Dark gray to black fine to coarse SAND, little Silt, trace to little fine to medium Gravel, saturated, slight sheens, odor.	
		(16-18')		NA NA NA NA	NA	1.4	24.9				
		(18-20')		NA NA NA NA	NA	2.0	15		Olive brown SILT, little fine Sand, trace medium to coarse Sand, trace fine to medium Gravel, moist. (Confining)		
20	965									Bottom of boring at 20.0' bgs	
25	960										
30	955										
35	950										



Remarks:

Total depth of boring 20.0' bgs. Total depth of recovery well 20.4' bgs. NA = Not applicable.

Water Levels

Date / Time	Elevation	Depth
8/13/98		14' ↓
		↑
		↓

Date Start/Finish: 08/16/95 / 08/16/95  
 Drilling Company: MTI Drilling Company  
 Driller's Name: George Rustamyer  
 Drilling Method: Hollow Stem Auger  
 Bit Size: N/A-in. Auger Size : OD 8.25-in.  
 Rig Type: Mobile B-57  
 Spoon Size: 2-in.

Northing: 532699.855  
 Easting: 131592.662  
 Well Casing Elev.: N/A ft.  
 Corehole Depth: N/A ft.  
 Borehole Depth: 38 ft.

Well No. NS-15  
 Client:  
 General Electric Company

Location:  
 Newell Street Parking Lot Site  
 Pittsfield, Massachusetts

Geologist: La Rae N. Mishler

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Blows/6 In.	N	Recovery (ft.)	HNu (ppm) Headspace	Geologic Column	Stratigraphic Description	Well Construction
									GROUND SURFACE	
1		PN15B 00-02		10 11 12 12	23	1.3	0.2		Asphalt. Brown fine to coarse GRAVEL and SAND, trace Silt, medium dense, dry to moist.	7-in diameter steel protective curb box Well cap Cement ground surface to 1.0' bgs
2									Brown fine SAND, moist, trace Fe staining.	
3		PN15B 02-04		10 10 12 15	22	1.4	0.2		Gray/black very fine SAND, trace fine to medium Gravel, moist, glass, insulator, foil. Brown fine to medium SAND, little Silt, trace fine to medium Gravel, medium dense, moist, slag, trace Fe staining.	
4									1" thick dark gray flakey Graphite lense.	
5		PN15B 04-06		5 6 4 5	10	1.3	0.0		Trace Silt, moist. Little fine to medium Gravel, trace coarse Gravel, loose, moist.	2-inch diameter schedule 40 PVC well casing 0.2' to 28.0' bgs
6									Fill/Native Boundary 6.6' bgs.	
7	6.9	PN15B 06-08		5 4 3 6	7	1.8	0.8		Green/brown fine SAND, seams of dark brown, loose, moist, Fe staining. Black SILT, trace very fine Sand, medium stiff, Fe staining.	
8									Green/black.	Type 1 portland cement/5% bentonite grout 1.0' to 24.0' bgs
9		PN15B 08-10		3 3 3 3	6	1.8	0.2		Green/brown very fine SAND and SILT, loose, moist, Fe staining, roots. Green/brown very fine SAND, trace Silt, loose, moist to wet, Fe staining, roots.	
10										



Remarks:

Submitted sample PN15B0608 for Appendix IX+3 analyses.

Saturated Zones

Date / Time	Elevation	Depth
08/16/95		10.5' ↓
07/07/95		11.68' ↓

<b>Client:</b> General Electric Company  <b>Location:</b> Newell Street Parking Lot Site Pittsfield, Massachusetts	<b>Well No. NS-15</b>  <b>Total Depth = 38 ft.</b>
---	--

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Blows/6 In.	N	Recovery (ft.)	Hnu (ppm) Headspace	Geologic Column	Stratigraphic Description	Well Construction
11		PN15B 10-12		1 2 4 4	8	0.9	0.1	Olive green color, saturated, slight sheen. Red/orange fine to medium GRAVEL, some fine to coarse Sand, loose, saturated.	<p>2-inch diameter schedule 40 PVC well casing 0.2' to 28.0' bgs</p> <p>Type I portland cement/5% bentonite grout 1.0' to 24.0' bgs</p>	
12							Olive green fine SAND, trace medium Sand, saturated, piece of wood, black staining, slight sheen.			
13		PN15B 12-14		2 2 3 4	5	1.2	2.0	Dark gray medium SAND, some fine Sand, trace coarse Sand and fine Gravel, saturated.		
14							Dark gray fine to medium SAND, trace coarse Sand, saturated.			
15		PN15B 14-16		1 1 1 3	2	0.7	17.6	Dark gray coarse SAND, some fine to medium Sand, little fine to coarse Gravel, very loose, saturated.		
16										
17		PN15B 16-18		3 3 4 6	7	1.4	17.8			
18										
19		PN15B 18-20		11 4 4 5	8	1.4	260.0	Dark gray fine to medium SAND, little coarse Sand, trace fine to medium Gravel, loose, saturated.		
20										
21		PN15B 20-22		1 4 11 5	15	2.0	0.8	Gray fine to medium GRAVEL, trace fine to coarse Sand, trace coarse Gravel, medium dense, saturated.		
22										
23		PN15B 22-24		5 7 7	14	1.8	0.8			

<p><b>BLASLAND, BOUCK &amp; LEE, INC.</b> engineers &amp; scientists</p>	Remarks:	<b>Saturated Zones</b>		
		Date / Time	Elevation	Depth
		06/16/95		10.5' ↓
07/07/95				

**Client:** General Electric Company  
**Well No. NS-15**  
**Location:** Newell Street Parking Lot Site  
 Pittsfield, Massachusetts  
**Total Depth = 38 ft.**

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Blows/B In.	N	Recovery (ft.)	HNu (ppm) Headspace	Geologic Column	Stratigraphic Description	Well Construction
24		PN15B 22-24		8	14	1.8	0.8		Gray fine to medium GRAVEL, trace fine to coarse Sand, trace coarse Gravel, medium dense, saturated.	<p>Bentonite seal 24.0' to 26.0' bgs</p> <p>2-inch diameter schedule 40 PVC well casing 0.2' to 28.0' bgs</p> <p>#2 Silica sand pack 28.0' to 38.0' bgs</p> <p>2-in diameter, 0.010-in slotted schedule 40 PVC well screen 28.0' to 38.0' bgs</p>
25		PN15B 24-28		2 2 5 7	7	2.0	2.0		Dark gray fine to medium SAND, trace coarse Sand, loose, saturated.	
27		PN15B 26-28		3 5 3 8	8	1.8	2.8			
28										
29		PN15B 28-30		3 8 4 10	10	1.8	1.8		trace Silt, saturated.	
30										
31		PN15B 30-32		1 3 4 10	7	2.0	1.8		Dark gray medium SAND, some fine Sand, trace coarse Sand and fine Gravel, loose, saturated.	
32									Coarse SAND, some fine to medium Sand, trace fine Gravel, loose.	
33		PN15B 32-34		1 2 3 9	5	2.0	1.4		Dark gray fine SAND, little medium Sand, trace coarse Gravel, loose. Dark gray medium SAND, some fine Sand, trace coarse Sand, trace fine Gravel.	
34									Dark gray coarse SAND, trace silt.	
35		PN15B 34-36		19 22 15 8	37	0.7	168.0		Dark gray medium to coarse SAND, trace fine Gravel, dense, saturated.	
36		PN15B 36-38		8	25	1.0	82.0		Olive green SILT, trace Clay and very fine Sand, hard, saturated.	

**BBL**  
 BLASLAND, BOUCK & LEE, INC.  
 engineers & scientists

**Remarks:**


Saturated Zones		
Date / Time	Elevation	Depth
06/18/95		10.5
07/07/95		11.88

**Client:**  
General Electric Company

**Well No.** NS-15

**Location:**  
Newell Street Parking Lot Site  
Pittsfield, Massachusetts

**Total Depth - 38 ft.**

DEPTH	ELEVATION	Sample Run Number	Sample/Int./Type	Blows/6 In.	N	Recovery (ft.)	H <sub>2</sub> O (ppm)	Headspace	Geologic Column	Stratigraphic Description	Well Construction
37		PN158 38-38		9	25	1.0	82.0			Olive green SILT, trace Clay and very fine Sand, trace fine to medium Gravel, saturated at top, moist at bottom.	
38	16			35							
38										Bottom of boring at 38.0' bgs.	Total depth of well 38.0' bgs
38											
39											
40											
41											
42											
43											
44											
45											
46											
47											
48											
49											
50											

**BBL**  
BLASLAND, BOUCK & LEE, INC.  
engineers & scientists

**Remarks:**

**Saturated Zones**

Date / Time	Elevation	Depth
06/16/95		10.5 ↓
07/07/95		11.68 ↓

Date Start/Finish: 2/2/98 / 2/5/98 Drilling Company: MTI Driller's Name: George Rustemeyer Drilling Method: Hollow Stem Auger Bit Size: Auger Size: 4.25" ID Rig Type: Mobile B-57 Spoon Size: 2" OD	Northing: 532688.782 Easting: 131552.328 Well Casing Elev.: 985.99 ft. Corehole Depth: Borehole Depth: 36 ft. Ground Surface Elev.: 983.1 ft.  Descriptions by: Ronald D. Kuhn	Well No. NS-30  Client: General Electric Company  Site: Newell Street Parking Lot Site Pittsfield, Massachusetts
--	---	---

DEPTH	ELEVATION	Sample Depth Sample Number	Sample/Int./Type	Blows/6 In.	N	Recovery (ft.)	PID (ppm) Headspace	Geotechnical Test	Geologic Column	Stratigraphic Description	Well Construction
gs elevation 983.1 ft										GROUND SURFACE	Locking, 4-in diameter steel protective casing 3.5' ags Well cap  Cement seal ground surface to 2.0' bgs
		(0-2')		1 10 9	11	1.3	5.5			Brown decomposed leaf litter and natural organics (roots), frozen. Dark brown fine SAND, trace fine gravel, trace glass, damp. Dark gray fine SAND, trace fine gravel, damp. Dark brown fine SAND, little silt, trace aluminum foil, glass, red brick and wood, damp. Brown fine SAND, trace silt and fine gravel, trace slag, damp. Periodic Fe staining from 8.0' to 8.0'. <b>Fill/Native Boundary 8.0' bgs.</b>	
	960	(2-4')		3 8 11 15	19	1.1	0.9				
	5	(4-6')		4 4 4 6	8	0.8	0.0				
		(6-8')		3 4 3 4	7	2.0	0.0				
	975	(8-10')		2 2 2 2	4	2.0	0.0				Type 1 portland cement/5% bentonite grout 2.0' to 22.0' bgs
	10	(10-12')		1 (12") 1 (12")	1	1.9	0.0			Dark gray fine SAND, little silt, trace natural organics (roots), saturated.	
	970	(12-14')		1 4 5 10	9	1.2	3.5			Wood (tree root) from 12.8' to 13.0'. Brown fine SAND, saturated.	2-in diameter schedule 40 PVC well casing 2.89' ags to 26.1' bgs
	5	(14-16')		2 3	7	1.1	7.4				



**Remarks:**  
 Submitted sample N30B3234 for Appendix IX VOC analyses.

Water Levels		
Date / Time	Elevation	Depth
2/7/98	972.48	10.62

**Site:**  
Newell Street Parking Lot Site  
Pittsfield, Massachusetts

**Well No.** NS-30  
**Total Depth** = 38 ft.

**Client:**  
General Electric Company

DEPTH	ELEVATION	Sample Depth Sample Number	Sample/Int./Type	Blows/6 In.	N	Recovery (ft.)	PID (ppm) Headspace	Geotechnical Test	Geologic Column	Stratigraphic Description	Well Construction
		(14-16')		4 8	7	11	7.4			At 14.3', Dark gray fine to coarse SAND, trace silt, fine to medium gravel and natural wood in tip of splitspoon (tree root), saturated.	
		(16-18')		5 6 7 8	13	18	8.0				
965		(18-20')		9 8 8 11	14	12	8.4				
20		(20-22')		11 6 3 5	9	2.0	4.8			Dark gray fine to medium SAND, trace silt, saturated.	
		(22-24')		4 4 4 4	8	11	4.7			Dark gray fine to medium SAND, trace coarse sand, trace fine to medium gravel and silt, saturated.	
960		(24-26')		10 42 46 22	88	1.3	4.2			Dark gray coarse SAND, little fine to medium sand, saturated.	
25		(26-28')		7 27 12 9	39	1.8	0.4			Dark gray fine to medium SAND, trace coarse sand and fine to medium gravel, saturated.	
		(28-30')		NA NA NA NA	NA	NA	NA			Dark gray medium to coarse SAND, trace fine sand, silt, and fine gravel, saturated.	
965		(30-32')		8 24 25 23	49	2.0	6.0			Drillers advanced augers 28.0' to 30.0' due to running sands.	
30		(32-34')		4 11 15 21	28	1.8	3988			Dark gray fine to coarse SAND, trace silt and fine to medium gravel, dense, saturated.	
		(34-36')	N30B3234	57 13	28	2.0	3748			Dark gray fine to medium SAND, trace silt, appears to be saturated with NAPL, odor.	
960											Bentonite seal 22.0' to 24.0' bgs
											Grade #2 Silica sand pack 24.0' to 35.1' bgs
											2-in diameter, 0.010-in slotted schedule 40 PVC well screen 26.1' to 35.6' bgs

**BBL**  
BLASLAND, BOUCK & LEE, INC.  
engineers & scientists

**Remarks:**  
Total depth of well 38.0' bgs


Water Levels		
Date / Time	Elevation	Depth
2/7/96	972.48	



Site:  
Newell Street Parking Lot Site  
Pittsfield, Massachusetts

Well No. NS-30  
Total Depth = 38 ft.

Client:  
General Electric Company

DEPTH	ELEVATION	Sample Depth Sample Number	Sample/Int/Type	Blows/6 In.	N	Recovery (ft.)	PID (ppm) Headspace	Geotechnical Test	Geologic Column	Stratigraphic Description	Well Construction
35		(34-36')		28	28	2.0	3748			Brown SILT, trace fine sand and fine gravel, stiff to very stiff, moist. Bottom of boring at 36.0' bgs	 <p>Undisturbed native SILT 2.3-in OD, schedule 40 PVC sump and base of 2.3-in OD monitoring well pushed into pilot hole in silt advanced with 2.0-in OD split spoon. Sump and unscreened portion of screen 35.8' to 36.0' bgs.</p>
40	945										
45	940										
50	935										
55	930										

**BBL**  
BLASLAND, BOUCK & LEE, INC.  
engineers & scientists

Remarks:

Water Levels

Date / Time	Elevation	Depth
2/7/96	972.48	10.62 ↓
		↓
		↓

<b>Date Start/Finish:</b> 1/29/96 / 1/30/96 <b>Drilling Company:</b> MTI <b>Driller's Name:</b> George Rustemeyer <b>Drilling Method:</b> Hollow Stem Auger <b>Bit Size:</b> Auger Size: 4.25" ID <b>Rig Type:</b> Mobile B-57 <b>Spoon Size:</b> 2" OD	<b>Northing:</b> 532667.975 <b>Eastng:</b> 131618.205 <b>Well Casing Elev.:</b> 986.20 ft. <b>Corehole Depth:</b> <b>Borehole Depth:</b> 38.5 ft. <b>Ground Surface Elev.:</b> 983.8 ft.  <b>Descriptions by:</b> Ronald D. Kuhn	<b>Well No. NS-32</b>  <b>Client:</b> General Electric Company  <b>Site:</b> Newell Street Parking Lot Site Pittsfield, Massachusetts
---	---	--

DEPTH	ELEVATION	Sample Depth Sample Number	Sample/Int./Type	Blows/6 In.	N	Recovery (ft.)	PID (ppm) Headspace	Geotechnical Test	Geologic Column	Stratigraphic Description	Well Construction
gs elevation 983.8 ft										GROUND SURFACE	Locking, 4-in diameter steel protective casing 2.86' ags Well cap Cement seal ground surface to 2.0' bgs
		(0-2')		44 61 30 38	91	1.8	0.0			Black Asphalt. Brown fine to coarse SAND, little fine to medium gravel, trace silt, damp.	
	980	(2-4')		8 13 9 8	21	1.8	0.0			Dark brown fine SAND, trace fine gravel, trace wood, glass, and slag, damp. Brown fine SAND, trace coarse sand, trace aluminum foil, damp.	
5		(4-6')		5 4 180/0.2	REF	1.2	0.0			Trace slag. Concrete 4.9' to 5.2'.	
		(6-8')		38 12 8 8	18	NR	NA			No recovery 8.0' to 8.0'. Fill/Native Boundary 8.0' bgs.	
	975	(8-10')		2 4 4 3	8	1.1	9.4			Brown fine SAND, little silt, trace natural organic matter (roots) and fine gravel, saturated, sheens on soil.	Type I portland cement/5% bentonite grout 2.0' to 24.0' bgs
10		(10-12')		3 4 2 2	6	0.2	10.3			Brown fine to medium gravel, saturated. Little fine sand, sheens on soil.	
		(12-14')		2 3 9 10	12	0.9	10.7			Brown fine to medium SAND, trace silt, fine gravel and tree root, saturated, sheens evident.	2-in diameter schedule 40 PVC well casing 2.8' ags to 28.8' bgs
5	970	(14-16')		1 2	3	1.0	25.5			Brown fine to medium SAND, trace fine to medium gravel, saturated, sheens evident.	

**BBL**  
 BLASLAND, BOUCK & LEE, INC.  
 engineers & scientists

**Remarks:**  
 Submitted sample N32B3438 for Appendix IX VOC analyses. Submitted sample N32B3838.5 for PCB analyses.

Water Levels		
Date / Time	Elevation	Depth
2/7/96		
		▽
		▽

Site:  
Newell Street Parking Lot Site  
Pittsfield, Massachusetts

Well No. NS-32  
Total Depth = 38.5 ft.

Client:  
General Electric Company

DEPTH	ELEVATION	Sample Depth Sample Number	Sample/Int./Type	Blows/6 In.	N	Recovery (ft.)	PID (ppm) Headspace	Geotechnical Test	Geologic Column	Stratigraphic Description	Well Construction
		(14-16')		1 2	3	1.0	25.5			Brown fine to medium SAND, trace coarse sand and fine to medium gravel, saturated, sheens evident.	<p>Bentonite seal 24.0' to 26.5' bgs</p> <p>Grade #2 Silica sand pack 26.5' to 37.5' bgs</p> <p>2-in diameter, 0.010-in slotted schedule 40 PVC well screen 28.8' to 38.1' bgs</p>
		(16-18')		6 7 8 9	15	1.2	59.3				
965		(18-20')		2 3 10 58	13	1.0	127.0			Gray coarse SAND, some fine to medium sand, trace fine to medium gravel, saturated, slight sheen.	
20		(20-22')		6 6 6 6	12	0.9	31.7			Little fine to medium gravel.	
	960	(22-24')		11 13 18 15	31	1.8	139.0			Trace fine to medium gravel.	
25		(24-26')		6 8 8 10	14	1.1	65.4				
		(26-28')		4 10 9 9	19	1.8	49.7				
965		(28-30')		6 17 15 14	32	1.4	3.1				
30		(30-32')		3 5 9 3	14	0.8	5.8			Gray coarse SAND, little fine to medium sand, saturated.	
	960	(32-34')		9 8 12 17	20	1.8	1.7			Gray coarse SAND, some fine to medium sand, trace fine to medium gravel, saturated.	
35		(34-36')		18 18	32	0.9	620.0			Gray coarse SAND, some fine to medium sand, saturated.	



Remarks:

Total depth of well 38.5' bgs. REF = spiltspoon refusal.


Water Levels

Date / Time	Elevation	Depth
2/7/98	972.87	0.93

**Site:**  
Newell Street Parking Lot Site  
Pittsfield, Massachusetts

**Client:**  
General Electric Company

**Well No. NS-32**  
**Total Depth = 38.5 ft.**

DEPTH	ELEVATION	Sample Depth Sample Number	Sample/Int./Type	Blows/6 In.	N	Recovery (ft.)	PID (ppm) Headspace	Geotechnical Test	Geologic Column	Stratigraphic Description	Well Construction
		(34-36')		14	32	0.9	820.0				
		(36-38')		5 20	19	1.9	17				
	945	(38-38.5')		15	18	0.5	0.3			Brown Silt, trace fine sand and gravel, wet at 37.5', moist at 37.7', stiff to very stiff. Bottom of boring at 38.5' bgs	 <p>Undisturbed native SILT</p> <p>2.3-in OD, schedule 40 PVC sump and base of 2.3-in OD monitoring well pushed into pilot hole in silt advanced with 2.0-in OD split spoon. Sump and unscreened portion of screen 38.1' to 38.5' bgs.</p>
40											
	940										
45											
	935										
50											
	930										
55											

**BBL**  
BLASLAND, BOUCK & LEE, INC.  
engineers & scientists

Remarks:

**Water Levels**

Date / Time	Elevation	Depth
2/7/98	972.87	10.93




# BORING/WELL CONSTRUCTION LOG

**PROJECT NUMBER** P009-001 **BORING/WELL NUMBER** N29C-011  
**PROJECT NAME** Source Control Upper Beach Housatonic River **DATE DRILLED** 10/29/98  
**LOCATION** Pittsfield, Massachusetts **CASING TYPE/DIAMETER** 2" PVC  
**DRILLING METHOD** HSA **SCREEN TYPE/SLOT** .010 Slot 2" PVC  
**SAMPLING METHOD** SS **GRAVEL PACK TYPE** #40 Silica Sand  
**GROUND ELEVATION** 983.60 **GROUT TYPE/QUANTITY** Portland/Volclay  
**TOP OF CASING** 984.00 **DEPTH TO WATER** \_\_\_\_\_  
**LOGGED BY** MJJ **GROUND WATER ELEVATION** \_\_\_\_\_  
**NORTHING** 632583.13 **EASTING** 131888.66

FID (ppm)	BLOW COUNTS	SAMPLE ID.	EXTENT	DEPTH (ft. BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH	WELL DIAGRAM
0.2	3	SS01	X				Medium Dense, Dusky Brown, SAND w/ some organics few gravel, dry, well graded, (SW), (Fill).	1.0	<p>Portland / Volclay Grout</p> <p>Bentonite Seal</p> <p>.010 Slot 2" PVC Schd 40 Screen #40 Filter Sand</p>
0.4	11	SS02	X			Similar to above except slag and iron fillings.	3.0		
0.4	11	SS03	X			Medium dense, Moderate dark Grey, SAND w/ trace intrabedded silt, dry, poorly graded, iron fillings, (SP), (Fill).	5.0		
0.4	9	SS04	X	5		Same as above.	6.0		
18	22	SS05	X			Loose, Moderate dark Grey - Dusky Brown, SAND w/ little organics (wood fragments) cement, moist, well graded, (SW), (Fill).	6.0		
14	33	SS06	X			Medium dense, Moderate olive Brown - Moderate dark Grey, sandy GRAVEL w/ coal fragments, moist, well graded, (GW-SW), (Fill).	8.0		
240	44	SS07	X	10		Top 1.0 loose, black, sandy GRAVEL, wet, well graded, visible product, (GW-SW), Fill. Bottom 0.4 Black, organic peat, moist, peat stained black roots ect. (PT).	10.0		
180	55	SS08	X			Top 0.8 Same as above (Bottom), Bottom 0.8 loose, Moderate reddish Brown, peat, stained heavily, (PT).	12.0		
86	66	SS09	X			Top 0.3 Loose, Dark reddish Brown, fine - coarse SAND w/ some organics, moist, graded, (SW - PT). Bottom 0.7 Loose, Black, organics (decayed wood), moist, septic odor, (PT).	14.0		
7.4	77	SS10	X	15		Wood core	15.0		
60	88	SS11	X			Dense, Moderate olive Brown, coarse - fine SAND w/ some organics, wet, well graded, (SW).	17.0		
68	99	SS12	X			Wood core	18.0		
48	110	SS13	X	20		Loose, Light olive Brown, sandy SILT, wet, poorly graded, laminated, (ML-SP).	20.0		
N/A	121	SS14	X			Medium dense, Light olive Brown, silty fine SAND w/ few clay, wet, poorly graded, finely laminated, (SP-SM).	22.0		
6	132	SS15	X	25		Medium dense, Light - Moderate olive Brown, sandy GRAVEL, wet, well graded, sub-round, (GW-SW).	24.0		
9.8	143	SS16	X			Medium dense, Olive Grey, gravelly SAND, wet, well graded, sub-round, (SW-GW).	26.0		
8.2	154	SS17	X			Medium dense, Light olive Brown, silty fine SAND, wet, poorly graded, (SP-SM).	28.0		
4.4	165	SS18	X	30		Medium dense, Olive Grey, coarse SAND w/ some gravel, wet, well graded, sub-round, (SW-GW).	30.0		
N/A	176	SS19	X			No Recovery / No Sample.	32.0		
78	187	SS20	X	35		Medium dense, Light - Moderate olive Brown, sandy GRAVEL trace fines, wet, well graded, sub-round, sheen	34.0		
	198		X				36.0		

Continued Next Page

BORING WELL LOGS (GP) HSI MA/GMT 2/02/98



**HSI**  
**GEOTRANS**  
 A TETRA TECH COMPANY

**BORING/WELL CONSTRUCTION LOG**

PROJECT NUMBER P009-001 BORING/WELL NUMBER N2SC-011  
 PROJECT NAME Source Control Upper Reach Houstonic River DATE DRILLED 10/29/98

*Continued from Previous Page*

FTD (ppm)	BLOW COUNTS	SAMPLE ID.	EXTENT	DEPTH (ft BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH	WELL DIAGRAM
110	10	SS21	X				and staining, (GW-SW). Similar to above except visible product.	38.0	1' 2" PVC Schd 40 Sump + Bentonite Seal
4.6	8	SS22	X	40			Light olive Brown, silty SAND w/ some gravel, (SW-GW), (TIII).	40.0	

BORING WELL PROJ GPJ HSI MA GDT 25699



**BORING/WELL CONSTRUCTION LOG**

PROJECT NUMBER P009-001  
 PROJECT NAME Source Control Upper Reach Housatonic River  
 LOCATION Pittsfield, Massachusetts  
 DRILLING METHOD HSA  
 SAMPLING METHOD SS  
 GROUND ELEVATION 983.28  
 TOP OF CASING 985.07  
 LOGGED BY MJJ  
 NORTHING 532594.56

BORING/WELL NUMBER N2SC-02  
 DATE DRILLED 11/3/98  
 CASING TYPE/DIAMETER 2" PVC  
 SCREEN TYPE/SLOT .010 Slot 2" PVC  
 GRAVEL PACK TYPE #0 Silica Sand  
 GROUT TYPE/QUANTITY Portland/Volclay  
 DEPTH TO WATER \_\_\_\_\_  
 GROUND WATER ELEVATION \_\_\_\_\_  
 EASTING 131592.76

FID (ppm)	BLOW COUNTS	SAMPLE ID.	EXTENT	DEPTH (ft. BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH	WELL DIAGRAM
0	2	SS01					Loose, Light to Moderate Brown, fine SAND w/ some organics (leaves, sticks, roots), dry, well graded, (SW), (Fill).	1.0	<p>← Portland / Volclay Grout</p> <p>← Bentonite Seal</p> <p>← #0 Filter Sand ← .010 Slot 2" PVC Schd 40 Screen</p>
17	7	SS02				Top 1.1 Same as above. Bottom loose, Moderate Grey, fine SAND, moist, poorly graded, (SP), (Fill).	3.0		
66	8	SS03				Same as above (Bottom).	5.0		
55	9	SS04		5		Medium Dense, Moderate olive Brown to Moderate Brown, SAND w/ few gravel brick fragments, dry, well graded, sub-angular, (SW), (Fill).	6.0		
30	8	SS05				Medium dense, Light Brown, fine SAND w/ trace gravel, dry, graded, (SW-SP), (Fill).	8.0		
5	2	SS06				Top 1.0 loose, Olive Grey, fine SAND w/ some organics, dry, graded, (SP), (Fill). Bottom 0.3 loose, Moderate Brown, fine SAND, moist, poorly graded, (SP).	10.0		
16	2	SS07		10		Loose, Greyish Olive, fine SAND w/ few organics, wet (at 11.2), poorly graded, (SP).	12.0		
15	3	SS08				Similar to above except bottom 0.2 few gravel, (SP-SW).	14.0		
28	2	SS09				Medium dense, Olive Grey, coarse SAND w/ some gravel, wet, well graded, (SW-GW).	15.0		
65	6	SS10		15		Same as above.	17.0		
68	5	SS11				Same as above.	19.0		
30	4	SS12		20		Loose, Moderate olive Brown, medium SAND w/ some gravel, trace fines, wet, well graded, (SW-GW).	21.0		
28	2	SS13				Similar to above except graded bed 0.8 thick.	23.0		
18	7	SS14				Loose, Moderate olive Brown, coarse SAND and GRAVEL w/ trace fines, wet, well graded, sub-round, (GW-SW).	24.0		
100	3	SS15		25		Loose, Light to Moderate olive Brown, sandy GRAVEL w/ trace fines, wet, well graded, sub-angular, (GW-SW).	26.0		
40	4	SS16				Similar to above except bottom 0.3 few fines.	28.0		
40	10	SS17				Medium dense, Light olive Brown, sandy GRAVEL w/ few fines, wet, well graded, sub-round to round, (GW-SW), outwash.	30.0		
18	12	SS18		30		Medium dense, Light olive Brown, sandy GRAVEL w/ little silt, wet, well graded, sub-angular, (GW-SW).	32.0		
350	11	SS19				Top 0.6 Same as above. Bottom 0.4 similar to above except stained, sheen on spoon and cobbles black.	34.0		
400	8	SS20		35		Material same as above staining reddish brown.	36.0		

Continued Next Page

BORING\_WELL J HSI\_MA GDT 2/5/99



**BORING/WELL CONSTRUCTION LOG**

PROJECT NUMBER P009-001 BORING/WELL NUMBER N2SC-02  
PROJECT NAME Source Control Upper Reach Housatonic River DATE DRILLED 11/3/98

*Continued from Previous Page*

FID (ppm)	BLOW COUNTS	SAMPLE ID.	EXTENT	DEPTH (ft. BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH	WELL DIAGRAM
460	11 13 14 5 8 8 10	SS21	X				Top 0.2 Same as above. Bottom 1.6 Light olive Brown, sandy SILT w/ few gravel, few clay, wet, well graded, (ML), (sand stringer 37.0-37.2), (Till).	38.0	 1' 2" PVC Schd 40 Sump

CCT 2/5/99





**BORING/WELL CONSTRUCTION LOG**

PROJECT NUMBER P009-001  
PROJECT NAME Source Control Upper Reach Housatonic River  
LOCATION Pittsfield, Massachusetts  
DRILLING METHOD HSA  
SAMPLING METHOD SS  
GROUND ELEVATION 983.53  
TOP OF CASING 985.33  
LOGGED BY MJJ  
NORTHING 532536.68

BORING/WELL NUMBER N2SC-031  
DATE DRILLED 11/2/98  
CASING TYPE/DIAMETER 2" PVC  
SCREEN TYPE/SLOT .010 Slot 2" PVC  
GRAVEL PACK TYPE #0 Silica Sand  
GROUT TYPE/QUANTITY Portland/Volclay  
DEPTH TO WATER \_\_\_\_\_  
GROUND WATER ELEVATION \_\_\_\_\_  
EASTING 131579.89

FID (ppm)	BLOW COUNTS	SAMPLE ID.	EXTENT DEPTH (ft. BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH	WELL DIAGRAM
0.4	2	SS01				Loose, Pale Brown, SAND w/ some organics, few gravel, dry, well graded, (SP), (Fill).	1.0	<p>Portland / Volclay Grout</p> <p>Bentonite Seal</p> <p>#0 Filter Sand .010 Slot 2" PVC Schd 40 Screen</p>
7.2	5	SS02			Medium dense, Yellowish Orange to Moderate dark Brown, SAND w/ ceramic and coal fragments, dry, well graded, (SP), (Fill).	3.0		
6.8	9	SS03			Medium dense, Grey, wood and paper fragments, (Fill).	5.0		
10.2	11	SS04	5		Medium dense, Moderate Brown, SAND w/ few gravel, little organics, moist, well graded, (SP), (Fill).	6.0		
5.8	13	SS05			Medium dense, Moderate to Dark Brown, SAND w/ little gravel, few ceramic fragments, moist, well graded, (SW), (Fill).	8.0		
9	6	SS06			Medium dense, Moderate to Dark Brown, SAND w/ some silt, wood and brick fragments, (SW), (Fill).	10.0		
150	6	SS07	10		Loose, Black, SAND w/ some gravel, copper wire, wet, well graded, sheen present, (SW), (Fill).	12.0		
150	5	SS08			Loose, Black, organic peat (roots sticks fibrous), wet, (PT).	14.0		
200	2	SS09			Same as above, septic odor.	15.0		
100	1	SS10	15		Same as above.	17.0		
140	1	SS11			Top 1.1 Same as above, (Fill). Bottom 0.2 loose, Greyish Olive, medium SAND w/ trace gravel, wet, poorly graded, (SP).	19.0		
110	2	SS12			Loose, Greyish Olive to Olive Grey, medium - coarse SAND, wet, graded, (SP-SW).	20.0		
180	5	SS13	20					
42	3	SS14			Loose, Olive Grey, medium - coarse SAND w/ few gravel, trace fines, wet, well graded, sub-round, (SW).	24.0		
84	3	SS15			Loose, Light olive Grey, medium - fine SAND, wet, graded, sheen, (SW).	26.0		
162	2	SS16	25					
162	3	SS17			Top 0.6 Same as above. Bottom 0.8 medium dense, Moderate olive Brown, SAND w/ few silt, wet, graded, fining downward, (SP)	28.0		
158	4	SS18			Same as above (Bottom).	30.0		
26	6	SS19	30		Medium dense, Light olive Brown, medium - fine SAND, wet, poorly graded, (SP).	32.0		
140	7	SS20			Top 0.8 Same as above. Bottom 0.2 dense, Light olive Brown, sandy GRAVEL w/ few fines, wet, well graded, sub-round, (GW-SW).	34.0		
	10		35		Similar to above, except faint staining in top gravel zone, bottom is coarse gravel.	36.0		

Continued Next Page

BORING W-LL J HSI MA 30T 2/5/99



**BORING/WELL CONSTRUCTION LOG**

PROJECT NUMBER P009-001 BORING/WELL NUMBER N2SC-031  
 PROJECT NAME Source Control Upper Reach Housatonic River DATE DRILLED 11/2/98

*Continued from Previous Page*

FID (ppm)	BLOW COUNTS	SAMPLE ID.	EXTENT	DEPTH (ft. BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DESCRIPTION	CONTACT DEPTH	WELL DIAGRAM
38		SS21	X				Light olive Brown, silty SAND w/ few gravel, wet, well graded, sub-angular, (SW), (TILL).	38.0	 1' 2" PVC Sched 40 Sump



**BORING/WELL CONSTRUCTION LOG**


PROJECT NUMBER P009-002  
 PROJECT NAME Source Control Upper Reach Housatonic River  
 LOCATION Pittsfield, Massachusetts  
 DRILLING METHOD Hollow Stem Augers, Drive and Wash  
 SAMPLING METHOD Split Spoon  
 GROUND ELEVATION 983.40 ft. NGVD  
 MEASURING POINT ELEVATION 985.06 ft. NGVD  
 LOGGED BY SKC  
 NORTHING 532617.19815

BORING/WELL NUMBER N2SC-14  
 DATE DRILLED 4/6/00 - 4/11/00  
 CASING TYPE/DIAMETER 4" inner diameter PVC  
 SCREEN TYPE/SLOT .010 Slot 4" inner diameter PVC  
 GRAVEL PACK TYPE #0 Silica Sand  
 GROUT TYPE/QUANTITY Portland/Volclay  
 DEPTH(ft BGS)/ELEVATION OF WATER 12.12 / 971.28 on 4/12/2000  
 DRILLING CONTRACTOR Parratt Wolff  
 EASTING 131618.22579

PID (ppm)	BLOW COUNTS	SAMPLE ID.	EXTENT	DEPTH (ft. BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DISCRPTION	CONTACT DEPTH	WELL DIAGRAM
0.2	1084	SS01					Medium dense, Top 0.3 Moderate to Dusky yellowish Brown, SILT with gravel and roots, moist, graded (TOPSOIL). Mid 0.5 Dark Gray, diatomaceous SAND, dry, poorly graded (FILL). Bottom 0.9 Moderate yellowish Brown, SILT interbedded with Dark Gray sand with coal slag and glass fragments, dry, graded (FILL).	2.0	<p>Portland/Volclay Grout</p> <p>Enviroplug Bentonite Seal</p> <p>#0 Filter Sand .010 Slot 4" PVC Schedule 40 Screen</p>
1.4	888	SS02					Medium dense, Top 1.0 Dark Gray, diatomaceous fine SAND with rust mottling, band of Light Brown coarse sand and coal slag at base, dry. Bottom 0.5 Dusky yellowish Brown, fine SAND with coal slag, dry (FILL).	4.0	
0.2	888	SS03		5			Loose, Top 1.0 Dark Gray, diatomaceous fine SAND with silvery paper, dry. Bottom 0.5 Dark to Dusky yellowish Brown, fine SAND with little silt and trace gravel, coal slag, dry (FILL).	6.0	
1.2	888	SS04					Very loose, Top 1.1 Dark Gray, diatomaceous fine SAND with silvery paper and brick fragments, grading to Dusky yellowish Brown, dry (FILL). Bottom 0.9 Dark yellowish Brown, silty fine SAND with rust mottling and roots, moist, poorly graded (SP).	8.0	
3.4	888	SS05		10			Loose, Olive Gray, fine SAND interbedded with bands of Moderate olive Brown to Dusky Yellow fine sand, trace gravel, moist, poorly graded (SP).	10.0	
2.2	888	SS06					Loose, Light olive Gray, fine SAND, wet, poorly graded (SP).	12.0	
82	888	SS07		15			Very loose, Top 0.9 same as above (SP). Bottom 0.3, Olive Black, wood fragments with little fine sand and trace silt, wet (PT).	14.0	
76	888	SS08					Loose, Light olive Gray, fine SAND with layers of 2 mm to 0.1' interbedded PEAT, wet, poorly graded (SP, PT).	16.0	
80	888	SS09		20			Loose, Top 0.5 Light olive Brown, coarse SAND with little gravel, bands of Fe staining, wet, graded, subangular to subround (SW/GW). Bottom 0.4 Light olive Gray, laminated SILT and CLAY, wet (ML/CL).	18.0	
30	888	SS10					Spoon driven twice (1st time no recovery). Medium dense, Olive Gray, silt and fine SAND grading to coarse SAND and gravel with little silt, wet, subround, well graded (SW).	20.0	
45	888	SS11		22			Medium dense, same as above with 0.2' layers of coarse sand and gravel (SW, GW).	22.0	
22	888	SS12					Medium dense, same as above (SW, GW).	24.0	
140	888	SS13		25			Medium dense, same as above (SW, GW).	26.0	
65	888	SS14					Loose, same as above (SW, GW).	28.0	
160	888	SS15		30			Dense, Olive Gray, fine SAND with some silt, sand has horizontal preferred orientation, silty sections are laminated, wet, poorly graded, (SP, SM).	30.0	
N/A	888	SS16					Gneiss cobble stuck in spoon tip.	32.0	
700	888	SS17		34			Medium dense, Top 0.4 Moderate yellowish Brown, coarse SAND and GRAVEL, wet, well graded, subangular, sheen present. Bottom 0.8 Light olive Gray, medium SAND and some gravel, wet, well graded, subangular, stained black	34.0	
400	888	SS18							

Continued Next Page


BORING\_WELL\_P009.GPJ HSI\_MA\_GDT 5/9/00



PROJECT NUMBER P009-002 BORING/WELL NUMBER N2SC-14  
PROJECT NAME Source Control Upper Reach Housatonic River DATE DRILLED 4/6/00 - 4/11/00

Continued from Previous Page

PID (ppm)	BLOW COUNTS	SAMPLE ID.	EXTENT	DEPTH (ft. BGL)	U.S.C.S.	GRAPHIC LOG	LITHOLOGIC DISCRIPTION	CONTACT DEPTH	WELL DIAGRAM
360	.. ..	SS19	X X				<p>in top of section, beige grease or oil present in stained section (SW, GW).</p> <p>Medium dense, Top 0.1 Light olive Gray, GRAVEL with few fines, wet, well graded (GW). Mid 0.4 Dark yellowish Brown, coarse SAND and GRAVEL with few fines, wet, well graded, angular (SW/GW). Bottom 0.1 Light olive Gray, SILT, wet (ML). Free product running down inside of spoon.</p> <p>Loose, Top 0.1 Light olive Brown to Dusky Yellow, SILT and GRAVEL, wet, well graded, subangular, sheen present (possibly from side of spoon). Bottom 0.8 Light olive Gray to Moderate olive Brown, laminated SILT and CLAY with trace gravel, wet to moist, well graded, angular gravel, no sheens observed (TILL).</p> <p>END OF BORING 38.0 ft.</p> <p>Notes: BGS - Below Ground Surface NA - Not applicable ND - Not detected PID - Photo Ionization Detector reading NGVD - elevation with reference to National Geodesic Vertical Datum</p>	36.0 38.0	 1' 4" PVC Schedule 40 Sump



**DNAPL RECOVERY SYSTEM SCHEMATIC**

NOT TO SCALE

**LEGEND**  
 — A — AIR SUPPLY  
 — E — ELECTRIC SUPPLY

L: OLE - DT - REF  
 P: COM - O.D./COM - W.B  
 2/9/88 SH-54 DC  
 101-0000/201-0000 INC.

No.	Date	Revisions	Int.


NO ALTERATIONS PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 2209 SUBDIVISION 2 OF THE NEW YORK STATE EDUCATION LAW

Project Mgr. \_\_\_\_\_  
 Designed by \_\_\_\_\_  
 Drawn by \_\_\_\_\_  
 Checked by \_\_\_\_\_  
 Prof. Eng. \_\_\_\_\_  
 P.E. License \_\_\_\_\_

**BBL**  
 BLASLAND, BOUCK & LEE, INC.  
 engineers & scientists

GENERAL ELECTRIC COMPANY • PITTSFIELD, MASSACHUSETTS  
 NEWELL STREET AREA II/USEPA AREA 58 PARCEL J9-23-12  
**DNAPL RECOVERY SYSTEM**  
 GENERAL

File Number  
 701 40 237  
 Blasland, Bouck & Lee, Inc.  
 Corporate Headquarters  
 8773 Tappan Road  
 Syracuse, NY 13218  
 315-446-8170



**DNAPL RECOVERY SYSTEM SCHEMATIC**

NOT TO SCALE

Scale: 1/8" = 1'-0"  
 1. CONTINUAL/CONF-VIS  
 11/15/88 (REV) 11/15/88 (REV)  
 2011/08/20/10/02/00


DATE: 10/28/88

No.	Date	Revised	By	Checked

**BBL**

GENERAL ELECTRIC COMPANY • WATFORD, MASSACHUSETTS  
 NEWELL STREET AREA II/USEPA AREA SB PARCEL J9-23-12  
**DNAPL RECOVERY SYSTEM**

Job Number  
 2011/08/20/10/02/00  
 Date  
 10/28/88  
 Revision  
 11/15/88 (REV)



Horizontal Scale 0 1'


Vertical Scale 0 2'

in charge of \_\_\_\_\_

Designed by \_\_\_\_\_

Drawn by \_\_\_\_\_

Checked by \_\_\_\_\_



EAST STREET AREA 1- NORTH RECOVERY SYSTEM  
CATCH BASIN DETAIL

File No. \_\_\_\_\_

Date \_\_\_\_\_

Draw No. 2

## *Appendix B*

---

# Summary of Historical NAPL Recovery




TABLE B-1  
HISTORICAL NAPL RECOVERY DATA  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

DATE	LOCATION, TYPE, AND QUANTITY OF NAPL REMOVED (Gallons)															YEARLY VOLUME	CUMULATIVE VOLUME
	EAST STREET AREA 1-NORTH AND SOUTH		EAST STREET AREA 2-SOUTH				LYMAN STREET AREA				NEWELL STREET AREA II						
	LNAPL YEARLY	LNAPL CUMULATIVE	LNAPL YEARLY TOTAL	DNAPL YEARLY TOTAL	LNAPL+DNAPL YEARLY	LNAPL+DNAPL CUMULATIVE	LNAPL YEARLY TOTAL	DNAPL YEARLY TOTAL	LNAPL+DNAPL YEARLY	LNAPL+DNAPL CUMULATIVE	LNAPL YEARLY TOTAL	DNAPL YEARLY TOTAL	LNAPL+DNAPL YEARLY	LNAPL+DNAPL CUMULATIVE			
1975 - 1982	---	0.0	110,000	---	110,000	110,000	---	---	0	0	---	---	0	0	110,000	110,000	
1980 - 1989	510.0	510.0	---	---	0	110,000	---	---	0	0	---	---	0	0	510	110,510	
1983	---	510.0	16,780	---	16,780	126,780	---	---	0	0	---	---	0	0	16,780	127,290	
1984	---	510.0	17,950	---	17,950	144,730	---	---	0	0	---	---	0	0	17,950	145,240	
1985	---	510.0	40,564	---	40,564	185,294	---	---	0	0	---	---	0	0	40,564	185,804	
1986	---	510.0	63,745	---	63,745	249,039	---	---	0	0	---	---	0	0	63,745	249,549	
1987	---	510.0	58,780	---	58,780	307,819	---	---	0	0	---	---	0	0	58,780	308,329	
1988	---	510.0	61,767	---	61,767	369,586	---	---	0	0	---	---	0	0	61,767	370,096	
1989	---	510.0	47,107	---	47,107	416,693	---	---	0	0	---	---	0	0	47,107	417,203	
1990	26.0	536.0	26,995	---	26,995	443,688	---	---	0	0	---	---	0	0	27,021	444,224	
1991	92.4	628.4	39,395	---	39,395	483,083	---	---	0	0	---	---	0	0	39,487	483,711	
1992	85.4	713.8	50,561	---	50,561	533,644	80	135	215	215	---	---	0	0	50,861	534,573	
1993	117.0	830.8	40,175	---	40,175	573,819	67	100	167	382	---	---	0	0	40,459	575,032	
1994	81.9	912.7	30,051	---	30,051	603,870	47	143	190	572	---	---	0	0	30,323	605,354	
1995	110.7	1,023.4	59,358	---	59,358	663,228	76	78	154	726	---	---	0	0	59,623	664,977	
1996	80.3	1,103.7	45,192	0	45,192	708,420	794	88	882	1,608	3.6	123	127	127	46,282	711,259	
1997	81.5	1,185.2	51,107	45	51,152	759,573	407	55	462	2,070	2.5	111	113	240	51,810	763,068	
1998	53.7	1,238.9	36,003	67	36,069	795,642	301	45	345	2,416	0.8	132	132	373	36,601	799,669	
1999	75.6	1,314.5	26,809	260	27,069	822,711	181	34	215	2,631	0.0	13,108	13,108	13,481	40,468	840,137	
2000	61.9	1,376.4	33,353	851	34,204	856,915	126	23	149	2,780	2.1	12,523	12,525	26,006	46,940	887,077	
2001	56.6	1,433.0	22,120	698	22,818	879,733	183	25	208	2,988	2.5	5,366	5,369	31,374	28,451	915,528	
2002	83.9	1,516.9	15,017	621	15,638	895,371	182	24	206	3,194	0.0	1,525	1,525	32,899	17,453	932,981	
2003	21.6	1,538.5	22,040	599	22,639	918,010	165	6	171	3,365	0.1	2,063	2,063	34,962	24,895	957,876	
<b>GMA 1 TOTAL</b>	<b>1,538.5</b>	<b>1,538.5</b>	<b>914,869</b>	<b>3,142</b>	<b>918,010</b>	<b>895,371</b>	<b>2,610</b>	<b>755</b>	<b>3,365</b>	<b>3,365</b>	<b>11.6</b>	<b>34,951</b>	<b>34,962</b>	<b>34,962</b>	<b>957,876</b>	<b>957,876</b>	

- NOTES:
- The data contained on this table represent current NAPL recovery totals based on the results of an inspection of readily available data.
  - : NAPL recovery data not available.
  - Data from 1975 to 1982 represents approximate recovery volume, based on shipping records.
  - Data from 1980 to 1989 represents total oil recovery reported for this period.

APPENDIX B  
CUMULATIVE LNAPL RECOVERY DATA FOR EAST STREET AREA 1-NORTH - NORTHSIDE CAISSON


PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS



—◆— NORTHSIDE CAISSON YEARLY —■— NORTHSIDE CAISSON CUMULATIVE


APPENDIX B  
CUMULATIVE LNAPL RECOVERY DATA FOR EAST STREET AREA 1-SOUTH - SOUTHSIDE CAISSON

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS



APPENDIX B  
CUMULATIVE LNAPL RECOVERY DATA FOR EAST STREET AREA 2-SOUTH - 40/40R/64R


PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS



—◆— 40/40R/64R YEARLY —■— 40/40R/64R CUMULATIVE


**APPENDIX B  
CUMULATIVE LNAPL RECOVERY DATA FOR EAST STREET AREA 2-SOUTH - 64S/RW-1(S)**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX C  
 AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR EAST STREET AREA 2-SOUTH - 64V**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




APPENDIX B  
CUMULATIVE LNAPL RECOVERY DATA FOR EAST STREET AREA 2-SOUTH - 64X/RW-1(X)

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS



APPENDIX B  
CUMULATIVE DNAPL RECOVERY DATA FOR LYMAN STREET - RW-1


PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS






APPENDIX B  
CUMULATIVE LNAPL RECOVERY DATA FOR LYMAN STREET - RW-1/RW-1R

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS




APPENDIX B  
CUMULATIVE LNAPL RECOVERY DATA FOR LYMAN STREET - RW-3

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS




APPENDIX B  
CUMULATIVE DNAPL RECOVERY DATA FOR NEWELL STREET AREA II - SYSTEM 1

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS




APPENDIX B  
CUMULATIVE DNAPL RECOVERY DATA FOR NEWELL STREET AREA II - SYSTEM 2

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS



APPENDIX B  
CUMULATIVE LNAPL RECOVERY DATA FOR EAST STREET AREA 1 NORTH AND SOUTH


PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS



—■— LNAPL YEARLY —▲— LNAPL CUMULATIVE

**APPENDIX B  
CUMULATIVE NAPL RECOVERY DATA FOR EAST STREET AREA 2 NORTH AND SOUTH**


**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**



◆ LNAPL+DNAPL YEARLY    ■ LNAPL+DNAPL CUMULATIVE

APPENDIX B  
CUMULATIVE NAPL RECOVERY DATA FOR LYMAN STREET AREA


PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS



—◆— LNAPL+DNAPL YEARLY —■— LNAPL+DNAPL CUMULATIVE


APPENDIX B  
CUMULATIVE NAPL RECOVERY DATA FOR NEWELL STREET AREA 2

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS





**APPENDIX B**  
**CUMULATIVE NAPL RECOVERY DATA FOR PLANT SITE 1**  
**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA**  
**GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**



◆ YEARLY VOLUME    ■ CUMULATIVE VOLUME


## *Appendix C*

---

# **Summary of Automated LNAPL Recovery**


APPENDIX C  
LNAPL RECOVERY DATA FOR LYMAN STREET AREA SYSTEM RW-1R

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS




APPENDIX C  
LNAPL RECOVERY DATA FOR LYMAN STREET AREA SYSTEM RW-3

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS



**APPENDIX C  
LNAPL RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH SYSTEM 64X/RW-1 (X)**


**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**



Note: For fall 2002, LNAPL recovery from systems 64X and RW-1(X) were combined. Although the two systems were separated in October 2002, the combined recoveries from fall 2003 are illustrated for comparison purposes.


APPENDIX C  
LNAPL RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH SYSTEM 64V

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS



**APPENDIX C  
LNAPL RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH SYSTEM 64S/RW-1 (S)**


**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**



Note: For fall 2002, LNAPL recovery from systems 64S and RW-1(S) were combined. Although the two systems were separated in December 2002, the combined recoveries from fall 2003 are illustrated for comparison purposes.

**APPENDIX C  
LNAPL RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH SYSTEM 64R/40R**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




Note: For fall 2002, LNAPL recovery from systems 64R and 40R were combined. Although the two systems were separated in November 2002, the combined recoveries from fall 2003 are illustrated for comparison purposes.




**APPENDIX C  
 AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR LYMAN STREET AREA - RW-1/RW-1R**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX C  
 AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR LYMAN STREET AREA - RW-3**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX C  
 AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR EAST STREET AREA 2-SOUTH - 64V**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX C**  
**AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR EAST STREET AREA 2-SOUTH - 40/40R**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA**  
**GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX C  
 AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR EAST STREET AREA 2-SOUTH - 64R**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX C  
 AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR EAST STREET AREA 2-SOUTH - 64R/40R**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX C  
AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR EAST STREET AREA 2-SOUTH - 64S**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**



**APPENDIX C  
 AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR EAST STREET AREA 2-SOUTH - RW-1S**


**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**






**APPENDIX C**  
**AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR**  
**EAST STREET AREA 2-SOUTH - 64X/RW-1(X)**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA**  
**GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX C  
 AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR EAST STREET AREA 2-SOUTH - 64X**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX C  
 AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR EAST STREET AREA 1 SOUTH - SOUTHSIDE CAISSON**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX C  
 AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR EAST STREET AREA 1 NORTH - NORTHSIDE CAISSON**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX C**  
**AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR**  
**EAST STREET AREA 2-SOUTH - 64S/RW-1(S)**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA**  
**GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**



**APPENDIX C**  
**AUTOMATED LNAPL RECOVERY SYSTEM SUMMARY FOR**  
**EAST STREET AREA 2-SOUTH - 64X/RW-1(X)**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA**  
**GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




## *Appendix D*

---

# Summary of Automated DNAPL Recovery

APPENDIX D  
DNAPL RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH SYSTEM RW-3 (X)


PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS






APPENDIX D  
DNAPL RECOVERY DATA FOR NEWELL STREET AREA II SYSTEM 1

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS




APPENDIX D  
DNAPL RECOVERY DATA FOR NEWELL STREET AREA II SYSTEM 2

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS




APPENDIX D  
AUTOMATED DNAPL RECOVERY SYSTEM SUMMARY FOR EAST STREET AREA 2-SOUTH - RW-3X

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS




APPENDIX D  
AUTOMATED DNAPL RECOVERY SYSTEM SUMMARY FOR NEWELL STREET AREA II - SYSTEM 1

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS



APPENDIX D  
AUTOMATED DNAPL RECOVERY SYSTEM SUMMARY FOR NEWELL STREET AREA II - SYSTEM 2

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS



## *Appendix E*

---

# **Groundwater Elevation and NAPL Thickness/Recovery Data**

**TABLE E-1  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR 20s, 30s, & 40s COMPLEXES**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
<b>20s Complex</b>											
95-23	1,002.33	7/8/2003	14.02	---	0.00	---	23.07	0.00	988.31	0.000	0.000
95-23	1,002.33	10/24/2003	13.99	---	0.00	---	23.02	0.00	988.34	0.000	0.000
CC	998.84	10/7/2003	18.34	18.30	0.04	---	27.31	0.00	980.54	0.025	0.000
CC	998.84	10/24/2003	17.38	---	0.00	---	27.34	0.00	981.46	0.000	0.000
EE	1,004.27	10/24/2003	23.24	---	0.00	---	33.65	0.00	981.03	0.000	0.000
FF	1,005.70	10/7/2003	24.34	24.32	0.02	---	32.66	0.00	981.38	0.012	0.000
FF	1,005.70	10/24/2003	24.20	---	0.00	---	32.66	0.00	981.50	0.000	0.000
GG	1,007.40	10/24/2003	25.02	---	0.00	---	34.28	0.00	982.38	0.000	0.000
II	1,007.26	10/7/2003	26.06	25.59	0.47	---	31.78	0.00	981.64	0.290	0.000
II	1,007.26	10/24/2003	25.40	25.32	0.08	---	31.74	0.00	981.93	0.000	0.000
JJ	1,006.38	10/24/2003	24.90	---	0.00	---	36.65	0.00	981.48	0.000	0.000
KK	1,006.61	10/24/2003	25.20	---	0.00	---	34.50	0.00	981.41	0.000	0.000
LL-R	1,010.39	7/8/2003	28.95	---	0.00	---	35.45	0.00	981.44	0.000	0.000
LL-R	1,010.39	10/24/2003	28.00	---	0.00	---	35.45	0.00	982.09	0.000	0.000
N-R	1,008.24	10/24/2003	27.00	---	0.00	---	34.15	0.00	981.24	0.000	0.000
O-R	1,000.42	10/24/2003	15.31	---	0.00	---	21.15	0.00	985.11	0.000	0.000
P-R	1,005.01	10/24/2003	24.33	---	0.00	---	28.14	0.00	980.68	0.000	0.000
QQ-R	998.32	10/7/2003	17.73	---	0.00	---	28.12	0.00	980.59	0.000	0.000
QQ-R	998.32	10/24/2003	17.45	---	0.00	---	28.14	0.00	980.87	0.000	0.000
U	998.89	10/7/2003	18.60	18.59	0.01	---	26.54	0.00	980.30	0.006	0.000
U	998.89	10/24/2003	18.40	---	0.00	---	26.57	0.00	980.49	0.000	0.000
UU-R	997.70	10/24/2003	20.02	---	0.00	---	32.24	0.00	977.68	0.000	0.000
Y	1,002.86	10/7/2003	22.27	---	0.00	---	28.43	0.00	980.59	0.000	0.000
Y	1,002.86	10/24/2003	22.09	22.08	0.01	---	28.46	0.00	980.78	0.000	0.000
<b>30s Complex</b>											
95-15	986.38	7/8/2003	8.20	---	0.00	---	11.65	0.00	978.18	0.000	0.000
95-15	986.38	8/7/2003	8.11	---	0.00	---	16.65	0.00	978.27	0.000	0.000
95-15	986.38	9/2/2003	8.10	---	0.00	---	16.64	0.00	978.28	0.000	0.000
95-15	986.38	10/16/2003	7.77	---	0.00	---	16.61	0.00	978.61	0.000	0.000
ES2-19	1,007.22	7/8/2003	14.31	---	0.00	---	18.72	0.00	992.91	0.000	0.000
GMA1-1	988.43	7/8/2003	9.02	---	0.00	---	18.30	0.00	979.41	0.000	0.000
GMA1-10	984.86	7/8/2003	7.71	---	0.00	---	19.85	0.00	977.15	0.000	0.000
GMA1-10	984.86	8/7/2003	7.58	---	0.00	---	19.86	0.00	977.28	0.000	0.000
GMA1-10	984.86	9/2/2003	7.56	---	0.00	---	19.86	0.00	977.30	0.000	0.000
GMA1-10	984.86	10/16/2003	6.75	---	0.00	---	19.90	0.00	978.11	0.000	0.000
GMA1-12	992.26	7/8/2003	16.19	---	0.00	---	22.14	0.00	976.07	0.000	0.000
GMA1-12	992.26	8/7/2003	16.05	---	0.00	---	22.14	0.00	976.21	0.000	0.000
GMA1-12	992.26	9/2/2003	16.06	---	0.00	---	22.16	0.00	976.20	0.000	0.000
GMA1-12	992.26	10/16/2003	15.41	---	0.00	---	22.14	0.00	976.85	0.000	0.000
GMA1-2	1,006.75	7/8/2003	16.03	---	0.00	---	16.21	0.00	990.72	0.000	0.000
GMA1-2	1,006.75	10/9/2003	DRY	---	0.00	---	16.32	0.00	<990.43	0.000	0.000
GMA1-2	1,006.75	10/30/2003	Dry	---	0.00	---	16.18	0.00	<990.57	0.000	0.000
GMA1-3	990.78	7/8/2003	7.14	---	0.00	---	15.62	0.00	983.64	0.000	0.000

**TABLE E-1  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR 20s, 30s, & 40s COMPLEXES**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
RF-02	982.43	7/8/2003	6.01	---	0.00	---	18.30	0.00	976.42	0.000	0.000
RF-02	982.43	8/7/2003	5.86	---	0.00	---	18.30	0.00	976.57	0.000	0.000
RF-02	982.43	9/2/2003	5.76	---	0.00	---	18.30	0.00	976.67	0.000	0.000
RF-02	982.43	10/16/2003	5.09	---	0.00	---	18.30	0.00	977.34	0.000	0.000
RF-03	985.40	7/8/2003	9.62	---	0.00	---	18.44	0.00	975.78	0.000	0.000
RF-03	985.40	8/7/2003	9.38	---	0.00	---	18.44	0.00	976.02	0.000	0.000
RF-03	985.40	9/2/2003	9.51	---	0.00	---	18.42	0.00	975.89	0.000	0.000
RF-03	985.40	10/16/2003	8.84	---	0.00	---	18.44	0.00	976.56	0.000	0.000
RF-03D	985.31	7/8/2003	7.70	---	0.00	---	36.03	0.00	977.61	0.000	0.000
RF-03D	985.31	8/7/2003	7.65	---	0.00	---	36.02	0.00	977.66	0.000	0.000
RF-03D	985.31	9/2/2003	7.42	---	0.00	---	36.02	0.00	977.89	0.000	0.000
RF-03D	985.31	10/16/2003	6.92	---	0.00	---	36.04	0.00	978.39	0.000	0.000
RF-16	987.91	7/8/2003	9.25	---	0.00	---	20.78	0.00	978.66	0.000	0.000
RF-16	987.91	8/7/2003	5.25	---	0.00	---	20.76	0.00	982.66	0.000	0.000
RF-16	987.91	9/2/2003	9.21	---	0.00	---	20.76	0.00	978.70	0.000	0.000
RF-16	987.91	10/16/2003	8.98	---	0.00	---	20.78	0.00	978.93	0.000	0.000
<b>40s Complex</b>											
95-17	1,007.67	8/7/2003	24.15	---	0.00	---	29.35	0.00	983.52	0.000	0.000
95-17	1,007.67	9/2/2003	24.05	---	0.00	---	29.36	0.00	983.62	0.000	0.000
95-17	1,007.67	10/24/2003	24.22	---	0.00	---	29.30	0.00	983.45	0.000	0.000
Bldg. 42 Elev.	NA	7/7/2003	18.96	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	7/14/2003	19.25	19.24	0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	7/21/2003	19.27	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	7/28/2003	19.26	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	8/4/2003	19.46	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	8/11/2003	19.23	P	< 0.01	---	NM	0.00	NA	0.948	0.000
Bldg. 42 Elev.	NA	8/18/2003	18.52	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	8/25/2003	18.45	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	9/2/2003	18.73	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	9/8/2003	18.51	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	9/15/2003	18.73	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	9/22/2003	19.88	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	9/29/2003	18.55	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	10/6/2003	18.29	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	10/13/2003	18.33	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	10/20/2003	18.47	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	10/27/2003	18.65	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	11/3/2003	17.69	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	11/10/2003	17.38	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	11/17/2003	17.78	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	11/25/2003	17.56	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	12/2/2003	17.33	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	12/8/2003	17.29	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	12/16/2003	17.11	P	< 0.01	---	NM	0.00	NA	0.000	0.000



**TABLE E-1  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR 20s, 30s, & 40s COMPLEXES**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
Bldg. 42 Elev.	NA	12/22/2003	16.64	P	< 0.01	---	NM	0.00	NA	0.000	0.000
Bldg. 42 Elev.	NA	12/29/2003	16.08	P	< 0.01	---	NM	0.00	NA	0.000	0.000
RF-04	1,011.99	7/8/2003	14.50	---	0.00	---	23.98	0.00	997.49	0.000	0.000
RF-04	1,011.99	10/24/2003	14.51	---	0.00	---	23.99	0.00	997.48	0.000	0.000

**NOTES:**

1. --- indicates LNAPL or DNAPL was not present in a measurable quantity
2. NA indicates information not available.
3. NM indicates data not measured.
4. P indicates that LNAPL is present at a thickness that is <0.01 feet, the corresponding thickness is recorded as such.

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev. (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
01R	992.72	7/10/2003	12.62	---	0.00	---	24.65	0.00	980.10	0.000	0.000
01R	992.72	10/7/2003	11.86	---	0.00	---	24.62	0.00	980.86	0.000	0.000
01R	992.72	10/21/2003	12.15	---	0.00	---	24.68	0.00	980.57	0.000	0.000
02	995.64	10/7/2003	16.41	16.24	0.17	---	23.42	0.00	979.39	0.105	0.000
02	995.64	10/21/2003	16.14	16.08	0.06	---	24.43	0.00	979.56	0.000	0.000
05	996.10	10/7/2003	13.62	13.12	0.50	---	23.61	0.00	982.95	0.038	0.000
05	996.10	10/21/2003	13.00	12.96	0.04	---	23.71	0.00	983.14	0.000	0.000
06	991.18	10/21/2003	12.60	---	0.00	---	23.93	0.00	978.58	0.000	0.000
08	985.35	10/21/2003	Dry	---	0.00	---	9.24	0.00	<976.11	0.000	0.000
09R	986.88	10/16/2003	11.90	11.89	0.01	---	19.6	0.00	974.99	0.006	0.000
09R	986.88	10/21/2003	11.81	11.80	0.01	---	19.59	0.00	975.08	0.000	0.000
10	987.95	10/21/2003	13.01	---	0.00	---	15.25	0.00	974.94	0.000	0.000
11R	988.86	10/21/2003	13.02	---	0.00	---	22.10	0.00	975.84	0.000	0.000
13	990.88	7/1/2003	17.42	17.41	0.01	---	22.61	0.00	973.47	0.006	0.000
13	990.88	7/3/2003	17.45	17.39	0.06	---	22.61	0.00	973.49	0.037	0.000
13	990.88	7/7/2003	17.75	17.71	0.04	---	22.61	0.00	973.17	0.025	0.000
13	990.88	7/10/2003	18.05	17.91	0.14	---	22.61	0.00	972.96	0.086	0.000
13	990.88	7/14/2003	18.14	17.95	0.19	---	22.61	0.00	972.92	0.117	0.000
13	990.88	7/17/2003	18.15	17.95	0.20	---	22.61	0.00	972.92	0.123	0.000
13	990.88	7/21/2003	18.30	17.98	0.32	---	22.61	0.00	972.88	0.197	0.000
13	990.88	7/24/2003	18.22	17.87	0.35	---	22.61	0.00	972.99	0.216	0.000
13	990.88	7/28/2003	18.38	17.97	0.41	---	22.61	0.00	972.88	0.253	0.000
13	990.88	7/31/2003	18.50	18.07	0.43	---	22.61	0.00	972.78	0.265	0.000
13	990.88	8/4/2003	17.86	17.80	0.06	---	22.61	0.00	973.08	0.037	0.000
13	990.88	8/8/2003	17.49	17.44	0.05	---	22.61	0.00	973.44	0.031	0.000
13	990.88	8/11/2003	17.30	---	0.00	---	22.61	0.00	973.58	0.000	0.000
13	990.88	8/14/2003	16.04	---	0.00	---	22.61	0.00	974.84	0.000	0.000
13	990.88	8/18/2003	16.21	---	0.00	---	22.61	0.00	974.67	0.000	0.000
13	990.88	8/21/2003	16.31	16.30	0.01	---	22.61	0.00	974.58	0.006	0.000
13	990.88	8/25/2003	16.82	---	0.00	---	22.61	0.00	974.06	0.000	0.000
13	990.88	8/28/2003	17.19	17.18	0.01	---	22.61	0.00	973.70	0.006	0.000
13	990.88	9/2/2003	17.16	---	0.00	---	22.61	0.00	973.72	0.000	0.000
13	990.88	9/4/2003	16.73	16.72	0.01	---	22.61	0.00	974.16	0.006	0.000
13	990.88	9/9/2003	16.42	16.41	0.01	---	22.61	0.00	974.47	0.006	0.000
13	990.88	9/11/2003	16.70	16.69	0.01	---	22.61	0.00	974.19	0.006	0.000
13	990.88	9/16/2003	17.12	17.10	0.02	---	22.61	0.00	973.78	0.012	0.000
13	990.88	9/18/2003	17.05	17.02	0.03	---	22.61	0.00	973.86	0.019	0.000
13	990.88	9/23/2003	16.78	---	0.00	---	22.61	0.00	974.10	0.000	0.000
13	990.88	9/25/2003	16.24	16.23	0.01	---	22.61	0.00	974.65	0.006	0.000
13	990.88	10/1/2003	15.19	---	0.00	---	22.61	0.00	975.69	0.000	0.000
13	990.88	10/2/2003	14.90	14.89	0.01	---	22.61	0.00	975.99	0.006	0.000
13	990.88	10/9/2003	15.56	---	0.00	---	22.61	0.00	975.32	0.000	0.000
13	990.88	10/13/2003	16.00	15.88	0.12	---	22.61	0.00	974.99	0.074	0.000
13	990.88	10/16/2003	16.12	16.06	0.06	---	22.61	0.00	974.82	0.037	0.000
13	990.88	10/21/2003	15.78	15.61	0.17	---	22.61	0.00	975.26	0.010	0.000
13	990.88	10/23/2003	15.90	15.78	0.12	---	22.61	0.00	975.09	0.074	0.000
13	990.88	10/29/2003	15.64	15.55	0.09	---	22.61	0.00	975.32	0.056	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
13	990.88	10/30/2003	15.36	15.23	0.13	---	22.61	0.00	975.64	0.080	0.000
13	990.88	11/11/2003	15.45	15.39	0.06	---	22.61	0.00	975.49	0.037	0.000
13	990.88	11/14/2003	15.33	15.29	0.04	---	22.61	0.00	975.59	0.025	0.000
13	990.88	11/20/2003	15.65	---	0.00	---	22.61	0.00	975.23	0.000	0.000
13	990.88	11/26/2003	15.04	---	0.00	---	22.61	0.00	975.84	0.000	0.000
13	990.88	12/17/2003	10.13	---	0.00	---	22.54	0.00	980.75	0.000	0.000
14	991.61	7/3/2003	17.64	17.63	0.01	---	25.84	0.00	973.98	0.006	0.000
14	991.61	7/10/2003	18.51	18.09	0.42	---	28.86	0.00	973.49	0.259	0.000
14	991.61	7/17/2003	18.60	18.13	0.47	---	25.85	0.00	973.45	0.290	0.000
14	991.61	7/24/2003	18.55	18.10	0.45	---	25.85	0.00	973.48	0.278	0.000
14	991.61	7/31/2003	19.00	18.29	0.71	---	25.84	0.00	973.27	0.438	0.000
14	991.61	8/8/2003	17.84	17.83	0.01	---	25.85	0.00	973.78	0.130	0.000
14	991.61	8/14/2003	16.26	16.24	0.02	---	25.83	0.00	975.37	0.012	0.000
14	991.61	8/21/2003	16.58	16.55	0.03	---	25.83	0.00	975.06	0.019	0.000
14	991.61	8/28/2003	17.40	17.37	0.03	---	25.83	0.00	974.24	0.019	0.000
14	991.61	9/2/2003	17.41	17.40	0.01	---	25.85	0.00	974.21	0.006	0.000
14	991.61	9/11/2003	16.91	16.90	0.01	---	25.83	0.00	974.71	0.006	0.000
14	991.61	9/18/2003	17.24	17.23	0.01	---	25.83	0.00	974.38	0.006	0.000
14	991.61	9/25/2003	16.35	16.34	0.01	---	25.85	0.00	975.27	0.006	0.000
14	991.61	10/2/2003	15.11	---	0.00	---	25.83	0.00	976.50	0.000	0.000
14	991.61	10/9/2003	15.73	15.71	0.02	---	25.83	0.00	975.90	0.012	0.000
14	991.61	10/16/2003	16.30	---	0.00	---	25.82	0.00	975.31	0.000	0.000
14	991.61	10/23/2003	16.02	---	0.00	---	25.85	0.00	975.59	0.000	0.000
14	991.61	10/30/2003	15.48	---	0.00	---	25.82	0.00	976.13	0.000	0.000
14	991.61	11/11/2003	15.70	15.68	0.02	---	25.80	0.00	975.93	0.012	0.000
14	991.61	11/20/2003	15.88	15.86	0.02	---	25.80	0.00	975.75	0.012	0.000
14	991.61	12/17/2003	15.05	15.03	0.02	---	25.80	0.00	976.58	0.012	0.000
15	985.79	10/2/2003	9.43	9.36	0.07	---	23.48	0.00	976.43	0.000	0.000
15	985.79	11/11/2003	9.23	9.19	0.04	---	23.48	0.00	976.60	0.000	0.000
15	985.79	11/20/2003	9.44	9.36	0.08	---	23.48	0.00	976.42	0.000	0.000
15R	989.23	7/3/2003	15.62	15.61	0.01	---	19.74	0.00	973.62	0.006	0.000
15R	989.23	7/10/2003	15.98	15.97	0.01	---	19.74	0.00	973.26	0.006	0.000
15R	989.23	7/17/2003	16.08	16.05	0.03	---	19.75	0.00	973.18	0.019	0.000
15R	989.23	7/24/2003	15.99	15.98	0.01	---	19.72	0.00	973.25	0.006	0.000
15R	989.23	7/31/2003	16.24	16.20	0.04	---	19.73	0.00	973.03	0.025	0.000
15R	989.23	8/8/2003	15.49	---	0.00	---	19.67	0.00	973.74	0.000	0.000
15R	989.23	8/14/2003	14.04	---	0.00	---	19.67	0.00	975.19	0.000	0.000
15R	989.23	8/21/2003	14.42	14.41	0.01	---	19.66	0.00	974.82	0.006	0.000
15R	989.23	8/28/2003	15.25	15.24	0.01	---	19.67	0.00	973.99	0.006	0.000
15R	989.23	9/2/2003	15.21	15.18	0.03	---	19.65	0.00	974.05	0.019	0.000
15R	989.23	9/11/2003	14.84	14.80	0.04	---	19.65	0.00	974.43	0.025	0.000
15R	989.23	9/18/2003	15.10	---	0.00	---	19.66	0.00	974.13	0.000	0.000
15R	989.23	9/25/2003	14.16	---	0.00	---	19.65	0.00	975.07	0.000	0.000
15R	989.23	10/2/2003	12.95	---	0.00	---	19.64	0.00	976.28	0.000	0.000
15R	989.23	10/9/2003	13.66	---	0.00	---	19.65	0.00	975.57	0.000	0.000
15R	989.23	10/16/2003	14.06	---	0.00	---	19.65	0.00	975.17	0.000	0.000
15R	989.23	10/23/2003	13.91	---	0.00	---	19.66	0.00	975.32	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
15R	989.23	10/30/2003	13.25	---	0.00	---	19.66	0.00	975.98	0.000	0.000
15R	989.23	11/11/2003	13.61	13.58	0.03	---	19.65	0.00	975.65	0.019	0.000
15R	989.23	11/20/2003	13.68	---	0.00	---	19.65	0.00	975.55	0.000	0.000
15R	989.23	12/17/2003	12.98	---	0.00	---	19.64	0.00	976.25	0.000	0.000
16R	987.10	10/23/2003	10.18	---	0.00	---	16.43	0.00	976.92	0.000	0.000
17R	984.89	10/23/2003	Dry	---	0.00	---	9.01	0.00	<975.88	0.000	0.000
19	983.59	10/23/2003	9.40	---	0.00	---	19.90	0.00	974.19	0.000	0.000
25R	998.31	7/10/2003	25.24	20.78	4.46	---	30.91	0.00	977.22	3.060	0.000
25R	998.31	10/9/2003	21.10	19.16	1.94	---	30.9	0.00	979.01	1.197	0.000
25R	998.31	10/21/2003	22.06	19.15	2.91	---	30.91	0.00	978.96	0.000	0.000
26RR	1,000.58	10/24/2003	20.89	20.88	0.01	---	26.78	0.00	979.70	0.006	0.000
26RR	1,000.58	10/30/2003	20.55	---	0.00	---	26.78	0.00	980.03	0.000	0.000
26RR	1,000.58	11/7/2003	19.82	---	0.00	---	26.10	0.00	980.76	0.000	0.000
26RR	1,000.58	12/5/2003	19.24	---	0.00	---	28.64	0.00	981.34	0.000	0.000
26RR	1,000.58	12/12/2003	19.00	---	0.00	---	28.64	0.00	981.58	0.000	0.000
26RR	1,000.58	12/17/2004	18.95	---	0.00	---	28.64	0.00	981.63	0.000	0.000
26RR	1,000.58	12/23/2003	18.50	---	0.00	---	28.64	0.00	982.08	0.000	0.000
28	991.86	10/7/2003	12.65	12.61	0.04	---	21.7	0.00	979.25	0.025	0.000
28	991.86	10/21/2003	12.70	---	0.00	---	21.70	0.00	979.16	0.000	0.000
29	991.59	10/7/2003	12.35	12.24	0.11	---	22.55	0.00	979.34	0.068	0.000
29	991.59	10/21/2003	16.72	16.58	0.14	---	22.44	0.00	975.00	0.000	0.000
30	989.34	10/7/2003	13.20	11.22	1.98	---	20.43	0.00	977.98	1.222	0.000
30	989.34	10/21/2003	12.20	11.25	0.95	---	20.58	0.00	978.02	0.000	0.000
31	990.60	10/21/2003	12.58	---	0.00	---	22.91	0.00	978.02	0.000	0.000
32	990.81	7/9/2003	12.98	---	0.00	---	16.81	0.00	977.83	0.000	0.000
32	990.81	8/7/2003	12.67	---	0.00	---	16.85	0.00	978.14	0.000	0.000
32	990.81	9/2/2003	12.34	---	0.00	---	16.84	0.00	978.47	0.000	0.000
32	990.81	10/21/2003	12.34	---	0.00	---	16.87	0.00	978.47	0.000	0.000
34	982.54	10/21/2003	6.50	---	0.00	---	11.30	0.00	976.04	0.000	0.000
35	982.81	7/9/2003	7.62	---	0.00	---	12.16	0.00	975.19	0.000	0.000
35	982.81	10/21/2003	6.40	---	0.00	---	12.16	0.00	976.41	0.000	0.000
36	983.02	7/9/2003	9.02	---	0.00	---	13.38	0.00	974.00	0.000	0.000
36	983.02	8/7/2003	8.98	---	0.00	---	13.40	0.00	974.04	0.000	0.000
36	983.02	9/2/2003	8.71	---	0.00	---	13.40	0.00	974.31	0.000	0.000
36	983.02	10/21/2003	7.20	---	0.00	---	13.38	0.00	975.82	0.000	0.000
37	980.37	7/9/2003	6.10	---	0.00	---	12.40	0.00	974.27	0.000	0.000
37	980.37	8/7/2003	5.91	---	0.00	---	12.38	0.00	974.46	0.000	0.000
37	980.37	9/2/2003	5.47	---	0.00	---	12.38	0.00	974.90	0.000	0.000
37	980.37	10/21/2003	4.57	---	0.00	---	12.22	0.00	975.80	0.000	0.000
38	980.77	7/9/2003	5.26	---	0.00	---	13.77	0.00	975.51	0.000	0.000
38	980.77	8/7/2003	5.45	---	0.00	---	13.79	0.00	975.32	0.000	0.000
38	980.77	9/2/2003	5.12	---	0.00	---	13.77	0.00	975.65	0.000	0.000
38	980.77	10/21/2003	3.65	---	0.00	---	13.73	0.00	977.12	0.000	0.000
42	988.33	10/21/2003	11.01	---	0.00	---	18.74	0.00	977.32	0.000	0.000
43	989.67	10/7/2003	13.31	---	0.00	---	22.52	0.00	976.36	0.000	0.000
43	989.67	10/21/2003	13.42	---	0.00	---	22.52	0.00	976.25	0.000	0.000
44	988.33	10/21/2003	11.11	---	0.00	---	19.00	0.00	977.22	0.000	0.000
47	991.09	10/7/2003	16.45	15.83	0.62	---	23.06	0.00	975.22	0.383	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
47	991.09	10/21/2003	16.53	16.21	0.32	---	23.10	0.00	974.86	0.000	0.000
48	992.39	10/7/2003	18.98	17.40	1.58	---	26.35	0.00	974.88	0.975	0.000
48	992.39	10/21/2003	18.90	17.80	1.10	---	26.37	0.00	974.51	0.000	0.000
50	985.79	7/3/2003	10.24	10.21	0.03	---	23.46	0.00	975.58	0.000	0.000
50	985.79	7/11/2003	10.40	10.36	0.04	---	23.47	0.00	975.43	0.000	0.000
50	985.79	7/17/2003	10.75	10.46	0.29	---	23.47	0.00	975.31	0.179	0.000
50	985.79	7/24/2003	10.60	10.56	0.04	---	23.46	0.00	975.23	0.000	0.000
50	985.79	7/31/2003	10.69	10.65	0.04	---	23.48	0.00	975.14	0.000	0.000
50	985.79	8/8/2003	10.70	10.68	0.02	---	23.47	0.00	975.11	0.000	0.000
50	985.79	8/14/2003	9.97	9.88	0.09	---	23.47	0.00	975.90	0.000	0.000
50	985.79	8/21/2003	9.79	9.75	0.04	---	23.48	0.00	976.04	0.000	0.000
50	985.79	8/28/2003	10.06	10.00	0.06	---	23.47	0.00	975.79	0.000	0.000
50	985.79	9/2/2003	10.21	10.16	0.05	---	23.48	0.00	975.63	0.000	0.000
50	985.79	9/11/2003	10.08	10.01	0.07	---	23.46	0.00	975.78	0.000	0.000
50	985.79	9/18/2003	10.27	10.15	0.12	---	23.48	0.00	975.63	0.000	0.000
50	985.79	9/25/2003	10.08	10.03	0.05	---	23.48	0.00	975.76	0.000	0.000
50	985.79	10/2/2003	9.23	9.18	0.05	---	23.48	0.00	976.61	0.000	0.000
50	985.79	10/9/2003	9.57	9.48	0.09	---	23.48	0.00	976.30	0.056	0.000
50	985.79	10/16/2003	9.72	9.68	0.04	---	23.48	0.00	976.11	0.000	0.000
50	985.79	10/23/2003	9.65	9.59	0.06	---	23.48	0.00	976.20	0.000	0.000
50	985.79	10/30/2003	9.01	8.94	0.07	---	23.48	0.00	976.85	0.000	0.000
51	985.38	7/9/2003	12.20	---	0.00	---	23.99	0.00	973.18	0.000	0.000
51	985.38	8/7/2003	11.91	---	0.00	---	23.96	0.00	973.47	0.000	0.000
51	985.38	9/2/2003	11.70	---	0.00	---	23.95	0.00	973.68	0.000	0.000
51	985.38	10/23/2003	10.42	---	0.00	---	24.01	0.00	974.96	0.000	0.000
52	985.18	7/9/2003	12.33	---	0.00	---	23.95	0.00	972.85	0.000	0.000
52	985.18	8/7/2003	11.82	---	0.00	---	23.95	0.00	973.36	0.000	0.000
52	985.18	9/2/2003	11.71	---	0.00	---	23.95	0.00	973.47	0.000	0.000
52	985.18	10/23/2003	10.50	---	0.00	---	23.96	0.00	974.68	0.000	0.000
53	986.90	7/3/2003	14.68	---	0.00	---	26.34	0.00	972.22	0.000	0.000
53	986.90	7/9/2003	14.85	---	0.00	---	26.34	0.00	972.05	0.000	0.000
53	986.90	7/17/2003	14.64	---	0.00	---	26.30	0.00	972.26	0.000	0.000
53	986.90	7/24/2003	14.69	---	0.00	---	26.25	0.00	972.21	0.000	0.000
53	986.90	7/31/2003	14.97	---	0.00	---	26.03	0.00	971.93	0.000	0.000
53	986.90	8/7/2003	14.05	---	0.00	---	25.95	0.00	972.85	0.000	0.000
53	986.90	8/14/2003	12.30	---	0.00	---	25.90	0.00	974.60	0.000	0.000
53	986.90	8/21/2003	13.60	---	0.00	---	25.90	0.00	973.30	0.000	0.000
53	986.90	8/28/2003	14.31	---	0.00	---	25.89	0.00	972.59	0.000	0.000
53	986.90	9/2/2003	13.96	---	0.00	---	25.93	0.00	972.94	0.000	0.000
53	986.90	9/11/2003	13.94	---	0.00	---	25.88	0.00	972.96	0.000	0.000
53	986.90	9/18/2003	13.80	---	0.00	---	25.88	0.00	973.10	0.000	0.000
53	986.90	9/25/2003	11.87	---	0.00	---	25.88	0.00	975.03	0.000	0.000
53	986.90	10/2/2003	10.78	---	0.00	---	25.88	0.00	976.12	0.000	0.000
53	986.90	10/9/2003	12.85	---	0.00	---	25.89	0.00	974.05	0.000	0.000
53	986.90	10/16/2003	11.18	---	0.00	---	25.87	0.00	975.72	0.000	0.000
53	986.90	10/23/2003	12.85	---	0.00	---	25.89	0.00	974.05	0.000	0.000
53	986.90	10/30/2003	10.95	---	0.00	---	25.89	0.00	975.95	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev. (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
53	986.90	11/11/2003	11.98	---	0.00	---	25.89	0.00	974.92	0.000	0.000
53	986.90	11/20/2003	11.92	---	0.00	---	25.89	0.00	974.98	0.000	0.000
54	985.78	7/3/2003	13.92	---	0.00	---	25.79	0.00	971.86	0.000	0.000
54	985.78	7/9/2003	14.09	---	0.00	---	25.80	0.00	971.69	0.000	0.000
54	985.78	7/17/2003	13.93	---	0.00	---	25.78	0.00	971.85	0.000	0.000
54	985.78	7/24/2003	13.96	---	0.00	---	25.80	0.00	971.82	0.000	0.000
54	985.78	7/31/2003	14.23	---	0.00	---	25.80	0.00	971.55	0.000	0.000
54	985.78	8/7/2003	13.30	---	0.00	---	25.79	0.00	972.48	0.000	0.000
54	985.78	8/14/2003	11.65	---	0.00	---	25.79	0.00	974.13	0.000	0.000
54	985.78	8/21/2003	12.92	---	0.00	---	25.80	0.00	972.86	0.000	0.000
54	985.78	8/28/2003	13.58	---	0.00	---	25.77	0.00	972.20	0.000	0.000
54	985.78	9/2/2003	13.25	---	0.00	---	25.79	0.00	972.53	0.000	0.000
54	985.78	9/11/2003	13.18	---	0.00	---	25.78	0.00	972.60	0.000	0.000
54	985.78	9/18/2003	13.05	---	0.00	---	25.78	0.00	972.73	0.000	0.000
54	985.78	9/25/2003	11.23	---	0.00	---	25.78	0.00	974.55	0.000	0.000
54	985.78	10/2/2003	10.15	---	0.00	---	25.80	0.00	975.63	0.000	0.000
54	985.78	10/9/2003	12.10	---	0.00	---	25.75	0.00	973.68	0.000	0.000
54	985.78	10/16/2003	10.45	---	0.00	---	25.80	0.00	975.33	0.000	0.000
54	985.78	10/23/2003	12.25	---	0.00	---	25.79	0.00	973.53	0.000	0.000
54	985.78	10/30/2003	10.21	---	0.00	---	25.76	0.00	975.57	0.000	0.000
54	985.78	11/11/2003	11.30	---	0.00	---	25.75	0.00	974.48	0.000	0.000
54	985.78	11/20/2003	11.25	---	0.00	---	25.75	0.00	974.53	0.000	0.000
55	989.45	7/10/2003	18.30	17.15	1.15	---	30.03	0.00	972.22	0.709	0.000
55	989.45	8/8/2003	17.32	16.71	0.61	---	30.04	0.00	972.70	0.376	0.000
55	989.45	9/2/2003	16.97	16.51	0.46	---	30.03	0.00	972.91	0.284	0.000
55	989.45	10/7/2003	15.09	14.41	0.68	---	30.04	0.00	974.99	0.420	0.000
55	989.45	10/21/2003	15.05	14.92	0.13	---	30.05	0.00	974.52	0.000	0.000
55	989.45	12/17/2003	14.19	14.13	0.06	---	30.01	0.00	975.32	0.000	0.000
56	987.28	10/21/2003	14.56	---	0.00	---	16.03	0.00	972.72	0.000	0.000
57	989.80	10/9/2003	11.04	---	0.00	---	27.24	0.00	978.76	0.000	0.000
57	989.80	10/21/2003	10.85	---	0.00	---	27.26	0.00	978.95	0.000	0.000
58	985.79	10/9/2003	11.68	---	0.00	---	24.50	0.00	974.11	0.000	0.000
58	985.79	10/21/2003	11.78	---	0.00	---	24.50	0.00	974.01	0.000	0.000
59	986.32	10/21/2003	13.28	---	0.00	---	25.92	0.00	973.04	0.000	0.000
61	992.31	7/30/2003	19.19	---	0.00	---	23.64	0.00	973.12	0.000	0.000
62	979.11	7/9/2003	6.96	---	0.00	---	19.45	0.00	972.15	0.000	0.000
62	979.11	8/7/2003	6.05	---	0.00	---	19.44	0.00	973.06	0.000	0.000
62	979.11	9/2/2003	5.74	---	0.00	---	19.44	0.00	973.37	0.000	0.000
62	979.11	10/21/2003	4.27	---	0.00	---	19.47	0.00	974.84	0.000	0.000
63	986.48	10/21/2003	11.74	---	0.00	---	22.81	0.00	974.74	0.000	0.000
64	993.37	7/11/2003	13.14	---	0.00	---	21.00	0.00	980.23	0.000	0.000
64	984.98	10/24/2003	11.21	---	0.00	---	21.03	0.00	973.77	0.000	0.000
66	990.70	7/3/2003	17.62	---	0.00	---	29.22	0.00	973.08	0.000	0.000
66	990.70	7/11/2003	17.88	---	0.00	---	29.21	0.00	972.82	0.000	0.000
66	990.70	7/17/2003	17.87	---	0.00	---	29.21	0.00	972.83	0.000	0.000
66	990.70	7/24/2003	17.89	---	0.00	---	29.22	0.00	972.81	0.000	0.000
66	990.70	7/30/2003	18.05	---	0.00	---	29.23	0.00	972.65	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
3-6C-EB-14	984.20	7/9/2003	11.72	---	0.00	---	21.48	0.00	972.48	0.000	0.000
3-6C-EB-14	984.20	10/28/2003	8.56	---	0.00	---	21.53	0.00	975.64	0.000	0.000
3-6C-EB-22	986.94	7/9/2003	14.41	---	0.00	---	20.03	0.00	972.53	0.000	0.000
3-6C-EB-22	986.94	8/7/2003	14.60	---	0.00	---	20.03	0.00	972.34	0.000	0.000
3-6C-EB-22	986.94	9/2/2003	13.21	---	0.00	---	20.03	0.00	973.73	0.000	0.000
3-6C-EB-22	986.94	10/28/2003	11.22	---	0.00	---	20.04	0.00	975.72	0.000	0.000
3-6C-EB-22	986.94	12/17/2003	7.27	---	0.00	---	20.04	0.00	979.67	0.000	0.000
3-6C-EB-25	986.31	10/28/2003	10.42	---	0.00	---	25.13	0.00	975.89	0.000	0.000
3-6C-EB-26	986.74	10/28/2003	10.80	---	0.00	---	24.45	0.00	975.94	0.000	0.000
3-6C-EB-28	985.79	10/28/2003	10.02	---	0.00	---	24.58	0.00	975.77	0.000	0.000
3-6C-EB-29	986.13	7/9/2003	13.58	---	0.00	---	22.88	0.00	972.55	0.000	0.000
3-6C-EB-29	986.13	10/28/2003	10.45	---	0.00	---	22.87	0.00	975.68	0.000	0.000
40R	991.60	7/2/2003	16.04	P	< 0.01	---	25.00	0.00	975.56	0.000	0.000
40R	991.60	7/9/2003	15.98	P	< 0.01	---	25	0.00	975.62	0.000	0.000
40R	991.60	7/16/2003	16.24	P	< 0.01	---	25	0.00	975.36	0.000	0.000
40R	991.60	7/23/2003	16.32	P	< 0.01	---	25	0.00	975.28	0.000	0.000
40R	991.60	7/30/2003	16.55	P	< 0.01	---	25	0.00	975.05	0.000	0.000
40R	991.60	8/6/2003	16.49	P	< 0.01	---	25.00	0.00	975.11	0.000	0.000
40R	991.60	8/13/2003	15.97	P	< 0.01	---	25	0.00	975.63	0.000	0.000
40R	991.60	8/20/2003	15.75	P	< 0.01	---	25	0.00	975.85	0.000	0.000
40R	991.60	8/27/2003	15.91	P	< 0.01	---	25	0.00	975.69	0.000	0.000
40R	991.60	9/3/2003	15.82	P	< 0.01	---	25.00	0.00	975.78	0.000	0.000
40R	991.60	9/10/2003	15.71	---	0.00	---	25	0.00	975.89	0.000	0.000
40R	991.60	9/17/2003	15.88	P	< 0.01	---	25	0.00	975.72	0.000	0.000
40R	991.60	9/24/2003	15.21	P	< 0.01	---	25	0.00	976.39	0.000	0.000
40R	991.60	10/1/2003	14.98	P	< 0.01	---	25.00	0.00	976.62	0.000	0.000
40R	991.60	10/9/2003	14.71	P	< 0.01	---	25	0.00	976.89	0.000	0.000
40R	991.60	10/15/2003	14.97	P	< 0.01	---	25	0.00	976.63	0.000	0.000
40R	991.60	10/22/2003	15.03	P	< 0.01	---	25	0.00	976.57	0.000	0.000
40R	991.60	10/29/2003	14.21	P	< 0.01	---	25	0.00	977.39	0.000	0.000
40R	991.60	11/5/2003	13.60	P	< 0.01	---	25.00	0.00	978.00	0.000	0.000
40R	991.60	11/12/2003	13.65	P	< 0.01	---	25	0.00	977.95	0.000	0.000
40R	991.60	11/19/2003	13.80	P	< 0.01	---	25	0.00	977.80	0.000	0.000
40R	991.60	11/26/2003	13.33	P	< 0.01	---	25	0.00	978.27	0.000	0.000
40R	991.60	12/3/2003	13.01	P	< 0.01	---	25.00	0.00	978.59	0.000	0.000
40R	991.60	12/10/2003	13.00	P	< 0.01	---	25.00	0.00	978.60	0.000	0.000
40R	991.60	12/17/2003	12.78	P	< 0.01	---	25.00	0.00	978.82	0.000	0.000
40R	991.60	12/24/2003	12.37	P	< 0.01	---	25.00	0.00	979.23	0.000	0.000
40R	991.60	12/31/2003	12.00	P	< 0.01	---	25.00	0.00	979.60	0.000	0.000
49R	988.71	7/3/2003	16.00	---	0.00	---	24.88	0.00	972.71	0.000	0.000
49R	988.71	7/9/2003	16.19	---	0.00	---	24.88	0.00	972.52	0.000	0.000
49R	988.71	7/17/2003	16.16	---	0.00	---	24.88	0.00	972.55	0.000	0.000
49R	988.71	7/24/2003	16.18	---	0.00	---	24.88	0.00	972.53	0.000	0.000
49R	988.71	7/31/2003	16.40	---	0.00	---	24.88	0.00	972.31	0.000	0.000
49R	988.71	8/7/2003	15.73	---	0.00	---	24.88	0.00	972.98	0.000	0.000
49R	988.71	8/14/2003	14.30	---	0.00	---	24.88	0.00	974.41	0.000	0.000
49R	988.71	8/21/2003	14.98	---	0.00	---	24.88	0.00	973.73	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev. (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
49R	988.71	8/28/2003	15.60	---	0.00	---	24.88	0.00	973.11	0.000	0.000
49R	988.71	9/2/2003	15.57	---	0.00	---	24.86	0.00	973.14	0.000	0.000
49R	988.71	9/11/2003	15.22	---	0.00	---	24.88	0.00	973.49	0.000	0.000
49R	988.71	9/18/2003	15.35	---	0.00	---	24.88	0.00	973.36	0.000	0.000
49R	988.71	9/25/2003	14.05	---	0.00	---	24.88	0.00	974.66	0.000	0.000
49R	988.71	10/2/2003	12.97	---	0.00	---	24.88	0.00	975.74	0.000	0.000
49R	988.71	10/9/2003	13.94	---	0.00	---	24.88	0.00	974.77	0.000	0.000
49R	988.71	10/16/2003	13.73	---	0.00	---	24.88	0.00	974.98	0.000	0.000
49R	988.71	10/23/2003	14.06	---	0.00	---	24.88	0.00	974.65	0.000	0.000
49R	988.71	10/30/2003	13.00	---	0.00	---	24.88	0.00	975.71	0.000	0.000
49R	988.71	11/11/2003	13.54	---	0.00	---	24.88	0.00	975.17	0.000	0.000
49R	988.71	11/20/2003	13.50	---	0.00	---	24.88	0.00	975.21	0.000	0.000
49R	988.71	12/17/2003	12.95	---	0.00	---	24.87	0.00	975.76	0.000	0.000
49RR	989.80	7/3/2003	17.05	---	0.00	---	23.15	0.00	972.75	0.000	0.000
49RR	989.80	7/9/2003	17.28	---	0.00	---	23.14	0.00	972.52	0.000	0.000
49RR	989.80	7/17/2003	17.35	---	0.00	---	23.14	0.00	972.45	0.000	0.000
49RR	989.80	7/24/2003	17.32	---	0.00	---	23.16	0.00	972.48	0.000	0.000
49RR	989.80	7/31/2003	17.48	---	0.00	---	23.14	0.00	972.32	0.000	0.000
49RR	989.80	8/7/2003	16.96	---	0.00	---	23.15	0.00	972.84	0.000	0.000
49RR	989.80	8/14/2003	15.75	---	0.00	---	23.14	0.00	974.05	0.000	0.000
49RR	989.80	8/21/2003	16.06	---	0.00	---	23.15	0.00	973.74	0.000	0.000
49RR	989.80	8/28/2003	16.65	---	0.00	---	23.13	0.00	973.15	0.000	0.000
49RR	989.80	9/2/2003	16.75	---	0.00	---	23.15	0.00	973.05	0.000	0.000
49RR	989.80	9/11/2003	16.21	---	0.00	---	23.14	0.00	973.59	0.000	0.000
49RR	989.80	9/18/2003	16.53	---	0.00	---	23.14	0.00	973.27	0.000	0.000
49RR	989.80	9/25/2003	15.50	---	0.00	---	23.13	0.00	974.30	0.000	0.000
49RR	989.80	10/2/2003	14.45	---	0.00	---	23.13	0.00	975.35	0.000	0.000
49RR	989.80	10/9/2003	14.88	---	0.00	---	23.13	0.00	974.92	0.000	0.000
49RR	989.80	10/16/2003	15.23	---	0.00	---	23.12	0.00	974.57	0.000	0.000
49RR	989.80	10/23/2003	15.11	---	0.00	---	23.14	0.00	974.69	0.000	0.000
49RR	989.80	10/30/2003	14.31	---	0.00	---	23.12	0.00	975.49	0.000	0.000
49RR	989.80	11/11/2003	14.67	---	0.00	---	23.12	0.00	975.13	0.000	0.000
49RR	989.80	11/20/2003	14.61	---	0.00	---	23.12	0.00	975.19	0.000	0.000
49RR	989.80	12/17/2003	14.01	---	0.00	---	23.07	0.00	975.79	0.000	0.000
64R	993.37	7/2/2003	17.01	16.66	0.35	---	20.67	0.00	976.69	0.000	0.000
64R	993.37	7/9/2003	16.44	16.17	0.27	---	20.67	0.00	977.18	0.000	0.000
64R	993.37	7/16/2003	17.03	17.02	0.01	---	20.67	0.00	976.35	0.000	0.000
64R	993.37	7/23/2003	16.79	16.77	0.02	---	20.67	0.00	976.60	0.000	0.000
64R	993.37	7/30/2003	17.02	17.01	0.01	---	20.67	0.00	976.36	0.000	0.000
64R	993.37	8/6/2003	16.82	16.81	0.01	---	20.67	0.00	976.56	0.000	0.000
64R	993.37	8/13/2003	16.56	16.53	0.03	---	20.67	0.00	976.84	0.000	0.000
64R	993.37	8/20/2003	17.29	17.23	0.06	---	20.67	0.00	976.14	0.000	0.000
64R	993.37	8/27/2003	16.79	16.75	0.04	---	20.67	0.00	976.62	0.000	0.000
64R	993.37	9/3/2003	17.09	17.08	0.01	---	20.67	0.00	976.29	0.000	0.000
64R	993.37	9/10/2003	16.81	P	< 0.01	---	20.67	0.00	976.56	0.000	0.000
64R	993.37	9/17/2003	16.61	16.60	0.01	---	20.67	0.00	976.77	0.000	0.000
64R	993.37	9/24/2003	17.24	17.16	0.08	---	20.67	0.00	976.20	0.000	0.000



**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
64R	993.37	10/1/2003	16.57	16.54	0.03	---	20.67	0.00	976.83	0.000	0.000
64R	993.37	10/9/2003	16.28	15.94	0.34	---	20.67	0.00	977.41	0.000	0.000
64R	993.37	10/15/2003	16.40	16.23	0.17	---	20.67	0.00	977.13	0.000	0.000
64R	993.37	10/22/2003	16.12	15.80	0.32	---	20.67	0.00	977.55	0.000	0.000
64R	993.37	10/29/2003	14.25	14.04	0.21	---	20.67	0.00	979.32	0.000	0.000
64R	993.37	11/5/2003	15.05	14.65	0.40	---	20.67	0.00	978.69	0.000	0.000
64R	993.37	11/12/2003	15.40	14.70	0.70	---	20.67	0.00	978.62	0.000	0.000
64R	993.37	11/19/2003	15.60	14.80	0.80	---	20.67	0.00	978.51	0.000	0.000
64R	993.37	11/26/2003	14.83	14.13	0.70	---	20.67	0.00	979.19	0.000	0.000
64R	993.37	12/3/2003	14.09	13.61	0.48	---	20.67	0.00	979.73	0.000	0.000
64R	993.37	12/10/2003	14.29	13.81	0.48	---	20.67	0.00	979.53	0.000	0.000
64R	993.37	12/17/2003	13.52	13.50	0.02	---	20.67	0.00	979.87	0.000	0.000
64R	993.37	12/24/2003	12.99	12.97	0.02	---	20.67	0.00	980.40	0.000	0.000
64R	993.37	12/31/2003	12.65	P	< 0.01	---	20.67	0.00	980.72	0.000	0.000
64S	984.48	8/6/2003	10.54	P	< 0.01	---	29.48	0.00	973.94	0.000	0.000
64S	984.48	8/13/2003	19.45	P	< 0.01	---	29.48	0.00	965.03	0.000	0.000
64S	984.48	8/20/2003	21.55	P	< 0.01	---	29.48	0.00	962.93	0.000	0.000
64S	984.48	8/27/2003	21.85	P	< 0.01	---	29.48	0.00	962.63	0.000	0.000
64S	984.48	9/3/2003	21.55	P	< 0.01	---	29.48	0.00	962.93	0.000	0.000
64S	984.48	9/10/2003	21.84	---	0.00	---	29.48	0.00	962.64	0.000	0.000
64S	984.48	9/17/2003	21.83	---	0.00	---	29.48	0.00	962.65	0.000	0.000
64S	984.48	9/24/2003	21.11	---	0.00	---	29.48	0.00	963.37	0.000	0.000
64S	984.48	10/1/2003	21.85	P	< 0.01	---	29.48	0.00	962.63	0.000	0.000
64S	984.48	10/9/2003	20.68	P	< 0.01	---	29.48	0.00	963.80	0.000	0.000
64S	984.48	10/15/2003	20.70	P	< 0.01	---	29.48	0.00	963.78	0.000	0.000
64S	984.48	10/22/2003	20.20	P	< 0.01	---	29.48	0.00	964.28	0.000	0.000
64S	984.48	10/29/2003	19.67	P	< 0.01	---	29.48	0.00	964.81	0.000	0.000
64S	984.48	11/5/2003	19.36	P	< 0.01	---	29.48	0.00	965.12	0.000	0.000
64S	984.48	11/12/2003	19.52	P	< 0.01	---	29.48	0.00	964.96	0.000	0.000
64S	984.48	11/19/2003	19.98	P	< 0.01	---	29.48	0.00	964.50	0.000	0.000
64S	984.48	11/26/2003	19.11	P	< 0.01	---	29.48	0.00	965.37	0.000	0.000
64S	984.48	12/3/2003	19.45	P	< 0.01	---	29.48	0.00	965.03	0.000	0.000
64S	984.48	12/10/2003	19.23	P	< 0.01	---	29.48	0.00	965.25	0.000	0.000
64S	984.48	12/17/2003	18.71	P	< 0.01	---	29.48	0.00	965.77	0.000	0.000
64S	984.48	12/24/2003	18.15	P	< 0.01	---	29.48	0.00	966.33	0.000	0.000
64S	984.48	12/31/2003	17.87	P	< 0.01	---	29.48	0.00	966.61	0.000	0.000
64S2	NA	10/24/2003	7.32	---	0.00	---	7.90	0.00	NA	0.000	0.000
64S-Caisson	984.40	7/2/2003	10.39	10.16	0.23	---	NM	0.00	974.22	0.000	0.000
64S-Caisson	984.40	7/9/2003	10.53	10.20	0.33	---	NM	0.00	974.18	0.000	0.000
64S-Caisson	984.40	7/16/2003	10.56	10.28	0.28	---	NM	0.00	974.10	0.000	0.000
64S-Caisson	984.40	7/23/2003	10.48	10.23	0.25	---	NM	0.00	974.15	0.000	0.000
64S-Caisson	984.40	7/30/2003	10.78	10.47	0.31	---	NM	0.00	973.91	0.000	0.000
64S-Caisson	984.40	8/6/2003	10.62	10.26	0.36	---	NM	0.00	974.11	0.000	0.000
64S-Caisson	984.40	8/13/2003	10.52	10.18	0.34	---	NM	0.00	974.20	0.000	0.000
64S-Caisson	984.40	8/20/2003	10.65	10.21	0.44	---	NM	0.00	974.16	0.000	0.000
64S-Caisson	984.40	8/27/2003	10.62	10.13	0.49	---	NM	0.00	974.24	0.000	0.000
64S-Caisson	984.40	9/3/2003	10.64	10.24	0.40	---	NM	0.00	974.13	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
64S-Caisson	984.40	9/10/2003	10.69	10.22	0.47	---	NM	0.00	974.15	0.000	0.000
64S-Caisson	984.40	9/17/2003	10.75	10.26	0.49	---	NM	0.00	974.11	0.000	0.000
64S-Caisson	NA	9/24/2004	10.60	10.09	0.51	---	NM	0.00	NA	0.000	0.000
64S-Caisson	984.40	10/1/2003	10.95	10.22	0.73	---	NM	0.00	974.13	0.000	0.000
64S-Caisson	984.40	10/9/2003	10.88	10.22	0.66	---	NM	0.00	974.13	0.000	0.000
64S-Caisson	984.40	10/15/2003	10.69	10.03	0.66	---	NM	0.00	974.32	0.000	0.000
64S-Caisson	984.40	10/22/2003	10.98	10.20	0.78	---	NM	0.00	974.15	0.000	0.000
64S-Caisson	984.40	10/29/2003	10.82	10.14	0.68	---	NM	0.00	974.21	0.000	0.000
64S-Caisson	984.40	11/5/2003	10.88	10.19	0.69	---	NM	0.00	974.16	0.000	0.000
64S-Caisson	984.40	11/12/2003	10.89	10.15	0.74	---	NM	0.00	974.20	0.000	0.000
64S-Caisson	984.40	11/19/2003	10.65	10.02	0.63	---	NM	0.00	974.34	0.000	0.000
64S-Caisson	984.40	11/26/2003	10.95	10.12	0.83	---	NM	0.00	974.22	0.000	0.000
64S-Caisson	984.40	12/3/2003	10.92	10.11	0.81	---	NM	0.00	974.23	0.000	0.000
64S-Caisson	984.40	12/10/2003	10.91	10.11	0.80	---	NM	0.00	974.23	0.000	0.000
64S-Caisson	984.40	12/17/2003	10.75	9.95	0.80	---	NM	0.00	974.39	0.000	0.000
64S-Caisson	984.40	12/24/2003	10.95	10.15	0.80	---	NM	0.00	974.19	0.000	0.000
64S-Caisson	984.40	12/31/2003	11.18	10.25	0.93	---	NM	0.00	974.08	0.000	0.000
64S-Sleeve	985.21	7/2/2003	10.29	P	< 0.01	---	29.48	0.00	974.92	0.000	0.000
64S-Sleeve	985.21	7/9/2003	10.52	P	< 0.01	---	29.48	0.00	974.69	0.000	0.000
64S-Sleeve	985.21	7/16/2003	10.63	P	< 0.01	---	29.48	0.00	974.58	0.000	0.000
64S-Sleeve	985.21	7/23/2003	10.59	P	< 0.01	---	29.48	0.00	974.62	0.000	0.000
64S-Sleeve	985.21	7/30/2003	10.83	P	< 0.01	---	29.48	0.00	974.38	0.000	0.000
64V	987.29	7/2/2003	22.60	21.50	1.10	P	30.29	< 0.01	965.71	0.000	0.000
64V	987.29	7/9/2003	22.50	21.40	1.10	P	30.29	< 0.01	965.81	0.000	0.000
64V	987.29	7/16/2003	22.30	21.20	1.10	P	30.29	< 0.01	966.01	0.000	0.000
64V	987.29	7/23/2003	22.30	21.30	1.00	P	30.29	< 0.01	965.92	0.000	0.000
64V	987.29	7/30/2003	22.20	21.20	1.00	P	30.29	< 0.01	966.02	0.000	0.000
64V	987.29	8/6/2003	22.40	21.40	1.00	P	30.29	< 0.01	965.82	0.000	0.000
64V	987.29	8/13/2003	23.20	22.20	1.00	P	30.29	< 0.01	965.02	0.000	0.000
64V	987.29	8/20/2003	22.60	21.50	1.10	30.24	30.29	0.05	965.71	0.000	0.000
64V	987.29	8/27/2003	21.90	20.50	1.40	P	30.29	< 0.01	966.69	0.000	0.000
64V	987.29	9/3/2003	22.30	21.30	1.00	P	30.29	< 0.01	965.92	0.000	0.000
64V	987.29	9/10/2003	22.40	21.60	0.80	---	30.29	0.00	965.63	0.000	0.000
64V	987.29	9/17/2003	22.20	21.40	0.80	P	30.29	< 0.01	965.83	0.000	0.000
64V	987.29	9/24/2003	22.30	21.40	0.90	P	30.29	< 0.01	965.83	0.000	0.000
64V	987.29	10/1/2003	22.10	21.30	0.80	P	30.29	< 0.01	965.93	0.000	0.000
64V	987.29	10/9/2003	22.50	21.60	0.90	P	30.29	< 0.01	965.63	0.000	0.000
64V	987.29	10/15/2003	22.20	21.30	0.90	P	30.29	< 0.01	965.93	0.000	0.000
64V	987.29	10/22/2003	22.40	21.50	0.90	P	30.29	< 0.01	965.73	0.000	0.000
64V	987.29	10/29/2003	22.00	21.30	0.70	P	30.29	< 0.01	965.94	0.000	0.000
64V	987.29	11/5/2003	22.30	21.40	0.90	P	30.29	< 0.01	965.83	0.000	0.000
64V	987.29	11/12/2003	22.50	21.50	1.00	P	30.29	< 0.01	965.72	0.000	0.000
64V	987.29	11/19/2003	22.40	21.50	0.90	P	30.29	< 0.01	965.73	0.000	0.000
64V	987.29	11/26/2003	22.50	21.50	1.00	P	30.29	< 0.01	965.72	0.000	0.000
64V	987.29	12/3/2003	22.50	21.40	1.10	P	30.29	< 0.01	965.81	0.000	0.000
64V	987.29	12/10/2003	22.50	21.60	0.90	P	30.29	< 0.01	965.63	0.000	0.000
64V	987.29	12/17/2003	22.65	21.65	1.00	P	30.29	< 0.01	965.57	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev. (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
64V	987.29	12/24/2003	22.10	21.20	0.90	30.19	30.29	0.10	966.03	0.000	0.000
64V	987.29	12/31/2003	22.10	21.40	0.70	P	30.29	< 0.01	965.84	0.000	0.000
64X(N)	984.83	7/2/2003	12.65	12.47	0.18	---	15.83	0.00	972.35	0.000	0.000
64X(N)	984.83	7/9/2003	12.83	12.70	0.13	---	15.83	0.00	972.12	0.000	0.000
64X(N)	984.83	7/16/2003	12.84	12.72	0.12	---	15.83	0.00	972.10	0.000	0.000
64X(N)	984.83	7/23/2003	12.58	12.49	0.09	---	15.83	0.00	972.33	0.000	0.000
64X(N)	984.83	7/30/2003	12.97	12.82	0.15	---	15.83	0.00	972.00	0.000	0.000
64X(N)	984.83	8/6/2003	12.11	11.96	0.15	---	15.83	0.00	972.86	0.000	0.000
64X(N)	984.83	8/13/2003	9.51	9.34	0.17	---	15.83	0.00	975.48	0.000	0.000
64X(N)	984.83	8/20/2003	11.18	11.06	0.12	---	15.83	0.00	973.76	0.000	0.000
64X(N)	984.83	8/27/2003	12.35	12.21	0.14	---	15.83	0.00	972.61	0.000	0.000
64X(N)	984.83	9/3/2003	11.33	11.16	0.17	---	15.83	0.00	973.66	0.000	0.000
64X(N)	984.83	9/10/2003	11.82	11.65	0.17	---	15.83	0.00	973.17	0.000	0.000
64X(N)	984.83	9/17/2003	11.93	11.76	0.17	---	15.83	0.00	973.06	0.000	0.000
64X(N)	984.83	9/24/2003	9.97	9.82	0.15	---	15.83	0.00	975.00	0.000	0.000
64X(N)	984.83	10/1/2003	8.69	8.54	0.15	---	15.83	0.00	976.28	0.000	0.000
64X(N)	984.83	10/9/2003	10.45	10.30	0.15	---	15.83	0.00	974.52	0.000	0.000
64X(N)	984.83	10/15/2003	11.58	11.45	0.13	---	15.83	0.00	973.37	0.000	0.000
64X(N)	984.83	10/22/2003	11.26	11.12	0.14	---	15.83	0.00	973.70	0.000	0.000
64X(N)	984.83	10/29/2003	9.35	9.20	0.15	---	15.83	0.00	975.62	0.000	0.000
64X(N)	984.83	11/5/2003	8.63	8.48	0.15	---	15.83	0.00	976.34	0.000	0.000
64X(N)	984.83	11/12/2003	9.46	9.31	0.15	---	15.83	0.00	975.51	0.000	0.000
64X(N)	984.83	11/19/2003	10.38	10.24	0.14	---	15.83	0.00	974.58	0.000	0.000
64X(N)	984.83	11/26/2003	9.23	9.06	0.17	---	15.83	0.00	975.76	0.000	0.000
64X(N)	984.83	12/3/2003	9.89	9.72	0.17	---	15.83	0.00	975.10	0.000	0.000
64X(N)	984.83	12/10/2003	9.38	9.25	0.13	---	15.83	0.00	975.57	0.000	0.000
64X(N)	984.83	12/17/2003	9.28	9.14	0.14	---	15.83	0.00	975.68	0.000	0.000
64X(N)	984.83	12/24/2003	9.31	9.16	0.15	---	15.83	0.00	975.66	0.000	0.000
64X(N)	984.83	12/31/2003	9.21	9.08	0.13	---	15.83	0.00	975.74	0.000	0.000
64X(S)	981.56	7/2/2003	15.15	15.03	0.12	---	16.06	0.00	966.52	0.000	0.000
64X(S)	981.56	7/9/2003	15.36	15.20	0.16	---	16.06	0.00	966.35	0.000	0.000
64X(S)	981.56	7/16/2003	15.35	15.21	0.14	---	16.06	0.00	966.34	0.000	0.000
64X(S)	981.56	7/23/2003	15.03	14.93	0.10	---	16.06	0.00	966.62	0.000	0.000
64X(S)	981.56	7/30/2003	15.48	15.34	0.14	---	16.06	0.00	966.21	0.000	0.000
64X(S)	981.56	8/6/2003	14.40	14.30	0.10	---	16.06	0.00	967.25	0.000	0.000
64X(S)	981.56	8/13/2003	10.98	10.94	0.04	---	16.06	0.00	970.62	0.000	0.000
64X(S)	981.56	8/20/2003	13.56	13.53	0.03	---	16.06	0.00	968.03	0.000	0.000
64X(S)	981.56	8/27/2003	14.70	14.67	0.03	---	16.06	0.00	966.89	0.000	0.000
64X(S)	981.56	9/3/2003	13.55	13.52	0.03	---	16.06	0.00	968.04	0.000	0.000
64X(S)	981.56	9/10/2003	14.16	14.15	0.01	---	16.06	0.00	967.41	0.000	0.000
64X(S)	981.56	9/17/2003	14.14	14.11	0.03	---	16.06	0.00	967.45	0.000	0.000
64X(S)	981.56	9/24/2003	11.88	11.87	0.01	---	16.06	0.00	969.69	0.000	0.000
64X(S)	981.56	10/1/2003	10.61	10.60	0.01	---	16.06	0.00	970.96	0.000	0.000
64X(S)	981.56	10/9/2003	12.96	12.95	0.01	---	16.06	0.00	968.61	0.000	0.000
64X(S)	981.56	10/15/2003	13.79	13.77	0.02	---	16.06	0.00	967.79	0.000	0.000
64X(S)	981.56	10/22/2003	13.80	13.79	0.01	---	16.06	0.00	967.77	0.000	0.000
64X(S)	981.56	10/29/2003	11.43	11.42	0.01	---	16.06	0.00	970.14	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
64X(S)	981.56	11/5/2003	10.89	P	< 0.01	---	16.06	0.00	970.67	0.000	0.000
64X(S)	981.56	11/12/2003	11.71	P	< 0.01	---	16.06	0.00	969.85	0.000	0.000
64X(S)	981.56	11/19/2003	12.91	P	< 0.01	---	16.06	0.00	968.65	0.000	0.000
64X(S)	981.56	11/26/2003	11.91	11.90	0.01	---	16.06	0.00	969.66	0.000	0.000
64X(S)	981.56	12/3/2003	12.50	P	< 0.01	---	16.06	0.00	969.06	0.000	0.000
64X(S)	981.56	12/10/2003	11.92	11.91	0.01	---	16.06	0.00	969.65	0.000	0.000
64X(S)	981.56	12/17/2003	12.01	12.00	0.01	---	16.06	0.00	969.56	0.000	0.000
64X(S)	981.56	12/24/2003	11.78	11.77	0.01	---	16.06	0.00	969.79	0.000	0.000
64X(S)	981.56	12/31/2003	11.85	P	< 0.01	---	16.06	0.00	969.71	0.000	0.000
64X(W)	984.87	7/2/2003	18.25	18.24	0.01	---	18.57	0.00	966.63	0.000	0.000
64X(W)	984.87	7/9/2003	18.45	18.43	0.02	---	18.57	0.00	966.44	0.000	0.000
64X(W)	984.87	7/16/2003	18.44	18.41	0.03	---	18.57	0.00	966.46	0.000	0.000
64X(W)	984.87	7/23/2003	18.41	18.11	0.30	---	18.57	0.00	966.74	0.000	0.000
64X(W)	984.87	7/30/2003	18.54	P	< 0.01	---	18.57	0.00	966.33	0.000	0.000
64X(W)	984.87	8/6/2003	17.54	17.49	0.05	---	18.57	0.00	967.38	0.000	0.000
64X(W)	984.87	8/13/2003	14.26	14.15	0.11	---	18.57	0.00	970.71	0.000	0.000
64X(W)	984.87	8/20/2003	16.78	16.74	0.04	---	18.57	0.00	968.13	0.000	0.000
64X(W)	984.87	8/27/2003	17.92	17.88	0.04	---	18.57	0.00	966.99	0.000	0.000
64X(W)	984.87	9/3/2003	16.75	16.71	0.04	---	18.57	0.00	968.16	0.000	0.000
64X(W)	984.87	9/10/2003	17.38	17.34	0.04	---	18.57	0.00	967.53	0.000	0.000
64X(W)	984.87	9/17/2003	17.34	17.32	0.02	---	18.57	0.00	967.55	0.000	0.000
64X(W)	984.87	9/24/2003	15.07	15.06	0.01	---	18.57	0.00	969.81	0.000	0.000
64X(W)	984.87	10/1/2003	13.79	P	< 0.01	---	18.57	0.00	971.08	0.000	0.000
64X(W)	984.87	10/9/2003	16.15	16.14	0.01	---	18.57	0.00	968.73	0.000	0.000
64X(W)	984.87	10/15/2003	16.99	16.97	0.02	---	18.57	0.00	967.90	0.000	0.000
64X(W)	984.87	10/22/2003	16.95	16.94	0.01	---	18.57	0.00	967.93	0.000	0.000
64X(W)	984.87	10/29/2003	14.61	14.60	0.01	---	18.57	0.00	970.27	0.000	0.000
64X(W)	984.87	11/5/2003	14.09	14.07	0.02	---	18.57	0.00	970.80	0.000	0.000
64X(W)	984.87	11/12/2003	14.92	14.91	0.01	---	18.57	0.00	969.96	0.000	0.000
64X(W)	984.87	11/19/2003	16.11	P	< 0.01	---	18.57	0.00	968.76	0.000	0.000
64X(W)	984.87	11/26/2003	15.09	15.07	0.02	---	18.57	0.00	969.80	0.000	0.000
64X(W)	984.87	12/3/2003	15.69	15.63	0.06	---	18.57	0.00	969.24	0.000	0.000
64X(W)	984.87	12/10/2003	15.11	15.09	0.02	---	18.57	0.00	969.78	0.000	0.000
64X(W)	984.87	12/17/2003	15.23	15.21	0.02	---	18.57	0.00	969.66	0.000	0.000
64X(W)	984.87	12/24/2003	14.99	14.97	0.02	---	18.57	0.00	969.90	0.000	0.000
64X(W)	984.87	12/31/2003	15.05	P	< 0.01	---	18.57	0.00	969.82	0.000	0.000
95-01	983.77	7/10/2003	10.45	---	0.00	---	17.22	0.00	973.32	0.000	0.000
95-01	983.77	8/7/2003	10.41	---	0.00	---	17.21	0.00	973.36	0.000	0.000
95-01	983.77	9/2/2003	10.00	---	0.00	---	17.22	0.00	973.77	0.000	0.000
95-01	983.77	10/28/2003	8.60	---	0.00	---	17.24	0.00	975.17	0.000	0.000
95-01	983.77	12/17/2003	7.97	---	0.00	---	17.24	0.00	975.80	0.000	0.000
95-02	985.53	10/23/2003	11.10	---	0.00	---	18.40	0.00	974.43	0.000	0.000
95-04	988.70	10/7/2003	15.20	12.40	2.80	---	21.91	0.00	976.10	0.435	0.000
95-04	988.70	10/21/2003	16.21	12.18	4.03	---	21.88	0.00	976.24	0.000	0.000
95-05	989.45	10/7/2003	13.73	13.50	0.23	---	20.10	0.00	975.93	0.142	0.000
95-05	989.45	10/21/2003	14.28	14.05	0.23	---	20.10	0.00	975.38	0.000	0.000
95-07	994.91	10/7/2003	23.74	17.23	6.51	---	29.57	0.00	977.22	1.013	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
95-07	994.91	10/21/2003	23.90	17.52	6.38	---	29.50	0.00	976.94	0.000	0.000
95-19	989.91	10/24/2003	14.80	---	0.00	---	20.20	0.00	975.11	0.000	0.000
95-25	988.20	7/9/2003	14.30	---	0.00	---	20.38	0.00	973.90	0.000	0.000
95-25	988.20	10/23/2003	12.61	---	0.00	---	20.40	0.00	975.59	0.000	0.000
C60	979.62	10/21/2003	3.39	---	0.00	---	15.84	0.00	976.23	0.000	0.000
E2SC-03I	982.12	7/11/2003	10.15	---	0.00	39.04	45.84	6.80	971.97	0.000	0.000
E2SC-03I	982.12	8/7/2003	9.21	---	0.00	38.87	45.80	6.93	972.91	0.000	0.000
E2SC-03I	982.12	9/2/2003	8.73	---	0.00	39.64	45.49	5.85	973.39	0.000	0.000
E2SC-03I	982.12	10/16/2003	5.79	---	0.00	42.55	45.49	2.94	976.33	0.000	0.000
E2SC-03I	982.12	10/21/2003	7.40	---	0.00	39.02	45.45	6.43	974.72	0.000	0.000
E2SC-17	985.38	7/11/2003	12.71	---	0.00	45.75	47.82	2.07	972.67	0.000	0.000
E2SC-17	985.38	8/7/2003	11.82	---	0.00	45.52	47.83	2.31	973.56	0.000	0.000
E2SC-17	985.38	9/2/2003	11.58	---	0.00	46.35	47.87	1.52	973.80	0.000	0.000
E2SC-17	985.38	10/16/2003	9.04	---	0.00	46.93	47.85	0.92	976.34	0.000	0.000
E2SC-17	985.38	10/21/2003	10.10	---	0.00	46.08	47.48	1.40	975.28	0.000	0.000
E2SC-21	981.70	10/23/2003	7.30	---	0.00	---	14.39	0.00	974.40	0.000	0.000
E2SC-22	986.51	7/9/2003	13.65	---	0.00	---	17.37	0.00	972.86	0.000	0.000
E2SC-22	986.51	8/7/2003	12.52	---	0.00	---	17.38	0.00	973.99	0.000	0.000
E2SC-22	986.51	9/2/2003	12.78	---	0.00	---	17.37	0.00	973.73	0.000	0.000
E2SC-22	986.51	10/23/2003	11.14	---	0.00	---	17.38	0.00	975.37	0.000	0.000
E2SC-23	992.07	7/3/2003	17.05	---	0.00	---	21.16	0.00	975.02	0.000	0.000
E2SC-23	992.07	7/9/2003	17.20	---	0.00	---	21.16	0.00	974.87	0.000	0.000
E2SC-23	992.07	7/17/2003	17.35	---	0.00	---	21.15	0.00	974.72	0.000	0.000
E2SC-23	992.07	7/24/2003	17.45	---	0.00	---	21.15	0.00	974.62	0.000	0.000
E2SC-23	992.07	7/31/2003	17.66	---	0.00	---	21.15	0.00	974.41	0.000	0.000
E2SC-23	992.07	8/7/2003	17.34	---	0.00	---	21.15	0.00	974.73	0.000	0.000
E2SC-23	992.07	8/14/2003	16.93	---	0.00	---	21.15	0.00	975.14	0.000	0.000
E2SC-23	992.07	8/21/2003	17.09	---	0.00	---	21.15	0.00	974.98	0.000	0.000
E2SC-23	992.07	8/28/2003	17.38	---	0.00	---	21.15	0.00	974.69	0.000	0.000
E2SC-23	992.07	9/2/2003	17.41	---	0.00	---	21.15	0.00	974.66	0.000	0.000
E2SC-23	992.07	9/11/2003	17.17	---	0.00	---	21.15	0.00	974.90	0.000	0.000
E2SC-23	992.07	9/18/2003	17.35	---	0.00	---	26.16	0.00	974.72	0.000	0.000
E2SC-23	992.07	9/25/2003	16.93	---	0.00	---	26.16	0.00	975.14	0.000	0.000
E2SC-23	992.07	10/2/2003	16.21	---	0.00	---	21.16	0.00	975.86	0.000	0.000
E2SC-23	992.07	10/9/2003	16.35	---	0.00	---	21.16	0.00	975.72	0.000	0.000
E2SC-23	992.07	10/16/2003	16.24	---	0.00	---	21.16	0.00	975.83	0.000	0.000
E2SC-23	992.07	10/23/2003	16.29	---	0.00	---	21.16	0.00	975.78	0.000	0.000
E2SC-23	992.07	10/30/2003	15.85	---	0.00	---	21.16	0.00	976.22	0.000	0.000
E2SC-23	992.07	11/11/2003	15.51	---	0.00	---	21.16	0.00	976.56	0.000	0.000
E2SC-23	992.07	11/20/2003	15.43	---	0.00	---	21.16	0.00	976.64	0.000	0.000
E2SC-23	992.07	12/17/2003	14.95	---	0.00	---	21.14	0.00	977.12	0.000	0.000
E2SC-24	987.90	7/3/2003	16.06	---	0.00	---	21.66	0.00	971.84	0.000	0.000
E2SC-24	987.90	7/9/2003	16.18	---	0.00	---	21.66	0.00	971.72	0.000	0.000
E2SC-24	987.90	7/17/2003	15.95	---	0.00	---	21.68	0.00	971.95	0.000	0.000
E2SC-24	987.90	7/24/2003	16.00	---	0.00	---	21.65	0.00	971.90	0.000	0.000
E2SC-24	987.90	7/31/2003	16.30	---	0.00	---	21.66	0.00	971.60	0.000	0.000
E2SC-24	987.90	8/7/2003	15.58	---	0.00	---	21.65	0.00	972.32	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
E2SC-24	987.90	8/14/2003	13.31	---	0.00	---	21.66	0.00	974.59	0.000	0.000
E2SC-24	987.90	8/21/2003	15.05	---	0.00	---	21.66	0.00	972.85	0.000	0.000
E2SC-24	987.90	8/28/2003	15.75	---	0.00	---	21.66	0.00	972.15	0.000	0.000
E2SC-24	987.90	9/2/2003	15.07	---	0.00	---	21.65	0.00	972.83	0.000	0.000
E2SC-24	987.90	9/11/2003	15.40	---	0.00	---	21.65	0.00	972.50	0.000	0.000
E2SC-24	987.90	9/18/2003	14.96	---	0.00	---	21.65	0.00	972.94	0.000	0.000
E2SC-24	987.90	9/25/2003	12.78	---	0.00	---	21.66	0.00	975.12	0.000	0.000
E2SC-24	987.90	10/2/2003	11.70	---	0.00	---	21.66	0.00	976.20	0.000	0.000
E2SC-24	987.90	10/9/2003	14.34	---	0.00	---	21.65	0.00	973.56	0.000	0.000
E2SC-24	987.90	10/16/2003	11.60	---	0.00	---	21.66	0.00	976.30	0.000	0.000
E2SC-24	987.90	10/23/2003	14.25	---	0.00	---	21.65	0.00	973.65	0.000	0.000
E2SC-24	987.90	10/30/2003	11.70	---	0.00	---	21.66	0.00	976.20	0.000	0.000
E2SC-24	987.90	11/11/2003	13.25	---	0.00	---	21.66	0.00	974.65	0.000	0.000
E2SC-24	987.90	11/20/2003	13.91	---	0.00	---	21.66	0.00	973.99	0.000	0.000
E2SC-24	987.90	12/17/2003	13.06	---	0.00	---	21.63	0.00	974.84	0.000	0.000
E2SC-25	997.06	7/9/2003	18.81	---	0.00	---	40.91	0.00	978.25	0.000	0.000
E2SC-25	997.06	10/21/2003	17.45	---	0.00	---	40.94	0.00	979.61	0.000	0.000
ES2-01	985.36	7/9/2003	12.95	---	0.00	---	34.20	0.00	972.41	0.000	0.000
ES2-01	985.36	10/21/2003	10.25	---	0.00	---	34.20	0.00	975.11	0.000	0.000
ES2-02A	979.63	7/9/2003	2.35	---	0.00	---	17.41	0.00	977.28	0.000	0.000
ES2-02A	979.63	10/21/2003	4.25	---	0.00	---	17.54	0.00	975.38	0.000	0.000
ES2-04	983.84	7/9/2003	10.90	---	0.00	---	21.74	0.00	972.94	0.000	0.000
ES2-04	983.84	8/7/2003	10.11	---	0.00	---	21.74	0.00	973.73	0.000	0.000
ES2-04	983.84	9/2/2003	9.66	---	0.00	---	21.74	0.00	974.18	0.000	0.000
ES2-04	983.84	10/21/2003	8.29	---	0.00	---	21.74	0.00	975.55	0.000	0.000
ES2-05	990.65	7/9/2003	17.20	---	0.00	---	24.30	0.00	973.45	0.000	0.000
ES2-05	990.65	10/21/2003	14.93	---	0.00	---	24.28	0.00	975.72	0.000	0.000
ES2-06	986.00	7/9/2003	13.68	---	0.00	---	34.26	0.00	972.32	0.000	0.000
ES2-06	986.00	8/7/2003	12.80	---	0.00	---	34.28	0.00	973.20	0.000	0.000
ES2-06	986.00	9/2/2003	12.56	---	0.00	---	34.28	0.00	973.44	0.000	0.000
ES2-06	986.00	10/21/2003	11.01	---	0.00	---	34.26	0.00	974.99	0.000	0.000
ES2-07	980.03	7/9/2003	7.40	---	0.00	---	43.45	0.00	972.63	0.000	0.000
ES2-07	980.03	10/21/2003	4.68	---	0.00	---	43.45	0.00	975.35	0.000	0.000
ES2-08	994.87	7/9/2003	21.56	---	0.00	---	24.88	0.00	973.31	0.000	0.000
ES2-08	994.87	8/7/2003	21.45	---	0.00	---	24.84	0.00	973.42	0.000	0.000
ES2-08	994.87	9/2/2003	21.22	---	0.00	---	24.82	0.00	973.65	0.000	0.000
ES2-08	994.87	10/21/2003	19.61	---	0.00	---	24.85	0.00	975.26	0.000	0.000
ES2-09	991.25	10/21/2003	12.39	---	0.00	---	20.02	0.00	978.86	0.000	0.000
ES2-10	991.55	10/21/2003	12.55	---	0.00	---	19.54	0.00	979.00	0.000	0.000
ES2-11	985.05	10/21/2003	9.41	---	0.00	---	19.58	0.00	975.64	0.000	0.000
ES2-12	984.41	10/21/2003	9.65	---	0.00	---	18.43	0.00	974.76	0.000	0.000
ES2-14	985.93	10/7/2003	10.54	10.18	0.36	---	22.59	0.00	975.72	0.222	0.000
ES2-14	985.93	10/21/2003	11.05	10.90	0.15	---	21.60	0.00	975.02	0.000	0.000
ES2-15	986.55	10/7/2003	11.30	10.56	0.74	---	18.98	0.00	975.94	0.457	0.000
ES2-15	986.55	10/21/2003	11.81	11.04	0.77	---	18.95	0.00	975.46	0.000	0.000
ES2-16	986.88	10/21/2003	9.30	---	0.00	---	17.38	0.00	977.58	0.000	0.000
ES2-17	986.62	7/11/2003	13.45	---	0.00	---	21.16	0.00	973.17	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
ES2-17	986.62	8/8/2003	13.05	---	0.00	---	21.14	0.00	973.57	0.000	0.000
ES2-17	986.62	9/2/2003	12.81	---	0.00	20.87	21.14	0.27	973.81	0.000	0.000
ES2-17	986.62	10/7/2003	11.45	---	0.00	---	21.11	0.00	975.17	0.000	0.000
ES2-17	986.62	10/23/2003	11.68	---	0.00	---	21.13	0.00	974.94	0.000	0.000
ES2-18	986.86	10/21/2003	11.85	---	0.00	---	21.86	0.00	975.01	0.000	0.000
GMA1-13	991.41	7/9/2003	18.84	---	0.00	---	27.18	0.00	972.57	0.000	0.000
GMA1-13	991.41	8/7/2003	18.44	---	0.00	---	27.18	0.00	972.97	0.000	0.000
GMA1-13	991.41	9/2/2003	18.21	---	0.00	---	27.18	0.00	973.20	0.000	0.000
GMA1-13	991.41	10/9/2003	16.46	---	0.00	---	27.18	0.00	974.95	0.000	0.000
GMA1-13	991.41	10/15/2003	17.37	---	0.00	---	27.28	0.00	974.04	0.000	0.000
GMA1-14	997.43	7/9/2003	19.03	---	0.00	---	24.03	0.00	978.40	0.000	0.000
GMA1-14	997.43	8/7/2003	19.64	---	0.00	---	23.40	0.00	977.79	0.000	0.000
GMA1-14	997.43	9/2/2003	19.08	---	0.00	---	23.39	0.00	978.35	0.000	0.000
GMA1-14	997.43	10/9/2003	17.80	---	0.00	---	23.87	0.00	979.63	0.000	0.000
GMA1-14	997.43	12/17/2003	15.72	---	0.00	---	23.88	0.00	981.71	0.000	0.000
GMA1-15	988.59	7/9/2003	15.82	15.68	0.14	---	17.81	0.00	972.90	0.000	0.000
GMA1-15	988.59	7/18/2003	16.00	15.71	0.29	---	17.82	0.00	972.86	0.179	0.000
GMA1-15	988.59	7/24/2003	15.96	15.66	0.30	---	17.83	0.00	972.91	0.185	0.000
GMA1-15	988.59	7/31/2003	16.15	15.91	0.24	---	17.84	0.00	972.66	0.148	0.000
GMA1-15	988.59	8/8/2003	15.45	15.13	0.32	---	17.84	0.00	973.44	0.197	0.000
GMA1-15	988.59	8/14/2003	14.70	13.58	1.12	---	17.83	0.00	974.93	0.691	0.000
GMA1-15	988.59	8/21/2003	15.20	14.21	0.99	---	17.84	0.00	974.31	0.611	0.000
GMA1-15	988.59	8/28/2003	15.92	14.99	0.93	---	17.84	0.00	973.53	0.574	0.000
GMA1-15	988.59	9/2/2003	15.31	14.79	0.52	---	17.84	0.00	973.76	0.321	0.000
GMA1-15	988.59	9/11/2003	15.35	14.52	0.83	---	17.83	0.00	974.01	0.215	0.000
GMA1-15	988.59	9/18/2003	15.41	14.72	0.69	---	17.85	0.00	973.82	0.426	0.000
GMA1-15	988.59	9/25/2003	14.50	13.45	1.05	---	17.85	0.00	975.07	0.648	0.000
GMA1-15	988.59	10/2/2003	13.08	12.40	0.68	---	17.84	0.00	976.14	0.420	0.000
GMA1-15	988.59	10/9/2003	14.74	13.35	1.39	---	17.84	0.00	975.14	0.858	0.000
GMA1-15	988.59	10/16/2003	13.85	13.30	0.55	---	17.84	0.00	975.25	0.339	0.000
GMA1-15	988.59	10/23/2003	14.90	13.55	1.35	---	17.84	0.00	974.95	0.833	0.000
GMA1-15	988.59	10/30/2003	13.40	12.65	0.75	---	17.84	0.00	975.89	0.463	0.000
GMA1-15	988.59	11/7/2003	14.13	12.92	1.21	---	17.84	0.00	975.59	0.747	0.000
GMA1-15	988.59	11/11/2003	13.98	13.11	0.87	---	17.85	0.00	975.42	0.537	0.000
GMA1-15	988.59	11/20/2003	13.41	13.12	0.29	---	17.85	0.00	975.45	0.179	0.000
GMA1-15	988.59	12/17/2003	13.42	12.53	0.89	---	17.83	0.00	976.00	0.549	0.000
GMA1-16	986.82	7/9/2003	13.86	13.78	0.08	---	20.01	0.00	973.03	0.000	0.000
GMA1-16	986.82	7/18/2003	13.90	13.86	0.04	---	20.03	0.00	972.96	0.025	0.000
GMA1-16	986.82	7/24/2003	13.89	13.88	0.01	---	20.01	0.00	972.94	0.006	0.000
GMA1-16	986.82	7/31/2003	14.12	14.10	0.02	---	20.01	0.00	972.72	0.012	0.000
GMA1-16	986.82	8/8/2003	13.45	---	0.00	---	20.02	0.00	973.37	0.000	0.000
GMA1-16	986.82	8/14/2003	12.12	12.11	0.01	---	20.02	0.00	974.71	0.006	0.000
GMA1-16	986.82	8/21/2003	12.53	12.50	0.03	---	20.02	0.00	974.32	0.019	0.000
GMA1-16	986.82	8/28/2003	13.30	13.23	0.07	---	20.01	0.00	973.59	0.043	0.000
GMA1-16	986.82	9/2/2003	12.92	12.91	0.01	---	20.02	0.00	973.91	0.006	0.000
GMA1-16	986.82	9/11/2003	12.87	12.81	0.06	---	20.02	0.00	974.01	0.037	0.000
GMA1-16	986.82	9/18/2003	12.94	12.93	0.01	---	20.02	0.00	973.89	0.006	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
GMA1-16	986.82	9/25/2003	11.96	11.92	0.04	---	20.02	0.00	974.90	0.025	0.000
GMA1-16	986.82	10/2/2003	11.03	---	0.00	---	20.02	0.00	975.79	0.000	0.000
GMA1-16	986.82	10/9/2003	11.93	11.80	0.13	---	20.02	0.00	975.01	0.080	0.000
GMA1-16	986.82	10/16/2003	11.65	---	0.00	---	20.02	0.00	975.17	0.000	0.000
GMA1-16	986.82	10/23/2003	11.99	11.93	0.06	---	20.02	0.00	974.89	0.037	0.000
GMA1-16	986.82	10/30/2003	11.19	---	0.00	---	20.02	0.00	975.63	0.000	0.000
GMA1-16	986.82	11/7/2003	11.33	---	0.00	---	20.02	0.00	975.49	0.000	0.000
GMA1-16	986.82	11/11/2003	11.40	---	0.00	---	20.02	0.00	975.42	0.000	0.000
GMA1-16	986.82	11/20/2003	11.34	---	0.00	---	20.02	0.00	975.48	0.000	0.000
GMA1-16	986.82	12/17/2003	10.07	---	0.00	---	20.00	0.00	976.75	0.000	0.000
GMA1-17E	993.03	9/29/2003	13.78	---	0.00	---	17.50	0.00	979.25	0.000	0.000
GMA1-17E	993.03	10/7/2003	14.80	---	0.00	---	16.04	0.00	978.23	0.000	0.000
GMA1-17E	993.03	10/24/2003	14.60	---	0.00	---	17.37	0.00	978.43	0.000	0.000
GMA1-17E	993.03	11/7/2003	13.70	---	0.00	---	17.35	0.00	979.33	0.000	0.000
GMA1-17E	993.03	11/21/2003	13.65	---	0.00	---	17.34	0.00	979.38	0.000	0.000
GMA1-17E	993.03	12/5/2003	12.94	---	0.00	---	17.36	0.00	980.09	0.000	0.000
GMA1-17E	993.03	12/12/2003	12.90	---	0.00	---	17.35	0.00	980.13	0.000	0.000
GMA1-17E	993.03	12/17/2003	12.85	---	0.00	---	17.36	0.00	980.18	0.000	0.000
GMA1-17E	993.03	12/23/2003	12.14	---	0.00	---	17.36	0.00	980.89	0.000	0.000
GMA1-17W	992.63	10/7/2003	14.80	---	0.00	---	16.04	0.00	977.83	0.000	0.000
GMA1-17W	992.63	10/24/2003	16.00	14.15	1.85	---	23.02	0.00	978.35	1.141	0.000
GMA1-17W	992.63	10/30/2003	14.50	13.48	1.02	---	23.00	0.00	979.08	0.000	0.000
GMA1-17W	992.63	11/7/2003	13.85	13.23	0.62	---	22.90	0.00	979.36	0.383	0.000
GMA1-17W	992.63	11/21/2003	13.33	13.11	0.22	---	22.87	0.00	979.50	0.134	0.000
GMA1-17W	992.63	12/5/2003	12.52	12.51	0.01	---	23.40	0.00	980.12	0.006	0.000
GMA1-17W	992.63	12/12/2003	12.55	12.42	0.13	---	23.40	0.00	980.20	0.080	0.000
GMA1-17W	992.63	12/17/2003	11.84	---	0.00	---	23.40	0.00	980.79	0.080	0.000
GMA1-17W	992.63	12/23/2003	12.07	12.06	0.01	---	23.40	0.00	980.57	0.000	0.000
HR-C-RW-1	NA	7/11/2003	8.18	8.17	0.01	---	22.72	0.00	NA	0.000	0.000
HR-C-RW-1	NA	8/7/2003	6.34	---	0.00	22.67	22.70	0.03	NA	0.000	0.000
HR-C-RW-1	NA	9/2/2003	4.82	---	0.00	22.64	22.70	0.06	NA	0.000	0.000
HR-C-RW-1	NA	10/21/2003	3.65	---	0.00	22.64	22.70	0.06	NA	0.000	0.000
HR-G1-MW-1	982.42	7/9/2003	10.79	---	0.00	---	20.33	0.00	971.63	0.000	0.000
HR-G1-MW-1	982.42	8/7/2003	9.74	---	0.00	---	20.33	0.00	972.68	0.000	0.000
HR-G1-MW-1	982.42	9/2/2003	9.02	---	0.00	---	20.34	0.00	973.40	0.000	0.000
HR-G1-MW-1	982.42	10/24/2003	9.01	---	0.00	---	20.34	0.00	973.41	0.000	0.000
HR-G1-MW-2	980.23	7/9/2003	8.38	---	0.00	---	28.50	0.00	971.85	0.000	0.000
HR-G1-MW-2	980.23	8/7/2003	7.37	---	0.00	---	28.50	0.00	972.86	0.000	0.000
HR-G1-MW-2	980.23	9/2/2003	6.88	---	0.00	---	28.50	0.00	973.35	0.000	0.000
HR-G1-MW-2	980.23	10/24/2003	6.56	---	0.00	---	28.50	0.00	973.67	0.000	0.000
HR-G1-MW-3	980.21	7/9/2003	8.82	---	0.00	---	17.88	0.00	971.39	0.000	0.000
HR-G1-MW-3	980.21	8/7/2003	7.64	---	0.00	---	17.90	0.00	972.57	0.000	0.000
HR-G1-MW-3	980.21	9/2/2003	6.83	---	0.00	---	17.90	0.00	973.38	0.000	0.000
HR-G1-MW-3	980.21	10/16/2003	3.62	---	0.00	---	18.01	0.00	976.59	0.000	0.000
HR-G2-MW-1	982.60	7/9/2003	11.25	---	0.00	---	18.24	0.00	971.35	0.000	0.000
HR-G2-MW-1	982.60	8/7/2003	9.93	---	0.00	---	18.24	0.00	972.67	0.000	0.000
HR-G2-MW-1	982.60	9/2/2003	9.24	---	0.00	---	18.24	0.00	973.36	0.000	0.000



**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
HR-G2-MW-1	982.60	10/23/2003	9.28	---	0.00	---	18.25	0.00	973.32	0.000	0.000
HR-G2-MW-1	982.60	12/17/2003	7.54	---	0.00	---	20.32	0.00	975.06	0.000	0.000
HR-G2-MW-2	981.39	7/9/2003	9.26	---	0.00	---	17.67	0.00	972.13	0.000	0.000
HR-G2-MW-2	981.39	8/7/2003	7.84	---	0.00	---	17.68	0.00	973.55	0.000	0.000
HR-G2-MW-2	981.39	9/2/2003	7.68	---	0.00	---	17.66	0.00	973.71	0.000	0.000
HR-G2-MW-2	981.39	10/23/2003	6.96	---	0.00	---	17.68	0.00	974.43	0.000	0.000
HR-G2-MW-2	981.39	12/17/2003	5.15	---	0.00	---	20.32	0.00	976.24	0.000	0.000
HR-G2-MW-3	987.14	7/9/2003	15.21	---	0.00	---	22.00	0.00	971.93	0.000	0.000
HR-G2-MW-3	987.14	8/7/2003	14.10	---	0.00	---	22.00	0.00	973.04	0.000	0.000
HR-G2-MW-3	987.14	9/2/2003	13.54	---	0.00	---	22.01	0.00	973.60	0.000	0.000
HR-G2-MW-3	987.14	10/24/2003	13.35	---	0.00	---	22.00	0.00	973.79	0.000	0.000
HR-G2-MW-3	987.14	12/17/2003	5.57	---	0.00	---	17.85	0.00	981.57	0.000	0.000
HR-G2-RW-1	976.88	7/9/2003	7.03	7.02	0.01	---	18.72	0.00	971.64	0.000	0.000
HR-G2-RW-1	976.88	8/7/2003	5.33	---	0.00	---	18.72	0.00	972.90	0.000	0.000
HR-G2-RW-1	976.88	9/2/2003	4.14	4.13	0.01	---	18.71	0.00	973.79	0.000	0.000
HR-G2-RW-1	976.88	10/23/2003	4.41	4.40	0.01	---	18.72	0.00	972.48	0.000	0.000
HR-G3-MW-1	982.45	7/9/2003	15.42	---	0.00	---	17.73	0.00	967.03	0.000	0.000
HR-G3-MW-1	982.45	8/7/2003	14.22	---	0.00	---	17.73	0.00	968.23	0.000	0.000
HR-G3-MW-1	982.45	9/2/2003	13.63	---	0.00	---	17.72	0.00	968.82	0.000	0.000
HR-G3-MW-1	982.45	10/16/2003	10.52	---	0.00	---	17.86	0.00	971.93	0.000	0.000
HR-G3-MW-1	982.45	10/24/2003	13.55	---	0.00	---	17.73	0.00	968.90	0.000	0.000
HR-G3-MW-2	987.88	7/9/2003	15.99	---	0.00	---	17.73	0.00	971.89	0.000	0.000
HR-G3-MW-2	987.88	8/7/2003	14.91	---	0.00	---	17.73	0.00	972.97	0.000	0.000
HR-G3-MW-2	987.88	9/2/2003	14.45	---	0.00	---	17.73	0.00	973.43	0.000	0.000
HR-G3-MW-2	987.88	10/16/2003	12.04	---	0.00	---	17.74	0.00	975.84	0.000	0.000
HR-G3-RW-1	977.78	7/9/2003	5.77	---	0.00	---	8.57	0.00	972.01	0.000	0.000
HR-G3-RW-1	977.78	8/7/2003	4.70	---	0.00	---	8.57	0.00	973.08	0.000	0.000
HR-G3-RW-1	977.78	9/2/2003	4.34	---	0.00	---	8.56	0.00	973.44	0.000	0.000
HR-G3-RW-1	977.78	10/23/2003	3.30	---	0.00	---	8.55	0.00	974.48	0.000	0.000
HR-J1-MW-1	985.95	7/9/2003	14.34	---	0.00	---	26.02	0.00	971.61	0.000	0.000
HR-J1-MW-1	985.95	8/7/2003	14.73	---	0.00	---	26.60	0.00	971.22	0.000	0.000
HR-J1-MW-1	985.95	9/2/2003	12.28	---	0.00	---	26.00	0.00	973.67	0.000	0.000
HR-J1-MW-1	985.95	10/23/2003	12.24	---	0.00	---	26.00	0.00	973.71	0.000	0.000
HR-J1-MW-2	983.56	7/9/2003	11.52	---	0.00	---	17.87	0.00	972.04	0.000	0.000
HR-J1-MW-2	983.56	8/7/2003	10.48	---	0.00	---	17.81	0.00	973.08	0.000	0.000
HR-J1-MW-2	983.56	9/2/2003	9.96	---	0.00	---	17.83	0.00	973.60	0.000	0.000
HR-J1-MW-2	983.56	10/23/2003	9.42	---	0.00	---	17.80	0.00	974.14	0.000	0.000
HR-J1-MW-3	987.68	7/9/2003	15.88	---	0.00	---	26.52	0.00	971.80	0.000	0.000
HR-J1-MW-3	987.68	8/7/2003	13.10	---	0.00	---	26.00	0.00	974.58	0.000	0.000
HR-J1-MW-3	987.68	9/2/2003	14.08	---	0.00	---	26.60	0.00	973.60	0.000	0.000
HR-J1-MW-3	987.68	10/23/2003	13.80	---	0.00	---	26.60	0.00	973.88	0.000	0.000
HR-J1-RW-1	975.05	7/9/2003	4.02	---	0.00	---	14.91	0.00	971.03	0.000	0.000
HR-J1-RW-1	975.05	8/7/2003	2.50	---	0.00	---	14.95	0.00	972.55	0.000	0.000
HR-J1-RW-1	975.05	9/2/2003	1.38	---	0.00	---	14.92	0.00	973.67	0.000	0.000
HR-J1-RW-1	975.05	10/23/2003	2.02	---	0.00	---	14.95	0.00	973.03	0.000	0.000
M-R	998.19	10/14/2003	18.37	18.36	0.01	---	29.23	0.00	979.83	0.006	0.000
M-R	998.19	10/24/2003	18.30	18.29	0.01	---	29.23	0.00	979.90	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
P2	988.22	10/21/2003	10.12	---	0.00	---	12.00	0.00	978.10	0.000	0.000
P3	989.25	10/14/2003	5.20	4.98	0.22	---	13.11	0.00	984.25	0.136	0.000
P3	989.25	10/21/2003	5.02	5.00	0.02	---	13.11	0.00	984.25	0.000	0.000
P3D	988.54	10/14/2003	10.44	---	0.00	---	14.68	0.00	978.10	0.000	0.000
P3D	988.54	10/21/2003	10.30	---	0.00	---	14.68	0.00	978.24	0.000	0.000
P6	985.71	10/21/2003	9.08	---	0.00	---	15.18	0.00	976.63	0.000	0.000
P7	989.10	10/21/2003	11.61	---	0.00	---	14.23	0.00	977.49	0.000	0.000
PZ-1S	989.93	10/21/2003	15.25	---	0.00	---	20.30	0.00	974.68	0.000	0.000
PZ-6S	984.13	10/14/2003	11.35	---	0.00	---	13.23	0.00	972.78	0.000	0.000
PZ-6S	984.13	10/21/2003	9.24	---	0.00	---	13.24	0.00	974.89	0.000	0.000
RB-01	985.18	10/14/2003	12.54	---	0.00	---	25.13	0.00	972.64	0.000	0.000
RB-01	985.18	10/21/2003	10.98	---	0.00	---	25.14	0.00	974.20	0.000	0.000
RF-01	984.42	10/23/2003	9.65	---	0.00	---	18.35	0.00	974.77	0.000	0.000
RW-1(S)	987.23	7/2/2003	18.58	18.04	0.54	P	30.23	< 0.01	969.15	0.000	0.000
RW-1(S)	987.23	7/9/2003	18.42	18.28	0.14	P	30.23	< 0.01	968.94	0.000	0.000
RW-1(S)	987.23	7/16/2003	18.85	18.45	0.40	P	30.23	< 0.01	968.75	0.000	0.000
RW-1(S)	987.23	7/23/2003	18.11	17.88	0.23	P	30.23	< 0.01	969.33	0.000	0.000
RW-1(S)	987.23	7/30/2003	18.75	18.30	0.45	P	30.23	< 0.01	968.90	0.000	0.000
RW-1(S)	987.23	8/6/2003	18.50	18.23	0.27	P	30.23	< 0.01	968.98	0.000	0.000
RW-1(S)	987.23	8/13/2003	18.00	17.70	0.30	P	30.23	< 0.01	969.51	0.000	0.000
RW-1(S)	987.23	8/20/2003	18.50	18.10	0.40	P	30.23	< 0.01	969.10	0.000	0.000
RW-1(S)	987.23	8/27/2003	18.70	18.10	0.60	P	30.23	< 0.01	969.09	0.000	0.000
RW-1(S)	987.23	9/3/2003	18.45	17.85	0.60	P	30.23	< 0.01	969.34	0.000	0.000
RW-1(S)	987.23	9/10/2003	18.80	17.80	1.00	P	30.23	< 0.01	969.36	0.000	0.000
RW-1(S)	987.23	9/17/2003	18.90	17.90	1.00	P	30.23	< 0.01	969.26	0.000	0.000
RW-1(S)	987.23	9/24/2003	18.98	18.00	0.98	P	30.23	< 0.01	969.16	0.000	0.000
RW-1(S)	987.23	10/1/2003	19.01	18.01	1.00	P	30.23	< 0.01	969.15	0.000	0.000
RW-1(S)	987.23	10/9/2003	18.65	17.95	0.70	P	30.23	< 0.01	969.23	0.000	0.000
RW-1(S)	987.23	10/15/2003	19.00	18.05	0.95	P	30.23	< 0.01	969.11	0.000	0.000
RW-1(S)	987.23	10/22/2003	19.04	17.95	1.09	P	30.23	< 0.01	969.20	0.000	0.000
RW-1(S)	987.23	10/29/2003	19.70	17.95	1.75	P	30.23	< 0.01	969.16	0.000	0.000
RW-1(S)	987.23	11/5/2003	18.95	17.95	1.00	P	30.23	< 0.01	969.21	0.000	0.000
RW-1(S)	987.23	11/12/2003	18.10	17.90	0.20	P	30.23	< 0.01	969.32	0.000	0.000
RW-1(S)	987.23	11/19/2003	18.40	17.60	0.80	P	30.23	< 0.01	969.57	0.000	0.000
RW-1(S)	987.23	11/26/2003	18.50	17.95	0.55	P	30.23	< 0.01	969.24	0.000	0.000
RW-1(S)	987.23	12/3/2003	18.60	18.10	0.50	P	30.23	< 0.01	969.10	0.000	0.000
RW-1(S)	987.23	12/10/2003	18.10	18.00	0.10	P	30.23	< 0.01	969.22	0.000	0.000
RW-1(S)	987.23	12/17/2003	17.95	P	< 0.01	P	30.23	< 0.01	969.28	0.000	0.000
RW-1(S)	987.23	12/24/2003	18.10	18.01	0.09	30.13	30.23	0.10	969.21	0.000	0.000
RW-1(S)	987.23	12/31/2003	18.00	P	< 0.01	30.13	30.23	0.10	969.23	0.000	0.000
RW-1(X)	982.68	7/2/2003	15.80	15.60	0.20	---	23.98	0.00	967.07	0.000	0.000
RW-1(X)	982.68	7/9/2003	16.05	15.90	0.15	---	23.98	0.00	966.77	0.000	0.000
RW-1(X)	982.68	7/16/2003	15.75	15.55	0.20	---	23.98	0.00	967.12	0.000	0.000
RW-1(X)	982.68	7/23/2003	16.20	15.90	0.30	---	23.98	0.00	966.76	0.000	0.000
RW-1(X)	982.68	7/30/2003	15.85	15.65	0.20	---	23.98	0.00	967.02	0.000	0.000
RW-1(X)	982.68	8/6/2003	15.60	15.55	0.05	---	23.98	0.00	967.13	0.000	0.000
RW-1(X)	982.68	8/13/2003	11.95	11.65	0.30	---	23.98	0.00	971.01	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev. (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
RW-1(X)	982.68	8/20/2003	15.10	14.70	0.40	---	23.98	0.00	967.95	0.000	0.000
RW-1(X)	982.68	8/27/2003	14.85	14.50	0.35	---	23.98	0.00	968.16	0.000	0.000
RW-1(X)	982.68	9/3/2003	15.40	14.60	0.80	---	23.98	0.00	968.02	0.000	0.000
RW-1(X)	982.68	9/10/2003	15.90	14.80	1.10	---	23.98	0.00	967.80	0.000	0.000
RW-1(X)	982.68	9/17/2003	10.10	P	< 0.01	---	23.98	0.00	972.58	0.000	0.000
RW-1(X)	982.68	9/24/2003	14.16	P	< 0.01	---	23.98	0.00	968.52	0.000	0.000
RW-1(X)	982.68	10/1/2003	14.14	12.88	1.26	---	23.98	0.00	969.71	0.000	0.000
RW-1(X)	982.68	10/9/2003	15.13	15.01	0.12	---	23.98	0.00	967.66	0.000	0.000
RW-1(X)	982.68	10/15/2003	16.01	15.85	0.16	---	23.98	0.00	966.82	0.000	0.000
RW-1(X)	982.68	10/22/2003	14.42	14.28	0.14	---	23.98	0.00	968.39	0.000	0.000
RW-1(X)	982.68	10/29/2003	13.70	13.60	0.10	---	23.98	0.00	969.07	0.000	0.000
RW-1(X)	982.68	11/5/2003	13.60	12.87	0.73	---	23.98	0.00	969.76	0.000	0.000
RW-1(X)	982.68	11/12/2003	13.80	13.40	0.40	---	23.98	0.00	969.25	0.000	0.000
RW-1(X)	982.68	11/19/2003	15.70	14.50	1.20	---	23.98	0.00	968.10	0.000	0.000
RW-1(X)	982.68	11/26/2003	14.70	13.70	1.00	---	23.98	0.00	968.91	0.000	0.000
RW-1(X)	982.68	12/3/2003	15.30	14.60	0.70	---	23.98	0.00	968.03	0.000	0.000
RW-1(X)	982.68	12/10/2003	14.80	14.10	0.70	---	23.98	0.00	968.53	0.000	0.000
RW-1(X)	982.68	12/17/2003	13.80	13.30	0.50	---	23.98	0.00	969.35	0.000	0.000
RW-1(X)	982.68	12/24/2003	14.50	12.70	1.80	---	23.98	0.00	969.85	0.000	0.000
RW-1(X)	982.68	12/31/2003	13.01	12.99	0.02	---	23.98	0.00	969.69	0.000	0.000
RW-2(X)	985.96	7/2/2003	18.85	---	0.00	---	23.76	0.00	967.11	0.000	0.000
RW-2(X)	985.96	7/9/2003	18.90	---	0.00	---	23.76	0.00	967.06	0.000	0.000
RW-2(X)	985.96	7/16/2003	19.02	---	0.00	---	23.76	0.00	966.94	0.000	0.000
RW-2(X)	985.96	7/23/2003	19.20	---	0.00	---	23.76	0.00	966.76	0.000	0.000
RW-2(X)	985.96	7/30/2003	18.85	---	0.00	---	23.76	0.00	967.11	0.000	0.000
RW-2(X)	985.96	8/6/2003	19.05	---	0.00	---	23.76	0.00	966.91	0.000	0.000
RW-2(X)	985.96	8/13/2003	12.38	---	0.00	---	23.76	0.00	973.58	0.000	0.000
RW-2(X)	985.96	8/20/2003	19.35	---	0.00	---	23.76	0.00	966.61	0.000	0.000
RW-2(X)	985.96	8/27/2003	18.76	---	0.00	---	23.76	0.00	967.20	0.000	0.000
RW-2(X)	985.96	9/3/2003	18.95	---	0.00	---	23.76	0.00	967.01	0.000	0.000
RW-2(X)	985.96	9/10/2003	18.82	---	0.00	---	23.76	0.00	967.14	0.000	0.000
RW-2(X)	985.96	9/17/2003	19.30	---	0.00	---	23.76	0.00	966.66	0.000	0.000
RW-2(X)	985.96	9/24/2003	12.62	---	0.00	---	23.76	0.00	973.34	0.000	0.000
RW-2(X)	985.96	10/1/2003	10.13	---	0.00	---	23.76	0.00	975.83	0.000	0.000
RW-2(X)	985.96	10/9/2003	14.03	---	0.00	---	23.76	0.00	971.93	0.000	0.000
RW-2(X)	985.96	10/15/2003	17.35	---	0.00	---	23.76	0.00	968.61	0.000	0.000
RW-2(X)	985.96	10/22/2003	11.98	---	0.00	---	23.76	0.00	973.98	0.000	0.000
RW-2(X)	985.96	10/29/2003	10.70	---	0.00	---	23.76	0.00	975.26	0.000	0.000
RW-2(X)	985.96	11/5/2003	10.40	---	0.00	---	23.76	0.00	975.56	0.000	0.000
RW-2(X)	985.96	11/12/2003	10.50	---	0.00	---	23.76	0.00	975.46	0.000	0.000
RW-2(X)	985.96	11/19/2003	11.60	---	0.00	---	23.76	0.00	974.36	0.000	0.000
RW-2(X)	985.96	11/26/2003	12.04	---	0.00	---	23.76	0.00	973.92	0.000	0.000
RW-2(X)	985.96	12/3/2003	12.98	---	0.00	---	23.76	0.00	972.98	0.000	0.000
RW-2(X)	985.96	12/10/2003	13.45	---	0.00	---	23.76	0.00	972.51	0.000	0.000
RW-2(X)	985.96	12/17/2003	13.50	---	0.00	---	23.76	0.00	972.46	0.000	0.000
RW-2(X)	985.96	12/24/2003	13.35	---	0.00	---	23.76	0.00	972.61	0.000	0.000
RW-2(X)	985.96	12/31/2003	12.70	---	0.00	---	23.76	0.00	973.26	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
RW-3(X)	980.28	7/2/2003	9.24	---	0.00	43.39	46.38	2.99	971.04	0.000	0.000
RW-3(X)	980.28	7/9/2003	9.45	---	0.00	43.18	46.38	3.20	970.83	0.000	0.000
RW-3(X)	980.28	7/16/2003	9.45	---	0.00	43.68	46.38	2.70	970.83	0.000	0.000
RW-3(X)	980.28	7/23/2003	9.21	---	0.00	43.38	46.38	3.00	971.07	0.000	0.000
RW-3(X)	980.28	7/30/2003	9.55	---	0.00	43.28	46.38	3.10	970.73	0.000	0.000
RW-3(X)	980.28	8/6/2003	8.62	---	0.00	43.08	46.38	3.30	971.66	0.000	0.000
RW-3(X)	980.28	8/13/2003	5.91	---	0.00	43.28	46.38	3.10	974.37	0.000	0.000
RW-3(X)	980.28	8/20/2003	7.95	---	0.00	43.18	46.38	3.20	972.33	0.000	0.000
RW-3(X)	980.28	8/27/2003	8.91	---	0.00	43.28	46.38	3.10	971.37	0.000	0.000
RW-3(X)	980.28	9/3/2003	8.58	---	0.00	43.28	46.38	3.10	971.70	0.000	0.000
RW-3(X)	980.28	9/10/2003	7.95	---	0.00	43.28	46.38	3.10	972.33	0.000	0.000
RW-3(X)	980.28	9/17/2003	8.45	---	0.00	43.18	46.38	3.20	971.83	0.000	0.000
RW-3(X)	980.28	9/24/2003	6.58	---	0.00	43.38	46.38	3.00	973.70	0.000	0.000
RW-3(X)	980.28	10/1/2003	5.33	---	0.00	43.28	46.38	3.10	974.95	0.000	0.000
RW-3(X)	980.28	10/9/2003	7.35	---	0.00	43.28	46.38	3.10	972.93	0.000	0.000
RW-3(X)	980.28	10/15/2003	8.05	---	0.00	43.18	46.38	3.20	972.23	0.000	0.000
RW-3(X)	980.28	10/22/2003	8.11	---	0.00	43.38	46.38	3.00	972.17	0.000	0.000
RW-3(X)	980.28	10/29/2003	6.10	---	0.00	43.28	46.38	3.10	974.18	0.000	0.000
RW-3(X)	980.28	11/5/2003	5.41	---	0.00	43.28	46.38	3.10	974.87	0.000	0.000
RW-3(X)	980.28	11/12/2003	6.10	---	0.00	43.18	46.38	3.20	974.18	0.000	0.000
RW-3(X)	980.28	11/19/2003	7.20	---	0.00	43.38	46.38	3.00	973.08	0.000	0.000
RW-3(X)	980.28	11/26/2003	6.23	---	0.00	43.28	46.38	3.10	974.05	0.000	0.000
RW-3(X)	980.28	12/3/2003	6.50	---	0.00	43.38	46.38	3.00	973.78	0.000	0.000
RW-3(X)	980.28	12/10/2003	6.22	---	0.00	43.38	46.38	3.00	974.06	0.000	0.000
RW-3(X)	980.28	12/17/2003	6.20	---	0.00	43.38	46.38	3.00	974.08	0.000	0.000
RW-3(X)	980.28	12/24/2003	6.13	---	0.00	43.38	46.38	3.00	974.15	0.000	0.000
RW-3(X)	980.28	12/31/2003	6.20	---	0.00	43.48	46.38	2.90	974.08	0.000	0.000
TMP-1	992.74	7/3/2003	20.04	---	0.00	---	21.87	0.00	972.70	0.000	0.000
TMP-1	992.74	7/9/2003	20.30	---	0.00	---	21.87	0.00	972.44	0.000	0.000
TMP-1	992.74	7/17/2003	20.30	---	0.00	---	21.87	0.00	972.44	0.000	0.000
TMP-1	992.74	7/24/2003	20.31	---	0.00	---	21.87	0.00	972.43	0.000	0.000
TMP-1	992.74	7/31/2003	20.50	---	0.00	---	21.87	0.00	972.24	0.000	0.000
TMP-1	992.74	8/7/2003	19.95	---	0.00	---	21.87	0.00	972.79	0.000	0.000
TMP-1	992.74	8/14/2003	18.63	---	0.00	---	21.87	0.00	974.11	0.000	0.000
TMP-1	992.74	8/21/2003	19.06	---	0.00	---	21.87	0.00	973.68	0.000	0.000
TMP-1	992.74	8/28/2003	19.61	---	0.00	---	21.87	0.00	973.13	0.000	0.000
TMP-1	992.74	9/2/2003	19.68	---	0.00	---	21.87	0.00	973.06	0.000	0.000
TMP-1	992.74	9/11/2003	19.21	---	0.00	---	21.87	0.00	973.53	0.000	0.000
TMP-1	992.74	9/18/2003	19.45	---	0.00	---	21.87	0.00	973.29	0.000	0.000
TMP-1	992.74	9/25/2003	18.36	---	0.00	---	21.87	0.00	974.38	0.000	0.000
TMP-1	992.74	10/2/2003	17.33	---	0.00	---	21.87	0.00	975.41	0.000	0.000
TMP-1	992.74	10/9/2003	17.92	---	0.00	---	21.87	0.00	974.82	0.000	0.000
TMP-1	992.74	10/16/2003	18.04	---	0.00	---	21.87	0.00	974.70	0.000	0.000
TMP-1	992.74	10/23/2003	18.10	---	0.00	---	21.87	0.00	974.64	0.000	0.000
TMP-1	992.74	10/30/2003	17.35	---	0.00	---	21.87	0.00	975.39	0.000	0.000
TMP-1	992.74	11/11/2003	17.60	---	0.00	---	21.87	0.00	975.14	0.000	0.000
TMP-1	992.74	11/20/2003	17.55	---	0.00	---	21.87	0.00	975.19	0.000	0.000

**TABLE E-2  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev. (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
<b>SURFACE WATER STAFF GAUGES</b>											
SG-HR-1	990.73	7/3/2003	19.91	---	0.00	---	NM	0.00	970.82	0.000	0.000
SG-HR-1	990.73	7/17/2003	19.40	---	0.00	---	NM	0.00	971.33	0.000	0.000
SG-HR-1	990.73	7/24/2003	19.60	---	0.00	---	NM	0.00	971.13	0.000	0.000
SG-HR-1	990.73	7/31/2003	20.00	---	0.00	---	NM	0.00	970.73	0.000	0.000
SG-HR-1	990.73	8/7/2003	18.45	---	---	---	---	---	972.28	0.000	0.000
SG-HR-1	990.73	8/14/2003	17.31	---	---	---	---	---	973.42	0.000	0.000
SG-HR-1	990.73	8/21/2003	18.99	---	---	---	---	---	971.74	0.000	0.000
SG-HR-1	990.73	8/28/2003	19.79	---	---	---	---	---	970.94	0.000	0.000
SG-HR-1	990.73	9/2/2003	17.38	---	0.00	---	NM	0.00	973.35	0.000	0.000
SG-HR-1	990.73	9/11/2003	19.36	---	0.00	---	NM	0.00	971.37	0.000	0.000
SG-HR-1	990.73	9/18/2003	18.74	---	0.00	---	NM	0.00	971.99	0.000	0.000
SG-HR-1	990.73	9/25/2003	15.81	---	0.00	---	NM	0.00	974.92	0.000	0.000
SG-HR-1	990.73	10/2/2003	14.78	---	0.00	---	NM	0.00	975.95	0.000	0.000
SG-HR-1	990.73	10/23/2003	18.30	---	0.00	---	NM	0.00	972.43	0.000	0.000
SG-HR-1	990.73	10/30/2003	15.29	---	0.00	---	NM	0.00	975.44	0.000	0.000
SG-HR-1	990.73	11/11/2003	15.21	---	0.00	---	NM	0.00	975.52	0.000	0.000

**NOTES:**

1. --- indicates LNAPL or DNAPL was not present in a measurable quantity
2. NA indicates information not available.
3. NM indicates data not measured.
4. P indicates that LNAPL is present at a thickness that is <0.01 feet, the corresponding thickness is recorded as such.
9. A data logger has been placed at this location. Data is collected and subsequently presented in the Semi-Annual GMA 1 Baseline Groundwater Monitoring Reports. The
6. Well HR-G2-RW-1 is constructed at an angle of 41.67 degrees from vertical. Depth to water data reflect measurements collected along the angled well casing.
8. A survey reference point (SG-HR-1) was established on the Newell Street Bridge. The "Depth to Water" value(s) provided in the above table refer to the vertical distance

**TABLE E-3  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - NORTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
05-N	1,009.23	7/8/2003	24.60	---	0.00	27.4	27.46	0.06	984.63	0.000	0.000
05-N	1,009.23	8/7/2003	24.56	---	0.00	27.4	27.47	0.07	984.67	0.000	0.000
05-N	1,009.23	9/2/2003	24.23	---	0.00	27.37	27.46	0.09	985.00	0.000	0.000
05-N	1,009.23	10/13/2003	24.22	---	0.00	27.16	27.48	0.32	985.01	0.000	0.197
05-N	1,009.23	10/24/2003	24.32	---	0.00	27.47	27.48	0.01	984.91	0.000	0.000
06-N	1,010.83	10/24/2003	29.44	---	0.00	---	36.76	0.00	981.39	0.000	0.000
09-N	1,011.01	10/24/2003	27.18	---	0.00	---	32.07	0.00	983.83	0.000	0.000
11-N	1,010.85	10/8/2003	29.59	29.56	0.03	---	35.8	0.00	981.29	0.019	0.000
11-N	1,010.85	10/24/2003	29.20	29.19	0.01	---	35.86	0.00	981.66	0.000	0.000
14-N	1,010.53	10/13/2003	26.10	23.58	2.52	---	30.35	0.00	986.77	1.555	0.000
14-N	1,010.53	10/24/2003	24.25	23.60	0.65	---	30.35	0.00	986.88	0.000	0.000
16-N	1,010.65	10/13/2003	29.44	29.41	0.03	---	37.58	0.00	981.24	0.019	0.000
16-N	1,010.65	10/24/2003	29.22	29.21	0.01	---	37.56	0.00	981.44	0.000	0.000
17A	1,023.86	7/8/2003	8.36	---	0.00	---	19.48	0.00	1,015.50	0.000	0.000
17A	1,023.86	10/24/2003	8.01	---	0.00	---	19.46	0.00	1,015.85	0.000	0.000
17-N	1,010.49	10/13/2003	29.26	29.18	0.08	---	38.86	0.00	981.30	0.049	0.000
17-N	1,010.49	10/24/2003	28.98	---	0.00	---	38.84	0.00	981.51	0.000	0.000
19-N	1,010.68	10/8/2003	29.29	---	0.00	---	36.45	0.00	981.39	0.000	0.000
19-N	1,010.68	10/24/2003	28.90	---	0.00	---	36.45	0.00	981.78	0.000	0.000
20-N	1,010.66	10/24/2003	28.41	---	0.00	---	36.85	0.00	982.25	0.000	0.000
21-N	1,010.81	10/24/2003	29.34	---	0.00	---	39.24	0.00	981.47	0.000	0.000
22-N	1,010.64	10/24/2003	29.35	---	0.00	---	38.24	0.00	981.29	0.000	0.000
23-N	1,011.13	10/8/2003	32.80	29.79	3.01	---	38.31	0.00	981.13	1.857	0.000
23-N	1,011.13	10/24/2003	29.58	29.44	0.14	---	38.34	0.00	981.68	0.000	0.000
24-N	1,010.50	10/13/2003	28.94	28.86	0.08	---	35.91	0.00	981.63	0.049	0.000
24-N	1,010.50	10/24/2003	28.70	28.65	0.05	---	35.93	0.00	981.85	0.000	0.000
27-N	1,010.40	10/24/2003	25.26	---	0.00	---	38.88	0.00	985.14	0.000	0.000
95-12	1,010.20	7/8/2003	29.81	29.60	0.21	---	38.81	0.00	980.59	0.000	0.000
95-12	1,010.20	10/13/2003	30.66	28.97	1.69	---	38.78	0.00	981.11	0.262	0.000
95-12	1,010.20	10/24/2003	28.82	---	0.00	---	38.15	0.00	981.38	0.000	0.000
95-20	1,010.67	7/8/2003	13.98	---	0.00	---	20.00	0.00	996.69	0.000	0.000
95-20	1,010.67	10/24/2003	13.84	---	0.00	---	20.01	0.00	996.83	0.000	0.000
A7	1,024.07	7/8/2003	8.10	---	0.00	---	13.76	0.00	1,015.97	0.000	0.000
A7	1,024.07	10/9/2003	7.90	---	0.00	---	13.33	0.00	1,016.17	0.000	0.000
A7	1,024.07	10/28/2003	7.70	---	0.00	---	13.70	0.00	1,016.37	0.000	0.000
ES1-05	1,023.33	7/8/2003	40.61	---	0.00	---	44.44	0.00	982.72	0.000	0.000
ES1-05	1,023.33	10/10/2003	39.71	---	0.00	---	44.80	0.00	983.62	0.000	0.000
ES1-05	1,023.33	10/28/2003	39.75	---	0.00	---	44.43	0.00	983.58	0.000	0.000
ES1-10	1,023.99	7/8/2003	6.71	---	0.00	---	16.20	0.00	1,017.28	0.000	0.000
ES1-10	1,023.99	10/28/2003	5.06	---	0.00	---	16.20	0.00	1,018.93	0.000	0.000
ES1-11	1,023.44	7/8/2003	3.10	---	0.00	---	5.10	0.00	1,020.34	0.000	0.000
ES1-18	1,049.71	7/8/2003	8.60	---	0.00	---	14.30	0.00	1,041.11	0.000	0.000
ES1-18	1,049.71	10/28/2003	3.92	---	0.00	---	14.34	0.00	1,045.79	0.000	0.000
ES1-20	1,001.56	7/8/2003	14.94	---	0.00	---	19.73	0.00	986.62	0.000	0.000
ES1-20	1,001.56	10/28/2003	14.20	---	0.00	---	19.72	0.00	987.36	0.000	0.000

**TABLE E-3  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 2 - NORTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
ES1-27R	1,023.19	7/8/2003	8.74	---	0.00	---	19.17	0.00	1,014.45	0.000	0.000
ES1-27R	1,023.19	10/28/2003	7.52	---	0.00	---	19.17	0.00	1,015.67	0.000	0.000
F-1	1,023.84	7/8/2003	3.18	---	0.00	---	19.27	0.00	1,020.66	0.000	0.000
F-1	1,023.84	10/28/2003	2.27	---	0.00	---	19.28	0.00	1,021.57	0.000	0.000
GMA1-11	1,026.75	7/8/2003	14.68	---	0.00	---	21.40	0.00	1,012.07	0.000	0.000
GMA1-11	1,026.75	10/28/2003	14.59	---	0.00	---	21.40	0.00	1,012.16	0.000	0.000
GMA1-4	1,011.52	7/8/2003	15.95	---	0.00	---	19.63	0.00	995.57	0.000	0.000
GMA1-4	1,011.52	10/9/2003	15.99	---	0.00	---	19.19	0.00	995.53	0.000	0.000
GMA1-4	1,011.52	10/28/2003	15.78	---	0.00	---	19.64	0.00	995.74	0.000	0.000

**NOTES:**

1. --- indicates LNAPL or DNAPL was not present in a measurable quantity
2. NA indicates information not available.
3. NM indicates data not measured.

**TABLE E-4  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 1 - NORTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
6	1,003.90	10/28/2003	5.55	---	0.00	---	13.72	0.00	998.35	0.000	0.000
25	1,000.70	10/25/2003	5.80	---	0.00	---	14.95	0.00	994.90	0.000	0.000
49	999.90	10/14/2003	5.40	5.34	0.06	---	20.7	0.00	994.56	0.370	0.000
49	999.90	10/28/2003	5.61	---	0.00	---	21.02	0.00	994.29	0.000	0.000
52	999.26	7/9/2003	5.31	---	0.00	---	15.38	0.00	993.95	0.000	0.000
52	999.26	8/8/2003	5.11	---	0.00	---	15.40	0.00	994.15	0.000	0.000
52	999.26	9/4/2003	4.82	---	0.00	---	15.40	0.00	994.44	0.000	0.000
52	999.26	10/14/2003	4.89	---	0.00	---	15.40	0.00	994.37	0.000	0.000
105	1,002.85	10/14/2003	8.65	7.26	1.39	---	17.39	0.00	995.49	0.858	0.000
105	1002.85	10/28/2003	7.29	6.86	0.43	---	17.39	0.00	995.96	0.000	0.000
106	1,004.06	10/14/2003	9.35	7.50	1.85	---	12.52	0.00	996.43	1.141	0.000
106	1,004.06	10/28/2003	7.16	7.11	0.05	---	12.51	0.00	996.95	0.000	0.000
107	1,003.86	10/14/2003	7.65	7.48	0.17	---	17.75	0.00	996.37	0.105	0.000
107	1,003.86	10/28/2003	5.11	5.10	0.01	---	17.74	0.00	998.76	0.000	0.000
118	1,001.50	10/28/2003	4.25	---	0.00	---	7.14	0.00	997.25	0.000	0.000
120	1,001.30	10/28/2003	5.95	---	0.00	---	14.56	0.00	995.35	0.000	0.000
127	1,001.13	10/28/2003	6.33	---	0.00	---	12.01	0.00	994.80	0.000	0.000
128	1,001.41	10/28/2003	6.65	---	0.00	---	9.56	0.00	994.76	0.000	0.000
131	1,001.18	7/9/2003	4.74	---	0.00	---	6.42	0.00	996.44	0.000	0.000
131	1,001.18	8/8/2003	4.81	---	0.00	---	6.42	0.00	996.37	0.000	0.000
131	1,001.18	9/4/2003	4.37	---	0.00	---	6.41	0.00	996.81	0.000	0.000
131	1,001.18	10/14/2003	4.30	4.25	0.05	---	6.44	0.00	996.93	0.017	0.000
131	1,001.18	10/28/2003	4.43	4.42	0.01	---	6.41	0.00	996.76	0.000	0.000
140	1,000.30	10/28/2003	7.27	---	0.00	---	15.28	0.00	993.03	0.000	0.000
108A	1,007.79	10/13/2003	10.21	---	0.00	---	21.76	0.00	997.58	0.000	0.000
108A	1,007.79	10/28/2003	10.05	---	0.00	---	21.76	0.00	997.74	0.000	0.000
109A	1,005.43	10/28/2003	7.83	---	0.00	---	20.76	0.00	997.60	0.000	0.000
60R	1,004.03	10/28/2003	10.64	---	0.00	---	19.09	0.00	993.39	0.000	0.000
ES1-08	1,000.85	7/9/2003	5.60	---	0.00	---	13.51	0.00	995.25	0.000	0.000
ES1-08	1,000.85	8/8/2003	5.80	---	0.00	---	13.51	0.00	995.05	0.000	0.000
ES1-08	1,000.85	9/4/2003	5.47	---	0.00	---	13.53	0.00	995.38	0.000	0.000
ES1-08	1,000.85	10/13/2003	5.50	5.41	0.09	---	13.5	0.00	995.43	0.014	0.000
ES1-08	1,000.85	10/28/2003	5.19	5.08	0.11	---	13.70	0.00	995.76	0.000	0.000
ES1-14	998.74	7/9/2003	5.82	---	0.00	---	20.15	0.00	992.92	0.000	0.000
North Cassion	997.84	7/2/2003	18.19	18.17	0.02	---	20.00	0.00	979.67	0.000	0.000
North Cassion	997.84	7/9/2003	18.29	18.28	0.01	---	20.00	0.00	979.56	0.000	0.000
North Cassion	997.84	7/16/2003	18.18	18.16	0.02	---	20.00	0.00	979.68	0.000	0.000
North Cassion	997.84	7/23/2003	16.94	16.93	0.01	---	20.00	0.00	980.91	0.000	0.000
North Cassion	997.84	7/30/2003	18.26	18.24	0.02	---	20.00	0.00	979.60	0.000	0.000
North Cassion	997.84	8/6/2003	18.26	18.25	0.01	---	20.00	0.00	979.59	0.000	0.000
North Cassion	997.84	8/13/2003	17.60	17.59	0.01	---	20.00	0.00	980.25	0.000	0.000
North Cassion	997.84	8/20/2003	17.73	17.72	0.01	---	20.00	0.00	980.12	0.000	0.000
North Cassion	997.84	8/27/2003	16.25	16.24	0.01	---	20.00	0.00	981.60	0.000	0.000
North Cassion	997.84	9/3/2003	18.37	18.36	0.01	---	20.00	0.00	979.48	0.000	0.000
North Cassion	997.84	9/10/2003	18.44	18.42	0.02	---	20.00	0.00	979.42	0.000	0.000



**TABLE E-4**  
**FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 1 - NORTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA**  
**GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
North Cassion	997.84	9/17/2003	17.96	17.95	0.01	---	20.00	0.00	979.89	0.000	0.000
North Cassion	997.84	9/24/2003	18.32	18.29	0.03	---	20.00	0.00	979.55	0.000	0.000
North Cassion	997.84	10/1/2003	17.46	17.45	0.01	---	20.00	0.00	980.39	0.000	0.000
North Cassion	997.84	10/9/2003	18.17	18.16	0.01	---	20.00	0.00	979.68	0.000	0.000
North Cassion	997.84	10/15/2003	17.36	17.35	0.01	---	20.00	0.00	980.49	0.000	0.000
North Cassion	997.84	10/22/2003	18.26	18.25	0.01	---	20.00	0.00	979.59	0.000	0.000
North Cassion	997.84	10/29/2003	16.52	16.51	0.01	---	20.00	0.00	981.33	0.000	0.000
North Cassion	997.84	11/5/2003	18.26	18.25	0.01	---	20.00	0.00	979.59	0.000	0.000
North Cassion	997.84	11/12/2003	18.14	18.13	0.01	---	20.00	0.00	979.71	0.000	0.000
North Cassion	997.84	11/19/2003	16.75	16.74	0.01	---	20.00	0.00	981.10	0.000	0.000
North Cassion	997.84	11/26/2003	18.26	18.25	0.01	---	20.00	0.00	979.59	0.000	0.000
North Cassion	997.84	12/3/2003	17.86	17.84	0.02	---	20.00	0.00	980.00	0.000	0.000
North Cassion	997.84	12/10/2003	18.05	18.03	0.02	---	20.00	0.00	979.81	0.000	0.000
North Cassion	997.84	12/17/2003	17.90	17.89	0.01	---	20.00	0.00	979.95	0.000	0.000
North Cassion	997.84	12/24/2003	18.71	18.68	0.03	---	20.00	0.00	979.16	0.000	0.000
North Cassion	997.84	12/31/2003	18.25	18.24	0.01	---	20.00	0.00	979.60	0.000	0.000

**NOTES:**

1. --- indicates LNAPL or DNAPL was not present in a measurable quantity
2. NA indicates information not available.
3. NM indicates information not measured.
4. P indicates that LNAPL is present at a thickness that is <0.01 feet, the corresponding thickness is recorded as such.

TABLE E-5  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 1 - SOUTH

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Well Name	Measuring Point Elev (Ft.)	Date	Depth to Water (feet BMP)	Depth to LNAPL (feet BMP)	LNAPL Thickness (feet)	Depth to DNAPL (feet BMP)	Total Depth (feet BMP)	DNAPL Thickness (feet)	Corrected Water Elev. (feet)	LNAPL Removed (Liters)	DNAPL Removed (Liters)
33	999.50	7/9/2003	5.20	---	0.00	---	21.50	0.00	994.30	0.000	0.000
33	999.50	8/8/2003	5.58	---	0.00	---	21.47	0.00	993.92	0.000	0.000
33	999.50	9/4/2003	5.88	---	0.00	---	21.49	0.00	993.62	0.000	0.000
33	999.50	10/13/2003	5.98	---	0.00	---	21.45	0.00	993.52	0.000	0.000
34	999.90	7/9/2003	6.14	6.13	0.01	---	21.06	0.00	993.77	0.006	0.000
34	999.90	8/8/2003	6.02	6.00	0.02	---	21.06	0.00	993.90	0.012	0.000
34	999.90	9/4/2003	5.80	5.78	0.02	---	21.05	0.00	994.12	0.012	0.000
34	999.90	10/14/2003	5.73	5.71	0.02	---	21.04	0.00	994.19	0.012	0.000
34	999.90	10/28/2003	5.59	5.54	0.05	---	21.04	0.00	994.36	0.000	0.000
35	1,000.15	10/14/2003	5.68	5.66	0.02	---	9.64	0.00	994.49	0.012	0.000
35	1,000.15	10/28/2003	5.63	5.60	0.03	---	9.66	0.00	994.55	0.000	0.000
45	1,000.10	10/14/2003	5.78	5.69	0.09	---	20.76	0.00	994.40	0.056	0.000
45	1,000.10	10/28/2003	5.65	5.64	0.01	---	20.80	0.00	994.46	0.000	0.000
46	999.80	10/28/2003	5.56	---	0.00	---	17.30	0.00	994.24	0.000	0.000
47	999.70	10/28/2003	5.38	---	0.00	---	18.65	0.00	994.32	0.000	0.000
72	1,000.62	7/9/2003	7.00	---	0.00	---	22.00	0.00	993.62	0.000	0.000
72	1,000.62	8/8/2003	6.82	---	0.00	---	20.02	0.00	993.80	0.000	0.000
72	1,000.62	9/4/2003	6.62	6.60	0.02	---	20.02	0.00	994.02	0.012	0.000
72	1,000.62	10/14/2003	6.56	6.55	0.01	---	22.02	0.00	994.07	0.006	0.000
72	1,000.62	10/28/2003	6.44	6.43	0.01	---	22.01	0.00	994.19	0.000	0.000
72	1,000.62	12/19/2003	5.92	---	0.00	---	21.99	0.00	994.70	0.000	0.000
75	1,000.65	10/28/2003	6.20	---	0.00	---	20.60	0.00	994.45	0.000	0.000
76	1,000.45	10/14/2003	7.45	6.81	0.64	---	18.73	0.00	993.60	0.395	0.000
76	1,000.45	10/28/2003	6.70	6.66	0.04	---	18.73	0.00	993.79	0.000	0.000
77	990.26	10/28/2003	3.92	---	0.00	---	28.92	0.00	986.34	0.000	0.000
78	997.61	10/28/2003	2.25	---	0.00	---	22.05	0.00	995.36	0.000	0.000
89	993.89	10/28/2003	1.18	---	0.00	---	9.02	0.00	992.71	0.000	0.000
97	1,000.43	10/28/2003	4.80	---	0.00	---	9.47	0.00	995.63	0.000	0.000
139	987.13	7/9/2003	DRY	---	0.00	---	9.81	0.00	<977.32	0.000	0.000
31R	1,000.23	7/9/2003	9.11	---	0.00	---	15.08	0.00	991.12	0.000	0.000
31R	1,000.23	8/8/2003	9.09	---	0.00	---	15.07	0.00	991.14	0.000	0.000
31R	1,000.23	9/4/2003	9.15	---	0.00	---	15.07	0.00	991.08	0.000	0.000
31R	1,000.23	10/13/2003	9.14	---	0.00	---	15.07	0.00	991.09	0.000	0.000
31R	1,000.23	12/19/2004	8.84	---	0.00	---	15.06	0.00	991.39	0.000	0.000
37R	988.79	7/9/2003	10.00	---	0.00	---	17.67	0.00	978.79	0.000	0.000
37R	988.79	10/28/2003	9.95	---	0.00	---	17.66	0.00	978.84	0.000	0.000
72R	1,000.92	10/14/2003	6.36	---	0.00	---	13.17	0.00	994.56	0.000	0.000
72R	1,000.92	10/28/2003	6.11	---	0.00	---	12.94	0.00	994.81	0.000	0.000
ES1-13	999.93	10/28/2003	5.20	---	0.00	---	12.95	0.00	994.73	0.000	0.000
ES1-23R	989.94	7/9/2003	7.70	---	0.00	---	16.08	0.00	982.24	0.000	0.000
ES1-23R	989.94	10/28/2003	2.10	---	0.00	---	16.08	0.00	987.84	0.000	0.000
GMA1-6	1,000.44	7/9/2003	8.40	---	0.00	---	15.12	0.00	992.04	0.000	0.000
GMA1-6	1,000.44	10/28/2003	7.38	---	0.00	---	15.12	0.00	993.06	0.000	0.000
GMA1-7	985.81	7/11/2003	12.28	---	0.00	---	14.88	0.00	973.53	0.000	0.000
GMA1-7	985.81	10/28/2003	8.17	---	0.00	---	14.88	0.00	977.64	0.000	0.000

**TABLE E-5  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR EAST STREET AREA 1 - SOUTH**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
South Cassion	1,001.11	7/2/2003	14.42	14.35	0.07	---	16.61	0.00	986.76	0.000	0.000
South Cassion	1,001.11	7/9/2003	14.39	14.34	0.05	---	16.61	0.00	986.77	0.000	0.000
South Cassion	1,001.11	7/16/2003	14.46	14.38	0.08	---	16.61	0.00	986.72	0.000	0.000
South Cassion	1,001.11	7/23/2003	14.15	14.12	0.03	---	16.61	0.00	986.99	0.000	0.000
South Cassion	1,001.11	7/30/2003	14.32	14.26	0.06	---	16.61	0.00	986.85	0.000	0.000
South Cassion	1,001.11	8/6/2003	12.55	12.51	0.04	---	16.61	0.00	988.60	0.000	0.000
South Cassion	1,001.11	8/13/2003	12.83	12.79	0.04	---	16.61	0.00	988.32	0.000	0.000
South Cassion	1,001.11	8/20/2003	11.78	11.75	0.03	---	16.61	0.00	989.36	0.000	0.000
South Cassion	1,001.11	8/27/2003	8.38	8.37	0.01	---	16.61	0.00	992.74	0.000	0.000
South Cassion	1,001.11	9/3/2003	14.40	14.36	0.04	---	16.61	0.00	986.75	0.000	0.000
South Cassion	1,001.11	9/10/2003	14.58	14.56	0.02	---	16.61	0.00	986.55	0.000	0.000
South Cassion	1,001.11	9/17/2003	13.26	13.23	0.03	---	16.61	0.00	987.88	0.000	0.000
South Cassion	1,001.11	9/24/2003	12.48	12.42	0.06	---	16.61	0.00	988.69	0.000	0.000
South Cassion	1,001.11	10/1/2003	12.71	12.66	0.05	---	16.61	0.00	988.45	0.000	0.000
South Cassion	1,001.11	10/9/2003	12.10	12.05	0.05	---	16.61	0.00	989.06	0.000	0.000
South Cassion	1,001.11	10/15/2003	13.44	13.42	0.02	---	16.61	0.00	987.69	0.000	0.000
South Cassion	1,001.11	10/22/2003	14.31	14.30	0.01	---	16.61	0.00	986.81	0.000	0.000
South Cassion	1,001.11	10/29/2003	13.36	13.33	0.03	---	16.61	0.00	987.78	0.000	0.000
South Cassion	1,001.11	11/5/2003	14.49	14.39	0.10	---	16.61	0.00	986.71	0.000	0.000
South Cassion	1,001.11	11/12/2003	14.62	14.57	0.05	---	16.61	0.00	986.54	0.000	0.000
South Cassion	1,001.11	11/19/2003	14.50	14.45	0.05	---	16.61	0.00	986.66	0.000	0.000
South Cassion	1,001.11	11/26/2003	14.35	14.28	0.07	---	16.61	0.00	986.83	0.000	0.000
South Cassion	1,001.11	12/3/2003	14.35	14.30	0.05	---	16.61	0.00	986.81	0.000	0.000
South Cassion	1,001.11	12/10/2003	14.36	14.31	0.05	---	16.61	0.00	986.80	0.000	0.000
South Cassion	1,001.11	12/17/2003	14.30	14.26	0.04	---	16.61	0.00	986.85	0.000	0.000
South Cassion	1,001.11	12/24/2003	14.27	14.23	0.04	---	16.61	0.00	986.88	0.000	0.000
South Cassion	1,001.11	12/31/2003	14.60	14.50	0.10	---	16.61	0.00	986.60	0.000	0.000

**NOTES:**

1. --- indicates LNAPL or DNAPL was not present in a measurable quantity
2. NA indicates information not available.
3. NM indicates information not measured.
4. P indicates that LNAPL is present at a thickness that is <0.01 feet, the corresponding thickness is recorded as such.

**TABLE E-6  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR LYMAN STREET AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
B-2	978.06	7/14/2003	7.07	---	0.00	---	17.79	0.00	970.99	0.000	0.000
B-2	978.06	10/9/2003	7.07	---	0.00	---	17.79	0.00	970.99	0.000	0.000
B-2	978.06	10/16/2003	5.17	---	0.00	---	17.07	0.00	972.89	0.000	0.000
E-04	987.98	7/9/2003	16.23	---	0.00	---	24.53	0.00	971.75	0.000	0.000
E-04	987.98	10/23/2003	14.10	---	0.00	---	24.55	0.00	973.88	0.000	0.000
E-07	982.87	7/8/2003	7.53	---	0.00	---	19.82	0.00	975.34	0.000	0.000
E-07	982.87	8/7/2003	7.43	---	0.00	---	19.82	0.00	975.44	0.000	0.000
E-07	982.87	9/2/2003	7.05	---	0.00	---	19.82	0.00	975.82	0.000	0.000
E-07	982.87	10/9/2003	5.85	---	0.00	---	19.65	0.00	977.02	0.000	0.000
E-07	982.87	10/16/2003	6.19	---	0.00	---	19.82	0.00	976.68	0.000	0.000
EPA-1	983.04	7/10/2003	12.20	---	0.00	---	22.68	0.00	970.84	0.000	0.000
EPA-1	983.04	8/7/2003	10.58	---	0.00	---	22.68	0.00	972.46	0.000	0.000
EPA-1	983.04	9/2/2003	9.68	---	0.00	---	22.66	0.00	973.36	0.000	0.000
EPA-1	983.04	10/30/2003	7.84	---	0.00	---	22.68	0.00	975.20	0.000	0.000
EPA-1	983.04	12/16/2003	7.05	---	0.00	---	22.66	0.00	975.99	0.000	0.000
GMA1-5	979.50	7/9/2003	8.40	---	0.00	---	13.69	0.00	971.10	0.000	0.000
GMA1-5	979.50	10/28/2003	4.85	---	0.00	---	13.70	0.00	974.65	0.000	0.000
LS-02	983.32	10/9/2003	10.93	10.90	0.03	---	17.58	0.00	972.42	0.019	0.000
LS-02	983.32	10/23/2003	11.15	11.11	0.04	---	17.56	0.00	972.21	0.000	0.000
LS-04	984.51	10/9/2003	10.46	---	0.00	17.3	18.13	0.83	974.05	0.000	0.512
LS-04	984.51	10/23/2003	10.51	---	0.00	17.7	18.13	0.43	974.00	0.000	0.000
LS-12	985.49	7/3/2003	12.96	---	0.00	---	26.49	0.00	972.53	0.000	0.000
LS-12	985.49	7/10/2003	13.62	---	0.00	---	26.50	0.00	971.87	0.000	0.000
LS-12	985.49	7/17/2003	12.60	---	0.00	---	26.50	0.00	972.89	0.000	0.000
LS-12	985.49	7/24/2003	12.58	---	0.00	---	26.50	0.00	972.91	0.000	0.000
LS-12	985.49	7/31/2003	13.76	---	0.00	---	26.50	0.00	971.73	0.000	0.000
LS-12	985.49	8/7/2003	12.03	---	0.00	---	26.50	0.00	973.46	0.000	0.000
LS-12	985.49	8/14/2003	10.06	---	0.00	---	26.50	0.00	975.43	0.000	0.000
LS-12	985.49	8/21/2003	11.48	---	0.00	---	26.50	0.00	974.01	0.000	0.000
LS-12	985.49	8/28/2003	12.48	---	0.00	---	26.50	0.00	973.01	0.000	0.000
LS-12	985.49	9/2/2003	11.28	---	0.00	---	26.50	0.00	974.21	0.000	0.000
LS-12	985.49	9/11/2003	11.78	---	0.00	26.46	26.49	0.03	973.71	0.000	0.000
LS-12	985.49	9/18/2003	11.45	---	0.00	---	26.50	0.00	974.04	0.000	0.000
LS-12	985.49	9/25/2003	9.73	---	0.00	---	26.51	0.00	975.76	0.000	0.000
LS-12	985.49	10/2/2003	9.11	---	0.00	---	26.51	0.00	976.38	0.000	0.000
LS-12	985.49	10/9/2003	10.90	---	0.00	---	26.50	0.00	974.59	0.000	0.000
LS-12	985.49	10/16/2003	9.54	---	0.00	---	26.50	0.00	975.95	0.000	0.000
LS-12	985.49	10/23/2003	10.81	---	0.00	---	26.50	0.00	974.68	0.000	0.000
LS-12	985.49	10/30/2003	9.48	---	0.00	---	26.50	0.00	976.01	0.000	0.000
LS-12	985.49	11/11/2003	10.25	---	0.00	---	26.50	0.00	975.24	0.000	0.000
LS-12	985.49	11/20/2003	10.21	---	0.00	---	26.50	0.00	975.28	0.000	0.000
LS-13	984.65	10/9/2003	10.20	9.30	0.90	---	24.18	0.00	975.29	0.555	0.000
LS-13	984.65	10/23/2003	9.42	9.40	0.02	---	24.16	0.00	975.25	0.000	0.000
LS-20	985.64	10/30/2003	10.35	---	0.00	---	18.06	0.00	975.29	0.000	0.000
LS-21	983.43	10/9/2003	8.90	8.66	0.24	---	12.51	0.00	974.75	0.148	0.000

**TABLE E-6  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR LYMAN STREET AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
LS-21	983.42	10/23/2003	9.14	8.97	0.17	---	12.52	0.00	974.44	0.000	0.000
LS-23	984.38	10/9/2003	10.35	10.30	0.05	---	15.3	0.00	974.08	0.000	0.000
LS-23	984.38	10/23/2003	10.50	10.47	0.03	---	15.30	0.00	973.91	0.000	0.000
LS-24	986.58	7/10/2003	14.64	---	0.00	---	15.22	0.00	971.94	0.000	0.000
LS-24	986.58	8/7/2003	13.71	---	0.00	---	15.30	0.00	972.87	0.000	0.000
LS-24	986.58	9/2/2003	13.39	---	0.00	---	15.21	0.00	973.19	0.000	0.000
LS-24	986.58	10/30/2003	10.48	---	0.00	---	15.20	0.00	976.10	0.000	0.000
LS-24	986.58	12/16/2003	10.98	---	0.00	---	15.23	0.00	975.60	0.000	0.000
LS-25	985.75	7/10/2003	15.56	---	0.00	---	41.06	0.00	970.19	0.000	0.000
LS-25	985.75	10/30/2003	7.85	---	0.00	---	41.08	0.00	977.90	0.000	0.000
LS-28	986.06	7/10/2003	12.24	---	0.00	---	26.15	0.00	973.82	0.000	0.000
LS-28	986.06	10/30/2003	9.80	---	0.00	---	26.15	0.00	976.26	0.000	0.000
LS-29	990.63	7/10/2003	14.77	---	0.00	---	34.55	0.00	975.86	0.000	0.000
LS-29	988.25	10/13/2003	13.51	---	0.00	---	34.69	0.00	974.74	0.000	0.000
LS-29	988.25	10/30/2003	11.64	---	0.00	---	34.55	0.00	976.61	0.000	0.000
LS-30	986.44	7/3/2003	13.97	13.95	0.02	21.83	22.22	0.39	972.49	0.000	0.000
LS-30	986.44	7/10/2003	14.02	14.01	0.01	21.88	22.22	0.34	972.43	0.000	0.000
LS-30	986.44	7/17/2003	14.08	14.06	0.02	21.80	22.22	0.42	972.38	0.000	0.000
LS-30	986.44	7/24/2003	14.16	---	0.00	21.70	22.22	0.52	972.28	0.000	0.308
LS-30	986.44	7/31/2003	14.32	14.30	0.02	22.11	22.22	0.11	972.14	0.000	0.000
LS-30	986.44	8/7/2003	13.93	---	0.00	22.04	22.22	0.18	972.51	0.000	0.000
LS-30	986.44	8/14/2003	13.05	---	0.00	21.78	22.22	0.44	973.39	0.000	0.000
LS-30	986.44	8/21/2003	13.22	13.21	0.01	21.20	22.22	1.02	973.23	0.000	0.629
LS-30	986.44	8/28/2003	13.74	13.73	0.01	22.07	22.22	0.15	972.71	0.000	0.000
LS-30	986.44	9/2/2003	13.62	---	0.00	21.87	22.22	0.35	972.82	0.000	0.000
LS-30	986.44	9/11/2003	13.37	13.35	0.02	21.45	22.22	0.77	973.09	0.000	0.495
LS-30	986.44	9/18/2003	13.61	13.60	0.01	22.15	22.22	0.07	972.84	0.000	0.000
LS-30	986.44	9/25/2003	12.92	12.91	0.01	21.96	22.22	0.26	973.53	0.000	0.000
LS-30	986.44	10/2/2003	11.94	---	0.00	21.6	22.22	0.62	974.50	0.000	0.383
LS-30	986.44	10/9/2003	12.59	---	0.00	21.88	22.22	0.34	973.85	0.000	0.197
LS-30	986.44	10/16/2003	12.85	---	0.00	22.08	22.22	0.14	973.59	0.000	0.000
LS-30	986.44	10/23/2003	12.68	---	0.00	21.94	22.22	0.28	973.76	0.000	0.000
LS-30	986.44	10/30/2003	12.20	---	0.00	21.87	22.22	0.35	974.24	0.000	0.000
LS-30	986.44	11/11/2003	12.20	12.18	0.02	21.62	22.22	0.60	974.26	0.000	0.370
LS-30	986.44	11/20/2003	12.42	---	0.00	21.95	22.22	0.27	974.02	0.000	0.000
LS-30	986.44	12/16/2003	10.83	---	0.00	20.48	22.22	1.74	975.61	0.000	1.073
LS-31	987.09	7/3/2003	13.71	---	0.00	23.25	23.32	0.07	973.38	0.000	0.000
LS-31	987.09	7/10/2003	13.92	13.91	0.01	23.21	23.32	0.11	973.18	0.000	0.000
LS-31	987.09	7/17/2003	14.16	14.07	0.09	23.20	23.32	0.12	973.01	0.000	0.000
LS-31	987.09	7/24/2003	14.07	13.99	0.08	23.08	23.32	0.24	973.09	0.000	0.333
LS-31	987.09	7/31/2003	14.15	14.08	0.07	23.13	23.32	0.19	973.01	0.000	0.000
LS-31	987.09	8/7/2003	13.85	13.80	0.05	23.01	23.32	0.31	973.29	0.000	0.000
LS-31	987.09	8/14/2003	12.88	12.85	0.03	22.86	23.32	0.46	974.24	0.000	0.000
LS-31	987.09	8/21/2003	12.89	---	0.00	22.35	23.32	0.97	974.20	0.000	0.598
LS-31	987.09	8/28/2003	13.36	---	0.00	23.24	23.32	0.08	973.73	0.000	0.000
LS-31	987.09	9/2/2003	13.38	---	0.00	23.16	23.32	0.16	973.71	0.000	0.000

**TABLE E-6  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR LYMAN STREET AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
LS-31	987.09	9/11/2003	13.07	13.01	0.06	23.02	23.32	0.30	974.08	0.000	0.000
LS-31	987.09	9/18/2003	13.27	---	0.00	22.89	23.32	0.43	973.82	0.000	0.000
LS-31	987.09	9/25/2003	12.68	12.66	0.02	22.78	23.32	0.54	974.43	0.000	0.332
LS-31	987.09	10/2/2003	11.90	---	0.00	22.98	23.32	0.34	975.19	0.000	0.000
LS-31	987.09	10/9/2003	11.98	---	0.00	22.46	23.32	0.86	975.11	0.000	0.531
LS-31	987.09	10/16/2003	12.80	---	0.00	23.3	23.32	0.02	974.29	0.000	0.000
LS-31	987.09	10/23/2003	12.21	---	0.00	22.84	23.32	0.48	974.88	0.000	0.000
LS-31	987.09	10/30/2003	11.95	---	0.00	22.65	23.32	0.67	975.14	0.000	0.413
LS-31	987.09	11/11/2003	11.98	---	0.00	23.01	23.32	0.31	975.11	0.000	0.000
LS-31	987.09	11/20/2003	11.85	---	0.00	22.83	23.32	0.49	975.24	0.000	0.000
LS-31	987.09	12/16/2003	11.47	---	0.00	22.30	23.32	1.02	975.62	0.000	0.629
LS-32	985.75	10/30/2003	11.77	---	0.00	---	22.62	0.00	973.98	0.000	0.000
LS-33	986.42	10/9/2003	13.20	---	0.00	---	20.58	0.00	973.22	0.000	0.000
LS-33	986.42	10/23/2003	13.30	---	0.00	---	20.55	0.00	973.12	0.000	0.000
LS-34	985.79	7/3/2003	13.68	---	0.00	28.24	28.55	0.31	972.11	0.000	0.000
LS-34	985.79	7/10/2003	13.80	---	0.00	28.25	28.55	0.30	971.99	0.000	0.000
LS-34	985.79	7/17/2003	13.62	---	0.00	28.18	28.55	0.37	972.17	0.000	0.000
LS-34	985.79	7/24/2003	13.65	---	0.00	28.10	28.55	0.45	972.14	0.000	0.000
LS-34	985.79	7/31/2003	14.02	---	0.00	27.85	28.55	0.70	971.77	0.000	0.432
LS-34	985.79	8/7/2003	13.81	---	0.00	28.48	28.54	0.06	971.98	0.000	0.000
LS-34	985.79	8/14/2003	11.36	---	0.00	28.40	28.54	0.14	974.43	0.000	0.000
LS-34	985.79	8/21/2003	12.50	---	0.00	28.28	28.55	0.27	973.29	0.000	0.000
LS-34	985.79	8/28/2003	13.21	---	0.00	28.32	28.55	0.23	972.58	0.000	0.000
LS-34	985.79	9/2/2003	12.40	---	0.00	28.23	28.54	0.31	973.39	0.000	0.000
LS-34	985.79	9/11/2003	12.64	---	0.00	28.21	28.55	0.34	973.15	0.000	0.000
LS-34	985.79	9/18/2003	12.68	---	0.00	28.16	28.53	0.37	973.11	0.000	0.000
LS-34	985.79	9/25/2003	10.64	---	0.00	28.02	28.55	0.53	975.15	0.000	0.327
LS-34	985.79	10/2/2003	9.70	---	0.00	28.5	28.55	0.05	976.09	0.000	0.000
LS-34	985.79	10/9/2003	11.71	---	0.00	28.45	28.55	0.10	974.08	0.000	0.062
LS-34	985.79	10/16/2003	9.95	---	0.00	28.45	28.55	0.10	975.84	0.000	0.000
LS-34	985.79	10/23/2003	11.71	---	0.00	28.35	28.54	0.19	974.08	0.000	0.000
LS-34	985.79	10/30/2003	10.25	---	0.00	28.37	28.55	0.18	975.54	0.000	0.000
LS-34	985.79	11/11/2003	10.51	---	0.00	28.23	28.55	0.32	975.28	0.000	0.000
LS-34	985.79	11/20/2003	10.20	---	0.00	28.00	28.55	0.55	975.59	0.000	0.000
LS-35	986.80	10/9/2003	13.30	12.73	0.57	---	21.65	0.00	974.03	0.352	0.000
LS-35	986.80	10/23/2003	13.11	12.90	0.21	---	21.65	0.00	973.89	0.000	0.000
LS-38	986.95	7/3/2003	15.54	---	0.00	---	25.04	0.00	971.41	0.000	0.000
LS-38	986.95	7/10/2003	15.65	---	0.00	---	25.04	0.00	971.30	0.000	0.000
LS-38	986.95	7/17/2003	15.45	---	0.00	---	25.04	0.00	971.50	0.000	0.000
LS-38	986.95	7/24/2003	15.45	---	0.00	---	25.04	0.00	971.50	0.000	0.000
LS-38	986.95	7/31/2003	15.78	---	0.00	---	25.05	0.00	971.17	0.000	0.000
LS-38	986.95	8/7/2003	14.51	---	0.00	---	25.04	0.00	972.44	0.000	0.000
LS-38	986.95	8/14/2003	13.25	---	0.00	24.98	25.04	0.06	973.70	0.000	0.037
LS-38	986.95	8/21/2003	14.45	---	0.00	---	25.06	0.00	972.50	0.000	0.000
LS-38	986.95	8/28/2003	15.17	---	0.00	25.00	25.04	0.04	971.78	0.000	0.025
LS-38	986.95	9/2/2003	14.10	---	0.00	---	25.04	0.00	972.85	0.000	0.000

**TABLE E-6  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR LYMAN STREET AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
LS-38	986.95	9/11/2003	14.61	---	0.00	24.98	25.04	0.06	972.34	0.000	0.037
LS-38	986.95	9/18/2003	14.35	---	0.00	---	25.06	0.00	972.60	0.000	0.000
LS-38	986.95	9/25/2003	12.40	---	0.00	25	25.06	0.06	974.55	0.000	0.037
LS-38	986.95	10/2/2003	11.50	---	0.00	24.95	25.06	0.11	975.45	0.000	0.068
LS-38	986.95	10/9/2003	13.76	---	0.00	24.97	25.06	0.09	973.19	0.000	0.056
LS-38	986.95	10/16/2003	11.65	---	0.00	24.98	25.06	0.08	975.30	0.000	0.049
LS-38	986.95	10/23/2003	13.66	---	0.00	25.02	25.06	0.04	973.29	0.000	0.037
LS-38	986.95	10/30/2003	11.61	---	0.00	24.97	25.06	0.09	975.34	0.000	0.056
LS-38	986.95	11/11/2003	12.25	---	0.00	---	25.05	0.00	974.70	0.000	0.000
LS-38	986.95	11/20/2003	12.20	---	0.00	---	25.05	0.00	974.75	0.000	0.000
LS-38	986.95	12/16/2003	11.03	---	0.00	---	25.05	0.00	975.92	0.000	0.000
LS-41	986.41	10/30/2003	13.34	---	0.00	---	22.68	0.00	973.07	0.000	0.000
LS-43	981.17	7/10/2003	2.44	---	0.00	---	14.08	0.00	978.73	0.000	0.000
LS-44	980.78	7/10/2003	9.68	---	0.00	---	24.84	0.00	971.10	0.000	0.000
LS-44	980.78	8/7/2003	8.16	---	0.00	---	27.75	0.00	972.62	0.000	0.000
LS-44	980.78	9/2/2003	7.45	---	0.00	---	27.88	0.00	973.33	0.000	0.000
LS-44	980.78	10/16/2003	3.74	---	0.00	---	24.90	0.00	977.04	0.000	0.000
LS-44	980.78	12/16/2003	4.77	---	0.00	---	24.84	0.00	976.01	0.000	0.000
LSSC-06	984.91	10/9/2003	9.75	9.68	0.07	---	19.4	0.00	975.23	0.043	0.000
LSSC-06	984.91	10/23/2003	9.76	9.65	0.11	---	19.40	0.00	975.25	0.000	0.000
LSSC-07	982.48	7/1/2003	10.61	---	0.00	24.96	25.08	0.12	971.87	0.000	0.074
LSSC-07	982.48	7/3/2003	10.70	---	0.00	24.98	25.08	0.10	971.78	0.000	0.062
LSSC-07	982.48	7/7/2003	10.80	---	0.00	24.95	25.08	0.13	971.68	0.000	0.080
LSSC-07	982.48	7/10/2003	10.85	---	0.00	25.02	25.08	0.06	971.63	0.000	0.037
LSSC-07	982.48	7/11/2003	10.80	---	0.00	25.03	25.08	0.05	971.68	0.000	0.031
LSSC-07	982.48	7/14/2003	10.90	---	0.00	24.96	25.08	0.12	971.58	0.000	0.074
LSSC-07	982.48	7/15/2003	10.59	---	0.00	24.98	25.08	0.10	971.89	0.000	0.062
LSSC-07	982.48	7/17/2003	10.70	---	0.00	25.05	25.08	0.03	971.78	0.000	0.019
LSSC-07	982.48	7/21/2003	10.90	---	0.00	24.94	25.08	0.14	971.58	0.000	0.086
LSSC-07	982.48	7/24/2003	10.61	---	0.00	24.85	25.08	0.23	971.87	0.000	0.142
LSSC-07	982.48	7/25/2003	10.71	---	0.00	25.06	25.08	0.02	971.77	0.000	0.012
LSSC-07	982.48	7/28/2003	10.85	---	0.00	24.96	25.08	0.12	971.63	0.000	0.074
LSSC-07	982.48	7/31/2003	10.95	---	0.00	24.96	25.08	0.12	971.53	0.000	0.074
LSSC-07	982.48	8/1/2003	10.77	---	0.00	25.05	25.08	0.03	971.71	0.000	0.019
LSSC-07	982.48	8/4/2003	10.11	---	0.00	24.95	25.08	0.13	972.37	0.000	0.080
LSSC-07	982.48	8/7/2003	9.64	---	0.00	24.97	25.08	0.11	972.84	0.000	0.068
LSSC-07	982.48	8/8/2003	9.86	---	0.00	25.06	25.08	0.02	972.62	0.000	0.012
LSSC-07	982.48	8/11/2003	9.30	---	0.00	24.95	25.08	0.13	973.18	0.000	0.080
LSSC-07	982.48	8/14/2003	8.25	---	0.00	24.97	25.08	0.11	974.23	0.000	0.068
LSSC-07	982.48	8/15/2003	8.82	---	0.00	25.06	25.08	0.02	973.66	0.000	0.012
LSSC-07	982.48	8/18/2003	8.65	---	0.00	24.96	25.08	0.12	973.83	0.000	0.074
LSSC-07	982.48	8/21/2003	9.54	---	0.00	24.99	25.08	0.09	972.94	0.000	0.056
LSSC-07	982.48	8/22/2003	9.73	---	0.00	25.04	25.08	0.04	972.75	0.000	0.025
LSSC-07	982.48	8/25/2003	10.08	---	0.00	24.92	25.08	0.16	972.40	0.000	0.099
LSSC-07	982.48	8/28/2003	10.29	---	0.00	24.95	25.08	0.13	972.19	0.000	0.080
LSSC-07	982.48	8/29/2003	9.78	---	0.00	25.06	25.08	0.02	972.70	0.000	0.012

**TABLE E-6  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR LYMAN STREET AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
LSSC-07	982.48	9/2/2003	8.98	---	0.00	24.98	25.08	0.10	973.50	0.000	0.062
LSSC-07	982.48	9/4/2003	7.51	---	0.00	24.96	25.08	0.12	974.97	0.000	0.074
LSSC-07	982.48	9/5/2003	6.71	---	0.00	24.97	25.08	0.11	975.77	0.000	0.068
LSSC-07	982.48	9/9/2003	9.34	---	0.00	24.95	25.08	0.13	973.14	0.000	0.080
LSSC-07	982.48	9/11/2003	9.69	---	0.00	25	25.08	0.08	972.79	0.000	0.049
LSSC-07	982.48	9/12/2003	9.78	---	0.00	---	25.08	0.00	972.70	0.000	0.000
LSSC-07	982.48	9/16/2003	9.56	---	0.00	24.88	25.08	0.20	972.92	0.000	0.123
LSSC-07	982.48	9/18/2003	9.54	---	0.00	24.98	25.08	0.10	972.94	0.000	0.062
LSSC-07	982.48	9/19/2003	9.56	---	0.00	25.06	25.08	0.02	972.92	0.000	0.012
LSSC-07	982.48	9/23/2003	9.46	---	0.00	24.94	25.08	0.14	973.02	0.000	0.086
LSSC-07	982.48	9/25/2003	7.24	---	0.00	25.01	25.08	0.07	975.24	0.000	0.043
LSSC-07	982.48	9/26/2003	8.18	---	0.00	25.05	25.08	0.03	974.30	0.000	0.019
LSSC-07	982.48	10/1/2003	6.15	---	0.00	24.84	25.08	0.24	976.33	0.000	0.154
LSSC-07	982.48	10/2/2003	6.43	---	0.00	25.05	25.08	0.03	976.05	0.000	0.019
LSSC-07	982.48	10/3/2003	6.76	---	0.00	---	25.08	0.00	975.72	0.000	0.000
LSSC-07	982.48	10/9/2003	8.78	---	0.00	25.04	25.08	0.04	973.70	0.000	0.025
LSSC-07	982.48	10/10/2003	8.96	---	0.00	---	25.09	0.00	973.52	0.000	0.000
LSSC-07	982.48	10/13/2003	9.40	---	0.00	24.96	25.08	0.12	973.08	0.000	0.074
LSSC-07	982.48	10/16/2003	6.29	---	0.00	24.93	25.07	0.14	976.19	0.000	0.086
LSSC-07	982.48	10/17/2003	6.88	---	0.00	25.08	25.10	0.02	975.60	0.000	0.012
LSSC-07	982.48	10/21/2003	7.60	---	0.00	24.92	25.08	0.16	974.88	0.000	0.010
LSSC-07	982.48	10/23/2003	8.70	---	0.00	25.01	25.08	0.07	973.78	0.000	0.043
LSSC-07	982.48	10/24/2003	8.84	---	0.00	---	25.08	0.00	973.64	0.000	0.000
LSSC-07	982.48	10/29/2003	7.05	---	0.00	24.85	25.08	0.23	975.43	0.000	0.142
LSSC-07	982.48	10/30/2003	7.15	---	0.00	25.00	25.08	0.08	975.33	0.000	0.049
LSSC-07	982.48	10/31/2003	7.96	---	0.00	25.05	25.08	0.03	974.52	0.000	0.019
LSSC-07	982.48	11/7/2003	8.30	---	0.00	24.67	25.08	0.41	974.18	0.000	0.253
LSSC-07	982.48	11/11/2003	7.05	---	0.00	24.92	25.08	0.16	975.43	0.000	0.099
LSSC-07	982.48	11/13/2003	7.10	---	0.00	24.99	25.08	0.09	975.38	0.000	0.056
LSSC-07	982.48	11/14/2003	8.37	---	0.00	25.05	25.08	0.03	974.11	0.000	0.019
LSSC-07	982.48	11/20/2003	6.85	---	0.00	24.78	25.08	0.30	975.63	0.000	0.185
LSSC-07	982.48	11/26/2003	7.40	---	0.00	24.75	25.08	0.33	975.08	0.000	0.704
LSSC-07	982.48	12/5/2003	6.58	---	0.00	24.98	25.10	0.12	975.90	0.000	0.074
LSSC-07	982.48	12/12/2003	6.35	---	0.00	24.61	25.10	0.49	976.13	0.000	0.302
LSSC-07	982.48	12/16/2003	6.50	---	0.00	24.90	25.10	0.20	975.98	0.000	0.123
LSSC-07	982.48	12/23/2003	7.48	---	0.00	24.70	25.10	0.40	975.00	0.000	0.246
LSSC-08I	983.13	7/3/2003	12.20	---	0.00	23.36	23.40	0.04	970.93	0.000	0.025
LSSC-08I	983.13	7/17/2003	11.90	---	0.00	23.34	23.39	0.05	971.23	0.000	0.031
LSSC-08I	983.13	7/24/2003	12.04	---	0.00	23.35	23.40	0.05	971.09	0.000	0.031
LSSC-08I	983.13	7/31/2003	12.40	---	0.00	23.34	23.40	0.06	970.73	0.000	0.037
LSSC-08I	983.13	8/7/2003	10.73	---	0.00	---	23.38	0.00	972.40	0.000	0.000
LSSC-08I	983.13	8/14/2003	9.45	---	0.00	23.34	23.40	0.06	973.68	0.000	0.037
LSSC-08I	983.13	8/21/2003	11.11	---	0.00	23.38	23.40	0.02	972.02	0.000	0.012
LSSC-08I	983.13	8/28/2003	11.86	---	0.00	23.33	23.38	0.05	971.27	0.000	0.031
LSSC-08I	983.13	9/2/2003	9.90	---	0.00	---	23.39	0.00	973.23	0.000	0.000
LSSC-08I	983.13	9/11/2003	11.20	---	0.00	23.35	23.39	0.04	971.93	0.000	0.025



TABLE E-6  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR LYMAN STREET AREA

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Well Name	Measuring Point Elev (Ft.)	Date	Depth to Water (feet BMP)	Depth to LNAPL (feet BMP)	LNAPL Thickness (feet)	Depth to DNAPL (feet BMP)	Total Depth (feet BMP)	DNAPL Thickness (feet)	Corrected Water Elev. (feet)	LNAPL Removed (Liters)	DNAPL Removed (Liters)
LSSC-08I	983.13	9/18/2003	10.74	---	0.00	23.38	23.40	0.02	972.39	0.000	0.012
LSSC-08I	983.13	9/25/2003	7.83	---	0.00	23.39	23.40	0.01	975.30	0.000	0.006
LSSC-08I	983.13	10/2/2003	7.02	---	0.00	---	23.39	0.00	976.11	0.000	0.000
LSSC-08I	983.13	10/9/2003	10.40	---	0.00	---	23.4	0.00	972.73	0.000	0.000
LSSC-08I	983.13	10/16/2003	6.18	---	0.00	23.34	23.39	0.05	976.95	0.000	0.031
LSSC-08I	983.13	10/23/2003	10.11	---	0.00	23.37	23.40	0.03	973.02	0.000	0.019
LSSC-08I	983.13	10/30/2003	8.02	---	0.00	23.35	23.39	0.04	975.11	0.000	0.025
LSSC-08I	983.13	11/7/2003	9.91	---	0.00	---	23.39	0.00	973.22	0.000	0.000
LSSC-08I	983.13	11/11/2003	7.74	---	0.00	---	23.40	0.00	975.39	0.000	0.000
LSSC-08I	983.13	11/20/2003	7.67	---	0.00	---	23.40	0.00	975.46	0.000	0.000
LSSC-08I	983.13	12/5/2003	7.74	---	0.00	---	23.38	0.00	975.39	0.000	0.000
LSSC-08I	983.13	12/12/2003	7.11	---	0.00	---	23.40	0.00	976.02	0.000	0.000
LSSC-08I	983.13	12/16/2003	7.22	---	0.00	23.30	23.40	0.10	975.91	0.000	0.000
LSSC-08I	983.13	12/23/2003	9.79	---	0.00	23.37	23.40	0.03	973.34	0.000	0.000
LSSC-08S	983.11	7/10/2003	12.32	---	0.00	---	14.68	0.00	970.79	0.000	0.000
LSSC-08S	983.11	8/7/2003	10.73	---	0.00	---	14.68	0.00	972.38	0.000	0.000
LSSC-08S	983.11	9/2/2003	10.02	---	0.00	---	14.68	0.00	973.09	0.000	0.000
LSSC-08S	983.11	10/16/2003	6.72	---	0.00	---	14.68	0.00	976.39	0.000	0.000
LSSC-08S	983.11	12/16/2003	7.24	---	0.00	---	14.68	0.00	975.87	0.000	0.000
LSSC-09	985.06	10/23/2003	11.54	---	0.00	---	19.25	0.00	973.52	0.000	0.000
LSSC-16I	980.88	7/3/2003	9.02	---	0.00	28.52	28.55	0.03	971.86	0.000	0.019
LSSC-16I	980.88	7/10/2003	9.14	---	0.00	---	28.55	0.00	971.74	0.000	0.000
LSSC-16I	980.88	7/18/2003	8.90	---	0.00	28.50	28.55	0.05	971.98	0.000	0.031
LSSC-16I	980.88	7/24/2003	8.94	---	0.00	---	20.55	0.00	971.94	0.000	0.000
LSSC-16I	980.88	7/31/2003	9.26	---	0.00	28.50	28.55	0.05	971.62	0.000	0.031
LSSC-16I	980.88	8/7/2003	9.98	---	0.00	28.48	28.55	0.07	970.90	0.000	0.043
LSSC-16I	980.88	8/14/2003	6.56	---	0.00	---	28.54	0.00	974.32	0.000	0.000
LSSC-16I	980.88	8/21/2003	7.85	---	0.00	28.47	28.55	0.08	973.03	0.000	0.049
LSSC-16I	980.88	8/28/2003	8.58	---	0.00	28.46	28.54	0.08	972.30	0.000	0.049
LSSC-16I	980.88	9/2/2003	7.31	---	0.00	28.48	28.53	0.05	973.57	0.000	0.031
LSSC-16I	980.88	9/11/2003	8.01	---	0.00	28.5	28.53	0.03	972.87	0.000	0.019
LSSC-16I	980.88	9/18/2003	7.81	---	0.00	28.46	28.53	0.07	973.07	0.000	0.043
LSSC-16I	980.88	9/25/2003	5.58	---	0.00	P	28.56	< 0.01	975.30	0.000	0.000
LSSC-16I	980.88	10/2/2003	4.76	---	0.00	28.51	28.56	0.05	976.12	0.000	0.031
LSSC-16I	980.88	10/9/2003	7.10	---	0.00	---	28.54	0.00	973.78	0.000	0.000
LSSC-16I	980.88	10/16/2003	4.60	---	0.00	28.47	28.53	0.06	976.28	0.000	0.037
LSSC-16I	980.88	10/23/2003	6.99	---	0.00	28.5	28.54	0.04	973.89	0.000	0.025
LSSC-16I	980.88	10/30/2003	5.49	---	0.00	28.5	28.56	0.06	975.39	0.000	0.037
LSSC-16I	980.88	11/11/2003	5.50	---	0.00	28.48	28.54	0.06	975.38	0.000	0.037
LSSC-16I	980.88	11/20/2003	5.18	---	0.00	28.52	28.54	0.02	975.70	0.000	0.012
LSSC-16I	980.88	12/16/2003	4.87	---	0.00	28.35	28.55	0.20	976.01	0.000	0.123
LSSC-16S	981.37	7/10/2003	9.50	---	0.00	---	14.91	0.00	971.87	0.000	0.000
LSSC-16S	981.37	10/23/2003	7.35	---	0.00	---	14.85	0.00	974.02	0.000	0.000
LSSC-18	987.32	7/3/2003	15.30	---	0.00	---	18.58	0.00	972.02	0.000	0.000
LSSC-18	987.32	7/10/2003	15.40	---	0.00	---	18.58	0.00	971.92	0.000	0.000
LSSC-18	987.32	7/17/2003	15.20	---	0.00	---	18.59	0.00	972.12	0.000	0.000

TABLE E-6  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR LYMAN STREET AREA

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Well Name	Measuring Point Elev (Ft.)	Date	Depth to Water (feet BMP)	Depth to LNAPL (feet BMP)	LNAPL Thickness (feet)	Depth to DNAPL (feet BMP)	Total Depth (feet BMP)	DNAPL Thickness (feet)	Corrected Water Elev. (feet)	LNAPL Removed (Liters)	DNAPL Removed (Liters)
LSSC-18	987.32	7/24/2003	15.20	---	0.00	---	18.59	0.00	972.12	0.000	0.000
LSSC-18	987.32	7/31/2003	15.50	---	0.00	---	18.59	0.00	971.82	0.000	0.000
LSSC-18	987.32	8/7/2003	14.35	---	0.00	---	18.59	0.00	972.97	0.000	0.000
LSSC-18	987.32	8/14/2003	12.64	---	0.00	---	18.59	0.00	974.68	0.000	0.000
LSSC-18	987.32	8/21/2003	14.07	---	0.00	---	18.59	0.00	973.25	0.000	0.000
LSSC-18	987.32	8/28/2003	14.89	---	0.00	---	18.58	0.00	972.43	0.000	0.000
LSSC-18	987.32	9/2/2003	13.95	---	0.00	---	18.58	0.00	973.37	0.000	0.000
LSSC-18	987.32	9/11/2003	14.34	---	0.00	---	18.58	0.00	972.98	0.000	0.000
LSSC-18	987.32	9/18/2003	14.13	---	0.00	---	18.59	0.00	973.19	0.000	0.000
LSSC-18	987.32	9/25/2003	12.35	---	0.00	---	18.59	0.00	974.97	0.000	0.000
LSSC-18	987.32	10/2/2003	11.36	---	0.00	---	18.59	0.00	975.96	0.000	0.000
LSSC-18	987.32	10/9/2003	12.68	---	0.00	---	18.59	0.00	974.64	0.000	0.000
LSSC-18	987.32	10/16/2003	12.38	---	0.00	---	18.59	0.00	974.94	0.000	0.000
LSSC-18	987.32	10/23/2003	12.91	---	0.00	---	18.59	0.00	974.41	0.000	0.000
LSSC-18	987.32	10/30/2003	11.90	---	0.00	---	18.59	0.00	975.42	0.000	0.000
LSSC-18	987.32	11/11/2003	12.35	---	0.00	---	18.59	0.00	974.97	0.000	0.000
LSSC-18	987.32	11/20/2003	12.28	---	0.00	---	18.59	0.00	975.04	0.000	0.000
LSSC-18	987.32	12/16/2003	11.78	---	0.00	---	18.59	0.00	975.54	0.000	0.000
LSSC-32	980.68	7/10/2003	9.21	---	0.00	---	35.24	0.00	971.47	0.000	0.000
LSSC-32	980.68	8/7/2003	7.93	---	0.00	---	25.22	0.00	972.75	0.000	0.000
LSSC-32	980.68	9/2/2003	7.22	---	0.00	---	35.24	0.00	973.46	0.000	0.000
LSSC-32	980.68	10/16/2003	3.91	---	0.00	---	35.25	0.00	976.77	0.000	0.000
LSSC-32	980.68	12/16/2003	4.67	---	0.00	---	35.25	0.00	976.01	0.000	0.000
LSSC-33	980.49	7/10/2003	9.10	---	0.00	---	29.79	0.00	971.39	0.000	0.000
LSSC-33	980.49	8/7/2003	7.83	---	0.00	---	29.80	0.00	972.66	0.000	0.000
LSSC-33	980.49	9/2/2003	7.28	---	0.00	---	29.78	0.00	973.21	0.000	0.000
LSSC-33	980.49	10/16/2003	3.95	---	0.00	---	29.79	0.00	976.54	0.000	0.000
LSSC-33	980.49	12/16/2003	4.46	---	0.00	---	29.79	0.00	976.03	0.000	0.000
LSSC-34I	984.74	7/3/2003	13.23	---	0.00	27.80	28.50	0.70	971.51	0.000	0.432
LSSC-34I	984.74	7/10/2003	13.34	---	0.00	28.30	28.50	0.20	971.40	0.000	0.000
LSSC-34I	984.74	7/17/2003	13.08	---	0.00	28.32	28.50	0.18	971.66	0.000	0.000
LSSC-34I	984.74	7/24/2003	13.21	---	0.00	28.38	28.50	0.12	971.53	0.000	0.000
LSSC-34I	984.74	7/31/2003	13.44	---	0.00	28.27	28.50	0.23	971.30	0.000	0.000
LSSC-34I	984.74	8/7/2003	12.10	---	0.00	28.24	28.50	0.26	972.64	0.000	0.000
LSSC-34I	984.74	8/14/2003	10.85	---	0.00	28.28	28.50	0.22	973.89	0.000	0.000
LSSC-34I	984.74	8/21/2003	12.14	---	0.00	28.39	28.50	0.11	972.60	0.000	0.000
LSSC-34I	984.74	8/28/2003	12.87	---	0.00	28.26	28.50	0.24	971.87	0.000	0.000
LSSC-34I	984.74	9/2/2003	11.55	---	0.00	28.29	28.50	0.21	973.19	0.000	0.000
LSSC-34I	984.74	9/11/2003	12.22	---	0.00	28.3	28.49	0.19	972.52	0.000	0.000
LSSC-34I	984.74	9/16/2003	11.89	---	0.00	28.24	28.49	0.25	972.85	0.000	0.000
LSSC-34I	984.74	9/25/2003	9.53	---	0.00	28.11	28.50	0.39	975.21	0.000	0.000
LSSC-34I	984.74	10/2/2003	8.80	---	0.00	28.22	28.50	0.28	975.94	0.000	0.000
LSSC-34I	984.74	10/9/2003	11.35	---	0.00	28.1	28.5	0.40	973.39	0.000	0.247
LSSC-34I	984.74	10/16/2003	8.60	---	0.00	28.46	28.50	0.04	976.14	0.000	0.000
LSSC-34I	984.74	10/23/2003	11.21	---	0.00	---	28.50	0.00	973.53	0.000	0.000
LSSC-34I	984.74	10/30/2003	9.31	---	0.00	---	28.50	0.00	975.43	0.000	0.000

**TABLE E-6  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR LYMAN STREET AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
LSSC-34I	984.74	11/11/2003	9.57	---	0.00	28.28	28.50	0.22	975.17	0.000	0.000
LSSC-34I	984.74	11/20/2003	9.16	---	0.00	28.26	28.50	0.24	975.58	0.000	0.000
LSSC-34S	985.01	7/3/2003	13.52	---	0.00	---	17.02	0.00	971.49	0.000	0.000
LSSC-34S	985.01	7/10/2003	13.60	---	0.00	---	17.03	0.00	971.41	0.000	0.000
LSSC-34S	985.01	7/17/2003	13.31	---	0.00	---	17.03	0.00	971.70	0.000	0.000
LSSC-34S	985.01	7/24/2003	13.38	---	0.00	---	17.03	0.00	971.63	0.000	0.000
LSSC-34S	985.01	7/31/2003	13.74	---	0.00	---	17.02	0.00	971.27	0.000	0.000
LSSC-34S	985.01	8/7/2003	12.31	---	0.00	---	17.03	0.00	972.70	0.000	0.000
LSSC-34S	985.01	8/14/2003	10.96	---	0.00	---	17.03	0.00	974.05	0.000	0.000
LSSC-34S	985.01	8/21/2003	12.32	---	0.00	---	17.03	0.00	972.69	0.000	0.000
LSSC-34S	985.01	8/28/2003	13.09	---	0.00	---	17.03	0.00	971.92	0.000	0.000
LSSC-34S	985.01	9/2/2003	11.83	---	0.00	---	17.03	0.00	973.18	0.000	0.000
LSSC-34S	985.01	9/11/2003	12.48	---	0.00	---	17.02	0.00	972.53	0.000	0.000
LSSC-34S	985.01	9/18/2003	12.16	---	0.00	---	17.02	0.00	972.85	0.000	0.000
LSSC-34S	985.01	9/25/2003	9.76	---	0.00	---	17.03	0.00	975.25	0.000	0.000
LSSC-34S	985.01	10/2/2003	9.02	---	0.00	---	17.02	0.00	975.99	0.000	0.000
LSSC-34S	985.01	10/9/2003	11.58	---	0.00	---	17.03	0.00	973.43	0.000	0.000
LSSC-34S	985.01	10/16/2003	8.95	---	0.00	---	17.03	0.00	976.06	0.000	0.000
LSSC-34S	985.01	10/23/2003	10.48	---	0.00	---	17.03	0.00	974.53	0.000	0.000
LSSC-34S	985.01	10/30/2003	9.63	---	0.00	---	17.03	0.00	975.38	0.000	0.000
LSSC-34S	985.01	11/11/2003	9.91	---	0.00	---	17.03	0.00	975.10	0.000	0.000
LSSC-34S	985.01	11/20/2003	9.54	---	0.00	---	17.03	0.00	975.47	0.000	0.000
MW-3R	983.54	7/9/2003	10.55	---	0.00	---	15.49	0.00	972.99	0.000	0.000
MW-3R	983.54	10/13/2003	9.11	---	0.00	---	15.63	0.00	974.43	0.000	0.000
MW-3R	983.54	10/28/2003	7.95	---	0.00	---	15.48	0.00	975.59	0.000	0.000
MW-4	983.66	7/9/2003	7.50	---	0.00	---	12.11	0.00	976.16	0.000	0.000
MW-4	983.66	10/28/2003	6.06	---	0.00	---	7.88	0.00	977.60	0.000	0.000
MW-6R	985.14	7/8/2003	11.15	---	0.00	---	14.93	0.00	973.99	0.000	0.000
MW-6R	985.14	8/7/2003	11.00	---	0.00	---	13.94	0.00	974.14	0.000	0.000
MW-6R	985.14	9/2/2003	10.50	---	0.00	---	13.93	0.00	974.64	0.000	0.000
MW-6R	985.14	10/9/2003	9.30	---	0.00	---	13.78	0.00	975.84	0.000	0.000
MW-6R	985.14	10/16/2003	9.54	---	0.00	---	13.94	0.00	975.60	0.000	0.000
RW-1	984.88	12/17/1930	9.58	P	< 0.01	P	18.58	< 0.01	975.30	0.000	0.000
RW-1	984.88	7/2/2003	12.78	P	< 0.01	P	18.58	< 0.01	972.10	0.000	0.000
RW-1	984.88	7/9/2003	12.92	P	< 0.01	P	18.58	< 0.01	971.96	0.000	0.000
RW-1	984.88	7/16/2003	13.05	P	< 0.01	P	18.58	< 0.01	971.83	0.000	0.000
RW-1	984.88	7/23/2003	12.88	P	< 0.01	P	18.58	< 0.01	972.00	0.000	0.000
RW-1	984.88	7/30/2003	13.06	P	< 0.01	P	18.58	< 0.01	971.82	0.000	0.000
RW-1	984.88	8/6/2003	12.57	P	< 0.01	P	18.58	< 0.01	972.31	0.000	0.000
RW-1	984.88	8/13/2003	11.01	P	< 0.01	P	18.58	< 0.01	973.87	0.000	0.000
RW-1	984.88	8/20/2003	11.48	P	< 0.01	P	18.58	< 0.01	973.40	0.000	0.000
RW-1	984.88	8/27/2003	12.37	P	< 0.01	P	18.58	< 0.01	972.51	0.000	0.000
RW-1	984.88	9/3/2003	11.78	P	< 0.01	P	18.58	< 0.01	973.10	0.000	0.000
RW-1	984.88	9/10/2003	11.92	P	< 0.01	P	18.58	< 0.01	972.96	0.000	0.000
RW-1	984.88	9/17/2003	12.19	P	< 0.01	P	18.58	< 0.01	972.69	0.000	0.000
RW-1	984.88	9/24/2003	11.14	P	< 0.01	P	18.58	< 0.01	973.74	0.000	0.000

**TABLE E-6  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR LYMAN STREET AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
RW-1	984.88	10/1/2003	10.19	P	< 0.01	P	18.58	< 0.01	974.69	0.000	0.000
RW-1	984.88	10/9/2003	10.06	P	< 0.01	P	18.58	< 0.01	974.82	0.000	0.000
RW-1	984.88	10/15/2003	11.72	P	< 0.01	P	18.58	< 0.01	973.16	0.000	0.000
RW-1	984.88	10/22/2003	11.76	P	< 0.01	P	18.58	< 0.01	973.12	0.000	0.000
RW-1	984.88	10/29/2003	10.27	P	< 0.01	P	18.58	< 0.01	974.61	0.000	0.000
RW-1	984.88	11/5/2003	9.70	P	< 0.01	P	18.58	< 0.01	975.18	0.000	0.000
RW-1	984.88	11/12/2003	9.89	P	< 0.01	P	18.58	< 0.01	974.99	0.000	0.000
RW-1	984.88	11/19/2003	10.09	P	< 0.01	P	18.58	< 0.01	974.79	0.000	0.000
RW-1	984.88	11/26/2003	9.71	P	< 0.01	P	18.58	< 0.01	975.17	0.000	0.000
RW-1	984.88	12/3/2003	9.71	P	< 0.01	P	18.58	< 0.01	975.17	0.000	0.000
RW-1	984.88	12/10/2003	9.57	P	< 0.01	P	18.58	< 0.01	975.31	0.000	0.000
RW-1	984.88	12/24/2003	9.10	P	< 0.01	P	18.58	< 0.01	975.78	0.000	0.000
RW-1	984.88	12/31/2003	9.25	P	< 0.01	18.48	18.58	0.10	975.63	0.000	0.000
RW-1 (R)	985.07	12/17/1930	16.90	P	< 0.01	---	20.67	0.00	968.17	0.000	0.000
RW-1 (R)	985.07	7/2/2003	15.1	P	< 0.01	---	20.67	0.00	969.97	0.000	0.000
RW-1 (R)	985.07	7/9/2003	15.1	P	< 0.01	---	20.67	0.00	969.97	0.000	0.000
RW-1 (R)	985.07	7/16/2003	15.14	P	< 0.01	---	20.67	0.00	969.93	0.000	0.000
RW-1 (R)	985.07	7/23/2003	15.15	P	< 0.01	---	20.67	0.00	969.92	0.000	0.000
RW-1 (R)	985.07	7/30/2003	15.36	P	< 0.01	---	20.67	0.00	969.71	0.000	0.000
RW-1 (R)	985.07	8/6/2003	15.05	P	< 0.01	---	20.67	0.00	970.02	0.000	0.000
RW-1 (R)	985.07	8/13/2003	15.09	P	< 0.01	---	20.67	0.00	969.98	0.000	0.000
RW-1 (R)	985.07	8/20/2003	15.30	P	< 0.01	---	20.67	0.00	969.77	0.000	0.000
RW-1 (R)	985.07	8/27/2003	15.09	P	< 0.01	---	20.67	0.00	969.98	0.000	0.000
RW-1 (R)	985.07	9/3/2003	15.30	P	< 0.01	---	20.67	0.00	969.77	0.000	0.000
RW-1 (R)	985.07	9/10/2003	16.38	P	< 0.01	---	20.67	0.00	968.69	0.000	0.000
RW-1 (R)	985.07	9/17/2003	15.72	P	< 0.01	---	20.67	0.00	969.35	0.000	0.000
RW-1 (R)	985.07	9/24/2003	15.64	P	< 0.01	---	20.67	0.00	969.43	0.000	0.000
RW-1 (R)	985.07	10/1/2003	15.70	P	< 0.01	---	20.67	0.00	969.37	0.000	0.000
RW-1 (R)	985.07	10/9/2003	15.81	P	< 0.01	---	20.67	0.00	969.26	0.000	0.000
RW-1 (R)	985.07	10/15/2003	15.70	P	< 0.01	---	20.67	0.00	969.37	0.000	0.000
RW-1 (R)	985.07	10/22/2003	15.74	P	< 0.01	---	20.67	0.00	969.33	0.000	0.000
RW-1 (R)	985.07	10/29/2003	15.71	P	< 0.01	---	20.67	0.00	969.36	0.000	0.000
RW-1 (R)	985.07	11/5/2003	15.60	P	< 0.01	---	20.67	0.00	969.47	0.000	0.000
RW-1 (R)	985.07	11/12/2003	12.81	P	< 0.01	---	20.67	0.00	972.26	0.000	0.000
RW-1 (R)	985.07	11/19/2003	10.36	P	< 0.01	---	20.67	0.00	974.71	0.000	0.000
RW-1 (R)	985.07	11/26/2003	15.95	P	< 0.01	---	20.67	0.00	969.12	0.000	0.000
RW-1 (R)	985.07	12/3/2003	15.91	15.90	0.01	---	20.67	0.00	969.17	0.000	0.000
RW-1 (R)	985.07	12/10/2003	15.93	P	< 0.01	---	20.67	0.00	969.14	0.000	0.000
RW-1 (R)	985.07	12/24/2003	17.80	P	< 0.01	---	20.67	0.00	967.27	0.000	0.000
RW-1 (R)	985.07	12/31/2003	15.83	P	< 0.01	---	20.67	0.00	969.24	0.000	0.000
RW-2	987.82	12/17/1930	12.90	---	0.00	---	23.82	0.00	974.92	0.000	0.000
RW-2	987.82	7/2/2003	18.55	---	0.00	---	23.82	0.00	969.27	0.000	0.000
RW-2	987.82	7/9/2003	18.6	---	0.00	---	23.82	0.00	969.22	0.000	0.000
RW-2	987.82	7/16/2003	18.7	---	0.00	---	23.82	0.00	969.12	0.000	0.000
RW-2	987.82	7/23/2003	18.65	---	0.00	---	23.82	0.00	969.17	0.000	0.000
RW-2	987.82	7/30/2003	18.55	---	0.00	---	23.82	0.00	969.27	0.000	0.000

**TABLE E-6  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR LYMAN STREET AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
RW-2	987.82	8/6/2003	18.55	---	0.00	---	23.82	0.00	969.27	0.000	0.000
RW-2	987.82	8/13/2003	18.45	---	0.00	---	23.82	0.00	969.37	0.000	0.000
RW-2	987.82	8/20/2003	18.30	---	0.00	---	23.82	0.00	969.52	0.000	0.000
RW-2	987.82	8/27/2003	18.50	---	0.00	---	23.82	0.00	969.32	0.000	0.000
RW-2	987.82	9/3/2003	14.40	---	0.00	---	23.82	0.00	973.42	0.000	0.000
RW-2	987.82	9/10/2003	16.50	---	0.00	---	23.82	0.00	971.32	0.000	0.000
RW-2	987.82	9/17/2003	16.11	---	0.00	---	23.82	0.00	971.71	0.000	0.000
RW-2	987.82	9/24/2003	12.75	---	0.00	---	23.82	0.00	975.07	0.000	0.000
RW-2	987.82	10/1/2003	11.35	---	0.00	---	23.82	0.00	976.47	0.000	0.000
RW-2	987.82	10/9/2003	13.50	---	0.00	---	23.82	0.00	974.32	0.000	0.000
RW-2	987.82	10/15/2003	15.60	---	0.00	---	23.82	0.00	972.22	0.000	0.000
RW-2	987.82	10/22/2003	15.87	---	0.00	---	23.82	0.00	971.95	0.000	0.000
RW-2	987.82	10/29/2003	12.50	---	0.00	---	23.82	0.00	975.32	0.000	0.000
RW-2	987.82	11/5/2003	11.65	---	0.00	---	23.82	0.00	976.17	0.000	0.000
RW-2	987.82	11/12/2003	12.00	---	0.00	---	23.82	0.00	975.82	0.000	0.000
RW-2	987.82	11/19/2003	13.80	---	0.00	---	23.82	0.00	974.02	0.000	0.000
RW-2	987.82	11/26/2003	12.75	---	0.00	---	23.82	0.00	975.07	0.000	0.000
RW-2	987.82	12/3/2003	13.20	---	0.00	---	23.82	0.00	974.62	0.000	0.000
RW-2	987.82	12/10/2003	12.58	---	0.00	---	23.82	0.00	975.24	0.000	0.000
RW-2	987.82	12/24/2003	12.50	---	0.00	---	23.82	0.00	975.32	0.000	0.000
RW-2	987.82	12/31/2003	12.30	---	0.00	---	23.82	0.00	975.52	0.000	0.000
RW-3	984.08	12/17/1930	13.10	P	< 0.01	---	NM	0.00	970.98	0.000	0.000
RW-3	984.08	7/2/2003	16.82	16.50	0.32	---	NM	0.00	967.56	0.000	0.000
RW-3	984.08	7/9/2003	16.8	16.71	0.09	---	NM	0.00	967.36	0.000	0.000
RW-3	984.08	7/16/2003	16.41	16.21	0.20	---	NM	0.00	967.86	0.000	0.000
RW-3	984.08	7/23/2003	16.5	16.35	0.15	---	NM	0.00	967.72	0.000	0.000
RW-3	984.08	7/30/2003	17	16.65	0.35	---	NM	0.00	967.41	0.000	0.000
RW-3	984.08	8/6/2003	17.02	16.69	0.33	---	NM	0.00	967.37	0.000	0.000
RW-3	984.08	8/13/2003	16.45	16.43	0.02	---	NM	0.00	967.65	0.000	0.000
RW-3	984.08	8/20/2003	16.90	16.50	0.40	---	NM	0.00	967.55	0.000	0.000
RW-3	984.08	8/27/2003	16.71	16.50	0.21	---	NM	0.00	967.57	0.000	0.000
RW-3	984.08	9/3/2003	17.05	16.70	0.35	---	NM	0.00	967.36	0.000	0.000
RW-3	984.08	9/10/2003	16.85	16.50	0.35	---	NM	0.00	967.56	0.000	0.000
RW-3	984.08	9/17/2003	16.50	16.20	0.30	---	NM	0.00	967.86	0.000	0.000
RW-3	984.08	9/24/2003	16.60	16.25	0.35	---	NM	0.00	967.81	0.000	0.000
RW-3	984.08	10/1/2003	16.12	15.77	0.35	---	NM	0.00	968.29	0.000	0.000
RW-3	984.08	10/9/2003	16.50	16.25	0.25	---	NM	0.00	967.81	0.000	0.000
RW-3	984.08	10/15/2003	17.05	16.60	0.45	---	NM	0.00	967.45	0.000	0.000
RW-3	984.08	10/22/2003	15.45	15.15	0.30	---	NM	0.00	968.91	0.000	0.000
RW-3	984.08	10/29/2003	16.20	16.02	0.18	---	NM	0.00	968.05	0.000	0.000
RW-3	984.08	11/5/2003	12.90	12.65	0.25	---	NM	0.00	971.41	0.000	0.000
RW-3	984.08	11/12/2003	14.76	14.41	0.35	---	NM	0.00	969.65	0.000	0.000
RW-3	984.08	11/19/2003	16.86	16.75	0.11	---	NM	0.00	967.32	0.000	0.000
RW-3	984.08	11/26/2003	13.05	13.03	0.02	---	NM	0.00	971.05	0.000	0.000
RW-3	984.08	12/3/2003	13.25	13.22	0.03	---	NM	0.00	970.86	0.000	0.000
RW-3	984.08	12/10/2003	12.05	11.95	0.10	---	NM	0.00	972.12	0.000	0.000

**TABLE E-6  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR LYMAN STREET AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
RW-3	984.08	12/24/2003	10.45	10.30	0.15	---	NM	0.00	973.77	0.000	0.000
RW-3	984.08	12/31/2003	10.21	10.10	0.11	---	NM	0.00	973.97	0.000	0.000
<b>HOUSATONIC RIVER STAFF GAUGE (Lyman Street)</b>											
BM-2A	986.32	7/3/2003	15.89	---	0.00	---	NM	0.00	970.43	0.000	0.000
BM-2A	986.32	7/10/2003	15.86	---	0.00	---	NM	0.00	970.46	0.000	0.000
BM-2A	986.32	7/17/2003	15.39	---	0.00	---	NM	0.00	970.93	0.000	0.000
BM-2A	986.32	7/24/2003	15.65	---	0.00	---	NM	0.00	970.67	0.000	0.000
BM-2A	986.32	7/31/2003	16.02	---	0.00	---	NM	0.00	970.30	0.000	0.000
BM-2A	986.32	8/7/2003	14.18	---	---	---	---	---	972.14	0.000	0.000
BM-2A	986.32	8/14/2003	13.25	---	---	---	---	---	973.07	0.000	0.000
BM-2A	986.32	8/21/2003	14.96	---	---	---	---	---	971.36	0.000	0.000
BM-2A	986.32	8/28/2003	15.58	---	---	---	---	---	970.74	0.000	0.000
BM-2A	986.32	9/2/2003	12.84	---	0.00	---	NM	0.00	973.48	0.000	0.000
BM-2A	986.32	9/11/2003	14.90	---	0.00	---	NM	0.00	971.42	0.000	0.000
BM-2A	986.32	9/18/2003	14.19	---	0.00	---	NM	0.00	972.13	0.000	0.000
BM-2A	986.32	9/25/2003	11.06	---	0.00	---	NM	0.00	975.26	0.000	0.000
BM-2A	986.32	10/2/2003	10.22	---	0.00	---	NM	0.00	976.10	0.000	0.000
BM-2A	986.32	10/16/2003	8.58	---	0.00	---	NM	0.00	977.74	0.000	0.000
BM-2A	986.32	10/23/2003	13.80	---	0.00	---	NM	0.00	972.52	0.000	0.000
BM-2A	986.32	10/30/2003	11.98	---	0.00	---	NM	0.00	974.34	0.000	0.000
BM-2A	986.32	11/11/2003	10.65	---	0.00	---	NM	0.00	975.67	0.000	0.000

**NOTES:**

1. --- indicates LNAPL or DNAPL was not present in a measurable quantity
2. NA indicates information not available.
3. NM indicates data not measured.
4. P indicates that LNAPL is present at a thickness that is <0.01 feet, the corresponding thickness is recorded as such.

**TABLE E-7  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR NEWELL STREET AREA II**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
GMA1-8	981.66	7/10/2003	10.48	---	0.00	---	16.21	0.00	971.18	0.000	0.000
GMA1-9	982.36	7/10/2003	10.51	---	0.00	---	21.35	0.00	971.85	0.000	0.000
GMA1-9	982.36	10/16/2003	6.06	---	0.00	---	21.37	0.00	976.30	0.000	0.000
MW-1D	987.20	7/14/2003	15.13	---	0.00	39.40	39.54	0.14	972.07	0.000	0.000
MW-1D	987.20	8/7/2003	14.06	---	0.00	39.24	39.54	0.30	973.14	0.000	0.000
MW-1D	987.20	9/2/2003	13.84	---	0.00	39.24	39.53	0.29	973.36	0.000	0.000
MW-1D	987.20	10/14/2003	13.55	---	0.00	39.15	39.53	0.38	973.65	0.000	0.234
MW-1D	987.20	10/23/2003	12.20	---	0.00	39.41	39.53	0.12	975.00	0.000	0.000
MW-1S	986.60	7/14/2003	14.60	---	0.00	25.20	25.27	0.07	972.00	0.000	0.000
MW-1S	986.60	8/7/2003	13.60	---	0.00	25.05	25.27	0.22	973.00	0.000	0.000
MW-1S	986.60	9/2/2003	13.32	---	0.00	24.89	25.25	0.36	973.28	0.000	0.000
MW-1S	986.60	10/14/2003	13.01	---	0.00	24.95	25.27	0.32	973.59	0.000	0.197
MW-1S	986.60	10/23/2003	12.80	---	0.00	25.15	25.27	0.12	973.80	0.000	0.000
N2SC-011	984.99	8/19/2003	NM	---	0.00	39.45	41.57	2.12	NA	0.000	4.640
N2SC-011	984.99	8/20/2003	NM	---	0.00	38.23	41.57	3.34	NA	0.000	6.660
N2SC-011	984.99	9/4/2003	10.61	---	0.00	38.22	41.58	3.36	974.38	0.000	0.000
N2SC-011	984.99	9/5/2003	9.83	---	0.00	37.88	41.59	3.71	975.16	0.000	0.000
N2SC-02	985.56	8/26/2003	13.13	---	0.00	---	40.42	0.00	972.43	0.000	0.000
N2SC-02	985.56	8/27/2003	NM	---	0.00	---	40.42	0.00	NA	0.000	0.000
N2SC-02	985.56	9/4/2003	11.82	---	0.00	---	40.42	0.00	973.74	0.000	0.000
N2SC-02	985.56	9/25/2003	10.10	---	0.00	40.34	40.43	0.09	975.46	0.000	0.000
N2SC-02	985.56	10/2/2003	9.15	---	0.00	40.36	40.42	0.06	976.41	0.000	0.000
N2SC-02	985.56	10/9/2003	11.60	---	0.00	40.41	40.43	0.02	973.96	0.000	0.012
N2SC-02	985.56	10/16/2003	8.75	---	0.00	40.31	40.42	0.11	976.81	0.000	0.000
N2SC-02	985.56	10/16/2003	9.51	---	0.00	40.4	40.43	0.03	976.05	0.000	0.000
N2SC-02	985.56	10/23/2003	11.53	---	0.00	40.36	40.42	0.06	974.03	0.000	0.000
N2SC-02	985.56	10/23/2003	11.55	---	0.00	40.32	40.42	0.10	974.01	0.000	0.000
N2SC-02	985.56	10/30/2003	9.45	---	0.00	40.34	40.42	0.08	976.11	0.000	0.000
N2SC-02	985.56	11/11/2003	10.36	---	0.00	40.36	40.43	0.07	975.20	0.000	0.000
N2SC-02	985.56	11/20/2003	10.30	---	0.00	40.32	40.43	0.11	975.26	0.000	0.000
N2SC-02	985.56	12/19/2003	10.12	---	0.00	40.35	40.42	0.07	975.44	0.000	0.000
N2SC-03I	985.33	8/13/2003	NM	---	0.00	39.58	40.69	1.11	NA	0.000	1.125
N2SC-03I	985.33	8/14/2003	NM	---	0.00	38.71	40.69	1.98	NA	0.000	2.075
N2SC-03I	985.33	8/15/2003	NM	---	0.00	39.03	40.69	1.66	NA	0.000	1.085
N2SC-03S	985.18	10/23/2003	8.50	---	0.00	---	21.51	0.00	976.68	0.000	0.000
N2SC-07	984.61	7/3/2003	13.14	---	0.00	---	38.15	0.00	971.47	0.000	0.000
N2SC-07	984.61	7/10/2003	13.25	---	0.00	---	38.15	0.00	971.36	0.000	0.000
N2SC-07	984.61	7/17/2003	12.97	---	0.00	---	38.15	0.00	971.64	0.000	0.000
N2SC-07	984.61	7/24/2003	12.96	---	0.00	---	38.15	0.00	971.65	0.000	0.000
N2SC-07	984.61	7/31/2003	13.35	---	0.00	---	38.15	0.00	971.26	0.000	0.000
N2SC-07	984.61	8/7/2003	11.90	---	0.00	---	38.15	0.00	972.71	0.000	0.000
N2SC-07	984.61	8/14/2003	10.30	---	0.00	---	38.15	0.00	974.31	0.000	0.000
N2SC-07	984.61	8/21/2003	11.85	---	0.00	---	38.15	0.00	972.76	0.000	0.000
N2SC-07	984.61	8/28/2003	12.72	---	0.00	---	38.15	0.00	971.89	0.000	0.000
N2SC-07	984.61	9/2/2003	11.42	---	0.00	---	38.14	0.00	973.19	0.000	0.000

**TABLE E-7  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR NEWELL STREET AREA II**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
N2SC-07	984.61	9/11/2003	12.12	---	0.00	38.07	38.14	0.07	972.49	0.000	0.043
N2SC-07	984.61	9/18/2003	11.90	---	0.00	---	38.16	0.00	972.71	0.000	0.000
N2SC-07	984.61	9/25/2003	9.25	---	0.00	---	38.16	0.00	975.36	0.000	0.000
N2SC-07	984.61	10/2/2003	8.30	---	0.00	---	38.15	0.00	976.31	0.000	0.000
N2SC-07	984.61	10/9/2003	11.27	---	0.00	---	38.16	0.00	973.34	0.000	0.000
N2SC-07	984.61	10/16/2003	8.20	---	0.00	---	38.16	0.00	976.41	0.000	0.000
N2SC-07	984.61	10/23/2003	11.01	---	0.00	---	38.15	0.00	973.60	0.000	0.000
N2SC-07	984.61	10/30/2003	8.90	---	0.00	38.12	38.16	0.04	975.71	0.000	0.025
N2SC-07	984.61	11/11/2003	9.45	---	0.00	---	38.18	0.00	975.16	0.000	0.000
N2SC-07	984.61	11/20/2003	8.86	---	0.00	---	38.18	0.00	975.75	0.000	0.000
N2SC-07	984.61	12/17/2003	9.60	---	0.00	---	38.15	0.00	975.01	0.000	0.000
N2SC-07S	982.93	7/14/2003	11.54	---	0.00	---	18.92	0.00	971.39	0.000	0.000
N2SC-07S	982.93	10/17/2003	7.51	---	0.00	---	18.03	0.00	975.42	0.000	0.000
N2SC-07S	982.93	10/28/2003	7.06	---	0.00	---	18.92	0.00	975.87	0.000	0.000
N2SC-08	986.07	10/14/2003	11.79	---	0.00	40.45	42.58	2.13	974.28	0.000	1.314
N2SC-08	986.07	10/23/2003	11.10	---	0.00	42.14	42.57	0.43	974.97	0.000	0.000
N2SC-08	986.07	12/19/2003	9.23	---	0.00	39.84	42.58	2.74	976.84	0.000	1.690
N2SC-09I	987.77	10/14/2003	13.50	---	0.00	43.15	43.53	0.38	974.27	0.000	0.234
N2SC-09I	987.77	10/23/2003	12.85	---	0.00	43.46	43.53	0.07	974.92	0.000	0.000
N2SC-09S	987.84	7/14/2003	13.93	---	0.00	---	18.25	0.00	973.91	0.000	0.000
N2SC-09S	987.84	10/14/2003	10.26	---	0.00	---	18.24	0.00	977.58	0.000	0.000
N2SC-09S	987.84	10/23/2003	10.30	---	0.00	---	18.24	0.00	977.54	0.000	0.000
N2SC-11	988.05	7/14/2003	13.50	---	0.00	---	38.82	0.00	974.55	0.000	0.000
N2SC-11	988.05	10/28/2003	11.60	---	0.00	---	38.83	0.00	976.45	0.000	0.000
N2SC-12	987.26	7/14/2003	11.54	---	0.00	---	40.95	0.00	975.72	0.000	0.000
N2SC-12	987.26	10/28/2003	10.40	---	0.00	---	40.93	0.00	976.86	0.000	0.000
N2SC-13I	984.75	7/14/2003	12.18	---	0.00	40.98	41.02	0.04	972.57	0.000	0.000
N2SC-13I	984.75	8/7/2003	11.24	---	0.00	40.98	41.02	0.04	973.51	0.000	0.000
N2SC-13I	984.75	9/2/2003	10.96	---	0.00	40.95	41.02	0.07	973.79	0.000	0.000
N2SC-13I	984.75	10/14/2003	10.57	---	0.00	40.85	41.02	0.17	974.18	0.000	0.420
N2SC-13I	984.75	10/23/2003	9.84	---	0.00	40.86	41.02	0.16	974.91	0.000	0.000
N2SC-13S	985.15	7/14/2003	10.65	---	0.00	---	16.39	0.00	974.50	0.000	0.000
N2SC-13S	985.15	10/28/2003	8.35	---	0.00	---	16.39	0.00	976.80	0.000	0.000
N2SC-14	NA	9/4/2003	10.75	---	0.00	38.77	40.13	1.36	NA	0.000	21.800
N2SC-14	NA	9/5/2003	10.73	---	0.00	38.21	40.13	1.92	NA	0.000	12.350
N2SC-15	985.58	10/28/2003	9.45	---	0.00	---	41.15	0.00	976.13	0.000	0.000
N2SC-16	985.62	7/14/2003	13.75	---	0.00	41.88	41.90	0.02	971.87	0.000	0.000
N2SC-16	985.62	8/7/2003	12.45	---	0.00	41.8	41.90	0.10	973.17	0.000	0.000
N2SC-16	985.62	9/2/2003	12.23	---	0.00	41.85	41.89	0.04	973.39	0.000	0.000
N2SC-16	985.62	10/14/2003	12.28	---	0.00	41.87	41.9	0.03	973.34	0.000	0.074
N2SC-16	985.62	10/23/2003	11.34	---	0.00	41.88	41.90	0.02	974.28	0.000	0.000
N2SC-17	984.73	10/28/2003	8.65	---	0.00	---	37.15	0.00	976.08	0.000	0.000
NS-01	983.40	7/10/2003	11.85	---	0.00	---	17.11	0.00	971.55	0.000	0.000
NS-01	983.40	10/28/2003	7.60	---	0.00	---	17.10	0.00	975.80	0.000	0.000
NS-09	982.51	7/10/2003	11.23	---	0.00	---	19.87	0.00	971.28	0.000	0.000
NS-09	982.51	10/16/2003	6.68	---	0.00	---	19.83	0.00	975.83	0.000	0.000



**TABLE E-7  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR NEWELL STREET AREA II**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
NS-09	982.51	10/28/2003	6.61	---	0.00	---	19.86	0.00	975.90	0.000	0.000
NS-10	984.59	7/3/2003	10.48	10.43	0.05	---	19.21	0.00	974.16	0.000	0.000
NS-10	984.59	7/10/2003	10.84	10.78	0.06	---	19.22	0.00	973.81	0.000	0.000
NS-10	984.59	7/17/2003	10.51	10.39	0.12	---	19.21	0.00	974.19	0.000	0.000
NS-10	984.59	7/24/2003	10.14	10.07	0.07	---	19.22	0.00	974.52	0.000	0.000
NS-10	984.59	7/31/2003	10.81	10.69	0.12	---	19.21	0.00	973.89	0.000	0.000
NS-10	984.59	8/7/2003	9.83	9.69	0.14	---	19.26	0.00	974.89	0.000	0.000
NS-10	984.59	8/14/2003	8.16	8.00	0.16	---	19.24	0.00	976.58	0.000	0.000
NS-10	984.59	8/21/2003	10.03	9.85	0.18	---	19.23	0.00	974.73	0.000	0.000
NS-10	984.59	8/28/2003	9.90	9.79	0.11	---	19.23	0.00	974.79	0.000	0.000
NS-10	984.59	9/2/2003	9.87	9.74	0.13	---	19.24	0.00	974.84	0.000	0.000
NS-10	984.59	9/11/2003	9.54	9.42	0.12	---	19.21	0.00	975.16	0.000	0.000
NS-10	984.59	9/18/2003	9.81	9.65	0.16	---	19.23	0.00	974.93	0.000	0.000
NS-10	984.59	9/25/2003	8.98	8.85	0.13	---	19.23	0.00	975.73	0.000	0.000
NS-10	984.59	10/2/2003	7.65	7.56	0.09	---	19.23	0.00	977.02	0.000	0.000
NS-10	984.59	10/9/2003	8.50	8.40	0.10	---	19.24	0.00	976.18	0.247	0.000
NS-10	984.59	10/16/2003	8.72	8.68	0.04	---	19.23	0.00	975.91	0.000	0.000
NS-10	984.59	10/16/2003	8.72	8.68	0.04	---	19.23	0.00	975.91	0.000	0.000
NS-10	984.59	10/23/2003	8.93	8.82	0.11	---	19.23	0.00	975.76	0.000	0.000
NS-10	984.59	10/30/2003	7.09	6.99	0.10	---	19.21	0.00	977.59	0.000	0.000
NS-10	984.59	11/11/2003	8.38	8.26	0.12	---	19.23	0.00	976.32	0.000	0.000
NS-10	984.59	11/20/2003	8.28	8.25	0.03	---	19.23	0.00	976.34	0.000	0.000
NS-11	984.54	7/10/2003	9.25	---	0.00	---	9.83	0.00	975.29	0.000	0.000
NS-11	984.54	10/28/2003	8.68	---	0.00	---	9.79	0.00	975.86	0.000	0.000
NS-16	984.46	7/3/2003	10.50	---	0.00	---	19.73	0.00	973.96	0.000	0.000
NS-16	984.46	7/10/2003	10.81	---	0.00	---	19.73	0.00	973.65	0.000	0.000
NS-16	984.46	7/17/2003	10.60	---	0.00	---	19.73	0.00	973.86	0.000	0.000
NS-16	984.46	7/24/2003	10.20	---	0.00	---	19.73	0.00	974.26	0.000	0.000
NS-16	984.46	7/31/2003	10.78	---	0.00	---	19.74	0.00	973.68	0.000	0.000
NS-16	984.46	8/7/2003	9.86	---	0.00	---	19.72	0.00	974.60	0.000	0.000
NS-16	984.46	8/14/2003	8.20	---	0.00	---	19.73	0.00	976.26	0.000	0.000
NS-16	984.46	8/21/2003	9.05	---	0.00	---	19.73	0.00	975.41	0.000	0.000
NS-16	984.46	8/28/2003	9.94	---	0.00	---	19.72	0.00	974.52	0.000	0.000
NS-16	984.46	9/2/2003	9.90	---	0.00	---	19.73	0.00	974.56	0.000	0.000
NS-16	984.46	9/11/2003	9.55	---	0.00	---	19.72	0.00	974.91	0.000	0.000
NS-16	984.46	9/18/2003	9.78	---	0.00	---	19.73	0.00	974.68	0.000	0.000
NS-16	984.46	9/25/2003	8.82	---	0.00	---	19.73	0.00	975.64	0.000	0.000
NS-16	984.46	10/2/2003	7.60	---	0.00	---	19.73	0.00	976.86	0.000	0.000
NS-16	984.46	10/9/2003	8.61	---	0.00	---	19.73	0.00	975.85	0.000	0.000
NS-16	984.46	10/16/2003	8.80	---	0.00	---	19.73	0.00	975.66	0.000	0.000
NS-16	984.46	10/16/2003	8.80	---	0.00	---	19.73	0.00	975.66	0.000	0.000
NS-16	984.46	10/23/2003	8.98	---	0.00	---	19.73	0.00	975.48	0.000	0.000
NS-16	984.46	10/30/2003	7.21	---	0.00	---	19.73	0.00	977.25	0.000	0.000
NS-16	984.46	11/11/2003	8.36	---	0.00	---	19.73	0.00	976.10	0.000	0.000
NS-16	984.46	11/20/2003	8.38	---	0.00	---	19.73	0.00	976.08	0.000	0.000
NS-17	984.64	7/10/2003	13.06	---	0.00	---	18.72	0.00	971.58	0.000	0.000

**TABLE E-7  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR NEWELL STREET AREA II**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (Ft.)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
NS-17	984.64	10/15/2003	10.17	---	0.00	---	18.42	0.00	974.47	0.000	0.000
NS-17	984.64	10/28/2003	8.75	---	0.00	---	18.72	0.00	975.89	0.000	0.000
NS-20	985.29	7/10/2003	6.52	---	0.00	---	14.98	0.00	978.77	0.000	0.000
NS-20	985.29	10/16/2003	6.09	---	0.00	---	15.06	0.00	979.20	0.000	0.000
NS-20	985.29	10/28/2003	5.74	---	0.00	---	14.98	0.00	979.55	0.000	0.000
NS-21	983.39	7/10/2003	11.87	---	0.00	---	16.95	0.00	971.52	0.000	0.000
NS-21	983.39	10/28/2003	6.73	---	0.00	---	16.95	0.00	976.66	0.000	0.000
NS-24	984.37	7/10/2003	12.41	---	0.00	---	13.35	0.00	971.96	0.000	0.000
NS-24	984.37	10/28/2003	7.85	---	0.00	---	13.31	0.00	976.52	0.000	0.000
NS-31	986.05	7/10/2003	14.60	---	0.00	---	37.51	0.00	971.45	0.000	0.000
NS-31	986.05	8/7/2003	13.30	---	0.00	---	37.54	0.00	972.75	0.000	0.000
NS-31	986.05	9/2/2003	13.00	---	0.00	---	37.52	0.00	973.05	0.000	0.000
NS-31	986.05	10/16/2003	9.91	---	0.00	---	37.52	0.00	976.14	0.000	0.000
NS-34	986.81	10/28/2003	10.88	---	0.00	---	35.03	0.00	975.93	0.000	0.000
NS-35	982.99	7/10/2003	11.10	---	0.00	---	29.94	0.00	971.89	0.000	0.000
NS-35	982.99	8/7/2003	10.02	---	0.00	---	29.93	0.00	972.97	0.000	0.000
NS-35	982.99	9/2/2003	9.78	---	0.00	---	29.92	0.00	973.21	0.000	0.000
NS-35	982.99	10/16/2003	6.92	---	0.00	---	29.94	0.00	976.07	0.000	0.000
NS-36	985.20	7/10/2003	13.56	---	0.00	---	18.73	0.00	971.64	0.000	0.000
NS-36	985.20	8/7/2003	12.31	---	0.00	---	18.74	0.00	972.89	0.000	0.000
NS-36	985.20	9/2/2003	12.42	---	0.00	---	18.72	0.00	972.78	0.000	0.000
NS-36	985.20	10/16/2003	9.45	---	0.00	---	18.74	0.00	975.75	0.000	0.000
NS-37	986.20	7/10/2003	14.92	---	0.00	---	23.64	0.00	971.28	0.000	0.000
NS-37	986.20	8/7/2003	13.41	---	0.00	---	23.64	0.00	972.79	0.000	0.000
NS-37	986.20	9/2/2003	12.71	---	0.00	---	23.63	0.00	973.49	0.000	0.000
NS-37	986.20	10/16/2003	8.98	---	0.00	---	23.64	0.00	977.22	0.000	0.000
NS-37	986.20	10/17/2003	10.36	---	0.00	---	23.69	0.00	975.84	0.000	0.000

**NOTES:**

1. --- indicates LNAPL or DNAPL was not present in a measurable quantity
2. NA indicates information not available.
3. NM indicates data not measured.

**TABLE E-8**  
**FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR NEWELL STREET AREA I**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA**  
**GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (feet)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
FW-16R	986.51	7/11/2003	14.33	---	0.00	---	20.34	0.00	972.18	0.000	0.000
IA-9R	984.14	7/11/2003	11.72	---	0.00	---	16.93	0.00	972.42	0.000	0.000
IA-9R	984.14	10/28/2003	8.23	---	0.00	---	16.93	0.00	975.91	0.000	0.000

Notes:

1. --- indicates LNAPL or DNAPL was not present in a measurable quantity

TABLE E-9  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR SILVER LAKE AREA

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

Well Name	Measuring Point Elev (feet)	Date	Depth to Water (feet BMP)	Depth to LNAPL (feet BMP)	LNAPL Thickness (feet)	Depth to DNAPL (feet BMP)	Total Depth (feet BMP)	DNAPL Thickness (feet)	Corrected Water Elev. (feet)	LNAPL Removed (Liters)	DNAPL Removed (Liters)
Monitoring Wells Adjacent to Silver Lake											
95-15	986.38	7/8/2003	8.20	---	0.00	---	11.65	0.00	978.18	0.000	0.000
95-15	986.38	8/7/2003	8.11	---	0.00	---	16.65	0.00	978.27	0.000	0.000
95-15	986.38	9/2/2003	8.10	---	0.00	---	16.64	0.00	978.28	0.000	0.000
95-15	986.38	10/16/2003	7.77	---	0.00	---	16.61	0.00	978.61	0.000	0.000
95-17	1,007.67	8/7/2003	24.15	---	0.00	---	16.65	0.00	983.52	0.000	0.000
95-17	1,007.67	9/2/2003	24.05	---	0.00	---	29.36	0.00	983.62	0.000	0.000
95-17	1,007.67	10/24/2003	24.22	---	0.00	---	29.30	0.00	983.45	0.000	0.000
E-07	982.87	7/8/2003	7.53	---	0.00	---	19.82	0.00	975.34	0.000	0.000
E-07	982.87	8/7/2003	7.43	---	0.00	---	19.82	0.00	975.34	0.000	0.000
E-07	982.87	9/2/2003	7.05	---	0.00	---	19.82	0.00	975.82	0.000	0.000
E-07	982.87	10/9/2003	5.85	---	0.00	---	19.65	0.00	977.02	0.000	0.000
E-07	982.87	10/16/2003	6.19	---	0.00	---	19.82	0.00	976.68	0.000	0.000
GMA1-10	984.86	8/7/2003	7.58	---	0.00	---	19.86	0.00	977.28	0.000	0.000
GMA1-10	984.86	9/2/2003	7.56	---	0.00	---	19.86	0.00	977.30	0.000	0.000
GMA1-10	984.86	10/16/2003	6.75	---	0.00	---	19.90	0.00	978.11	0.000	0.000
GMA1-12	992.26	6/6/2003	16.02	---	0.00	---	22.14	0.00	976.24	0.000	0.000
GMA1-12	992.26	7/8/2003	16.19	---	0.00	---	22.14	0.00	976.07	0.000	0.000
GMA1-12	992.26	8/7/2003	16.05	---	0.00	---	22.14	0.00	976.21	0.000	0.000
GMA1-12	992.26	9/2/2003	16.06	---	0.00	---	22.16	0.00	976.20	0.000	0.000
GMA1-12	992.26	10/16/2003	15.41	---	0.00	---	22.14	0.00	976.85	0.000	0.000
MW-6R	985.14	7/8/2003	11.15	---	0.00	---	14.93	0.00	973.99	0.000	0.000
MW-6R	985.14	8/7/2003	11.00	---	0.00	---	13.94	0.00	974.14	0.000	0.000
MW-6R	985.14	9/2/2003	10.50	---	0.00	---	13.93	0.00	974.64	0.000	0.000
MW-6R	985.14	10/9/2003	9.30	---	0.00	---	13.78	0.00	975.84	0.000	0.000
MW-6R	985.14	10/16/2003	9.54	---	0.00	---	13.94	0.00	975.60	0.000	0.000
RF-02	982.43	7/8/2003	6.01	---	0.00	---	18.30	0.00	976.42	0.000	0.000
RF-02	982.43	8/7/2003	5.86	---	0.00	---	18.30	0.00	976.57	0.000	0.000
RF-02	982.43	9/2/2003	5.76	---	0.00	---	18.30	0.00	976.67	0.000	0.000
RF-02	982.43	10/16/2003	5.09	---	0.00	---	18.30	0.00	977.34	0.000	0.000
RF-03	985.40	7/8/2003	9.62	---	0.00	---	18.44	0.00	975.78	0.000	0.000
RF-03	985.40	8/7/2003	9.38	---	0.00	---	18.44	0.00	976.02	0.000	0.000
RF-03	985.40	9/2/2003	9.51	---	0.00	---	18.42	0.00	975.89	0.000	0.000
RF-03	985.40	10/16/2003	8.84	---	0.00	---	18.44	0.00	976.56	0.000	0.000
RF-03D	985.31	7/8/2003	7.70	---	0.00	---	36.03	0.00	977.61	0.000	0.000
RF-03D	985.31	8/7/2003	7.65	---	0.00	---	36.02	0.00	977.66	0.000	0.000
RF-03D	985.31	9/2/2003	7.42	---	0.00	---	36.02	0.00	977.89	0.000	0.000
RF-03D	985.31	10/16/2003	6.92	---	0.00	---	36.04	0.00	978.39	0.000	0.000
SLGW-1S	982.94	7/8/2003	7.15	---	0.00	---	16.25	0.00	975.79	0.000	0.000
SLGW-1S	982.94	8/6/2003	6.85	---	0.00	---	16.25	0.00	976.09	0.000	0.000
SLGW-1S	982.94	8/25/2003	7.07	---	0.00	---	16.36	0.00	975.87	0.000	0.000
SLGW-1S	982.94	9/3/2003	6.91	---	0.00	---	16.08	0.00	976.03	0.000	0.000
SLGW-1S	982.94	10/30/2003	6.28	---	0.00	---	16.10	0.00	976.66	0.000	0.000
SLGW-1S	982.94	12/12/2003	6.54	---	0.00	---	16.08	0.00	976.40	0.000	0.000
SLGW-1D	983.13	7/8/2003	4.74	---	0.00	---	37.00	0.00	978.39	0.000	0.000
SLGW-1D	983.13	8/6/2003	4.78	---	0.00	---	37.00	0.00	978.35	0.000	0.000

**TABLE E-9  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR SILVER LAKE AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (feet)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
SLGW-1D	983.13	8/25/2003	4.43	---	0.00	---	37.18	0.00	978.70	0.000	0.000
SLGW-1D	983.13	9/3/2003	4.53	---	0.00	---	36.77	0.00	978.60	0.000	0.000
SLGW-1D	983.13	10/30/2003	3.82	---	0.00	---	36.90	0.00	979.31	0.000	0.000
SLGW-1D	983.13	12/12/2003	3.78	---	0.00	---	36.91	0.00	979.35	0.000	0.000
SLGW-2S	985.39	7/8/2003	8.31	---	0.00	---	16.83	0.00	977.08	0.000	0.000
SLGW-2S	985.39	8/6/2003	8.26	---	0.00	---	16.83	0.00	977.13	0.000	0.000
SLGW-2S	985.39	8/26/2003	8.10	---	0.00	---	16.93	0.00	977.29	0.000	0.000
SLGW-2S	985.39	9/3/2003	8.17	---	0.00	---	16.61	0.00	977.22	0.000	0.000
SLGW-2S	985.39	10/30/2003	7.34	---	0.00	---	16.62	0.00	978.05	0.000	0.000
SLGW-2S	985.39	12/12/2003	7.55	---	0.00	---	16.63	0.00	977.84	0.000	0.000
SLGW-2D	985.10	7/8/2003	7.68	---	0.00	---	36.92	0.00	977.42	0.000	0.000
SLGW-2D	985.10	8/6/2003	7.72	---	0.00	---	36.92	0.00	977.38	0.000	0.000
SLGW-2D	985.10	8/26/2003	7.47	---	0.00	---	37.07	0.00	977.63	0.000	0.000
SLGW-2D	985.10	9/3/2003	7.56	---	0.00	---	36.79	0.00	977.54	0.000	0.000
SLGW-2D	985.10	10/30/2003	6.83	---	0.00	---	36.80	0.00	978.27	0.000	0.000
SLGW-2D	985.10	12/12/2003	6.77	---	0.00	---	36.77	0.00	978.33	0.000	0.000
SLGW-3S	980.21	7/8/2003	4.46	---	0.00	---	14.65	0.00	975.75	0.000	0.000
SLGW-3S	980.21	8/6/2003	4.11	---	0.00	---	14.68	0.00	976.10	0.000	0.000
SLGW-3S	980.21	8/28/2003	4.44	---	0.00	---	14.78	0.00	975.77	0.000	0.000
SLGW-3S	980.21	9/3/2003	4.11	---	0.00	---	14.50	0.00	976.10	0.000	0.000
SLGW-3S	980.21	10/30/2003	3.41	---	0.00	---	14.48	0.00	976.80	0.000	0.000
SLGW-3S	980.21	12/12/2003	3.61	---	0.00	---	14.47	0.00	976.60	0.000	0.000
SLGW-3D	979.14	7/8/2003	1.70	---	0.00	---	31.85	0.00	977.44	0.000	0.000
SLGW-3D	979.14	7/15/2003	1.81	---	0.00	---	31.79	0.00	977.33	0.000	0.000
SLGW-3D	979.14	7/15/2003	---	---	---	---	32.09	After well development		0.000	0.000
SLGW-3D	979.14	8/6/2003	4.11	---	0.00	---	32.08	0.00	975.03	0.000	0.000
SLGW-3D	979.14	8/28/2003	1.46	---	0.00	---	32.22	0.00	977.68	0.000	0.000
SLGW-3D	979.14	9/3/2003	1.46	---	0.00	---	31.94	0.00	977.68	0.000	0.000
SLGW-3D	979.14	10/30/2003	0.69	---	0.00	---	31.94	0.00	978.45	0.000	0.000
SLGW-3D	979.14	12/12/2003	0.31	---	0.00	---	31.93	0.00	978.83	0.000	0.000
SLGW-4S	984.02	7/11/2003	8.27	---	0.00	---	16.70	0.00	975.75	0.000	0.000
SLGW-4S	984.02	8/6/2003	7.84	---	0.00	---	16.70	0.00	976.18	0.000	0.000
SLGW-4S	984.02	8/28/2003	8.29	---	0.00	---	16.80	0.00	975.73	0.000	0.000
SLGW-4S	984.02	9/3/2003	8.00	---	0.00	---	16.51	0.00	976.02	0.000	0.000
SLGW-4S	984.02	10/30/2003	7.05	---	0.00	---	16.50	0.00	976.97	0.000	0.000
SLGW-4S	984.02	12/12/2003	7.49	---	0.00	---	16.51	0.00	976.53	0.000	0.000
SLGW-4D	983.51	7/11/2003	6.41	---	0.00	---	37.20	0.00	977.10	0.000	0.000
SLGW-4D	983.51	8/6/2003	6.50	---	0.00	---	37.20	0.00	977.01	0.000	0.000
SLGW-4D	983.51	8/28/2003	6.20	---	0.00	---	37.32	0.00	977.31	0.000	0.000
SLGW-4D	983.51	9/3/2003	6.23	---	0.00	---	37.06	0.00	977.28	0.000	0.000
SLGW-4D	983.51	10/30/2003	5.59	---	0.00	---	36.95	0.00	977.92	0.000	0.000
SLGW-4D	983.51	12/12/2003	5.22	---	0.00	---	37.05	0.00	978.29	0.000	0.000
SLGW-5S	979.12	7/8/2003	3.34	---	0.00	---	11.69	0.00	975.78	0.000	0.000
SLGW-5S	979.12	7/16/2003	3.31	---	0.00	---	11.69	0.00	975.81	0.000	0.000
SLGW-5S	979.12	7/16/2003	---	---	---	---	11.69	After well development		0.000	0.000
SLGW-5S	979.12	8/6/2003	3.11	---	0.00	---	11.70	0.00	976.01	0.000	0.000

**TABLE E-9  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR SILVER LAKE AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (feet)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
SLGW-5S	979.12	8/27/2003	3.40	---	0.00	---	11.80	0.00	975.72	0.000	0.000
SLGW-5S	979.12	9/3/2003	3.15	---	0.00	---	11.51	0.00	975.97	0.000	0.000
SLGW-5S	979.12	10/30/2003	2.67	---	0.00	---	12.51	0.00	976.45	0.000	0.000
SLGW-5S	979.12	12/12/2003	---	---	---	---	---	Unable to access well		0.000	0.000
SLGW-5D	979.30	7/8/2003	3.55	---	0.00	---	34.95	0.00	975.75	0.000	0.000
SLGW-5D	979.30	7/16/2003	3.50	---	0.00	---	34.93	0.00	975.80	0.000	0.000
SLGW-5D	979.30	7/16/2003	---	---	---	---	34.96	After well development		0.000	0.000
SLGW-5D	979.30	8/6/2003	3.41	---	0.00	---	34.94	0.00	975.89	0.000	0.000
SLGW-5D	979.30	8/27/2003	3.58	---	0.00	---	35.08	0.00	975.72	0.000	0.000
SLGW-5D	979.30	9/3/2003	3.36	---	0.00	---	34.8	0.00	975.94	0.000	0.000
SLGW-5D	979.30	10/30/2003	2.82	---	0.00	---	34.80	0.00	976.48	0.000	0.000
SLGW-5D	979.30	12/12/2003	---	---	---	---	---	Unable to access well		0.000	0.000
SLGW-6S	981.66	7/11/2003	5.91	---	0.00	---	13.70	0.00	975.75	0.000	0.000
SLGW-6S	981.66	7/15/2003	5.95	---	0.00	---	13.61	0.00	975.71	0.000	0.000
SLGW-6S	981.66	7/15/2003	---	---	---	---	13.77	After well development		0.000	0.000
SLGW-6S	981.66	8/6/2003	5.54	---	0.00	---	13.77	0.00	976.12	0.000	0.000
SLGW-6S	981.66	8/29/2003	5.63	---	0.00	---	13.88	0.00	976.03	0.000	0.000
SLGW-6S	981.66	9/3/2003	5.46	---	0.00	---	13.59	0.00	976.20	0.000	0.000
SLGW-6S	981.66	10/30/2003	4.45	---	0.00	---	13.60	0.00	977.21	0.000	0.000
SLGW-6S	981.66	12/12/2003	4.76	---	0.00	---	13.61	0.00	976.90	0.000	0.000
SLGW-6D	981.63	7/11/2003	6.21	---	0.00	---	34.04	0.00	975.42	0.000	0.000
SLGW-6D	981.63	7/15/2003	6.51	---	0.00	---	33.99	0.00	975.12	0.000	0.000
SLGW-6D	981.63	7/15/2003	---	---	---	---	34.99	After well development		0.000	0.000
SLGW-6D	981.63	8/6/2003	6.15	---	0.00	---	34.98	0.00	975.48	0.000	0.000
SLGW-6D	981.63	8/29/2003	5.81	---	0.00	---	35.13	0.00	975.82	0.000	0.000
SLGW-6D	981.63	9/3/2003	6.65	---	0.00	---	34.87	0.00	974.98	0.000	0.000
SLGW-6D	981.63	10/30/2003	4.23	---	0.00	---	34.85	0.00	977.40	0.000	0.000
SLGW-6D	981.63	12/12/2003	4.11	---	0.00	---	34.91	0.00	977.52	0.000	0.000

**TABLE E-9  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR SILVER LAKE AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (feet)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
<b>Piezometers within Silver Lake</b>											
SLPZ-01	981.5	8/6/2003	5.70	---	0.00	---	31.71	0.00	975.80	0.000	0.000
SLPZ-01	981.5	8/27/2003	5.10	---	0.00	---	31.84	0.00	976.40	0.000	0.000
SLPZ-01	981.5	9/3/2003	5.23	---	0.00	---	31.71	0.00	976.27	0.000	0.000
SLPZ-01	981.5	9/8/2003	4.86	---	0.00	---	31.74	0.00	976.64	0.000	0.000
SLPZ-01	981.50	10/30/2003	4.24	---	0.00	---	31.53	0.00	977.26	0.000	0.000
SLPZ-02	982.1	8/6/2003	4.36	---	0.00	---	37.14	0.00	977.74	0.000	0.000
SLPZ-02	982.1	8/27/2003	4.50	---	0.00	---	37.23	0.00	977.60	0.000	0.000
SLPZ-02	982.1	9/3/2003	4.46	---	0.00	---	37.14	0.00	977.64	0.000	0.000
SLPZ-02	982.1	9/8/2003	4.34	---	0.00	---	37.15	0.00	977.76	0.000	0.000
SLPZ-02	982.10	10/30/2003	3.30	---	0.00	---	36.95	0.00	978.80	0.000	0.000
SLPZ-03	981.6	8/6/2003	4.68	---	0.00	---	56.52	0.00	976.92	0.000	0.000
SLPZ-03	981.6	8/26/2003	4.17	---	0.00	---	56.67	0.00	977.43	0.000	0.000
SLPZ-03	981.6	9/3/2003	4.14	---	0.00	---	56.52	0.00	977.46	0.000	0.000
SLPZ-03	981.6	9/8/2003	3.98	---	0.00	---	56.67	0.00	977.62	0.000	0.000
SLPZ-03	981.60	10/30/2003	3.35	---	0.00	---	56.44	0.00	978.25	0.000	0.000
SLPZ-04	977.6	8/6/2003	2.74	---	0.00	---	36.81	0.00	974.86	0.000	0.000
SLPZ-04	977.6	8/26/2003	0.97	---	0.00	---	36.94	0.00	976.63	0.000	0.000
SLPZ-04	977.6	9/3/2003	1.21	---	0.00	---	36.81	0.00	976.39	0.000	0.000
SLPZ-04	977.6	9/8/2003	0.70	---	0.00	---	36.82	0.00	976.90	0.000	0.000
SLPZ-04	977.60	10/30/2003	0.30	---	0.00	---	36.64	0.00	977.30	0.000	0.000
SLPZ-05	981.4	8/6/2003	12.41	---	0.00	---	47.42	0.00	968.99	0.000	0.000
SLPZ-05	981.4	8/25/2003	6.04	---	0.00	---	NM	0.00	975.36	0.000	0.000
SLPZ-05	981.4	9/3/2003	6.01	---	0.00	---	47.42	0.00	975.39	0.000	0.000
SLPZ-05	981.4	9/8/2003	5.58	---	0.00	---	47.45	0.00	975.82	0.000	0.000
SLPZ-05	981.40	10/30/2003	4.90	---	0.00	---	47.24	0.00	976.50	0.000	0.000
SLPZ-06	980.8	8/6/2003	6.34	---	0.00	---	57.55	0.00	974.46	0.000	0.000
SLPZ-06	980.8	8/25/2003	4.88	---	0.00	---	58.10	0.00	975.92	0.000	0.000
SLPZ-06	980.8	9/3/2003	4.88	---	0.00	---	57.55	0.00	975.92	0.000	0.000
SLPZ-06	980.8	9/8/2003	4.57	---	0.00	---	56.87	0.00	976.23	0.000	0.000
SLPZ-06	980.80	10/30/2003	4.06	---	0.00	---	56.9	0.00	976.74	0.000	0.000
SLPZ-07	979.6	8/6/2003	4.66	---	0.00	---	36.91	0.00	974.94	0.000	0.000
SLPZ-07	979.6	8/26/2003	4.44	---	0.00	---	36.98	0.00	975.16	0.000	0.000
SLPZ-07	979.6	9/3/2003	4.02	---	0.00	---	36.91	0.00	975.58	0.000	0.000
SLPZ-07	979.6	9/8/2003	3.56	---	0.00	---	36.92	0.00	976.04	0.000	0.000
SLPZ-07	979.60	10/30/2003	2.88	---	0.00	---	36.76	0.00	976.72	0.000	0.000

**TABLE E-9  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR SILVER LAKE AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (feet)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
SLPZ-08	981.2	8/6/2003	5.61	---	0.00	---	31.80	0.00	975.59	0.000	0.000
SLPZ-08	981.2	8/28/2003	5.21	---	0.00	---	NM	0.00	975.99	0.000	0.000
SLPZ-08	981.2	9/3/2003	5.07	---	0.00	---	31.8	0.00	976.13	0.000	0.000
SLPZ-08	981.2	9/8/2003	4.81	---	0.00	---	31.82	0.00	976.39	0.000	0.000
SLPZ-08	981.20	10/30/2003	4.00	---	0.00	---	31.64	0.00	977.20	0.000	0.000
SLPZ-09	981.2	8/6/2003	45.29	---	0.00	---	59.43	0.00	935.91	0.000	0.000
SLPZ-09	981.2	8/28/2003	13.05	---	0.00	---	63.28	0.00	968.15	0.000	0.000
SLPZ-09	981.2	9/3/2003	11.06	---	0.00	---	59.43	0.00	970.14	0.000	0.000
SLPZ-09	981.2	9/8/2003	9.55	---	0.00	---	63.15	0.00	971.65	0.000	0.000
SLPZ-09	981.20	10/30/2003	5.38	---	0.00	---	63.22	0.00	975.82	0.000	0.000
SLPZ-10	981.4	8/6/2003	5.82	5.81	0.01	---	31.60	0.00	975.59	0.000	0.000
SLPZ-10	981.4	8/15/2003	4.86	---	0.00	---	31.57	0.00	976.54	0.000	0.000
SLPZ-10	981.4	8/22/2003	4.98	---	0.00	---	31.55	0.00	976.42	0.000	0.000
SLPZ-10	981.4	8/28/2003	5.09	---	0.00	---	31.55	0.00	976.31	0.000	0.000
SLPZ-10	981.4	9/3/2003	5.28	---	5.28	---	31.6	0.00	981.03	0.000	0.000
SLPZ-10	981.4	9/8/2003	4.93	---	0.00	---	31.62	0.00	976.47	0.000	0.000
SLPZ-10	981.4	9/22/2003	5.29	---	0.00	---	31.58	0.00	976.11	0.000	0.000
SLPZ-10	981.40	10/30/2003	4.02	---	0.00	---	31.42	0.00	977.38	0.000	0.000
<b>Silver Lake Surface Water Measurements</b>											
Silver Lake Staff Gauge	NA	8/8/03	0.64	NA	NA	NA	NA	NA	NA	0.000	0.000
Silver Lake Staff Gauge	NA	8/14/03	1.00	NA	NA	NA	NA	NA	NA	0.000	0.000
Silver Lake Staff Gauge	NA	8/21/03	0.60	NA	NA	NA	NA	NA	NA	0.000	0.000
Silver Lake Gauge	NA	9/2/2003	0.84	NA	NA	NA	NA	NA	NA	0.000	0.000
Silver Lake Gauge	NA	9/11/2003	0.52	NA	NA	NA	NA	NA	NA	0.000	0.000
Silver Lake Gauge	NA	9/18/2003	0.60	NA	NA	NA	NA	NA	NA	0.000	0.000
Silver Lake Gauge	NA	9/25/2003	0.90	NA	NA	NA	NA	NA	NA	0.000	0.000
Silver Lake Gauge	NA	10/2/2003	1.32	NA	NA	NA	NA	NA	NA	0.000	0.000
Silver Lake Gauge	NA	10/16/2003	1.70	NA	NA	NA	NA	NA	NA	0.000	0.000
Silver Lake Gauge	NA	10/23/2003	NM	NA	NA	NA	NA	NA	NA	0.000	0.000
Silver Lake Gauge	NA	10/30/2003	1.18	NA	NA	NA	NA	NA	NA	0.000	0.000
SLPZ-01	981.5	7/16/2003	5.40	---	0.00	---	12.20	0.00	976.10	0.000	0.000
SLPZ-01	981.5	8/6/2003	5.49	---	0.00	---	12.74	0.00	976.01	0.000	0.000
SLPZ-01	981.5	9/3/2003	5.44	---	0.00	---	12.74	0.00	976.06	0.000	0.000
SLPZ-01	981.5	9/8/2003	5.59	---	0.00	---	NM	0.00	975.91	0.000	0.000
SLPZ-01	981.5	10/30/2003	4.80	---	0.00	---	12.1	0.00	976.70	0.000	0.000
SLPZ-02	982.1	7/16/2003	6.20	---	0.00	---	16.40	0.00	975.90	0.000	0.000
SLPZ-02	982.1	8/6/2003	6.15	---	0.00	---	16.64	0.00	975.95	0.000	0.000
SLPZ-02	982.1	9/3/2003	6.10	---	0.00	---	16.64	0.00	976.00	0.000	0.000
SLPZ-02	982.1	9/8/2003	6.30	---	0.00	---	NM	0.00	975.80	0.000	0.000
SLPZ-02	982.1	10/30/2003	5.60	---	0.00	---	16.14	0.00	976.50	0.000	0.000
SLPZ-03	981.6	7/16/2003	5.60	---	0.00	---	30.50	0.00	976.00	0.000	0.000
SLPZ-03	981.6	8/6/2003	5.65	---	0.00	---	31.10	0.00	975.95	0.000	0.000
SLPZ-03	981.6	9/3/2003	5.59	---	0.00	---	31.1	0.00	976.01	0.000	0.000
SLPZ-03	981.6	9/8/2003	5.76	---	0.00	---	NM	0.00	975.84	0.000	0.000
SLPZ-03	981.6	10/30/2003	5.20	---	0.00	---	30.71	0.00	976.40	0.000	0.000
SLPZ-04	977.6	7/15/2003	2.00	---	0.00	---	16.90	0.00	975.60	0.000	0.000



**TABLE E-9  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR SILVER LAKE AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

<b>Well Name</b>	<b>Measuring Point Elev (feet)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
SLPZ-04	977.6	8/6/2003	1.65	---	0.00	---	17.12	0.00	975.95	0.000	0.000
SLPZ-04	977.6	9/3/2003	1.66	---	0.00	---	17.12	0.00	975.94	0.000	0.000
SLPZ-04	977.6	9/8/2003	1.73	---	0.00	---	NM	0.00	975.87	0.000	0.000
SLPZ-04	977.6	10/30/2003	1.20	---	0.00	---	16.66	0.00	976.40	0.000	0.000
SLPZ-05	981.4	7/15/2003	5.80	---	0.00	---	25.70	0.00	975.60	0.000	0.000
SLPZ-05	981.4	8/6/2003	5.39	---	0.00	---	26.10	0.00	976.01	0.000	0.000
SLPZ-05	981.4	9/3/2003	5.42	---	0.00	---	26.1	0.00	975.98	0.000	0.000
SLPZ-05	981.4	9/8/2003	5.58	---	0.00	---	NM	0.00	975.82	0.000	0.000
SLPZ-05	981.4	10/30/2003	4.90	---	0.00	---	25.58	0.00	976.50	0.000	0.000
SLPZ-06	980.8	7/16/2003	5.10	---	0.00	---	28.10	0.00	975.70	0.000	0.000
SLPZ-06	980.8	8/6/2003	4.85	---	0.00	---	28.15	0.00	975.95	0.000	0.000
SLPZ-06	980.8	9/3/2003	4.79	---	0.00	---	28.15	0.00	976.01	0.000	0.000
SLPZ-06	980.8	9/8/2003	4.95	---	0.00	---	NM	0.00	975.85	0.000	0.000
SLPZ-06	980.8	10/30/2003	4.40	---	0.00	---	27.76	0.00	976.40	0.000	0.000
SLPZ-07	979.6	7/15/2003	3.70	---	0.00	---	16.30	0.00	975.90	0.000	0.000
SLPZ-07	979.6	8/6/2003	3.92	---	0.00	---	16.74	0.00	975.68	0.000	0.000
SLPZ-07	979.6	9/3/2003	3.60	---	0.00	---	16.74	0.00	976.00	0.000	0.000
SLPZ-07	979.6	9/8/2003	3.56	---	0.00	---	NM	0.00	976.04	0.000	0.000
SLPZ-07	979.6	10/30/2003	3.10	---	0.00	---	16.24	0.00	976.50	0.000	0.000
SLPZ-08	981.2	7/15/2003	5.50	---	0.00	---	14.00	0.00	975.70	0.000	0.000
SLPZ-08	981.2	8/6/2003	5.30	---	0.00	---	14.22	0.00	975.90	0.000	0.000
SLPZ-08	981.2	9/3/2003	5.25	---	0.00	---	14.22	0.00	975.95	0.000	0.000
SLPZ-08	981.2	9/8/2003	5.40	---	0.00	---	NM	0.00	975.80	0.000	0.000
SLPZ-08	981.2	10/30/2003	4.70	---	0.00	---	13.67	0.00	976.50	0.000	0.000
SLPZ-09	981.2	7/16/2003	6.10	---	0.00	---	34.00	0.00	975.10	0.000	0.000
SLPZ-09	981.2	8/6/2003	5.31	---	0.00	---	33.28	0.00	975.89	0.000	0.000
SLPZ-09	981.2	9/3/2003	5.25	---	0.00	---	33.28	0.00	975.95	0.000	0.000
SLPZ-09	981.2	9/8/2003	5.41	---	0.00	---	NM	0.00	975.79	0.000	0.000
SLPZ-09	981.2	10/30/2003	4.80	---	0.00	---	32.83	0.00	976.40	0.000	0.000

**TABLE E-9  
FALL 2003 ROUTINE GROUNDWATER ELEVATION AND NAPL THICKNESS/RECOVERY DATA FOR SILVER LAKE AREA**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**


<b>Well Name</b>	<b>Measuring Point Elev (feet)</b>	<b>Date</b>	<b>Depth to Water (feet BMP)</b>	<b>Depth to LNAPL (feet BMP)</b>	<b>LNAPL Thickness (feet)</b>	<b>Depth to DNAPL (feet BMP)</b>	<b>Total Depth (feet BMP)</b>	<b>DNAPL Thickness (feet)</b>	<b>Corrected Water Elev. (feet)</b>	<b>LNAPL Removed (Liters)</b>	<b>DNAPL Removed (Liters)</b>
SLPZ-10	981.4	7/15/2003	5.60	---	0.00	---	11.10	0.00	975.80	0.000	0.000
SLPZ-10	981.4	8/6/2003	5.32	---	0.00	---	11.37	0.00	976.08	0.000	0.000
SLPZ-10	981.4	8/15/2003	4.86	---	0.00	---	11.20	0.00	976.54	0.000	0.000
SLPZ-10	981.4	8/22/2003	5.53	---	0.00	---	11.31	0.00	975.87	0.000	0.000
SLPZ-10	981.4	8/28/2003	5.65	---	0.00	---	11.31	0.00	975.75	0.000	0.000
SLPZ-10	981.4	9/3/2003	5.26	---	0.00	---	11.37	0.00	976.14	0.000	0.000
SLPZ-10	981.4	9/8/2003	5.44	---	0.00	---	11.37	0.00	975.96	0.000	0.000
SLPZ-10	981.4	9/22/2003	5.94	---	0.00	---	11.28	0.00	975.46	0.000	0.000
SLPZ-10	981.4	10/30/2003	4.80	---	0.00	---	10.91	0.00	976.60	0.000	0.000

**NOTES:**

1. Silver Lake surface water readings are collected outside of each piezometer from the same measuring point used for groundwater elevation measurements (collected within the piezometers). The Total Depth readings listed on 7/15/03 to 7/16/03 refer to the surface water depth at the location on the installation date.
2. ft BMP - feet Below Measuring Point
3. --- indicates LNAPL or DNAPL was not present in a measurable quantity
4. NA indicates information not available.
5. NM indicates information not measured.
6. NR indicates information not recorded/reported.
7. P indicates that LNAPL is present at a thickness that is < 0.01 feet, the corresponding thickness is recorded as such.

**APPENDIX E  
GROUNDWATER ELEVATION AND LNAPL THICKNESS DATA FOR  
EAST STREET AREA 1 - NORTH MONITORING WELL 106**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




Well screen elevation: 980.1 to 1,000.1 feet

V:\GE\_Pittsfield\_CD\_GMA\_1\Reports and Presentations\Fall 2003 NAPL Report\1084AppE\_106.xls

APPENDIX E  
GROUNDWATER ELEVATION AND LNAPL THICKNESS DATA FOR  
EAST STREET AREA 2 - SOUTH MONITORING WELL 13

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS




Well screen elevation: 961.3 to 981.3 feet

V:\GE\_Pittsfield\_CD\_GMA\_1\Reports and Presentations\Fall 2003 NAPL Report\1084AppE\_13.xls

APPENDIX E  
GROUNDWATER ELEVATION AND LNAPL THICKNESS DATA FOR  
EAST STREET AREA 2 - SOUTH MONITORING WELL 50

PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS




Well screen elevation: 961.5 to 981.5 feet

V:\GE\_Pittsfield\_CD\_GMA\_1\Reports and Presentations\Fall 2003 NAPL Report\1084AppE\_50.xls

**APPENDIX E  
GROUNDWATER ELEVATION AND LNAPL THICKNESS DATA FOR  
EAST STREET AREA 2 - NORTH MONITORING WELL 14-N**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




Well screen elevation: 976.7 to 986.7

V:\GE\_Pittsfield\_CD\_GMA\_1\Reports and Presentations\Fall 2003 NAPL Report\1084AppE\_14\_N.xls

**APPENDIX E  
GROUNDWATER ELEVATION AND LNAPL THICKNESS DATA FOR  
EAST STREET AREA 2 - SOUTH MONITORING WELL 95-05**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




Well screen elevation: 968.8 to 978.8 feet

V:\GE\_Pittsfield\_CD\_GMA\_1\Reports and Presentations\Fall 2003 NAPL Report\1084AppE\_95\_05.xls

**APPENDIX E  
GROUNDWATER ELEVATION AND LNAPL THICKNESS DATA FOR  
LYMAN STREET AREA MONITORING WELL LS-21**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




Well screen elevation: 965.9 to 975.9 feet

V:\GE\_Pittsfield\_CD\_GMA\_1\Reports and Presentations\Fall 2003 NAPL Report\1084AppE\_LS\_21.xls



**APPENDIX E  
GROUNDWATER ELEVATION AND LNAPL THICKNESS DATA FOR  
EAST STREET AREA 1-SOUTH MONITORING WELL 72/72R**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




Well screen elevation: 977.6 to 997.6 feet

V:\GE\_Pittsfield\_CD\_GMA\_1\Reports and Presentations\Fall 2003 NAPL Report\1084AppE\_72.xls

**APPENDIX E  
GROUNDWATER ELEVATION AND LNAPL THICKNESS DATA FOR  
EAST STREET AREA 1-SOUTH MONITORING WELL 76**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




Well screen elevation: 977.5 to 997.5 feet

V:\GE\_Pittsfield\_CD\_GMA\_1\Reports and Presentations\Fall 2003 NAPL Report\1084AppE\_76.xls

**APPENDIX E  
GROUNDWATER ELEVATION AND LNAPL THICKNESS DATA FOR  
LYMAN STREET AREA MONITORING WELL LS-2**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




Corrected Groundwater Elevation (feet)
  LNAPL Thickness (feet)

Well screen elevation: 965.6 to 975.6 feet

V:\GE\_Pittsfield\_CD\_GMA\_1\Reports and Presentations\Fall 2003 NAPL Report\1084AppE\_LS\_2.xls

**APPENDIX E  
GROUNDWATER ELEVATION AND LNAPL THICKNESS DATA FOR  
EAST STREET AREA 2-SOUTH MONITORING WELL 48**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




Well Screen Elevation: 964.0 to 974.0

V:\GE\_Pittsfield\_CD\_GMA\_1\Reports and Presentations\Fall 2003 NAPL Report\1084AppE\_48.xls

**APPENDIX E  
GROUNDWATER ELEVATION AND LNAPL THICKNESS DATA FOR  
LYMAN STREET AREA MONITORING WELL LS-31**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**



Well screen elevation: 964.3 to 974.3 feet










V:\GE\_Pittsfield\_CD\_GMA\_1\Reports and Presentations\Fall 2003 NAPL Report\1084AppE\_LS\_31.xls

## *Appendix F*

---

# **Soil Boring and Monitoring Well Logs**

<b>Date Start/Finish:</b> 5/22/03 <b>Drilling Company:</b> Parratt-Wolff <b>Driller's Name:</b> DW, RN <b>Drilling Method:</b> Direct Push/Hollow Stem Auger <b>Bit Size:</b> NA <b>Auger Size:</b> 4 1/4" <b>Rig Type:</b> Truck-Mounted Ingersoll Rand <b>Sampling Method:</b> 2" Split Spoon	<b>Northing:</b> 534006.2 <b>Easting:</b> 132995.2 <b>Casing Elevation:</b> 997.43  <b>Borehole Depth:</b> 22' below grade <b>Surface Elevation:</b> 995.3  <b>Geologist:</b> M. Arlaukas	<b>Well/Boring ID:</b> GMA1-14  <b>Client:</b> General Electric Company  <b>Location:</b> GMA 1 - East Street Area 2 - South
--	--	--

DEPTH	ELEVATION	Sample Run Number	Sample/m/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 Inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
0	995	1	0-2	1.5	0.0	NA	NA	 TOPSOIL Gray to brown fine to medium SAND, some Silt, trace Brick and subangular Gravel. [FILL]	Steel Casing	
		2	2-4	1.4	0.0	NA	NA	 Gray to brown medium to coarse SAND, little angular fine Gravel, trace Wood, Slag, Brick, Coal/Cinders and Ash, loose, dry.	Sched 40 2" PVC Riser (0 - 12' bgs)	
5	990	3	4-6	0.2	0.0	NA	NA	No recovery.	Grout (1' - 7.7' bgs)	
		4	6-8	0.8	0.0	NA	NA	 Gray to brown medium to coarse SAND, little angular fine Gravel, trace Wood, Slag, Brick, Coal/Cinders and Ash, loose, slightly moist to dry.	Bentonite Chips (7.7' - 9.8' bgs)	
		5	8-10	0.9	0.0	NA	NA	Black staining below 8.6' bgs.	Type #1 Silica Sand (9.8' - 22' bgs)	
10	985	6	10-12	1.6	0.7	NA	NA	 Gray very fine to fine SAND, trace Silt, slightly moist.  Dark gray very fine SAND, trace Silt, black staining, wet.  Gray to brown medium to coarse SAND, wet.		
		7	12-14	1.3	23.0	NA	NA	 Gray to brown fine to coarse SAND, little subangular to subrounded fine to medium Gravel, moist to wet.  Gray to brown fine to coarse SAND, little subrounded fine to medium Gravel, moist to wet.	Sched 40 2" PVC Slot Screen (0.02") (12' - 12' bgs)	
15	980	8	14-16	0.9	1.4	NA	NA	 Gray to brown fine to coarse SAND, little subrounded fine to medium Gravel, rock fragments in tip of spoon, moist to dry.		

**BBL**  
 BLASLAND, BOUCK & LEE, INC.  
 engineers & scientists

**Remarks:** NA = not available;  
 bgs = below ground surface.

**Client:**  
General Electric Company

**Well/Boring ID:** GMA1-14

**Site Location:**  
GMA 1 - East Street Area 2 - South

**Borehole Depth:** 22' below grade

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
		9	16-18	0.3	5.9	NA	NA	Geologic Column	Saturated and black droplets on water below 18'.	
		11	18-20	1.0	0.0	NA	NA		Black staining below 18' bgs.	
20	975	13	20-22	0.2	0.0	NA	NA			
25	970									
30	965									
35	960									



**Remarks:** NA = not available;  
bgs = below ground surface.



<b>Date Start/Finish:</b> 5/20/03 <b>Drilling Company:</b> Parrett-Wolff <b>Driller's Name:</b> DW, RN <b>Drilling Method:</b> Direct Push/Hollow Stem Auger <b>Bit Size:</b> NA <b>Auger Size:</b> 4 1/4" <b>Rig Type:</b> Truck-Mounted Ingersoll Rand <b>Sampling Method:</b> 2" Split Spoon	<b>Northing:</b> 533257.0 <b>Easting:</b> 132155.0 <b>Casing Elevation:</b> 986.8  <b>Borehole Depth:</b> 16' below grade <b>Surface Elevation:</b> 986.6  <b>Geologist:</b> M. Arlaukas	<b>Well/Boring ID:</b> GMA1-15  <b>Client:</b> General Electric Company  <b>Location:</b> GMA 1 - East Street Area 2 - South
--	---	--

DEPTH	ELEVATION	Sample Run Number	Sample Int/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 Inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
0										
985		1	0-2	NA	NA	NA	NA	Black FILL material.		
		2	2-4	NA	NA	NA	NA			
5		3	4-6	NA	NA	NA	NA			
980		4	6-8	1.5	0.0	NA	NA	Medium brown fine to medium SAND, moist. Medium to coarse SAND, trace subrounded Gravel, slightly moist to dry. Dark brown medium to coarse SAND, some medium subrounded Gravel, slightly moist to dry. Brown SILT and very fine SAND, slightly moist to dry.		
10		5	8-10	1.5	0.0	NA	NA			
975		6	10-12	1.0	1.7	NA	NA	Gray fine to coarse SAND, fine to medium subrounded and subangular Gravel and coarse subrounded Gravel, black staining, petroleum odor, slightly moist.		
		7	12-14	1.0	4.0	NA	NA	Variegated medium to coarse SAND, little subangular and subrounded Gravel, fine to medium Gravel, odor, wet.		
15		8	14-16	1.8	2.0	NA	NA			

	<b>Remarks:</b> NA = not available; bgs = below ground surface.
--	--

<b>Date Start/Finish:</b> 5/20/03 <b>Drilling Company:</b> Parrett-Woff <b>Driller's Name:</b> DW, RN <b>Drilling Method:</b> Direct Push/Hollow Stem Auger <b>Bit Size:</b> NA <b>Auger Size:</b> 4 1/4" <b>Rig Type:</b> Truck-Mounted Ingersoll Rand <b>Sampling Method:</b> 2" Split Spoon	<b>Northing:</b> 533167.9 <b>Easting:</b> 132359.9 <b>Casing Elevation:</b> 988.95  <b>Borehole Depth:</b> 18' below grade <b>Surface Elevation:</b> 985.1  <b>Geologist:</b> M. Arlaukas	<b>Well/Boring ID:</b> GMA1-16  <b>Client:</b> General Electric Company  <b>Location:</b> GMA 1 - East Street Area 2 - South
---	--	--

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
0	985									Steel Casing
		1	0-2	NA	NA	NA	NA		Dark brown SILTY fine to medium SAND, some Gravel, slightly moist to dry.	Concrete (0 - 2.0' bgs)
		2	2-4	NA	NA	NA	NA			Grout (2' 3.8' bgs)
5	980	3	4-6	NA	NA	NA	NA			Bentonite Chips (3.8' - 5.9' bgs)
									Dark brown SILTY very fine SAND, Roots and Organic Matter, moist.	Sched 40 2" PVC Riser (0 - 8' bgs)
		4	6-8	1.0	7	NA	NA		Same as above, little subangular fine to medium Gravel, black staining, odor.	
		5	8-10	0.4	70	NA	NA		Dark gray fine SAND, trace subrounded and subangular coarse Gravel, moist, odor.	Sched 40 2" PVC Slot Screen (0.02" (8' - 18')
10	975	6	10-12	0.4	10	NA	NA		Dark gray fine to medium SAND, moist to wet, black wood fibers at 10.25' - 10.3' bgs.	
		7	12-14	1.5	0.0	NA	NA		Dark gray very fine to fine SAND, with black fibers, trace rootlets, wet to moist.	Type #1 Silica Sand (5.9' - 18' bgs)
15	970	8	14-16	1.6	4.0	NA	NA		SILTY fine SAND, trace Clay, Peat, Coal, Rootlets, odor, saturated, oil visible.	
									Dark gray medium to coarse SAND, odor, saturated.	

**BBL**  
 BLASLAND, BOUCK & LEE, INC.  
 engineers & scientists



**Remarks:** NA = not available;  
 bgs = below ground surface.

**Client:**  
General Electric Company

**Well/Boring ID:** GMA1-16

**Site Location:**  
GMA 1 - East Street Area 2 - South

**Borehole Depth:** 18' below grade

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 Inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
		9	16-18	0.8	12	NA	NA		Dark gray fine SAND, Wood, saturated.	 <p>Type #1 Silica Sand (5.9' - 18' bgs) Sched 40 2" PVC Slot Screen (0.02") (8' - 18' bgs)</p>
20965										
25960										
30955										
35950										



**Remarks:** NA = not available;  
bgs = below ground surface.

<b>Date Start/Finish:</b> 9/29/03 <b>Drilling Company:</b> BBL, Inc. <b>Driller's Name:</b> JJB <b>Drilling Method:</b> Direct Push/Hollow Stem Auger <b>Bit Size:</b> NA <b>Auger Size:</b> 4 1/4" <b>Rig Type:</b> Truck-Mounted Power Probe <b>Sampling Method:</b> 2' Macrocore	<b>Northing:</b> 533783.1 <b>Easting:</b> 132983.9 <b>Casing Elevation:</b> 993.03 <b>Borehole Depth:</b> 18' below grade <b>Surface Elevation:</b> 993.36 <b>Geologist:</b> JAB	<b>Well/Boring ID:</b> GMA1-17E <b>Client:</b> General Electric Company <b>Location:</b> GMA 1 - East Street Area 2 - South
--	---	---

DEPTH	ELEVATION	Sample Run Number	Sample In/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
995										
0										9"x12" Steel Curb Box
		1	0-2	3.0	45.0	NA	NA		Brown fine SAND and SILT, little fine Gravel, trace organic matter.	Concrete (0 - 1.0' bgs)
									Brown-black fine to medium SAND, some Silt, little fine to medium gravel, trace wood, slight petroleum odor.	
									Orange-brown fine SILTY-SAND, some fine to coarse Gravel, slight petroleum odor.	Sched 40 2" PVC Riser (0.26 - 7.5' bgs)
990		2	2-4		68.5	NA	NA		Black coarse to fine SAND, some Coal/Ash and Slag, strong petroleum odor. [FILL]	3/8" Bentonite Chips (1.0' - 5.5' bgs)
									Orange-brown fine to medium SAND, little Silt and fine to medium Gravel.	
5		3	4-6	2.0	40.5	NA	NA		Black COAL/ASH/SLAG, strong petroleum odor. [FILL]	
									Orange-brown fine SAND and SILT, moist, slight petroleum odor.	
		4	6-8		31.7	NA	NA			
985										
		5	8-10	3.8	54.1	NA	NA		Gray-brown SILT, little fine to medium Sand, moist, slight petroleum odor.	Type #1 Silica Sand (5.5' - 17.5' bgs)
10									Orange-brown fine to medium SAND, trace Silt, moist.	
		6	10-12		42.5	NA	NA			
									Gray-brown fine to coarse SAND, some fine to medium Gravel, moist.	Sched 40 2" PVC Slot Screen (0.02" (7.5' - 17.5' bgs)
									Black coarse to fine SAND, trace Silt, wet, visible product, strong petroleum odor.	
980		7	12-14	2.5	23.9	NA	NA			
15		8	14-16		82.7	NA	NA			



**Remarks:** NA = not available;  
bgs = below ground surface.

**Client:**



General Electric Company

**Well/Boring ID:** GMA1-17E

**Site Location:**

GMA 1 - East Street Area 2 - South

**Borehole Depth:** 18' below grade


DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
9		16-18		1.2	38.9	NA	NA		Light brown fine SAND (tight), some fine to coarse Gravel, strong petroleum odor.	 <p>Sched 40 2" PVC Slot Screen (0.02") (7.5' - 17.5' bgs) Type #1 Silica Sand (5.5' - 17.5' bgs)</p>
975										
20										
970										
25										
965										
30										
960										
35										



**Remarks:** NA = not available;  
bgs = below ground surface.

<b>Date Start/Finish:</b> 10/10/03 <b>Drilling Company:</b> Parratt-Wolf <b>Driller's Name:</b> R. Navata, J. Percy <b>Drilling Method:</b> Direct Push/Hollow Stem Auger <b>Bit Size:</b> NA <b>Auger Size:</b> 4 1/4" <b>Rig Type:</b> Ingersoll Rand 8300 <b>Sampling Method:</b> 2" Split Spoon	<b>Northing:</b> 533784.6 <b>Easting:</b> 132978.0 <b>Casing Elevation:</b> 992.63 <b>Borehole Depth:</b> 24' below grade <b>Surface Elevation:</b> 993.3 <b>Geologist:</b> K. Gross	<b>Well/Boring ID:</b> GMA1-17W <b>Client:</b> General Electric Company <b>Location:</b> GMA 1 - East Street Area 2 - South
--	---	---

DEPTH	ELEVATION	Sample Run Number	Sample In/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 Inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
995										
0										Flush Mount Cover
1		0-2		3.0	45.0	NA	NA		Brown fine SAND and SILT, little fine Gravel, trace organic matter.	Grout (0 - 2')
									Brown-black fine to medium SAND, some Silt, little fine to medium gravel, trace wood, slight petroleum odor.	
									Orange-brown fine SILTY-SAND, some fine to coarse Gravel, slight petroleum odor.	Sched 40 2" PVC Riser (0.67 - 14' bgs)
2		2-4			68.5	NA	NA		Black coarse to fine SAND, some Coal/Ash and Slag, strong petroleum odor. [FILL]	3/8" Bentonite Chips (2.0' - 10' bgs)
									Orange-brown fine to medium SAND, little Silt and fine to medium Gravel.	
3		4-6		2.0	40.5	NA	NA		Black COAL/ASH/SLAG, strong petroleum odor. [FILL]	
									Orange-brown fine SAND and SILT, moist, slight petroleum odor.	
4		6-8			31.7	NA	NA			
									Gray-brown SILT, little fine to medium Sand, moist, slight petroleum odor.	
5		8-10		3.8	54.1	NA	NA			
									Orange-brown fine to medium SAND, trace Silt, moist.	Type #1 Silica Sand (10' - 24' bgs)
6		10-12			42.5	NA	NA			
									Gray-brown fine to coarse SAND, some fine to medium Gravel, moist.	
7		12-14		2.5	23.9	NA	NA		Black coarse to fine SAND, trace Silt, wet, visible product, strong petroleum odor.	Sched 40 2" PVC Slot Screen (0.02") (14' - 24' bgs)
8		14-16			82.7	NA	NA			




**Remarks:** NA = not available;  
bgs = below ground surface.

Client:  
General Electric Company  
Site Location:  
GMA 1 - East Street Area 2 - South

Well/Boring ID: GMA1-17W  
Borehole Depth: 24' below grade

DEPTH	ELEVATION	Sample Run Number	Sample/in/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
9		16-18		1.2	38.9	NA	NA		Light brown fine SAND (light), some fine to coarse Gravel, strong petroleum odor.	<p>Sched 40 2" PVC Slot Screen (0.02") (14' - 24' bgs) Type #1 Silica Sand (10' - 24' bgs)</p>
975		18-20		NA	NA	NA	NA	Not available.		
20		20-22		0.5	19.5	NA	NA		Dark brown fine SAND, some Silt, trace organic material, wet, strong petroleum odor.	
									Gray coarse to fine GRAVEL, some brown Silt, wet, odor, sheen.	
970		22-24		1.5	27.8	NA	NA		Brown medium to fine SAND, trace Silt, wet, odor.	
25										
965										
30										
960										
35										



Remarks: NA = not available;  
bgs = below ground surface.

<b>Date Start/Finish:</b> 10/9/03 <b>Drilling Company:</b> Parati-Wolff <b>Driller's Name:</b> R. Navata and J. Perci <b>Drilling Method:</b> Direct Push/Hollow Stem Auger <b>Bit Size:</b> NA <b>Auger Size:</b> 6 1/4" <b>Rig Type:</b> Ingersoll Rand 8300 <b>Sampling Method:</b> 2" Split Spoon	<b>Northing:</b> 534196.1 <b>Easting:</b> 134234.6 <b>Casing Elevation:</b> 1000.92 <b>Borehole Depth:</b> 16' below grade <b>Surface Elevation:</b> 1001.2 <b>Geologist:</b> NAS	<b>Well/Boring ID:</b> 72R <b>Client:</b> General Electric Company <b>Location:</b> GMA 1 - East Street Area 1 - South
--	--	--

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 Inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
0									Dark brown SILT, some fine Sand, little organic material, dry. [TOPSOIL]	
1.000		1	0-2	0.9	0.9	NA	NA	 Brown fine to medium SAND, little Silt and fine to medium Gravel, dry.		
2		2	2-4	1.2	11.7	NA	NA	 Brown fine to medium SAND, little to some fine to medium Gravel, little silt, trace brick fragments, dry. [FILL]		
5		3	4-8	1.5	8.6	NA	NA	 Same as above, moist.		
995		4	6-8	1.1	8.2	NA	NA	 Brown SILT, little very fine Sand, moist, iron staining at contact.		
		5	8-10	1.5	4.8	NA	NA	 Brown fine to medium SAND, trace fine Gravel, wet, loose.  Brown fine SAND, little Silt, wet.		
10		6	10-12	0.9	8.5	NA	NA	 Brown-gray SILT, some fine Sand, little fine to medium gravel, moist, wet around gravel fragments.  Gray fine to medium SAND, little Silt and fine to medium Gravel, moist.		
		7	12-14	2.0	5.2	NA	NA	 Gray SILT, trace fine Sand, Clay and fine Gravel, damp. [TILL]		
15		8	14-16	1.2	6.7	NA	NA	 Gray SILT, trace Clay, fine Sand and fine Gravel, dry. [TILL]		




**Remarks:** NA = not available;  
bgs = below ground surface.



<b>Date Start/Finish:</b> 10/9/03 <b>Drilling Company:</b> Paratt-Wolf <b>Driller's Name:</b> R. Navatna and J. Percy <b>Drilling Method:</b> Direct Push/Hollow Stem Auger <b>Bit Size:</b> NA <b>Auger Size:</b> 4 1/4" <b>Rig Type:</b> Ingersoll Rand 8300 <b>Sampling Method:</b> 2" Split Spoon	<b>Northing:</b> 534111.7 <b>Easting:</b> 133258.0 <b>Casing Elevation:</b> 999.85 <b>Borehole Depth:</b> 28' below grade <b>Surface Elevation:</b> 998.4 <b>Geologist:</b> NAS	<b>Well/Boring ID:</b> 26RR <b>Client:</b> General Electric Company <b>Location:</b> GMA 1 - East Street Area 2-South
--	--	---

DEPTH	ELEVATION	Sample Run Number	Sample Int/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 Inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
1000										Protective Casing (0 - 2.18' above ground) Sched 40 2" PVC Riser (0 - 1.45' above ground)
0								+	Brown fine SAND and SILT, damp. [TOPSOIL]	Concrete (0 - 1.0' bgs)
		1	0-2	1.2	0.3	NA	NA	x	Brown fine to medium SAND, little Silt and medium Gravel, cobble at 1.5', dry. [FILL]	Grout (1' - 5.5')
995		2	2-4	1.1	0.6	NA	NA	x		
5		3	4-6	1.3	1.5	NA	NA	x		
		4	6-8	1.5	3.2	NA	NA	x	Brown-black fine to medium SAND, little Cinders and medium Gravel, damp, trace septic odor. [FILL]	Sched 40 2" PVC Riser (0 - 13' bgs)
990								x	Same as above, damp.	Bentonite Chips (5.5' - 11' bgs)
10		5	8-10	0.75	2.9	NA	NA	x		
		6	10-12	0.75	3.2	NA	NA	x		
								x	Brown fine to medium SAND, little Silt and medium Gravel, damp.	Type #1 Silica Sand (11' - 28' bgs)
985		7	12-14	0.8	2.5	NA	NA	x		
15		8	14-16	0.9	2.7	NA	NA	x		Sched 40 2" PVC Slot Screen (0.02") (13' - 28' bgs)




Remarks: NA = not available;  
bgs = below ground surface.

Client:  
General Electric Company  
Site Location:  
GMA 1 - East Street Area 2-South









Well/Boring ID: 26RR  
Borehole Depth: 28' below grade

DEPTH	ELEVATION	Sample Run Number	Sample/in/Type	Recovery (feet)	PID Headspace (ppm)	Blows / 6 inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
980	20	9	16-18	1.75	16.6	NA	NA	x x x x x x	Brown fine to medium SAND, little Silt and medium Gravel, damp.	<p>Sched 40 2" PVC Slot Screen (0.02") (13' - 28' bgs)</p> <p>Type #1 Silica Sand (11' - 28' bgs)</p>
		10	18-20	NA	19.6	NA	NA		Gray fine to medium SAND, little Silt, trace organic material, moist.	
11	20-22	1.75	24.5	NA	NA		Gray fine to medium SAND, little Silt, trace organic material and fine to medium gravel, moist.			
975	25	12	22-24	1.5	25.3	NA	NA		Same as above, with black staining from 21.25' to 21.75' and from 22.5' to 23', slight odor.	
		13	24-26	1.5	29.7	NA	NA		Gray medium to coarse SAND, trace fine to medium Gravel, wet, slight hydrocarbon odor.	
14	26-28	1.0	21.0	NA	NA			Brown fine to medium SAND, little Silt, trace fine gravel, wet, trace odor.		
970	30									
965	35									



Remarks: NA = not available;  
bgs = below ground surface.

<b>Date Start/Finish:</b> 10/8/03 <b>Drilling Company:</b> Parrett-Woff <b>Driller's Name:</b> Rick Novatna, Joel Percy <b>Drilling Method:</b> Direct Push/Hollow Stem Auger <b>Bit Size:</b> NA <b>Auger Size:</b> 4 1/4" <b>Rig Type:</b> Truck-Mounted Ingersoll Rand <b>Sampling Method:</b> 2" Split Spoon	<b>Northing:</b> 532351.6 <b>Easting:</b> 130525.4 <b>Casing Elevation:</b> 980.82  <b>Borehole Depth:</b> 16 ft. bgs <b>Surface Elevation:</b> 981.2  <b>Geologist:</b> N. Smith	<b>Well/Boring ID:</b> MW-4R  <b>Client:</b> General Electric Company  <b>Location:</b> GMA 1 - Lyman Street
---	--	--

DEPTH	ELEVATION	Sample Run Number	Sample Int/Type	Recovery (feet)	P/D Headspace (ppm)	Blows / 6 Inches	N - Value	Geologic Column	Stratigraphic Description	Well/Boring Construction
0										Flush Mount Cover
980		1	0-2	0.8	0.4	NA	NA	x x ASPHALT. x x Dark brown fine to medium SAND, little Silt, medium Gravel and Asphalt x x debris, dry. [FILL] x x x x x x		Lockable J-Plug
		2	2-4	0.75	0.0	NA	NA	 Brown fine to medium SAND, dry.		Concrete (0 - 1.0' bgs)
5		3	4-6	0.33	0.6	NA	NA	x x Brown fine to medium SAND, trace fine to medium Gravel and Glass x x fragments, moist. [FILL] x x x x x x x x		Bentonite Chips (1.0' - 3.5' bgs)
975		4	6-8	1.6	2.2	NA	NA	 Dark grey fine SAND, little Silt, trace organic material, moist.		Sched 40 2" PVC Riser (0.5' - 5.5' bgs)
								 Dark gray fine SAND, trace Silt, moist.		Type #1 Silica Sand (3.5' - 15.5' bgs)
		5	8-10	0.75	1.0	NA	NA	 Brown fine to medium SAND, trace Silt, wet.		
10								 Dark gray fine SAND, little Silt, wet.		
970		6	10-12	1.5	9.3	NA	NA	 Gray-brown fine to medium SAND, wet, loose.		Sched 40 2" PVC Slot Screen (0.02") (5.5' - 15.5' bgs)
		7	12-14	0.6	5.2	NA	NA	 Gray-brown medium SAND, wet.		
15			14-16	1.8	14.2	NA	NA	 Gray SILT, light fine Sand, trace clay, moist.		

**BBL**  
 BLASLAND, BOUCK & LEE, INC.  
 engineers & scientists

**Remarks:** NA = not available;  
 bgs = below ground surface.








<b>Date Start/Finish:</b> 6/13/02 <b>Drilling Company:</b> BBL <b>Driller's Name:</b> JAB <b>Drilling Method:</b> Direct Push <b>Auger Size:</b> NA <b>Rig Type:</b> Tractor-mounted Power Probe <b>Sample Method:</b> 4' Macrocore	<b>Northing:</b> 533156.5157 <b>Easting:</b> 132153.7695 <b>Casing Elevation:</b> NA  <b>Borehole Depth:</b> 15' below grade <b>Surface Elevation:</b> 984.81  <b>Descriptions By:</b> RJP	<b>Boring ID:</b> RAA4-K19  <b>Client:</b> General Electric Company  <b>Location:</b> East Street Area 2-South Former Gas Plant/Scrapyard Area
---	---	---


DEPTH	ELEVATION	Sample Run Number	Sample/in/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Boring Construction
	985							
		1	0-1	1.0	8.3		Brown coarse SAND, Pebbles, black fine sand, some wood and possible ash.	Borehole backfilled with Bentonite.
		2	1-4	-	-		No description available, no sampling required.	
5	980	3	4-6	-	-			
		4	6-8	3.6	0.2		Brown to gray fine SAND and SILT, moist.	
		5	8-10	-	0.1			
10	975	6	10-12	4.0	2.3		Gray fine SAND, trace SILT, saturated at 11.5' bgs.	
		7	12-15	1.0	9.4		Gray fine SAND, some Silt, heavy organics, wood and peat.	
15	970							



**Remarks:** Analyses: PCBs, VOCs, SVOCs, Inorganics, PCDD/PCDF: (0-1', 6'-15'); MS/MSD collected for PCBs, VOCs, SVOCs, Inorganics, PCDD/PCDF: (6'-15').  
 Note: After collecting the 0-1' sample the tractor pre-probed to 6' to begin collecting the 6'-15' sample.


<b>Date Start/Finish:</b> 6/3/02 <b>Drilling Company:</b> BBL <b>Driller's Name:</b> JAB <b>Drilling Method:</b> Direct Push <b>Auger Size:</b> NA <b>Rig Type:</b> Tractor-mounted Power Probe <b>Sample Method:</b> 4' Macrocore	<b>Northing:</b> 533156.5542 <b>Easting:</b> 132253.7388 <b>Casing Elevation:</b> NA  <b>Borehole Depth:</b> 15' below grade <b>Surface Elevation:</b> 985.22  <b>Descriptions By:</b> RJP	<b>Boring ID:</b> RAA4-K21  <b>Client:</b> General Electric Company  <b>Location:</b> East Street Area 2-South Former Gas Plant/Scrapyard Area
--	---	---

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Boring Construction
985	0							
		1	0-1		--		Concrete.	Borehole backfilled with Bentonite.
		2	1-4	2.0	0.6		Dark brown fine to medium SAND, some fine to medium Gravel and Concrete, trace metal.	
980	5	3	4-6		1.2		Dark brown fine to medium SAND, some fine to medium Gravel and Concrete.	
		4	6-8	2.0	23.7		Brown to light brown fine SAND to a black Coal, trace slit.	
975	10	5	8-10		81.3		Brown to greenish brown fine to very fine SAND, slight petro odor.	
		6	10-12	2.1	109			
970	15	7	12-15	1.8	383		Same as above, strong petro odor, saturated at 13.5' bgs.	

 <b>BLASLAND, BOUCK &amp; LEE, INC.</b> <i>engineers &amp; scientists</i>	<b>Remarks:</b> Analyses: PCBs: (1'-6'); PCDD/PCDF: (6'-15').
--	---

<b>Date Start/Finish:</b> 6/3/02 <b>Drilling Company:</b> BBL <b>Driller's Name:</b> JAB <b>Drilling Method:</b> Direct Push <b>Auger Size:</b> NA <b>Rig Type:</b> Tractor-mounted Power Probe <b>Sample Method:</b> 4' Macrocore	<b>Northing:</b> 533183.4109 <b>Easting:</b> 132474.2125 <b>Casing Elevation:</b> NA  <b>Borehole Depth:</b> 15' below grade <b>Surface Elevation:</b> 981.79  <b>Descriptions By:</b> RJP	<b>Boring ID:</b> RAA4-K25  <b>Client:</b> General Electric Company  <b>Location:</b> East Street Area 2-South Former Gas Plant/Scrapyard Area
--	---	---

DEPTH	ELEVATION	Sample Run Number	Sample/In/Type	Recovery (feet)	PID Headpace (ppm)	Geologic Column	Stratigraphic Description	Boring Construction
0								
		1	0-1		0.1	[Dotted Pattern]	Brown fine to coarse SAND with fine to coarse Gravel, trace asphalt and silt.	Borehole backfilled with Bentonite.
980		2	1-3 3-4	2.6	0.7		Brown fine to coarse SAND, some Brick, Ash and coarse Gravel.	
		3	4-6		4.3	[Dotted Pattern]	Dark brown fine SAND, purplish colored fine Sand, trace wood, slight odor.	
5		4	6-8	1.0	7.7		Dark brown fine SAND, purplish colored fine Sand, trace wood, slight odor.	
		5	8-10		1.1	[Dotted Pattern]	Brown to light brown very fine SAND, trace peat, moist.	
10		6	10-12	3.4	0.7		Light brown to gray very fine SAND, trace Silt.	
		7	12-15	2.9	0.3	[Dotted Pattern]	Gray very fine to brown fine SAND, trace fine Gravel at approximately 13.5' bgs and Silt at 14' bgs.	
15								

 <b>BLASLAND, BOUCK &amp; LEE, INC.</b> <i>engineers &amp; scientists</i>	<b>Remarks:</b> Analyses: PCBs: (1'-6', 6'-15'); PCBs, VOCs, SVOCs, PCDD/PCDF: (0-1'); Duplicate sample ID: RAA4-DUP7 (PCBs, 6'-15').
--	---

<b>Date Start/Finish:</b> 6/10/02 <b>Drilling Company:</b> BBL <b>Driller's Name:</b> JAB <b>Drilling Method:</b> Direct Push <b>Auger Size:</b> NA <b>Rig Type:</b> Tractor-mounted Power Probe <b>Sample Method:</b> 4' Macrocore	<b>Northing:</b> 533057.0694 <b>Easting:</b> 132153.7994 <b>Casing Elevation:</b> NA  <b>Borehole Depth:</b> 15' below grade <b>Surface Elevation:</b> 984.3  <b>Descriptions By:</b> RJP	<b>Boring ID:</b> RAA4-M19  <b>Client:</b> General Electric Company  <b>Location:</b> East Street Area 2-South 200-Foot Riparian Removal Zone
---	--	--

DEPTH	ELEVATION	Sample Run Number	Sample Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Boring Construction
985								
		1	0-1		1.0	Geologic Column	Light brown fine SAND, some fine to medium Gravel and Concrete.	
		2	1-4	2.4	0.3		Brown to dark brown fine SAND, Brick, Mica and fine Gravel.	
		3	4-8		1.1		Brown to dark brown fine to coarse SAND, Brick, Glass and Porcelain.	
		4	6-8	2.1	0.7			
		5	8-10		0.5			
		6	10-12	2.8	0.1		Light brown fine SAND to gray fine Sand and Silt, wet at 10' bgs.	
		7	12-15	2.9	1.3		Gray SILT, fine Sand to a peat at 14.6' bgs, wet.	
970								
15								

Borehole backfilled with Bentonite.



Remarks: Analyses: PCBs: (0-1', 1'-3', 3'-6', 6'-15').

<b>Date Start/Finish:</b> 6/13/02 <b>Drilling Company:</b> BBL <b>Driller's Name:</b> JAB <b>Drilling Method:</b> Direct Push <b>Auger Size:</b> NA <b>Rig Type:</b> Tractor-mounted Power Probe <b>Sample Method:</b> 4' Macrocore	<b>Northing:</b> 533057.0745 <b>Easting:</b> 132251.8899 <b>Casing Elevation:</b> NA  <b>Borehole Depth:</b> 15' below grade <b>Surface Elevation:</b> 984.45  <b>Descriptions By:</b> RJP	<b>Boring ID:</b> RAA4-M21  <b>Client:</b> General Electric Company  <b>Location:</b> East Street Area 2-South 200-Foot Riparian Removal Zone
---	---	--

DEPTH	ELEVATION	Sample Run Number	Sample/Int/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Boring Construction
985								
		1	0-1		0.4		Brown coarse SAND, many Pebbles, some intermixed fine sand.	 Borehole backfilled with Bentonite.
		2	1-4	3.2	6.1		Dark brown to black fine to coarse SAND, some Slag, brick and cobble.	
980		3	4-6		0.9		Brown fine SAND, some coarse Sand, cobbles, silt, dry.	
		4	6-8	2.6	12.2		Brown to black fine SAND, some Cobble, mica and silt.	
		5	8-10		0.4		Brown to gray fine SAND, some Silt.	
975		6	10-12	2.2	0.0		Saturated at 11.2' bgs.	
		7	12-15	2.6	0.6		Gray fine SAND and SILT, saturated, heavy organics and peat at 14' bgs.	
970								
15								

**BBL**  
 BLASLAND, BOUCK & LEE, INC.  
 engineers & scientists

**Remarks:** Analyses: PCBs: (1'-3', 6'-15');  
 PCBs, VOCs, SVOCs, Inorganics, PCDD/PCDF: (0-1', 3'-6').



<b>Date Start/Finish:</b> 6/14/02 <b>Drilling Company:</b> BBL <b>Driller's Name:</b> JAB <b>Drilling Method:</b> Direct Push <b>Auger Size:</b> NA <b>Rig Type:</b> Tractor-mounted Power Probe <b>Sample Method:</b> 4' Macrocore	<b>Northing:</b> 533057.1062 <b>Easting:</b> 132353.7565 <b>Casing Elevation:</b> NA  <b>Borehole Depth:</b> 15' below grade <b>Surface Elevation:</b> 983.73  <b>Descriptions By:</b> RJP	<b>Boring ID:</b> RAA4-M23  <b>Client:</b> General Electric Company  <b>Location:</b> East Street Area 2-South 200-Foot Riparian Removal Zone
---	---	--

DEPTH	ELEVATION	Sample Run Number	Sample/In/Type	Recovery (feet)	PID Headspace (ppm)	Geologic Column	Stratigraphic Description	Boring Construction
985								
		1	0-1	3.0	3.3		Black coarse SAND, Ash, slag, many pebbles, cedar-like odor.	Borehole backfilled with Bentonite.
							Same as above with dark gray fine sand and silt with pebbles and cobbles.	
980		2	1-4	5.1				
5		3	4-6	6.5		Black to gray coarse SAND, layer of metal shavings, some fine to medium gravel.		
		4	6-8	2.6		Brown to gray fine SAND, trace Silt.		
975		5	8-10	155		Brown gray fine SAND, some Silt, petro odor.		
10		6	10-12	2.7	747		Gray fine SAND, some Silt, moderate petro odor.	
							Gray fine SAND, some Silt, organics and peat, wet at approximately 12.3' bgs.	
970		7	12-15	1.5	11.1			
15								

 <b>BLASLAND, BOUCK &amp; LEE, INC.</b> <i>engineers &amp; scientists</i>	<b>Remarks:</b> Analyses: PCBs: (1'-3', 3'-6', 6'-15'); PCBs, VOCs, SVOCs, Inorganics, PCDD/PCDF: (0-1'); Duplicate sample ID: RAA4-DUP16 (PCBs, 6'-15'); MS/MSD collected (PCBs, 3'-6').
---	--

## *Appendix G*

---

### **East Street Area 2-South LNAPL Recovery Efficiency Data**

**TABLE G-1  
EAST STREET AREA 2-SOUTH AUTOMATED LNAPL RECOVERY SYSTEM  
MONTHLY EFFICIENCY SUMMARY**

**NAPL MONITORING REPORT FOR FALL 2003  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

RECOVERY SYSTEM	DATE	RECOVERY (Gallons)		LNAPL RECOVERY EFFICIENCY
		LNAPL	GROUNDWATER	
64R/40R	January 2000	0	62,000	0.000%
64R/40R	February 2000	602	22,400	2.617%
64R/40R	March 2000	400	315,400	0.127%
64R/40R	April 2000	218	354,500	0.061%
64R/40R	May 2000	1,736	704,200	0.246%
64R/40R	June 2000	2,877	746,900	0.384%
64R/40R	July 2000	1,335	646,500	0.206%
64R/40R	August 2000	1,336	853,500	0.156%
64R/40R	September 2000	648	576,600	0.112%
64R/40R	October 2000	711	187,800	0.377%
64R/40R	November 2000	0	57,400	0.000%
64R/40R	December 2000	530	53,300	0.985%
64R/40R	January 2001	0	10,600	0.000%
64R/40R	February 2001	0	6,500	0.000%
64R/40R	March 2001	200	152,800	0.131%
64R/40R	April 2001	711	1,244,900	0.057%
64R/40R	May 2001	1,406	1,450,100	0.097%
64R/40R	June 2001	586	719,300	0.081%
64R/40R	July 2001	609	463,600	0.131%
64R/40R	August 2001	562	222,400	0.252%
64R/40R	September 2001	225	35,600	0.628%
64R/40R	October 2001	150	21,400	0.696%
64R/40R	November 2001	325	700	31.707%
64R/40R	December 2001	925	1,200	43.529%
64R/40R	January 2002	350	400	46.667%
64R/40R	February 2002	275	100	73.333%
64R/40R	March 2002	125	9,200	1.340%
64R/40R	April 2002	75	140,900	0.053%
64R/40R	May 2002	39	348,900	0.011%
64R/40R	June 2002	136	431,800	0.031%
64R/40R	July 2002	125	248,500	0.050%
64R/40R	August 2002	75	73,900	0.101%
64R/40R	September 2002	110	14,900	0.733%
64R/40R	October 2002	760	15,000	4.822%
64R/40R	November 2002	175	79,600	0.219%
64R/40R	December 2002	25	275,600	0.009%
64R/40R	January 2003	40	380,100	0.011%
64R/40R	February 2003	200	253,900	0.079%
64R/40R	March 2003	125	304,200	0.041%
64R/40R	April 2003	1,600	1,684,400	0.095%
64R/40R	May 2003	370	571,600	0.065%
64R/40R	June 2003	175	483,000	0.036%
64R/40R	July 2003	750	525,200	0.143%
64R/40R	August 2003	300	580,600	0.052%

**TABLE G-1  
EAST STREET AREA 2-SOUTH AUTOMATED LNAPL RECOVERY SYSTEM  
MONTHLY EFFICIENCY SUMMARY**

**NAPL MONITORING REPORT FOR FALL 2003  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

RECOVERY SYSTEM	DATE	RECOVERY (Gallons)		LNAPL RECOVERY EFFICIENCY
		LNAPL	GROUNDWATER	
64R/40R	September 2003	1,150	639,200	0.180%
64R/40R	October 2003	975	717,300	0.136%
64R/40R	November 2003	200	563,400	0.035%
64R/40R	December 2003	625	290,500	0.215%
64R	November 2002	0	79,600	0.000%
64R	December 2002	0	275,600	0.000%
64R	January 2003	23	380,100	0.006%
64R	February 2003	200	253,900	0.079%
64R	March 2003	125	304,200	0.041%
64R	April 2003	1,600	1,684,400	0.095%
64R	May 2003	370	571,600	0.065%
64R	June 2003	175	483,000	0.036%
64R	July 2003	750	525,200	0.143%
64R	August 2003	300	580,600	0.052%
64R	September 2003	1,150	639,200	0.180%
64R	October 2003	975	717,300	0.136%
64R	November 2003	200	563,400	0.035%
64R	December 2003	625	290,500	0.215%
40R	November 2002	175	0	100.000%
40R	December 2002	25	0	100.000%
40R	January 2003	17	0	100.000%
40R	February 2003	0	0	N/A
40R	March 2003	0	0	N/A
40R	April 2003	0	0	N/A
40R	May 2003	0	0	N/A
40R	June 2003	0	0	N/A
40R	July 2003	0	0	N/A
40R	August 2003	0	0	N/A
40R	September 2003	0	0	N/A
40R	October 2003	0	0	N/A
40R	November 2003	0	0	N/A
40R	December 2003	0	0	N/A
64S/RW-1S	January 2000	617	987,862	0.062%
64S/RW-1S	February 2000	1,055	820,227	0.128%
64S/RW-1S	March 2000	250	1,780,983	0.014%
64S/RW-1S	April 2000	1,383	1,566,643	0.088%
64S/RW-1S	May 2000	1,172	2,177,384	0.054%
64S/RW-1S	June 2000	1,726	2,031,384	0.085%
64S/RW-1S	July 2000	1,750	1,320,182	0.132%
64S/RW-1S	August 2000	641	1,473,532	0.043%
64S/RW-1S	September 2000	641	1,197,067	0.054%
64S/RW-1S	October 2000	1,226	902,144	0.136%
64S/RW-1S	November 2000	0	1,001,129	0.000%
64S/RW-1S	December 2000	625	627,126	0.100%

**TABLE G-1  
EAST STREET AREA 2-SOUTH AUTOMATED LNAPL RECOVERY SYSTEM  
MONTHLY EFFICIENCY SUMMARY**

**NAPL MONITORING REPORT FOR FALL 2003  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

RECOVERY SYSTEM	DATE	RECOVERY (Gallons)		LNAPL RECOVERY EFFICIENCY
		LNAPL	GROUNDWATER	
64S/RW-1S	January 2001	600	676,673	0.089%
64S/RW-1S	February 2001	508	596,535	0.085%
64S/RW-1S	March 2001	763	891,645	0.085%
64S/RW-1S	April 2001	565	2,316,237	0.024%
64S/RW-1S	May 2001	1,306	2,063,073	0.063%
64S/RW-1S	June 2001	559	1,551,527	0.036%
64S/RW-1S	July 2001	1,287	1,096,585	0.117%
64S/RW-1S	August 2001	0	1,066,679	0.000%
64S/RW-1S	September 2001	438	654,690	0.067%
64S/RW-1S	October 2001	575	777,424	0.074%
64S/RW-1S	November 2001	175	489,480	0.036%
64S/RW-1S	December 2001	525	567,763	0.092%
64S/RW-1S	January 2002	150	673,821	0.022%
64S/RW-1S	February 2002	350	597,318	0.059%
64S/RW-1S	March 2002	500	640,400	0.078%
64S/RW-1S	April 2002	575	1,126,277	0.051%
64S/RW-1S	May 2002	438	1,727,392	0.025%
64S/RW-1S	June 2002	695	1,388,697	0.050%
64S/RW-1S	July 2002	675	1,303,341	0.052%
64S/RW-1S	August 2002	921	966,838	0.095%
64S/RW-1S	September 2002	225	523,526	0.043%
64S/RW-1S	October 2002	225	975,006	0.023%
64S/RW-1S	November 2002	300	911,878	0.033%
64S/RW-1S	December 2002	150	1,229,860	0.012%
64S/RW-1S	January 2003	100	985,957	0.010%
64S/RW-1S	February 2003	100	848,255	0.012%
64S/RW-1S	March 2003	100	932,748	0.011%
64S/RW-1S	April 2003	625	1,785,502	0.035%
64S/RW-1S	May 2003	460	1,325,173	0.035%
64S/RW-1S	June 2003	950	1,082,960	0.088%
64S/RW-1S	July 2003	750	869,987	0.086%
64S/RW-1S	August 2003	50	1,078,564	0.005%
64S/RW-1S	September 2003	50	1,255,421	0.004%
64S/RW-1S	October 2003	175	2,287,521	0.008%
64S/RW-1S	November 2003	1,250	2,197,459	0.057%
64S/RW-1S	December 2003	925	3,206,990	0.029%
64S	January 2000	N/A	451,868	N/A
64S	February 2000	N/A	346,332	N/A
64S	March 2000	N/A	867,475	N/A
64S	April 2000	N/A	774,526	N/A
64S	May 2000	N/A	916,584	N/A
64S	June 2000	N/A	1,096,916	N/A
64S	July 2000	N/A	867,207	N/A
64S	August 2000	N/A	733,130	N/A

**TABLE G-1  
EAST STREET AREA 2-SOUTH AUTOMATED LNAPL RECOVERY SYSTEM  
MONTHLY EFFICIENCY SUMMARY**

**NAPL MONITORING REPORT FOR FALL 2003  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

RECOVERY SYSTEM	DATE	RECOVERY (Gallons)		LNAPL RECOVERY EFFICIENCY
		LNAPL	GROUNDWATER	
64S	September 2000	N/A	603,778	N/A
64S	October 2000	N/A	470,680	N/A
64S	November 2000	N/A	403,206	N/A
64S	December 2000	N/A	225,527	N/A
64S	January 2001	N/A	257,090	N/A
64S	February 2001	N/A	220,025	N/A
64S	March 2001	N/A	382,867	N/A
64S	April 2001	N/A	1,264,422	N/A
64S	May 2001	N/A	1,093,644	N/A
64S	June 2001	N/A	747,162	N/A
64S	July 2001	N/A	475,680	N/A
64S	August 2001	N/A	430,610	N/A
64S	September 2001	N/A	144,496	N/A
64S	October 2001	N/A	146,143	N/A
64S	November 2001	N/A	56,711	N/A
64S	December 2001	N/A	125,565	N/A
64S	January 2002	N/A	156,877	N/A
64S	February 2002	N/A	158,796	N/A
64S	March 2002	N/A	242,236	N/A
64S	April 2002	N/A	463,704	N/A
64S	May 2002	N/A	814,253	N/A
64S	June 2002	N/A	659,355	N/A
64S	July 2002	N/A	553,656	N/A
64S	August 2002	N/A	217,153	N/A
64S	September 2002	N/A	58,536	N/A
64S	October 2002	N/A	324,556	N/A
64S	November 2002	N/A	311,198	N/A
64S	December 2002	0	387,100	0.000%
64S	January 2003	0	310,806	0.000%
64S	February 2003	0	271,609	0.000%
64S	March 2003	0	246,416	0.000%
64S	April 2003	625	630,314	0.099%
64S	May 2003	460	445,090	0.103%
64S	June 2003	950	276,675	0.342%
64S	July 2003	750	48,725	1.516%
64S	August 2003	38	302,161	0.013%
64S	September 2003	0	443,631	0.000%
64S	October 2003	150	983,801	0.015%
64S	November 2003	1,198	1,041,476	0.115%
64S	December 2003	925	1,529,896	0.060%
RW-1S	January 2000	N/A	535,994	N/A
RW-1S	February 2000	N/A	473,895	N/A
RW-1S	March 2000	N/A	913,508	N/A
RW-1S	April 2000	N/A	792,117	N/A

**TABLE G-1  
EAST STREET AREA 2-SOUTH AUTOMATED LNAPL RECOVERY SYSTEM  
MONTHLY EFFICIENCY SUMMARY**

**NAPL MONITORING REPORT FOR FALL 2003  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

RECOVERY SYSTEM	DATE	RECOVERY (Gallons)		LNAPL RECOVERY EFFICIENCY
		LNAPL	GROUNDWATER	
RW-1S	May 2000	N/A	1,260,800	N/A
RW-1S	June 2000	N/A	934,468	N/A
RW-1S	July 2000	N/A	452,975	N/A
RW-1S	August 2000	N/A	740,402	N/A
RW-1S	September 2000	N/A	593,289	N/A
RW-1S	October 2000	N/A	431,464	N/A
RW-1S	November 2000	N/A	597,923	N/A
RW-1S	December 2000	N/A	401,599	N/A
RW-1S	January 2001	N/A	419,583	N/A
RW-1S	February 2001	N/A	376,510	N/A
RW-1S	March 2001	N/A	508,778	N/A
RW-1S	April 2001	N/A	1,051,815	N/A
RW-1S	May 2001	N/A	969,429	N/A
RW-1S	June 2001	N/A	804,365	N/A
RW-1S	July 2001	N/A	620,905	N/A
RW-1S	August 2001	N/A	636,069	N/A
RW-1S	September 2001	N/A	510,194	N/A
RW-1S	October 2001	N/A	631,281	N/A
RW-1S	November 2001	N/A	432,769	N/A
RW-1S	December 2001	N/A	442,198	N/A
RW-1S	January 2002	N/A	516,944	N/A
RW-1S	February 2002	N/A	438,522	N/A
RW-1S	March 2002	N/A	398,164	N/A
RW-1S	April 2002	N/A	662,573	N/A
RW-1S	May 2002	N/A	913,139	N/A
RW-1S	June 2002	N/A	729,342	N/A
RW-1S	July 2002	N/A	749,685	N/A
RW-1S	August 2002	N/A	749,685	N/A
RW-1S	September 2002	N/A	464,990	N/A
RW-1S	October 2002	N/A	650,450	N/A
RW-1S	November 2002	N/A	600,680	N/A
RW-1S	December 2002	150	842,760	0.018%
RW-1S	January 2003	100	675,151	0.015%
RW-1S	February 2003	100	576,646	0.017%
RW-1S	March 2003	100	686,332	0.015%
RW-1S	April 2003	0	1,155,188	0.000%
RW-1S	May 2003	0	880,083	0.000%
RW-1S	June 2003	0	806,285	0.000%
RW-1S	July 2003	0	821,262	0.000%
RW-1S	August 2003	12	776,403	0.002%
RW-1S	September 2003	50	811,790	0.006%
RW-1S	October 2003	25	1,303,720	0.002%
RW-1S	November 2003	52	1,155,983	0.004%
RW-1S	December 2003	0	1,677,094	0.000%

**TABLE G-1  
EAST STREET AREA 2-SOUTH AUTOMATED LNAPL RECOVERY SYSTEM  
MONTHLY EFFICIENCY SUMMARY**

**NAPL MONITORING REPORT FOR FALL 2003  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

RECOVERY SYSTEM	DATE	RECOVERY (Gallons)		LNAPL RECOVERY EFFICIENCY
		LNAPL	GROUNDWATER	
64V	January 2000	688	936,500	0.073%
64V	February 2000	1,427	746,300	0.191%
64V	March 2000	1,432	1,202,400	0.119%
64V	April 2000	1,297	1,008,800	0.128%
64V	May 2000	703	1,260,800	0.056%
64V	June 2000	690	1,203,600	0.057%
64V	July 2000	0	1,234,700	0.000%
64V	August 2000	618	1,325,800	0.047%
64V	September 2000	1,370	1,154,500	0.119%
64V	October 2000	707	1,088,100	0.065%
64V	November 2000	848	1,247,400	0.068%
64V	December 2000	1,188	1,034,500	0.115%
64V	January 2001	586	1,063,500	0.055%
64V	February 2001	726	951,900	0.076%
64V	March 2001	1,367	977,100	0.140%
64V	April 2001	640	1,404,300	0.046%
64V	May 2001	651	1,406,300	0.046%
64V	June 2001	0	1,160,600	0.000%
64V	July 2001	854	996,800	0.086%
64V	August 2001	740	1,138,800	0.065%
64V	September 2001	510	850,300	0.060%
64V	October 2001	967	1,030,800	0.094%
64V	November 2001	578	793,500	0.073%
64V	December 2001	1,139	808,600	0.141%
64V	January 2002	510	914,600	0.056%
64V	February 2002	612	831,000	0.074%
64V	March 2002	493	904,100	0.054%
64V	April 2002	1,190	1,165,300	0.102%
64V	May 2002	664	814,253	0.081%
64V	June 2002	1,266	1,083,300	0.117%
64V	July 2002	265	1,181,700	0.022%
64V	August 2002	5	881,500	0.001%
64V	September 2002	306	784,500	0.039%
64V	October 2002	663	970,300	0.068%
64V	November 2002	663	845,000	0.078%
64V	December 2002	675	1,134,300	0.059%
64V	January 2003	1,492	1,055,400	0.141%
64V	February 2003	527	982,200	0.054%
64V	March 2003	374	1,048,800	0.036%
64V	April 2003	425	1,752,300	0.024%
64V	May 2003	220	1,202,200	0.018%
64V	June 2003	408	1,092,800	0.037%
64V	July 2003	408	1,184,900	0.034%
64V	August 2003	391	1,026,400	0.038%



**TABLE G-1  
EAST STREET AREA 2-SOUTH AUTOMATED LNAPL RECOVERY SYSTEM  
MONTHLY EFFICIENCY SUMMARY**

**NAPL MONITORING REPORT FOR FALL 2003  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

RECOVERY SYSTEM	DATE	RECOVERY (Gallons)		LNAPL RECOVERY EFFICIENCY
		LNAPL	GROUNDWATER	
64V	September 2003	867	1,020,100	0.085%
64V	October 2003	1,071	1,482,600	0.072%
64V	November 2003	1,377	1,309,800	0.105%
64V	December 2003	2,261	1,719,700	0.131%
64X/RW-1X	January 2000	0	1,128,600	0.000%
64X/RW-1X	February 2000	128	998,200	0.013%
64X/RW-1X	March 2000	339	1,543,000	0.022%
64X/RW-1X	April 2000	110	1,103,700	0.010%
64X/RW-1X	May 2000	53	1,309,400	0.004%
64X/RW-1X	June 2000	28	1,170,800	0.002%
64X/RW-1X	July 2000	0	1,189,500	0.000%
64X/RW-1X	August 2000	38	1,581,400	0.002%
64X/RW-1X	September 2000	122	1,283,700	0.010%
64X/RW-1X	October 2000	20	1,268,600	0.002%
64X/RW-1X	November 2000	43	1,446,400	0.003%
64X/RW-1X	December 2000	15	1,151,800	0.001%
64X/RW-1X	January 2001	63	1,317,700	0.005%
64X/RW-1X	February 2001	0	1,045,900	0.000%
64X/RW-1X	March 2001	53	1,179,300	0.004%
64X/RW-1X	April 2001	55	1,261,400	0.004%
64X/RW-1X	May 2001	13	1,340,900	0.001%
64X/RW-1X	June 2001	0	1,445,500	0.000%
64X/RW-1X	July 2001	13	1,097,000	0.001%
64X/RW-1X	August 2001	18	1,313,700	0.001%
64X/RW-1X	September 2001	37	967,300	0.004%
64X/RW-1X	October 2001	60	1,243,700	0.005%
64X/RW-1X	November 2001	10	925,700	0.001%
64X/RW-1X	December 2001	40	1,008,200	0.004%
64X/RW-1X	January 2002	5	1,132,000	0.000%
64X/RW-1X	February 2002	15	909,300	0.002%
64X/RW-1X	March 2002	20	924,600	0.002%
64X/RW-1X	April 2002	10	985,100	0.001%
64X/RW-1X	May 2002	10	1,249,300	0.001%
64X/RW-1X	June 2002	20	950,700	0.002%
64X/RW-1X	July 2002	0	1,193,400	0.000%
64X/RW-1X	August 2002	0	910,800	0.000%
64X/RW-1X	September 2002	15	850,700	0.002%
64X/RW-1X	October 2002	53	1,094,800	0.005%
64X/RW-1X	November 2002	50	921,500	0.005%
64X/RW-1X	December 2002	15	901,900	0.002%
64X/RW-1X	January 2003	7	694,200	0.001%
64X/RW-1X	February 2003	2	688,300	0.000%
64X/RW-1X	March 2003	5	888,200	0.001%
64X/RW-1X	April 2003	10	1,193,700	0.001%

**TABLE G-1  
EAST STREET AREA 2-SOUTH AUTOMATED LNAPL RECOVERY SYSTEM  
MONTHLY EFFICIENCY SUMMARY**

**NAPL MONITORING REPORT FOR FALL 2003  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

RECOVERY SYSTEM	DATE	RECOVERY (Gallons)		LNAPL RECOVERY EFFICIENCY
		LNAPL	GROUNDWATER	
64X/RW-1X	May 2003	15	886,100	0.002%
64X/RW-1X	June 2003	25	905,300	0.003%
64X/RW-1X	July 2003	20	1,041,500	0.002%
64X/RW-1X	August 2003	30	902,500	0.003%
64X/RW-1X	September 2003	25	889,900	0.003%
64X/RW-1X	October 2003	10	1,150,900	0.001%
64X/RW-1X	November 2003	10	891,700	0.001%
64X/RW-1X	December 2003	5	1,079,100	0.000%
64X	January 2000	N/A	417,600	N/A
64X	February 2000	N/A	403,200	N/A
64X	March 2000	N/A	504,000	N/A
64X	April 2000	N/A	403,200	N/A
64X	May 2000	N/A	504,000	N/A
64X	June 2000	N/A	403,200	N/A
64X	July 2000	N/A	403,200	N/A
64X	August 2000	N/A	504,000	N/A
64X	September 2000	N/A	403,200	N/A
64X	October 2000	N/A	417,600	N/A
64X	November 2000	N/A	504,000	N/A
64X	December 2000	N/A	417,600	N/A
64X	January 2001	N/A	489,600	N/A
64X	February 2001	N/A	403,200	N/A
64X	March 2001	N/A	403,200	N/A
64X	April 2001	N/A	403,200	N/A
64X	May 2001	N/A	504,000	N/A
64X	June 2001	N/A	702,800	N/A
64X	July 2001	N/A	403,200	N/A
64X	August 2001	N/A	504,000	N/A
64X	September 2001	N/A	403,200	N/A
64X	October 2001	N/A	504,000	N/A
64X	November 2001	N/A	403,200	N/A
64X	December 2001	N/A	403,200	N/A
64X	January 2002	N/A	446,400	N/A
64X	February 2002	N/A	403,200	N/A
64X	March 2002	N/A	403,200	N/A
64X	April 2002	N/A	403,200	N/A
64X	May 2002	N/A	518,400	N/A
64X	June 2002	N/A	403,200	N/A
64X	July 2002	N/A	507,000	N/A
64X	August 2002	N/A	403,200	N/A
64X	September 2002	N/A	388,800	N/A
64X	October 2002	48	504,000	0.010%
64X	November 2002	50	403,200	0.012%
64X	December 2002	10	489,600	0.002%

**TABLE G-1  
EAST STREET AREA 2-SOUTH AUTOMATED LNAPL RECOVERY SYSTEM  
MONTHLY EFFICIENCY SUMMARY**

**NAPL MONITORING REPORT FOR FALL 2003  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

RECOVERY SYSTEM	DATE	RECOVERY (Gallons)		LNAPL RECOVERY EFFICIENCY
		LNAPL	GROUNDWATER	
64X	January 2003	2	417,600	0.000%
64X	February 2003	2	403,200	0.000%
64X	March 2003	0	403,200	0.000%
64X	April 2003	5	504,000	0.001%
64X	May 2003	15	403,200	0.004%
64X	June 2003	25	403,200	0.006%
64X	July 2003	20	500,300	0.004%
64X	August 2003	30	403,200	0.007%
64X	September 2003	15	403,200	0.004%
64X	October 2003	10	460,800	0.002%
64X	November 2003	10	403,200	0.002%
64X	December 2003	5	504,000	0.001%
RW-1X	January 2000	N/A	711,000	N/A
RW-1X	February 2000	N/A	595,000	N/A
RW-1X	March 2000	N/A	1,039,000	N/A
RW-1X	April 2000	N/A	700,500	N/A
RW-1X	May 2000	N/A	805,400	N/A
RW-1X	June 2000	N/A	767,600	N/A
RW-1X	July 2000	N/A	786,300	N/A
RW-1X	August 2000	N/A	1,077,400	N/A
RW-1X	September 2000	N/A	880,500	N/A
RW-1X	October 2000	N/A	851,000	N/A
RW-1X	November 2000	N/A	942,400	N/A
RW-1X	December 2000	N/A	734,200	N/A
RW-1X	January 2001	N/A	828,100	N/A
RW-1X	February 2001	N/A	642,700	N/A
RW-1X	March 2001	N/A	776,100	N/A
RW-1X	April 2001	N/A	858,200	N/A
RW-1X	May 2001	N/A	836,900	N/A
RW-1X	June 2001	N/A	742,700	N/A
RW-1X	July 2001	N/A	693,800	N/A
RW-1X	August 2001	N/A	809,700	N/A
RW-1X	September 2001	N/A	564,100	N/A
RW-1X	October 2001	N/A	739,700	N/A
RW-1X	November 2001	N/A	522,500	N/A
RW-1X	December 2001	N/A	605,000	N/A
RW-1X	January 2002	N/A	685,600	N/A
RW-1X	February 2002	N/A	506,100	N/A
RW-1X	March 2002	N/A	521,400	N/A
RW-1X	April 2002	N/A	581,900	N/A
RW-1X	May 2002	N/A	730,900	N/A
RW-1X	June 2002	N/A	547,500	N/A
RW-1X	July 2002	N/A	686,400	N/A
RW-1X	August 2002	N/A	507,600	N/A

**TABLE G-1  
EAST STREET AREA 2-SOUTH AUTOMATED LNAPL RECOVERY SYSTEM  
MONTHLY EFFICIENCY SUMMARY**

**NAPL MONITORING REPORT FOR FALL 2003  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

RECOVERY SYSTEM	DATE	RECOVERY (Gallons)		LNAPL RECOVERY EFFICIENCY
		LNAPL	GROUNDWATER	
RW-1X	September 2002	N/A	461,900	N/A
RW-1X	October 2002	5	590,800	0.001%
RW-1X	November 2002	0	518,300	0.000%
RW-1X	December 2002	5	412,300	0.001%
RW-1X	January 2003	5	276,600	0.002%
RW-1X	February 2003	0	285,100	0.000%
RW-1X	March 2003	5	485,000	0.001%
RW-1X	April 2003	5	689,700	0.001%
RW-1X	May 2003	0	482,900	0.000%
RW-1X	June 2003	0	502,100	0.000%
RW-1X	July 2003	0	541,200	0.000%
RW-1X	August 2003	0	499,300	0.000%
RW-1X	September 2003	10	486,700	0.002%
RW-1X	October 2003	0	690,100	0.000%
RW-1X	November 2003	0	488,500	0.000%
RW-1X	December 2003	0	575,100	0.000%

**NOTES:**

1. LNAPL recovery efficiency = percentage of LNAPL removed compared to total liquid removal (i.e., LNAPL removal volume / groundwater removal volume + LNAPL removal volume).
2. LNAPL collection was recorded as a combined total from 40R/64R until November 2002; groundwater recovery is all from 64R. Data collected during and after November 2002 are recorded separately at each location and also combined to compare with prior efficiency data. Well 40R is an oil skimmer without associated groundwater removal. Therefore, apparent changes in the combined 64R/40R recovery efficiency may be associated with changes in the amount of LNAPL recovery by well 40R in comparison to the unrelated amount of groundwater recovered by well 64R.
3. LNAPL collection was recorded as a combined total from the RW-1(S) and 64S recovery systems until December 2002. Data collected during and after December 2002 are recorded separately at each location and also combined to compare with prior efficiency data.
4. LNAPL collection was recorded as a combined total from the RW-1(X) and 64X recovery systems until October 2002. Data collected during and after October 2002 are recorded separately at each location and also combined to compare with prior efficiency data.

**TABLE G-2  
EAST STREET AREA 2-SOUTH AUTOMATED LNAPL RECOVERY SYSTEM  
OVERALL EFFICIENCY FROM 2000 - 2003**

**NAPL MONITORING REPORT FOR FALL 2003  
PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**


RECOVERY SYSTEM	TIME FRAME	RECOVERY (Gallons)		OVERALL RECOVERY EFFICIENCY
		LNAPL	GROUNDWATER	
64R/40R	January 2000 - December 2003	24,872	17,541,800	0.1416%
64R	November 2002 - December 2003	6,493	7,348,600	0.0883%
64S/RW-1S	January 2000 - December 2003	29,126	58,554,865	0.0497%
64S	December 2002 - December 2003	5,096	6,917,700	0.0736%
RW-1S	December 2002 - December 2003	589	12,168,697	0.0048%
64V	January 2000 - December 2003	36,859	52,412,953	0.0703%
64X/RW-1X	January 2000 - December 2003	1,635	52,556,900	0.0031%
64X	October 2002 - December 2003	247	6,605,900	0.0037%
RW-1X	October 2002 - December 2003	35	7,523,700	0.0005%

NOTES:

1. LNAPL recovery efficiency = percentage of LNAPL removed compared to total liquid removal (i.e., LNAPL removal volume / groundwater removal volume + LNAPL removal volume).
2. LNAPL collection was recorded as a combined total from 40R/64R until November 2002. Data collected from system 64R during and after November 2002 (groundwater recovery is all from 64R) is presented separately and also included in the combined total for the 40R/64R systems.
3. LNAPL collection was recorded as a combined total from the RW-1(S) and 64S recovery systems until December 2002. Data collected during and after December 2002 is presented separately for each system and also included in the combined total for the RW-1(S) and 64S systems.
4. LNAPL collection was recorded as a combined total from the RW-1(X) and 64X recovery systems until October 2002. Data collected during and after October 2002 is presented separately for each system and also included in the combined total for the RW-1(X) and 64X systems.


**APPENDIX G  
LNAPL RECOVERY EFFICIENCY DATA FOR  
EAST STREET AREA 2 - SOUTH SYSTEM 64R/40R**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX G  
LNAPL RECOVERY EFFICIENCY DATA FOR  
EAST STREET AREA 2 - SOUTH SYSTEM 64R/40R**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**



**APPENDIX G  
LNAPL RECOVERY EFFICIENCY DATA FOR  
EAST STREET AREA 2 - SOUTH SYSTEM 64R40R**


**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**






**APPENDIX G  
LNAPL RECOVERY EFFICIENCY DATA FOR  
EAST STREET AREA 2 - SOUTH SYSTEM 64R**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX G  
LNAPL RECOVERY EFFICIENCY DATA FOR  
EAST STREET AREA 2 - SOUTH SYSTEM 64S/RW-1S**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX G  
LNAPL RECOVERY EFFICIENCY DATA FOR  
EAST STREET AREA 2 - SOUTH SYSTEM 64S**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX G  
LNAPL RECOVERY EFFICIENCY DATA FOR  
EAST STREET AREA 2 - SOUTH SYSTEM RW-1S**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX G  
LNAPL RECOVERY EFFICIENCY DATA FOR  
EAST STREET AREA 2 - SOUTH SYSTEM 64V**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX G  
LNAPL RECOVERY EFFICIENCY DATA FOR  
EAST STREET AREA 2 - SOUTH SYSTEM 64X/RW-1X**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**




**APPENDIX G  
LNAPL RECOVERY EFFICIENCY DATA FOR  
EAST STREET AREA 2 - SOUTH SYSTEM 64X**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**



**APPENDIX G  
LNAPL RECOVERY EFFICIENCY DATA FOR  
EAST STREET AREA 2 - SOUTH SYSTEM RW-1X**

**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**





## *Appendix H*

---

# **Newell Street Area II DNAPL Recovery Test Results**

**TABLE H-1**  
**SUMMARY OF INITIAL NEWELL STREET AREA II SYSTEM 2 DNAPL RECOVERY TEST RESULTS**

**NAPL MONITORING REPORT FOR FALL 2003**  
**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA**  
**GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

<b>DATE &amp; TIME</b>	<b>ELAPSED TIME</b>	<b>DNAPL THICKNESS (Feet)</b>	<b>DNAPL REMOVAL (Gallons)</b>	<b>DNAPL REMOVAL (Liters)</b>
<b>NSSC-01I</b>				
2/1/1999	58	N/A	15.5	58.668
2/1/1999	22	N/A	3.1	11.734
2/1/1999	19	N/A	4.3	16.276
2/1/1999	55	N/A	10.0	37.850
2/1/1999	59	N/A	9.8	37.093
2/1/1999	37	N/A	7.7	29.145
2/1/1999	25	N/A	1.5	5.678
<b>N2SC-02</b>				
3/6/00 9:35	0	3.97	0.634	2.400
3/6/00 10:50	75	1.07	0.174	0.660
3/6/00 12:00	70	0.81	0.132	0.500
3/6/00 13:20	80	0.76	0.124	0.470
3/6/00 14:30	70	0.53	0.085	0.320
3/6/00 15:40	70	0.59	0.095	0.360
3/6/00 16:45	65	0.69	0.111	0.420
3/7/00 10:10	1,045	3.99	0.661	2.500
3/7/00 11:50	100	1.17	0.190	0.720
3/7/00 13:00	70	0.66	0.106	0.400
3/7/00 14:15	75	0.64	0.103	0.390
3/7/00 15:20	65	0.44	0.071	0.270
3/8/00 9:45	1,105	3.96	0.634	2.400
3/8/00 11:03	78	0.84	0.135	0.510
3/8/00 12:09	66	0.53	0.082	0.310
3/8/00 13:14	65	0.8	0.132	0.500
3/8/00 14:20	66	0.85	0.135	0.510
3/8/00 15:26	66	0.6	0.090	0.340
3/8/00 16:34	68	0.35	0.050	0.190

**TABLE H-1**  
**SUMMARY OF INITIAL NEWELL STREET AREA II SYSTEM 2 DNAPL RECOVERY TEST RESULTS**

**NAPL MONITORING REPORT FOR FALL 2003**  
**PLANT SITE 1 GROUNDWATER MANAGEMENT AREA**  
**GENERAL ELECTRIC COMPANY-PITTSFIELD, MASSACHUSETTS**

DATE & TIME	ELAPSED TIME	DNAPL THICKNESS (Feet)	DNAPL REMOVAL (Gallons)	DNAPL REMOVAL (Liters)
<b>N2SC-031</b>				
3/6/00 9:10	0	3.65	0.581	2.200
3/6/00 10:25	75	1.08	0.174	0.660
3/6/00 11:35	70	1.12	0.182	0.690
3/6/00 12:45	70	1.14	0.185	0.700
3/6/00 14:00	75	0.98	0.159	0.600
3/6/00 15:10	70	1.18	0.190	0.720
3/6/00 16:30	80	1.02	0.164	0.620
3/7/00 9:35	1,025	3.25	0.528	2.000
3/7/00 11:05	90	0.73	0.119	0.450
3/7/00 12:15	70	1.24	0.201	0.760
3/7/00 13:25	70	1.39	0.225	0.850
3/7/00 14:40	75	0.79	0.127	0.480
3/8/00 9:15	1,115	3.2	0.502	1.900
3/8/00 10:28	73	0.89	0.137	0.520
3/8/00 11:37	69	0.83	0.135	0.510
3/8/00 12:44	67	1.19	0.188	0.710
3/8/00 13:51	67	0.65	0.100	0.380
3/8/00 15:00	69	1	0.164	0.620
3/8/00 16:16	76	0.59	0.090	0.340
<b>N2SC-14</b>				
4/18/00 9:05	0	2.71	5.000	18.925
4/18/00 11:15	130	2.55	9.000	34.065
4/18/00 15:05	185	2.66	0.000	0.000
4/19/00 9:10	1,085	2.76	5.000	18.925
4/19/00 11:10	120	2.59	4.000	15.140
4/19/00 13:05	115	2.61	4.000	15.140
4/19/00 15:40	155	2.66	0.000	0.000
4/20/00 8:40	1,020	2.78	3.000	11.355
4/20/00 10:35	115	2.65	3.000	11.355
4/20/00 12:20	105	2.59	3.000	11.355
4/20/00 14:15	115	2.63	3.000	11.355
4/20/00 16:25	130	2.68	0.000	0.000

**DNAPL RECOVERY TEST FIELD LOG**

WELL ID N2SC-01I

PAGE 1 OF 1

SITE GE Pittsfield, MA

LOCATION GMA 1 - Newell Street Area II

PERSONNEL KPM

DATE	MEASUREMENT/ PUMP START TIME	PUMP STOP TIME	RECOVERY TIME (Minutes)	PUMPING TIME (Minutes)	DEPTH TO DNAPL (Feet BMP)	DEPTH OF WELL (Feet BMP)	DNAPL THICKNESS (Feet)	DNAPL REMOVAL (Liters)	DNAPL REMOVAL (Gallons)
8/19/03	9:56	10:04	90	8	39.45	41.57	2.12	1.000	0.264
8/19/03	11:14	11:16	70	2	40.25	41.57	1.32	0.190	0.050
8/19/03	12:14	12:22	58	8	39.69	41.57	1.88	0.500	0.132
8/19/03	13:23	13:29	61	6	39.73	41.57	1.84	0.410	0.108
8/19/03	14:23	14:31	54	8	39.71	41.57	1.86	1.100	0.291
8/19/03	15:36	15:42	55	6	40.42	41.57	1.15	0.550	0.145
8/19/03	16:42	16:47	60	5	40.6	41.57	0.97	0.490	0.129
8/19/03	17:49	17:56	62	7	40.62	41.57	0.95	0.400	0.106
8/20/03	7:38	8:22	822	44	38.23	41.57	3.34	2.600	0.687
8/20/03	9:21	9:30	59	9	40.43	41.57	1.14	0.550	0.145
8/20/03	10:28	10:36	58	8	40.44	41.57	1.13	0.600	0.159
8/20/03	11:38	11:44	62	6	40.54	41.57	1.03	0.490	0.129
8/20/03	12:53	12:58	69	5	40.58	41.57	0.99	0.650	0.172
8/20/03	13:56	14:03	58	7	40.63	41.57	0.94	0.400	0.106
8/20/03	15:07	15:12	64	5	40.65	41.57	0.92	0.500	0.132
8/20/03	16:06	16:11	54	4	40.71	41.57	0.86	0.380	0.100
8/20/03	17:22	17:27	71	5	40.72	41.57	0.85	0.490	0.129

**NOTES/OBSERVATIONS:**

Recovery time refers to the elapsed time from the end of pumping (during the prior measurement interval) until the next measurements are collected.

Pumping was initiated on 8/19/03 68 minutes after completion of well development

## DNAPL RECOVERY TEST FIELD LOG

WELL ID N2SC-02

PAGE 1 OF 1

SITE GE Pittsfield, MA

LOCATION GMA 1 - Newell Street Area II

PERSONNEL KPM

DATE	MEASUREMENT/ PUMP START TIME	PUMP STOP TIME	RECOVERY TIME (Minutes)	PUMPING TIME (Minutes)	DEPTH TO DNAPL (Feet BMP)	DEPTH OF WELL (Feet BMP)	DNAPL THICKNESS (Feet)	DNAPL REMOVAL (Liters)	DNAPL REMOVAL (Gallons)
8/26/03	15:00	NA	0	0	---	40.42	ND	0.000	0.000
8/26/03	16:20	16:34	80	14	---	40.42	ND	0.000	0.000
8/26/03	17:23	18:14	49	51	---	40.42	ND	0.000	0.000
8/27/03	8:10	9:30	836	80	---	40.42	ND	0.000	0.000
8/27/03	9:38	10:08	8	30	---	40.42	ND	0.000	0.000
8/27/03	11:00	NA	52	0	---	40.42	ND	0.000	0.000
8/27/03	12:00	NA	112	0	---	40.42	ND	0.000	0.000
8/27/03	13:00	NA	172	0	---	40.42	ND	0.000	0.000
8/27/03	14:00	NA	232	0	---	40.42	ND	0.000	0.000
8/27/03	15:00	NA	292	0	---	40.42	ND	0.000	0.000
8/27/03	16:30	NA	382	0	---	40.42	ND	0.000	0.000
9/4/03	10:00	NA	9690	0	---	40.42	ND	0.000	0.000

**NOTES/OBSERVATIONS:**

Recovery time refers to the elapsed time from the end of pumping (during the prior measurement interval) until the next measurements are collected.

Pumping was not conducted during several monitoring intervals due to the lack of DNAPL observed.

Hourly measurements collected on 8/27/03 to check for presence of DNAPL, measurement times are approximate.

## DNAPL RECOVERY TEST FIELD LOG

WELL ID N2SC-03I

PAGE 1 OF 1

SITE GE Pittsfield, MA

LOCATION GMA 1 - Newell Street Area II

PERSONNEL KPM/JCM

DATE	MEASUREMENT/ PUMP START TIME	PUMP STOP TIME	RECOVERY TIME (Minutes)	PUMPING TIME (Minutes)	DEPTH TO DNAPL (Feet BMP)	DEPTH OF WELL (Feet BMP)	DNAPL THICKNESS (Feet)	DNAPL REMOVAL (Liters)	DNAPL REMOVAL (Gallons)
8/13/03	13:15	13:26	90	11	39.58	40.69	1.11	0.575	0.152
8/13/03	14:30	14:39	68	9	40.44	40.69	0.25	0.200	0.053
8/13/03	15:37	15:40	62	3	40.62	40.69	0.07	0.175	0.046
8/13/03	16:48	16:50	67	2	40.44	40.69	0.25	0.175	0.046
8/14/03	7:48	8:03	898	15	38.71	40.69	1.98	1.060	0.280
8/14/03	9:00	9:03	57	3	40.44	40.69	0.25	0.175	0.046
8/14/03	10:09	10:11	66	2	40.43	40.69	0.26	0.175	0.046
8/14/03	11:00	11:02	49	2	40.54	40.69	0.15	0.100	0.026
8/14/03	12:14	12:16	72	2	40.49	40.69	0.2	0.140	0.037
8/14/03	13:24	13:26	70	2	40.49	40.69	0.2	0.130	0.034
8/14/03	14:26	14:28	60	2	40.49	40.69	0.2	0.095	0.025
8/14/03	15:26	15:28	58	2	40.59	40.69	0.1	0.095	0.025
8/14/03	16:39	16:41	71	2	40.54	40.69	0.15	0.105	0.028
8/15/03	7:47	8:07	906	20	39.03	40.69	1.66	1.000	0.264
8/15/03	9:10	9:12	63	2	40.48	40.69	0.21	0.085	0.022

**NOTES/OBSERVATIONS:**

Recovery time refers to the elapsed time from the end of pumping (during the prior measurement interval) until the next measurements are collected.

Pumping was initiated on 8/13/03 90 minutes after completion of well development

## DNAPL RECOVERY TEST FIELD LOG

WELL ID N2SC-14

PAGE 1 OF 1

SITE GE Pittsfield, MA

LOCATION GMA 1 - Newell Street Area II

PERSONNEL KPM

DATE	MEASUREMENT/ PUMP START TIME	PUMP STOP TIME	RECOVERY TIME (Minutes)	PUMPING TIME (Minutes)	DEPTH TO DNAPL (Feet BMP)	DEPTH OF WELL (Feet BMP)	DNAPL THICKNESS (Feet)	DNAPL REMOVAL (Liters)	DNAPL REMOVAL (Gallons)
9/4/03	13:03	13:43	70	40	38.13	40.13	2.00	7.000	1.849
9/4/03	14:53	15:02	70	9	39.79	40.13	0.34	3.000	0.793
9/4/03	16:48	17:04	106	16	39.83	40.13	0.30	1.400	0.370
9/4/03	18:04	18:12	60	8	39.92	40.13	0.21	1.400	0.370
9/4/03	19:21	19:26	69	5	39.97	40.13	0.16	1.200	0.317
9/5/03	7:36	9:02	720	96	38.21	40.13	1.92	5.300	1.400
9/5/03	10:09	10:17	67	8	39.45	40.13	0.68	1.100	0.291
9/5/03	11:18	11:26	61	8	39.52	40.13	0.61	1.150	0.304
9/5/03	12:28	12:35	62	7	39.58	40.13	0.55	1.000	0.264
9/5/03	13:29	13:34	54	5	39.65	40.13	0.48	0.800	0.211
9/5/03	14:30	14:36	56	6	39.60	40.13	0.53	1.000	0.264
9/5/03	15:34	15:40	58	6	39.61	40.13	0.52	1.000	0.264
9/5/03	16:40	16:46	60	6	39.62	40.13	0.51	1.000	0.264

**NOTES/OBSERVATIONS:**

Recovery time refers to the elapsed time from the end of pumping (during the prior measurement interval) until the next measurements are collected.

Pumping was initiated on 9/4/03, 70 minutes after completion of well development