



GE
159 Plastics Avenue
Pittsfield, MA 01201
USA

Transmitted via Overnight Courier

August 9, 2007

Mr. Dean Tagliaferro
U.S. Environmental Protection Agency
Region I – New England
10 Lyman Street, Suite 2
Pittsfield, MA 01201

Ms. Susan Steenstrup
Bureau of Waste Site Cleanup
Department of Environmental Protection
436 Dwight Street
Springfield, MA 01103

**Re: GE-Pittsfield/Housatonic River Site
Monthly Status Report Pursuant to Consent Decree for July 2007 (GECD900)**

Dear Mr. Tagliaferro and Ms. Steenstrup:

Enclosed are copies of General Electric's (GE's) monthly progress report for July 2007 activities conducted by GE at the GE-Pittsfield/Housatonic River Site. This monthly report is submitted pursuant to Paragraph 67 of the Consent Decree (CD) for this Site, which was entered by the U.S. District Court on October 27, 2000.

The enclosed monthly report includes not only the activities conducted by GE under the CD, but also other activities conducted by GE at the GE-Pittsfield/Housatonic River Site (as defined in the CD). The report is formatted to apply to the various areas of the Site as defined in the CD, and to provide for each area, the information specified in Paragraph 67 of the CD. The activities conducted specifically pursuant to or in connection with the CD are marked with an asterisk. GE is submitting a separate monthly report to the Massachusetts Department of Environmental Protection (MDEP), with a copy to the United States Environmental Protection Agency (EPA), describing the activities conducted by GE at properties outside the CD Site pursuant to GE's November 2000 Administrative Consent Order from MDEP.

The enclosed monthly report includes, where applicable, tables that list the samples collected during the subject month, summarize the analytical results received during that month from sampling or other testing activities, and summarize other groundwater monitoring and oil recovery information obtained during that month. Also, enclosed for each of you (and for Weston) is a CD-ROM that contains these same tables of the analytical data and monitoring information in electronic form.

Please call Andrew Silfer or me if you have any questions.

Sincerely,

Richard W Gates /KAK

Richard W. Gates
Remediation Project Manager

Enclosure

G:\GE\GE_Pittsfield_General\Reports and Presentations\Monthly Reports\2007\07-07 CD Monthly\344711222_itr.doc

cc: Richard W. Hull, EPA
Richard Fisher, EPA
Robert Cianciarulo, EPA (cover letter only)
Tim Conway, EPA (cover letter only)
Rose Howell, EPA (cover letter and CD-ROM of report)
Holly Inglis, EPA (hard copy and CD-ROM of report)
Susan Svirsky, EPA (Items 7, 15, and 20 only)
K.C. Mitkevicius, USACE (CD-ROM of report)
Thomas Angus, MDEP (cover letter only)
Jane Rothchild, MDEP (cover letter only)
Anna Symington, MDEP (cover letter only)
Nancy E. Harper, MA AG
Susan Peterson, CT DEP
Field Supervisor, US FWS, DOI
Kenneth Finkelstein, Ph.D., NOAA (Items 13, 14, and 15 only)
Dale Young, MA EOE
Mayor James Ruberto, City of Pittsfield
Thomas Hickey, Director, Pittsfield Economic Development Authority
Linda Palmieri, Weston
Richard Nasman, P.E., Berkshire Gas (CD-ROM of report)
Michael Carroll GE (CD-ROM of report)
Andrew Silfer, GE (cover letter only)
Rod McLaren, GE (CD-ROM of report)
James Nuss, BBL
James Bieke, Goodwin Procter
Jim Rhea, QEA (narrative only)
Teresa Bowers, Gradient
Public Information Repositories (1 hard copy, 5 copies of CD-ROM)
GE Internal Repository (1 hard copy)

(w/o separate CD-ROM, except where noted)

July 2007

**MONTHLY STATUS REPORT
PURSUANT TO CONSENT DECREE
FOR
GE-PITTSFIELD/HOUSATONIC RIVER
SITE**

GENERAL ELECTRIC COMPANY



PITTSFIELD, MASSACHUSETTS

Background

The General Electric Company (GE), the United States Environmental Protection Agency (EPA), the Massachusetts Department of Environmental Protection (MDEP), and other governmental entities have entered into a Consent Decree (CD) for the GE-Pittsfield/Housatonic River Site, which was entered by the U.S. Court on October 27, 2000. In accordance with Paragraph 67 of the CD, GE is submitting this monthly report, prepared on GE's behalf by Blasland, Bouck & Lee, Inc. (BBL), which summarizes the status of activities conducted by GE at the GE-Pittsfield/Housatonic River Site ("Site") (as defined in the CD).

This report covers activities in the areas listed below (as defined in the CD and/or the accompanying Statement of Work for Removal Actions Outside the River [SOW]). Only those areas that have had work activities for the month subject to reporting are included. The specific activities conducted pursuant to or in connection with the CD are noted with an asterisk.

General Activities (GECD900)

GE Plant Area (non-groundwater)

1. 20s, 30s, 40s Complexes (GECD120)
2. East Street Area 2 – South (GECD150)
3. East Street Area 2 – North (GECD140)
4. East Street Area 1 – North (GECD130)
5. Hill 78 and Building 71 Consolidation Areas (GECD210/220)
6. Hill 78 Area – Remainder (GECD160)
7. Unkamet Brook Area (GECD170)

Former Oxbow Areas (non-groundwater)

8. Former Oxbow Areas A & C (GECD410)
9. Lyman Street Area (GECD430)
10. Newell Street Area I (GECD440)
11. Newell Street Area II (GECD450)
12. Former Oxbow Areas J & K (GECD420)

Housatonic River

13. Upper ½-Mile Reach (GECD800)
14. 1½-Mile Reach (only for activities, if any, conducted by GE) (GECD820)
15. Rest of the River (GECD850)

Housatonic River Floodplain

16. Current Residential Properties Adjacent to 1½-Mile Reach (Actual/Potential Lawns) (GECD710)
17. Non-Residential Properties Adjacent to 1½-Mile Reach (excluding banks) (GECD720)
18. Current Residential Properties Downstream of Confluence (Actual/Potential Lawns) (GECD730)

Other Areas

19. Allendale School Property (GECD500)
20. Silver Lake Area (GECD600)

Groundwater Management Areas (GMAs)

21. Plant Site 1 (GECD310)
22. Former Oxbows J & K (GECD320)
23. Plant Site 2 (GECD330)
24. Plant Site 3 (GECD340)
25. Former Oxbows A&C (GECD350)

**GENERAL ACTIVITIES
GE-PITTSFIELD/HOUSATONIC RIVER SITE
(GECD900)
JULY 2007**

a. Activities Undertaken/Completed

- Continued GE-EPA electronic data exchanges for the Housatonic River Watershed and Areas Outside the River.*

b. Sampling/Test Results Received

- Sample results were received for routine sampling conducted pursuant to GE's NPDES Permit for the GE facility. Sampling records and results are provided in Attachment A to this report.
- NPDES Discharge Monitoring Reports (DMRs) for the period of June 1 through June 30, 2007, are provided in Attachment B to this report.
- GE received a report from Columbia Analytical Services, Inc. (CAS) titled *NPDES Biomonitoring Report for July 2007*, which included analytical results for samples collected for NPDES-related whole effluent toxicity testing, as well as an attached report from Aquatec Biological Sciences providing the results of the whole effluent toxicity testing performed in July 2007. A copy of this document is provided in Attachment C.
- GE received a report from CAS titled *NPDES Chronic Biomonitoring Report for July 2007*, which included analytical results for samples collected for NPDES-related chronic whole effluent testing, as well as an attached report from Aquatec Biological Sciences providing the results of the chronic whole effluent toxicity testing performed in July 2007. A copy of that report is provided in Attachment D.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue NPDES sampling and monitoring activities.
- Attend public and Citizens Coordinating Council (CCC) meetings, as appropriate.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**ITEM 1
PLANT AREA
20s, 30s, 40s COMPLEXES
(GEC120)
JULY 2007**

a. Activities Undertaken/Completed

Completed data validation and performed data review for results of soil sampling conducted on behalf of the Pittsfield Economic Development Authority (PEDA) in the vicinity of planned utility lines to be installed by PEDA at the former 20s and 30s Complexes and the adjacent portion of Woodlawn Avenue.

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Submit report on soil sampling conducted on behalf of PEDA in the vicinity of planned utility lines to be installed by PEDA at the former 20s and 30s Complexes and the adjacent portion of Woodlawn Avenue.
- Following receipt of EPA comments on draft plan for additional soil sampling at the 40s Complex, submit final sampling plan (see Item 1.e below).*
- Continue work on development of Final Completion Report for the 40s Complex (following resolution of issues relating to additional sampling).*

e. General Progress/Unresolved Issues/Potential Schedule Impacts

- Awaiting EPA's comments on GE's December 21, 2006 proposal for the remaining at-grade concrete slabs of former Buildings 42, 43/43A, and 44, which also addressed certain issues relative to the final restoration of previously placed crushed demolition debris.*
- Awaiting EPA's comments on GE's January 25, 2007 draft letter which proposed, at PEDA's request, additional soil sampling within the 40s Complex.*
- Awaiting comments from EPA and MDEP on draft Grant of Environmental Restriction and Easement (ERE) and Plan of Restricted Area for the 40s Complex.*

f. Proposed/Approved Work Plan Modifications

None

**TABLE 1-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**20s, 30s, 40s COMPLEX
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|--|------------------------|--------------------|---------------|-------------------|-----------------|---------------------------------------|
| Building 31W Routine Maintenance of Gearbox Oil from Oil/Water Separator | C2099-1 | 6/19/07 | Oil | SGS | PCB | 7/5/07 |

**TABLE 1-2
PCB DATA RECEIVED DURING JULY 2007**

**BUILDING 31W ROUTINE MAINTENANCE OF GEARBOX OIL FROM OIL/WATER SEPARATOR
EAST STREET AREA 2 - SOUTH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Date Collected | Aroclor-1016 | Aroclor-1221 | Aroclor-1232 | Aroclor-1242 | Aroclor-1248 | Aroclor-1254 | Aroclor-1260 | Total PCBs |
|------------------|-----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------------|
| C2099-1 | 6/19/2007 | ND(0.96) | ND(0.96) | ND(0.96) | ND(0.96) | ND(0.96) | ND(0.96) | ND(0.96) | ND(0.96) |

Notes:

1. Sample was collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis of PCBs.
2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

**ITEM 2
PLANT AREA
EAST STREET AREA 2-SOUTH
(GECD150)
JULY 2007**

a. Activities Undertaken/Completed

Conducted Liquid-Phase Carbon Absorption (LPCA) and Volatile Phase Carbon (VPC) sampling at Building 64G, as identified in Table 2-1.

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

Submitted final executed ERE and related documents for City Recreational Area to EPA for formal approval and to MDEP for acceptance (July 18, 2007).*

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

None

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Several issues relating to GE's Conceptual Removal Design/Removal Action (RD/RA) Work Plan are under discussion with EPA.*

f. Proposed/Approved Work Plan Modifications

None

**TABLE 2-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**EAST STREET AREA 2 - SOUTH
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|--|------------------------|--------------------|---------------|-------------------|-----------------|---------------------------------------|
| Building 64G LPCA Monitoring | G7-64G-01 | 7/17/07 | Water | Columbia | VOC | 7/30/07 |
| Building 64G LPCA Monitoring | G7-64G-02 | 7/17/07 | Water | Columbia | SVOC | 7/30/07 |
| Building 64G LPCA Monitoring | G7-64G-03 | 7/17/07 | Water | Accutest | PCB | |
| Building 64G LPCA Monitoring | G7-64G-04 | 7/17/07 | Water | Columbia | Oil & Grease | 7/30/07 |
| Building 64G LPCA Monitoring | G7-64G-05 | 7/17/07 | Water | Columbia | VOC | 7/30/07 |
| Building 64G LPCA Monitoring | G7-64G-06 | 7/17/07 | Water | Columbia | SVOC | 7/30/07 |
| Building 64G LPCA Monitoring | G7-64G-07 | 7/17/07 | Water | Accutest | PCB | |
| Building 64G LPCA Monitoring | G7-64G-08 | 7/17/07 | Water | Columbia | Oil & Grease | 7/30/07 |
| Building 64G LPCA Monitoring | G7-64G-09 | 7/17/07 | Water | Columbia | VOC | 7/30/07 |
| Building 64G LPCA Monitoring | G7-64G-10 | 7/17/07 | Water | Columbia | SVOC | 7/30/07 |
| Building 64G LPCA Monitoring | G7-64G-11 | 7/17/07 | Water | Accutest | PCB | |
| Building 64G LPCA Monitoring | G7-64G-12 | 7/17/07 | Water | Columbia | Oil & Grease | 7/30/07 |
| Building 64G LPCA Monitoring | G7-64G-13 | 7/17/07 | Water | Columbia | VOC | 7/30/07 |
| Building 64G LPCA Monitoring | G7-64G-14 | 7/17/07 | Water | Columbia | SVOC | 7/30/07 |
| Building 64G LPCA Monitoring | G7-64G-15 | 7/17/07 | Water | Accutest | PCB | |
| Building 64G LPCA Monitoring | G7-64G-16 | 7/17/07 | Water | Columbia | Oil & Grease | 7/30/07 |
| Building 64G VPC Monitoring | 64G-VPC-1 | 7/3/07 | Carbon | SGS | PCB,TCLP | 7/19/07 |
| Building 64W Routine Maintenance of Gearbox Oil from Oil/Water Separator | F3714-1 | 6/19/07 | Oil | SGS | PCB | 7/5/07 |
| Building 64Z Routine Maintenance of Gearbox Oil from Oil/Water Separator | C2101-1 | 6/19/07 | Oil | SGS | PCB | 7/5/07 |

**TABLE 2-2
PCB DATA RECEIVED DURING JULY 2007**

**BUILDINGS 64W AND 64Z ROUTINE MAINTENANCE OF GEARBOX OIL FROM OIL/WATER SEPARATOR
EAST STREET AREA 2 - SOUTH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Date Collected | Aroclor-1016 | Aroclor-1221 | Aroclor-1232 | Aroclor-1242 | Aroclor-1248 | Aroclor-1254 | Aroclor-1260 | Total PCBs |
|-----------|----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------------|
| C2101-1 | 6/19/2007 | ND(0.99) | ND(0.99) | ND(0.99) | ND(0.99) | ND(0.99) | ND(0.99) | ND(0.99) | ND(0.99) |
| F3714-1 | 6/19/2007 | ND(0.98) | ND(0.98) | ND(0.98) | ND(0.98) | ND(0.98) | ND(0.98) | ND(0.98) | ND(0.98) |

- Notes:**
1. Samples were collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis of PCBs.
 2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

**TABLE 2-3
PCB DATA RECEIVED DURING JULY 2007**

**BUILDING 64G VPC SAMPLING
EAST STREET AREA 2 - SOUTH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Date Collected | Aroclor-1016, -1221, -1232, -1242, -1248 | Aroclor-1254 | Aroclor-1260 | Total PCBs |
|------------------|-----------------------|---|---------------------|---------------------|-------------------|
| 64G-VPC-1 | 7/3/2007 | ND(0.36) | 2.6 | ND(0.36) | 2.6 |

Notes:

1. Sample was collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis of PCBs and TCLP constituents.
2. Please refer to Table 2-4 for a summary of TCLP constituents.
3. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

**TABLE 2-4
TCLP DATA RECEIVED DURING JULY 2007**

**BUILDING 64G VPC SAMPLING
EAST STREET AREA 2 - SOUTH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | TCLP Regulatory Limits | 64G-VPC-1 7/3/2007 |
|------------------------------|-------------------------------|------------------------------|-----------------------|
| Volatile Organics | | | |
| 1,1-Dichloroethene | | 0.7 | ND(0.010) |
| 1,2-Dichloroethane | | 0.5 | ND(0.010) |
| 1,4-Dichlorobenzene | | 7.5 | ND(0.010) |
| 2-Butanone | | 200 | ND(0.25) |
| Benzene | | 0.5 | 0.28 |
| Carbon Tetrachloride | | 0.5 | ND(0.010) |
| Chlorobenzene | | 100 | 0.45 |
| Chloroform | | 6 | ND(0.010) |
| Tetrachloroethene | | 0.7 | ND(0.010) |
| Trichloroethene | | 0.5 | ND(0.010) |
| Vinyl Chloride | | 0.2 | ND(0.010) |
| Semivolatile Organics | | | |
| 1,4-Dichlorobenzene | | 7.5 | ND(0.015) |
| 2,4,5-Trichlorophenol | | 400 | ND(0.015) |
| 2,4,6-Trichlorophenol | | 2 | ND(0.015) |
| 2,4-Dinitrotoluene | | 0.13 | ND(0.015) |
| Cresol | | 200 | ND(0.015) |
| Hexachlorobenzene | | 0.13 | ND(0.015) |
| Hexachlorobutadiene | | 0.5 | ND(0.015) |
| Hexachloroethane | | 3 | ND(0.015) |
| Nitrobenzene | | 2 | ND(0.015) |
| Pentachlorophenol | | 100 | ND(0.077) |
| Pyridine | | 5 | ND(0.015) |
| Inorganics | | | |
| Arsenic | | 5 | ND(0.200) |
| Barium | | 100 | 0.110 B |
| Cadmium | | 1 | ND(0.100) |
| Chromium | | 5 | ND(0.100) |
| Lead | | 5 | ND(0.100) |
| Mercury | | 0.2 | ND(0.000570) |
| Selenium | | 1 | 0.0884 B |
| Silver | | 5 | ND(0.100) |

Notes:

1. Sample was collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis of PCBs and TCLP constituents.
2. Please refer to Table 2-3 for a summary of PCBs.
3. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

Data Qualifiers:

Inorganics

B - Indicates an estimated value between the instrument detection limit (IDL) and practical quantitation limit (PQL).

**TABLE 2-5
DATA RECEIVED DURING JULY 2007**

**BUILDING 64G LPCA MONITORING
EAST STREET AREA 2 - SOUTH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | G7-64G-01 07/17/07 | G7-64G-02 07/17/07 | G7-64G-04 07/17/07 | G7-64G-05 07/17/07 | G7-64G-06 07/17/07 | G7-64G-08 07/17/07 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Volatile Organics | | | | | | | |
| 1,1,1-Trichloroethane | | 0.0027 | NA | NA | 0.0027 | NA | NA |
| 1,1-Dichloroethane | | 0.0022 | NA | NA | 0.0025 | NA | NA |
| 1,2-Dichlorobenzene | | 0.00034 | NA | NA | ND(0.00031) | NA | NA |
| 1,3-Dichlorobenzene | | 0.0047 | NA | NA | ND(0.00035) | NA | NA |
| 1,4-Dichlorobenzene | | 0.010 | NA | NA | 0.00022 | NA | NA |
| Benzene | | 0.022 | NA | NA | ND(0.00018) | NA | NA |
| bis(Chloromethyl)ether | | Not present | NA | NA | Not present | NA | NA |
| Chlorobenzene | | 0.12 | NA | NA | 0.00047 | NA | NA |
| Chloroethane | | 0.0011 | NA | NA | 0.0011 | NA | NA |
| Chloroform | | ND(0.00017) | NA | NA | 0.00045 | NA | NA |
| Ethylbenzene | | 0.038 | NA | NA | ND(0.00017) | NA | NA |
| Toluene | | 0.0014 | NA | NA | ND(0.00011) | NA | NA |
| trans-1,2-Dichloroethene | | 0.00022 | NA | NA | ND(0.00022) | NA | NA |
| Vinyl Chloride | | 0.0020 | NA | NA | 0.0012 | NA | NA |
| Semivolatile Organics | | | | | | | |
| 1,2,4-Trichlorobenzene | | NA | 0.0018 J | NA | NA | ND(0.0047) | NA |
| 2,4-Dimethylphenol | | NA | 0.0033 J | NA | NA | ND(0.0047) | NA |
| 2-Chlorophenol | | NA | 0.00060 J | NA | NA | ND(0.0047) | NA |
| Acenaphthene | | NA | 0.021 | NA | NA | ND(0.0047) | NA |
| Acenaphthylene | | NA | 0.00082 J | NA | NA | ND(0.0047) | NA |
| Anthracene | | NA | 0.00068 J | NA | NA | ND(0.0047) | NA |
| Di-n-Butylphthalate | | NA | 0.0016 J | NA | NA | 0.00087 J | NA |
| Fluoranthene | | NA | 0.0010 J | NA | NA | ND(0.0047) | NA |
| Fluorene | | NA | 0.0035 J | NA | NA | ND(0.0047) | NA |
| Naphthalene | | NA | 0.013 | NA | NA | ND(0.0047) | NA |
| Phenol | | NA | 0.0012 J | NA | NA | ND(0.0047) | NA |
| Pyrene | | NA | 0.0015 J | NA | NA | ND(0.0047) | NA |
| Conventionals | | | | | | | |
| Oil & Grease | | NA | NA | ND(5.0) | NA | NA | ND(5.0) |

**TABLE 2-5
DATA RECEIVED DURING JULY 2007**

**BUILDING 64G LPCA MONITORING
EAST STREET AREA 2 - SOUTH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | G7-64G-09 07/17/07 | G7-64G-10 07/17/07 | G7-64G-12 07/17/07 | G7-64G-13 07/17/07 | G7-64G-14 07/17/07 | G7-64G-16 07/17/07 |
|------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Volatile Organics | | | | | | | |
| 1,1,1-Trichloroethane | | 0.0022 | NA | NA | 0.0011 | NA | NA |
| 1,1-Dichloroethane | | 0.0026 | NA | NA | 0.0018 | NA | NA |
| 1,2-Dichlorobenzene | | ND(0.00031) | NA | NA | ND(0.00031) | NA | NA |
| 1,3-Dichlorobenzene | | ND(0.00035) | NA | NA | ND(0.00035) | NA | NA |
| 1,4-Dichlorobenzene | | ND(0.00020) | NA | NA | ND(0.00020) | NA | NA |
| Benzene | | ND(0.00018) | NA | NA | ND(0.00018) | NA | NA |
| bis(Chloromethyl)ether | | Not present | NA | NA | Not present | NA | NA |
| Chlorobenzene | | ND(0.00020) | NA | NA | ND(0.00020) | NA | NA |
| Chloroethane | | 0.0011 | NA | NA | 0.00095 | NA | NA |
| Chloroform | | 0.00071 | NA | NA | 0.00036 | NA | NA |
| Ethylbenzene | | ND(0.00017) | NA | NA | ND(0.00017) | NA | NA |
| Toluene | | ND(0.00011) | NA | NA | ND(0.00011) | NA | NA |
| trans-1,2-Dichloroethene | | ND(0.00022) | NA | NA | ND(0.00022) | NA | NA |
| Vinyl Chloride | | 0.00074 | NA | NA | 0.00050 | NA | NA |
| Semivolatile Organics | | | | | | | |
| 1,2,4-Trichlorobenzene | | NA | ND(0.0047) | NA | NA | ND(0.0047) | NA |
| 2,4-Dimethylphenol | | NA | ND(0.0047) | NA | NA | ND(0.0047) | NA |
| 2-Chlorophenol | | NA | ND(0.0047) | NA | NA | ND(0.0047) | NA |
| Acenaphthene | | NA | ND(0.0047) | NA | NA | ND(0.0047) | NA |
| Acenaphthylene | | NA | ND(0.0047) | NA | NA | ND(0.0047) | NA |
| Anthracene | | NA | ND(0.0047) | NA | NA | ND(0.0047) | NA |
| Di-n-Butylphthalate | | NA | 0.0020 J | NA | NA | 0.0014 J | NA |
| Fluoranthene | | NA | ND(0.0047) | NA | NA | ND(0.0047) | NA |
| Fluorene | | NA | ND(0.0047) | NA | NA | ND(0.0047) | NA |
| Naphthalene | | NA | ND(0.0047) | NA | NA | ND(0.0047) | NA |
| Phenol | | NA | ND(0.0047) | NA | NA | ND(0.0047) | NA |
| Pyrene | | NA | ND(0.0047) | NA | NA | ND(0.0047) | NA |
| Conventionals | | | | | | | |
| Oil & Grease | | NA | NA | ND(5.0) | NA | NA | ND(5.0) |

Notes:

1. Samples were collected by General Electric Company and submitted to Columbia Analytical Services, Inc. for analysis of volatiles, semivolatiles, and oil & grease.
2. NA - Not Analyzed.
3. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.
4. With the exception of conventional parameters, only those constituents detected in one or more samples are summarized.
5. Not present - Calibration for the compound bis(Chloromethyl)ether was not performed and reported as a tentively identified compound (TIC).

Data Qualifiers:

Organics (volatiles, semivolatiles)

J - Indicates an estimated value less than the practical quantitation limit (PQL).

**ITEM 3
PLANT AREA
EAST STREET AREA 2-NORTH
(GECD140)
JULY 2007**

a. Activities Undertaken/Completed

- Collected and transferred approximately 67,000 gallons of water from Building 9 to Building 64G for treatment.
- Continued the asbestos removal program at Buildings 11 and 16.
- Received copy of letter from PEDDA to EPA, dated July 9, 2007, stating, in response to EPA's June 26, 2007 letter, that PEDDA would accept crushed building demolition materials in the 19s Complex (following transfer to PEDDA), subject to certain conditions.
- Conducted sampling of glassware from the Building 11 sink trap, as identified in Table 3-1.

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Complete asbestos removal activities at Buildings 11 and 16.
- Continue discussions with EPA regarding GE's May 30, 2007 revised proposal for disposition of demolition debris from Buildings 7, 17, 17C, and 19.*
- Schedule initiation of demolition activities for Buildings 7, 17, 17C, and 19 following receipt of approvals for GE's May 30, 2007 revised proposal for disposition of demolition debris.
- Develop proposal to EPA regarding demolition of, and disposition of demolition debris from, Buildings 11 and 16, following EPA's response to GE's May 30, 2007 revised proposal for disposition of demolition debris from Buildings 7, 17, 17C, and 19.*

e. General Progress/Unresolved Issues/Potential Schedule Impacts

- Awaiting EPA's comments on GE's December 21, 2006 proposal for the remaining at-grade concrete slabs of certain buildings in the portion of East Street Area 2-North that is intended to be transferred to PEDDA (i.e., the 19s Complex).*

**ITEM 3
(cont'd)
PLANT AREA
EAST STREET AREA 2-NORTH
(GEC140)
JULY 2007**

e. General Progress/Unresolved Issues/Potential Schedule Impacts (cont'd)

- Awaiting EPA's review of GE's Final RD/RA Work Plan Addendum.*
- GE has proposed that, following EPA's approval of GE's revised proposal for disposition of demolition debris from Buildings 7, 17, 17C, and 19, a CD modification be prepared to allow the proposed disposition.*
- GE has proposed to initiate demolition activities for Buildings 7, 17, 17C, and 19 following receipt of all necessary regulatory approvals for GE's proposed plan for disposition of demolition debris from those buildings.
- The formal follow-notification letter associated with the May 10, 2007 verbal notification to EPA and MDEP regarding the result of a liquid sample collected from a drainage piping system in the Building 11 laboratory will be submitted after GE has completed removal of any additional liquids collected from the piping system (as discussed with M. Milette [EPA] during the May 10, 2007 verbal notification, and documented in a May 17, 2007 letter to EPA regarding the results of certain oil samples from Buildings 11 and 16). However, given site-specific conditions, such additional removal activities can only be completed as part of the demolition of Buildings 11 and 16. Therefore, submittal of the follow-up notification letter is dependent upon initiation of demolition activities for those buildings.

f. Proposed/Approved Work Plan Modifications

None

**TABLE 3-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**EAST STREET AREA 2 - NORTH
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|----------------------------|------------------------|--------------------|---------------|-------------------|-----------------|---------------------------------------|
| Building 11 Trap Glassware | SinkTrapGlass-1 | 7/3/07 | Glass | SGS | TCLP | 7/19/07 |

**TABLE 3-2
TCLP DATA RECEIVED DURING JULY 2007**

**BUILDING 11 TRAP GLASSWARE
EAST STREET AREA 2 - NORTH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | TCLP Regulatory Limits | SinkTrapGlass-1 7/3/2007 |
|------------------------------|---------------------------------------|---------------------------------------|-------------------------------------|
| Volatile Organics | | | |
| 1,1-Dichloroethene | | 0.7 | ND(0.010) |
| 1,2-Dichloroethane | | 0.5 | ND(0.010) |
| 1,4-Dichlorobenzene | | 7.5 | ND(0.010) |
| 2-Butanone | | 200 | ND(0.25) |
| Benzene | | 0.5 | ND(0.010) |
| Carbon Tetrachloride | | 0.5 | ND(0.010) |
| Chlorobenzene | | 100 | ND(0.010) |
| Chloroform | | 6 | ND(0.010) |
| Tetrachloroethene | | 0.7 | ND(0.010) |
| Trichloroethene | | 0.5 | ND(0.010) |
| Vinyl Chloride | | 0.2 | ND(0.010) |
| Semivolatile Organics | | | |
| 1,4-Dichlorobenzene | | 7.5 | ND(0.010) |
| 2,4,5-Trichlorophenol | | 400 | ND(0.010) |
| 2,4,6-Trichlorophenol | | 2 | ND(0.010) |
| 2,4-Dinitrotoluene | | 0.13 | ND(0.010) |
| Cresol | | 200 | ND(0.010) |
| Hexachlorobenzene | | 0.13 | ND(0.010) |
| Hexachlorobutadiene | | 0.5 | ND(0.010) |
| Hexachloroethane | | 3 | ND(0.010) |
| Nitrobenzene | | 2 | ND(0.010) |
| Pentachlorophenol | | 100 | ND(0.050) |
| Pyridine | | 5 | ND(0.010) |
| Inorganics | | | |
| Arsenic | | 5 | ND(0.200) |
| Barium | | 100 | 0.107 B |
| Cadmium | | 1 | ND(0.100) |
| Chromium | | 5 | ND(0.100) |
| Lead | | 5 | ND(0.100) |
| Mercury | | 0.2 | 0.0451 |
| Selenium | | 1 | 0.0903 B |
| Silver | | 5 | ND(0.100) |

Notes:

1. Sample was collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis TCLP constituents.
2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

Data Qualifiers:

Inorganics

B - Indicates an estimated value between the instrument detection limit (IDL) and practical quantitation limit (PQL).

**ITEM 5
PLANT AREA
HILL 78 & BUILDING 71 CONSOLIDATION AREAS
(GECD210/220)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

- Conducted air monitoring for particulates and PCBs, as identified in Table 5-1.
- Conducted post-closure inspection of final cover at the Building 71 On-Plant Consolidation Area (OPCA) and associated components (June 1, 2007).
- Continued transfer of leachate from Building 71 OPCA to Building 64G for treatment. The total amount transferred in July 2007 was 9,000 gallons (see Table 5-2).
- Completed planting of 41 trees along the northern side of Tyler Street Extension.
- Continued construction of final cover at portion of Hill 78 OPCA.
- Conducted preliminary data review (PDR) of PCB analytical data for ambient air samples collected from the OPCA air monitors on June 26-27, July 2-3, July 10-11, and July 17-18, 2007 (see Table 5-3). The PDR was conducted based on the following data quality indicators associated with the tabulated data set – sampling collection time, sampling calibration check, temperature receipt, associated blanks, laboratory control samples, recoveries and surrogate recoveries – in accordance with Validation Annex F in GE's revised FSP/QAPP and the Region I Data Validation Functional Guidelines referenced therein. This PDR review resulted in minor qualification of the data from July 17-18, 2007, as shown in Table 5-3. Tier I and Tier II data validation of all PCB analytical data for ambient air samples collected from the OPCA air monitors during these events will be conducted after receiving the full data package(s) from the laboratory.
- Conducted Tier I and Tier II data validation of all PCB analytical data for ambient air samples collected from the OPCA air monitors on June 6-7, June 12-13, and June 19-20, 2007. The Tier I and Tier II data validation consisted of a review of all data package summary forms for identification of quality assurance/quality control (QA/QC) deviations, as well as qualification of the data, in accordance with Validation Annex F in GE's revised FSP/QAPP and the Region I Data Validation Functional Guidelines referenced therein. The Tier I/II review resulted in minor qualifications of these data (mainly for PCB Aroclor 1248), as shown in Table 5-5. However, the PCB analytical data from these samples have an overall usability of 100%. The validated data from these events are included in Table 5-6 (the year-to-date summary PCB table).

**ITEM 5
(cont'd)
PLANT AREA
HILL 78 & BUILDING 71 CONSOLIDATION AREAS
(GECD210/220)
JULY 2007**

a. Activities Undertaken/Completed (cont'd)

- Based on discussions with EPA, the following changes have been made to the data validation procedures and the format of the PCB data tables for the OPCA air monitoring data:
 - Beginning with the June 6-7, 2007 sampling event, for sample data that did not match Aroclor patterns that were established through the analysis of target Aroclor standards, the results have been qualified as estimated with the qualifier “J”; whereas previous data of this nature were determined to be non-detect (“ND”) and the Total PCB concentrations were adjusted to reflect that qualification.
 - GE has made changes to PCB air data tables (Tables 5-3, 5-5, and 5-6) so that all tables list sample locations and sample ID numbers and show results in the same units – micrograms per cubic meter ($\mu\text{g}/\text{m}^3$). (The Analytical Data Validation Summary table [Table 5-5] also presents results in $\mu\text{g}/\text{PUF}$, as it did previously.) In addition, the table presenting results received in the subject month (Table 5-3) provides results for each detected Aroclor, as well as total TCBS.

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

- Submitted report on the June 1, 2007 post-closure inspection of the Building 71 OPCA final cover and associated components (July 11, 2007).
- Submitted to EPA, via electronic mail, the PCB analytical data for ambient air samples collected from the OPCA monitors on June 26-27, July 2-3, July 10-11, and July 17-18, 2007, along with Tier II validated results for the data for the June 6-7, June 12-13, and June 19-20, 2007 OPCA air monitoring events (July 27, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue monthly submittals of PCB analytical data and Tier II data validation for ambient air samples collected from the OPCA air monitors.
- Continue construction of final cover at portion of Hill 78 OPCA.

**ITEM 5
(cont'd)
PLANT AREA
HILL 78 & BUILDING 71 CONSOLIDATION AREAS
(GECD210/220)
JULY 2007**

d. Upcoming Scheduled and Anticipated Activities (next six weeks) (cont'd)

- Continue construction of mid-slope drainage swale at Building 71 OPCA.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Timing of completion of closure of Hill 78 OPCA is dependent on timing of building demolition activities at East Street Area 2-North.

f. Proposed/Approved Work Plan Modifications

None

**TABLE 5-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|---------------------------|--------------------|---------------|-------------------------|--------------------|---------------------------------------|
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/2/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/2/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/2/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/2/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/2/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/2/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/3/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/3/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/3/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/3/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/3/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/3/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/5/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/5/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/5/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/5/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/5/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/5/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/6/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/6/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/6/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/6/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/6/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/6/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/9/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/9/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/9/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/9/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/9/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/9/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/10/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/10/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/10/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/10/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/10/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/10/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/11/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/11/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/11/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/11/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/11/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/11/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/12/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |

**TABLE 5-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|---------------------------|--------------------|---------------|-------------------------|--------------------|---------------------------------------|
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/12/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/12/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/12/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/12/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/12/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/13/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/13/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/13/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/13/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/13/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/13/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/16/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/16/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/16/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/16/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/16/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/16/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/17/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/17/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/17/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/17/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/17/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/17/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/18/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/18/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/18/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/18/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/18/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/18/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/19/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/19/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/19/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/19/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/19/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/19/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/20/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/20/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/20/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/20/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/20/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/20/2007 | Air | Berkshire Environmental | Particulate Matter | 7/23/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/23/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/23/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |

**TABLE 5-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|------------------------------------|--------------------|---------------|-------------------------|--------------------|---------------------------------------|
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/23/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/23/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/23/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/23/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/24/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/24/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/24/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/24/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/24/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/24/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/25/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/25/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/25/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/25/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/25/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/25/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/26/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/26/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/26/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/26/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/26/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/26/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/27/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/27/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/27/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/27/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/27/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/27/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/30/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/30/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/30/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/30/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/30/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/30/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 7/31/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 7/31/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 7/31/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 7/31/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 7/31/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/31/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| PCB Ambient Air Sampling | Field Blank | 06/26 - 06/27/07 | Air | NEA | PCB | 7/3/2007 |
| PCB Ambient Air Sampling | Northwest of OPCAs (NW-062707-012) | 06/26 - 06/27/07 | Air | NEA | PCB | 7/3/2007 |
| PCB Ambient Air Sampling | West of OPCAs (W-062707-301) | 06/26 - 06/27/07 | Air | NEA | PCB | 7/3/2007 |

**TABLE 5-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|--------------------------|---|--------------------|---------------|-------------------|-----------------|---------------------------------------|
| PCB Ambient Air Sampling | West of OPCAs collocated (WCO-062707-006) | 06/26 - 06/27/07 | Air | NEA | PCB | 7/3/2007 |
| PCB Ambient Air Sampling | North of OPCAs (N-062707-002) | 06/26 - 06/27/07 | Air | NEA | PCB | 7/3/2007 |
| PCB Ambient Air Sampling | Southeast of OPCAs (SE-062707-202) | 06/26 - 06/27/07 | Air | NEA | PCB | 7/3/2007 |
| PCB Ambient Air Sampling | Pittsfield Generating (PGE) (PGE-062707-303) | 06/26 - 06/27/07 | Air | NEA | PCB | 7/3/2007 |
| PCB Ambient Air Sampling | Background East of Building 9B (BK3-062707-001) | 06/26 - 06/27/07 | Air | NEA | PCB | 7/3/2007 |
| PCB Ambient Air Sampling | Field Blank | 07/02 - 07/03/07 | Air | NEA | PCB | 7/11/2007 |
| PCB Ambient Air Sampling | Northwest of OPCAs (NW-070307-012) | 07/02 - 07/03/07 | Air | NEA | PCB | 7/11/2007 |
| PCB Ambient Air Sampling | West of OPCAs (W-070307-301) | 07/02 - 07/03/07 | Air | NEA | PCB | 7/11/2007 |
| PCB Ambient Air Sampling | West of OPCAs collocated (WCO-070307-006) | 07/02 - 07/03/07 | Air | NEA | PCB | 7/11/2007 |
| PCB Ambient Air Sampling | North of OPCAs (N-070307-002) | 07/02 - 07/03/07 | Air | NEA | PCB | 7/11/2007 |
| PCB Ambient Air Sampling | Southeast of OPCAs (SE-070307-202) | 07/02 - 07/03/07 | Air | NEA | PCB | 7/11/2007 |
| PCB Ambient Air Sampling | Pittsfield Generating (PGE) (PGE-070307-303) | 07/02 - 07/03/07 | Air | NEA | PCB | 7/11/2007 |
| PCB Ambient Air Sampling | Background East of Building 9B (BK3-070307-001) | 07/02 - 07/03/07 | Air | NEA | PCB | 7/11/2007 |
| PCB Ambient Air Sampling | Field Blank | 07/10 - 07/11/07 | Air | NEA | PCB | 7/19/2007 |
| PCB Ambient Air Sampling | Northwest of OPCAs (NW-071107-012) | 07/10 - 07/11/07 | Air | NEA | PCB | 7/19/2007 |
| PCB Ambient Air Sampling | West of OPCAs (W-071107-301) | 07/10 - 07/11/07 | Air | NEA | PCB | 7/19/2007 |
| PCB Ambient Air Sampling | West of OPCAs collocated (WCO-071107-006) | 07/10 - 07/11/07 | Air | NEA | PCB | 7/19/2007 |
| PCB Ambient Air Sampling | North of OPCAs (N-071107-002) | 07/10 - 07/11/07 | Air | NEA | PCB | 7/19/2007 |
| PCB Ambient Air Sampling | Southeast of OPCAs (SE-071107-202) | 07/10 - 07/11/07 | Air | NEA | PCB | 7/19/2007 |
| PCB Ambient Air Sampling | Pittsfield Generating (PGE) (PGE-071107-303) | 07/10 - 07/11/07 | Air | NEA | PCB | 7/19/2007 |
| PCB Ambient Air Sampling | Background East of Building 9B (BK3-071107-001) | 07/10 - 07/11/07 | Air | NEA | PCB | 7/19/2007 |
| PCB Ambient Air Sampling | Field Blank | 07/17- 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | Northwest of OPCAs (NW-071807-012) | 07/17- 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | West of OPCAs (W-071807-301) | 07/17- 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | West of OPCAs collocated (WCO-071807-006) | 07/17- 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | North of OPCAs (N-071807-002) | 07/17- 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | Southeast of OPCAs (SE-071807-202) | 07/17- 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | Pittsfield Generating (PGE) (PGE-071807-303) | 07/17- 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | Background East of Building 9B (BK3-071807-001) | 07/17- 07/18/07 | Air | NEA | PCB | 7/25/2007 |

Note:

1. Field sample Ids for PCB ambient air sampling are presented in parenthesis.

TABLE 5-2
BUILDING 71 CONSOLIDATION AREA LEACHATE TRANSFER SUMMARY
PLANT AREA - HILL 78 & BUILDING 71 CONSOLIDATION AREAS
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Month / Year | Total Volume of Leachate Transferred (Gallons) |
|----------------|--|
| July 2006 | 111,000 |
| August 2006 | 121,000 |
| September 2006 | 110,000 |
| October 2006 | 78,000 |
| November 2006 | 47,000 |
| December 2006 | 42,000 |
| January 2007 | 36,000 |
| February 2007 | 18,000 |
| March 2007 | 29,000 |
| April 2007 | 26,000 |
| May 2007 | 17,000 |
| June 2007 | 18,000 |
| July 2007 | 9,000 |

Leachate is transferred from the Building 71 On-Plant Consolidation Area to Building 64G for treatment.

**TABLE 5-3
SUMMARY OF 2007 PCB AMBIENT AIR SAMPLING RESULTS RECEIVED DURING JULY 2007**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
(all results are ug/m3)**

| Sample Location | Sample ID | Sample Date(s) | Aroclor ID | Total PCB (ug/m ³) | Exceedances of Notification Level (0.05 ug/m ³) | Data Validated? |
|--|----------------|---------------------|--------------|--------------------------------|---|------------------|
| Northwest of OPCAs | NW-062707-012 | 06/26/07 - 06/27/07 | Aroclor 1248 | 0.0008 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0016 | | |
| | | | Total PCB | 0.0024 | | |
| West of OPCAs | W-062707-301 | 06/26/07 - 06/27/07 | Aroclor 1248 | 0.0010 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0026 | | |
| | | | Aroclor 1260 | 0.0005 | | |
| West of OPCAs colocated | WCO-062707-006 | 06/26/07 - 06/27/07 | Aroclor 1248 | 0.0009 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0024 | | |
| | | | Aroclor 1260 | 0.0006 | | |
| North of OPCAs | N-062707-002 | 06/26/07 - 06/27/07 | Aroclor 1248 | 0.0006 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0011 | | |
| | | | Total PCB | 0.0017 | | |
| Southeast of OPCAs | SE-062707-202 | 06/26/07 - 06/27/07 | Aroclor 1248 | 0.0006 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0013 | | |
| | | | Total PCB | 0.0019 | | |
| Pittsfield Generating (PGE) | PGE-062707-303 | 06/26/07 - 06/27/07 | Aroclor 1248 | 0.0010 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0018 | | |
| | | | Total PCB | 0.0028 | | |
| Background Sample Location - East of Building 9B | BK3-062707-001 | 06/26/07 - 06/27/07 | Aroclor 1248 | 0.0010 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0023 | | |
| | | | Aroclor 1260 | 0.0003 | | |
| Northwest of OPCAs | NW-070307-012 | 07/02/07 - 07/03/07 | Total PCB | ND | None | PDR ¹ |
| | | | Total PCB | NA ² | | |
| | | | Total PCB | 0.0003 | | |
| West of OPCAs colocated | WCO-070307-006 | 07/02/07 - 07/03/07 | Aroclor 1254 | 0.0003 | -- | PDR ¹ |
| | | | Total PCB | 0.0003 | | |
| | | | Total PCB | ND | | |
| North of OPCAs | N-070307-002 | 07/02/07 - 07/03/07 | Total PCB | ND | None | PDR ¹ |
| | | | Total PCB | ND | | |
| | | | Total PCB | ND | | |
| Southeast of OPCAs | SE-070307-202 | 07/02/07 - 07/03/07 | Total PCB | ND | None | PDR ¹ |
| | | | Total PCB | ND | | |
| | | | Total PCB | ND | | |
| Pittsfield Generating (PGE) | PGE-070307-303 | 07/02/07 - 07/03/07 | Total PCB | ND | None | PDR ¹ |
| | | | Total PCB | ND | | |
| | | | Total PCB | ND | | |
| Background Sample Location - East of Building 9B | BK3-070307-001 | 07/02/07 - 07/03/07 | Aroclor 1254 | 0.0004 | -- | PDR ¹ |
| | | | Total PCB | 0.0004 | | |
| | | | Total PCB | 0.0004 | | |
| Northwest of OPCAs | NW-071107-012 | 07/10/07 - 07/11/07 | Aroclor 1248 | 0.0013 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0019 | | |
| | | | Total PCB | 0.0032 | | |
| West of OPCAs | W-071107-301 | 07/10/07 - 07/11/07 | Aroclor 1248 | 0.0011 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0031 | | |
| | | | Aroclor 1260 | 0.0008 | | |
| West of OPCAs colocated | WCO-071107-006 | 07/10/07 - 07/11/07 | Aroclor 1248 | 0.0011 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0036 | | |
| | | | Aroclor 1260 | 0.0012 | | |
| North of OPCAs | N-071107-002 | 07/10/07 - 07/11/07 | Aroclor 1248 | 0.001 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0015 | | |
| | | | Total PCB | 0.0025 | | |
| Southeast of OPCAs | SE-071107-202 | 07/10/07 - 07/11/07 | Aroclor 1248 | 0.0006 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0012 | | |
| | | | Total PCB | 0.0018 | | |
| Pittsfield Generating (PGE) | PGE-071107-303 | 07/10/07 - 07/11/07 | Aroclor 1248 | 0.0008 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0016 | | |
| | | | Total PCB | 0.0024 | | |
| Background Sample Location - East of Building 9B | BK3-071107-001 | 07/10/07 - 07/11/07 | Aroclor 1248 | 0.0007 | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0028 | | |
| | | | Aroclor 1260 | 0.0004 | | |
| Northwest of OPCAs | NW-071807-012 | 07/17/07 - 07/18/07 | Aroclor 1248 | 0.0003 J ³ | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0005 J ³ | | |
| | | | Total PCB | 0.0008 J ³ | | |
| West of OPCAs | W-071807-301 | 07/17/07 - 07/18/07 | Aroclor 1248 | 0.0005 J ³ | -- | PDR ¹ |
| | | | Aroclor 1254 | 0.0011 J ³ | | |
| | | | Aroclor 1260 | 0.0004 J ³ | | |
| Background Sample Location - East of Building 9B | BK3-071807-001 | 07/17/07 - 07/18/07 | Aroclor 1248 | 0.0007 J ³ | None | PDR ¹ |
| | | | Aroclor 1254 | 0.0028 J ³ | | |
| | | | Aroclor 1260 | 0.0004 J ³ | | |
| Northwest of OPCAs | NW-071807-012 | 07/17/07 - 07/18/07 | Aroclor 1248 | 0.0003 J ³ | None | PDR ¹ |
| | | | Aroclor 1254 | 0.0005 J ³ | | |
| | | | Total PCB | 0.0008 J ³ | | |
| West of OPCAs | W-071807-301 | 07/17/07 - 07/18/07 | Aroclor 1248 | 0.0005 J ³ | None | PDR ¹ |
| | | | Aroclor 1254 | 0.0011 J ³ | | |
| | | | Aroclor 1260 | 0.0004 J ³ | | |
| Background Sample Location - East of Building 9B | BK3-071807-001 | 07/17/07 - 07/18/07 | Aroclor 1248 | 0.0007 J ³ | None | PDR ¹ |
| | | | Aroclor 1254 | 0.0028 J ³ | | |
| | | | Aroclor 1260 | 0.0004 J ³ | | |

**TABLE 5-3
SUMMARY OF 2007 PCB AMBIENT AIR SAMPLING RESULTS RECEIVED DURING JULY 2007**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
(all results are ug/m3)**

| Sample Location | Sample ID | Sample Date(s) | Aroclor ID | Total PCB (ug/m ³) | Exceedances of Notification Level (0.05 ug/m ³) | Data Validated? |
|--|----------------|---------------------|--------------|--------------------------------|---|-----------------|
| West of OPCAs collocated | WCO-071807-006 | 07/17/07 - 07/18/07 | Aroclor 1248 | 0.0006 J ³ | -- | |
| | | | Aroclor 1254 | 0.0011 J ³ | | |
| | | | Total PCB | 0.0017 J ³ | | |
| North of OPCAs | N-071807-002 | 07/17/07 - 07/18/07 | Aroclor 1248 | 0.0003 J ³ | -- | |
| | | | Aroclor 1254 | 0.0005 J ³ | | |
| | | | Total PCB | 0.0008 J ³ | | |
| Southeast of OPCAs | SE-071807-202 | 07/17/07 - 07/18/07 | Aroclor 1248 | 0.0005 J ³ | -- | |
| | | | Aroclor 1254 | 0.0006 J ³ | | |
| | | | Total PCB | 0.0011 J ³ | | |
| Pittsfield Generating (PGE) | PGE-071807-303 | 07/17/07 - 07/18/07 | Aroclor 1248 | 0.0004 J ³ | -- | |
| | | | Aroclor 1254 | 0.0006 J ³ | | |
| | | | Total PCB | 0.0010 J ³ | | |
| Background Sample Location - East of Building 9B | BK3-071807-001 | 07/17/07 - 07/18/07 | Aroclor 1248 | 0.0006 J ³ | -- | |
| | | | Aroclor 1254 | 0.0015 J ³ | | |
| | | | Total PCB | 0.0021 J ³ | | |

Notes:

All sampling activities performed by Berkshire Environmental Consultants, Inc. All analytical activities performed by Northeast Analytical, Inc. Only results for detected Aroclors, as well as Total PCBs, are presented.
 ND - Non Detect (<0.0003)
 PDR - Preliminary data review

Qualification Notes:

- ¹ Preliminary data review was conducted based on the following data quality indicators associated with the tabulated data set above: sampling collection time, sampling calibration check, temperature receipt, associated blanks, laboratory control samples recoveries, and surrogate recoveries.
- ² Sample did not meet validity requirements and was not analyzed. Sample did not meet the QA/QC criteria of 24 hours ± 30 minutes.
- ³ Sample location qualified as estimate due to the laboratory control sample (LCS) exhibiting a recovery and relative percent difference between the LCS/laboratory control sample duplicate (LCSD) outside the control limits.

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date¹ | Sampler Location | Average Site Concentration (mg/m³) | Background Site Concentration (mg/m³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------------|---------------------------|--|---|-----------------------------------|-----------------------------------|
| 04/17/07 | Pittsfield Generating Co. | 0.001 | 0.004 | 10:45 | NNW |
| | Northwest of OPCAs | 0.006 | | 10:30 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 04/18/07 | Pittsfield Generating Co. | 0.004 | 0.002 | 10:45 | NNE |
| | Northwest of OPCAs | 0.004 | | 10:15 | |
| | West of OPCAs | 0.002 | | 10:45 | |
| 05/29/07 | North of OPCAs | 0.009 | 0.032 | 10:45 | NNW, WNW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:50 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.020 | | 10:45 | |
| 05/30/07 | North of OPCAs | 0.016 | 0.026 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.008 | | 10:45 | |
| | Southeast of OPCAs | 0.017 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.005 | | 10:45 | |
| 05/31/07 | North of OPCAs | 0.029 | 0.050 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.026 | | 10:45 | |
| | Southeast of OPCAs | 0.024 | | 10:45 | |
| | Northwest of OPCAs | 0.023 | | 10:45 | |
| | West of OPCAs | 0.022 | | 10:45 | |
| 06/01/07 | North of OPCAs | 0.051 | 0.048 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.028 | | 10:45 | |
| | Southeast of OPCAs | 0.026 | | 10:45 | |
| | Northwest of OPCAs | 0.026 | | 10:45 | |
| | West of OPCAs | 0.033 | | 10:45 | |
| 06/04/07 | North of OPCAs | 0.006 | 0.006 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.006 | | 6:30 ² | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.003 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |
| 06/05/07 | North of OPCAs | 0.025 | 0.026 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.031 | | 10:15 | |
| | Southeast of OPCAs | 0.021 | | 10:45 | |
| | Northwest of OPCAs | 0.023 | | 10:45 | |
| | West of OPCAs | 0.025 | | 10:45 | |
| 06/06/07 | North of OPCAs | 0.011 | 0.008 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.010 | | 10:45 | |
| | Southeast of OPCAs | 0.006 | | 10:45 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.009 | | 10:45 | |
| 06/07/07 | North of OPCAs | 0.013 | 0.003 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.008 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.004 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 06/08/07 | North of OPCAs | 0.034 | 0.016 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.030 | | 10:45 | |
| | Southeast of OPCAs | 0.029 | | 10:45 | |
| | Northwest of OPCAs | 0.007 | | 5:15 ² | |
| | West of OPCAs | 0.027 | | 10:45 | |
| 06/11/07 | North of OPCAs | 0.011 | 0.036 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.015 | | 10:45 | |
| | Southeast of OPCAs | 0.012 | | 10:45 | |
| | Northwest of OPCAs | 0.011 | | 10:45 | |
| | West of OPCAs | 0.023 | | 10:45 | |
| 06/12/07 | North of OPCAs | 0.011 | 0.010 | 10:45 | NNE |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.008 | | 10:45 | |
| | Northwest of OPCAs | 0.009 | | 10:45 | |
| | West of OPCAs | 0.015 | | 10:45 | |
| 06/13/07 | North of OPCAs | 0.005 | 0.035 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.005 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |
| 06/14/07 | North of OPCAs | 0.013 | 0.031 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.007 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.008 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |
| 06/15/07 | North of OPCAs | 0.009 | 0.023 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.004 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.003 | | 10:30 | |
| | West of OPCAs | 0.005 | | 10:30 | |
| 06/18/07 | North of OPCAs | 0.006 | 0.018 | 10:30 | Variable |
| | Pittsfield Generating Co. | 0.010 | | 10:15 | |
| | Southeast of OPCAs | 0.007 | | 10:15 | |
| | Northwest of OPCAs | 0.004 | | 10:30 | |
| | West of OPCAs | 0.011 | | 10:30 | |
| 06/19/07 | North of OPCAs | 0.030 | 0.045 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.031 | | 10:45 | |
| | Southeast of OPCAs | 0.031 | | 10:45 | |
| | Northwest of OPCAs | 0.033 | | 10:30 | |
| | West of OPCAs | 0.021 | | 10:45 | |
| 06/20/07 | North of OPCAs | 0.011 | 0.015 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.004* | | 5:30 ² | |
| | Southeast of OPCAs | 0.021 | | 10:45 | |
| | Northwest of OPCAs | 0.016 | | 10:45 | |
| | West of OPCAs | 0.012 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date¹ | Sampler Location | Average Site Concentration (mg/m³) | Background Site Concentration (mg/m³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------------|---------------------------|--|---|-----------------------------------|-----------------------------------|
| 06/21/07 | North of OPCAs | 0.008 | 0.006 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.009 | | 10:45 | |
| | Northwest of OPCAs | 0.008 | | 10:45 | |
| | West of OPCAs | 0.005 | | 10:45 | |
| 06/22/07 | North of OPCAs | 0.007 | 0.004 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.006 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 06/25/07 | North of OPCAs | 0.016 | 0.007 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.017 | | 10:45 | |
| | Southeast of OPCAs | 0.015 | | 10:45 | |
| | Northwest of OPCAs | 0.019 | | 10:45 | |
| | West of OPCAs | 0.020 | | 10:45 | |
| 06/26/07 | North of OPCAs | 0.022 | 0.044 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.023 | | 10:45 | |
| | Southeast of OPCAs | 0.020 | | 10:45 | |
| | Northwest of OPCAs | 0.024 | | 10:45 | |
| | West of OPCAs | 0.024 | | 10:45 | |
| 06/27/07 | North of OPCAs | 0.049 | 0.033 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.044 | | 10:45 | |
| | Southeast of OPCAs | 0.039 | | 10:45 | |
| | Northwest of OPCAs | 0.039 | | 10:45 | |
| | West of OPCAs | 0.043 | | 10:45 | |
| 06/28/07 | North of OPCAs | 0.025 | 0.045 | 10:45 | WSW, WNW |
| | Pittsfield Generating Co. | 0.023 | | 10:45 | |
| | Southeast of OPCAs | 0.016 | | 10:45 | |
| | Northwest of OPCAs | 0.019 | | 10:45 | |
| | West of OPCAs | 0.017 | | 10:45 | |
| 06/29/07 | North of OPCAs | 0.005 | 0.001 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.002 | | 10:45 | |
| | West of OPCAs | 0.003 | | 10:45 | |
| 07/02/07 | North of OPCAs | 0.008 | 0.003 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.004 | | 10:45 | |
| | Southeast of OPCAs | 0.002 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 07/03/07 | North of OPCAs | 0.009 | 0.003 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.008 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.023 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date¹ | Sampler Location | Average Site Concentration (mg/m³) | Background Site Concentration (mg/m³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------------|---------------------------|--|---|-----------------------------------|-----------------------------------|
| 07/05/07 | North of OPCAs | 0.033 | 0.041 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.025 | | 10:45 | |
| | Southeast of OPCAs | 0.033 | | 10:45 | |
| | Northwest of OPCAs | 0.038 | | 10:45 | |
| | West of OPCAs | 0.032 | | 10:45 | |
| 07/06/07 | North of OPCAs | 0.022 | 0.018 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.019 | | 10:45 | |
| | Southeast of OPCAs | 0.016 | | 10:45 | |
| | Northwest of OPCAs | 0.021 | | 10:45 | |
| | West of OPCAs | 0.016 | | 10:45 | |
| 07/09/07 | North of OPCAs | 0.029 | 0.036 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.032 | | 10:45 | |
| | Southeast of OPCAs | 0.032 | | 10:45 | |
| | Northwest of OPCAs | 0.027 | | 10:45 | |
| | West of OPCAs | 0.025 | | 10:45 | |
| 07/10/07 | North of OPCAs | 0.033 | 0.033 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.033 | | 10:45 | |
| | Southeast of OPCAs | 0.022 | | 10:45 | |
| | Northwest of OPCAs | 0.028 | | 10:45 | |
| | West of OPCAs | 0.026 | | 10:45 | |
| 07/11/07 | North of OPCAs | 0.020 | 0.015 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.027 | | 10:45 | |
| | Southeast of OPCAs | 0.018 | | 10:45 | |
| | Northwest of OPCAs | 0.023 | | 10:45 | |
| | West of OPCAs | 0.021 | | 10:45 | |
| 07/12/07 | North of OPCAs | 0.010 | 0.002 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.007 | | 10:45 | |
| | Southeast of OPCAs | 0.003 | | 10:45 | |
| | Northwest of OPCAs | 0.004 | | 10:45 | |
| | West of OPCAs | 0.002 | | 10:45 | |
| 07/13/07 | North of OPCAs | 0.013 | 0.008 | 10:45 | WSW, WNW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.010 | | 10:45 | |
| | West of OPCAs | 0.007 | | 10:45 | |
| 07/16/07 | North of OPCAs | 0.007 | 0.003 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.005 | | 10:45 | |
| | Southeast of OPCAs | 0.003 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 07/17/07 | North of OPCAs | 0.009 | 0.008 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.026 | | 10:45 | |
| | Southeast of OPCAs | 0.009 | | 10:45 | |
| | Northwest of OPCAs | 0.009 | | 10:45 | |
| | West of OPCAs | 0.007 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 07/18/07 | North of OPCAs | 0.038 | 0.033 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.036 | | 10:45 | |
| | Southeast of OPCAs | 0.035 | | 10:45 | |
| | Northwest of OPCAs | 0.035 | | 10:45 | |
| | West of OPCAs | 0.034 | | 10:45 | |
| 07/19/07 | North of OPCAs | 0.024 | 0.022 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.025 | | 10:45 | |
| | Southeast of OPCAs | 0.023 | | 10:45 | |
| | Northwest of OPCAs | 0.021 | | 10:45 | |
| | West of OPCAs | 0.018 | | 10:45 | |
| 07/20/07 | North of OPCAs | 0.006 | 0.002 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |
| 07/23/07 | North of OPCAs | 0.011 | 0.013 | 10:45 | ENE |
| | Pittsfield Generating Co. | 0.009 | | 10:45 | |
| | Southeast of OPCAs | 0.010 | | 10:45 | |
| | Northwest of OPCAs | 0.018 | | 10:45 | |
| | West of OPCAs | 0.009 | | 10:45 | |
| 07/24/07 | North of OPCAs | 0.004 | 0.002 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.004 | | 10:45 | |
| | Southeast of OPCAs | 0.002 | | 10:45 | |
| | Northwest of OPCAs | 0.003 | | 10:45 | |
| | West of OPCAs | 0.005 | | 10:45 | |
| 07/25/07 | North of OPCAs | 0.016 | 0.014 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.022 | | 10:45 | |
| | Southeast of OPCAs | 0.015 | | 10:45 | |
| | Northwest of OPCAs | 0.017 | | 10:45 | |
| | West of OPCAs | 0.013 | | 10:45 | |
| 07/26/07 | North of OPCAs | 0.015 | 0.012 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.017 | | 10:45 | |
| | Southeast of OPCAs | 0.012 | | 10:45 | |
| | Northwest of OPCAs | 0.016 | | 10:45 | |
| | West of OPCAs | 0.011 | | 10:45 | |
| 07/27/07 | North of OPCAs | 0.017 | 0.026 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.019 | | 10:45 | |
| | Southeast of OPCAs | 0.013 | | 10:45 | |
| | Northwest of OPCAs | 0.016 | | 10:45 | |
| | West of OPCAs | 0.016 | | 10:45 | |
| 07/30/07 | North of OPCAs | 0.012 | 0.010 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.015 | | 10:45 | |
| | Southeast of OPCAs | 0.012 | | 10:45 | |
| | Northwest of OPCAs | 0.028 | | 10:15 | |
| | West of OPCAs | 0.006 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date¹ | Sampler Location | Average Site Concentration (mg/m³) | Background Site Concentration (mg/m³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------------|---------------------------|--|---|-----------------------------------|-----------------------------------|
| 07/31/07 | North of OPCAs | 0.014 | 0.007 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.015 | | 10:45 | |
| | Southeast of OPCAs | 0.010 | | 10:45 | |
| | Northwest of OPCAs | 0.011 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |
| Notification Level | | 0.120 | | | |
| Action Level | | 0.150 | | | |

Notes:

Concentrations measured with an EBAM.

Background monitoring station is located east of Building 9B, between Building 9B and New York Avenue.

Predominant wind direction determined using hourly wind direction data from the Pittsfield Municipal Airport Weather Station.

¹ The particulate monitors obtain real-time data. The sampling data were obtained by Berkshire Environmental Consultants, Inc. on the sampling date.

² Sampling period was shortened due to instrument malfunction.

Concentrations measured with an EBAM.

Background monitoring station is located east of Building 9B, between Building 9B and New York Avenue.

Predominant wind direction determined using hourly wind direction data from the Pittsfield Municipal Airport Weather Station.

¹ The particulate monitors obtain real-time data. The sampling data were obtained by Berkshire Environmental Consultants, Inc. on the sampling date.

² Sampling period was shortened due to instrument malfunction.

TABLE 5-5
ANALYTICAL DATA VALIDATION SUMMARY

AMBIENT AIR DATA FROM HILL 78/BUILDING 71 ON-PLANT CONSOLIDATION AREA (OPCA) MONITORS FOR WHICH DATA VALIDATION WAS PERFORMED IN JULY 2007

GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in micrograms per meters cubed, ug/m³)

| Sample Delivery Group No. | Sample Location | Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result (ug/PUF) | Qualified Result (ug/m ³) | Notes |
|---------------------------|--|----------------|----------------|--------|------------------|---------------|--------------|-----------------------------------|----------------|----------------|---------------------------|---------------------------------------|-------|
| EPA TO-4A | | | | | | | | | | | | | |
| 07060044 | Northwest of OPCAs | NW-060707-012 | 6/7/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.101 (ug/PUF) | - | 0.101 J ¹ | 0.0003 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 0.101 (ug/PUF) | - | 0.101 J ¹ | 0.0003 J ¹ | |
| 07060044 | West of OPCAs | W-060707-301 | 6/7/2007 | Air | Tier II | No | | | | | | | |
| 07060044 | West of OPCAs collocated | WCO-060707-006 | 6/7/2007 | Air | Tier II | No | | | | | | | |
| 07060044 | North of OPCAs | N-060707-002 | 6/7/2007 | Air | Tier II | No | | | | | | | |
| 07060044 | Southeast of OPCAs | SE-060707-202 | 6/7/2007 | Air | Tier II | No | | | | | | | |
| 07060044 | Pittsfield Generating (PGE) | PGE-060707-303 | 6/7/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.121 (ug/PUF) | - | 0.121 J ¹ | 0.0004 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 0.121 (ug/PUF) | - | 0.121 J ¹ | 0.0004 J ¹ | |
| 07060044 | Background Sample Location - East of Building 9B | BK3-060707-001 | 6/7/2007 | Air | Tier II | No | | | | | | | |
| 07060077 | Northwest of OPCAs | NW-061307-012 | 6/13/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.107 (ug/PUF) | - | 0.107 J ¹ | 0.0003 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 0.228 (ug/PUF) | - | 0.228 J ¹ | 0.0007 J ¹ | |
| 07060077 | West of OPCAs | W-061307-301 | 6/13/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.121 (ug/PUF) | - | 0.121 J ¹ | 0.0004 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 0.268 (ug/PUF) | - | 0.268 J ¹ | 0.0008 J ¹ | |
| 07060077 | West of OPCAs collocated | WCO-061307-006 | 6/13/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.108 (ug/PUF) | - | 0.108 J ¹ | 0.0003 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 0.276 (ug/PUF) | - | 0.276 J ¹ | 0.0008 J ¹ | |
| 07060077 | North of OPCAs | N-061307-002 | 6/13/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.118 (ug/PUF) | - | 0.118 J ¹ | 0.0004 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 0.118 (ug/PUF) | - | 0.118 J ¹ | 0.0004 J ¹ | |
| 07060077 | Southeast of OPCAs | SE-061307-202 | 6/13/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.103 (ug/PUF) | - | 0.103 J ¹ | 0.0003 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 0.209 (ug/PUF) | - | 0.209 J ¹ | 0.0006 J ¹ | |
| 07060077 | Pittsfield Generating (PGE) | PGE-061307-303 | 6/13/2007 | Air | Tier II | No | | | | | | | |
| 07060077 | Background Sample Location - East of Building 9B | BK3-061307-001 | 6/13/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.21 (ug/PUF) | - | 0.210 J ¹ | 0.0006 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 0.658 (ug/PUF) | - | 0.658 J ¹ | 0.0020 J ¹ | |
| 07060133 | Northwest of OPCAs | NW-062007-012 | 6/20/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.443 (ug/PUF) | - | 0.443 J ¹ | 0.0014 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 1.104 (ug/PUF) | - | 1.104 J ¹ | 0.0034 J ¹ | |
| 07060133 | West of OPCAs | W-062007-301 | 6/20/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.454 (ug/PUF) | - | 0.454 J ¹ | 0.0014 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 1.877 (ug/PUF) | - | 1.877 J ¹ | 0.0058 J ¹ | |
| 07060133 | West of OPCAs collocated | WCO-062007-006 | 6/20/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.391 (ug/PUF) | - | 0.391 J ¹ | 0.0012 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 1.818 (ug/PUF) | - | 1.818 J ¹ | 0.0056 J ¹ | |
| 07060133 | North of OPCAs | N-062007-002 | 6/20/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.267 (ug/PUF) | - | 0.267 J ¹ | 0.0008 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 0.691 (ug/PUF) | - | 0.691 J ¹ | 0.0021 J ¹ | |
| 07060133 | Southeast of OPCAs | SE-062007-202 | 6/20/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.146 (ug/PUF) | - | 0.146 J ¹ | 0.0005 J ¹ | |
| | | | | | | | Aroclor-1248 | Aroclor-1248 column % difference | 40.0% | <40% | 0.146 J ^{1,2} | 0.0005 J ^{1,2} | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 0.451 (ug/PUF) | - | 0.451 J ¹ | 0.0014 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 column % difference | 40.0% | <40% | 0.451 J ^{1,2} | 0.0014 J ^{1,2} | |
| 07060133 | Pittsfield Generating (PGE) | PGE-062007-303 | 6/20/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.201 (ug/PUF) | - | 0.201 J ¹ | 0.0006 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 0.602 (ug/PUF) | - | 0.602 J ¹ | 0.0019 J ¹ | |
| 07060133 | Background Sample Location - East of Building 9B | BK3-062007-001 | 6/20/2007 | Air | Tier II | Yes | Aroclor-1248 | Aroclor-1248 Tentively Identified | 0.245 (ug/PUF) | - | 0.245 J ¹ | 0.0008 J ¹ | |
| | | | | | | | Total PCBs | Aroclor-1248 Tentively Identified | 1.351 (ug/PUF) | - | 1.351 J ¹ | 0.0042 J ¹ | |

Qualification Notes:

¹ Aroclor identification criteria require that the Aroclor pattern resemble that of the pattern established throughout the analysis of the standards of the target Aroclors. Based on discussions with the Environmental Protection Agency (EPA), beginning with the June 6-7, 2007 sampling event, GE has qualified the sample data that did not match Aroclor patterns that were established through the analysis of target Aroclors standards as estimated "J"; whereas previous data of this nature was determined "ND".

² Sample location qualified as estimate due to confirmation column analysis exhibiting a percent difference (%D) outside the control limits.

**TABLE 5-6
SUMMARY OF 2007 PCB AMBIENT AIR SAMPLING RESULTS**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
(all results are ug/m3)**

| Sample Location | Sample ID | Sample Date(s) | Total PCB (ug/m ³) | Exceedances of Notification Level (0.05 ug/m ³) | Data Validated? |
|--|----------------|---------------------|--------------------------------|---|-----------------|
| Northwest of OPCAs | NW-011107-012 | 01/10/07 - 01/11/07 | ND | None | Tier I/II |
| West of OPCAs | W-011107-301 | | ND | | |
| West of OPCAs colocated | WCO-011107-006 | | ND | | |
| North of OPCAs | N-011107-002 | | ND | | |
| Southeast of OPCAs | SE-011107-202 | | ND | | |
| Pittsfield Generating (PGE) | PGE-011107-303 | | ND | | |
| Background Sample Location - East of Building 9B | BK3-011107-001 | | ND | | |
| Northwest of OPCAs | NW-020707-012 | 02/06/07 - 02/07/07 | ND | None | Tier I/II |
| West of OPCAs | W-020707-301 | | ND | | |
| West of OPCAs colocated | WCO-020707-006 | | ND | | |
| North of OPCAs | N-020707-002 | | ND | | |
| Southeast of OPCAs | SE-020707-202 | | ND | | |
| Pittsfield Generating (PGE) | PGE-020707-303 | | ND | | |
| Background Sample Location - East of Building 9B | BK3-020707-001 | | ND | | |
| Northwest of OPCAs | NW-030707-012 | 03/06/07 - 03/07/07 | ND J ¹ | None | Tier I/II |
| West of OPCAs | W-030707-301 | | ND | | |
| West of OPCAs colocated | WCO-030707-006 | | ND | | |
| North of OPCAs | N-030707-002 | | ND | | |
| Southeast of OPCAs | SE-030707-202 | | ND | | |
| Pittsfield Generating (PGE) | PGE-030707-303 | | ND | | |
| Background Sample Location - East of Building 9B | BK3-030707-001 | | ND | | |
| Northwest of OPCAs | NW-041807-012 | 04/17/07 - 04/18/07 | ND | None | Tier I/II |
| West of OPCAs | W-041807-301 | | ND | | |
| West of OPCAs colocated | WCO-041807-006 | | ND | | |
| North of OPCAs | N-041807-002 | | ND | | |
| Southeast of OPCAs | SE-041807-202 | | ND | | |
| Pittsfield Generating (PGE) | PGE-041807-303 | | ND | | |
| Background Sample Location - East of Building 9B | BK3-041807-001 | | ND | | |
| Northwest of OPCAs | NW-050907-012 | 05/08/07 - 05/09/07 | 0.0008 ² | None | Tier I/II |
| West of OPCAs | W-050907-301 | | 0.0015 ² | | |
| West of OPCAs colocated | WCO-050907-006 | | 0.0018 ² | | |
| North of OPCAs | N-050907-002 | | 0.0008 ² | | |
| Southeast of OPCAs | SE-050907-202 | | 0.0008 ² | | |
| Pittsfield Generating (PGE) | PGE-050907-303 | | 0.0008 ² | | |
| Background Sample Location - East of Building 9B | BK3-050907-001 | | 0.0015 ² | | |
| Northwest of OPCAs | NW-053107-012 | 05/30/07 - 05/31/07 | 0.0008 ² | None | Tier I/II |
| West of OPCAs | W-053107-301 | | 0.0017 ² | | |
| West of OPCAs colocated | WCO-053107-006 | | 0.0017 ² | | |
| North of OPCAs | N-053107-002 | | 0.0008 ² | | |
| Southeast of OPCAs | SE-053107-202 | | 0.0010 ² | | |
| Pittsfield Generating (PGE) | PGE-053107-303 | | 0.0012 ² | | |
| Background Sample Location - East of Building 9B | BK3-053107-001 | | 0.0022 ² | | |
| Northwest of OPCAs | NW-060707-012 | 06/06/07 - 06/07/07 | 0.0003 J ⁴ | None | Tier I/II |
| West of OPCAs | W-060707-301 | | ND | | |
| West of OPCAs colocated | WCO-060707-006 | | ND | | |
| North of OPCAs | N-060707-002 | | ND | | |
| Southeast of OPCAs | SE-060707-202 | | ND | | |
| Pittsfield Generating (PGE) | PGE-060707-303 | | 0.0004 J ⁴ | | |
| Background Sample Location - East of Building 9B | BK3-060707-001 | | ND | | |

**TABLE 5-6
SUMMARY OF 2007 PCB AMBIENT AIR SAMPLING RESULTS**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
(all results are ug/m3)**

| Sample Location | Sample ID | Sample Date(s) | Total PCB (ug/m ³) | Exceedances of Notification Level (0.05 ug/m ³) | Data Validated? |
|--|----------------|---------------------|--------------------------------|---|------------------|
| Northwest of OPCAs | NW-061307-012 | 06/12/07 - 06/13/07 | 0.0007 J ⁴ | None | Tier I/II |
| West of OPCAs | W-061307-301 | | 0.0008 J ⁴ | | |
| West of OPCAs colocated | WCO-061307-006 | | 0.0008 J ⁴ | | |
| North of OPCAs | N-061307-002 | | 0.0004 J ⁴ | | |
| Southeast of OPCAs | SE-061307-202 | | 0.0006 J ⁴ | | |
| Pittsfield Generating (PGE) | PGE-061307-303 | | 0.0004 | | |
| Background Sample Location - East of Building 9B | BK3-061307-001 | | 0.0020 J ⁴ | | |
| Northwest of OPCAs | NW-062007-012 | 06/19/07 - 06/20/07 | 0.0034 J ⁴ | None | Tier I/II |
| West of OPCAs | W-062007-301 | | 0.0058 J ⁴ | | |
| West of OPCAs colocated | WCO-062007-006 | | 0.0056 J ^{4,5} | | |
| North of OPCAs | N-062007-002 | | 0.0021 J ⁴ | | |
| Southeast of OPCAs | SE-062007-202 | | 0.0014 J ^{4,8} | | |
| Pittsfield Generating (PGE) | PGE-062007-303 | | 0.0019 J ⁴ | | |
| Background Sample Location - East of Building 9B | BK3-062007-001 | | 0.0042 J ⁴ | | |
| Northwest of OPCAs | NW-062707-012 | 06/26/07 - 06/27/07 | 0.0024 J ⁴ | None | Tier I/II |
| West of OPCAs | W-062707-301 | | 0.0041 J ⁴ | | |
| West of OPCAs colocated | WCO-062707-006 | | 0.0039 J ⁴ | | |
| North of OPCAs | N-062707-002 | | 0.0017 J ⁴ | | |
| Southeast of OPCAs | SE-062707-202 | | 0.0019 J ⁴ | | |
| Pittsfield Generating (PGE) | PGE-062707-303 | | 0.0028 J ⁴ | | |
| Background Sample Location - East of Building 9B | BK3-062707-001 | | 0.0036 J ⁴ | | |
| Northwest of OPCAs | NW-070307-012 | 07/02/07 - 07/03/07 | ND | None | PDR ³ |
| West of OPCAs | W-070307-301 | | NA ⁶ | | |
| West of OPCAs colocated | WCO-070307-006 | | 0.0003 | | |
| North of OPCAs | N-070307-002 | | ND | | |
| Southeast of OPCAs | SE-070307-202 | | ND | | |
| Pittsfield Generating (PGE) | PGE-070307-303 | | ND | | |
| Background Sample Location - East of Building 9B | BK3-070307-001 | | 0.0004 | | |
| Northwest of OPCAs | NW-071107-012 | 07/10/07 - 07/11/07 | 0.0032 | None | PDR ³ |
| West of OPCAs | W-071107-301 | | 0.0050 | | |
| West of OPCAs colocated | WCO-071107-006 | | 0.0059 | | |
| North of OPCAs | N-071107-002 | | 0.0025 | | |
| Southeast of OPCAs | SE-071107-202 | | 0.0018 | | |
| Pittsfield Generating (PGE) | PGE-071107-303 | | 0.0024 | | |
| Background Sample Location - East of Building 9B | BK3-071107-001 | | 0.0039 | | |
| Northwest of OPCAs | NW-071807-012 | 07/17/07 - 07/18/07 | 0.0008 J ⁷ | None | PDR ³ |
| West of OPCAs | W-071807-301 | | 0.0020 J ⁷ | | |
| West of OPCAs colocated | WCO-071807-006 | | 0.0017 J ⁷ | | |
| North of OPCAs | N-071807-002 | | 0.0008 J ⁷ | | |
| Southeast of OPCAs | SE-071807-202 | | 0.0011 J ⁷ | | |
| Pittsfield Generating (PGE) | PGE-071807-303 | | 0.0010 J ⁷ | | |
| Background Sample Location - East of Building 9B | BK3-071807-001 | | 0.0021 J ⁷ | | |

**TABLE 5-6
SUMMARY OF 2007 PCB AMBIENT AIR SAMPLING RESULTS**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
(all results are ug/m3)**

Notes:

All sampling activities performed by Berkshire Environmental Consultants, Inc. All analytical activities performed by Northeast Analytical, Inc.
ND - Non Detect (<0.0003)
PDR - Preliminary Data Review
J - Indicates that the associated numerical value is an estimated concentration.

¹ Sample location NW-030707-012 was qualified due to pre-event sample collection pump flow percent difference (%D) greater than 10% from target flow rate.

² Aroclor identification criteria require that the Aroclor pattern resemble that of the pattern established throughout the analysis of the standards of the target Aroclors. Sample data that did not match Aroclor patterns that were established through the analysis of target Aroclors standards were qualified with a "ND" and the Total PCB content was adjusted to reflect the qualification of Aroclor 1248 as "ND".

³ Preliminary data review was conducted based on the following data quality indicators associated with the tabulated data set above: sampling collection time, sampling calibration check, temperature receipt, associated blanks, laboratory control samples recoveries, and surrogate recoveries.

⁴ Aroclor identification criteria require that the Aroclor pattern resemble that of the pattern established throughout the analysis of the standards of the target Aroclors. Based on discussions with the Environmental Protection Agency (EPA), beginning with the June 6-7, 2007 sampling event, GE has qualified sample data that did not match Aroclor patterns that were established through the analysis of target Aroclors standards as estimated "J"; whereas, previous data of this nature was determined "ND" (see Qualification Note 2).

⁵ During preliminary data review, this value was reported from the confirmation column and was later corrected to the value from the primary analytical column.

⁶ Sample did not meet validity requirements and was not analyzed. Sample did not meet the QA/QC criteria of 24 hours ± 30 minutes.

⁷ Sample location qualified as estimate due to the laboratory control sample (LCS) exhibiting a recovery and relative percent difference between the LCS/laboratory control sample duplicate (LCSD) outside the control limits.

⁸ Sample location qualified as estimate due to confirmation column analysis exhibiting a percent difference (%D) outside the control limits.

**ITEM 6
PLANT AREA
HILL 78 AREA - REMAINDER
(GECD160)
JULY 2007**

a. Activities Undertaken/Completed

- Conducted supplemental pre-design soil sampling at one location pursuant to GE's June 26, 2007 proposal, as conditionally approved by EPA, and as identified in Table 6-1.*
- Conducted drum sampling of water from decontamination of equipment used in association with the supplemental pre-design sampling activities, as identified in Table 6-1.

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

- Submitted Supplemental Sampling and Engineering Design Report relating to the re-routing of sanitary and stormwater pipelines around Hill 78 OPCA (July 3, 2007)*
- Submitted Third Supplemental Data Letter (July 27, 2007).*

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Prepare and circulate request for proposal(s) for utility re-routing activities.*
- Initiate soil-related evaluations to support a Conceptual RD/RA Work Plan for Hill 78 Area-Remainder.*

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**TABLE 6-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**HILL 78 AREA-REMAINDER
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Depth (feet) | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|--|------------------------|--------------------|---------------------|---------------|-------------------|-----------------|---------------------------------------|
| Building 78 Decon Water from On/Offsite Activities | F3300-1 | 7/30/07 | NA | Water | SGS | PCB | |
| Supplemental PDI Soil Sampling | RAA9-A13N | 7/5/07 | 0-1 | Soil | SGS | PCB | 7/10/07 |
| Supplemental PDI Soil Sampling | RAA9-A13N | 7/5/07 | 1-6 | Soil | SGS | PCB | 7/10/07 |
| Supplemental PDI Soil Sampling | RAA9-A13N | 7/5/07 | 6-15 | Soil | SGS | PCB | 7/10/07 |

**TABLE 6-2
PCB DATA RECEIVED DURING JULY 2007**

**SUPPLEMENTAL PDI SOIL SAMPLING
HILL 78 AREA-REMAINDER
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in dry weight parts per million, ppm)**

| Sample ID | Depth(Feet) | Date Collected | Aroclor-1016, -1221, -1232, -1242, -1248 | Aroclor-1254 | Aroclor-1260 | Total PCBs |
|-----------|-------------|----------------|--|--------------|--------------|------------|
| RAA9-A13N | 0-1 | 7/5/2007 | ND(0.044) | ND(0.044) | 0.073 | 0.073 |
| | 1-6 | 7/5/2007 | ND(17) | ND(17) | 150 | 150 |
| | 6-15 | 7/5/2007 | ND(0.035) | ND(0.035) | 0.016 J | 0.016 J |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to SGS Environmental Services, Inc. for analysis of PCBs.
2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

Data Qualifiers:

J - Indicates an estimated value less than the practical quantitation limit (PQL).

**ITEM 7
PLANT AREA
UNKAMET BROOK AREA
(GECD170)
JULY 2007**

a. Activities Undertaken/Completed

- Continued activities related to the detailed surveys (including metes and bounds and topographic surveys) of the Unkamet Brook Area (being performed by Hill Engineers, Architects & Planners).*
- Continued flow monitoring activities in Unkamet Brook.*
- Conducted sampling of GE Plastics plant sweepings near Building 119, as identified in Table 7-1.

b. Sampling/Test Results Received

See attached tables and see enclosed compact disk (containing flow monitoring data from Unkamet Brook).

c. Work Plans/Reports/Documents Submitted

Submitted Supplement to Pre-Design Investigation Report (July 27, 2007).*

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue performing detailed surveys of the Unkamet Brook Area, and submit results to EPA.*
- Conduct pavement assessment in accordance with Condition No. 2 of EPA's February 22, 2007 conditional approval letter related to the Pre-Design Investigation Report.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

In accordance with a condition in EPA's February 22, 2007 conditional approval letter for GE's Pre-Design Investigation Report, GE's Supplement to Pre-Design Investigation Report noted that the Unkamet Brook Area Removal Action Area (RAA) will be divided into two separate areas for the purposes of submitting future deliverables and conducting sampling and remediation activities. These will consist of: (1) Unkamet Brook-West, which will include the areas around Buildings OP-1, OP-2, and OP-3 and the industrial portion of the GE Plastics area; and (2) Unkamet Brook-Remainder, which will include the former interior landfill, the non-industrial portions of the RAA east of Unkamet Brook and between the railroad tracks and the Housatonic River, and the commercial area between Merrill Road and the railroad tracks.*

**ITEM 7
(cont'd)
PLANT AREA
UNKAMET BROOK AREA
(GEC170)
JULY 2007**

f. Proposed/Approved Work Plan Modifications

EPA agreed that, following EPA's submittal of the Supplement to the Pre-Design Investigation Report, Unkamet Brook-West could proceed to the next phase (development of a Conceptual RD/RA Work Plan), while additional sampling is conducted at Unkamet Brook-Remainder.*

**TABLE 7-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|------------------------|--------------------|---------------|-------------------|-----------------|---------------------------------------|
| Building 119W Routine Maintenance of Gearbox Oil from Oil/Water Separator | F3303-1 | 6/19/07 | Oil | SGS | PCB | 7/5/07 |
| GE Plastics Sweepings | 119-2 | 7/3/07 | Soil | SGS | PCB | 7/16/07 |

**TABLE 7-2
PCB DATA RECEIVED DURING JULY 2007**

**GE PLASTICS SWEEPINGS
UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in dry weight parts per million, ppm)**

| Sample ID | Date Collected | Aroclor-1016, -1221, -1232, -1242, -1248 | Aroclor-1254 | Aroclor-1260 | Total PCBs |
|------------------|-----------------------|---|---------------------|---------------------|-------------------|
| 119-2 | 7/3/2007 | ND(0.037) | 0.12 | 0.12 | 0.24 |

Notes:

1. Sample was collected by ARCADIS BBL, and submitted to SGS Environmental Services, Inc. for analysis of PCBs.
2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

**TABLE 7-3
PCB DATA RECEIVED DURING JULY 2007**

**BUILDING 119W ROUTINE MAINTENANCE OF GEARBOX OIL FROM OIL/WATER SEPARATOR
UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Date Collected | Aroclor-1016 | Aroclor-1221 | Aroclor-1232 | Aroclor-1242 | Aroclor-1248 | Aroclor-1254 | Aroclor-1260 | Total PCBs |
|------------------|-----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------------|
| F3303-1 | 6/19/2007 | ND(0.95) | ND(0.95) | ND(0.95) | ND(0.95) | ND(0.95) | ND(0.95) | ND(0.95) | ND(0.95) |

Notes:

1. Sample was collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis of PCBs.
2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/29/2007 15:15 | 2.287 | 0.14 |
| 6/29/2007 15:20 | 2.286 | 0.14 |
| 6/29/2007 15:25 | 2.286 | 0.14 |
| 6/29/2007 15:30 | 2.286 | 0.12 |
| 6/29/2007 15:35 | 2.285 | 0.12 |
| 6/29/2007 15:40 | 2.286 | 0.12 |
| 6/29/2007 15:45 | 2.286 | 0.13 |
| 6/29/2007 15:50 | 2.285 | 0.13 |
| 6/29/2007 15:55 | 2.287 | 0.13 |
| 6/29/2007 16:00 | 2.286 | 0.12 |
| 6/29/2007 16:05 | 2.286 | 0.12 |
| 6/29/2007 16:10 | 2.286 | 0.12 |
| 6/29/2007 16:15 | 2.285 | 0.12 |
| 6/29/2007 16:20 | 2.286 | 0.12 |
| 6/29/2007 16:25 | 2.286 | 0.12 |
| 6/29/2007 16:30 | 2.286 | 0.12 |
| 6/29/2007 16:35 | 2.286 | 0.12 |
| 6/29/2007 16:40 | 2.286 | 0.12 |
| 6/29/2007 16:45 | 2.286 | 0.12 |
| 6/29/2007 16:50 | 2.286 | 0.12 |
| 6/29/2007 16:55 | 2.287 | 0.12 |
| 6/29/2007 17:00 | 2.287 | 0.15 |
| 6/29/2007 17:05 | 2.287 | 0.15 |
| 6/29/2007 17:10 | 2.287 | 0.15 |
| 6/29/2007 17:15 | 2.287 | 0.15 |
| 6/29/2007 17:20 | 2.288 | 0.15 |
| 6/29/2007 17:25 | 2.288 | 0.15 |
| 6/29/2007 17:30 | 2.288 | 0.15 |
| 6/29/2007 17:35 | 2.288 | 0.14 |
| 6/29/2007 17:40 | 2.289 | 0.14 |
| 6/29/2007 17:45 | 2.289 | 0.14 |
| 6/29/2007 17:50 | 2.29 | 0.14 |
| 6/29/2007 17:55 | 2.29 | 0.14 |
| 6/29/2007 18:00 | 2.29 | 0.14 |
| 6/29/2007 18:05 | 2.29 | 0.14 |
| 6/29/2007 18:10 | 2.29 | 0.14 |
| 6/29/2007 18:15 | 2.29 | 0.14 |
| 6/29/2007 18:20 | 2.29 | 0.14 |
| 6/29/2007 18:25 | 2.29 | 0.15 |
| 6/29/2007 18:30 | 2.29 | 0.15 |
| 6/29/2007 18:35 | 2.29 | 0.15 |
| 6/29/2007 18:40 | 2.29 | 0.15 |
| 6/29/2007 18:45 | 2.29 | 0.15 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/29/2007 18:50 | 2.29 | 0.15 |
| 6/29/2007 18:55 | 2.29 | 0.15 |
| 6/29/2007 19:00 | 2.29 | 0.13 |
| 6/29/2007 19:05 | 2.29 | 0.17 |
| 6/29/2007 19:10 | 2.289 | 0.14 |
| 6/29/2007 19:15 | 2.29 | 0.14 |
| 6/29/2007 19:20 | 2.289 | 0.14 |
| 6/29/2007 19:25 | 2.289 | 0.14 |
| 6/29/2007 19:30 | 2.289 | 0.13 |
| 6/29/2007 19:35 | 2.289 | 0.13 |
| 6/29/2007 19:40 | 2.289 | 0.13 |
| 6/29/2007 19:45 | 2.289 | 0.15 |
| 6/29/2007 19:50 | 2.289 | 0.15 |
| 6/29/2007 19:55 | 2.289 | 0.15 |
| 6/29/2007 20:00 | 2.289 | 0.15 |
| 6/29/2007 20:05 | 2.289 | 0.13 |
| 6/29/2007 20:10 | 2.289 | 0.16 |
| 6/29/2007 20:15 | 2.288 | 0.14 |
| 6/29/2007 20:20 | 2.289 | 0.14 |
| 6/29/2007 20:25 | 2.288 | 0.14 |
| 6/29/2007 20:30 | 2.288 | 0.14 |
| 6/29/2007 20:35 | 2.288 | 0.14 |
| 6/29/2007 20:40 | 2.288 | 0.14 |
| 6/29/2007 20:45 | 2.289 | 0.14 |
| 6/29/2007 20:50 | 2.288 | 0.14 |
| 6/29/2007 20:55 | 2.288 | 0.14 |
| 6/29/2007 21:00 | 2.288 | 0.14 |
| 6/29/2007 21:05 | 2.288 | 0.14 |
| 6/29/2007 21:10 | 2.288 | 0.14 |
| 6/29/2007 21:15 | 2.287 | 0.15 |
| 6/29/2007 21:20 | 2.288 | 0.15 |
| 6/29/2007 21:25 | 2.287 | 0.15 |
| 6/29/2007 21:30 | 2.287 | 0.15 |
| 6/29/2007 21:35 | 2.287 | 0.15 |
| 6/29/2007 21:40 | 2.287 | 0.15 |
| 6/29/2007 21:45 | 2.286 | 0.15 |
| 6/29/2007 21:50 | 2.287 | 0.15 |
| 6/29/2007 21:55 | 2.286 | 0.15 |
| 6/29/2007 22:00 | 2.286 | 0.15 |
| 6/29/2007 22:05 | 2.286 | 0.15 |
| 6/29/2007 22:10 | 2.286 | 0.15 |
| 6/29/2007 22:15 | 2.286 | 0.15 |
| 6/29/2007 22:20 | 2.286 | 0.15 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/29/2007 22:25 | 2.285 | 0.15 |
| 6/29/2007 22:30 | 2.285 | 0.15 |
| 6/29/2007 22:35 | 2.285 | 0.13 |
| 6/29/2007 22:40 | 2.285 | 0.13 |
| 6/29/2007 22:45 | 2.284 | 0.13 |
| 6/29/2007 22:50 | 2.285 | 0.13 |
| 6/29/2007 22:55 | 2.284 | 0.13 |
| 6/29/2007 23:00 | 2.284 | 0.13 |
| 6/29/2007 23:05 | 2.284 | 0.13 |
| 6/29/2007 23:10 | 2.284 | 0.13 |
| 6/29/2007 23:15 | 2.284 | 0.13 |
| 6/29/2007 23:20 | 2.284 | 0.13 |
| 6/29/2007 23:25 | 2.284 | 0.13 |
| 6/29/2007 23:30 | 2.284 | 0.16 |
| 6/29/2007 23:35 | 2.284 | 0.16 |
| 6/29/2007 23:40 | 2.284 | 0.16 |
| 6/29/2007 23:45 | 2.283 | 0.16 |
| 6/29/2007 23:50 | 2.283 | 0.16 |
| 6/29/2007 23:55 | 2.283 | 0.16 |
| 6/30/2007 0:00 | 2.283 | 0.16 |
| 6/30/2007 0:05 | 2.283 | 0.16 |
| 6/30/2007 0:10 | 2.283 | 0.16 |
| 6/30/2007 0:15 | 2.283 | 0.16 |
| 6/30/2007 0:20 | 2.283 | 0.16 |
| 6/30/2007 0:25 | 2.282 | 0.16 |
| 6/30/2007 0:30 | 2.283 | 0.16 |
| 6/30/2007 0:35 | 2.282 | 0.16 |
| 6/30/2007 0:40 | 2.282 | 0.16 |
| 6/30/2007 0:45 | 2.282 | 0.16 |
| 6/30/2007 0:50 | 2.282 | 0.16 |
| 6/30/2007 0:55 | 2.282 | 0.16 |
| 6/30/2007 1:00 | 2.281 | 0.16 |
| 6/30/2007 1:05 | 2.282 | 0.16 |
| 6/30/2007 1:10 | 2.282 | 0.16 |
| 6/30/2007 1:15 | 2.282 | 0.16 |
| 6/30/2007 1:20 | 2.281 | 0.16 |
| 6/30/2007 1:25 | 2.281 | 0.16 |
| 6/30/2007 1:30 | 2.281 | 0.16 |
| 6/30/2007 1:35 | 2.281 | 0.16 |
| 6/30/2007 1:40 | 2.281 | 0.16 |
| 6/30/2007 1:45 | 2.281 | 0.16 |
| 6/30/2007 1:50 | 2.281 | 0.16 |
| 6/30/2007 1:55 | 2.281 | 0.16 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 2:00 | 2.28 | 0.16 |
| 6/30/2007 2:05 | 2.28 | 0.16 |
| 6/30/2007 2:10 | 2.28 | 0.16 |
| 6/30/2007 2:15 | 2.279 | 0.16 |
| 6/30/2007 2:20 | 2.279 | 0.16 |
| 6/30/2007 2:25 | 2.28 | 0.16 |
| 6/30/2007 2:30 | 2.279 | 0.16 |
| 6/30/2007 2:35 | 2.279 | 0.16 |
| 6/30/2007 2:40 | 2.279 | 0.16 |
| 6/30/2007 2:45 | 2.28 | 0.16 |
| 6/30/2007 2:50 | 2.279 | 0.16 |
| 6/30/2007 2:55 | 2.279 | 0.16 |
| 6/30/2007 3:00 | 2.279 | 0.16 |
| 6/30/2007 3:05 | 2.279 | 0.16 |
| 6/30/2007 3:10 | 2.279 | 0.16 |
| 6/30/2007 3:15 | 2.278 | 0.16 |
| 6/30/2007 3:20 | 2.279 | 0.16 |
| 6/30/2007 3:25 | 2.279 | 0.16 |
| 6/30/2007 3:30 | 2.279 | 0.16 |
| 6/30/2007 3:35 | 2.278 | 0.16 |
| 6/30/2007 3:40 | 2.278 | 0.16 |
| 6/30/2007 3:45 | 2.278 | 0.16 |
| 6/30/2007 3:50 | 2.278 | 0.16 |
| 6/30/2007 3:55 | 2.277 | 0.16 |
| 6/30/2007 4:00 | 2.277 | 0.16 |
| 6/30/2007 4:05 | 2.277 | 0.16 |
| 6/30/2007 4:10 | 2.277 | 0.16 |
| 6/30/2007 4:15 | 2.277 | 0.16 |
| 6/30/2007 4:20 | 2.277 | 0.16 |
| 6/30/2007 4:25 | 2.277 | 0.16 |
| 6/30/2007 4:30 | 2.277 | 0.16 |
| 6/30/2007 4:35 | 2.277 | 0.16 |
| 6/30/2007 4:40 | 2.277 | 0.16 |
| 6/30/2007 4:45 | 2.276 | 0.16 |
| 6/30/2007 4:50 | 2.276 | 0.16 |
| 6/30/2007 4:55 | 2.277 | 0.16 |
| 6/30/2007 5:00 | 2.276 | 0.16 |
| 6/30/2007 5:05 | 2.276 | 0.16 |
| 6/30/2007 5:10 | 2.276 | 0.16 |
| 6/30/2007 5:15 | 2.276 | 0.16 |
| 6/30/2007 5:20 | 2.276 | 0.13 |
| 6/30/2007 5:25 | 2.276 | 0.13 |
| 6/30/2007 5:30 | 2.276 | 0.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 5:35 | 2.276 | 0.13 |
| 6/30/2007 5:40 | 2.276 | 0.13 |
| 6/30/2007 5:45 | 2.276 | 0.13 |
| 6/30/2007 5:50 | 2.276 | 0.13 |
| 6/30/2007 5:55 | 2.276 | 0.13 |
| 6/30/2007 6:00 | 2.276 | 0.13 |
| 6/30/2007 6:05 | 2.276 | 0.13 |
| 6/30/2007 6:10 | 2.276 | 0.13 |
| 6/30/2007 6:15 | 2.276 | 0.13 |
| 6/30/2007 6:20 | 2.275 | 0.13 |
| 6/30/2007 6:25 | 2.274 | 0.13 |
| 6/30/2007 6:30 | 2.275 | 0.13 |
| 6/30/2007 6:35 | 2.275 | 0.13 |
| 6/30/2007 6:40 | 2.275 | 0.13 |
| 6/30/2007 6:45 | 2.274 | 0.12 |
| 6/30/2007 6:50 | 2.273 | 0.14 |
| 6/30/2007 6:55 | 2.276 | 0.11 |
| 6/30/2007 7:00 | 2.273 | 0.11 |
| 6/30/2007 7:05 | 2.274 | 0.11 |
| 6/30/2007 7:10 | 2.274 | 0.15 |
| 6/30/2007 7:15 | 2.274 | 0.15 |
| 6/30/2007 7:20 | 2.274 | 0.14 |
| 6/30/2007 7:25 | 2.274 | 0.14 |
| 6/30/2007 7:30 | 2.274 | 0.35 |
| 6/30/2007 7:35 | 2.274 | 0.35 |
| 6/30/2007 7:40 | 2.274 | 0.35 |
| 6/30/2007 7:45 | 2.273 | 0.35 |
| 6/30/2007 7:50 | 2.273 | 0.35 |
| 6/30/2007 7:55 | 2.272 | 0.35 |
| 6/30/2007 8:00 | 2.273 | 0.35 |
| 6/30/2007 8:05 | 2.272 | 0.35 |
| 6/30/2007 8:10 | 2.274 | 0.35 |
| 6/30/2007 8:15 | 2.272 | 0.35 |
| 6/30/2007 8:20 | 2.273 | 0.35 |
| 6/30/2007 8:25 | 2.272 | 0.16 |
| 6/30/2007 8:30 | 2.272 | 0.14 |
| 6/30/2007 8:35 | 2.271 | 0.14 |
| 6/30/2007 8:40 | 2.271 | 0.1 |
| 6/30/2007 8:45 | 2.271 | 0.1 |
| 6/30/2007 8:50 | 2.271 | 0.1 |
| 6/30/2007 8:55 | 2.271 | 0.1 |
| 6/30/2007 9:00 | 2.271 | 0.1 |
| 6/30/2007 9:05 | 2.27 | 0.1 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 9:10 | 2.271 | 0.1 |
| 6/30/2007 9:15 | 2.268 | 0.1 |
| 6/30/2007 9:20 | 2.269 | 0.1 |
| 6/30/2007 9:25 | 2.271 | 0.39 |
| 6/30/2007 9:30 | 2.271 | 0.39 |
| 6/30/2007 9:35 | 2.268 | 0.39 |
| 6/30/2007 9:40 | 2.267 | 0.39 |
| 6/30/2007 9:45 | 2.267 | 0.39 |
| 6/30/2007 9:50 | 2.269 | 0.39 |
| 6/30/2007 9:55 | 2.267 | 0.39 |
| 6/30/2007 10:00 | 2.268 | 0.39 |
| 6/30/2007 10:05 | 2.267 | 0.39 |
| 6/30/2007 10:10 | 2.266 | 0.13 |
| 6/30/2007 10:15 | 2.267 | 0.13 |
| 6/30/2007 10:20 | 2.265 | 0.13 |
| 6/30/2007 10:25 | 2.266 | 0.13 |
| 6/30/2007 10:30 | 2.265 | 0.13 |
| 6/30/2007 10:35 | 2.265 | 0.13 |
| 6/30/2007 10:40 | 2.266 | 0.13 |
| 6/30/2007 10:45 | 2.264 | 0.13 |
| 6/30/2007 10:50 | 2.263 | 0.13 |
| 6/30/2007 10:55 | 2.264 | 0.13 |
| 6/30/2007 11:00 | 2.264 | 9.33 |
| 6/30/2007 11:05 | 2.262 | 8.69 |
| 6/30/2007 11:10 | 2.264 | 8.69 |
| 6/30/2007 11:15 | 2.262 | 8.11 |
| 6/30/2007 11:20 | 2.26 | 8.58 |
| 6/30/2007 11:25 | 2.261 | 9.05 |
| 6/30/2007 11:30 | 2.262 | 0.11 |
| 6/30/2007 11:35 | 2.26 | 0.11 |
| 6/30/2007 11:40 | 2.26 | 0.11 |
| 6/30/2007 11:45 | 2.261 | 14.3 |
| 6/30/2007 11:50 | 2.261 | 12 |
| 6/30/2007 11:55 | 2.259 | 12.82 |
| 6/30/2007 12:00 | 2.259 | 12.99 |
| 6/30/2007 12:05 | 2.259 | 12.99 |
| 6/30/2007 12:10 | 2.257 | 12.99 |
| 6/30/2007 12:15 | 2.257 | 12.99 |
| 6/30/2007 12:20 | 2.257 | 12.99 |
| 6/30/2007 12:25 | 2.256 | 12.99 |
| 6/30/2007 12:30 | 2.257 | 12.99 |
| 6/30/2007 12:35 | 2.257 | 12.99 |
| 6/30/2007 12:40 | 2.257 | 12.99 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 12:45 | 2.256 | 10.26 |
| 6/30/2007 12:50 | 2.256 | 9.8 |
| 6/30/2007 12:55 | 2.254 | 9.8 |
| 6/30/2007 13:00 | 2.255 | 9.8 |
| 6/30/2007 13:05 | 2.255 | 9.8 |
| 6/30/2007 13:10 | 2.254 | 9.8 |
| 6/30/2007 13:15 | 2.253 | 9.8 |
| 6/30/2007 13:20 | 2.252 | 9.8 |
| 6/30/2007 13:25 | 2.252 | 9.8 |
| 6/30/2007 13:30 | 2.252 | 9.8 |
| 6/30/2007 13:35 | 2.251 | 9.8 |
| 6/30/2007 13:40 | 2.253 | 9.8 |
| 6/30/2007 13:45 | 2.252 | 9.8 |
| 6/30/2007 13:50 | 2.25 | 9.8 |
| 6/30/2007 13:55 | 2.252 | 0.12 |
| 6/30/2007 14:00 | 2.251 | 0.12 |
| 6/30/2007 14:05 | 2.251 | 0.12 |
| 6/30/2007 14:10 | 2.251 | 0.12 |
| 6/30/2007 14:15 | 2.25 | 0.12 |
| 6/30/2007 14:20 | 2.25 | 0.12 |
| 6/30/2007 14:25 | 2.25 | 0.12 |
| 6/30/2007 14:30 | 2.249 | 0.12 |
| 6/30/2007 14:35 | 2.251 | 0.31 |
| 6/30/2007 14:40 | 2.25 | 0.31 |
| 6/30/2007 14:45 | 2.251 | 0.12 |
| 6/30/2007 14:50 | 2.251 | 0.12 |
| 6/30/2007 14:55 | 2.251 | 0.12 |
| 6/30/2007 15:00 | 2.251 | 0.12 |
| 6/30/2007 15:05 | 2.249 | 0.12 |
| 6/30/2007 15:10 | 2.25 | 0.12 |
| 6/30/2007 15:15 | 2.25 | 0.12 |
| 6/30/2007 15:20 | 2.248 | 0.11 |
| 6/30/2007 15:25 | 2.25 | 0.12 |
| 6/30/2007 15:30 | 2.251 | 0.11 |
| 6/30/2007 15:35 | 2.25 | 0.11 |
| 6/30/2007 15:40 | 2.25 | 0.11 |
| 6/30/2007 15:45 | 2.25 | 0.11 |
| 6/30/2007 15:50 | 2.247 | 0.11 |
| 6/30/2007 15:55 | 2.25 | 0.11 |
| 6/30/2007 16:00 | 2.249 | 0.11 |
| 6/30/2007 16:05 | 2.249 | 0.11 |
| 6/30/2007 16:10 | 2.249 | 0.11 |
| 6/30/2007 16:15 | 2.249 | 0.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 16:20 | 2.25 | 0.11 |
| 6/30/2007 16:25 | 2.249 | 0.11 |
| 6/30/2007 16:30 | 2.249 | 0.11 |
| 6/30/2007 16:35 | 2.249 | 0.11 |
| 6/30/2007 16:40 | 2.249 | 0.11 |
| 6/30/2007 16:45 | 2.249 | 0.11 |
| 6/30/2007 16:50 | 2.25 | 0.11 |
| 6/30/2007 16:55 | 2.248 | 0.11 |
| 6/30/2007 17:00 | 2.249 | 0.11 |
| 6/30/2007 17:05 | 2.25 | 0.11 |
| 6/30/2007 17:10 | 2.251 | 0.11 |
| 6/30/2007 17:15 | 2.25 | 0.11 |
| 6/30/2007 17:20 | 2.251 | 0.11 |
| 6/30/2007 17:25 | 2.252 | 0.11 |
| 6/30/2007 17:30 | 2.251 | 0.11 |
| 6/30/2007 17:35 | 2.251 | 0.11 |
| 6/30/2007 17:40 | 2.251 | 0.11 |
| 6/30/2007 17:45 | 2.251 | 0.11 |
| 6/30/2007 17:50 | 2.251 | 0.11 |
| 6/30/2007 17:55 | 2.251 | 9.11 |
| 6/30/2007 18:00 | 2.252 | 9.11 |
| 6/30/2007 18:05 | 2.252 | 9.11 |
| 6/30/2007 18:10 | 2.252 | 9.11 |
| 6/30/2007 18:15 | 2.252 | 9.11 |
| 6/30/2007 18:20 | 2.252 | 9.11 |
| 6/30/2007 18:25 | 2.252 | 9.11 |
| 6/30/2007 18:30 | 2.252 | 9.11 |
| 6/30/2007 18:35 | 2.252 | 9.11 |
| 6/30/2007 18:40 | 2.252 | 9.11 |
| 6/30/2007 18:45 | 2.252 | 9.11 |
| 6/30/2007 18:50 | 2.252 | 9.11 |
| 6/30/2007 18:55 | 2.252 | 9.11 |
| 6/30/2007 19:00 | 2.252 | 9.11 |
| 6/30/2007 19:05 | 2.252 | 9.11 |
| 6/30/2007 19:10 | 2.252 | 9.11 |
| 6/30/2007 19:15 | 2.252 | 9.11 |
| 6/30/2007 19:20 | 2.252 | 9.11 |
| 6/30/2007 19:25 | 2.252 | 9.11 |
| 6/30/2007 19:30 | 2.252 | 9.11 |
| 6/30/2007 19:35 | 2.252 | 0.13 |
| 6/30/2007 19:40 | 2.252 | 0.13 |
| 6/30/2007 19:45 | 2.252 | 0.12 |
| 6/30/2007 19:50 | 2.252 | 0.12 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 19:55 | 2.253 | 0.12 |
| 6/30/2007 20:00 | 2.252 | 0.12 |
| 6/30/2007 20:05 | 2.252 | 0.11 |
| 6/30/2007 20:10 | 2.252 | 0.11 |
| 6/30/2007 20:15 | 2.252 | 0.11 |
| 6/30/2007 20:20 | 2.252 | 0.11 |
| 6/30/2007 20:25 | 2.252 | 0.11 |
| 6/30/2007 20:30 | 2.252 | 0.11 |
| 6/30/2007 20:35 | 2.252 | 0.11 |
| 6/30/2007 20:40 | 2.252 | 0.11 |
| 6/30/2007 20:45 | 2.252 | 0.11 |
| 6/30/2007 20:50 | 2.252 | 0.11 |
| 6/30/2007 20:55 | 2.252 | 0.11 |
| 6/30/2007 21:00 | 2.25 | 0.11 |
| 6/30/2007 21:05 | 2.252 | 0.11 |
| 6/30/2007 21:10 | 2.252 | 0.11 |
| 6/30/2007 21:15 | 2.252 | 0.11 |
| 6/30/2007 21:20 | 2.252 | 0.11 |
| 6/30/2007 21:25 | 2.251 | 0.11 |
| 6/30/2007 21:30 | 2.252 | 0.11 |
| 6/30/2007 21:35 | 2.251 | 0.11 |
| 6/30/2007 21:40 | 2.251 | 0.11 |
| 6/30/2007 21:45 | 2.251 | 0.11 |
| 6/30/2007 21:50 | 2.251 | 0.11 |
| 6/30/2007 21:55 | 2.25 | 0.11 |
| 6/30/2007 22:00 | 2.251 | 0.11 |
| 6/30/2007 22:05 | 2.251 | 0.11 |
| 6/30/2007 22:10 | 2.25 | 0.11 |
| 6/30/2007 22:15 | 2.25 | 0.11 |
| 6/30/2007 22:20 | 2.249 | 0.11 |
| 6/30/2007 22:25 | 2.25 | 0.11 |
| 6/30/2007 22:30 | 2.25 | 0.11 |
| 6/30/2007 22:35 | 2.249 | 0.11 |
| 6/30/2007 22:40 | 2.25 | 0.11 |
| 6/30/2007 22:45 | 2.249 | 0.11 |
| 6/30/2007 22:50 | 2.25 | 0.11 |
| 6/30/2007 22:55 | 2.249 | 0.11 |
| 6/30/2007 23:00 | 2.249 | 0.11 |
| 6/30/2007 23:05 | 2.249 | 0.11 |
| 6/30/2007 23:10 | 2.249 | 0.11 |
| 6/30/2007 23:15 | 2.248 | 0.11 |
| 6/30/2007 23:20 | 2.248 | 0.11 |
| 6/30/2007 23:25 | 2.248 | 0.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 23:30 | 2.248 | 0.11 |
| 6/30/2007 23:35 | 2.248 | 0.11 |
| 6/30/2007 23:40 | 2.248 | 0.11 |
| 6/30/2007 23:45 | 2.248 | 0.11 |
| 6/30/2007 23:50 | 2.248 | 0.11 |
| 6/30/2007 23:55 | 2.248 | 0.11 |
| 7/1/2007 0:00 | 2.247 | 0.11 |
| 7/1/2007 0:05 | 2.246 | 0.11 |
| 7/1/2007 0:10 | 2.246 | 0.11 |
| 7/1/2007 0:15 | 2.245 | 0.11 |
| 7/1/2007 0:20 | 2.245 | 0.11 |
| 7/1/2007 0:25 | 2.246 | 0.11 |
| 7/1/2007 0:30 | 2.245 | 0.11 |
| 7/1/2007 0:35 | 2.244 | 0.11 |
| 7/1/2007 0:40 | 2.245 | 0.11 |
| 7/1/2007 0:45 | 2.245 | 0.11 |
| 7/1/2007 0:50 | 2.245 | 0.11 |
| 7/1/2007 0:55 | 2.245 | 0.11 |
| 7/1/2007 1:00 | 2.245 | 0.11 |
| 7/1/2007 1:05 | 2.245 | 0.11 |
| 7/1/2007 1:10 | 2.244 | 0.11 |
| 7/1/2007 1:15 | 2.244 | 0.11 |
| 7/1/2007 1:20 | 2.244 | 0.11 |
| 7/1/2007 1:25 | 2.244 | 0.11 |
| 7/1/2007 1:30 | 2.244 | 0.11 |
| 7/1/2007 1:35 | 2.244 | 0.11 |
| 7/1/2007 1:40 | 2.244 | 0.11 |
| 7/1/2007 1:45 | 2.244 | 0.11 |
| 7/1/2007 1:50 | 2.243 | 0.11 |
| 7/1/2007 1:55 | 2.243 | 0.11 |
| 7/1/2007 2:00 | 2.243 | 0.11 |
| 7/1/2007 2:05 | 2.243 | 0.11 |
| 7/1/2007 2:10 | 2.243 | 0.11 |
| 7/1/2007 2:15 | 2.243 | 0.11 |
| 7/1/2007 2:20 | 2.242 | 0.11 |
| 7/1/2007 2:25 | 2.242 | 0.11 |
| 7/1/2007 2:30 | 2.242 | 0.11 |
| 7/1/2007 2:35 | 2.242 | 0.11 |
| 7/1/2007 2:40 | 2.242 | 0.11 |
| 7/1/2007 2:45 | 2.243 | 0.11 |
| 7/1/2007 2:50 | 2.242 | 0.11 |
| 7/1/2007 2:55 | 2.242 | 0.11 |
| 7/1/2007 3:00 | 2.241 | 0.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 3:05 | 2.241 | 0.11 |
| 7/1/2007 3:10 | 2.241 | 0.11 |
| 7/1/2007 3:15 | 2.241 | 0.11 |
| 7/1/2007 3:20 | 2.241 | 0.11 |
| 7/1/2007 3:25 | 2.241 | 0.11 |
| 7/1/2007 3:30 | 2.241 | 0.11 |
| 7/1/2007 3:35 | 2.241 | 0.11 |
| 7/1/2007 3:40 | 2.241 | 0.11 |
| 7/1/2007 3:45 | 2.24 | 0.11 |
| 7/1/2007 3:50 | 2.24 | 0.11 |
| 7/1/2007 3:55 | 2.24 | 0.11 |
| 7/1/2007 4:00 | 2.24 | 0.11 |
| 7/1/2007 4:05 | 2.24 | 0.11 |
| 7/1/2007 4:10 | 2.239 | 0.11 |
| 7/1/2007 4:15 | 2.24 | 0.11 |
| 7/1/2007 4:20 | 2.239 | 0.11 |
| 7/1/2007 4:25 | 2.239 | 0.11 |
| 7/1/2007 4:30 | 2.239 | 0.11 |
| 7/1/2007 4:35 | 2.239 | 0.11 |
| 7/1/2007 4:40 | 2.239 | 0.11 |
| 7/1/2007 4:45 | 2.239 | 0.11 |
| 7/1/2007 4:50 | 2.239 | 7.03 |
| 7/1/2007 4:55 | 2.239 | 10.68 |
| 7/1/2007 5:00 | 2.239 | 10.16 |
| 7/1/2007 5:05 | 2.238 | 11.71 |
| 7/1/2007 5:10 | 2.238 | 11.71 |
| 7/1/2007 5:15 | 2.239 | 11.71 |
| 7/1/2007 5:20 | 2.239 | 11.71 |
| 7/1/2007 5:25 | 2.238 | 11.71 |
| 7/1/2007 5:30 | 2.239 | 11.71 |
| 7/1/2007 5:35 | 2.238 | 11.71 |
| 7/1/2007 5:40 | 2.237 | 11.71 |
| 7/1/2007 5:45 | 2.238 | 11.71 |
| 7/1/2007 5:50 | 2.239 | 11.71 |
| 7/1/2007 5:55 | 2.239 | 8.26 |
| 7/1/2007 6:00 | 2.239 | 8.26 |
| 7/1/2007 6:05 | 2.24 | 8.26 |
| 7/1/2007 6:10 | 2.239 | 8.26 |
| 7/1/2007 6:15 | 2.24 | 8.26 |
| 7/1/2007 6:20 | 2.239 | 8.26 |
| 7/1/2007 6:25 | 2.238 | 8.26 |
| 7/1/2007 6:30 | 2.24 | 8.26 |
| 7/1/2007 6:35 | 2.24 | 8.25 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 6:40 | 2.239 | 8.25 |
| 7/1/2007 6:45 | 2.24 | 8.25 |
| 7/1/2007 6:50 | 2.24 | 8.51 |
| 7/1/2007 6:55 | 2.239 | 8.51 |
| 7/1/2007 7:00 | 2.24 | 8.51 |
| 7/1/2007 7:05 | 2.238 | 8.51 |
| 7/1/2007 7:10 | 2.237 | 8.51 |
| 7/1/2007 7:15 | 2.239 | 8.51 |
| 7/1/2007 7:20 | 2.238 | 8.51 |
| 7/1/2007 7:25 | 2.237 | 8.51 |
| 7/1/2007 7:30 | 2.24 | 8.51 |
| 7/1/2007 7:35 | 2.239 | 8.51 |
| 7/1/2007 7:40 | 2.239 | 8.51 |
| 7/1/2007 7:45 | 2.238 | 8.51 |
| 7/1/2007 7:50 | 2.238 | 8.51 |
| 7/1/2007 7:55 | 2.237 | 8.51 |
| 7/1/2007 8:00 | 2.236 | 8.51 |
| 7/1/2007 8:05 | 2.234 | 8.51 |
| 7/1/2007 8:10 | 2.235 | 8.51 |
| 7/1/2007 8:15 | 2.237 | 8.51 |
| 7/1/2007 8:20 | 2.236 | 8.51 |
| 7/1/2007 8:25 | 2.235 | 8.51 |
| 7/1/2007 8:30 | 2.236 | 8.51 |
| 7/1/2007 8:35 | 2.235 | 8.51 |
| 7/1/2007 8:40 | 2.233 | 8.51 |
| 7/1/2007 8:45 | 2.234 | 8.51 |
| 7/1/2007 8:50 | 2.237 | 8.51 |
| 7/1/2007 8:55 | 2.234 | 8.51 |
| 7/1/2007 9:00 | 2.234 | 8.51 |
| 7/1/2007 9:05 | 2.234 | 8.51 |
| 7/1/2007 9:10 | 2.235 | 8.51 |
| 7/1/2007 9:15 | 2.234 | 8.51 |
| 7/1/2007 9:20 | 2.234 | 8.51 |
| 7/1/2007 9:25 | 2.233 | 8.51 |
| 7/1/2007 9:30 | 2.232 | 8.51 |
| 7/1/2007 9:35 | 2.236 | 8.51 |
| 7/1/2007 9:40 | 2.23 | 8.51 |
| 7/1/2007 9:45 | 2.231 | 8.51 |
| 7/1/2007 9:50 | 2.233 | 8.51 |
| 7/1/2007 9:55 | 2.232 | 8.51 |
| 7/1/2007 10:00 | 2.234 | 8.51 |
| 7/1/2007 10:05 | 2.233 | 8.51 |
| 7/1/2007 10:10 | 2.233 | 8.51 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 10:15 | 2.233 | 8.51 |
| 7/1/2007 10:20 | 2.233 | 8.51 |
| 7/1/2007 10:25 | 2.233 | 8.51 |
| 7/1/2007 10:30 | 2.233 | 8.51 |
| 7/1/2007 10:35 | 2.234 | 6.38 |
| 7/1/2007 10:40 | 2.231 | 6.38 |
| 7/1/2007 10:45 | 2.231 | 6.38 |
| 7/1/2007 10:50 | 2.23 | 6.38 |
| 7/1/2007 10:55 | 2.229 | 6.38 |
| 7/1/2007 11:00 | 2.23 | 6.38 |
| 7/1/2007 11:05 | 2.229 | 0.1 |
| 7/1/2007 11:10 | 2.23 | 0.1 |
| 7/1/2007 11:15 | 2.23 | 0.1 |
| 7/1/2007 11:20 | 2.231 | 0.1 |
| 7/1/2007 11:25 | 2.229 | 0.1 |
| 7/1/2007 11:30 | 2.227 | 0.1 |
| 7/1/2007 11:35 | 2.229 | 0.1 |
| 7/1/2007 11:40 | 2.224 | 0.1 |
| 7/1/2007 11:45 | 2.227 | 0.1 |
| 7/1/2007 11:50 | 2.226 | 0.1 |
| 7/1/2007 11:55 | 2.228 | 0.1 |
| 7/1/2007 12:00 | 2.226 | 0.1 |
| 7/1/2007 12:05 | 2.227 | 0.1 |
| 7/1/2007 12:10 | 2.226 | 0.1 |
| 7/1/2007 12:15 | 2.224 | 0.1 |
| 7/1/2007 12:20 | 2.228 | 0.1 |
| 7/1/2007 12:25 | 2.223 | 0.1 |
| 7/1/2007 12:30 | 2.225 | 0.1 |
| 7/1/2007 12:35 | 2.225 | 0.1 |
| 7/1/2007 12:40 | 2.226 | 0.1 |
| 7/1/2007 12:45 | 2.222 | 0.1 |
| 7/1/2007 12:50 | 2.223 | 0.1 |
| 7/1/2007 12:55 | 2.221 | 0.1 |
| 7/1/2007 13:00 | 2.222 | 0.1 |
| 7/1/2007 13:05 | 2.222 | 0.1 |
| 7/1/2007 13:10 | 2.22 | 0.1 |
| 7/1/2007 13:15 | 2.221 | 0.1 |
| 7/1/2007 13:20 | 2.221 | 0.1 |
| 7/1/2007 13:25 | 2.221 | 0.1 |
| 7/1/2007 13:30 | 2.22 | 0.1 |
| 7/1/2007 13:35 | 2.22 | 0.1 |
| 7/1/2007 13:40 | 2.22 | 0.1 |
| 7/1/2007 13:45 | 2.22 | 0.09 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 13:50 | 2.221 | 0.09 |
| 7/1/2007 13:55 | 2.219 | 0.1 |
| 7/1/2007 14:00 | 2.219 | 0.1 |
| 7/1/2007 14:05 | 2.219 | 0.1 |
| 7/1/2007 14:10 | 2.218 | 0.1 |
| 7/1/2007 14:15 | 2.218 | 0.1 |
| 7/1/2007 14:20 | 2.213 | 0.1 |
| 7/1/2007 14:25 | 2.216 | 0.1 |
| 7/1/2007 14:30 | 2.216 | 0.1 |
| 7/1/2007 14:35 | 2.216 | 0.1 |
| 7/1/2007 14:40 | 2.217 | 0.1 |
| 7/1/2007 14:45 | 2.217 | 0.1 |
| 7/1/2007 14:50 | 2.217 | 0.1 |
| 7/1/2007 14:55 | 2.216 | 0.1 |
| 7/1/2007 15:00 | 2.215 | 0.1 |
| 7/1/2007 15:05 | 2.216 | 0.1 |
| 7/1/2007 15:10 | 2.216 | 0.1 |
| 7/1/2007 15:15 | 2.216 | 0.1 |
| 7/1/2007 15:20 | 2.215 | 0.1 |
| 7/1/2007 15:25 | 2.215 | 0.1 |
| 7/1/2007 15:30 | 2.215 | 0.1 |
| 7/1/2007 15:35 | 2.216 | 0.1 |
| 7/1/2007 15:40 | 2.215 | 0.1 |
| 7/1/2007 15:45 | 2.216 | 0.1 |
| 7/1/2007 15:50 | 2.215 | 0.1 |
| 7/1/2007 15:55 | 2.215 | 0.1 |
| 7/1/2007 16:00 | 2.215 | 0.1 |
| 7/1/2007 16:05 | 2.214 | 0.1 |
| 7/1/2007 16:10 | 2.214 | 0.1 |
| 7/1/2007 16:15 | 2.213 | 0.1 |
| 7/1/2007 16:20 | 2.214 | 0.1 |
| 7/1/2007 16:25 | 2.214 | 0.1 |
| 7/1/2007 16:30 | 2.215 | 0.1 |
| 7/1/2007 16:35 | 2.215 | 0.1 |
| 7/1/2007 16:40 | 2.214 | 0.1 |
| 7/1/2007 16:45 | 2.215 | 0.1 |
| 7/1/2007 16:50 | 2.215 | 0.1 |
| 7/1/2007 16:55 | 2.215 | 0.1 |
| 7/1/2007 17:00 | 2.215 | 0.1 |
| 7/1/2007 17:05 | 2.215 | 0.1 |
| 7/1/2007 17:10 | 2.215 | 0.1 |
| 7/1/2007 17:15 | 2.215 | 0.1 |
| 7/1/2007 17:20 | 2.215 | 0.1 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 17:25 | 2.215 | 0.1 |
| 7/1/2007 17:30 | 2.214 | 0.1 |
| 7/1/2007 17:35 | 2.215 | 0.1 |
| 7/1/2007 17:40 | 2.215 | 0.1 |
| 7/1/2007 17:45 | 2.215 | 0.1 |
| 7/1/2007 17:50 | 2.215 | 0.1 |
| 7/1/2007 17:55 | 2.215 | 0.1 |
| 7/1/2007 18:00 | 2.215 | 0.1 |
| 7/1/2007 18:05 | 2.216 | 0.1 |
| 7/1/2007 18:10 | 2.216 | 0.1 |
| 7/1/2007 18:15 | 2.215 | 0.1 |
| 7/1/2007 18:20 | 2.215 | 0.1 |
| 7/1/2007 18:25 | 2.216 | 0.1 |
| 7/1/2007 18:30 | 2.215 | 0.1 |
| 7/1/2007 18:35 | 2.215 | 0.1 |
| 7/1/2007 18:40 | 2.215 | 0.1 |
| 7/1/2007 18:45 | 2.215 | 0.1 |
| 7/1/2007 18:50 | 2.215 | 0.1 |
| 7/1/2007 18:55 | 2.214 | 0.1 |
| 7/1/2007 19:00 | 2.214 | 0.1 |
| 7/1/2007 19:05 | 2.214 | 0.1 |
| 7/1/2007 19:10 | 2.214 | 0.1 |
| 7/1/2007 19:15 | 2.214 | 0.1 |
| 7/1/2007 19:20 | 2.214 | 0.1 |
| 7/1/2007 19:25 | 2.214 | 0.1 |
| 7/1/2007 19:30 | 2.215 | 0.1 |
| 7/1/2007 19:35 | 2.215 | 0.1 |
| 7/1/2007 19:40 | 2.215 | 0.1 |
| 7/1/2007 19:45 | 2.215 | 0.1 |
| 7/1/2007 19:50 | 2.215 | 0.1 |
| 7/1/2007 19:55 | 2.216 | 0.1 |
| 7/1/2007 20:00 | 2.216 | 0.1 |
| 7/1/2007 20:05 | 2.215 | 0.1 |
| 7/1/2007 20:10 | 2.215 | 0.1 |
| 7/1/2007 20:15 | 2.216 | 0.1 |
| 7/1/2007 20:20 | 2.216 | 0.1 |
| 7/1/2007 20:25 | 2.217 | 0.1 |
| 7/1/2007 20:30 | 2.216 | 0.1 |
| 7/1/2007 20:35 | 2.216 | 0.1 |
| 7/1/2007 20:40 | 2.217 | 0.1 |
| 7/1/2007 20:45 | 2.217 | 0.1 |
| 7/1/2007 20:50 | 2.217 | 0.11 |
| 7/1/2007 20:55 | 2.217 | -0.45 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 21:00 | 2.217 | -0.45 |
| 7/1/2007 21:05 | 2.216 | -0.45 |
| 7/1/2007 21:10 | 2.217 | -0.45 |
| 7/1/2007 21:15 | 2.216 | -0.45 |
| 7/1/2007 21:20 | 2.217 | -0.45 |
| 7/1/2007 21:25 | 2.217 | -0.45 |
| 7/1/2007 21:30 | 2.216 | -0.45 |
| 7/1/2007 21:35 | 2.216 | -0.45 |
| 7/1/2007 21:40 | 2.216 | -0.45 |
| 7/1/2007 21:45 | 2.216 | -0.45 |
| 7/1/2007 21:50 | 2.216 | -0.45 |
| 7/1/2007 21:55 | 2.215 | -0.45 |
| 7/1/2007 22:00 | 2.215 | -0.45 |
| 7/1/2007 22:05 | 2.215 | -0.45 |
| 7/1/2007 22:10 | 2.215 | -0.45 |
| 7/1/2007 22:15 | 2.215 | -0.45 |
| 7/1/2007 22:20 | 2.215 | -0.45 |
| 7/1/2007 22:25 | 2.215 | -0.45 |
| 7/1/2007 22:30 | 2.215 | -0.45 |
| 7/1/2007 22:35 | 2.215 | -0.45 |
| 7/1/2007 22:40 | 2.215 | -0.45 |
| 7/1/2007 22:45 | 2.215 | -0.45 |
| 7/1/2007 22:50 | 2.214 | -0.45 |
| 7/1/2007 22:55 | 2.214 | -0.45 |
| 7/1/2007 23:00 | 2.214 | -0.45 |
| 7/1/2007 23:05 | 2.214 | -0.45 |
| 7/1/2007 23:10 | 2.214 | -0.45 |
| 7/1/2007 23:15 | 2.213 | -0.45 |
| 7/1/2007 23:20 | 2.214 | -0.45 |
| 7/1/2007 23:25 | 2.213 | -0.45 |
| 7/1/2007 23:30 | 2.213 | -0.45 |
| 7/1/2007 23:35 | 2.213 | -0.45 |
| 7/1/2007 23:40 | 2.213 | -0.45 |
| 7/1/2007 23:45 | 2.213 | -0.45 |
| 7/1/2007 23:50 | 2.212 | -0.45 |
| 7/1/2007 23:55 | 2.212 | -0.45 |
| 7/2/2007 0:00 | 2.212 | -0.45 |
| 7/2/2007 0:05 | 2.212 | -0.45 |
| 7/2/2007 0:10 | 2.211 | -0.45 |
| 7/2/2007 0:15 | 2.211 | -0.45 |
| 7/2/2007 0:20 | 2.211 | -0.45 |
| 7/2/2007 0:25 | 2.211 | -0.45 |
| 7/2/2007 0:30 | 2.211 | -0.45 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 0:35 | 2.211 | 9.18 |
| 7/2/2007 0:40 | 2.211 | 9.18 |
| 7/2/2007 0:45 | 2.211 | 9.18 |
| 7/2/2007 0:50 | 2.211 | 9.18 |
| 7/2/2007 0:55 | 2.211 | 9.18 |
| 7/2/2007 1:00 | 2.21 | 9.18 |
| 7/2/2007 1:05 | 2.21 | 9.18 |
| 7/2/2007 1:10 | 2.21 | 9.18 |
| 7/2/2007 1:15 | 2.21 | 9.18 |
| 7/2/2007 1:20 | 2.21 | 9.18 |
| 7/2/2007 1:25 | 2.21 | 9.18 |
| 7/2/2007 1:30 | 2.21 | 10.02 |
| 7/2/2007 1:35 | 2.21 | 10.06 |
| 7/2/2007 1:40 | 2.21 | 10.06 |
| 7/2/2007 1:45 | 2.21 | 10.06 |
| 7/2/2007 1:50 | 2.209 | 0.2 |
| 7/2/2007 1:55 | 2.209 | 0.2 |
| 7/2/2007 2:00 | 2.209 | 0.2 |
| 7/2/2007 2:05 | 2.209 | 0.2 |
| 7/2/2007 2:10 | 2.209 | 0.2 |
| 7/2/2007 2:15 | 2.209 | 0.2 |
| 7/2/2007 2:20 | 2.209 | 0.2 |
| 7/2/2007 2:25 | 2.208 | 0.2 |
| 7/2/2007 2:30 | 2.209 | 0.2 |
| 7/2/2007 2:35 | 2.208 | 0.2 |
| 7/2/2007 2:40 | 2.208 | 0.2 |
| 7/2/2007 2:45 | 2.208 | 0.2 |
| 7/2/2007 2:50 | 2.208 | 0.2 |
| 7/2/2007 2:55 | 2.208 | 0.2 |
| 7/2/2007 3:00 | 2.208 | 0.2 |
| 7/2/2007 3:05 | 2.208 | 0.2 |
| 7/2/2007 3:10 | 2.207 | 0.2 |
| 7/2/2007 3:15 | 2.207 | 0.2 |
| 7/2/2007 3:20 | 2.207 | 0.2 |
| 7/2/2007 3:25 | 2.207 | 0.2 |
| 7/2/2007 3:30 | 2.207 | 0.2 |
| 7/2/2007 3:35 | 2.207 | 0.2 |
| 7/2/2007 3:40 | 2.206 | 0.2 |
| 7/2/2007 3:45 | 2.206 | 0.2 |
| 7/2/2007 3:50 | 2.206 | 0.2 |
| 7/2/2007 3:55 | 2.206 | 0.2 |
| 7/2/2007 4:00 | 2.206 | 0.2 |
| 7/2/2007 4:05 | 2.207 | 0.2 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 4:10 | 2.206 | 0.2 |
| 7/2/2007 4:15 | 2.206 | 0.2 |
| 7/2/2007 4:20 | 2.205 | 0.2 |
| 7/2/2007 4:25 | 2.206 | 0.2 |
| 7/2/2007 4:30 | 2.205 | 0.2 |
| 7/2/2007 4:35 | 2.205 | 0.2 |
| 7/2/2007 4:40 | 2.205 | 0.2 |
| 7/2/2007 4:45 | 2.204 | 0.2 |
| 7/2/2007 4:50 | 2.205 | 0.2 |
| 7/2/2007 4:55 | 2.204 | 0.2 |
| 7/2/2007 5:00 | 2.204 | 0.11 |
| 7/2/2007 5:05 | 2.204 | 0.11 |
| 7/2/2007 5:10 | 2.204 | 0.11 |
| 7/2/2007 5:15 | 2.204 | 0.11 |
| 7/2/2007 5:20 | 2.204 | 0.11 |
| 7/2/2007 5:25 | 2.203 | 0.11 |
| 7/2/2007 5:30 | 2.203 | 0.11 |
| 7/2/2007 5:35 | 2.203 | 0.11 |
| 7/2/2007 5:40 | 2.202 | 0.09 |
| 7/2/2007 5:45 | 2.202 | 0.09 |
| 7/2/2007 5:50 | 2.203 | 0.09 |
| 7/2/2007 5:55 | 2.202 | 0.09 |
| 7/2/2007 6:00 | 2.202 | 0.09 |
| 7/2/2007 6:05 | 2.202 | 0.09 |
| 7/2/2007 6:10 | 2.201 | 0.09 |
| 7/2/2007 6:15 | 2.202 | 0.09 |
| 7/2/2007 6:20 | 2.202 | 0.09 |
| 7/2/2007 6:25 | 2.201 | 0.09 |
| 7/2/2007 6:30 | 2.201 | 0.09 |
| 7/2/2007 6:35 | 2.201 | 0.09 |
| 7/2/2007 6:40 | 2.2 | 0.09 |
| 7/2/2007 6:45 | 2.2 | 0.09 |
| 7/2/2007 6:50 | 2.201 | 0.09 |
| 7/2/2007 6:55 | 2.2 | 0.09 |
| 7/2/2007 7:00 | 2.201 | 0.09 |
| 7/2/2007 7:05 | 2.2 | 0.09 |
| 7/2/2007 7:10 | 2.199 | 0.09 |
| 7/2/2007 7:15 | 2.199 | 0.09 |
| 7/2/2007 7:20 | 2.198 | 0.29 |
| 7/2/2007 7:25 | 2.199 | 0.29 |
| 7/2/2007 7:30 | 2.198 | 0.29 |
| 7/2/2007 7:35 | 2.198 | 0.29 |
| 7/2/2007 7:40 | 2.199 | 0.29 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 7:45 | 2.197 | 0.29 |
| 7/2/2007 7:50 | 2.197 | 0.29 |
| 7/2/2007 7:55 | 2.197 | 0.29 |
| 7/2/2007 8:00 | 2.198 | 0.29 |
| 7/2/2007 8:05 | 2.195 | 0.29 |
| 7/2/2007 8:10 | 2.196 | 0.29 |
| 7/2/2007 8:15 | 2.194 | 0.29 |
| 7/2/2007 8:20 | 2.196 | 0.29 |
| 7/2/2007 8:25 | 2.196 | 0.29 |
| 7/2/2007 8:30 | 2.194 | 0.29 |
| 7/2/2007 8:35 | 2.195 | 0.29 |
| 7/2/2007 8:40 | 2.197 | 0.29 |
| 7/2/2007 8:45 | 2.194 | 0.29 |
| 7/2/2007 8:50 | 2.195 | 0.13 |
| 7/2/2007 8:55 | 2.192 | 0.11 |
| 7/2/2007 9:00 | 2.193 | 0.11 |
| 7/2/2007 9:05 | 2.192 | 0.11 |
| 7/2/2007 9:10 | 2.192 | 0.11 |
| 7/2/2007 9:15 | 2.193 | 10.12 |
| 7/2/2007 9:20 | 2.192 | 8.29 |
| 7/2/2007 9:25 | 2.191 | 8.29 |
| 7/2/2007 9:30 | 2.192 | 8.29 |
| 7/2/2007 9:35 | 2.193 | 8.29 |
| 7/2/2007 9:40 | 2.19 | 8.29 |
| 7/2/2007 9:45 | 2.19 | 8.29 |
| 7/2/2007 9:50 | 2.19 | 8.29 |
| 7/2/2007 9:55 | 2.19 | 8.29 |
| 7/2/2007 10:00 | 2.188 | 8.29 |
| 7/2/2007 10:05 | 2.188 | 8.29 |
| 7/2/2007 10:10 | 2.19 | 8.29 |
| 7/2/2007 10:15 | 2.189 | 8.29 |
| 7/2/2007 10:20 | 2.19 | 8.29 |
| 7/2/2007 10:25 | 2.191 | 8.29 |
| 7/2/2007 10:30 | 2.189 | 8.29 |
| 7/2/2007 10:35 | 2.188 | 8.29 |
| 7/2/2007 10:40 | 2.188 | 8.29 |
| 7/2/2007 10:45 | 2.188 | 8.29 |
| 7/2/2007 10:50 | 2.187 | 8.29 |
| 7/2/2007 10:55 | 2.186 | 8.29 |
| 7/2/2007 11:00 | 2.187 | 8.29 |
| 7/2/2007 11:05 | 2.187 | 8.29 |
| 7/2/2007 11:10 | 2.186 | 8.29 |
| 7/2/2007 11:15 | 2.186 | 8.29 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 11:20 | 2.187 | 8.29 |
| 7/2/2007 11:25 | 2.185 | 8.29 |
| 7/2/2007 11:30 | 2.185 | 8.29 |
| 7/2/2007 11:35 | 2.186 | 8.29 |
| 7/2/2007 11:40 | 2.185 | 8.29 |
| 7/2/2007 11:45 | 2.184 | 8.29 |
| 7/2/2007 11:50 | 2.182 | 8.29 |
| 7/2/2007 11:55 | 2.184 | 8.29 |
| 7/2/2007 12:00 | 2.183 | 8.29 |
| 7/2/2007 12:05 | 2.184 | 8.29 |
| 7/2/2007 12:10 | 2.183 | 8.29 |
| 7/2/2007 12:15 | 2.183 | 8.29 |
| 7/2/2007 12:20 | 2.183 | 8.29 |
| 7/2/2007 12:25 | 2.182 | 8.29 |
| 7/2/2007 12:30 | 2.181 | 8.29 |
| 7/2/2007 12:35 | 2.179 | 8.29 |
| 7/2/2007 12:40 | 2.181 | 8.29 |
| 7/2/2007 12:45 | 2.181 | 8.29 |
| 7/2/2007 12:50 | 2.18 | 8.29 |
| 7/2/2007 12:55 | 2.18 | 8.29 |
| 7/2/2007 13:00 | 2.178 | 8.29 |
| 7/2/2007 13:05 | 2.179 | 8.29 |
| 7/2/2007 13:10 | 2.178 | 8.29 |
| 7/2/2007 13:15 | 2.179 | 8.29 |
| 7/2/2007 13:20 | 2.178 | 8.29 |
| 7/2/2007 13:25 | 2.178 | 8.29 |
| 7/2/2007 13:30 | 2.177 | 8.29 |
| 7/2/2007 13:35 | 2.176 | 8.29 |
| 7/2/2007 13:40 | 2.176 | 8.29 |
| 7/2/2007 13:45 | 2.176 | 8.29 |
| 7/2/2007 13:50 | 2.177 | 8.29 |
| 7/2/2007 13:55 | 2.176 | 8.29 |
| 7/2/2007 14:00 | 2.176 | 8.29 |
| 7/2/2007 14:05 | 2.176 | 8.29 |
| 7/2/2007 14:10 | 2.176 | 8.29 |
| 7/2/2007 14:15 | 2.176 | 8.29 |
| 7/2/2007 14:20 | 2.175 | 8.29 |
| 7/2/2007 14:25 | 2.175 | 8.29 |
| 7/2/2007 14:30 | 2.174 | 8.29 |
| 7/2/2007 14:35 | 2.175 | 8.29 |
| 7/2/2007 14:40 | 2.173 | 8.29 |
| 7/2/2007 14:45 | 2.175 | 8.29 |
| 7/2/2007 14:50 | 2.175 | 8.29 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 14:55 | 2.174 | 8.29 |
| 7/2/2007 15:00 | 2.174 | 8.29 |
| 7/2/2007 15:05 | 2.172 | 8.29 |
| 7/2/2007 15:10 | 2.173 | 8.29 |
| 7/2/2007 15:15 | 2.173 | 8.29 |
| 7/2/2007 15:20 | 2.173 | 8.29 |
| 7/2/2007 15:25 | 2.172 | 8.29 |
| 7/2/2007 15:30 | 2.172 | 8.29 |
| 7/2/2007 15:35 | 2.172 | 8.29 |
| 7/2/2007 15:40 | 2.172 | 8.29 |
| 7/2/2007 15:45 | 2.171 | 8.29 |
| 7/2/2007 15:50 | 2.171 | 8.29 |
| 7/2/2007 15:55 | 2.171 | 8.29 |
| 7/2/2007 16:00 | 2.171 | 8.29 |
| 7/2/2007 16:05 | 2.171 | 8.29 |
| 7/2/2007 16:10 | 2.171 | 8.29 |
| 7/2/2007 16:15 | 2.17 | 8.29 |
| 7/2/2007 16:20 | 2.171 | 8.29 |
| 7/2/2007 16:25 | 2.172 | 8.29 |
| 7/2/2007 16:30 | 2.171 | 8.29 |
| 7/2/2007 16:35 | 2.17 | 8.29 |
| 7/2/2007 16:40 | 2.171 | 8.29 |
| 7/2/2007 16:45 | 2.17 | 8.29 |
| 7/2/2007 16:50 | 2.171 | 8.29 |
| 7/2/2007 16:55 | 2.17 | 8.29 |
| 7/2/2007 17:00 | 2.171 | 8.29 |
| 7/2/2007 17:05 | 2.171 | 8.29 |
| 7/2/2007 17:10 | 2.171 | 8.29 |
| 7/2/2007 17:15 | 2.171 | 8.29 |
| 7/2/2007 17:20 | 2.171 | 8.29 |
| 7/2/2007 17:25 | 2.171 | 8.29 |
| 7/2/2007 17:30 | 2.172 | 8.29 |
| 7/2/2007 17:35 | 2.171 | 8.29 |
| 7/2/2007 17:40 | 2.173 | 8.29 |
| 7/2/2007 17:45 | 2.172 | 8.29 |
| 7/2/2007 17:50 | 2.172 | 8.29 |
| 7/2/2007 17:55 | 2.172 | 8.29 |
| 7/2/2007 18:00 | 2.172 | 8.29 |
| 7/2/2007 18:05 | 2.172 | 8.29 |
| 7/2/2007 18:10 | 2.172 | 8.29 |
| 7/2/2007 18:15 | 2.172 | 8.29 |
| 7/2/2007 18:20 | 2.172 | 8.29 |
| 7/2/2007 18:25 | 2.172 | 8.29 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 18:30 | 2.172 | 8.29 |
| 7/2/2007 18:35 | 2.172 | 8.29 |
| 7/2/2007 18:40 | 2.172 | 8.29 |
| 7/2/2007 18:45 | 2.172 | 8.29 |
| 7/2/2007 18:50 | 2.172 | 8.29 |
| 7/2/2007 18:55 | 2.172 | 8.29 |
| 7/2/2007 19:00 | 2.172 | 8.29 |
| 7/2/2007 19:05 | 2.171 | 8.29 |
| 7/2/2007 19:10 | 2.172 | 8.29 |
| 7/2/2007 19:15 | 2.171 | 8.29 |
| 7/2/2007 19:20 | 2.171 | 8.29 |
| 7/2/2007 19:25 | 2.171 | 8.29 |
| 7/2/2007 19:30 | 2.171 | 8.29 |
| 7/2/2007 19:35 | 2.171 | 8.29 |
| 7/2/2007 19:40 | 2.171 | 8.29 |
| 7/2/2007 19:45 | 2.172 | 8.29 |
| 7/2/2007 19:50 | 2.172 | 8.29 |
| 7/2/2007 19:55 | 2.171 | 8.29 |
| 7/2/2007 20:00 | 2.172 | 8.29 |
| 7/2/2007 20:05 | 2.172 | 8.29 |
| 7/2/2007 20:10 | 2.172 | 8.29 |
| 7/2/2007 20:15 | 2.172 | 8.29 |
| 7/2/2007 20:20 | 2.172 | 8.29 |
| 7/2/2007 20:25 | 2.172 | 8.29 |
| 7/2/2007 20:30 | 2.172 | 8.29 |
| 7/2/2007 20:35 | 2.172 | 8.29 |
| 7/2/2007 20:40 | 2.172 | 8.29 |
| 7/2/2007 20:45 | 2.172 | 8.29 |
| 7/2/2007 20:50 | 2.172 | 8.29 |
| 7/2/2007 20:55 | 2.172 | 8.29 |
| 7/2/2007 21:00 | 2.172 | 8.29 |
| 7/2/2007 21:05 | 2.172 | 8.29 |
| 7/2/2007 21:10 | 2.172 | 8.29 |
| 7/2/2007 21:15 | 2.172 | 8.29 |
| 7/2/2007 21:20 | 2.171 | 8.29 |
| 7/2/2007 21:25 | 2.171 | 8.29 |
| 7/2/2007 21:30 | 2.171 | 8.29 |
| 7/2/2007 21:35 | 2.171 | 8.29 |
| 7/2/2007 21:40 | 2.17 | 8.29 |
| 7/2/2007 21:45 | 2.17 | 8.29 |
| 7/2/2007 21:50 | 2.171 | 8.29 |
| 7/2/2007 21:55 | 2.17 | 8.29 |
| 7/2/2007 22:00 | 2.17 | 8.29 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 22:05 | 2.17 | 8.29 |
| 7/2/2007 22:10 | 2.17 | 8.29 |
| 7/2/2007 22:15 | 2.17 | 8.29 |
| 7/2/2007 22:20 | 2.169 | 8.29 |
| 7/2/2007 22:25 | 2.17 | 8.29 |
| 7/2/2007 22:30 | 2.17 | 8.29 |
| 7/2/2007 22:35 | 2.169 | 8.29 |
| 7/2/2007 22:40 | 2.169 | 8.29 |
| 7/2/2007 22:45 | 2.169 | 8.29 |
| 7/2/2007 22:50 | 2.17 | 8.29 |
| 7/2/2007 22:55 | 2.17 | 8.29 |
| 7/2/2007 23:00 | 2.169 | 8.29 |
| 7/2/2007 23:05 | 2.168 | 8.29 |
| 7/2/2007 23:10 | 2.168 | 8.29 |
| 7/2/2007 23:15 | 2.168 | 8.29 |
| 7/2/2007 23:20 | 2.168 | 8.29 |
| 7/2/2007 23:25 | 2.167 | 8.29 |
| 7/2/2007 23:30 | 2.167 | 8.29 |
| 7/2/2007 23:35 | 2.167 | 8.29 |
| 7/2/2007 23:40 | 2.166 | 8.29 |
| 7/2/2007 23:45 | 2.167 | 8.29 |
| 7/2/2007 23:50 | 2.167 | 8.29 |
| 7/2/2007 23:55 | 2.167 | 8.29 |
| 7/3/2007 0:00 | 2.166 | 0.07 |
| 7/3/2007 0:05 | 2.166 | 0.07 |
| 7/3/2007 0:10 | 2.166 | 0.07 |
| 7/3/2007 0:15 | 2.165 | 0.07 |
| 7/3/2007 0:20 | 2.166 | 0.07 |
| 7/3/2007 0:25 | 2.166 | 0.07 |
| 7/3/2007 0:30 | 2.166 | 0.07 |
| 7/3/2007 0:35 | 2.165 | 0.07 |
| 7/3/2007 0:40 | 2.165 | 0.07 |
| 7/3/2007 0:45 | 2.165 | 0.07 |
| 7/3/2007 0:50 | 2.165 | 0.07 |
| 7/3/2007 0:55 | 2.165 | 0.07 |
| 7/3/2007 1:00 | 2.164 | 0.07 |
| 7/3/2007 1:05 | 2.164 | 0.07 |
| 7/3/2007 1:10 | 2.164 | 0.07 |
| 7/3/2007 1:15 | 2.165 | 0.07 |
| 7/3/2007 1:20 | 2.164 | 0.07 |
| 7/3/2007 1:25 | 2.164 | 0.07 |
| 7/3/2007 1:30 | 2.164 | 0.07 |
| 7/3/2007 1:35 | 2.164 | 0.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 1:40 | 2.164 | 0.07 |
| 7/3/2007 1:45 | 2.164 | 0.07 |
| 7/3/2007 1:50 | 2.164 | 0.07 |
| 7/3/2007 1:55 | 2.164 | 0.07 |
| 7/3/2007 2:00 | 2.164 | 0.07 |
| 7/3/2007 2:05 | 2.164 | 0.07 |
| 7/3/2007 2:10 | 2.164 | 0.07 |
| 7/3/2007 2:15 | 2.164 | 0.07 |
| 7/3/2007 2:20 | 2.164 | 0.07 |
| 7/3/2007 2:25 | 2.164 | 0.07 |
| 7/3/2007 2:30 | 2.164 | 0.07 |
| 7/3/2007 2:35 | 2.164 | 0.07 |
| 7/3/2007 2:40 | 2.164 | 0.07 |
| 7/3/2007 2:45 | 2.164 | 0.07 |
| 7/3/2007 2:50 | 2.163 | 0.07 |
| 7/3/2007 2:55 | 2.164 | 0.07 |
| 7/3/2007 3:00 | 2.163 | 0.07 |
| 7/3/2007 3:05 | 2.163 | 0.07 |
| 7/3/2007 3:10 | 2.163 | 0.07 |
| 7/3/2007 3:15 | 2.163 | 0.07 |
| 7/3/2007 3:20 | 2.163 | 0.07 |
| 7/3/2007 3:25 | 2.163 | 0.07 |
| 7/3/2007 3:30 | 2.163 | 0.07 |
| 7/3/2007 3:35 | 2.163 | 0.07 |
| 7/3/2007 3:40 | 2.163 | 0.07 |
| 7/3/2007 3:45 | 2.163 | 0.07 |
| 7/3/2007 3:50 | 2.163 | 0.07 |
| 7/3/2007 3:55 | 2.162 | 0.07 |
| 7/3/2007 4:00 | 2.162 | 1.14 |
| 7/3/2007 4:05 | 2.162 | 1.18 |
| 7/3/2007 4:10 | 2.161 | 1.2 |
| 7/3/2007 4:15 | 2.161 | 1.1 |
| 7/3/2007 4:20 | 2.161 | 1.07 |
| 7/3/2007 4:25 | 2.161 | 1.07 |
| 7/3/2007 4:30 | 2.161 | 1.14 |
| 7/3/2007 4:35 | 2.161 | 1.23 |
| 7/3/2007 4:40 | 2.161 | 1.23 |
| 7/3/2007 4:45 | 2.161 | 1.22 |
| 7/3/2007 4:50 | 2.161 | 1.25 |
| 7/3/2007 4:55 | 2.161 | 1.16 |
| 7/3/2007 5:00 | 2.16 | 1.16 |
| 7/3/2007 5:05 | 2.161 | 1.27 |
| 7/3/2007 5:10 | 2.161 | 1.27 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 5:15 | 2.16 | 1.27 |
| 7/3/2007 5:20 | 2.16 | 1.27 |
| 7/3/2007 5:25 | 2.16 | 1.27 |
| 7/3/2007 5:30 | 2.16 | 1.27 |
| 7/3/2007 5:35 | 2.16 | 1.27 |
| 7/3/2007 5:40 | 2.159 | 1.27 |
| 7/3/2007 5:45 | 2.159 | 1.27 |
| 7/3/2007 5:50 | 2.159 | 1.27 |
| 7/3/2007 5:55 | 2.159 | 1.27 |
| 7/3/2007 6:00 | 2.159 | 1.27 |
| 7/3/2007 6:05 | 2.159 | 1.27 |
| 7/3/2007 6:10 | 2.159 | 1.27 |
| 7/3/2007 6:15 | 2.158 | 1.27 |
| 7/3/2007 6:20 | 2.158 | 1.27 |
| 7/3/2007 6:25 | 2.158 | 1.27 |
| 7/3/2007 6:30 | 2.158 | 1.27 |
| 7/3/2007 6:35 | 2.158 | 1.27 |
| 7/3/2007 6:40 | 2.158 | 1.27 |
| 7/3/2007 6:45 | 2.157 | 1.27 |
| 7/3/2007 6:50 | 2.157 | 1.27 |
| 7/3/2007 6:55 | 2.157 | 1.27 |
| 7/3/2007 7:00 | 2.157 | 1.27 |
| 7/3/2007 7:05 | 2.157 | 1.27 |
| 7/3/2007 7:10 | 2.156 | 1.27 |
| 7/3/2007 7:15 | 2.156 | 1.27 |
| 7/3/2007 7:20 | 2.155 | 1.27 |
| 7/3/2007 7:25 | 2.155 | 1.27 |
| 7/3/2007 7:30 | 2.155 | 1.27 |
| 7/3/2007 7:35 | 2.155 | 1.27 |
| 7/3/2007 7:40 | 2.154 | 1.27 |
| 7/3/2007 7:45 | 2.155 | 1.27 |
| 7/3/2007 7:50 | 2.155 | 1.27 |
| 7/3/2007 7:55 | 2.154 | 1.27 |
| 7/3/2007 8:00 | 2.155 | 1.27 |
| 7/3/2007 8:05 | 2.154 | 1.27 |
| 7/3/2007 8:10 | 2.153 | 1.27 |
| 7/3/2007 8:15 | 2.154 | 0.07 |
| 7/3/2007 8:20 | 2.153 | 0.07 |
| 7/3/2007 8:25 | 2.151 | 0.07 |
| 7/3/2007 8:30 | 2.152 | 0.07 |
| 7/3/2007 8:35 | 2.151 | 0.07 |
| 7/3/2007 8:40 | 2.151 | 0.07 |
| 7/3/2007 8:45 | 2.15 | 0.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 8:50 | 2.151 | 0.07 |
| 7/3/2007 8:55 | 2.151 | 0.07 |
| 7/3/2007 9:00 | 2.15 | 0.07 |
| 7/3/2007 9:05 | 2.151 | 0.07 |
| 7/3/2007 9:10 | 2.149 | 0.07 |
| 7/3/2007 9:15 | 2.148 | 0.07 |
| 7/3/2007 9:20 | 2.15 | 0.07 |
| 7/3/2007 9:25 | 2.148 | 0.07 |
| 7/3/2007 9:30 | 2.147 | 0.07 |
| 7/3/2007 9:35 | 2.148 | 0.07 |
| 7/3/2007 9:40 | 2.147 | 0.07 |
| 7/3/2007 9:45 | 2.149 | 0.07 |
| 7/3/2007 9:50 | 2.146 | 0.07 |
| 7/3/2007 9:55 | 2.146 | 0.07 |
| 7/3/2007 10:00 | 2.145 | 0.07 |
| 7/3/2007 10:05 | 2.146 | 0.07 |
| 7/3/2007 10:10 | 2.145 | 0.07 |
| 7/3/2007 10:15 | 2.145 | 0.07 |
| 7/3/2007 10:20 | 2.144 | 0.07 |
| 7/3/2007 10:25 | 2.143 | 0.07 |
| 7/3/2007 10:30 | 2.142 | 0.07 |
| 7/3/2007 10:35 | 2.142 | 0.07 |
| 7/3/2007 10:40 | 2.144 | 0.07 |
| 7/3/2007 10:45 | 2.142 | 0.07 |
| 7/3/2007 10:50 | 2.142 | 0.09 |
| 7/3/2007 10:55 | 2.141 | 0.09 |
| 7/3/2007 11:00 | 2.142 | 7.81 |
| 7/3/2007 11:05 | 2.139 | 7.81 |
| 7/3/2007 11:10 | 2.14 | 7.81 |
| 7/3/2007 11:15 | 2.14 | 8.33 |
| 7/3/2007 11:20 | 2.14 | 8.33 |
| 7/3/2007 11:25 | 2.139 | 8.33 |
| 7/3/2007 11:30 | 2.139 | 8.33 |
| 7/3/2007 11:35 | 2.138 | 8.33 |
| 7/3/2007 11:40 | 2.138 | 8.33 |
| 7/3/2007 11:45 | 2.137 | 8.33 |
| 7/3/2007 11:50 | 2.136 | 8.33 |
| 7/3/2007 11:55 | 2.136 | 8.33 |
| 7/3/2007 12:00 | 2.136 | 8.33 |
| 7/3/2007 12:05 | 2.136 | 8.33 |
| 7/3/2007 12:10 | 2.135 | 8.33 |
| 7/3/2007 12:15 | 2.135 | 8.33 |
| 7/3/2007 12:20 | 2.133 | 8.33 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 12:25 | 2.134 | 8.33 |
| 7/3/2007 12:30 | 2.134 | 8.33 |
| 7/3/2007 12:35 | 2.133 | 8.33 |
| 7/3/2007 12:40 | 2.133 | 8.33 |
| 7/3/2007 12:45 | 2.132 | 8.33 |
| 7/3/2007 12:50 | 2.132 | 8.33 |
| 7/3/2007 12:55 | 2.132 | 8.33 |
| 7/3/2007 13:00 | 2.131 | 8.33 |
| 7/3/2007 13:05 | 2.13 | 8.33 |
| 7/3/2007 13:10 | 2.129 | 0.93 |
| 7/3/2007 13:15 | 2.13 | 0.93 |
| 7/3/2007 13:20 | 2.129 | 0.95 |
| 7/3/2007 13:25 | 2.129 | 0.95 |
| 7/3/2007 13:30 | 2.129 | 0.09 |
| 7/3/2007 13:35 | 2.128 | 0.09 |
| 7/3/2007 13:40 | 2.128 | 0.09 |
| 7/3/2007 13:45 | 2.128 | 0.08 |
| 7/3/2007 13:50 | 2.128 | 0.09 |
| 7/3/2007 13:55 | 2.127 | 0.09 |
| 7/3/2007 14:00 | 2.127 | 0.09 |
| 7/3/2007 14:05 | 2.127 | 0.09 |
| 7/3/2007 14:10 | 2.126 | 11.39 |
| 7/3/2007 14:15 | 2.125 | 11.39 |
| 7/3/2007 14:20 | 2.126 | 10.25 |
| 7/3/2007 14:25 | 2.125 | 12.24 |
| 7/3/2007 14:30 | 2.125 | 10.36 |
| 7/3/2007 14:35 | 2.124 | 10.36 |
| 7/3/2007 14:40 | 2.124 | 10.36 |
| 7/3/2007 14:45 | 2.124 | 10.36 |
| 7/3/2007 14:50 | 2.123 | 10.36 |
| 7/3/2007 14:55 | 2.123 | 10.36 |
| 7/3/2007 15:00 | 2.122 | 10.36 |
| 7/3/2007 15:05 | 2.122 | 10.36 |
| 7/3/2007 15:10 | 2.122 | 10.36 |
| 7/3/2007 15:15 | 2.121 | 10.36 |
| 7/3/2007 15:20 | 2.122 | 10.36 |
| 7/3/2007 15:25 | 2.122 | 10.36 |
| 7/3/2007 15:30 | 2.122 | 10.36 |
| 7/3/2007 15:35 | 2.121 | 10.36 |
| 7/3/2007 15:40 | 2.121 | 10.36 |
| 7/3/2007 15:45 | 2.121 | 10.36 |
| 7/3/2007 15:50 | 2.12 | 10.36 |
| 7/3/2007 15:55 | 2.121 | 10.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 16:00 | 2.12 | 10.36 |
| 7/3/2007 16:05 | 2.12 | 10.36 |
| 7/3/2007 16:10 | 2.121 | 10.36 |
| 7/3/2007 16:15 | 2.12 | 10.36 |
| 7/3/2007 16:20 | 2.12 | 10.36 |
| 7/3/2007 16:25 | 2.12 | 10.36 |
| 7/3/2007 16:30 | 2.12 | 10.36 |
| 7/3/2007 16:35 | 2.12 | 8.16 |
| 7/3/2007 16:40 | 2.12 | 8.16 |
| 7/3/2007 16:45 | 2.12 | 8.16 |
| 7/3/2007 16:50 | 2.12 | 8.16 |
| 7/3/2007 16:55 | 2.12 | 8.16 |
| 7/3/2007 17:00 | 2.12 | 8.16 |
| 7/3/2007 17:05 | 2.119 | 8.16 |
| 7/3/2007 17:10 | 2.119 | 8.16 |
| 7/3/2007 17:15 | 2.12 | 8.16 |
| 7/3/2007 17:20 | 2.119 | 8.16 |
| 7/3/2007 17:25 | 2.119 | 8.16 |
| 7/3/2007 17:30 | 2.119 | 8.16 |
| 7/3/2007 17:35 | 2.119 | 8.16 |
| 7/3/2007 17:40 | 2.119 | 8.16 |
| 7/3/2007 17:45 | 2.12 | 8.16 |
| 7/3/2007 17:50 | 2.12 | 8.16 |
| 7/3/2007 17:55 | 2.119 | 8.16 |
| 7/3/2007 18:00 | 2.119 | 8.16 |
| 7/3/2007 18:05 | 2.119 | 8.16 |
| 7/3/2007 18:10 | 2.119 | 8.16 |
| 7/3/2007 18:15 | 2.12 | 8.16 |
| 7/3/2007 18:20 | 2.119 | 8.16 |
| 7/3/2007 18:25 | 2.119 | 8.16 |
| 7/3/2007 18:30 | 2.119 | 8.16 |
| 7/3/2007 18:35 | 2.12 | 8.16 |
| 7/3/2007 18:40 | 2.119 | 8.16 |
| 7/3/2007 18:45 | 2.119 | 8.16 |
| 7/3/2007 18:50 | 2.119 | 8.16 |
| 7/3/2007 18:55 | 2.119 | 8.16 |
| 7/3/2007 19:00 | 2.119 | 8.16 |
| 7/3/2007 19:05 | 2.119 | 8.16 |
| 7/3/2007 19:10 | 2.119 | 8.16 |
| 7/3/2007 19:15 | 2.119 | 7.89 |
| 7/3/2007 19:20 | 2.119 | -0.16 |
| 7/3/2007 19:25 | 2.119 | -0.16 |
| 7/3/2007 19:30 | 2.119 | -0.16 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 19:35 | 2.119 | -0.16 |
| 7/3/2007 19:40 | 2.119 | -0.43 |
| 7/3/2007 19:45 | 2.119 | -0.43 |
| 7/3/2007 19:50 | 2.119 | -0.43 |
| 7/3/2007 19:55 | 2.12 | -0.43 |
| 7/3/2007 20:00 | 2.12 | -0.43 |
| 7/3/2007 20:05 | 2.12 | -0.43 |
| 7/3/2007 20:10 | 2.12 | -0.43 |
| 7/3/2007 20:15 | 2.12 | -0.43 |
| 7/3/2007 20:20 | 2.12 | -0.43 |
| 7/3/2007 20:25 | 2.12 | -0.43 |
| 7/3/2007 20:30 | 2.12 | -0.43 |
| 7/3/2007 20:35 | 2.12 | -0.43 |
| 7/3/2007 20:40 | 2.12 | -0.43 |
| 7/3/2007 20:45 | 2.12 | -0.43 |
| 7/3/2007 20:50 | 2.12 | -0.43 |
| 7/3/2007 20:55 | 2.12 | -0.43 |
| 7/3/2007 21:00 | 2.12 | -0.43 |
| 7/3/2007 21:05 | 2.12 | -0.43 |
| 7/3/2007 21:10 | 2.12 | -0.43 |
| 7/3/2007 21:15 | 2.12 | -0.43 |
| 7/3/2007 21:20 | 2.12 | -0.43 |
| 7/3/2007 21:25 | 2.12 | -0.43 |
| 7/3/2007 21:30 | 2.121 | -0.43 |
| 7/3/2007 21:35 | 2.121 | -0.43 |
| 7/3/2007 21:40 | 2.121 | -0.43 |
| 7/3/2007 21:45 | 2.121 | -0.43 |
| 7/3/2007 21:50 | 2.121 | -0.43 |
| 7/3/2007 21:55 | 2.121 | -0.43 |
| 7/3/2007 22:00 | 2.12 | -0.43 |
| 7/3/2007 22:05 | 2.12 | -0.43 |
| 7/3/2007 22:10 | 2.121 | -0.43 |
| 7/3/2007 22:15 | 2.121 | -0.43 |
| 7/3/2007 22:20 | 2.121 | -0.43 |
| 7/3/2007 22:25 | 2.121 | -0.43 |
| 7/3/2007 22:30 | 2.121 | -0.43 |
| 7/3/2007 22:35 | 2.121 | -0.43 |
| 7/3/2007 22:40 | 2.121 | -0.43 |
| 7/3/2007 22:45 | 2.12 | -0.43 |
| 7/3/2007 22:50 | 2.121 | -0.43 |
| 7/3/2007 22:55 | 2.12 | -0.43 |
| 7/3/2007 23:00 | 2.12 | -0.43 |
| 7/3/2007 23:05 | 2.12 | -0.43 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 23:10 | 2.12 | -0.43 |
| 7/3/2007 23:15 | 2.12 | -0.43 |
| 7/3/2007 23:20 | 2.12 | -0.43 |
| 7/3/2007 23:25 | 2.119 | -0.43 |
| 7/3/2007 23:30 | 2.12 | -0.43 |
| 7/3/2007 23:35 | 2.119 | -0.43 |
| 7/3/2007 23:40 | 2.119 | -0.43 |
| 7/3/2007 23:45 | 2.119 | -0.43 |
| 7/3/2007 23:50 | 2.119 | -0.43 |
| 7/3/2007 23:55 | 2.119 | -0.43 |
| 7/4/2007 0:00 | 2.119 | -0.43 |
| 7/4/2007 0:05 | 2.119 | 0.54 |
| 7/4/2007 0:10 | 2.119 | 0.54 |
| 7/4/2007 0:15 | 2.119 | 0.54 |
| 7/4/2007 0:20 | 2.119 | 0.37 |
| 7/4/2007 0:25 | 2.119 | 0.2 |
| 7/4/2007 0:30 | 2.118 | 0.2 |
| 7/4/2007 0:35 | 2.119 | 0.2 |
| 7/4/2007 0:40 | 2.118 | 0.2 |
| 7/4/2007 0:45 | 2.118 | 0.2 |
| 7/4/2007 0:50 | 2.118 | 0.2 |
| 7/4/2007 0:55 | 2.118 | 0.2 |
| 7/4/2007 1:00 | 2.118 | 0.2 |
| 7/4/2007 1:05 | 2.118 | 0.2 |
| 7/4/2007 1:10 | 2.118 | 0.2 |
| 7/4/2007 1:15 | 2.118 | 0.2 |
| 7/4/2007 1:20 | 2.118 | 0.2 |
| 7/4/2007 1:25 | 2.118 | 0.2 |
| 7/4/2007 1:30 | 2.118 | 0.2 |
| 7/4/2007 1:35 | 2.118 | 0.2 |
| 7/4/2007 1:40 | 2.118 | 0.2 |
| 7/4/2007 1:45 | 2.118 | 0.2 |
| 7/4/2007 1:50 | 2.117 | 0.2 |
| 7/4/2007 1:55 | 2.117 | 0.2 |
| 7/4/2007 2:00 | 2.118 | 0.2 |
| 7/4/2007 2:05 | 2.117 | 0.2 |
| 7/4/2007 2:10 | 2.117 | 0.2 |
| 7/4/2007 2:15 | 2.117 | 0.2 |
| 7/4/2007 2:20 | 2.117 | 0.2 |
| 7/4/2007 2:25 | 2.117 | 0.2 |
| 7/4/2007 2:30 | 2.117 | 0.2 |
| 7/4/2007 2:35 | 2.117 | 0.2 |
| 7/4/2007 2:40 | 2.117 | 0.2 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 2:45 | 2.117 | 0.2 |
| 7/4/2007 2:50 | 2.117 | 0.2 |
| 7/4/2007 2:55 | 2.117 | 0.2 |
| 7/4/2007 3:00 | 2.117 | 0.2 |
| 7/4/2007 3:05 | 2.117 | 0.2 |
| 7/4/2007 3:10 | 2.117 | 0.2 |
| 7/4/2007 3:15 | 2.117 | 0.2 |
| 7/4/2007 3:20 | 2.117 | 10.69 |
| 7/4/2007 3:25 | 2.116 | 7.77 |
| 7/4/2007 3:30 | 2.117 | 7.77 |
| 7/4/2007 3:35 | 2.117 | 7.77 |
| 7/4/2007 3:40 | 2.116 | 7.77 |
| 7/4/2007 3:45 | 2.116 | 7.77 |
| 7/4/2007 3:50 | 2.116 | 7.77 |
| 7/4/2007 3:55 | 2.116 | 7.77 |
| 7/4/2007 4:00 | 2.116 | 8.8 |
| 7/4/2007 4:05 | 2.116 | 8.8 |
| 7/4/2007 4:10 | 2.116 | 9.51 |
| 7/4/2007 4:15 | 2.116 | 9.51 |
| 7/4/2007 4:20 | 2.116 | 9.51 |
| 7/4/2007 4:25 | 2.116 | 8.29 |
| 7/4/2007 4:30 | 2.116 | 8.29 |
| 7/4/2007 4:35 | 2.116 | 8.29 |
| 7/4/2007 4:40 | 2.116 | 8.29 |
| 7/4/2007 4:45 | 2.115 | 8.29 |
| 7/4/2007 4:50 | 2.116 | 8.29 |
| 7/4/2007 4:55 | 2.116 | 8.29 |
| 7/4/2007 5:00 | 2.116 | 8.29 |
| 7/4/2007 5:05 | 2.116 | 8.29 |
| 7/4/2007 5:10 | 2.116 | 8.29 |
| 7/4/2007 5:15 | 2.116 | 8.29 |
| 7/4/2007 5:20 | 2.116 | 8.29 |
| 7/4/2007 5:25 | 2.116 | 8.29 |
| 7/4/2007 5:30 | 2.116 | 8.29 |
| 7/4/2007 5:35 | 2.116 | 14.28 |
| 7/4/2007 5:40 | 2.117 | 14.28 |
| 7/4/2007 5:45 | 2.116 | 14.28 |
| 7/4/2007 5:50 | 2.116 | 11.43 |
| 7/4/2007 5:55 | 2.117 | 8.33 |
| 7/4/2007 6:00 | 2.117 | 8.42 |
| 7/4/2007 6:05 | 2.117 | 0.07 |
| 7/4/2007 6:10 | 2.117 | 0.07 |
| 7/4/2007 6:15 | 2.117 | 0.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 6:20 | 2.117 | 0.07 |
| 7/4/2007 6:25 | 2.117 | 0.07 |
| 7/4/2007 6:30 | 2.117 | 0.07 |
| 7/4/2007 6:35 | 2.118 | 0.34 |
| 7/4/2007 6:40 | 2.117 | 10.55 |
| 7/4/2007 6:45 | 2.118 | 10.55 |
| 7/4/2007 6:50 | 2.118 | 10.55 |
| 7/4/2007 6:55 | 2.118 | 7.4 |
| 7/4/2007 7:00 | 2.118 | 10.15 |
| 7/4/2007 7:05 | 2.118 | 10.15 |
| 7/4/2007 7:10 | 2.118 | 8.44 |
| 7/4/2007 7:15 | 2.118 | 8.44 |
| 7/4/2007 7:20 | 2.118 | 8.44 |
| 7/4/2007 7:25 | 2.117 | 8.44 |
| 7/4/2007 7:30 | 2.118 | 9.03 |
| 7/4/2007 7:35 | 2.118 | 9.03 |
| 7/4/2007 7:40 | 2.118 | 8.58 |
| 7/4/2007 7:45 | 2.118 | 7.25 |
| 7/4/2007 7:50 | 2.118 | 0.09 |
| 7/4/2007 7:55 | 2.118 | 0.09 |
| 7/4/2007 8:00 | 2.119 | 9.01 |
| 7/4/2007 8:05 | 2.119 | 6.99 |
| 7/4/2007 8:10 | 2.118 | 7.15 |
| 7/4/2007 8:15 | 2.119 | 7.15 |
| 7/4/2007 8:20 | 2.118 | 9.87 |
| 7/4/2007 8:25 | 2.118 | 9.87 |
| 7/4/2007 8:30 | 2.119 | 9.87 |
| 7/4/2007 8:35 | 2.119 | 9.87 |
| 7/4/2007 8:40 | 2.118 | 9.87 |
| 7/4/2007 8:45 | 2.118 | 9.87 |
| 7/4/2007 8:50 | 2.118 | 9.87 |
| 7/4/2007 8:55 | 2.118 | 9.87 |
| 7/4/2007 9:00 | 2.119 | 9.87 |
| 7/4/2007 9:05 | 2.119 | 9.87 |
| 7/4/2007 9:10 | 2.119 | 9.87 |
| 7/4/2007 9:15 | 2.119 | 9.87 |
| 7/4/2007 9:20 | 2.118 | 9.87 |
| 7/4/2007 9:25 | 2.119 | 9.87 |
| 7/4/2007 9:30 | 2.118 | 9.87 |
| 7/4/2007 9:35 | 2.118 | 9.87 |
| 7/4/2007 9:40 | 2.119 | 9.87 |
| 7/4/2007 9:45 | 2.119 | 9.87 |
| 7/4/2007 9:50 | 2.119 | 9.87 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 9:55 | 2.122 | 9.87 |
| 7/4/2007 10:00 | 2.119 | 9.87 |
| 7/4/2007 10:05 | 2.118 | 9.87 |
| 7/4/2007 10:10 | 2.118 | 9.87 |
| 7/4/2007 10:15 | 2.118 | 9.87 |
| 7/4/2007 10:20 | 2.119 | 9.87 |
| 7/4/2007 10:25 | 2.118 | 9.87 |
| 7/4/2007 10:30 | 2.119 | 9.87 |
| 7/4/2007 10:35 | 2.118 | 9.87 |
| 7/4/2007 10:40 | 2.118 | 9.87 |
| 7/4/2007 10:45 | 2.118 | 9.87 |
| 7/4/2007 10:50 | 2.119 | 9.87 |
| 7/4/2007 10:55 | 2.118 | 9.87 |
| 7/4/2007 11:00 | 2.118 | 9.87 |
| 7/4/2007 11:05 | 2.118 | 9.87 |
| 7/4/2007 11:10 | 2.117 | 9.87 |
| 7/4/2007 11:15 | 2.117 | 9.87 |
| 7/4/2007 11:20 | 2.117 | 9.87 |
| 7/4/2007 11:25 | 2.117 | 9.87 |
| 7/4/2007 11:30 | 2.118 | 9.87 |
| 7/4/2007 11:35 | 2.117 | 9.87 |
| 7/4/2007 11:40 | 2.118 | 9.87 |
| 7/4/2007 11:45 | 2.117 | 0.08 |
| 7/4/2007 11:50 | 2.117 | 0.08 |
| 7/4/2007 11:55 | 2.118 | 0.12 |
| 7/4/2007 12:00 | 2.118 | 0.12 |
| 7/4/2007 12:05 | 2.118 | 0.08 |
| 7/4/2007 12:10 | 2.118 | 0.08 |
| 7/4/2007 12:15 | 2.118 | 0.08 |
| 7/4/2007 12:20 | 2.118 | 0.08 |
| 7/4/2007 12:25 | 2.119 | 0.08 |
| 7/4/2007 12:30 | 2.119 | 0.08 |
| 7/4/2007 12:35 | 2.119 | 0.08 |
| 7/4/2007 12:40 | 2.118 | 0.08 |
| 7/4/2007 12:45 | 2.119 | 0.08 |
| 7/4/2007 12:50 | 2.12 | 0.08 |
| 7/4/2007 12:55 | 2.121 | 0.08 |
| 7/4/2007 13:00 | 2.121 | 0.08 |
| 7/4/2007 13:05 | 2.121 | 0.1 |
| 7/4/2007 13:10 | 2.123 | 0.1 |
| 7/4/2007 13:15 | 2.124 | 0.1 |
| 7/4/2007 13:20 | 2.124 | 0.08 |
| 7/4/2007 13:25 | 2.124 | 0.08 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 13:30 | 2.124 | 0.08 |
| 7/4/2007 13:35 | 2.125 | 0.08 |
| 7/4/2007 13:40 | 2.125 | 0.08 |
| 7/4/2007 13:45 | 2.125 | 0.08 |
| 7/4/2007 13:50 | 2.126 | 0.08 |
| 7/4/2007 13:55 | 2.128 | 0.08 |
| 7/4/2007 14:00 | 2.128 | 0.08 |
| 7/4/2007 14:05 | 2.13 | 0.08 |
| 7/4/2007 14:10 | 2.131 | 0.08 |
| 7/4/2007 14:15 | 2.13 | 0.08 |
| 7/4/2007 14:20 | 2.13 | 0.08 |
| 7/4/2007 14:25 | 2.129 | 0.08 |
| 7/4/2007 14:30 | 2.129 | 0.08 |
| 7/4/2007 14:35 | 2.127 | 0.08 |
| 7/4/2007 14:40 | 2.127 | 0.08 |
| 7/4/2007 14:45 | 2.127 | 0.08 |
| 7/4/2007 14:50 | 2.125 | 0.08 |
| 7/4/2007 14:55 | 2.126 | 0.08 |
| 7/4/2007 15:00 | 2.125 | 0.08 |
| 7/4/2007 15:05 | 2.126 | 0.09 |
| 7/4/2007 15:10 | 2.125 | 0.09 |
| 7/4/2007 15:15 | 2.125 | 0.09 |
| 7/4/2007 15:20 | 2.125 | 0.14 |
| 7/4/2007 15:25 | 2.126 | 0.14 |
| 7/4/2007 15:30 | 2.127 | 0.14 |
| 7/4/2007 15:35 | 2.136 | 0.12 |
| 7/4/2007 15:40 | 2.17 | 0.12 |
| 7/4/2007 15:45 | 2.222 | 0.12 |
| 7/4/2007 15:50 | 2.285 | 0.17 |
| 7/4/2007 15:55 | 2.458 | 0.26 |
| 7/4/2007 16:00 | 2.513 | 0.32 |
| 7/4/2007 16:05 | 2.52 | 0.3 |
| 7/4/2007 16:10 | 2.563 | 0.36 |
| 7/4/2007 16:15 | 2.559 | 0.34 |
| 7/4/2007 16:20 | 2.526 | 0.3 |
| 7/4/2007 16:25 | 2.495 | 0.28 |
| 7/4/2007 16:30 | 2.488 | 0.3 |
| 7/4/2007 16:35 | 2.478 | 0.26 |
| 7/4/2007 16:40 | 2.451 | 0.27 |
| 7/4/2007 16:45 | 2.411 | 0.25 |
| 7/4/2007 16:50 | 2.374 | 0.22 |
| 7/4/2007 16:55 | 2.341 | 0.22 |
| 7/4/2007 17:00 | 2.319 | 0.22 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 17:05 | 2.307 | 0.22 |
| 7/4/2007 17:10 | 2.297 | 0.22 |
| 7/4/2007 17:15 | 2.287 | 0.22 |
| 7/4/2007 17:20 | 2.279 | 0.22 |
| 7/4/2007 17:25 | 2.269 | 0.22 |
| 7/4/2007 17:30 | 2.261 | 0.22 |
| 7/4/2007 17:35 | 2.257 | 0.22 |
| 7/4/2007 17:40 | 2.254 | 0.22 |
| 7/4/2007 17:45 | 2.253 | 0.22 |
| 7/4/2007 17:50 | 2.254 | 0.22 |
| 7/4/2007 17:55 | 2.258 | 0.22 |
| 7/4/2007 18:00 | 2.266 | 0.22 |
| 7/4/2007 18:05 | 2.272 | 0.22 |
| 7/4/2007 18:10 | 2.273 | 0.22 |
| 7/4/2007 18:15 | 2.275 | 0.22 |
| 7/4/2007 18:20 | 2.316 | 0.22 |
| 7/4/2007 18:25 | 2.38 | 0.22 |
| 7/4/2007 18:30 | 2.377 | 0.22 |
| 7/4/2007 18:35 | 2.357 | 0.21 |
| 7/4/2007 18:40 | 2.338 | 0.21 |
| 7/4/2007 18:45 | 2.323 | 0.21 |
| 7/4/2007 18:50 | 2.312 | 0.14 |
| 7/4/2007 18:55 | 2.303 | 0.14 |
| 7/4/2007 19:00 | 2.296 | 0.14 |
| 7/4/2007 19:05 | 2.291 | 0.14 |
| 7/4/2007 19:10 | 2.288 | 0.14 |
| 7/4/2007 19:15 | 2.285 | 0.14 |
| 7/4/2007 19:20 | 2.283 | 0.14 |
| 7/4/2007 19:25 | 2.281 | 0.14 |
| 7/4/2007 19:30 | 2.281 | 0.14 |
| 7/4/2007 19:35 | 2.28 | 0.14 |
| 7/4/2007 19:40 | 2.281 | 0.14 |
| 7/4/2007 19:45 | 2.28 | 0.14 |
| 7/4/2007 19:50 | 2.28 | 0.14 |
| 7/4/2007 19:55 | 2.281 | 0.14 |
| 7/4/2007 20:00 | 2.281 | 0.14 |
| 7/4/2007 20:05 | 2.282 | 0.14 |
| 7/4/2007 20:10 | 2.282 | 0.14 |
| 7/4/2007 20:15 | 2.284 | 0.14 |
| 7/4/2007 20:20 | 2.292 | 0.14 |
| 7/4/2007 20:25 | 2.333 | 0.14 |
| 7/4/2007 20:30 | 2.478 | 0.28 |
| 7/4/2007 20:35 | 2.872 | 0.58 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 20:40 | 3.003 | 0.93 |
| 7/4/2007 20:45 | 2.886 | 0.71 |
| 7/4/2007 20:50 | 2.773 | 0.63 |
| 7/4/2007 20:55 | 2.653 | 0.41 |
| 7/4/2007 21:00 | 2.563 | 0.33 |
| 7/4/2007 21:05 | 2.497 | 0.26 |
| 7/4/2007 21:10 | 2.453 | 0.25 |
| 7/4/2007 21:15 | 2.427 | 0.25 |
| 7/4/2007 21:20 | 2.415 | 0.22 |
| 7/4/2007 21:25 | 2.415 | 0.23 |
| 7/4/2007 21:30 | 2.419 | 0.22 |
| 7/4/2007 21:35 | 2.42 | 0.24 |
| 7/4/2007 21:40 | 2.416 | 0.24 |
| 7/4/2007 21:45 | 2.409 | 0.24 |
| 7/4/2007 21:50 | 2.403 | 0.24 |
| 7/4/2007 21:55 | 2.4 | 0.19 |
| 7/4/2007 22:00 | 2.403 | 0.19 |
| 7/4/2007 22:05 | 2.408 | 0.19 |
| 7/4/2007 22:10 | 2.411 | 0.23 |
| 7/4/2007 22:15 | 2.418 | 0.23 |
| 7/4/2007 22:20 | 2.429 | 0.23 |
| 7/4/2007 22:25 | 2.435 | 0.23 |
| 7/4/2007 22:30 | 2.437 | 0.23 |
| 7/4/2007 22:35 | 2.435 | 0.23 |
| 7/4/2007 22:40 | 2.432 | 0.24 |
| 7/4/2007 22:45 | 2.431 | 0.24 |
| 7/4/2007 22:50 | 2.454 | 0.24 |
| 7/4/2007 22:55 | 2.549 | 0.35 |
| 7/4/2007 23:00 | 2.667 | 0.45 |
| 7/4/2007 23:05 | 2.814 | 0.59 |
| 7/4/2007 23:10 | 2.799 | 0.6 |
| 7/4/2007 23:15 | 2.711 | 0.46 |
| 7/4/2007 23:20 | 2.645 | 0.39 |
| 7/4/2007 23:25 | 2.59 | 0.38 |
| 7/4/2007 23:30 | 2.548 | 0.31 |
| 7/4/2007 23:35 | 2.52 | 0.31 |
| 7/4/2007 23:40 | 2.505 | 0.31 |
| 7/4/2007 23:45 | 2.495 | 0.31 |
| 7/4/2007 23:50 | 2.487 | 0.26 |
| 7/4/2007 23:55 | 2.481 | 0.25 |
| 7/5/2007 0:00 | 2.475 | 0.27 |
| 7/5/2007 0:05 | 2.472 | 0.23 |
| 7/5/2007 0:10 | 2.47 | 0.23 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 0:15 | 2.468 | 0.26 |
| 7/5/2007 0:20 | 2.466 | 0.24 |
| 7/5/2007 0:25 | 2.466 | 0.25 |
| 7/5/2007 0:30 | 2.466 | 0.25 |
| 7/5/2007 0:35 | 2.467 | 0.24 |
| 7/5/2007 0:40 | 2.467 | 0.25 |
| 7/5/2007 0:45 | 2.468 | 0.28 |
| 7/5/2007 0:50 | 2.469 | 0.28 |
| 7/5/2007 0:55 | 2.47 | 0.27 |
| 7/5/2007 1:00 | 2.471 | 0.28 |
| 7/5/2007 1:05 | 2.471 | 0.29 |
| 7/5/2007 1:10 | 2.471 | 0.29 |
| 7/5/2007 1:15 | 2.471 | 0.26 |
| 7/5/2007 1:20 | 2.472 | 0.26 |
| 7/5/2007 1:25 | 2.472 | 0.27 |
| 7/5/2007 1:30 | 2.471 | 0.27 |
| 7/5/2007 1:35 | 2.471 | 0.25 |
| 7/5/2007 1:40 | 2.471 | 0.25 |
| 7/5/2007 1:45 | 2.47 | 0.24 |
| 7/5/2007 1:50 | 2.469 | 0.26 |
| 7/5/2007 1:55 | 2.468 | 0.23 |
| 7/5/2007 2:00 | 2.467 | 0.23 |
| 7/5/2007 2:05 | 2.465 | 0.25 |
| 7/5/2007 2:10 | 2.465 | 0.25 |
| 7/5/2007 2:15 | 2.463 | 0.26 |
| 7/5/2007 2:20 | 2.462 | 0.27 |
| 7/5/2007 2:25 | 2.46 | 0.27 |
| 7/5/2007 2:30 | 2.458 | 0.25 |
| 7/5/2007 2:35 | 2.457 | 0.25 |
| 7/5/2007 2:40 | 2.455 | 0.25 |
| 7/5/2007 2:45 | 2.453 | 0.25 |
| 7/5/2007 2:50 | 2.452 | 0.23 |
| 7/5/2007 2:55 | 2.45 | 0.23 |
| 7/5/2007 3:00 | 2.448 | 0.23 |
| 7/5/2007 3:05 | 2.446 | 0.23 |
| 7/5/2007 3:10 | 2.444 | 9.11 |
| 7/5/2007 3:15 | 2.442 | 9.11 |
| 7/5/2007 3:20 | 2.44 | 9.11 |
| 7/5/2007 3:25 | 2.438 | 9.11 |
| 7/5/2007 3:30 | 2.436 | 9.11 |
| 7/5/2007 3:35 | 2.434 | 9.11 |
| 7/5/2007 3:40 | 2.432 | 9.11 |
| 7/5/2007 3:45 | 2.431 | 9.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 3:50 | 2.428 | 9.11 |
| 7/5/2007 3:55 | 2.427 | 9.11 |
| 7/5/2007 4:00 | 2.424 | 9.11 |
| 7/5/2007 4:05 | 2.422 | 9.11 |
| 7/5/2007 4:10 | 2.42 | 9.11 |
| 7/5/2007 4:15 | 2.418 | 9.11 |
| 7/5/2007 4:20 | 2.417 | 9.11 |
| 7/5/2007 4:25 | 2.414 | 0.21 |
| 7/5/2007 4:30 | 2.411 | 0.21 |
| 7/5/2007 4:35 | 2.41 | 0.21 |
| 7/5/2007 4:40 | 2.408 | 0.22 |
| 7/5/2007 4:45 | 2.407 | 0.22 |
| 7/5/2007 4:50 | 2.404 | 0.19 |
| 7/5/2007 4:55 | 2.402 | 0.19 |
| 7/5/2007 5:00 | 2.4 | 0.19 |
| 7/5/2007 5:05 | 2.399 | 0.19 |
| 7/5/2007 5:10 | 2.397 | 0.19 |
| 7/5/2007 5:15 | 2.396 | 0.19 |
| 7/5/2007 5:20 | 2.394 | 0.21 |
| 7/5/2007 5:25 | 2.392 | 0.21 |
| 7/5/2007 5:30 | 2.39 | 9 |
| 7/5/2007 5:35 | 2.389 | 9 |
| 7/5/2007 5:40 | 2.387 | 9 |
| 7/5/2007 5:45 | 2.386 | 9 |
| 7/5/2007 5:50 | 2.384 | -0.28 |
| 7/5/2007 5:55 | 2.383 | -0.28 |
| 7/5/2007 6:00 | 2.382 | -0.28 |
| 7/5/2007 6:05 | 2.38 | -0.28 |
| 7/5/2007 6:10 | 2.378 | -0.28 |
| 7/5/2007 6:15 | 2.377 | -0.28 |
| 7/5/2007 6:20 | 2.376 | -0.28 |
| 7/5/2007 6:25 | 2.375 | -0.28 |
| 7/5/2007 6:30 | 2.373 | -0.28 |
| 7/5/2007 6:35 | 2.372 | -0.28 |
| 7/5/2007 6:40 | 2.371 | -0.28 |
| 7/5/2007 6:45 | 2.37 | -0.28 |
| 7/5/2007 6:50 | 2.368 | -0.28 |
| 7/5/2007 6:55 | 2.367 | -0.28 |
| 7/5/2007 7:00 | 2.366 | -0.28 |
| 7/5/2007 7:05 | 2.365 | -0.28 |
| 7/5/2007 7:10 | 2.363 | -0.28 |
| 7/5/2007 7:15 | 2.362 | -0.28 |
| 7/5/2007 7:20 | 2.362 | -0.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 7:25 | 2.361 | -0.28 |
| 7/5/2007 7:30 | 2.359 | -0.28 |
| 7/5/2007 7:35 | 2.358 | -0.28 |
| 7/5/2007 7:40 | 2.358 | -0.28 |
| 7/5/2007 7:45 | 2.357 | -0.28 |
| 7/5/2007 7:50 | 2.355 | -0.28 |
| 7/5/2007 7:55 | 2.354 | -0.28 |
| 7/5/2007 8:00 | 2.354 | -0.28 |
| 7/5/2007 8:05 | 2.352 | -0.28 |
| 7/5/2007 8:10 | 2.351 | -0.28 |
| 7/5/2007 8:15 | 2.35 | -0.28 |
| 7/5/2007 8:20 | 2.349 | -0.28 |
| 7/5/2007 8:25 | 2.349 | -0.28 |
| 7/5/2007 8:30 | 2.347 | -0.28 |
| 7/5/2007 8:35 | 2.347 | -0.28 |
| 7/5/2007 8:40 | 2.346 | -0.28 |
| 7/5/2007 8:45 | 2.345 | -0.28 |
| 7/5/2007 8:50 | 2.344 | -0.28 |
| 7/5/2007 8:55 | 2.343 | -0.28 |
| 7/5/2007 9:00 | 2.343 | -0.28 |
| 7/5/2007 9:05 | 2.341 | -0.28 |
| 7/5/2007 9:10 | 2.34 | -0.28 |
| 7/5/2007 9:15 | 2.34 | -0.28 |
| 7/5/2007 9:20 | 2.339 | -0.28 |
| 7/5/2007 9:25 | 2.338 | -0.28 |
| 7/5/2007 9:30 | 2.338 | -0.28 |
| 7/5/2007 9:35 | 2.336 | -0.28 |
| 7/5/2007 9:40 | 2.335 | 0.17 |
| 7/5/2007 9:45 | 2.335 | 0.17 |
| 7/5/2007 9:50 | 2.334 | 0.34 |
| 7/5/2007 9:55 | 2.333 | 0.22 |
| 7/5/2007 10:00 | 2.332 | 0.16 |
| 7/5/2007 10:05 | 2.33 | 0.16 |
| 7/5/2007 10:10 | 2.33 | 0.16 |
| 7/5/2007 10:15 | 2.329 | 0.16 |
| 7/5/2007 10:20 | 2.329 | 0.16 |
| 7/5/2007 10:25 | 2.328 | 0.16 |
| 7/5/2007 10:30 | 2.327 | 0.16 |
| 7/5/2007 10:35 | 2.327 | 0.16 |
| 7/5/2007 10:40 | 2.326 | 0.16 |
| 7/5/2007 10:45 | 2.325 | 0.16 |
| 7/5/2007 10:50 | 2.324 | 0.16 |
| 7/5/2007 10:55 | 2.325 | 0.16 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 11:00 | 2.324 | 0.16 |
| 7/5/2007 11:05 | 2.322 | 0.16 |
| 7/5/2007 11:10 | 2.322 | 0.16 |
| 7/5/2007 11:15 | 2.321 | 0.16 |
| 7/5/2007 11:20 | 2.321 | 0.16 |
| 7/5/2007 11:25 | 2.32 | 0.36 |
| 7/5/2007 11:30 | 2.318 | 0.36 |
| 7/5/2007 11:35 | 2.318 | 0.24 |
| 7/5/2007 11:40 | 2.317 | 0.24 |
| 7/5/2007 11:45 | 2.317 | 0.24 |
| 7/5/2007 11:50 | 2.317 | 0.24 |
| 7/5/2007 11:55 | 2.316 | 0.16 |
| 7/5/2007 12:00 | 2.315 | 0.16 |
| 7/5/2007 12:05 | 2.314 | 0.16 |
| 7/5/2007 12:10 | 2.313 | 0.16 |
| 7/5/2007 12:15 | 2.313 | 0.16 |
| 7/5/2007 12:20 | 2.313 | 0.16 |
| 7/5/2007 12:25 | 2.312 | 8.66 |
| 7/5/2007 12:30 | 2.31 | 12.91 |
| 7/5/2007 12:35 | 2.31 | 8.67 |
| 7/5/2007 12:40 | 2.309 | 8.67 |
| 7/5/2007 12:45 | 2.308 | 8.67 |
| 7/5/2007 12:50 | 2.308 | 8.67 |
| 7/5/2007 12:55 | 2.307 | 8.67 |
| 7/5/2007 13:00 | 2.307 | 8.67 |
| 7/5/2007 13:05 | 2.306 | 8.67 |
| 7/5/2007 13:10 | 2.306 | 8.67 |
| 7/5/2007 13:15 | 2.305 | 8.67 |
| 7/5/2007 13:20 | 2.304 | 8.67 |
| 7/5/2007 13:25 | 2.304 | 8.67 |
| 7/5/2007 13:30 | 2.305 | 8.67 |
| 7/5/2007 13:35 | 2.532 | 0.26 |
| 7/5/2007 13:40 | 2.928 | 0.65 |
| 7/5/2007 13:45 | 3.071 | 0.97 |
| 7/5/2007 13:50 | 3.041 | 0.92 |
| 7/5/2007 13:55 | 2.938 | 0.73 |
| 7/5/2007 14:00 | 2.827 | 0.64 |
| 7/5/2007 14:05 | 2.702 | 0.47 |
| 7/5/2007 14:10 | 2.612 | 0.38 |
| 7/5/2007 14:15 | 2.55 | 0.34 |
| 7/5/2007 14:20 | 2.506 | 0.31 |
| 7/5/2007 14:25 | 2.475 | 0.3 |
| 7/5/2007 14:30 | 2.454 | 0.25 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 14:35 | 2.441 | 0.24 |
| 7/5/2007 14:40 | 2.433 | 0.24 |
| 7/5/2007 14:45 | 2.428 | 0.24 |
| 7/5/2007 14:50 | 2.426 | 0.23 |
| 7/5/2007 14:55 | 2.426 | 0.21 |
| 7/5/2007 15:00 | 2.427 | 0.23 |
| 7/5/2007 15:05 | 2.43 | 0.23 |
| 7/5/2007 15:10 | 2.435 | 0.24 |
| 7/5/2007 15:15 | 2.442 | 0.27 |
| 7/5/2007 15:20 | 2.449 | 0.25 |
| 7/5/2007 15:25 | 2.456 | 0.26 |
| 7/5/2007 15:30 | 2.462 | 0.27 |
| 7/5/2007 15:35 | 2.466 | 0.28 |
| 7/5/2007 15:40 | 2.468 | 0.29 |
| 7/5/2007 15:45 | 2.472 | 0.27 |
| 7/5/2007 15:50 | 2.474 | 0.27 |
| 7/5/2007 15:55 | 2.477 | 0.29 |
| 7/5/2007 16:00 | 2.479 | 0.28 |
| 7/5/2007 16:05 | 2.481 | 0.32 |
| 7/5/2007 16:10 | 2.483 | 0.3 |
| 7/5/2007 16:15 | 2.484 | 0.3 |
| 7/5/2007 16:20 | 2.485 | 0.32 |
| 7/5/2007 16:25 | 2.487 | 0.33 |
| 7/5/2007 16:30 | 2.488 | 0.35 |
| 7/5/2007 16:35 | 2.489 | 0.34 |
| 7/5/2007 16:40 | 2.489 | 0.32 |
| 7/5/2007 16:45 | 2.49 | 0.3 |
| 7/5/2007 16:50 | 2.49 | 0.29 |
| 7/5/2007 16:55 | 2.49 | 0.3 |
| 7/5/2007 17:00 | 2.49 | 0.33 |
| 7/5/2007 17:05 | 2.49 | 0.33 |
| 7/5/2007 17:10 | 2.489 | 0.31 |
| 7/5/2007 17:15 | 2.489 | 0.31 |
| 7/5/2007 17:20 | 2.488 | 0.32 |
| 7/5/2007 17:25 | 2.489 | 0.3 |
| 7/5/2007 17:30 | 2.488 | 0.3 |
| 7/5/2007 17:35 | 2.487 | 0.31 |
| 7/5/2007 17:40 | 2.486 | 0.31 |
| 7/5/2007 17:45 | 2.485 | 0.31 |
| 7/5/2007 17:50 | 2.486 | 0.31 |
| 7/5/2007 17:55 | 2.485 | 0.31 |
| 7/5/2007 18:00 | 2.484 | 0.31 |
| 7/5/2007 18:05 | 2.484 | 0.31 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 18:10 | 2.483 | 0.31 |
| 7/5/2007 18:15 | 2.483 | 0.31 |
| 7/5/2007 18:20 | 2.483 | 0.31 |
| 7/5/2007 18:25 | 2.487 | 0.29 |
| 7/5/2007 18:30 | 2.502 | 0.29 |
| 7/5/2007 18:35 | 2.533 | -0.34 |
| 7/5/2007 18:40 | 2.548 | -0.34 |
| 7/5/2007 18:45 | 2.559 | 0.4 |
| 7/5/2007 18:50 | 2.555 | 0.42 |
| 7/5/2007 18:55 | 2.54 | 0.42 |
| 7/5/2007 19:00 | 2.526 | 0.32 |
| 7/5/2007 19:05 | 2.515 | 0.32 |
| 7/5/2007 19:10 | 2.507 | 0.3 |
| 7/5/2007 19:15 | 2.502 | 0.3 |
| 7/5/2007 19:20 | 2.5 | 0.3 |
| 7/5/2007 19:25 | 2.499 | 0.3 |
| 7/5/2007 19:30 | 2.501 | 0.3 |
| 7/5/2007 19:35 | 2.505 | 0.3 |
| 7/5/2007 19:40 | 2.505 | 0.3 |
| 7/5/2007 19:45 | 2.503 | 0.29 |
| 7/5/2007 19:50 | 2.499 | 0.29 |
| 7/5/2007 19:55 | 2.496 | 0.29 |
| 7/5/2007 20:00 | 2.493 | 0.29 |
| 7/5/2007 20:05 | 2.49 | 0.26 |
| 7/5/2007 20:10 | 2.487 | 0.26 |
| 7/5/2007 20:15 | 2.486 | 0.26 |
| 7/5/2007 20:20 | 2.484 | 0.26 |
| 7/5/2007 20:25 | 2.483 | 0.26 |
| 7/5/2007 20:30 | 2.482 | 0.26 |
| 7/5/2007 20:35 | 2.481 | 0.26 |
| 7/5/2007 20:40 | 2.48 | 0.26 |
| 7/5/2007 20:45 | 2.478 | 0.26 |
| 7/5/2007 20:50 | 2.479 | 0.26 |
| 7/5/2007 20:55 | 2.477 | 0.26 |
| 7/5/2007 21:00 | 2.477 | 0.26 |
| 7/5/2007 21:05 | 2.476 | 0.26 |
| 7/5/2007 21:10 | 2.476 | 0.26 |
| 7/5/2007 21:15 | 2.475 | 0.26 |
| 7/5/2007 21:20 | 2.474 | 0.26 |
| 7/5/2007 21:25 | 2.474 | 0.26 |
| 7/5/2007 21:30 | 2.474 | 0.26 |
| 7/5/2007 21:35 | 2.474 | 0.26 |
| 7/5/2007 21:40 | 2.474 | 0.26 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 21:45 | 2.476 | 0.26 |
| 7/5/2007 21:50 | 2.485 | 0.26 |
| 7/5/2007 21:55 | 2.512 | 0.3 |
| 7/5/2007 22:00 | 2.518 | 0.36 |
| 7/5/2007 22:05 | 2.518 | 0.36 |
| 7/5/2007 22:10 | 2.518 | 0.33 |
| 7/5/2007 22:15 | 2.514 | 0.33 |
| 7/5/2007 22:20 | 2.51 | 0.33 |
| 7/5/2007 22:25 | 2.505 | 0.33 |
| 7/5/2007 22:30 | 2.499 | 0.33 |
| 7/5/2007 22:35 | 2.495 | 0.33 |
| 7/5/2007 22:40 | 2.493 | 0.33 |
| 7/5/2007 22:45 | 2.49 | 0.27 |
| 7/5/2007 22:50 | 2.488 | 0.27 |
| 7/5/2007 22:55 | 2.486 | 0.27 |
| 7/5/2007 23:00 | 2.484 | 0.27 |
| 7/5/2007 23:05 | 2.483 | 0.27 |
| 7/5/2007 23:10 | 2.482 | 0.27 |
| 7/5/2007 23:15 | 2.482 | 0.28 |
| 7/5/2007 23:20 | 2.481 | 0.28 |
| 7/5/2007 23:25 | 2.48 | 0.28 |
| 7/5/2007 23:30 | 2.48 | 0.28 |
| 7/5/2007 23:35 | 2.48 | 0.28 |
| 7/5/2007 23:40 | 2.48 | 0.28 |
| 7/5/2007 23:45 | 2.479 | 0.28 |
| 7/5/2007 23:50 | 2.479 | 0.28 |
| 7/5/2007 23:55 | 2.479 | 0.28 |
| 7/6/2007 0:00 | 2.479 | 0.28 |
| 7/6/2007 0:05 | 2.478 | 0.28 |
| 7/6/2007 0:10 | 2.479 | 0.28 |
| 7/6/2007 0:15 | 2.478 | 0.28 |
| 7/6/2007 0:20 | 2.478 | 0.28 |
| 7/6/2007 0:25 | 2.477 | 0.28 |
| 7/6/2007 0:30 | 2.478 | 0.28 |
| 7/6/2007 0:35 | 2.478 | 0.28 |
| 7/6/2007 0:40 | 2.477 | 0.28 |
| 7/6/2007 0:45 | 2.477 | 0.27 |
| 7/6/2007 0:50 | 2.477 | 0.28 |
| 7/6/2007 0:55 | 2.477 | 0.28 |
| 7/6/2007 1:00 | 2.476 | 0.28 |
| 7/6/2007 1:05 | 2.476 | 0.28 |
| 7/6/2007 1:10 | 2.475 | 0.28 |
| 7/6/2007 1:15 | 2.475 | 0.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 1:20 | 2.475 | 0.28 |
| 7/6/2007 1:25 | 2.475 | 0.28 |
| 7/6/2007 1:30 | 2.475 | 0.28 |
| 7/6/2007 1:35 | 2.474 | 0.28 |
| 7/6/2007 1:40 | 2.473 | 0.28 |
| 7/6/2007 1:45 | 2.473 | 0.28 |
| 7/6/2007 1:50 | 2.473 | 0.24 |
| 7/6/2007 1:55 | 2.473 | 0.27 |
| 7/6/2007 2:00 | 2.472 | 0.27 |
| 7/6/2007 2:05 | 2.472 | 0.27 |
| 7/6/2007 2:10 | 2.471 | 0.27 |
| 7/6/2007 2:15 | 2.471 | 0.27 |
| 7/6/2007 2:20 | 2.471 | 0.26 |
| 7/6/2007 2:25 | 2.47 | 0.29 |
| 7/6/2007 2:30 | 2.47 | 0.25 |
| 7/6/2007 2:35 | 2.471 | 0.25 |
| 7/6/2007 2:40 | 2.47 | 0.27 |
| 7/6/2007 2:45 | 2.47 | 0.27 |
| 7/6/2007 2:50 | 2.469 | 0.24 |
| 7/6/2007 2:55 | 2.469 | 0.24 |
| 7/6/2007 3:00 | 2.469 | 0.26 |
| 7/6/2007 3:05 | 2.468 | 0.23 |
| 7/6/2007 3:10 | 2.468 | 0.23 |
| 7/6/2007 3:15 | 2.467 | 0.27 |
| 7/6/2007 3:20 | 2.467 | 0.26 |
| 7/6/2007 3:25 | 2.467 | 0.37 |
| 7/6/2007 3:30 | 2.467 | 0.37 |
| 7/6/2007 3:35 | 2.466 | 0.27 |
| 7/6/2007 3:40 | 2.465 | 0.24 |
| 7/6/2007 3:45 | 2.465 | 0.28 |
| 7/6/2007 3:50 | 2.465 | 0.25 |
| 7/6/2007 3:55 | 2.464 | 0.25 |
| 7/6/2007 4:00 | 2.464 | 0.27 |
| 7/6/2007 4:05 | 2.463 | 0.25 |
| 7/6/2007 4:10 | 2.463 | 0.25 |
| 7/6/2007 4:15 | 2.463 | 0.25 |
| 7/6/2007 4:20 | 2.462 | 0.28 |
| 7/6/2007 4:25 | 2.461 | 0.28 |
| 7/6/2007 4:30 | 2.462 | 0.28 |
| 7/6/2007 4:35 | 2.461 | 0.28 |
| 7/6/2007 4:40 | 2.46 | 0.28 |
| 7/6/2007 4:45 | 2.46 | 0.28 |
| 7/6/2007 4:50 | 2.461 | 0.27 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 4:55 | 2.46 | 0.27 |
| 7/6/2007 5:00 | 2.46 | 0.25 |
| 7/6/2007 5:05 | 2.459 | 0.25 |
| 7/6/2007 5:10 | 2.459 | 0.25 |
| 7/6/2007 5:15 | 2.459 | 0.25 |
| 7/6/2007 5:20 | 2.459 | 0.25 |
| 7/6/2007 5:25 | 2.458 | 0.26 |
| 7/6/2007 5:30 | 2.458 | 0.25 |
| 7/6/2007 5:35 | 2.458 | 0.25 |
| 7/6/2007 5:40 | 2.458 | 0.25 |
| 7/6/2007 5:45 | 2.457 | 0.25 |
| 7/6/2007 5:50 | 2.457 | 0.25 |
| 7/6/2007 5:55 | 2.456 | 0.25 |
| 7/6/2007 6:00 | 2.456 | 0.25 |
| 7/6/2007 6:05 | 2.456 | 0.26 |
| 7/6/2007 6:10 | 2.455 | 0.26 |
| 7/6/2007 6:15 | 2.455 | 0.26 |
| 7/6/2007 6:20 | 2.455 | 0.26 |
| 7/6/2007 6:25 | 2.454 | 0.26 |
| 7/6/2007 6:30 | 2.454 | 0.27 |
| 7/6/2007 6:35 | 2.454 | 0.25 |
| 7/6/2007 6:40 | 2.453 | 0.25 |
| 7/6/2007 6:45 | 2.452 | 0.27 |
| 7/6/2007 6:50 | 2.452 | 0.27 |
| 7/6/2007 6:55 | 2.452 | 0.24 |
| 7/6/2007 7:00 | 2.452 | 0.26 |
| 7/6/2007 7:05 | 2.452 | 0.26 |
| 7/6/2007 7:10 | 2.451 | 0.27 |
| 7/6/2007 7:15 | 2.449 | 0.25 |
| 7/6/2007 7:20 | 2.45 | 0.25 |
| 7/6/2007 7:25 | 2.449 | 0.25 |
| 7/6/2007 7:30 | 2.45 | 0.26 |
| 7/6/2007 7:35 | 2.449 | 0.26 |
| 7/6/2007 7:40 | 2.448 | 0.26 |
| 7/6/2007 7:45 | 2.448 | 0.27 |
| 7/6/2007 7:50 | 2.447 | 0.27 |
| 7/6/2007 7:55 | 2.448 | 0.27 |
| 7/6/2007 8:00 | 2.446 | 0.27 |
| 7/6/2007 8:05 | 2.445 | 0.27 |
| 7/6/2007 8:10 | 2.445 | 0.27 |
| 7/6/2007 8:15 | 2.444 | 0.27 |
| 7/6/2007 8:20 | 2.444 | 0.27 |
| 7/6/2007 8:25 | 2.444 | 0.27 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 8:30 | 2.443 | 0.27 |
| 7/6/2007 8:35 | 2.442 | 0.26 |
| 7/6/2007 8:40 | 2.441 | 0.26 |
| 7/6/2007 8:45 | 2.441 | 0.25 |
| 7/6/2007 8:50 | 2.441 | 0.25 |
| 7/6/2007 8:55 | 2.44 | 0.25 |
| 7/6/2007 9:00 | 2.44 | 0.25 |
| 7/6/2007 9:05 | 2.439 | 0.25 |
| 7/6/2007 9:10 | 2.438 | 0.25 |
| 7/6/2007 9:15 | 2.438 | 0.25 |
| 7/6/2007 9:20 | 2.437 | 0.25 |
| 7/6/2007 9:25 | 2.437 | 0.25 |
| 7/6/2007 9:30 | 2.437 | 0.25 |
| 7/6/2007 9:35 | 2.435 | 0.25 |
| 7/6/2007 9:40 | 2.435 | 0.21 |
| 7/6/2007 9:45 | 2.435 | 0.23 |
| 7/6/2007 9:50 | 2.435 | 0.23 |
| 7/6/2007 9:55 | 2.433 | 0.23 |
| 7/6/2007 10:00 | 2.434 | 0.22 |
| 7/6/2007 10:05 | 2.434 | 0.22 |
| 7/6/2007 10:10 | 2.432 | 8.59 |
| 7/6/2007 10:15 | 2.432 | 0.24 |
| 7/6/2007 10:20 | 2.431 | 0.24 |
| 7/6/2007 10:25 | 2.431 | 0.24 |
| 7/6/2007 10:30 | 2.431 | 0.24 |
| 7/6/2007 10:35 | 2.428 | 0.24 |
| 7/6/2007 10:40 | 2.428 | 0.24 |
| 7/6/2007 10:45 | 2.427 | 0.26 |
| 7/6/2007 10:50 | 2.427 | 0.24 |
| 7/6/2007 10:55 | 2.426 | 0.24 |
| 7/6/2007 11:00 | 2.427 | 0.24 |
| 7/6/2007 11:05 | 2.426 | 0.25 |
| 7/6/2007 11:10 | 2.426 | 0.23 |
| 7/6/2007 11:15 | 2.426 | 0.23 |
| 7/6/2007 11:20 | 2.425 | 0.22 |
| 7/6/2007 11:25 | 2.425 | 0.23 |
| 7/6/2007 11:30 | 2.425 | 0.27 |
| 7/6/2007 11:35 | 2.423 | 0.26 |
| 7/6/2007 11:40 | 2.423 | 0.23 |
| 7/6/2007 11:45 | 2.421 | 0.22 |
| 7/6/2007 11:50 | 2.42 | 0.26 |
| 7/6/2007 11:55 | 2.42 | 0.26 |
| 7/6/2007 12:00 | 2.421 | 0.25 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 12:05 | 2.42 | 0.25 |
| 7/6/2007 12:10 | 2.42 | 0.24 |
| 7/6/2007 12:15 | 2.419 | 0.26 |
| 7/6/2007 12:20 | 2.419 | 0.24 |
| 7/6/2007 12:25 | 2.418 | 0.24 |
| 7/6/2007 12:30 | 2.418 | 0.24 |
| 7/6/2007 12:35 | 2.418 | 0.24 |
| 7/6/2007 12:40 | 2.419 | 0.25 |
| 7/6/2007 12:45 | 2.418 | 0.25 |
| 7/6/2007 12:50 | 2.417 | 0.24 |
| 7/6/2007 12:55 | 2.417 | 0.24 |
| 7/6/2007 13:00 | 2.417 | 0.24 |
| 7/6/2007 13:05 | 2.416 | 0.36 |
| 7/6/2007 13:10 | 2.416 | 0.36 |
| 7/6/2007 13:15 | 2.415 | 0.24 |
| 7/6/2007 13:20 | 2.415 | 0.23 |
| 7/6/2007 13:25 | 2.415 | 0.23 |
| 7/6/2007 13:30 | 2.415 | 0.23 |
| 7/6/2007 13:35 | 2.414 | 0.27 |
| 7/6/2007 13:40 | 2.412 | 0.27 |
| 7/6/2007 13:45 | 2.417 | 0.27 |
| 7/6/2007 13:50 | 2.45 | 0.24 |
| 7/6/2007 13:55 | 2.705 | 0.58 |
| 7/6/2007 14:00 | 2.799 | 0.66 |
| 7/6/2007 14:05 | 2.795 | 0.65 |
| 7/6/2007 14:10 | 2.736 | 0.55 |
| 7/6/2007 14:15 | 2.655 | 0.46 |
| 7/6/2007 14:20 | 2.592 | 0.4 |
| 7/6/2007 14:25 | 2.551 | 0.34 |
| 7/6/2007 14:30 | 2.524 | 0.34 |
| 7/6/2007 14:35 | 2.507 | 0.31 |
| 7/6/2007 14:40 | 2.499 | 0.32 |
| 7/6/2007 14:45 | 2.494 | 0.27 |
| 7/6/2007 14:50 | 2.491 | 0.27 |
| 7/6/2007 14:55 | 2.488 | 0.3 |
| 7/6/2007 15:00 | 2.487 | 0.25 |
| 7/6/2007 15:05 | 2.487 | 0.25 |
| 7/6/2007 15:10 | 2.487 | 0.29 |
| 7/6/2007 15:15 | 2.488 | 0.29 |
| 7/6/2007 15:20 | 2.489 | 0.29 |
| 7/6/2007 15:25 | 2.49 | 0.3 |
| 7/6/2007 15:30 | 2.492 | 0.3 |
| 7/6/2007 15:35 | 2.494 | 0.3 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 15:40 | 2.496 | 0.33 |
| 7/6/2007 15:45 | 2.499 | 0.28 |
| 7/6/2007 15:50 | 2.499 | 0.31 |
| 7/6/2007 15:55 | 2.501 | 0.31 |
| 7/6/2007 16:00 | 2.503 | 0.31 |
| 7/6/2007 16:05 | 2.503 | 0.31 |
| 7/6/2007 16:10 | 2.505 | 0.32 |
| 7/6/2007 16:15 | 2.506 | 0.32 |
| 7/6/2007 16:20 | 2.506 | 0.29 |
| 7/6/2007 16:25 | 2.506 | 0.3 |
| 7/6/2007 16:30 | 2.508 | 0.32 |
| 7/6/2007 16:35 | 2.507 | 0.33 |
| 7/6/2007 16:40 | 2.508 | 0.32 |
| 7/6/2007 16:45 | 2.507 | 0.33 |
| 7/6/2007 16:50 | 2.508 | 0.31 |
| 7/6/2007 16:55 | 2.509 | 0.33 |
| 7/6/2007 17:00 | 2.509 | 0.33 |
| 7/6/2007 17:05 | 2.509 | 0.33 |
| 7/6/2007 17:10 | 2.509 | 0.33 |
| 7/6/2007 17:15 | 2.509 | 0.32 |
| 7/6/2007 17:20 | 2.509 | 0.32 |
| 7/6/2007 17:25 | 2.508 | 0.32 |
| 7/6/2007 17:30 | 2.508 | 0.32 |
| 7/6/2007 17:35 | 2.508 | 0.32 |
| 7/6/2007 17:40 | 2.507 | 0.32 |
| 7/6/2007 17:45 | 2.506 | 0.32 |
| 7/6/2007 17:50 | 2.506 | 0.32 |
| 7/6/2007 17:55 | 2.505 | 0.32 |
| 7/6/2007 18:00 | 2.505 | 0.32 |
| 7/6/2007 18:05 | 2.504 | 0.32 |
| 7/6/2007 18:10 | 2.505 | 0.32 |
| 7/6/2007 18:15 | 2.504 | 0.32 |
| 7/6/2007 18:20 | 2.503 | 0.32 |
| 7/6/2007 18:25 | 2.503 | 0.32 |
| 7/6/2007 18:30 | 2.502 | 0.32 |
| 7/6/2007 18:35 | 2.501 | 0.31 |
| 7/6/2007 18:40 | 2.501 | 0.31 |
| 7/6/2007 18:45 | 2.5 | 0.31 |
| 7/6/2007 18:50 | 2.5 | 0.31 |
| 7/6/2007 18:55 | 2.499 | 0.31 |
| 7/6/2007 19:00 | 2.498 | 0.31 |
| 7/6/2007 19:05 | 2.497 | 0.31 |
| 7/6/2007 19:10 | 2.496 | 0.31 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 19:15 | 2.496 | 0.31 |
| 7/6/2007 19:20 | 2.495 | 0.31 |
| 7/6/2007 19:25 | 2.495 | 0.34 |
| 7/6/2007 19:30 | 2.494 | 0.34 |
| 7/6/2007 19:35 | 2.493 | 0.31 |
| 7/6/2007 19:40 | 2.492 | 0.31 |
| 7/6/2007 19:45 | 2.491 | 0.31 |
| 7/6/2007 19:50 | 2.491 | 0.32 |
| 7/6/2007 19:55 | 2.49 | 0.32 |
| 7/6/2007 20:00 | 2.489 | 0.32 |
| 7/6/2007 20:05 | 2.489 | 0.32 |
| 7/6/2007 20:10 | 2.487 | 0.32 |
| 7/6/2007 20:15 | 2.487 | 0.32 |
| 7/6/2007 20:20 | 2.486 | 0.32 |
| 7/6/2007 20:25 | 2.486 | 0.32 |
| 7/6/2007 20:30 | 2.485 | 0.32 |
| 7/6/2007 20:35 | 2.484 | 0.32 |
| 7/6/2007 20:40 | 2.484 | 0.28 |
| 7/6/2007 20:45 | 2.484 | 0.28 |
| 7/6/2007 20:50 | 2.483 | 0.28 |
| 7/6/2007 20:55 | 2.482 | 0.31 |
| 7/6/2007 21:00 | 2.482 | 0.31 |
| 7/6/2007 21:05 | 2.481 | 0.31 |
| 7/6/2007 21:10 | 2.48 | 0.31 |
| 7/6/2007 21:15 | 2.48 | 0.31 |
| 7/6/2007 21:20 | 2.479 | 0.26 |
| 7/6/2007 21:25 | 2.479 | 0.27 |
| 7/6/2007 21:30 | 2.478 | 0.26 |
| 7/6/2007 21:35 | 2.478 | 0.26 |
| 7/6/2007 21:40 | 2.477 | 0.26 |
| 7/6/2007 21:45 | 2.476 | 0.26 |
| 7/6/2007 21:50 | 2.476 | 0.26 |
| 7/6/2007 21:55 | 2.475 | 0.26 |
| 7/6/2007 22:00 | 2.475 | 0.26 |
| 7/6/2007 22:05 | 2.474 | 0.26 |
| 7/6/2007 22:10 | 2.473 | 0.26 |
| 7/6/2007 22:15 | 2.473 | 0.26 |
| 7/6/2007 22:20 | 2.473 | 0.26 |
| 7/6/2007 22:25 | 2.473 | 0.26 |
| 7/6/2007 22:30 | 2.472 | 0.26 |
| 7/6/2007 22:35 | 2.471 | 0.28 |
| 7/6/2007 22:40 | 2.471 | 0.27 |
| 7/6/2007 22:45 | 2.47 | 0.27 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 22:50 | 2.47 | 0.28 |
| 7/6/2007 22:55 | 2.469 | 0.28 |
| 7/6/2007 23:00 | 2.469 | 0.26 |
| 7/6/2007 23:05 | 2.468 | 0.26 |
| 7/6/2007 23:10 | 2.468 | 0.26 |
| 7/6/2007 23:15 | 2.467 | 0.26 |
| 7/6/2007 23:20 | 2.467 | 0.28 |
| 7/6/2007 23:25 | 2.467 | 0.28 |
| 7/6/2007 23:30 | 2.466 | 0.28 |
| 7/6/2007 23:35 | 2.466 | 0.28 |
| 7/6/2007 23:40 | 2.466 | 0.28 |
| 7/6/2007 23:45 | 2.466 | 0.24 |
| 7/6/2007 23:50 | 2.464 | 0.24 |
| 7/6/2007 23:55 | 2.465 | 0.24 |
| 7/7/2007 0:00 | 2.464 | 0.24 |
| 7/7/2007 0:05 | 2.464 | 0.24 |
| 7/7/2007 0:10 | 2.464 | 0.24 |
| 7/7/2007 0:15 | 2.462 | 0.26 |
| 7/7/2007 0:20 | 2.462 | 0.21 |
| 7/7/2007 0:25 | 2.462 | 0.21 |
| 7/7/2007 0:30 | 2.462 | 0.27 |
| 7/7/2007 0:35 | 2.461 | 0.25 |
| 7/7/2007 0:40 | 2.461 | 0.25 |
| 7/7/2007 0:45 | 2.461 | 0.25 |
| 7/7/2007 0:50 | 2.46 | 0.29 |
| 7/7/2007 0:55 | 2.461 | 0.29 |
| 7/7/2007 1:00 | 2.46 | 0.29 |
| 7/7/2007 1:05 | 2.459 | 0.26 |
| 7/7/2007 1:10 | 2.459 | 0.25 |
| 7/7/2007 1:15 | 2.459 | 0.28 |
| 7/7/2007 1:20 | 2.458 | 0.28 |
| 7/7/2007 1:25 | 2.458 | 0.3 |
| 7/7/2007 1:30 | 2.458 | 0.28 |
| 7/7/2007 1:35 | 2.458 | 0.28 |
| 7/7/2007 1:40 | 2.458 | 0.28 |
| 7/7/2007 1:45 | 2.458 | 0.28 |
| 7/7/2007 1:50 | 2.457 | 0.27 |
| 7/7/2007 1:55 | 2.457 | 0.27 |
| 7/7/2007 2:00 | 2.457 | 0.27 |
| 7/7/2007 2:05 | 2.456 | 0.27 |
| 7/7/2007 2:10 | 2.457 | 0.27 |
| 7/7/2007 2:15 | 2.457 | 0.27 |
| 7/7/2007 2:20 | 2.456 | 0.27 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 2:25 | 2.456 | 0.27 |
| 7/7/2007 2:30 | 2.456 | 0.27 |
| 7/7/2007 2:35 | 2.455 | 0.27 |
| 7/7/2007 2:40 | 2.455 | 0.27 |
| 7/7/2007 2:45 | 2.455 | 0.27 |
| 7/7/2007 2:50 | 2.455 | 0.27 |
| 7/7/2007 2:55 | 2.455 | 0.27 |
| 7/7/2007 3:00 | 2.455 | 0.27 |
| 7/7/2007 3:05 | 2.454 | 0.27 |
| 7/7/2007 3:10 | 2.454 | 0.27 |
| 7/7/2007 3:15 | 2.454 | 0.27 |
| 7/7/2007 3:20 | 2.454 | 0.27 |
| 7/7/2007 3:25 | 2.454 | 0.27 |
| 7/7/2007 3:30 | 2.454 | 0.27 |
| 7/7/2007 3:35 | 2.454 | 0.27 |
| 7/7/2007 3:40 | 2.454 | 0.27 |
| 7/7/2007 3:45 | 2.454 | 0.27 |
| 7/7/2007 3:50 | 2.454 | 0.27 |
| 7/7/2007 3:55 | 2.453 | 0.27 |
| 7/7/2007 4:00 | 2.454 | 0.27 |
| 7/7/2007 4:05 | 2.453 | 0.27 |
| 7/7/2007 4:10 | 2.452 | 0.27 |
| 7/7/2007 4:15 | 2.453 | 0.27 |
| 7/7/2007 4:20 | 2.452 | 0.27 |
| 7/7/2007 4:25 | 2.452 | 0.27 |
| 7/7/2007 4:30 | 2.452 | 0.27 |
| 7/7/2007 4:35 | 2.451 | 0.27 |
| 7/7/2007 4:40 | 2.451 | 0.27 |
| 7/7/2007 4:45 | 2.452 | 0.27 |
| 7/7/2007 4:50 | 2.451 | 0.27 |
| 7/7/2007 4:55 | 2.451 | 0.26 |
| 7/7/2007 5:00 | 2.451 | 0.32 |
| 7/7/2007 5:05 | 2.451 | 0.32 |
| 7/7/2007 5:10 | 2.451 | 0.32 |
| 7/7/2007 5:15 | 2.45 | 0.32 |
| 7/7/2007 5:20 | 2.45 | 0.32 |
| 7/7/2007 5:25 | 2.45 | 0.32 |
| 7/7/2007 5:30 | 2.449 | 0.32 |
| 7/7/2007 5:35 | 2.45 | 0.32 |
| 7/7/2007 5:40 | 2.449 | 0.32 |
| 7/7/2007 5:45 | 2.449 | 0.32 |
| 7/7/2007 5:50 | 2.449 | 0.32 |
| 7/7/2007 5:55 | 2.448 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 6:00 | 2.448 | 0.32 |
| 7/7/2007 6:05 | 2.448 | 0.32 |
| 7/7/2007 6:10 | 2.448 | 0.32 |
| 7/7/2007 6:15 | 2.448 | 0.32 |
| 7/7/2007 6:20 | 2.447 | 0.32 |
| 7/7/2007 6:25 | 2.447 | 0.32 |
| 7/7/2007 6:30 | 2.447 | 0.32 |
| 7/7/2007 6:35 | 2.447 | 0.32 |
| 7/7/2007 6:40 | 2.447 | 0.32 |
| 7/7/2007 6:45 | 2.446 | 0.29 |
| 7/7/2007 6:50 | 2.446 | 0.29 |
| 7/7/2007 6:55 | 2.446 | 0.29 |
| 7/7/2007 7:00 | 2.446 | 0.29 |
| 7/7/2007 7:05 | 2.445 | 0.29 |
| 7/7/2007 7:10 | 2.445 | 0.29 |
| 7/7/2007 7:15 | 2.444 | 0.29 |
| 7/7/2007 7:20 | 2.445 | 0.29 |
| 7/7/2007 7:25 | 2.444 | 0.29 |
| 7/7/2007 7:30 | 2.444 | 0.29 |
| 7/7/2007 7:35 | 2.444 | 0.29 |
| 7/7/2007 7:40 | 2.444 | 0.29 |
| 7/7/2007 7:45 | 2.444 | 0.29 |
| 7/7/2007 7:50 | 2.443 | 0.27 |
| 7/7/2007 7:55 | 2.443 | 0.25 |
| 7/7/2007 8:00 | 2.443 | 0.25 |
| 7/7/2007 8:05 | 2.443 | 0.22 |
| 7/7/2007 8:10 | 2.441 | 0.24 |
| 7/7/2007 8:15 | 2.442 | 0.25 |
| 7/7/2007 8:20 | 2.441 | 0.27 |
| 7/7/2007 8:25 | 2.442 | 0.25 |
| 7/7/2007 8:30 | 2.442 | 0.25 |
| 7/7/2007 8:35 | 2.441 | 0.25 |
| 7/7/2007 8:40 | 2.439 | 0.26 |
| 7/7/2007 8:45 | 2.44 | 0.25 |
| 7/7/2007 8:50 | 2.44 | 0.25 |
| 7/7/2007 8:55 | 2.439 | 0.25 |
| 7/7/2007 9:00 | 2.438 | 0.25 |
| 7/7/2007 9:05 | 2.437 | 0.25 |
| 7/7/2007 9:10 | 2.437 | 0.26 |
| 7/7/2007 9:15 | 2.437 | 0.26 |
| 7/7/2007 9:20 | 2.437 | 0.26 |
| 7/7/2007 9:25 | 2.437 | 0.26 |
| 7/7/2007 9:30 | 2.435 | 0.23 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 9:35 | 2.436 | 0.23 |
| 7/7/2007 9:40 | 2.434 | 0.25 |
| 7/7/2007 9:45 | 2.434 | 0.26 |
| 7/7/2007 9:50 | 2.434 | 0.26 |
| 7/7/2007 9:55 | 2.434 | 0.26 |
| 7/7/2007 10:00 | 2.431 | 0.26 |
| 7/7/2007 10:05 | 2.432 | 0.26 |
| 7/7/2007 10:10 | 2.432 | 0.26 |
| 7/7/2007 10:15 | 2.432 | 0.26 |
| 7/7/2007 10:20 | 2.432 | 0.26 |
| 7/7/2007 10:25 | 2.43 | 0.27 |
| 7/7/2007 10:30 | 2.431 | 0.27 |
| 7/7/2007 10:35 | 2.429 | 0.24 |
| 7/7/2007 10:40 | 2.429 | 0.26 |
| 7/7/2007 10:45 | 2.429 | 0.23 |
| 7/7/2007 10:50 | 2.428 | 0.25 |
| 7/7/2007 10:55 | 2.428 | 0.24 |
| 7/7/2007 11:00 | 2.428 | 0.24 |
| 7/7/2007 11:05 | 2.427 | 0.24 |
| 7/7/2007 11:10 | 2.426 | 0.26 |
| 7/7/2007 11:15 | 2.428 | 0.25 |
| 7/7/2007 11:20 | 2.425 | 0.25 |
| 7/7/2007 11:25 | 2.424 | 0.23 |
| 7/7/2007 11:30 | 2.426 | 0.23 |
| 7/7/2007 11:35 | 2.424 | 0.24 |
| 7/7/2007 11:40 | 2.423 | 0.22 |
| 7/7/2007 11:45 | 2.423 | 0.22 |
| 7/7/2007 11:50 | 2.422 | 0.24 |
| 7/7/2007 11:55 | 2.423 | 0.24 |
| 7/7/2007 12:00 | 2.423 | 0.24 |
| 7/7/2007 12:05 | 2.421 | 0.23 |
| 7/7/2007 12:10 | 2.42 | 0.23 |
| 7/7/2007 12:15 | 2.421 | 0.23 |
| 7/7/2007 12:20 | 2.42 | 0.23 |
| 7/7/2007 12:25 | 2.42 | 0.24 |
| 7/7/2007 12:30 | 2.417 | 0.23 |
| 7/7/2007 12:35 | 2.418 | 0.21 |
| 7/7/2007 12:40 | 2.418 | 0.24 |
| 7/7/2007 12:45 | 2.417 | 0.22 |
| 7/7/2007 12:50 | 2.418 | 0.23 |
| 7/7/2007 12:55 | 2.416 | 0.22 |
| 7/7/2007 13:00 | 2.417 | 0.23 |
| 7/7/2007 13:05 | 2.417 | 0.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 13:10 | 2.415 | 0.25 |
| 7/7/2007 13:15 | 2.415 | 0.26 |
| 7/7/2007 13:20 | 2.413 | 0.22 |
| 7/7/2007 13:25 | 2.414 | 0.23 |
| 7/7/2007 13:30 | 2.415 | 0.21 |
| 7/7/2007 13:35 | 2.413 | 0.22 |
| 7/7/2007 13:40 | 2.412 | 0.22 |
| 7/7/2007 13:45 | 2.413 | 0.22 |
| 7/7/2007 13:50 | 2.413 | 0.22 |
| 7/7/2007 13:55 | 2.411 | 0.23 |
| 7/7/2007 14:00 | 2.413 | 0.22 |
| 7/7/2007 14:05 | 2.412 | 0.24 |
| 7/7/2007 14:10 | 2.411 | 0.24 |
| 7/7/2007 14:15 | 2.41 | 0.2 |
| 7/7/2007 14:20 | 2.41 | 0.22 |
| 7/7/2007 14:25 | 2.409 | 0.23 |
| 7/7/2007 14:30 | 2.409 | 0.21 |
| 7/7/2007 14:35 | 2.409 | 0.2 |
| 7/7/2007 14:40 | 2.409 | 0.2 |
| 7/7/2007 14:45 | 2.41 | 0.22 |
| 7/7/2007 14:50 | 2.408 | 0.22 |
| 7/7/2007 14:55 | 2.407 | 0.22 |
| 7/7/2007 15:00 | 2.407 | 0.23 |
| 7/7/2007 15:05 | 2.407 | 0.21 |
| 7/7/2007 15:10 | 2.406 | 0.21 |
| 7/7/2007 15:15 | 2.406 | 0.21 |
| 7/7/2007 15:20 | 2.405 | 0.21 |
| 7/7/2007 15:25 | 2.406 | 0.21 |
| 7/7/2007 15:30 | 2.404 | 0.21 |
| 7/7/2007 15:35 | 2.405 | 0.21 |
| 7/7/2007 15:40 | 2.405 | 0.21 |
| 7/7/2007 15:45 | 2.405 | 0.21 |
| 7/7/2007 15:50 | 2.403 | 0.27 |
| 7/7/2007 15:55 | 2.404 | 0.23 |
| 7/7/2007 16:00 | 2.404 | 0.26 |
| 7/7/2007 16:05 | 2.403 | 0.26 |
| 7/7/2007 16:10 | 2.402 | 0.22 |
| 7/7/2007 16:15 | 2.402 | 0.22 |
| 7/7/2007 16:20 | 2.403 | 0.21 |
| 7/7/2007 16:25 | 2.403 | 0.21 |
| 7/7/2007 16:30 | 2.402 | 0.21 |
| 7/7/2007 16:35 | 2.403 | 0.21 |
| 7/7/2007 16:40 | 2.402 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 16:45 | 2.402 | 0.21 |
| 7/7/2007 16:50 | 2.402 | 0.22 |
| 7/7/2007 16:55 | 2.402 | 0.22 |
| 7/7/2007 17:00 | 2.402 | 0.23 |
| 7/7/2007 17:05 | 2.401 | 0.21 |
| 7/7/2007 17:10 | 2.4 | 0.21 |
| 7/7/2007 17:15 | 2.401 | 0.21 |
| 7/7/2007 17:20 | 2.402 | 0.21 |
| 7/7/2007 17:25 | 2.402 | 0.21 |
| 7/7/2007 17:30 | 2.401 | 0.21 |
| 7/7/2007 17:35 | 2.401 | 0.21 |
| 7/7/2007 17:40 | 2.401 | 0.21 |
| 7/7/2007 17:45 | 2.401 | 0.21 |
| 7/7/2007 17:50 | 2.4 | 0.23 |
| 7/7/2007 17:55 | 2.4 | 0.24 |
| 7/7/2007 18:00 | 2.4 | 0.24 |
| 7/7/2007 18:05 | 2.401 | 0.24 |
| 7/7/2007 18:10 | 2.4 | 0.24 |
| 7/7/2007 18:15 | 2.401 | 0.22 |
| 7/7/2007 18:20 | 2.4 | 0.22 |
| 7/7/2007 18:25 | 2.4 | 0.22 |
| 7/7/2007 18:30 | 2.4 | 0.22 |
| 7/7/2007 18:35 | 2.4 | 0.22 |
| 7/7/2007 18:40 | 2.4 | 0.22 |
| 7/7/2007 18:45 | 2.4 | 0.22 |
| 7/7/2007 18:50 | 2.399 | 0.22 |
| 7/7/2007 18:55 | 2.399 | 0.22 |
| 7/7/2007 19:00 | 2.399 | 0.22 |
| 7/7/2007 19:05 | 2.4 | 0.23 |
| 7/7/2007 19:10 | 2.4 | 0.23 |
| 7/7/2007 19:15 | 2.399 | 0.23 |
| 7/7/2007 19:20 | 2.399 | 0.22 |
| 7/7/2007 19:25 | 2.399 | 0.22 |
| 7/7/2007 19:30 | 2.398 | 0.3 |
| 7/7/2007 19:35 | 2.399 | 0.22 |
| 7/7/2007 19:40 | 2.399 | 0.22 |
| 7/7/2007 19:45 | 2.398 | 0.22 |
| 7/7/2007 19:50 | 2.399 | 0.22 |
| 7/7/2007 19:55 | 2.399 | 0.22 |
| 7/7/2007 20:00 | 2.399 | 0.22 |
| 7/7/2007 20:05 | 2.398 | 0.22 |
| 7/7/2007 20:10 | 2.398 | 0.22 |
| 7/7/2007 20:15 | 2.398 | 0.22 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 20:20 | 2.398 | 0.22 |
| 7/7/2007 20:25 | 2.398 | 0.24 |
| 7/7/2007 20:30 | 2.398 | 0.24 |
| 7/7/2007 20:35 | 2.398 | 0.24 |
| 7/7/2007 20:40 | 2.398 | 0.23 |
| 7/7/2007 20:45 | 2.397 | 0.23 |
| 7/7/2007 20:50 | 2.397 | 0.23 |
| 7/7/2007 20:55 | 2.397 | 0.23 |
| 7/7/2007 21:00 | 2.397 | 0.23 |
| 7/7/2007 21:05 | 2.395 | 0.23 |
| 7/7/2007 21:10 | 2.397 | 0.23 |
| 7/7/2007 21:15 | 2.396 | 0.23 |
| 7/7/2007 21:20 | 2.396 | 0.23 |
| 7/7/2007 21:25 | 2.396 | 0.23 |
| 7/7/2007 21:30 | 2.395 | 0.23 |
| 7/7/2007 21:35 | 2.396 | 0.23 |
| 7/7/2007 21:40 | 2.395 | 0.23 |
| 7/7/2007 21:45 | 2.395 | 0.23 |
| 7/7/2007 21:50 | 2.395 | 0.23 |
| 7/7/2007 21:55 | 2.395 | 0.23 |
| 7/7/2007 22:00 | 2.395 | 0.23 |
| 7/7/2007 22:05 | 2.395 | 0.23 |
| 7/7/2007 22:10 | 2.395 | 0.23 |
| 7/7/2007 22:15 | 2.394 | 0.23 |
| 7/7/2007 22:20 | 2.394 | 0.23 |
| 7/7/2007 22:25 | 2.394 | 0.23 |
| 7/7/2007 22:30 | 2.394 | 0.23 |
| 7/7/2007 22:35 | 2.394 | 0.23 |
| 7/7/2007 22:40 | 2.394 | 0.23 |
| 7/7/2007 22:45 | 2.394 | 0.23 |
| 7/7/2007 22:50 | 2.393 | 0.23 |
| 7/7/2007 22:55 | 2.392 | 0.23 |
| 7/7/2007 23:00 | 2.393 | 0.23 |
| 7/7/2007 23:05 | 2.393 | 0.23 |
| 7/7/2007 23:10 | 2.393 | 0.23 |
| 7/7/2007 23:15 | 2.393 | 0.2 |
| 7/7/2007 23:20 | 2.393 | 0.2 |
| 7/7/2007 23:25 | 2.393 | 0.2 |
| 7/7/2007 23:30 | 2.392 | 0.2 |
| 7/7/2007 23:35 | 2.392 | 0.2 |
| 7/7/2007 23:40 | 2.392 | 0.2 |
| 7/7/2007 23:45 | 2.392 | 0.2 |
| 7/7/2007 23:50 | 2.392 | 0.2 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 23:55 | 2.392 | 0.2 |
| 7/8/2007 0:00 | 2.392 | 0.2 |
| 7/8/2007 0:05 | 2.392 | 0.2 |
| 7/8/2007 0:10 | 2.392 | 0.2 |
| 7/8/2007 0:15 | 2.391 | 0.21 |
| 7/8/2007 0:20 | 2.392 | 0.21 |
| 7/8/2007 0:25 | 2.391 | 0.21 |
| 7/8/2007 0:30 | 2.391 | 0.21 |
| 7/8/2007 0:35 | 2.391 | 0.21 |
| 7/8/2007 0:40 | 2.391 | 0.21 |
| 7/8/2007 0:45 | 2.391 | 0.21 |
| 7/8/2007 0:50 | 2.39 | 0.21 |
| 7/8/2007 0:55 | 2.39 | 0.22 |
| 7/8/2007 1:00 | 2.39 | 0.22 |
| 7/8/2007 1:05 | 2.39 | 0.22 |
| 7/8/2007 1:10 | 2.39 | 0.21 |
| 7/8/2007 1:15 | 2.39 | 0.21 |
| 7/8/2007 1:20 | 2.39 | 0.21 |
| 7/8/2007 1:25 | 2.39 | 0.21 |
| 7/8/2007 1:30 | 2.389 | 0.21 |
| 7/8/2007 1:35 | 2.389 | 0.21 |
| 7/8/2007 1:40 | 2.389 | 0.2 |
| 7/8/2007 1:45 | 2.39 | 0.2 |
| 7/8/2007 1:50 | 2.388 | 0.2 |
| 7/8/2007 1:55 | 2.388 | 0.2 |
| 7/8/2007 2:00 | 2.388 | 0.2 |
| 7/8/2007 2:05 | 2.389 | 0.2 |
| 7/8/2007 2:10 | 2.388 | 0.2 |
| 7/8/2007 2:15 | 2.388 | 0.2 |
| 7/8/2007 2:20 | 2.388 | 0.21 |
| 7/8/2007 2:25 | 2.387 | 0.21 |
| 7/8/2007 2:30 | 2.388 | 0.21 |
| 7/8/2007 2:35 | 2.388 | 0.21 |
| 7/8/2007 2:40 | 2.387 | 0.21 |
| 7/8/2007 2:45 | 2.387 | 0.21 |
| 7/8/2007 2:50 | 2.387 | 0.21 |
| 7/8/2007 2:55 | 2.387 | 0.21 |
| 7/8/2007 3:00 | 2.387 | 0.21 |
| 7/8/2007 3:05 | 2.387 | 0.21 |
| 7/8/2007 3:10 | 2.387 | 0.21 |
| 7/8/2007 3:15 | 2.386 | 0.21 |
| 7/8/2007 3:20 | 2.386 | 0.21 |
| 7/8/2007 3:25 | 2.386 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 3:30 | 2.385 | 0.21 |
| 7/8/2007 3:35 | 2.386 | 0.21 |
| 7/8/2007 3:40 | 2.386 | 0.21 |
| 7/8/2007 3:45 | 2.385 | 0.21 |
| 7/8/2007 3:50 | 2.385 | 0.21 |
| 7/8/2007 3:55 | 2.384 | 0.21 |
| 7/8/2007 4:00 | 2.383 | 0.21 |
| 7/8/2007 4:05 | 2.383 | 0.2 |
| 7/8/2007 4:10 | 2.384 | 0.22 |
| 7/8/2007 4:15 | 2.384 | 0.21 |
| 7/8/2007 4:20 | 2.384 | 0.21 |
| 7/8/2007 4:25 | 2.384 | 0.21 |
| 7/8/2007 4:30 | 2.384 | 0.23 |
| 7/8/2007 4:35 | 2.383 | 0.21 |
| 7/8/2007 4:40 | 2.384 | 0.21 |
| 7/8/2007 4:45 | 2.383 | 0.21 |
| 7/8/2007 4:50 | 2.383 | 0.21 |
| 7/8/2007 4:55 | 2.383 | 0.22 |
| 7/8/2007 5:00 | 2.383 | 0.22 |
| 7/8/2007 5:05 | 2.384 | 0.22 |
| 7/8/2007 5:10 | 2.383 | 0.22 |
| 7/8/2007 5:15 | 2.383 | 0.22 |
| 7/8/2007 5:20 | 2.383 | 0.22 |
| 7/8/2007 5:25 | 2.383 | 0.78 |
| 7/8/2007 5:30 | 2.383 | 0.78 |
| 7/8/2007 5:35 | 2.382 | 0.78 |
| 7/8/2007 5:40 | 2.382 | 0.78 |
| 7/8/2007 5:45 | 2.383 | 0.78 |
| 7/8/2007 5:50 | 2.382 | 0.2 |
| 7/8/2007 5:55 | 2.382 | 0.24 |
| 7/8/2007 6:00 | 2.381 | 0.24 |
| 7/8/2007 6:05 | 2.382 | 0.2 |
| 7/8/2007 6:10 | 2.381 | 0.2 |
| 7/8/2007 6:15 | 2.381 | 0.2 |
| 7/8/2007 6:20 | 2.381 | 0.2 |
| 7/8/2007 6:25 | 2.381 | 0.2 |
| 7/8/2007 6:30 | 2.38 | 0.21 |
| 7/8/2007 6:35 | 2.38 | 0.21 |
| 7/8/2007 6:40 | 2.381 | 0.21 |
| 7/8/2007 6:45 | 2.381 | 0.2 |
| 7/8/2007 6:50 | 2.381 | 0.2 |
| 7/8/2007 6:55 | 2.382 | 0.2 |
| 7/8/2007 7:00 | 2.381 | 0.2 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 7:05 | 2.381 | 0.2 |
| 7/8/2007 7:10 | 2.381 | 0.2 |
| 7/8/2007 7:15 | 2.38 | 0.17 |
| 7/8/2007 7:20 | 2.38 | 0.17 |
| 7/8/2007 7:25 | 2.38 | 0.17 |
| 7/8/2007 7:30 | 2.38 | 0.19 |
| 7/8/2007 7:35 | 2.38 | 0.19 |
| 7/8/2007 7:40 | 2.379 | 0.19 |
| 7/8/2007 7:45 | 2.379 | 0.19 |
| 7/8/2007 7:50 | 2.379 | 0.22 |
| 7/8/2007 7:55 | 2.379 | 0.22 |
| 7/8/2007 8:00 | 2.379 | 0.22 |
| 7/8/2007 8:05 | 2.379 | 0.22 |
| 7/8/2007 8:10 | 2.379 | 0.22 |
| 7/8/2007 8:15 | 2.379 | 0.22 |
| 7/8/2007 8:20 | 2.378 | 0.22 |
| 7/8/2007 8:25 | 2.377 | 0.22 |
| 7/8/2007 8:30 | 2.378 | 0.22 |
| 7/8/2007 8:35 | 2.377 | 0.22 |
| 7/8/2007 8:40 | 2.377 | 0.22 |
| 7/8/2007 8:45 | 2.377 | 0.22 |
| 7/8/2007 8:50 | 2.377 | 0.22 |
| 7/8/2007 8:55 | 2.375 | 0.22 |
| 7/8/2007 9:00 | 2.375 | 0.22 |
| 7/8/2007 9:05 | 2.375 | 0.22 |
| 7/8/2007 9:10 | 2.373 | 0.22 |
| 7/8/2007 9:15 | 2.375 | 0.22 |
| 7/8/2007 9:20 | 2.374 | 0.22 |
| 7/8/2007 9:25 | 2.373 | 0.22 |
| 7/8/2007 9:30 | 2.374 | -0.19 |
| 7/8/2007 9:35 | 2.373 | -0.19 |
| 7/8/2007 9:40 | 2.374 | -0.19 |
| 7/8/2007 9:45 | 2.373 | -0.19 |
| 7/8/2007 9:50 | 2.371 | -0.19 |
| 7/8/2007 9:55 | 2.372 | 11.71 |
| 7/8/2007 10:00 | 2.371 | 11.71 |
| 7/8/2007 10:05 | 2.37 | 11.71 |
| 7/8/2007 10:10 | 2.37 | 0.18 |
| 7/8/2007 10:15 | 2.369 | 12.65 |
| 7/8/2007 10:20 | 2.369 | 11.24 |
| 7/8/2007 10:25 | 2.37 | 11.24 |
| 7/8/2007 10:30 | 2.371 | 11.24 |
| 7/8/2007 10:35 | 2.369 | 0.25 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 10:40 | 2.368 | 0.19 |
| 7/8/2007 10:45 | 2.367 | 0.17 |
| 7/8/2007 10:50 | 2.369 | 0.17 |
| 7/8/2007 10:55 | 2.366 | 0.19 |
| 7/8/2007 11:00 | 2.364 | 0.21 |
| 7/8/2007 11:05 | 2.367 | 0.21 |
| 7/8/2007 11:10 | 2.366 | 0.21 |
| 7/8/2007 11:15 | 2.367 | 0.21 |
| 7/8/2007 11:20 | 2.364 | 0.21 |
| 7/8/2007 11:25 | 2.364 | 0.21 |
| 7/8/2007 11:30 | 2.364 | 0.19 |
| 7/8/2007 11:35 | 2.364 | 0.19 |
| 7/8/2007 11:40 | 2.363 | 1.09 |
| 7/8/2007 11:45 | 2.364 | 1.09 |
| 7/8/2007 11:50 | 2.363 | 1.09 |
| 7/8/2007 11:55 | 2.363 | 1.09 |
| 7/8/2007 12:00 | 2.362 | 1.09 |
| 7/8/2007 12:05 | 2.362 | 0.19 |
| 7/8/2007 12:10 | 2.362 | 0.19 |
| 7/8/2007 12:15 | 2.361 | 0.21 |
| 7/8/2007 12:20 | 2.361 | 0.21 |
| 7/8/2007 12:25 | 2.36 | 0.18 |
| 7/8/2007 12:30 | 2.36 | 0.19 |
| 7/8/2007 12:35 | 2.359 | 0.19 |
| 7/8/2007 12:40 | 2.358 | 0.21 |
| 7/8/2007 12:45 | 2.359 | 0.21 |
| 7/8/2007 12:50 | 2.357 | 0.21 |
| 7/8/2007 12:55 | 2.358 | 0.21 |
| 7/8/2007 13:00 | 2.358 | 0.2 |
| 7/8/2007 13:05 | 2.357 | 0.2 |
| 7/8/2007 13:10 | 2.358 | 0.19 |
| 7/8/2007 13:15 | 2.358 | 0.19 |
| 7/8/2007 13:20 | 2.358 | 0.19 |
| 7/8/2007 13:25 | 2.357 | 0.19 |
| 7/8/2007 13:30 | 2.357 | 0.19 |
| 7/8/2007 13:35 | 2.356 | 0.19 |
| 7/8/2007 13:40 | 2.356 | 0.19 |
| 7/8/2007 13:45 | 2.355 | 0.19 |
| 7/8/2007 13:50 | 2.356 | 0.19 |
| 7/8/2007 13:55 | 2.355 | 0.19 |
| 7/8/2007 14:00 | 2.354 | 0.19 |
| 7/8/2007 14:05 | 2.353 | 0.19 |
| 7/8/2007 14:10 | 2.353 | 0.19 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 14:15 | 2.354 | 0.19 |
| 7/8/2007 14:20 | 2.352 | 0.19 |
| 7/8/2007 14:25 | 2.354 | 0.22 |
| 7/8/2007 14:30 | 2.354 | 0.17 |
| 7/8/2007 14:35 | 2.353 | 0.17 |
| 7/8/2007 14:40 | 2.353 | 0.17 |
| 7/8/2007 14:45 | 2.35 | 0.17 |
| 7/8/2007 14:50 | 2.351 | 0.19 |
| 7/8/2007 14:55 | 2.351 | 0.21 |
| 7/8/2007 15:00 | 2.351 | 0.17 |
| 7/8/2007 15:05 | 2.352 | 0.17 |
| 7/8/2007 15:10 | 2.351 | 0.17 |
| 7/8/2007 15:15 | 2.351 | 0.19 |
| 7/8/2007 15:20 | 2.35 | 0.19 |
| 7/8/2007 15:25 | 2.35 | 0.18 |
| 7/8/2007 15:30 | 2.35 | 0.18 |
| 7/8/2007 15:35 | 2.35 | 0.2 |
| 7/8/2007 15:40 | 2.35 | 0.2 |
| 7/8/2007 15:45 | 2.35 | 0.23 |
| 7/8/2007 15:50 | 2.35 | 0.2 |
| 7/8/2007 15:55 | 2.349 | 0.2 |
| 7/8/2007 16:00 | 2.349 | 0.2 |
| 7/8/2007 16:05 | 2.348 | 0.17 |
| 7/8/2007 16:10 | 2.348 | 0.17 |
| 7/8/2007 16:15 | 2.348 | 0.2 |
| 7/8/2007 16:20 | 2.348 | 0.17 |
| 7/8/2007 16:25 | 2.348 | 0.17 |
| 7/8/2007 16:30 | 2.348 | 0.2 |
| 7/8/2007 16:35 | 2.348 | 0.19 |
| 7/8/2007 16:40 | 2.348 | 0.16 |
| 7/8/2007 16:45 | 2.348 | 0.16 |
| 7/8/2007 16:50 | 2.347 | 0.27 |
| 7/8/2007 16:55 | 2.347 | 0.19 |
| 7/8/2007 17:00 | 2.347 | 0.19 |
| 7/8/2007 17:05 | 2.347 | 0.19 |
| 7/8/2007 17:10 | 2.346 | 0.19 |
| 7/8/2007 17:15 | 2.346 | 0.19 |
| 7/8/2007 17:20 | 2.346 | 0.19 |
| 7/8/2007 17:25 | 2.346 | 0.18 |
| 7/8/2007 17:30 | 2.346 | 0.18 |
| 7/8/2007 17:35 | 2.346 | 0.17 |
| 7/8/2007 17:40 | 2.346 | 0.17 |
| 7/8/2007 17:45 | 2.345 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 17:50 | 2.345 | 0.17 |
| 7/8/2007 17:55 | 2.345 | 0.17 |
| 7/8/2007 18:00 | 2.344 | 0.17 |
| 7/8/2007 18:05 | 2.345 | 0.19 |
| 7/8/2007 18:10 | 2.344 | 0.19 |
| 7/8/2007 18:15 | 2.344 | 0.19 |
| 7/8/2007 18:20 | 2.344 | 0.19 |
| 7/8/2007 18:25 | 2.344 | 0.19 |
| 7/8/2007 18:30 | 2.344 | 0.19 |
| 7/8/2007 18:35 | 2.343 | 0.19 |
| 7/8/2007 18:40 | 2.343 | 0.19 |
| 7/8/2007 18:45 | 2.343 | 0.19 |
| 7/8/2007 18:50 | 2.343 | 0.19 |
| 7/8/2007 18:55 | 2.343 | 0.19 |
| 7/8/2007 19:00 | 2.343 | 0.19 |
| 7/8/2007 19:05 | 2.343 | 0.18 |
| 7/8/2007 19:10 | 2.343 | 0.18 |
| 7/8/2007 19:15 | 2.342 | 0.18 |
| 7/8/2007 19:20 | 2.342 | 0.18 |
| 7/8/2007 19:25 | 2.342 | 0.18 |
| 7/8/2007 19:30 | 2.342 | 0.18 |
| 7/8/2007 19:35 | 2.342 | 0.18 |
| 7/8/2007 19:40 | 2.341 | 0.23 |
| 7/8/2007 19:45 | 2.341 | 0.23 |
| 7/8/2007 19:50 | 2.341 | 0.23 |
| 7/8/2007 19:55 | 2.341 | 0.23 |
| 7/8/2007 20:00 | 2.341 | 0.18 |
| 7/8/2007 20:05 | 2.34 | 0.2 |
| 7/8/2007 20:10 | 2.34 | 0.17 |
| 7/8/2007 20:15 | 2.34 | 0.17 |
| 7/8/2007 20:20 | 2.34 | 0.17 |
| 7/8/2007 20:25 | 2.34 | 0.18 |
| 7/8/2007 20:30 | 2.34 | 0.17 |
| 7/8/2007 20:35 | 2.339 | 0.17 |
| 7/8/2007 20:40 | 2.339 | 0.17 |
| 7/8/2007 20:45 | 2.339 | 0.17 |
| 7/8/2007 20:50 | 2.339 | 0.17 |
| 7/8/2007 20:55 | 2.339 | 0.18 |
| 7/8/2007 21:00 | 2.339 | 0.18 |
| 7/8/2007 21:05 | 2.339 | 0.18 |
| 7/8/2007 21:10 | 2.338 | 0.18 |
| 7/8/2007 21:15 | 2.337 | 0.18 |
| 7/8/2007 21:20 | 2.338 | 0.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 21:25 | 2.337 | 0.18 |
| 7/8/2007 21:30 | 2.337 | 0.18 |
| 7/8/2007 21:35 | 2.337 | 0.18 |
| 7/8/2007 21:40 | 2.337 | 0.18 |
| 7/8/2007 21:45 | 2.337 | 0.18 |
| 7/8/2007 21:50 | 2.336 | 0.18 |
| 7/8/2007 21:55 | 2.336 | 0.18 |
| 7/8/2007 22:00 | 2.336 | 0.18 |
| 7/8/2007 22:05 | 2.335 | 0.18 |
| 7/8/2007 22:10 | 2.335 | 0.18 |
| 7/8/2007 22:15 | 2.335 | 0.18 |
| 7/8/2007 22:20 | 2.335 | 0.18 |
| 7/8/2007 22:25 | 2.334 | 0.18 |
| 7/8/2007 22:30 | 2.335 | 0.18 |
| 7/8/2007 22:35 | 2.335 | 0.18 |
| 7/8/2007 22:40 | 2.335 | 0.18 |
| 7/8/2007 22:45 | 2.336 | 0.18 |
| 7/8/2007 22:50 | 2.336 | 0.18 |
| 7/8/2007 22:55 | 2.338 | 0.18 |
| 7/8/2007 23:00 | 2.339 | 0.18 |
| 7/8/2007 23:05 | 2.34 | 0.18 |
| 7/8/2007 23:10 | 2.34 | 0.18 |
| 7/8/2007 23:15 | 2.34 | 0.18 |
| 7/8/2007 23:20 | 2.34 | 0.18 |
| 7/8/2007 23:25 | 2.339 | 0.18 |
| 7/8/2007 23:30 | 2.338 | 0.18 |
| 7/8/2007 23:35 | 2.338 | 0.18 |
| 7/8/2007 23:40 | 2.338 | 0.18 |
| 7/8/2007 23:45 | 2.337 | 0.18 |
| 7/8/2007 23:50 | 2.337 | 0.18 |
| 7/8/2007 23:55 | 2.336 | 0.18 |
| 7/9/2007 0:00 | 2.336 | 0.18 |
| 7/9/2007 0:05 | 2.336 | 0.18 |
| 7/9/2007 0:10 | 2.336 | 0.18 |
| 7/9/2007 0:15 | 2.336 | 0.18 |
| 7/9/2007 0:20 | 2.336 | 0.18 |
| 7/9/2007 0:25 | 2.336 | 0.18 |
| 7/9/2007 0:30 | 2.336 | 0.18 |
| 7/9/2007 0:35 | 2.336 | 0.18 |
| 7/9/2007 0:40 | 2.336 | 0.17 |
| 7/9/2007 0:45 | 2.336 | 0.17 |
| 7/9/2007 0:50 | 2.336 | 0.17 |
| 7/9/2007 0:55 | 2.336 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 1:00 | 2.335 | 0.19 |
| 7/9/2007 1:05 | 2.335 | 0.18 |
| 7/9/2007 1:10 | 2.335 | 0.18 |
| 7/9/2007 1:15 | 2.335 | 0.15 |
| 7/9/2007 1:20 | 2.334 | 0.17 |
| 7/9/2007 1:25 | 2.334 | 0.17 |
| 7/9/2007 1:30 | 2.334 | 0.17 |
| 7/9/2007 1:35 | 2.334 | 0.17 |
| 7/9/2007 1:40 | 2.334 | 0.17 |
| 7/9/2007 1:45 | 2.334 | 0.17 |
| 7/9/2007 1:50 | 2.334 | 0.17 |
| 7/9/2007 1:55 | 2.334 | 0.17 |
| 7/9/2007 2:00 | 2.334 | 0.17 |
| 7/9/2007 2:05 | 2.333 | 0.16 |
| 7/9/2007 2:10 | 2.334 | 0.16 |
| 7/9/2007 2:15 | 2.333 | 0.16 |
| 7/9/2007 2:20 | 2.332 | 0.16 |
| 7/9/2007 2:25 | 2.332 | 0.18 |
| 7/9/2007 2:30 | 2.332 | 0.2 |
| 7/9/2007 2:35 | 2.332 | 0.17 |
| 7/9/2007 2:40 | 2.332 | 0.19 |
| 7/9/2007 2:45 | 2.332 | 0.19 |
| 7/9/2007 2:50 | 2.333 | 0.19 |
| 7/9/2007 2:55 | 2.334 | 0.19 |
| 7/9/2007 3:00 | 2.335 | 0.19 |
| 7/9/2007 3:05 | 2.336 | 0.19 |
| 7/9/2007 3:10 | 2.336 | 0.19 |
| 7/9/2007 3:15 | 2.336 | 0.19 |
| 7/9/2007 3:20 | 2.336 | 0.19 |
| 7/9/2007 3:25 | 2.335 | 0.17 |
| 7/9/2007 3:30 | 2.334 | 0.17 |
| 7/9/2007 3:35 | 2.334 | 0.17 |
| 7/9/2007 3:40 | 2.334 | 0.18 |
| 7/9/2007 3:45 | 2.334 | 0.17 |
| 7/9/2007 3:50 | 2.334 | 0.17 |
| 7/9/2007 3:55 | 2.334 | 0.17 |
| 7/9/2007 4:00 | 2.334 | 0.18 |
| 7/9/2007 4:05 | 2.335 | 0.2 |
| 7/9/2007 4:10 | 2.336 | 0.17 |
| 7/9/2007 4:15 | 2.336 | 0.17 |
| 7/9/2007 4:20 | 2.335 | 0.17 |
| 7/9/2007 4:25 | 2.334 | 0.17 |
| 7/9/2007 4:30 | 2.334 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 4:35 | 2.334 | 0.17 |
| 7/9/2007 4:40 | 2.333 | 0.17 |
| 7/9/2007 4:45 | 2.333 | 0.17 |
| 7/9/2007 4:50 | 2.333 | 0.17 |
| 7/9/2007 4:55 | 2.333 | 0.17 |
| 7/9/2007 5:00 | 2.333 | 0.17 |
| 7/9/2007 5:05 | 2.333 | 0.17 |
| 7/9/2007 5:10 | 2.333 | 0.17 |
| 7/9/2007 5:15 | 2.332 | 0.17 |
| 7/9/2007 5:20 | 2.332 | 0.17 |
| 7/9/2007 5:25 | 2.332 | 0.17 |
| 7/9/2007 5:30 | 2.332 | 0.17 |
| 7/9/2007 5:35 | 2.331 | 0.17 |
| 7/9/2007 5:40 | 2.331 | 0.17 |
| 7/9/2007 5:45 | 2.332 | 0.17 |
| 7/9/2007 5:50 | 2.508 | 0.17 |
| 7/9/2007 5:55 | 3.049 | 0.81 |
| 7/9/2007 6:00 | 3.217 | 1 |
| 7/9/2007 6:05 | 3.15 | 1.02 |
| 7/9/2007 6:10 | 3.018 | 0.84 |
| 7/9/2007 6:15 | 2.887 | 0.66 |
| 7/9/2007 6:20 | 2.752 | 0.53 |
| 7/9/2007 6:25 | 2.653 | 0.41 |
| 7/9/2007 6:30 | 2.585 | 0.32 |
| 7/9/2007 6:35 | 2.538 | 0.34 |
| 7/9/2007 6:40 | 2.509 | 0.32 |
| 7/9/2007 6:45 | 2.492 | 0.32 |
| 7/9/2007 6:50 | 2.483 | 0.27 |
| 7/9/2007 6:55 | 2.478 | 0.27 |
| 7/9/2007 7:00 | 2.476 | 0.27 |
| 7/9/2007 7:05 | 2.476 | 0.27 |
| 7/9/2007 7:10 | 2.477 | 0.27 |
| 7/9/2007 7:15 | 2.48 | 0.27 |
| 7/9/2007 7:20 | 2.482 | 0.27 |
| 7/9/2007 7:25 | 2.486 | 0.27 |
| 7/9/2007 7:30 | 2.491 | 0.27 |
| 7/9/2007 7:35 | 2.495 | 0.27 |
| 7/9/2007 7:40 | 2.498 | 0.27 |
| 7/9/2007 7:45 | 2.501 | 0.27 |
| 7/9/2007 7:50 | 2.505 | 0.27 |
| 7/9/2007 7:55 | 2.506 | 0.27 |
| 7/9/2007 8:00 | 2.508 | 0.27 |
| 7/9/2007 8:05 | 2.51 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 8:10 | 2.511 | -0.32 |
| 7/9/2007 8:15 | 2.513 | -0.32 |
| 7/9/2007 8:20 | 2.514 | -0.32 |
| 7/9/2007 8:25 | 2.515 | 0.32 |
| 7/9/2007 8:30 | 2.515 | 0.35 |
| 7/9/2007 8:35 | 2.516 | 0.35 |
| 7/9/2007 8:40 | 2.516 | 0.35 |
| 7/9/2007 8:45 | 2.518 | 0.35 |
| 7/9/2007 8:50 | 2.517 | 0.35 |
| 7/9/2007 8:55 | 2.518 | 0.35 |
| 7/9/2007 9:00 | 2.518 | 0.35 |
| 7/9/2007 9:05 | 2.517 | 0.35 |
| 7/9/2007 9:10 | 2.517 | 0.35 |
| 7/9/2007 9:15 | 2.517 | 0.35 |
| 7/9/2007 9:20 | 2.515 | 0.35 |
| 7/9/2007 9:25 | 2.516 | 0.33 |
| 7/9/2007 9:30 | 2.515 | 0.31 |
| 7/9/2007 9:35 | 2.515 | 0.31 |
| 7/9/2007 9:40 | 2.515 | 0.36 |
| 7/9/2007 9:45 | 2.513 | 0.33 |
| 7/9/2007 9:50 | 2.512 | 0.33 |
| 7/9/2007 9:55 | 2.511 | 0.33 |
| 7/9/2007 10:00 | 2.51 | 0.33 |
| 7/9/2007 10:05 | 2.507 | 0.33 |
| 7/9/2007 10:10 | 2.506 | 0.3 |
| 7/9/2007 10:15 | 2.506 | 0.34 |
| 7/9/2007 10:20 | 2.504 | 0.31 |
| 7/9/2007 10:25 | 2.504 | 0.34 |
| 7/9/2007 10:30 | 2.503 | 0.3 |
| 7/9/2007 10:35 | 2.5 | 0.32 |
| 7/9/2007 10:40 | 2.5 | 0.29 |
| 7/9/2007 10:45 | 2.498 | 0.31 |
| 7/9/2007 10:50 | 2.496 | 0.31 |
| 7/9/2007 10:55 | 2.494 | 0.28 |
| 7/9/2007 11:00 | 2.492 | 0.28 |
| 7/9/2007 11:05 | 2.491 | 0.31 |
| 7/9/2007 11:10 | 2.489 | 0.31 |
| 7/9/2007 11:15 | 2.488 | 0.31 |
| 7/9/2007 11:20 | 2.487 | 0.31 |
| 7/9/2007 11:25 | 2.484 | 0.28 |
| 7/9/2007 11:30 | 2.483 | 0.28 |
| 7/9/2007 11:35 | 2.48 | 0.31 |
| 7/9/2007 11:40 | 2.479 | 0.26 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 11:45 | 2.478 | 0.27 |
| 7/9/2007 11:50 | 2.476 | 0.29 |
| 7/9/2007 11:55 | 2.474 | 0.3 |
| 7/9/2007 12:00 | 2.472 | 0.28 |
| 7/9/2007 12:05 | 2.471 | 0.22 |
| 7/9/2007 12:10 | 2.471 | 0.27 |
| 7/9/2007 12:15 | 2.467 | 0.26 |
| 7/9/2007 12:20 | 2.467 | 0.28 |
| 7/9/2007 12:25 | 2.465 | 0.28 |
| 7/9/2007 12:30 | 2.463 | 0.27 |
| 7/9/2007 12:35 | 2.462 | 0.27 |
| 7/9/2007 12:40 | 2.46 | 0.22 |
| 7/9/2007 12:45 | 2.459 | 0.22 |
| 7/9/2007 12:50 | 2.458 | 0.27 |
| 7/9/2007 12:55 | 2.455 | 0.27 |
| 7/9/2007 13:00 | 2.455 | 0.26 |
| 7/9/2007 13:05 | 2.453 | 0.26 |
| 7/9/2007 13:10 | 2.452 | 0.24 |
| 7/9/2007 13:15 | 2.449 | 0.25 |
| 7/9/2007 13:20 | 2.45 | 0.26 |
| 7/9/2007 13:25 | 2.446 | 0.23 |
| 7/9/2007 13:30 | 2.446 | 0.22 |
| 7/9/2007 13:35 | 2.445 | 0.24 |
| 7/9/2007 13:40 | 2.443 | 0.24 |
| 7/9/2007 13:45 | 2.442 | 0.24 |
| 7/9/2007 13:50 | 2.44 | 0.24 |
| 7/9/2007 13:55 | 2.438 | 8.17 |
| 7/9/2007 14:00 | 2.438 | 8.17 |
| 7/9/2007 14:05 | 2.437 | 8.17 |
| 7/9/2007 14:10 | 2.436 | 8.17 |
| 7/9/2007 14:15 | 2.433 | 8.17 |
| 7/9/2007 14:20 | 2.433 | 8.17 |
| 7/9/2007 14:25 | 2.433 | 8.17 |
| 7/9/2007 14:30 | 2.431 | 8.17 |
| 7/9/2007 14:35 | 2.431 | 8.17 |
| 7/9/2007 14:40 | 2.43 | 8.17 |
| 7/9/2007 14:45 | 2.429 | 8.17 |
| 7/9/2007 14:50 | 2.428 | 8.17 |
| 7/9/2007 14:55 | 2.428 | 8.17 |
| 7/9/2007 15:00 | 2.426 | 8.17 |
| 7/9/2007 15:05 | 2.425 | 9.16 |
| 7/9/2007 15:10 | 2.426 | 9.16 |
| 7/9/2007 15:15 | 2.422 | 9.16 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 15:20 | 2.423 | 9.16 |
| 7/9/2007 15:25 | 2.421 | 9.16 |
| 7/9/2007 15:30 | 2.422 | 9.16 |
| 7/9/2007 15:35 | 2.42 | 0.23 |
| 7/9/2007 15:40 | 2.42 | 0.22 |
| 7/9/2007 15:45 | 2.419 | 0.22 |
| 7/9/2007 15:50 | 2.419 | 0.22 |
| 7/9/2007 15:55 | 2.419 | 0.22 |
| 7/9/2007 16:00 | 2.417 | 0.22 |
| 7/9/2007 16:05 | 2.417 | 0.24 |
| 7/9/2007 16:10 | 2.416 | 0.24 |
| 7/9/2007 16:15 | 2.415 | 0.24 |
| 7/9/2007 16:20 | 2.415 | 0.24 |
| 7/9/2007 16:25 | 2.414 | 0.24 |
| 7/9/2007 16:30 | 2.414 | 0.24 |
| 7/9/2007 16:35 | 2.414 | 0.24 |
| 7/9/2007 16:40 | 2.413 | 0.24 |
| 7/9/2007 16:45 | 2.413 | 0.22 |
| 7/9/2007 16:50 | 2.412 | 0.23 |
| 7/9/2007 16:55 | 2.411 | 0.2 |
| 7/9/2007 17:00 | 2.411 | 0.22 |
| 7/9/2007 17:05 | 2.411 | 0.22 |
| 7/9/2007 17:10 | 2.41 | 0.25 |
| 7/9/2007 17:15 | 2.41 | 0.23 |
| 7/9/2007 17:20 | 2.41 | 0.22 |
| 7/9/2007 17:25 | 2.409 | 0.22 |
| 7/9/2007 17:30 | 2.409 | 0.22 |
| 7/9/2007 17:35 | 2.41 | 0.23 |
| 7/9/2007 17:40 | 2.407 | 0.23 |
| 7/9/2007 17:45 | 2.404 | 0.27 |
| 7/9/2007 17:50 | 2.411 | 0.27 |
| 7/9/2007 17:55 | 2.789 | 0.64 |
| 7/9/2007 18:00 | 2.832 | 0.77 |
| 7/9/2007 18:05 | 2.758 | 0.56 |
| 7/9/2007 18:10 | 2.656 | 0.46 |
| 7/9/2007 18:15 | 2.591 | 0.4 |
| 7/9/2007 18:20 | 2.549 | 0.36 |
| 7/9/2007 18:25 | 2.516 | 0.32 |
| 7/9/2007 18:30 | 2.497 | 0.29 |
| 7/9/2007 18:35 | 2.487 | 0.26 |
| 7/9/2007 18:40 | 2.48 | 0.28 |
| 7/9/2007 18:45 | 2.476 | 0.28 |
| 7/9/2007 18:50 | 2.472 | 0.27 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 18:55 | 2.471 | 0.27 |
| 7/9/2007 19:00 | 2.47 | 0.27 |
| 7/9/2007 19:05 | 2.471 | 0.27 |
| 7/9/2007 19:10 | 2.472 | 0.27 |
| 7/9/2007 19:15 | 2.474 | 0.25 |
| 7/9/2007 19:20 | 2.476 | 0.25 |
| 7/9/2007 19:25 | 2.478 | 0.31 |
| 7/9/2007 19:30 | 2.48 | 0.31 |
| 7/9/2007 19:35 | 2.482 | 0.31 |
| 7/9/2007 19:40 | 2.485 | 0.29 |
| 7/9/2007 19:45 | 2.486 | 0.29 |
| 7/9/2007 19:50 | 2.488 | 0.29 |
| 7/9/2007 19:55 | 2.49 | 0.28 |
| 7/9/2007 20:00 | 2.491 | 0.28 |
| 7/9/2007 20:05 | 2.492 | 0.3 |
| 7/9/2007 20:10 | 2.494 | 0.28 |
| 7/9/2007 20:15 | 2.495 | 0.3 |
| 7/9/2007 20:20 | 2.495 | 0.3 |
| 7/9/2007 20:25 | 2.497 | 0.27 |
| 7/9/2007 20:30 | 2.497 | 0.3 |
| 7/9/2007 20:35 | 2.496 | 0.31 |
| 7/9/2007 20:40 | 2.497 | 0.3 |
| 7/9/2007 20:45 | 2.498 | 0.35 |
| 7/9/2007 20:50 | 2.498 | 0.3 |
| 7/9/2007 20:55 | 2.498 | 0.33 |
| 7/9/2007 21:00 | 2.497 | 0.29 |
| 7/9/2007 21:05 | 2.497 | 0.3 |
| 7/9/2007 21:10 | 2.496 | 0.29 |
| 7/9/2007 21:15 | 2.496 | 0.35 |
| 7/9/2007 21:20 | 2.496 | 0.35 |
| 7/9/2007 21:25 | 2.496 | 0.3 |
| 7/9/2007 21:30 | 2.494 | 0.3 |
| 7/9/2007 21:35 | 2.494 | 0.27 |
| 7/9/2007 21:40 | 2.494 | 0.28 |
| 7/9/2007 21:45 | 2.493 | 0.28 |
| 7/9/2007 21:50 | 2.492 | 0.28 |
| 7/9/2007 21:55 | 2.492 | 0.28 |
| 7/9/2007 22:00 | 2.491 | 0.28 |
| 7/9/2007 22:05 | 2.49 | 0.28 |
| 7/9/2007 22:10 | 2.49 | 0.28 |
| 7/9/2007 22:15 | 2.49 | 0.28 |
| 7/9/2007 22:20 | 2.489 | 0.28 |
| 7/9/2007 22:25 | 2.488 | 0.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 22:30 | 2.487 | 0.28 |
| 7/9/2007 22:35 | 2.487 | 0.28 |
| 7/9/2007 22:40 | 2.486 | 0.28 |
| 7/9/2007 22:45 | 2.485 | 0.28 |
| 7/9/2007 22:50 | 2.484 | 0.28 |
| 7/9/2007 22:55 | 2.483 | 0.29 |
| 7/9/2007 23:00 | 2.482 | 0.29 |
| 7/9/2007 23:05 | 2.482 | 0.29 |
| 7/9/2007 23:10 | 2.481 | 0.29 |
| 7/9/2007 23:15 | 2.48 | 0.29 |
| 7/9/2007 23:20 | 2.479 | 0.31 |
| 7/9/2007 23:25 | 2.478 | 0.31 |
| 7/9/2007 23:30 | 2.478 | 0.26 |
| 7/9/2007 23:35 | 2.477 | 0.26 |
| 7/9/2007 23:40 | 2.476 | 0.27 |
| 7/9/2007 23:45 | 2.475 | 0.27 |
| 7/9/2007 23:50 | 2.475 | 0.29 |
| 7/9/2007 23:55 | 2.474 | 0.29 |
| 7/10/2007 0:00 | 2.473 | 0.29 |
| 7/10/2007 0:05 | 2.472 | 0.29 |
| 7/10/2007 0:10 | 2.471 | 0.29 |
| 7/10/2007 0:15 | 2.47 | 0.29 |
| 7/10/2007 0:20 | 2.47 | 0.29 |
| 7/10/2007 0:25 | 2.469 | 0.29 |
| 7/10/2007 0:30 | 2.469 | 0.31 |
| 7/10/2007 0:35 | 2.468 | 0.31 |
| 7/10/2007 0:40 | 2.467 | 0.31 |
| 7/10/2007 0:45 | 2.467 | 0.31 |
| 7/10/2007 0:50 | 2.466 | 0.31 |
| 7/10/2007 0:55 | 2.466 | 0.31 |
| 7/10/2007 1:00 | 2.465 | 0.31 |
| 7/10/2007 1:05 | 2.463 | 0.31 |
| 7/10/2007 1:10 | 2.464 | 0.31 |
| 7/10/2007 1:15 | 2.463 | 0.31 |
| 7/10/2007 1:20 | 2.462 | 0.31 |
| 7/10/2007 1:25 | 2.461 | 0.31 |
| 7/10/2007 1:30 | 2.462 | 0.38 |
| 7/10/2007 1:35 | 2.461 | 0.38 |
| 7/10/2007 1:40 | 2.46 | 0.38 |
| 7/10/2007 1:45 | 2.459 | 0.38 |
| 7/10/2007 1:50 | 2.458 | 0.38 |
| 7/10/2007 1:55 | 2.458 | 0.38 |
| 7/10/2007 2:00 | 2.458 | 0.38 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 2:05 | 2.457 | 0.24 |
| 7/10/2007 2:10 | 2.456 | 0.24 |
| 7/10/2007 2:15 | 2.456 | 0.27 |
| 7/10/2007 2:20 | 2.455 | 0.27 |
| 7/10/2007 2:25 | 2.455 | 0.27 |
| 7/10/2007 2:30 | 2.454 | 0.27 |
| 7/10/2007 2:35 | 2.454 | 0.27 |
| 7/10/2007 2:40 | 2.453 | 0.27 |
| 7/10/2007 2:45 | 2.453 | 0.27 |
| 7/10/2007 2:50 | 2.453 | 0.27 |
| 7/10/2007 2:55 | 2.452 | 0.27 |
| 7/10/2007 3:00 | 2.452 | 0.27 |
| 7/10/2007 3:05 | 2.451 | 0.31 |
| 7/10/2007 3:10 | 2.451 | 0.31 |
| 7/10/2007 3:15 | 2.451 | 0.31 |
| 7/10/2007 3:20 | 2.45 | 0.31 |
| 7/10/2007 3:25 | 2.45 | 0.31 |
| 7/10/2007 3:30 | 2.45 | 0.31 |
| 7/10/2007 3:35 | 2.449 | 0.31 |
| 7/10/2007 3:40 | 2.448 | 0.31 |
| 7/10/2007 3:45 | 2.448 | 0.31 |
| 7/10/2007 3:50 | 2.447 | 0.31 |
| 7/10/2007 3:55 | 2.447 | 0.31 |
| 7/10/2007 4:00 | 2.446 | 0.27 |
| 7/10/2007 4:05 | 2.446 | 0.27 |
| 7/10/2007 4:10 | 2.445 | 0.26 |
| 7/10/2007 4:15 | 2.444 | 0.27 |
| 7/10/2007 4:20 | 2.445 | 0.27 |
| 7/10/2007 4:25 | 2.444 | 0.27 |
| 7/10/2007 4:30 | 2.444 | 0.24 |
| 7/10/2007 4:35 | 2.444 | 0.24 |
| 7/10/2007 4:40 | 2.443 | 0.26 |
| 7/10/2007 4:45 | 2.443 | 0.26 |
| 7/10/2007 4:50 | 2.443 | 0.25 |
| 7/10/2007 4:55 | 2.443 | 0.25 |
| 7/10/2007 5:00 | 2.443 | 0.26 |
| 7/10/2007 5:05 | 2.442 | 0.26 |
| 7/10/2007 5:10 | 2.442 | 0.26 |
| 7/10/2007 5:15 | 2.441 | 0.28 |
| 7/10/2007 5:20 | 2.441 | 0.24 |
| 7/10/2007 5:25 | 2.441 | 0.24 |
| 7/10/2007 5:30 | 2.44 | 0.28 |
| 7/10/2007 5:35 | 2.44 | 0.25 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 5:40 | 2.44 | 0.28 |
| 7/10/2007 5:45 | 2.44 | 0.28 |
| 7/10/2007 5:50 | 2.439 | 0.28 |
| 7/10/2007 5:55 | 2.439 | 0.28 |
| 7/10/2007 6:00 | 2.439 | 0.28 |
| 7/10/2007 6:05 | 2.439 | 0.28 |
| 7/10/2007 6:10 | 2.437 | 0.28 |
| 7/10/2007 6:15 | 2.438 | 0.28 |
| 7/10/2007 6:20 | 2.438 | 0.28 |
| 7/10/2007 6:25 | 2.437 | 10.03 |
| 7/10/2007 6:30 | 2.437 | 10.03 |
| 7/10/2007 6:35 | 2.436 | 10.03 |
| 7/10/2007 6:40 | 2.436 | 7.5 |
| 7/10/2007 6:45 | 2.436 | 8.47 |
| 7/10/2007 6:50 | 2.436 | 9.5 |
| 7/10/2007 6:55 | 2.436 | 9.5 |
| 7/10/2007 7:00 | 2.435 | 0.4 |
| 7/10/2007 7:05 | 2.435 | 0.4 |
| 7/10/2007 7:10 | 2.435 | 0.4 |
| 7/10/2007 7:15 | 2.435 | 0.4 |
| 7/10/2007 7:20 | 2.434 | 0.4 |
| 7/10/2007 7:25 | 2.434 | 0.27 |
| 7/10/2007 7:30 | 2.434 | 0.26 |
| 7/10/2007 7:35 | 2.433 | 0.26 |
| 7/10/2007 7:40 | 2.433 | 0.26 |
| 7/10/2007 7:45 | 2.433 | 0.25 |
| 7/10/2007 7:50 | 2.433 | 0.25 |
| 7/10/2007 7:55 | 2.433 | 0.23 |
| 7/10/2007 8:00 | 2.432 | 0.23 |
| 7/10/2007 8:05 | 2.432 | 0.23 |
| 7/10/2007 8:10 | 2.431 | 0.23 |
| 7/10/2007 8:15 | 2.431 | 0.23 |
| 7/10/2007 8:20 | 2.431 | 0.24 |
| 7/10/2007 8:25 | 2.43 | 0.24 |
| 7/10/2007 8:30 | 2.43 | 0.24 |
| 7/10/2007 8:35 | 2.43 | 0.25 |
| 7/10/2007 8:40 | 2.429 | 0.2 |
| 7/10/2007 8:45 | 2.429 | 0.24 |
| 7/10/2007 8:50 | 2.428 | 0.24 |
| 7/10/2007 8:55 | 2.428 | 0.25 |
| 7/10/2007 9:00 | 2.427 | 0.23 |
| 7/10/2007 9:05 | 2.427 | 0.24 |
| 7/10/2007 9:10 | 2.427 | 0.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 9:15 | 2.427 | 0.24 |
| 7/10/2007 9:20 | 2.427 | 0.24 |
| 7/10/2007 9:25 | 2.426 | 0.82 |
| 7/10/2007 9:30 | 2.425 | 0.24 |
| 7/10/2007 9:35 | 2.425 | 0.24 |
| 7/10/2007 9:40 | 2.425 | 0.24 |
| 7/10/2007 9:45 | 2.424 | 0.27 |
| 7/10/2007 9:50 | 2.425 | 0.23 |
| 7/10/2007 9:55 | 2.423 | 0.23 |
| 7/10/2007 10:00 | 2.422 | 0.24 |
| 7/10/2007 10:05 | 2.423 | 0.25 |
| 7/10/2007 10:10 | 2.422 | 0.24 |
| 7/10/2007 10:15 | 2.421 | 0.24 |
| 7/10/2007 10:20 | 2.421 | 0.24 |
| 7/10/2007 10:25 | 2.421 | 0.22 |
| 7/10/2007 10:30 | 2.42 | 0.22 |
| 7/10/2007 10:35 | 2.42 | 0.24 |
| 7/10/2007 10:40 | 2.419 | 0.25 |
| 7/10/2007 10:45 | 2.419 | 0.25 |
| 7/10/2007 10:50 | 2.418 | 0.25 |
| 7/10/2007 10:55 | 2.417 | 0.25 |
| 7/10/2007 11:00 | 2.418 | 0.25 |
| 7/10/2007 11:05 | 2.417 | 0.24 |
| 7/10/2007 11:10 | 2.416 | 0.24 |
| 7/10/2007 11:15 | 2.416 | 0.24 |
| 7/10/2007 11:20 | 2.415 | 0.24 |
| 7/10/2007 11:25 | 2.415 | 0.24 |
| 7/10/2007 11:30 | 2.414 | 0.25 |
| 7/10/2007 11:35 | 2.413 | 0.25 |
| 7/10/2007 11:40 | 2.413 | 0.22 |
| 7/10/2007 11:45 | 2.412 | 0.22 |
| 7/10/2007 11:50 | 2.411 | 0.22 |
| 7/10/2007 11:55 | 2.411 | 0.22 |
| 7/10/2007 12:00 | 2.41 | 0.22 |
| 7/10/2007 12:05 | 2.41 | 0.22 |
| 7/10/2007 12:10 | 2.409 | 0.22 |
| 7/10/2007 12:15 | 2.408 | 0.22 |
| 7/10/2007 12:20 | 2.408 | 0.22 |
| 7/10/2007 12:25 | 2.407 | 0.22 |
| 7/10/2007 12:30 | 2.406 | 0.21 |
| 7/10/2007 12:35 | 2.405 | 0.21 |
| 7/10/2007 12:40 | 2.405 | 0.21 |
| 7/10/2007 12:45 | 2.404 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 12:50 | 2.403 | 0.21 |
| 7/10/2007 12:55 | 2.402 | 0.21 |
| 7/10/2007 13:00 | 2.402 | 0.21 |
| 7/10/2007 13:05 | 2.401 | 0.21 |
| 7/10/2007 13:10 | 2.402 | 0.21 |
| 7/10/2007 13:15 | 2.401 | 0.21 |
| 7/10/2007 13:20 | 2.401 | 0.21 |
| 7/10/2007 13:25 | 2.4 | 0.21 |
| 7/10/2007 13:30 | 2.399 | 0.21 |
| 7/10/2007 13:35 | 2.399 | 0.21 |
| 7/10/2007 13:40 | 2.399 | 0.21 |
| 7/10/2007 13:45 | 2.398 | 0.21 |
| 7/10/2007 13:50 | 2.397 | 0.21 |
| 7/10/2007 13:55 | 2.396 | 0.21 |
| 7/10/2007 14:00 | 2.395 | 0.21 |
| 7/10/2007 14:05 | 2.396 | 0.21 |
| 7/10/2007 14:10 | 2.396 | 0.21 |
| 7/10/2007 14:15 | 2.394 | 0.21 |
| 7/10/2007 14:20 | 2.395 | 0.21 |
| 7/10/2007 14:25 | 2.395 | 0.21 |
| 7/10/2007 14:30 | 2.394 | 0.21 |
| 7/10/2007 14:35 | 2.394 | 0.28 |
| 7/10/2007 14:40 | 2.393 | 0.28 |
| 7/10/2007 14:45 | 2.392 | 0.28 |
| 7/10/2007 14:50 | 2.392 | 0.28 |
| 7/10/2007 14:55 | 2.392 | 0.23 |
| 7/10/2007 15:00 | 2.392 | 12.53 |
| 7/10/2007 15:05 | 2.392 | 12.46 |
| 7/10/2007 15:10 | 2.393 | 12.8 |
| 7/10/2007 15:15 | 2.391 | 12.8 |
| 7/10/2007 15:20 | 2.392 | 10.73 |
| 7/10/2007 15:25 | 2.391 | 10.73 |
| 7/10/2007 15:30 | 2.391 | 10.73 |
| 7/10/2007 15:35 | 2.39 | 10.73 |
| 7/10/2007 15:40 | 2.39 | 10.73 |
| 7/10/2007 15:45 | 2.39 | 10.73 |
| 7/10/2007 15:50 | 2.39 | 10.73 |
| 7/10/2007 15:55 | 2.389 | 10.73 |
| 7/10/2007 16:00 | 2.389 | 10.73 |
| 7/10/2007 16:05 | 2.389 | 10.73 |
| 7/10/2007 16:10 | 2.389 | 10.73 |
| 7/10/2007 16:15 | 2.388 | 10.73 |
| 7/10/2007 16:20 | 2.388 | 10.73 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 16:25 | 2.388 | 10.73 |
| 7/10/2007 16:30 | 2.389 | 10.73 |
| 7/10/2007 16:35 | 2.388 | 10.73 |
| 7/10/2007 16:40 | 2.388 | 10.73 |
| 7/10/2007 16:45 | 2.388 | 10.73 |
| 7/10/2007 16:50 | 2.387 | 10.73 |
| 7/10/2007 16:55 | 2.387 | 10.73 |
| 7/10/2007 17:00 | 2.389 | 10.73 |
| 7/10/2007 17:05 | 2.388 | 10.73 |
| 7/10/2007 17:10 | 2.388 | 10.73 |
| 7/10/2007 17:15 | 2.387 | 10.73 |
| 7/10/2007 17:20 | 2.387 | 10.73 |
| 7/10/2007 17:25 | 2.387 | 10.73 |
| 7/10/2007 17:30 | 2.387 | 10.73 |
| 7/10/2007 17:35 | 2.387 | 10.73 |
| 7/10/2007 17:40 | 2.387 | 10.73 |
| 7/10/2007 17:45 | 2.386 | 10.73 |
| 7/10/2007 17:50 | 2.387 | 0.25 |
| 7/10/2007 17:55 | 2.386 | 0.19 |
| 7/10/2007 18:00 | 2.386 | 0.19 |
| 7/10/2007 18:05 | 2.385 | 0.19 |
| 7/10/2007 18:10 | 2.385 | 0.19 |
| 7/10/2007 18:15 | 2.385 | 0.19 |
| 7/10/2007 18:20 | 2.385 | 0.19 |
| 7/10/2007 18:25 | 2.385 | 0.19 |
| 7/10/2007 18:30 | 2.385 | 0.19 |
| 7/10/2007 18:35 | 2.385 | 0.19 |
| 7/10/2007 18:40 | 2.384 | 0.19 |
| 7/10/2007 18:45 | 2.384 | 0.19 |
| 7/10/2007 18:50 | 2.384 | 0.19 |
| 7/10/2007 18:55 | 2.384 | 0.24 |
| 7/10/2007 19:00 | 2.383 | 0.24 |
| 7/10/2007 19:05 | 2.384 | 0.21 |
| 7/10/2007 19:10 | 2.383 | 0.21 |
| 7/10/2007 19:15 | 2.383 | 0.22 |
| 7/10/2007 19:20 | 2.383 | 0.22 |
| 7/10/2007 19:25 | 2.382 | 0.22 |
| 7/10/2007 19:30 | 2.383 | 0.24 |
| 7/10/2007 19:35 | 2.382 | 0.24 |
| 7/10/2007 19:40 | 2.382 | 0.21 |
| 7/10/2007 19:45 | 2.382 | 0.21 |
| 7/10/2007 19:50 | 2.381 | 0.24 |
| 7/10/2007 19:55 | 2.381 | 0.22 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 20:00 | 2.381 | 0.22 |
| 7/10/2007 20:05 | 2.381 | 0.22 |
| 7/10/2007 20:10 | 2.381 | 0.22 |
| 7/10/2007 20:15 | 2.38 | 0.22 |
| 7/10/2007 20:20 | 2.379 | 0.2 |
| 7/10/2007 20:25 | 2.379 | 0.24 |
| 7/10/2007 20:30 | 2.379 | 0.24 |
| 7/10/2007 20:35 | 2.379 | 0.24 |
| 7/10/2007 20:40 | 2.378 | 0.22 |
| 7/10/2007 20:45 | 2.378 | 0.2 |
| 7/10/2007 20:50 | 2.378 | 0.2 |
| 7/10/2007 20:55 | 2.378 | 0.22 |
| 7/10/2007 21:00 | 2.377 | 0.22 |
| 7/10/2007 21:05 | 2.376 | 0.21 |
| 7/10/2007 21:10 | 2.377 | 0.2 |
| 7/10/2007 21:15 | 2.376 | 0.19 |
| 7/10/2007 21:20 | 2.376 | 0.19 |
| 7/10/2007 21:25 | 2.376 | 0.2 |
| 7/10/2007 21:30 | 2.375 | 0.2 |
| 7/10/2007 21:35 | 2.375 | 0.23 |
| 7/10/2007 21:40 | 2.374 | 0.21 |
| 7/10/2007 21:45 | 2.374 | 0.18 |
| 7/10/2007 21:50 | 2.374 | 0.2 |
| 7/10/2007 21:55 | 2.374 | 0.2 |
| 7/10/2007 22:00 | 2.374 | 0.2 |
| 7/10/2007 22:05 | 2.373 | 0.2 |
| 7/10/2007 22:10 | 2.373 | 0.22 |
| 7/10/2007 22:15 | 2.373 | 0.22 |
| 7/10/2007 22:20 | 2.373 | 0.19 |
| 7/10/2007 22:25 | 2.372 | 0.19 |
| 7/10/2007 22:30 | 2.372 | 0.19 |
| 7/10/2007 22:35 | 2.372 | 0.19 |
| 7/10/2007 22:40 | 2.372 | 0.19 |
| 7/10/2007 22:45 | 2.371 | 0.19 |
| 7/10/2007 22:50 | 2.371 | 0.19 |
| 7/10/2007 22:55 | 2.371 | 0.19 |
| 7/10/2007 23:00 | 2.371 | 0.19 |
| 7/10/2007 23:05 | 2.371 | 0.19 |
| 7/10/2007 23:10 | 2.37 | 0.19 |
| 7/10/2007 23:15 | 2.37 | 0.19 |
| 7/10/2007 23:20 | 2.37 | 0.19 |
| 7/10/2007 23:25 | 2.369 | 0.19 |
| 7/10/2007 23:30 | 2.37 | 0.19 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 23:35 | 2.369 | 0.19 |
| 7/10/2007 23:40 | 2.37 | 0.19 |
| 7/10/2007 23:45 | 2.37 | 0.19 |
| 7/10/2007 23:50 | 2.369 | 0.19 |
| 7/10/2007 23:55 | 2.369 | 0.19 |
| 7/11/2007 0:00 | 2.369 | 0.19 |
| 7/11/2007 0:05 | 2.369 | 0.19 |
| 7/11/2007 0:10 | 2.369 | 0.19 |
| 7/11/2007 0:15 | 2.368 | 0.19 |
| 7/11/2007 0:20 | 2.368 | 0.19 |
| 7/11/2007 0:25 | 2.368 | 0.19 |
| 7/11/2007 0:30 | 2.368 | 0.19 |
| 7/11/2007 0:35 | 2.368 | 0.19 |
| 7/11/2007 0:40 | 2.368 | 0.19 |
| 7/11/2007 0:45 | 2.367 | 0.19 |
| 7/11/2007 0:50 | 2.367 | 0.19 |
| 7/11/2007 0:55 | 2.367 | 0.19 |
| 7/11/2007 1:00 | 2.367 | 0.19 |
| 7/11/2007 1:05 | 2.366 | 0.19 |
| 7/11/2007 1:10 | 2.367 | 0.19 |
| 7/11/2007 1:15 | 2.366 | 0.19 |
| 7/11/2007 1:20 | 2.366 | 0.19 |
| 7/11/2007 1:25 | 2.366 | 0.19 |
| 7/11/2007 1:30 | 2.365 | 0.19 |
| 7/11/2007 1:35 | 2.365 | 0.19 |
| 7/11/2007 1:40 | 2.365 | 0.19 |
| 7/11/2007 1:45 | 2.365 | 0.19 |
| 7/11/2007 1:50 | 2.365 | 0.19 |
| 7/11/2007 1:55 | 2.365 | 0.19 |
| 7/11/2007 2:00 | 2.365 | 0.19 |
| 7/11/2007 2:05 | 2.366 | 0.19 |
| 7/11/2007 2:10 | 2.365 | 0.19 |
| 7/11/2007 2:15 | 2.365 | 0.19 |
| 7/11/2007 2:20 | 2.364 | 0.19 |
| 7/11/2007 2:25 | 2.364 | 0.19 |
| 7/11/2007 2:30 | 2.365 | 0.19 |
| 7/11/2007 2:35 | 2.364 | 0.19 |
| 7/11/2007 2:40 | 2.364 | 0.19 |
| 7/11/2007 2:45 | 2.364 | 0.19 |
| 7/11/2007 2:50 | 2.364 | 0.19 |
| 7/11/2007 2:55 | 2.364 | 0.19 |
| 7/11/2007 3:00 | 2.364 | 0.2 |
| 7/11/2007 3:05 | 2.363 | 0.2 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 3:10 | 2.363 | 0.2 |
| 7/11/2007 3:15 | 2.363 | 0.2 |
| 7/11/2007 3:20 | 2.363 | 0.2 |
| 7/11/2007 3:25 | 2.363 | 0.2 |
| 7/11/2007 3:30 | 2.363 | 8.25 |
| 7/11/2007 3:35 | 2.363 | 9.81 |
| 7/11/2007 3:40 | 2.362 | 9.41 |
| 7/11/2007 3:45 | 2.363 | 9.41 |
| 7/11/2007 3:50 | 2.363 | 9.41 |
| 7/11/2007 3:55 | 2.362 | 11.65 |
| 7/11/2007 4:00 | 2.362 | 11.65 |
| 7/11/2007 4:05 | 2.361 | 11.65 |
| 7/11/2007 4:10 | 2.362 | 6.75 |
| 7/11/2007 4:15 | 2.362 | 6.75 |
| 7/11/2007 4:20 | 2.361 | 6.75 |
| 7/11/2007 4:25 | 2.362 | 6.75 |
| 7/11/2007 4:30 | 2.362 | 0.2 |
| 7/11/2007 4:35 | 2.362 | 0.2 |
| 7/11/2007 4:40 | 2.361 | 0.2 |
| 7/11/2007 4:45 | 2.361 | 0.2 |
| 7/11/2007 4:50 | 2.362 | 0.2 |
| 7/11/2007 4:55 | 2.362 | 0.21 |
| 7/11/2007 5:00 | 2.361 | 0.21 |
| 7/11/2007 5:05 | 2.362 | 0.18 |
| 7/11/2007 5:10 | 2.362 | 0.18 |
| 7/11/2007 5:15 | 2.362 | 0.18 |
| 7/11/2007 5:20 | 2.361 | 0.18 |
| 7/11/2007 5:25 | 2.361 | 0.18 |
| 7/11/2007 5:30 | 2.361 | 0.17 |
| 7/11/2007 5:35 | 2.362 | 0.17 |
| 7/11/2007 5:40 | 2.361 | 0.17 |
| 7/11/2007 5:45 | 2.361 | 0.17 |
| 7/11/2007 5:50 | 2.361 | 0.17 |
| 7/11/2007 5:55 | 2.36 | 0.17 |
| 7/11/2007 6:00 | 2.361 | 0.17 |
| 7/11/2007 6:05 | 2.362 | 0.22 |
| 7/11/2007 6:10 | 2.361 | 0.22 |
| 7/11/2007 6:15 | 2.362 | 0.22 |
| 7/11/2007 6:20 | 2.362 | 0.22 |
| 7/11/2007 6:25 | 2.362 | 0.22 |
| 7/11/2007 6:30 | 2.361 | 0.22 |
| 7/11/2007 6:35 | 2.362 | 0.22 |
| 7/11/2007 6:40 | 2.362 | 0.22 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 6:45 | 2.362 | 0.22 |
| 7/11/2007 6:50 | 2.362 | 0.22 |
| 7/11/2007 6:55 | 2.362 | 0.2 |
| 7/11/2007 7:00 | 2.362 | 0.18 |
| 7/11/2007 7:05 | 2.361 | 0.18 |
| 7/11/2007 7:10 | 2.362 | 0.18 |
| 7/11/2007 7:15 | 2.363 | 0.18 |
| 7/11/2007 7:20 | 2.362 | 0.18 |
| 7/11/2007 7:25 | 2.362 | 0.22 |
| 7/11/2007 7:30 | 2.363 | 0.22 |
| 7/11/2007 7:35 | 2.362 | 0.19 |
| 7/11/2007 7:40 | 2.362 | 0.19 |
| 7/11/2007 7:45 | 2.363 | 0.19 |
| 7/11/2007 7:50 | 2.364 | 0.19 |
| 7/11/2007 7:55 | 2.363 | 0.19 |
| 7/11/2007 8:00 | 2.362 | 0.19 |
| 7/11/2007 8:05 | 2.362 | 0.19 |
| 7/11/2007 8:10 | 2.361 | 0.19 |
| 7/11/2007 8:15 | 2.364 | 0.2 |
| 7/11/2007 8:20 | 2.363 | 0.2 |
| 7/11/2007 8:25 | 2.362 | 0.2 |
| 7/11/2007 8:30 | 2.362 | 0.2 |
| 7/11/2007 8:35 | 2.362 | 0.22 |
| 7/11/2007 8:40 | 2.363 | 0.19 |
| 7/11/2007 8:45 | 2.362 | 0.19 |
| 7/11/2007 8:50 | 2.362 | 0.2 |
| 7/11/2007 8:55 | 2.361 | 0.2 |
| 7/11/2007 9:00 | 2.362 | 0.2 |
| 7/11/2007 9:05 | 2.362 | 0.2 |
| 7/11/2007 9:10 | 2.361 | 0.3 |
| 7/11/2007 9:15 | 2.362 | 0.3 |
| 7/11/2007 9:20 | 2.361 | 0.3 |
| 7/11/2007 9:25 | 2.362 | 0.21 |
| 7/11/2007 9:30 | 2.362 | 0.21 |
| 7/11/2007 9:35 | 2.362 | 0.21 |
| 7/11/2007 9:40 | 2.361 | 0.21 |
| 7/11/2007 9:45 | 2.361 | 0.21 |
| 7/11/2007 9:50 | 2.361 | 0.21 |
| 7/11/2007 9:55 | 2.361 | 0.21 |
| 7/11/2007 10:00 | 2.361 | 0.21 |
| 7/11/2007 10:05 | 2.361 | 0.2 |
| 7/11/2007 10:10 | 2.361 | 0.2 |
| 7/11/2007 10:15 | 2.36 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 10:20 | 2.36 | 0.21 |
| 7/11/2007 10:25 | 2.361 | 0.2 |
| 7/11/2007 10:30 | 2.36 | 0.2 |
| 7/11/2007 10:35 | 2.36 | 0.22 |
| 7/11/2007 10:40 | 2.359 | 0.21 |
| 7/11/2007 10:45 | 2.361 | 0.21 |
| 7/11/2007 10:50 | 2.359 | 0.2 |
| 7/11/2007 10:55 | 2.359 | 0.2 |
| 7/11/2007 11:00 | 2.359 | 0.24 |
| 7/11/2007 11:05 | 2.359 | 0.19 |
| 7/11/2007 11:10 | 2.36 | 0.23 |
| 7/11/2007 11:15 | 2.359 | 0.2 |
| 7/11/2007 11:20 | 2.36 | 0.19 |
| 7/11/2007 11:25 | 2.359 | 0.19 |
| 7/11/2007 11:30 | 2.36 | 0.23 |
| 7/11/2007 11:35 | 2.359 | 0.23 |
| 7/11/2007 11:40 | 2.358 | 0.18 |
| 7/11/2007 11:45 | 2.359 | 0.19 |
| 7/11/2007 11:50 | 2.359 | 0.19 |
| 7/11/2007 11:55 | 2.359 | 0.19 |
| 7/11/2007 12:00 | 2.358 | 0.19 |
| 7/11/2007 12:05 | 2.358 | 0.19 |
| 7/11/2007 12:10 | 2.357 | 0.2 |
| 7/11/2007 12:15 | 2.357 | 0.2 |
| 7/11/2007 12:20 | 2.357 | 0.2 |
| 7/11/2007 12:25 | 2.356 | 0.16 |
| 7/11/2007 12:30 | 2.357 | 0.16 |
| 7/11/2007 12:35 | 2.356 | 0.16 |
| 7/11/2007 12:40 | 2.356 | 0.16 |
| 7/11/2007 12:45 | 2.356 | 0.21 |
| 7/11/2007 12:50 | 2.355 | 0.21 |
| 7/11/2007 12:55 | 2.355 | 0.21 |
| 7/11/2007 13:00 | 2.355 | -0.76 |
| 7/11/2007 13:05 | 2.356 | -0.76 |
| 7/11/2007 13:10 | 2.356 | 0.2 |
| 7/11/2007 13:15 | 2.356 | 0.17 |
| 7/11/2007 13:20 | 2.356 | 0.18 |
| 7/11/2007 13:25 | 2.354 | 0.18 |
| 7/11/2007 13:30 | 2.354 | 0.18 |
| 7/11/2007 13:35 | 2.355 | 0.2 |
| 7/11/2007 13:40 | 2.354 | 0.2 |
| 7/11/2007 13:45 | 2.354 | 0.19 |
| 7/11/2007 13:50 | 2.354 | 0.2 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 13:55 | 2.353 | 0.2 |
| 7/11/2007 14:00 | 2.354 | 0.14 |
| 7/11/2007 14:05 | 2.354 | 0.17 |
| 7/11/2007 14:10 | 2.354 | 0.17 |
| 7/11/2007 14:15 | 2.353 | 0.17 |
| 7/11/2007 14:20 | 2.353 | 0.17 |
| 7/11/2007 14:25 | 2.353 | 0.17 |
| 7/11/2007 14:30 | 2.353 | 0.17 |
| 7/11/2007 14:35 | 2.353 | 0.17 |
| 7/11/2007 14:40 | 2.352 | 0.17 |
| 7/11/2007 14:45 | 2.352 | 0.18 |
| 7/11/2007 14:50 | 2.351 | 0.18 |
| 7/11/2007 14:55 | 2.352 | 0.18 |
| 7/11/2007 15:00 | 2.352 | 0.2 |
| 7/11/2007 15:05 | 2.352 | 0.19 |
| 7/11/2007 15:10 | 2.351 | 0.19 |
| 7/11/2007 15:15 | 2.352 | 0.17 |
| 7/11/2007 15:20 | 2.352 | 0.17 |
| 7/11/2007 15:25 | 2.351 | 0.2 |
| 7/11/2007 15:30 | 2.352 | 0.2 |
| 7/11/2007 15:35 | 2.352 | 0.16 |
| 7/11/2007 15:40 | 2.352 | 0.16 |
| 7/11/2007 15:45 | 2.351 | 0.21 |
| 7/11/2007 15:50 | 2.352 | 0.19 |
| 7/11/2007 15:55 | 2.352 | 0.19 |
| 7/11/2007 16:00 | 2.352 | 0.19 |
| 7/11/2007 16:05 | 2.352 | 0.19 |
| 7/11/2007 16:10 | 2.353 | 0.17 |
| 7/11/2007 16:15 | 2.353 | 0.18 |
| 7/11/2007 16:20 | 2.353 | 0.19 |
| 7/11/2007 16:25 | 2.357 | 0.19 |
| 7/11/2007 16:30 | 2.379 | 0.25 |
| 7/11/2007 16:35 | 2.408 | 0.24 |
| 7/11/2007 16:40 | 2.429 | 0.24 |
| 7/11/2007 16:45 | 2.467 | 0.31 |
| 7/11/2007 16:50 | 2.492 | 0.3 |
| 7/11/2007 16:55 | 2.512 | 0.35 |
| 7/11/2007 17:00 | 2.522 | 0.36 |
| 7/11/2007 17:05 | 2.55 | 0.37 |
| 7/11/2007 17:10 | 2.579 | 0.39 |
| 7/11/2007 17:15 | 2.564 | 0.4 |
| 7/11/2007 17:20 | 2.556 | 0.39 |
| 7/11/2007 17:25 | 2.567 | 0.41 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 17:30 | 2.584 | 0.37 |
| 7/11/2007 17:35 | 2.622 | 0.45 |
| 7/11/2007 17:40 | 2.628 | 0.49 |
| 7/11/2007 17:45 | 2.645 | 0.48 |
| 7/11/2007 17:50 | 2.672 | 0.5 |
| 7/11/2007 17:55 | 2.983 | 0.76 |
| 7/11/2007 18:00 | 3.141 | 1.08 |
| 7/11/2007 18:05 | 3.072 | 0.95 |
| 7/11/2007 18:10 | 2.994 | 0.85 |
| 7/11/2007 18:15 | 2.919 | 0.7 |
| 7/11/2007 18:20 | 2.817 | 0.58 |
| 7/11/2007 18:25 | 2.735 | 0.52 |
| 7/11/2007 18:30 | 2.675 | 0.49 |
| 7/11/2007 18:35 | 2.632 | 0.4 |
| 7/11/2007 18:40 | 2.607 | 0.43 |
| 7/11/2007 18:45 | 2.606 | 0.42 |
| 7/11/2007 18:50 | 2.646 | 0.47 |
| 7/11/2007 18:55 | 2.659 | 0.51 |
| 7/11/2007 19:00 | 2.658 | 0.53 |
| 7/11/2007 19:05 | 2.644 | 0.49 |
| 7/11/2007 19:10 | 2.627 | 0.44 |
| 7/11/2007 19:15 | 2.619 | 0.44 |
| 7/11/2007 19:20 | 2.623 | 0.44 |
| 7/11/2007 19:25 | 2.633 | 0.47 |
| 7/11/2007 19:30 | 2.638 | 0.49 |
| 7/11/2007 19:35 | 2.641 | 0.44 |
| 7/11/2007 19:40 | 2.645 | 0.5 |
| 7/11/2007 19:45 | 2.649 | 0.51 |
| 7/11/2007 19:50 | 2.652 | 0.5 |
| 7/11/2007 19:55 | 2.653 | 0.49 |
| 7/11/2007 20:00 | 2.655 | 0.52 |
| 7/11/2007 20:05 | 2.653 | 0.49 |
| 7/11/2007 20:10 | 2.65 | 0.46 |
| 7/11/2007 20:15 | 2.647 | 0.49 |
| 7/11/2007 20:20 | 2.646 | 0.46 |
| 7/11/2007 20:25 | 2.645 | 0.45 |
| 7/11/2007 20:30 | 2.643 | 0.48 |
| 7/11/2007 20:35 | 2.644 | 0.48 |
| 7/11/2007 20:40 | 2.644 | 0.48 |
| 7/11/2007 20:45 | 2.645 | 0.5 |
| 7/11/2007 20:50 | 2.645 | 0.43 |
| 7/11/2007 20:55 | 2.645 | 0.49 |
| 7/11/2007 21:00 | 2.644 | 0.48 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 21:05 | 2.644 | 0.45 |
| 7/11/2007 21:10 | 2.644 | 0.45 |
| 7/11/2007 21:15 | 2.642 | 0.45 |
| 7/11/2007 21:20 | 2.642 | 0.42 |
| 7/11/2007 21:25 | 2.639 | 0.42 |
| 7/11/2007 21:30 | 2.64 | 0.42 |
| 7/11/2007 21:35 | 2.639 | 0.42 |
| 7/11/2007 21:40 | 2.637 | 0.4 |
| 7/11/2007 21:45 | 2.635 | 0.4 |
| 7/11/2007 21:50 | 2.634 | 0.42 |
| 7/11/2007 21:55 | 2.632 | 0.42 |
| 7/11/2007 22:00 | 2.632 | 0.4 |
| 7/11/2007 22:05 | 2.629 | 0.4 |
| 7/11/2007 22:10 | 2.628 | 0.4 |
| 7/11/2007 22:15 | 2.627 | 0.4 |
| 7/11/2007 22:20 | 2.626 | 0.45 |
| 7/11/2007 22:25 | 2.623 | 0.44 |
| 7/11/2007 22:30 | 2.621 | 0.44 |
| 7/11/2007 22:35 | 2.62 | 0.44 |
| 7/11/2007 22:40 | 2.618 | 0.42 |
| 7/11/2007 22:45 | 2.615 | 0.43 |
| 7/11/2007 22:50 | 2.614 | 0.43 |
| 7/11/2007 22:55 | 2.613 | 0.43 |
| 7/11/2007 23:00 | 2.611 | 0.43 |
| 7/11/2007 23:05 | 2.608 | 0.43 |
| 7/11/2007 23:10 | 2.606 | 0.42 |
| 7/11/2007 23:15 | 2.604 | 0.42 |
| 7/11/2007 23:20 | 2.602 | 0.42 |
| 7/11/2007 23:25 | 2.601 | 0.38 |
| 7/11/2007 23:30 | 2.599 | 0.38 |
| 7/11/2007 23:35 | 2.597 | 0.41 |
| 7/11/2007 23:40 | 2.595 | 0.38 |
| 7/11/2007 23:45 | 2.594 | 0.37 |
| 7/11/2007 23:50 | 2.592 | 0.37 |
| 7/11/2007 23:55 | 2.591 | 0.37 |
| 7/12/2007 0:00 | 2.588 | 0.4 |
| 7/12/2007 0:05 | 2.587 | 0.4 |
| 7/12/2007 0:10 | 2.586 | 0.4 |
| 7/12/2007 0:15 | 2.583 | 0.4 |
| 7/12/2007 0:20 | 2.582 | 0.37 |
| 7/12/2007 0:25 | 2.581 | 0.39 |
| 7/12/2007 0:30 | 2.578 | 0.39 |
| 7/12/2007 0:35 | 2.577 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 0:40 | 2.575 | 0.37 |
| 7/12/2007 0:45 | 2.574 | 0.4 |
| 7/12/2007 0:50 | 2.572 | 0.4 |
| 7/12/2007 0:55 | 2.571 | 0.38 |
| 7/12/2007 1:00 | 2.568 | 0.37 |
| 7/12/2007 1:05 | 2.568 | 0.37 |
| 7/12/2007 1:10 | 2.566 | 0.35 |
| 7/12/2007 1:15 | 2.564 | 0.35 |
| 7/12/2007 1:20 | 2.563 | 0.35 |
| 7/12/2007 1:25 | 2.562 | 0.34 |
| 7/12/2007 1:30 | 2.56 | 0.4 |
| 7/12/2007 1:35 | 2.558 | 0.4 |
| 7/12/2007 1:40 | 2.557 | 0.37 |
| 7/12/2007 1:45 | 2.556 | 0.34 |
| 7/12/2007 1:50 | 2.554 | 0.35 |
| 7/12/2007 1:55 | 2.551 | 0.33 |
| 7/12/2007 2:00 | 2.551 | 0.33 |
| 7/12/2007 2:05 | 2.549 | 0.33 |
| 7/12/2007 2:10 | 2.549 | 0.34 |
| 7/12/2007 2:15 | 2.546 | 0.34 |
| 7/12/2007 2:20 | 2.545 | 0.34 |
| 7/12/2007 2:25 | 2.544 | 0.34 |
| 7/12/2007 2:30 | 2.543 | 0.38 |
| 7/12/2007 2:35 | 2.542 | 0.38 |
| 7/12/2007 2:40 | 2.541 | 0.38 |
| 7/12/2007 2:45 | 2.541 | 0.38 |
| 7/12/2007 2:50 | 2.539 | 0.38 |
| 7/12/2007 2:55 | 2.539 | 0.38 |
| 7/12/2007 3:00 | 2.537 | -0.36 |
| 7/12/2007 3:05 | 2.536 | -0.36 |
| 7/12/2007 3:10 | 2.534 | -0.36 |
| 7/12/2007 3:15 | 2.534 | -0.36 |
| 7/12/2007 3:20 | 2.532 | -0.36 |
| 7/12/2007 3:25 | 2.531 | -0.36 |
| 7/12/2007 3:30 | 2.53 | -0.36 |
| 7/12/2007 3:35 | 2.529 | -0.36 |
| 7/12/2007 3:40 | 2.528 | -0.36 |
| 7/12/2007 3:45 | 2.527 | -0.36 |
| 7/12/2007 3:50 | 2.526 | -0.36 |
| 7/12/2007 3:55 | 2.525 | -0.36 |
| 7/12/2007 4:00 | 2.524 | -0.36 |
| 7/12/2007 4:05 | 2.524 | -0.36 |
| 7/12/2007 4:10 | 2.523 | -0.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 4:15 | 2.521 | -0.36 |
| 7/12/2007 4:20 | 2.52 | -0.36 |
| 7/12/2007 4:25 | 2.519 | 0.31 |
| 7/12/2007 4:30 | 2.518 | 0.31 |
| 7/12/2007 4:35 | 2.519 | 0.31 |
| 7/12/2007 4:40 | 2.517 | 0.31 |
| 7/12/2007 4:45 | 2.516 | 0.31 |
| 7/12/2007 4:50 | 2.515 | 0.31 |
| 7/12/2007 4:55 | 2.515 | 0.31 |
| 7/12/2007 5:00 | 2.513 | 0.31 |
| 7/12/2007 5:05 | 2.513 | 0.31 |
| 7/12/2007 5:10 | 2.512 | 0.31 |
| 7/12/2007 5:15 | 2.51 | 0.31 |
| 7/12/2007 5:20 | 2.512 | 0.31 |
| 7/12/2007 5:25 | 2.51 | 0.31 |
| 7/12/2007 5:30 | 2.509 | 0.3 |
| 7/12/2007 5:35 | 2.509 | 0.3 |
| 7/12/2007 5:40 | 2.507 | 0.3 |
| 7/12/2007 5:45 | 2.507 | 0.3 |
| 7/12/2007 5:50 | 2.507 | 0.3 |
| 7/12/2007 5:55 | 2.506 | 0.3 |
| 7/12/2007 6:00 | 2.505 | 0.3 |
| 7/12/2007 6:05 | 2.505 | 0.3 |
| 7/12/2007 6:10 | 2.504 | 0.3 |
| 7/12/2007 6:15 | 2.504 | 0.3 |
| 7/12/2007 6:20 | 2.504 | 0.3 |
| 7/12/2007 6:25 | 2.501 | 0.3 |
| 7/12/2007 6:30 | 2.501 | 0.3 |
| 7/12/2007 6:35 | 2.5 | 0.3 |
| 7/12/2007 6:40 | 2.5 | 0.3 |
| 7/12/2007 6:45 | 2.499 | 0.29 |
| 7/12/2007 6:50 | 2.499 | 0.31 |
| 7/12/2007 6:55 | 2.499 | 0.27 |
| 7/12/2007 7:00 | 2.498 | 0.27 |
| 7/12/2007 7:05 | 2.497 | 0.31 |
| 7/12/2007 7:10 | 2.497 | 0.31 |
| 7/12/2007 7:15 | 2.496 | 0.31 |
| 7/12/2007 7:20 | 2.496 | 0.31 |
| 7/12/2007 7:25 | 2.495 | 0.31 |
| 7/12/2007 7:30 | 2.495 | 0.31 |
| 7/12/2007 7:35 | 2.495 | 0.31 |
| 7/12/2007 7:40 | 2.495 | 0.27 |
| 7/12/2007 7:45 | 2.493 | 0.27 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 7:50 | 2.492 | 0.27 |
| 7/12/2007 7:55 | 2.492 | 0.27 |
| 7/12/2007 8:00 | 2.49 | 0.27 |
| 7/12/2007 8:05 | 2.49 | 0.27 |
| 7/12/2007 8:10 | 2.49 | 0.28 |
| 7/12/2007 8:15 | 2.489 | 0.28 |
| 7/12/2007 8:20 | 2.489 | 0.28 |
| 7/12/2007 8:25 | 2.488 | 0.28 |
| 7/12/2007 8:30 | 2.488 | 0.28 |
| 7/12/2007 8:35 | 2.487 | 0.28 |
| 7/12/2007 8:40 | 2.487 | 0.28 |
| 7/12/2007 8:45 | 2.487 | 0.28 |
| 7/12/2007 8:50 | 2.484 | 0.34 |
| 7/12/2007 8:55 | 2.485 | 0.3 |
| 7/12/2007 9:00 | 2.484 | 0.3 |
| 7/12/2007 9:05 | 2.483 | 0.29 |
| 7/12/2007 9:10 | 2.482 | 0.28 |
| 7/12/2007 9:15 | 2.481 | 0.28 |
| 7/12/2007 9:20 | 2.481 | 0.29 |
| 7/12/2007 9:25 | 2.48 | 0.38 |
| 7/12/2007 9:30 | 2.48 | 0.28 |
| 7/12/2007 9:35 | 2.481 | 0.28 |
| 7/12/2007 9:40 | 2.481 | 0.28 |
| 7/12/2007 9:45 | 2.479 | 0.28 |
| 7/12/2007 9:50 | 2.479 | 0.28 |
| 7/12/2007 9:55 | 2.478 | 0.28 |
| 7/12/2007 10:00 | 2.476 | 0.33 |
| 7/12/2007 10:05 | 2.477 | 0.23 |
| 7/12/2007 10:10 | 2.477 | 0.31 |
| 7/12/2007 10:15 | 2.478 | 0.3 |
| 7/12/2007 10:20 | 2.477 | 0.3 |
| 7/12/2007 10:25 | 2.476 | 0.27 |
| 7/12/2007 10:30 | 2.474 | 0.27 |
| 7/12/2007 10:35 | 2.475 | 0.27 |
| 7/12/2007 10:40 | 2.474 | 0.28 |
| 7/12/2007 10:45 | 2.473 | 0.28 |
| 7/12/2007 10:50 | 2.475 | 0.28 |
| 7/12/2007 10:55 | 2.474 | 0.28 |
| 7/12/2007 11:00 | 2.474 | 0.54 |
| 7/12/2007 11:05 | 2.473 | 0.54 |
| 7/12/2007 11:10 | 2.472 | 0.54 |
| 7/12/2007 11:15 | 2.472 | 0.3 |
| 7/12/2007 11:20 | 2.472 | 0.26 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 11:25 | 2.472 | 0.29 |
| 7/12/2007 11:30 | 2.47 | 0.27 |
| 7/12/2007 11:35 | 2.472 | 0.27 |
| 7/12/2007 11:40 | 2.471 | 0.28 |
| 7/12/2007 11:45 | 2.47 | 0.3 |
| 7/12/2007 11:50 | 2.47 | 0.28 |
| 7/12/2007 11:55 | 2.467 | 0.26 |
| 7/12/2007 12:00 | 2.468 | 0.29 |
| 7/12/2007 12:05 | 2.467 | 0.26 |
| 7/12/2007 12:10 | 2.467 | 0.29 |
| 7/12/2007 12:15 | 2.467 | 0.27 |
| 7/12/2007 12:20 | 2.465 | 0.26 |
| 7/12/2007 12:25 | 2.467 | 0.26 |
| 7/12/2007 12:30 | 2.465 | 0.26 |
| 7/12/2007 12:35 | 2.464 | 0.28 |
| 7/12/2007 12:40 | 2.464 | 0.25 |
| 7/12/2007 12:45 | 2.462 | 0.27 |
| 7/12/2007 12:50 | 2.461 | 0.28 |
| 7/12/2007 12:55 | 2.462 | 0.29 |
| 7/12/2007 13:00 | 2.46 | 0.29 |
| 7/12/2007 13:05 | 2.459 | 0.26 |
| 7/12/2007 13:10 | 2.459 | 0.27 |
| 7/12/2007 13:15 | 2.46 | 0.25 |
| 7/12/2007 13:20 | 2.459 | 0.3 |
| 7/12/2007 13:25 | 2.458 | 0.26 |
| 7/12/2007 13:30 | 2.457 | 0.25 |
| 7/12/2007 13:35 | 2.457 | 0.28 |
| 7/12/2007 13:40 | 2.456 | 0.29 |
| 7/12/2007 13:45 | 2.455 | 0.29 |
| 7/12/2007 13:50 | 2.455 | 0.26 |
| 7/12/2007 13:55 | 2.456 | 0.23 |
| 7/12/2007 14:00 | 2.456 | 0.26 |
| 7/12/2007 14:05 | 2.453 | 0.25 |
| 7/12/2007 14:10 | 2.454 | 0.26 |
| 7/12/2007 14:15 | 2.452 | 0.26 |
| 7/12/2007 14:20 | 2.453 | 0.28 |
| 7/12/2007 14:25 | 2.453 | 0.23 |
| 7/12/2007 14:30 | 2.453 | 0.27 |
| 7/12/2007 14:35 | 2.45 | 0.28 |
| 7/12/2007 14:40 | 2.449 | 0.22 |
| 7/12/2007 14:45 | 2.45 | 0.27 |
| 7/12/2007 14:50 | 2.451 | 0.26 |
| 7/12/2007 14:55 | 2.451 | 0.27 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 15:00 | 2.449 | 0.26 |
| 7/12/2007 15:05 | 2.45 | 0.26 |
| 7/12/2007 15:10 | 2.448 | 0.27 |
| 7/12/2007 15:15 | 2.448 | 0.27 |
| 7/12/2007 15:20 | 2.448 | 0.25 |
| 7/12/2007 15:25 | 2.446 | 0.27 |
| 7/12/2007 15:30 | 2.446 | 0.25 |
| 7/12/2007 15:35 | 2.446 | 0.23 |
| 7/12/2007 15:40 | 2.447 | 0.27 |
| 7/12/2007 15:45 | 2.447 | 0.27 |
| 7/12/2007 15:50 | 2.444 | 0.25 |
| 7/12/2007 15:55 | 2.446 | 0.27 |
| 7/12/2007 16:00 | 2.446 | 0.26 |
| 7/12/2007 16:05 | 2.445 | 0.25 |
| 7/12/2007 16:10 | 2.446 | 0.28 |
| 7/12/2007 16:15 | 2.444 | 0.24 |
| 7/12/2007 16:20 | 2.445 | 0.25 |
| 7/12/2007 16:25 | 2.445 | 0.27 |
| 7/12/2007 16:30 | 2.445 | 0.27 |
| 7/12/2007 16:35 | 2.444 | 0.28 |
| 7/12/2007 16:40 | 2.444 | 0.26 |
| 7/12/2007 16:45 | 2.444 | 0.26 |
| 7/12/2007 16:50 | 2.444 | 0.27 |
| 7/12/2007 16:55 | 2.443 | 0.26 |
| 7/12/2007 17:00 | 2.444 | 0.26 |
| 7/12/2007 17:05 | 2.444 | 0.26 |
| 7/12/2007 17:10 | 2.443 | 0.27 |
| 7/12/2007 17:15 | 2.444 | 0.27 |
| 7/12/2007 17:20 | 2.443 | 0.27 |
| 7/12/2007 17:25 | 2.444 | 0.27 |
| 7/12/2007 17:30 | 2.443 | 0.27 |
| 7/12/2007 17:35 | 2.443 | 0.27 |
| 7/12/2007 17:40 | 2.443 | 0.25 |
| 7/12/2007 17:45 | 2.443 | 0.25 |
| 7/12/2007 17:50 | 2.443 | 0.26 |
| 7/12/2007 17:55 | 2.443 | 0.26 |
| 7/12/2007 18:00 | 2.443 | 0.26 |
| 7/12/2007 18:05 | 2.443 | 0.26 |
| 7/12/2007 18:10 | 2.442 | 0.23 |
| 7/12/2007 18:15 | 2.443 | 0.26 |
| 7/12/2007 18:20 | 2.442 | 0.26 |
| 7/12/2007 18:25 | 2.443 | 0.26 |
| 7/12/2007 18:30 | 2.442 | 0.26 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 18:35 | 2.442 | 0.25 |
| 7/12/2007 18:40 | 2.442 | 0.25 |
| 7/12/2007 18:45 | 2.442 | 0.24 |
| 7/12/2007 18:50 | 2.441 | 0.24 |
| 7/12/2007 18:55 | 2.441 | 0.24 |
| 7/12/2007 19:00 | 2.441 | 0.24 |
| 7/12/2007 19:05 | 2.44 | 0.24 |
| 7/12/2007 19:10 | 2.44 | 0.24 |
| 7/12/2007 19:15 | 2.44 | 0.24 |
| 7/12/2007 19:20 | 2.44 | 9.78 |
| 7/12/2007 19:25 | 2.44 | 9.78 |
| 7/12/2007 19:30 | 2.44 | 9.78 |
| 7/12/2007 19:35 | 2.439 | 9.78 |
| 7/12/2007 19:40 | 2.439 | 9.78 |
| 7/12/2007 19:45 | 2.439 | 9.78 |
| 7/12/2007 19:50 | 2.439 | 9.78 |
| 7/12/2007 19:55 | 2.438 | 9.78 |
| 7/12/2007 20:00 | 2.438 | 9.78 |
| 7/12/2007 20:05 | 2.438 | 0.26 |
| 7/12/2007 20:10 | 2.437 | 0.26 |
| 7/12/2007 20:15 | 2.437 | 0.26 |
| 7/12/2007 20:20 | 2.437 | 0.26 |
| 7/12/2007 20:25 | 2.437 | 0.23 |
| 7/12/2007 20:30 | 2.436 | 0.23 |
| 7/12/2007 20:35 | 2.436 | 0.23 |
| 7/12/2007 20:40 | 2.435 | 0.23 |
| 7/12/2007 20:45 | 2.435 | 0.23 |
| 7/12/2007 20:50 | 2.435 | 0.26 |
| 7/12/2007 20:55 | 2.434 | 0.27 |
| 7/12/2007 21:00 | 2.434 | 0.27 |
| 7/12/2007 21:05 | 2.434 | 0.27 |
| 7/12/2007 21:10 | 2.434 | 0.25 |
| 7/12/2007 21:15 | 2.433 | 0.24 |
| 7/12/2007 21:20 | 2.433 | 0.25 |
| 7/12/2007 21:25 | 2.433 | 0.25 |
| 7/12/2007 21:30 | 2.433 | 0.25 |
| 7/12/2007 21:35 | 2.432 | 0.25 |
| 7/12/2007 21:40 | 2.432 | 0.23 |
| 7/12/2007 21:45 | 2.431 | 0.26 |
| 7/12/2007 21:50 | 2.432 | 0.26 |
| 7/12/2007 21:55 | 2.432 | 0.26 |
| 7/12/2007 22:00 | 2.431 | 0.25 |
| 7/12/2007 22:05 | 2.431 | 0.23 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 22:10 | 2.431 | 0.23 |
| 7/12/2007 22:15 | 2.43 | 0.23 |
| 7/12/2007 22:20 | 2.43 | 0.27 |
| 7/12/2007 22:25 | 2.43 | 0.27 |
| 7/12/2007 22:30 | 2.429 | 0.27 |
| 7/12/2007 22:35 | 2.429 | 0.27 |
| 7/12/2007 22:40 | 2.429 | 0.27 |
| 7/12/2007 22:45 | 2.429 | 0.27 |
| 7/12/2007 22:50 | 2.427 | 0.27 |
| 7/12/2007 22:55 | 2.428 | 0.27 |
| 7/12/2007 23:00 | 2.427 | 0.27 |
| 7/12/2007 23:05 | 2.427 | 0.27 |
| 7/12/2007 23:10 | 2.427 | 0.27 |
| 7/12/2007 23:15 | 2.426 | 0.27 |
| 7/12/2007 23:20 | 2.427 | 0.27 |
| 7/12/2007 23:25 | 2.426 | 0.27 |
| 7/12/2007 23:30 | 2.426 | 0.27 |
| 7/12/2007 23:35 | 2.425 | 0.27 |
| 7/12/2007 23:40 | 2.425 | 0.27 |
| 7/12/2007 23:45 | 2.425 | 0.27 |
| 7/12/2007 23:50 | 2.425 | 0.27 |
| 7/12/2007 23:55 | 2.424 | 0.27 |
| 7/13/2007 0:00 | 2.424 | 0.27 |
| 7/13/2007 0:05 | 2.424 | 0.27 |
| 7/13/2007 0:10 | 2.423 | 0.27 |
| 7/13/2007 0:15 | 2.423 | 0.27 |
| 7/13/2007 0:20 | 2.423 | 0.27 |
| 7/13/2007 0:25 | 2.423 | 0.27 |
| 7/13/2007 0:30 | 2.423 | 0.27 |
| 7/13/2007 0:35 | 2.422 | 0.26 |
| 7/13/2007 0:40 | 2.421 | 0.23 |
| 7/13/2007 0:45 | 2.421 | 0.23 |
| 7/13/2007 0:50 | 2.421 | 0.23 |
| 7/13/2007 0:55 | 2.421 | 0.23 |
| 7/13/2007 1:00 | 2.42 | 0.23 |
| 7/13/2007 1:05 | 2.42 | 0.23 |
| 7/13/2007 1:10 | 2.42 | 0.23 |
| 7/13/2007 1:15 | 2.42 | 0.23 |
| 7/13/2007 1:20 | 2.419 | 0.23 |
| 7/13/2007 1:25 | 2.419 | 0.23 |
| 7/13/2007 1:30 | 2.419 | 0.23 |
| 7/13/2007 1:35 | 2.419 | 0.23 |
| 7/13/2007 1:40 | 2.418 | 0.23 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 1:45 | 2.418 | 0.23 |
| 7/13/2007 1:50 | 2.418 | 0.23 |
| 7/13/2007 1:55 | 2.418 | 0.23 |
| 7/13/2007 2:00 | 2.418 | 0.23 |
| 7/13/2007 2:05 | 2.417 | 0.23 |
| 7/13/2007 2:10 | 2.417 | 0.23 |
| 7/13/2007 2:15 | 2.417 | 0.23 |
| 7/13/2007 2:20 | 2.417 | 0.23 |
| 7/13/2007 2:25 | 2.416 | 0.23 |
| 7/13/2007 2:30 | 2.416 | 0.21 |
| 7/13/2007 2:35 | 2.415 | 0.21 |
| 7/13/2007 2:40 | 2.416 | 0.21 |
| 7/13/2007 2:45 | 2.415 | 0.21 |
| 7/13/2007 2:50 | 2.415 | 0.21 |
| 7/13/2007 2:55 | 2.415 | 0.21 |
| 7/13/2007 3:00 | 2.414 | 0.21 |
| 7/13/2007 3:05 | 2.414 | 0.22 |
| 7/13/2007 3:10 | 2.414 | 0.22 |
| 7/13/2007 3:15 | 2.414 | 0.22 |
| 7/13/2007 3:20 | 2.413 | 0.22 |
| 7/13/2007 3:25 | 2.413 | 0.22 |
| 7/13/2007 3:30 | 2.413 | 0.22 |
| 7/13/2007 3:35 | 2.412 | 0.22 |
| 7/13/2007 3:40 | 2.412 | 0.22 |
| 7/13/2007 3:45 | 2.412 | 0.22 |
| 7/13/2007 3:50 | 2.411 | 0.22 |
| 7/13/2007 3:55 | 2.412 | 0.22 |
| 7/13/2007 4:00 | 2.411 | 0.22 |
| 7/13/2007 4:05 | 2.411 | 0.22 |
| 7/13/2007 4:10 | 2.411 | 0.22 |
| 7/13/2007 4:15 | 2.411 | 0.22 |
| 7/13/2007 4:20 | 2.411 | 0.22 |
| 7/13/2007 4:25 | 2.41 | 0.22 |
| 7/13/2007 4:30 | 2.41 | 0.22 |
| 7/13/2007 4:35 | 2.41 | 0.22 |
| 7/13/2007 4:40 | 2.409 | 0.23 |
| 7/13/2007 4:45 | 2.409 | 0.24 |
| 7/13/2007 4:50 | 2.409 | 0.21 |
| 7/13/2007 4:55 | 2.408 | 0.21 |
| 7/13/2007 5:00 | 2.408 | 0.23 |
| 7/13/2007 5:05 | 2.408 | 0.24 |
| 7/13/2007 5:10 | 2.408 | 0.24 |
| 7/13/2007 5:15 | 2.408 | 0.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 5:20 | 2.407 | 0.24 |
| 7/13/2007 5:25 | 2.407 | 0.24 |
| 7/13/2007 5:30 | 2.407 | 0.24 |
| 7/13/2007 5:35 | 2.407 | 0.24 |
| 7/13/2007 5:40 | 2.407 | 0.24 |
| 7/13/2007 5:45 | 2.408 | 0.29 |
| 7/13/2007 5:50 | 2.407 | 0.29 |
| 7/13/2007 5:55 | 2.407 | 0.24 |
| 7/13/2007 6:00 | 2.406 | 0.24 |
| 7/13/2007 6:05 | 2.406 | 0.24 |
| 7/13/2007 6:10 | 2.406 | 0.24 |
| 7/13/2007 6:15 | 2.406 | 0.24 |
| 7/13/2007 6:20 | 2.406 | 0.24 |
| 7/13/2007 6:25 | 2.405 | 0.24 |
| 7/13/2007 6:30 | 2.405 | 0.23 |
| 7/13/2007 6:35 | 2.406 | 0.23 |
| 7/13/2007 6:40 | 2.405 | 0.22 |
| 7/13/2007 6:45 | 2.405 | 0.22 |
| 7/13/2007 6:50 | 2.405 | 0.22 |
| 7/13/2007 6:55 | 2.404 | 0.25 |
| 7/13/2007 7:00 | 2.404 | 0.25 |
| 7/13/2007 7:05 | 2.404 | 0.25 |
| 7/13/2007 7:10 | 2.404 | 0.25 |
| 7/13/2007 7:15 | 2.404 | 0.25 |
| 7/13/2007 7:20 | 2.403 | 0.23 |
| 7/13/2007 7:25 | 2.403 | 0.23 |
| 7/13/2007 7:30 | 2.402 | 0.23 |
| 7/13/2007 7:35 | 2.402 | 0.23 |
| 7/13/2007 7:40 | 2.403 | 0.23 |
| 7/13/2007 7:45 | 2.402 | 0.23 |
| 7/13/2007 7:50 | 2.402 | 0.23 |
| 7/13/2007 7:55 | 2.401 | 0.23 |
| 7/13/2007 8:00 | 2.401 | 0.23 |
| 7/13/2007 8:05 | 2.4 | 0.23 |
| 7/13/2007 8:10 | 2.4 | 0.23 |
| 7/13/2007 8:15 | 2.4 | 0.23 |
| 7/13/2007 8:20 | 2.399 | 0.23 |
| 7/13/2007 8:25 | 2.399 | 0.23 |
| 7/13/2007 8:30 | 2.398 | 0.23 |
| 7/13/2007 8:35 | 2.397 | 0.23 |
| 7/13/2007 8:40 | 2.398 | 0.23 |
| 7/13/2007 8:45 | 2.397 | 0.23 |
| 7/13/2007 8:50 | 2.397 | 0.23 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 8:55 | 2.396 | 0.23 |
| 7/13/2007 9:00 | 2.397 | 0.23 |
| 7/13/2007 9:05 | 2.396 | 0.23 |
| 7/13/2007 9:10 | 2.396 | 0.23 |
| 7/13/2007 9:15 | 2.395 | 0.23 |
| 7/13/2007 9:20 | 2.394 | 0.23 |
| 7/13/2007 9:25 | 2.394 | 0.24 |
| 7/13/2007 9:30 | 2.393 | 0.24 |
| 7/13/2007 9:35 | 2.394 | 0.22 |
| 7/13/2007 9:40 | 2.394 | 0.22 |
| 7/13/2007 9:45 | 2.393 | 0.22 |
| 7/13/2007 9:50 | 2.39 | 0.22 |
| 7/13/2007 9:55 | 2.393 | 0.23 |
| 7/13/2007 10:00 | 2.392 | 0.23 |
| 7/13/2007 10:05 | 2.392 | 0.24 |
| 7/13/2007 10:10 | 2.391 | 0.22 |
| 7/13/2007 10:15 | 2.391 | 0.22 |
| 7/13/2007 10:20 | 2.391 | 0.22 |
| 7/13/2007 10:25 | 2.39 | 0.22 |
| 7/13/2007 10:30 | 2.391 | 0.22 |
| 7/13/2007 10:35 | 2.389 | 0.23 |
| 7/13/2007 10:40 | 2.389 | 0.24 |
| 7/13/2007 10:45 | 2.389 | 0.23 |
| 7/13/2007 10:50 | 2.388 | 0.21 |
| 7/13/2007 10:55 | 2.387 | 0.19 |
| 7/13/2007 11:00 | 2.387 | 0.21 |
| 7/13/2007 11:05 | 2.387 | 0.21 |
| 7/13/2007 11:10 | 2.387 | 0.21 |
| 7/13/2007 11:15 | 2.386 | 0.21 |
| 7/13/2007 11:20 | 2.385 | 0.21 |
| 7/13/2007 11:25 | 2.387 | 0.2 |
| 7/13/2007 11:30 | 2.385 | 0.19 |
| 7/13/2007 11:35 | 2.385 | 0.19 |
| 7/13/2007 11:40 | 2.384 | 0.22 |
| 7/13/2007 11:45 | 2.385 | 0.22 |
| 7/13/2007 11:50 | 2.385 | 0.22 |
| 7/13/2007 11:55 | 2.384 | 0.21 |
| 7/13/2007 12:00 | 2.384 | 0.21 |
| 7/13/2007 12:05 | 2.384 | 0.21 |
| 7/13/2007 12:10 | 2.384 | 0.21 |
| 7/13/2007 12:15 | 2.383 | 0.21 |
| 7/13/2007 12:20 | 2.381 | 0.21 |
| 7/13/2007 12:25 | 2.381 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 12:30 | 2.382 | 0.21 |
| 7/13/2007 12:35 | 2.383 | 0.21 |
| 7/13/2007 12:40 | 2.382 | 0.2 |
| 7/13/2007 12:45 | 2.382 | 0.22 |
| 7/13/2007 12:50 | 2.381 | 0.2 |
| 7/13/2007 12:55 | 2.381 | 0.22 |
| 7/13/2007 13:00 | 2.38 | 0.22 |
| 7/13/2007 13:05 | 2.381 | 0.23 |
| 7/13/2007 13:10 | 2.379 | 0.23 |
| 7/13/2007 13:15 | 2.38 | 0.23 |
| 7/13/2007 13:20 | 2.379 | 0.23 |
| 7/13/2007 13:25 | 2.378 | 0.23 |
| 7/13/2007 13:30 | 2.378 | 0.2 |
| 7/13/2007 13:35 | 2.378 | 0.19 |
| 7/13/2007 13:40 | 2.378 | 0.21 |
| 7/13/2007 13:45 | 2.377 | 0.24 |
| 7/13/2007 13:50 | 2.379 | 0.23 |
| 7/13/2007 13:55 | 2.377 | 0.2 |
| 7/13/2007 14:00 | 2.378 | 0.18 |
| 7/13/2007 14:05 | 2.377 | 0.22 |
| 7/13/2007 14:10 | 2.377 | 0.19 |
| 7/13/2007 14:15 | 2.377 | 0.24 |
| 7/13/2007 14:20 | 2.377 | 0.22 |
| 7/13/2007 14:25 | 2.376 | 0.21 |
| 7/13/2007 14:30 | 2.375 | 0.21 |
| 7/13/2007 14:35 | 2.375 | 0.24 |
| 7/13/2007 14:40 | 2.375 | 0.21 |
| 7/13/2007 14:45 | 2.374 | 0.21 |
| 7/13/2007 14:50 | 2.374 | 0.2 |
| 7/13/2007 14:55 | 2.376 | 0.2 |
| 7/13/2007 15:00 | 2.374 | 0.2 |
| 7/13/2007 15:05 | 2.376 | 0.24 |
| 7/13/2007 15:10 | 2.374 | 0.2 |
| 7/13/2007 15:15 | 2.374 | 0.2 |
| 7/13/2007 15:20 | 2.373 | 0.23 |
| 7/13/2007 15:25 | 2.374 | 0.2 |
| 7/13/2007 15:30 | 2.373 | 0.2 |
| 7/13/2007 15:35 | 2.373 | 0.2 |
| 7/13/2007 15:40 | 2.372 | 0.2 |
| 7/13/2007 15:45 | 2.372 | 0.2 |
| 7/13/2007 15:50 | 2.373 | 0.2 |
| 7/13/2007 15:55 | 2.372 | 0.2 |
| 7/13/2007 16:00 | 2.372 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 16:05 | 2.373 | 0.18 |
| 7/13/2007 16:10 | 2.371 | 0.18 |
| 7/13/2007 16:15 | 2.371 | 0.18 |
| 7/13/2007 16:20 | 2.372 | 0.21 |
| 7/13/2007 16:25 | 2.372 | 0.19 |
| 7/13/2007 16:30 | 2.374 | 0.19 |
| 7/13/2007 16:35 | 2.371 | 0.19 |
| 7/13/2007 16:40 | 2.371 | 0.19 |
| 7/13/2007 16:45 | 2.37 | 0.19 |
| 7/13/2007 16:50 | 2.37 | 0.19 |
| 7/13/2007 16:55 | 2.371 | 0.19 |
| 7/13/2007 17:00 | 2.37 | 0.19 |
| 7/13/2007 17:05 | 2.371 | 0.19 |
| 7/13/2007 17:10 | 2.37 | 0.19 |
| 7/13/2007 17:15 | 2.37 | 0.19 |
| 7/13/2007 17:20 | 2.37 | 0.22 |
| 7/13/2007 17:25 | 2.371 | 0.22 |
| 7/13/2007 17:30 | 2.369 | 0.22 |
| 7/13/2007 17:35 | 2.369 | 0.22 |
| 7/13/2007 17:40 | 2.37 | 0.22 |
| 7/13/2007 17:45 | 2.37 | 0.22 |
| 7/13/2007 17:50 | 2.37 | 0.22 |
| 7/13/2007 17:55 | 2.37 | 0.22 |
| 7/13/2007 18:00 | 2.37 | 0.22 |
| 7/13/2007 18:05 | 2.37 | 0.22 |
| 7/13/2007 18:10 | 2.37 | 0.22 |
| 7/13/2007 18:15 | 2.37 | 0.22 |
| 7/13/2007 18:20 | 2.37 | 0.22 |
| 7/13/2007 18:25 | 2.37 | 0.22 |
| 7/13/2007 18:30 | 2.369 | 0.22 |
| 7/13/2007 18:35 | 2.369 | 0.22 |
| 7/13/2007 18:40 | 2.369 | 0.22 |
| 7/13/2007 18:45 | 2.369 | 0.22 |
| 7/13/2007 18:50 | 2.369 | 0.22 |
| 7/13/2007 18:55 | 2.369 | 0.22 |
| 7/13/2007 19:00 | 2.369 | 0.22 |
| 7/13/2007 19:05 | 2.368 | 0.22 |
| 7/13/2007 19:10 | 2.369 | 0.22 |
| 7/13/2007 19:15 | 2.368 | 0.17 |
| 7/13/2007 19:20 | 2.368 | 0.17 |
| 7/13/2007 19:25 | 2.368 | 0.17 |
| 7/13/2007 19:30 | 2.368 | 0.17 |
| 7/13/2007 19:35 | 2.368 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 19:40 | 2.367 | 0.17 |
| 7/13/2007 19:45 | 2.368 | 0.17 |
| 7/13/2007 19:50 | 2.367 | 0.2 |
| 7/13/2007 19:55 | 2.367 | 0.19 |
| 7/13/2007 20:00 | 2.367 | 0.19 |
| 7/13/2007 20:05 | 2.367 | 0.19 |
| 7/13/2007 20:10 | 2.366 | 0.19 |
| 7/13/2007 20:15 | 2.366 | 0.31 |
| 7/13/2007 20:20 | 2.366 | 0.31 |
| 7/13/2007 20:25 | 2.366 | 0.31 |
| 7/13/2007 20:30 | 2.366 | 0.2 |
| 7/13/2007 20:35 | 2.366 | 0.2 |
| 7/13/2007 20:40 | 2.366 | 0.2 |
| 7/13/2007 20:45 | 2.366 | 0.2 |
| 7/13/2007 20:50 | 2.365 | 0.2 |
| 7/13/2007 20:55 | 2.365 | 0.17 |
| 7/13/2007 21:00 | 2.365 | 0.17 |
| 7/13/2007 21:05 | 2.365 | 0.17 |
| 7/13/2007 21:10 | 2.365 | 0.17 |
| 7/13/2007 21:15 | 2.364 | 0.22 |
| 7/13/2007 21:20 | 2.364 | 0.22 |
| 7/13/2007 21:25 | 2.364 | 0.18 |
| 7/13/2007 21:30 | 2.364 | 0.18 |
| 7/13/2007 21:35 | 2.364 | 0.18 |
| 7/13/2007 21:40 | 2.364 | 0.18 |
| 7/13/2007 21:45 | 2.364 | 0.18 |
| 7/13/2007 21:50 | 2.363 | 0.18 |
| 7/13/2007 21:55 | 2.362 | 0.21 |
| 7/13/2007 22:00 | 2.361 | 0.21 |
| 7/13/2007 22:05 | 2.362 | 0.21 |
| 7/13/2007 22:10 | 2.364 | 0.21 |
| 7/13/2007 22:15 | 2.366 | 0.21 |
| 7/13/2007 22:20 | 2.377 | 0.21 |
| 7/13/2007 22:25 | 2.384 | 0.21 |
| 7/13/2007 22:30 | 2.383 | 0.21 |
| 7/13/2007 22:35 | 2.379 | 0.21 |
| 7/13/2007 22:40 | 2.375 | 0.21 |
| 7/13/2007 22:45 | 2.373 | 0.21 |
| 7/13/2007 22:50 | 2.372 | 0.21 |
| 7/13/2007 22:55 | 2.371 | 0.21 |
| 7/13/2007 23:00 | 2.37 | 0.21 |
| 7/13/2007 23:05 | 2.369 | 0.21 |
| 7/13/2007 23:10 | 2.369 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 23:15 | 2.368 | 0.21 |
| 7/13/2007 23:20 | 2.367 | 0.21 |
| 7/13/2007 23:25 | 2.367 | 0.21 |
| 7/13/2007 23:30 | 2.367 | 0.21 |
| 7/13/2007 23:35 | 2.367 | 0.21 |
| 7/13/2007 23:40 | 2.366 | 0.21 |
| 7/13/2007 23:45 | 2.366 | 0.21 |
| 7/13/2007 23:50 | 2.366 | 0.21 |
| 7/13/2007 23:55 | 2.365 | 0.21 |
| 7/14/2007 0:00 | 2.366 | 0.21 |
| 7/14/2007 0:05 | 2.365 | 0.21 |
| 7/14/2007 0:10 | 2.365 | 0.21 |
| 7/14/2007 0:15 | 2.365 | 0.21 |
| 7/14/2007 0:20 | 2.365 | 0.21 |
| 7/14/2007 0:25 | 2.364 | 0.21 |
| 7/14/2007 0:30 | 2.364 | 0.21 |
| 7/14/2007 0:35 | 2.364 | 0.21 |
| 7/14/2007 0:40 | 2.364 | 0.21 |
| 7/14/2007 0:45 | 2.364 | 0.21 |
| 7/14/2007 0:50 | 2.363 | 0.21 |
| 7/14/2007 0:55 | 2.363 | 0.21 |
| 7/14/2007 1:00 | 2.362 | 0.21 |
| 7/14/2007 1:05 | 2.363 | 0.21 |
| 7/14/2007 1:10 | 2.362 | 0.21 |
| 7/14/2007 1:15 | 2.362 | 0.21 |
| 7/14/2007 1:20 | 2.362 | 0.21 |
| 7/14/2007 1:25 | 2.362 | 0.21 |
| 7/14/2007 1:30 | 2.362 | 0.21 |
| 7/14/2007 1:35 | 2.361 | 0.21 |
| 7/14/2007 1:40 | 2.361 | 0.21 |
| 7/14/2007 1:45 | 2.361 | 0.21 |
| 7/14/2007 1:50 | 2.361 | 0.21 |
| 7/14/2007 1:55 | 2.361 | 0.21 |
| 7/14/2007 2:00 | 2.36 | 0.21 |
| 7/14/2007 2:05 | 2.36 | 0.21 |
| 7/14/2007 2:10 | 2.36 | 0.21 |
| 7/14/2007 2:15 | 2.359 | 0.21 |
| 7/14/2007 2:20 | 2.359 | 0.21 |
| 7/14/2007 2:25 | 2.359 | 0.21 |
| 7/14/2007 2:30 | 2.359 | 0.19 |
| 7/14/2007 2:35 | 2.359 | 0.19 |
| 7/14/2007 2:40 | 2.358 | 0.19 |
| 7/14/2007 2:45 | 2.358 | 0.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 2:50 | 2.358 | 0.17 |
| 7/14/2007 2:55 | 2.358 | 0.17 |
| 7/14/2007 3:00 | 2.357 | 0.17 |
| 7/14/2007 3:05 | 2.358 | 0.17 |
| 7/14/2007 3:10 | 2.357 | 0.17 |
| 7/14/2007 3:15 | 2.357 | 0.17 |
| 7/14/2007 3:20 | 2.356 | 0.17 |
| 7/14/2007 3:25 | 2.356 | 0.17 |
| 7/14/2007 3:30 | 2.356 | 0.18 |
| 7/14/2007 3:35 | 2.356 | 0.18 |
| 7/14/2007 3:40 | 2.355 | 0.18 |
| 7/14/2007 3:45 | 2.355 | 0.18 |
| 7/14/2007 3:50 | 2.355 | 0.2 |
| 7/14/2007 3:55 | 2.355 | 0.2 |
| 7/14/2007 4:00 | 2.354 | 0.2 |
| 7/14/2007 4:05 | 2.354 | 0.19 |
| 7/14/2007 4:10 | 2.354 | 0.19 |
| 7/14/2007 4:15 | 2.354 | 0.19 |
| 7/14/2007 4:20 | 2.354 | 0.19 |
| 7/14/2007 4:25 | 2.353 | 0.19 |
| 7/14/2007 4:30 | 2.353 | 0.19 |
| 7/14/2007 4:35 | 2.353 | 0.19 |
| 7/14/2007 4:40 | 2.353 | 0.18 |
| 7/14/2007 4:45 | 2.352 | 0.18 |
| 7/14/2007 4:50 | 2.352 | 0.18 |
| 7/14/2007 4:55 | 2.352 | 0.2 |
| 7/14/2007 5:00 | 2.352 | 0.2 |
| 7/14/2007 5:05 | 2.352 | 0.2 |
| 7/14/2007 5:10 | 2.351 | 0.2 |
| 7/14/2007 5:15 | 2.351 | 0.2 |
| 7/14/2007 5:20 | 2.352 | 0.2 |
| 7/14/2007 5:25 | 2.351 | 0.2 |
| 7/14/2007 5:30 | 2.351 | 0.2 |
| 7/14/2007 5:35 | 2.35 | 0.2 |
| 7/14/2007 5:40 | 2.351 | 0.22 |
| 7/14/2007 5:45 | 2.35 | 0.22 |
| 7/14/2007 5:50 | 2.35 | 0.22 |
| 7/14/2007 5:55 | 2.35 | 0.22 |
| 7/14/2007 6:00 | 2.349 | 0.22 |
| 7/14/2007 6:05 | 2.35 | 0.2 |
| 7/14/2007 6:10 | 2.349 | 0.2 |
| 7/14/2007 6:15 | 2.35 | 0.2 |
| 7/14/2007 6:20 | 2.349 | 0.2 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 6:25 | 2.349 | 0.2 |
| 7/14/2007 6:30 | 2.349 | 0.2 |
| 7/14/2007 6:35 | 2.349 | 0.2 |
| 7/14/2007 6:40 | 2.348 | 0.2 |
| 7/14/2007 6:45 | 2.349 | 0.2 |
| 7/14/2007 6:50 | 2.348 | 0.19 |
| 7/14/2007 6:55 | 2.348 | 0.19 |
| 7/14/2007 7:00 | 2.348 | 0.19 |
| 7/14/2007 7:05 | 2.347 | 0.19 |
| 7/14/2007 7:10 | 2.347 | 0.19 |
| 7/14/2007 7:15 | 2.347 | 0.19 |
| 7/14/2007 7:20 | 2.347 | 0.17 |
| 7/14/2007 7:25 | 2.347 | 0.17 |
| 7/14/2007 7:30 | 2.347 | 0.17 |
| 7/14/2007 7:35 | 2.346 | 0.17 |
| 7/14/2007 7:40 | 2.346 | 0.18 |
| 7/14/2007 7:45 | 2.346 | 0.18 |
| 7/14/2007 7:50 | 2.346 | 0.18 |
| 7/14/2007 7:55 | 2.346 | 0.18 |
| 7/14/2007 8:00 | 2.345 | 0.18 |
| 7/14/2007 8:05 | 2.345 | 0.17 |
| 7/14/2007 8:10 | 2.344 | 0.17 |
| 7/14/2007 8:15 | 2.344 | 0.17 |
| 7/14/2007 8:20 | 2.343 | 0.17 |
| 7/14/2007 8:25 | 2.342 | 0.17 |
| 7/14/2007 8:30 | 2.343 | 0.17 |
| 7/14/2007 8:35 | 2.342 | 0.17 |
| 7/14/2007 8:40 | 2.342 | 0.17 |
| 7/14/2007 8:45 | 2.342 | 0.17 |
| 7/14/2007 8:50 | 2.341 | 0.17 |
| 7/14/2007 8:55 | 2.34 | 0.17 |
| 7/14/2007 9:00 | 2.34 | 0.17 |
| 7/14/2007 9:05 | 2.34 | 0.17 |
| 7/14/2007 9:10 | 2.339 | 0.17 |
| 7/14/2007 9:15 | 2.339 | 0.17 |
| 7/14/2007 9:20 | 2.339 | 0.17 |
| 7/14/2007 9:25 | 2.34 | 0.17 |
| 7/14/2007 9:30 | 2.339 | 0.17 |
| 7/14/2007 9:35 | 2.339 | 0.17 |
| 7/14/2007 9:40 | 2.338 | 0.17 |
| 7/14/2007 9:45 | 2.338 | 0.17 |
| 7/14/2007 9:50 | 2.338 | 0.17 |
| 7/14/2007 9:55 | 2.337 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 10:00 | 2.337 | 0.17 |
| 7/14/2007 10:05 | 2.337 | 0.17 |
| 7/14/2007 10:10 | 2.335 | 0.2 |
| 7/14/2007 10:15 | 2.336 | 13.55 |
| 7/14/2007 10:20 | 2.334 | 13.55 |
| 7/14/2007 10:25 | 2.335 | 13.55 |
| 7/14/2007 10:30 | 2.334 | 9.96 |
| 7/14/2007 10:35 | 2.335 | 9.96 |
| 7/14/2007 10:40 | 2.334 | 8.66 |
| 7/14/2007 10:45 | 2.334 | 10.48 |
| 7/14/2007 10:50 | 2.334 | 10.48 |
| 7/14/2007 10:55 | 2.334 | 0.18 |
| 7/14/2007 11:00 | 2.333 | 0.16 |
| 7/14/2007 11:05 | 2.333 | 0.17 |
| 7/14/2007 11:10 | 2.333 | 0.21 |
| 7/14/2007 11:15 | 2.332 | 0.21 |
| 7/14/2007 11:20 | 2.331 | 0.21 |
| 7/14/2007 11:25 | 2.331 | 0.16 |
| 7/14/2007 11:30 | 2.332 | 0.16 |
| 7/14/2007 11:35 | 2.331 | 0.15 |
| 7/14/2007 11:40 | 2.33 | 0.4 |
| 7/14/2007 11:45 | 2.331 | 0.4 |
| 7/14/2007 11:50 | 2.329 | 0.4 |
| 7/14/2007 11:55 | 2.328 | 0.4 |
| 7/14/2007 12:00 | 2.329 | 0.4 |
| 7/14/2007 12:05 | 2.328 | 0.4 |
| 7/14/2007 12:10 | 2.329 | 0.18 |
| 7/14/2007 12:15 | 2.328 | 0.17 |
| 7/14/2007 12:20 | 2.326 | 0.18 |
| 7/14/2007 12:25 | 2.327 | 0.18 |
| 7/14/2007 12:30 | 2.327 | 0.17 |
| 7/14/2007 12:35 | 2.327 | 0.17 |
| 7/14/2007 12:40 | 2.326 | 0.17 |
| 7/14/2007 12:45 | 2.326 | 0.16 |
| 7/14/2007 12:50 | 2.325 | 0.18 |
| 7/14/2007 12:55 | 2.325 | 0.17 |
| 7/14/2007 13:00 | 2.326 | 0.17 |
| 7/14/2007 13:05 | 2.325 | 0.18 |
| 7/14/2007 13:10 | 2.324 | 0.17 |
| 7/14/2007 13:15 | 2.324 | 0.17 |
| 7/14/2007 13:20 | 2.325 | 0.17 |
| 7/14/2007 13:25 | 2.325 | 0.17 |
| 7/14/2007 13:30 | 2.323 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 13:35 | 2.322 | 0.16 |
| 7/14/2007 13:40 | 2.322 | 0.16 |
| 7/14/2007 13:45 | 2.322 | 0.16 |
| 7/14/2007 13:50 | 2.322 | 0.17 |
| 7/14/2007 13:55 | 2.322 | 0.17 |
| 7/14/2007 14:00 | 2.32 | 0.17 |
| 7/14/2007 14:05 | 2.321 | 0.16 |
| 7/14/2007 14:10 | 2.321 | 0.18 |
| 7/14/2007 14:15 | 2.32 | 0.16 |
| 7/14/2007 14:20 | 2.32 | 0.19 |
| 7/14/2007 14:25 | 2.32 | 0.17 |
| 7/14/2007 14:30 | 2.32 | 0.17 |
| 7/14/2007 14:35 | 2.319 | 0.16 |
| 7/14/2007 14:40 | 2.316 | 0.16 |
| 7/14/2007 14:45 | 2.318 | 0.16 |
| 7/14/2007 14:50 | 2.318 | 0.16 |
| 7/14/2007 14:55 | 2.318 | 0.16 |
| 7/14/2007 15:00 | 2.318 | 0.16 |
| 7/14/2007 15:05 | 2.317 | 0.15 |
| 7/14/2007 15:10 | 2.318 | 0.15 |
| 7/14/2007 15:15 | 2.318 | 0.19 |
| 7/14/2007 15:20 | 2.317 | 0.18 |
| 7/14/2007 15:25 | 2.317 | 0.16 |
| 7/14/2007 15:30 | 2.316 | 0.19 |
| 7/14/2007 15:35 | 2.317 | 0.19 |
| 7/14/2007 15:40 | 2.316 | 0.18 |
| 7/14/2007 15:45 | 2.316 | 0.16 |
| 7/14/2007 15:50 | 2.316 | 0.17 |
| 7/14/2007 15:55 | 2.315 | 0.15 |
| 7/14/2007 16:00 | 2.314 | 0.16 |
| 7/14/2007 16:05 | 2.315 | 0.15 |
| 7/14/2007 16:10 | 2.315 | 0.17 |
| 7/14/2007 16:15 | 2.315 | 0.17 |
| 7/14/2007 16:20 | 2.316 | 0.14 |
| 7/14/2007 16:25 | 2.315 | 0.14 |
| 7/14/2007 16:30 | 2.315 | 0.14 |
| 7/14/2007 16:35 | 2.315 | 0.14 |
| 7/14/2007 16:40 | 2.316 | 0.14 |
| 7/14/2007 16:45 | 2.317 | 0.14 |
| 7/14/2007 16:50 | 2.316 | 0.14 |
| 7/14/2007 16:55 | 2.317 | 0.14 |
| 7/14/2007 17:00 | 2.316 | 0.14 |
| 7/14/2007 17:05 | 2.317 | 0.14 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 17:10 | 2.317 | 0.14 |
| 7/14/2007 17:15 | 2.317 | 0.14 |
| 7/14/2007 17:20 | 2.316 | 0.14 |
| 7/14/2007 17:25 | 2.316 | 0.16 |
| 7/14/2007 17:30 | 2.317 | 0.18 |
| 7/14/2007 17:35 | 2.318 | 8.02 |
| 7/14/2007 17:40 | 2.317 | 8.68 |
| 7/14/2007 17:45 | 2.318 | 0.16 |
| 7/14/2007 17:50 | 2.318 | 0.16 |
| 7/14/2007 17:55 | 2.318 | 0.16 |
| 7/14/2007 18:00 | 2.318 | 0.16 |
| 7/14/2007 18:05 | 2.318 | 0.17 |
| 7/14/2007 18:10 | 2.318 | 0.17 |
| 7/14/2007 18:15 | 2.317 | 0.18 |
| 7/14/2007 18:20 | 2.318 | 0.18 |
| 7/14/2007 18:25 | 2.318 | 0.18 |
| 7/14/2007 18:30 | 2.318 | 0.18 |
| 7/14/2007 18:35 | 2.319 | 0.18 |
| 7/14/2007 18:40 | 2.318 | 0.18 |
| 7/14/2007 18:45 | 2.318 | 0.16 |
| 7/14/2007 18:50 | 2.318 | 0.16 |
| 7/14/2007 18:55 | 2.319 | 0.16 |
| 7/14/2007 19:00 | 2.319 | 0.16 |
| 7/14/2007 19:05 | 2.319 | 0.16 |
| 7/14/2007 19:10 | 2.319 | 0.16 |
| 7/14/2007 19:15 | 2.319 | 0.16 |
| 7/14/2007 19:20 | 2.32 | 0.16 |
| 7/14/2007 19:25 | 2.32 | 0.16 |
| 7/14/2007 19:30 | 2.32 | 0.16 |
| 7/14/2007 19:35 | 2.32 | 0.16 |
| 7/14/2007 19:40 | 2.32 | 0.16 |
| 7/14/2007 19:45 | 2.32 | 0.16 |
| 7/14/2007 19:50 | 2.32 | 0.16 |
| 7/14/2007 19:55 | 2.32 | 0.16 |
| 7/14/2007 20:00 | 2.32 | 0.16 |
| 7/14/2007 20:05 | 2.321 | 0.16 |
| 7/14/2007 20:10 | 2.32 | 0.16 |
| 7/14/2007 20:15 | 2.321 | 0.16 |
| 7/14/2007 20:20 | 2.321 | 0.16 |
| 7/14/2007 20:25 | 2.321 | 0.16 |
| 7/14/2007 20:30 | 2.321 | 0.16 |
| 7/14/2007 20:35 | 2.321 | 0.17 |
| 7/14/2007 20:40 | 2.321 | 0.19 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 20:45 | 2.321 | 0.18 |
| 7/14/2007 20:50 | 2.321 | 0.17 |
| 7/14/2007 20:55 | 2.321 | 0.17 |
| 7/14/2007 21:00 | 2.321 | 0.17 |
| 7/14/2007 21:05 | 2.32 | 0.19 |
| 7/14/2007 21:10 | 2.32 | 0.19 |
| 7/14/2007 21:15 | 2.32 | 0.19 |
| 7/14/2007 21:20 | 2.32 | 0.19 |
| 7/14/2007 21:25 | 2.32 | 0.19 |
| 7/14/2007 21:30 | 2.32 | 0.19 |
| 7/14/2007 21:35 | 2.319 | 0.17 |
| 7/14/2007 21:40 | 2.319 | 0.17 |
| 7/14/2007 21:45 | 2.319 | 0.17 |
| 7/14/2007 21:50 | 2.319 | 0.17 |
| 7/14/2007 21:55 | 2.319 | 0.17 |
| 7/14/2007 22:00 | 2.318 | 0.17 |
| 7/14/2007 22:05 | 2.318 | 0.17 |
| 7/14/2007 22:10 | 2.318 | 0.17 |
| 7/14/2007 22:15 | 2.317 | 0.17 |
| 7/14/2007 22:20 | 2.317 | 0.17 |
| 7/14/2007 22:25 | 2.317 | 0.17 |
| 7/14/2007 22:30 | 2.317 | 0.17 |
| 7/14/2007 22:35 | 2.317 | 0.17 |
| 7/14/2007 22:40 | 2.316 | 0.17 |
| 7/14/2007 22:45 | 2.316 | 0.17 |
| 7/14/2007 22:50 | 2.315 | 0.17 |
| 7/14/2007 22:55 | 2.315 | 0.17 |
| 7/14/2007 23:00 | 2.314 | 0.17 |
| 7/14/2007 23:05 | 2.314 | 0.17 |
| 7/14/2007 23:10 | 2.314 | 0.17 |
| 7/14/2007 23:15 | 2.313 | 0.17 |
| 7/14/2007 23:20 | 2.313 | 0.17 |
| 7/14/2007 23:25 | 2.313 | 0.17 |
| 7/14/2007 23:30 | 2.312 | 0.17 |
| 7/14/2007 23:35 | 2.312 | 0.17 |
| 7/14/2007 23:40 | 2.311 | 0.17 |
| 7/14/2007 23:45 | 2.311 | 0.17 |
| 7/14/2007 23:50 | 2.311 | 0.17 |
| 7/14/2007 23:55 | 2.31 | 0.17 |
| 7/15/2007 0:00 | 2.312 | 0.17 |
| 7/15/2007 0:05 | 2.31 | 0.17 |
| 7/15/2007 0:10 | 2.31 | 0.17 |
| 7/15/2007 0:15 | 2.309 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 0:20 | 2.309 | 0.17 |
| 7/15/2007 0:25 | 2.309 | 0.17 |
| 7/15/2007 0:30 | 2.309 | 0.17 |
| 7/15/2007 0:35 | 2.308 | 0.17 |
| 7/15/2007 0:40 | 2.308 | 0.17 |
| 7/15/2007 0:45 | 2.308 | 0.17 |
| 7/15/2007 0:50 | 2.308 | 0.16 |
| 7/15/2007 0:55 | 2.307 | 0.16 |
| 7/15/2007 1:00 | 2.307 | 0.16 |
| 7/15/2007 1:05 | 2.307 | 0.16 |
| 7/15/2007 1:10 | 2.306 | 0.16 |
| 7/15/2007 1:15 | 2.306 | 0.2 |
| 7/15/2007 1:20 | 2.305 | 0.2 |
| 7/15/2007 1:25 | 2.305 | 0.2 |
| 7/15/2007 1:30 | 2.305 | 0.2 |
| 7/15/2007 1:35 | 2.304 | 0.2 |
| 7/15/2007 1:40 | 2.304 | 0.2 |
| 7/15/2007 1:45 | 2.304 | 0.2 |
| 7/15/2007 1:50 | 2.303 | 0.2 |
| 7/15/2007 1:55 | 2.303 | 0.2 |
| 7/15/2007 2:00 | 2.303 | 0.2 |
| 7/15/2007 2:05 | 2.303 | 0.2 |
| 7/15/2007 2:10 | 2.302 | 0.2 |
| 7/15/2007 2:15 | 2.302 | 0.2 |
| 7/15/2007 2:20 | 2.301 | 0.2 |
| 7/15/2007 2:25 | 2.302 | 0.2 |
| 7/15/2007 2:30 | 2.301 | 0.2 |
| 7/15/2007 2:35 | 2.301 | 0.2 |
| 7/15/2007 2:40 | 2.301 | 0.2 |
| 7/15/2007 2:45 | 2.3 | 0.2 |
| 7/15/2007 2:50 | 2.3 | 0.2 |
| 7/15/2007 2:55 | 2.299 | 0.2 |
| 7/15/2007 3:00 | 2.299 | 0.2 |
| 7/15/2007 3:05 | 2.299 | 0.2 |
| 7/15/2007 3:10 | 2.299 | 0.2 |
| 7/15/2007 3:15 | 2.298 | 0.16 |
| 7/15/2007 3:20 | 2.298 | 0.16 |
| 7/15/2007 3:25 | 2.298 | 0.16 |
| 7/15/2007 3:30 | 2.298 | 0.17 |
| 7/15/2007 3:35 | 2.297 | 0.17 |
| 7/15/2007 3:40 | 2.297 | 0.17 |
| 7/15/2007 3:45 | 2.296 | 0.17 |
| 7/15/2007 3:50 | 2.295 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 3:55 | 2.295 | 11.73 |
| 7/15/2007 4:00 | 2.295 | 11.73 |
| 7/15/2007 4:05 | 2.294 | 10.42 |
| 7/15/2007 4:10 | 2.294 | 10.42 |
| 7/15/2007 4:15 | 2.294 | 9.2 |
| 7/15/2007 4:20 | 2.293 | 12.49 |
| 7/15/2007 4:25 | 2.293 | 1.21 |
| 7/15/2007 4:30 | 2.292 | 1.03 |
| 7/15/2007 4:35 | 2.291 | 1.03 |
| 7/15/2007 4:40 | 2.291 | 1.03 |
| 7/15/2007 4:45 | 2.291 | 8.42 |
| 7/15/2007 4:50 | 2.29 | 8.42 |
| 7/15/2007 4:55 | 2.291 | 8.42 |
| 7/15/2007 5:00 | 2.29 | 13.47 |
| 7/15/2007 5:05 | 2.29 | 1.13 |
| 7/15/2007 5:10 | 2.29 | 1.13 |
| 7/15/2007 5:15 | 2.29 | 1.1 |
| 7/15/2007 5:20 | 2.289 | 1.1 |
| 7/15/2007 5:25 | 2.29 | 1.1 |
| 7/15/2007 5:30 | 2.289 | 1.1 |
| 7/15/2007 5:35 | 2.289 | 1.1 |
| 7/15/2007 5:40 | 2.29 | 1.1 |
| 7/15/2007 5:45 | 2.289 | 9.92 |
| 7/15/2007 5:50 | 2.289 | 9.92 |
| 7/15/2007 5:55 | 2.289 | 9.92 |
| 7/15/2007 6:00 | 2.289 | 9.92 |
| 7/15/2007 6:05 | 2.288 | 9.92 |
| 7/15/2007 6:10 | 2.288 | 10.71 |
| 7/15/2007 6:15 | 2.288 | 10.71 |
| 7/15/2007 6:20 | 2.288 | 10.71 |
| 7/15/2007 6:25 | 2.287 | 10.71 |
| 7/15/2007 6:30 | 2.287 | 0.17 |
| 7/15/2007 6:35 | 2.287 | 0.17 |
| 7/15/2007 6:40 | 2.287 | 0.14 |
| 7/15/2007 6:45 | 2.286 | 0.14 |
| 7/15/2007 6:50 | 2.287 | 0.15 |
| 7/15/2007 6:55 | 2.286 | 0.15 |
| 7/15/2007 7:00 | 2.286 | 0.15 |
| 7/15/2007 7:05 | 2.285 | 0.15 |
| 7/15/2007 7:10 | 2.285 | 0.15 |
| 7/15/2007 7:15 | 2.286 | 0.15 |
| 7/15/2007 7:20 | 2.285 | 0.15 |
| 7/15/2007 7:25 | 2.285 | 0.15 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 7:30 | 2.285 | 0.15 |
| 7/15/2007 7:35 | 2.284 | 0.15 |
| 7/15/2007 7:40 | 2.284 | 0.15 |
| 7/15/2007 7:45 | 2.284 | 0.15 |
| 7/15/2007 7:50 | 2.284 | 0.15 |
| 7/15/2007 7:55 | 2.284 | 0.15 |
| 7/15/2007 8:00 | 2.283 | 0.15 |
| 7/15/2007 8:05 | 2.283 | 0.15 |
| 7/15/2007 8:10 | 2.284 | 0.15 |
| 7/15/2007 8:15 | 2.283 | 0.15 |
| 7/15/2007 8:20 | 2.283 | 0.15 |
| 7/15/2007 8:25 | 2.282 | 0.36 |
| 7/15/2007 8:30 | 2.282 | 0.36 |
| 7/15/2007 8:35 | 2.282 | 0.36 |
| 7/15/2007 8:40 | 2.282 | 0.36 |
| 7/15/2007 8:45 | 2.282 | 0.36 |
| 7/15/2007 8:50 | 2.28 | 0.36 |
| 7/15/2007 8:55 | 2.281 | 0.36 |
| 7/15/2007 9:00 | 2.28 | 0.36 |
| 7/15/2007 9:05 | 2.28 | 0.36 |
| 7/15/2007 9:10 | 2.28 | 0.36 |
| 7/15/2007 9:15 | 2.279 | 0.36 |
| 7/15/2007 9:20 | 2.278 | 0.36 |
| 7/15/2007 9:25 | 2.278 | 0.36 |
| 7/15/2007 9:30 | 2.277 | 0.36 |
| 7/15/2007 9:35 | 2.277 | 0.36 |
| 7/15/2007 9:40 | 2.277 | 0.36 |
| 7/15/2007 9:45 | 2.276 | 0.36 |
| 7/15/2007 9:50 | 2.276 | 0.36 |
| 7/15/2007 9:55 | 2.275 | 0.36 |
| 7/15/2007 10:00 | 2.275 | 0.36 |
| 7/15/2007 10:05 | 2.273 | 0.36 |
| 7/15/2007 10:10 | 2.273 | 0.36 |
| 7/15/2007 10:15 | 2.275 | 0.36 |
| 7/15/2007 10:20 | 2.274 | 0.36 |
| 7/15/2007 10:25 | 2.273 | 0.36 |
| 7/15/2007 10:30 | 2.272 | 0.36 |
| 7/15/2007 10:35 | 2.272 | 0.36 |
| 7/15/2007 10:40 | 2.272 | 0.36 |
| 7/15/2007 10:45 | 2.271 | 0.36 |
| 7/15/2007 10:50 | 2.271 | 0.36 |
| 7/15/2007 10:55 | 2.269 | 0.36 |
| 7/15/2007 11:00 | 2.27 | 0.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 11:05 | 2.271 | 0.12 |
| 7/15/2007 11:10 | 2.269 | 0.13 |
| 7/15/2007 11:15 | 2.269 | 0.14 |
| 7/15/2007 11:20 | 2.27 | 0.14 |
| 7/15/2007 11:25 | 2.271 | 13.65 |
| 7/15/2007 11:30 | 2.268 | 13.65 |
| 7/15/2007 11:35 | 2.268 | 14.04 |
| 7/15/2007 11:40 | 2.268 | 10.01 |
| 7/15/2007 11:45 | 2.267 | 10.01 |
| 7/15/2007 11:50 | 2.267 | 11.59 |
| 7/15/2007 11:55 | 2.264 | 11.09 |
| 7/15/2007 12:00 | 2.268 | 11.09 |
| 7/15/2007 12:05 | 2.266 | 11.03 |
| 7/15/2007 12:10 | 2.266 | 10.39 |
| 7/15/2007 12:15 | 2.265 | 10.72 |
| 7/15/2007 12:20 | 2.265 | 10.92 |
| 7/15/2007 12:25 | 2.264 | 10.92 |
| 7/15/2007 12:30 | 2.267 | 10.92 |
| 7/15/2007 12:35 | 2.262 | 10.92 |
| 7/15/2007 12:40 | 2.264 | 9.35 |
| 7/15/2007 12:45 | 2.266 | 9.35 |
| 7/15/2007 12:50 | 2.261 | 9.35 |
| 7/15/2007 12:55 | 2.262 | 9.35 |
| 7/15/2007 13:00 | 2.262 | 9.35 |
| 7/15/2007 13:05 | 2.262 | 9.35 |
| 7/15/2007 13:10 | 2.262 | 9.35 |
| 7/15/2007 13:15 | 2.261 | 9.35 |
| 7/15/2007 13:20 | 2.26 | 9.35 |
| 7/15/2007 13:25 | 2.26 | 9.35 |
| 7/15/2007 13:30 | 2.259 | 9.35 |
| 7/15/2007 13:35 | 2.259 | 9.35 |
| 7/15/2007 13:40 | 2.259 | 9.35 |
| 7/15/2007 13:45 | 2.259 | 9.35 |
| 7/15/2007 13:50 | 2.259 | 9.35 |
| 7/15/2007 13:55 | 2.258 | 9.35 |
| 7/15/2007 14:00 | 2.258 | 9.35 |
| 7/15/2007 14:05 | 2.257 | 9.35 |
| 7/15/2007 14:10 | 2.257 | 9.35 |
| 7/15/2007 14:15 | 2.257 | 9.35 |
| 7/15/2007 14:20 | 2.257 | 9.35 |
| 7/15/2007 14:25 | 2.257 | 9.35 |
| 7/15/2007 14:30 | 2.257 | 0.25 |
| 7/15/2007 14:35 | 2.256 | 0.25 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 14:40 | 2.254 | 0.25 |
| 7/15/2007 14:45 | 2.256 | 0.25 |
| 7/15/2007 14:50 | 2.256 | 0.25 |
| 7/15/2007 14:55 | 2.255 | 0.25 |
| 7/15/2007 15:00 | 2.256 | 0.25 |
| 7/15/2007 15:05 | 2.255 | 0.25 |
| 7/15/2007 15:10 | 2.255 | 0.14 |
| 7/15/2007 15:15 | 2.255 | 0.14 |
| 7/15/2007 15:20 | 2.255 | 0.14 |
| 7/15/2007 15:25 | 2.254 | 0.14 |
| 7/15/2007 15:30 | 2.254 | 0.14 |
| 7/15/2007 15:35 | 2.254 | 0.14 |
| 7/15/2007 15:40 | 2.254 | 0.14 |
| 7/15/2007 15:45 | 2.254 | 0.14 |
| 7/15/2007 15:50 | 2.253 | 0.14 |
| 7/15/2007 15:55 | 2.253 | 0.14 |
| 7/15/2007 16:00 | 2.253 | 0.14 |
| 7/15/2007 16:05 | 2.253 | 0.14 |
| 7/15/2007 16:10 | 2.253 | 0.14 |
| 7/15/2007 16:15 | 2.253 | 0.14 |
| 7/15/2007 16:20 | 2.253 | 0.14 |
| 7/15/2007 16:25 | 2.252 | 0.14 |
| 7/15/2007 16:30 | 2.252 | 0.14 |
| 7/15/2007 16:35 | 2.252 | 0.14 |
| 7/15/2007 16:40 | 2.252 | 0.14 |
| 7/15/2007 16:45 | 2.252 | 0.14 |
| 7/15/2007 16:50 | 2.252 | 0.14 |
| 7/15/2007 16:55 | 2.251 | 0.14 |
| 7/15/2007 17:00 | 2.252 | 0.14 |
| 7/15/2007 17:05 | 2.252 | 0.14 |
| 7/15/2007 17:10 | 2.252 | 0.14 |
| 7/15/2007 17:15 | 2.252 | 0.14 |
| 7/15/2007 17:20 | 2.253 | 0.14 |
| 7/15/2007 17:25 | 2.253 | 0.14 |
| 7/15/2007 17:30 | 2.254 | 0.14 |
| 7/15/2007 17:35 | 2.254 | 0.14 |
| 7/15/2007 17:40 | 2.255 | 0.14 |
| 7/15/2007 17:45 | 2.255 | 0.14 |
| 7/15/2007 17:50 | 2.254 | 9.36 |
| 7/15/2007 17:55 | 2.254 | 9.36 |
| 7/15/2007 18:00 | 2.254 | 6.79 |
| 7/15/2007 18:05 | 2.254 | 6.79 |
| 7/15/2007 18:10 | 2.254 | 7.61 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 18:15 | 2.253 | 7.61 |
| 7/15/2007 18:20 | 2.253 | 7.61 |
| 7/15/2007 18:25 | 2.253 | 7.61 |
| 7/15/2007 18:30 | 2.253 | 7.61 |
| 7/15/2007 18:35 | 2.252 | 7.61 |
| 7/15/2007 18:40 | 2.252 | 7.61 |
| 7/15/2007 18:45 | 2.252 | 7.61 |
| 7/15/2007 18:50 | 2.252 | 7.61 |
| 7/15/2007 18:55 | 2.252 | 7.61 |
| 7/15/2007 19:00 | 2.251 | 7.61 |
| 7/15/2007 19:05 | 2.252 | 7.61 |
| 7/15/2007 19:10 | 2.251 | 7.61 |
| 7/15/2007 19:15 | 2.251 | 7.61 |
| 7/15/2007 19:20 | 2.251 | 7.61 |
| 7/15/2007 19:25 | 2.251 | 7.61 |
| 7/15/2007 19:30 | 2.251 | 7.61 |
| 7/15/2007 19:35 | 2.251 | 7.61 |
| 7/15/2007 19:40 | 2.251 | 7.61 |
| 7/15/2007 19:45 | 2.251 | 7.61 |
| 7/15/2007 19:50 | 2.251 | 7.61 |
| 7/15/2007 19:55 | 2.251 | 7.61 |
| 7/15/2007 20:00 | 2.251 | 7.61 |
| 7/15/2007 20:05 | 2.251 | 7.61 |
| 7/15/2007 20:10 | 2.251 | 7.61 |
| 7/15/2007 20:15 | 2.251 | 7.61 |
| 7/15/2007 20:20 | 2.25 | 7.61 |
| 7/15/2007 20:25 | 2.25 | 7.61 |
| 7/15/2007 20:30 | 2.25 | 7.61 |
| 7/15/2007 20:35 | 2.25 | 7.61 |
| 7/15/2007 20:40 | 2.251 | 7.61 |
| 7/15/2007 20:45 | 2.25 | 7.61 |
| 7/15/2007 20:50 | 2.25 | 7.61 |
| 7/15/2007 20:55 | 2.25 | 0.14 |
| 7/15/2007 21:00 | 2.25 | 0.14 |
| 7/15/2007 21:05 | 2.249 | 0.14 |
| 7/15/2007 21:10 | 2.249 | 0.14 |
| 7/15/2007 21:15 | 2.248 | 0.14 |
| 7/15/2007 21:20 | 2.248 | 0.14 |
| 7/15/2007 21:25 | 2.248 | 0.17 |
| 7/15/2007 21:30 | 2.248 | 0.17 |
| 7/15/2007 21:35 | 2.247 | 0.17 |
| 7/15/2007 21:40 | 2.247 | 0.17 |
| 7/15/2007 21:45 | 2.247 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 21:50 | 2.246 | 0.12 |
| 7/15/2007 21:55 | 2.247 | 0.14 |
| 7/15/2007 22:00 | 2.246 | 0.14 |
| 7/15/2007 22:05 | 2.246 | 0.14 |
| 7/15/2007 22:10 | 2.246 | 0.14 |
| 7/15/2007 22:15 | 2.246 | 0.14 |
| 7/15/2007 22:20 | 2.245 | 0.14 |
| 7/15/2007 22:25 | 2.245 | 0.14 |
| 7/15/2007 22:30 | 2.245 | 0.14 |
| 7/15/2007 22:35 | 2.244 | 0.14 |
| 7/15/2007 22:40 | 2.244 | 0.14 |
| 7/15/2007 22:45 | 2.244 | 0.15 |
| 7/15/2007 22:50 | 2.243 | 0.15 |
| 7/15/2007 22:55 | 2.243 | 0.15 |
| 7/15/2007 23:00 | 2.242 | 0.15 |
| 7/15/2007 23:05 | 2.242 | 0.15 |
| 7/15/2007 23:10 | 2.242 | 0.15 |
| 7/15/2007 23:15 | 2.241 | 0.15 |
| 7/15/2007 23:20 | 2.242 | 0.15 |
| 7/15/2007 23:25 | 2.24 | 0.15 |
| 7/15/2007 23:30 | 2.241 | 0.15 |
| 7/15/2007 23:35 | 2.24 | 0.15 |
| 7/15/2007 23:40 | 2.239 | 0.15 |
| 7/15/2007 23:45 | 2.239 | 0.15 |
| 7/15/2007 23:50 | 2.238 | 0.15 |
| 7/15/2007 23:55 | 2.238 | 0.15 |
| 7/16/2007 0:00 | 2.238 | 0.15 |
| 7/16/2007 0:05 | 2.238 | 0.15 |
| 7/16/2007 0:10 | 2.236 | 0.15 |
| 7/16/2007 0:15 | 2.236 | 0.15 |
| 7/16/2007 0:20 | 2.235 | 0.15 |
| 7/16/2007 0:25 | 2.235 | 0.15 |
| 7/16/2007 0:30 | 2.234 | 0.15 |
| 7/16/2007 0:35 | 2.234 | -0.68 |
| 7/16/2007 0:40 | 2.233 | -0.68 |
| 7/16/2007 0:45 | 2.232 | -0.68 |
| 7/16/2007 0:50 | 2.231 | -0.68 |
| 7/16/2007 0:55 | 2.231 | -0.68 |
| 7/16/2007 1:00 | 2.23 | -0.68 |
| 7/16/2007 1:05 | 2.229 | -0.68 |
| 7/16/2007 1:10 | 2.228 | -0.68 |
| 7/16/2007 1:15 | 2.228 | -0.68 |
| 7/16/2007 1:20 | 2.227 | -0.68 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 1:25 | 2.226 | -0.68 |
| 7/16/2007 1:30 | 2.226 | -0.68 |
| 7/16/2007 1:35 | 2.225 | -0.68 |
| 7/16/2007 1:40 | 2.225 | -0.68 |
| 7/16/2007 1:45 | 2.225 | -0.68 |
| 7/16/2007 1:50 | 2.225 | -0.68 |
| 7/16/2007 1:55 | 2.225 | -0.68 |
| 7/16/2007 2:00 | 2.224 | -0.68 |
| 7/16/2007 2:05 | 2.224 | -0.68 |
| 7/16/2007 2:10 | 2.223 | -0.68 |
| 7/16/2007 2:15 | 2.223 | -0.68 |
| 7/16/2007 2:20 | 2.222 | -0.68 |
| 7/16/2007 2:25 | 2.221 | -0.68 |
| 7/16/2007 2:30 | 2.221 | -0.68 |
| 7/16/2007 2:35 | 2.22 | -0.68 |
| 7/16/2007 2:40 | 2.219 | -0.68 |
| 7/16/2007 2:45 | 2.219 | -0.68 |
| 7/16/2007 2:50 | 2.218 | -0.68 |
| 7/16/2007 2:55 | 2.217 | -0.68 |
| 7/16/2007 3:00 | 2.217 | -0.68 |
| 7/16/2007 3:05 | 2.217 | -0.68 |
| 7/16/2007 3:10 | 2.216 | -0.68 |
| 7/16/2007 3:15 | 2.215 | -0.68 |
| 7/16/2007 3:20 | 2.215 | -0.68 |
| 7/16/2007 3:25 | 2.214 | 0.1 |
| 7/16/2007 3:30 | 2.213 | 0.1 |
| 7/16/2007 3:35 | 2.212 | 0.1 |
| 7/16/2007 3:40 | 2.211 | 0.1 |
| 7/16/2007 3:45 | 2.211 | 0.1 |
| 7/16/2007 3:50 | 2.211 | 0.1 |
| 7/16/2007 3:55 | 2.21 | 0.1 |
| 7/16/2007 4:00 | 2.209 | 0.1 |
| 7/16/2007 4:05 | 2.209 | 0.1 |
| 7/16/2007 4:10 | 2.208 | 0.1 |
| 7/16/2007 4:15 | 2.208 | 0.1 |
| 7/16/2007 4:20 | 2.207 | 0.09 |
| 7/16/2007 4:25 | 2.207 | 0.09 |
| 7/16/2007 4:30 | 2.207 | 0.09 |
| 7/16/2007 4:35 | 2.207 | 0.09 |
| 7/16/2007 4:40 | 2.206 | 0.09 |
| 7/16/2007 4:45 | 2.205 | 0.09 |
| 7/16/2007 4:50 | 2.205 | 0.09 |
| 7/16/2007 4:55 | 2.204 | 0.09 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 5:00 | 2.204 | 0.09 |
| 7/16/2007 5:05 | 2.203 | 0.09 |
| 7/16/2007 5:10 | 2.202 | 0.09 |
| 7/16/2007 5:15 | 2.202 | 0.11 |
| 7/16/2007 5:20 | 2.202 | 0.11 |
| 7/16/2007 5:25 | 2.201 | 0.1 |
| 7/16/2007 5:30 | 2.201 | 0.09 |
| 7/16/2007 5:35 | 2.2 | 0.09 |
| 7/16/2007 5:40 | 2.2 | 0.09 |
| 7/16/2007 5:45 | 2.2 | 0.09 |
| 7/16/2007 5:50 | 2.199 | 0.09 |
| 7/16/2007 5:55 | 2.199 | 0.09 |
| 7/16/2007 6:00 | 2.198 | 0.09 |
| 7/16/2007 6:05 | 2.198 | 0.09 |
| 7/16/2007 6:10 | 2.198 | 0.09 |
| 7/16/2007 6:15 | 2.197 | 0.09 |
| 7/16/2007 6:20 | 2.196 | 0.09 |
| 7/16/2007 6:25 | 2.196 | 0.09 |
| 7/16/2007 6:30 | 2.195 | 0.09 |
| 7/16/2007 6:35 | 2.195 | 0.09 |
| 7/16/2007 6:40 | 2.194 | 0.09 |
| 7/16/2007 6:45 | 2.194 | 0.09 |
| 7/16/2007 6:50 | 2.194 | 0.09 |
| 7/16/2007 6:55 | 2.193 | 0.09 |
| 7/16/2007 7:00 | 2.193 | 0.09 |
| 7/16/2007 7:05 | 2.192 | 0.09 |
| 7/16/2007 7:10 | 2.192 | 0.09 |
| 7/16/2007 7:15 | 2.191 | 0.09 |
| 7/16/2007 7:20 | 2.191 | 0.09 |
| 7/16/2007 7:25 | 2.19 | 0.09 |
| 7/16/2007 7:30 | 2.19 | 0.09 |
| 7/16/2007 7:35 | 2.189 | 0.09 |
| 7/16/2007 7:40 | 2.189 | 0.09 |
| 7/16/2007 7:45 | 2.188 | 0.09 |
| 7/16/2007 7:50 | 2.188 | 0.09 |
| 7/16/2007 7:55 | 2.187 | 0.09 |
| 7/16/2007 8:00 | 2.188 | 0.09 |
| 7/16/2007 8:05 | 2.186 | 0.09 |
| 7/16/2007 8:10 | 2.185 | 0.09 |
| 7/16/2007 8:15 | 2.184 | 0.09 |
| 7/16/2007 8:20 | 2.183 | 0.09 |
| 7/16/2007 8:25 | 2.185 | 0.51 |
| 7/16/2007 8:30 | 2.183 | 0.51 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 8:35 | 2.181 | 0.51 |
| 7/16/2007 8:40 | 2.182 | 0.51 |
| 7/16/2007 8:45 | 2.18 | 0.51 |
| 7/16/2007 8:50 | 2.178 | 0.51 |
| 7/16/2007 8:55 | 2.177 | 0.51 |
| 7/16/2007 9:00 | 2.178 | 0.51 |
| 7/16/2007 9:05 | 2.175 | 0.51 |
| 7/16/2007 9:10 | 2.175 | 0.51 |
| 7/16/2007 9:15 | 2.175 | 0.51 |
| 7/16/2007 9:20 | 2.174 | 0.51 |
| 7/16/2007 9:25 | 2.174 | 0.51 |
| 7/16/2007 9:30 | 2.173 | 0.51 |
| 7/16/2007 9:35 | 2.173 | 0.51 |
| 7/16/2007 9:40 | 2.172 | 0.51 |
| 7/16/2007 9:45 | 2.171 | 0.51 |
| 7/16/2007 9:50 | 2.171 | 0.51 |
| 7/16/2007 9:55 | 2.17 | 0.51 |
| 7/16/2007 10:00 | 2.171 | 0.51 |
| 7/16/2007 10:05 | 2.169 | 0.51 |
| 7/16/2007 10:10 | 2.169 | 11.69 |
| 7/16/2007 10:15 | 2.169 | 1.1 |
| 7/16/2007 10:20 | 2.168 | 1.1 |
| 7/16/2007 10:25 | 2.168 | 1.1 |
| 7/16/2007 10:30 | 2.168 | 1.1 |
| 7/16/2007 10:35 | 2.167 | 0.14 |
| 7/16/2007 10:40 | 2.167 | 0.14 |
| 7/16/2007 10:45 | 2.166 | 0.14 |
| 7/16/2007 10:50 | 2.165 | 0.12 |
| 7/16/2007 10:55 | 2.165 | 0.11 |
| 7/16/2007 11:00 | 2.164 | 0.11 |
| 7/16/2007 11:05 | 2.164 | 12.85 |
| 7/16/2007 11:10 | 2.162 | 8.37 |
| 7/16/2007 11:15 | 2.162 | 14.38 |
| 7/16/2007 11:20 | 2.162 | 13.45 |
| 7/16/2007 11:25 | 2.161 | 12.65 |
| 7/16/2007 11:30 | 2.16 | 12.57 |
| 7/16/2007 11:35 | 2.161 | 11.26 |
| 7/16/2007 11:40 | 2.159 | 11.61 |
| 7/16/2007 11:45 | 2.158 | 11.61 |
| 7/16/2007 11:50 | 2.158 | 11.61 |
| 7/16/2007 11:55 | 2.158 | 13.37 |
| 7/16/2007 12:00 | 2.156 | 11.19 |
| 7/16/2007 12:05 | 2.155 | 11.19 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 12:10 | 2.155 | 11.19 |
| 7/16/2007 12:15 | 2.155 | 0.1 |
| 7/16/2007 12:20 | 2.154 | 0.09 |
| 7/16/2007 12:25 | 2.153 | 0.09 |
| 7/16/2007 12:30 | 2.152 | 0.09 |
| 7/16/2007 12:35 | 2.152 | 0.11 |
| 7/16/2007 12:40 | 2.151 | 0.1 |
| 7/16/2007 12:45 | 2.151 | 0.1 |
| 7/16/2007 12:50 | 2.15 | 0.1 |
| 7/16/2007 12:55 | 2.15 | 0.11 |
| 7/16/2007 13:00 | 2.149 | 0.11 |
| 7/16/2007 13:05 | 2.148 | 0.09 |
| 7/16/2007 13:10 | 2.148 | 0.1 |
| 7/16/2007 13:15 | 2.148 | 0.1 |
| 7/16/2007 13:20 | 2.147 | 0.11 |
| 7/16/2007 13:25 | 2.146 | 0.11 |
| 7/16/2007 13:30 | 2.147 | 0.12 |
| 7/16/2007 13:35 | 2.144 | 0.09 |
| 7/16/2007 13:40 | 2.145 | 0.09 |
| 7/16/2007 13:45 | 2.143 | 0.09 |
| 7/16/2007 13:50 | 2.142 | 0.09 |
| 7/16/2007 13:55 | 2.142 | 9.38 |
| 7/16/2007 14:00 | 2.142 | 9.38 |
| 7/16/2007 14:05 | 2.14 | 10.87 |
| 7/16/2007 14:10 | 2.14 | 10.87 |
| 7/16/2007 14:15 | 2.14 | 7.15 |
| 7/16/2007 14:20 | 2.139 | 7.15 |
| 7/16/2007 14:25 | 2.139 | 11.95 |
| 7/16/2007 14:30 | 2.138 | 8.73 |
| 7/16/2007 14:35 | 2.137 | 8.95 |
| 7/16/2007 14:40 | 2.137 | 10.65 |
| 7/16/2007 14:45 | 2.137 | 10.76 |
| 7/16/2007 14:50 | 2.136 | 7.96 |
| 7/16/2007 14:55 | 2.136 | 7.96 |
| 7/16/2007 15:00 | 2.135 | 10.57 |
| 7/16/2007 15:05 | 2.135 | 8.81 |
| 7/16/2007 15:10 | 2.134 | 9.94 |
| 7/16/2007 15:15 | 2.134 | 1.29 |
| 7/16/2007 15:20 | 2.134 | 1.29 |
| 7/16/2007 15:25 | 2.134 | 7.45 |
| 7/16/2007 15:30 | 2.133 | 7.45 |
| 7/16/2007 15:35 | 2.133 | 8.48 |
| 7/16/2007 15:40 | 2.133 | 8.48 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 15:45 | 2.132 | 7.67 |
| 7/16/2007 15:50 | 2.132 | 7.69 |
| 7/16/2007 15:55 | 2.132 | 7.69 |
| 7/16/2007 16:00 | 2.132 | 8.29 |
| 7/16/2007 16:05 | 2.131 | 8.29 |
| 7/16/2007 16:10 | 2.131 | 8.29 |
| 7/16/2007 16:15 | 2.131 | 8.29 |
| 7/16/2007 16:20 | 2.131 | 8.29 |
| 7/16/2007 16:25 | 2.131 | 8.29 |
| 7/16/2007 16:30 | 2.131 | 8.29 |
| 7/16/2007 16:35 | 2.131 | 8.29 |
| 7/16/2007 16:40 | 2.131 | 8.29 |
| 7/16/2007 16:45 | 2.131 | 8.29 |
| 7/16/2007 16:50 | 2.131 | 8.29 |
| 7/16/2007 16:55 | 2.131 | 8.29 |
| 7/16/2007 17:00 | 2.131 | 8.29 |
| 7/16/2007 17:05 | 2.131 | 8.29 |
| 7/16/2007 17:10 | 2.131 | 8.29 |
| 7/16/2007 17:15 | 2.131 | 8.29 |
| 7/16/2007 17:20 | 2.131 | 8.29 |
| 7/16/2007 17:25 | 2.131 | 8.29 |
| 7/16/2007 17:30 | 2.131 | 8.29 |
| 7/16/2007 17:35 | 2.131 | 8.29 |
| 7/16/2007 17:40 | 2.131 | 8.29 |
| 7/16/2007 17:45 | 2.132 | 8.29 |
| 7/16/2007 17:50 | 2.132 | 8.29 |
| 7/16/2007 17:55 | 2.132 | 8.29 |
| 7/16/2007 18:00 | 2.132 | 8.29 |
| 7/16/2007 18:05 | 2.132 | 8.29 |
| 7/16/2007 18:10 | 2.132 | 8.29 |
| 7/16/2007 18:15 | 2.132 | 8.29 |
| 7/16/2007 18:20 | 2.133 | 8.29 |
| 7/16/2007 18:25 | 2.132 | 8.29 |
| 7/16/2007 18:30 | 2.132 | 8.29 |
| 7/16/2007 18:35 | 2.132 | 0.08 |
| 7/16/2007 18:40 | 2.132 | 8.19 |
| 7/16/2007 18:45 | 2.132 | 8.19 |
| 7/16/2007 18:50 | 2.132 | 0.46 |
| 7/16/2007 18:55 | 2.133 | 0.09 |
| 7/16/2007 19:00 | 2.132 | 0.07 |
| 7/16/2007 19:05 | 2.132 | 0.07 |
| 7/16/2007 19:10 | 2.132 | 0.13 |
| 7/16/2007 19:15 | 2.132 | 0.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 19:20 | 2.133 | 0.13 |
| 7/16/2007 19:25 | 2.133 | 0.13 |
| 7/16/2007 19:30 | 2.133 | 0.13 |
| 7/16/2007 19:35 | 2.133 | 0.13 |
| 7/16/2007 19:40 | 2.133 | 0.13 |
| 7/16/2007 19:45 | 2.133 | 0.13 |
| 7/16/2007 19:50 | 2.133 | 0.13 |
| 7/16/2007 19:55 | 2.134 | 0.13 |
| 7/16/2007 20:00 | 2.134 | 0.13 |
| 7/16/2007 20:05 | 2.134 | 0.13 |
| 7/16/2007 20:10 | 2.134 | 0.13 |
| 7/16/2007 20:15 | 2.134 | 0.13 |
| 7/16/2007 20:20 | 2.133 | 0.13 |
| 7/16/2007 20:25 | 2.133 | 0.13 |
| 7/16/2007 20:30 | 2.133 | 0.13 |
| 7/16/2007 20:35 | 2.133 | 0.13 |
| 7/16/2007 20:40 | 2.133 | 0.13 |
| 7/16/2007 20:45 | 2.132 | 0.13 |
| 7/16/2007 20:50 | 2.132 | 0.13 |
| 7/16/2007 20:55 | 2.132 | 0.13 |
| 7/16/2007 21:00 | 2.132 | 0.13 |
| 7/16/2007 21:05 | 2.132 | 0.13 |
| 7/16/2007 21:10 | 2.132 | 0.13 |
| 7/16/2007 21:15 | 2.132 | 0.13 |
| 7/16/2007 21:20 | 2.132 | 0.13 |
| 7/16/2007 21:25 | 2.132 | 0.13 |
| 7/16/2007 21:30 | 2.132 | 0.13 |
| 7/16/2007 21:35 | 2.132 | 0.13 |
| 7/16/2007 21:40 | 2.132 | 0.13 |
| 7/16/2007 21:45 | 2.132 | 0.13 |
| 7/16/2007 21:50 | 2.132 | 0.13 |
| 7/16/2007 21:55 | 2.132 | 0.13 |
| 7/16/2007 22:00 | 2.132 | 0.13 |
| 7/16/2007 22:05 | 2.131 | 0.13 |
| 7/16/2007 22:10 | 2.131 | 0.13 |
| 7/16/2007 22:15 | 2.132 | 0.13 |
| 7/16/2007 22:20 | 2.131 | 0.13 |
| 7/16/2007 22:25 | 2.131 | 0.13 |
| 7/16/2007 22:30 | 2.131 | 0.13 |
| 7/16/2007 22:35 | 2.131 | 0.13 |
| 7/16/2007 22:40 | 2.13 | 0.13 |
| 7/16/2007 22:45 | 2.13 | 0.13 |
| 7/16/2007 22:50 | 2.13 | 0.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 22:55 | 2.13 | 0.13 |
| 7/16/2007 23:00 | 2.13 | 0.13 |
| 7/16/2007 23:05 | 2.13 | 0.13 |
| 7/16/2007 23:10 | 2.13 | 0.13 |
| 7/16/2007 23:15 | 2.13 | 0.13 |
| 7/16/2007 23:20 | 2.13 | 0.07 |
| 7/16/2007 23:25 | 2.13 | 0.07 |
| 7/16/2007 23:30 | 2.13 | 0.07 |
| 7/16/2007 23:35 | 2.13 | 0.07 |
| 7/16/2007 23:40 | 2.13 | 0.07 |
| 7/16/2007 23:45 | 2.129 | 0.07 |
| 7/16/2007 23:50 | 2.13 | 0.07 |
| 7/16/2007 23:55 | 2.13 | 0.07 |
| 7/17/2007 0:00 | 2.129 | 0.07 |
| 7/17/2007 0:05 | 2.129 | 0.07 |
| 7/17/2007 0:10 | 2.129 | 0.07 |
| 7/17/2007 0:15 | 2.129 | 0.07 |
| 7/17/2007 0:20 | 2.128 | 0.07 |
| 7/17/2007 0:25 | 2.128 | 0.07 |
| 7/17/2007 0:30 | 2.129 | 0.07 |
| 7/17/2007 0:35 | 2.129 | 0.07 |
| 7/17/2007 0:40 | 2.128 | 0.07 |
| 7/17/2007 0:45 | 2.128 | 0.25 |
| 7/17/2007 0:50 | 2.128 | 0.25 |
| 7/17/2007 0:55 | 2.128 | 0.25 |
| 7/17/2007 1:00 | 2.128 | 0.25 |
| 7/17/2007 1:05 | 2.128 | 6.59 |
| 7/17/2007 1:10 | 2.128 | 6.59 |
| 7/17/2007 1:15 | 2.128 | 6.59 |
| 7/17/2007 1:20 | 2.128 | 6.59 |
| 7/17/2007 1:25 | 2.128 | 6.59 |
| 7/17/2007 1:30 | 2.129 | 6.59 |
| 7/17/2007 1:35 | 2.128 | 6.59 |
| 7/17/2007 1:40 | 2.127 | 6.59 |
| 7/17/2007 1:45 | 2.127 | 6.59 |
| 7/17/2007 1:50 | 2.127 | 6.59 |
| 7/17/2007 1:55 | 2.126 | 6.59 |
| 7/17/2007 2:00 | 2.127 | 6.59 |
| 7/17/2007 2:05 | 2.126 | 6.59 |
| 7/17/2007 2:10 | 2.125 | 6.59 |
| 7/17/2007 2:15 | 2.125 | 6.59 |
| 7/17/2007 2:20 | 2.125 | 6.59 |
| 7/17/2007 2:25 | 2.125 | 6.59 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 2:30 | 2.125 | 6.59 |
| 7/17/2007 2:35 | 2.125 | 6.59 |
| 7/17/2007 2:40 | 2.125 | 6.59 |
| 7/17/2007 2:45 | 2.125 | 6.59 |
| 7/17/2007 2:50 | 2.125 | 6.59 |
| 7/17/2007 2:55 | 2.125 | 6.59 |
| 7/17/2007 3:00 | 2.125 | 6.59 |
| 7/17/2007 3:05 | 2.125 | 6.59 |
| 7/17/2007 3:10 | 2.125 | 6.59 |
| 7/17/2007 3:15 | 2.125 | 6.59 |
| 7/17/2007 3:20 | 2.125 | 6.59 |
| 7/17/2007 3:25 | 2.125 | 6.59 |
| 7/17/2007 3:30 | 2.125 | 6.59 |
| 7/17/2007 3:35 | 2.124 | 6.59 |
| 7/17/2007 3:40 | 2.125 | 6.59 |
| 7/17/2007 3:45 | 2.124 | 6.59 |
| 7/17/2007 3:50 | 2.124 | 6.59 |
| 7/17/2007 3:55 | 2.124 | 6.59 |
| 7/17/2007 4:00 | 2.124 | 6.59 |
| 7/17/2007 4:05 | 2.124 | 6.59 |
| 7/17/2007 4:10 | 2.124 | 6.59 |
| 7/17/2007 4:15 | 2.124 | 6.59 |
| 7/17/2007 4:20 | 2.124 | 6.59 |
| 7/17/2007 4:25 | 2.124 | 6.59 |
| 7/17/2007 4:30 | 2.124 | 6.59 |
| 7/17/2007 4:35 | 2.123 | 6.59 |
| 7/17/2007 4:40 | 2.123 | 6.59 |
| 7/17/2007 4:45 | 2.124 | 6.59 |
| 7/17/2007 4:50 | 2.124 | 6.59 |
| 7/17/2007 4:55 | 2.124 | 6.59 |
| 7/17/2007 5:00 | 2.124 | 6.59 |
| 7/17/2007 5:05 | 2.124 | 6.59 |
| 7/17/2007 5:10 | 2.124 | 6.59 |
| 7/17/2007 5:15 | 2.123 | 6.59 |
| 7/17/2007 5:20 | 2.124 | 6.59 |
| 7/17/2007 5:25 | 2.124 | 6.59 |
| 7/17/2007 5:30 | 2.124 | 6.59 |
| 7/17/2007 5:35 | 2.124 | 6.59 |
| 7/17/2007 5:40 | 2.124 | 6.59 |
| 7/17/2007 5:45 | 2.124 | 6.59 |
| 7/17/2007 5:50 | 2.124 | 6.59 |
| 7/17/2007 5:55 | 2.124 | 6.59 |
| 7/17/2007 6:00 | 2.123 | 6.59 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 6:05 | 2.123 | 6.59 |
| 7/17/2007 6:10 | 2.123 | 6.59 |
| 7/17/2007 6:15 | 2.122 | 6.59 |
| 7/17/2007 6:20 | 2.122 | 6.59 |
| 7/17/2007 6:25 | 2.122 | 6.59 |
| 7/17/2007 6:30 | 2.122 | 6.59 |
| 7/17/2007 6:35 | 2.122 | 6.59 |
| 7/17/2007 6:40 | 2.123 | 6.59 |
| 7/17/2007 6:45 | 2.123 | 6.59 |
| 7/17/2007 6:50 | 2.122 | 6.59 |
| 7/17/2007 6:55 | 2.123 | 6.59 |
| 7/17/2007 7:00 | 2.122 | 6.59 |
| 7/17/2007 7:05 | 2.122 | 6.59 |
| 7/17/2007 7:10 | 2.123 | 6.59 |
| 7/17/2007 7:15 | 2.123 | 6.59 |
| 7/17/2007 7:20 | 2.122 | 6.59 |
| 7/17/2007 7:25 | 2.122 | 6.59 |
| 7/17/2007 7:30 | 2.121 | 6.59 |
| 7/17/2007 7:35 | 2.122 | 6.59 |
| 7/17/2007 7:40 | 2.121 | 6.59 |
| 7/17/2007 7:45 | 2.122 | 6.59 |
| 7/17/2007 7:50 | 2.121 | 6.59 |
| 7/17/2007 7:55 | 2.121 | 6.59 |
| 7/17/2007 8:00 | 2.12 | 6.59 |
| 7/17/2007 8:05 | 2.121 | 6.59 |
| 7/17/2007 8:10 | 2.12 | 6.59 |
| 7/17/2007 8:15 | 2.12 | 6.59 |
| 7/17/2007 8:20 | 2.12 | 6.59 |
| 7/17/2007 8:25 | 2.119 | 6.59 |
| 7/17/2007 8:30 | 2.119 | 6.59 |
| 7/17/2007 8:35 | 2.119 | 6.59 |
| 7/17/2007 8:40 | 2.119 | 6.59 |
| 7/17/2007 8:45 | 2.118 | 6.59 |
| 7/17/2007 8:50 | 2.118 | 6.59 |
| 7/17/2007 8:55 | 2.118 | 6.59 |
| 7/17/2007 9:00 | 2.117 | 6.59 |
| 7/17/2007 9:05 | 2.116 | 6.59 |
| 7/17/2007 9:10 | 2.117 | 6.59 |
| 7/17/2007 9:15 | 2.116 | 6.59 |
| 7/17/2007 9:20 | 2.116 | 6.59 |
| 7/17/2007 9:25 | 2.115 | 6.59 |
| 7/17/2007 9:30 | 2.115 | 6.59 |
| 7/17/2007 9:35 | 2.115 | 6.59 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 9:40 | 2.114 | 6.59 |
| 7/17/2007 9:45 | 2.114 | 6.59 |
| 7/17/2007 9:50 | 2.114 | 6.59 |
| 7/17/2007 9:55 | 2.113 | 10.52 |
| 7/17/2007 10:00 | 2.113 | 9.41 |
| 7/17/2007 10:05 | 2.113 | 12.15 |
| 7/17/2007 10:10 | 2.114 | 14.74 |
| 7/17/2007 10:15 | 2.113 | 11.16 |
| 7/17/2007 10:20 | 2.112 | 0.1 |
| 7/17/2007 10:25 | 2.112 | 0.1 |
| 7/17/2007 10:30 | 2.113 | 0.1 |
| 7/17/2007 10:35 | 2.112 | 0.1 |
| 7/17/2007 10:40 | 2.112 | 0.1 |
| 7/17/2007 10:45 | 2.11 | 0.1 |
| 7/17/2007 10:50 | 2.11 | 0.1 |
| 7/17/2007 10:55 | 2.11 | 13.94 |
| 7/17/2007 11:00 | 2.109 | 12.04 |
| 7/17/2007 11:05 | 2.109 | 13.56 |
| 7/17/2007 11:10 | 2.108 | 12.8 |
| 7/17/2007 11:15 | 2.107 | 12.6 |
| 7/17/2007 11:20 | 2.108 | 11.8 |
| 7/17/2007 11:25 | 2.107 | 11.8 |
| 7/17/2007 11:30 | 2.107 | 11.8 |
| 7/17/2007 11:35 | 2.106 | 11.8 |
| 7/17/2007 11:40 | 2.106 | 11.8 |
| 7/17/2007 11:45 | 2.106 | 11.8 |
| 7/17/2007 11:50 | 2.105 | 1.17 |
| 7/17/2007 11:55 | 2.105 | 1.17 |
| 7/17/2007 12:00 | 2.105 | 1.17 |
| 7/17/2007 12:05 | 2.105 | 0.1 |
| 7/17/2007 12:10 | 2.104 | 0.1 |
| 7/17/2007 12:15 | 2.104 | 0.1 |
| 7/17/2007 12:20 | 2.102 | 0.1 |
| 7/17/2007 12:25 | 2.102 | 0.1 |
| 7/17/2007 12:30 | 2.101 | 0.1 |
| 7/17/2007 12:35 | 2.102 | 0.11 |
| 7/17/2007 12:40 | 2.101 | 0.11 |
| 7/17/2007 12:45 | 2.1 | 0.11 |
| 7/17/2007 12:50 | 2.099 | 0.11 |
| 7/17/2007 12:55 | 2.099 | 0.11 |
| 7/17/2007 13:00 | 2.099 | 0.11 |
| 7/17/2007 13:05 | 2.099 | 0.11 |
| 7/17/2007 13:10 | 2.099 | 0.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 13:15 | 2.099 | 0.09 |
| 7/17/2007 13:20 | 2.097 | 0.09 |
| 7/17/2007 13:25 | 2.098 | 0.09 |
| 7/17/2007 13:30 | 2.096 | 0.11 |
| 7/17/2007 13:35 | 2.097 | 0.13 |
| 7/17/2007 13:40 | 2.096 | 0.1 |
| 7/17/2007 13:45 | 2.096 | 0.1 |
| 7/17/2007 13:50 | 2.096 | 0.1 |
| 7/17/2007 13:55 | 2.095 | 0.1 |
| 7/17/2007 14:00 | 2.096 | 0.1 |
| 7/17/2007 14:05 | 2.096 | 9.24 |
| 7/17/2007 14:10 | 2.095 | 12.14 |
| 7/17/2007 14:15 | 2.096 | 11.93 |
| 7/17/2007 14:20 | 2.094 | 7.75 |
| 7/17/2007 14:25 | 2.094 | 7.75 |
| 7/17/2007 14:30 | 2.094 | 0.08 |
| 7/17/2007 14:35 | 2.093 | 0.08 |
| 7/17/2007 14:40 | 2.093 | 0.08 |
| 7/17/2007 14:45 | 2.092 | 0.08 |
| 7/17/2007 14:50 | 2.091 | 0.08 |
| 7/17/2007 14:55 | 2.092 | 0.08 |
| 7/17/2007 15:00 | 2.091 | 0.08 |
| 7/17/2007 15:05 | 2.091 | 0.08 |
| 7/17/2007 15:10 | 2.091 | 0.08 |
| 7/17/2007 15:15 | 2.09 | 0.08 |
| 7/17/2007 15:20 | 2.091 | 0.08 |
| 7/17/2007 15:25 | 2.09 | 0.08 |
| 7/17/2007 15:30 | 2.09 | 0.08 |
| 7/17/2007 15:35 | 2.09 | 0.08 |
| 7/17/2007 15:40 | 2.09 | 0.07 |
| 7/17/2007 15:45 | 2.09 | 0.08 |
| 7/17/2007 15:50 | 2.09 | 0.08 |
| 7/17/2007 15:55 | 2.09 | 0.08 |
| 7/17/2007 16:00 | 2.09 | 0.08 |
| 7/17/2007 16:05 | 2.09 | 0.08 |
| 7/17/2007 16:10 | 2.09 | 0.08 |
| 7/17/2007 16:15 | 2.09 | 0.08 |
| 7/17/2007 16:20 | 2.089 | 0.08 |
| 7/17/2007 16:25 | 2.089 | 0.08 |
| 7/17/2007 16:30 | 2.09 | 0.08 |
| 7/17/2007 16:35 | 2.089 | 0.08 |
| 7/17/2007 16:40 | 2.09 | 0.08 |
| 7/17/2007 16:45 | 2.09 | 0.08 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 16:50 | 2.09 | 0.08 |
| 7/17/2007 16:55 | 2.09 | 0.08 |
| 7/17/2007 17:00 | 2.09 | 0.08 |
| 7/17/2007 17:05 | 2.089 | 0.08 |
| 7/17/2007 17:10 | 2.09 | 0.08 |
| 7/17/2007 17:15 | 2.09 | 0.08 |
| 7/17/2007 17:20 | 2.09 | 0.08 |
| 7/17/2007 17:25 | 2.09 | 0.08 |
| 7/17/2007 17:30 | 2.09 | 0.08 |
| 7/17/2007 17:35 | 2.091 | 0.08 |
| 7/17/2007 17:40 | 2.091 | 0.08 |
| 7/17/2007 17:45 | 2.09 | 0.08 |
| 7/17/2007 17:50 | 2.091 | 0.08 |
| 7/17/2007 17:55 | 2.091 | 0.08 |
| 7/17/2007 18:00 | 2.092 | 0.08 |
| 7/17/2007 18:05 | 2.091 | 0.08 |
| 7/17/2007 18:10 | 2.091 | 0.08 |
| 7/17/2007 18:15 | 2.092 | 0.11 |
| 7/17/2007 18:20 | 2.092 | 0.07 |
| 7/17/2007 18:25 | 2.092 | 0.26 |
| 7/17/2007 18:30 | 2.092 | 0.26 |
| 7/17/2007 18:35 | 2.092 | 0.26 |
| 7/17/2007 18:40 | 2.092 | 0.26 |
| 7/17/2007 18:45 | 2.093 | 0.26 |
| 7/17/2007 18:50 | 2.093 | 0.26 |
| 7/17/2007 18:55 | 2.093 | 0.25 |
| 7/17/2007 19:00 | 2.093 | 0.26 |
| 7/17/2007 19:05 | 2.093 | 0.26 |
| 7/17/2007 19:10 | 2.093 | 0.26 |
| 7/17/2007 19:15 | 2.094 | 0.26 |
| 7/17/2007 19:20 | 2.094 | 0.26 |
| 7/17/2007 19:25 | 2.094 | 0.26 |
| 7/17/2007 19:30 | 2.094 | 0.26 |
| 7/17/2007 19:35 | 2.094 | 0.26 |
| 7/17/2007 19:40 | 2.094 | 0.26 |
| 7/17/2007 19:45 | 2.094 | 0.26 |
| 7/17/2007 19:50 | 2.094 | 0.29 |
| 7/17/2007 19:55 | 2.095 | 0.29 |
| 7/17/2007 20:00 | 2.095 | 10.72 |
| 7/17/2007 20:05 | 2.095 | 9.03 |
| 7/17/2007 20:10 | 2.095 | 9.03 |
| 7/17/2007 20:15 | 2.096 | 0.22 |
| 7/17/2007 20:20 | 2.095 | 0.22 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 20:25 | 2.096 | 0.22 |
| 7/17/2007 20:30 | 2.096 | 0.22 |
| 7/17/2007 20:35 | 2.096 | 0.22 |
| 7/17/2007 20:40 | 2.097 | 0.22 |
| 7/17/2007 20:45 | 2.097 | 0.22 |
| 7/17/2007 20:50 | 2.097 | 0.22 |
| 7/17/2007 20:55 | 2.097 | 0.22 |
| 7/17/2007 21:00 | 2.097 | 0.22 |
| 7/17/2007 21:05 | 2.097 | 0.22 |
| 7/17/2007 21:10 | 2.097 | 0.22 |
| 7/17/2007 21:15 | 2.097 | 0.22 |
| 7/17/2007 21:20 | 2.097 | 0.22 |
| 7/17/2007 21:25 | 2.097 | -0.34 |
| 7/17/2007 21:30 | 2.097 | -0.34 |
| 7/17/2007 21:35 | 2.097 | -0.34 |
| 7/17/2007 21:40 | 2.097 | 0.23 |
| 7/17/2007 21:45 | 2.097 | 0.23 |
| 7/17/2007 21:50 | 2.097 | 0.23 |
| 7/17/2007 21:55 | 2.097 | 0.23 |
| 7/17/2007 22:00 | 2.097 | 0.23 |
| 7/17/2007 22:05 | 2.097 | 0.23 |
| 7/17/2007 22:10 | 2.097 | 0.23 |
| 7/17/2007 22:15 | 2.097 | 0.23 |
| 7/17/2007 22:20 | 2.097 | 0.23 |
| 7/17/2007 22:25 | 2.096 | 0.23 |
| 7/17/2007 22:30 | 2.097 | 0.23 |
| 7/17/2007 22:35 | 2.097 | 0.23 |
| 7/17/2007 22:40 | 2.097 | 0.23 |
| 7/17/2007 22:45 | 2.097 | 0.23 |
| 7/17/2007 22:50 | 2.097 | 0.23 |
| 7/17/2007 22:55 | 2.097 | 0.23 |
| 7/17/2007 23:00 | 2.097 | 0.23 |
| 7/17/2007 23:05 | 2.097 | 0.23 |
| 7/17/2007 23:10 | 2.097 | 0.23 |
| 7/17/2007 23:15 | 2.098 | 0.23 |
| 7/17/2007 23:20 | 2.098 | 0.23 |
| 7/17/2007 23:25 | 2.098 | 0.23 |
| 7/17/2007 23:30 | 2.098 | 0.23 |
| 7/17/2007 23:35 | 2.098 | 0.23 |
| 7/17/2007 23:40 | 2.098 | 0.23 |
| 7/17/2007 23:45 | 2.098 | 0.23 |
| 7/17/2007 23:50 | 2.098 | 0.23 |
| 7/17/2007 23:55 | 2.098 | 0.23 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 0:00 | 2.098 | 0.23 |
| 7/18/2007 0:05 | 2.098 | 0.23 |
| 7/18/2007 0:10 | 2.099 | 0.23 |
| 7/18/2007 0:15 | 2.099 | 0.23 |
| 7/18/2007 0:20 | 2.099 | 0.23 |
| 7/18/2007 0:25 | 2.099 | 0.23 |
| 7/18/2007 0:30 | 2.098 | 0.23 |
| 7/18/2007 0:35 | 2.099 | 0.23 |
| 7/18/2007 0:40 | 2.099 | 0.23 |
| 7/18/2007 0:45 | 2.099 | 0.23 |
| 7/18/2007 0:50 | 2.099 | 0.23 |
| 7/18/2007 0:55 | 2.099 | 0.23 |
| 7/18/2007 1:00 | 2.099 | 0.23 |
| 7/18/2007 1:05 | 2.1 | 0.23 |
| 7/18/2007 1:10 | 2.1 | 0.23 |
| 7/18/2007 1:15 | 2.1 | 0.23 |
| 7/18/2007 1:20 | 2.1 | 0.23 |
| 7/18/2007 1:25 | 2.1 | 0.23 |
| 7/18/2007 1:30 | 2.101 | 0.23 |
| 7/18/2007 1:35 | 2.101 | 0.23 |
| 7/18/2007 1:40 | 2.101 | 0.23 |
| 7/18/2007 1:45 | 2.101 | 0.23 |
| 7/18/2007 1:50 | 2.101 | 0.23 |
| 7/18/2007 1:55 | 2.102 | 0.23 |
| 7/18/2007 2:00 | 2.102 | 0.23 |
| 7/18/2007 2:05 | 2.102 | 0.23 |
| 7/18/2007 2:10 | 2.102 | 0.23 |
| 7/18/2007 2:15 | 2.103 | 0.23 |
| 7/18/2007 2:20 | 2.103 | 0.23 |
| 7/18/2007 2:25 | 2.105 | 0.23 |
| 7/18/2007 2:30 | 2.107 | 0.23 |
| 7/18/2007 2:35 | 2.111 | 0.23 |
| 7/18/2007 2:40 | 2.118 | 0.23 |
| 7/18/2007 2:45 | 2.127 | 0.23 |
| 7/18/2007 2:50 | 2.134 | 0.23 |
| 7/18/2007 2:55 | 2.14 | 0.21 |
| 7/18/2007 3:00 | 2.15 | 0.21 |
| 7/18/2007 3:05 | 2.223 | 0.47 |
| 7/18/2007 3:10 | 2.527 | 0.38 |
| 7/18/2007 3:15 | 2.538 | 0.4 |
| 7/18/2007 3:20 | 2.469 | 0.32 |
| 7/18/2007 3:25 | 2.394 | 0.2 |
| 7/18/2007 3:30 | 2.333 | 0.2 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 3:35 | 2.289 | 0.18 |
| 7/18/2007 3:40 | 2.258 | 0.12 |
| 7/18/2007 3:45 | 2.242 | 0.12 |
| 7/18/2007 3:50 | 2.234 | 0.12 |
| 7/18/2007 3:55 | 2.228 | 0.12 |
| 7/18/2007 4:00 | 2.223 | 0.12 |
| 7/18/2007 4:05 | 2.22 | 0.12 |
| 7/18/2007 4:10 | 2.227 | 0.12 |
| 7/18/2007 4:15 | 2.252 | 0.12 |
| 7/18/2007 4:20 | 2.271 | 0.12 |
| 7/18/2007 4:25 | 2.278 | 0.12 |
| 7/18/2007 4:30 | 2.284 | 0.12 |
| 7/18/2007 4:35 | 2.299 | 0.19 |
| 7/18/2007 4:40 | 2.303 | 0.2 |
| 7/18/2007 4:45 | 2.292 | 0.2 |
| 7/18/2007 4:50 | 2.277 | 0.16 |
| 7/18/2007 4:55 | 2.265 | 0.16 |
| 7/18/2007 5:00 | 2.257 | 0.16 |
| 7/18/2007 5:05 | 2.25 | 0.16 |
| 7/18/2007 5:10 | 2.247 | 0.16 |
| 7/18/2007 5:15 | 2.247 | 0.16 |
| 7/18/2007 5:20 | 2.25 | 0.16 |
| 7/18/2007 5:25 | 2.256 | 0.16 |
| 7/18/2007 5:30 | 2.261 | 0.16 |
| 7/18/2007 5:35 | 2.262 | 0.16 |
| 7/18/2007 5:40 | 2.257 | 0.16 |
| 7/18/2007 5:45 | 2.254 | 0.16 |
| 7/18/2007 5:50 | 2.258 | 0.16 |
| 7/18/2007 5:55 | 2.277 | 0.16 |
| 7/18/2007 6:00 | 2.3 | 0.16 |
| 7/18/2007 6:05 | 2.303 | 0.16 |
| 7/18/2007 6:10 | 2.296 | 0.16 |
| 7/18/2007 6:15 | 2.292 | 0.16 |
| 7/18/2007 6:20 | 2.29 | 0.16 |
| 7/18/2007 6:25 | 2.288 | 0.16 |
| 7/18/2007 6:30 | 2.286 | 0.16 |
| 7/18/2007 6:35 | 2.284 | 0.16 |
| 7/18/2007 6:40 | 2.291 | 0.16 |
| 7/18/2007 6:45 | 2.33 | 0.16 |
| 7/18/2007 6:50 | 2.363 | 0.16 |
| 7/18/2007 6:55 | 2.364 | 0.16 |
| 7/18/2007 7:00 | 2.349 | 0.16 |
| 7/18/2007 7:05 | 2.326 | 0.16 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 7:10 | 2.307 | 0.16 |
| 7/18/2007 7:15 | 2.295 | 0.16 |
| 7/18/2007 7:20 | 2.286 | 0.16 |
| 7/18/2007 7:25 | 2.281 | 0.16 |
| 7/18/2007 7:30 | 2.275 | 0.16 |
| 7/18/2007 7:35 | 2.27 | 0.16 |
| 7/18/2007 7:40 | 2.266 | 0.16 |
| 7/18/2007 7:45 | 2.263 | 0.16 |
| 7/18/2007 7:50 | 2.26 | 0.16 |
| 7/18/2007 7:55 | 2.259 | 0.16 |
| 7/18/2007 8:00 | 2.258 | 0.16 |
| 7/18/2007 8:05 | 2.257 | 0.12 |
| 7/18/2007 8:10 | 2.257 | 0.12 |
| 7/18/2007 8:15 | 2.256 | 0.12 |
| 7/18/2007 8:20 | 2.256 | 0.12 |
| 7/18/2007 8:25 | 2.256 | 0.12 |
| 7/18/2007 8:30 | 2.256 | 0.12 |
| 7/18/2007 8:35 | 2.255 | 0.32 |
| 7/18/2007 8:40 | 2.255 | 0.32 |
| 7/18/2007 8:45 | 2.254 | 0.32 |
| 7/18/2007 8:50 | 2.254 | 0.32 |
| 7/18/2007 8:55 | 2.254 | 0.32 |
| 7/18/2007 9:00 | 2.255 | 0.14 |
| 7/18/2007 9:05 | 2.254 | 0.14 |
| 7/18/2007 9:10 | 2.254 | 0.15 |
| 7/18/2007 9:15 | 2.253 | 0.15 |
| 7/18/2007 9:20 | 2.253 | 0.12 |
| 7/18/2007 9:25 | 2.252 | 0.15 |
| 7/18/2007 9:30 | 2.252 | 0.15 |
| 7/18/2007 9:35 | 2.251 | 0.15 |
| 7/18/2007 9:40 | 2.251 | 0.15 |
| 7/18/2007 9:45 | 2.25 | 0.15 |
| 7/18/2007 9:50 | 2.25 | 0.15 |
| 7/18/2007 9:55 | 2.249 | 0.15 |
| 7/18/2007 10:00 | 2.249 | 0.15 |
| 7/18/2007 10:05 | 2.248 | 0.15 |
| 7/18/2007 10:10 | 2.247 | 0.15 |
| 7/18/2007 10:15 | 2.247 | 0.15 |
| 7/18/2007 10:20 | 2.246 | 0.15 |
| 7/18/2007 10:25 | 2.245 | 0.15 |
| 7/18/2007 10:30 | 2.244 | 0.15 |
| 7/18/2007 10:35 | 2.243 | 0.15 |
| 7/18/2007 10:40 | 2.243 | 0.15 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 10:45 | 2.242 | 0.15 |
| 7/18/2007 10:50 | 2.241 | 0.15 |
| 7/18/2007 10:55 | 2.24 | 0.15 |
| 7/18/2007 11:00 | 2.24 | 0.15 |
| 7/18/2007 11:05 | 2.238 | 0.15 |
| 7/18/2007 11:10 | 2.238 | 0.15 |
| 7/18/2007 11:15 | 2.238 | 0.15 |
| 7/18/2007 11:20 | 2.235 | 0.15 |
| 7/18/2007 11:25 | 2.235 | 0.15 |
| 7/18/2007 11:30 | 2.234 | 0.15 |
| 7/18/2007 11:35 | 2.232 | 0.15 |
| 7/18/2007 11:40 | 2.231 | 0.15 |
| 7/18/2007 11:45 | 2.231 | 0.15 |
| 7/18/2007 11:50 | 2.23 | 0.15 |
| 7/18/2007 11:55 | 2.229 | 0.15 |
| 7/18/2007 12:00 | 2.228 | 0.15 |
| 7/18/2007 12:05 | 2.226 | 0.15 |
| 7/18/2007 12:10 | 2.226 | 0.15 |
| 7/18/2007 12:15 | 2.226 | 0.15 |
| 7/18/2007 12:20 | 2.224 | 0.15 |
| 7/18/2007 12:25 | 2.223 | 0.15 |
| 7/18/2007 12:30 | 2.223 | 0.15 |
| 7/18/2007 12:35 | 2.221 | 0.15 |
| 7/18/2007 12:40 | 2.22 | 0.15 |
| 7/18/2007 12:45 | 2.22 | 0.15 |
| 7/18/2007 12:50 | 2.218 | 0.15 |
| 7/18/2007 12:55 | 2.218 | 0.15 |
| 7/18/2007 13:00 | 2.217 | 0.15 |
| 7/18/2007 13:05 | 2.216 | 0.15 |
| 7/18/2007 13:10 | 2.215 | 0.15 |
| 7/18/2007 13:15 | 2.215 | 0.15 |
| 7/18/2007 13:20 | 2.213 | 0.15 |
| 7/18/2007 13:25 | 2.213 | 0.15 |
| 7/18/2007 13:30 | 2.211 | 0.15 |
| 7/18/2007 13:35 | 2.21 | 0.15 |
| 7/18/2007 13:40 | 2.21 | 0.15 |
| 7/18/2007 13:45 | 2.209 | 0.15 |
| 7/18/2007 13:50 | 2.209 | 0.15 |
| 7/18/2007 13:55 | 2.208 | 0.15 |
| 7/18/2007 14:00 | 2.207 | 0.12 |
| 7/18/2007 14:05 | 2.206 | 0.12 |
| 7/18/2007 14:10 | 2.206 | 0.12 |
| 7/18/2007 14:15 | 2.204 | 0.12 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 14:20 | 2.204 | 0.12 |
| 7/18/2007 14:25 | 2.203 | 0.12 |
| 7/18/2007 14:30 | 2.203 | 0.12 |
| 7/18/2007 14:35 | 2.202 | 0.12 |
| 7/18/2007 14:40 | 2.201 | 0.12 |
| 7/18/2007 14:45 | 2.2 | 0.12 |
| 7/18/2007 14:50 | 2.2 | 0.12 |
| 7/18/2007 14:55 | 2.199 | 0.12 |
| 7/18/2007 15:00 | 2.198 | 0.12 |
| 7/18/2007 15:05 | 2.198 | 0.12 |
| 7/18/2007 15:10 | 2.197 | 0.12 |
| 7/18/2007 15:15 | 2.197 | 0.12 |
| 7/18/2007 15:20 | 2.196 | 0.12 |
| 7/18/2007 15:25 | 2.195 | 0.12 |
| 7/18/2007 15:30 | 2.194 | 0.12 |
| 7/18/2007 15:35 | 2.194 | 0.12 |
| 7/18/2007 15:40 | 2.193 | 0.12 |
| 7/18/2007 15:45 | 2.192 | 0.12 |
| 7/18/2007 15:50 | 2.192 | 0.12 |
| 7/18/2007 15:55 | 2.191 | 0.12 |
| 7/18/2007 16:00 | 2.19 | 0.12 |
| 7/18/2007 16:05 | 2.243 | 0.12 |
| 7/18/2007 16:10 | 2.47 | 0.32 |
| 7/18/2007 16:15 | 2.467 | 0.31 |
| 7/18/2007 16:20 | 2.408 | 0.27 |
| 7/18/2007 16:25 | 2.357 | 0.22 |
| 7/18/2007 16:30 | 2.315 | 0.2 |
| 7/18/2007 16:35 | 2.289 | 0.2 |
| 7/18/2007 16:40 | 2.272 | 0.13 |
| 7/18/2007 16:45 | 2.26 | 0.13 |
| 7/18/2007 16:50 | 2.251 | 0.13 |
| 7/18/2007 16:55 | 2.245 | -0.09 |
| 7/18/2007 17:00 | 2.24 | -0.09 |
| 7/18/2007 17:05 | 2.236 | -0.09 |
| 7/18/2007 17:10 | 2.233 | -0.09 |
| 7/18/2007 17:15 | 2.23 | -0.09 |
| 7/18/2007 17:20 | 2.229 | -0.09 |
| 7/18/2007 17:25 | 2.227 | -0.09 |
| 7/18/2007 17:30 | 2.226 | -0.09 |
| 7/18/2007 17:35 | 2.226 | -0.09 |
| 7/18/2007 17:40 | 2.225 | -0.09 |
| 7/18/2007 17:45 | 2.225 | -0.09 |
| 7/18/2007 17:50 | 2.225 | -0.09 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 17:55 | 2.225 | -0.09 |
| 7/18/2007 18:00 | 2.225 | -0.09 |
| 7/18/2007 18:05 | 2.225 | -0.09 |
| 7/18/2007 18:10 | 2.226 | -0.09 |
| 7/18/2007 18:15 | 2.226 | -0.09 |
| 7/18/2007 18:20 | 2.226 | -0.09 |
| 7/18/2007 18:25 | 2.226 | -0.09 |
| 7/18/2007 18:30 | 2.226 | -0.09 |
| 7/18/2007 18:35 | 2.226 | -0.09 |
| 7/18/2007 18:40 | 2.226 | -0.09 |
| 7/18/2007 18:45 | 2.227 | -0.09 |
| 7/18/2007 18:50 | 2.227 | -0.09 |
| 7/18/2007 18:55 | 2.227 | -0.09 |
| 7/18/2007 19:00 | 2.228 | -0.09 |
| 7/18/2007 19:05 | 2.227 | -0.09 |
| 7/18/2007 19:10 | 2.227 | -0.09 |
| 7/18/2007 19:15 | 2.227 | -0.09 |
| 7/18/2007 19:20 | 2.227 | -0.09 |
| 7/18/2007 19:25 | 2.227 | -0.09 |
| 7/18/2007 19:30 | 2.228 | -0.09 |
| 7/18/2007 19:35 | 2.228 | -0.09 |
| 7/18/2007 19:40 | 2.228 | -0.09 |
| 7/18/2007 19:45 | 2.228 | -0.09 |
| 7/18/2007 19:50 | 2.227 | -0.09 |
| 7/18/2007 19:55 | 2.228 | -0.09 |
| 7/18/2007 20:00 | 2.227 | -0.09 |
| 7/18/2007 20:05 | 2.227 | -0.09 |
| 7/18/2007 20:10 | 2.227 | -0.09 |
| 7/18/2007 20:15 | 2.227 | -0.09 |
| 7/18/2007 20:20 | 2.227 | -0.09 |
| 7/18/2007 20:25 | 2.227 | -0.09 |
| 7/18/2007 20:30 | 2.227 | -0.09 |
| 7/18/2007 20:35 | 2.226 | -0.09 |
| 7/18/2007 20:40 | 2.226 | -0.09 |
| 7/18/2007 20:45 | 2.226 | -0.09 |
| 7/18/2007 20:50 | 2.226 | -0.09 |
| 7/18/2007 20:55 | 2.225 | -0.09 |
| 7/18/2007 21:00 | 2.225 | -0.09 |
| 7/18/2007 21:05 | 2.225 | -0.09 |
| 7/18/2007 21:10 | 2.225 | -0.09 |
| 7/18/2007 21:15 | 2.225 | -0.09 |
| 7/18/2007 21:20 | 2.224 | -0.09 |
| 7/18/2007 21:25 | 2.223 | -0.09 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 21:30 | 2.223 | -0.09 |
| 7/18/2007 21:35 | 2.222 | -0.09 |
| 7/18/2007 21:40 | 2.222 | -0.09 |
| 7/18/2007 21:45 | 2.222 | -0.09 |
| 7/18/2007 21:50 | 2.221 | -0.09 |
| 7/18/2007 21:55 | 2.221 | -0.09 |
| 7/18/2007 22:00 | 2.22 | -0.09 |
| 7/18/2007 22:05 | 2.22 | -0.09 |
| 7/18/2007 22:10 | 2.219 | -0.09 |
| 7/18/2007 22:15 | 2.219 | -0.09 |
| 7/18/2007 22:20 | 2.219 | -0.09 |
| 7/18/2007 22:25 | 2.218 | -0.09 |
| 7/18/2007 22:30 | 2.218 | -0.09 |
| 7/18/2007 22:35 | 2.218 | -0.09 |
| 7/18/2007 22:40 | 2.217 | -0.09 |
| 7/18/2007 22:45 | 2.216 | -0.09 |
| 7/18/2007 22:50 | 2.216 | -0.09 |
| 7/18/2007 22:55 | 2.216 | -0.09 |
| 7/18/2007 23:00 | 2.215 | -0.09 |
| 7/18/2007 23:05 | 2.215 | -0.09 |
| 7/18/2007 23:10 | 2.215 | -0.09 |
| 7/18/2007 23:15 | 2.214 | -0.09 |
| 7/18/2007 23:20 | 2.213 | -0.09 |
| 7/18/2007 23:25 | 2.213 | -0.09 |
| 7/18/2007 23:30 | 2.213 | -0.09 |
| 7/18/2007 23:35 | 2.213 | -0.09 |
| 7/18/2007 23:40 | 2.212 | -0.09 |
| 7/18/2007 23:45 | 2.212 | -0.09 |
| 7/18/2007 23:50 | 2.212 | -0.09 |
| 7/18/2007 23:55 | 2.211 | -0.09 |
| 7/19/2007 0:00 | 2.211 | -0.09 |
| 7/19/2007 0:05 | 2.21 | -0.09 |
| 7/19/2007 0:10 | 2.21 | -0.09 |
| 7/19/2007 0:15 | 2.21 | -0.09 |
| 7/19/2007 0:20 | 2.21 | -0.09 |
| 7/19/2007 0:25 | 2.209 | -0.09 |
| 7/19/2007 0:30 | 2.209 | -0.09 |
| 7/19/2007 0:35 | 2.209 | -0.09 |
| 7/19/2007 0:40 | 2.208 | 1.01 |
| 7/19/2007 0:45 | 2.208 | 1.01 |
| 7/19/2007 0:50 | 2.208 | 1.01 |
| 7/19/2007 0:55 | 2.208 | 1.01 |
| 7/19/2007 1:00 | 2.207 | 1.01 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 1:05 | 2.207 | 1.01 |
| 7/19/2007 1:10 | 2.207 | -1.34 |
| 7/19/2007 1:15 | 2.206 | -1.34 |
| 7/19/2007 1:20 | 2.206 | -1.34 |
| 7/19/2007 1:25 | 2.206 | -1.34 |
| 7/19/2007 1:30 | 2.205 | -1.34 |
| 7/19/2007 1:35 | 2.205 | -1.34 |
| 7/19/2007 1:40 | 2.204 | -1.34 |
| 7/19/2007 1:45 | 2.205 | -1.34 |
| 7/19/2007 1:50 | 2.204 | -1.34 |
| 7/19/2007 1:55 | 2.204 | -1.34 |
| 7/19/2007 2:00 | 2.204 | -1.34 |
| 7/19/2007 2:05 | 2.203 | -1.34 |
| 7/19/2007 2:10 | 2.202 | -1.34 |
| 7/19/2007 2:15 | 2.203 | -1.34 |
| 7/19/2007 2:20 | 2.202 | -1.34 |
| 7/19/2007 2:25 | 2.2 | -1.34 |
| 7/19/2007 2:30 | 2.201 | -1.34 |
| 7/19/2007 2:35 | 2.201 | -1.34 |
| 7/19/2007 2:40 | 2.201 | -1.34 |
| 7/19/2007 2:45 | 2.2 | 0.12 |
| 7/19/2007 2:50 | 2.2 | 0.12 |
| 7/19/2007 2:55 | 2.2 | 0.12 |
| 7/19/2007 3:00 | 2.2 | 0.12 |
| 7/19/2007 3:05 | 2.2 | 0.12 |
| 7/19/2007 3:10 | 2.199 | 0.12 |
| 7/19/2007 3:15 | 2.199 | 0.11 |
| 7/19/2007 3:20 | 2.199 | 0.11 |
| 7/19/2007 3:25 | 2.199 | 0.11 |
| 7/19/2007 3:30 | 2.198 | 0.11 |
| 7/19/2007 3:35 | 2.198 | 0.11 |
| 7/19/2007 3:40 | 2.198 | 0.11 |
| 7/19/2007 3:45 | 2.198 | 0.11 |
| 7/19/2007 3:50 | 2.198 | 0.11 |
| 7/19/2007 3:55 | 2.198 | 0.12 |
| 7/19/2007 4:00 | 2.197 | 0.11 |
| 7/19/2007 4:05 | 2.197 | 0.11 |
| 7/19/2007 4:10 | 2.197 | 0.11 |
| 7/19/2007 4:15 | 2.197 | 0.11 |
| 7/19/2007 4:20 | 2.197 | 0.11 |
| 7/19/2007 4:25 | 2.196 | 0.11 |
| 7/19/2007 4:30 | 2.196 | 0.11 |
| 7/19/2007 4:35 | 2.196 | 0.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 4:40 | 2.195 | 0.11 |
| 7/19/2007 4:45 | 2.195 | 0.11 |
| 7/19/2007 4:50 | 2.195 | 0.11 |
| 7/19/2007 4:55 | 2.195 | 0.11 |
| 7/19/2007 5:00 | 2.195 | 0.11 |
| 7/19/2007 5:05 | 2.195 | 0.11 |
| 7/19/2007 5:10 | 2.195 | 0.11 |
| 7/19/2007 5:15 | 2.195 | 0.11 |
| 7/19/2007 5:20 | 2.194 | 0.11 |
| 7/19/2007 5:25 | 2.194 | 0.11 |
| 7/19/2007 5:30 | 2.194 | 0.11 |
| 7/19/2007 5:35 | 2.194 | 0.11 |
| 7/19/2007 5:40 | 2.194 | 0.11 |
| 7/19/2007 5:45 | 2.194 | 0.11 |
| 7/19/2007 5:50 | 2.194 | 0.11 |
| 7/19/2007 5:55 | 2.194 | 0.11 |
| 7/19/2007 6:00 | 2.194 | 0.12 |
| 7/19/2007 6:05 | 2.194 | 0.12 |
| 7/19/2007 6:10 | 2.194 | 0.12 |
| 7/19/2007 6:15 | 2.194 | 0.12 |
| 7/19/2007 6:20 | 2.194 | 0.12 |
| 7/19/2007 6:25 | 2.194 | 0.12 |
| 7/19/2007 6:30 | 2.194 | 0.12 |
| 7/19/2007 6:35 | 2.194 | 0.12 |
| 7/19/2007 6:40 | 2.194 | 0.12 |
| 7/19/2007 6:45 | 2.194 | 0.12 |
| 7/19/2007 6:50 | 2.194 | 0.12 |
| 7/19/2007 6:55 | 2.194 | 0.12 |
| 7/19/2007 7:00 | 2.194 | 0.12 |
| 7/19/2007 7:05 | 2.194 | 0.12 |
| 7/19/2007 7:10 | 2.193 | 0.12 |
| 7/19/2007 7:15 | 2.193 | 0.12 |
| 7/19/2007 7:20 | 2.194 | 0.12 |
| 7/19/2007 7:25 | 2.194 | 0.12 |
| 7/19/2007 7:30 | 2.194 | 0.12 |
| 7/19/2007 7:35 | 2.194 | 0.12 |
| 7/19/2007 7:40 | 2.193 | 0.12 |
| 7/19/2007 7:45 | 2.194 | 0.12 |
| 7/19/2007 7:50 | 2.194 | 0.12 |
| 7/19/2007 7:55 | 2.193 | 0.12 |
| 7/19/2007 8:00 | 2.193 | 0.12 |
| 7/19/2007 8:05 | 2.194 | 0.12 |
| 7/19/2007 8:10 | 2.194 | 0.12 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 8:15 | 2.193 | 0.12 |
| 7/19/2007 8:20 | 2.193 | 0.12 |
| 7/19/2007 8:25 | 2.193 | 0.12 |
| 7/19/2007 8:30 | 2.193 | 0.12 |
| 7/19/2007 8:35 | 2.193 | 0.12 |
| 7/19/2007 8:40 | 2.193 | 0.12 |
| 7/19/2007 8:45 | 2.193 | 0.12 |
| 7/19/2007 8:50 | 2.193 | 0.12 |
| 7/19/2007 8:55 | 2.193 | 0.12 |
| 7/19/2007 9:00 | 2.193 | 0.12 |
| 7/19/2007 9:05 | 2.193 | 0.12 |
| 7/19/2007 9:10 | 2.193 | 0.12 |
| 7/19/2007 9:15 | 2.193 | 0.12 |
| 7/19/2007 9:20 | 2.192 | 0.12 |
| 7/19/2007 9:25 | 2.192 | 0.12 |
| 7/19/2007 9:30 | 2.192 | 0.12 |
| 7/19/2007 9:35 | 2.192 | 0.12 |
| 7/19/2007 9:40 | 2.192 | 0.12 |
| 7/19/2007 9:45 | 2.191 | 0.12 |
| 7/19/2007 9:50 | 2.192 | 0.12 |
| 7/19/2007 9:55 | 2.192 | 0.12 |
| 7/19/2007 10:00 | 2.192 | 0.12 |
| 7/19/2007 10:05 | 2.192 | 0.12 |
| 7/19/2007 10:10 | 2.192 | 0.12 |
| 7/19/2007 10:15 | 2.192 | 0.12 |
| 7/19/2007 10:20 | 2.191 | 0.12 |
| 7/19/2007 10:25 | 2.192 | 0.12 |
| 7/19/2007 10:30 | 2.191 | 0.12 |
| 7/19/2007 10:35 | 2.191 | -0.47 |
| 7/19/2007 10:40 | 2.191 | -0.47 |
| 7/19/2007 10:45 | 2.192 | -0.47 |
| 7/19/2007 10:50 | 2.192 | -0.47 |
| 7/19/2007 10:55 | 2.193 | -0.47 |
| 7/19/2007 11:00 | 2.196 | -0.47 |
| 7/19/2007 11:05 | 2.201 | -0.47 |
| 7/19/2007 11:10 | 2.209 | -0.47 |
| 7/19/2007 11:15 | 2.215 | -0.47 |
| 7/19/2007 11:20 | 2.221 | -0.47 |
| 7/19/2007 11:25 | 2.232 | -0.47 |
| 7/19/2007 11:30 | 2.258 | -0.47 |
| 7/19/2007 11:35 | 2.286 | -0.47 |
| 7/19/2007 11:40 | 2.314 | -0.47 |
| 7/19/2007 11:45 | 2.338 | -0.47 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 11:50 | 2.347 | 0.24 |
| 7/19/2007 11:55 | 2.374 | 0.26 |
| 7/19/2007 12:00 | 2.424 | 0.27 |
| 7/19/2007 12:05 | 2.458 | 0.3 |
| 7/19/2007 12:10 | 2.487 | 0.31 |
| 7/19/2007 12:15 | 2.611 | 0.4 |
| 7/19/2007 12:20 | 2.794 | 0.53 |
| 7/19/2007 12:25 | 2.97 | 0.78 |
| 7/19/2007 12:30 | 2.928 | 0.81 |
| 7/19/2007 12:35 | 2.847 | 0.71 |
| 7/19/2007 12:40 | 2.794 | 0.64 |
| 7/19/2007 12:45 | 2.699 | 0.48 |
| 7/19/2007 12:50 | 2.599 | 0.39 |
| 7/19/2007 12:55 | 2.525 | 0.34 |
| 7/19/2007 13:00 | 2.487 | 0.29 |
| 7/19/2007 13:05 | 2.472 | -0.31 |
| 7/19/2007 13:10 | 2.451 | -0.31 |
| 7/19/2007 13:15 | 2.431 | -0.31 |
| 7/19/2007 13:20 | 2.415 | -0.31 |
| 7/19/2007 13:25 | 2.402 | -0.31 |
| 7/19/2007 13:30 | 2.395 | -0.31 |
| 7/19/2007 13:35 | 2.39 | -0.31 |
| 7/19/2007 13:40 | 2.386 | -0.31 |
| 7/19/2007 13:45 | 2.383 | -0.31 |
| 7/19/2007 13:50 | 2.382 | -0.31 |
| 7/19/2007 13:55 | 2.38 | -0.31 |
| 7/19/2007 14:00 | 2.382 | 0.19 |
| 7/19/2007 14:05 | 2.385 | 0.19 |
| 7/19/2007 14:10 | 2.386 | 0.19 |
| 7/19/2007 14:15 | 2.389 | 0.19 |
| 7/19/2007 14:20 | 2.392 | 0.19 |
| 7/19/2007 14:25 | 2.395 | 0.19 |
| 7/19/2007 14:30 | 2.397 | 0.19 |
| 7/19/2007 14:35 | 2.4 | 0.19 |
| 7/19/2007 14:40 | 2.402 | 0.19 |
| 7/19/2007 14:45 | 2.406 | 0.19 |
| 7/19/2007 14:50 | 2.408 | 0.19 |
| 7/19/2007 14:55 | 2.41 | 0.19 |
| 7/19/2007 15:00 | 2.412 | 0.19 |
| 7/19/2007 15:05 | 2.413 | 0.19 |
| 7/19/2007 15:10 | 2.415 | 0.19 |
| 7/19/2007 15:15 | 2.417 | 0.19 |
| 7/19/2007 15:20 | 2.417 | 0.26 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 15:25 | 2.418 | 0.26 |
| 7/19/2007 15:30 | 2.418 | 0.26 |
| 7/19/2007 15:35 | 2.419 | 0.26 |
| 7/19/2007 15:40 | 2.418 | 0.26 |
| 7/19/2007 15:45 | 2.419 | 0.21 |
| 7/19/2007 15:50 | 2.417 | 0.26 |
| 7/19/2007 15:55 | 2.416 | 0.24 |
| 7/19/2007 16:00 | 2.416 | 0.23 |
| 7/19/2007 16:05 | 2.416 | 0.24 |
| 7/19/2007 16:10 | 2.416 | 0.24 |
| 7/19/2007 16:15 | 2.416 | 0.27 |
| 7/19/2007 16:20 | 2.414 | 0.24 |
| 7/19/2007 16:25 | 2.413 | 0.26 |
| 7/19/2007 16:30 | 2.412 | 0.26 |
| 7/19/2007 16:35 | 2.411 | 0.27 |
| 7/19/2007 16:40 | 2.41 | 0.27 |
| 7/19/2007 16:45 | 2.409 | 7.96 |
| 7/19/2007 16:50 | 2.407 | 5.54 |
| 7/19/2007 16:55 | 2.407 | 5.54 |
| 7/19/2007 17:00 | 2.405 | 0.24 |
| 7/19/2007 17:05 | 2.404 | 0.2 |
| 7/19/2007 17:10 | 2.402 | 0.2 |
| 7/19/2007 17:15 | 2.401 | 0.2 |
| 7/19/2007 17:20 | 2.399 | 0.23 |
| 7/19/2007 17:25 | 2.398 | 0.23 |
| 7/19/2007 17:30 | 2.397 | 0.21 |
| 7/19/2007 17:35 | 2.395 | 0.21 |
| 7/19/2007 17:40 | 2.394 | 0.21 |
| 7/19/2007 17:45 | 2.394 | 0.21 |
| 7/19/2007 17:50 | 2.392 | 0.22 |
| 7/19/2007 17:55 | 2.391 | 0.22 |
| 7/19/2007 18:00 | 2.389 | 0.23 |
| 7/19/2007 18:05 | 2.387 | 0.23 |
| 7/19/2007 18:10 | 2.386 | 0.23 |
| 7/19/2007 18:15 | 2.385 | 0.23 |
| 7/19/2007 18:20 | 2.383 | 0.23 |
| 7/19/2007 18:25 | 2.382 | 0.23 |
| 7/19/2007 18:30 | 2.381 | 0.24 |
| 7/19/2007 18:35 | 2.38 | 0.24 |
| 7/19/2007 18:40 | 2.379 | 0.22 |
| 7/19/2007 18:45 | 2.377 | 0.22 |
| 7/19/2007 18:50 | 2.376 | 0.22 |
| 7/19/2007 18:55 | 2.375 | 0.22 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 19:00 | 2.374 | 0.38 |
| 7/19/2007 19:05 | 2.372 | 0.38 |
| 7/19/2007 19:10 | 2.372 | 0.38 |
| 7/19/2007 19:15 | 2.37 | 0.38 |
| 7/19/2007 19:20 | 2.369 | 0.38 |
| 7/19/2007 19:25 | 2.368 | 0.38 |
| 7/19/2007 19:30 | 2.367 | 0.38 |
| 7/19/2007 19:35 | 2.366 | 0.38 |
| 7/19/2007 19:40 | 2.365 | 0.38 |
| 7/19/2007 19:45 | 2.364 | 0.38 |
| 7/19/2007 19:50 | 2.363 | 0.38 |
| 7/19/2007 19:55 | 2.362 | 0.38 |
| 7/19/2007 20:00 | 2.361 | 0.38 |
| 7/19/2007 20:05 | 2.36 | 0.38 |
| 7/19/2007 20:10 | 2.36 | 0.38 |
| 7/19/2007 20:15 | 2.359 | 0.38 |
| 7/19/2007 20:20 | 2.359 | 0.38 |
| 7/19/2007 20:25 | 2.358 | 0.38 |
| 7/19/2007 20:30 | 2.357 | 0.37 |
| 7/19/2007 20:35 | 2.356 | 0.37 |
| 7/19/2007 20:40 | 2.356 | 0.37 |
| 7/19/2007 20:45 | 2.355 | 0.37 |
| 7/19/2007 20:50 | 2.355 | 0.37 |
| 7/19/2007 20:55 | 2.354 | 0.37 |
| 7/19/2007 21:00 | 2.354 | 0.37 |
| 7/19/2007 21:05 | 2.353 | 0.37 |
| 7/19/2007 21:10 | 2.352 | 0.37 |
| 7/19/2007 21:15 | 2.352 | 0.37 |
| 7/19/2007 21:20 | 2.352 | 0.37 |
| 7/19/2007 21:25 | 2.351 | 0.37 |
| 7/19/2007 21:30 | 2.351 | 0.37 |
| 7/19/2007 21:35 | 2.35 | 0.37 |
| 7/19/2007 21:40 | 2.35 | 0.37 |
| 7/19/2007 21:45 | 2.35 | 0.37 |
| 7/19/2007 21:50 | 2.349 | 0.37 |
| 7/19/2007 21:55 | 2.348 | 0.37 |
| 7/19/2007 22:00 | 2.348 | 0.37 |
| 7/19/2007 22:05 | 2.348 | 0.37 |
| 7/19/2007 22:10 | 2.348 | 0.37 |
| 7/19/2007 22:15 | 2.347 | 0.37 |
| 7/19/2007 22:20 | 2.346 | 0.37 |
| 7/19/2007 22:25 | 2.346 | 0.37 |
| 7/19/2007 22:30 | 2.346 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 22:35 | 2.345 | 0.37 |
| 7/19/2007 22:40 | 2.346 | 0.37 |
| 7/19/2007 22:45 | 2.345 | 0.37 |
| 7/19/2007 22:50 | 2.345 | 0.19 |
| 7/19/2007 22:55 | 2.345 | 0.17 |
| 7/19/2007 23:00 | 2.344 | 0.17 |
| 7/19/2007 23:05 | 2.344 | 0.17 |
| 7/19/2007 23:10 | 2.343 | 0.17 |
| 7/19/2007 23:15 | 2.343 | 0.17 |
| 7/19/2007 23:20 | 2.343 | 0.17 |
| 7/19/2007 23:25 | 2.343 | 0.17 |
| 7/19/2007 23:30 | 2.343 | 0.17 |
| 7/19/2007 23:35 | 2.342 | 0.17 |
| 7/19/2007 23:40 | 2.342 | 0.17 |
| 7/19/2007 23:45 | 2.342 | 0.17 |
| 7/19/2007 23:50 | 2.342 | 0.17 |
| 7/19/2007 23:55 | 2.354 | 0.17 |
| 7/20/2007 0:00 | 2.937 | 0.58 |
| 7/20/2007 0:05 | 3.079 | 1.03 |
| 7/20/2007 0:10 | 3.053 | 0.98 |
| 7/20/2007 0:15 | 2.943 | 0.81 |
| 7/20/2007 0:20 | 2.822 | 0.65 |
| 7/20/2007 0:25 | 2.694 | 0.5 |
| 7/20/2007 0:30 | 2.611 | 0.41 |
| 7/20/2007 0:35 | 2.552 | 0.33 |
| 7/20/2007 0:40 | 2.513 | 0.33 |
| 7/20/2007 0:45 | 2.488 | 0.28 |
| 7/20/2007 0:50 | 2.477 | 0.28 |
| 7/20/2007 0:55 | 2.469 | 0.28 |
| 7/20/2007 1:00 | 2.464 | 0.28 |
| 7/20/2007 1:05 | 2.461 | 0.28 |
| 7/20/2007 1:10 | 2.461 | 0.28 |
| 7/20/2007 1:15 | 2.462 | 0.28 |
| 7/20/2007 1:20 | 2.465 | 0.28 |
| 7/20/2007 1:25 | 2.467 | 0.27 |
| 7/20/2007 1:30 | 2.471 | 0.27 |
| 7/20/2007 1:35 | 2.473 | 0.27 |
| 7/20/2007 1:40 | 2.48 | 0.27 |
| 7/20/2007 1:45 | 2.533 | 0.43 |
| 7/20/2007 1:50 | 2.596 | 0.45 |
| 7/20/2007 1:55 | 2.615 | 0.48 |
| 7/20/2007 2:00 | 3.119 | 0.93 |
| 7/20/2007 2:05 | 3.346 | 1.31 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 2:10 | 3.328 | 1.29 |
| 7/20/2007 2:15 | 3.198 | 1.2 |
| 7/20/2007 2:20 | 3.078 | 1.14 |
| 7/20/2007 2:25 | 2.953 | 0.85 |
| 7/20/2007 2:30 | 2.863 | 0.66 |
| 7/20/2007 2:35 | 2.808 | 0.68 |
| 7/20/2007 2:40 | 2.784 | 0.62 |
| 7/20/2007 2:45 | 2.768 | 0.61 |
| 7/20/2007 2:50 | 2.759 | 0.64 |
| 7/20/2007 2:55 | 2.755 | 0.62 |
| 7/20/2007 3:00 | 2.752 | 0.67 |
| 7/20/2007 3:05 | 2.752 | 0.68 |
| 7/20/2007 3:10 | 2.753 | 0.69 |
| 7/20/2007 3:15 | 2.757 | 0.7 |
| 7/20/2007 3:20 | 2.765 | 0.75 |
| 7/20/2007 3:25 | 2.769 | 0.68 |
| 7/20/2007 3:30 | 2.77 | 0.61 |
| 7/20/2007 3:35 | 2.77 | 0.67 |
| 7/20/2007 3:40 | 2.772 | 0.66 |
| 7/20/2007 3:45 | 2.772 | 0.69 |
| 7/20/2007 3:50 | 2.772 | 0.7 |
| 7/20/2007 3:55 | 2.773 | 0.72 |
| 7/20/2007 4:00 | 2.774 | 0.7 |
| 7/20/2007 4:05 | 2.774 | 0.64 |
| 7/20/2007 4:10 | 2.773 | 0.68 |
| 7/20/2007 4:15 | 2.772 | 0.74 |
| 7/20/2007 4:20 | 2.771 | 0.69 |
| 7/20/2007 4:25 | 2.77 | 0.68 |
| 7/20/2007 4:30 | 2.768 | 0.61 |
| 7/20/2007 4:35 | 2.767 | 0.69 |
| 7/20/2007 4:40 | 2.764 | 0.7 |
| 7/20/2007 4:45 | 2.763 | 0.65 |
| 7/20/2007 4:50 | 2.76 | 0.7 |
| 7/20/2007 4:55 | 2.759 | 0.68 |
| 7/20/2007 5:00 | 2.758 | 0.65 |
| 7/20/2007 5:05 | 2.756 | 0.59 |
| 7/20/2007 5:10 | 2.754 | 0.68 |
| 7/20/2007 5:15 | 2.752 | 0.68 |
| 7/20/2007 5:20 | 2.748 | 0.66 |
| 7/20/2007 5:25 | 2.747 | 0.68 |
| 7/20/2007 5:30 | 2.745 | 0.68 |
| 7/20/2007 5:35 | 2.744 | 0.63 |
| 7/20/2007 5:40 | 2.74 | 0.63 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 5:45 | 2.739 | 0.61 |
| 7/20/2007 5:50 | 2.738 | 0.61 |
| 7/20/2007 5:55 | 2.736 | 0.61 |
| 7/20/2007 6:00 | 2.734 | 0.61 |
| 7/20/2007 6:05 | 2.733 | 0.57 |
| 7/20/2007 6:10 | 2.731 | 0.58 |
| 7/20/2007 6:15 | 2.729 | 0.63 |
| 7/20/2007 6:20 | 2.729 | 0.63 |
| 7/20/2007 6:25 | 2.727 | 0.63 |
| 7/20/2007 6:30 | 2.725 | 0.56 |
| 7/20/2007 6:35 | 2.725 | 0.66 |
| 7/20/2007 6:40 | 2.724 | 0.58 |
| 7/20/2007 6:45 | 2.724 | 0.58 |
| 7/20/2007 6:50 | 2.721 | 0.58 |
| 7/20/2007 6:55 | 2.719 | 0.58 |
| 7/20/2007 7:00 | 2.715 | 0.58 |
| 7/20/2007 7:05 | 2.714 | 0.52 |
| 7/20/2007 7:10 | 2.713 | 0.53 |
| 7/20/2007 7:15 | 2.712 | 0.6 |
| 7/20/2007 7:20 | 2.711 | 0.6 |
| 7/20/2007 7:25 | 2.707 | 0.55 |
| 7/20/2007 7:30 | 2.706 | 0.55 |
| 7/20/2007 7:35 | 2.704 | 0.55 |
| 7/20/2007 7:40 | 2.704 | 0.55 |
| 7/20/2007 7:45 | 2.701 | 0.55 |
| 7/20/2007 7:50 | 2.7 | 0.56 |
| 7/20/2007 7:55 | 2.696 | 0.56 |
| 7/20/2007 8:00 | 2.696 | 0.56 |
| 7/20/2007 8:05 | 2.694 | 0.56 |
| 7/20/2007 8:10 | 2.694 | 0.56 |
| 7/20/2007 8:15 | 2.692 | 0.56 |
| 7/20/2007 8:20 | 2.689 | 0.57 |
| 7/20/2007 8:25 | 2.686 | 0.5 |
| 7/20/2007 8:30 | 2.685 | 0.5 |
| 7/20/2007 8:35 | 2.683 | 0.5 |
| 7/20/2007 8:40 | 2.683 | 0.5 |
| 7/20/2007 8:45 | 2.682 | 0.51 |
| 7/20/2007 8:50 | 2.679 | 0.55 |
| 7/20/2007 8:55 | 2.677 | 0.55 |
| 7/20/2007 9:00 | 2.676 | 0.52 |
| 7/20/2007 9:05 | 2.675 | 0.52 |
| 7/20/2007 9:10 | 2.673 | 0.52 |
| 7/20/2007 9:15 | 2.671 | 0.52 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 9:20 | 2.669 | 0.51 |
| 7/20/2007 9:25 | 2.669 | 0.51 |
| 7/20/2007 9:30 | 2.666 | 0.51 |
| 7/20/2007 9:35 | 2.666 | 0.51 |
| 7/20/2007 9:40 | 2.664 | 0.51 |
| 7/20/2007 9:45 | 2.66 | 0.51 |
| 7/20/2007 9:50 | 2.661 | 0.51 |
| 7/20/2007 9:55 | 2.661 | 0.51 |
| 7/20/2007 10:00 | 2.66 | 0.51 |
| 7/20/2007 10:05 | 2.659 | -0.42 |
| 7/20/2007 10:10 | 2.656 | -0.42 |
| 7/20/2007 10:15 | 2.656 | -0.42 |
| 7/20/2007 10:20 | 2.655 | -0.42 |
| 7/20/2007 10:25 | 2.652 | 0.5 |
| 7/20/2007 10:30 | 2.652 | 0.53 |
| 7/20/2007 10:35 | 2.65 | 0.53 |
| 7/20/2007 10:40 | 2.654 | 0.53 |
| 7/20/2007 10:45 | 2.648 | 0.51 |
| 7/20/2007 10:50 | 2.647 | 0.56 |
| 7/20/2007 10:55 | 2.645 | 0.5 |
| 7/20/2007 11:00 | 2.643 | 0.48 |
| 7/20/2007 11:05 | 2.642 | 0.48 |
| 7/20/2007 11:10 | 2.643 | 0.5 |
| 7/20/2007 11:15 | 2.64 | 0.48 |
| 7/20/2007 11:20 | 2.639 | 0.51 |
| 7/20/2007 11:25 | 2.639 | 0.48 |
| 7/20/2007 11:30 | 2.637 | 0.47 |
| 7/20/2007 11:35 | 2.635 | 0.54 |
| 7/20/2007 11:40 | 2.637 | 0.48 |
| 7/20/2007 11:45 | 2.633 | 0.44 |
| 7/20/2007 11:50 | 2.633 | 0.48 |
| 7/20/2007 11:55 | 2.631 | 0.43 |
| 7/20/2007 12:00 | 2.631 | 0.45 |
| 7/20/2007 12:05 | 2.63 | 0.41 |
| 7/20/2007 12:10 | 2.628 | 0.43 |
| 7/20/2007 12:15 | 2.628 | 0.47 |
| 7/20/2007 12:20 | 2.625 | 0.46 |
| 7/20/2007 12:25 | 2.625 | 0.49 |
| 7/20/2007 12:30 | 2.624 | 0.5 |
| 7/20/2007 12:35 | 2.623 | 0.45 |
| 7/20/2007 12:40 | 2.622 | 0.49 |
| 7/20/2007 12:45 | 2.622 | 0.48 |
| 7/20/2007 12:50 | 2.619 | 0.4 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 12:55 | 2.619 | 0.49 |
| 7/20/2007 13:00 | 2.618 | 0.49 |
| 7/20/2007 13:05 | 2.617 | 0.47 |
| 7/20/2007 13:10 | 2.614 | 0.46 |
| 7/20/2007 13:15 | 2.615 | 0.47 |
| 7/20/2007 13:20 | 2.613 | 0.46 |
| 7/20/2007 13:25 | 2.614 | 0.47 |
| 7/20/2007 13:30 | 2.611 | 0.44 |
| 7/20/2007 13:35 | 2.611 | 0.41 |
| 7/20/2007 13:40 | 2.611 | 0.42 |
| 7/20/2007 13:45 | 2.609 | 0.48 |
| 7/20/2007 13:50 | 2.608 | 0.46 |
| 7/20/2007 13:55 | 2.608 | 0.41 |
| 7/20/2007 14:00 | 2.606 | 0.43 |
| 7/20/2007 14:05 | 2.607 | 0.44 |
| 7/20/2007 14:10 | 2.607 | 0.5 |
| 7/20/2007 14:15 | 2.606 | 0.46 |
| 7/20/2007 14:20 | 2.606 | 0.44 |
| 7/20/2007 14:25 | 2.604 | 0.48 |
| 7/20/2007 14:30 | 2.603 | 0.48 |
| 7/20/2007 14:35 | 2.603 | 0.44 |
| 7/20/2007 14:40 | 2.601 | 0.46 |
| 7/20/2007 14:45 | 2.599 | 0.46 |
| 7/20/2007 14:50 | 2.598 | 0.46 |
| 7/20/2007 14:55 | 2.598 | 0.46 |
| 7/20/2007 15:00 | 2.597 | 0.46 |
| 7/20/2007 15:05 | 2.596 | 0.46 |
| 7/20/2007 15:10 | 2.594 | 0.46 |
| 7/20/2007 15:15 | 2.595 | 0.46 |
| 7/20/2007 15:20 | 2.594 | 0.46 |
| 7/20/2007 15:25 | 2.592 | 0.41 |
| 7/20/2007 15:30 | 2.592 | 0.39 |
| 7/20/2007 15:35 | 2.59 | 0.39 |
| 7/20/2007 15:40 | 2.591 | 0.39 |
| 7/20/2007 15:45 | 2.589 | 0.4 |
| 7/20/2007 15:50 | 2.589 | 0.45 |
| 7/20/2007 15:55 | 2.588 | 0.45 |
| 7/20/2007 16:00 | 2.587 | 0.45 |
| 7/20/2007 16:05 | 2.587 | 0.39 |
| 7/20/2007 16:10 | 2.587 | 0.44 |
| 7/20/2007 16:15 | 2.585 | 0.45 |
| 7/20/2007 16:20 | 2.584 | 0.45 |
| 7/20/2007 16:25 | 2.583 | 0.45 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 16:30 | 2.583 | 0.45 |
| 7/20/2007 16:35 | 2.583 | 0.41 |
| 7/20/2007 16:40 | 2.582 | 0.43 |
| 7/20/2007 16:45 | 2.581 | 0.43 |
| 7/20/2007 16:50 | 2.58 | 0.39 |
| 7/20/2007 16:55 | 2.58 | 0.39 |
| 7/20/2007 17:00 | 2.577 | 0.39 |
| 7/20/2007 17:05 | 2.579 | 0.45 |
| 7/20/2007 17:10 | 2.578 | 0.45 |
| 7/20/2007 17:15 | 2.577 | 0.36 |
| 7/20/2007 17:20 | 2.576 | 0.36 |
| 7/20/2007 17:25 | 2.574 | 0.36 |
| 7/20/2007 17:30 | 2.575 | 0.36 |
| 7/20/2007 17:35 | 2.574 | 0.4 |
| 7/20/2007 17:40 | 2.573 | 0.4 |
| 7/20/2007 17:45 | 2.573 | 0.39 |
| 7/20/2007 17:50 | 2.572 | 0.39 |
| 7/20/2007 17:55 | 2.572 | 0.39 |
| 7/20/2007 18:00 | 2.571 | 0.41 |
| 7/20/2007 18:05 | 2.57 | 0.41 |
| 7/20/2007 18:10 | 2.569 | 0.41 |
| 7/20/2007 18:15 | 2.569 | 0.37 |
| 7/20/2007 18:20 | 2.568 | 0.37 |
| 7/20/2007 18:25 | 2.568 | 0.41 |
| 7/20/2007 18:30 | 2.568 | 0.43 |
| 7/20/2007 18:35 | 2.567 | 0.43 |
| 7/20/2007 18:40 | 2.566 | 0.43 |
| 7/20/2007 18:45 | 2.565 | 0.43 |
| 7/20/2007 18:50 | 2.565 | 0.42 |
| 7/20/2007 18:55 | 2.566 | 0.42 |
| 7/20/2007 19:00 | 2.563 | 0.4 |
| 7/20/2007 19:05 | 2.563 | 0.4 |
| 7/20/2007 19:10 | 2.563 | 0.4 |
| 7/20/2007 19:15 | 2.561 | 0.4 |
| 7/20/2007 19:20 | 2.562 | 0.4 |
| 7/20/2007 19:25 | 2.562 | 0.44 |
| 7/20/2007 19:30 | 2.56 | 0.44 |
| 7/20/2007 19:35 | 2.561 | 0.44 |
| 7/20/2007 19:40 | 2.56 | 0.44 |
| 7/20/2007 19:45 | 2.56 | 0.44 |
| 7/20/2007 19:50 | 2.559 | 0.44 |
| 7/20/2007 19:55 | 2.559 | 0.44 |
| 7/20/2007 20:00 | 2.559 | 0.44 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 20:05 | 2.558 | 0.44 |
| 7/20/2007 20:10 | 2.557 | 0.44 |
| 7/20/2007 20:15 | 2.556 | 0.44 |
| 7/20/2007 20:20 | 2.557 | 0.44 |
| 7/20/2007 20:25 | 2.556 | 0.44 |
| 7/20/2007 20:30 | 2.556 | 0.44 |
| 7/20/2007 20:35 | 2.555 | 0.44 |
| 7/20/2007 20:40 | 2.555 | 0.38 |
| 7/20/2007 20:45 | 2.554 | 0.38 |
| 7/20/2007 20:50 | 2.554 | 0.38 |
| 7/20/2007 20:55 | 2.553 | 0.38 |
| 7/20/2007 21:00 | 2.553 | 0.38 |
| 7/20/2007 21:05 | 2.553 | 0.43 |
| 7/20/2007 21:10 | 2.552 | 0.43 |
| 7/20/2007 21:15 | 2.552 | 0.43 |
| 7/20/2007 21:20 | 2.551 | 0.43 |
| 7/20/2007 21:25 | 2.551 | 0.43 |
| 7/20/2007 21:30 | 2.55 | 0.43 |
| 7/20/2007 21:35 | 2.55 | 0.43 |
| 7/20/2007 21:40 | 2.549 | 0.43 |
| 7/20/2007 21:45 | 2.548 | 0.43 |
| 7/20/2007 21:50 | 2.549 | 0.43 |
| 7/20/2007 21:55 | 2.549 | 0.43 |
| 7/20/2007 22:00 | 2.548 | 0.43 |
| 7/20/2007 22:05 | 2.548 | 0.43 |
| 7/20/2007 22:10 | 2.547 | 0.43 |
| 7/20/2007 22:15 | 2.547 | 0.43 |
| 7/20/2007 22:20 | 2.547 | 0.43 |
| 7/20/2007 22:25 | 2.546 | 0.43 |
| 7/20/2007 22:30 | 2.545 | 0.43 |
| 7/20/2007 22:35 | 2.544 | 0.42 |
| 7/20/2007 22:40 | 2.544 | 0.42 |
| 7/20/2007 22:45 | 2.544 | 0.42 |
| 7/20/2007 22:50 | 2.543 | 0.42 |
| 7/20/2007 22:55 | 2.542 | 0.42 |
| 7/20/2007 23:00 | 2.543 | 0.42 |
| 7/20/2007 23:05 | 2.542 | 0.42 |
| 7/20/2007 23:10 | 2.542 | 0.42 |
| 7/20/2007 23:15 | 2.541 | 0.42 |
| 7/20/2007 23:20 | 2.54 | 0.42 |
| 7/20/2007 23:25 | 2.54 | 0.42 |
| 7/20/2007 23:30 | 2.541 | 0.42 |
| 7/20/2007 23:35 | 2.539 | 0.42 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 23:40 | 2.539 | 0.42 |
| 7/20/2007 23:45 | 2.538 | 0.42 |
| 7/20/2007 23:50 | 2.538 | 0.42 |
| 7/20/2007 23:55 | 2.537 | 0.42 |
| 7/21/2007 0:00 | 2.537 | 0.42 |
| 7/21/2007 0:05 | 2.536 | 0.42 |
| 7/21/2007 0:10 | 2.536 | 0.42 |
| 7/21/2007 0:15 | 2.535 | 0.42 |
| 7/21/2007 0:20 | 2.535 | 0.42 |
| 7/21/2007 0:25 | 2.534 | 0.42 |
| 7/21/2007 0:30 | 2.534 | 0.42 |
| 7/21/2007 0:35 | 2.534 | 0.37 |
| 7/21/2007 0:40 | 2.533 | 0.37 |
| 7/21/2007 0:45 | 2.532 | 0.37 |
| 7/21/2007 0:50 | 2.532 | 0.37 |
| 7/21/2007 0:55 | 2.532 | 0.37 |
| 7/21/2007 1:00 | 2.53 | 0.37 |
| 7/21/2007 1:05 | 2.531 | 0.34 |
| 7/21/2007 1:10 | 2.53 | 0.34 |
| 7/21/2007 1:15 | 2.53 | 0.34 |
| 7/21/2007 1:20 | 2.529 | 0.37 |
| 7/21/2007 1:25 | 2.529 | 0.37 |
| 7/21/2007 1:30 | 2.528 | 0.37 |
| 7/21/2007 1:35 | 2.528 | 0.34 |
| 7/21/2007 1:40 | 2.528 | 0.34 |
| 7/21/2007 1:45 | 2.527 | 0.38 |
| 7/21/2007 1:50 | 2.527 | 0.4 |
| 7/21/2007 1:55 | 2.527 | 0.4 |
| 7/21/2007 2:00 | 2.526 | 0.4 |
| 7/21/2007 2:05 | 2.526 | 0.4 |
| 7/21/2007 2:10 | 2.525 | 0.4 |
| 7/21/2007 2:15 | 2.525 | 0.4 |
| 7/21/2007 2:20 | 2.525 | 0.4 |
| 7/21/2007 2:25 | 2.524 | 0.4 |
| 7/21/2007 2:30 | 2.524 | 0.4 |
| 7/21/2007 2:35 | 2.523 | 0.4 |
| 7/21/2007 2:40 | 2.523 | 0.4 |
| 7/21/2007 2:45 | 2.521 | 0.34 |
| 7/21/2007 2:50 | 2.522 | 0.34 |
| 7/21/2007 2:55 | 2.521 | 0.34 |
| 7/21/2007 3:00 | 2.52 | 0.34 |
| 7/21/2007 3:05 | 2.52 | 0.34 |
| 7/21/2007 3:10 | 2.519 | 0.34 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 3:15 | 2.518 | 0.34 |
| 7/21/2007 3:20 | 2.518 | 0.34 |
| 7/21/2007 3:25 | 2.517 | 0.37 |
| 7/21/2007 3:30 | 2.517 | 0.35 |
| 7/21/2007 3:35 | 2.517 | 0.35 |
| 7/21/2007 3:40 | 2.517 | 0.33 |
| 7/21/2007 3:45 | 2.516 | 0.33 |
| 7/21/2007 3:50 | 2.517 | 0.33 |
| 7/21/2007 3:55 | 2.516 | 0.39 |
| 7/21/2007 4:00 | 2.515 | 0.39 |
| 7/21/2007 4:05 | 2.514 | 0.35 |
| 7/21/2007 4:10 | 2.515 | 0.35 |
| 7/21/2007 4:15 | 2.515 | 0.35 |
| 7/21/2007 4:20 | 2.514 | 0.35 |
| 7/21/2007 4:25 | 2.513 | 0.29 |
| 7/21/2007 4:30 | 2.512 | 0.29 |
| 7/21/2007 4:35 | 2.512 | 0.36 |
| 7/21/2007 4:40 | 2.512 | 0.37 |
| 7/21/2007 4:45 | 2.511 | 0.32 |
| 7/21/2007 4:50 | 2.51 | 0.32 |
| 7/21/2007 4:55 | 2.509 | 0.35 |
| 7/21/2007 5:00 | 2.508 | 0.35 |
| 7/21/2007 5:05 | 2.508 | 0.32 |
| 7/21/2007 5:10 | 2.508 | 0.36 |
| 7/21/2007 5:15 | 2.507 | 0.36 |
| 7/21/2007 5:20 | 2.506 | 0.36 |
| 7/21/2007 5:25 | 2.505 | 0.36 |
| 7/21/2007 5:30 | 2.505 | 0.38 |
| 7/21/2007 5:35 | 2.505 | 0.38 |
| 7/21/2007 5:40 | 2.504 | 0.38 |
| 7/21/2007 5:45 | 2.504 | 0.38 |
| 7/21/2007 5:50 | 2.503 | 0.3 |
| 7/21/2007 5:55 | 2.503 | 0.3 |
| 7/21/2007 6:00 | 2.502 | 0.35 |
| 7/21/2007 6:05 | 2.502 | 0.36 |
| 7/21/2007 6:10 | 2.502 | 0.36 |
| 7/21/2007 6:15 | 2.501 | 0.32 |
| 7/21/2007 6:20 | 2.502 | 0.33 |
| 7/21/2007 6:25 | 2.502 | 0.33 |
| 7/21/2007 6:30 | 2.5 | 0.33 |
| 7/21/2007 6:35 | 2.5 | 0.33 |
| 7/21/2007 6:40 | 2.499 | 0.33 |
| 7/21/2007 6:45 | 2.498 | 0.31 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 6:50 | 2.498 | 0.31 |
| 7/21/2007 6:55 | 2.497 | 0.33 |
| 7/21/2007 7:00 | 2.496 | 0.33 |
| 7/21/2007 7:05 | 2.495 | 0.33 |
| 7/21/2007 7:10 | 2.494 | 0.33 |
| 7/21/2007 7:15 | 2.493 | 0.33 |
| 7/21/2007 7:20 | 2.493 | 0.33 |
| 7/21/2007 7:25 | 2.493 | 0.32 |
| 7/21/2007 7:30 | 2.493 | 0.32 |
| 7/21/2007 7:35 | 2.492 | 0.31 |
| 7/21/2007 7:40 | 2.492 | 0.34 |
| 7/21/2007 7:45 | 2.491 | 0.35 |
| 7/21/2007 7:50 | 2.491 | 0.35 |
| 7/21/2007 7:55 | 2.489 | 0.35 |
| 7/21/2007 8:00 | 2.489 | 0.35 |
| 7/21/2007 8:05 | 2.488 | 0.32 |
| 7/21/2007 8:10 | 2.487 | 0.32 |
| 7/21/2007 8:15 | 2.487 | 0.32 |
| 7/21/2007 8:20 | 2.485 | 0.32 |
| 7/21/2007 8:25 | 2.484 | 0.32 |
| 7/21/2007 8:30 | 2.483 | 0.32 |
| 7/21/2007 8:35 | 2.482 | 0.32 |
| 7/21/2007 8:40 | 2.482 | 0.32 |
| 7/21/2007 8:45 | 2.48 | 0.32 |
| 7/21/2007 8:50 | 2.48 | 0.32 |
| 7/21/2007 8:55 | 2.479 | 0.32 |
| 7/21/2007 9:00 | 2.478 | 0.32 |
| 7/21/2007 9:05 | 2.475 | 0.32 |
| 7/21/2007 9:10 | 2.476 | 0.32 |
| 7/21/2007 9:15 | 2.475 | 0.32 |
| 7/21/2007 9:20 | 2.473 | 0.32 |
| 7/21/2007 9:25 | 2.473 | 0.32 |
| 7/21/2007 9:30 | 2.473 | 0.32 |
| 7/21/2007 9:35 | 2.472 | 0.32 |
| 7/21/2007 9:40 | 2.47 | 0.32 |
| 7/21/2007 9:45 | 2.47 | 0.32 |
| 7/21/2007 9:50 | 2.469 | 0.32 |
| 7/21/2007 9:55 | 2.469 | 0.32 |
| 7/21/2007 10:00 | 2.467 | 0.32 |
| 7/21/2007 10:05 | 2.464 | 0.3 |
| 7/21/2007 10:10 | 2.462 | 0.3 |
| 7/21/2007 10:15 | 2.462 | 0.3 |
| 7/21/2007 10:20 | 2.46 | 12.3 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 10:25 | 2.46 | 9.36 |
| 7/21/2007 10:30 | 2.459 | 10.48 |
| 7/21/2007 10:35 | 2.458 | 10.48 |
| 7/21/2007 10:40 | 2.456 | 10.48 |
| 7/21/2007 10:45 | 2.458 | 10.48 |
| 7/21/2007 10:50 | 2.456 | 10.48 |
| 7/21/2007 10:55 | 2.455 | 10.48 |
| 7/21/2007 11:00 | 2.451 | 10.48 |
| 7/21/2007 11:05 | 2.45 | 0.28 |
| 7/21/2007 11:10 | 2.449 | 0.26 |
| 7/21/2007 11:15 | 2.447 | 0.29 |
| 7/21/2007 11:20 | 2.447 | 0.26 |
| 7/21/2007 11:25 | 2.447 | 0.29 |
| 7/21/2007 11:30 | 2.447 | 0.28 |
| 7/21/2007 11:35 | 2.445 | 0.26 |
| 7/21/2007 11:40 | 2.443 | 0.28 |
| 7/21/2007 11:45 | 2.441 | 0.3 |
| 7/21/2007 11:50 | 2.44 | 0.3 |
| 7/21/2007 11:55 | 2.44 | 0.31 |
| 7/21/2007 12:00 | 2.44 | 0.31 |
| 7/21/2007 12:05 | 2.44 | 0.28 |
| 7/21/2007 12:10 | 2.438 | 0.33 |
| 7/21/2007 12:15 | 2.436 | 0.27 |
| 7/21/2007 12:20 | 2.435 | 0.27 |
| 7/21/2007 12:25 | 2.435 | 0.26 |
| 7/21/2007 12:30 | 2.43 | 0.28 |
| 7/21/2007 12:35 | 2.431 | 0.28 |
| 7/21/2007 12:40 | 2.43 | 0.28 |
| 7/21/2007 12:45 | 2.429 | 0.25 |
| 7/21/2007 12:50 | 2.428 | 0.25 |
| 7/21/2007 12:55 | 2.427 | 0.25 |
| 7/21/2007 13:00 | 2.426 | 0.24 |
| 7/21/2007 13:05 | 2.424 | 0.27 |
| 7/21/2007 13:10 | 2.423 | 0.25 |
| 7/21/2007 13:15 | 2.422 | 0.27 |
| 7/21/2007 13:20 | 2.419 | 0.23 |
| 7/21/2007 13:25 | 2.419 | 0.27 |
| 7/21/2007 13:30 | 2.419 | 0.24 |
| 7/21/2007 13:35 | 2.418 | 0.27 |
| 7/21/2007 13:40 | 2.414 | 0.25 |
| 7/21/2007 13:45 | 2.415 | 0.26 |
| 7/21/2007 13:50 | 2.412 | 0.26 |
| 7/21/2007 13:55 | 2.411 | 0.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 14:00 | 2.411 | 0.24 |
| 7/21/2007 14:05 | 2.411 | 0.26 |
| 7/21/2007 14:10 | 2.41 | 0.23 |
| 7/21/2007 14:15 | 2.407 | 0.23 |
| 7/21/2007 14:20 | 2.406 | 0.23 |
| 7/21/2007 14:25 | 2.405 | 0.25 |
| 7/21/2007 14:30 | 2.406 | 0.25 |
| 7/21/2007 14:35 | 2.404 | 0.25 |
| 7/21/2007 14:40 | 2.402 | 0.26 |
| 7/21/2007 14:45 | 2.401 | 0.26 |
| 7/21/2007 14:50 | 2.401 | 0.26 |
| 7/21/2007 14:55 | 2.4 | 0.26 |
| 7/21/2007 15:00 | 2.398 | 0.26 |
| 7/21/2007 15:05 | 2.398 | 0.26 |
| 7/21/2007 15:10 | 2.396 | 0.26 |
| 7/21/2007 15:15 | 2.398 | 0.26 |
| 7/21/2007 15:20 | 2.396 | 0.26 |
| 7/21/2007 15:25 | 2.394 | 0.26 |
| 7/21/2007 15:30 | 2.393 | 0.26 |
| 7/21/2007 15:35 | 2.392 | 0.26 |
| 7/21/2007 15:40 | 2.393 | 0.24 |
| 7/21/2007 15:45 | 2.392 | 0.24 |
| 7/21/2007 15:50 | 2.39 | 0.24 |
| 7/21/2007 15:55 | 2.389 | 0.24 |
| 7/21/2007 16:00 | 2.388 | 0.24 |
| 7/21/2007 16:05 | 2.388 | 0.24 |
| 7/21/2007 16:10 | 2.386 | 0.24 |
| 7/21/2007 16:15 | 2.387 | 0.22 |
| 7/21/2007 16:20 | 2.386 | 0.23 |
| 7/21/2007 16:25 | 2.385 | 0.23 |
| 7/21/2007 16:30 | 2.385 | 0.23 |
| 7/21/2007 16:35 | 2.384 | 0.23 |
| 7/21/2007 16:40 | 2.384 | 0.21 |
| 7/21/2007 16:45 | 2.383 | 0.21 |
| 7/21/2007 16:50 | 2.383 | 0.21 |
| 7/21/2007 16:55 | 2.383 | 0.21 |
| 7/21/2007 17:00 | 2.381 | 0.21 |
| 7/21/2007 17:05 | 2.382 | 0.21 |
| 7/21/2007 17:10 | 2.382 | 0.21 |
| 7/21/2007 17:15 | 2.381 | 0.21 |
| 7/21/2007 17:20 | 2.381 | 0.21 |
| 7/21/2007 17:25 | 2.38 | 0.21 |
| 7/21/2007 17:30 | 2.379 | 0.33 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 17:35 | 2.379 | 0.26 |
| 7/21/2007 17:40 | 2.379 | 0.3 |
| 7/21/2007 17:45 | 2.377 | 0.2 |
| 7/21/2007 17:50 | 2.378 | 0.2 |
| 7/21/2007 17:55 | 2.377 | 0.26 |
| 7/21/2007 18:00 | 2.377 | 0.23 |
| 7/21/2007 18:05 | 2.377 | 0.23 |
| 7/21/2007 18:10 | 2.377 | 0.23 |
| 7/21/2007 18:15 | 2.377 | 0.23 |
| 7/21/2007 18:20 | 2.377 | 0.21 |
| 7/21/2007 18:25 | 2.377 | 0.21 |
| 7/21/2007 18:30 | 2.377 | 0.21 |
| 7/21/2007 18:35 | 2.376 | 0.21 |
| 7/21/2007 18:40 | 2.376 | 0.21 |
| 7/21/2007 18:45 | 2.375 | 0.21 |
| 7/21/2007 18:50 | 2.375 | 0.21 |
| 7/21/2007 18:55 | 2.374 | 0.21 |
| 7/21/2007 19:00 | 2.374 | 0.21 |
| 7/21/2007 19:05 | 2.374 | 0.21 |
| 7/21/2007 19:10 | 2.373 | 0.21 |
| 7/21/2007 19:15 | 2.372 | 0.21 |
| 7/21/2007 19:20 | 2.372 | 0.21 |
| 7/21/2007 19:25 | 2.372 | 0.19 |
| 7/21/2007 19:30 | 2.371 | 0.19 |
| 7/21/2007 19:35 | 2.371 | 0.24 |
| 7/21/2007 19:40 | 2.37 | 0.24 |
| 7/21/2007 19:45 | 2.37 | 0.24 |
| 7/21/2007 19:50 | 2.37 | 0.2 |
| 7/21/2007 19:55 | 2.369 | 0.19 |
| 7/21/2007 20:00 | 2.369 | 0.19 |
| 7/21/2007 20:05 | 2.368 | 0.19 |
| 7/21/2007 20:10 | 2.368 | 0.19 |
| 7/21/2007 20:15 | 2.368 | 0.23 |
| 7/21/2007 20:20 | 2.368 | 0.23 |
| 7/21/2007 20:25 | 2.367 | 0.23 |
| 7/21/2007 20:30 | 2.367 | 0.22 |
| 7/21/2007 20:35 | 2.367 | 0.22 |
| 7/21/2007 20:40 | 2.366 | 0.19 |
| 7/21/2007 20:45 | 2.366 | 0.19 |
| 7/21/2007 20:50 | 2.365 | 0.23 |
| 7/21/2007 20:55 | 2.365 | 0.23 |
| 7/21/2007 21:00 | 2.365 | 0.23 |
| 7/21/2007 21:05 | 2.365 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 21:10 | 2.364 | 0.21 |
| 7/21/2007 21:15 | 2.364 | 0.21 |
| 7/21/2007 21:20 | 2.364 | 0.21 |
| 7/21/2007 21:25 | 2.363 | 0.21 |
| 7/21/2007 21:30 | 2.363 | 0.21 |
| 7/21/2007 21:35 | 2.363 | 0.21 |
| 7/21/2007 21:40 | 2.362 | 0.21 |
| 7/21/2007 21:45 | 2.362 | 0.21 |
| 7/21/2007 21:50 | 2.361 | 0.21 |
| 7/21/2007 21:55 | 2.361 | 0.21 |
| 7/21/2007 22:00 | 2.361 | 0.21 |
| 7/21/2007 22:05 | 2.36 | 0.21 |
| 7/21/2007 22:10 | 2.36 | 0.21 |
| 7/21/2007 22:15 | 2.36 | 0.21 |
| 7/21/2007 22:20 | 2.36 | 0.21 |
| 7/21/2007 22:25 | 2.359 | 0.21 |
| 7/21/2007 22:30 | 2.359 | 0.21 |
| 7/21/2007 22:35 | 2.359 | 0.21 |
| 7/21/2007 22:40 | 2.359 | 0.21 |
| 7/21/2007 22:45 | 2.358 | 0.21 |
| 7/21/2007 22:50 | 2.358 | 0.21 |
| 7/21/2007 22:55 | 2.358 | 0.21 |
| 7/21/2007 23:00 | 2.357 | 0.21 |
| 7/21/2007 23:05 | 2.357 | 0.21 |
| 7/21/2007 23:10 | 2.357 | 0.21 |
| 7/21/2007 23:15 | 2.356 | 0.21 |
| 7/21/2007 23:20 | 2.356 | 0.21 |
| 7/21/2007 23:25 | 2.356 | 0.21 |
| 7/21/2007 23:30 | 2.356 | 0.21 |
| 7/21/2007 23:35 | 2.356 | 0.21 |
| 7/21/2007 23:40 | 2.355 | 0.21 |
| 7/21/2007 23:45 | 2.355 | 0.21 |
| 7/21/2007 23:50 | 2.355 | 0.21 |
| 7/21/2007 23:55 | 2.355 | 0.21 |
| 7/22/2007 0:00 | 2.355 | 0.21 |
| 7/22/2007 0:05 | 2.354 | 0.21 |
| 7/22/2007 0:10 | 2.354 | 0.21 |
| 7/22/2007 0:15 | 2.354 | 0.21 |
| 7/22/2007 0:20 | 2.353 | 0.21 |
| 7/22/2007 0:25 | 2.353 | 0.21 |
| 7/22/2007 0:30 | 2.353 | 0.21 |
| 7/22/2007 0:35 | 2.352 | 0.21 |
| 7/22/2007 0:40 | 2.354 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 0:45 | 2.353 | 0.21 |
| 7/22/2007 0:50 | 2.352 | 0.21 |
| 7/22/2007 0:55 | 2.352 | 0.21 |
| 7/22/2007 1:00 | 2.351 | 0.21 |
| 7/22/2007 1:05 | 2.351 | 0.21 |
| 7/22/2007 1:10 | 2.351 | 0.21 |
| 7/22/2007 1:15 | 2.351 | 0.21 |
| 7/22/2007 1:20 | 2.35 | 0.21 |
| 7/22/2007 1:25 | 2.35 | 0.22 |
| 7/22/2007 1:30 | 2.35 | 0.22 |
| 7/22/2007 1:35 | 2.35 | 0.22 |
| 7/22/2007 1:40 | 2.35 | 0.22 |
| 7/22/2007 1:45 | 2.35 | 0.22 |
| 7/22/2007 1:50 | 2.349 | 0.22 |
| 7/22/2007 1:55 | 2.349 | 0.22 |
| 7/22/2007 2:00 | 2.348 | 0.23 |
| 7/22/2007 2:05 | 2.348 | 0.17 |
| 7/22/2007 2:10 | 2.348 | 0.17 |
| 7/22/2007 2:15 | 2.348 | 0.21 |
| 7/22/2007 2:20 | 2.348 | 0.21 |
| 7/22/2007 2:25 | 2.348 | 0.21 |
| 7/22/2007 2:30 | 2.347 | 0.21 |
| 7/22/2007 2:35 | 2.347 | 0.21 |
| 7/22/2007 2:40 | 2.347 | 0.21 |
| 7/22/2007 2:45 | 2.346 | 0.21 |
| 7/22/2007 2:50 | 2.346 | 0.21 |
| 7/22/2007 2:55 | 2.346 | 0.21 |
| 7/22/2007 3:00 | 2.346 | 0.21 |
| 7/22/2007 3:05 | 2.345 | 0.21 |
| 7/22/2007 3:10 | 2.345 | 0.21 |
| 7/22/2007 3:15 | 2.346 | 0.21 |
| 7/22/2007 3:20 | 2.345 | 0.21 |
| 7/22/2007 3:25 | 2.345 | 0.21 |
| 7/22/2007 3:30 | 2.345 | 0.21 |
| 7/22/2007 3:35 | 2.344 | 0.21 |
| 7/22/2007 3:40 | 2.345 | 0.21 |
| 7/22/2007 3:45 | 2.345 | 0.17 |
| 7/22/2007 3:50 | 2.345 | 0.17 |
| 7/22/2007 3:55 | 2.344 | 0.17 |
| 7/22/2007 4:00 | 2.344 | 0.17 |
| 7/22/2007 4:05 | 2.345 | 0.17 |
| 7/22/2007 4:10 | 2.344 | 0.17 |
| 7/22/2007 4:15 | 2.343 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 4:20 | 2.343 | 0.17 |
| 7/22/2007 4:25 | 2.342 | 0.17 |
| 7/22/2007 4:30 | 2.342 | 0.17 |
| 7/22/2007 4:35 | 2.342 | 0.2 |
| 7/22/2007 4:40 | 2.341 | 0.2 |
| 7/22/2007 4:45 | 2.341 | 0.2 |
| 7/22/2007 4:50 | 2.341 | 0.2 |
| 7/22/2007 4:55 | 2.341 | 0.2 |
| 7/22/2007 5:00 | 2.34 | 0.2 |
| 7/22/2007 5:05 | 2.34 | 0.2 |
| 7/22/2007 5:10 | 2.34 | 0.2 |
| 7/22/2007 5:15 | 2.339 | 0.2 |
| 7/22/2007 5:20 | 2.339 | 0.2 |
| 7/22/2007 5:25 | 2.339 | 0.2 |
| 7/22/2007 5:30 | 2.339 | 0.2 |
| 7/22/2007 5:35 | 2.339 | 0.2 |
| 7/22/2007 5:40 | 2.338 | 0.2 |
| 7/22/2007 5:45 | 2.338 | 0.2 |
| 7/22/2007 5:50 | 2.337 | 0.2 |
| 7/22/2007 5:55 | 2.338 | 0.2 |
| 7/22/2007 6:00 | 2.337 | 0.2 |
| 7/22/2007 6:05 | 2.337 | 0.2 |
| 7/22/2007 6:10 | 2.337 | 0.2 |
| 7/22/2007 6:15 | 2.337 | 0.2 |
| 7/22/2007 6:20 | 2.336 | 0.2 |
| 7/22/2007 6:25 | 2.336 | 0.2 |
| 7/22/2007 6:30 | 2.335 | 0.2 |
| 7/22/2007 6:35 | 2.336 | 0.2 |
| 7/22/2007 6:40 | 2.336 | 0.2 |
| 7/22/2007 6:45 | 2.336 | 0.2 |
| 7/22/2007 6:50 | 2.335 | 0.2 |
| 7/22/2007 6:55 | 2.335 | 0.2 |
| 7/22/2007 7:00 | 2.335 | 0.2 |
| 7/22/2007 7:05 | 2.333 | 0.2 |
| 7/22/2007 7:10 | 2.333 | 0.2 |
| 7/22/2007 7:15 | 2.333 | 0.2 |
| 7/22/2007 7:20 | 2.333 | 0.2 |
| 7/22/2007 7:25 | 2.333 | 0.2 |
| 7/22/2007 7:30 | 2.332 | 0.18 |
| 7/22/2007 7:35 | 2.332 | 0.19 |
| 7/22/2007 7:40 | 2.332 | 0.19 |
| 7/22/2007 7:45 | 2.332 | 0.21 |
| 7/22/2007 7:50 | 2.331 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 7:55 | 2.331 | 0.21 |
| 7/22/2007 8:00 | 2.329 | 0.21 |
| 7/22/2007 8:05 | 2.33 | 0.21 |
| 7/22/2007 8:10 | 2.329 | 0.23 |
| 7/22/2007 8:15 | 2.328 | 0.19 |
| 7/22/2007 8:20 | 2.329 | 0.19 |
| 7/22/2007 8:25 | 2.327 | 0.19 |
| 7/22/2007 8:30 | 2.327 | 0.19 |
| 7/22/2007 8:35 | 2.327 | 0.19 |
| 7/22/2007 8:40 | 2.326 | 0.19 |
| 7/22/2007 8:45 | 2.325 | 0.19 |
| 7/22/2007 8:50 | 2.326 | 0.63 |
| 7/22/2007 8:55 | 2.323 | 0.63 |
| 7/22/2007 9:00 | 2.325 | 0.63 |
| 7/22/2007 9:05 | 2.324 | 0.63 |
| 7/22/2007 9:10 | 2.324 | 0.63 |
| 7/22/2007 9:15 | 2.324 | 0.63 |
| 7/22/2007 9:20 | 2.322 | 0.63 |
| 7/22/2007 9:25 | 2.322 | 0.63 |
| 7/22/2007 9:30 | 2.32 | 0.63 |
| 7/22/2007 9:35 | 2.322 | 0.63 |
| 7/22/2007 9:40 | 2.322 | 0.63 |
| 7/22/2007 9:45 | 2.319 | 0.63 |
| 7/22/2007 9:50 | 2.32 | 0.63 |
| 7/22/2007 9:55 | 2.319 | 9.06 |
| 7/22/2007 10:00 | 2.318 | 13.58 |
| 7/22/2007 10:05 | 2.318 | 13.35 |
| 7/22/2007 10:10 | 2.317 | 10.9 |
| 7/22/2007 10:15 | 2.315 | 11.8 |
| 7/22/2007 10:20 | 2.316 | 11.8 |
| 7/22/2007 10:25 | 2.315 | 0.5 |
| 7/22/2007 10:30 | 2.314 | 0.5 |
| 7/22/2007 10:35 | 2.314 | 0.5 |
| 7/22/2007 10:40 | 2.313 | 0.2 |
| 7/22/2007 10:45 | 2.312 | 0.2 |
| 7/22/2007 10:50 | 2.31 | 0.2 |
| 7/22/2007 10:55 | 2.312 | 12.79 |
| 7/22/2007 11:00 | 2.311 | 12.2 |
| 7/22/2007 11:05 | 2.312 | 9.52 |
| 7/22/2007 11:10 | 2.31 | 9.8 |
| 7/22/2007 11:15 | 2.311 | 9.8 |
| 7/22/2007 11:20 | 2.309 | 9.8 |
| 7/22/2007 11:25 | 2.308 | 0.64 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 11:30 | 2.307 | 0.18 |
| 7/22/2007 11:35 | 2.306 | 0.18 |
| 7/22/2007 11:40 | 2.307 | 0.18 |
| 7/22/2007 11:45 | 2.306 | 0.18 |
| 7/22/2007 11:50 | 2.305 | 0.18 |
| 7/22/2007 11:55 | 2.303 | 0.18 |
| 7/22/2007 12:00 | 2.304 | 0.16 |
| 7/22/2007 12:05 | 2.303 | 0.16 |
| 7/22/2007 12:10 | 2.302 | 0.16 |
| 7/22/2007 12:15 | 2.302 | 0.16 |
| 7/22/2007 12:20 | 2.3 | 0.16 |
| 7/22/2007 12:25 | 2.3 | 0.17 |
| 7/22/2007 12:30 | 2.3 | 0.17 |
| 7/22/2007 12:35 | 2.3 | 0.17 |
| 7/22/2007 12:40 | 2.299 | 0.14 |
| 7/22/2007 12:45 | 2.298 | 0.16 |
| 7/22/2007 12:50 | 2.297 | 0.16 |
| 7/22/2007 12:55 | 2.297 | 0.16 |
| 7/22/2007 13:00 | 2.296 | 0.15 |
| 7/22/2007 13:05 | 2.296 | 0.15 |
| 7/22/2007 13:10 | 2.295 | 0.15 |
| 7/22/2007 13:15 | 2.294 | 0.15 |
| 7/22/2007 13:20 | 2.293 | 0.15 |
| 7/22/2007 13:25 | 2.293 | 0.15 |
| 7/22/2007 13:30 | 2.293 | 0.15 |
| 7/22/2007 13:35 | 2.292 | 0.14 |
| 7/22/2007 13:40 | 2.291 | 0.17 |
| 7/22/2007 13:45 | 2.291 | 0.17 |
| 7/22/2007 13:50 | 2.291 | 0.17 |
| 7/22/2007 13:55 | 2.291 | 0.17 |
| 7/22/2007 14:00 | 2.29 | 0.17 |
| 7/22/2007 14:05 | 2.289 | 0.17 |
| 7/22/2007 14:10 | 2.289 | 0.24 |
| 7/22/2007 14:15 | 2.288 | 0.24 |
| 7/22/2007 14:20 | 2.287 | 0.24 |
| 7/22/2007 14:25 | 2.287 | 0.18 |
| 7/22/2007 14:30 | 2.286 | 0.18 |
| 7/22/2007 14:35 | 2.287 | 0.18 |
| 7/22/2007 14:40 | 2.286 | 0.15 |
| 7/22/2007 14:45 | 2.287 | 0.15 |
| 7/22/2007 14:50 | 2.286 | 0.16 |
| 7/22/2007 14:55 | 2.286 | 0.16 |
| 7/22/2007 15:00 | 2.286 | 8.61 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 15:05 | 2.285 | 8.35 |
| 7/22/2007 15:10 | 2.284 | 8.35 |
| 7/22/2007 15:15 | 2.284 | 6.26 |
| 7/22/2007 15:20 | 2.283 | 0.17 |
| 7/22/2007 15:25 | 2.283 | 0.17 |
| 7/22/2007 15:30 | 2.283 | 0.17 |
| 7/22/2007 15:35 | 2.282 | 0.17 |
| 7/22/2007 15:40 | 2.282 | 0.15 |
| 7/22/2007 15:45 | 2.282 | 0.15 |
| 7/22/2007 15:50 | 2.283 | 0.15 |
| 7/22/2007 15:55 | 2.282 | 0.15 |
| 7/22/2007 16:00 | 2.282 | 0.17 |
| 7/22/2007 16:05 | 2.281 | 0.17 |
| 7/22/2007 16:10 | 2.282 | 0.17 |
| 7/22/2007 16:15 | 2.282 | 0.17 |
| 7/22/2007 16:20 | 2.281 | 0.17 |
| 7/22/2007 16:25 | 2.281 | 0.18 |
| 7/22/2007 16:30 | 2.281 | 0.18 |
| 7/22/2007 16:35 | 2.281 | 0.18 |
| 7/22/2007 16:40 | 2.281 | 0.18 |
| 7/22/2007 16:45 | 2.281 | 0.18 |
| 7/22/2007 16:50 | 2.281 | 0.18 |
| 7/22/2007 16:55 | 2.281 | 0.18 |
| 7/22/2007 17:00 | 2.281 | 0.18 |
| 7/22/2007 17:05 | 2.281 | 0.18 |
| 7/22/2007 17:10 | 2.281 | 0.18 |
| 7/22/2007 17:15 | 2.281 | 0.18 |
| 7/22/2007 17:20 | 2.28 | 0.18 |
| 7/22/2007 17:25 | 2.281 | 0.18 |
| 7/22/2007 17:30 | 2.281 | 0.18 |
| 7/22/2007 17:35 | 2.28 | 0.18 |
| 7/22/2007 17:40 | 2.281 | 0.18 |
| 7/22/2007 17:45 | 2.282 | 0.18 |
| 7/22/2007 17:50 | 2.281 | 0.18 |
| 7/22/2007 17:55 | 2.281 | 0.18 |
| 7/22/2007 18:00 | 2.281 | 0.18 |
| 7/22/2007 18:05 | 2.281 | 0.18 |
| 7/22/2007 18:10 | 2.281 | 0.18 |
| 7/22/2007 18:15 | 2.281 | 0.18 |
| 7/22/2007 18:20 | 2.281 | 0.18 |
| 7/22/2007 18:25 | 2.281 | 0.18 |
| 7/22/2007 18:30 | 2.281 | 0.18 |
| 7/22/2007 18:35 | 2.28 | 0.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 18:40 | 2.281 | 0.18 |
| 7/22/2007 18:45 | 2.281 | 0.18 |
| 7/22/2007 18:50 | 2.281 | 0.18 |
| 7/22/2007 18:55 | 2.281 | 0.18 |
| 7/22/2007 19:00 | 2.281 | 0.18 |
| 7/22/2007 19:05 | 2.281 | 0.18 |
| 7/22/2007 19:10 | 2.281 | 0.18 |
| 7/22/2007 19:15 | 2.281 | 0.18 |
| 7/22/2007 19:20 | 2.281 | 0.18 |
| 7/22/2007 19:25 | 2.284 | 0.18 |
| 7/22/2007 19:30 | 2.281 | 0.18 |
| 7/22/2007 19:35 | 2.281 | 0.18 |
| 7/22/2007 19:40 | 2.281 | 0.18 |
| 7/22/2007 19:45 | 2.281 | 0.18 |
| 7/22/2007 19:50 | 2.281 | 0.18 |
| 7/22/2007 19:55 | 2.281 | 0.18 |
| 7/22/2007 20:00 | 2.281 | 0.18 |
| 7/22/2007 20:05 | 2.28 | 0.18 |
| 7/22/2007 20:10 | 2.281 | 0.18 |
| 7/22/2007 20:15 | 2.281 | 0.18 |
| 7/22/2007 20:20 | 2.28 | 0.18 |
| 7/22/2007 20:25 | 2.281 | 0.18 |
| 7/22/2007 20:30 | 2.281 | 0.17 |
| 7/22/2007 20:35 | 2.281 | 0.17 |
| 7/22/2007 20:40 | 2.282 | 0.17 |
| 7/22/2007 20:45 | 2.281 | 0.17 |
| 7/22/2007 20:50 | 2.281 | 0.16 |
| 7/22/2007 20:55 | 2.281 | 0.16 |
| 7/22/2007 21:00 | 2.281 | 0.16 |
| 7/22/2007 21:05 | 2.282 | 0.16 |
| 7/22/2007 21:10 | 2.281 | 0.16 |
| 7/22/2007 21:15 | 2.28 | 0.16 |
| 7/22/2007 21:20 | 2.279 | 0.16 |
| 7/22/2007 21:25 | 2.281 | 0.16 |
| 7/22/2007 21:30 | 2.281 | 0.16 |
| 7/22/2007 21:35 | 2.281 | 0.16 |
| 7/22/2007 21:40 | 2.28 | 0.16 |
| 7/22/2007 21:45 | 2.279 | 0.16 |
| 7/22/2007 21:50 | 2.279 | 0.16 |
| 7/22/2007 21:55 | 2.279 | 0.16 |
| 7/22/2007 22:00 | 2.279 | 0.16 |
| 7/22/2007 22:05 | 2.28 | 0.16 |
| 7/22/2007 22:10 | 2.279 | 0.16 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 22:15 | 2.279 | 0.16 |
| 7/22/2007 22:20 | 2.28 | 0.16 |
| 7/22/2007 22:25 | 2.279 | 0.16 |
| 7/22/2007 22:30 | 2.279 | 0.16 |
| 7/22/2007 22:35 | 2.278 | 0.16 |
| 7/22/2007 22:40 | 2.278 | 0.16 |
| 7/22/2007 22:45 | 2.277 | 0.16 |
| 7/22/2007 22:50 | 2.277 | 0.16 |
| 7/22/2007 22:55 | 2.278 | 0.16 |
| 7/22/2007 23:00 | 2.278 | 0.16 |
| 7/22/2007 23:05 | 2.279 | 0.16 |
| 7/22/2007 23:10 | 2.278 | 0.16 |
| 7/22/2007 23:15 | 2.278 | 0.16 |
| 7/22/2007 23:20 | 2.278 | 0.16 |
| 7/22/2007 23:25 | 2.277 | 0.16 |
| 7/22/2007 23:30 | 2.279 | 0.16 |
| 7/22/2007 23:35 | 2.278 | 0.16 |
| 7/22/2007 23:40 | 2.277 | 0.16 |
| 7/22/2007 23:45 | 2.276 | 0.16 |
| 7/22/2007 23:50 | 2.278 | 0.16 |
| 7/22/2007 23:55 | 2.278 | 0.16 |
| 7/23/2007 0:00 | 2.277 | 0.16 |
| 7/23/2007 0:05 | 2.278 | 0.16 |
| 7/23/2007 0:10 | 2.277 | 0.16 |
| 7/23/2007 0:15 | 2.277 | 0.16 |
| 7/23/2007 0:20 | 2.277 | 0.16 |
| 7/23/2007 0:25 | 2.277 | 0.16 |
| 7/23/2007 0:30 | 2.276 | 0.16 |
| 7/23/2007 0:35 | 2.275 | 0.16 |
| 7/23/2007 0:40 | 2.276 | 0.16 |
| 7/23/2007 0:45 | 2.276 | 0.16 |
| 7/23/2007 0:50 | 2.276 | 0.14 |
| 7/23/2007 0:55 | 2.276 | 0.14 |
| 7/23/2007 1:00 | 2.276 | 0.14 |
| 7/23/2007 1:05 | 2.274 | 0.14 |
| 7/23/2007 1:10 | 2.274 | 0.14 |
| 7/23/2007 1:15 | 2.276 | 0.14 |
| 7/23/2007 1:20 | 2.273 | 0.14 |
| 7/23/2007 1:25 | 2.276 | 0.14 |
| 7/23/2007 1:30 | 2.276 | 0.14 |
| 7/23/2007 1:35 | 2.276 | 0.14 |
| 7/23/2007 1:40 | 2.276 | 0.14 |
| 7/23/2007 1:45 | 2.276 | 0.14 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 1:50 | 2.276 | 0.14 |
| 7/23/2007 1:55 | 2.276 | 0.14 |
| 7/23/2007 2:00 | 2.275 | 0.14 |
| 7/23/2007 2:05 | 2.275 | 0.14 |
| 7/23/2007 2:10 | 2.275 | 0.14 |
| 7/23/2007 2:15 | 2.275 | 0.14 |
| 7/23/2007 2:20 | 2.276 | 0.14 |
| 7/23/2007 2:25 | 2.276 | 0.14 |
| 7/23/2007 2:30 | 2.275 | 0.14 |
| 7/23/2007 2:35 | 2.275 | 0.14 |
| 7/23/2007 2:40 | 2.275 | 0.14 |
| 7/23/2007 2:45 | 2.275 | 0.14 |
| 7/23/2007 2:50 | 2.275 | 0.14 |
| 7/23/2007 2:55 | 2.274 | 0.16 |
| 7/23/2007 3:00 | 2.275 | 0.16 |
| 7/23/2007 3:05 | 2.275 | 0.16 |
| 7/23/2007 3:10 | 2.275 | 0.16 |
| 7/23/2007 3:15 | 2.275 | 0.15 |
| 7/23/2007 3:20 | 2.275 | 0.15 |
| 7/23/2007 3:25 | 2.275 | 0.15 |
| 7/23/2007 3:30 | 2.275 | 0.15 |
| 7/23/2007 3:35 | 2.275 | 0.15 |
| 7/23/2007 3:40 | 2.275 | 0.15 |
| 7/23/2007 3:45 | 2.276 | 0.15 |
| 7/23/2007 3:50 | 2.275 | 0.15 |
| 7/23/2007 3:55 | 2.275 | 0.15 |
| 7/23/2007 4:00 | 2.275 | 0.15 |
| 7/23/2007 4:05 | 2.275 | 1.32 |
| 7/23/2007 4:10 | 2.276 | 1.32 |
| 7/23/2007 4:15 | 2.275 | 1.32 |
| 7/23/2007 4:20 | 2.275 | 1.32 |
| 7/23/2007 4:25 | 2.275 | 1.32 |
| 7/23/2007 4:30 | 2.279 | 1.32 |
| 7/23/2007 4:35 | 2.28 | 1.32 |
| 7/23/2007 4:40 | 2.276 | 1.32 |
| 7/23/2007 4:45 | 2.275 | 1.32 |
| 7/23/2007 4:50 | 2.274 | 1.32 |
| 7/23/2007 4:55 | 2.274 | 1.32 |
| 7/23/2007 5:00 | 2.274 | 1.32 |
| 7/23/2007 5:05 | 2.274 | 1.32 |
| 7/23/2007 5:10 | 2.274 | 0.16 |
| 7/23/2007 5:15 | 2.274 | 0.16 |
| 7/23/2007 5:20 | 2.274 | 0.16 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 5:25 | 2.274 | 0.16 |
| 7/23/2007 5:30 | 2.274 | 0.16 |
| 7/23/2007 5:35 | 2.274 | 0.16 |
| 7/23/2007 5:40 | 2.274 | 0.16 |
| 7/23/2007 5:45 | 2.274 | 0.16 |
| 7/23/2007 5:50 | 2.275 | 0.16 |
| 7/23/2007 5:55 | 2.274 | 0.16 |
| 7/23/2007 6:00 | 2.275 | 0.16 |
| 7/23/2007 6:05 | 2.273 | 0.16 |
| 7/23/2007 6:10 | 2.274 | 0.16 |
| 7/23/2007 6:15 | 2.274 | 0.16 |
| 7/23/2007 6:20 | 2.275 | 0.16 |
| 7/23/2007 6:25 | 2.275 | 0.16 |
| 7/23/2007 6:30 | 2.275 | 0.16 |
| 7/23/2007 6:35 | 2.275 | 0.16 |
| 7/23/2007 6:40 | 2.275 | 0.16 |
| 7/23/2007 6:45 | 2.275 | 0.17 |
| 7/23/2007 6:50 | 2.274 | 0.15 |
| 7/23/2007 6:55 | 2.275 | 0.15 |
| 7/23/2007 7:00 | 2.275 | 0.15 |
| 7/23/2007 7:05 | 2.275 | 0.15 |
| 7/23/2007 7:10 | 2.274 | 0.15 |
| 7/23/2007 7:15 | 2.274 | 0.16 |
| 7/23/2007 7:20 | 2.275 | 0.16 |
| 7/23/2007 7:25 | 2.273 | 0.17 |
| 7/23/2007 7:30 | 2.275 | 0.3 |
| 7/23/2007 7:35 | 2.274 | 0.15 |
| 7/23/2007 7:40 | 2.274 | 0.15 |
| 7/23/2007 7:45 | 2.275 | 0.15 |
| 7/23/2007 7:50 | 2.274 | 0.2 |
| 7/23/2007 7:55 | 2.274 | 0.17 |
| 7/23/2007 8:00 | 2.273 | 0.17 |
| 7/23/2007 8:05 | 2.272 | 0.16 |
| 7/23/2007 8:10 | 2.274 | 0.16 |
| 7/23/2007 8:15 | 2.272 | 0.16 |
| 7/23/2007 8:20 | 2.272 | 0.17 |
| 7/23/2007 8:25 | 2.271 | 0.17 |
| 7/23/2007 8:30 | 2.272 | 0.17 |
| 7/23/2007 8:35 | 2.272 | 0.17 |
| 7/23/2007 8:40 | 2.271 | 0.17 |
| 7/23/2007 8:45 | 2.272 | 0.17 |
| 7/23/2007 8:50 | 2.272 | 0.17 |
| 7/23/2007 8:55 | 2.271 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 9:00 | 2.271 | 0.17 |
| 7/23/2007 9:05 | 2.271 | 0.17 |
| 7/23/2007 9:10 | 2.27 | 0.17 |
| 7/23/2007 9:15 | 2.27 | 0.17 |
| 7/23/2007 9:20 | 2.269 | 0.17 |
| 7/23/2007 9:25 | 2.271 | 0.17 |
| 7/23/2007 9:30 | 2.269 | 0.17 |
| 7/23/2007 9:35 | 2.268 | 0.17 |
| 7/23/2007 9:40 | 2.27 | 0.17 |
| 7/23/2007 9:45 | 2.27 | 0.17 |
| 7/23/2007 9:50 | 2.27 | 0.17 |
| 7/23/2007 9:55 | 2.268 | 0.17 |
| 7/23/2007 10:00 | 2.269 | 0.17 |
| 7/23/2007 10:05 | 2.269 | 0.17 |
| 7/23/2007 10:10 | 2.269 | 0.17 |
| 7/23/2007 10:15 | 2.268 | 0.17 |
| 7/23/2007 10:20 | 2.268 | 0.17 |
| 7/23/2007 10:25 | 2.268 | 0.17 |
| 7/23/2007 10:30 | 2.269 | 0.17 |
| 7/23/2007 10:35 | 2.269 | 0.17 |
| 7/23/2007 10:40 | 2.273 | 0.17 |
| 7/23/2007 10:45 | 2.295 | 0.17 |
| 7/23/2007 10:50 | 2.299 | 0.17 |
| 7/23/2007 10:55 | 2.294 | 0.17 |
| 7/23/2007 11:00 | 2.288 | 0.17 |
| 7/23/2007 11:05 | 2.285 | 0.17 |
| 7/23/2007 11:10 | 2.276 | 0.17 |
| 7/23/2007 11:15 | 2.283 | 0.17 |
| 7/23/2007 11:20 | 2.276 | 0.17 |
| 7/23/2007 11:25 | 2.275 | 0.17 |
| 7/23/2007 11:30 | 2.276 | 0.17 |
| 7/23/2007 11:35 | 2.276 | 0.17 |
| 7/23/2007 11:40 | 2.278 | 0.17 |
| 7/23/2007 11:45 | 2.275 | 0.17 |
| 7/23/2007 11:50 | 2.275 | 0.17 |
| 7/23/2007 11:55 | 2.274 | 0.17 |
| 7/23/2007 12:00 | 2.273 | 0.17 |
| 7/23/2007 12:05 | 2.272 | 0.17 |
| 7/23/2007 12:10 | 2.272 | 0.17 |
| 7/23/2007 12:15 | 2.272 | 0.17 |
| 7/23/2007 12:20 | 2.273 | 0.17 |
| 7/23/2007 12:25 | 2.272 | 0.17 |
| 7/23/2007 12:30 | 2.273 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 12:35 | 2.27 | 0.17 |
| 7/23/2007 12:40 | 2.271 | 0.17 |
| 7/23/2007 12:45 | 2.272 | 0.17 |
| 7/23/2007 12:50 | 2.27 | 0.17 |
| 7/23/2007 12:55 | 2.27 | 0.17 |
| 7/23/2007 13:00 | 2.27 | 0.17 |
| 7/23/2007 13:05 | 2.269 | 0.17 |
| 7/23/2007 13:10 | 2.269 | 0.17 |
| 7/23/2007 13:15 | 2.266 | 0.17 |
| 7/23/2007 13:20 | 2.269 | 0.17 |
| 7/23/2007 13:25 | 2.269 | 0.17 |
| 7/23/2007 13:30 | 2.27 | 0.17 |
| 7/23/2007 13:35 | 2.27 | 0.17 |
| 7/23/2007 13:40 | 2.27 | 0.17 |
| 7/23/2007 13:45 | 2.27 | 0.17 |
| 7/23/2007 13:50 | 2.272 | 0.17 |
| 7/23/2007 13:55 | 2.273 | 0.17 |
| 7/23/2007 14:00 | 2.273 | 0.17 |
| 7/23/2007 14:05 | 2.273 | 0.17 |
| 7/23/2007 14:10 | 2.272 | 0.17 |
| 7/23/2007 14:15 | 2.271 | 0.17 |
| 7/23/2007 14:20 | 2.271 | 0.17 |
| 7/23/2007 14:25 | 2.27 | 0.17 |
| 7/23/2007 14:30 | 2.27 | 0.17 |
| 7/23/2007 14:35 | 2.272 | 0.17 |
| 7/23/2007 14:40 | 2.27 | 0.17 |
| 7/23/2007 14:45 | 2.269 | 0.17 |
| 7/23/2007 14:50 | 2.269 | 0.17 |
| 7/23/2007 14:55 | 2.268 | 0.17 |
| 7/23/2007 15:00 | 2.268 | 0.17 |
| 7/23/2007 15:05 | 2.267 | 0.17 |
| 7/23/2007 15:10 | 2.267 | 0.17 |
| 7/23/2007 15:15 | 2.267 | 0.17 |
| 7/23/2007 15:20 | 2.266 | 0.17 |
| 7/23/2007 15:25 | 2.266 | 0.17 |
| 7/23/2007 15:30 | 2.266 | 0.17 |
| 7/23/2007 15:35 | 2.267 | 0.17 |
| 7/23/2007 15:40 | 2.266 | 0.17 |
| 7/23/2007 15:45 | 2.265 | 0.17 |
| 7/23/2007 15:50 | 2.265 | 0.17 |
| 7/23/2007 15:55 | 2.265 | 0.17 |
| 7/23/2007 16:00 | 2.265 | 0.17 |
| 7/23/2007 16:05 | 2.265 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 16:10 | 2.265 | 0.17 |
| 7/23/2007 16:15 | 2.265 | 0.17 |
| 7/23/2007 16:20 | 2.265 | 0.17 |
| 7/23/2007 16:25 | 2.264 | 0.17 |
| 7/23/2007 16:30 | 2.268 | 0.17 |
| 7/23/2007 16:35 | 2.263 | 0.17 |
| 7/23/2007 16:40 | 2.264 | 0.17 |
| 7/23/2007 16:45 | 2.263 | 0.17 |
| 7/23/2007 16:50 | 2.264 | 0.17 |
| 7/23/2007 16:55 | 2.262 | 0.17 |
| 7/23/2007 17:00 | 2.264 | 0.17 |
| 7/23/2007 17:05 | 2.263 | 0.17 |
| 7/23/2007 17:10 | 2.263 | 0.17 |
| 7/23/2007 17:15 | 2.262 | 0.17 |
| 7/23/2007 17:20 | 2.264 | 0.17 |
| 7/23/2007 17:25 | 2.264 | 0.17 |
| 7/23/2007 17:30 | 2.264 | 0.17 |
| 7/23/2007 17:35 | 2.263 | 0.17 |
| 7/23/2007 17:40 | 2.264 | 0.17 |
| 7/23/2007 17:45 | 2.263 | 0.17 |
| 7/23/2007 17:50 | 2.263 | 0.17 |
| 7/23/2007 17:55 | 2.263 | 0.17 |
| 7/23/2007 18:00 | 2.263 | 0.17 |
| 7/23/2007 18:05 | 2.263 | 0.17 |
| 7/23/2007 18:10 | 2.262 | 0.17 |
| 7/23/2007 18:15 | 2.262 | 0.17 |
| 7/23/2007 18:20 | 2.262 | 0.17 |
| 7/23/2007 18:25 | 2.263 | 0.17 |
| 7/23/2007 18:30 | 2.262 | 0.17 |
| 7/23/2007 18:35 | 2.26 | 0.17 |
| 7/23/2007 18:40 | 2.262 | 0.17 |
| 7/23/2007 18:45 | 2.262 | 0.17 |
| 7/23/2007 18:50 | 2.261 | 0.17 |
| 7/23/2007 18:55 | 2.26 | 0.17 |
| 7/23/2007 19:00 | 2.26 | 0.17 |
| 7/23/2007 19:05 | 2.26 | 0.17 |
| 7/23/2007 19:10 | 2.259 | 0.17 |
| 7/23/2007 19:15 | 2.259 | 0.17 |
| 7/23/2007 19:20 | 2.26 | 0.17 |
| 7/23/2007 19:25 | 2.26 | 0.17 |
| 7/23/2007 19:30 | 2.26 | 0.17 |
| 7/23/2007 19:35 | 2.26 | 0.17 |
| 7/23/2007 19:40 | 2.259 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 19:45 | 2.26 | 0.17 |
| 7/23/2007 19:50 | 2.259 | 0.17 |
| 7/23/2007 19:55 | 2.259 | 0.17 |
| 7/23/2007 20:00 | 2.258 | 0.17 |
| 7/23/2007 20:05 | 2.259 | 0.17 |
| 7/23/2007 20:10 | 2.259 | 0.17 |
| 7/23/2007 20:15 | 2.259 | 0.17 |
| 7/23/2007 20:20 | 2.258 | 0.17 |
| 7/23/2007 20:25 | 2.258 | 0.17 |
| 7/23/2007 20:30 | 2.258 | 0.17 |
| 7/23/2007 20:35 | 2.258 | 0.17 |
| 7/23/2007 20:40 | 2.258 | 0.17 |
| 7/23/2007 20:45 | 2.259 | 0.17 |
| 7/23/2007 20:50 | 2.258 | 0.17 |
| 7/23/2007 20:55 | 2.257 | 0.17 |
| 7/23/2007 21:00 | 2.257 | 0.17 |
| 7/23/2007 21:05 | 2.258 | 0.17 |
| 7/23/2007 21:10 | 2.256 | 0.17 |
| 7/23/2007 21:15 | 2.256 | 0.17 |
| 7/23/2007 21:20 | 2.257 | 0.17 |
| 7/23/2007 21:25 | 2.257 | 0.17 |
| 7/23/2007 21:30 | 2.257 | 0.17 |
| 7/23/2007 21:35 | 2.256 | 0.17 |
| 7/23/2007 21:40 | 2.258 | 0.17 |
| 7/23/2007 21:45 | 2.258 | 0.17 |
| 7/23/2007 21:50 | 2.257 | 0.17 |
| 7/23/2007 21:55 | 2.257 | 0.17 |
| 7/23/2007 22:00 | 2.256 | 0.17 |
| 7/23/2007 22:05 | 2.257 | 0.17 |
| 7/23/2007 22:10 | 2.255 | 0.17 |
| 7/23/2007 22:15 | 2.256 | 0.17 |
| 7/23/2007 22:20 | 2.256 | 0.17 |
| 7/23/2007 22:25 | 2.256 | 0.22 |
| 7/23/2007 22:30 | 2.256 | 0.22 |
| 7/23/2007 22:35 | 2.256 | 0.22 |
| 7/23/2007 22:40 | 2.254 | 0.22 |
| 7/23/2007 22:45 | 2.256 | 0.22 |
| 7/23/2007 22:50 | 2.257 | 0.22 |
| 7/23/2007 22:55 | 2.256 | 0.22 |
| 7/23/2007 23:00 | 2.256 | 0.22 |
| 7/23/2007 23:05 | 2.256 | 0.22 |
| 7/23/2007 23:10 | 2.255 | 0.22 |
| 7/23/2007 23:15 | 2.256 | 0.22 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 23:20 | 2.255 | 0.22 |
| 7/23/2007 23:25 | 2.255 | 0.22 |
| 7/23/2007 23:30 | 2.253 | 0.22 |
| 7/23/2007 23:35 | 2.255 | 0.22 |
| 7/23/2007 23:40 | 2.255 | 0.17 |
| 7/23/2007 23:45 | 2.255 | 0.17 |
| 7/23/2007 23:50 | 2.254 | 0.17 |
| 7/23/2007 23:55 | 2.254 | 0.17 |
| 7/24/2007 0:00 | 2.254 | 0.17 |
| 7/24/2007 0:05 | 2.253 | 0.17 |
| 7/24/2007 0:10 | 2.253 | 0.17 |
| 7/24/2007 0:15 | 2.254 | 0.17 |
| 7/24/2007 0:20 | 2.253 | 0.17 |
| 7/24/2007 0:25 | 2.253 | 0.17 |
| 7/24/2007 0:30 | 2.253 | 0.17 |
| 7/24/2007 0:35 | 2.254 | 0.17 |
| 7/24/2007 0:40 | 2.253 | 0.17 |
| 7/24/2007 0:45 | 2.253 | 0.17 |
| 7/24/2007 0:50 | 2.253 | 0.17 |
| 7/24/2007 0:55 | 2.251 | 0.17 |
| 7/24/2007 1:00 | 2.251 | 0.17 |
| 7/24/2007 1:05 | 2.252 | 0.17 |
| 7/24/2007 1:10 | 2.252 | 0.14 |
| 7/24/2007 1:15 | 2.252 | 0.14 |
| 7/24/2007 1:20 | 2.251 | 0.14 |
| 7/24/2007 1:25 | 2.251 | 0.14 |
| 7/24/2007 1:30 | 2.252 | 0.14 |
| 7/24/2007 1:35 | 2.251 | 0.14 |
| 7/24/2007 1:40 | 2.251 | 0.14 |
| 7/24/2007 1:45 | 2.251 | 0.14 |
| 7/24/2007 1:50 | 2.25 | 0.14 |
| 7/24/2007 1:55 | 2.25 | 0.14 |
| 7/24/2007 2:00 | 2.25 | 0.14 |
| 7/24/2007 2:05 | 2.25 | 0.14 |
| 7/24/2007 2:10 | 2.249 | 0.16 |
| 7/24/2007 2:15 | 2.25 | 0.16 |
| 7/24/2007 2:20 | 2.25 | 0.16 |
| 7/24/2007 2:25 | 2.248 | 0.16 |
| 7/24/2007 2:30 | 2.25 | 0.16 |
| 7/24/2007 2:35 | 2.25 | 0.16 |
| 7/24/2007 2:40 | 2.249 | 0.16 |
| 7/24/2007 2:45 | 2.249 | 0.24 |
| 7/24/2007 2:50 | 2.249 | 0.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 2:55 | 2.249 | 0.24 |
| 7/24/2007 3:00 | 2.248 | 0.24 |
| 7/24/2007 3:05 | 2.248 | 0.24 |
| 7/24/2007 3:10 | 2.248 | 0.24 |
| 7/24/2007 3:15 | 2.248 | 0.24 |
| 7/24/2007 3:20 | 2.248 | 0.15 |
| 7/24/2007 3:25 | 2.247 | 0.15 |
| 7/24/2007 3:30 | 2.248 | 0.15 |
| 7/24/2007 3:35 | 2.247 | 0.15 |
| 7/24/2007 3:40 | 2.247 | 0.15 |
| 7/24/2007 3:45 | 2.248 | 0.15 |
| 7/24/2007 3:50 | 2.247 | 0.15 |
| 7/24/2007 3:55 | 2.247 | 0.15 |
| 7/24/2007 4:00 | 2.247 | 0.15 |
| 7/24/2007 4:05 | 2.247 | 0.15 |
| 7/24/2007 4:10 | 2.246 | 0.15 |
| 7/24/2007 4:15 | 2.246 | 0.16 |
| 7/24/2007 4:20 | 2.246 | 0.16 |
| 7/24/2007 4:25 | 2.246 | 0.19 |
| 7/24/2007 4:30 | 2.244 | 0.16 |
| 7/24/2007 4:35 | 2.245 | 0.16 |
| 7/24/2007 4:40 | 2.244 | 0.16 |
| 7/24/2007 4:45 | 2.244 | 0.16 |
| 7/24/2007 4:50 | 2.244 | 0.16 |
| 7/24/2007 4:55 | 2.244 | 0.16 |
| 7/24/2007 5:00 | 2.244 | 0.16 |
| 7/24/2007 5:05 | 2.244 | 0.16 |
| 7/24/2007 5:10 | 2.244 | 0.16 |
| 7/24/2007 5:15 | 2.243 | 0.14 |
| 7/24/2007 5:20 | 2.243 | 0.14 |
| 7/24/2007 5:25 | 2.243 | 0.14 |
| 7/24/2007 5:30 | 2.243 | 0.14 |
| 7/24/2007 5:35 | 2.243 | 0.14 |
| 7/24/2007 5:40 | 2.24 | 0.14 |
| 7/24/2007 5:45 | 2.242 | 0.14 |
| 7/24/2007 5:50 | 2.242 | 0.14 |
| 7/24/2007 5:55 | 2.243 | 0.14 |
| 7/24/2007 6:00 | 2.243 | 0.14 |
| 7/24/2007 6:05 | 2.243 | 0.14 |
| 7/24/2007 6:10 | 2.242 | 0.14 |
| 7/24/2007 6:15 | 2.243 | 0.14 |
| 7/24/2007 6:20 | 2.242 | 0.14 |
| 7/24/2007 6:25 | 2.242 | 0.14 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 6:30 | 2.241 | 0.14 |
| 7/24/2007 6:35 | 2.241 | 0.14 |
| 7/24/2007 6:40 | 2.241 | 0.14 |
| 7/24/2007 6:45 | 2.24 | 0.14 |
| 7/24/2007 6:50 | 2.24 | 0.14 |
| 7/24/2007 6:55 | 2.24 | 0.14 |
| 7/24/2007 7:00 | 2.24 | 0.14 |
| 7/24/2007 7:05 | 2.24 | 0.14 |
| 7/24/2007 7:10 | 2.24 | 0.14 |
| 7/24/2007 7:15 | 2.24 | 0.14 |
| 7/24/2007 7:20 | 2.24 | 0.14 |
| 7/24/2007 7:25 | 2.24 | 0.14 |
| 7/24/2007 7:30 | 2.239 | 0.14 |
| 7/24/2007 7:35 | 2.239 | 0.14 |
| 7/24/2007 7:40 | 2.24 | 0.14 |
| 7/24/2007 7:45 | 2.239 | 0.14 |
| 7/24/2007 7:50 | 2.238 | 0.14 |
| 7/24/2007 7:55 | 2.238 | 0.14 |
| 7/24/2007 8:00 | 2.239 | 0.14 |
| 7/24/2007 8:05 | 2.238 | 0.15 |
| 7/24/2007 8:10 | 2.238 | 0.15 |
| 7/24/2007 8:15 | 2.238 | 0.15 |
| 7/24/2007 8:20 | 2.238 | 0.15 |
| 7/24/2007 8:25 | 2.238 | 0.15 |
| 7/24/2007 8:30 | 2.236 | 0.15 |
| 7/24/2007 8:35 | 2.237 | 0.15 |
| 7/24/2007 8:40 | 2.237 | 0.15 |
| 7/24/2007 8:45 | 2.236 | 0.15 |
| 7/24/2007 8:50 | 2.237 | 0.15 |
| 7/24/2007 8:55 | 2.236 | 0.15 |
| 7/24/2007 9:00 | 2.235 | 0.15 |
| 7/24/2007 9:05 | 2.236 | 0.15 |
| 7/24/2007 9:10 | 2.235 | 0.15 |
| 7/24/2007 9:15 | 2.235 | 0.15 |
| 7/24/2007 9:20 | 2.235 | 0.15 |
| 7/24/2007 9:25 | 2.235 | 0.15 |
| 7/24/2007 9:30 | 2.234 | 0.15 |
| 7/24/2007 9:35 | 2.234 | 0.15 |
| 7/24/2007 9:40 | 2.234 | 0.15 |
| 7/24/2007 9:45 | 2.233 | 0.15 |
| 7/24/2007 9:50 | 2.234 | 0.15 |
| 7/24/2007 9:55 | 2.233 | 0.15 |
| 7/24/2007 10:00 | 2.233 | 0.15 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 10:05 | 2.233 | 0.15 |
| 7/24/2007 10:10 | 2.232 | 0.15 |
| 7/24/2007 10:15 | 2.232 | 0.15 |
| 7/24/2007 10:20 | 2.232 | 0.15 |
| 7/24/2007 10:25 | 2.232 | 0.15 |
| 7/24/2007 10:30 | 2.232 | 0.15 |
| 7/24/2007 10:35 | 2.231 | 0.15 |
| 7/24/2007 10:40 | 2.231 | 0.15 |
| 7/24/2007 10:45 | 2.231 | 0.15 |
| 7/24/2007 10:50 | 2.23 | 0.15 |
| 7/24/2007 10:55 | 2.23 | 0.15 |
| 7/24/2007 11:00 | 2.229 | 0.15 |
| 7/24/2007 11:05 | 2.229 | 0.15 |
| 7/24/2007 11:10 | 2.229 | 0.15 |
| 7/24/2007 11:15 | 2.228 | 0.15 |
| 7/24/2007 11:20 | 2.227 | 0.15 |
| 7/24/2007 11:25 | 2.227 | 0.15 |
| 7/24/2007 11:30 | 2.227 | 0.15 |
| 7/24/2007 11:35 | 2.228 | 0.15 |
| 7/24/2007 11:40 | 2.227 | 0.15 |
| 7/24/2007 11:45 | 2.227 | 0.15 |
| 7/24/2007 11:50 | 2.226 | 0.15 |
| 7/24/2007 11:55 | 2.226 | 0.15 |
| 7/24/2007 12:00 | 2.225 | 0.15 |
| 7/24/2007 12:05 | 2.226 | 0.15 |
| 7/24/2007 12:10 | 2.226 | 0.15 |
| 7/24/2007 12:15 | 2.226 | 0.15 |
| 7/24/2007 12:20 | 2.225 | 0.15 |
| 7/24/2007 12:25 | 2.225 | 0.15 |
| 7/24/2007 12:30 | 2.225 | 0.15 |
| 7/24/2007 12:35 | 2.225 | 0.15 |
| 7/24/2007 12:40 | 2.224 | 0.15 |
| 7/24/2007 12:45 | 2.224 | 0.15 |
| 7/24/2007 12:50 | 2.224 | 0.15 |
| 7/24/2007 12:55 | 2.223 | 0.15 |
| 7/24/2007 13:00 | 2.224 | 0.15 |
| 7/24/2007 13:05 | 2.223 | 0.15 |
| 7/24/2007 13:10 | 2.223 | 0.15 |
| 7/24/2007 13:15 | 2.223 | 0.15 |
| 7/24/2007 13:20 | 2.222 | 0.15 |
| 7/24/2007 13:25 | 2.222 | 0.15 |
| 7/24/2007 13:30 | 2.221 | 0.15 |
| 7/24/2007 13:35 | 2.221 | 0.15 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 13:40 | 2.221 | 0.15 |
| 7/24/2007 13:45 | 2.22 | 0.15 |
| 7/24/2007 13:50 | 2.221 | 0.15 |
| 7/24/2007 13:55 | 2.22 | 0.15 |
| 7/24/2007 14:00 | 2.219 | 0.15 |
| 7/24/2007 14:05 | 2.219 | 0.15 |
| 7/24/2007 14:10 | 2.218 | 0.15 |
| 7/24/2007 14:15 | 2.219 | 0.15 |
| 7/24/2007 14:20 | 2.219 | 0.15 |
| 7/24/2007 14:25 | 2.218 | 0.15 |
| 7/24/2007 14:30 | 2.217 | 0.15 |
| 7/24/2007 14:35 | 2.217 | 0.15 |
| 7/24/2007 14:40 | 2.216 | 0.15 |
| 7/24/2007 14:45 | 2.216 | 0.15 |
| 7/24/2007 14:50 | 2.216 | 0.15 |
| 7/24/2007 14:55 | 2.216 | 0.15 |
| 7/24/2007 15:00 | 2.215 | 0.15 |
| 7/24/2007 15:05 | 2.215 | 0.15 |
| 7/24/2007 15:10 | 2.215 | 0.15 |
| 7/24/2007 15:15 | 2.214 | 0.15 |
| 7/24/2007 15:20 | 2.215 | 0.15 |
| 7/24/2007 15:25 | 2.214 | 0.15 |
| 7/24/2007 15:30 | 2.214 | 0.15 |
| 7/24/2007 15:35 | 2.213 | 0.15 |
| 7/24/2007 15:40 | 2.214 | 0.15 |
| 7/24/2007 15:45 | 2.213 | 0.15 |
| 7/24/2007 15:50 | 2.213 | 0.15 |
| 7/24/2007 15:55 | 2.212 | 0.15 |
| 7/24/2007 16:00 | 2.211 | 0.25 |
| 7/24/2007 16:05 | 2.211 | 0.25 |
| 7/24/2007 16:10 | 2.211 | 0.11 |
| 7/24/2007 16:15 | 2.21 | 0.11 |
| 7/24/2007 16:20 | 2.211 | 0.11 |
| 7/24/2007 16:25 | 2.211 | 0.11 |
| 7/24/2007 16:30 | 2.211 | 0.11 |
| 7/24/2007 16:35 | 2.211 | 0.11 |
| 7/24/2007 16:40 | 2.212 | 0.11 |
| 7/24/2007 16:45 | 2.211 | 0.11 |
| 7/24/2007 16:50 | 2.209 | 0.11 |
| 7/24/2007 16:55 | 2.211 | 0.11 |
| 7/24/2007 17:00 | 2.212 | 0.11 |
| 7/24/2007 17:05 | 2.21 | 0.12 |
| 7/24/2007 17:10 | 2.211 | 0.12 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 17:15 | 2.211 | 0.12 |
| 7/24/2007 17:20 | 2.212 | 0.12 |
| 7/24/2007 17:25 | 2.212 | 0.12 |
| 7/24/2007 17:30 | 2.212 | 0.12 |
| 7/24/2007 17:35 | 2.212 | 0.12 |
| 7/24/2007 17:40 | 2.212 | 0.12 |
| 7/24/2007 17:45 | 2.212 | 0.12 |
| 7/24/2007 17:50 | 2.212 | 0.12 |
| 7/24/2007 17:55 | 2.212 | 0.12 |
| 7/24/2007 18:00 | 2.212 | 0.12 |
| 7/24/2007 18:05 | 2.211 | 0.12 |
| 7/24/2007 18:10 | 2.212 | 0.12 |
| 7/24/2007 18:15 | 2.212 | 0.12 |
| 7/24/2007 18:20 | 2.212 | 0.13 |
| 7/24/2007 18:25 | 2.211 | 0.13 |
| 7/24/2007 18:30 | 2.21 | 0.13 |
| 7/24/2007 18:35 | 2.211 | 0.13 |
| 7/24/2007 18:40 | 2.211 | 0.13 |
| 7/24/2007 18:45 | 2.211 | 0.13 |
| 7/24/2007 18:50 | 2.21 | 0.13 |
| 7/24/2007 18:55 | 2.21 | 0.13 |
| 7/24/2007 19:00 | 2.211 | 0.13 |
| 7/24/2007 19:05 | 2.209 | 0.13 |
| 7/24/2007 19:10 | 2.21 | 0.14 |
| 7/24/2007 19:15 | 2.21 | 0.14 |
| 7/24/2007 19:20 | 2.21 | 0.14 |
| 7/24/2007 19:25 | 2.21 | 0.14 |
| 7/24/2007 19:30 | 2.21 | 0.14 |
| 7/24/2007 19:35 | 2.209 | 0.14 |
| 7/24/2007 19:40 | 2.21 | 0.14 |
| 7/24/2007 19:45 | 2.209 | 0.14 |
| 7/24/2007 19:50 | 2.209 | 0.14 |
| 7/24/2007 19:55 | 2.21 | 0.14 |
| 7/24/2007 20:00 | 2.209 | 0.14 |
| 7/24/2007 20:05 | 2.209 | 0.14 |
| 7/24/2007 20:10 | 2.209 | 0.14 |
| 7/24/2007 20:15 | 2.21 | 0.14 |
| 7/24/2007 20:20 | 2.209 | 0.14 |
| 7/24/2007 20:25 | 2.209 | 0.14 |
| 7/24/2007 20:30 | 2.209 | 0.14 |
| 7/24/2007 20:35 | 2.209 | 0.14 |
| 7/24/2007 20:40 | 2.209 | 0.14 |
| 7/24/2007 20:45 | 2.209 | 0.14 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 20:50 | 2.209 | 0.14 |
| 7/24/2007 20:55 | 2.209 | 0.14 |
| 7/24/2007 21:00 | 2.209 | 0.14 |
| 7/24/2007 21:05 | 2.209 | 0.14 |
| 7/24/2007 21:10 | 2.209 | 0.14 |
| 7/24/2007 21:15 | 2.208 | 0.14 |
| 7/24/2007 21:20 | 2.209 | 0.14 |
| 7/24/2007 21:25 | 2.209 | 0.14 |
| 7/24/2007 21:30 | 2.209 | 0.14 |
| 7/24/2007 21:35 | 2.209 | 0.14 |
| 7/24/2007 21:40 | 2.209 | 0.14 |
| 7/24/2007 21:45 | 2.209 | 0.14 |
| 7/24/2007 21:50 | 2.209 | 0.14 |
| 7/24/2007 21:55 | 2.209 | 0.14 |
| 7/24/2007 22:00 | 2.208 | 0.14 |
| 7/24/2007 22:05 | 2.208 | 0.14 |
| 7/24/2007 22:10 | 2.208 | 0.14 |
| 7/24/2007 22:15 | 2.208 | 0.14 |
| 7/24/2007 22:20 | 2.208 | 0.14 |
| 7/24/2007 22:25 | 2.208 | 0.14 |
| 7/24/2007 22:30 | 2.207 | 0.14 |
| 7/24/2007 22:35 | 2.208 | 0.14 |
| 7/24/2007 22:40 | 2.207 | 0.14 |
| 7/24/2007 22:45 | 2.208 | 0.14 |
| 7/24/2007 22:50 | 2.207 | 0.14 |
| 7/24/2007 22:55 | 2.207 | 0.14 |
| 7/24/2007 23:00 | 2.207 | 0.14 |
| 7/24/2007 23:05 | 2.207 | 0.14 |
| 7/24/2007 23:10 | 2.207 | 0.14 |
| 7/24/2007 23:15 | 2.206 | 0.14 |
| 7/24/2007 23:20 | 2.206 | 0.14 |
| 7/24/2007 23:25 | 2.206 | 0.14 |
| 7/24/2007 23:30 | 2.206 | 0.14 |
| 7/24/2007 23:35 | 2.206 | 0.14 |
| 7/24/2007 23:40 | 2.206 | 0.14 |
| 7/24/2007 23:45 | 2.206 | 0.14 |
| 7/24/2007 23:50 | 2.206 | 0.14 |
| 7/24/2007 23:55 | 2.205 | 0.14 |
| 7/25/2007 0:00 | 2.205 | 0.14 |
| 7/25/2007 0:05 | 2.206 | 0.14 |
| 7/25/2007 0:10 | 2.206 | 0.14 |
| 7/25/2007 0:15 | 2.205 | 0.14 |
| 7/25/2007 0:20 | 2.205 | 0.14 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 0:25 | 2.205 | 0.14 |
| 7/25/2007 0:30 | 2.205 | 0.14 |
| 7/25/2007 0:35 | 2.205 | 0.14 |
| 7/25/2007 0:40 | 2.205 | 0.14 |
| 7/25/2007 0:45 | 2.205 | 0.14 |
| 7/25/2007 0:50 | 2.204 | 0.14 |
| 7/25/2007 0:55 | 2.204 | 0.14 |
| 7/25/2007 1:00 | 2.204 | 0.14 |
| 7/25/2007 1:05 | 2.204 | 0.14 |
| 7/25/2007 1:10 | 2.204 | 0.14 |
| 7/25/2007 1:15 | 2.204 | 0.16 |
| 7/25/2007 1:20 | 2.204 | 0.16 |
| 7/25/2007 1:25 | 2.204 | 0.16 |
| 7/25/2007 1:30 | 2.203 | 0.16 |
| 7/25/2007 1:35 | 2.203 | 0.16 |
| 7/25/2007 1:40 | 2.203 | 0.16 |
| 7/25/2007 1:45 | 2.204 | 0.16 |
| 7/25/2007 1:50 | 2.202 | 0.16 |
| 7/25/2007 1:55 | 2.202 | 0.16 |
| 7/25/2007 2:00 | 2.202 | 0.16 |
| 7/25/2007 2:05 | 2.201 | 0.13 |
| 7/25/2007 2:10 | 2.201 | 0.34 |
| 7/25/2007 2:15 | 2.198 | 0.34 |
| 7/25/2007 2:20 | 2.202 | 0.34 |
| 7/25/2007 2:25 | 2.201 | 0.11 |
| 7/25/2007 2:30 | 2.2 | -0.3 |
| 7/25/2007 2:35 | 2.201 | 0.12 |
| 7/25/2007 2:40 | 2.2 | 0.12 |
| 7/25/2007 2:45 | 2.2 | 0.11 |
| 7/25/2007 2:50 | 2.2 | 0.11 |
| 7/25/2007 2:55 | 2.2 | 0.11 |
| 7/25/2007 3:00 | 2.199 | 0.11 |
| 7/25/2007 3:05 | 2.2 | 0.11 |
| 7/25/2007 3:10 | 2.199 | 0.11 |
| 7/25/2007 3:15 | 2.199 | 0.11 |
| 7/25/2007 3:20 | 2.199 | 0.11 |
| 7/25/2007 3:25 | 2.199 | 0.11 |
| 7/25/2007 3:30 | 2.199 | 0.11 |
| 7/25/2007 3:35 | 2.199 | 0.11 |
| 7/25/2007 3:40 | 2.198 | 0.11 |
| 7/25/2007 3:45 | 2.199 | 0.11 |
| 7/25/2007 3:50 | 2.198 | 0.11 |
| 7/25/2007 3:55 | 2.198 | 0.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 4:00 | 2.197 | 0.11 |
| 7/25/2007 4:05 | 2.197 | 0.11 |
| 7/25/2007 4:10 | 2.197 | 0.11 |
| 7/25/2007 4:15 | 2.196 | 0.11 |
| 7/25/2007 4:20 | 2.196 | 0.11 |
| 7/25/2007 4:25 | 2.196 | 0.11 |
| 7/25/2007 4:30 | 2.196 | 0.11 |
| 7/25/2007 4:35 | 2.195 | 0.11 |
| 7/25/2007 4:40 | 2.195 | 0.11 |
| 7/25/2007 4:45 | 2.194 | 0.11 |
| 7/25/2007 4:50 | 2.196 | 0.11 |
| 7/25/2007 4:55 | 2.195 | 0.11 |
| 7/25/2007 5:00 | 2.195 | 0.11 |
| 7/25/2007 5:05 | 2.195 | 0.11 |
| 7/25/2007 5:10 | 2.194 | 0.11 |
| 7/25/2007 5:15 | 2.194 | 0.11 |
| 7/25/2007 5:20 | 2.194 | 0.11 |
| 7/25/2007 5:25 | 2.194 | 0.11 |
| 7/25/2007 5:30 | 2.194 | 0.11 |
| 7/25/2007 5:35 | 2.194 | 0.11 |
| 7/25/2007 5:40 | 2.194 | 0.11 |
| 7/25/2007 5:45 | 2.194 | 0.11 |
| 7/25/2007 5:50 | 2.194 | 0.11 |
| 7/25/2007 5:55 | 2.193 | 0.11 |
| 7/25/2007 6:00 | 2.193 | 0.11 |
| 7/25/2007 6:05 | 2.193 | 0.11 |
| 7/25/2007 6:10 | 2.193 | 0.11 |
| 7/25/2007 6:15 | 2.192 | 0.11 |
| 7/25/2007 6:20 | 2.192 | 0.11 |
| 7/25/2007 6:25 | 2.192 | 0.11 |
| 7/25/2007 6:30 | 2.193 | 0.11 |
| 7/25/2007 6:35 | 2.192 | 0.11 |
| 7/25/2007 6:40 | 2.192 | 0.11 |
| 7/25/2007 6:45 | 2.192 | 0.11 |
| 7/25/2007 6:50 | 2.191 | 0.11 |
| 7/25/2007 6:55 | 2.191 | 0.11 |
| 7/25/2007 7:00 | 2.191 | 0.11 |
| 7/25/2007 7:05 | 2.191 | 0.11 |
| 7/25/2007 7:10 | 2.191 | 0.11 |
| 7/25/2007 7:15 | 2.19 | 0.11 |
| 7/25/2007 7:20 | 2.19 | 0.11 |
| 7/25/2007 7:25 | 2.19 | 0.11 |
| 7/25/2007 7:30 | 2.191 | 0.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 7:35 | 2.19 | 0.11 |
| 7/25/2007 7:40 | 2.19 | 0.11 |
| 7/25/2007 7:45 | 2.19 | 0.11 |
| 7/25/2007 7:50 | 2.19 | 0.11 |
| 7/25/2007 7:55 | 2.19 | 0.11 |
| 7/25/2007 8:00 | 2.189 | 0.11 |
| 7/25/2007 8:05 | 2.189 | 0.11 |
| 7/25/2007 8:10 | 2.189 | 0.11 |
| 7/25/2007 8:15 | 2.188 | 0.11 |
| 7/25/2007 8:20 | 2.187 | 0.11 |
| 7/25/2007 8:25 | 2.188 | 0.11 |
| 7/25/2007 8:30 | 2.187 | 0.12 |
| 7/25/2007 8:35 | 2.187 | 0.12 |
| 7/25/2007 8:40 | 2.187 | 0.12 |
| 7/25/2007 8:45 | 2.187 | 0.13 |
| 7/25/2007 8:50 | 2.187 | 0.13 |
| 7/25/2007 8:55 | 2.186 | 0.13 |
| 7/25/2007 9:00 | 2.186 | 0.13 |
| 7/25/2007 9:05 | 2.185 | 0.13 |
| 7/25/2007 9:10 | 2.185 | 0.1 |
| 7/25/2007 9:15 | 2.185 | 0.1 |
| 7/25/2007 9:20 | 2.185 | 0.1 |
| 7/25/2007 9:25 | 2.185 | 0.1 |
| 7/25/2007 9:30 | 2.184 | 0.1 |
| 7/25/2007 9:35 | 2.184 | 0.1 |
| 7/25/2007 9:40 | 2.183 | 0.1 |
| 7/25/2007 9:45 | 2.183 | 0.1 |
| 7/25/2007 9:50 | 2.183 | 0.1 |
| 7/25/2007 9:55 | 2.183 | 0.1 |
| 7/25/2007 10:00 | 2.182 | 0.1 |
| 7/25/2007 10:05 | 2.181 | 0.1 |
| 7/25/2007 10:10 | 2.181 | 0.1 |
| 7/25/2007 10:15 | 2.18 | 1.15 |
| 7/25/2007 10:20 | 2.18 | 1.13 |
| 7/25/2007 10:25 | 2.18 | 1.27 |
| 7/25/2007 10:30 | 2.18 | 1.27 |
| 7/25/2007 10:35 | 2.179 | 1.06 |
| 7/25/2007 10:40 | 2.179 | 0.12 |
| 7/25/2007 10:45 | 2.177 | 0.12 |
| 7/25/2007 10:50 | 2.177 | 0.12 |
| 7/25/2007 10:55 | 2.176 | 0.12 |
| 7/25/2007 11:00 | 2.175 | 0.12 |
| 7/25/2007 11:05 | 2.175 | 0.12 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 11:10 | 2.176 | 0.14 |
| 7/25/2007 11:15 | 2.175 | 0.14 |
| 7/25/2007 11:20 | 2.175 | 12.94 |
| 7/25/2007 11:25 | 2.174 | 12.55 |
| 7/25/2007 11:30 | 2.173 | 12.55 |
| 7/25/2007 11:35 | 2.171 | 12.55 |
| 7/25/2007 11:40 | 2.171 | 12.55 |
| 7/25/2007 11:45 | 2.17 | 0.11 |
| 7/25/2007 11:50 | 2.17 | 0.14 |
| 7/25/2007 11:55 | 2.17 | 0.12 |
| 7/25/2007 12:00 | 2.169 | 11.6 |
| 7/25/2007 12:05 | 2.169 | 11.39 |
| 7/25/2007 12:10 | 2.168 | 11.39 |
| 7/25/2007 12:15 | 2.168 | 10.8 |
| 7/25/2007 12:20 | 2.167 | 10.8 |
| 7/25/2007 12:25 | 2.167 | 10.8 |
| 7/25/2007 12:30 | 2.166 | 8.35 |
| 7/25/2007 12:35 | 2.165 | 10.31 |
| 7/25/2007 12:40 | 2.165 | 10.31 |
| 7/25/2007 12:45 | 2.165 | 14.59 |
| 7/25/2007 12:50 | 2.164 | 0.09 |
| 7/25/2007 12:55 | 2.165 | 0.11 |
| 7/25/2007 13:00 | 2.164 | 0.12 |
| 7/25/2007 13:05 | 2.165 | 0.11 |
| 7/25/2007 13:10 | 2.164 | 0.16 |
| 7/25/2007 13:15 | 2.163 | 0.14 |
| 7/25/2007 13:20 | 2.162 | 0.14 |
| 7/25/2007 13:25 | 2.162 | 8.58 |
| 7/25/2007 13:30 | 2.161 | 7.46 |
| 7/25/2007 13:35 | 2.161 | 7.46 |
| 7/25/2007 13:40 | 2.16 | 7.46 |
| 7/25/2007 13:45 | 2.16 | 7.46 |
| 7/25/2007 13:50 | 2.159 | 7.46 |
| 7/25/2007 13:55 | 2.159 | 0.11 |
| 7/25/2007 14:00 | 2.158 | 0.11 |
| 7/25/2007 14:05 | 2.158 | 0.11 |
| 7/25/2007 14:10 | 2.158 | 0.11 |
| 7/25/2007 14:15 | 2.157 | 0.11 |
| 7/25/2007 14:20 | 2.155 | 0.11 |
| 7/25/2007 14:25 | 2.155 | 0.11 |
| 7/25/2007 14:30 | 2.155 | 0.11 |
| 7/25/2007 14:35 | 2.155 | 0.11 |
| 7/25/2007 14:40 | 2.154 | 0.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 14:45 | 2.15 | 0.12 |
| 7/25/2007 14:50 | 2.154 | 0.12 |
| 7/25/2007 14:55 | 2.154 | 0.1 |
| 7/25/2007 15:00 | 2.152 | 9.5 |
| 7/25/2007 15:05 | 2.152 | 9.04 |
| 7/25/2007 15:10 | 2.152 | 10.36 |
| 7/25/2007 15:15 | 2.151 | 10.44 |
| 7/25/2007 15:20 | 2.15 | 8.2 |
| 7/25/2007 15:25 | 2.15 | 11.56 |
| 7/25/2007 15:30 | 2.15 | 8.4 |
| 7/25/2007 15:35 | 2.15 | 10.42 |
| 7/25/2007 15:40 | 2.15 | 10.42 |
| 7/25/2007 15:45 | 2.149 | 10.16 |
| 7/25/2007 15:50 | 2.15 | 10.16 |
| 7/25/2007 15:55 | 2.152 | 10.16 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/29/2007 16:30 | 2.25 | 7.13 |
| 6/29/2007 16:35 | 2.25 | 7.13 |
| 6/29/2007 16:40 | 2.25 | 7.13 |
| 6/29/2007 16:45 | 2.25 | 7.13 |
| 6/29/2007 16:50 | 2.25 | 7.13 |
| 6/29/2007 16:55 | 2.25 | 7.13 |
| 6/29/2007 17:00 | 2.249 | 7.13 |
| 6/29/2007 17:05 | 2.249 | 7.13 |
| 6/29/2007 17:10 | 2.249 | 7.13 |
| 6/29/2007 17:15 | 2.251 | 7.13 |
| 6/29/2007 17:20 | 2.249 | 7.13 |
| 6/29/2007 17:25 | 2.25 | 7.13 |
| 6/29/2007 17:30 | 2.249 | 7.13 |
| 6/29/2007 17:35 | 2.25 | 7.13 |
| 6/29/2007 17:40 | 2.25 | 7.13 |
| 6/29/2007 17:45 | 2.25 | 7.13 |
| 6/29/2007 17:50 | 2.25 | 7.13 |
| 6/29/2007 17:55 | 2.25 | 7.13 |
| 6/29/2007 18:00 | 2.25 | 7.13 |
| 6/29/2007 18:05 | 2.25 | 7.13 |
| 6/29/2007 18:10 | 2.25 | 7.13 |
| 6/29/2007 18:15 | 2.25 | 7.13 |
| 6/29/2007 18:20 | 2.25 | 7.13 |
| 6/29/2007 18:25 | 2.25 | 7.13 |
| 6/29/2007 18:30 | 2.25 | 7.13 |
| 6/29/2007 18:35 | 2.25 | 7.13 |
| 6/29/2007 18:40 | 2.25 | 7.13 |
| 6/29/2007 18:45 | 2.251 | 7.13 |
| 6/29/2007 18:50 | 2.249 | 7.13 |
| 6/29/2007 18:55 | 2.25 | 7.13 |
| 6/29/2007 19:00 | 2.25 | 7.13 |
| 6/29/2007 19:05 | 2.25 | 7.13 |
| 6/29/2007 19:10 | 2.25 | 7.13 |
| 6/29/2007 19:15 | 2.25 | 7.13 |
| 6/29/2007 19:20 | 2.25 | 7.13 |
| 6/29/2007 19:25 | 2.25 | 7.13 |
| 6/29/2007 19:30 | 2.25 | 7.13 |
| 6/29/2007 19:35 | 2.25 | 7.13 |
| 6/29/2007 19:40 | 2.25 | 7.13 |
| 6/29/2007 19:45 | 2.251 | 7.13 |
| 6/29/2007 19:50 | 2.25 | 7.13 |
| 6/29/2007 19:55 | 2.25 | 7.13 |
| 6/29/2007 20:00 | 2.25 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/29/2007 20:05 | 2.25 | 7.13 |
| 6/29/2007 20:10 | 2.249 | 7.13 |
| 6/29/2007 20:15 | 2.25 | 7.13 |
| 6/29/2007 20:20 | 2.249 | 7.13 |
| 6/29/2007 20:25 | 2.249 | 7.13 |
| 6/29/2007 20:30 | 2.25 | 7.13 |
| 6/29/2007 20:35 | 2.25 | 7.13 |
| 6/29/2007 20:40 | 2.25 | 7.13 |
| 6/29/2007 20:45 | 2.248 | 7.13 |
| 6/29/2007 20:50 | 2.249 | 7.13 |
| 6/29/2007 20:55 | 2.249 | 7.13 |
| 6/29/2007 21:00 | 2.249 | 7.13 |
| 6/29/2007 21:05 | 2.248 | 7.13 |
| 6/29/2007 21:10 | 2.248 | 7.13 |
| 6/29/2007 21:15 | 2.248 | 7.13 |
| 6/29/2007 21:20 | 2.248 | 7.13 |
| 6/29/2007 21:25 | 2.249 | 7.13 |
| 6/29/2007 21:30 | 2.248 | 7.13 |
| 6/29/2007 21:35 | 2.249 | 7.13 |
| 6/29/2007 21:40 | 2.249 | 7.13 |
| 6/29/2007 21:45 | 2.249 | 7.13 |
| 6/29/2007 21:50 | 2.249 | 7.13 |
| 6/29/2007 21:55 | 2.249 | 7.13 |
| 6/29/2007 22:00 | 2.248 | 7.13 |
| 6/29/2007 22:05 | 2.249 | 7.13 |
| 6/29/2007 22:10 | 2.249 | 7.13 |
| 6/29/2007 22:15 | 2.249 | 7.13 |
| 6/29/2007 22:20 | 2.249 | 7.13 |
| 6/29/2007 22:25 | 2.248 | 7.13 |
| 6/29/2007 22:30 | 2.249 | 7.13 |
| 6/29/2007 22:35 | 2.249 | 7.13 |
| 6/29/2007 22:40 | 2.249 | 7.13 |
| 6/29/2007 22:45 | 2.249 | 7.13 |
| 6/29/2007 22:50 | 2.248 | 7.13 |
| 6/29/2007 22:55 | 2.247 | 7.13 |
| 6/29/2007 23:00 | 2.247 | 7.13 |
| 6/29/2007 23:05 | 2.246 | 7.13 |
| 6/29/2007 23:10 | 2.247 | 7.13 |
| 6/29/2007 23:15 | 2.246 | 7.13 |
| 6/29/2007 23:20 | 2.247 | 7.13 |
| 6/29/2007 23:25 | 2.247 | 7.13 |
| 6/29/2007 23:30 | 2.246 | 7.13 |
| 6/29/2007 23:35 | 2.246 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/29/2007 23:40 | 2.246 | 7.13 |
| 6/29/2007 23:45 | 2.246 | 7.13 |
| 6/29/2007 23:50 | 2.246 | 7.13 |
| 6/29/2007 23:55 | 2.246 | 7.13 |
| 6/30/2007 0:00 | 2.246 | 7.13 |
| 6/30/2007 0:05 | 2.246 | 7.13 |
| 6/30/2007 0:10 | 2.247 | 7.13 |
| 6/30/2007 0:15 | 2.246 | 7.13 |
| 6/30/2007 0:20 | 2.246 | 7.13 |
| 6/30/2007 0:25 | 2.245 | 7.13 |
| 6/30/2007 0:30 | 2.245 | 7.13 |
| 6/30/2007 0:35 | 2.245 | 7.13 |
| 6/30/2007 0:40 | 2.245 | 7.13 |
| 6/30/2007 0:45 | 2.245 | 7.13 |
| 6/30/2007 0:50 | 2.245 | 7.13 |
| 6/30/2007 0:55 | 2.245 | 7.13 |
| 6/30/2007 1:00 | 2.245 | 7.13 |
| 6/30/2007 1:05 | 2.245 | 7.13 |
| 6/30/2007 1:10 | 2.245 | 7.13 |
| 6/30/2007 1:15 | 2.246 | 7.13 |
| 6/30/2007 1:20 | 2.245 | 7.13 |
| 6/30/2007 1:25 | 2.245 | 7.13 |
| 6/30/2007 1:30 | 2.245 | 7.13 |
| 6/30/2007 1:35 | 2.245 | 7.13 |
| 6/30/2007 1:40 | 2.245 | 7.13 |
| 6/30/2007 1:45 | 2.245 | 7.13 |
| 6/30/2007 1:50 | 2.245 | 7.13 |
| 6/30/2007 1:55 | 2.245 | 7.13 |
| 6/30/2007 2:00 | 2.244 | 7.13 |
| 6/30/2007 2:05 | 2.244 | 7.13 |
| 6/30/2007 2:10 | 2.244 | 7.13 |
| 6/30/2007 2:15 | 2.244 | 7.13 |
| 6/30/2007 2:20 | 2.244 | 7.13 |
| 6/30/2007 2:25 | 2.244 | 7.13 |
| 6/30/2007 2:30 | 2.243 | 7.13 |
| 6/30/2007 2:35 | 2.244 | 7.13 |
| 6/30/2007 2:40 | 2.243 | 7.13 |
| 6/30/2007 2:45 | 2.243 | 7.13 |
| 6/30/2007 2:50 | 2.244 | 7.13 |
| 6/30/2007 2:55 | 2.243 | 7.13 |
| 6/30/2007 3:00 | 2.244 | 7.13 |
| 6/30/2007 3:05 | 2.244 | 7.13 |
| 6/30/2007 3:10 | 2.244 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 3:15 | 2.243 | 7.13 |
| 6/30/2007 3:20 | 2.243 | 7.13 |
| 6/30/2007 3:25 | 2.242 | 7.13 |
| 6/30/2007 3:30 | 2.242 | 7.13 |
| 6/30/2007 3:35 | 2.242 | 7.13 |
| 6/30/2007 3:40 | 2.242 | 7.13 |
| 6/30/2007 3:45 | 2.243 | 7.13 |
| 6/30/2007 3:50 | 2.242 | 7.13 |
| 6/30/2007 3:55 | 2.242 | 7.13 |
| 6/30/2007 4:00 | 2.242 | 7.13 |
| 6/30/2007 4:05 | 2.242 | 7.13 |
| 6/30/2007 4:10 | 2.242 | 7.13 |
| 6/30/2007 4:15 | 2.242 | 7.13 |
| 6/30/2007 4:20 | 2.242 | 7.13 |
| 6/30/2007 4:25 | 2.241 | 7.13 |
| 6/30/2007 4:30 | 2.242 | 7.13 |
| 6/30/2007 4:35 | 2.241 | 7.13 |
| 6/30/2007 4:40 | 2.241 | 7.13 |
| 6/30/2007 4:45 | 2.241 | 7.13 |
| 6/30/2007 4:50 | 2.241 | 7.13 |
| 6/30/2007 4:55 | 2.241 | 7.13 |
| 6/30/2007 5:00 | 2.241 | 7.13 |
| 6/30/2007 5:05 | 2.241 | 7.13 |
| 6/30/2007 5:10 | 2.241 | 7.13 |
| 6/30/2007 5:15 | 2.241 | 7.13 |
| 6/30/2007 5:20 | 2.24 | 7.13 |
| 6/30/2007 5:25 | 2.24 | 7.13 |
| 6/30/2007 5:30 | 2.24 | 7.13 |
| 6/30/2007 5:35 | 2.239 | 7.13 |
| 6/30/2007 5:40 | 2.239 | 7.13 |
| 6/30/2007 5:45 | 2.24 | 7.13 |
| 6/30/2007 5:50 | 2.239 | 7.13 |
| 6/30/2007 5:55 | 2.24 | 7.13 |
| 6/30/2007 6:00 | 2.239 | 7.13 |
| 6/30/2007 6:05 | 2.239 | 7.13 |
| 6/30/2007 6:10 | 2.239 | 7.13 |
| 6/30/2007 6:15 | 2.24 | 7.13 |
| 6/30/2007 6:20 | 2.239 | 7.13 |
| 6/30/2007 6:25 | 2.24 | 7.13 |
| 6/30/2007 6:30 | 2.24 | 7.13 |
| 6/30/2007 6:35 | 2.24 | 7.13 |
| 6/30/2007 6:40 | 2.24 | 7.13 |
| 6/30/2007 6:45 | 2.24 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 6:50 | 2.24 | 7.13 |
| 6/30/2007 6:55 | 2.239 | 7.13 |
| 6/30/2007 7:00 | 2.239 | 7.13 |
| 6/30/2007 7:05 | 2.239 | 7.13 |
| 6/30/2007 7:10 | 2.239 | 7.13 |
| 6/30/2007 7:15 | 2.239 | 7.13 |
| 6/30/2007 7:20 | 2.239 | 7.13 |
| 6/30/2007 7:25 | 2.238 | 7.13 |
| 6/30/2007 7:30 | 2.238 | 7.13 |
| 6/30/2007 7:35 | 2.238 | 7.13 |
| 6/30/2007 7:40 | 2.238 | 7.13 |
| 6/30/2007 7:45 | 2.238 | 7.13 |
| 6/30/2007 7:50 | 2.237 | 7.13 |
| 6/30/2007 7:55 | 2.237 | 7.13 |
| 6/30/2007 8:00 | 2.237 | 7.13 |
| 6/30/2007 8:05 | 2.237 | 7.13 |
| 6/30/2007 8:10 | 2.238 | 7.13 |
| 6/30/2007 8:15 | 2.237 | 7.13 |
| 6/30/2007 8:20 | 2.238 | 7.13 |
| 6/30/2007 8:25 | 2.238 | 7.13 |
| 6/30/2007 8:30 | 2.237 | 7.13 |
| 6/30/2007 8:35 | 2.238 | 7.13 |
| 6/30/2007 8:40 | 2.238 | 7.13 |
| 6/30/2007 8:45 | 2.238 | 7.13 |
| 6/30/2007 8:50 | 2.238 | 7.13 |
| 6/30/2007 8:55 | 2.238 | 7.13 |
| 6/30/2007 9:00 | 2.238 | 7.13 |
| 6/30/2007 9:05 | 2.236 | 7.13 |
| 6/30/2007 9:10 | 2.237 | 7.13 |
| 6/30/2007 9:15 | 2.237 | 7.13 |
| 6/30/2007 9:20 | 2.237 | 7.13 |
| 6/30/2007 9:25 | 2.237 | 7.13 |
| 6/30/2007 9:30 | 2.237 | 7.13 |
| 6/30/2007 9:35 | 2.237 | 7.13 |
| 6/30/2007 9:40 | 2.237 | 7.13 |
| 6/30/2007 9:45 | 2.237 | 7.13 |
| 6/30/2007 9:50 | 2.235 | 7.13 |
| 6/30/2007 9:55 | 2.235 | 7.13 |
| 6/30/2007 10:00 | 2.236 | 7.13 |
| 6/30/2007 10:05 | 2.235 | 7.13 |
| 6/30/2007 10:10 | 2.235 | 7.13 |
| 6/30/2007 10:15 | 2.235 | 7.13 |
| 6/30/2007 10:20 | 2.235 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 10:25 | 2.234 | 7.13 |
| 6/30/2007 10:30 | 2.234 | 7.13 |
| 6/30/2007 10:35 | 2.237 | 7.13 |
| 6/30/2007 10:40 | 2.235 | 7.13 |
| 6/30/2007 10:45 | 2.236 | 7.13 |
| 6/30/2007 10:50 | 2.234 | 7.13 |
| 6/30/2007 10:55 | 2.234 | 7.13 |
| 6/30/2007 11:00 | 2.234 | 7.13 |
| 6/30/2007 11:05 | 2.235 | 7.13 |
| 6/30/2007 11:10 | 2.235 | 7.13 |
| 6/30/2007 11:15 | 2.233 | 7.13 |
| 6/30/2007 11:20 | 2.233 | 7.13 |
| 6/30/2007 11:25 | 2.234 | 7.13 |
| 6/30/2007 11:30 | 2.233 | 7.13 |
| 6/30/2007 11:35 | 2.232 | 7.13 |
| 6/30/2007 11:40 | 2.233 | 7.13 |
| 6/30/2007 11:45 | 2.233 | 7.13 |
| 6/30/2007 11:50 | 2.232 | 7.13 |
| 6/30/2007 11:55 | 2.232 | 7.13 |
| 6/30/2007 12:00 | 2.232 | 7.13 |
| 6/30/2007 12:05 | 2.231 | 7.13 |
| 6/30/2007 12:10 | 2.231 | 7.13 |
| 6/30/2007 12:15 | 2.232 | 7.13 |
| 6/30/2007 12:20 | 2.231 | 7.13 |
| 6/30/2007 12:25 | 2.23 | 7.13 |
| 6/30/2007 12:30 | 2.229 | 7.13 |
| 6/30/2007 12:35 | 2.231 | 7.13 |
| 6/30/2007 12:40 | 2.23 | 7.13 |
| 6/30/2007 12:45 | 2.231 | 7.13 |
| 6/30/2007 12:50 | 2.23 | 7.13 |
| 6/30/2007 12:55 | 2.23 | 7.13 |
| 6/30/2007 13:00 | 2.229 | 7.13 |
| 6/30/2007 13:05 | 2.229 | 7.13 |
| 6/30/2007 13:10 | 2.229 | 7.13 |
| 6/30/2007 13:15 | 2.229 | 7.13 |
| 6/30/2007 13:20 | 2.229 | 7.13 |
| 6/30/2007 13:25 | 2.228 | 7.13 |
| 6/30/2007 13:30 | 2.229 | 7.13 |
| 6/30/2007 13:35 | 2.229 | 7.13 |
| 6/30/2007 13:40 | 2.228 | 7.13 |
| 6/30/2007 13:45 | 2.229 | 7.13 |
| 6/30/2007 13:50 | 2.227 | 7.13 |
| 6/30/2007 13:55 | 2.227 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 14:00 | 2.227 | 7.13 |
| 6/30/2007 14:05 | 2.227 | 7.13 |
| 6/30/2007 14:10 | 2.227 | 7.13 |
| 6/30/2007 14:15 | 2.227 | 7.13 |
| 6/30/2007 14:20 | 2.227 | 7.13 |
| 6/30/2007 14:25 | 2.226 | 7.13 |
| 6/30/2007 14:30 | 2.227 | 7.13 |
| 6/30/2007 14:35 | 2.225 | 7.13 |
| 6/30/2007 14:40 | 2.225 | 7.13 |
| 6/30/2007 14:45 | 2.225 | 7.13 |
| 6/30/2007 14:50 | 2.226 | 7.13 |
| 6/30/2007 14:55 | 2.226 | 7.13 |
| 6/30/2007 15:00 | 2.226 | 7.13 |
| 6/30/2007 15:05 | 2.225 | 7.13 |
| 6/30/2007 15:10 | 2.225 | 7.13 |
| 6/30/2007 15:15 | 2.224 | 7.13 |
| 6/30/2007 15:20 | 2.225 | 7.13 |
| 6/30/2007 15:25 | 2.224 | 7.13 |
| 6/30/2007 15:30 | 2.224 | 7.13 |
| 6/30/2007 15:35 | 2.225 | 7.13 |
| 6/30/2007 15:40 | 2.224 | 7.13 |
| 6/30/2007 15:45 | 2.225 | 7.13 |
| 6/30/2007 15:50 | 2.226 | 7.13 |
| 6/30/2007 15:55 | 2.226 | 7.13 |
| 6/30/2007 16:00 | 2.226 | 7.13 |
| 6/30/2007 16:05 | 2.225 | 7.13 |
| 6/30/2007 16:10 | 2.226 | 7.13 |
| 6/30/2007 16:15 | 2.226 | 7.13 |
| 6/30/2007 16:20 | 2.226 | 7.13 |
| 6/30/2007 16:25 | 2.226 | 7.13 |
| 6/30/2007 16:30 | 2.226 | 7.13 |
| 6/30/2007 16:35 | 2.225 | 7.13 |
| 6/30/2007 16:40 | 2.224 | 7.13 |
| 6/30/2007 16:45 | 2.224 | 7.13 |
| 6/30/2007 16:50 | 2.224 | 7.13 |
| 6/30/2007 16:55 | 2.225 | 7.13 |
| 6/30/2007 17:00 | 2.225 | 7.13 |
| 6/30/2007 17:05 | 2.225 | 7.13 |
| 6/30/2007 17:10 | 2.224 | 7.13 |
| 6/30/2007 17:15 | 2.224 | 7.13 |
| 6/30/2007 17:20 | 2.224 | 7.13 |
| 6/30/2007 17:25 | 2.224 | 7.13 |
| 6/30/2007 17:30 | 2.224 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 17:35 | 2.225 | 7.13 |
| 6/30/2007 17:40 | 2.224 | 7.13 |
| 6/30/2007 17:45 | 2.225 | 7.13 |
| 6/30/2007 17:50 | 2.224 | 7.13 |
| 6/30/2007 17:55 | 2.225 | 7.13 |
| 6/30/2007 18:00 | 2.225 | 7.13 |
| 6/30/2007 18:05 | 2.225 | 7.13 |
| 6/30/2007 18:10 | 2.226 | 7.13 |
| 6/30/2007 18:15 | 2.226 | 7.13 |
| 6/30/2007 18:20 | 2.225 | 7.13 |
| 6/30/2007 18:25 | 2.225 | 7.13 |
| 6/30/2007 18:30 | 2.225 | 7.13 |
| 6/30/2007 18:35 | 2.225 | 7.13 |
| 6/30/2007 18:40 | 2.225 | 7.13 |
| 6/30/2007 18:45 | 2.225 | 7.13 |
| 6/30/2007 18:50 | 2.225 | 7.13 |
| 6/30/2007 18:55 | 2.225 | 7.13 |
| 6/30/2007 19:00 | 2.225 | 7.13 |
| 6/30/2007 19:05 | 2.226 | 7.13 |
| 6/30/2007 19:10 | 2.226 | 7.13 |
| 6/30/2007 19:15 | 2.226 | 7.13 |
| 6/30/2007 19:20 | 2.226 | 7.13 |
| 6/30/2007 19:25 | 2.226 | 7.13 |
| 6/30/2007 19:30 | 2.227 | 7.13 |
| 6/30/2007 19:35 | 2.226 | 7.13 |
| 6/30/2007 19:40 | 2.227 | 7.13 |
| 6/30/2007 19:45 | 2.227 | 7.13 |
| 6/30/2007 19:50 | 2.227 | 7.13 |
| 6/30/2007 19:55 | 2.226 | 7.13 |
| 6/30/2007 20:00 | 2.226 | 7.13 |
| 6/30/2007 20:05 | 2.226 | 7.13 |
| 6/30/2007 20:10 | 2.226 | 7.13 |
| 6/30/2007 20:15 | 2.226 | 7.13 |
| 6/30/2007 20:20 | 2.226 | 7.13 |
| 6/30/2007 20:25 | 2.226 | 7.13 |
| 6/30/2007 20:30 | 2.225 | 7.13 |
| 6/30/2007 20:35 | 2.225 | 7.13 |
| 6/30/2007 20:40 | 2.225 | 7.13 |
| 6/30/2007 20:45 | 2.226 | 7.13 |
| 6/30/2007 20:50 | 2.225 | 7.13 |
| 6/30/2007 20:55 | 2.226 | 7.13 |
| 6/30/2007 21:00 | 2.226 | 7.13 |
| 6/30/2007 21:05 | 2.226 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 21:10 | 2.226 | 7.13 |
| 6/30/2007 21:15 | 2.226 | 7.13 |
| 6/30/2007 21:20 | 2.225 | 7.13 |
| 6/30/2007 21:25 | 2.226 | 7.13 |
| 6/30/2007 21:30 | 2.225 | 7.13 |
| 6/30/2007 21:35 | 2.226 | 7.13 |
| 6/30/2007 21:40 | 2.225 | 7.13 |
| 6/30/2007 21:45 | 2.226 | 7.13 |
| 6/30/2007 21:50 | 2.226 | 7.13 |
| 6/30/2007 21:55 | 2.226 | 7.13 |
| 6/30/2007 22:00 | 2.226 | 7.13 |
| 6/30/2007 22:05 | 2.226 | 7.13 |
| 6/30/2007 22:10 | 2.225 | 7.13 |
| 6/30/2007 22:15 | 2.225 | 7.13 |
| 6/30/2007 22:20 | 2.225 | 7.13 |
| 6/30/2007 22:25 | 2.225 | 7.13 |
| 6/30/2007 22:30 | 2.226 | 7.13 |
| 6/30/2007 22:35 | 2.225 | 7.13 |
| 6/30/2007 22:40 | 2.225 | 7.13 |
| 6/30/2007 22:45 | 2.226 | 7.13 |
| 6/30/2007 22:50 | 2.227 | 7.13 |
| 6/30/2007 22:55 | 2.225 | 7.13 |
| 6/30/2007 23:00 | 2.225 | 7.13 |
| 6/30/2007 23:05 | 2.226 | 7.13 |
| 6/30/2007 23:10 | 2.226 | 7.13 |
| 6/30/2007 23:15 | 2.225 | 7.13 |
| 6/30/2007 23:20 | 2.225 | 7.13 |
| 6/30/2007 23:25 | 2.225 | 7.13 |
| 6/30/2007 23:30 | 2.226 | 7.13 |
| 6/30/2007 23:35 | 2.226 | 7.13 |
| 6/30/2007 23:40 | 2.226 | 7.13 |
| 6/30/2007 23:45 | 2.226 | 7.13 |
| 6/30/2007 23:50 | 2.225 | 7.13 |
| 6/30/2007 23:55 | 2.225 | 7.13 |
| 7/1/2007 0:00 | 2.226 | 7.13 |
| 7/1/2007 0:05 | 2.225 | 7.13 |
| 7/1/2007 0:10 | 2.225 | 7.13 |
| 7/1/2007 0:15 | 2.225 | 7.13 |
| 7/1/2007 0:20 | 2.225 | 7.13 |
| 7/1/2007 0:25 | 2.225 | 7.13 |
| 7/1/2007 0:30 | 2.225 | 7.13 |
| 7/1/2007 0:35 | 2.224 | 7.13 |
| 7/1/2007 0:40 | 2.225 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 0:45 | 2.225 | 7.13 |
| 7/1/2007 0:50 | 2.225 | 7.13 |
| 7/1/2007 0:55 | 2.224 | 7.13 |
| 7/1/2007 1:00 | 2.224 | 7.13 |
| 7/1/2007 1:05 | 2.224 | 7.13 |
| 7/1/2007 1:10 | 2.224 | 7.13 |
| 7/1/2007 1:15 | 2.224 | 7.13 |
| 7/1/2007 1:20 | 2.224 | 7.13 |
| 7/1/2007 1:25 | 2.225 | 7.13 |
| 7/1/2007 1:30 | 2.225 | 7.13 |
| 7/1/2007 1:35 | 2.224 | 7.13 |
| 7/1/2007 1:40 | 2.225 | 7.13 |
| 7/1/2007 1:45 | 2.224 | 7.13 |
| 7/1/2007 1:50 | 2.225 | 7.13 |
| 7/1/2007 1:55 | 2.225 | 7.13 |
| 7/1/2007 2:00 | 2.224 | 7.13 |
| 7/1/2007 2:05 | 2.224 | 7.13 |
| 7/1/2007 2:10 | 2.225 | 7.13 |
| 7/1/2007 2:15 | 2.224 | 7.13 |
| 7/1/2007 2:20 | 2.223 | 7.13 |
| 7/1/2007 2:25 | 2.223 | 7.13 |
| 7/1/2007 2:30 | 2.224 | 7.13 |
| 7/1/2007 2:35 | 2.224 | 7.13 |
| 7/1/2007 2:40 | 2.224 | 7.13 |
| 7/1/2007 2:45 | 2.223 | 7.13 |
| 7/1/2007 2:50 | 2.223 | 7.13 |
| 7/1/2007 2:55 | 2.224 | 7.13 |
| 7/1/2007 3:00 | 2.223 | 7.13 |
| 7/1/2007 3:05 | 2.222 | 7.13 |
| 7/1/2007 3:10 | 2.222 | 7.13 |
| 7/1/2007 3:15 | 2.222 | 7.13 |
| 7/1/2007 3:20 | 2.222 | 7.13 |
| 7/1/2007 3:25 | 2.222 | 7.13 |
| 7/1/2007 3:30 | 2.221 | 7.13 |
| 7/1/2007 3:35 | 2.222 | 7.13 |
| 7/1/2007 3:40 | 2.221 | 7.13 |
| 7/1/2007 3:45 | 2.221 | 7.13 |
| 7/1/2007 3:50 | 2.22 | 7.13 |
| 7/1/2007 3:55 | 2.22 | 7.13 |
| 7/1/2007 4:00 | 2.22 | 7.13 |
| 7/1/2007 4:05 | 2.22 | 7.13 |
| 7/1/2007 4:10 | 2.22 | 7.13 |
| 7/1/2007 4:15 | 2.22 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 4:20 | 2.22 | 7.13 |
| 7/1/2007 4:25 | 2.22 | 7.13 |
| 7/1/2007 4:30 | 2.22 | 7.13 |
| 7/1/2007 4:35 | 2.22 | 7.13 |
| 7/1/2007 4:40 | 2.22 | 7.13 |
| 7/1/2007 4:45 | 2.22 | 7.13 |
| 7/1/2007 4:50 | 2.22 | 7.13 |
| 7/1/2007 4:55 | 2.22 | 7.13 |
| 7/1/2007 5:00 | 2.219 | 7.13 |
| 7/1/2007 5:05 | 2.219 | 7.13 |
| 7/1/2007 5:10 | 2.219 | 7.13 |
| 7/1/2007 5:15 | 2.22 | 7.13 |
| 7/1/2007 5:20 | 2.22 | 7.13 |
| 7/1/2007 5:25 | 2.22 | 7.13 |
| 7/1/2007 5:30 | 2.219 | 7.13 |
| 7/1/2007 5:35 | 2.219 | 7.13 |
| 7/1/2007 5:40 | 2.219 | 7.13 |
| 7/1/2007 5:45 | 2.219 | 7.13 |
| 7/1/2007 5:50 | 2.219 | 7.13 |
| 7/1/2007 5:55 | 2.219 | 7.13 |
| 7/1/2007 6:00 | 2.219 | 7.13 |
| 7/1/2007 6:05 | 2.219 | 7.13 |
| 7/1/2007 6:10 | 2.219 | 7.13 |
| 7/1/2007 6:15 | 2.219 | 7.13 |
| 7/1/2007 6:20 | 2.219 | 7.13 |
| 7/1/2007 6:25 | 2.219 | 7.13 |
| 7/1/2007 6:30 | 2.218 | 7.13 |
| 7/1/2007 6:35 | 2.218 | 7.13 |
| 7/1/2007 6:40 | 2.218 | 7.13 |
| 7/1/2007 6:45 | 2.218 | 7.13 |
| 7/1/2007 6:50 | 2.218 | 7.13 |
| 7/1/2007 6:55 | 2.218 | 7.13 |
| 7/1/2007 7:00 | 2.219 | 7.13 |
| 7/1/2007 7:05 | 2.218 | 7.13 |
| 7/1/2007 7:10 | 2.218 | 7.13 |
| 7/1/2007 7:15 | 2.218 | 7.13 |
| 7/1/2007 7:20 | 2.218 | 7.13 |
| 7/1/2007 7:25 | 2.218 | 7.13 |
| 7/1/2007 7:30 | 2.217 | 7.13 |
| 7/1/2007 7:35 | 2.218 | 7.13 |
| 7/1/2007 7:40 | 2.217 | 7.13 |
| 7/1/2007 7:45 | 2.218 | 7.13 |
| 7/1/2007 7:50 | 2.217 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 7:55 | 2.218 | 7.13 |
| 7/1/2007 8:00 | 2.218 | 7.13 |
| 7/1/2007 8:05 | 2.218 | 7.13 |
| 7/1/2007 8:10 | 2.217 | 7.13 |
| 7/1/2007 8:15 | 2.218 | 7.13 |
| 7/1/2007 8:20 | 2.218 | 7.13 |
| 7/1/2007 8:25 | 2.218 | 7.13 |
| 7/1/2007 8:30 | 2.218 | 7.13 |
| 7/1/2007 8:35 | 2.219 | 7.13 |
| 7/1/2007 8:40 | 2.218 | 7.13 |
| 7/1/2007 8:45 | 2.218 | 7.13 |
| 7/1/2007 8:50 | 2.217 | 7.13 |
| 7/1/2007 8:55 | 2.218 | 7.13 |
| 7/1/2007 9:00 | 2.218 | 7.13 |
| 7/1/2007 9:05 | 2.218 | 7.13 |
| 7/1/2007 9:10 | 2.218 | 7.13 |
| 7/1/2007 9:15 | 2.217 | 7.13 |
| 7/1/2007 9:20 | 2.217 | 7.13 |
| 7/1/2007 9:25 | 2.217 | 7.13 |
| 7/1/2007 9:30 | 2.217 | 7.13 |
| 7/1/2007 9:35 | 2.217 | 7.13 |
| 7/1/2007 9:40 | 2.217 | 7.13 |
| 7/1/2007 9:45 | 2.218 | 7.13 |
| 7/1/2007 9:50 | 2.216 | 7.13 |
| 7/1/2007 9:55 | 2.217 | 7.13 |
| 7/1/2007 10:00 | 2.216 | 7.13 |
| 7/1/2007 10:05 | 2.216 | 7.13 |
| 7/1/2007 10:10 | 2.217 | 7.13 |
| 7/1/2007 10:15 | 2.217 | 7.13 |
| 7/1/2007 10:20 | 2.217 | 7.13 |
| 7/1/2007 10:25 | 2.218 | 7.13 |
| 7/1/2007 10:30 | 2.217 | 7.13 |
| 7/1/2007 10:35 | 2.216 | 7.13 |
| 7/1/2007 10:40 | 2.216 | 7.13 |
| 7/1/2007 10:45 | 2.216 | 7.13 |
| 7/1/2007 10:50 | 2.217 | 7.13 |
| 7/1/2007 10:55 | 2.215 | 7.13 |
| 7/1/2007 11:00 | 2.215 | 7.13 |
| 7/1/2007 11:05 | 2.215 | 7.13 |
| 7/1/2007 11:10 | 2.215 | 7.13 |
| 7/1/2007 11:15 | 2.215 | 7.13 |
| 7/1/2007 11:20 | 2.215 | 7.13 |
| 7/1/2007 11:25 | 2.216 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 11:30 | 2.215 | 7.13 |
| 7/1/2007 11:35 | 2.213 | 7.13 |
| 7/1/2007 11:40 | 2.215 | 7.13 |
| 7/1/2007 11:45 | 2.215 | 7.13 |
| 7/1/2007 11:50 | 2.216 | 7.13 |
| 7/1/2007 11:55 | 2.217 | 7.13 |
| 7/1/2007 12:00 | 2.216 | 7.13 |
| 7/1/2007 12:05 | 2.216 | 7.13 |
| 7/1/2007 12:10 | 2.215 | 7.13 |
| 7/1/2007 12:15 | 2.215 | 7.13 |
| 7/1/2007 12:20 | 2.214 | 7.13 |
| 7/1/2007 12:25 | 2.214 | 7.13 |
| 7/1/2007 12:30 | 2.214 | 7.13 |
| 7/1/2007 12:35 | 2.214 | 7.13 |
| 7/1/2007 12:40 | 2.215 | 7.13 |
| 7/1/2007 12:45 | 2.214 | 7.13 |
| 7/1/2007 12:50 | 2.213 | 7.13 |
| 7/1/2007 12:55 | 2.213 | 7.13 |
| 7/1/2007 13:00 | 2.211 | 7.13 |
| 7/1/2007 13:05 | 2.212 | 7.13 |
| 7/1/2007 13:10 | 2.213 | 7.13 |
| 7/1/2007 13:15 | 2.213 | 7.13 |
| 7/1/2007 13:20 | 2.212 | 7.13 |
| 7/1/2007 13:25 | 2.212 | 7.13 |
| 7/1/2007 13:30 | 2.211 | 7.13 |
| 7/1/2007 13:35 | 2.211 | 7.13 |
| 7/1/2007 13:40 | 2.211 | 7.13 |
| 7/1/2007 13:45 | 2.211 | 7.13 |
| 7/1/2007 13:50 | 2.211 | 7.13 |
| 7/1/2007 13:55 | 2.211 | 7.13 |
| 7/1/2007 14:00 | 2.21 | 7.13 |
| 7/1/2007 14:05 | 2.21 | 7.13 |
| 7/1/2007 14:10 | 2.209 | 7.13 |
| 7/1/2007 14:15 | 2.21 | 7.13 |
| 7/1/2007 14:20 | 2.209 | 7.13 |
| 7/1/2007 14:25 | 2.21 | 7.13 |
| 7/1/2007 14:30 | 2.209 | 7.13 |
| 7/1/2007 14:35 | 2.209 | 7.13 |
| 7/1/2007 14:40 | 2.209 | 7.13 |
| 7/1/2007 14:45 | 2.209 | 7.13 |
| 7/1/2007 14:50 | 2.209 | 7.13 |
| 7/1/2007 14:55 | 2.208 | 7.13 |
| 7/1/2007 15:00 | 2.209 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 15:05 | 2.208 | 7.13 |
| 7/1/2007 15:10 | 2.208 | 7.13 |
| 7/1/2007 15:15 | 2.207 | 7.13 |
| 7/1/2007 15:20 | 2.208 | 7.13 |
| 7/1/2007 15:25 | 2.207 | 7.13 |
| 7/1/2007 15:30 | 2.207 | 7.13 |
| 7/1/2007 15:35 | 2.207 | 7.13 |
| 7/1/2007 15:40 | 2.207 | 7.13 |
| 7/1/2007 15:45 | 2.208 | 7.13 |
| 7/1/2007 15:50 | 2.207 | 7.13 |
| 7/1/2007 15:55 | 2.208 | 7.13 |
| 7/1/2007 16:00 | 2.207 | 7.13 |
| 7/1/2007 16:05 | 2.206 | 7.13 |
| 7/1/2007 16:10 | 2.207 | 7.13 |
| 7/1/2007 16:15 | 2.207 | 7.13 |
| 7/1/2007 16:20 | 2.206 | 7.13 |
| 7/1/2007 16:25 | 2.206 | 7.13 |
| 7/1/2007 16:30 | 2.207 | 7.13 |
| 7/1/2007 16:35 | 2.207 | 7.13 |
| 7/1/2007 16:40 | 2.206 | 7.13 |
| 7/1/2007 16:45 | 2.206 | 7.13 |
| 7/1/2007 16:50 | 2.206 | 7.13 |
| 7/1/2007 16:55 | 2.206 | 7.13 |
| 7/1/2007 17:00 | 2.206 | 7.13 |
| 7/1/2007 17:05 | 2.207 | 7.13 |
| 7/1/2007 17:10 | 2.206 | 7.13 |
| 7/1/2007 17:15 | 2.206 | 7.13 |
| 7/1/2007 17:20 | 2.206 | 7.13 |
| 7/1/2007 17:25 | 2.207 | 7.13 |
| 7/1/2007 17:30 | 2.206 | 7.13 |
| 7/1/2007 17:35 | 2.206 | 7.13 |
| 7/1/2007 17:40 | 2.206 | 7.13 |
| 7/1/2007 17:45 | 2.206 | 7.13 |
| 7/1/2007 17:50 | 2.206 | 7.13 |
| 7/1/2007 17:55 | 2.206 | 7.13 |
| 7/1/2007 18:00 | 2.206 | 7.13 |
| 7/1/2007 18:05 | 2.206 | 7.13 |
| 7/1/2007 18:10 | 2.206 | 7.13 |
| 7/1/2007 18:15 | 2.206 | 7.13 |
| 7/1/2007 18:20 | 2.207 | 7.13 |
| 7/1/2007 18:25 | 2.206 | 7.13 |
| 7/1/2007 18:30 | 2.206 | 7.13 |
| 7/1/2007 18:35 | 2.206 | 7.13 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 18:40 | 2.206 | 7.13 |
| 7/1/2007 18:45 | 2.206 | 7.13 |
| 7/1/2007 18:50 | 2.206 | 7.13 |
| 7/1/2007 18:55 | 2.202 | 7.13 |
| 7/1/2007 19:00 | 2.205 | 7.13 |
| 7/1/2007 19:05 | 2.206 | 7.13 |
| 7/1/2007 19:10 | 2.207 | 7.13 |
| 7/1/2007 19:15 | 2.206 | 7.13 |
| 7/1/2007 19:20 | 2.206 | 7.13 |
| 7/1/2007 19:25 | 2.206 | 7.13 |
| 7/1/2007 19:30 | 2.206 | 7.13 |
| 7/1/2007 19:35 | 2.206 | 7.13 |
| 7/1/2007 19:40 | 2.206 | 7.13 |
| 7/1/2007 19:45 | 2.206 | 7.13 |
| 7/1/2007 19:50 | 2.206 | 7.13 |
| 7/1/2007 19:55 | 2.206 | 7.13 |
| 7/1/2007 20:00 | 2.206 | 7.13 |
| 7/1/2007 20:05 | 2.206 | 7.13 |
| 7/1/2007 20:10 | 2.206 | 7.13 |
| 7/1/2007 20:15 | 2.205 | 7.13 |
| 7/1/2007 20:20 | 2.205 | 7.13 |
| 7/1/2007 20:25 | 2.206 | 7.13 |
| 7/1/2007 20:30 | 2.206 | 7.13 |
| 7/1/2007 20:35 | 2.206 | 7.13 |
| 7/1/2007 20:40 | 2.206 | 7.13 |
| 7/1/2007 20:45 | 2.206 | 7.13 |
| 7/1/2007 20:50 | 2.206 | 7.13 |
| 7/1/2007 20:55 | 2.206 | 7.13 |
| 7/1/2007 21:00 | 2.206 | 7.13 |
| 7/1/2007 21:05 | 2.206 | 7.13 |
| 7/1/2007 21:10 | 2.206 | 7.13 |
| 7/1/2007 21:15 | 2.206 | 7.13 |
| 7/1/2007 21:20 | 2.206 | 7.13 |
| 7/1/2007 21:25 | 2.207 | 7.13 |
| 7/1/2007 21:30 | 2.206 | 7.13 |
| 7/1/2007 21:35 | 2.205 | 7.13 |
| 7/1/2007 21:40 | 2.205 | 7.25 |
| 7/1/2007 21:45 | 2.205 | 7.25 |
| 7/1/2007 21:50 | 2.206 | 7.25 |
| 7/1/2007 21:55 | 2.206 | 7.76 |
| 7/1/2007 22:00 | 2.205 | 7.76 |
| 7/1/2007 22:05 | 2.206 | 7.76 |
| 7/1/2007 22:10 | 2.205 | 7.76 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 22:15 | 2.204 | 7.76 |
| 7/1/2007 22:20 | 2.205 | 7.76 |
| 7/1/2007 22:25 | 2.205 | 7.76 |
| 7/1/2007 22:30 | 2.205 | 7.76 |
| 7/1/2007 22:35 | 2.205 | 7.76 |
| 7/1/2007 22:40 | 2.205 | 7.76 |
| 7/1/2007 22:45 | 2.205 | 7.76 |
| 7/1/2007 22:50 | 2.205 | 7.76 |
| 7/1/2007 22:55 | 2.205 | 7.76 |
| 7/1/2007 23:00 | 2.205 | 7.76 |
| 7/1/2007 23:05 | 2.204 | 7.76 |
| 7/1/2007 23:10 | 2.205 | 7.76 |
| 7/1/2007 23:15 | 2.204 | 7.76 |
| 7/1/2007 23:20 | 2.204 | 7.76 |
| 7/1/2007 23:25 | 2.204 | 7.76 |
| 7/1/2007 23:30 | 2.204 | 7.76 |
| 7/1/2007 23:35 | 2.203 | 7.76 |
| 7/1/2007 23:40 | 2.203 | 7.76 |
| 7/1/2007 23:45 | 2.204 | 7.76 |
| 7/1/2007 23:50 | 2.203 | 7.76 |
| 7/1/2007 23:55 | 2.204 | 7.76 |
| 7/2/2007 0:00 | 2.203 | 7.76 |
| 7/2/2007 0:05 | 2.203 | 7.76 |
| 7/2/2007 0:10 | 2.203 | 7.76 |
| 7/2/2007 0:15 | 2.203 | 7.76 |
| 7/2/2007 0:20 | 2.203 | 7.76 |
| 7/2/2007 0:25 | 2.203 | 7.76 |
| 7/2/2007 0:30 | 2.203 | 7.76 |
| 7/2/2007 0:35 | 2.202 | 8.15 |
| 7/2/2007 0:40 | 2.203 | 6.82 |
| 7/2/2007 0:45 | 2.202 | 8.46 |
| 7/2/2007 0:50 | 2.203 | 8.17 |
| 7/2/2007 0:55 | 2.203 | 8.76 |
| 7/2/2007 1:00 | 2.203 | 9.51 |
| 7/2/2007 1:05 | 2.203 | 9.51 |
| 7/2/2007 1:10 | 2.203 | 9.51 |
| 7/2/2007 1:15 | 2.202 | 9.51 |
| 7/2/2007 1:20 | 2.202 | 9.51 |
| 7/2/2007 1:25 | 2.205 | 9.51 |
| 7/2/2007 1:30 | 2.205 | 9.51 |
| 7/2/2007 1:35 | 2.204 | 9.51 |
| 7/2/2007 1:40 | 2.204 | 9.51 |
| 7/2/2007 1:45 | 2.204 | 9.51 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 1:50 | 2.203 | 9.51 |
| 7/2/2007 1:55 | 2.203 | 9.51 |
| 7/2/2007 2:00 | 2.203 | 9.51 |
| 7/2/2007 2:05 | 2.204 | 9.51 |
| 7/2/2007 2:10 | 2.203 | 9.51 |
| 7/2/2007 2:15 | 2.203 | 9.51 |
| 7/2/2007 2:20 | 2.203 | 9.51 |
| 7/2/2007 2:25 | 2.203 | 9.51 |
| 7/2/2007 2:30 | 2.202 | 9.51 |
| 7/2/2007 2:35 | 2.202 | 9.51 |
| 7/2/2007 2:40 | 2.203 | 9.51 |
| 7/2/2007 2:45 | 2.202 | 9.51 |
| 7/2/2007 2:50 | 2.202 | 9.51 |
| 7/2/2007 2:55 | 2.202 | 9.51 |
| 7/2/2007 3:00 | 2.202 | 9.51 |
| 7/2/2007 3:05 | 2.202 | 9.51 |
| 7/2/2007 3:10 | 2.202 | 9.51 |
| 7/2/2007 3:15 | 2.202 | 9.51 |
| 7/2/2007 3:20 | 2.202 | 9.51 |
| 7/2/2007 3:25 | 2.202 | 9.51 |
| 7/2/2007 3:30 | 2.202 | 9.51 |
| 7/2/2007 3:35 | 2.202 | 9.51 |
| 7/2/2007 3:40 | 2.202 | 9.51 |
| 7/2/2007 3:45 | 2.202 | 9.51 |
| 7/2/2007 3:50 | 2.202 | 9.51 |
| 7/2/2007 3:55 | 2.202 | 9.51 |
| 7/2/2007 4:00 | 2.201 | 9.51 |
| 7/2/2007 4:05 | 2.201 | 9.51 |
| 7/2/2007 4:10 | 2.201 | 9.51 |
| 7/2/2007 4:15 | 2.201 | 9.51 |
| 7/2/2007 4:20 | 2.201 | 9.51 |
| 7/2/2007 4:25 | 2.201 | 9.51 |
| 7/2/2007 4:30 | 2.201 | 9.51 |
| 7/2/2007 4:35 | 2.201 | 9.51 |
| 7/2/2007 4:40 | 2.201 | 9.51 |
| 7/2/2007 4:45 | 2.201 | 9.51 |
| 7/2/2007 4:50 | 2.201 | 9.51 |
| 7/2/2007 4:55 | 2.201 | 9.51 |
| 7/2/2007 5:00 | 2.201 | 9.51 |
| 7/2/2007 5:05 | 2.2 | 9.51 |
| 7/2/2007 5:10 | 2.2 | 9.51 |
| 7/2/2007 5:15 | 2.2 | 9.51 |
| 7/2/2007 5:20 | 2.201 | 9.51 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 5:25 | 2.2 | 9.51 |
| 7/2/2007 5:30 | 2.2 | 9.51 |
| 7/2/2007 5:35 | 2.2 | 9.51 |
| 7/2/2007 5:40 | 2.2 | 9.51 |
| 7/2/2007 5:45 | 2.2 | 9.51 |
| 7/2/2007 5:50 | 2.2 | 9.51 |
| 7/2/2007 5:55 | 2.2 | 9.51 |
| 7/2/2007 6:00 | 2.2 | 9.51 |
| 7/2/2007 6:05 | 2.2 | 9.51 |
| 7/2/2007 6:10 | 2.2 | 9.51 |
| 7/2/2007 6:15 | 2.2 | 9.51 |
| 7/2/2007 6:20 | 2.2 | 9.51 |
| 7/2/2007 6:25 | 2.2 | 9.51 |
| 7/2/2007 6:30 | 2.2 | 9.51 |
| 7/2/2007 6:35 | 2.199 | 9.51 |
| 7/2/2007 6:40 | 2.199 | 9.51 |
| 7/2/2007 6:45 | 2.199 | 9.51 |
| 7/2/2007 6:50 | 2.198 | 9.51 |
| 7/2/2007 6:55 | 2.198 | 9.51 |
| 7/2/2007 7:00 | 2.198 | 9.51 |
| 7/2/2007 7:05 | 2.198 | 9.51 |
| 7/2/2007 7:10 | 2.197 | 9.51 |
| 7/2/2007 7:15 | 2.197 | 9.51 |
| 7/2/2007 7:20 | 2.197 | 9.51 |
| 7/2/2007 7:25 | 2.197 | 9.51 |
| 7/2/2007 7:30 | 2.197 | 9.51 |
| 7/2/2007 7:35 | 2.197 | 9.51 |
| 7/2/2007 7:40 | 2.196 | 9.51 |
| 7/2/2007 7:45 | 2.196 | 9.51 |
| 7/2/2007 7:50 | 2.196 | 9.51 |
| 7/2/2007 7:55 | 2.196 | 9.51 |
| 7/2/2007 8:00 | 2.195 | 9.51 |
| 7/2/2007 8:05 | 2.195 | 9.51 |
| 7/2/2007 8:10 | 2.195 | 9.51 |
| 7/2/2007 8:15 | 2.196 | 9.51 |
| 7/2/2007 8:20 | 2.195 | 9.51 |
| 7/2/2007 8:25 | 2.195 | 9.51 |
| 7/2/2007 8:30 | 2.195 | 9.51 |
| 7/2/2007 8:35 | 2.196 | 9.51 |
| 7/2/2007 8:40 | 2.196 | 9.51 |
| 7/2/2007 8:45 | 2.196 | 9.51 |
| 7/2/2007 8:50 | 2.196 | 9.51 |
| 7/2/2007 8:55 | 2.196 | 9.51 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 9:00 | 2.196 | 9.51 |
| 7/2/2007 9:05 | 2.195 | 9.51 |
| 7/2/2007 9:10 | 2.196 | 9.51 |
| 7/2/2007 9:15 | 2.196 | 9.51 |
| 7/2/2007 9:20 | 2.195 | 9.51 |
| 7/2/2007 9:25 | 2.195 | 9.51 |
| 7/2/2007 9:30 | 2.195 | 9.51 |
| 7/2/2007 9:35 | 2.195 | 9.51 |
| 7/2/2007 9:40 | 2.194 | 9.51 |
| 7/2/2007 9:45 | 2.194 | 9.51 |
| 7/2/2007 9:50 | 2.194 | 9.51 |
| 7/2/2007 9:55 | 2.194 | 9.51 |
| 7/2/2007 10:00 | 2.194 | 9.51 |
| 7/2/2007 10:05 | 2.194 | 9.51 |
| 7/2/2007 10:10 | 2.194 | 9.51 |
| 7/2/2007 10:15 | 2.193 | 9.51 |
| 7/2/2007 10:20 | 2.193 | 9.51 |
| 7/2/2007 10:25 | 2.194 | 9.51 |
| 7/2/2007 10:30 | 2.193 | 9.51 |
| 7/2/2007 10:35 | 2.193 | 9.51 |
| 7/2/2007 10:40 | 2.193 | 9.51 |
| 7/2/2007 10:45 | 2.193 | 9.51 |
| 7/2/2007 10:50 | 2.193 | 9.51 |
| 7/2/2007 10:55 | 2.193 | 9.51 |
| 7/2/2007 11:00 | 2.192 | 9.51 |
| 7/2/2007 11:05 | 2.192 | 9.51 |
| 7/2/2007 11:10 | 2.192 | 9.51 |
| 7/2/2007 11:15 | 2.192 | 9.51 |
| 7/2/2007 11:20 | 2.192 | 9.51 |
| 7/2/2007 11:25 | 2.191 | 9.51 |
| 7/2/2007 11:30 | 2.191 | 9.51 |
| 7/2/2007 11:35 | 2.191 | 9.51 |
| 7/2/2007 11:40 | 2.191 | 9.51 |
| 7/2/2007 11:45 | 2.19 | 9.51 |
| 7/2/2007 11:50 | 2.19 | 9.51 |
| 7/2/2007 11:55 | 2.19 | 9.51 |
| 7/2/2007 12:00 | 2.19 | 9.51 |
| 7/2/2007 12:05 | 2.19 | 9.51 |
| 7/2/2007 12:10 | 2.189 | 9.51 |
| 7/2/2007 12:15 | 2.189 | 9.51 |
| 7/2/2007 12:20 | 2.189 | 9.51 |
| 7/2/2007 12:25 | 2.189 | 9.51 |
| 7/2/2007 12:30 | 2.188 | 9.51 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 12:35 | 2.189 | 9.51 |
| 7/2/2007 12:40 | 2.188 | 9.51 |
| 7/2/2007 12:45 | 2.189 | 9.51 |
| 7/2/2007 12:50 | 2.189 | 9.51 |
| 7/2/2007 12:55 | 2.188 | 9.51 |
| 7/2/2007 13:00 | 2.188 | 9.51 |
| 7/2/2007 13:05 | 2.187 | 9.51 |
| 7/2/2007 13:10 | 2.187 | 9.51 |
| 7/2/2007 13:15 | 2.187 | 9.51 |
| 7/2/2007 13:20 | 2.187 | 9.51 |
| 7/2/2007 13:25 | 2.186 | 9.51 |
| 7/2/2007 13:30 | 2.187 | 9.51 |
| 7/2/2007 13:35 | 2.186 | 9.51 |
| 7/2/2007 13:40 | 2.186 | 9.51 |
| 7/2/2007 13:45 | 2.186 | 9.51 |
| 7/2/2007 13:50 | 2.185 | 9.51 |
| 7/2/2007 13:55 | 2.186 | 9.51 |
| 7/2/2007 14:00 | 2.185 | 9.51 |
| 7/2/2007 14:05 | 2.185 | 9.51 |
| 7/2/2007 14:10 | 2.185 | 9.51 |
| 7/2/2007 14:15 | 2.185 | 9.51 |
| 7/2/2007 14:20 | 2.185 | 9.51 |
| 7/2/2007 14:25 | 2.184 | 9.51 |
| 7/2/2007 14:30 | 2.184 | 9.51 |
| 7/2/2007 14:35 | 2.184 | 9.51 |
| 7/2/2007 14:40 | 2.184 | 9.51 |
| 7/2/2007 14:45 | 2.184 | 9.51 |
| 7/2/2007 14:50 | 2.184 | 9.51 |
| 7/2/2007 14:55 | 2.184 | 9.51 |
| 7/2/2007 15:00 | 2.184 | 9.51 |
| 7/2/2007 15:05 | 2.184 | 9.51 |
| 7/2/2007 15:10 | 2.184 | 9.51 |
| 7/2/2007 15:15 | 2.184 | 9.51 |
| 7/2/2007 15:20 | 2.183 | 9.51 |
| 7/2/2007 15:25 | 2.183 | 7.22 |
| 7/2/2007 15:30 | 2.183 | 7.46 |
| 7/2/2007 15:35 | 2.183 | 7.46 |
| 7/2/2007 15:40 | 2.183 | 7.46 |
| 7/2/2007 15:45 | 2.183 | 7.46 |
| 7/2/2007 15:50 | 2.182 | 7.46 |
| 7/2/2007 15:55 | 2.182 | 7.46 |
| 7/2/2007 16:00 | 2.182 | 7.46 |
| 7/2/2007 16:05 | 2.182 | 7.46 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 16:10 | 2.182 | 7.46 |
| 7/2/2007 16:15 | 2.181 | 7.46 |
| 7/2/2007 16:20 | 2.181 | 7.46 |
| 7/2/2007 16:25 | 2.181 | 7.46 |
| 7/2/2007 16:30 | 2.181 | 7.46 |
| 7/2/2007 16:35 | 2.182 | 7.46 |
| 7/2/2007 16:40 | 2.18 | 7.46 |
| 7/2/2007 16:45 | 2.18 | 7.46 |
| 7/2/2007 16:50 | 2.18 | 7.46 |
| 7/2/2007 16:55 | 2.179 | 7.46 |
| 7/2/2007 17:00 | 2.18 | 7.46 |
| 7/2/2007 17:05 | 2.179 | 7.46 |
| 7/2/2007 17:10 | 2.179 | 7.46 |
| 7/2/2007 17:15 | 2.18 | 7.46 |
| 7/2/2007 17:20 | 2.179 | 7.46 |
| 7/2/2007 17:25 | 2.179 | 7.46 |
| 7/2/2007 17:30 | 2.179 | 7.46 |
| 7/2/2007 17:35 | 2.179 | 7.46 |
| 7/2/2007 17:40 | 2.179 | 7.46 |
| 7/2/2007 17:45 | 2.179 | 7.46 |
| 7/2/2007 17:50 | 2.179 | 7.46 |
| 7/2/2007 17:55 | 2.179 | 7.46 |
| 7/2/2007 18:00 | 2.179 | 7.46 |
| 7/2/2007 18:05 | 2.178 | 7.46 |
| 7/2/2007 18:10 | 2.179 | 7.46 |
| 7/2/2007 18:15 | 2.179 | 7.46 |
| 7/2/2007 18:20 | 2.179 | 7.46 |
| 7/2/2007 18:25 | 2.178 | 7.46 |
| 7/2/2007 18:30 | 2.179 | 7.46 |
| 7/2/2007 18:35 | 2.179 | 7.46 |
| 7/2/2007 18:40 | 2.179 | 7.46 |
| 7/2/2007 18:45 | 2.179 | 7.46 |
| 7/2/2007 18:50 | 2.178 | 7.46 |
| 7/2/2007 18:55 | 2.178 | 7.46 |
| 7/2/2007 19:00 | 2.179 | 7.46 |
| 7/2/2007 19:05 | 2.179 | 7.46 |
| 7/2/2007 19:10 | 2.18 | 7.46 |
| 7/2/2007 19:15 | 2.18 | 7.46 |
| 7/2/2007 19:20 | 2.18 | 7.46 |
| 7/2/2007 19:25 | 2.18 | 7.46 |
| 7/2/2007 19:30 | 2.18 | 7.46 |
| 7/2/2007 19:35 | 2.18 | 7.46 |
| 7/2/2007 19:40 | 2.181 | 7.46 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 19:45 | 2.18 | 7.46 |
| 7/2/2007 19:50 | 2.18 | 7.46 |
| 7/2/2007 19:55 | 2.181 | 7.46 |
| 7/2/2007 20:00 | 2.181 | 7.46 |
| 7/2/2007 20:05 | 2.181 | 7.46 |
| 7/2/2007 20:10 | 2.181 | 7.46 |
| 7/2/2007 20:15 | 2.181 | 7.46 |
| 7/2/2007 20:20 | 2.181 | 7.46 |
| 7/2/2007 20:25 | 2.18 | 7.46 |
| 7/2/2007 20:30 | 2.18 | 7.46 |
| 7/2/2007 20:35 | 2.179 | 7.46 |
| 7/2/2007 20:40 | 2.179 | 7.46 |
| 7/2/2007 20:45 | 2.179 | 7.46 |
| 7/2/2007 20:50 | 2.179 | 7.46 |
| 7/2/2007 20:55 | 2.178 | 7.46 |
| 7/2/2007 21:00 | 2.179 | 7.46 |
| 7/2/2007 21:05 | 2.179 | 7.46 |
| 7/2/2007 21:10 | 2.179 | 7.46 |
| 7/2/2007 21:15 | 2.179 | 7.46 |
| 7/2/2007 21:20 | 2.179 | 7.46 |
| 7/2/2007 21:25 | 2.179 | 7.46 |
| 7/2/2007 21:30 | 2.179 | 7.46 |
| 7/2/2007 21:35 | 2.18 | 7.46 |
| 7/2/2007 21:40 | 2.18 | 7.46 |
| 7/2/2007 21:45 | 2.182 | 7.46 |
| 7/2/2007 21:50 | 2.18 | 7.46 |
| 7/2/2007 21:55 | 2.18 | 7.46 |
| 7/2/2007 22:00 | 2.181 | 7.46 |
| 7/2/2007 22:05 | 2.181 | 7.46 |
| 7/2/2007 22:10 | 2.181 | 7.46 |
| 7/2/2007 22:15 | 2.18 | 7.46 |
| 7/2/2007 22:20 | 2.18 | 7.46 |
| 7/2/2007 22:25 | 2.18 | 7.46 |
| 7/2/2007 22:30 | 2.18 | 7.46 |
| 7/2/2007 22:35 | 2.179 | 7.46 |
| 7/2/2007 22:40 | 2.178 | 7.46 |
| 7/2/2007 22:45 | 2.178 | 7.46 |
| 7/2/2007 22:50 | 2.178 | 7.46 |
| 7/2/2007 22:55 | 2.178 | 7.46 |
| 7/2/2007 23:00 | 2.178 | 7.46 |
| 7/2/2007 23:05 | 2.177 | 7.46 |
| 7/2/2007 23:10 | 2.177 | 7.46 |
| 7/2/2007 23:15 | 2.177 | 7.46 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 23:20 | 2.177 | 7.46 |
| 7/2/2007 23:25 | 2.177 | 7.46 |
| 7/2/2007 23:30 | 2.176 | 7.46 |
| 7/2/2007 23:35 | 2.176 | 7.46 |
| 7/2/2007 23:40 | 2.176 | 7.46 |
| 7/2/2007 23:45 | 2.176 | 7.46 |
| 7/2/2007 23:50 | 2.176 | 7.46 |
| 7/2/2007 23:55 | 2.176 | 7.46 |
| 7/3/2007 0:00 | 2.178 | 7.46 |
| 7/3/2007 0:05 | 2.178 | 7.46 |
| 7/3/2007 0:10 | 2.177 | 7.46 |
| 7/3/2007 0:15 | 2.177 | 7.46 |
| 7/3/2007 0:20 | 2.177 | 7.46 |
| 7/3/2007 0:25 | 2.177 | 7.46 |
| 7/3/2007 0:30 | 2.177 | 7.46 |
| 7/3/2007 0:35 | 2.177 | 7.46 |
| 7/3/2007 0:40 | 2.177 | 7.46 |
| 7/3/2007 0:45 | 2.177 | 7.46 |
| 7/3/2007 0:50 | 2.177 | 7.46 |
| 7/3/2007 0:55 | 2.177 | 7.46 |
| 7/3/2007 1:00 | 2.177 | 7.46 |
| 7/3/2007 1:05 | 2.177 | 7.46 |
| 7/3/2007 1:10 | 2.176 | 7.46 |
| 7/3/2007 1:15 | 2.178 | 7.46 |
| 7/3/2007 1:20 | 2.177 | 7.46 |
| 7/3/2007 1:25 | 2.177 | 7.46 |
| 7/3/2007 1:30 | 2.177 | 7.46 |
| 7/3/2007 1:35 | 2.176 | 7.46 |
| 7/3/2007 1:40 | 2.177 | 7.46 |
| 7/3/2007 1:45 | 2.177 | 7.46 |
| 7/3/2007 1:50 | 2.177 | 7.46 |
| 7/3/2007 1:55 | 2.177 | 7.46 |
| 7/3/2007 2:00 | 2.176 | 7.46 |
| 7/3/2007 2:05 | 2.176 | 7.46 |
| 7/3/2007 2:10 | 2.176 | 7.46 |
| 7/3/2007 2:15 | 2.176 | 7.46 |
| 7/3/2007 2:20 | 2.175 | 7.46 |
| 7/3/2007 2:25 | 2.175 | 7.46 |
| 7/3/2007 2:30 | 2.185 | 7.46 |
| 7/3/2007 2:35 | 2.185 | 7.46 |
| 7/3/2007 2:40 | 2.183 | 7.46 |
| 7/3/2007 2:45 | 2.181 | 7.46 |
| 7/3/2007 2:50 | 2.18 | 7.46 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 2:55 | 2.179 | 7.46 |
| 7/3/2007 3:00 | 2.178 | 7.46 |
| 7/3/2007 3:05 | 2.177 | 7.46 |
| 7/3/2007 3:10 | 2.176 | 7.46 |
| 7/3/2007 3:15 | 2.176 | 7.46 |
| 7/3/2007 3:20 | 2.175 | 7.46 |
| 7/3/2007 3:25 | 2.175 | 7.46 |
| 7/3/2007 3:30 | 2.175 | 7.46 |
| 7/3/2007 3:35 | 2.175 | 7.46 |
| 7/3/2007 3:40 | 2.174 | 7.46 |
| 7/3/2007 3:45 | 2.174 | 7.46 |
| 7/3/2007 3:50 | 2.175 | 7.46 |
| 7/3/2007 3:55 | 2.175 | 7.46 |
| 7/3/2007 4:00 | 2.175 | 7.46 |
| 7/3/2007 4:05 | 2.174 | 7.46 |
| 7/3/2007 4:10 | 2.174 | 7.46 |
| 7/3/2007 4:15 | 2.174 | 7.46 |
| 7/3/2007 4:20 | 2.174 | 7.46 |
| 7/3/2007 4:25 | 2.173 | 7.46 |
| 7/3/2007 4:30 | 2.174 | 7.46 |
| 7/3/2007 4:35 | 2.174 | 7.46 |
| 7/3/2007 4:40 | 2.173 | 5.74 |
| 7/3/2007 4:45 | 2.173 | 5.74 |
| 7/3/2007 4:50 | 2.173 | 5.74 |
| 7/3/2007 4:55 | 2.173 | 5.74 |
| 7/3/2007 5:00 | 2.173 | 5.74 |
| 7/3/2007 5:05 | 2.173 | 5.74 |
| 7/3/2007 5:10 | 2.173 | 5.74 |
| 7/3/2007 5:15 | 2.172 | 5.74 |
| 7/3/2007 5:20 | 2.172 | 5.74 |
| 7/3/2007 5:25 | 2.172 | 5.74 |
| 7/3/2007 5:30 | 2.172 | 5.74 |
| 7/3/2007 5:35 | 2.172 | 5.74 |
| 7/3/2007 5:40 | 2.172 | 5.74 |
| 7/3/2007 5:45 | 2.172 | 5.74 |
| 7/3/2007 5:50 | 2.172 | 5.74 |
| 7/3/2007 5:55 | 2.172 | 5.74 |
| 7/3/2007 6:00 | 2.171 | 5.74 |
| 7/3/2007 6:05 | 2.171 | 5.74 |
| 7/3/2007 6:10 | 2.171 | 8.19 |
| 7/3/2007 6:15 | 2.171 | 8.19 |
| 7/3/2007 6:20 | 2.171 | 7.03 |
| 7/3/2007 6:25 | 2.171 | 7.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 6:30 | 2.171 | 7.36 |
| 7/3/2007 6:35 | 2.171 | 7.36 |
| 7/3/2007 6:40 | 2.171 | 7.36 |
| 7/3/2007 6:45 | 2.171 | 7.36 |
| 7/3/2007 6:50 | 2.171 | 7.36 |
| 7/3/2007 6:55 | 2.171 | 7.36 |
| 7/3/2007 7:00 | 2.171 | 7.36 |
| 7/3/2007 7:05 | 2.17 | 7.36 |
| 7/3/2007 7:10 | 2.17 | 7.36 |
| 7/3/2007 7:15 | 2.17 | 7.36 |
| 7/3/2007 7:20 | 2.169 | 7.36 |
| 7/3/2007 7:25 | 2.169 | 7.36 |
| 7/3/2007 7:30 | 2.169 | 7.36 |
| 7/3/2007 7:35 | 2.169 | 7.36 |
| 7/3/2007 7:40 | 2.168 | 7.36 |
| 7/3/2007 7:45 | 2.168 | 7.36 |
| 7/3/2007 7:50 | 2.168 | 7.36 |
| 7/3/2007 7:55 | 2.168 | 7.36 |
| 7/3/2007 8:00 | 2.168 | 7.36 |
| 7/3/2007 8:05 | 2.167 | 7.36 |
| 7/3/2007 8:10 | 2.168 | 7.36 |
| 7/3/2007 8:15 | 2.167 | 7.36 |
| 7/3/2007 8:20 | 2.167 | 7.36 |
| 7/3/2007 8:25 | 2.166 | 7.36 |
| 7/3/2007 8:30 | 2.166 | 7.36 |
| 7/3/2007 8:35 | 2.167 | 7.36 |
| 7/3/2007 8:40 | 2.167 | 7.36 |
| 7/3/2007 8:45 | 2.167 | 7.36 |
| 7/3/2007 8:50 | 2.166 | 7.36 |
| 7/3/2007 8:55 | 2.166 | 7.36 |
| 7/3/2007 9:00 | 2.166 | 7.36 |
| 7/3/2007 9:05 | 2.166 | 7.36 |
| 7/3/2007 9:10 | 2.166 | 7.36 |
| 7/3/2007 9:15 | 2.167 | 7.36 |
| 7/3/2007 9:20 | 2.166 | 7.36 |
| 7/3/2007 9:25 | 2.166 | 7.36 |
| 7/3/2007 9:30 | 2.166 | 7.36 |
| 7/3/2007 9:35 | 2.166 | 7.36 |
| 7/3/2007 9:40 | 2.166 | 7.36 |
| 7/3/2007 9:45 | 2.166 | 7.36 |
| 7/3/2007 9:50 | 2.165 | 7.36 |
| 7/3/2007 9:55 | 2.165 | 7.36 |
| 7/3/2007 10:00 | 2.164 | 7.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 10:05 | 2.165 | 7.36 |
| 7/3/2007 10:10 | 2.164 | 7.36 |
| 7/3/2007 10:15 | 2.164 | 7.36 |
| 7/3/2007 10:20 | 2.164 | 7.36 |
| 7/3/2007 10:25 | 2.165 | 7.36 |
| 7/3/2007 10:30 | 2.164 | 7.36 |
| 7/3/2007 10:35 | 2.163 | 7.36 |
| 7/3/2007 10:40 | 2.164 | 7.36 |
| 7/3/2007 10:45 | 2.164 | 7.36 |
| 7/3/2007 10:50 | 2.163 | 7.36 |
| 7/3/2007 10:55 | 2.162 | 7.36 |
| 7/3/2007 11:00 | 2.163 | 7.36 |
| 7/3/2007 11:05 | 2.163 | 7.36 |
| 7/3/2007 11:10 | 2.162 | 7.36 |
| 7/3/2007 11:15 | 2.162 | 7.36 |
| 7/3/2007 11:20 | 2.162 | 7.36 |
| 7/3/2007 11:25 | 2.163 | 7.36 |
| 7/3/2007 11:30 | 2.161 | 7.36 |
| 7/3/2007 11:35 | 2.161 | 7.36 |
| 7/3/2007 11:40 | 2.161 | 7.36 |
| 7/3/2007 11:45 | 2.161 | 7.36 |
| 7/3/2007 11:50 | 2.16 | 7.36 |
| 7/3/2007 11:55 | 2.16 | 7.36 |
| 7/3/2007 12:00 | 2.159 | 7.36 |
| 7/3/2007 12:05 | 2.159 | 7.36 |
| 7/3/2007 12:10 | 2.159 | 7.36 |
| 7/3/2007 12:15 | 2.159 | 7.36 |
| 7/3/2007 12:20 | 2.159 | 7.36 |
| 7/3/2007 12:25 | 2.158 | 7.36 |
| 7/3/2007 12:30 | 2.158 | 7.36 |
| 7/3/2007 12:35 | 2.158 | 7.36 |
| 7/3/2007 12:40 | 2.158 | 7.36 |
| 7/3/2007 12:45 | 2.157 | 7.36 |
| 7/3/2007 12:50 | 2.157 | 7.36 |
| 7/3/2007 12:55 | 2.157 | 7.36 |
| 7/3/2007 13:00 | 2.157 | 7.36 |
| 7/3/2007 13:05 | 2.156 | 7.36 |
| 7/3/2007 13:10 | 2.156 | 7.36 |
| 7/3/2007 13:15 | 2.156 | 7.36 |
| 7/3/2007 13:20 | 2.155 | 7.36 |
| 7/3/2007 13:25 | 2.155 | 7.36 |
| 7/3/2007 13:30 | 2.155 | 7.36 |
| 7/3/2007 13:35 | 2.155 | 7.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 13:40 | 2.154 | 7.36 |
| 7/3/2007 13:45 | 2.154 | 7.36 |
| 7/3/2007 13:50 | 2.154 | 7.36 |
| 7/3/2007 13:55 | 2.154 | 7.36 |
| 7/3/2007 14:00 | 2.151 | 7.36 |
| 7/3/2007 14:05 | 2.167 | 7.36 |
| 7/3/2007 14:10 | 2.159 | 7.36 |
| 7/3/2007 14:15 | 2.158 | 7.36 |
| 7/3/2007 14:20 | 2.158 | 7.36 |
| 7/3/2007 14:25 | 2.157 | 7.36 |
| 7/3/2007 14:30 | 2.157 | 7.36 |
| 7/3/2007 14:35 | 2.157 | 7.36 |
| 7/3/2007 14:40 | 2.157 | 7.36 |
| 7/3/2007 14:45 | 2.156 | 7.36 |
| 7/3/2007 14:50 | 2.156 | 7.36 |
| 7/3/2007 14:55 | 2.156 | 7.36 |
| 7/3/2007 15:00 | 2.157 | 7.36 |
| 7/3/2007 15:05 | 2.157 | 7.36 |
| 7/3/2007 15:10 | 2.157 | 7.36 |
| 7/3/2007 15:15 | 2.156 | 7.36 |
| 7/3/2007 15:20 | 2.156 | 7.36 |
| 7/3/2007 15:25 | 2.156 | 7.36 |
| 7/3/2007 15:30 | 2.156 | 7.36 |
| 7/3/2007 15:35 | 2.155 | 7.36 |
| 7/3/2007 15:40 | 2.154 | 7.36 |
| 7/3/2007 15:45 | 2.153 | 7.36 |
| 7/3/2007 15:50 | 2.152 | 7.36 |
| 7/3/2007 15:55 | 2.153 | 7.36 |
| 7/3/2007 16:00 | 2.152 | 7.36 |
| 7/3/2007 16:05 | 2.153 | 7.36 |
| 7/3/2007 16:10 | 2.153 | 7.36 |
| 7/3/2007 16:15 | 2.153 | 7.36 |
| 7/3/2007 16:20 | 2.152 | 7.36 |
| 7/3/2007 16:25 | 2.153 | 7.36 |
| 7/3/2007 16:30 | 2.152 | 7.36 |
| 7/3/2007 16:35 | 2.152 | 7.36 |
| 7/3/2007 16:40 | 2.152 | 7.36 |
| 7/3/2007 16:45 | 2.152 | 7.36 |
| 7/3/2007 16:50 | 2.152 | 7.36 |
| 7/3/2007 16:55 | 2.151 | 7.36 |
| 7/3/2007 17:00 | 2.152 | 7.36 |
| 7/3/2007 17:05 | 2.151 | 7.36 |
| 7/3/2007 17:10 | 2.152 | 7.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 17:15 | 2.152 | 7.36 |
| 7/3/2007 17:20 | 2.151 | 7.36 |
| 7/3/2007 17:25 | 2.151 | 7.36 |
| 7/3/2007 17:30 | 2.152 | 7.36 |
| 7/3/2007 17:35 | 2.152 | 7.36 |
| 7/3/2007 17:40 | 2.151 | 7.36 |
| 7/3/2007 17:45 | 2.151 | 7.36 |
| 7/3/2007 17:50 | 2.151 | 7.36 |
| 7/3/2007 17:55 | 2.151 | 7.36 |
| 7/3/2007 18:00 | 2.151 | 7.36 |
| 7/3/2007 18:05 | 2.151 | 7.36 |
| 7/3/2007 18:10 | 2.151 | 7.36 |
| 7/3/2007 18:15 | 2.151 | 7.36 |
| 7/3/2007 18:20 | 2.151 | 7.36 |
| 7/3/2007 18:25 | 2.151 | 7.36 |
| 7/3/2007 18:30 | 2.152 | 7.36 |
| 7/3/2007 18:35 | 2.151 | 7.36 |
| 7/3/2007 18:40 | 2.15 | 7.36 |
| 7/3/2007 18:45 | 2.15 | 7.36 |
| 7/3/2007 18:50 | 2.15 | 7.36 |
| 7/3/2007 18:55 | 2.151 | 7.36 |
| 7/3/2007 19:00 | 2.151 | 7.36 |
| 7/3/2007 19:05 | 2.151 | 7.36 |
| 7/3/2007 19:10 | 2.151 | 7.36 |
| 7/3/2007 19:15 | 2.151 | 7.36 |
| 7/3/2007 19:20 | 2.151 | 7.36 |
| 7/3/2007 19:25 | 2.151 | 7.36 |
| 7/3/2007 19:30 | 2.151 | 7.36 |
| 7/3/2007 19:35 | 2.152 | 7.36 |
| 7/3/2007 19:40 | 2.147 | 7.36 |
| 7/3/2007 19:45 | 2.146 | 7.36 |
| 7/3/2007 19:50 | 2.148 | 7.36 |
| 7/3/2007 19:55 | 2.148 | 7.36 |
| 7/3/2007 20:00 | 2.149 | 7.36 |
| 7/3/2007 20:05 | 2.147 | 7.36 |
| 7/3/2007 20:10 | 2.147 | 7.36 |
| 7/3/2007 20:15 | 2.147 | 7.36 |
| 7/3/2007 20:20 | 2.147 | 7.36 |
| 7/3/2007 20:25 | 2.146 | 7.36 |
| 7/3/2007 20:30 | 2.143 | 7.36 |
| 7/3/2007 20:35 | 2.141 | 7.36 |
| 7/3/2007 20:40 | 2.143 | 7.36 |
| 7/3/2007 20:45 | 2.143 | 7.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 20:50 | 2.144 | 7.36 |
| 7/3/2007 20:55 | 2.145 | 7.36 |
| 7/3/2007 21:00 | 2.145 | 7.36 |
| 7/3/2007 21:05 | 2.146 | 7.36 |
| 7/3/2007 21:10 | 2.146 | 7.36 |
| 7/3/2007 21:15 | 2.146 | 7.36 |
| 7/3/2007 21:20 | 2.146 | 7.36 |
| 7/3/2007 21:25 | 2.146 | 7.36 |
| 7/3/2007 21:30 | 2.147 | 7.36 |
| 7/3/2007 21:35 | 2.147 | 7.36 |
| 7/3/2007 21:40 | 2.147 | 7.36 |
| 7/3/2007 21:45 | 2.147 | 7.36 |
| 7/3/2007 21:50 | 2.147 | 7.36 |
| 7/3/2007 21:55 | 2.147 | 7.36 |
| 7/3/2007 22:00 | 2.147 | 7.36 |
| 7/3/2007 22:05 | 2.147 | 7.36 |
| 7/3/2007 22:10 | 2.147 | 7.36 |
| 7/3/2007 22:15 | 2.147 | 7.36 |
| 7/3/2007 22:20 | 2.147 | 7.36 |
| 7/3/2007 22:25 | 2.147 | 7.36 |
| 7/3/2007 22:30 | 2.147 | 7.36 |
| 7/3/2007 22:35 | 2.147 | 7.36 |
| 7/3/2007 22:40 | 2.146 | 7.36 |
| 7/3/2007 22:45 | 2.147 | 7.36 |
| 7/3/2007 22:50 | 2.147 | 7.36 |
| 7/3/2007 22:55 | 2.147 | 7.36 |
| 7/3/2007 23:00 | 2.147 | 7.36 |
| 7/3/2007 23:05 | 2.147 | 7.36 |
| 7/3/2007 23:10 | 2.147 | 7.36 |
| 7/3/2007 23:15 | 2.147 | 7.36 |
| 7/3/2007 23:20 | 2.147 | 7.36 |
| 7/3/2007 23:25 | 2.147 | 7.36 |
| 7/3/2007 23:30 | 2.146 | 7.36 |
| 7/3/2007 23:35 | 2.146 | 7.36 |
| 7/3/2007 23:40 | 2.146 | 7.36 |
| 7/3/2007 23:45 | 2.146 | 7.36 |
| 7/3/2007 23:50 | 2.146 | 7.36 |
| 7/3/2007 23:55 | 2.147 | 7.36 |
| 7/4/2007 0:00 | 2.147 | 7.36 |
| 7/4/2007 0:05 | 2.147 | 7.36 |
| 7/4/2007 0:10 | 2.147 | 7.36 |
| 7/4/2007 0:15 | 2.147 | 7.36 |
| 7/4/2007 0:20 | 2.147 | 7.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 0:25 | 2.147 | 7.36 |
| 7/4/2007 0:30 | 2.147 | 7.36 |
| 7/4/2007 0:35 | 2.147 | 7.36 |
| 7/4/2007 0:40 | 2.147 | 7.36 |
| 7/4/2007 0:45 | 2.147 | 7.36 |
| 7/4/2007 0:50 | 2.149 | 7.36 |
| 7/4/2007 0:55 | 2.15 | 7.36 |
| 7/4/2007 1:00 | 2.149 | 7.36 |
| 7/4/2007 1:05 | 2.148 | 7.36 |
| 7/4/2007 1:10 | 2.147 | 7.36 |
| 7/4/2007 1:15 | 2.147 | 7.36 |
| 7/4/2007 1:20 | 2.148 | 7.36 |
| 7/4/2007 1:25 | 2.148 | 7.36 |
| 7/4/2007 1:30 | 2.146 | 7.36 |
| 7/4/2007 1:35 | 2.146 | 7.36 |
| 7/4/2007 1:40 | 2.146 | 7.36 |
| 7/4/2007 1:45 | 2.146 | 7.36 |
| 7/4/2007 1:50 | 2.146 | 7.36 |
| 7/4/2007 1:55 | 2.146 | 7.36 |
| 7/4/2007 2:00 | 2.146 | 7.36 |
| 7/4/2007 2:05 | 2.146 | 7.36 |
| 7/4/2007 2:10 | 2.146 | 7.36 |
| 7/4/2007 2:15 | 2.146 | 7.36 |
| 7/4/2007 2:20 | 2.143 | 7.36 |
| 7/4/2007 2:25 | 2.142 | 7.36 |
| 7/4/2007 2:30 | 2.142 | 7.36 |
| 7/4/2007 2:35 | 2.142 | 7.36 |
| 7/4/2007 2:40 | 2.142 | 7.36 |
| 7/4/2007 2:45 | 2.142 | 7.36 |
| 7/4/2007 2:50 | 2.142 | 7.36 |
| 7/4/2007 2:55 | 2.142 | 7.36 |
| 7/4/2007 3:00 | 2.142 | 7.36 |
| 7/4/2007 3:05 | 2.142 | 7.36 |
| 7/4/2007 3:10 | 2.142 | 7.36 |
| 7/4/2007 3:15 | 2.142 | 7.36 |
| 7/4/2007 3:20 | 2.142 | 7.36 |
| 7/4/2007 3:25 | 2.142 | 7.36 |
| 7/4/2007 3:30 | 2.142 | 7.36 |
| 7/4/2007 3:35 | 2.142 | 7.36 |
| 7/4/2007 3:40 | 2.14 | 7.36 |
| 7/4/2007 3:45 | 2.14 | 7.36 |
| 7/4/2007 3:50 | 2.14 | 7.36 |
| 7/4/2007 3:55 | 2.141 | 7.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 4:00 | 2.141 | 7.36 |
| 7/4/2007 4:05 | 2.141 | 7.36 |
| 7/4/2007 4:10 | 2.141 | 7.36 |
| 7/4/2007 4:15 | 2.141 | 7.36 |
| 7/4/2007 4:20 | 2.142 | 7.36 |
| 7/4/2007 4:25 | 2.141 | 7.36 |
| 7/4/2007 4:30 | 2.141 | 7.36 |
| 7/4/2007 4:35 | 2.141 | 7.36 |
| 7/4/2007 4:40 | 2.142 | 7.36 |
| 7/4/2007 4:45 | 2.141 | 7.36 |
| 7/4/2007 4:50 | 2.142 | 7.36 |
| 7/4/2007 4:55 | 2.141 | 7.36 |
| 7/4/2007 5:00 | 2.141 | 7.36 |
| 7/4/2007 5:05 | 2.141 | 7.36 |
| 7/4/2007 5:10 | 2.141 | 7.36 |
| 7/4/2007 5:15 | 2.141 | 7.36 |
| 7/4/2007 5:20 | 2.142 | 7.36 |
| 7/4/2007 5:25 | 2.141 | 7.36 |
| 7/4/2007 5:30 | 2.139 | 7.36 |
| 7/4/2007 5:35 | 2.139 | 7.36 |
| 7/4/2007 5:40 | 2.139 | 7.36 |
| 7/4/2007 5:45 | 2.138 | 7.36 |
| 7/4/2007 5:50 | 2.139 | 7.36 |
| 7/4/2007 5:55 | 2.139 | 7.36 |
| 7/4/2007 6:00 | 2.139 | 7.36 |
| 7/4/2007 6:05 | 2.139 | 7.36 |
| 7/4/2007 6:10 | 2.139 | 7.36 |
| 7/4/2007 6:15 | 2.139 | 7.36 |
| 7/4/2007 6:20 | 2.139 | 7.36 |
| 7/4/2007 6:25 | 2.139 | 7.36 |
| 7/4/2007 6:30 | 2.139 | 7.36 |
| 7/4/2007 6:35 | 2.139 | 7.36 |
| 7/4/2007 6:40 | 2.139 | 7.36 |
| 7/4/2007 6:45 | 2.139 | 7.36 |
| 7/4/2007 6:50 | 2.138 | 7.36 |
| 7/4/2007 6:55 | 2.138 | 7.36 |
| 7/4/2007 7:00 | 2.139 | 7.36 |
| 7/4/2007 7:05 | 2.139 | 7.36 |
| 7/4/2007 7:10 | 2.139 | 7.36 |
| 7/4/2007 7:15 | 2.139 | 7.36 |
| 7/4/2007 7:20 | 2.138 | 7.36 |
| 7/4/2007 7:25 | 2.138 | 7.36 |
| 7/4/2007 7:30 | 2.138 | 7.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 7:35 | 2.138 | 7.36 |
| 7/4/2007 7:40 | 2.138 | 7.36 |
| 7/4/2007 7:45 | 2.138 | 7.36 |
| 7/4/2007 7:50 | 2.138 | 7.36 |
| 7/4/2007 7:55 | 2.138 | 7.36 |
| 7/4/2007 8:00 | 2.139 | 7.36 |
| 7/4/2007 8:05 | 2.139 | 7.36 |
| 7/4/2007 8:10 | 2.139 | 7.36 |
| 7/4/2007 8:15 | 2.139 | 7.36 |
| 7/4/2007 8:20 | 2.139 | 7.36 |
| 7/4/2007 8:25 | 2.139 | 7.36 |
| 7/4/2007 8:30 | 2.14 | 7.36 |
| 7/4/2007 8:35 | 2.139 | 7.36 |
| 7/4/2007 8:40 | 2.14 | 7.36 |
| 7/4/2007 8:45 | 2.14 | 7.36 |
| 7/4/2007 8:50 | 2.14 | 7.36 |
| 7/4/2007 8:55 | 2.14 | 7.36 |
| 7/4/2007 9:00 | 2.14 | 7.36 |
| 7/4/2007 9:05 | 2.139 | 7.36 |
| 7/4/2007 9:10 | 2.14 | 7.36 |
| 7/4/2007 9:15 | 2.141 | 7.36 |
| 7/4/2007 9:20 | 2.141 | 7.36 |
| 7/4/2007 9:25 | 2.141 | 7.36 |
| 7/4/2007 9:30 | 2.141 | 7.36 |
| 7/4/2007 9:35 | 2.14 | 7.36 |
| 7/4/2007 9:40 | 2.141 | 7.36 |
| 7/4/2007 9:45 | 2.141 | 7.36 |
| 7/4/2007 9:50 | 2.14 | 7.36 |
| 7/4/2007 9:55 | 2.14 | 7.36 |
| 7/4/2007 10:00 | 2.142 | 7.36 |
| 7/4/2007 10:05 | 2.141 | 7.36 |
| 7/4/2007 10:10 | 2.14 | 7.36 |
| 7/4/2007 10:15 | 2.141 | 7.36 |
| 7/4/2007 10:20 | 2.141 | 7.36 |
| 7/4/2007 10:25 | 2.14 | 7.36 |
| 7/4/2007 10:30 | 2.14 | 7.36 |
| 7/4/2007 10:35 | 2.14 | 7.36 |
| 7/4/2007 10:40 | 2.141 | 7.36 |
| 7/4/2007 10:45 | 2.14 | 7.36 |
| 7/4/2007 10:50 | 2.141 | 7.36 |
| 7/4/2007 10:55 | 2.14 | 7.36 |
| 7/4/2007 11:00 | 2.14 | 7.36 |
| 7/4/2007 11:05 | 2.141 | 7.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 11:10 | 2.14 | 7.36 |
| 7/4/2007 11:15 | 2.14 | 7.36 |
| 7/4/2007 11:20 | 2.14 | 7.36 |
| 7/4/2007 11:25 | 2.141 | 7.36 |
| 7/4/2007 11:30 | 2.14 | 7.36 |
| 7/4/2007 11:35 | 2.141 | 7.36 |
| 7/4/2007 11:40 | 2.14 | 7.36 |
| 7/4/2007 11:45 | 2.14 | 7.36 |
| 7/4/2007 11:50 | 2.14 | 7.36 |
| 7/4/2007 11:55 | 2.14 | 7.36 |
| 7/4/2007 12:00 | 2.14 | 7.36 |
| 7/4/2007 12:05 | 2.14 | 7.36 |
| 7/4/2007 12:10 | 2.139 | 7.36 |
| 7/4/2007 12:15 | 2.139 | 7.36 |
| 7/4/2007 12:20 | 2.139 | 7.36 |
| 7/4/2007 12:25 | 2.14 | 7.36 |
| 7/4/2007 12:30 | 2.14 | 7.36 |
| 7/4/2007 12:35 | 2.139 | 7.36 |
| 7/4/2007 12:40 | 2.14 | 1.13 |
| 7/4/2007 12:45 | 2.139 | 1.17 |
| 7/4/2007 12:50 | 2.14 | 1.28 |
| 7/4/2007 12:55 | 2.139 | 1.18 |
| 7/4/2007 13:00 | 2.14 | 1.24 |
| 7/4/2007 13:05 | 2.14 | 1.24 |
| 7/4/2007 13:10 | 2.14 | 1.24 |
| 7/4/2007 13:15 | 2.14 | 1.24 |
| 7/4/2007 13:20 | 2.14 | 1.24 |
| 7/4/2007 13:25 | 2.14 | 1.24 |
| 7/4/2007 13:30 | 2.141 | 1.24 |
| 7/4/2007 13:35 | 2.141 | 1.24 |
| 7/4/2007 13:40 | 2.141 | 1.24 |
| 7/4/2007 13:45 | 2.141 | 1.24 |
| 7/4/2007 13:50 | 2.142 | 1.24 |
| 7/4/2007 13:55 | 2.141 | 1.24 |
| 7/4/2007 14:00 | 2.142 | 1.24 |
| 7/4/2007 14:05 | 2.142 | 1.24 |
| 7/4/2007 14:10 | 2.143 | 1.24 |
| 7/4/2007 14:15 | 2.144 | 1.24 |
| 7/4/2007 14:20 | 2.143 | 1.24 |
| 7/4/2007 14:25 | 2.144 | 1.24 |
| 7/4/2007 14:30 | 2.144 | 1.24 |
| 7/4/2007 14:35 | 2.144 | 1.24 |
| 7/4/2007 14:40 | 2.144 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 14:45 | 2.145 | 1.24 |
| 7/4/2007 14:50 | 2.145 | 1.24 |
| 7/4/2007 14:55 | 2.146 | 1.24 |
| 7/4/2007 15:00 | 2.146 | 1.24 |
| 7/4/2007 15:05 | 2.147 | 1.24 |
| 7/4/2007 15:10 | 2.147 | 1.24 |
| 7/4/2007 15:15 | 2.148 | 1.24 |
| 7/4/2007 15:20 | 2.149 | 1.24 |
| 7/4/2007 15:25 | 2.148 | 1.24 |
| 7/4/2007 15:30 | 2.149 | 1.24 |
| 7/4/2007 15:35 | 2.149 | 1.24 |
| 7/4/2007 15:40 | 2.15 | 1.24 |
| 7/4/2007 15:45 | 2.15 | 1.24 |
| 7/4/2007 15:50 | 2.15 | 1.24 |
| 7/4/2007 15:55 | 2.15 | 1.24 |
| 7/4/2007 16:00 | 2.15 | 1.24 |
| 7/4/2007 16:05 | 2.149 | 1.24 |
| 7/4/2007 16:10 | 2.149 | 1.24 |
| 7/4/2007 16:15 | 2.149 | 1.24 |
| 7/4/2007 16:20 | 2.149 | 1.24 |
| 7/4/2007 16:25 | 2.149 | 1.24 |
| 7/4/2007 16:30 | 2.15 | 1.24 |
| 7/4/2007 16:35 | 2.151 | 1.24 |
| 7/4/2007 16:40 | 2.153 | 1.24 |
| 7/4/2007 16:45 | 2.155 | 1.24 |
| 7/4/2007 16:50 | 2.164 | 1.24 |
| 7/4/2007 16:55 | 2.194 | 1.24 |
| 7/4/2007 17:00 | 2.232 | 1.24 |
| 7/4/2007 17:05 | 2.275 | 1.24 |
| 7/4/2007 17:10 | 2.32 | 1.24 |
| 7/4/2007 17:15 | 2.363 | 1.24 |
| 7/4/2007 17:20 | 2.39 | 1.24 |
| 7/4/2007 17:25 | 2.402 | 1.24 |
| 7/4/2007 17:30 | 2.404 | 1.24 |
| 7/4/2007 17:35 | 2.406 | 1.24 |
| 7/4/2007 17:40 | 2.401 | 1.24 |
| 7/4/2007 17:45 | 2.391 | 1.24 |
| 7/4/2007 17:50 | 2.38 | 1.24 |
| 7/4/2007 17:55 | 2.367 | 1.24 |
| 7/4/2007 18:00 | 2.353 | 1.24 |
| 7/4/2007 18:05 | 2.34 | 1.24 |
| 7/4/2007 18:10 | 2.328 | 1.24 |
| 7/4/2007 18:15 | 2.317 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 18:20 | 2.306 | 1.24 |
| 7/4/2007 18:25 | 2.298 | 1.24 |
| 7/4/2007 18:30 | 2.29 | 1.24 |
| 7/4/2007 18:35 | 2.283 | 1.24 |
| 7/4/2007 18:40 | 2.277 | 1.24 |
| 7/4/2007 18:45 | 2.271 | 1.24 |
| 7/4/2007 18:50 | 2.267 | 1.24 |
| 7/4/2007 18:55 | 2.264 | 1.24 |
| 7/4/2007 19:00 | 2.262 | 1.24 |
| 7/4/2007 19:05 | 2.26 | 1.24 |
| 7/4/2007 19:10 | 2.259 | 1.24 |
| 7/4/2007 19:15 | 2.263 | 1.24 |
| 7/4/2007 19:20 | 2.269 | 1.24 |
| 7/4/2007 19:25 | 2.275 | 1.24 |
| 7/4/2007 19:30 | 2.279 | 1.24 |
| 7/4/2007 19:35 | 2.284 | 1.24 |
| 7/4/2007 19:40 | 2.289 | 1.24 |
| 7/4/2007 19:45 | 2.292 | 1.24 |
| 7/4/2007 19:50 | 2.293 | 1.24 |
| 7/4/2007 19:55 | 2.291 | 1.24 |
| 7/4/2007 20:00 | 2.289 | 1.24 |
| 7/4/2007 20:05 | 2.286 | 1.24 |
| 7/4/2007 20:10 | 2.282 | 1.24 |
| 7/4/2007 20:15 | 2.28 | 1.24 |
| 7/4/2007 20:20 | 2.277 | 1.24 |
| 7/4/2007 20:25 | 2.274 | 1.24 |
| 7/4/2007 20:30 | 2.271 | 1.24 |
| 7/4/2007 20:35 | 2.27 | 1.24 |
| 7/4/2007 20:40 | 2.268 | 1.24 |
| 7/4/2007 20:45 | 2.267 | 1.24 |
| 7/4/2007 20:50 | 2.266 | 1.24 |
| 7/4/2007 20:55 | 2.265 | 1.24 |
| 7/4/2007 21:00 | 2.264 | 1.24 |
| 7/4/2007 21:05 | 2.264 | 1.24 |
| 7/4/2007 21:10 | 2.264 | 1.24 |
| 7/4/2007 21:15 | 2.264 | 1.24 |
| 7/4/2007 21:20 | 2.266 | 1.24 |
| 7/4/2007 21:25 | 2.27 | 1.24 |
| 7/4/2007 21:30 | 2.291 | 1.24 |
| 7/4/2007 21:35 | 2.366 | 1.24 |
| 7/4/2007 21:40 | 2.508 | 1.24 |
| 7/4/2007 21:45 | 2.555 | 1.24 |
| 7/4/2007 21:50 | 2.574 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 21:55 | 2.579 | 1.24 |
| 7/4/2007 22:00 | 2.568 | 1.24 |
| 7/4/2007 22:05 | 2.542 | 1.24 |
| 7/4/2007 22:10 | 2.511 | 1.24 |
| 7/4/2007 22:15 | 2.482 | 1.24 |
| 7/4/2007 22:20 | 2.455 | 1.24 |
| 7/4/2007 22:25 | 2.433 | 1.24 |
| 7/4/2007 22:30 | 2.417 | 1.24 |
| 7/4/2007 22:35 | 2.407 | 1.24 |
| 7/4/2007 22:40 | 2.398 | 1.24 |
| 7/4/2007 22:45 | 2.39 | 1.24 |
| 7/4/2007 22:50 | 2.385 | 1.24 |
| 7/4/2007 22:55 | 2.381 | 1.24 |
| 7/4/2007 23:00 | 2.375 | 1.24 |
| 7/4/2007 23:05 | 2.373 | 1.24 |
| 7/4/2007 23:10 | 2.371 | 1.24 |
| 7/4/2007 23:15 | 2.369 | 1.24 |
| 7/4/2007 23:20 | 2.368 | 1.24 |
| 7/4/2007 23:25 | 2.37 | 1.24 |
| 7/4/2007 23:30 | 2.371 | 1.24 |
| 7/4/2007 23:35 | 2.372 | 1.24 |
| 7/4/2007 23:40 | 2.373 | 1.24 |
| 7/4/2007 23:45 | 2.374 | 1.24 |
| 7/4/2007 23:50 | 2.377 | 1.24 |
| 7/4/2007 23:55 | 2.388 | 1.24 |
| 7/5/2007 0:00 | 2.41 | 1.24 |
| 7/5/2007 0:05 | 2.46 | 1.24 |
| 7/5/2007 0:10 | 2.517 | 1.24 |
| 7/5/2007 0:15 | 2.549 | 1.24 |
| 7/5/2007 0:20 | 2.552 | 1.24 |
| 7/5/2007 0:25 | 2.538 | 1.24 |
| 7/5/2007 0:30 | 2.518 | 1.24 |
| 7/5/2007 0:35 | 2.498 | 1.24 |
| 7/5/2007 0:40 | 2.48 | 1.24 |
| 7/5/2007 0:45 | 2.466 | 1.24 |
| 7/5/2007 0:50 | 2.456 | 1.24 |
| 7/5/2007 0:55 | 2.449 | 1.24 |
| 7/5/2007 1:00 | 2.444 | 1.24 |
| 7/5/2007 1:05 | 2.439 | 1.24 |
| 7/5/2007 1:10 | 2.433 | 1.24 |
| 7/5/2007 1:15 | 2.429 | 1.24 |
| 7/5/2007 1:20 | 2.425 | 1.24 |
| 7/5/2007 1:25 | 2.422 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 1:30 | 2.418 | 1.24 |
| 7/5/2007 1:35 | 2.416 | 1.24 |
| 7/5/2007 1:40 | 2.415 | 1.24 |
| 7/5/2007 1:45 | 2.413 | 1.24 |
| 7/5/2007 1:50 | 2.411 | 1.24 |
| 7/5/2007 1:55 | 2.41 | 1.24 |
| 7/5/2007 2:00 | 2.408 | 1.24 |
| 7/5/2007 2:05 | 2.406 | 1.24 |
| 7/5/2007 2:10 | 2.406 | 1.24 |
| 7/5/2007 2:15 | 2.404 | 1.24 |
| 7/5/2007 2:20 | 2.404 | 1.24 |
| 7/5/2007 2:25 | 2.403 | 1.24 |
| 7/5/2007 2:30 | 2.403 | 1.24 |
| 7/5/2007 2:35 | 2.402 | 1.24 |
| 7/5/2007 2:40 | 2.401 | 1.24 |
| 7/5/2007 2:45 | 2.401 | 1.24 |
| 7/5/2007 2:50 | 2.401 | 1.24 |
| 7/5/2007 2:55 | 2.399 | 1.24 |
| 7/5/2007 3:00 | 2.399 | 1.24 |
| 7/5/2007 3:05 | 2.397 | 1.24 |
| 7/5/2007 3:10 | 2.396 | 1.24 |
| 7/5/2007 3:15 | 2.396 | 1.24 |
| 7/5/2007 3:20 | 2.397 | 1.24 |
| 7/5/2007 3:25 | 2.396 | 1.24 |
| 7/5/2007 3:30 | 2.395 | 1.24 |
| 7/5/2007 3:35 | 2.394 | 1.24 |
| 7/5/2007 3:40 | 2.393 | 1.24 |
| 7/5/2007 3:45 | 2.394 | 1.24 |
| 7/5/2007 3:50 | 2.391 | 1.24 |
| 7/5/2007 3:55 | 2.39 | 1.24 |
| 7/5/2007 4:00 | 2.389 | 1.24 |
| 7/5/2007 4:05 | 2.388 | 1.24 |
| 7/5/2007 4:10 | 2.386 | 1.24 |
| 7/5/2007 4:15 | 2.385 | 1.24 |
| 7/5/2007 4:20 | 2.385 | 1.24 |
| 7/5/2007 4:25 | 2.383 | 1.24 |
| 7/5/2007 4:30 | 2.382 | 1.24 |
| 7/5/2007 4:35 | 2.381 | 1.24 |
| 7/5/2007 4:40 | 2.38 | 1.24 |
| 7/5/2007 4:45 | 2.379 | 1.24 |
| 7/5/2007 4:50 | 2.378 | 1.24 |
| 7/5/2007 4:55 | 2.377 | 1.24 |
| 7/5/2007 5:00 | 2.375 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 5:05 | 2.374 | 1.24 |
| 7/5/2007 5:10 | 2.372 | 1.24 |
| 7/5/2007 5:15 | 2.371 | 1.24 |
| 7/5/2007 5:20 | 2.371 | 1.24 |
| 7/5/2007 5:25 | 2.37 | 1.24 |
| 7/5/2007 5:30 | 2.368 | 1.24 |
| 7/5/2007 5:35 | 2.366 | 1.24 |
| 7/5/2007 5:40 | 2.365 | 1.24 |
| 7/5/2007 5:45 | 2.364 | 1.24 |
| 7/5/2007 5:50 | 2.363 | 1.24 |
| 7/5/2007 5:55 | 2.362 | 1.24 |
| 7/5/2007 6:00 | 2.361 | 1.24 |
| 7/5/2007 6:05 | 2.36 | 1.24 |
| 7/5/2007 6:10 | 2.358 | 1.24 |
| 7/5/2007 6:15 | 2.357 | 1.24 |
| 7/5/2007 6:20 | 2.355 | 1.24 |
| 7/5/2007 6:25 | 2.354 | 1.24 |
| 7/5/2007 6:30 | 2.353 | 1.24 |
| 7/5/2007 6:35 | 2.352 | 1.24 |
| 7/5/2007 6:40 | 2.351 | 1.24 |
| 7/5/2007 6:45 | 2.351 | 1.24 |
| 7/5/2007 6:50 | 2.348 | 1.24 |
| 7/5/2007 6:55 | 2.347 | 1.24 |
| 7/5/2007 7:00 | 2.346 | 1.24 |
| 7/5/2007 7:05 | 2.345 | 1.24 |
| 7/5/2007 7:10 | 2.344 | 1.24 |
| 7/5/2007 7:15 | 2.343 | 1.24 |
| 7/5/2007 7:20 | 2.342 | 1.24 |
| 7/5/2007 7:25 | 2.341 | 1.24 |
| 7/5/2007 7:30 | 2.34 | 1.24 |
| 7/5/2007 7:35 | 2.34 | 1.24 |
| 7/5/2007 7:40 | 2.338 | 1.24 |
| 7/5/2007 7:45 | 2.337 | 1.24 |
| 7/5/2007 7:50 | 2.336 | 1.24 |
| 7/5/2007 7:55 | 2.334 | 1.24 |
| 7/5/2007 8:00 | 2.333 | 1.24 |
| 7/5/2007 8:05 | 2.332 | 1.24 |
| 7/5/2007 8:10 | 2.331 | 1.24 |
| 7/5/2007 8:15 | 2.331 | 1.24 |
| 7/5/2007 8:20 | 2.329 | 1.24 |
| 7/5/2007 8:25 | 2.329 | 1.24 |
| 7/5/2007 8:30 | 2.328 | 1.24 |
| 7/5/2007 8:35 | 2.327 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 8:40 | 2.326 | 1.24 |
| 7/5/2007 8:45 | 2.325 | 1.24 |
| 7/5/2007 8:50 | 2.325 | 1.24 |
| 7/5/2007 8:55 | 2.324 | 1.24 |
| 7/5/2007 9:00 | 2.323 | 1.24 |
| 7/5/2007 9:05 | 2.323 | 1.24 |
| 7/5/2007 9:10 | 2.322 | 1.24 |
| 7/5/2007 9:15 | 2.32 | 1.24 |
| 7/5/2007 9:20 | 2.319 | 1.24 |
| 7/5/2007 9:25 | 2.317 | 1.24 |
| 7/5/2007 9:30 | 2.318 | 1.24 |
| 7/5/2007 9:35 | 2.317 | 1.24 |
| 7/5/2007 9:40 | 2.316 | 1.24 |
| 7/5/2007 9:45 | 2.314 | 1.24 |
| 7/5/2007 9:50 | 2.316 | 1.24 |
| 7/5/2007 9:55 | 2.315 | 1.24 |
| 7/5/2007 10:00 | 2.314 | 1.24 |
| 7/5/2007 10:05 | 2.312 | 1.24 |
| 7/5/2007 10:10 | 2.312 | 1.24 |
| 7/5/2007 10:15 | 2.31 | 1.24 |
| 7/5/2007 10:20 | 2.31 | 1.24 |
| 7/5/2007 10:25 | 2.309 | 1.24 |
| 7/5/2007 10:30 | 2.308 | 1.24 |
| 7/5/2007 10:35 | 2.307 | 1.24 |
| 7/5/2007 10:40 | 2.306 | 1.24 |
| 7/5/2007 10:45 | 2.306 | 1.24 |
| 7/5/2007 10:50 | 2.306 | 1.24 |
| 7/5/2007 10:55 | 2.304 | 1.24 |
| 7/5/2007 11:00 | 2.304 | 1.24 |
| 7/5/2007 11:05 | 2.303 | 1.24 |
| 7/5/2007 11:10 | 2.302 | 1.24 |
| 7/5/2007 11:15 | 2.3 | 1.24 |
| 7/5/2007 11:20 | 2.301 | 1.24 |
| 7/5/2007 11:25 | 2.299 | 1.24 |
| 7/5/2007 11:30 | 2.3 | 1.24 |
| 7/5/2007 11:35 | 2.299 | 1.24 |
| 7/5/2007 11:40 | 2.298 | 1.24 |
| 7/5/2007 11:45 | 2.298 | 1.24 |
| 7/5/2007 11:50 | 2.296 | 1.24 |
| 7/5/2007 11:55 | 2.296 | 1.24 |
| 7/5/2007 12:00 | 2.295 | 1.24 |
| 7/5/2007 12:05 | 2.295 | 1.24 |
| 7/5/2007 12:10 | 2.294 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 12:15 | 2.294 | 1.24 |
| 7/5/2007 12:20 | 2.294 | 1.24 |
| 7/5/2007 12:25 | 2.292 | 1.24 |
| 7/5/2007 12:30 | 2.293 | 1.24 |
| 7/5/2007 12:35 | 2.291 | 1.24 |
| 7/5/2007 12:40 | 2.292 | 1.24 |
| 7/5/2007 12:45 | 2.29 | 1.24 |
| 7/5/2007 12:50 | 2.29 | 1.24 |
| 7/5/2007 12:55 | 2.289 | 1.24 |
| 7/5/2007 13:00 | 2.288 | 1.24 |
| 7/5/2007 13:05 | 2.288 | 1.24 |
| 7/5/2007 13:10 | 2.288 | 1.24 |
| 7/5/2007 13:15 | 2.286 | 1.24 |
| 7/5/2007 13:20 | 2.286 | 1.24 |
| 7/5/2007 13:25 | 2.285 | 1.24 |
| 7/5/2007 13:30 | 2.285 | 1.24 |
| 7/5/2007 13:35 | 2.284 | 1.24 |
| 7/5/2007 13:40 | 2.284 | 1.24 |
| 7/5/2007 13:45 | 2.283 | 1.24 |
| 7/5/2007 13:50 | 2.283 | 1.24 |
| 7/5/2007 13:55 | 2.282 | 1.24 |
| 7/5/2007 14:00 | 2.282 | 1.24 |
| 7/5/2007 14:05 | 2.281 | 1.24 |
| 7/5/2007 14:10 | 2.281 | 1.24 |
| 7/5/2007 14:15 | 2.28 | 1.24 |
| 7/5/2007 14:20 | 2.279 | 1.24 |
| 7/5/2007 14:25 | 2.281 | 1.24 |
| 7/5/2007 14:30 | 2.283 | 1.24 |
| 7/5/2007 14:35 | 2.3 | 1.24 |
| 7/5/2007 14:40 | 2.332 | 1.24 |
| 7/5/2007 14:45 | 2.366 | 1.24 |
| 7/5/2007 14:50 | 2.448 | 1.24 |
| 7/5/2007 14:55 | 2.515 | 1.24 |
| 7/5/2007 15:00 | 2.555 | 1.24 |
| 7/5/2007 15:05 | 2.571 | 1.24 |
| 7/5/2007 15:10 | 2.568 | 1.24 |
| 7/5/2007 15:15 | 2.548 | 1.24 |
| 7/5/2007 15:20 | 2.528 | 1.24 |
| 7/5/2007 15:25 | 2.506 | 1.24 |
| 7/5/2007 15:30 | 2.487 | 1.24 |
| 7/5/2007 15:35 | 2.469 | 1.24 |
| 7/5/2007 15:40 | 2.452 | 1.24 |
| 7/5/2007 15:45 | 2.44 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 15:50 | 2.43 | 1.24 |
| 7/5/2007 15:55 | 2.424 | 1.24 |
| 7/5/2007 16:00 | 2.418 | 1.24 |
| 7/5/2007 16:05 | 2.412 | 1.24 |
| 7/5/2007 16:10 | 2.408 | 1.24 |
| 7/5/2007 16:15 | 2.404 | 1.24 |
| 7/5/2007 16:20 | 2.402 | 1.24 |
| 7/5/2007 16:25 | 2.401 | 1.24 |
| 7/5/2007 16:30 | 2.4 | 1.24 |
| 7/5/2007 16:35 | 2.399 | 1.24 |
| 7/5/2007 16:40 | 2.4 | 1.24 |
| 7/5/2007 16:45 | 2.401 | 1.24 |
| 7/5/2007 16:50 | 2.4 | 1.24 |
| 7/5/2007 16:55 | 2.4 | 1.24 |
| 7/5/2007 17:00 | 2.401 | 1.24 |
| 7/5/2007 17:05 | 2.401 | 1.24 |
| 7/5/2007 17:10 | 2.401 | 1.24 |
| 7/5/2007 17:15 | 2.4 | 1.24 |
| 7/5/2007 17:20 | 2.402 | 1.24 |
| 7/5/2007 17:25 | 2.403 | 1.24 |
| 7/5/2007 17:30 | 2.402 | 1.24 |
| 7/5/2007 17:35 | 2.404 | 1.24 |
| 7/5/2007 17:40 | 2.403 | 1.24 |
| 7/5/2007 17:45 | 2.404 | 1.24 |
| 7/5/2007 17:50 | 2.402 | 1.24 |
| 7/5/2007 17:55 | 2.403 | 1.24 |
| 7/5/2007 18:00 | 2.404 | 1.24 |
| 7/5/2007 18:05 | 2.404 | 1.24 |
| 7/5/2007 18:10 | 2.403 | 1.24 |
| 7/5/2007 18:15 | 2.404 | 1.24 |
| 7/5/2007 18:20 | 2.403 | 1.24 |
| 7/5/2007 18:25 | 2.405 | 1.24 |
| 7/5/2007 18:30 | 2.406 | 1.24 |
| 7/5/2007 18:35 | 2.405 | 1.24 |
| 7/5/2007 18:40 | 2.404 | 1.24 |
| 7/5/2007 18:45 | 2.404 | 1.24 |
| 7/5/2007 18:50 | 2.404 | 1.24 |
| 7/5/2007 18:55 | 2.403 | 1.24 |
| 7/5/2007 19:00 | 2.404 | 1.24 |
| 7/5/2007 19:05 | 2.403 | 1.24 |
| 7/5/2007 19:10 | 2.402 | 1.24 |
| 7/5/2007 19:15 | 2.403 | 1.24 |
| 7/5/2007 19:20 | 2.404 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 19:25 | 2.403 | 1.24 |
| 7/5/2007 19:30 | 2.405 | 1.24 |
| 7/5/2007 19:35 | 2.408 | 1.24 |
| 7/5/2007 19:40 | 2.414 | 1.24 |
| 7/5/2007 19:45 | 2.42 | 1.24 |
| 7/5/2007 19:50 | 2.426 | 1.24 |
| 7/5/2007 19:55 | 2.43 | 1.24 |
| 7/5/2007 20:00 | 2.43 | 1.24 |
| 7/5/2007 20:05 | 2.432 | 1.24 |
| 7/5/2007 20:10 | 2.428 | 1.24 |
| 7/5/2007 20:15 | 2.427 | 1.24 |
| 7/5/2007 20:20 | 2.428 | 1.24 |
| 7/5/2007 20:25 | 2.424 | 1.24 |
| 7/5/2007 20:30 | 2.423 | 1.24 |
| 7/5/2007 20:35 | 2.423 | 1.24 |
| 7/5/2007 20:40 | 2.422 | 1.24 |
| 7/5/2007 20:45 | 2.422 | 1.24 |
| 7/5/2007 20:50 | 2.421 | 1.24 |
| 7/5/2007 20:55 | 2.42 | 1.24 |
| 7/5/2007 21:00 | 2.419 | 1.24 |
| 7/5/2007 21:05 | 2.419 | 1.24 |
| 7/5/2007 21:10 | 2.416 | 1.24 |
| 7/5/2007 21:15 | 2.416 | 1.24 |
| 7/5/2007 21:20 | 2.413 | 1.24 |
| 7/5/2007 21:25 | 2.413 | 1.24 |
| 7/5/2007 21:30 | 2.411 | 1.24 |
| 7/5/2007 21:35 | 2.411 | 1.24 |
| 7/5/2007 21:40 | 2.409 | 1.24 |
| 7/5/2007 21:45 | 2.409 | 1.24 |
| 7/5/2007 21:50 | 2.407 | 1.24 |
| 7/5/2007 21:55 | 2.407 | 1.24 |
| 7/5/2007 22:00 | 2.405 | 1.24 |
| 7/5/2007 22:05 | 2.405 | 1.24 |
| 7/5/2007 22:10 | 2.404 | 1.24 |
| 7/5/2007 22:15 | 2.403 | 1.24 |
| 7/5/2007 22:20 | 2.402 | 1.24 |
| 7/5/2007 22:25 | 2.402 | 1.24 |
| 7/5/2007 22:30 | 2.402 | 1.24 |
| 7/5/2007 22:35 | 2.4 | 1.24 |
| 7/5/2007 22:40 | 2.402 | 1.24 |
| 7/5/2007 22:45 | 2.403 | 1.24 |
| 7/5/2007 22:50 | 2.402 | 1.24 |
| 7/5/2007 22:55 | 2.404 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 23:00 | 2.407 | 1.24 |
| 7/5/2007 23:05 | 2.409 | 1.24 |
| 7/5/2007 23:10 | 2.413 | 1.24 |
| 7/5/2007 23:15 | 2.416 | 1.24 |
| 7/5/2007 23:20 | 2.417 | 1.24 |
| 7/5/2007 23:25 | 2.418 | 1.24 |
| 7/5/2007 23:30 | 2.417 | 1.24 |
| 7/5/2007 23:35 | 2.416 | 1.24 |
| 7/5/2007 23:40 | 2.417 | 1.24 |
| 7/5/2007 23:45 | 2.416 | 1.24 |
| 7/5/2007 23:50 | 2.413 | 1.24 |
| 7/5/2007 23:55 | 2.413 | 1.24 |
| 7/6/2007 0:00 | 2.411 | 1.24 |
| 7/6/2007 0:05 | 2.41 | 1.24 |
| 7/6/2007 0:10 | 2.411 | 1.24 |
| 7/6/2007 0:15 | 2.41 | 1.24 |
| 7/6/2007 0:20 | 2.408 | 1.24 |
| 7/6/2007 0:25 | 2.407 | 1.24 |
| 7/6/2007 0:30 | 2.406 | 1.24 |
| 7/6/2007 0:35 | 2.404 | 1.24 |
| 7/6/2007 0:40 | 2.405 | 1.24 |
| 7/6/2007 0:45 | 2.404 | 1.24 |
| 7/6/2007 0:50 | 2.404 | 1.24 |
| 7/6/2007 0:55 | 2.403 | 1.24 |
| 7/6/2007 1:00 | 2.403 | 1.24 |
| 7/6/2007 1:05 | 2.401 | 1.24 |
| 7/6/2007 1:10 | 2.402 | 1.24 |
| 7/6/2007 1:15 | 2.402 | 1.24 |
| 7/6/2007 1:20 | 2.402 | 1.24 |
| 7/6/2007 1:25 | 2.4 | 1.24 |
| 7/6/2007 1:30 | 2.4 | 1.24 |
| 7/6/2007 1:35 | 2.399 | 1.24 |
| 7/6/2007 1:40 | 2.4 | 1.24 |
| 7/6/2007 1:45 | 2.399 | 1.24 |
| 7/6/2007 1:50 | 2.399 | 1.24 |
| 7/6/2007 1:55 | 2.398 | 1.24 |
| 7/6/2007 2:00 | 2.399 | 1.24 |
| 7/6/2007 2:05 | 2.398 | 1.24 |
| 7/6/2007 2:10 | 2.397 | 1.24 |
| 7/6/2007 2:15 | 2.398 | 1.24 |
| 7/6/2007 2:20 | 2.397 | 1.24 |
| 7/6/2007 2:25 | 2.397 | 1.24 |
| 7/6/2007 2:30 | 2.397 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 2:35 | 2.395 | 1.24 |
| 7/6/2007 2:40 | 2.396 | 1.24 |
| 7/6/2007 2:45 | 2.395 | 1.24 |
| 7/6/2007 2:50 | 2.395 | 1.24 |
| 7/6/2007 2:55 | 2.395 | 1.24 |
| 7/6/2007 3:00 | 2.394 | 1.24 |
| 7/6/2007 3:05 | 2.394 | 1.24 |
| 7/6/2007 3:10 | 2.394 | 1.24 |
| 7/6/2007 3:15 | 2.393 | 1.24 |
| 7/6/2007 3:20 | 2.392 | 1.24 |
| 7/6/2007 3:25 | 2.392 | 1.24 |
| 7/6/2007 3:30 | 2.392 | 1.24 |
| 7/6/2007 3:35 | 2.39 | 1.24 |
| 7/6/2007 3:40 | 2.39 | 1.24 |
| 7/6/2007 3:45 | 2.391 | 1.24 |
| 7/6/2007 3:50 | 2.39 | 1.24 |
| 7/6/2007 3:55 | 2.389 | 1.24 |
| 7/6/2007 4:00 | 2.388 | 1.24 |
| 7/6/2007 4:05 | 2.387 | 1.24 |
| 7/6/2007 4:10 | 2.389 | 1.24 |
| 7/6/2007 4:15 | 2.388 | 1.24 |
| 7/6/2007 4:20 | 2.389 | 1.24 |
| 7/6/2007 4:25 | 2.387 | 1.24 |
| 7/6/2007 4:30 | 2.386 | 1.24 |
| 7/6/2007 4:35 | 2.386 | 1.24 |
| 7/6/2007 4:40 | 2.386 | 1.24 |
| 7/6/2007 4:45 | 2.385 | 1.24 |
| 7/6/2007 4:50 | 2.385 | 1.24 |
| 7/6/2007 4:55 | 2.385 | 1.24 |
| 7/6/2007 5:00 | 2.384 | 1.24 |
| 7/6/2007 5:05 | 2.385 | 1.24 |
| 7/6/2007 5:10 | 2.384 | 1.24 |
| 7/6/2007 5:15 | 2.383 | 1.24 |
| 7/6/2007 5:20 | 2.383 | 1.24 |
| 7/6/2007 5:25 | 2.383 | 1.24 |
| 7/6/2007 5:30 | 2.382 | 1.24 |
| 7/6/2007 5:35 | 2.381 | 1.24 |
| 7/6/2007 5:40 | 2.382 | 1.24 |
| 7/6/2007 5:45 | 2.381 | 1.24 |
| 7/6/2007 5:50 | 2.38 | 1.24 |
| 7/6/2007 5:55 | 2.38 | 1.24 |
| 7/6/2007 6:00 | 2.381 | 1.24 |
| 7/6/2007 6:05 | 2.38 | 1.24 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 6:10 | 2.38 | 1.24 |
| 7/6/2007 6:15 | 2.379 | 1.24 |
| 7/6/2007 6:20 | 2.379 | 1.24 |
| 7/6/2007 6:25 | 2.378 | 1.24 |
| 7/6/2007 6:30 | 2.378 | 1.24 |
| 7/6/2007 6:35 | 2.378 | 1.24 |
| 7/6/2007 6:40 | 2.378 | 1.24 |
| 7/6/2007 6:45 | 2.378 | 1.24 |
| 7/6/2007 6:50 | 2.377 | 1.24 |
| 7/6/2007 6:55 | 2.377 | 1.24 |
| 7/6/2007 7:00 | 2.378 | 1.24 |
| 7/6/2007 7:05 | 2.377 | 1.24 |
| 7/6/2007 7:10 | 2.376 | 1.24 |
| 7/6/2007 7:15 | 2.375 | 1.24 |
| 7/6/2007 7:20 | 2.375 | 1.24 |
| 7/6/2007 7:25 | 2.376 | 1.34 |
| 7/6/2007 7:30 | 2.375 | 1.34 |
| 7/6/2007 7:35 | 2.374 | 1.34 |
| 7/6/2007 7:40 | 2.374 | 1.34 |
| 7/6/2007 7:45 | 2.375 | 1.34 |
| 7/6/2007 7:50 | 2.375 | 1.34 |
| 7/6/2007 7:55 | 2.374 | 1.34 |
| 7/6/2007 8:00 | 2.373 | 1.34 |
| 7/6/2007 8:05 | 2.373 | 1.34 |
| 7/6/2007 8:10 | 2.373 | 1.34 |
| 7/6/2007 8:15 | 2.373 | 1.34 |
| 7/6/2007 8:20 | 2.372 | 1.34 |
| 7/6/2007 8:25 | 2.372 | 1.23 |
| 7/6/2007 8:30 | 2.371 | 1.23 |
| 7/6/2007 8:35 | 2.373 | 1.29 |
| 7/6/2007 8:40 | 2.374 | 1.29 |
| 7/6/2007 8:45 | 2.371 | 1.22 |
| 7/6/2007 8:50 | 2.372 | 1.23 |
| 7/6/2007 8:55 | 2.372 | 1.21 |
| 7/6/2007 9:00 | 2.371 | 1.15 |
| 7/6/2007 9:05 | 2.371 | 1.18 |
| 7/6/2007 9:10 | 2.371 | 1.18 |
| 7/6/2007 9:15 | 2.371 | 1.18 |
| 7/6/2007 9:20 | 2.372 | 1.18 |
| 7/6/2007 9:25 | 2.37 | 1.18 |
| 7/6/2007 9:30 | 2.371 | 1.18 |
| 7/6/2007 9:35 | 2.369 | 1.18 |
| 7/6/2007 9:40 | 2.369 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 9:45 | 2.369 | 1.18 |
| 7/6/2007 9:50 | 2.369 | 1.18 |
| 7/6/2007 9:55 | 2.368 | 1.18 |
| 7/6/2007 10:00 | 2.372 | 1.18 |
| 7/6/2007 10:05 | 2.371 | 1.18 |
| 7/6/2007 10:10 | 2.37 | 1.18 |
| 7/6/2007 10:15 | 2.369 | 1.18 |
| 7/6/2007 10:20 | 2.367 | 1.18 |
| 7/6/2007 10:25 | 2.367 | 1.18 |
| 7/6/2007 10:30 | 2.365 | 1.18 |
| 7/6/2007 10:35 | 2.367 | 1.18 |
| 7/6/2007 10:40 | 2.366 | 1.18 |
| 7/6/2007 10:45 | 2.366 | 1.18 |
| 7/6/2007 10:50 | 2.366 | 1.18 |
| 7/6/2007 10:55 | 2.364 | 1.18 |
| 7/6/2007 11:00 | 2.363 | 1.18 |
| 7/6/2007 11:05 | 2.364 | 1.18 |
| 7/6/2007 11:10 | 2.363 | 1.18 |
| 7/6/2007 11:15 | 2.362 | 1.18 |
| 7/6/2007 11:20 | 2.362 | 1.18 |
| 7/6/2007 11:25 | 2.362 | 1.18 |
| 7/6/2007 11:30 | 2.362 | 1.18 |
| 7/6/2007 11:35 | 2.361 | 1.18 |
| 7/6/2007 11:40 | 2.359 | 1.18 |
| 7/6/2007 11:45 | 2.359 | 1.18 |
| 7/6/2007 11:50 | 2.359 | 1.18 |
| 7/6/2007 11:55 | 2.359 | 1.18 |
| 7/6/2007 12:00 | 2.357 | 1.18 |
| 7/6/2007 12:05 | 2.358 | 1.18 |
| 7/6/2007 12:10 | 2.36 | 1.18 |
| 7/6/2007 12:15 | 2.358 | 1.18 |
| 7/6/2007 12:20 | 2.357 | 1.18 |
| 7/6/2007 12:25 | 2.357 | 1.18 |
| 7/6/2007 12:30 | 2.356 | 1.18 |
| 7/6/2007 12:35 | 2.356 | 1.18 |
| 7/6/2007 12:40 | 2.355 | 1.18 |
| 7/6/2007 12:45 | 2.356 | 1.18 |
| 7/6/2007 12:50 | 2.355 | 1.18 |
| 7/6/2007 12:55 | 2.355 | 1.18 |
| 7/6/2007 13:00 | 2.354 | 1.18 |
| 7/6/2007 13:05 | 2.354 | 1.18 |
| 7/6/2007 13:10 | 2.353 | 1.18 |
| 7/6/2007 13:15 | 2.352 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 13:20 | 2.353 | 1.18 |
| 7/6/2007 13:25 | 2.353 | 1.18 |
| 7/6/2007 13:30 | 2.353 | 1.18 |
| 7/6/2007 13:35 | 2.352 | 1.18 |
| 7/6/2007 13:40 | 2.351 | 1.18 |
| 7/6/2007 13:45 | 2.351 | 1.18 |
| 7/6/2007 13:50 | 2.35 | 1.18 |
| 7/6/2007 13:55 | 2.352 | 1.18 |
| 7/6/2007 14:00 | 2.351 | 1.18 |
| 7/6/2007 14:05 | 2.351 | 1.18 |
| 7/6/2007 14:10 | 2.349 | 1.18 |
| 7/6/2007 14:15 | 2.35 | 1.18 |
| 7/6/2007 14:20 | 2.348 | 1.18 |
| 7/6/2007 14:25 | 2.349 | 1.18 |
| 7/6/2007 14:30 | 2.348 | 1.18 |
| 7/6/2007 14:35 | 2.348 | 1.18 |
| 7/6/2007 14:40 | 2.347 | 1.18 |
| 7/6/2007 14:45 | 2.349 | 1.18 |
| 7/6/2007 14:50 | 2.36 | 1.18 |
| 7/6/2007 14:55 | 2.372 | 1.18 |
| 7/6/2007 15:00 | 2.396 | 1.18 |
| 7/6/2007 15:05 | 2.447 | 1.18 |
| 7/6/2007 15:10 | 2.486 | 1.18 |
| 7/6/2007 15:15 | 2.508 | 1.18 |
| 7/6/2007 15:20 | 2.509 | 1.18 |
| 7/6/2007 15:25 | 2.497 | 1.18 |
| 7/6/2007 15:30 | 2.483 | 1.18 |
| 7/6/2007 15:35 | 2.468 | 1.18 |
| 7/6/2007 15:40 | 2.458 | 1.18 |
| 7/6/2007 15:45 | 2.445 | 1.18 |
| 7/6/2007 15:50 | 2.44 | 1.18 |
| 7/6/2007 15:55 | 2.433 | 1.18 |
| 7/6/2007 16:00 | 2.429 | 1.18 |
| 7/6/2007 16:05 | 2.425 | 1.18 |
| 7/6/2007 16:10 | 2.422 | 1.18 |
| 7/6/2007 16:15 | 2.418 | 1.18 |
| 7/6/2007 16:20 | 2.418 | 1.18 |
| 7/6/2007 16:25 | 2.416 | 1.18 |
| 7/6/2007 16:30 | 2.413 | 1.18 |
| 7/6/2007 16:35 | 2.413 | 1.18 |
| 7/6/2007 16:40 | 2.411 | 1.18 |
| 7/6/2007 16:45 | 2.412 | 1.18 |
| 7/6/2007 16:50 | 2.411 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 16:55 | 2.411 | 1.18 |
| 7/6/2007 17:00 | 2.411 | 1.18 |
| 7/6/2007 17:05 | 2.411 | 1.18 |
| 7/6/2007 17:10 | 2.411 | 1.18 |
| 7/6/2007 17:15 | 2.412 | 1.18 |
| 7/6/2007 17:20 | 2.411 | 1.18 |
| 7/6/2007 17:25 | 2.411 | 1.18 |
| 7/6/2007 17:30 | 2.412 | 1.18 |
| 7/6/2007 17:35 | 2.413 | 1.18 |
| 7/6/2007 17:40 | 2.413 | 1.18 |
| 7/6/2007 17:45 | 2.412 | 1.18 |
| 7/6/2007 17:50 | 2.413 | 1.18 |
| 7/6/2007 17:55 | 2.413 | 1.18 |
| 7/6/2007 18:00 | 2.413 | 1.18 |
| 7/6/2007 18:05 | 2.413 | 1.18 |
| 7/6/2007 18:10 | 2.413 | 1.18 |
| 7/6/2007 18:15 | 2.415 | 1.18 |
| 7/6/2007 18:20 | 2.413 | 1.18 |
| 7/6/2007 18:25 | 2.414 | 1.18 |
| 7/6/2007 18:30 | 2.413 | 1.18 |
| 7/6/2007 18:35 | 2.414 | 1.18 |
| 7/6/2007 18:40 | 2.413 | 1.18 |
| 7/6/2007 18:45 | 2.414 | 1.18 |
| 7/6/2007 18:50 | 2.413 | 1.18 |
| 7/6/2007 18:55 | 2.414 | 1.18 |
| 7/6/2007 19:00 | 2.413 | 1.18 |
| 7/6/2007 19:05 | 2.413 | 1.18 |
| 7/6/2007 19:10 | 2.414 | 1.18 |
| 7/6/2007 19:15 | 2.412 | 1.18 |
| 7/6/2007 19:20 | 2.413 | 1.18 |
| 7/6/2007 19:25 | 2.414 | 1.18 |
| 7/6/2007 19:30 | 2.412 | 1.18 |
| 7/6/2007 19:35 | 2.412 | 1.18 |
| 7/6/2007 19:40 | 2.412 | 1.18 |
| 7/6/2007 19:45 | 2.412 | 1.18 |
| 7/6/2007 19:50 | 2.41 | 1.18 |
| 7/6/2007 19:55 | 2.41 | 1.18 |
| 7/6/2007 20:00 | 2.411 | 1.18 |
| 7/6/2007 20:05 | 2.41 | 1.18 |
| 7/6/2007 20:10 | 2.41 | 1.18 |
| 7/6/2007 20:15 | 2.409 | 1.18 |
| 7/6/2007 20:20 | 2.409 | 1.18 |
| 7/6/2007 20:25 | 2.407 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 20:30 | 2.407 | 1.18 |
| 7/6/2007 20:35 | 2.408 | 1.18 |
| 7/6/2007 20:40 | 2.407 | 1.18 |
| 7/6/2007 20:45 | 2.406 | 1.18 |
| 7/6/2007 20:50 | 2.406 | 1.18 |
| 7/6/2007 20:55 | 2.405 | 1.18 |
| 7/6/2007 21:00 | 2.404 | 1.18 |
| 7/6/2007 21:05 | 2.403 | 1.18 |
| 7/6/2007 21:10 | 2.402 | 1.18 |
| 7/6/2007 21:15 | 2.401 | 1.18 |
| 7/6/2007 21:20 | 2.402 | 1.18 |
| 7/6/2007 21:25 | 2.401 | 1.18 |
| 7/6/2007 21:30 | 2.398 | 1.18 |
| 7/6/2007 21:35 | 2.399 | 1.18 |
| 7/6/2007 21:40 | 2.399 | 1.18 |
| 7/6/2007 21:45 | 2.4 | 1.18 |
| 7/6/2007 21:50 | 2.398 | 1.18 |
| 7/6/2007 21:55 | 2.398 | 1.18 |
| 7/6/2007 22:00 | 2.397 | 1.18 |
| 7/6/2007 22:05 | 2.398 | 1.18 |
| 7/6/2007 22:10 | 2.397 | 1.18 |
| 7/6/2007 22:15 | 2.395 | 1.18 |
| 7/6/2007 22:20 | 2.396 | 1.18 |
| 7/6/2007 22:25 | 2.395 | 1.18 |
| 7/6/2007 22:30 | 2.395 | 1.18 |
| 7/6/2007 22:35 | 2.395 | 1.18 |
| 7/6/2007 22:40 | 2.394 | 1.18 |
| 7/6/2007 22:45 | 2.394 | 1.18 |
| 7/6/2007 22:50 | 2.395 | 1.18 |
| 7/6/2007 22:55 | 2.393 | 1.18 |
| 7/6/2007 23:00 | 2.392 | 1.18 |
| 7/6/2007 23:05 | 2.392 | 1.18 |
| 7/6/2007 23:10 | 2.392 | 1.18 |
| 7/6/2007 23:15 | 2.391 | 1.18 |
| 7/6/2007 23:20 | 2.393 | 1.18 |
| 7/6/2007 23:25 | 2.391 | 1.18 |
| 7/6/2007 23:30 | 2.392 | 1.18 |
| 7/6/2007 23:35 | 2.391 | 1.18 |
| 7/6/2007 23:40 | 2.391 | 1.18 |
| 7/6/2007 23:45 | 2.39 | 1.18 |
| 7/6/2007 23:50 | 2.389 | 1.18 |
| 7/6/2007 23:55 | 2.391 | 1.18 |
| 7/7/2007 0:00 | 2.39 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 0:05 | 2.389 | 1.18 |
| 7/7/2007 0:10 | 2.388 | 1.18 |
| 7/7/2007 0:15 | 2.388 | 1.18 |
| 7/7/2007 0:20 | 2.388 | 1.18 |
| 7/7/2007 0:25 | 2.387 | 1.18 |
| 7/7/2007 0:30 | 2.386 | 1.18 |
| 7/7/2007 0:35 | 2.387 | 1.18 |
| 7/7/2007 0:40 | 2.386 | 1.18 |
| 7/7/2007 0:45 | 2.385 | 1.18 |
| 7/7/2007 0:50 | 2.385 | 1.18 |
| 7/7/2007 0:55 | 2.386 | 1.18 |
| 7/7/2007 1:00 | 2.387 | 1.18 |
| 7/7/2007 1:05 | 2.384 | 1.18 |
| 7/7/2007 1:10 | 2.384 | 1.18 |
| 7/7/2007 1:15 | 2.386 | 1.18 |
| 7/7/2007 1:20 | 2.384 | 1.18 |
| 7/7/2007 1:25 | 2.385 | 1.18 |
| 7/7/2007 1:30 | 2.385 | 1.18 |
| 7/7/2007 1:35 | 2.386 | 1.18 |
| 7/7/2007 1:40 | 2.384 | 1.18 |
| 7/7/2007 1:45 | 2.384 | 1.18 |
| 7/7/2007 1:50 | 2.384 | 1.18 |
| 7/7/2007 1:55 | 2.384 | 1.18 |
| 7/7/2007 2:00 | 2.384 | 1.18 |
| 7/7/2007 2:05 | 2.384 | 1.18 |
| 7/7/2007 2:10 | 2.383 | 1.18 |
| 7/7/2007 2:15 | 2.381 | 1.18 |
| 7/7/2007 2:20 | 2.384 | 1.18 |
| 7/7/2007 2:25 | 2.383 | 1.18 |
| 7/7/2007 2:30 | 2.381 | 1.18 |
| 7/7/2007 2:35 | 2.382 | 1.18 |
| 7/7/2007 2:40 | 2.381 | 1.18 |
| 7/7/2007 2:45 | 2.38 | 1.18 |
| 7/7/2007 2:50 | 2.381 | 1.18 |
| 7/7/2007 2:55 | 2.38 | 1.18 |
| 7/7/2007 3:00 | 2.38 | 1.18 |
| 7/7/2007 3:05 | 2.376 | 1.18 |
| 7/7/2007 3:10 | 2.381 | 1.18 |
| 7/7/2007 3:15 | 2.381 | 1.18 |
| 7/7/2007 3:20 | 2.379 | 1.18 |
| 7/7/2007 3:25 | 2.378 | 1.18 |
| 7/7/2007 3:30 | 2.379 | 1.18 |
| 7/7/2007 3:35 | 2.38 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 3:40 | 2.378 | 1.18 |
| 7/7/2007 3:45 | 2.378 | 1.18 |
| 7/7/2007 3:50 | 2.378 | 1.18 |
| 7/7/2007 3:55 | 2.379 | 1.18 |
| 7/7/2007 4:00 | 2.377 | 1.18 |
| 7/7/2007 4:05 | 2.378 | 1.18 |
| 7/7/2007 4:10 | 2.377 | 1.18 |
| 7/7/2007 4:15 | 2.377 | 1.18 |
| 7/7/2007 4:20 | 2.376 | 1.18 |
| 7/7/2007 4:25 | 2.376 | 1.18 |
| 7/7/2007 4:30 | 2.374 | 1.18 |
| 7/7/2007 4:35 | 2.375 | 1.18 |
| 7/7/2007 4:40 | 2.376 | 1.18 |
| 7/7/2007 4:45 | 2.375 | 1.18 |
| 7/7/2007 4:50 | 2.376 | 1.18 |
| 7/7/2007 4:55 | 2.375 | 1.18 |
| 7/7/2007 5:00 | 2.375 | 1.18 |
| 7/7/2007 5:05 | 2.375 | 1.18 |
| 7/7/2007 5:10 | 2.375 | 1.18 |
| 7/7/2007 5:15 | 2.375 | 1.18 |
| 7/7/2007 5:20 | 2.375 | 1.18 |
| 7/7/2007 5:25 | 2.374 | 1.18 |
| 7/7/2007 5:30 | 2.374 | 1.18 |
| 7/7/2007 5:35 | 2.374 | 1.18 |
| 7/7/2007 5:40 | 2.374 | 1.18 |
| 7/7/2007 5:45 | 2.373 | 1.18 |
| 7/7/2007 5:50 | 2.373 | 1.18 |
| 7/7/2007 5:55 | 2.374 | 1.18 |
| 7/7/2007 6:00 | 2.374 | 1.18 |
| 7/7/2007 6:05 | 2.373 | 1.18 |
| 7/7/2007 6:10 | 2.373 | 1.18 |
| 7/7/2007 6:15 | 2.373 | 1.18 |
| 7/7/2007 6:20 | 2.373 | 1.18 |
| 7/7/2007 6:25 | 2.374 | 1.18 |
| 7/7/2007 6:30 | 2.373 | 1.18 |
| 7/7/2007 6:35 | 2.372 | 1.18 |
| 7/7/2007 6:40 | 2.372 | 1.18 |
| 7/7/2007 6:45 | 2.372 | 1.18 |
| 7/7/2007 6:50 | 2.372 | 1.18 |
| 7/7/2007 6:55 | 2.372 | 1.18 |
| 7/7/2007 7:00 | 2.371 | 1.18 |
| 7/7/2007 7:05 | 2.369 | 1.18 |
| 7/7/2007 7:10 | 2.371 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 7:15 | 2.371 | 1.18 |
| 7/7/2007 7:20 | 2.37 | 1.18 |
| 7/7/2007 7:25 | 2.371 | 1.18 |
| 7/7/2007 7:30 | 2.371 | 1.18 |
| 7/7/2007 7:35 | 2.369 | 1.18 |
| 7/7/2007 7:40 | 2.371 | 1.18 |
| 7/7/2007 7:45 | 2.37 | 1.18 |
| 7/7/2007 7:50 | 2.371 | 1.18 |
| 7/7/2007 7:55 | 2.37 | 1.18 |
| 7/7/2007 8:00 | 2.369 | 1.18 |
| 7/7/2007 8:05 | 2.369 | 1.18 |
| 7/7/2007 8:10 | 2.369 | 1.18 |
| 7/7/2007 8:15 | 2.369 | 1.18 |
| 7/7/2007 8:20 | 2.369 | 1.18 |
| 7/7/2007 8:25 | 2.369 | 1.18 |
| 7/7/2007 8:30 | 2.37 | 1.18 |
| 7/7/2007 8:35 | 2.369 | 1.18 |
| 7/7/2007 8:40 | 2.37 | 1.18 |
| 7/7/2007 8:45 | 2.369 | 1.18 |
| 7/7/2007 8:50 | 2.369 | 1.18 |
| 7/7/2007 8:55 | 2.37 | 1.18 |
| 7/7/2007 9:00 | 2.369 | 1.18 |
| 7/7/2007 9:05 | 2.368 | 1.18 |
| 7/7/2007 9:10 | 2.369 | 1.18 |
| 7/7/2007 9:15 | 2.369 | 1.18 |
| 7/7/2007 9:20 | 2.368 | 1.18 |
| 7/7/2007 9:25 | 2.368 | 1.18 |
| 7/7/2007 9:30 | 2.368 | 1.18 |
| 7/7/2007 9:35 | 2.367 | 1.18 |
| 7/7/2007 9:40 | 2.367 | 1.18 |
| 7/7/2007 9:45 | 2.369 | 1.18 |
| 7/7/2007 9:50 | 2.365 | 1.18 |
| 7/7/2007 9:55 | 2.366 | 1.18 |
| 7/7/2007 10:00 | 2.367 | 1.18 |
| 7/7/2007 10:05 | 2.366 | 1.18 |
| 7/7/2007 10:10 | 2.366 | 1.18 |
| 7/7/2007 10:15 | 2.366 | 1.18 |
| 7/7/2007 10:20 | 2.366 | 1.18 |
| 7/7/2007 10:25 | 2.365 | 1.18 |
| 7/7/2007 10:30 | 2.363 | 1.18 |
| 7/7/2007 10:35 | 2.363 | 1.18 |
| 7/7/2007 10:40 | 2.364 | 1.18 |
| 7/7/2007 10:45 | 2.364 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 10:50 | 2.363 | 1.18 |
| 7/7/2007 10:55 | 2.363 | 1.18 |
| 7/7/2007 11:00 | 2.361 | 1.18 |
| 7/7/2007 11:05 | 2.361 | 1.18 |
| 7/7/2007 11:10 | 2.363 | 1.18 |
| 7/7/2007 11:15 | 2.362 | 1.18 |
| 7/7/2007 11:20 | 2.362 | 1.18 |
| 7/7/2007 11:25 | 2.361 | 1.18 |
| 7/7/2007 11:30 | 2.36 | 1.18 |
| 7/7/2007 11:35 | 2.36 | 1.18 |
| 7/7/2007 11:40 | 2.36 | 1.18 |
| 7/7/2007 11:45 | 2.359 | 1.18 |
| 7/7/2007 11:50 | 2.357 | 1.18 |
| 7/7/2007 11:55 | 2.357 | 1.18 |
| 7/7/2007 12:00 | 2.358 | 1.18 |
| 7/7/2007 12:05 | 2.357 | 1.18 |
| 7/7/2007 12:10 | 2.358 | 1.18 |
| 7/7/2007 12:15 | 2.357 | 1.18 |
| 7/7/2007 12:20 | 2.357 | 1.18 |
| 7/7/2007 12:25 | 2.355 | 1.18 |
| 7/7/2007 12:30 | 2.356 | 1.18 |
| 7/7/2007 12:35 | 2.356 | 1.18 |
| 7/7/2007 12:40 | 2.355 | 1.18 |
| 7/7/2007 12:45 | 2.355 | 1.18 |
| 7/7/2007 12:50 | 2.354 | 1.18 |
| 7/7/2007 12:55 | 2.354 | 1.18 |
| 7/7/2007 13:00 | 2.353 | 1.18 |
| 7/7/2007 13:05 | 2.353 | 1.18 |
| 7/7/2007 13:10 | 2.354 | 1.18 |
| 7/7/2007 13:15 | 2.354 | 1.18 |
| 7/7/2007 13:20 | 2.353 | 1.18 |
| 7/7/2007 13:25 | 2.353 | 1.18 |
| 7/7/2007 13:30 | 2.353 | 1.18 |
| 7/7/2007 13:35 | 2.351 | 1.18 |
| 7/7/2007 13:40 | 2.353 | 1.18 |
| 7/7/2007 13:45 | 2.351 | 1.18 |
| 7/7/2007 13:50 | 2.351 | 1.18 |
| 7/7/2007 13:55 | 2.349 | 1.18 |
| 7/7/2007 14:00 | 2.349 | 1.18 |
| 7/7/2007 14:05 | 2.349 | 1.18 |
| 7/7/2007 14:10 | 2.347 | 1.18 |
| 7/7/2007 14:15 | 2.347 | 1.18 |
| 7/7/2007 14:20 | 2.349 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 14:25 | 2.348 | 1.18 |
| 7/7/2007 14:30 | 2.348 | 1.18 |
| 7/7/2007 14:35 | 2.348 | 1.18 |
| 7/7/2007 14:40 | 2.349 | 1.18 |
| 7/7/2007 14:45 | 2.346 | 1.18 |
| 7/7/2007 14:50 | 2.346 | 1.18 |
| 7/7/2007 14:55 | 2.345 | 1.18 |
| 7/7/2007 15:00 | 2.345 | 1.18 |
| 7/7/2007 15:05 | 2.345 | 1.18 |
| 7/7/2007 15:10 | 2.344 | 1.18 |
| 7/7/2007 15:15 | 2.345 | 1.18 |
| 7/7/2007 15:20 | 2.344 | 1.18 |
| 7/7/2007 15:25 | 2.344 | 1.18 |
| 7/7/2007 15:30 | 2.345 | 1.18 |
| 7/7/2007 15:35 | 2.345 | 1.18 |
| 7/7/2007 15:40 | 2.346 | 1.18 |
| 7/7/2007 15:45 | 2.343 | 1.18 |
| 7/7/2007 15:50 | 2.343 | 1.18 |
| 7/7/2007 15:55 | 2.342 | 1.18 |
| 7/7/2007 16:00 | 2.341 | 1.18 |
| 7/7/2007 16:05 | 2.341 | 1.18 |
| 7/7/2007 16:10 | 2.342 | 1.18 |
| 7/7/2007 16:15 | 2.342 | 1.18 |
| 7/7/2007 16:20 | 2.341 | 1.18 |
| 7/7/2007 16:25 | 2.342 | 1.18 |
| 7/7/2007 16:30 | 2.341 | 1.18 |
| 7/7/2007 16:35 | 2.34 | 1.18 |
| 7/7/2007 16:40 | 2.339 | 1.18 |
| 7/7/2007 16:45 | 2.341 | 1.18 |
| 7/7/2007 16:50 | 2.339 | 1.18 |
| 7/7/2007 16:55 | 2.338 | 1.18 |
| 7/7/2007 17:00 | 2.338 | 1.18 |
| 7/7/2007 17:05 | 2.339 | 1.18 |
| 7/7/2007 17:10 | 2.339 | 1.18 |
| 7/7/2007 17:15 | 2.338 | 1.18 |
| 7/7/2007 17:20 | 2.338 | 1.18 |
| 7/7/2007 17:25 | 2.338 | 1.18 |
| 7/7/2007 17:30 | 2.338 | 1.18 |
| 7/7/2007 17:35 | 2.339 | 1.18 |
| 7/7/2007 17:40 | 2.337 | 1.18 |
| 7/7/2007 17:45 | 2.337 | 1.18 |
| 7/7/2007 17:50 | 2.337 | 1.18 |
| 7/7/2007 17:55 | 2.336 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 18:00 | 2.337 | 1.18 |
| 7/7/2007 18:05 | 2.337 | 1.18 |
| 7/7/2007 18:10 | 2.336 | 1.18 |
| 7/7/2007 18:15 | 2.336 | 1.18 |
| 7/7/2007 18:20 | 2.336 | 1.18 |
| 7/7/2007 18:25 | 2.337 | 1.18 |
| 7/7/2007 18:30 | 2.336 | 1.18 |
| 7/7/2007 18:35 | 2.338 | 1.18 |
| 7/7/2007 18:40 | 2.337 | 1.18 |
| 7/7/2007 18:45 | 2.337 | 1.18 |
| 7/7/2007 18:50 | 2.336 | 1.18 |
| 7/7/2007 18:55 | 2.336 | 1.18 |
| 7/7/2007 19:00 | 2.335 | 1.18 |
| 7/7/2007 19:05 | 2.337 | 1.18 |
| 7/7/2007 19:10 | 2.336 | 1.18 |
| 7/7/2007 19:15 | 2.336 | 1.18 |
| 7/7/2007 19:20 | 2.336 | 1.18 |
| 7/7/2007 19:25 | 2.336 | 1.18 |
| 7/7/2007 19:30 | 2.337 | 1.18 |
| 7/7/2007 19:35 | 2.335 | 1.18 |
| 7/7/2007 19:40 | 2.335 | 1.18 |
| 7/7/2007 19:45 | 2.336 | 1.18 |
| 7/7/2007 19:50 | 2.336 | 1.18 |
| 7/7/2007 19:55 | 2.335 | 1.18 |
| 7/7/2007 20:00 | 2.336 | 1.18 |
| 7/7/2007 20:05 | 2.335 | 1.18 |
| 7/7/2007 20:10 | 2.334 | 1.18 |
| 7/7/2007 20:15 | 2.335 | 1.18 |
| 7/7/2007 20:20 | 2.334 | 1.18 |
| 7/7/2007 20:25 | 2.334 | 1.18 |
| 7/7/2007 20:30 | 2.334 | 1.18 |
| 7/7/2007 20:35 | 2.333 | 1.18 |
| 7/7/2007 20:40 | 2.333 | 1.18 |
| 7/7/2007 20:45 | 2.334 | 1.18 |
| 7/7/2007 20:50 | 2.331 | 1.18 |
| 7/7/2007 20:55 | 2.334 | 1.18 |
| 7/7/2007 21:00 | 2.333 | 1.18 |
| 7/7/2007 21:05 | 2.332 | 1.18 |
| 7/7/2007 21:10 | 2.331 | 1.18 |
| 7/7/2007 21:15 | 2.332 | 1.18 |
| 7/7/2007 21:20 | 2.332 | 1.18 |
| 7/7/2007 21:25 | 2.332 | 1.18 |
| 7/7/2007 21:30 | 2.332 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 21:35 | 2.331 | 1.18 |
| 7/7/2007 21:40 | 2.331 | 1.18 |
| 7/7/2007 21:45 | 2.332 | 1.18 |
| 7/7/2007 21:50 | 2.332 | 1.18 |
| 7/7/2007 21:55 | 2.331 | 1.18 |
| 7/7/2007 22:00 | 2.332 | 1.18 |
| 7/7/2007 22:05 | 2.33 | 1.18 |
| 7/7/2007 22:10 | 2.331 | 1.18 |
| 7/7/2007 22:15 | 2.33 | 1.18 |
| 7/7/2007 22:20 | 2.331 | 1.18 |
| 7/7/2007 22:25 | 2.331 | 1.18 |
| 7/7/2007 22:30 | 2.33 | 1.18 |
| 7/7/2007 22:35 | 2.33 | 1.18 |
| 7/7/2007 22:40 | 2.33 | 1.18 |
| 7/7/2007 22:45 | 2.33 | 1.18 |
| 7/7/2007 22:50 | 2.329 | 1.18 |
| 7/7/2007 22:55 | 2.33 | 1.18 |
| 7/7/2007 23:00 | 2.331 | 1.18 |
| 7/7/2007 23:05 | 2.329 | 1.18 |
| 7/7/2007 23:10 | 2.328 | 1.18 |
| 7/7/2007 23:15 | 2.328 | 1.18 |
| 7/7/2007 23:20 | 2.328 | 1.18 |
| 7/7/2007 23:25 | 2.327 | 1.18 |
| 7/7/2007 23:30 | 2.326 | 1.18 |
| 7/7/2007 23:35 | 2.325 | 1.18 |
| 7/7/2007 23:40 | 2.325 | 1.18 |
| 7/7/2007 23:45 | 2.325 | 1.18 |
| 7/7/2007 23:50 | 2.325 | 1.18 |
| 7/7/2007 23:55 | 2.325 | 1.18 |
| 7/8/2007 0:00 | 2.326 | 1.18 |
| 7/8/2007 0:05 | 2.326 | 1.18 |
| 7/8/2007 0:10 | 2.324 | 1.18 |
| 7/8/2007 0:15 | 2.325 | 1.18 |
| 7/8/2007 0:20 | 2.324 | 1.18 |
| 7/8/2007 0:25 | 2.324 | 1.18 |
| 7/8/2007 0:30 | 2.323 | 1.18 |
| 7/8/2007 0:35 | 2.324 | 1.18 |
| 7/8/2007 0:40 | 2.323 | 1.18 |
| 7/8/2007 0:45 | 2.324 | 1.18 |
| 7/8/2007 0:50 | 2.324 | 1.18 |
| 7/8/2007 0:55 | 2.324 | 1.18 |
| 7/8/2007 1:00 | 2.324 | 1.18 |
| 7/8/2007 1:05 | 2.324 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 1:10 | 2.323 | 1.18 |
| 7/8/2007 1:15 | 2.324 | 1.18 |
| 7/8/2007 1:20 | 2.323 | 1.18 |
| 7/8/2007 1:25 | 2.324 | 1.18 |
| 7/8/2007 1:30 | 2.323 | 1.18 |
| 7/8/2007 1:35 | 2.323 | 1.18 |
| 7/8/2007 1:40 | 2.324 | 1.18 |
| 7/8/2007 1:45 | 2.323 | 1.18 |
| 7/8/2007 1:50 | 2.323 | 1.18 |
| 7/8/2007 1:55 | 2.323 | 1.18 |
| 7/8/2007 2:00 | 2.323 | 1.18 |
| 7/8/2007 2:05 | 2.323 | 1.18 |
| 7/8/2007 2:10 | 2.322 | 1.18 |
| 7/8/2007 2:15 | 2.322 | 1.18 |
| 7/8/2007 2:20 | 2.322 | 1.18 |
| 7/8/2007 2:25 | 2.322 | 1.18 |
| 7/8/2007 2:30 | 2.323 | 1.18 |
| 7/8/2007 2:35 | 2.321 | 1.18 |
| 7/8/2007 2:40 | 2.323 | 1.18 |
| 7/8/2007 2:45 | 2.322 | 1.18 |
| 7/8/2007 2:50 | 2.321 | 1.18 |
| 7/8/2007 2:55 | 2.321 | 1.18 |
| 7/8/2007 3:00 | 2.322 | 1.18 |
| 7/8/2007 3:05 | 2.32 | 1.18 |
| 7/8/2007 3:10 | 2.321 | 1.18 |
| 7/8/2007 3:15 | 2.321 | 1.18 |
| 7/8/2007 3:20 | 2.321 | 1.18 |
| 7/8/2007 3:25 | 2.32 | 1.18 |
| 7/8/2007 3:30 | 2.32 | 1.18 |
| 7/8/2007 3:35 | 2.319 | 1.18 |
| 7/8/2007 3:40 | 2.32 | 1.18 |
| 7/8/2007 3:45 | 2.321 | 1.18 |
| 7/8/2007 3:50 | 2.32 | 1.18 |
| 7/8/2007 3:55 | 2.32 | 1.18 |
| 7/8/2007 4:00 | 2.319 | 1.18 |
| 7/8/2007 4:05 | 2.319 | 1.18 |
| 7/8/2007 4:10 | 2.32 | 1.18 |
| 7/8/2007 4:15 | 2.319 | 1.18 |
| 7/8/2007 4:20 | 2.319 | 1.18 |
| 7/8/2007 4:25 | 2.318 | 1.18 |
| 7/8/2007 4:30 | 2.318 | 1.18 |
| 7/8/2007 4:35 | 2.32 | 1.18 |
| 7/8/2007 4:40 | 2.317 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 4:45 | 2.318 | 1.18 |
| 7/8/2007 4:50 | 2.317 | 1.18 |
| 7/8/2007 4:55 | 2.318 | 1.18 |
| 7/8/2007 5:00 | 2.318 | 1.18 |
| 7/8/2007 5:05 | 2.318 | 1.18 |
| 7/8/2007 5:10 | 2.317 | 1.18 |
| 7/8/2007 5:15 | 2.317 | 1.18 |
| 7/8/2007 5:20 | 2.318 | 1.18 |
| 7/8/2007 5:25 | 2.316 | 1.18 |
| 7/8/2007 5:30 | 2.317 | 1.18 |
| 7/8/2007 5:35 | 2.317 | 1.18 |
| 7/8/2007 5:40 | 2.317 | 1.18 |
| 7/8/2007 5:45 | 2.317 | 1.18 |
| 7/8/2007 5:50 | 2.317 | 1.18 |
| 7/8/2007 5:55 | 2.317 | 1.18 |
| 7/8/2007 6:00 | 2.316 | 1.18 |
| 7/8/2007 6:05 | 2.316 | 1.18 |
| 7/8/2007 6:10 | 2.315 | 1.18 |
| 7/8/2007 6:15 | 2.317 | 1.18 |
| 7/8/2007 6:20 | 2.317 | 1.18 |
| 7/8/2007 6:25 | 2.315 | 1.18 |
| 7/8/2007 6:30 | 2.315 | 1.18 |
| 7/8/2007 6:35 | 2.316 | 1.18 |
| 7/8/2007 6:40 | 2.316 | 1.18 |
| 7/8/2007 6:45 | 2.314 | 1.18 |
| 7/8/2007 6:50 | 2.316 | 1.18 |
| 7/8/2007 6:55 | 2.316 | 1.18 |
| 7/8/2007 7:00 | 2.315 | 1.18 |
| 7/8/2007 7:05 | 2.315 | 1.18 |
| 7/8/2007 7:10 | 2.315 | 1.18 |
| 7/8/2007 7:15 | 2.315 | 1.18 |
| 7/8/2007 7:20 | 2.315 | 1.18 |
| 7/8/2007 7:25 | 2.315 | 1.18 |
| 7/8/2007 7:30 | 2.314 | 1.18 |
| 7/8/2007 7:35 | 2.315 | 1.18 |
| 7/8/2007 7:40 | 2.314 | 1.18 |
| 7/8/2007 7:45 | 2.315 | 1.18 |
| 7/8/2007 7:50 | 2.315 | 1.18 |
| 7/8/2007 7:55 | 2.315 | 1.18 |
| 7/8/2007 8:00 | 2.314 | 1.18 |
| 7/8/2007 8:05 | 2.314 | 1.18 |
| 7/8/2007 8:10 | 2.316 | 1.18 |
| 7/8/2007 8:15 | 2.314 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 8:20 | 2.313 | 1.18 |
| 7/8/2007 8:25 | 2.314 | 1.18 |
| 7/8/2007 8:30 | 2.313 | 1.18 |
| 7/8/2007 8:35 | 2.313 | 1.18 |
| 7/8/2007 8:40 | 2.313 | 1.18 |
| 7/8/2007 8:45 | 2.315 | 1.18 |
| 7/8/2007 8:50 | 2.314 | 1.18 |
| 7/8/2007 8:55 | 2.314 | 1.18 |
| 7/8/2007 9:00 | 2.313 | 1.18 |
| 7/8/2007 9:05 | 2.313 | 1.18 |
| 7/8/2007 9:10 | 2.314 | 1.18 |
| 7/8/2007 9:15 | 2.313 | 1.18 |
| 7/8/2007 9:20 | 2.311 | 1.18 |
| 7/8/2007 9:25 | 2.314 | 1.18 |
| 7/8/2007 9:30 | 2.313 | 1.18 |
| 7/8/2007 9:35 | 2.311 | 1.18 |
| 7/8/2007 9:40 | 2.312 | 1.18 |
| 7/8/2007 9:45 | 2.312 | 1.18 |
| 7/8/2007 9:50 | 2.312 | 1.18 |
| 7/8/2007 9:55 | 2.312 | 1.18 |
| 7/8/2007 10:00 | 2.312 | 1.18 |
| 7/8/2007 10:05 | 2.311 | 1.18 |
| 7/8/2007 10:10 | 2.311 | 1.18 |
| 7/8/2007 10:15 | 2.31 | 1.18 |
| 7/8/2007 10:20 | 2.31 | 1.18 |
| 7/8/2007 10:25 | 2.309 | 1.18 |
| 7/8/2007 10:30 | 2.311 | 1.18 |
| 7/8/2007 10:35 | 2.311 | 1.18 |
| 7/8/2007 10:40 | 2.31 | 1.18 |
| 7/8/2007 10:45 | 2.31 | 1.18 |
| 7/8/2007 10:50 | 2.31 | 1.18 |
| 7/8/2007 10:55 | 2.311 | 1.18 |
| 7/8/2007 11:00 | 2.309 | 1.18 |
| 7/8/2007 11:05 | 2.309 | 1.18 |
| 7/8/2007 11:10 | 2.308 | 1.18 |
| 7/8/2007 11:15 | 2.309 | 1.18 |
| 7/8/2007 11:20 | 2.309 | 1.18 |
| 7/8/2007 11:25 | 2.307 | 1.18 |
| 7/8/2007 11:30 | 2.308 | 1.18 |
| 7/8/2007 11:35 | 2.307 | 1.18 |
| 7/8/2007 11:40 | 2.306 | 1.18 |
| 7/8/2007 11:45 | 2.306 | 1.18 |
| 7/8/2007 11:50 | 2.305 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 11:55 | 2.307 | 1.18 |
| 7/8/2007 12:00 | 2.306 | 1.18 |
| 7/8/2007 12:05 | 2.305 | 1.18 |
| 7/8/2007 12:10 | 2.303 | 1.18 |
| 7/8/2007 12:15 | 2.305 | 1.18 |
| 7/8/2007 12:20 | 2.304 | 1.18 |
| 7/8/2007 12:25 | 2.304 | 1.18 |
| 7/8/2007 12:30 | 2.303 | 1.18 |
| 7/8/2007 12:35 | 2.303 | 1.18 |
| 7/8/2007 12:40 | 2.303 | 1.18 |
| 7/8/2007 12:45 | 2.303 | 1.18 |
| 7/8/2007 12:50 | 2.303 | 1.18 |
| 7/8/2007 12:55 | 2.303 | 1.18 |
| 7/8/2007 13:00 | 2.303 | 1.18 |
| 7/8/2007 13:05 | 2.302 | 1.18 |
| 7/8/2007 13:10 | 2.302 | 1.18 |
| 7/8/2007 13:15 | 2.302 | 1.18 |
| 7/8/2007 13:20 | 2.302 | 1.18 |
| 7/8/2007 13:25 | 2.301 | 1.18 |
| 7/8/2007 13:30 | 2.3 | 1.18 |
| 7/8/2007 13:35 | 2.3 | 1.18 |
| 7/8/2007 13:40 | 2.3 | 1.18 |
| 7/8/2007 13:45 | 2.3 | 1.18 |
| 7/8/2007 13:50 | 2.3 | 1.18 |
| 7/8/2007 13:55 | 2.301 | 1.18 |
| 7/8/2007 14:00 | 2.301 | 1.18 |
| 7/8/2007 14:05 | 2.3 | 1.18 |
| 7/8/2007 14:10 | 2.301 | 1.18 |
| 7/8/2007 14:15 | 2.3 | 1.18 |
| 7/8/2007 14:20 | 2.3 | 1.18 |
| 7/8/2007 14:25 | 2.3 | 1.18 |
| 7/8/2007 14:30 | 2.299 | 1.18 |
| 7/8/2007 14:35 | 2.3 | 1.18 |
| 7/8/2007 14:40 | 2.3 | 1.18 |
| 7/8/2007 14:45 | 2.3 | 1.18 |
| 7/8/2007 14:50 | 2.299 | 1.18 |
| 7/8/2007 14:55 | 2.299 | 1.18 |
| 7/8/2007 15:00 | 2.299 | 1.18 |
| 7/8/2007 15:05 | 2.299 | 1.18 |
| 7/8/2007 15:10 | 2.297 | 1.18 |
| 7/8/2007 15:15 | 2.298 | 1.18 |
| 7/8/2007 15:20 | 2.297 | 1.18 |
| 7/8/2007 15:25 | 2.297 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 15:30 | 2.297 | 1.18 |
| 7/8/2007 15:35 | 2.296 | 1.18 |
| 7/8/2007 15:40 | 2.296 | 1.18 |
| 7/8/2007 15:45 | 2.295 | 1.18 |
| 7/8/2007 15:50 | 2.295 | 1.18 |
| 7/8/2007 15:55 | 2.294 | 1.18 |
| 7/8/2007 16:00 | 2.294 | 1.18 |
| 7/8/2007 16:05 | 2.295 | 1.18 |
| 7/8/2007 16:10 | 2.295 | 1.18 |
| 7/8/2007 16:15 | 2.295 | 1.18 |
| 7/8/2007 16:20 | 2.294 | 1.18 |
| 7/8/2007 16:25 | 2.295 | 1.18 |
| 7/8/2007 16:30 | 2.295 | 1.18 |
| 7/8/2007 16:35 | 2.294 | 1.18 |
| 7/8/2007 16:40 | 2.294 | 1.18 |
| 7/8/2007 16:45 | 2.294 | 1.18 |
| 7/8/2007 16:50 | 2.294 | 1.18 |
| 7/8/2007 16:55 | 2.294 | 1.18 |
| 7/8/2007 17:00 | 2.294 | 1.18 |
| 7/8/2007 17:05 | 2.294 | 1.18 |
| 7/8/2007 17:10 | 2.293 | 1.18 |
| 7/8/2007 17:15 | 2.294 | 1.18 |
| 7/8/2007 17:20 | 2.293 | 1.18 |
| 7/8/2007 17:25 | 2.294 | 1.18 |
| 7/8/2007 17:30 | 2.293 | 1.18 |
| 7/8/2007 17:35 | 2.293 | 1.18 |
| 7/8/2007 17:40 | 2.293 | 1.18 |
| 7/8/2007 17:45 | 2.294 | 1.18 |
| 7/8/2007 17:50 | 2.294 | 1.18 |
| 7/8/2007 17:55 | 2.292 | 1.18 |
| 7/8/2007 18:00 | 2.293 | 1.18 |
| 7/8/2007 18:05 | 2.292 | 1.18 |
| 7/8/2007 18:10 | 2.292 | 1.18 |
| 7/8/2007 18:15 | 2.292 | 1.18 |
| 7/8/2007 18:20 | 2.292 | 1.18 |
| 7/8/2007 18:25 | 2.292 | 1.18 |
| 7/8/2007 18:30 | 2.293 | 1.18 |
| 7/8/2007 18:35 | 2.292 | 1.18 |
| 7/8/2007 18:40 | 2.292 | 1.18 |
| 7/8/2007 18:45 | 2.292 | 1.18 |
| 7/8/2007 18:50 | 2.295 | 1.18 |
| 7/8/2007 18:55 | 2.291 | 1.18 |
| 7/8/2007 19:00 | 2.291 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 19:05 | 2.292 | 1.18 |
| 7/8/2007 19:10 | 2.292 | 1.18 |
| 7/8/2007 19:15 | 2.291 | 1.18 |
| 7/8/2007 19:20 | 2.291 | 1.18 |
| 7/8/2007 19:25 | 2.291 | 1.18 |
| 7/8/2007 19:30 | 2.291 | 1.18 |
| 7/8/2007 19:35 | 2.291 | 1.18 |
| 7/8/2007 19:40 | 2.291 | 1.18 |
| 7/8/2007 19:45 | 2.29 | 1.18 |
| 7/8/2007 19:50 | 2.29 | 1.18 |
| 7/8/2007 19:55 | 2.29 | 1.18 |
| 7/8/2007 20:00 | 2.289 | 1.18 |
| 7/8/2007 20:05 | 2.288 | 1.18 |
| 7/8/2007 20:10 | 2.288 | 1.18 |
| 7/8/2007 20:15 | 2.289 | 1.18 |
| 7/8/2007 20:20 | 2.287 | 1.18 |
| 7/8/2007 20:25 | 2.289 | 1.18 |
| 7/8/2007 20:30 | 2.284 | 1.18 |
| 7/8/2007 20:35 | 2.288 | 1.18 |
| 7/8/2007 20:40 | 2.292 | 1.18 |
| 7/8/2007 20:45 | 2.289 | 1.18 |
| 7/8/2007 20:50 | 2.289 | 1.18 |
| 7/8/2007 20:55 | 2.288 | 1.18 |
| 7/8/2007 21:00 | 2.29 | 1.18 |
| 7/8/2007 21:05 | 2.288 | 1.18 |
| 7/8/2007 21:10 | 2.288 | 1.18 |
| 7/8/2007 21:15 | 2.287 | 1.18 |
| 7/8/2007 21:20 | 2.284 | 1.18 |
| 7/8/2007 21:25 | 2.283 | 1.18 |
| 7/8/2007 21:30 | 2.282 | 1.18 |
| 7/8/2007 21:35 | 2.28 | 1.18 |
| 7/8/2007 21:40 | 2.282 | 1.18 |
| 7/8/2007 21:45 | 2.282 | 1.18 |
| 7/8/2007 21:50 | 2.282 | 1.18 |
| 7/8/2007 21:55 | 2.281 | 1.18 |
| 7/8/2007 22:00 | 2.279 | 1.18 |
| 7/8/2007 22:05 | 2.284 | 1.18 |
| 7/8/2007 22:10 | 2.284 | 1.18 |
| 7/8/2007 22:15 | 2.283 | 1.18 |
| 7/8/2007 22:20 | 2.285 | 1.18 |
| 7/8/2007 22:25 | 2.282 | 1.18 |
| 7/8/2007 22:30 | 2.283 | 1.18 |
| 7/8/2007 22:35 | 2.282 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 22:40 | 2.281 | 1.18 |
| 7/8/2007 22:45 | 2.281 | 1.18 |
| 7/8/2007 22:50 | 2.281 | 1.18 |
| 7/8/2007 22:55 | 2.282 | 1.18 |
| 7/8/2007 23:00 | 2.281 | 1.18 |
| 7/8/2007 23:05 | 2.28 | 1.18 |
| 7/8/2007 23:10 | 2.28 | 1.18 |
| 7/8/2007 23:15 | 2.279 | 1.18 |
| 7/8/2007 23:20 | 2.28 | 1.18 |
| 7/8/2007 23:25 | 2.279 | 1.18 |
| 7/8/2007 23:30 | 2.28 | 1.18 |
| 7/8/2007 23:35 | 2.281 | 1.18 |
| 7/8/2007 23:40 | 2.28 | 1.18 |
| 7/8/2007 23:45 | 2.281 | 1.18 |
| 7/8/2007 23:50 | 2.28 | 1.18 |
| 7/8/2007 23:55 | 2.28 | 1.18 |
| 7/9/2007 0:00 | 2.279 | 1.18 |
| 7/9/2007 0:05 | 2.281 | 1.18 |
| 7/9/2007 0:10 | 2.28 | 1.18 |
| 7/9/2007 0:15 | 2.28 | 1.18 |
| 7/9/2007 0:20 | 2.282 | 1.18 |
| 7/9/2007 0:25 | 2.28 | 1.18 |
| 7/9/2007 0:30 | 2.279 | 1.18 |
| 7/9/2007 0:35 | 2.28 | 1.18 |
| 7/9/2007 0:40 | 2.28 | 1.18 |
| 7/9/2007 0:45 | 2.279 | 1.18 |
| 7/9/2007 0:50 | 2.279 | 1.18 |
| 7/9/2007 0:55 | 2.278 | 1.18 |
| 7/9/2007 1:00 | 2.279 | 1.18 |
| 7/9/2007 1:05 | 2.279 | 1.18 |
| 7/9/2007 1:10 | 2.279 | 1.18 |
| 7/9/2007 1:15 | 2.278 | 1.18 |
| 7/9/2007 1:20 | 2.278 | 1.18 |
| 7/9/2007 1:25 | 2.278 | 1.18 |
| 7/9/2007 1:30 | 2.277 | 1.18 |
| 7/9/2007 1:35 | 2.278 | 1.18 |
| 7/9/2007 1:40 | 2.279 | 1.18 |
| 7/9/2007 1:45 | 2.278 | 1.18 |
| 7/9/2007 1:50 | 2.278 | 1.18 |
| 7/9/2007 1:55 | 2.277 | 1.18 |
| 7/9/2007 2:00 | 2.278 | 1.18 |
| 7/9/2007 2:05 | 2.278 | 1.18 |
| 7/9/2007 2:10 | 2.278 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 2:15 | 2.277 | 1.18 |
| 7/9/2007 2:20 | 2.278 | 1.18 |
| 7/9/2007 2:25 | 2.278 | 1.18 |
| 7/9/2007 2:30 | 2.278 | 1.18 |
| 7/9/2007 2:35 | 2.278 | 1.18 |
| 7/9/2007 2:40 | 2.277 | 1.18 |
| 7/9/2007 2:45 | 2.278 | 1.18 |
| 7/9/2007 2:50 | 2.277 | 1.18 |
| 7/9/2007 2:55 | 2.277 | 1.18 |
| 7/9/2007 3:00 | 2.275 | 1.18 |
| 7/9/2007 3:05 | 2.275 | 1.18 |
| 7/9/2007 3:10 | 2.276 | 1.18 |
| 7/9/2007 3:15 | 2.277 | 1.18 |
| 7/9/2007 3:20 | 2.276 | 1.18 |
| 7/9/2007 3:25 | 2.275 | 1.18 |
| 7/9/2007 3:30 | 2.274 | 1.18 |
| 7/9/2007 3:35 | 2.276 | 1.18 |
| 7/9/2007 3:40 | 2.276 | 1.18 |
| 7/9/2007 3:45 | 2.276 | 1.18 |
| 7/9/2007 3:50 | 2.275 | 1.18 |
| 7/9/2007 3:55 | 2.274 | 1.18 |
| 7/9/2007 4:00 | 2.276 | 1.18 |
| 7/9/2007 4:05 | 2.275 | 1.18 |
| 7/9/2007 4:10 | 2.275 | 1.18 |
| 7/9/2007 4:15 | 2.275 | 1.18 |
| 7/9/2007 4:20 | 2.276 | 1.18 |
| 7/9/2007 4:25 | 2.275 | 1.18 |
| 7/9/2007 4:30 | 2.276 | 1.18 |
| 7/9/2007 4:35 | 2.276 | 1.18 |
| 7/9/2007 4:40 | 2.275 | 1.18 |
| 7/9/2007 4:45 | 2.277 | 1.18 |
| 7/9/2007 4:50 | 2.275 | 1.18 |
| 7/9/2007 4:55 | 2.275 | 1.18 |
| 7/9/2007 5:00 | 2.276 | 1.18 |
| 7/9/2007 5:05 | 2.275 | 1.18 |
| 7/9/2007 5:10 | 2.274 | 1.18 |
| 7/9/2007 5:15 | 2.275 | 1.18 |
| 7/9/2007 5:20 | 2.275 | 1.18 |
| 7/9/2007 5:25 | 2.274 | 1.18 |
| 7/9/2007 5:30 | 2.276 | 1.18 |
| 7/9/2007 5:35 | 2.275 | 1.18 |
| 7/9/2007 5:40 | 2.275 | 1.18 |
| 7/9/2007 5:45 | 2.275 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 5:50 | 2.275 | 1.18 |
| 7/9/2007 5:55 | 2.275 | 1.18 |
| 7/9/2007 6:00 | 2.276 | 1.18 |
| 7/9/2007 6:05 | 2.276 | 1.18 |
| 7/9/2007 6:10 | 2.275 | 1.18 |
| 7/9/2007 6:15 | 2.273 | 1.18 |
| 7/9/2007 6:20 | 2.274 | 1.18 |
| 7/9/2007 6:25 | 2.275 | 1.18 |
| 7/9/2007 6:30 | 2.273 | 1.18 |
| 7/9/2007 6:35 | 2.273 | 1.18 |
| 7/9/2007 6:40 | 2.274 | 1.18 |
| 7/9/2007 6:45 | 2.277 | 1.18 |
| 7/9/2007 6:50 | 2.304 | 1.18 |
| 7/9/2007 6:55 | 2.397 | 1.18 |
| 7/9/2007 7:00 | 2.754 | 1.18 |
| 7/9/2007 7:05 | 2.856 | 1.18 |
| 7/9/2007 7:10 | 2.844 | 1.18 |
| 7/9/2007 7:15 | 2.818 | 1.18 |
| 7/9/2007 7:20 | 2.787 | 1.18 |
| 7/9/2007 7:25 | 2.75 | 1.18 |
| 7/9/2007 7:30 | 2.704 | 1.18 |
| 7/9/2007 7:35 | 2.653 | 1.18 |
| 7/9/2007 7:40 | 2.603 | 1.18 |
| 7/9/2007 7:45 | 2.562 | 1.18 |
| 7/9/2007 7:50 | 2.529 | 1.18 |
| 7/9/2007 7:55 | 2.506 | 1.18 |
| 7/9/2007 8:00 | 2.488 | 1.18 |
| 7/9/2007 8:05 | 2.473 | 1.18 |
| 7/9/2007 8:10 | 2.462 | 1.18 |
| 7/9/2007 8:15 | 2.452 | 1.18 |
| 7/9/2007 8:20 | 2.447 | 1.18 |
| 7/9/2007 8:25 | 2.442 | 1.18 |
| 7/9/2007 8:30 | 2.439 | 1.18 |
| 7/9/2007 8:35 | 2.436 | 1.18 |
| 7/9/2007 8:40 | 2.433 | 1.18 |
| 7/9/2007 8:45 | 2.431 | 1.18 |
| 7/9/2007 8:50 | 2.432 | 1.18 |
| 7/9/2007 8:55 | 2.431 | 1.18 |
| 7/9/2007 9:00 | 2.431 | 1.18 |
| 7/9/2007 9:05 | 2.429 | 1.18 |
| 7/9/2007 9:10 | 2.429 | 1.18 |
| 7/9/2007 9:15 | 2.43 | 1.18 |
| 7/9/2007 9:20 | 2.431 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 9:25 | 2.431 | 1.18 |
| 7/9/2007 9:30 | 2.429 | 1.18 |
| 7/9/2007 9:35 | 2.43 | 1.18 |
| 7/9/2007 9:40 | 2.428 | 1.18 |
| 7/9/2007 9:45 | 2.429 | 1.18 |
| 7/9/2007 9:50 | 2.429 | 1.18 |
| 7/9/2007 9:55 | 2.43 | 1.18 |
| 7/9/2007 10:00 | 2.429 | 1.18 |
| 7/9/2007 10:05 | 2.429 | 1.18 |
| 7/9/2007 10:10 | 2.43 | 1.18 |
| 7/9/2007 10:15 | 2.429 | 1.18 |
| 7/9/2007 10:20 | 2.428 | 1.18 |
| 7/9/2007 10:25 | 2.428 | 1.18 |
| 7/9/2007 10:30 | 2.428 | 1.18 |
| 7/9/2007 10:35 | 2.428 | 1.18 |
| 7/9/2007 10:40 | 2.426 | 1.18 |
| 7/9/2007 10:45 | 2.427 | 1.18 |
| 7/9/2007 10:50 | 2.427 | 1.18 |
| 7/9/2007 10:55 | 2.424 | 1.18 |
| 7/9/2007 11:00 | 2.423 | 1.18 |
| 7/9/2007 11:05 | 2.425 | 1.18 |
| 7/9/2007 11:10 | 2.423 | 1.18 |
| 7/9/2007 11:15 | 2.42 | 1.18 |
| 7/9/2007 11:20 | 2.42 | 1.18 |
| 7/9/2007 11:25 | 2.42 | 1.18 |
| 7/9/2007 11:30 | 2.418 | 1.18 |
| 7/9/2007 11:35 | 2.418 | 1.18 |
| 7/9/2007 11:40 | 2.418 | 1.18 |
| 7/9/2007 11:45 | 2.417 | 1.18 |
| 7/9/2007 11:50 | 2.413 | 1.18 |
| 7/9/2007 11:55 | 2.414 | 1.18 |
| 7/9/2007 12:00 | 2.413 | 1.18 |
| 7/9/2007 12:05 | 2.412 | 1.18 |
| 7/9/2007 12:10 | 2.412 | 1.18 |
| 7/9/2007 12:15 | 2.412 | 1.18 |
| 7/9/2007 12:20 | 2.407 | 1.18 |
| 7/9/2007 12:25 | 2.407 | 1.18 |
| 7/9/2007 12:30 | 2.407 | 1.18 |
| 7/9/2007 12:35 | 2.404 | 1.18 |
| 7/9/2007 12:40 | 2.402 | 1.18 |
| 7/9/2007 12:45 | 2.402 | 1.18 |
| 7/9/2007 12:50 | 2.401 | 1.18 |
| 7/9/2007 12:55 | 2.4 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 13:00 | 2.399 | 1.18 |
| 7/9/2007 13:05 | 2.399 | 1.18 |
| 7/9/2007 13:10 | 2.397 | 1.18 |
| 7/9/2007 13:15 | 2.397 | 1.18 |
| 7/9/2007 13:20 | 2.396 | 1.18 |
| 7/9/2007 13:25 | 2.393 | 1.18 |
| 7/9/2007 13:30 | 2.392 | 1.18 |
| 7/9/2007 13:35 | 2.39 | 1.18 |
| 7/9/2007 13:40 | 2.389 | 1.18 |
| 7/9/2007 13:45 | 2.387 | 1.18 |
| 7/9/2007 13:50 | 2.388 | 1.18 |
| 7/9/2007 13:55 | 2.386 | 1.18 |
| 7/9/2007 14:00 | 2.385 | 1.18 |
| 7/9/2007 14:05 | 2.385 | 1.18 |
| 7/9/2007 14:10 | 2.383 | 1.18 |
| 7/9/2007 14:15 | 2.382 | 1.18 |
| 7/9/2007 14:20 | 2.381 | 1.18 |
| 7/9/2007 14:25 | 2.38 | 1.18 |
| 7/9/2007 14:30 | 2.379 | 1.18 |
| 7/9/2007 14:35 | 2.377 | 1.18 |
| 7/9/2007 14:40 | 2.376 | 1.18 |
| 7/9/2007 14:45 | 2.375 | 1.18 |
| 7/9/2007 14:50 | 2.375 | 1.18 |
| 7/9/2007 14:55 | 2.375 | 1.18 |
| 7/9/2007 15:00 | 2.373 | 1.18 |
| 7/9/2007 15:05 | 2.372 | 1.18 |
| 7/9/2007 15:10 | 2.372 | 1.18 |
| 7/9/2007 15:15 | 2.371 | 1.18 |
| 7/9/2007 15:20 | 2.37 | 1.18 |
| 7/9/2007 15:25 | 2.367 | 1.18 |
| 7/9/2007 15:30 | 2.365 | 1.18 |
| 7/9/2007 15:35 | 2.366 | 1.18 |
| 7/9/2007 15:40 | 2.365 | 1.18 |
| 7/9/2007 15:45 | 2.366 | 1.18 |
| 7/9/2007 15:50 | 2.361 | 1.18 |
| 7/9/2007 15:55 | 2.363 | 1.18 |
| 7/9/2007 16:00 | 2.361 | 1.18 |
| 7/9/2007 16:05 | 2.36 | 1.18 |
| 7/9/2007 16:10 | 2.361 | 1.18 |
| 7/9/2007 16:15 | 2.359 | 1.18 |
| 7/9/2007 16:20 | 2.36 | 1.18 |
| 7/9/2007 16:25 | 2.358 | 1.18 |
| 7/9/2007 16:30 | 2.358 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 16:35 | 2.356 | 1.18 |
| 7/9/2007 16:40 | 2.355 | 1.18 |
| 7/9/2007 16:45 | 2.355 | 1.18 |
| 7/9/2007 16:50 | 2.355 | 1.18 |
| 7/9/2007 16:55 | 2.355 | 1.18 |
| 7/9/2007 17:00 | 2.354 | 1.18 |
| 7/9/2007 17:05 | 2.353 | 1.18 |
| 7/9/2007 17:10 | 2.352 | 1.18 |
| 7/9/2007 17:15 | 2.351 | 1.18 |
| 7/9/2007 17:20 | 2.351 | 1.18 |
| 7/9/2007 17:25 | 2.351 | 1.18 |
| 7/9/2007 17:30 | 2.351 | 1.18 |
| 7/9/2007 17:35 | 2.348 | 1.18 |
| 7/9/2007 17:40 | 2.349 | 1.18 |
| 7/9/2007 17:45 | 2.348 | 1.18 |
| 7/9/2007 17:50 | 2.348 | 1.18 |
| 7/9/2007 17:55 | 2.348 | 1.18 |
| 7/9/2007 18:00 | 2.347 | 1.18 |
| 7/9/2007 18:05 | 2.346 | 1.18 |
| 7/9/2007 18:10 | 2.346 | 1.18 |
| 7/9/2007 18:15 | 2.346 | 1.18 |
| 7/9/2007 18:20 | 2.345 | 1.18 |
| 7/9/2007 18:25 | 2.346 | 1.18 |
| 7/9/2007 18:30 | 2.345 | 1.18 |
| 7/9/2007 18:35 | 2.343 | 1.18 |
| 7/9/2007 18:40 | 2.34 | 1.18 |
| 7/9/2007 18:45 | 2.342 | 1.18 |
| 7/9/2007 18:50 | 2.353 | 1.18 |
| 7/9/2007 18:55 | 2.367 | 1.18 |
| 7/9/2007 19:00 | 2.389 | 1.18 |
| 7/9/2007 19:05 | 2.433 | 1.18 |
| 7/9/2007 19:10 | 2.458 | 1.18 |
| 7/9/2007 19:15 | 2.469 | 1.18 |
| 7/9/2007 19:20 | 2.466 | 1.18 |
| 7/9/2007 19:25 | 2.455 | 1.18 |
| 7/9/2007 19:30 | 2.448 | 1.18 |
| 7/9/2007 19:35 | 2.435 | 1.18 |
| 7/9/2007 19:40 | 2.43 | 1.18 |
| 7/9/2007 19:45 | 2.424 | 1.18 |
| 7/9/2007 19:50 | 2.417 | 1.18 |
| 7/9/2007 19:55 | 2.412 | 1.18 |
| 7/9/2007 20:00 | 2.407 | 1.18 |
| 7/9/2007 20:05 | 2.404 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 20:10 | 2.401 | 1.18 |
| 7/9/2007 20:15 | 2.397 | 1.18 |
| 7/9/2007 20:20 | 2.395 | 1.18 |
| 7/9/2007 20:25 | 2.395 | 1.18 |
| 7/9/2007 20:30 | 2.394 | 1.18 |
| 7/9/2007 20:35 | 2.393 | 1.18 |
| 7/9/2007 20:40 | 2.392 | 1.18 |
| 7/9/2007 20:45 | 2.391 | 1.18 |
| 7/9/2007 20:50 | 2.392 | 1.18 |
| 7/9/2007 20:55 | 2.392 | 1.18 |
| 7/9/2007 21:00 | 2.39 | 1.18 |
| 7/9/2007 21:05 | 2.393 | 1.18 |
| 7/9/2007 21:10 | 2.393 | 1.18 |
| 7/9/2007 21:15 | 2.392 | 1.18 |
| 7/9/2007 21:20 | 2.391 | 1.18 |
| 7/9/2007 21:25 | 2.393 | 1.18 |
| 7/9/2007 21:30 | 2.393 | 1.18 |
| 7/9/2007 21:35 | 2.394 | 1.18 |
| 7/9/2007 21:40 | 2.393 | 1.18 |
| 7/9/2007 21:45 | 2.392 | 1.18 |
| 7/9/2007 21:50 | 2.394 | 1.18 |
| 7/9/2007 21:55 | 2.393 | 1.18 |
| 7/9/2007 22:00 | 2.394 | 1.18 |
| 7/9/2007 22:05 | 2.393 | 1.18 |
| 7/9/2007 22:10 | 2.394 | 1.18 |
| 7/9/2007 22:15 | 2.393 | 1.18 |
| 7/9/2007 22:20 | 2.392 | 1.18 |
| 7/9/2007 22:25 | 2.394 | 1.18 |
| 7/9/2007 22:30 | 2.392 | 1.18 |
| 7/9/2007 22:35 | 2.393 | 1.18 |
| 7/9/2007 22:40 | 2.393 | 1.18 |
| 7/9/2007 22:45 | 2.391 | 1.18 |
| 7/9/2007 22:50 | 2.379 | 1.18 |
| 7/9/2007 22:55 | 2.38 | 1.18 |
| 7/9/2007 23:00 | 2.389 | 1.18 |
| 7/9/2007 23:05 | 2.39 | 1.18 |
| 7/9/2007 23:10 | 2.39 | 1.18 |
| 7/9/2007 23:15 | 2.389 | 1.18 |
| 7/9/2007 23:20 | 2.39 | 1.18 |
| 7/9/2007 23:25 | 2.391 | 1.18 |
| 7/9/2007 23:30 | 2.389 | 1.18 |
| 7/9/2007 23:35 | 2.39 | 1.18 |
| 7/9/2007 23:40 | 2.39 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 23:45 | 2.39 | 1.18 |
| 7/9/2007 23:50 | 2.39 | 1.18 |
| 7/9/2007 23:55 | 2.39 | 1.18 |
| 7/10/2007 0:00 | 2.39 | 1.18 |
| 7/10/2007 0:05 | 2.388 | 1.18 |
| 7/10/2007 0:10 | 2.388 | 1.18 |
| 7/10/2007 0:15 | 2.389 | 1.18 |
| 7/10/2007 0:20 | 2.388 | 1.18 |
| 7/10/2007 0:25 | 2.388 | 1.18 |
| 7/10/2007 0:30 | 2.387 | 1.18 |
| 7/10/2007 0:35 | 2.388 | 1.18 |
| 7/10/2007 0:40 | 2.386 | 1.18 |
| 7/10/2007 0:45 | 2.388 | 1.18 |
| 7/10/2007 0:50 | 2.384 | 1.18 |
| 7/10/2007 0:55 | 2.386 | 1.18 |
| 7/10/2007 1:00 | 2.384 | 1.18 |
| 7/10/2007 1:05 | 2.386 | 1.18 |
| 7/10/2007 1:10 | 2.385 | 1.18 |
| 7/10/2007 1:15 | 2.384 | 1.18 |
| 7/10/2007 1:20 | 2.384 | 1.18 |
| 7/10/2007 1:25 | 2.384 | 1.18 |
| 7/10/2007 1:30 | 2.382 | 1.18 |
| 7/10/2007 1:35 | 2.381 | 1.18 |
| 7/10/2007 1:40 | 2.381 | 1.18 |
| 7/10/2007 1:45 | 2.381 | 1.18 |
| 7/10/2007 1:50 | 2.38 | 1.18 |
| 7/10/2007 1:55 | 2.38 | 1.18 |
| 7/10/2007 2:00 | 2.381 | 1.18 |
| 7/10/2007 2:05 | 2.379 | 1.18 |
| 7/10/2007 2:10 | 2.38 | 1.18 |
| 7/10/2007 2:15 | 2.378 | 1.18 |
| 7/10/2007 2:20 | 2.378 | 1.18 |
| 7/10/2007 2:25 | 2.377 | 1.18 |
| 7/10/2007 2:30 | 2.377 | 1.18 |
| 7/10/2007 2:35 | 2.376 | 1.18 |
| 7/10/2007 2:40 | 2.377 | 1.18 |
| 7/10/2007 2:45 | 2.375 | 1.18 |
| 7/10/2007 2:50 | 2.376 | 1.18 |
| 7/10/2007 2:55 | 2.374 | 1.18 |
| 7/10/2007 3:00 | 2.373 | 1.18 |
| 7/10/2007 3:05 | 2.374 | 1.18 |
| 7/10/2007 3:10 | 2.373 | 1.18 |
| 7/10/2007 3:15 | 2.374 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 3:20 | 2.373 | 1.18 |
| 7/10/2007 3:25 | 2.372 | 1.18 |
| 7/10/2007 3:30 | 2.373 | 1.18 |
| 7/10/2007 3:35 | 2.373 | 1.18 |
| 7/10/2007 3:40 | 2.37 | 1.18 |
| 7/10/2007 3:45 | 2.37 | 1.18 |
| 7/10/2007 3:50 | 2.37 | 1.18 |
| 7/10/2007 3:55 | 2.371 | 1.18 |
| 7/10/2007 4:00 | 2.369 | 1.18 |
| 7/10/2007 4:05 | 2.368 | 1.18 |
| 7/10/2007 4:10 | 2.369 | 1.18 |
| 7/10/2007 4:15 | 2.369 | 1.18 |
| 7/10/2007 4:20 | 2.368 | 1.18 |
| 7/10/2007 4:25 | 2.368 | 1.18 |
| 7/10/2007 4:30 | 2.366 | 1.18 |
| 7/10/2007 4:35 | 2.367 | 1.18 |
| 7/10/2007 4:40 | 2.366 | 1.18 |
| 7/10/2007 4:45 | 2.365 | 1.18 |
| 7/10/2007 4:50 | 2.366 | 1.18 |
| 7/10/2007 4:55 | 2.366 | 1.18 |
| 7/10/2007 5:00 | 2.367 | 1.18 |
| 7/10/2007 5:05 | 2.365 | 1.18 |
| 7/10/2007 5:10 | 2.364 | 1.18 |
| 7/10/2007 5:15 | 2.365 | 1.18 |
| 7/10/2007 5:20 | 2.364 | 1.18 |
| 7/10/2007 5:25 | 2.365 | 1.18 |
| 7/10/2007 5:30 | 2.363 | 1.18 |
| 7/10/2007 5:35 | 2.363 | 1.18 |
| 7/10/2007 5:40 | 2.364 | 1.18 |
| 7/10/2007 5:45 | 2.363 | 1.18 |
| 7/10/2007 5:50 | 2.362 | 1.18 |
| 7/10/2007 5:55 | 2.362 | 1.18 |
| 7/10/2007 6:00 | 2.363 | 1.18 |
| 7/10/2007 6:05 | 2.362 | 1.18 |
| 7/10/2007 6:10 | 2.361 | 1.18 |
| 7/10/2007 6:15 | 2.361 | 1.18 |
| 7/10/2007 6:20 | 2.361 | 1.18 |
| 7/10/2007 6:25 | 2.361 | 1.18 |
| 7/10/2007 6:30 | 2.36 | 1.18 |
| 7/10/2007 6:35 | 2.36 | 1.18 |
| 7/10/2007 6:40 | 2.36 | 1.18 |
| 7/10/2007 6:45 | 2.36 | 1.18 |
| 7/10/2007 6:50 | 2.36 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 6:55 | 2.359 | 1.18 |
| 7/10/2007 7:00 | 2.359 | 1.18 |
| 7/10/2007 7:05 | 2.359 | 1.18 |
| 7/10/2007 7:10 | 2.359 | 1.18 |
| 7/10/2007 7:15 | 2.358 | 1.18 |
| 7/10/2007 7:20 | 2.358 | 1.18 |
| 7/10/2007 7:25 | 2.358 | 1.18 |
| 7/10/2007 7:30 | 2.358 | 1.18 |
| 7/10/2007 7:35 | 2.358 | 1.18 |
| 7/10/2007 7:40 | 2.357 | 1.18 |
| 7/10/2007 7:45 | 2.357 | 1.18 |
| 7/10/2007 7:50 | 2.356 | 1.18 |
| 7/10/2007 7:55 | 2.357 | 1.18 |
| 7/10/2007 8:00 | 2.359 | 1.18 |
| 7/10/2007 8:05 | 2.359 | 1.18 |
| 7/10/2007 8:10 | 2.358 | 1.18 |
| 7/10/2007 8:15 | 2.361 | 1.18 |
| 7/10/2007 8:20 | 2.359 | 1.18 |
| 7/10/2007 8:25 | 2.36 | 1.18 |
| 7/10/2007 8:30 | 2.359 | 1.18 |
| 7/10/2007 8:35 | 2.358 | 1.18 |
| 7/10/2007 8:40 | 2.361 | 1.18 |
| 7/10/2007 8:45 | 2.361 | 1.18 |
| 7/10/2007 8:50 | 2.358 | 1.18 |
| 7/10/2007 8:55 | 2.359 | 1.18 |
| 7/10/2007 9:00 | 2.359 | 1.18 |
| 7/10/2007 9:05 | 2.359 | 1.18 |
| 7/10/2007 9:10 | 2.36 | 1.18 |
| 7/10/2007 9:15 | 2.359 | 1.18 |
| 7/10/2007 9:20 | 2.359 | 1.18 |
| 7/10/2007 9:25 | 2.361 | 1.18 |
| 7/10/2007 9:30 | 2.36 | 1.18 |
| 7/10/2007 9:35 | 2.359 | 1.18 |
| 7/10/2007 9:40 | 2.36 | 1.18 |
| 7/10/2007 9:45 | 2.359 | 1.18 |
| 7/10/2007 9:50 | 2.359 | 1.18 |
| 7/10/2007 9:55 | 2.358 | 1.18 |
| 7/10/2007 10:00 | 2.358 | 1.18 |
| 7/10/2007 10:05 | 2.357 | 1.18 |
| 7/10/2007 10:10 | 2.357 | 1.18 |
| 7/10/2007 10:15 | 2.357 | 1.18 |
| 7/10/2007 10:20 | 2.358 | 1.18 |
| 7/10/2007 10:25 | 2.358 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 10:30 | 2.358 | 1.18 |
| 7/10/2007 10:35 | 2.357 | 1.18 |
| 7/10/2007 10:40 | 2.358 | 1.18 |
| 7/10/2007 10:45 | 2.358 | 1.18 |
| 7/10/2007 10:50 | 2.357 | 1.18 |
| 7/10/2007 10:55 | 2.357 | 1.18 |
| 7/10/2007 11:00 | 2.357 | 1.18 |
| 7/10/2007 11:05 | 2.356 | 1.18 |
| 7/10/2007 11:10 | 2.357 | 1.18 |
| 7/10/2007 11:15 | 2.355 | 1.18 |
| 7/10/2007 11:20 | 2.355 | 1.18 |
| 7/10/2007 11:25 | 2.355 | 1.18 |
| 7/10/2007 11:30 | 2.355 | 1.18 |
| 7/10/2007 11:35 | 2.354 | 1.18 |
| 7/10/2007 11:40 | 2.355 | 1.18 |
| 7/10/2007 11:45 | 2.354 | 1.18 |
| 7/10/2007 11:50 | 2.355 | 1.18 |
| 7/10/2007 11:55 | 2.354 | 1.18 |
| 7/10/2007 12:00 | 2.353 | 1.18 |
| 7/10/2007 12:05 | 2.353 | 1.18 |
| 7/10/2007 12:10 | 2.353 | 1.18 |
| 7/10/2007 12:15 | 2.351 | 1.18 |
| 7/10/2007 12:20 | 2.351 | 1.18 |
| 7/10/2007 12:25 | 2.351 | 1.18 |
| 7/10/2007 12:30 | 2.352 | 1.18 |
| 7/10/2007 12:35 | 2.352 | 1.18 |
| 7/10/2007 12:40 | 2.353 | 1.18 |
| 7/10/2007 12:45 | 2.351 | 1.18 |
| 7/10/2007 12:50 | 2.351 | 1.18 |
| 7/10/2007 12:55 | 2.35 | 1.18 |
| 7/10/2007 13:00 | 2.35 | 1.18 |
| 7/10/2007 13:05 | 2.349 | 1.18 |
| 7/10/2007 13:10 | 2.349 | 1.18 |
| 7/10/2007 13:15 | 2.347 | 1.18 |
| 7/10/2007 13:20 | 2.348 | 1.18 |
| 7/10/2007 13:25 | 2.349 | 1.18 |
| 7/10/2007 13:30 | 2.346 | 1.18 |
| 7/10/2007 13:35 | 2.347 | 1.18 |
| 7/10/2007 13:40 | 2.345 | 1.18 |
| 7/10/2007 13:45 | 2.345 | 1.18 |
| 7/10/2007 13:50 | 2.345 | 1.18 |
| 7/10/2007 13:55 | 2.344 | 1.18 |
| 7/10/2007 14:00 | 2.343 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 14:05 | 2.343 | 1.18 |
| 7/10/2007 14:10 | 2.342 | 1.18 |
| 7/10/2007 14:15 | 2.341 | 1.18 |
| 7/10/2007 14:20 | 2.342 | 1.18 |
| 7/10/2007 14:25 | 2.341 | 1.18 |
| 7/10/2007 14:30 | 2.341 | 1.18 |
| 7/10/2007 14:35 | 2.341 | 1.18 |
| 7/10/2007 14:40 | 2.341 | 1.18 |
| 7/10/2007 14:45 | 2.34 | 1.18 |
| 7/10/2007 14:50 | 2.34 | 1.18 |
| 7/10/2007 14:55 | 2.339 | 1.18 |
| 7/10/2007 15:00 | 2.338 | 1.18 |
| 7/10/2007 15:05 | 2.338 | 1.18 |
| 7/10/2007 15:10 | 2.338 | 1.18 |
| 7/10/2007 15:15 | 2.337 | 1.18 |
| 7/10/2007 15:20 | 2.336 | 1.18 |
| 7/10/2007 15:25 | 2.336 | 1.18 |
| 7/10/2007 15:30 | 2.337 | 1.18 |
| 7/10/2007 15:35 | 2.336 | 1.18 |
| 7/10/2007 15:40 | 2.335 | 1.18 |
| 7/10/2007 15:45 | 2.336 | 1.18 |
| 7/10/2007 15:50 | 2.336 | 1.18 |
| 7/10/2007 15:55 | 2.336 | 1.18 |
| 7/10/2007 16:00 | 2.335 | 1.18 |
| 7/10/2007 16:05 | 2.334 | 1.18 |
| 7/10/2007 16:10 | 2.334 | 1.18 |
| 7/10/2007 16:15 | 2.333 | 1.18 |
| 7/10/2007 16:20 | 2.334 | 1.18 |
| 7/10/2007 16:25 | 2.334 | 1.18 |
| 7/10/2007 16:30 | 2.333 | 1.18 |
| 7/10/2007 16:35 | 2.333 | 1.18 |
| 7/10/2007 16:40 | 2.335 | 1.18 |
| 7/10/2007 16:45 | 2.332 | 1.18 |
| 7/10/2007 16:50 | 2.331 | 1.18 |
| 7/10/2007 16:55 | 2.331 | 1.18 |
| 7/10/2007 17:00 | 2.33 | 1.18 |
| 7/10/2007 17:05 | 2.332 | 1.18 |
| 7/10/2007 17:10 | 2.331 | 1.18 |
| 7/10/2007 17:15 | 2.331 | 1.18 |
| 7/10/2007 17:20 | 2.331 | 1.18 |
| 7/10/2007 17:25 | 2.331 | 1.18 |
| 7/10/2007 17:30 | 2.331 | 1.18 |
| 7/10/2007 17:35 | 2.331 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 17:40 | 2.331 | 1.18 |
| 7/10/2007 17:45 | 2.331 | 1.18 |
| 7/10/2007 17:50 | 2.33 | 1.18 |
| 7/10/2007 17:55 | 2.329 | 1.18 |
| 7/10/2007 18:00 | 2.33 | 1.18 |
| 7/10/2007 18:05 | 2.329 | 1.18 |
| 7/10/2007 18:10 | 2.328 | 1.18 |
| 7/10/2007 18:15 | 2.329 | 1.18 |
| 7/10/2007 18:20 | 2.325 | 1.18 |
| 7/10/2007 18:25 | 2.323 | 1.18 |
| 7/10/2007 18:30 | 2.319 | 1.18 |
| 7/10/2007 18:35 | 2.312 | 1.18 |
| 7/10/2007 18:40 | 2.304 | 1.18 |
| 7/10/2007 18:45 | 2.301 | 1.18 |
| 7/10/2007 18:50 | 2.301 | 1.18 |
| 7/10/2007 18:55 | 2.298 | 1.18 |
| 7/10/2007 19:00 | 2.295 | 1.18 |
| 7/10/2007 19:05 | 2.295 | 1.18 |
| 7/10/2007 19:10 | 2.286 | 1.18 |
| 7/10/2007 19:15 | 2.273 | 1.18 |
| 7/10/2007 19:20 | 2.266 | 1.18 |
| 7/10/2007 19:25 | 2.275 | 1.18 |
| 7/10/2007 19:30 | 2.277 | 1.18 |
| 7/10/2007 19:35 | 2.276 | 1.18 |
| 7/10/2007 19:40 | 2.28 | 1.18 |
| 7/10/2007 19:45 | 2.284 | 1.18 |
| 7/10/2007 19:50 | 2.287 | 1.18 |
| 7/10/2007 19:55 | 2.29 | 1.18 |
| 7/10/2007 20:00 | 2.291 | 1.18 |
| 7/10/2007 20:05 | 2.293 | 1.18 |
| 7/10/2007 20:10 | 2.295 | 1.18 |
| 7/10/2007 20:15 | 2.297 | 1.18 |
| 7/10/2007 20:20 | 2.298 | 1.18 |
| 7/10/2007 20:25 | 2.299 | 1.18 |
| 7/10/2007 20:30 | 2.299 | 1.18 |
| 7/10/2007 20:35 | 2.3 | 1.18 |
| 7/10/2007 20:40 | 2.301 | 1.18 |
| 7/10/2007 20:45 | 2.301 | 1.18 |
| 7/10/2007 20:50 | 2.302 | 1.18 |
| 7/10/2007 20:55 | 2.302 | 1.18 |
| 7/10/2007 21:00 | 2.303 | 1.18 |
| 7/10/2007 21:05 | 2.303 | 1.18 |
| 7/10/2007 21:10 | 2.303 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 21:15 | 2.303 | 1.18 |
| 7/10/2007 21:20 | 2.303 | 1.18 |
| 7/10/2007 21:25 | 2.304 | 1.18 |
| 7/10/2007 21:30 | 2.304 | 1.18 |
| 7/10/2007 21:35 | 2.305 | 1.18 |
| 7/10/2007 21:40 | 2.305 | 1.18 |
| 7/10/2007 21:45 | 2.306 | 1.18 |
| 7/10/2007 21:50 | 2.305 | 1.18 |
| 7/10/2007 21:55 | 2.306 | 1.18 |
| 7/10/2007 22:00 | 2.303 | 1.18 |
| 7/10/2007 22:05 | 2.291 | 1.18 |
| 7/10/2007 22:10 | 2.287 | 1.18 |
| 7/10/2007 22:15 | 2.273 | 1.18 |
| 7/10/2007 22:20 | 2.275 | 1.18 |
| 7/10/2007 22:25 | 2.261 | 1.18 |
| 7/10/2007 22:30 | 2.253 | 1.18 |
| 7/10/2007 22:35 | 2.256 | 1.18 |
| 7/10/2007 22:40 | 2.262 | 1.18 |
| 7/10/2007 22:45 | 2.256 | 1.18 |
| 7/10/2007 22:50 | 2.238 | 1.18 |
| 7/10/2007 22:55 | 2.234 | 1.18 |
| 7/10/2007 23:00 | 2.237 | 1.18 |
| 7/10/2007 23:05 | 2.241 | 1.18 |
| 7/10/2007 23:10 | 2.245 | 1.18 |
| 7/10/2007 23:15 | 2.249 | 1.18 |
| 7/10/2007 23:20 | 2.252 | 1.18 |
| 7/10/2007 23:25 | 2.255 | 1.18 |
| 7/10/2007 23:30 | 2.257 | 1.18 |
| 7/10/2007 23:35 | 2.259 | 1.18 |
| 7/10/2007 23:40 | 2.26 | 1.18 |
| 7/10/2007 23:45 | 2.265 | 1.18 |
| 7/10/2007 23:50 | 2.267 | 1.18 |
| 7/10/2007 23:55 | 2.268 | 1.18 |
| 7/11/2007 0:00 | 2.269 | 1.18 |
| 7/11/2007 0:05 | 2.272 | 1.18 |
| 7/11/2007 0:10 | 2.273 | 1.18 |
| 7/11/2007 0:15 | 2.274 | 1.18 |
| 7/11/2007 0:20 | 2.273 | 1.18 |
| 7/11/2007 0:25 | 2.276 | 1.18 |
| 7/11/2007 0:30 | 2.277 | 1.18 |
| 7/11/2007 0:35 | 2.278 | 1.18 |
| 7/11/2007 0:40 | 2.278 | 1.18 |
| 7/11/2007 0:45 | 2.279 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 0:50 | 2.28 | 1.18 |
| 7/11/2007 0:55 | 2.28 | 1.18 |
| 7/11/2007 1:00 | 2.281 | 1.18 |
| 7/11/2007 1:05 | 2.282 | 1.18 |
| 7/11/2007 1:10 | 2.283 | 1.18 |
| 7/11/2007 1:15 | 2.283 | 1.18 |
| 7/11/2007 1:20 | 2.284 | 1.18 |
| 7/11/2007 1:25 | 2.285 | 1.18 |
| 7/11/2007 1:30 | 2.286 | 1.18 |
| 7/11/2007 1:35 | 2.286 | 1.18 |
| 7/11/2007 1:40 | 2.286 | 1.18 |
| 7/11/2007 1:45 | 2.286 | 1.18 |
| 7/11/2007 1:50 | 2.287 | 1.18 |
| 7/11/2007 1:55 | 2.288 | 1.18 |
| 7/11/2007 2:00 | 2.288 | 1.18 |
| 7/11/2007 2:05 | 2.289 | 1.18 |
| 7/11/2007 2:10 | 2.289 | 1.18 |
| 7/11/2007 2:15 | 2.291 | 1.18 |
| 7/11/2007 2:20 | 2.291 | 1.18 |
| 7/11/2007 2:25 | 2.292 | 1.18 |
| 7/11/2007 2:30 | 2.292 | 1.18 |
| 7/11/2007 2:35 | 2.293 | 1.18 |
| 7/11/2007 2:40 | 2.293 | 1.18 |
| 7/11/2007 2:45 | 2.294 | 1.18 |
| 7/11/2007 2:50 | 2.294 | 1.18 |
| 7/11/2007 2:55 | 2.295 | 1.18 |
| 7/11/2007 3:00 | 2.295 | 1.18 |
| 7/11/2007 3:05 | 2.294 | 1.18 |
| 7/11/2007 3:10 | 2.295 | 1.18 |
| 7/11/2007 3:15 | 2.295 | 1.18 |
| 7/11/2007 3:20 | 2.295 | 1.18 |
| 7/11/2007 3:25 | 2.296 | 1.18 |
| 7/11/2007 3:30 | 2.297 | 1.18 |
| 7/11/2007 3:35 | 2.299 | 1.18 |
| 7/11/2007 3:40 | 2.299 | 1.18 |
| 7/11/2007 3:45 | 2.3 | 1.18 |
| 7/11/2007 3:50 | 2.3 | 1.18 |
| 7/11/2007 3:55 | 2.299 | 1.18 |
| 7/11/2007 4:00 | 2.3 | 1.18 |
| 7/11/2007 4:05 | 2.3 | 1.18 |
| 7/11/2007 4:10 | 2.3 | 1.18 |
| 7/11/2007 4:15 | 2.3 | 1.18 |
| 7/11/2007 4:20 | 2.3 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 4:25 | 2.3 | 1.18 |
| 7/11/2007 4:30 | 2.301 | 1.18 |
| 7/11/2007 4:35 | 2.301 | 1.18 |
| 7/11/2007 4:40 | 2.301 | 1.18 |
| 7/11/2007 4:45 | 2.302 | 1.18 |
| 7/11/2007 4:50 | 2.302 | 1.18 |
| 7/11/2007 4:55 | 2.302 | 1.18 |
| 7/11/2007 5:00 | 2.302 | 1.18 |
| 7/11/2007 5:05 | 2.307 | 1.18 |
| 7/11/2007 5:10 | 2.303 | 1.18 |
| 7/11/2007 5:15 | 2.303 | 1.18 |
| 7/11/2007 5:20 | 2.303 | 1.18 |
| 7/11/2007 5:25 | 2.303 | 1.18 |
| 7/11/2007 5:30 | 2.303 | 1.18 |
| 7/11/2007 5:35 | 2.302 | 1.18 |
| 7/11/2007 5:40 | 2.303 | 1.18 |
| 7/11/2007 5:45 | 2.305 | 1.18 |
| 7/11/2007 5:50 | 2.305 | 1.18 |
| 7/11/2007 5:55 | 2.305 | 1.18 |
| 7/11/2007 6:00 | 2.305 | 1.18 |
| 7/11/2007 6:05 | 2.304 | 1.18 |
| 7/11/2007 6:10 | 2.304 | 1.18 |
| 7/11/2007 6:15 | 2.303 | 1.18 |
| 7/11/2007 6:20 | 2.303 | 1.18 |
| 7/11/2007 6:25 | 2.303 | 1.18 |
| 7/11/2007 6:30 | 2.303 | 1.18 |
| 7/11/2007 6:35 | 2.304 | 1.18 |
| 7/11/2007 6:40 | 2.303 | 1.18 |
| 7/11/2007 6:45 | 2.327 | 1.18 |
| 7/11/2007 6:50 | 2.329 | 1.18 |
| 7/11/2007 6:55 | 2.328 | 1.18 |
| 7/11/2007 7:00 | 2.328 | 1.18 |
| 7/11/2007 7:05 | 2.328 | 1.18 |
| 7/11/2007 7:10 | 2.328 | 1.18 |
| 7/11/2007 7:15 | 2.329 | 1.18 |
| 7/11/2007 7:20 | 2.328 | 1.18 |
| 7/11/2007 7:25 | 2.327 | 1.18 |
| 7/11/2007 7:30 | 2.327 | 1.18 |
| 7/11/2007 7:35 | 2.326 | 1.18 |
| 7/11/2007 7:40 | 2.326 | 1.18 |
| 7/11/2007 7:45 | 2.326 | 1.18 |
| 7/11/2007 7:50 | 2.326 | 1.18 |
| 7/11/2007 7:55 | 2.326 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 8:00 | 2.327 | 1.18 |
| 7/11/2007 8:05 | 2.327 | 1.18 |
| 7/11/2007 8:10 | 2.327 | 1.18 |
| 7/11/2007 8:15 | 2.328 | 1.18 |
| 7/11/2007 8:20 | 2.327 | 1.18 |
| 7/11/2007 8:25 | 2.328 | 1.18 |
| 7/11/2007 8:30 | 2.327 | 1.18 |
| 7/11/2007 8:35 | 2.327 | 1.18 |
| 7/11/2007 8:40 | 2.327 | 1.18 |
| 7/11/2007 8:45 | 2.327 | 1.18 |
| 7/11/2007 8:50 | 2.327 | 1.18 |
| 7/11/2007 8:55 | 2.326 | 1.18 |
| 7/11/2007 9:00 | 2.327 | 1.18 |
| 7/11/2007 9:05 | 2.327 | 1.18 |
| 7/11/2007 9:10 | 2.326 | 1.18 |
| 7/11/2007 9:15 | 2.327 | 1.18 |
| 7/11/2007 9:20 | 2.326 | 1.18 |
| 7/11/2007 9:25 | 2.326 | 1.18 |
| 7/11/2007 9:30 | 2.326 | 1.18 |
| 7/11/2007 9:35 | 2.327 | 1.18 |
| 7/11/2007 9:40 | 2.325 | 1.18 |
| 7/11/2007 9:45 | 2.327 | 1.18 |
| 7/11/2007 9:50 | 2.326 | 1.18 |
| 7/11/2007 9:55 | 2.325 | 1.18 |
| 7/11/2007 10:00 | 2.325 | 1.18 |
| 7/11/2007 10:05 | 2.325 | 1.18 |
| 7/11/2007 10:10 | 2.325 | 1.18 |
| 7/11/2007 10:15 | 2.326 | 1.18 |
| 7/11/2007 10:20 | 2.327 | 1.18 |
| 7/11/2007 10:25 | 2.327 | 1.18 |
| 7/11/2007 10:30 | 2.328 | 1.18 |
| 7/11/2007 10:35 | 2.328 | 1.18 |
| 7/11/2007 10:40 | 2.328 | 1.18 |
| 7/11/2007 10:45 | 2.327 | 1.18 |
| 7/11/2007 10:50 | 2.327 | 1.18 |
| 7/11/2007 10:55 | 2.327 | 1.18 |
| 7/11/2007 11:00 | 2.327 | 1.18 |
| 7/11/2007 11:05 | 2.327 | 1.18 |
| 7/11/2007 11:10 | 2.327 | 1.18 |
| 7/11/2007 11:15 | 2.327 | 1.18 |
| 7/11/2007 11:20 | 2.327 | 1.18 |
| 7/11/2007 11:25 | 2.326 | 1.18 |
| 7/11/2007 11:30 | 2.326 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 11:35 | 2.326 | 1.18 |
| 7/11/2007 11:40 | 2.327 | 1.18 |
| 7/11/2007 11:45 | 2.327 | 1.18 |
| 7/11/2007 11:50 | 2.326 | 1.18 |
| 7/11/2007 11:55 | 2.326 | 1.18 |
| 7/11/2007 12:00 | 2.327 | 1.18 |
| 7/11/2007 12:05 | 2.326 | 1.18 |
| 7/11/2007 12:10 | 2.326 | 1.18 |
| 7/11/2007 12:15 | 2.325 | 1.18 |
| 7/11/2007 12:20 | 2.326 | 1.18 |
| 7/11/2007 12:25 | 2.325 | 1.18 |
| 7/11/2007 12:30 | 2.325 | 1.18 |
| 7/11/2007 12:35 | 2.325 | 1.18 |
| 7/11/2007 12:40 | 2.325 | 1.18 |
| 7/11/2007 12:45 | 2.324 | 1.18 |
| 7/11/2007 12:50 | 2.325 | 1.18 |
| 7/11/2007 12:55 | 2.324 | 1.18 |
| 7/11/2007 13:00 | 2.325 | 1.18 |
| 7/11/2007 13:05 | 2.325 | 1.18 |
| 7/11/2007 13:10 | 2.324 | 1.18 |
| 7/11/2007 13:15 | 2.324 | 1.18 |
| 7/11/2007 13:20 | 2.325 | 1.18 |
| 7/11/2007 13:25 | 2.324 | 1.18 |
| 7/11/2007 13:30 | 2.325 | 1.18 |
| 7/11/2007 13:35 | 2.325 | 1.18 |
| 7/11/2007 13:40 | 2.325 | 1.18 |
| 7/11/2007 13:45 | 2.325 | 1.18 |
| 7/11/2007 13:50 | 2.324 | 1.18 |
| 7/11/2007 13:55 | 2.324 | 1.18 |
| 7/11/2007 14:00 | 2.324 | 1.18 |
| 7/11/2007 14:05 | 2.323 | 1.18 |
| 7/11/2007 14:10 | 2.325 | 1.18 |
| 7/11/2007 14:15 | 2.324 | 1.18 |
| 7/11/2007 14:20 | 2.324 | 1.18 |
| 7/11/2007 14:25 | 2.325 | 1.18 |
| 7/11/2007 14:30 | 2.324 | 1.18 |
| 7/11/2007 14:35 | 2.324 | 1.18 |
| 7/11/2007 14:40 | 2.328 | 1.18 |
| 7/11/2007 14:45 | 2.327 | 1.18 |
| 7/11/2007 14:50 | 2.328 | 1.18 |
| 7/11/2007 14:55 | 2.327 | 1.18 |
| 7/11/2007 15:00 | 2.328 | 1.18 |
| 7/11/2007 15:05 | 2.328 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 15:10 | 2.328 | 1.18 |
| 7/11/2007 15:15 | 2.328 | 1.18 |
| 7/11/2007 15:20 | 2.327 | 1.18 |
| 7/11/2007 15:25 | 2.328 | 1.18 |
| 7/11/2007 15:30 | 2.328 | 1.18 |
| 7/11/2007 15:35 | 2.329 | 1.18 |
| 7/11/2007 15:40 | 2.328 | 1.18 |
| 7/11/2007 15:45 | 2.328 | 1.18 |
| 7/11/2007 15:50 | 2.328 | 1.18 |
| 7/11/2007 15:55 | 2.328 | 1.18 |
| 7/11/2007 16:00 | 2.329 | 1.18 |
| 7/11/2007 16:05 | 2.329 | 1.18 |
| 7/11/2007 16:10 | 2.329 | 1.18 |
| 7/11/2007 16:15 | 2.328 | 1.18 |
| 7/11/2007 16:20 | 2.328 | 1.18 |
| 7/11/2007 16:25 | 2.328 | 1.18 |
| 7/11/2007 16:30 | 2.329 | 1.18 |
| 7/11/2007 16:35 | 2.329 | 1.18 |
| 7/11/2007 16:40 | 2.329 | 1.18 |
| 7/11/2007 16:45 | 2.328 | 1.18 |
| 7/11/2007 16:50 | 2.329 | 1.18 |
| 7/11/2007 16:55 | 2.329 | 1.18 |
| 7/11/2007 17:00 | 2.329 | 1.18 |
| 7/11/2007 17:05 | 2.329 | 1.18 |
| 7/11/2007 17:10 | 2.329 | 1.18 |
| 7/11/2007 17:15 | 2.33 | 1.18 |
| 7/11/2007 17:20 | 2.331 | 1.18 |
| 7/11/2007 17:25 | 2.333 | 1.18 |
| 7/11/2007 17:30 | 2.334 | 1.18 |
| 7/11/2007 17:35 | 2.335 | 1.18 |
| 7/11/2007 17:40 | 2.338 | 1.18 |
| 7/11/2007 17:45 | 2.342 | 1.18 |
| 7/11/2007 17:50 | 2.35 | 1.18 |
| 7/11/2007 17:55 | 2.361 | 1.18 |
| 7/11/2007 18:00 | 2.373 | 1.18 |
| 7/11/2007 18:05 | 2.386 | 1.18 |
| 7/11/2007 18:10 | 2.4 | 1.18 |
| 7/11/2007 18:15 | 2.411 | 1.18 |
| 7/11/2007 18:20 | 2.421 | 1.18 |
| 7/11/2007 18:25 | 2.432 | 1.18 |
| 7/11/2007 18:30 | 2.447 | 1.18 |
| 7/11/2007 18:35 | 2.463 | 1.18 |
| 7/11/2007 18:40 | 2.481 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 18:45 | 2.493 | 1.18 |
| 7/11/2007 18:50 | 2.509 | 1.18 |
| 7/11/2007 18:55 | 2.568 | 1.18 |
| 7/11/2007 19:00 | 2.749 | 1.18 |
| 7/11/2007 19:05 | 2.851 | 1.18 |
| 7/11/2007 19:10 | 2.855 | 1.18 |
| 7/11/2007 19:15 | 2.842 | 1.18 |
| 7/11/2007 19:20 | 2.822 | 1.18 |
| 7/11/2007 19:25 | 2.788 | 1.18 |
| 7/11/2007 19:30 | 2.745 | 1.18 |
| 7/11/2007 19:35 | 2.698 | 1.18 |
| 7/11/2007 19:40 | 2.654 | 1.18 |
| 7/11/2007 19:45 | 2.621 | 1.18 |
| 7/11/2007 19:50 | 2.601 | 1.18 |
| 7/11/2007 19:55 | 2.599 | 1.18 |
| 7/11/2007 20:00 | 2.601 | 1.18 |
| 7/11/2007 20:05 | 2.601 | 1.18 |
| 7/11/2007 20:10 | 2.6 | 1.18 |
| 7/11/2007 20:15 | 2.598 | 1.18 |
| 7/11/2007 20:20 | 2.596 | 1.18 |
| 7/11/2007 20:25 | 2.592 | 1.18 |
| 7/11/2007 20:30 | 2.593 | 1.18 |
| 7/11/2007 20:35 | 2.595 | 1.18 |
| 7/11/2007 20:40 | 2.594 | 1.18 |
| 7/11/2007 20:45 | 2.595 | 1.18 |
| 7/11/2007 20:50 | 2.597 | 1.18 |
| 7/11/2007 20:55 | 2.597 | 1.18 |
| 7/11/2007 21:00 | 2.598 | 1.18 |
| 7/11/2007 21:05 | 2.596 | 1.18 |
| 7/11/2007 21:10 | 2.597 | 1.18 |
| 7/11/2007 21:15 | 2.597 | 1.18 |
| 7/11/2007 21:20 | 2.596 | 1.18 |
| 7/11/2007 21:25 | 2.595 | 1.18 |
| 7/11/2007 21:30 | 2.6 | 1.18 |
| 7/11/2007 21:35 | 2.598 | 1.18 |
| 7/11/2007 21:40 | 2.598 | 1.18 |
| 7/11/2007 21:45 | 2.597 | 1.18 |
| 7/11/2007 21:50 | 2.595 | 1.18 |
| 7/11/2007 21:55 | 2.595 | 1.18 |
| 7/11/2007 22:00 | 2.595 | 1.18 |
| 7/11/2007 22:05 | 2.595 | 1.18 |
| 7/11/2007 22:10 | 2.593 | 1.18 |
| 7/11/2007 22:15 | 2.593 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 22:20 | 2.593 | 1.18 |
| 7/11/2007 22:25 | 2.585 | 1.18 |
| 7/11/2007 22:30 | 2.58 | 1.18 |
| 7/11/2007 22:35 | 2.577 | 1.18 |
| 7/11/2007 22:40 | 2.57 | 1.18 |
| 7/11/2007 22:45 | 2.571 | 1.18 |
| 7/11/2007 22:50 | 2.569 | 1.18 |
| 7/11/2007 22:55 | 2.568 | 1.18 |
| 7/11/2007 23:00 | 2.566 | 1.18 |
| 7/11/2007 23:05 | 2.565 | 1.18 |
| 7/11/2007 23:10 | 2.565 | 1.18 |
| 7/11/2007 23:15 | 2.567 | 1.18 |
| 7/11/2007 23:20 | 2.566 | 1.18 |
| 7/11/2007 23:25 | 2.566 | 1.18 |
| 7/11/2007 23:30 | 2.564 | 1.18 |
| 7/11/2007 23:35 | 2.565 | 1.18 |
| 7/11/2007 23:40 | 2.564 | 1.18 |
| 7/11/2007 23:45 | 2.564 | 1.18 |
| 7/11/2007 23:50 | 2.562 | 1.18 |
| 7/11/2007 23:55 | 2.562 | 1.18 |
| 7/12/2007 0:00 | 2.561 | 1.18 |
| 7/12/2007 0:05 | 2.559 | 1.18 |
| 7/12/2007 0:10 | 2.559 | 1.18 |
| 7/12/2007 0:15 | 2.544 | 1.18 |
| 7/12/2007 0:20 | 2.537 | 1.18 |
| 7/12/2007 0:25 | 2.536 | 1.18 |
| 7/12/2007 0:30 | 2.532 | 1.18 |
| 7/12/2007 0:35 | 2.532 | 1.18 |
| 7/12/2007 0:40 | 2.533 | 1.18 |
| 7/12/2007 0:45 | 2.533 | 1.18 |
| 7/12/2007 0:50 | 2.533 | 1.18 |
| 7/12/2007 0:55 | 2.532 | 1.18 |
| 7/12/2007 1:00 | 2.532 | 1.18 |
| 7/12/2007 1:05 | 2.532 | 1.18 |
| 7/12/2007 1:10 | 2.532 | 1.18 |
| 7/12/2007 1:15 | 2.532 | 1.18 |
| 7/12/2007 1:20 | 2.531 | 1.18 |
| 7/12/2007 1:25 | 2.532 | 1.18 |
| 7/12/2007 1:30 | 2.531 | 1.18 |
| 7/12/2007 1:35 | 2.53 | 1.18 |
| 7/12/2007 1:40 | 2.53 | 1.18 |
| 7/12/2007 1:45 | 2.529 | 1.18 |
| 7/12/2007 1:50 | 2.528 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 1:55 | 2.527 | 1.18 |
| 7/12/2007 2:00 | 2.528 | 1.18 |
| 7/12/2007 2:05 | 2.527 | 1.18 |
| 7/12/2007 2:10 | 2.526 | 1.18 |
| 7/12/2007 2:15 | 2.526 | 1.18 |
| 7/12/2007 2:20 | 2.524 | 1.18 |
| 7/12/2007 2:25 | 2.523 | 1.18 |
| 7/12/2007 2:30 | 2.521 | 1.18 |
| 7/12/2007 2:35 | 2.522 | 1.18 |
| 7/12/2007 2:40 | 2.52 | 1.18 |
| 7/12/2007 2:45 | 2.519 | 1.18 |
| 7/12/2007 2:50 | 2.518 | 1.18 |
| 7/12/2007 2:55 | 2.518 | 1.18 |
| 7/12/2007 3:00 | 2.516 | 1.18 |
| 7/12/2007 3:05 | 2.516 | 1.18 |
| 7/12/2007 3:10 | 2.515 | 1.18 |
| 7/12/2007 3:15 | 2.514 | 1.18 |
| 7/12/2007 3:20 | 2.514 | 1.18 |
| 7/12/2007 3:25 | 2.512 | 1.18 |
| 7/12/2007 3:30 | 2.511 | 1.18 |
| 7/12/2007 3:35 | 2.511 | 1.18 |
| 7/12/2007 3:40 | 2.51 | 1.18 |
| 7/12/2007 3:45 | 2.508 | 1.18 |
| 7/12/2007 3:50 | 2.507 | 1.18 |
| 7/12/2007 3:55 | 2.506 | 1.18 |
| 7/12/2007 4:00 | 2.508 | 1.18 |
| 7/12/2007 4:05 | 2.515 | 1.18 |
| 7/12/2007 4:10 | 2.514 | 1.18 |
| 7/12/2007 4:15 | 2.513 | 1.18 |
| 7/12/2007 4:20 | 2.511 | 1.18 |
| 7/12/2007 4:25 | 2.51 | 1.18 |
| 7/12/2007 4:30 | 2.509 | 1.18 |
| 7/12/2007 4:35 | 2.51 | 1.18 |
| 7/12/2007 4:40 | 2.51 | 1.18 |
| 7/12/2007 4:45 | 2.508 | 1.18 |
| 7/12/2007 4:50 | 2.508 | 1.18 |
| 7/12/2007 4:55 | 2.505 | 1.18 |
| 7/12/2007 5:00 | 2.505 | 1.18 |
| 7/12/2007 5:05 | 2.504 | 1.18 |
| 7/12/2007 5:10 | 2.503 | 1.18 |
| 7/12/2007 5:15 | 2.501 | 1.18 |
| 7/12/2007 5:20 | 2.501 | 1.18 |
| 7/12/2007 5:25 | 2.499 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 5:30 | 2.499 | 1.18 |
| 7/12/2007 5:35 | 2.498 | 1.18 |
| 7/12/2007 5:40 | 2.497 | 1.18 |
| 7/12/2007 5:45 | 2.497 | 1.18 |
| 7/12/2007 5:50 | 2.495 | 1.18 |
| 7/12/2007 5:55 | 2.494 | 1.18 |
| 7/12/2007 6:00 | 2.494 | 1.18 |
| 7/12/2007 6:05 | 2.493 | 1.18 |
| 7/12/2007 6:10 | 2.492 | 1.18 |
| 7/12/2007 6:15 | 2.491 | 1.18 |
| 7/12/2007 6:20 | 2.491 | 1.18 |
| 7/12/2007 6:25 | 2.489 | 1.18 |
| 7/12/2007 6:30 | 2.489 | 1.18 |
| 7/12/2007 6:35 | 2.488 | 1.18 |
| 7/12/2007 6:40 | 2.488 | 1.18 |
| 7/12/2007 6:45 | 2.507 | 1.18 |
| 7/12/2007 6:50 | 2.506 | 1.18 |
| 7/12/2007 6:55 | 2.504 | 1.18 |
| 7/12/2007 7:00 | 2.502 | 1.18 |
| 7/12/2007 7:05 | 2.502 | 1.18 |
| 7/12/2007 7:10 | 2.501 | 1.18 |
| 7/12/2007 7:15 | 2.5 | 1.18 |
| 7/12/2007 7:20 | 2.499 | 1.18 |
| 7/12/2007 7:25 | 2.496 | 1.18 |
| 7/12/2007 7:30 | 2.496 | 1.18 |
| 7/12/2007 7:35 | 2.495 | 1.18 |
| 7/12/2007 7:40 | 2.495 | 1.18 |
| 7/12/2007 7:45 | 2.495 | 1.18 |
| 7/12/2007 7:50 | 2.494 | 1.18 |
| 7/12/2007 7:55 | 2.493 | 1.18 |
| 7/12/2007 8:00 | 2.492 | 1.18 |
| 7/12/2007 8:05 | 2.492 | 1.18 |
| 7/12/2007 8:10 | 2.491 | 1.18 |
| 7/12/2007 8:15 | 2.491 | 1.18 |
| 7/12/2007 8:20 | 2.489 | 1.18 |
| 7/12/2007 8:25 | 2.488 | 1.18 |
| 7/12/2007 8:30 | 2.489 | 1.18 |
| 7/12/2007 8:35 | 2.488 | 1.18 |
| 7/12/2007 8:40 | 2.487 | 1.18 |
| 7/12/2007 8:45 | 2.487 | 1.18 |
| 7/12/2007 8:50 | 2.487 | 1.18 |
| 7/12/2007 8:55 | 2.487 | 1.18 |
| 7/12/2007 9:00 | 2.485 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 9:05 | 2.484 | 1.18 |
| 7/12/2007 9:10 | 2.485 | 1.18 |
| 7/12/2007 9:15 | 2.485 | 1.18 |
| 7/12/2007 9:20 | 2.483 | 1.18 |
| 7/12/2007 9:25 | 2.483 | 1.18 |
| 7/12/2007 9:30 | 2.483 | 1.18 |
| 7/12/2007 9:35 | 2.483 | 1.18 |
| 7/12/2007 9:40 | 2.482 | 1.18 |
| 7/12/2007 9:45 | 2.483 | 1.18 |
| 7/12/2007 9:50 | 2.482 | 1.18 |
| 7/12/2007 9:55 | 2.482 | 1.18 |
| 7/12/2007 10:00 | 2.481 | 1.18 |
| 7/12/2007 10:05 | 2.482 | 1.18 |
| 7/12/2007 10:10 | 2.481 | 1.18 |
| 7/12/2007 10:15 | 2.479 | 1.18 |
| 7/12/2007 10:20 | 2.478 | 1.18 |
| 7/12/2007 10:25 | 2.478 | 1.18 |
| 7/12/2007 10:30 | 2.478 | 1.18 |
| 7/12/2007 10:35 | 2.477 | 1.18 |
| 7/12/2007 10:40 | 2.477 | 1.18 |
| 7/12/2007 10:45 | 2.476 | 1.18 |
| 7/12/2007 10:50 | 2.475 | 1.18 |
| 7/12/2007 10:55 | 2.475 | 1.18 |
| 7/12/2007 11:00 | 2.476 | 1.18 |
| 7/12/2007 11:05 | 2.475 | 1.18 |
| 7/12/2007 11:10 | 2.475 | 1.18 |
| 7/12/2007 11:15 | 2.473 | 1.18 |
| 7/12/2007 11:20 | 2.473 | 1.18 |
| 7/12/2007 11:25 | 2.473 | 1.18 |
| 7/12/2007 11:30 | 2.473 | 1.18 |
| 7/12/2007 11:35 | 2.471 | 1.18 |
| 7/12/2007 11:40 | 2.472 | 1.18 |
| 7/12/2007 11:45 | 2.472 | 1.18 |
| 7/12/2007 11:50 | 2.471 | 1.18 |
| 7/12/2007 11:55 | 2.47 | 1.18 |
| 7/12/2007 12:00 | 2.47 | 1.18 |
| 7/12/2007 12:05 | 2.468 | 1.18 |
| 7/12/2007 12:10 | 2.467 | 1.18 |
| 7/12/2007 12:15 | 2.466 | 1.18 |
| 7/12/2007 12:20 | 2.466 | 1.18 |
| 7/12/2007 12:25 | 2.465 | 1.18 |
| 7/12/2007 12:30 | 2.465 | 1.18 |
| 7/12/2007 12:35 | 2.465 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 12:40 | 2.464 | 1.18 |
| 7/12/2007 12:45 | 2.465 | 1.18 |
| 7/12/2007 12:50 | 2.466 | 1.18 |
| 7/12/2007 12:55 | 2.464 | 1.18 |
| 7/12/2007 13:00 | 2.463 | 1.18 |
| 7/12/2007 13:05 | 2.463 | 1.18 |
| 7/12/2007 13:10 | 2.463 | 1.18 |
| 7/12/2007 13:15 | 2.463 | 1.18 |
| 7/12/2007 13:20 | 2.462 | 1.18 |
| 7/12/2007 13:25 | 2.461 | 1.18 |
| 7/12/2007 13:30 | 2.461 | 1.18 |
| 7/12/2007 13:35 | 2.46 | 1.18 |
| 7/12/2007 13:40 | 2.459 | 1.18 |
| 7/12/2007 13:45 | 2.458 | 1.18 |
| 7/12/2007 13:50 | 2.458 | 1.18 |
| 7/12/2007 13:55 | 2.457 | 1.18 |
| 7/12/2007 14:00 | 2.457 | 1.18 |
| 7/12/2007 14:05 | 2.456 | 1.18 |
| 7/12/2007 14:10 | 2.456 | 1.18 |
| 7/12/2007 14:15 | 2.455 | 1.18 |
| 7/12/2007 14:20 | 2.455 | 1.18 |
| 7/12/2007 14:25 | 2.452 | 1.18 |
| 7/12/2007 14:30 | 2.451 | 1.18 |
| 7/12/2007 14:35 | 2.452 | 1.18 |
| 7/12/2007 14:40 | 2.45 | 1.18 |
| 7/12/2007 14:45 | 2.451 | 1.18 |
| 7/12/2007 14:50 | 2.45 | 1.18 |
| 7/12/2007 14:55 | 2.449 | 1.18 |
| 7/12/2007 15:00 | 2.448 | 1.18 |
| 7/12/2007 15:05 | 2.448 | 1.18 |
| 7/12/2007 15:10 | 2.447 | 1.18 |
| 7/12/2007 15:15 | 2.447 | 1.18 |
| 7/12/2007 15:20 | 2.446 | 1.18 |
| 7/12/2007 15:25 | 2.448 | 1.18 |
| 7/12/2007 15:30 | 2.446 | 1.18 |
| 7/12/2007 15:35 | 2.446 | 1.18 |
| 7/12/2007 15:40 | 2.446 | 1.18 |
| 7/12/2007 15:45 | 2.446 | 1.18 |
| 7/12/2007 15:50 | 2.45 | 1.18 |
| 7/12/2007 15:55 | 2.445 | 1.18 |
| 7/12/2007 16:00 | 2.444 | 1.18 |
| 7/12/2007 16:05 | 2.447 | 1.18 |
| 7/12/2007 16:10 | 2.448 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 16:15 | 2.445 | 1.18 |
| 7/12/2007 16:20 | 2.446 | 1.18 |
| 7/12/2007 16:25 | 2.446 | 1.18 |
| 7/12/2007 16:30 | 2.445 | 1.18 |
| 7/12/2007 16:35 | 2.445 | 1.18 |
| 7/12/2007 16:40 | 2.445 | 1.18 |
| 7/12/2007 16:45 | 2.443 | 1.18 |
| 7/12/2007 16:50 | 2.443 | 1.18 |
| 7/12/2007 16:55 | 2.443 | 1.18 |
| 7/12/2007 17:00 | 2.443 | 1.18 |
| 7/12/2007 17:05 | 2.444 | 1.18 |
| 7/12/2007 17:10 | 2.442 | 1.18 |
| 7/12/2007 17:15 | 2.442 | 1.18 |
| 7/12/2007 17:20 | 2.442 | 1.18 |
| 7/12/2007 17:25 | 2.442 | 1.18 |
| 7/12/2007 17:30 | 2.441 | 1.18 |
| 7/12/2007 17:35 | 2.442 | 1.18 |
| 7/12/2007 17:40 | 2.441 | 1.18 |
| 7/12/2007 17:45 | 2.441 | 1.18 |
| 7/12/2007 17:50 | 2.44 | 1.18 |
| 7/12/2007 17:55 | 2.44 | 1.18 |
| 7/12/2007 18:00 | 2.441 | 1.18 |
| 7/12/2007 18:05 | 2.441 | 1.18 |
| 7/12/2007 18:10 | 2.44 | 1.18 |
| 7/12/2007 18:15 | 2.44 | 1.18 |
| 7/12/2007 18:20 | 2.439 | 1.18 |
| 7/12/2007 18:25 | 2.439 | 1.18 |
| 7/12/2007 18:30 | 2.439 | 1.18 |
| 7/12/2007 18:35 | 2.439 | 1.18 |
| 7/12/2007 18:40 | 2.438 | 1.18 |
| 7/12/2007 18:45 | 2.439 | 1.18 |
| 7/12/2007 18:50 | 2.438 | 1.18 |
| 7/12/2007 18:55 | 2.439 | 1.18 |
| 7/12/2007 19:00 | 2.438 | 1.18 |
| 7/12/2007 19:05 | 2.438 | 1.18 |
| 7/12/2007 19:10 | 2.438 | 1.18 |
| 7/12/2007 19:15 | 2.438 | 1.18 |
| 7/12/2007 19:20 | 2.437 | 1.18 |
| 7/12/2007 19:25 | 2.437 | 1.18 |
| 7/12/2007 19:30 | 2.436 | 1.18 |
| 7/12/2007 19:35 | 2.436 | 1.18 |
| 7/12/2007 19:40 | 2.436 | 1.18 |
| 7/12/2007 19:45 | 2.435 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 19:50 | 2.435 | 1.18 |
| 7/12/2007 19:55 | 2.435 | 1.18 |
| 7/12/2007 20:00 | 2.434 | 1.18 |
| 7/12/2007 20:05 | 2.434 | 1.18 |
| 7/12/2007 20:10 | 2.434 | 1.18 |
| 7/12/2007 20:15 | 2.434 | 1.18 |
| 7/12/2007 20:20 | 2.433 | 1.18 |
| 7/12/2007 20:25 | 2.433 | 1.18 |
| 7/12/2007 20:30 | 2.433 | 1.18 |
| 7/12/2007 20:35 | 2.433 | 1.18 |
| 7/12/2007 20:40 | 2.433 | 1.18 |
| 7/12/2007 20:45 | 2.434 | 1.18 |
| 7/12/2007 20:50 | 2.433 | 1.18 |
| 7/12/2007 20:55 | 2.433 | 1.18 |
| 7/12/2007 21:00 | 2.433 | 1.18 |
| 7/12/2007 21:05 | 2.433 | 1.18 |
| 7/12/2007 21:10 | 2.433 | 1.18 |
| 7/12/2007 21:15 | 2.433 | 1.18 |
| 7/12/2007 21:20 | 2.432 | 1.18 |
| 7/12/2007 21:25 | 2.432 | 1.18 |
| 7/12/2007 21:30 | 2.432 | 1.18 |
| 7/12/2007 21:35 | 2.432 | 1.18 |
| 7/12/2007 21:40 | 2.433 | 1.18 |
| 7/12/2007 21:45 | 2.432 | 1.18 |
| 7/12/2007 21:50 | 2.432 | 1.18 |
| 7/12/2007 21:55 | 2.432 | 1.18 |
| 7/12/2007 22:00 | 2.432 | 1.18 |
| 7/12/2007 22:05 | 2.431 | 1.18 |
| 7/12/2007 22:10 | 2.432 | 1.18 |
| 7/12/2007 22:15 | 2.432 | 1.18 |
| 7/12/2007 22:20 | 2.431 | 1.18 |
| 7/12/2007 22:25 | 2.431 | 1.18 |
| 7/12/2007 22:30 | 2.431 | 1.18 |
| 7/12/2007 22:35 | 2.431 | 1.18 |
| 7/12/2007 22:40 | 2.432 | 1.18 |
| 7/12/2007 22:45 | 2.432 | 1.18 |
| 7/12/2007 22:50 | 2.433 | 1.18 |
| 7/12/2007 22:55 | 2.433 | 1.18 |
| 7/12/2007 23:00 | 2.433 | 1.18 |
| 7/12/2007 23:05 | 2.433 | 1.18 |
| 7/12/2007 23:10 | 2.433 | 1.18 |
| 7/12/2007 23:15 | 2.433 | 1.18 |
| 7/12/2007 23:20 | 2.433 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 23:25 | 2.433 | 1.18 |
| 7/12/2007 23:30 | 2.433 | 1.18 |
| 7/12/2007 23:35 | 2.432 | 1.18 |
| 7/12/2007 23:40 | 2.433 | 1.18 |
| 7/12/2007 23:45 | 2.433 | 1.18 |
| 7/12/2007 23:50 | 2.432 | 1.18 |
| 7/12/2007 23:55 | 2.432 | 1.18 |
| 7/13/2007 0:00 | 2.432 | 1.18 |
| 7/13/2007 0:05 | 2.432 | 1.18 |
| 7/13/2007 0:10 | 2.432 | 1.18 |
| 7/13/2007 0:15 | 2.431 | 1.18 |
| 7/13/2007 0:20 | 2.43 | 1.18 |
| 7/13/2007 0:25 | 2.431 | 1.18 |
| 7/13/2007 0:30 | 2.431 | 1.18 |
| 7/13/2007 0:35 | 2.43 | 1.18 |
| 7/13/2007 0:40 | 2.43 | 1.18 |
| 7/13/2007 0:45 | 2.431 | 1.18 |
| 7/13/2007 0:50 | 2.431 | 1.18 |
| 7/13/2007 0:55 | 2.431 | 1.18 |
| 7/13/2007 1:00 | 2.431 | 1.18 |
| 7/13/2007 1:05 | 2.43 | 1.18 |
| 7/13/2007 1:10 | 2.431 | 1.18 |
| 7/13/2007 1:15 | 2.43 | 1.18 |
| 7/13/2007 1:20 | 2.429 | 1.18 |
| 7/13/2007 1:25 | 2.43 | 1.18 |
| 7/13/2007 1:30 | 2.429 | 1.18 |
| 7/13/2007 1:35 | 2.43 | 1.18 |
| 7/13/2007 1:40 | 2.43 | 1.18 |
| 7/13/2007 1:45 | 2.429 | 1.18 |
| 7/13/2007 1:50 | 2.429 | 1.18 |
| 7/13/2007 1:55 | 2.429 | 1.18 |
| 7/13/2007 2:00 | 2.43 | 1.18 |
| 7/13/2007 2:05 | 2.429 | 1.18 |
| 7/13/2007 2:10 | 2.429 | 1.18 |
| 7/13/2007 2:15 | 2.43 | 1.18 |
| 7/13/2007 2:20 | 2.429 | 1.18 |
| 7/13/2007 2:25 | 2.429 | 1.18 |
| 7/13/2007 2:30 | 2.429 | 1.18 |
| 7/13/2007 2:35 | 2.429 | 1.18 |
| 7/13/2007 2:40 | 2.429 | 1.18 |
| 7/13/2007 2:45 | 2.428 | 1.18 |
| 7/13/2007 2:50 | 2.428 | 1.18 |
| 7/13/2007 2:55 | 2.428 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 3:00 | 2.427 | 1.18 |
| 7/13/2007 3:05 | 2.427 | 1.18 |
| 7/13/2007 3:10 | 2.427 | 1.18 |
| 7/13/2007 3:15 | 2.426 | 1.18 |
| 7/13/2007 3:20 | 2.427 | 1.18 |
| 7/13/2007 3:25 | 2.427 | 1.18 |
| 7/13/2007 3:30 | 2.427 | 1.18 |
| 7/13/2007 3:35 | 2.426 | 1.18 |
| 7/13/2007 3:40 | 2.426 | 1.18 |
| 7/13/2007 3:45 | 2.426 | 1.18 |
| 7/13/2007 3:50 | 2.426 | 1.18 |
| 7/13/2007 3:55 | 2.425 | 1.18 |
| 7/13/2007 4:00 | 2.425 | 1.18 |
| 7/13/2007 4:05 | 2.425 | 1.18 |
| 7/13/2007 4:10 | 2.424 | 1.18 |
| 7/13/2007 4:15 | 2.424 | 1.18 |
| 7/13/2007 4:20 | 2.425 | 1.18 |
| 7/13/2007 4:25 | 2.425 | 1.18 |
| 7/13/2007 4:30 | 2.425 | 1.18 |
| 7/13/2007 4:35 | 2.424 | 1.18 |
| 7/13/2007 4:40 | 2.424 | 1.18 |
| 7/13/2007 4:45 | 2.424 | 1.18 |
| 7/13/2007 4:50 | 2.424 | 1.18 |
| 7/13/2007 4:55 | 2.423 | 1.18 |
| 7/13/2007 5:00 | 2.424 | 1.18 |
| 7/13/2007 5:05 | 2.424 | 1.18 |
| 7/13/2007 5:10 | 2.423 | 1.18 |
| 7/13/2007 5:15 | 2.424 | 1.18 |
| 7/13/2007 5:20 | 2.423 | 1.18 |
| 7/13/2007 5:25 | 2.423 | 1.18 |
| 7/13/2007 5:30 | 2.423 | 1.18 |
| 7/13/2007 5:35 | 2.423 | 1.18 |
| 7/13/2007 5:40 | 2.424 | 1.18 |
| 7/13/2007 5:45 | 2.424 | 1.18 |
| 7/13/2007 5:50 | 2.423 | 1.18 |
| 7/13/2007 5:55 | 2.426 | 1.18 |
| 7/13/2007 6:00 | 2.423 | 1.18 |
| 7/13/2007 6:05 | 2.422 | 1.18 |
| 7/13/2007 6:10 | 2.422 | 1.18 |
| 7/13/2007 6:15 | 2.423 | 1.18 |
| 7/13/2007 6:20 | 2.422 | 1.18 |
| 7/13/2007 6:25 | 2.422 | 1.18 |
| 7/13/2007 6:30 | 2.422 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 6:35 | 2.422 | 1.18 |
| 7/13/2007 6:40 | 2.421 | 1.18 |
| 7/13/2007 6:45 | 2.422 | 1.18 |
| 7/13/2007 6:50 | 2.423 | 1.18 |
| 7/13/2007 6:55 | 2.422 | 1.18 |
| 7/13/2007 7:00 | 2.422 | 1.18 |
| 7/13/2007 7:05 | 2.422 | 1.18 |
| 7/13/2007 7:10 | 2.422 | 1.18 |
| 7/13/2007 7:15 | 2.422 | 1.18 |
| 7/13/2007 7:20 | 2.423 | 1.18 |
| 7/13/2007 7:25 | 2.422 | 1.18 |
| 7/13/2007 7:30 | 2.422 | 1.18 |
| 7/13/2007 7:35 | 2.422 | 1.18 |
| 7/13/2007 7:40 | 2.421 | 1.18 |
| 7/13/2007 7:45 | 2.421 | 1.18 |
| 7/13/2007 7:50 | 2.422 | 1.18 |
| 7/13/2007 7:55 | 2.422 | 1.18 |
| 7/13/2007 8:00 | 2.421 | 1.18 |
| 7/13/2007 8:05 | 2.421 | 1.18 |
| 7/13/2007 8:10 | 2.418 | 1.18 |
| 7/13/2007 8:15 | 2.41 | 1.18 |
| 7/13/2007 8:20 | 2.41 | 1.18 |
| 7/13/2007 8:25 | 2.411 | 1.18 |
| 7/13/2007 8:30 | 2.41 | 1.18 |
| 7/13/2007 8:35 | 2.409 | 1.18 |
| 7/13/2007 8:40 | 2.41 | 1.18 |
| 7/13/2007 8:45 | 2.41 | 1.18 |
| 7/13/2007 8:50 | 2.411 | 1.18 |
| 7/13/2007 8:55 | 2.41 | 1.18 |
| 7/13/2007 9:00 | 2.41 | 1.18 |
| 7/13/2007 9:05 | 2.428 | 1.18 |
| 7/13/2007 9:10 | 2.428 | 1.18 |
| 7/13/2007 9:15 | 2.428 | 1.18 |
| 7/13/2007 9:20 | 2.429 | 1.18 |
| 7/13/2007 9:25 | 2.429 | 1.18 |
| 7/13/2007 9:30 | 2.43 | 1.18 |
| 7/13/2007 9:35 | 2.43 | 1.18 |
| 7/13/2007 9:40 | 2.43 | 1.18 |
| 7/13/2007 9:45 | 2.43 | 1.18 |
| 7/13/2007 9:50 | 2.429 | 1.18 |
| 7/13/2007 9:55 | 2.43 | 1.18 |
| 7/13/2007 10:00 | 2.429 | 1.18 |
| 7/13/2007 10:05 | 2.429 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 10:10 | 2.428 | 1.18 |
| 7/13/2007 10:15 | 2.428 | 1.18 |
| 7/13/2007 10:20 | 2.429 | 1.18 |
| 7/13/2007 10:25 | 2.429 | 1.18 |
| 7/13/2007 10:30 | 2.43 | 1.18 |
| 7/13/2007 10:35 | 2.429 | 1.18 |
| 7/13/2007 10:40 | 2.43 | 1.18 |
| 7/13/2007 10:45 | 2.428 | 1.18 |
| 7/13/2007 10:50 | 2.429 | 1.18 |
| 7/13/2007 10:55 | 2.429 | 1.18 |
| 7/13/2007 11:00 | 2.428 | 1.18 |
| 7/13/2007 11:05 | 2.429 | 1.18 |
| 7/13/2007 11:10 | 2.428 | 1.18 |
| 7/13/2007 11:15 | 2.427 | 1.18 |
| 7/13/2007 11:20 | 2.427 | 1.18 |
| 7/13/2007 11:25 | 2.428 | 1.18 |
| 7/13/2007 11:30 | 2.428 | 1.18 |
| 7/13/2007 11:35 | 2.428 | 1.18 |
| 7/13/2007 11:40 | 2.431 | 1.18 |
| 7/13/2007 11:45 | 2.431 | 1.18 |
| 7/13/2007 11:50 | 2.429 | 1.18 |
| 7/13/2007 11:55 | 2.428 | 1.18 |
| 7/13/2007 12:00 | 2.428 | 1.18 |
| 7/13/2007 12:05 | 2.427 | 1.18 |
| 7/13/2007 12:10 | 2.427 | 1.18 |
| 7/13/2007 12:15 | 2.428 | 1.18 |
| 7/13/2007 12:20 | 2.426 | 1.18 |
| 7/13/2007 12:25 | 2.428 | 1.18 |
| 7/13/2007 12:30 | 2.427 | 1.18 |
| 7/13/2007 12:35 | 2.427 | 1.18 |
| 7/13/2007 12:40 | 2.427 | 1.18 |
| 7/13/2007 12:45 | 2.426 | 1.18 |
| 7/13/2007 12:50 | 2.426 | 1.18 |
| 7/13/2007 12:55 | 2.427 | 1.18 |
| 7/13/2007 13:00 | 2.426 | 1.18 |
| 7/13/2007 13:05 | 2.426 | 1.18 |
| 7/13/2007 13:10 | 2.426 | 1.18 |
| 7/13/2007 13:15 | 2.426 | 1.18 |
| 7/13/2007 13:20 | 2.425 | 1.18 |
| 7/13/2007 13:25 | 2.426 | 1.18 |
| 7/13/2007 13:30 | 2.425 | 1.18 |
| 7/13/2007 13:35 | 2.424 | 1.18 |
| 7/13/2007 13:40 | 2.424 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 13:45 | 2.424 | 1.18 |
| 7/13/2007 13:50 | 2.426 | 1.18 |
| 7/13/2007 13:55 | 2.425 | 1.18 |
| 7/13/2007 14:00 | 2.425 | 1.18 |
| 7/13/2007 14:05 | 2.425 | 1.18 |
| 7/13/2007 14:10 | 2.424 | 1.18 |
| 7/13/2007 14:15 | 2.424 | 1.18 |
| 7/13/2007 14:20 | 2.423 | 1.18 |
| 7/13/2007 14:25 | 2.422 | 1.18 |
| 7/13/2007 14:30 | 2.423 | 1.18 |
| 7/13/2007 14:35 | 2.423 | 1.18 |
| 7/13/2007 14:40 | 2.423 | 1.18 |
| 7/13/2007 14:45 | 2.423 | 1.18 |
| 7/13/2007 14:50 | 2.423 | 1.18 |
| 7/13/2007 14:55 | 2.423 | 1.18 |
| 7/13/2007 15:00 | 2.423 | 1.18 |
| 7/13/2007 15:05 | 2.422 | 1.18 |
| 7/13/2007 15:10 | 2.423 | 1.18 |
| 7/13/2007 15:15 | 2.423 | 1.18 |
| 7/13/2007 15:20 | 2.423 | 1.18 |
| 7/13/2007 15:25 | 2.423 | 1.18 |
| 7/13/2007 15:30 | 2.422 | 1.18 |
| 7/13/2007 15:35 | 2.423 | 1.18 |
| 7/13/2007 15:40 | 2.422 | 1.18 |
| 7/13/2007 15:45 | 2.422 | 1.18 |
| 7/13/2007 15:50 | 2.424 | 1.18 |
| 7/13/2007 15:55 | 2.423 | 1.18 |
| 7/13/2007 16:00 | 2.422 | 1.18 |
| 7/13/2007 16:05 | 2.422 | 1.18 |
| 7/13/2007 16:10 | 2.423 | 1.18 |
| 7/13/2007 16:15 | 2.423 | 1.18 |
| 7/13/2007 16:20 | 2.422 | 1.18 |
| 7/13/2007 16:25 | 2.422 | 1.18 |
| 7/13/2007 16:30 | 2.422 | 1.18 |
| 7/13/2007 16:35 | 2.422 | 1.18 |
| 7/13/2007 16:40 | 2.422 | 1.18 |
| 7/13/2007 16:45 | 2.422 | 1.18 |
| 7/13/2007 16:50 | 2.422 | 1.18 |
| 7/13/2007 16:55 | 2.421 | 1.18 |
| 7/13/2007 17:00 | 2.422 | 1.18 |
| 7/13/2007 17:05 | 2.422 | 1.18 |
| 7/13/2007 17:10 | 2.422 | 1.18 |
| 7/13/2007 17:15 | 2.422 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 17:20 | 2.422 | 1.18 |
| 7/13/2007 17:25 | 2.421 | 1.18 |
| 7/13/2007 17:30 | 2.423 | 1.18 |
| 7/13/2007 17:35 | 2.422 | 1.18 |
| 7/13/2007 17:40 | 2.423 | 1.18 |
| 7/13/2007 17:45 | 2.422 | 1.18 |
| 7/13/2007 17:50 | 2.422 | 1.18 |
| 7/13/2007 17:55 | 2.421 | 1.18 |
| 7/13/2007 18:00 | 2.421 | 1.18 |
| 7/13/2007 18:05 | 2.419 | 1.18 |
| 7/13/2007 18:10 | 2.419 | 1.18 |
| 7/13/2007 18:15 | 2.419 | 1.18 |
| 7/13/2007 18:20 | 2.419 | 1.18 |
| 7/13/2007 18:25 | 2.419 | 1.18 |
| 7/13/2007 18:30 | 2.42 | 1.18 |
| 7/13/2007 18:35 | 2.419 | 1.18 |
| 7/13/2007 18:40 | 2.419 | 1.18 |
| 7/13/2007 18:45 | 2.418 | 1.18 |
| 7/13/2007 18:50 | 2.418 | 1.18 |
| 7/13/2007 18:55 | 2.419 | 1.18 |
| 7/13/2007 19:00 | 2.418 | 1.18 |
| 7/13/2007 19:05 | 2.418 | 1.18 |
| 7/13/2007 19:10 | 2.418 | 1.18 |
| 7/13/2007 19:15 | 2.418 | 1.18 |
| 7/13/2007 19:20 | 2.418 | 1.18 |
| 7/13/2007 19:25 | 2.418 | 1.18 |
| 7/13/2007 19:30 | 2.419 | 1.18 |
| 7/13/2007 19:35 | 2.419 | 1.18 |
| 7/13/2007 19:40 | 2.419 | 1.18 |
| 7/13/2007 19:45 | 2.419 | 1.18 |
| 7/13/2007 19:50 | 2.419 | 1.18 |
| 7/13/2007 19:55 | 2.419 | 1.18 |
| 7/13/2007 20:00 | 2.419 | 1.18 |
| 7/13/2007 20:05 | 2.418 | 1.18 |
| 7/13/2007 20:10 | 2.418 | 1.18 |
| 7/13/2007 20:15 | 2.418 | 1.18 |
| 7/13/2007 20:20 | 2.417 | 1.18 |
| 7/13/2007 20:25 | 2.418 | 1.18 |
| 7/13/2007 20:30 | 2.418 | 1.18 |
| 7/13/2007 20:35 | 2.418 | 1.18 |
| 7/13/2007 20:40 | 2.418 | 1.18 |
| 7/13/2007 20:45 | 2.418 | 1.18 |
| 7/13/2007 20:50 | 2.418 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 20:55 | 2.417 | 1.18 |
| 7/13/2007 21:00 | 2.418 | 1.18 |
| 7/13/2007 21:05 | 2.418 | 1.18 |
| 7/13/2007 21:10 | 2.417 | 1.18 |
| 7/13/2007 21:15 | 2.418 | 1.18 |
| 7/13/2007 21:20 | 2.42 | 1.18 |
| 7/13/2007 21:25 | 2.418 | 1.18 |
| 7/13/2007 21:30 | 2.419 | 1.18 |
| 7/13/2007 21:35 | 2.419 | 1.18 |
| 7/13/2007 21:40 | 2.418 | 1.18 |
| 7/13/2007 21:45 | 2.419 | 1.18 |
| 7/13/2007 21:50 | 2.419 | 1.18 |
| 7/13/2007 21:55 | 2.419 | 1.18 |
| 7/13/2007 22:00 | 2.419 | 1.18 |
| 7/13/2007 22:05 | 2.419 | 1.18 |
| 7/13/2007 22:10 | 2.419 | 1.18 |
| 7/13/2007 22:15 | 2.42 | 1.18 |
| 7/13/2007 22:20 | 2.42 | 1.18 |
| 7/13/2007 22:25 | 2.42 | 1.18 |
| 7/13/2007 22:30 | 2.419 | 1.18 |
| 7/13/2007 22:35 | 2.419 | 1.18 |
| 7/13/2007 22:40 | 2.419 | 1.18 |
| 7/13/2007 22:45 | 2.419 | 1.18 |
| 7/13/2007 22:50 | 2.418 | 1.18 |
| 7/13/2007 22:55 | 2.418 | 1.18 |
| 7/13/2007 23:00 | 2.418 | 1.18 |
| 7/13/2007 23:05 | 2.42 | 1.18 |
| 7/13/2007 23:10 | 2.42 | 1.18 |
| 7/13/2007 23:15 | 2.421 | 1.18 |
| 7/13/2007 23:20 | 2.421 | 1.18 |
| 7/13/2007 23:25 | 2.421 | 1.18 |
| 7/13/2007 23:30 | 2.421 | 1.18 |
| 7/13/2007 23:35 | 2.422 | 1.18 |
| 7/13/2007 23:40 | 2.422 | 1.18 |
| 7/13/2007 23:45 | 2.423 | 1.18 |
| 7/13/2007 23:50 | 2.423 | 1.18 |
| 7/13/2007 23:55 | 2.423 | 1.18 |
| 7/14/2007 0:00 | 2.423 | 1.18 |
| 7/14/2007 0:05 | 2.423 | 1.18 |
| 7/14/2007 0:10 | 2.423 | 1.18 |
| 7/14/2007 0:15 | 2.423 | 1.18 |
| 7/14/2007 0:20 | 2.421 | 1.18 |
| 7/14/2007 0:25 | 2.42 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 0:30 | 2.419 | 1.18 |
| 7/14/2007 0:35 | 2.42 | 1.18 |
| 7/14/2007 0:40 | 2.418 | 1.18 |
| 7/14/2007 0:45 | 2.419 | 1.18 |
| 7/14/2007 0:50 | 2.418 | 1.18 |
| 7/14/2007 0:55 | 2.418 | 1.18 |
| 7/14/2007 1:00 | 2.418 | 1.18 |
| 7/14/2007 1:05 | 2.418 | 1.18 |
| 7/14/2007 1:10 | 2.418 | 1.18 |
| 7/14/2007 1:15 | 2.418 | 1.18 |
| 7/14/2007 1:20 | 2.419 | 1.18 |
| 7/14/2007 1:25 | 2.419 | 1.18 |
| 7/14/2007 1:30 | 2.419 | 1.18 |
| 7/14/2007 1:35 | 2.419 | 1.18 |
| 7/14/2007 1:40 | 2.419 | 1.18 |
| 7/14/2007 1:45 | 2.419 | 1.18 |
| 7/14/2007 1:50 | 2.42 | 1.18 |
| 7/14/2007 1:55 | 2.42 | 1.18 |
| 7/14/2007 2:00 | 2.42 | 1.18 |
| 7/14/2007 2:05 | 2.42 | 1.18 |
| 7/14/2007 2:10 | 2.419 | 1.18 |
| 7/14/2007 2:15 | 2.419 | 1.18 |
| 7/14/2007 2:20 | 2.419 | 1.18 |
| 7/14/2007 2:25 | 2.42 | 1.18 |
| 7/14/2007 2:30 | 2.42 | 1.18 |
| 7/14/2007 2:35 | 2.42 | 1.18 |
| 7/14/2007 2:40 | 2.422 | 1.18 |
| 7/14/2007 2:45 | 2.419 | 1.18 |
| 7/14/2007 2:50 | 2.419 | 1.18 |
| 7/14/2007 2:55 | 2.419 | 1.18 |
| 7/14/2007 3:00 | 2.419 | 1.18 |
| 7/14/2007 3:05 | 2.419 | 1.18 |
| 7/14/2007 3:10 | 2.419 | 1.18 |
| 7/14/2007 3:15 | 2.419 | 1.18 |
| 7/14/2007 3:20 | 2.419 | 1.18 |
| 7/14/2007 3:25 | 2.418 | 1.18 |
| 7/14/2007 3:30 | 2.418 | 1.18 |
| 7/14/2007 3:35 | 2.418 | 1.18 |
| 7/14/2007 3:40 | 2.419 | 1.18 |
| 7/14/2007 3:45 | 2.418 | 1.18 |
| 7/14/2007 3:50 | 2.418 | 1.18 |
| 7/14/2007 3:55 | 2.417 | 1.18 |
| 7/14/2007 4:00 | 2.416 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 4:05 | 2.416 | 1.18 |
| 7/14/2007 4:10 | 2.416 | 1.18 |
| 7/14/2007 4:15 | 2.416 | 1.18 |
| 7/14/2007 4:20 | 2.414 | 1.18 |
| 7/14/2007 4:25 | 2.412 | 1.18 |
| 7/14/2007 4:30 | 2.412 | 1.18 |
| 7/14/2007 4:35 | 2.411 | 1.18 |
| 7/14/2007 4:40 | 2.41 | 1.18 |
| 7/14/2007 4:45 | 2.411 | 1.18 |
| 7/14/2007 4:50 | 2.41 | 1.18 |
| 7/14/2007 4:55 | 2.41 | 1.18 |
| 7/14/2007 5:00 | 2.409 | 1.18 |
| 7/14/2007 5:05 | 2.409 | 1.18 |
| 7/14/2007 5:10 | 2.408 | 1.18 |
| 7/14/2007 5:15 | 2.409 | 1.18 |
| 7/14/2007 5:20 | 2.409 | 1.18 |
| 7/14/2007 5:25 | 2.408 | 1.18 |
| 7/14/2007 5:30 | 2.408 | 1.18 |
| 7/14/2007 5:35 | 2.408 | 1.18 |
| 7/14/2007 5:40 | 2.408 | 1.18 |
| 7/14/2007 5:45 | 2.408 | 1.18 |
| 7/14/2007 5:50 | 2.408 | 1.18 |
| 7/14/2007 5:55 | 2.408 | 1.18 |
| 7/14/2007 6:00 | 2.408 | 1.18 |
| 7/14/2007 6:05 | 2.408 | 1.18 |
| 7/14/2007 6:10 | 2.408 | 1.18 |
| 7/14/2007 6:15 | 2.407 | 1.18 |
| 7/14/2007 6:20 | 2.406 | 1.18 |
| 7/14/2007 6:25 | 2.406 | 1.18 |
| 7/14/2007 6:30 | 2.407 | 1.18 |
| 7/14/2007 6:35 | 2.407 | 1.18 |
| 7/14/2007 6:40 | 2.408 | 1.18 |
| 7/14/2007 6:45 | 2.407 | 1.18 |
| 7/14/2007 6:50 | 2.407 | 1.18 |
| 7/14/2007 6:55 | 2.407 | 1.18 |
| 7/14/2007 7:00 | 2.407 | 1.18 |
| 7/14/2007 7:05 | 2.407 | 1.18 |
| 7/14/2007 7:10 | 2.407 | 1.18 |
| 7/14/2007 7:15 | 2.407 | 1.18 |
| 7/14/2007 7:20 | 2.406 | 1.18 |
| 7/14/2007 7:25 | 2.406 | 1.18 |
| 7/14/2007 7:30 | 2.406 | 1.18 |
| 7/14/2007 7:35 | 2.406 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 7:40 | 2.406 | 1.18 |
| 7/14/2007 7:45 | 2.406 | 1.18 |
| 7/14/2007 7:50 | 2.407 | 1.18 |
| 7/14/2007 7:55 | 2.407 | 1.18 |
| 7/14/2007 8:00 | 2.407 | 1.18 |
| 7/14/2007 8:05 | 2.407 | 1.18 |
| 7/14/2007 8:10 | 2.406 | 1.18 |
| 7/14/2007 8:15 | 2.406 | 1.18 |
| 7/14/2007 8:20 | 2.406 | 1.18 |
| 7/14/2007 8:25 | 2.407 | 1.18 |
| 7/14/2007 8:30 | 2.406 | 1.18 |
| 7/14/2007 8:35 | 2.407 | 1.18 |
| 7/14/2007 8:40 | 2.407 | 1.18 |
| 7/14/2007 8:45 | 2.408 | 1.18 |
| 7/14/2007 8:50 | 2.408 | 1.18 |
| 7/14/2007 8:55 | 2.408 | 1.18 |
| 7/14/2007 9:00 | 2.408 | 1.18 |
| 7/14/2007 9:05 | 2.408 | 1.18 |
| 7/14/2007 9:10 | 2.408 | 1.18 |
| 7/14/2007 9:15 | 2.408 | 1.18 |
| 7/14/2007 9:20 | 2.409 | 1.18 |
| 7/14/2007 9:25 | 2.408 | 1.18 |
| 7/14/2007 9:30 | 2.408 | 1.18 |
| 7/14/2007 9:35 | 2.408 | 1.18 |
| 7/14/2007 9:40 | 2.407 | 1.18 |
| 7/14/2007 9:45 | 2.407 | 1.18 |
| 7/14/2007 9:50 | 2.407 | 1.18 |
| 7/14/2007 9:55 | 2.407 | 1.18 |
| 7/14/2007 10:00 | 2.404 | 1.18 |
| 7/14/2007 10:05 | 2.405 | 1.18 |
| 7/14/2007 10:10 | 2.405 | 1.18 |
| 7/14/2007 10:15 | 2.406 | 1.18 |
| 7/14/2007 10:20 | 2.406 | 1.18 |
| 7/14/2007 10:25 | 2.406 | 1.18 |
| 7/14/2007 10:30 | 2.406 | 1.18 |
| 7/14/2007 10:35 | 2.406 | 1.18 |
| 7/14/2007 10:40 | 2.406 | 1.18 |
| 7/14/2007 10:45 | 2.406 | 1.18 |
| 7/14/2007 10:50 | 2.406 | 1.18 |
| 7/14/2007 10:55 | 2.406 | 1.18 |
| 7/14/2007 11:00 | 2.407 | 1.18 |
| 7/14/2007 11:05 | 2.407 | 1.18 |
| 7/14/2007 11:10 | 2.407 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 11:15 | 2.406 | 1.18 |
| 7/14/2007 11:20 | 2.406 | 1.18 |
| 7/14/2007 11:25 | 2.406 | 1.18 |
| 7/14/2007 11:30 | 2.407 | 1.18 |
| 7/14/2007 11:35 | 2.407 | 1.18 |
| 7/14/2007 11:40 | 2.407 | 1.18 |
| 7/14/2007 11:45 | 2.407 | 1.18 |
| 7/14/2007 11:50 | 2.407 | 1.18 |
| 7/14/2007 11:55 | 2.407 | 1.18 |
| 7/14/2007 12:00 | 2.407 | 1.18 |
| 7/14/2007 12:05 | 2.407 | 1.18 |
| 7/14/2007 12:10 | 2.408 | 1.18 |
| 7/14/2007 12:15 | 2.408 | 1.18 |
| 7/14/2007 12:20 | 2.406 | 1.18 |
| 7/14/2007 12:25 | 2.407 | 1.18 |
| 7/14/2007 12:30 | 2.407 | 1.18 |
| 7/14/2007 12:35 | 2.407 | 1.18 |
| 7/14/2007 12:40 | 2.408 | 1.18 |
| 7/14/2007 12:45 | 2.407 | 1.18 |
| 7/14/2007 12:50 | 2.407 | 1.18 |
| 7/14/2007 12:55 | 2.407 | 1.18 |
| 7/14/2007 13:00 | 2.407 | 1.18 |
| 7/14/2007 13:05 | 2.407 | 1.18 |
| 7/14/2007 13:10 | 2.406 | 1.18 |
| 7/14/2007 13:15 | 2.407 | 1.18 |
| 7/14/2007 13:20 | 2.406 | 1.18 |
| 7/14/2007 13:25 | 2.406 | 1.18 |
| 7/14/2007 13:30 | 2.406 | 1.18 |
| 7/14/2007 13:35 | 2.405 | 1.18 |
| 7/14/2007 13:40 | 2.406 | 1.18 |
| 7/14/2007 13:45 | 2.405 | 1.18 |
| 7/14/2007 13:50 | 2.405 | 1.18 |
| 7/14/2007 13:55 | 2.404 | 1.18 |
| 7/14/2007 14:00 | 2.404 | 1.18 |
| 7/14/2007 14:05 | 2.404 | 1.18 |
| 7/14/2007 14:10 | 2.404 | 1.18 |
| 7/14/2007 14:15 | 2.403 | 1.18 |
| 7/14/2007 14:20 | 2.404 | 1.18 |
| 7/14/2007 14:25 | 2.404 | 1.18 |
| 7/14/2007 14:30 | 2.404 | 1.18 |
| 7/14/2007 14:35 | 2.403 | 1.18 |
| 7/14/2007 14:40 | 2.402 | 1.18 |
| 7/14/2007 14:45 | 2.402 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 14:50 | 2.402 | 1.18 |
| 7/14/2007 14:55 | 2.402 | 1.18 |
| 7/14/2007 15:00 | 2.404 | 1.18 |
| 7/14/2007 15:05 | 2.404 | 1.18 |
| 7/14/2007 15:10 | 2.403 | 1.18 |
| 7/14/2007 15:15 | 2.404 | 1.18 |
| 7/14/2007 15:20 | 2.404 | 1.18 |
| 7/14/2007 15:25 | 2.404 | 1.18 |
| 7/14/2007 15:30 | 2.403 | 1.18 |
| 7/14/2007 15:35 | 2.402 | 1.18 |
| 7/14/2007 15:40 | 2.397 | 1.18 |
| 7/14/2007 15:45 | 2.397 | 1.18 |
| 7/14/2007 15:50 | 2.397 | 1.18 |
| 7/14/2007 15:55 | 2.398 | 1.18 |
| 7/14/2007 16:00 | 2.398 | 1.18 |
| 7/14/2007 16:05 | 2.399 | 1.18 |
| 7/14/2007 16:10 | 2.399 | 1.18 |
| 7/14/2007 16:15 | 2.402 | 1.18 |
| 7/14/2007 16:20 | 2.401 | 1.18 |
| 7/14/2007 16:25 | 2.402 | 1.18 |
| 7/14/2007 16:30 | 2.402 | 1.18 |
| 7/14/2007 16:35 | 2.402 | 1.18 |
| 7/14/2007 16:40 | 2.4 | 1.18 |
| 7/14/2007 16:45 | 2.4 | 1.18 |
| 7/14/2007 16:50 | 2.4 | 1.18 |
| 7/14/2007 16:55 | 2.4 | 1.18 |
| 7/14/2007 17:00 | 2.399 | 1.18 |
| 7/14/2007 17:05 | 2.399 | 1.18 |
| 7/14/2007 17:10 | 2.4 | 1.18 |
| 7/14/2007 17:15 | 2.4 | 1.18 |
| 7/14/2007 17:20 | 2.4 | 1.18 |
| 7/14/2007 17:25 | 2.4 | 1.18 |
| 7/14/2007 17:30 | 2.401 | 1.18 |
| 7/14/2007 17:35 | 2.4 | 1.18 |
| 7/14/2007 17:40 | 2.4 | 1.18 |
| 7/14/2007 17:45 | 2.4 | 1.18 |
| 7/14/2007 17:50 | 2.4 | 1.18 |
| 7/14/2007 17:55 | 2.4 | 1.18 |
| 7/14/2007 18:00 | 2.4 | 1.18 |
| 7/14/2007 18:05 | 2.398 | 1.18 |
| 7/14/2007 18:10 | 2.399 | 1.18 |
| 7/14/2007 18:15 | 2.4 | 1.18 |
| 7/14/2007 18:20 | 2.397 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 18:25 | 2.397 | 1.18 |
| 7/14/2007 18:30 | 2.397 | 1.18 |
| 7/14/2007 18:35 | 2.397 | 1.18 |
| 7/14/2007 18:40 | 2.398 | 1.18 |
| 7/14/2007 18:45 | 2.394 | 1.18 |
| 7/14/2007 18:50 | 2.395 | 1.18 |
| 7/14/2007 18:55 | 2.395 | 1.18 |
| 7/14/2007 19:00 | 2.395 | 1.18 |
| 7/14/2007 19:05 | 2.396 | 1.18 |
| 7/14/2007 19:10 | 2.397 | 1.18 |
| 7/14/2007 19:15 | 2.396 | 1.18 |
| 7/14/2007 19:20 | 2.398 | 1.18 |
| 7/14/2007 19:25 | 2.397 | 1.18 |
| 7/14/2007 19:30 | 2.315 | 1.18 |
| 7/14/2007 19:35 | 2.312 | 1.18 |
| 7/14/2007 19:40 | 2.31 | 1.18 |
| 7/14/2007 19:45 | 2.31 | 1.18 |
| 7/14/2007 19:50 | 2.308 | 1.18 |
| 7/14/2007 19:55 | 2.306 | 1.18 |
| 7/14/2007 20:00 | 2.305 | 1.18 |
| 7/14/2007 20:05 | 2.305 | 1.18 |
| 7/14/2007 20:10 | 2.306 | 1.18 |
| 7/14/2007 20:15 | 2.308 | 1.18 |
| 7/14/2007 20:20 | 2.308 | 1.18 |
| 7/14/2007 20:25 | 2.309 | 1.18 |
| 7/14/2007 20:30 | 2.309 | 1.18 |
| 7/14/2007 20:35 | 2.31 | 1.18 |
| 7/14/2007 20:40 | 2.311 | 1.18 |
| 7/14/2007 20:45 | 2.311 | 1.18 |
| 7/14/2007 20:50 | 2.311 | 1.18 |
| 7/14/2007 20:55 | 2.312 | 1.18 |
| 7/14/2007 21:00 | 2.312 | 1.18 |
| 7/14/2007 21:05 | 2.312 | 1.18 |
| 7/14/2007 21:10 | 2.313 | 1.18 |
| 7/14/2007 21:15 | 2.313 | 1.18 |
| 7/14/2007 21:20 | 2.313 | 1.18 |
| 7/14/2007 21:25 | 2.313 | 1.18 |
| 7/14/2007 21:30 | 2.313 | 1.18 |
| 7/14/2007 21:35 | 2.314 | 1.18 |
| 7/14/2007 21:40 | 2.314 | 1.18 |
| 7/14/2007 21:45 | 2.314 | 1.18 |
| 7/14/2007 21:50 | 2.315 | 1.18 |
| 7/14/2007 21:55 | 2.315 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 22:00 | 2.315 | 1.18 |
| 7/14/2007 22:05 | 2.316 | 1.18 |
| 7/14/2007 22:10 | 2.316 | 1.18 |
| 7/14/2007 22:15 | 2.316 | 1.18 |
| 7/14/2007 22:20 | 2.317 | 1.18 |
| 7/14/2007 22:25 | 2.317 | 1.18 |
| 7/14/2007 22:30 | 2.316 | 1.18 |
| 7/14/2007 22:35 | 2.317 | 1.18 |
| 7/14/2007 22:40 | 2.317 | 1.18 |
| 7/14/2007 22:45 | 2.317 | 1.18 |
| 7/14/2007 22:50 | 2.317 | 1.18 |
| 7/14/2007 22:55 | 2.317 | 1.18 |
| 7/14/2007 23:00 | 2.317 | 1.18 |
| 7/14/2007 23:05 | 2.317 | 1.18 |
| 7/14/2007 23:10 | 2.318 | 1.18 |
| 7/14/2007 23:15 | 2.318 | 1.18 |
| 7/14/2007 23:20 | 2.318 | 1.18 |
| 7/14/2007 23:25 | 2.318 | 1.18 |
| 7/14/2007 23:30 | 2.318 | 1.18 |
| 7/14/2007 23:35 | 2.317 | 1.18 |
| 7/14/2007 23:40 | 2.317 | 1.18 |
| 7/14/2007 23:45 | 2.318 | 1.18 |
| 7/14/2007 23:50 | 2.317 | 1.18 |
| 7/14/2007 23:55 | 2.317 | 1.18 |
| 7/15/2007 0:00 | 2.319 | 1.18 |
| 7/15/2007 0:05 | 2.318 | 1.18 |
| 7/15/2007 0:10 | 2.318 | 1.18 |
| 7/15/2007 0:15 | 2.318 | 1.18 |
| 7/15/2007 0:20 | 2.318 | 1.18 |
| 7/15/2007 0:25 | 2.319 | 1.18 |
| 7/15/2007 0:30 | 2.319 | 1.18 |
| 7/15/2007 0:35 | 2.319 | 1.18 |
| 7/15/2007 0:40 | 2.319 | 1.18 |
| 7/15/2007 0:45 | 2.319 | 1.18 |
| 7/15/2007 0:50 | 2.318 | 1.18 |
| 7/15/2007 0:55 | 2.318 | 1.18 |
| 7/15/2007 1:00 | 2.319 | 1.18 |
| 7/15/2007 1:05 | 2.319 | 1.18 |
| 7/15/2007 1:10 | 2.319 | 1.18 |
| 7/15/2007 1:15 | 2.319 | 1.18 |
| 7/15/2007 1:20 | 2.319 | 1.18 |
| 7/15/2007 1:25 | 2.319 | 1.18 |
| 7/15/2007 1:30 | 2.319 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 1:35 | 2.319 | 1.18 |
| 7/15/2007 1:40 | 2.319 | 1.18 |
| 7/15/2007 1:45 | 2.319 | 1.18 |
| 7/15/2007 1:50 | 2.319 | 1.18 |
| 7/15/2007 1:55 | 2.319 | 1.18 |
| 7/15/2007 2:00 | 2.319 | 1.18 |
| 7/15/2007 2:05 | 2.319 | 1.18 |
| 7/15/2007 2:10 | 2.319 | 1.18 |
| 7/15/2007 2:15 | 2.32 | 1.18 |
| 7/15/2007 2:20 | 2.319 | 1.18 |
| 7/15/2007 2:25 | 2.319 | 1.18 |
| 7/15/2007 2:30 | 2.32 | 1.18 |
| 7/15/2007 2:35 | 2.32 | 1.18 |
| 7/15/2007 2:40 | 2.32 | 1.18 |
| 7/15/2007 2:45 | 2.32 | 1.18 |
| 7/15/2007 2:50 | 2.32 | 1.18 |
| 7/15/2007 2:55 | 2.319 | 1.18 |
| 7/15/2007 3:00 | 2.319 | 1.18 |
| 7/15/2007 3:05 | 2.32 | 1.18 |
| 7/15/2007 3:10 | 2.319 | 1.18 |
| 7/15/2007 3:15 | 2.319 | 1.18 |
| 7/15/2007 3:20 | 2.319 | 1.18 |
| 7/15/2007 3:25 | 2.319 | 1.18 |
| 7/15/2007 3:30 | 2.319 | 1.18 |
| 7/15/2007 3:35 | 2.318 | 1.18 |
| 7/15/2007 3:40 | 2.318 | 1.18 |
| 7/15/2007 3:45 | 2.318 | 1.18 |
| 7/15/2007 3:50 | 2.318 | 1.18 |
| 7/15/2007 3:55 | 2.317 | 1.18 |
| 7/15/2007 4:00 | 2.318 | 1.18 |
| 7/15/2007 4:05 | 2.317 | 1.18 |
| 7/15/2007 4:10 | 2.317 | 1.18 |
| 7/15/2007 4:15 | 2.317 | 1.18 |
| 7/15/2007 4:20 | 2.316 | 1.18 |
| 7/15/2007 4:25 | 2.317 | 1.18 |
| 7/15/2007 4:30 | 2.316 | 1.18 |
| 7/15/2007 4:35 | 2.316 | 1.18 |
| 7/15/2007 4:40 | 2.316 | 1.18 |
| 7/15/2007 4:45 | 2.316 | 1.18 |
| 7/15/2007 4:50 | 2.316 | 1.18 |
| 7/15/2007 4:55 | 2.316 | 1.18 |
| 7/15/2007 5:00 | 2.316 | 1.18 |
| 7/15/2007 5:05 | 2.316 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 5:10 | 2.316 | 1.18 |
| 7/15/2007 5:15 | 2.315 | 1.18 |
| 7/15/2007 5:20 | 2.315 | 1.18 |
| 7/15/2007 5:25 | 2.315 | 1.18 |
| 7/15/2007 5:30 | 2.315 | 1.18 |
| 7/15/2007 5:35 | 2.315 | 1.18 |
| 7/15/2007 5:40 | 2.315 | 1.18 |
| 7/15/2007 5:45 | 2.315 | 1.18 |
| 7/15/2007 5:50 | 2.315 | 1.18 |
| 7/15/2007 5:55 | 2.315 | 1.18 |
| 7/15/2007 6:00 | 2.315 | 1.18 |
| 7/15/2007 6:05 | 2.314 | 1.18 |
| 7/15/2007 6:10 | 2.314 | 1.18 |
| 7/15/2007 6:15 | 2.314 | 1.18 |
| 7/15/2007 6:20 | 2.314 | 1.18 |
| 7/15/2007 6:25 | 2.314 | 1.18 |
| 7/15/2007 6:30 | 2.314 | 1.18 |
| 7/15/2007 6:35 | 2.313 | 1.18 |
| 7/15/2007 6:40 | 2.313 | 1.18 |
| 7/15/2007 6:45 | 2.314 | 1.18 |
| 7/15/2007 6:50 | 2.313 | 1.18 |
| 7/15/2007 6:55 | 2.313 | 1.18 |
| 7/15/2007 7:00 | 2.314 | 1.18 |
| 7/15/2007 7:05 | 2.317 | 1.18 |
| 7/15/2007 7:10 | 2.317 | 1.18 |
| 7/15/2007 7:15 | 2.317 | 1.18 |
| 7/15/2007 7:20 | 2.318 | 1.18 |
| 7/15/2007 7:25 | 2.317 | 1.18 |
| 7/15/2007 7:30 | 2.318 | 1.18 |
| 7/15/2007 7:35 | 2.318 | 1.18 |
| 7/15/2007 7:40 | 2.318 | 1.18 |
| 7/15/2007 7:45 | 2.317 | 1.18 |
| 7/15/2007 7:50 | 2.317 | 1.18 |
| 7/15/2007 7:55 | 2.318 | 1.18 |
| 7/15/2007 8:00 | 2.318 | 1.18 |
| 7/15/2007 8:05 | 2.317 | 1.18 |
| 7/15/2007 8:10 | 2.317 | 1.18 |
| 7/15/2007 8:15 | 2.318 | 1.18 |
| 7/15/2007 8:20 | 2.318 | 1.18 |
| 7/15/2007 8:25 | 2.318 | 1.18 |
| 7/15/2007 8:30 | 2.317 | 1.18 |
| 7/15/2007 8:35 | 2.317 | 1.18 |
| 7/15/2007 8:40 | 2.317 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 8:45 | 2.317 | 1.18 |
| 7/15/2007 8:50 | 2.317 | 1.18 |
| 7/15/2007 8:55 | 2.318 | 1.18 |
| 7/15/2007 9:00 | 2.317 | 1.18 |
| 7/15/2007 9:05 | 2.317 | 1.18 |
| 7/15/2007 9:10 | 2.317 | 1.18 |
| 7/15/2007 9:15 | 2.317 | 1.18 |
| 7/15/2007 9:20 | 2.317 | 1.18 |
| 7/15/2007 9:25 | 2.317 | 1.18 |
| 7/15/2007 9:30 | 2.317 | 1.18 |
| 7/15/2007 9:35 | 2.317 | 1.18 |
| 7/15/2007 9:40 | 2.317 | 1.18 |
| 7/15/2007 9:45 | 2.317 | 1.18 |
| 7/15/2007 9:50 | 2.319 | 1.18 |
| 7/15/2007 9:55 | 2.318 | 1.18 |
| 7/15/2007 10:00 | 2.319 | 1.18 |
| 7/15/2007 10:05 | 2.319 | 1.18 |
| 7/15/2007 10:10 | 2.319 | 1.18 |
| 7/15/2007 10:15 | 2.32 | 1.18 |
| 7/15/2007 10:20 | 2.319 | 1.18 |
| 7/15/2007 10:25 | 2.319 | 1.18 |
| 7/15/2007 10:30 | 2.319 | 1.18 |
| 7/15/2007 10:35 | 2.319 | 1.18 |
| 7/15/2007 10:40 | 2.318 | 1.18 |
| 7/15/2007 10:45 | 2.319 | 1.18 |
| 7/15/2007 10:50 | 2.318 | 1.18 |
| 7/15/2007 10:55 | 2.319 | 1.18 |
| 7/15/2007 11:00 | 2.318 | 1.18 |
| 7/15/2007 11:05 | 2.317 | 1.18 |
| 7/15/2007 11:10 | 2.317 | 1.18 |
| 7/15/2007 11:15 | 2.318 | 1.18 |
| 7/15/2007 11:20 | 2.319 | 1.18 |
| 7/15/2007 11:25 | 2.319 | 1.18 |
| 7/15/2007 11:30 | 2.318 | 1.18 |
| 7/15/2007 11:35 | 2.318 | 1.18 |
| 7/15/2007 11:40 | 2.318 | 1.18 |
| 7/15/2007 11:45 | 2.318 | 1.18 |
| 7/15/2007 11:50 | 2.317 | 1.18 |
| 7/15/2007 11:55 | 2.322 | 1.18 |
| 7/15/2007 12:00 | 2.322 | 1.18 |
| 7/15/2007 12:05 | 2.322 | 1.18 |
| 7/15/2007 12:10 | 2.321 | 1.18 |
| 7/15/2007 12:15 | 2.32 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 12:20 | 2.32 | 1.18 |
| 7/15/2007 12:25 | 2.321 | 1.18 |
| 7/15/2007 12:30 | 2.321 | 1.18 |
| 7/15/2007 12:35 | 2.32 | 1.18 |
| 7/15/2007 12:40 | 2.32 | 1.18 |
| 7/15/2007 12:45 | 2.318 | 1.18 |
| 7/15/2007 12:50 | 2.318 | 1.18 |
| 7/15/2007 12:55 | 2.317 | 1.18 |
| 7/15/2007 13:00 | 2.317 | 1.18 |
| 7/15/2007 13:05 | 2.318 | 1.18 |
| 7/15/2007 13:10 | 2.317 | 1.18 |
| 7/15/2007 13:15 | 2.317 | 1.18 |
| 7/15/2007 13:20 | 2.317 | 1.18 |
| 7/15/2007 13:25 | 2.317 | 1.18 |
| 7/15/2007 13:30 | 2.318 | 1.18 |
| 7/15/2007 13:35 | 2.318 | 1.18 |
| 7/15/2007 13:40 | 2.317 | 1.18 |
| 7/15/2007 13:45 | 2.313 | 1.18 |
| 7/15/2007 13:50 | 2.314 | 1.18 |
| 7/15/2007 13:55 | 2.314 | 1.18 |
| 7/15/2007 14:00 | 2.314 | 1.18 |
| 7/15/2007 14:05 | 2.314 | 1.18 |
| 7/15/2007 14:10 | 2.313 | 1.18 |
| 7/15/2007 14:15 | 2.313 | 1.18 |
| 7/15/2007 14:20 | 2.313 | 1.18 |
| 7/15/2007 14:25 | 2.313 | 1.18 |
| 7/15/2007 14:30 | 2.316 | 1.18 |
| 7/15/2007 14:35 | 2.316 | 1.18 |
| 7/15/2007 14:40 | 2.315 | 1.18 |
| 7/15/2007 14:45 | 2.314 | 1.18 |
| 7/15/2007 14:50 | 2.314 | 1.18 |
| 7/15/2007 14:55 | 2.314 | 1.18 |
| 7/15/2007 15:00 | 2.314 | 1.18 |
| 7/15/2007 15:05 | 2.314 | 1.18 |
| 7/15/2007 15:10 | 2.314 | 1.18 |
| 7/15/2007 15:15 | 2.314 | 1.18 |
| 7/15/2007 15:20 | 2.314 | 1.18 |
| 7/15/2007 15:25 | 2.314 | 1.18 |
| 7/15/2007 15:30 | 2.314 | 1.18 |
| 7/15/2007 15:35 | 2.313 | 1.18 |
| 7/15/2007 15:40 | 2.313 | 1.18 |
| 7/15/2007 15:45 | 2.313 | 1.18 |
| 7/15/2007 15:50 | 2.313 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 15:55 | 2.313 | 1.18 |
| 7/15/2007 16:00 | 2.313 | 1.18 |
| 7/15/2007 16:05 | 2.312 | 1.18 |
| 7/15/2007 16:10 | 2.312 | 1.18 |
| 7/15/2007 16:15 | 2.312 | 1.18 |
| 7/15/2007 16:20 | 2.311 | 1.18 |
| 7/15/2007 16:25 | 2.311 | 1.18 |
| 7/15/2007 16:30 | 2.311 | 1.18 |
| 7/15/2007 16:35 | 2.311 | 1.18 |
| 7/15/2007 16:40 | 2.311 | 1.18 |
| 7/15/2007 16:45 | 2.311 | 1.18 |
| 7/15/2007 16:50 | 2.312 | 1.18 |
| 7/15/2007 16:55 | 2.312 | 1.18 |
| 7/15/2007 17:00 | 2.312 | 1.18 |
| 7/15/2007 17:05 | 2.312 | 1.18 |
| 7/15/2007 17:10 | 2.312 | 1.18 |
| 7/15/2007 17:15 | 2.312 | 1.18 |
| 7/15/2007 17:20 | 2.312 | 1.18 |
| 7/15/2007 17:25 | 2.312 | 1.18 |
| 7/15/2007 17:30 | 2.311 | 1.18 |
| 7/15/2007 17:35 | 2.31 | 1.18 |
| 7/15/2007 17:40 | 2.31 | 1.18 |
| 7/15/2007 17:45 | 2.311 | 1.18 |
| 7/15/2007 17:50 | 2.31 | 1.18 |
| 7/15/2007 17:55 | 2.31 | 1.18 |
| 7/15/2007 18:00 | 2.31 | 1.18 |
| 7/15/2007 18:05 | 2.31 | 1.18 |
| 7/15/2007 18:10 | 2.31 | 1.18 |
| 7/15/2007 18:15 | 2.31 | 1.18 |
| 7/15/2007 18:20 | 2.311 | 1.18 |
| 7/15/2007 18:25 | 2.311 | 1.18 |
| 7/15/2007 18:30 | 2.311 | 1.18 |
| 7/15/2007 18:35 | 2.311 | 1.18 |
| 7/15/2007 18:40 | 2.311 | 1.18 |
| 7/15/2007 18:45 | 2.311 | 1.18 |
| 7/15/2007 18:50 | 2.31 | 1.18 |
| 7/15/2007 18:55 | 2.311 | 1.18 |
| 7/15/2007 19:00 | 2.311 | 1.18 |
| 7/15/2007 19:05 | 2.31 | 1.18 |
| 7/15/2007 19:10 | 2.31 | 1.18 |
| 7/15/2007 19:15 | 2.31 | 1.18 |
| 7/15/2007 19:20 | 2.31 | 1.18 |
| 7/15/2007 19:25 | 2.31 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 19:30 | 2.31 | 1.18 |
| 7/15/2007 19:35 | 2.31 | 1.18 |
| 7/15/2007 19:40 | 2.31 | 1.18 |
| 7/15/2007 19:45 | 2.31 | 1.18 |
| 7/15/2007 19:50 | 2.31 | 1.18 |
| 7/15/2007 19:55 | 2.309 | 1.18 |
| 7/15/2007 20:00 | 2.31 | 1.18 |
| 7/15/2007 20:05 | 2.309 | 1.18 |
| 7/15/2007 20:10 | 2.309 | 1.18 |
| 7/15/2007 20:15 | 2.31 | 1.18 |
| 7/15/2007 20:20 | 2.31 | 1.18 |
| 7/15/2007 20:25 | 2.31 | 1.18 |
| 7/15/2007 20:30 | 2.31 | 1.18 |
| 7/15/2007 20:35 | 2.309 | 1.18 |
| 7/15/2007 20:40 | 2.309 | 1.18 |
| 7/15/2007 20:45 | 2.309 | 1.18 |
| 7/15/2007 20:50 | 2.309 | 1.18 |
| 7/15/2007 20:55 | 2.309 | 1.18 |
| 7/15/2007 21:00 | 2.309 | 1.18 |
| 7/15/2007 21:05 | 2.309 | 1.18 |
| 7/15/2007 21:10 | 2.308 | 1.18 |
| 7/15/2007 21:15 | 2.308 | 1.18 |
| 7/15/2007 21:20 | 2.309 | 1.18 |
| 7/15/2007 21:25 | 2.308 | 1.18 |
| 7/15/2007 21:30 | 2.309 | 1.18 |
| 7/15/2007 21:35 | 2.309 | 1.18 |
| 7/15/2007 21:40 | 2.308 | 1.18 |
| 7/15/2007 21:45 | 2.308 | 1.18 |
| 7/15/2007 21:50 | 2.308 | 1.18 |
| 7/15/2007 21:55 | 2.308 | 1.18 |
| 7/15/2007 22:00 | 2.308 | 1.18 |
| 7/15/2007 22:05 | 2.308 | 1.18 |
| 7/15/2007 22:10 | 2.308 | 1.18 |
| 7/15/2007 22:15 | 2.308 | 1.18 |
| 7/15/2007 22:20 | 2.308 | 1.18 |
| 7/15/2007 22:25 | 2.308 | 1.18 |
| 7/15/2007 22:30 | 2.308 | 1.18 |
| 7/15/2007 22:35 | 2.308 | 1.18 |
| 7/15/2007 22:40 | 2.308 | 1.18 |
| 7/15/2007 22:45 | 2.308 | 1.18 |
| 7/15/2007 22:50 | 2.308 | 1.18 |
| 7/15/2007 22:55 | 2.308 | 1.18 |
| 7/15/2007 23:00 | 2.308 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 23:05 | 2.308 | 1.18 |
| 7/15/2007 23:10 | 2.308 | 1.18 |
| 7/15/2007 23:15 | 2.307 | 1.18 |
| 7/15/2007 23:20 | 2.308 | 1.18 |
| 7/15/2007 23:25 | 2.307 | 1.18 |
| 7/15/2007 23:30 | 2.307 | 1.18 |
| 7/15/2007 23:35 | 2.307 | 1.18 |
| 7/15/2007 23:40 | 2.307 | 1.18 |
| 7/15/2007 23:45 | 2.307 | 1.18 |
| 7/15/2007 23:50 | 2.308 | 1.18 |
| 7/15/2007 23:55 | 2.307 | 1.18 |
| 7/16/2007 0:00 | 2.307 | 1.18 |
| 7/16/2007 0:05 | 2.307 | 1.18 |
| 7/16/2007 0:10 | 2.309 | 1.18 |
| 7/16/2007 0:15 | 2.309 | 1.18 |
| 7/16/2007 0:20 | 2.308 | 1.18 |
| 7/16/2007 0:25 | 2.309 | 1.18 |
| 7/16/2007 0:30 | 2.309 | 1.18 |
| 7/16/2007 0:35 | 2.308 | 1.18 |
| 7/16/2007 0:40 | 2.308 | 1.18 |
| 7/16/2007 0:45 | 2.308 | 1.18 |
| 7/16/2007 0:50 | 2.309 | 1.18 |
| 7/16/2007 0:55 | 2.309 | 1.18 |
| 7/16/2007 1:00 | 2.309 | 1.18 |
| 7/16/2007 1:05 | 2.308 | 1.18 |
| 7/16/2007 1:10 | 2.308 | 1.18 |
| 7/16/2007 1:15 | 2.308 | 1.18 |
| 7/16/2007 1:20 | 2.308 | 1.18 |
| 7/16/2007 1:25 | 2.307 | 1.18 |
| 7/16/2007 1:30 | 2.308 | 1.18 |
| 7/16/2007 1:35 | 2.306 | 1.18 |
| 7/16/2007 1:40 | 2.306 | 1.18 |
| 7/16/2007 1:45 | 2.305 | 1.18 |
| 7/16/2007 1:50 | 2.305 | 1.18 |
| 7/16/2007 1:55 | 2.305 | 1.18 |
| 7/16/2007 2:00 | 2.304 | 1.18 |
| 7/16/2007 2:05 | 2.303 | 1.18 |
| 7/16/2007 2:10 | 2.303 | 1.18 |
| 7/16/2007 2:15 | 2.303 | 1.18 |
| 7/16/2007 2:20 | 2.303 | 1.18 |
| 7/16/2007 2:25 | 2.303 | 1.18 |
| 7/16/2007 2:30 | 2.303 | 1.18 |
| 7/16/2007 2:35 | 2.302 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 2:40 | 2.302 | 1.18 |
| 7/16/2007 2:45 | 2.301 | 1.18 |
| 7/16/2007 2:50 | 2.301 | 1.18 |
| 7/16/2007 2:55 | 2.301 | 1.18 |
| 7/16/2007 3:00 | 2.301 | 1.18 |
| 7/16/2007 3:05 | 2.301 | 1.18 |
| 7/16/2007 3:10 | 2.301 | 1.18 |
| 7/16/2007 3:15 | 2.301 | 1.18 |
| 7/16/2007 3:20 | 2.301 | 1.18 |
| 7/16/2007 3:25 | 2.301 | 1.18 |
| 7/16/2007 3:30 | 2.301 | 1.18 |
| 7/16/2007 3:35 | 2.3 | 1.18 |
| 7/16/2007 3:40 | 2.3 | 1.18 |
| 7/16/2007 3:45 | 2.304 | 1.18 |
| 7/16/2007 3:50 | 2.303 | 1.18 |
| 7/16/2007 3:55 | 2.302 | 1.18 |
| 7/16/2007 4:00 | 2.302 | 1.18 |
| 7/16/2007 4:05 | 2.302 | 1.18 |
| 7/16/2007 4:10 | 2.301 | 1.18 |
| 7/16/2007 4:15 | 2.301 | 1.18 |
| 7/16/2007 4:20 | 2.301 | 1.18 |
| 7/16/2007 4:25 | 2.301 | 1.18 |
| 7/16/2007 4:30 | 2.3 | 1.18 |
| 7/16/2007 4:35 | 2.3 | 1.18 |
| 7/16/2007 4:40 | 2.3 | 1.18 |
| 7/16/2007 4:45 | 2.302 | 1.18 |
| 7/16/2007 4:50 | 2.301 | 1.18 |
| 7/16/2007 4:55 | 2.3 | 1.18 |
| 7/16/2007 5:00 | 2.301 | 1.18 |
| 7/16/2007 5:05 | 2.3 | 1.18 |
| 7/16/2007 5:10 | 2.301 | 1.18 |
| 7/16/2007 5:15 | 2.299 | 1.18 |
| 7/16/2007 5:20 | 2.3 | 1.18 |
| 7/16/2007 5:25 | 2.3 | 1.18 |
| 7/16/2007 5:30 | 2.298 | 1.18 |
| 7/16/2007 5:35 | 2.284 | 1.18 |
| 7/16/2007 5:40 | 2.283 | 1.18 |
| 7/16/2007 5:45 | 2.284 | 1.18 |
| 7/16/2007 5:50 | 2.284 | 1.18 |
| 7/16/2007 5:55 | 2.284 | 1.18 |
| 7/16/2007 6:00 | 2.283 | 1.18 |
| 7/16/2007 6:05 | 2.284 | 1.18 |
| 7/16/2007 6:10 | 2.284 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 6:15 | 2.284 | 1.18 |
| 7/16/2007 6:20 | 2.283 | 1.18 |
| 7/16/2007 6:25 | 2.283 | 1.18 |
| 7/16/2007 6:30 | 2.283 | 1.18 |
| 7/16/2007 6:35 | 2.283 | 1.18 |
| 7/16/2007 6:40 | 2.284 | 1.18 |
| 7/16/2007 6:45 | 2.284 | 1.18 |
| 7/16/2007 6:50 | 2.284 | 1.18 |
| 7/16/2007 6:55 | 2.284 | 1.18 |
| 7/16/2007 7:00 | 2.284 | 1.18 |
| 7/16/2007 7:05 | 2.283 | 1.18 |
| 7/16/2007 7:10 | 2.284 | 1.18 |
| 7/16/2007 7:15 | 2.283 | 1.18 |
| 7/16/2007 7:20 | 2.283 | 1.18 |
| 7/16/2007 7:25 | 2.283 | 1.18 |
| 7/16/2007 7:30 | 2.283 | 1.18 |
| 7/16/2007 7:35 | 2.287 | 1.18 |
| 7/16/2007 7:40 | 2.287 | 1.18 |
| 7/16/2007 7:45 | 2.286 | 1.18 |
| 7/16/2007 7:50 | 2.285 | 1.18 |
| 7/16/2007 7:55 | 2.285 | 1.18 |
| 7/16/2007 8:00 | 2.285 | 1.18 |
| 7/16/2007 8:05 | 2.285 | 1.18 |
| 7/16/2007 8:10 | 2.284 | 1.18 |
| 7/16/2007 8:15 | 2.283 | 1.18 |
| 7/16/2007 8:20 | 2.283 | 1.18 |
| 7/16/2007 8:25 | 2.283 | 1.18 |
| 7/16/2007 8:30 | 2.283 | 1.18 |
| 7/16/2007 8:35 | 2.283 | 1.18 |
| 7/16/2007 8:40 | 2.283 | 1.18 |
| 7/16/2007 8:45 | 2.283 | 1.18 |
| 7/16/2007 8:50 | 2.239 | 1.18 |
| 7/16/2007 8:55 | 2.243 | 1.18 |
| 7/16/2007 9:00 | 2.245 | 1.18 |
| 7/16/2007 9:05 | 2.245 | 1.18 |
| 7/16/2007 9:10 | 2.246 | 1.18 |
| 7/16/2007 9:15 | 2.246 | 1.18 |
| 7/16/2007 9:20 | 2.246 | 1.18 |
| 7/16/2007 9:25 | 2.247 | 1.18 |
| 7/16/2007 9:30 | 2.247 | 1.18 |
| 7/16/2007 9:35 | 2.247 | 1.18 |
| 7/16/2007 9:40 | 2.246 | 1.18 |
| 7/16/2007 9:45 | 2.247 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 9:50 | 2.247 | 1.18 |
| 7/16/2007 9:55 | 2.247 | 1.18 |
| 7/16/2007 10:00 | 2.248 | 1.18 |
| 7/16/2007 10:05 | 2.249 | 1.18 |
| 7/16/2007 10:10 | 2.249 | 1.18 |
| 7/16/2007 10:15 | 2.248 | 1.18 |
| 7/16/2007 10:20 | 2.248 | 1.18 |
| 7/16/2007 10:25 | 2.248 | 1.18 |
| 7/16/2007 10:30 | 2.247 | 1.18 |
| 7/16/2007 10:35 | 2.247 | 1.18 |
| 7/16/2007 10:40 | 2.247 | 1.18 |
| 7/16/2007 10:45 | 2.246 | 1.18 |
| 7/16/2007 10:50 | 2.246 | 1.18 |
| 7/16/2007 10:55 | 2.246 | 1.18 |
| 7/16/2007 11:00 | 2.246 | 1.18 |
| 7/16/2007 11:05 | 2.245 | 1.18 |
| 7/16/2007 11:10 | 2.245 | 1.18 |
| 7/16/2007 11:15 | 2.245 | 1.18 |
| 7/16/2007 11:20 | 2.244 | 1.18 |
| 7/16/2007 11:25 | 2.244 | 1.18 |
| 7/16/2007 11:30 | 2.244 | 1.18 |
| 7/16/2007 11:35 | 2.244 | 1.18 |
| 7/16/2007 11:40 | 2.244 | 1.18 |
| 7/16/2007 11:45 | 2.243 | 1.18 |
| 7/16/2007 11:50 | 2.244 | 1.18 |
| 7/16/2007 11:55 | 2.245 | 1.18 |
| 7/16/2007 12:00 | 2.244 | 1.18 |
| 7/16/2007 12:05 | 2.244 | 1.18 |
| 7/16/2007 12:10 | 2.243 | 1.18 |
| 7/16/2007 12:15 | 2.244 | 1.18 |
| 7/16/2007 12:20 | 2.219 | 1.18 |
| 7/16/2007 12:25 | 2.22 | 1.18 |
| 7/16/2007 12:30 | 2.22 | 1.18 |
| 7/16/2007 12:35 | 2.22 | 1.18 |
| 7/16/2007 12:40 | 2.22 | 1.18 |
| 7/16/2007 12:45 | 2.221 | 1.18 |
| 7/16/2007 12:50 | 2.22 | 1.18 |
| 7/16/2007 12:55 | 2.22 | 1.18 |
| 7/16/2007 13:00 | 2.22 | 1.18 |
| 7/16/2007 13:05 | 2.22 | 1.18 |
| 7/16/2007 13:10 | 2.22 | 1.18 |
| 7/16/2007 13:15 | 2.22 | 1.18 |
| 7/16/2007 13:20 | 2.219 | 1.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 13:25 | 2.219 | 1.18 |
| 7/16/2007 13:30 | 2.219 | 1.18 |
| 7/16/2007 13:35 | 2.219 | 1.18 |
| 7/16/2007 13:40 | 2.218 | 1.18 |
| 7/16/2007 13:45 | 2.218 | 1.18 |
| 7/16/2007 13:50 | 2.217 | 1.18 |
| 7/16/2007 13:55 | 2.217 | 1.18 |
| 7/16/2007 14:00 | 2.217 | 1.18 |
| 7/16/2007 14:05 | 2.217 | 1.18 |
| 7/16/2007 14:10 | 2.217 | 1.18 |
| 7/16/2007 14:15 | 2.216 | 1.18 |
| 7/16/2007 14:20 | 2.216 | 1.18 |
| 7/16/2007 14:25 | 2.216 | 1.18 |
| 7/16/2007 14:30 | 2.217 | 1.18 |
| 7/16/2007 14:35 | 2.216 | 1.18 |
| 7/16/2007 14:40 | 2.216 | 1.18 |
| 7/16/2007 14:45 | 2.216 | 1.18 |
| 7/16/2007 14:50 | 2.215 | 1.18 |
| 7/16/2007 14:55 | 2.216 | 1.18 |
| 7/16/2007 15:00 | 2.215 | 1.18 |
| 7/16/2007 15:05 | 2.215 | 1.18 |
| 7/16/2007 15:10 | 2.214 | 1.18 |
| 7/16/2007 15:15 | 2.214 | 1.18 |
| 7/16/2007 15:20 | 2.213 | 1.18 |
| 7/16/2007 15:25 | 2.213 | 1.18 |
| 7/16/2007 15:30 | 2.213 | 1.18 |
| 7/16/2007 15:35 | 2.207 | 7.7 |
| 7/16/2007 15:40 | 2.206 | 7.7 |
| 7/16/2007 15:45 | 2.205 | 7.7 |
| 7/16/2007 15:50 | 2.206 | 8.71 |
| 7/16/2007 15:55 | 2.206 | 8.71 |
| 7/16/2007 16:00 | 2.206 | 8.71 |
| 7/16/2007 16:05 | 2.206 | 8.71 |
| 7/16/2007 16:10 | 2.208 | 8.71 |
| 7/16/2007 16:15 | 2.208 | 8.71 |
| 7/16/2007 16:20 | 2.208 | 8.71 |
| 7/16/2007 16:25 | 2.208 | 8.71 |
| 7/16/2007 16:30 | 2.21 | 8.71 |
| 7/16/2007 16:35 | 2.212 | 8.71 |
| 7/16/2007 16:40 | 2.212 | 8.71 |
| 7/16/2007 16:45 | 2.211 | 8.71 |
| 7/16/2007 16:50 | 2.216 | 8.71 |
| 7/16/2007 16:55 | 2.215 | 8.71 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 17:00 | 2.215 | 8.71 |
| 7/16/2007 17:05 | 2.214 | 8.71 |
| 7/16/2007 17:10 | 2.214 | 8.71 |
| 7/16/2007 17:15 | 2.214 | 8.71 |
| 7/16/2007 17:20 | 2.213 | 8.71 |
| 7/16/2007 17:25 | 2.213 | 8.71 |
| 7/16/2007 17:30 | 2.213 | 8.71 |
| 7/16/2007 17:35 | 2.212 | 8.71 |
| 7/16/2007 17:40 | 2.212 | 8.71 |
| 7/16/2007 17:45 | 2.212 | 8.71 |
| 7/16/2007 17:50 | 2.212 | 8.71 |
| 7/16/2007 17:55 | 2.212 | 8.71 |
| 7/16/2007 18:00 | 2.212 | 8.71 |
| 7/16/2007 18:05 | 2.212 | 8.71 |
| 7/16/2007 18:10 | 2.212 | 8.71 |
| 7/16/2007 18:15 | 2.212 | 8.71 |
| 7/16/2007 18:20 | 2.212 | 7.69 |
| 7/16/2007 18:25 | 2.212 | 7.69 |
| 7/16/2007 18:30 | 2.212 | 7.69 |
| 7/16/2007 18:35 | 2.212 | 7.69 |
| 7/16/2007 18:40 | 2.211 | 7.69 |
| 7/16/2007 18:45 | 2.211 | 8.31 |
| 7/16/2007 18:50 | 2.21 | 8.31 |
| 7/16/2007 18:55 | 2.21 | 8.31 |
| 7/16/2007 19:00 | 2.21 | 8.31 |
| 7/16/2007 19:05 | 2.21 | 8.31 |
| 7/16/2007 19:10 | 2.211 | 8.31 |
| 7/16/2007 19:15 | 2.212 | 8.31 |
| 7/16/2007 19:20 | 2.213 | 8.31 |
| 7/16/2007 19:25 | 2.213 | 8.31 |
| 7/16/2007 19:30 | 2.213 | 8.31 |
| 7/16/2007 19:35 | 2.214 | 8.31 |
| 7/16/2007 19:40 | 2.213 | 8.31 |
| 7/16/2007 19:45 | 2.213 | 8.31 |
| 7/16/2007 19:50 | 2.212 | 8.31 |
| 7/16/2007 19:55 | 2.212 | 8.31 |
| 7/16/2007 20:00 | 2.212 | 8.31 |
| 7/16/2007 20:05 | 2.212 | 8.31 |
| 7/16/2007 20:10 | 2.212 | 8.31 |
| 7/16/2007 20:15 | 2.212 | 8.31 |
| 7/16/2007 20:20 | 2.211 | 8.31 |
| 7/16/2007 20:25 | 2.211 | 8.31 |
| 7/16/2007 20:30 | 2.211 | 8.31 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 20:35 | 2.211 | 8.31 |
| 7/16/2007 20:40 | 2.198 | 8.31 |
| 7/16/2007 20:45 | 2.199 | 8.31 |
| 7/16/2007 20:50 | 2.2 | 8.31 |
| 7/16/2007 20:55 | 2.2 | 8.31 |
| 7/16/2007 21:00 | 2.2 | 8.31 |
| 7/16/2007 21:05 | 2.2 | 8.31 |
| 7/16/2007 21:10 | 2.201 | 8.31 |
| 7/16/2007 21:15 | 2.201 | 8.31 |
| 7/16/2007 21:20 | 2.202 | 8.31 |
| 7/16/2007 21:25 | 2.204 | 8.31 |
| 7/16/2007 21:30 | 2.205 | 8.31 |
| 7/16/2007 21:35 | 2.207 | 8.31 |
| 7/16/2007 21:40 | 2.206 | 8.31 |
| 7/16/2007 21:45 | 2.206 | 8.31 |
| 7/16/2007 21:50 | 2.203 | 8.31 |
| 7/16/2007 21:55 | 2.202 | 8.31 |
| 7/16/2007 22:00 | 2.201 | 8.31 |
| 7/16/2007 22:05 | 2.201 | 8.31 |
| 7/16/2007 22:10 | 2.2 | 8.31 |
| 7/16/2007 22:15 | 2.199 | 8.31 |
| 7/16/2007 22:20 | 2.199 | 8.31 |
| 7/16/2007 22:25 | 2.199 | 8.31 |
| 7/16/2007 22:30 | 2.198 | 8.31 |
| 7/16/2007 22:35 | 2.198 | 8.31 |
| 7/16/2007 22:40 | 2.198 | 8.31 |
| 7/16/2007 22:45 | 2.198 | 8.31 |
| 7/16/2007 22:50 | 2.198 | 8.31 |
| 7/16/2007 22:55 | 2.198 | 8.31 |
| 7/16/2007 23:00 | 2.199 | 8.31 |
| 7/16/2007 23:05 | 2.199 | 11.5 |
| 7/16/2007 23:10 | 2.199 | 11.78 |
| 7/16/2007 23:15 | 2.199 | 12.16 |
| 7/16/2007 23:20 | 2.199 | 11.02 |
| 7/16/2007 23:25 | 2.199 | 11.76 |
| 7/16/2007 23:30 | 2.199 | 10.79 |
| 7/16/2007 23:35 | 2.199 | 10.79 |
| 7/16/2007 23:40 | 2.199 | 11.65 |
| 7/16/2007 23:45 | 2.199 | 11.65 |
| 7/16/2007 23:50 | 2.199 | 11.31 |
| 7/16/2007 23:55 | 2.199 | 10.09 |
| 7/17/2007 0:00 | 2.199 | 10.51 |
| 7/17/2007 0:05 | 2.199 | 8.8 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 0:10 | 2.199 | 8.8 |
| 7/17/2007 0:15 | 2.199 | 8.8 |
| 7/17/2007 0:20 | 2.199 | 8.8 |
| 7/17/2007 0:25 | 2.199 | 8.8 |
| 7/17/2007 0:30 | 2.199 | 8.8 |
| 7/17/2007 0:35 | 2.199 | 8.8 |
| 7/17/2007 0:40 | 2.199 | 8.8 |
| 7/17/2007 0:45 | 2.198 | 8.8 |
| 7/17/2007 0:50 | 2.198 | 11.33 |
| 7/17/2007 0:55 | 2.199 | 11.71 |
| 7/17/2007 1:00 | 2.198 | 11.37 |
| 7/17/2007 1:05 | 2.199 | 12.26 |
| 7/17/2007 1:10 | 2.198 | 11.98 |
| 7/17/2007 1:15 | 2.198 | 11.5 |
| 7/17/2007 1:20 | 2.198 | 11.07 |
| 7/17/2007 1:25 | 2.198 | 11.07 |
| 7/17/2007 1:30 | 2.191 | 11.07 |
| 7/17/2007 1:35 | 2.193 | 11.07 |
| 7/17/2007 1:40 | 2.194 | 11.07 |
| 7/17/2007 1:45 | 2.194 | 11.07 |
| 7/17/2007 1:50 | 2.194 | 11.07 |
| 7/17/2007 1:55 | 2.195 | 11.07 |
| 7/17/2007 2:00 | 2.195 | 11.07 |
| 7/17/2007 2:05 | 2.194 | 11.07 |
| 7/17/2007 2:10 | 2.194 | 11.07 |
| 7/17/2007 2:15 | 2.195 | 11.07 |
| 7/17/2007 2:20 | 2.195 | 11.07 |
| 7/17/2007 2:25 | 2.195 | 11.07 |
| 7/17/2007 2:30 | 2.195 | 11.07 |
| 7/17/2007 2:35 | 2.195 | 11.07 |
| 7/17/2007 2:40 | 2.195 | 11.07 |
| 7/17/2007 2:45 | 2.196 | 11.07 |
| 7/17/2007 2:50 | 2.196 | 11.07 |
| 7/17/2007 2:55 | 2.196 | 11.07 |
| 7/17/2007 3:00 | 2.196 | 11.07 |
| 7/17/2007 3:05 | 2.196 | 11.07 |
| 7/17/2007 3:10 | 2.196 | 11.07 |
| 7/17/2007 3:15 | 2.196 | 11.07 |
| 7/17/2007 3:20 | 2.198 | 11.07 |
| 7/17/2007 3:25 | 2.198 | 11.07 |
| 7/17/2007 3:30 | 2.198 | 11.07 |
| 7/17/2007 3:35 | 2.198 | 11.07 |
| 7/17/2007 3:40 | 2.197 | 11.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 3:45 | 2.194 | 11.07 |
| 7/17/2007 3:50 | 2.194 | 11.07 |
| 7/17/2007 3:55 | 2.194 | 11.07 |
| 7/17/2007 4:00 | 2.193 | 11.07 |
| 7/17/2007 4:05 | 2.192 | 11.07 |
| 7/17/2007 4:10 | 2.193 | 11.07 |
| 7/17/2007 4:15 | 2.192 | 11.07 |
| 7/17/2007 4:20 | 2.19 | 11.07 |
| 7/17/2007 4:25 | 2.189 | 11.07 |
| 7/17/2007 4:30 | 2.188 | 11.07 |
| 7/17/2007 4:35 | 2.188 | 11.07 |
| 7/17/2007 4:40 | 2.187 | 11.07 |
| 7/17/2007 4:45 | 2.188 | 11.07 |
| 7/17/2007 4:50 | 2.188 | 11.07 |
| 7/17/2007 4:55 | 2.181 | 11.07 |
| 7/17/2007 5:00 | 2.182 | 11.07 |
| 7/17/2007 5:05 | 2.183 | 11.07 |
| 7/17/2007 5:10 | 2.183 | 11.07 |
| 7/17/2007 5:15 | 2.183 | 11.07 |
| 7/17/2007 5:20 | 2.183 | 11.07 |
| 7/17/2007 5:25 | 2.183 | 11.07 |
| 7/17/2007 5:30 | 2.183 | 11.07 |
| 7/17/2007 5:35 | 2.183 | 11.07 |
| 7/17/2007 5:40 | 2.183 | 11.07 |
| 7/17/2007 5:45 | 2.183 | 11.07 |
| 7/17/2007 5:50 | 2.184 | 11.07 |
| 7/17/2007 5:55 | 2.184 | 11.07 |
| 7/17/2007 6:00 | 2.184 | 11.07 |
| 7/17/2007 6:05 | 2.184 | 11.07 |
| 7/17/2007 6:10 | 2.184 | 11.07 |
| 7/17/2007 6:15 | 2.19 | 11.07 |
| 7/17/2007 6:20 | 2.182 | 11.07 |
| 7/17/2007 6:25 | 2.183 | 11.07 |
| 7/17/2007 6:30 | 2.184 | 11.07 |
| 7/17/2007 6:35 | 2.184 | 11.07 |
| 7/17/2007 6:40 | 2.184 | 11.07 |
| 7/17/2007 6:45 | 2.183 | 11.07 |
| 7/17/2007 6:50 | 2.183 | 11.07 |
| 7/17/2007 6:55 | 2.184 | 11.07 |
| 7/17/2007 7:00 | 2.184 | 11.07 |
| 7/17/2007 7:05 | 2.184 | 11.07 |
| 7/17/2007 7:10 | 2.184 | 11.07 |
| 7/17/2007 7:15 | 2.184 | 11.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 7:20 | 2.184 | 11.07 |
| 7/17/2007 7:25 | 2.184 | 11.07 |
| 7/17/2007 7:30 | 2.185 | 11.07 |
| 7/17/2007 7:35 | 2.185 | 11.07 |
| 7/17/2007 7:40 | 2.185 | 11.07 |
| 7/17/2007 7:45 | 2.185 | 11.07 |
| 7/17/2007 7:50 | 2.178 | 11.07 |
| 7/17/2007 7:55 | 2.179 | 11.07 |
| 7/17/2007 8:00 | 2.179 | 11.07 |
| 7/17/2007 8:05 | 2.179 | 11.07 |
| 7/17/2007 8:10 | 2.18 | 11.07 |
| 7/17/2007 8:15 | 2.18 | 11.07 |
| 7/17/2007 8:20 | 2.187 | 11.07 |
| 7/17/2007 8:25 | 2.188 | 11.07 |
| 7/17/2007 8:30 | 2.188 | 11.07 |
| 7/17/2007 8:35 | 2.189 | 11.07 |
| 7/17/2007 8:40 | 2.189 | 11.07 |
| 7/17/2007 8:45 | 2.19 | 11.07 |
| 7/17/2007 8:50 | 2.19 | 11.07 |
| 7/17/2007 8:55 | 2.189 | 11.07 |
| 7/17/2007 9:00 | 2.18 | 11.07 |
| 7/17/2007 9:05 | 2.181 | 11.07 |
| 7/17/2007 9:10 | 2.182 | 11.07 |
| 7/17/2007 9:15 | 2.183 | 11.07 |
| 7/17/2007 9:20 | 2.183 | 11.07 |
| 7/17/2007 9:25 | 2.183 | 11.07 |
| 7/17/2007 9:30 | 2.184 | 11.07 |
| 7/17/2007 9:35 | 2.184 | 11.07 |
| 7/17/2007 9:40 | 2.184 | 11.07 |
| 7/17/2007 9:45 | 2.185 | 11.07 |
| 7/17/2007 9:50 | 2.185 | 11.07 |
| 7/17/2007 9:55 | 2.185 | 11.07 |
| 7/17/2007 10:00 | 2.185 | 11.07 |
| 7/17/2007 10:05 | 2.185 | 11.07 |
| 7/17/2007 10:10 | 2.186 | 11.07 |
| 7/17/2007 10:15 | 2.186 | 11.07 |
| 7/17/2007 10:20 | 2.178 | 11.07 |
| 7/17/2007 10:25 | 2.178 | 11.07 |
| 7/17/2007 10:30 | 2.184 | 11.07 |
| 7/17/2007 10:35 | 2.184 | 11.07 |
| 7/17/2007 10:40 | 2.185 | 11.07 |
| 7/17/2007 10:45 | 2.185 | 11.07 |
| 7/17/2007 10:50 | 2.186 | 11.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 10:55 | 2.187 | 11.07 |
| 7/17/2007 11:00 | 2.186 | 11.07 |
| 7/17/2007 11:05 | 2.187 | 11.07 |
| 7/17/2007 11:10 | 2.186 | 11.07 |
| 7/17/2007 11:15 | 2.186 | 11.07 |
| 7/17/2007 11:20 | 2.186 | 11.07 |
| 7/17/2007 11:25 | 2.186 | 11.07 |
| 7/17/2007 11:30 | 2.187 | 11.07 |
| 7/17/2007 11:35 | 2.186 | 11.07 |
| 7/17/2007 11:40 | 2.186 | 11.07 |
| 7/17/2007 11:45 | 2.186 | 11.07 |
| 7/17/2007 11:50 | 2.186 | 11.07 |
| 7/17/2007 11:55 | 2.186 | 11.07 |
| 7/17/2007 12:00 | 2.173 | 11.07 |
| 7/17/2007 12:05 | 2.175 | 11.07 |
| 7/17/2007 12:10 | 2.176 | 11.07 |
| 7/17/2007 12:15 | 2.176 | 11.07 |
| 7/17/2007 12:20 | 2.175 | 11.07 |
| 7/17/2007 12:25 | 2.176 | 11.07 |
| 7/17/2007 12:30 | 2.176 | 11.07 |
| 7/17/2007 12:35 | 2.175 | 11.07 |
| 7/17/2007 12:40 | 2.175 | 11.07 |
| 7/17/2007 12:45 | 2.175 | 11.07 |
| 7/17/2007 12:50 | 2.175 | 11.07 |
| 7/17/2007 12:55 | 2.175 | 11.07 |
| 7/17/2007 13:00 | 2.174 | 11.07 |
| 7/17/2007 13:05 | 2.175 | 11.07 |
| 7/17/2007 13:10 | 2.175 | 11.07 |
| 7/17/2007 13:15 | 2.175 | 11.07 |
| 7/17/2007 13:20 | 2.176 | 11.07 |
| 7/17/2007 13:25 | 2.176 | 11.07 |
| 7/17/2007 13:30 | 2.176 | 11.07 |
| 7/17/2007 13:35 | 2.165 | 11.07 |
| 7/17/2007 13:40 | 2.166 | 11.07 |
| 7/17/2007 13:45 | 2.167 | 11.07 |
| 7/17/2007 13:50 | 2.167 | 11.07 |
| 7/17/2007 13:55 | 2.167 | 11.07 |
| 7/17/2007 14:00 | 2.167 | 11.07 |
| 7/17/2007 14:05 | 2.166 | 11.07 |
| 7/17/2007 14:10 | 2.166 | 11.07 |
| 7/17/2007 14:15 | 2.166 | 11.07 |
| 7/17/2007 14:20 | 2.165 | 11.07 |
| 7/17/2007 14:25 | 2.166 | 11.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 14:30 | 2.166 | 11.07 |
| 7/17/2007 14:35 | 2.167 | 11.07 |
| 7/17/2007 14:40 | 2.167 | 11.07 |
| 7/17/2007 14:45 | 2.168 | 11.07 |
| 7/17/2007 14:50 | 2.167 | 11.07 |
| 7/17/2007 14:55 | 2.167 | 11.07 |
| 7/17/2007 15:00 | 2.167 | 11.07 |
| 7/17/2007 15:05 | 2.167 | 11.07 |
| 7/17/2007 15:10 | 2.167 | 11.07 |
| 7/17/2007 15:15 | 2.167 | 11.07 |
| 7/17/2007 15:20 | 2.169 | 11.07 |
| 7/17/2007 15:25 | 2.169 | 11.07 |
| 7/17/2007 15:30 | 2.169 | 11.07 |
| 7/17/2007 15:35 | 2.169 | 11.07 |
| 7/17/2007 15:40 | 2.161 | 11.07 |
| 7/17/2007 15:45 | 2.162 | 11.07 |
| 7/17/2007 15:50 | 2.163 | 11.07 |
| 7/17/2007 15:55 | 2.163 | 11.07 |
| 7/17/2007 16:00 | 2.163 | 11.07 |
| 7/17/2007 16:05 | 2.162 | 11.07 |
| 7/17/2007 16:10 | 2.163 | 11.07 |
| 7/17/2007 16:15 | 2.163 | 11.07 |
| 7/17/2007 16:20 | 2.163 | 11.07 |
| 7/17/2007 16:25 | 2.164 | 11.07 |
| 7/17/2007 16:30 | 2.165 | 11.07 |
| 7/17/2007 16:35 | 2.164 | 11.07 |
| 7/17/2007 16:40 | 2.165 | 11.07 |
| 7/17/2007 16:45 | 2.165 | 11.07 |
| 7/17/2007 16:50 | 2.165 | 11.07 |
| 7/17/2007 16:55 | 2.165 | 11.07 |
| 7/17/2007 17:00 | 2.166 | 11.07 |
| 7/17/2007 17:05 | 2.165 | 11.07 |
| 7/17/2007 17:10 | 2.166 | 11.07 |
| 7/17/2007 17:15 | 2.166 | 11.07 |
| 7/17/2007 17:20 | 2.166 | 11.07 |
| 7/17/2007 17:25 | 2.166 | 11.07 |
| 7/17/2007 17:30 | 2.166 | 11.07 |
| 7/17/2007 17:35 | 2.166 | 11.07 |
| 7/17/2007 17:40 | 2.167 | 11.07 |
| 7/17/2007 17:45 | 2.167 | 11.07 |
| 7/17/2007 17:50 | 2.167 | 11.07 |
| 7/17/2007 17:55 | 2.167 | 11.07 |
| 7/17/2007 18:00 | 2.167 | 11.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 18:05 | 2.167 | 11.07 |
| 7/17/2007 18:10 | 2.172 | 11.07 |
| 7/17/2007 18:15 | 2.172 | 11.07 |
| 7/17/2007 18:20 | 2.171 | 11.07 |
| 7/17/2007 18:25 | 2.17 | 11.07 |
| 7/17/2007 18:30 | 2.17 | 11.07 |
| 7/17/2007 18:35 | 2.154 | 11.07 |
| 7/17/2007 18:40 | 2.158 | 11.07 |
| 7/17/2007 18:45 | 2.159 | 11.07 |
| 7/17/2007 18:50 | 2.159 | 11.07 |
| 7/17/2007 18:55 | 2.159 | 11.07 |
| 7/17/2007 19:00 | 2.16 | 11.07 |
| 7/17/2007 19:05 | 2.16 | 11.07 |
| 7/17/2007 19:10 | 2.16 | 11.07 |
| 7/17/2007 19:15 | 2.16 | 11.07 |
| 7/17/2007 19:20 | 2.161 | 11.07 |
| 7/17/2007 19:25 | 2.161 | 11.07 |
| 7/17/2007 19:30 | 2.162 | 11.07 |
| 7/17/2007 19:35 | 2.162 | 11.07 |
| 7/17/2007 19:40 | 2.163 | 11.07 |
| 7/17/2007 19:45 | 2.165 | 11.07 |
| 7/17/2007 19:50 | 2.166 | 11.07 |
| 7/17/2007 19:55 | 2.166 | 11.07 |
| 7/17/2007 20:00 | 2.166 | 11.07 |
| 7/17/2007 20:05 | 2.166 | 11.07 |
| 7/17/2007 20:10 | 2.166 | 11.07 |
| 7/17/2007 20:15 | 2.167 | 11.07 |
| 7/17/2007 20:20 | 2.166 | 11.07 |
| 7/17/2007 20:25 | 2.166 | 11.07 |
| 7/17/2007 20:30 | 2.165 | 11.07 |
| 7/17/2007 20:35 | 2.166 | 11.07 |
| 7/17/2007 20:40 | 2.166 | 11.07 |
| 7/17/2007 20:45 | 2.167 | 11.07 |
| 7/17/2007 20:50 | 2.167 | 11.07 |
| 7/17/2007 20:55 | 2.167 | 11.07 |
| 7/17/2007 21:00 | 2.167 | 11.07 |
| 7/17/2007 21:05 | 2.167 | 11.07 |
| 7/17/2007 21:10 | 2.167 | 11.07 |
| 7/17/2007 21:15 | 2.167 | 11.07 |
| 7/17/2007 21:20 | 2.167 | 11.07 |
| 7/17/2007 21:25 | 2.168 | 11.07 |
| 7/17/2007 21:30 | 2.168 | 11.07 |
| 7/17/2007 21:35 | 2.168 | 11.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 21:40 | 2.168 | 11.07 |
| 7/17/2007 21:45 | 2.167 | 11.07 |
| 7/17/2007 21:50 | 2.168 | 11.07 |
| 7/17/2007 21:55 | 2.168 | 11.07 |
| 7/17/2007 22:00 | 2.149 | 11.07 |
| 7/17/2007 22:05 | 2.15 | 11.07 |
| 7/17/2007 22:10 | 2.153 | 11.07 |
| 7/17/2007 22:15 | 2.153 | 11.07 |
| 7/17/2007 22:20 | 2.154 | 11.07 |
| 7/17/2007 22:25 | 2.155 | 11.07 |
| 7/17/2007 22:30 | 2.156 | 11.07 |
| 7/17/2007 22:35 | 2.156 | 11.07 |
| 7/17/2007 22:40 | 2.157 | 11.07 |
| 7/17/2007 22:45 | 2.158 | 11.07 |
| 7/17/2007 22:50 | 2.158 | 11.07 |
| 7/17/2007 22:55 | 2.159 | 11.07 |
| 7/17/2007 23:00 | 2.159 | 11.07 |
| 7/17/2007 23:05 | 2.159 | 11.07 |
| 7/17/2007 23:10 | 2.159 | 11.07 |
| 7/17/2007 23:15 | 2.16 | 11.07 |
| 7/17/2007 23:20 | 2.16 | 11.07 |
| 7/17/2007 23:25 | 2.16 | 11.07 |
| 7/17/2007 23:30 | 2.16 | 11.07 |
| 7/17/2007 23:35 | 2.159 | 11.07 |
| 7/17/2007 23:40 | 2.16 | 11.07 |
| 7/17/2007 23:45 | 2.16 | 11.07 |
| 7/17/2007 23:50 | 2.146 | 11.07 |
| 7/17/2007 23:55 | 2.149 | 11.07 |
| 7/18/2007 0:00 | 2.149 | 11.07 |
| 7/18/2007 0:05 | 2.15 | 11.07 |
| 7/18/2007 0:10 | 2.151 | 11.07 |
| 7/18/2007 0:15 | 2.151 | 11.07 |
| 7/18/2007 0:20 | 2.152 | 11.07 |
| 7/18/2007 0:25 | 2.152 | 11.07 |
| 7/18/2007 0:30 | 2.152 | 11.07 |
| 7/18/2007 0:35 | 2.152 | 11.07 |
| 7/18/2007 0:40 | 2.152 | 11.07 |
| 7/18/2007 0:45 | 2.152 | 11.07 |
| 7/18/2007 0:50 | 2.152 | 11.07 |
| 7/18/2007 0:55 | 2.153 | 11.07 |
| 7/18/2007 1:00 | 2.153 | 11.07 |
| 7/18/2007 1:05 | 2.152 | 11.07 |
| 7/18/2007 1:10 | 2.153 | 11.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 1:15 | 2.153 | 11.07 |
| 7/18/2007 1:20 | 2.152 | 11.07 |
| 7/18/2007 1:25 | 2.152 | 11.07 |
| 7/18/2007 1:30 | 2.152 | 11.07 |
| 7/18/2007 1:35 | 2.152 | 11.07 |
| 7/18/2007 1:40 | 2.152 | 11.07 |
| 7/18/2007 1:45 | 2.151 | 11.07 |
| 7/18/2007 1:50 | 2.151 | 11.07 |
| 7/18/2007 1:55 | 2.152 | 11.07 |
| 7/18/2007 2:00 | 2.152 | 11.07 |
| 7/18/2007 2:05 | 2.153 | 11.07 |
| 7/18/2007 2:10 | 2.153 | 11.07 |
| 7/18/2007 2:15 | 2.153 | 11.07 |
| 7/18/2007 2:20 | 2.154 | 11.07 |
| 7/18/2007 2:25 | 2.155 | 11.07 |
| 7/18/2007 2:30 | 2.156 | 11.07 |
| 7/18/2007 2:35 | 2.157 | 11.07 |
| 7/18/2007 2:40 | 2.157 | 11.07 |
| 7/18/2007 2:45 | 2.157 | 11.07 |
| 7/18/2007 2:50 | 2.157 | 11.07 |
| 7/18/2007 2:55 | 2.158 | 11.07 |
| 7/18/2007 3:00 | 2.158 | 11.07 |
| 7/18/2007 3:05 | 2.159 | 11.07 |
| 7/18/2007 3:10 | 2.16 | 11.07 |
| 7/18/2007 3:15 | 2.16 | 11.07 |
| 7/18/2007 3:20 | 2.161 | 11.07 |
| 7/18/2007 3:25 | 2.162 | 11.07 |
| 7/18/2007 3:30 | 2.162 | 11.07 |
| 7/18/2007 3:35 | 2.163 | 11.07 |
| 7/18/2007 3:40 | 2.163 | 11.07 |
| 7/18/2007 3:45 | 2.165 | 11.07 |
| 7/18/2007 3:50 | 2.166 | 11.07 |
| 7/18/2007 3:55 | 2.167 | 11.07 |
| 7/18/2007 4:00 | 2.169 | 11.07 |
| 7/18/2007 4:05 | 2.17 | 11.07 |
| 7/18/2007 4:10 | 2.183 | 11.07 |
| 7/18/2007 4:15 | 2.202 | 11.07 |
| 7/18/2007 4:20 | 2.233 | 11.07 |
| 7/18/2007 4:25 | 2.26 | 11.07 |
| 7/18/2007 4:30 | 2.278 | 11.07 |
| 7/18/2007 4:35 | 2.288 | 11.07 |
| 7/18/2007 4:40 | 2.29 | 11.07 |
| 7/18/2007 4:45 | 2.286 | 11.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 4:50 | 2.286 | 11.07 |
| 7/18/2007 4:55 | 2.279 | 11.07 |
| 7/18/2007 5:00 | 2.274 | 11.07 |
| 7/18/2007 5:05 | 2.271 | 11.07 |
| 7/18/2007 5:10 | 2.268 | 11.07 |
| 7/18/2007 5:15 | 2.266 | 11.07 |
| 7/18/2007 5:20 | 2.266 | 11.07 |
| 7/18/2007 5:25 | 2.268 | 11.07 |
| 7/18/2007 5:30 | 2.271 | 11.07 |
| 7/18/2007 5:35 | 2.274 | 11.07 |
| 7/18/2007 5:40 | 2.277 | 11.07 |
| 7/18/2007 5:45 | 2.244 | 11.07 |
| 7/18/2007 5:50 | 2.247 | 11.07 |
| 7/18/2007 5:55 | 2.248 | 11.07 |
| 7/18/2007 6:00 | 2.249 | 11.07 |
| 7/18/2007 6:05 | 2.249 | 11.07 |
| 7/18/2007 6:10 | 2.249 | 11.07 |
| 7/18/2007 6:15 | 2.248 | 8.67 |
| 7/18/2007 6:20 | 2.248 | 7.62 |
| 7/18/2007 6:25 | 2.249 | 7.62 |
| 7/18/2007 6:30 | 2.25 | 8.73 |
| 7/18/2007 6:35 | 2.251 | 8.73 |
| 7/18/2007 6:40 | 2.251 | 8.73 |
| 7/18/2007 6:45 | 2.252 | 8.33 |
| 7/18/2007 6:50 | 2.253 | 8.2 |
| 7/18/2007 6:55 | 2.254 | 8.2 |
| 7/18/2007 7:00 | 2.256 | 8.2 |
| 7/18/2007 7:05 | 2.257 | 8.2 |
| 7/18/2007 7:10 | 2.26 | 8.44 |
| 7/18/2007 7:15 | 2.262 | 8.44 |
| 7/18/2007 7:20 | 2.264 | 8.44 |
| 7/18/2007 7:25 | 2.266 | 8.44 |
| 7/18/2007 7:30 | 2.267 | 10.29 |
| 7/18/2007 7:35 | 2.269 | 9.63 |
| 7/18/2007 7:40 | 2.271 | 8.31 |
| 7/18/2007 7:45 | 2.274 | 9.13 |
| 7/18/2007 7:50 | 2.277 | 8.99 |
| 7/18/2007 7:55 | 2.281 | 10.83 |
| 7/18/2007 8:00 | 2.285 | 8.78 |
| 7/18/2007 8:05 | 2.287 | 8.45 |
| 7/18/2007 8:10 | 2.287 | 8.45 |
| 7/18/2007 8:15 | 2.286 | 8.45 |
| 7/18/2007 8:20 | 2.286 | 7.65 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 8:25 | 2.285 | 9.22 |
| 7/18/2007 8:30 | 2.283 | 7.89 |
| 7/18/2007 8:35 | 2.282 | 6.23 |
| 7/18/2007 8:40 | 2.281 | 6.23 |
| 7/18/2007 8:45 | 2.28 | 9.35 |
| 7/18/2007 8:50 | 2.279 | 9.35 |
| 7/18/2007 8:55 | 2.277 | 10.89 |
| 7/18/2007 9:00 | 2.277 | 10.89 |
| 7/18/2007 9:05 | 2.275 | 10.89 |
| 7/18/2007 9:10 | 2.275 | 9.3 |
| 7/18/2007 9:15 | 2.275 | 9.3 |
| 7/18/2007 9:20 | 2.275 | 9.3 |
| 7/18/2007 9:25 | 2.275 | 7.53 |
| 7/18/2007 9:30 | 2.273 | 8.92 |
| 7/18/2007 9:35 | 2.273 | 8.2 |
| 7/18/2007 9:40 | 2.272 | 8.2 |
| 7/18/2007 9:45 | 2.272 | 7.77 |
| 7/18/2007 9:50 | 2.272 | 8.55 |
| 7/18/2007 9:55 | 2.272 | 8.6 |
| 7/18/2007 10:00 | 2.271 | 8.6 |
| 7/18/2007 10:05 | 2.272 | 8.89 |
| 7/18/2007 10:10 | 2.272 | 9.04 |
| 7/18/2007 10:15 | 2.272 | 9.04 |
| 7/18/2007 10:20 | 2.272 | 11.4 |
| 7/18/2007 10:25 | 2.272 | 11.4 |
| 7/18/2007 10:30 | 2.27 | 11.4 |
| 7/18/2007 10:35 | 2.271 | 9.02 |
| 7/18/2007 10:40 | 2.271 | 9.02 |
| 7/18/2007 10:45 | 2.272 | 8.55 |
| 7/18/2007 10:50 | 2.271 | 8.5 |
| 7/18/2007 10:55 | 2.271 | 9.9 |
| 7/18/2007 11:00 | 2.271 | 7.81 |
| 7/18/2007 11:05 | 2.27 | 7.81 |
| 7/18/2007 11:10 | 2.27 | 9.52 |
| 7/18/2007 11:15 | 2.27 | 9.52 |
| 7/18/2007 11:20 | 2.269 | 9.52 |
| 7/18/2007 11:25 | 2.268 | 7.22 |
| 7/18/2007 11:30 | 2.267 | 7.41 |
| 7/18/2007 11:35 | 2.268 | 7.41 |
| 7/18/2007 11:40 | 2.267 | 7.41 |
| 7/18/2007 11:45 | 2.266 | 7.41 |
| 7/18/2007 11:50 | 2.267 | 9.16 |
| 7/18/2007 11:55 | 2.267 | 7.47 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 12:00 | 2.267 | 10.69 |
| 7/18/2007 12:05 | 2.266 | 10.69 |
| 7/18/2007 12:10 | 2.266 | 10.69 |
| 7/18/2007 12:15 | 2.265 | 8.3 |
| 7/18/2007 12:20 | 2.265 | 8.3 |
| 7/18/2007 12:25 | 2.264 | 8.54 |
| 7/18/2007 12:30 | 2.264 | 8.54 |
| 7/18/2007 12:35 | 2.264 | 10.03 |
| 7/18/2007 12:40 | 2.263 | 10.03 |
| 7/18/2007 12:45 | 2.263 | 10.03 |
| 7/18/2007 12:50 | 2.263 | 8.56 |
| 7/18/2007 12:55 | 2.262 | 8.56 |
| 7/18/2007 13:00 | 2.262 | 10.83 |
| 7/18/2007 13:05 | 2.263 | 10.16 |
| 7/18/2007 13:10 | 2.267 | 9.36 |
| 7/18/2007 13:15 | 2.267 | 9.41 |
| 7/18/2007 13:20 | 2.266 | 9.41 |
| 7/18/2007 13:25 | 2.266 | 9.41 |
| 7/18/2007 13:30 | 2.265 | 9.41 |
| 7/18/2007 13:35 | 2.265 | 9.41 |
| 7/18/2007 13:40 | 2.264 | 9.41 |
| 7/18/2007 13:45 | 2.264 | 9.41 |
| 7/18/2007 13:50 | 2.263 | 9.41 |
| 7/18/2007 13:55 | 2.263 | 9.41 |
| 7/18/2007 14:00 | 2.261 | 9.41 |
| 7/18/2007 14:05 | 2.261 | 9.41 |
| 7/18/2007 14:10 | 2.26 | 9.41 |
| 7/18/2007 14:15 | 2.26 | 9.41 |
| 7/18/2007 14:20 | 2.259 | 9.41 |
| 7/18/2007 14:25 | 2.259 | 9.41 |
| 7/18/2007 14:30 | 2.26 | 9.41 |
| 7/18/2007 14:35 | 2.259 | 9.41 |
| 7/18/2007 14:40 | 2.258 | 9.41 |
| 7/18/2007 14:45 | 2.258 | 9.41 |
| 7/18/2007 14:50 | 2.256 | 9.41 |
| 7/18/2007 14:55 | 2.256 | 9.41 |
| 7/18/2007 15:00 | 2.255 | 9.41 |
| 7/18/2007 15:05 | 2.258 | 9.41 |
| 7/18/2007 15:10 | 2.258 | 9.41 |
| 7/18/2007 15:15 | 2.257 | 9.41 |
| 7/18/2007 15:20 | 2.256 | 9.41 |
| 7/18/2007 15:25 | 2.256 | 9.41 |
| 7/18/2007 15:30 | 2.255 | 9.41 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 15:35 | 2.255 | 9.41 |
| 7/18/2007 15:40 | 2.254 | 9.41 |
| 7/18/2007 15:45 | 2.254 | 9.41 |
| 7/18/2007 15:50 | 2.254 | 9.41 |
| 7/18/2007 15:55 | 2.253 | 9.41 |
| 7/18/2007 16:00 | 2.252 | 9.41 |
| 7/18/2007 16:05 | 2.252 | 9.41 |
| 7/18/2007 16:10 | 2.252 | 9.41 |
| 7/18/2007 16:15 | 2.251 | 9.41 |
| 7/18/2007 16:20 | 2.251 | 9.41 |
| 7/18/2007 16:25 | 2.25 | 9.41 |
| 7/18/2007 16:30 | 2.25 | 9.41 |
| 7/18/2007 16:35 | 2.25 | 9.41 |
| 7/18/2007 16:40 | 2.25 | 9.41 |
| 7/18/2007 16:45 | 2.249 | 9.41 |
| 7/18/2007 16:50 | 2.249 | 9.41 |
| 7/18/2007 16:55 | 2.247 | 9.41 |
| 7/18/2007 17:00 | 2.249 | 9.41 |
| 7/18/2007 17:05 | 2.264 | 9.41 |
| 7/18/2007 17:10 | 2.295 | 9.41 |
| 7/18/2007 17:15 | 2.318 | 9.41 |
| 7/18/2007 17:20 | 2.358 | 9.41 |
| 7/18/2007 17:25 | 2.362 | 9.41 |
| 7/18/2007 17:30 | 2.355 | 9.41 |
| 7/18/2007 17:35 | 2.34 | 9.41 |
| 7/18/2007 17:40 | 2.329 | 9.41 |
| 7/18/2007 17:45 | 2.323 | 9.41 |
| 7/18/2007 17:50 | 2.318 | 9.41 |
| 7/18/2007 17:55 | 2.313 | 9.41 |
| 7/18/2007 18:00 | 2.308 | 9.41 |
| 7/18/2007 18:05 | 2.304 | 9.41 |
| 7/18/2007 18:10 | 2.303 | 9.41 |
| 7/18/2007 18:15 | 2.301 | 9.41 |
| 7/18/2007 18:20 | 2.3 | 9.41 |
| 7/18/2007 18:25 | 2.298 | 9.41 |
| 7/18/2007 18:30 | 2.296 | 9.41 |
| 7/18/2007 18:35 | 2.294 | 9.41 |
| 7/18/2007 18:40 | 2.293 | 9.41 |
| 7/18/2007 18:45 | 2.29 | 9.41 |
| 7/18/2007 18:50 | 2.29 | 9.41 |
| 7/18/2007 18:55 | 2.289 | 9.41 |
| 7/18/2007 19:00 | 2.288 | 9.41 |
| 7/18/2007 19:05 | 2.287 | 9.41 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 19:10 | 2.285 | 9.41 |
| 7/18/2007 19:15 | 2.284 | 9.41 |
| 7/18/2007 19:20 | 2.284 | 9.41 |
| 7/18/2007 19:25 | 2.283 | 9.41 |
| 7/18/2007 19:30 | 2.282 | 9.41 |
| 7/18/2007 19:35 | 2.282 | 9.41 |
| 7/18/2007 19:40 | 2.282 | 9.41 |
| 7/18/2007 19:45 | 2.282 | 9.41 |
| 7/18/2007 19:50 | 2.282 | 9.41 |
| 7/18/2007 19:55 | 2.281 | 9.41 |
| 7/18/2007 20:00 | 2.28 | 5.78 |
| 7/18/2007 20:05 | 2.277 | 5.78 |
| 7/18/2007 20:10 | 2.277 | 5.78 |
| 7/18/2007 20:15 | 2.277 | 5.78 |
| 7/18/2007 20:20 | 2.276 | 5.78 |
| 7/18/2007 20:25 | 2.277 | 5.78 |
| 7/18/2007 20:30 | 2.277 | 5.78 |
| 7/18/2007 20:35 | 2.276 | 5.78 |
| 7/18/2007 20:40 | 2.275 | 5.78 |
| 7/18/2007 20:45 | 2.274 | 5.78 |
| 7/18/2007 20:50 | 2.275 | 5.78 |
| 7/18/2007 20:55 | 2.274 | 5.78 |
| 7/18/2007 21:00 | 2.275 | 5.78 |
| 7/18/2007 21:05 | 2.274 | 5.78 |
| 7/18/2007 21:10 | 2.274 | 5.78 |
| 7/18/2007 21:15 | 2.274 | 5.78 |
| 7/18/2007 21:20 | 2.274 | 5.78 |
| 7/18/2007 21:25 | 2.274 | 5.78 |
| 7/18/2007 21:30 | 2.275 | 5.78 |
| 7/18/2007 21:35 | 2.274 | 5.78 |
| 7/18/2007 21:40 | 2.274 | 5.78 |
| 7/18/2007 21:45 | 2.274 | 5.78 |
| 7/18/2007 21:50 | 2.274 | 5.78 |
| 7/18/2007 21:55 | 2.273 | 5.78 |
| 7/18/2007 22:00 | 2.274 | 5.78 |
| 7/18/2007 22:05 | 2.273 | 5.78 |
| 7/18/2007 22:10 | 2.274 | 5.78 |
| 7/18/2007 22:15 | 2.274 | 5.78 |
| 7/18/2007 22:20 | 2.274 | 5.78 |
| 7/18/2007 22:25 | 2.275 | 5.78 |
| 7/18/2007 22:30 | 2.275 | 5.78 |
| 7/18/2007 22:35 | 2.275 | 5.78 |
| 7/18/2007 22:40 | 2.275 | 5.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 22:45 | 2.274 | 5.78 |
| 7/18/2007 22:50 | 2.275 | 5.78 |
| 7/18/2007 22:55 | 2.275 | 5.78 |
| 7/18/2007 23:00 | 2.274 | 5.78 |
| 7/18/2007 23:05 | 2.274 | 5.78 |
| 7/18/2007 23:10 | 2.273 | 5.78 |
| 7/18/2007 23:15 | 2.273 | 5.78 |
| 7/18/2007 23:20 | 2.272 | 5.78 |
| 7/18/2007 23:25 | 2.272 | 5.78 |
| 7/18/2007 23:30 | 2.272 | 5.78 |
| 7/18/2007 23:35 | 2.272 | 5.78 |
| 7/18/2007 23:40 | 2.272 | 5.78 |
| 7/18/2007 23:45 | 2.271 | 5.78 |
| 7/18/2007 23:50 | 2.272 | 5.78 |
| 7/18/2007 23:55 | 2.271 | 5.78 |
| 7/19/2007 0:00 | 2.27 | 5.78 |
| 7/19/2007 0:05 | 2.27 | 5.78 |
| 7/19/2007 0:10 | 2.27 | 5.78 |
| 7/19/2007 0:15 | 2.27 | 5.78 |
| 7/19/2007 0:20 | 2.27 | 5.78 |
| 7/19/2007 0:25 | 2.27 | 5.78 |
| 7/19/2007 0:30 | 2.269 | 5.78 |
| 7/19/2007 0:35 | 2.269 | 5.78 |
| 7/19/2007 0:40 | 2.268 | 5.78 |
| 7/19/2007 0:45 | 2.268 | 5.78 |
| 7/19/2007 0:50 | 2.267 | 5.78 |
| 7/19/2007 0:55 | 2.267 | 9.58 |
| 7/19/2007 1:00 | 2.266 | 9.85 |
| 7/19/2007 1:05 | 2.266 | 8.22 |
| 7/19/2007 1:10 | 2.266 | 8.06 |
| 7/19/2007 1:15 | 2.265 | 9.53 |
| 7/19/2007 1:20 | 2.265 | 9.75 |
| 7/19/2007 1:25 | 2.265 | 7.91 |
| 7/19/2007 1:30 | 2.265 | 9.03 |
| 7/19/2007 1:35 | 2.265 | 10.09 |
| 7/19/2007 1:40 | 2.265 | 10.89 |
| 7/19/2007 1:45 | 2.265 | 10.27 |
| 7/19/2007 1:50 | 2.265 | 8.94 |
| 7/19/2007 1:55 | 2.264 | 8.93 |
| 7/19/2007 2:00 | 2.264 | 7.06 |
| 7/19/2007 2:05 | 2.264 | 8.79 |
| 7/19/2007 2:10 | 2.264 | 9.89 |
| 7/19/2007 2:15 | 2.264 | 7.38 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 2:20 | 2.263 | 7.87 |
| 7/19/2007 2:25 | 2.263 | 7.87 |
| 7/19/2007 2:30 | 2.263 | 8.32 |
| 7/19/2007 2:35 | 2.266 | 8.45 |
| 7/19/2007 2:40 | 2.265 | 10.41 |
| 7/19/2007 2:45 | 2.265 | 8.63 |
| 7/19/2007 2:50 | 2.265 | 9.02 |
| 7/19/2007 2:55 | 2.264 | 9.02 |
| 7/19/2007 3:00 | 2.264 | 9.72 |
| 7/19/2007 3:05 | 2.263 | 7.25 |
| 7/19/2007 3:10 | 2.262 | 9.15 |
| 7/19/2007 3:15 | 2.262 | 8.37 |
| 7/19/2007 3:20 | 2.261 | 8.37 |
| 7/19/2007 3:25 | 2.261 | 8.37 |
| 7/19/2007 3:30 | 2.261 | 8.37 |
| 7/19/2007 3:35 | 2.261 | 8.37 |
| 7/19/2007 3:40 | 2.261 | 8.37 |
| 7/19/2007 3:45 | 2.261 | 8.37 |
| 7/19/2007 3:50 | 2.234 | 8.37 |
| 7/19/2007 3:55 | 2.235 | 8.37 |
| 7/19/2007 4:00 | 2.235 | 8.37 |
| 7/19/2007 4:05 | 2.236 | 8.37 |
| 7/19/2007 4:10 | 2.236 | 8.37 |
| 7/19/2007 4:15 | 2.237 | 8.37 |
| 7/19/2007 4:20 | 2.206 | 8.37 |
| 7/19/2007 4:25 | 2.207 | 8.37 |
| 7/19/2007 4:30 | 2.208 | 8.37 |
| 7/19/2007 4:35 | 2.209 | 8.37 |
| 7/19/2007 4:40 | 2.209 | 8.37 |
| 7/19/2007 4:45 | 2.208 | 8.37 |
| 7/19/2007 4:50 | 2.209 | 8.37 |
| 7/19/2007 4:55 | 2.209 | 8.37 |
| 7/19/2007 5:00 | 2.209 | 8.37 |
| 7/19/2007 5:05 | 2.209 | 8.37 |
| 7/19/2007 5:10 | 2.208 | 8.37 |
| 7/19/2007 5:15 | 2.208 | 8.37 |
| 7/19/2007 5:20 | 2.208 | 8.37 |
| 7/19/2007 5:25 | 2.206 | 8.37 |
| 7/19/2007 5:30 | 2.208 | 8.37 |
| 7/19/2007 5:35 | 2.208 | 8.37 |
| 7/19/2007 5:40 | 2.208 | 8.37 |
| 7/19/2007 5:45 | 2.209 | 8.37 |
| 7/19/2007 5:50 | 2.209 | 8.37 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 5:55 | 2.208 | 8.37 |
| 7/19/2007 6:00 | 2.208 | 8.37 |
| 7/19/2007 6:05 | 2.208 | 8.37 |
| 7/19/2007 6:10 | 2.208 | 8.37 |
| 7/19/2007 6:15 | 2.208 | 8.37 |
| 7/19/2007 6:20 | 2.208 | 8.37 |
| 7/19/2007 6:25 | 2.208 | 8.37 |
| 7/19/2007 6:30 | 2.208 | 8.37 |
| 7/19/2007 6:35 | 2.208 | 8.37 |
| 7/19/2007 6:40 | 2.208 | 8.37 |
| 7/19/2007 6:45 | 2.208 | 8.37 |
| 7/19/2007 6:50 | 2.208 | 8.37 |
| 7/19/2007 6:55 | 2.208 | 8.37 |
| 7/19/2007 7:00 | 2.208 | 8.37 |
| 7/19/2007 7:05 | 2.209 | 8.37 |
| 7/19/2007 7:10 | 2.209 | 8.37 |
| 7/19/2007 7:15 | 2.209 | 8.37 |
| 7/19/2007 7:20 | 2.209 | 8.37 |
| 7/19/2007 7:25 | 2.208 | 8.37 |
| 7/19/2007 7:30 | 2.209 | 8.37 |
| 7/19/2007 7:35 | 2.209 | 8.37 |
| 7/19/2007 7:40 | 2.209 | 8.37 |
| 7/19/2007 7:45 | 2.21 | 8.37 |
| 7/19/2007 7:50 | 2.21 | 8.37 |
| 7/19/2007 7:55 | 2.21 | 8.37 |
| 7/19/2007 8:00 | 2.21 | 8.37 |
| 7/19/2007 8:05 | 2.21 | 8.37 |
| 7/19/2007 8:10 | 2.221 | 8.37 |
| 7/19/2007 8:15 | 2.22 | 8.37 |
| 7/19/2007 8:20 | 2.22 | 8.37 |
| 7/19/2007 8:25 | 2.221 | 8.37 |
| 7/19/2007 8:30 | 2.221 | 8.37 |
| 7/19/2007 8:35 | 2.221 | 8.37 |
| 7/19/2007 8:40 | 2.221 | 8.37 |
| 7/19/2007 8:45 | 2.221 | 8.37 |
| 7/19/2007 8:50 | 2.222 | 8.37 |
| 7/19/2007 8:55 | 2.222 | 8.37 |
| 7/19/2007 9:00 | 2.222 | 8.37 |
| 7/19/2007 9:05 | 2.222 | 8.37 |
| 7/19/2007 9:10 | 2.222 | 8.37 |
| 7/19/2007 9:15 | 2.222 | 8.37 |
| 7/19/2007 9:20 | 2.222 | 8.37 |
| 7/19/2007 9:25 | 2.223 | 8.37 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 9:30 | 2.223 | 8.37 |
| 7/19/2007 9:35 | 2.223 | 8.37 |
| 7/19/2007 9:40 | 2.223 | 8.37 |
| 7/19/2007 9:45 | 2.222 | 8.37 |
| 7/19/2007 9:50 | 2.222 | 8.37 |
| 7/19/2007 9:55 | 2.194 | 8.37 |
| 7/19/2007 10:00 | 2.198 | 8.37 |
| 7/19/2007 10:05 | 2.2 | 8.37 |
| 7/19/2007 10:10 | 2.2 | 8.37 |
| 7/19/2007 10:15 | 2.2 | 8.37 |
| 7/19/2007 10:20 | 2.201 | 8.37 |
| 7/19/2007 10:25 | 2.202 | 8.37 |
| 7/19/2007 10:30 | 2.202 | 8.37 |
| 7/19/2007 10:35 | 2.202 | 8.37 |
| 7/19/2007 10:40 | 2.202 | 8.37 |
| 7/19/2007 10:45 | 2.203 | 8.37 |
| 7/19/2007 10:50 | 2.203 | 8.37 |
| 7/19/2007 10:55 | 2.203 | 8.37 |
| 7/19/2007 11:00 | 2.204 | 8.37 |
| 7/19/2007 11:05 | 2.203 | 8.37 |
| 7/19/2007 11:10 | 2.203 | 8.37 |
| 7/19/2007 11:15 | 2.206 | 8.37 |
| 7/19/2007 11:20 | 2.21 | 8.37 |
| 7/19/2007 11:25 | 2.211 | 8.37 |
| 7/19/2007 11:30 | 2.211 | 8.37 |
| 7/19/2007 11:35 | 2.21 | 8.37 |
| 7/19/2007 11:40 | 2.21 | 8.37 |
| 7/19/2007 11:45 | 2.21 | 8.37 |
| 7/19/2007 11:50 | 2.21 | 8.37 |
| 7/19/2007 11:55 | 2.21 | 8.37 |
| 7/19/2007 12:00 | 2.21 | 8.37 |
| 7/19/2007 12:05 | 2.21 | 8.37 |
| 7/19/2007 12:10 | 2.21 | 8.37 |
| 7/19/2007 12:15 | 2.21 | 8.37 |
| 7/19/2007 12:20 | 2.212 | 8.37 |
| 7/19/2007 12:25 | 2.214 | 8.37 |
| 7/19/2007 12:30 | 2.217 | 8.37 |
| 7/19/2007 12:35 | 2.221 | 8.37 |
| 7/19/2007 12:40 | 2.227 | 8.37 |
| 7/19/2007 12:45 | 2.234 | 8.37 |
| 7/19/2007 12:50 | 2.244 | 8.37 |
| 7/19/2007 12:55 | 2.253 | 8.37 |
| 7/19/2007 13:00 | 2.267 | 8.37 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 13:05 | 2.283 | 8.37 |
| 7/19/2007 13:10 | 2.303 | 8.37 |
| 7/19/2007 13:15 | 2.336 | 8.37 |
| 7/19/2007 13:20 | 2.427 | 8.37 |
| 7/19/2007 13:25 | 2.615 | 8.37 |
| 7/19/2007 13:30 | 2.743 | 8.37 |
| 7/19/2007 13:35 | 2.739 | 8.37 |
| 7/19/2007 13:40 | 2.734 | 8.37 |
| 7/19/2007 13:45 | 2.707 | 8.37 |
| 7/19/2007 13:50 | 2.671 | 8.37 |
| 7/19/2007 13:55 | 2.631 | 8.37 |
| 7/19/2007 14:00 | 2.585 | 8.37 |
| 7/19/2007 14:05 | 2.542 | 8.37 |
| 7/19/2007 14:10 | 2.504 | 8.37 |
| 7/19/2007 14:15 | 2.476 | 8.37 |
| 7/19/2007 14:20 | 2.456 | 8.37 |
| 7/19/2007 14:25 | 2.443 | 8.37 |
| 7/19/2007 14:30 | 2.432 | 8.37 |
| 7/19/2007 14:35 | 2.423 | 8.37 |
| 7/19/2007 14:40 | 2.418 | 8.37 |
| 7/19/2007 14:45 | 2.412 | 8.37 |
| 7/19/2007 14:50 | 2.407 | 8.37 |
| 7/19/2007 14:55 | 2.405 | 8.37 |
| 7/19/2007 15:00 | 2.401 | 8.37 |
| 7/19/2007 15:05 | 2.399 | 8.37 |
| 7/19/2007 15:10 | 2.398 | 8.37 |
| 7/19/2007 15:15 | 2.396 | 8.37 |
| 7/19/2007 15:20 | 2.396 | 8.37 |
| 7/19/2007 15:25 | 2.394 | 8.37 |
| 7/19/2007 15:30 | 2.394 | 8.37 |
| 7/19/2007 15:35 | 2.391 | 8.37 |
| 7/19/2007 15:40 | 2.393 | 8.37 |
| 7/19/2007 15:45 | 2.391 | 8.37 |
| 7/19/2007 15:50 | 2.392 | 8.37 |
| 7/19/2007 15:55 | 2.393 | 8.37 |
| 7/19/2007 16:00 | 2.393 | 8.37 |
| 7/19/2007 16:05 | 2.394 | 8.37 |
| 7/19/2007 16:10 | 2.394 | 8.37 |
| 7/19/2007 16:15 | 2.394 | 8.37 |
| 7/19/2007 16:20 | 2.394 | 8.37 |
| 7/19/2007 16:25 | 2.39 | 8.37 |
| 7/19/2007 16:30 | 2.394 | 8.37 |
| 7/19/2007 16:35 | 2.395 | 8.37 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 16:40 | 2.395 | 8.37 |
| 7/19/2007 16:45 | 2.396 | 8.37 |
| 7/19/2007 16:50 | 2.395 | 8.37 |
| 7/19/2007 16:55 | 2.396 | 8.37 |
| 7/19/2007 17:00 | 2.396 | 8.37 |
| 7/19/2007 17:05 | 2.395 | 8.37 |
| 7/19/2007 17:10 | 2.396 | 8.37 |
| 7/19/2007 17:15 | 2.395 | 8.37 |
| 7/19/2007 17:20 | 2.396 | 8.37 |
| 7/19/2007 17:25 | 2.396 | 8.37 |
| 7/19/2007 17:30 | 2.395 | 8.37 |
| 7/19/2007 17:35 | 2.396 | 8.37 |
| 7/19/2007 17:40 | 2.396 | 8.37 |
| 7/19/2007 17:45 | 2.396 | 8.37 |
| 7/19/2007 17:50 | 2.395 | 8.37 |
| 7/19/2007 17:55 | 2.395 | 8.37 |
| 7/19/2007 18:00 | 2.394 | 8.37 |
| 7/19/2007 18:05 | 2.394 | 8.37 |
| 7/19/2007 18:10 | 2.394 | 8.37 |
| 7/19/2007 18:15 | 2.394 | 8.37 |
| 7/19/2007 18:20 | 2.394 | 8.37 |
| 7/19/2007 18:25 | 2.393 | 8.37 |
| 7/19/2007 18:30 | 2.389 | 8.37 |
| 7/19/2007 18:35 | 2.393 | 8.37 |
| 7/19/2007 18:40 | 2.393 | 8.37 |
| 7/19/2007 18:45 | 2.391 | 8.37 |
| 7/19/2007 18:50 | 2.391 | 8.37 |
| 7/19/2007 18:55 | 2.39 | 8.37 |
| 7/19/2007 19:00 | 2.39 | 8.37 |
| 7/19/2007 19:05 | 2.39 | 8.37 |
| 7/19/2007 19:10 | 2.389 | 8.37 |
| 7/19/2007 19:15 | 2.389 | 8.37 |
| 7/19/2007 19:20 | 2.388 | 8.37 |
| 7/19/2007 19:25 | 2.387 | 8.37 |
| 7/19/2007 19:30 | 2.386 | 8.37 |
| 7/19/2007 19:35 | 2.386 | 8.37 |
| 7/19/2007 19:40 | 2.385 | 8.37 |
| 7/19/2007 19:45 | 2.383 | 8.37 |
| 7/19/2007 19:50 | 2.383 | 8.37 |
| 7/19/2007 19:55 | 2.382 | 8.37 |
| 7/19/2007 20:00 | 2.38 | 8.37 |
| 7/19/2007 20:05 | 2.379 | 8.37 |
| 7/19/2007 20:10 | 2.378 | 8.37 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 20:15 | 2.378 | 8.37 |
| 7/19/2007 20:20 | 2.377 | 8.37 |
| 7/19/2007 20:25 | 2.378 | 8.37 |
| 7/19/2007 20:30 | 2.377 | 8.37 |
| 7/19/2007 20:35 | 2.376 | 8.37 |
| 7/19/2007 20:40 | 2.375 | 8.37 |
| 7/19/2007 20:45 | 2.375 | 8.37 |
| 7/19/2007 20:50 | 2.375 | 8.37 |
| 7/19/2007 20:55 | 2.374 | 8.37 |
| 7/19/2007 21:00 | 2.372 | 8.37 |
| 7/19/2007 21:05 | 2.372 | 8.37 |
| 7/19/2007 21:10 | 2.371 | 8.37 |
| 7/19/2007 21:15 | 2.372 | 8.37 |
| 7/19/2007 21:20 | 2.371 | 8.37 |
| 7/19/2007 21:25 | 2.37 | 8.37 |
| 7/19/2007 21:30 | 2.37 | 8.37 |
| 7/19/2007 21:35 | 2.372 | 8.37 |
| 7/19/2007 21:40 | 2.371 | 8.37 |
| 7/19/2007 21:45 | 2.37 | 8.37 |
| 7/19/2007 21:50 | 2.336 | 8.37 |
| 7/19/2007 21:55 | 2.336 | 8.37 |
| 7/19/2007 22:00 | 2.336 | 8.37 |
| 7/19/2007 22:05 | 2.336 | 8.37 |
| 7/19/2007 22:10 | 2.336 | 8.37 |
| 7/19/2007 22:15 | 2.335 | 8.37 |
| 7/19/2007 22:20 | 2.335 | 8.37 |
| 7/19/2007 22:25 | 2.334 | 8.37 |
| 7/19/2007 22:30 | 2.334 | 8.37 |
| 7/19/2007 22:35 | 2.335 | 8.37 |
| 7/19/2007 22:40 | 2.334 | 8.37 |
| 7/19/2007 22:45 | 2.333 | 8.37 |
| 7/19/2007 22:50 | 2.333 | 8.37 |
| 7/19/2007 22:55 | 2.332 | 8.37 |
| 7/19/2007 23:00 | 2.332 | 8.37 |
| 7/19/2007 23:05 | 2.331 | 8.37 |
| 7/19/2007 23:10 | 2.331 | 8.37 |
| 7/19/2007 23:15 | 2.331 | 8.37 |
| 7/19/2007 23:20 | 2.331 | 8.37 |
| 7/19/2007 23:25 | 2.331 | 8.37 |
| 7/19/2007 23:30 | 2.33 | 8.37 |
| 7/19/2007 23:35 | 2.33 | 8.37 |
| 7/19/2007 23:40 | 2.33 | 8.37 |
| 7/19/2007 23:45 | 2.33 | 8.37 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 23:50 | 2.33 | 8.37 |
| 7/19/2007 23:55 | 2.33 | 8.37 |
| 7/20/2007 0:00 | 2.329 | 8.37 |
| 7/20/2007 0:05 | 2.329 | 8.37 |
| 7/20/2007 0:10 | 2.328 | 8.37 |
| 7/20/2007 0:15 | 2.328 | 8.37 |
| 7/20/2007 0:20 | 2.328 | 8.37 |
| 7/20/2007 0:25 | 2.328 | 8.37 |
| 7/20/2007 0:30 | 2.327 | 8.37 |
| 7/20/2007 0:35 | 2.327 | 8.37 |
| 7/20/2007 0:40 | 2.327 | 8.37 |
| 7/20/2007 0:45 | 2.326 | 8.37 |
| 7/20/2007 0:50 | 2.327 | 8.37 |
| 7/20/2007 0:55 | 2.334 | 8.37 |
| 7/20/2007 1:00 | 2.356 | 8.37 |
| 7/20/2007 1:05 | 2.486 | 8.37 |
| 7/20/2007 1:10 | 2.662 | 8.37 |
| 7/20/2007 1:15 | 2.711 | 8.37 |
| 7/20/2007 1:20 | 2.684 | 8.37 |
| 7/20/2007 1:25 | 2.666 | 8.37 |
| 7/20/2007 1:30 | 2.643 | 8.37 |
| 7/20/2007 1:35 | 2.61 | 8.37 |
| 7/20/2007 1:40 | 2.572 | 8.37 |
| 7/20/2007 1:45 | 2.536 | 8.37 |
| 7/20/2007 1:50 | 2.509 | 8.37 |
| 7/20/2007 1:55 | 2.49 | 8.37 |
| 7/20/2007 2:00 | 2.478 | 8.37 |
| 7/20/2007 2:05 | 2.469 | 8.37 |
| 7/20/2007 2:10 | 2.462 | 8.37 |
| 7/20/2007 2:15 | 2.458 | 8.37 |
| 7/20/2007 2:20 | 2.454 | 8.37 |
| 7/20/2007 2:25 | 2.451 | 8.37 |
| 7/20/2007 2:30 | 2.449 | 8.37 |
| 7/20/2007 2:35 | 2.448 | 8.37 |
| 7/20/2007 2:40 | 2.448 | 8.37 |
| 7/20/2007 2:45 | 2.449 | 8.37 |
| 7/20/2007 2:50 | 2.45 | 8.37 |
| 7/20/2007 2:55 | 2.474 | 8.37 |
| 7/20/2007 3:00 | 2.543 | 8.37 |
| 7/20/2007 3:05 | 2.807 | 8.37 |
| 7/20/2007 3:10 | 2.922 | 8.37 |
| 7/20/2007 3:15 | 2.922 | 8.37 |
| 7/20/2007 3:20 | 2.907 | 8.37 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 3:25 | 2.884 | 8.37 |
| 7/20/2007 3:30 | 2.853 | 8.37 |
| 7/20/2007 3:35 | 2.815 | 8.37 |
| 7/20/2007 3:40 | 2.771 | 8.37 |
| 7/20/2007 3:45 | 2.73 | 9.31 |
| 7/20/2007 3:50 | 2.704 | 9.31 |
| 7/20/2007 3:55 | 2.692 | 9.31 |
| 7/20/2007 4:00 | 2.686 | 9.31 |
| 7/20/2007 4:05 | 2.685 | 7.86 |
| 7/20/2007 4:10 | 2.685 | 8.54 |
| 7/20/2007 4:15 | 2.685 | 8.48 |
| 7/20/2007 4:20 | 2.685 | 11.22 |
| 7/20/2007 4:25 | 2.687 | 8.91 |
| 7/20/2007 4:30 | 2.689 | 8.91 |
| 7/20/2007 4:35 | 2.693 | 8.91 |
| 7/20/2007 4:40 | 2.693 | 10.18 |
| 7/20/2007 4:45 | 2.695 | 8.94 |
| 7/20/2007 4:50 | 2.693 | 7.86 |
| 7/20/2007 4:55 | 2.694 | 9.64 |
| 7/20/2007 5:00 | 2.695 | 8.67 |
| 7/20/2007 5:05 | 2.694 | 7.81 |
| 7/20/2007 5:10 | 2.699 | 8.89 |
| 7/20/2007 5:15 | 2.701 | 8.14 |
| 7/20/2007 5:20 | 2.7 | 8.14 |
| 7/20/2007 5:25 | 2.7 | 8.8 |
| 7/20/2007 5:30 | 2.698 | 8.85 |
| 7/20/2007 5:35 | 2.699 | 8.13 |
| 7/20/2007 5:40 | 2.697 | 10.56 |
| 7/20/2007 5:45 | 2.697 | 10.24 |
| 7/20/2007 5:50 | 2.696 | 8.1 |
| 7/20/2007 5:55 | 2.696 | 8.36 |
| 7/20/2007 6:00 | 2.694 | 9.15 |
| 7/20/2007 6:05 | 2.693 | 9.48 |
| 7/20/2007 6:10 | 2.692 | 9.25 |
| 7/20/2007 6:15 | 2.69 | 9.06 |
| 7/20/2007 6:20 | 2.69 | 7.41 |
| 7/20/2007 6:25 | 2.689 | 7.66 |
| 7/20/2007 6:30 | 2.689 | 7.94 |
| 7/20/2007 6:35 | 2.688 | 8.79 |
| 7/20/2007 6:40 | 2.683 | 7.85 |
| 7/20/2007 6:45 | 2.685 | 8.08 |
| 7/20/2007 6:50 | 2.683 | 7.74 |
| 7/20/2007 6:55 | 2.682 | 8.01 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 7:00 | 2.68 | 8.01 |
| 7/20/2007 7:05 | 2.679 | 8.01 |
| 7/20/2007 7:10 | 2.681 | 8.01 |
| 7/20/2007 7:15 | 2.68 | 8.01 |
| 7/20/2007 7:20 | 2.678 | 8.11 |
| 7/20/2007 7:25 | 2.677 | 8.65 |
| 7/20/2007 7:30 | 2.675 | 8.46 |
| 7/20/2007 7:35 | 2.675 | 8.46 |
| 7/20/2007 7:40 | 2.681 | 9.89 |
| 7/20/2007 7:45 | 2.678 | 7.88 |
| 7/20/2007 7:50 | 2.677 | 7.88 |
| 7/20/2007 7:55 | 2.676 | 8.57 |
| 7/20/2007 8:00 | 2.675 | 8.8 |
| 7/20/2007 8:05 | 2.674 | 9.14 |
| 7/20/2007 8:10 | 2.673 | 9.14 |
| 7/20/2007 8:15 | 2.672 | 9.14 |
| 7/20/2007 8:20 | 2.669 | 9.75 |
| 7/20/2007 8:25 | 2.669 | 8.73 |
| 7/20/2007 8:30 | 2.669 | 9.25 |
| 7/20/2007 8:35 | 2.668 | 9.35 |
| 7/20/2007 8:40 | 2.666 | 8.89 |
| 7/20/2007 8:45 | 2.666 | 8.67 |
| 7/20/2007 8:50 | 2.665 | 9.78 |
| 7/20/2007 8:55 | 2.665 | 8.75 |
| 7/20/2007 9:00 | 2.661 | 9.03 |
| 7/20/2007 9:05 | 2.66 | 9.29 |
| 7/20/2007 9:10 | 2.659 | 10.3 |
| 7/20/2007 9:15 | 2.658 | 10.37 |
| 7/20/2007 9:20 | 2.657 | 9.19 |
| 7/20/2007 9:25 | 2.657 | 11.04 |
| 7/20/2007 9:30 | 2.657 | 8.99 |
| 7/20/2007 9:35 | 2.659 | 8.76 |
| 7/20/2007 9:40 | 2.657 | 9.66 |
| 7/20/2007 9:45 | 2.655 | 10.66 |
| 7/20/2007 9:50 | 2.652 | 11.26 |
| 7/20/2007 9:55 | 2.651 | 10.3 |
| 7/20/2007 10:00 | 2.65 | 10.48 |
| 7/20/2007 10:05 | 2.647 | 9.49 |
| 7/20/2007 10:10 | 2.646 | 9.49 |
| 7/20/2007 10:15 | 2.645 | 9.49 |
| 7/20/2007 10:20 | 2.645 | 9.49 |
| 7/20/2007 10:25 | 2.643 | 9.49 |
| 7/20/2007 10:30 | 2.642 | 9.49 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 10:35 | 2.641 | 9.49 |
| 7/20/2007 10:40 | 2.639 | 9.49 |
| 7/20/2007 10:45 | 2.638 | 9.49 |
| 7/20/2007 10:50 | 2.637 | 9.49 |
| 7/20/2007 10:55 | 2.637 | 9.49 |
| 7/20/2007 11:00 | 2.635 | 9.49 |
| 7/20/2007 11:05 | 2.634 | 9.49 |
| 7/20/2007 11:10 | 2.635 | 9.49 |
| 7/20/2007 11:15 | 2.634 | 9.49 |
| 7/20/2007 11:20 | 2.633 | 9.49 |
| 7/20/2007 11:25 | 2.632 | 9.49 |
| 7/20/2007 11:30 | 2.631 | 9.49 |
| 7/20/2007 11:35 | 2.63 | 9.49 |
| 7/20/2007 11:40 | 2.628 | 9.49 |
| 7/20/2007 11:45 | 2.628 | 9.49 |
| 7/20/2007 11:50 | 2.625 | 9.49 |
| 7/20/2007 11:55 | 2.625 | 9.49 |
| 7/20/2007 12:00 | 2.624 | 9.49 |
| 7/20/2007 12:05 | 2.622 | 9.49 |
| 7/20/2007 12:10 | 2.621 | 9.49 |
| 7/20/2007 12:15 | 2.62 | 9.49 |
| 7/20/2007 12:20 | 2.618 | 9.49 |
| 7/20/2007 12:25 | 2.617 | 9.49 |
| 7/20/2007 12:30 | 2.616 | 9.49 |
| 7/20/2007 12:35 | 2.616 | 9.49 |
| 7/20/2007 12:40 | 2.614 | 9.02 |
| 7/20/2007 12:45 | 2.614 | 9.38 |
| 7/20/2007 12:50 | 2.6 | 8.15 |
| 7/20/2007 12:55 | 2.599 | 8.72 |
| 7/20/2007 13:00 | 2.596 | 11.4 |
| 7/20/2007 13:05 | 2.595 | 10.77 |
| 7/20/2007 13:10 | 2.596 | 9.88 |
| 7/20/2007 13:15 | 2.594 | 9.88 |
| 7/20/2007 13:20 | 2.593 | 10.65 |
| 7/20/2007 13:25 | 2.592 | 8.87 |
| 7/20/2007 13:30 | 2.589 | 8.06 |
| 7/20/2007 13:35 | 2.59 | 9.77 |
| 7/20/2007 13:40 | 2.59 | 11.07 |
| 7/20/2007 13:45 | 2.591 | 10.81 |
| 7/20/2007 13:50 | 2.587 | 10.81 |
| 7/20/2007 13:55 | 2.588 | 7.99 |
| 7/20/2007 14:00 | 2.587 | 7.99 |
| 7/20/2007 14:05 | 2.588 | 7.99 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 14:10 | 2.587 | 7.99 |
| 7/20/2007 14:15 | 2.594 | 7.99 |
| 7/20/2007 14:20 | 2.592 | 8.86 |
| 7/20/2007 14:25 | 2.585 | 8.37 |
| 7/20/2007 14:30 | 2.587 | 8.6 |
| 7/20/2007 14:35 | 2.587 | 8.6 |
| 7/20/2007 14:40 | 2.585 | 9.36 |
| 7/20/2007 14:45 | 2.574 | 9.36 |
| 7/20/2007 14:50 | 2.574 | 9.36 |
| 7/20/2007 14:55 | 2.574 | 9.36 |
| 7/20/2007 15:00 | 2.573 | 9.36 |
| 7/20/2007 15:05 | 2.572 | 9.36 |
| 7/20/2007 15:10 | 2.571 | 9.36 |
| 7/20/2007 15:15 | 2.572 | 9.36 |
| 7/20/2007 15:20 | 2.571 | 9.36 |
| 7/20/2007 15:25 | 2.57 | 9.36 |
| 7/20/2007 15:30 | 2.569 | 9.36 |
| 7/20/2007 15:35 | 2.568 | 9.36 |
| 7/20/2007 15:40 | 2.568 | 9.36 |
| 7/20/2007 15:45 | 2.566 | 7.99 |
| 7/20/2007 15:50 | 2.567 | 7.99 |
| 7/20/2007 15:55 | 2.566 | 8.96 |
| 7/20/2007 16:00 | 2.565 | 11.1 |
| 7/20/2007 16:05 | 2.562 | 8.92 |
| 7/20/2007 16:10 | 2.56 | 8.92 |
| 7/20/2007 16:15 | 2.561 | 9.64 |
| 7/20/2007 16:20 | 2.559 | 9.46 |
| 7/20/2007 16:25 | 2.559 | 10.11 |
| 7/20/2007 16:30 | 2.558 | 10.72 |
| 7/20/2007 16:35 | 2.558 | 10.72 |
| 7/20/2007 16:40 | 2.559 | 10.29 |
| 7/20/2007 16:45 | 2.558 | 8.43 |
| 7/20/2007 16:50 | 2.557 | 9.72 |
| 7/20/2007 16:55 | 2.559 | 9.82 |
| 7/20/2007 17:00 | 2.558 | 8.72 |
| 7/20/2007 17:05 | 2.557 | 8.49 |
| 7/20/2007 17:10 | 2.555 | 7.34 |
| 7/20/2007 17:15 | 2.554 | 7.34 |
| 7/20/2007 17:20 | 2.555 | 9.44 |
| 7/20/2007 17:25 | 2.554 | 9.11 |
| 7/20/2007 17:30 | 2.553 | 8.44 |
| 7/20/2007 17:35 | 2.552 | 8.76 |
| 7/20/2007 17:40 | 2.551 | 9.41 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 17:45 | 2.551 | 9.79 |
| 7/20/2007 17:50 | 2.55 | 8.21 |
| 7/20/2007 17:55 | 2.55 | 11.5 |
| 7/20/2007 18:00 | 2.547 | 8.63 |
| 7/20/2007 18:05 | 2.547 | 9.87 |
| 7/20/2007 18:10 | 2.548 | 9.01 |
| 7/20/2007 18:15 | 2.545 | 10.04 |
| 7/20/2007 18:20 | 2.546 | 10.51 |
| 7/20/2007 18:25 | 2.545 | 8.91 |
| 7/20/2007 18:30 | 2.543 | 8.91 |
| 7/20/2007 18:35 | 2.545 | 8.91 |
| 7/20/2007 18:40 | 2.543 | 9.54 |
| 7/20/2007 18:45 | 2.543 | 9.76 |
| 7/20/2007 18:50 | 2.542 | 9.17 |
| 7/20/2007 18:55 | 2.542 | 8.09 |
| 7/20/2007 19:00 | 2.541 | 7.42 |
| 7/20/2007 19:05 | 2.54 | 7.42 |
| 7/20/2007 19:10 | 2.531 | 7.42 |
| 7/20/2007 19:15 | 2.532 | 7.42 |
| 7/20/2007 19:20 | 2.532 | 8.93 |
| 7/20/2007 19:25 | 2.531 | 12.04 |
| 7/20/2007 19:30 | 2.53 | 9.79 |
| 7/20/2007 19:35 | 2.53 | 9.23 |
| 7/20/2007 19:40 | 2.531 | 9.76 |
| 7/20/2007 19:45 | 2.53 | 8.56 |
| 7/20/2007 19:50 | 2.528 | 8.56 |
| 7/20/2007 19:55 | 2.529 | 8.56 |
| 7/20/2007 20:00 | 2.529 | 8.56 |
| 7/20/2007 20:05 | 2.527 | 8.56 |
| 7/20/2007 20:10 | 2.527 | 8.56 |
| 7/20/2007 20:15 | 2.526 | 8.56 |
| 7/20/2007 20:20 | 2.526 | 8.56 |
| 7/20/2007 20:25 | 2.526 | 8.56 |
| 7/20/2007 20:30 | 2.526 | 8.56 |
| 7/20/2007 20:35 | 2.525 | 8.56 |
| 7/20/2007 20:40 | 2.524 | 8.56 |
| 7/20/2007 20:45 | 2.523 | 8.56 |
| 7/20/2007 20:50 | 2.523 | 8.56 |
| 7/20/2007 20:55 | 2.523 | 8.56 |
| 7/20/2007 21:00 | 2.523 | 8.56 |
| 7/20/2007 21:05 | 2.522 | 8.56 |
| 7/20/2007 21:10 | 2.521 | 8.56 |
| 7/20/2007 21:15 | 2.521 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 21:20 | 2.522 | 8.56 |
| 7/20/2007 21:25 | 2.521 | 8.56 |
| 7/20/2007 21:30 | 2.521 | 8.56 |
| 7/20/2007 21:35 | 2.52 | 8.56 |
| 7/20/2007 21:40 | 2.52 | 8.56 |
| 7/20/2007 21:45 | 2.519 | 8.56 |
| 7/20/2007 21:50 | 2.518 | 8.56 |
| 7/20/2007 21:55 | 2.519 | 8.56 |
| 7/20/2007 22:00 | 2.518 | 8.56 |
| 7/20/2007 22:05 | 2.518 | 8.56 |
| 7/20/2007 22:10 | 2.518 | 8.56 |
| 7/20/2007 22:15 | 2.517 | 8.56 |
| 7/20/2007 22:20 | 2.505 | 8.56 |
| 7/20/2007 22:25 | 2.506 | 8.56 |
| 7/20/2007 22:30 | 2.505 | 8.56 |
| 7/20/2007 22:35 | 2.505 | 8.56 |
| 7/20/2007 22:40 | 2.506 | 8.56 |
| 7/20/2007 22:45 | 2.506 | 8.56 |
| 7/20/2007 22:50 | 2.506 | 8.56 |
| 7/20/2007 22:55 | 2.505 | 8.56 |
| 7/20/2007 23:00 | 2.505 | 8.56 |
| 7/20/2007 23:05 | 2.504 | 8.56 |
| 7/20/2007 23:10 | 2.504 | 8.56 |
| 7/20/2007 23:15 | 2.504 | 8.56 |
| 7/20/2007 23:20 | 2.504 | 8.56 |
| 7/20/2007 23:25 | 2.503 | 8.56 |
| 7/20/2007 23:30 | 2.503 | 8.56 |
| 7/20/2007 23:35 | 2.503 | 8.56 |
| 7/20/2007 23:40 | 2.503 | 8.56 |
| 7/20/2007 23:45 | 2.501 | 8.56 |
| 7/20/2007 23:50 | 2.501 | 8.56 |
| 7/20/2007 23:55 | 2.502 | 8.56 |
| 7/21/2007 0:00 | 2.501 | 8.56 |
| 7/21/2007 0:05 | 2.5 | 8.56 |
| 7/21/2007 0:10 | 2.5 | 8.56 |
| 7/21/2007 0:15 | 2.502 | 8.56 |
| 7/21/2007 0:20 | 2.502 | 8.56 |
| 7/21/2007 0:25 | 2.501 | 8.56 |
| 7/21/2007 0:30 | 2.502 | 8.56 |
| 7/21/2007 0:35 | 2.501 | 8.56 |
| 7/21/2007 0:40 | 2.502 | 8.56 |
| 7/21/2007 0:45 | 2.501 | 8.56 |
| 7/21/2007 0:50 | 2.502 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 0:55 | 2.501 | 8.56 |
| 7/21/2007 1:00 | 2.5 | 8.56 |
| 7/21/2007 1:05 | 2.5 | 8.56 |
| 7/21/2007 1:10 | 2.5 | 8.56 |
| 7/21/2007 1:15 | 2.487 | 8.56 |
| 7/21/2007 1:20 | 2.488 | 8.56 |
| 7/21/2007 1:25 | 2.488 | 8.56 |
| 7/21/2007 1:30 | 2.487 | 8.56 |
| 7/21/2007 1:35 | 2.487 | 8.56 |
| 7/21/2007 1:40 | 2.487 | 8.56 |
| 7/21/2007 1:45 | 2.487 | 8.56 |
| 7/21/2007 1:50 | 2.486 | 8.56 |
| 7/21/2007 1:55 | 2.486 | 8.56 |
| 7/21/2007 2:00 | 2.486 | 8.56 |
| 7/21/2007 2:05 | 2.486 | 8.56 |
| 7/21/2007 2:10 | 2.486 | 8.56 |
| 7/21/2007 2:15 | 2.486 | 8.56 |
| 7/21/2007 2:20 | 2.486 | 8.56 |
| 7/21/2007 2:25 | 2.486 | 8.56 |
| 7/21/2007 2:30 | 2.486 | 8.56 |
| 7/21/2007 2:35 | 2.486 | 8.56 |
| 7/21/2007 2:40 | 2.485 | 8.56 |
| 7/21/2007 2:45 | 2.484 | 8.56 |
| 7/21/2007 2:50 | 2.484 | 8.56 |
| 7/21/2007 2:55 | 2.484 | 8.56 |
| 7/21/2007 3:00 | 2.484 | 8.56 |
| 7/21/2007 3:05 | 2.484 | 8.56 |
| 7/21/2007 3:10 | 2.483 | 8.56 |
| 7/21/2007 3:15 | 2.483 | 8.56 |
| 7/21/2007 3:20 | 2.483 | 8.56 |
| 7/21/2007 3:25 | 2.482 | 8.56 |
| 7/21/2007 3:30 | 2.482 | 8.56 |
| 7/21/2007 3:35 | 2.481 | 8.56 |
| 7/21/2007 3:40 | 2.481 | 8.56 |
| 7/21/2007 3:45 | 2.479 | 8.56 |
| 7/21/2007 3:50 | 2.48 | 8.56 |
| 7/21/2007 3:55 | 2.48 | 8.56 |
| 7/21/2007 4:00 | 2.481 | 8.56 |
| 7/21/2007 4:05 | 2.48 | 8.56 |
| 7/21/2007 4:10 | 2.479 | 8.56 |
| 7/21/2007 4:15 | 2.479 | 8.56 |
| 7/21/2007 4:20 | 2.48 | 8.56 |
| 7/21/2007 4:25 | 2.48 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 4:30 | 2.479 | 8.56 |
| 7/21/2007 4:35 | 2.478 | 8.56 |
| 7/21/2007 4:40 | 2.478 | 8.56 |
| 7/21/2007 4:45 | 2.478 | 8.56 |
| 7/21/2007 4:50 | 2.477 | 8.56 |
| 7/21/2007 4:55 | 2.476 | 8.56 |
| 7/21/2007 5:00 | 2.476 | 8.56 |
| 7/21/2007 5:05 | 2.476 | 8.56 |
| 7/21/2007 5:10 | 2.475 | 8.56 |
| 7/21/2007 5:15 | 2.455 | 8.56 |
| 7/21/2007 5:20 | 2.456 | 8.56 |
| 7/21/2007 5:25 | 2.455 | 8.56 |
| 7/21/2007 5:30 | 2.456 | 8.56 |
| 7/21/2007 5:35 | 2.456 | 8.56 |
| 7/21/2007 5:40 | 2.456 | 8.56 |
| 7/21/2007 5:45 | 2.455 | 8.56 |
| 7/21/2007 5:50 | 2.455 | 8.56 |
| 7/21/2007 5:55 | 2.456 | 8.56 |
| 7/21/2007 6:00 | 2.455 | 8.56 |
| 7/21/2007 6:05 | 2.456 | 8.56 |
| 7/21/2007 6:10 | 2.456 | 8.56 |
| 7/21/2007 6:15 | 2.456 | 8.56 |
| 7/21/2007 6:20 | 2.456 | 8.56 |
| 7/21/2007 6:25 | 2.455 | 8.56 |
| 7/21/2007 6:30 | 2.455 | 8.56 |
| 7/21/2007 6:35 | 2.454 | 8.56 |
| 7/21/2007 6:40 | 2.455 | 8.56 |
| 7/21/2007 6:45 | 2.455 | 8.56 |
| 7/21/2007 6:50 | 2.454 | 8.56 |
| 7/21/2007 6:55 | 2.454 | 8.56 |
| 7/21/2007 7:00 | 2.454 | 8.56 |
| 7/21/2007 7:05 | 2.453 | 8.56 |
| 7/21/2007 7:10 | 2.454 | 8.56 |
| 7/21/2007 7:15 | 2.454 | 8.56 |
| 7/21/2007 7:20 | 2.453 | 8.56 |
| 7/21/2007 7:25 | 2.453 | 8.56 |
| 7/21/2007 7:30 | 2.453 | 8.56 |
| 7/21/2007 7:35 | 2.452 | 8.56 |
| 7/21/2007 7:40 | 2.453 | 8.56 |
| 7/21/2007 7:45 | 2.452 | 8.56 |
| 7/21/2007 7:50 | 2.453 | 8.56 |
| 7/21/2007 7:55 | 2.452 | 8.56 |
| 7/21/2007 8:00 | 2.451 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 8:05 | 2.451 | 8.56 |
| 7/21/2007 8:10 | 2.45 | 8.56 |
| 7/21/2007 8:15 | 2.45 | 8.56 |
| 7/21/2007 8:20 | 2.45 | 8.56 |
| 7/21/2007 8:25 | 2.45 | 8.56 |
| 7/21/2007 8:30 | 2.45 | 8.56 |
| 7/21/2007 8:35 | 2.45 | 8.56 |
| 7/21/2007 8:40 | 2.451 | 8.56 |
| 7/21/2007 8:45 | 2.451 | 8.56 |
| 7/21/2007 8:50 | 2.45 | 8.56 |
| 7/21/2007 8:55 | 2.451 | 8.56 |
| 7/21/2007 9:00 | 2.451 | 8.56 |
| 7/21/2007 9:05 | 2.45 | 8.56 |
| 7/21/2007 9:10 | 2.45 | 8.56 |
| 7/21/2007 9:15 | 2.449 | 8.56 |
| 7/21/2007 9:20 | 2.449 | 8.56 |
| 7/21/2007 9:25 | 2.449 | 8.56 |
| 7/21/2007 9:30 | 2.449 | 8.56 |
| 7/21/2007 9:35 | 2.449 | 8.56 |
| 7/21/2007 9:40 | 2.45 | 8.56 |
| 7/21/2007 9:45 | 2.449 | 8.56 |
| 7/21/2007 9:50 | 2.449 | 8.56 |
| 7/21/2007 9:55 | 2.448 | 8.56 |
| 7/21/2007 10:00 | 2.448 | 8.56 |
| 7/21/2007 10:05 | 2.446 | 8.56 |
| 7/21/2007 10:10 | 2.446 | 8.56 |
| 7/21/2007 10:15 | 2.446 | 8.56 |
| 7/21/2007 10:20 | 2.444 | 8.56 |
| 7/21/2007 10:25 | 2.445 | 8.56 |
| 7/21/2007 10:30 | 2.444 | 8.56 |
| 7/21/2007 10:35 | 2.444 | 8.56 |
| 7/21/2007 10:40 | 2.442 | 8.56 |
| 7/21/2007 10:45 | 2.442 | 8.56 |
| 7/21/2007 10:50 | 2.441 | 8.56 |
| 7/21/2007 10:55 | 2.44 | 8.56 |
| 7/21/2007 11:00 | 2.439 | 8.56 |
| 7/21/2007 11:05 | 2.44 | 8.56 |
| 7/21/2007 11:10 | 2.439 | 8.56 |
| 7/21/2007 11:15 | 2.439 | 8.56 |
| 7/21/2007 11:20 | 2.437 | 8.56 |
| 7/21/2007 11:25 | 2.436 | 8.56 |
| 7/21/2007 11:30 | 2.436 | 8.56 |
| 7/21/2007 11:35 | 2.435 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 11:40 | 2.435 | 8.56 |
| 7/21/2007 11:45 | 2.434 | 8.56 |
| 7/21/2007 11:50 | 2.434 | 8.56 |
| 7/21/2007 11:55 | 2.435 | 8.56 |
| 7/21/2007 12:00 | 2.432 | 8.56 |
| 7/21/2007 12:05 | 2.432 | 8.56 |
| 7/21/2007 12:10 | 2.419 | 8.56 |
| 7/21/2007 12:15 | 2.421 | 8.56 |
| 7/21/2007 12:20 | 2.42 | 8.56 |
| 7/21/2007 12:25 | 2.42 | 8.56 |
| 7/21/2007 12:30 | 2.419 | 8.56 |
| 7/21/2007 12:35 | 2.419 | 8.56 |
| 7/21/2007 12:40 | 2.418 | 8.56 |
| 7/21/2007 12:45 | 2.418 | 8.56 |
| 7/21/2007 12:50 | 2.417 | 8.56 |
| 7/21/2007 12:55 | 2.414 | 8.56 |
| 7/21/2007 13:00 | 2.414 | 8.56 |
| 7/21/2007 13:05 | 2.413 | 8.56 |
| 7/21/2007 13:10 | 2.413 | 8.56 |
| 7/21/2007 13:15 | 2.414 | 8.56 |
| 7/21/2007 13:20 | 2.412 | 8.56 |
| 7/21/2007 13:25 | 2.411 | 8.56 |
| 7/21/2007 13:30 | 2.41 | 8.56 |
| 7/21/2007 13:35 | 2.411 | 8.56 |
| 7/21/2007 13:40 | 2.409 | 8.56 |
| 7/21/2007 13:45 | 2.41 | 8.56 |
| 7/21/2007 13:50 | 2.408 | 8.56 |
| 7/21/2007 13:55 | 2.409 | 8.56 |
| 7/21/2007 14:00 | 2.408 | 8.56 |
| 7/21/2007 14:05 | 2.408 | 8.56 |
| 7/21/2007 14:10 | 2.406 | 8.56 |
| 7/21/2007 14:15 | 2.406 | 8.56 |
| 7/21/2007 14:20 | 2.405 | 8.56 |
| 7/21/2007 14:25 | 2.405 | 8.56 |
| 7/21/2007 14:30 | 2.404 | 8.56 |
| 7/21/2007 14:35 | 2.403 | 8.56 |
| 7/21/2007 14:40 | 2.403 | 8.56 |
| 7/21/2007 14:45 | 2.402 | 8.56 |
| 7/21/2007 14:50 | 2.402 | 8.56 |
| 7/21/2007 14:55 | 2.4 | 8.56 |
| 7/21/2007 15:00 | 2.4 | 8.56 |
| 7/21/2007 15:05 | 2.398 | 8.56 |
| 7/21/2007 15:10 | 2.388 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 15:15 | 2.388 | 8.56 |
| 7/21/2007 15:20 | 2.388 | 8.56 |
| 7/21/2007 15:25 | 2.388 | 8.56 |
| 7/21/2007 15:30 | 2.387 | 8.56 |
| 7/21/2007 15:35 | 2.386 | 8.56 |
| 7/21/2007 15:40 | 2.387 | 8.56 |
| 7/21/2007 15:45 | 2.386 | 8.56 |
| 7/21/2007 15:50 | 2.386 | 8.56 |
| 7/21/2007 15:55 | 2.385 | 8.56 |
| 7/21/2007 16:00 | 2.384 | 8.56 |
| 7/21/2007 16:05 | 2.384 | 8.56 |
| 7/21/2007 16:10 | 2.383 | 8.56 |
| 7/21/2007 16:15 | 2.383 | 8.56 |
| 7/21/2007 16:20 | 2.382 | 8.56 |
| 7/21/2007 16:25 | 2.382 | 8.56 |
| 7/21/2007 16:30 | 2.381 | 8.56 |
| 7/21/2007 16:35 | 2.378 | 8.56 |
| 7/21/2007 16:40 | 2.381 | 8.56 |
| 7/21/2007 16:45 | 2.379 | 8.56 |
| 7/21/2007 16:50 | 2.379 | 8.56 |
| 7/21/2007 16:55 | 2.379 | 8.56 |
| 7/21/2007 17:00 | 2.379 | 8.56 |
| 7/21/2007 17:05 | 2.378 | 8.56 |
| 7/21/2007 17:10 | 2.378 | 8.56 |
| 7/21/2007 17:15 | 2.377 | 8.56 |
| 7/21/2007 17:20 | 2.377 | 8.56 |
| 7/21/2007 17:25 | 2.375 | 8.56 |
| 7/21/2007 17:30 | 2.376 | 8.56 |
| 7/21/2007 17:35 | 2.376 | 8.56 |
| 7/21/2007 17:40 | 2.375 | 8.56 |
| 7/21/2007 17:45 | 2.375 | 8.56 |
| 7/21/2007 17:50 | 2.375 | 8.56 |
| 7/21/2007 17:55 | 2.374 | 8.56 |
| 7/21/2007 18:00 | 2.373 | 8.56 |
| 7/21/2007 18:05 | 2.373 | 8.56 |
| 7/21/2007 18:10 | 2.372 | 8.56 |
| 7/21/2007 18:15 | 2.361 | 8.56 |
| 7/21/2007 18:20 | 2.362 | 8.56 |
| 7/21/2007 18:25 | 2.361 | 8.56 |
| 7/21/2007 18:30 | 2.362 | 8.56 |
| 7/21/2007 18:35 | 2.362 | 8.56 |
| 7/21/2007 18:40 | 2.362 | 8.56 |
| 7/21/2007 18:45 | 2.362 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 18:50 | 2.36 | 8.56 |
| 7/21/2007 18:55 | 2.36 | 8.56 |
| 7/21/2007 19:00 | 2.361 | 8.56 |
| 7/21/2007 19:05 | 2.36 | 8.56 |
| 7/21/2007 19:10 | 2.36 | 8.56 |
| 7/21/2007 19:15 | 2.359 | 8.56 |
| 7/21/2007 19:20 | 2.359 | 8.56 |
| 7/21/2007 19:25 | 2.359 | 8.56 |
| 7/21/2007 19:30 | 2.359 | 8.56 |
| 7/21/2007 19:35 | 2.358 | 8.56 |
| 7/21/2007 19:40 | 2.358 | 8.56 |
| 7/21/2007 19:45 | 2.358 | 8.56 |
| 7/21/2007 19:50 | 2.357 | 8.56 |
| 7/21/2007 19:55 | 2.357 | 8.56 |
| 7/21/2007 20:00 | 2.356 | 8.56 |
| 7/21/2007 20:05 | 2.357 | 8.56 |
| 7/21/2007 20:10 | 2.355 | 8.56 |
| 7/21/2007 20:15 | 2.354 | 8.56 |
| 7/21/2007 20:20 | 2.354 | 8.56 |
| 7/21/2007 20:25 | 2.353 | 8.56 |
| 7/21/2007 20:30 | 2.353 | 8.56 |
| 7/21/2007 20:35 | 2.352 | 8.56 |
| 7/21/2007 20:40 | 2.352 | 8.56 |
| 7/21/2007 20:45 | 2.351 | 8.56 |
| 7/21/2007 20:50 | 2.351 | 8.56 |
| 7/21/2007 20:55 | 2.35 | 8.56 |
| 7/21/2007 21:00 | 2.349 | 8.56 |
| 7/21/2007 21:05 | 2.348 | 8.56 |
| 7/21/2007 21:10 | 2.347 | 8.56 |
| 7/21/2007 21:15 | 2.344 | 8.56 |
| 7/21/2007 21:20 | 2.342 | 8.56 |
| 7/21/2007 21:25 | 2.342 | 8.56 |
| 7/21/2007 21:30 | 2.343 | 8.56 |
| 7/21/2007 21:35 | 2.343 | 8.56 |
| 7/21/2007 21:40 | 2.343 | 8.56 |
| 7/21/2007 21:45 | 2.344 | 8.56 |
| 7/21/2007 21:50 | 2.343 | 8.56 |
| 7/21/2007 21:55 | 2.343 | 8.56 |
| 7/21/2007 22:00 | 2.343 | 8.56 |
| 7/21/2007 22:05 | 2.342 | 8.56 |
| 7/21/2007 22:10 | 2.342 | 8.56 |
| 7/21/2007 22:15 | 2.343 | 8.56 |
| 7/21/2007 22:20 | 2.342 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 22:25 | 2.342 | 8.56 |
| 7/21/2007 22:30 | 2.345 | 8.56 |
| 7/21/2007 22:35 | 2.345 | 8.56 |
| 7/21/2007 22:40 | 2.344 | 8.56 |
| 7/21/2007 22:45 | 2.345 | 8.56 |
| 7/21/2007 22:50 | 2.344 | 8.56 |
| 7/21/2007 22:55 | 2.344 | 8.56 |
| 7/21/2007 23:00 | 2.344 | 8.56 |
| 7/21/2007 23:05 | 2.343 | 8.56 |
| 7/21/2007 23:10 | 2.343 | 8.56 |
| 7/21/2007 23:15 | 2.343 | 8.56 |
| 7/21/2007 23:20 | 2.342 | 8.56 |
| 7/21/2007 23:25 | 2.342 | 8.56 |
| 7/21/2007 23:30 | 2.342 | 8.56 |
| 7/21/2007 23:35 | 2.342 | 8.56 |
| 7/21/2007 23:40 | 2.342 | 8.56 |
| 7/21/2007 23:45 | 2.343 | 8.56 |
| 7/21/2007 23:50 | 2.343 | 8.56 |
| 7/21/2007 23:55 | 2.342 | 8.56 |
| 7/22/2007 0:00 | 2.336 | 8.56 |
| 7/22/2007 0:05 | 2.335 | 8.56 |
| 7/22/2007 0:10 | 2.335 | 8.56 |
| 7/22/2007 0:15 | 2.335 | 8.56 |
| 7/22/2007 0:20 | 2.335 | 8.56 |
| 7/22/2007 0:25 | 2.335 | 8.56 |
| 7/22/2007 0:30 | 2.334 | 8.56 |
| 7/22/2007 0:35 | 2.333 | 8.56 |
| 7/22/2007 0:40 | 2.334 | 8.56 |
| 7/22/2007 0:45 | 2.334 | 8.56 |
| 7/22/2007 0:50 | 2.333 | 8.56 |
| 7/22/2007 0:55 | 2.333 | 8.56 |
| 7/22/2007 1:00 | 2.333 | 8.56 |
| 7/22/2007 1:05 | 2.332 | 8.56 |
| 7/22/2007 1:10 | 2.333 | 8.56 |
| 7/22/2007 1:15 | 2.332 | 8.56 |
| 7/22/2007 1:20 | 2.332 | 8.56 |
| 7/22/2007 1:25 | 2.332 | 8.56 |
| 7/22/2007 1:30 | 2.331 | 8.56 |
| 7/22/2007 1:35 | 2.331 | 8.56 |
| 7/22/2007 1:40 | 2.331 | 8.56 |
| 7/22/2007 1:45 | 2.33 | 8.56 |
| 7/22/2007 1:50 | 2.331 | 8.56 |
| 7/22/2007 1:55 | 2.33 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 2:00 | 2.331 | 8.56 |
| 7/22/2007 2:05 | 2.331 | 8.56 |
| 7/22/2007 2:10 | 2.33 | 8.56 |
| 7/22/2007 2:15 | 2.33 | 8.56 |
| 7/22/2007 2:20 | 2.33 | 8.56 |
| 7/22/2007 2:25 | 2.329 | 8.56 |
| 7/22/2007 2:30 | 2.314 | 8.56 |
| 7/22/2007 2:35 | 2.316 | 8.56 |
| 7/22/2007 2:40 | 2.317 | 8.56 |
| 7/22/2007 2:45 | 2.317 | 8.56 |
| 7/22/2007 2:50 | 2.317 | 8.56 |
| 7/22/2007 2:55 | 2.318 | 8.56 |
| 7/22/2007 3:00 | 2.318 | 8.56 |
| 7/22/2007 3:05 | 2.32 | 8.56 |
| 7/22/2007 3:10 | 2.319 | 8.56 |
| 7/22/2007 3:15 | 2.32 | 8.56 |
| 7/22/2007 3:20 | 2.319 | 8.56 |
| 7/22/2007 3:25 | 2.319 | 8.56 |
| 7/22/2007 3:30 | 2.319 | 8.56 |
| 7/22/2007 3:35 | 2.319 | 8.56 |
| 7/22/2007 3:40 | 2.319 | 8.56 |
| 7/22/2007 3:45 | 2.318 | 8.56 |
| 7/22/2007 3:50 | 2.318 | 8.56 |
| 7/22/2007 3:55 | 2.318 | 8.56 |
| 7/22/2007 4:00 | 2.317 | 8.56 |
| 7/22/2007 4:05 | 2.317 | 8.56 |
| 7/22/2007 4:10 | 2.317 | 8.56 |
| 7/22/2007 4:15 | 2.317 | 8.56 |
| 7/22/2007 4:20 | 2.317 | 8.56 |
| 7/22/2007 4:25 | 2.317 | 8.56 |
| 7/22/2007 4:30 | 2.316 | 8.56 |
| 7/22/2007 4:35 | 2.316 | 8.56 |
| 7/22/2007 4:40 | 2.316 | 8.56 |
| 7/22/2007 4:45 | 2.316 | 8.56 |
| 7/22/2007 4:50 | 2.316 | 8.56 |
| 7/22/2007 4:55 | 2.316 | 8.56 |
| 7/22/2007 5:00 | 2.316 | 8.56 |
| 7/22/2007 5:05 | 2.315 | 8.56 |
| 7/22/2007 5:10 | 2.315 | 8.56 |
| 7/22/2007 5:15 | 2.314 | 8.56 |
| 7/22/2007 5:20 | 2.315 | 8.56 |
| 7/22/2007 5:25 | 2.315 | 8.56 |
| 7/22/2007 5:30 | 2.314 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 5:35 | 2.315 | 8.56 |
| 7/22/2007 5:40 | 2.314 | 8.56 |
| 7/22/2007 5:45 | 2.315 | 8.56 |
| 7/22/2007 5:50 | 2.314 | 8.56 |
| 7/22/2007 5:55 | 2.314 | 8.56 |
| 7/22/2007 6:00 | 2.314 | 8.56 |
| 7/22/2007 6:05 | 2.314 | 8.56 |
| 7/22/2007 6:10 | 2.314 | 8.56 |
| 7/22/2007 6:15 | 2.316 | 8.56 |
| 7/22/2007 6:20 | 2.316 | 8.56 |
| 7/22/2007 6:25 | 2.316 | 8.56 |
| 7/22/2007 6:30 | 2.316 | 8.56 |
| 7/22/2007 6:35 | 2.316 | 8.56 |
| 7/22/2007 6:40 | 2.316 | 8.56 |
| 7/22/2007 6:45 | 2.315 | 8.56 |
| 7/22/2007 6:50 | 2.316 | 8.56 |
| 7/22/2007 6:55 | 2.315 | 8.56 |
| 7/22/2007 7:00 | 2.316 | 8.56 |
| 7/22/2007 7:05 | 2.315 | 8.56 |
| 7/22/2007 7:10 | 2.315 | 8.56 |
| 7/22/2007 7:15 | 2.315 | 8.56 |
| 7/22/2007 7:20 | 2.316 | 8.56 |
| 7/22/2007 7:25 | 2.315 | 8.56 |
| 7/22/2007 7:30 | 2.316 | 8.56 |
| 7/22/2007 7:35 | 2.316 | 8.56 |
| 7/22/2007 7:40 | 2.315 | 8.56 |
| 7/22/2007 7:45 | 2.315 | 8.56 |
| 7/22/2007 7:50 | 2.315 | 8.56 |
| 7/22/2007 7:55 | 2.315 | 8.56 |
| 7/22/2007 8:00 | 2.315 | 8.56 |
| 7/22/2007 8:05 | 2.315 | 8.56 |
| 7/22/2007 8:10 | 2.297 | 8.56 |
| 7/22/2007 8:15 | 2.298 | 8.56 |
| 7/22/2007 8:20 | 2.299 | 8.56 |
| 7/22/2007 8:25 | 2.299 | 8.56 |
| 7/22/2007 8:30 | 2.299 | 8.56 |
| 7/22/2007 8:35 | 2.299 | 8.56 |
| 7/22/2007 8:40 | 2.301 | 8.56 |
| 7/22/2007 8:45 | 2.302 | 8.56 |
| 7/22/2007 8:50 | 2.303 | 8.56 |
| 7/22/2007 8:55 | 2.302 | 8.56 |
| 7/22/2007 9:00 | 2.302 | 8.56 |
| 7/22/2007 9:05 | 2.302 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 9:10 | 2.302 | 8.56 |
| 7/22/2007 9:15 | 2.302 | 8.56 |
| 7/22/2007 9:20 | 2.302 | 8.56 |
| 7/22/2007 9:25 | 2.302 | 8.56 |
| 7/22/2007 9:30 | 2.303 | 8.56 |
| 7/22/2007 9:35 | 2.303 | 8.56 |
| 7/22/2007 9:40 | 2.303 | 8.56 |
| 7/22/2007 9:45 | 2.303 | 8.56 |
| 7/22/2007 9:50 | 2.303 | 8.56 |
| 7/22/2007 9:55 | 2.303 | 8.56 |
| 7/22/2007 10:00 | 2.302 | 8.56 |
| 7/22/2007 10:05 | 2.303 | 8.56 |
| 7/22/2007 10:10 | 2.303 | 8.56 |
| 7/22/2007 10:15 | 2.302 | 8.56 |
| 7/22/2007 10:20 | 2.302 | 8.56 |
| 7/22/2007 10:25 | 2.302 | 8.56 |
| 7/22/2007 10:30 | 2.302 | 8.56 |
| 7/22/2007 10:35 | 2.302 | 8.56 |
| 7/22/2007 10:40 | 2.302 | 8.56 |
| 7/22/2007 10:45 | 2.302 | 8.56 |
| 7/22/2007 10:50 | 2.301 | 8.56 |
| 7/22/2007 10:55 | 2.301 | 8.56 |
| 7/22/2007 11:00 | 2.301 | 8.56 |
| 7/22/2007 11:05 | 2.3 | 8.56 |
| 7/22/2007 11:10 | 2.3 | 8.56 |
| 7/22/2007 11:15 | 2.3 | 8.56 |
| 7/22/2007 11:20 | 2.299 | 8.56 |
| 7/22/2007 11:25 | 2.299 | 8.56 |
| 7/22/2007 11:30 | 2.298 | 8.56 |
| 7/22/2007 11:35 | 2.299 | 8.56 |
| 7/22/2007 11:40 | 2.298 | 8.56 |
| 7/22/2007 11:45 | 2.298 | 8.56 |
| 7/22/2007 11:50 | 2.298 | 8.56 |
| 7/22/2007 11:55 | 2.297 | 8.56 |
| 7/22/2007 12:00 | 2.297 | 8.56 |
| 7/22/2007 12:05 | 2.297 | 8.56 |
| 7/22/2007 12:10 | 2.297 | 8.56 |
| 7/22/2007 12:15 | 2.297 | 8.56 |
| 7/22/2007 12:20 | 2.296 | 8.56 |
| 7/22/2007 12:25 | 2.296 | 8.56 |
| 7/22/2007 12:30 | 2.295 | 8.56 |
| 7/22/2007 12:35 | 2.295 | 8.56 |
| 7/22/2007 12:40 | 2.294 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 12:45 | 2.295 | 8.56 |
| 7/22/2007 12:50 | 2.294 | 8.56 |
| 7/22/2007 12:55 | 2.294 | 8.56 |
| 7/22/2007 13:00 | 2.294 | 8.56 |
| 7/22/2007 13:05 | 2.293 | 8.56 |
| 7/22/2007 13:10 | 2.293 | 8.56 |
| 7/22/2007 13:15 | 2.293 | 8.56 |
| 7/22/2007 13:20 | 2.292 | 8.56 |
| 7/22/2007 13:25 | 2.292 | 8.56 |
| 7/22/2007 13:30 | 2.292 | 8.56 |
| 7/22/2007 13:35 | 2.292 | 8.56 |
| 7/22/2007 13:40 | 2.291 | 8.56 |
| 7/22/2007 13:45 | 2.291 | 8.56 |
| 7/22/2007 13:50 | 2.291 | 8.56 |
| 7/22/2007 13:55 | 2.291 | 8.56 |
| 7/22/2007 14:00 | 2.291 | 8.56 |
| 7/22/2007 14:05 | 2.291 | 8.56 |
| 7/22/2007 14:10 | 2.29 | 8.56 |
| 7/22/2007 14:15 | 2.29 | 8.56 |
| 7/22/2007 14:20 | 2.289 | 8.56 |
| 7/22/2007 14:25 | 2.289 | 8.56 |
| 7/22/2007 14:30 | 2.289 | 8.56 |
| 7/22/2007 14:35 | 2.289 | 8.56 |
| 7/22/2007 14:40 | 2.288 | 8.56 |
| 7/22/2007 14:45 | 2.288 | 8.56 |
| 7/22/2007 14:50 | 2.288 | 8.56 |
| 7/22/2007 14:55 | 2.287 | 8.56 |
| 7/22/2007 15:00 | 2.287 | 8.56 |
| 7/22/2007 15:05 | 2.286 | 8.56 |
| 7/22/2007 15:10 | 2.286 | 8.56 |
| 7/22/2007 15:15 | 2.286 | 8.56 |
| 7/22/2007 15:20 | 2.286 | 8.56 |
| 7/22/2007 15:25 | 2.285 | 8.56 |
| 7/22/2007 15:30 | 2.285 | 8.56 |
| 7/22/2007 15:35 | 2.285 | 8.56 |
| 7/22/2007 15:40 | 2.285 | 8.56 |
| 7/22/2007 15:45 | 2.285 | 8.56 |
| 7/22/2007 15:50 | 2.285 | 8.56 |
| 7/22/2007 15:55 | 2.285 | 8.56 |
| 7/22/2007 16:00 | 2.285 | 8.56 |
| 7/22/2007 16:05 | 2.284 | 8.56 |
| 7/22/2007 16:10 | 2.284 | 8.56 |
| 7/22/2007 16:15 | 2.283 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 16:20 | 2.283 | 8.56 |
| 7/22/2007 16:25 | 2.283 | 8.56 |
| 7/22/2007 16:30 | 2.281 | 8.56 |
| 7/22/2007 16:35 | 2.266 | 8.56 |
| 7/22/2007 16:40 | 2.267 | 8.56 |
| 7/22/2007 16:45 | 2.268 | 8.56 |
| 7/22/2007 16:50 | 2.269 | 8.56 |
| 7/22/2007 16:55 | 2.268 | 8.56 |
| 7/22/2007 17:00 | 2.269 | 8.56 |
| 7/22/2007 17:05 | 2.269 | 8.56 |
| 7/22/2007 17:10 | 2.269 | 8.56 |
| 7/22/2007 17:15 | 2.268 | 8.56 |
| 7/22/2007 17:20 | 2.268 | 8.56 |
| 7/22/2007 17:25 | 2.268 | 8.56 |
| 7/22/2007 17:30 | 2.268 | 8.56 |
| 7/22/2007 17:35 | 2.268 | 8.56 |
| 7/22/2007 17:40 | 2.269 | 8.56 |
| 7/22/2007 17:45 | 2.268 | 8.56 |
| 7/22/2007 17:50 | 2.268 | 8.56 |
| 7/22/2007 17:55 | 2.268 | 8.56 |
| 7/22/2007 18:00 | 2.268 | 8.56 |
| 7/22/2007 18:05 | 2.267 | 8.56 |
| 7/22/2007 18:10 | 2.267 | 8.56 |
| 7/22/2007 18:15 | 2.268 | 8.56 |
| 7/22/2007 18:20 | 2.268 | 8.56 |
| 7/22/2007 18:25 | 2.267 | 8.56 |
| 7/22/2007 18:30 | 2.268 | 8.56 |
| 7/22/2007 18:35 | 2.268 | 8.56 |
| 7/22/2007 18:40 | 2.268 | 8.56 |
| 7/22/2007 18:45 | 2.269 | 8.56 |
| 7/22/2007 18:50 | 2.269 | 8.56 |
| 7/22/2007 18:55 | 2.268 | 8.56 |
| 7/22/2007 19:00 | 2.267 | 8.56 |
| 7/22/2007 19:05 | 2.267 | 8.56 |
| 7/22/2007 19:10 | 2.268 | 8.56 |
| 7/22/2007 19:15 | 2.269 | 8.56 |
| 7/22/2007 19:20 | 2.269 | 8.56 |
| 7/22/2007 19:25 | 2.269 | 8.56 |
| 7/22/2007 19:30 | 2.269 | 8.56 |
| 7/22/2007 19:35 | 2.265 | 8.56 |
| 7/22/2007 19:40 | 2.267 | 8.56 |
| 7/22/2007 19:45 | 2.267 | 8.56 |
| 7/22/2007 19:50 | 2.268 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 19:55 | 2.268 | 8.56 |
| 7/22/2007 20:00 | 2.268 | 8.56 |
| 7/22/2007 20:05 | 2.268 | 8.56 |
| 7/22/2007 20:10 | 2.267 | 8.56 |
| 7/22/2007 20:15 | 2.267 | 8.56 |
| 7/22/2007 20:20 | 2.268 | 8.56 |
| 7/22/2007 20:25 | 2.268 | 8.56 |
| 7/22/2007 20:30 | 2.269 | 8.56 |
| 7/22/2007 20:35 | 2.268 | 8.56 |
| 7/22/2007 20:40 | 2.268 | 8.56 |
| 7/22/2007 20:45 | 2.268 | 8.56 |
| 7/22/2007 20:50 | 2.268 | 8.56 |
| 7/22/2007 20:55 | 2.268 | 8.56 |
| 7/22/2007 21:00 | 2.268 | 8.56 |
| 7/22/2007 21:05 | 2.269 | 8.56 |
| 7/22/2007 21:10 | 2.268 | 8.56 |
| 7/22/2007 21:15 | 2.266 | 8.56 |
| 7/22/2007 21:20 | 2.265 | 8.56 |
| 7/22/2007 21:25 | 2.265 | 8.56 |
| 7/22/2007 21:30 | 2.265 | 8.56 |
| 7/22/2007 21:35 | 2.263 | 8.56 |
| 7/22/2007 21:40 | 2.264 | 8.56 |
| 7/22/2007 21:45 | 2.264 | 8.56 |
| 7/22/2007 21:50 | 2.265 | 8.56 |
| 7/22/2007 21:55 | 2.265 | 8.56 |
| 7/22/2007 22:00 | 2.264 | 8.56 |
| 7/22/2007 22:05 | 2.265 | 8.56 |
| 7/22/2007 22:10 | 2.265 | 8.56 |
| 7/22/2007 22:15 | 2.264 | 8.56 |
| 7/22/2007 22:20 | 2.265 | 8.56 |
| 7/22/2007 22:25 | 2.265 | 8.56 |
| 7/22/2007 22:30 | 2.265 | 8.56 |
| 7/22/2007 22:35 | 2.265 | 8.56 |
| 7/22/2007 22:40 | 2.264 | 8.56 |
| 7/22/2007 22:45 | 2.264 | 8.56 |
| 7/22/2007 22:50 | 2.264 | 8.56 |
| 7/22/2007 22:55 | 2.265 | 8.56 |
| 7/22/2007 23:00 | 2.265 | 8.56 |
| 7/22/2007 23:05 | 2.265 | 8.56 |
| 7/22/2007 23:10 | 2.265 | 8.56 |
| 7/22/2007 23:15 | 2.265 | 8.56 |
| 7/22/2007 23:20 | 2.264 | 8.56 |
| 7/22/2007 23:25 | 2.265 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 23:30 | 2.274 | 8.56 |
| 7/22/2007 23:35 | 2.274 | 8.56 |
| 7/22/2007 23:40 | 2.273 | 8.56 |
| 7/22/2007 23:45 | 2.274 | 8.56 |
| 7/22/2007 23:50 | 2.274 | 8.56 |
| 7/22/2007 23:55 | 2.274 | 8.56 |
| 7/23/2007 0:00 | 2.273 | 8.56 |
| 7/23/2007 0:05 | 2.273 | 8.56 |
| 7/23/2007 0:10 | 2.273 | 8.56 |
| 7/23/2007 0:15 | 2.273 | 8.56 |
| 7/23/2007 0:20 | 2.274 | 8.56 |
| 7/23/2007 0:25 | 2.273 | 8.56 |
| 7/23/2007 0:30 | 2.274 | 8.56 |
| 7/23/2007 0:35 | 2.273 | 8.56 |
| 7/23/2007 0:40 | 2.273 | 8.56 |
| 7/23/2007 0:45 | 2.273 | 8.56 |
| 7/23/2007 0:50 | 2.274 | 8.56 |
| 7/23/2007 0:55 | 2.274 | 8.56 |
| 7/23/2007 1:00 | 2.273 | 8.56 |
| 7/23/2007 1:05 | 2.274 | 8.56 |
| 7/23/2007 1:10 | 2.274 | 8.56 |
| 7/23/2007 1:15 | 2.274 | 8.56 |
| 7/23/2007 1:20 | 2.274 | 8.56 |
| 7/23/2007 1:25 | 2.274 | 8.56 |
| 7/23/2007 1:30 | 2.274 | 8.56 |
| 7/23/2007 1:35 | 2.274 | 8.56 |
| 7/23/2007 1:40 | 2.273 | 8.56 |
| 7/23/2007 1:45 | 2.273 | 8.56 |
| 7/23/2007 1:50 | 2.273 | 8.56 |
| 7/23/2007 1:55 | 2.273 | 8.56 |
| 7/23/2007 2:00 | 2.273 | 8.56 |
| 7/23/2007 2:05 | 2.274 | 8.56 |
| 7/23/2007 2:10 | 2.272 | 8.56 |
| 7/23/2007 2:15 | 2.271 | 8.56 |
| 7/23/2007 2:20 | 2.274 | 8.56 |
| 7/23/2007 2:25 | 2.274 | 8.56 |
| 7/23/2007 2:30 | 2.275 | 8.56 |
| 7/23/2007 2:35 | 2.274 | 8.56 |
| 7/23/2007 2:40 | 2.275 | 8.56 |
| 7/23/2007 2:45 | 2.274 | 8.56 |
| 7/23/2007 2:50 | 2.274 | 8.56 |
| 7/23/2007 2:55 | 2.274 | 8.56 |
| 7/23/2007 3:00 | 2.274 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 3:05 | 2.274 | 8.56 |
| 7/23/2007 3:10 | 2.275 | 8.56 |
| 7/23/2007 3:15 | 2.275 | 8.56 |
| 7/23/2007 3:20 | 2.275 | 8.56 |
| 7/23/2007 3:25 | 2.276 | 8.56 |
| 7/23/2007 3:30 | 2.276 | 8.56 |
| 7/23/2007 3:35 | 2.276 | 8.56 |
| 7/23/2007 3:40 | 2.276 | 8.56 |
| 7/23/2007 3:45 | 2.276 | 8.56 |
| 7/23/2007 3:50 | 2.276 | 8.56 |
| 7/23/2007 3:55 | 2.275 | 8.56 |
| 7/23/2007 4:00 | 2.276 | 8.56 |
| 7/23/2007 4:05 | 2.293 | 8.56 |
| 7/23/2007 4:10 | 2.29 | 8.56 |
| 7/23/2007 4:15 | 2.289 | 8.56 |
| 7/23/2007 4:20 | 2.289 | 8.56 |
| 7/23/2007 4:25 | 2.288 | 8.56 |
| 7/23/2007 4:30 | 2.288 | 8.56 |
| 7/23/2007 4:35 | 2.293 | 8.56 |
| 7/23/2007 4:40 | 2.292 | 8.56 |
| 7/23/2007 4:45 | 2.29 | 8.56 |
| 7/23/2007 4:50 | 2.29 | 8.56 |
| 7/23/2007 4:55 | 2.29 | 8.56 |
| 7/23/2007 5:00 | 2.289 | 8.56 |
| 7/23/2007 5:05 | 2.289 | 8.56 |
| 7/23/2007 5:10 | 2.289 | 8.56 |
| 7/23/2007 5:15 | 2.289 | 8.56 |
| 7/23/2007 5:20 | 2.288 | 8.56 |
| 7/23/2007 5:25 | 2.289 | 8.56 |
| 7/23/2007 5:30 | 2.289 | 8.56 |
| 7/23/2007 5:35 | 2.289 | 8.56 |
| 7/23/2007 5:40 | 2.289 | 8.56 |
| 7/23/2007 5:45 | 2.289 | 8.56 |
| 7/23/2007 5:50 | 2.289 | 8.56 |
| 7/23/2007 5:55 | 2.289 | 8.56 |
| 7/23/2007 6:00 | 2.289 | 8.56 |
| 7/23/2007 6:05 | 2.289 | 8.56 |
| 7/23/2007 6:10 | 2.29 | 8.56 |
| 7/23/2007 6:15 | 2.289 | 8.56 |
| 7/23/2007 6:20 | 2.289 | 8.56 |
| 7/23/2007 6:25 | 2.289 | 8.56 |
| 7/23/2007 6:30 | 2.289 | 8.56 |
| 7/23/2007 6:35 | 2.289 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 6:40 | 2.289 | 8.56 |
| 7/23/2007 6:45 | 2.289 | 8.56 |
| 7/23/2007 6:50 | 2.289 | 8.56 |
| 7/23/2007 6:55 | 2.289 | 8.56 |
| 7/23/2007 7:00 | 2.289 | 8.56 |
| 7/23/2007 7:05 | 2.289 | 8.56 |
| 7/23/2007 7:10 | 2.289 | 8.56 |
| 7/23/2007 7:15 | 2.289 | 8.56 |
| 7/23/2007 7:20 | 2.29 | 8.56 |
| 7/23/2007 7:25 | 2.29 | 8.56 |
| 7/23/2007 7:30 | 2.29 | 8.56 |
| 7/23/2007 7:35 | 2.29 | 8.56 |
| 7/23/2007 7:40 | 2.29 | 8.56 |
| 7/23/2007 7:45 | 2.291 | 8.56 |
| 7/23/2007 7:50 | 2.291 | 8.56 |
| 7/23/2007 7:55 | 2.291 | 8.56 |
| 7/23/2007 8:00 | 2.292 | 8.56 |
| 7/23/2007 8:05 | 2.291 | 8.56 |
| 7/23/2007 8:10 | 2.292 | 8.56 |
| 7/23/2007 8:15 | 2.293 | 8.56 |
| 7/23/2007 8:20 | 2.293 | 8.56 |
| 7/23/2007 8:25 | 2.293 | 8.56 |
| 7/23/2007 8:30 | 2.293 | 8.56 |
| 7/23/2007 8:35 | 2.293 | 8.56 |
| 7/23/2007 8:40 | 2.293 | 8.56 |
| 7/23/2007 8:45 | 2.292 | 8.56 |
| 7/23/2007 8:50 | 2.294 | 8.56 |
| 7/23/2007 8:55 | 2.292 | 8.56 |
| 7/23/2007 9:00 | 2.294 | 8.56 |
| 7/23/2007 9:05 | 2.294 | 8.56 |
| 7/23/2007 9:10 | 2.293 | 8.56 |
| 7/23/2007 9:15 | 2.294 | 8.56 |
| 7/23/2007 9:20 | 2.294 | 8.56 |
| 7/23/2007 9:25 | 2.295 | 8.56 |
| 7/23/2007 9:30 | 2.295 | 8.56 |
| 7/23/2007 9:35 | 2.295 | 8.56 |
| 7/23/2007 9:40 | 2.295 | 8.56 |
| 7/23/2007 9:45 | 2.295 | 8.56 |
| 7/23/2007 9:50 | 2.295 | 8.56 |
| 7/23/2007 9:55 | 2.297 | 8.56 |
| 7/23/2007 10:00 | 2.296 | 8.56 |
| 7/23/2007 10:05 | 2.296 | 8.56 |
| 7/23/2007 10:10 | 2.296 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 10:15 | 2.296 | 8.56 |
| 7/23/2007 10:20 | 2.297 | 8.56 |
| 7/23/2007 10:25 | 2.297 | 8.56 |
| 7/23/2007 10:30 | 2.298 | 8.56 |
| 7/23/2007 10:35 | 2.298 | 8.56 |
| 7/23/2007 10:40 | 2.298 | 8.56 |
| 7/23/2007 10:45 | 2.298 | 8.56 |
| 7/23/2007 10:50 | 2.299 | 8.56 |
| 7/23/2007 10:55 | 2.298 | 8.56 |
| 7/23/2007 11:00 | 2.301 | 8.56 |
| 7/23/2007 11:05 | 2.302 | 8.56 |
| 7/23/2007 11:10 | 2.302 | 8.56 |
| 7/23/2007 11:15 | 2.301 | 8.56 |
| 7/23/2007 11:20 | 2.301 | 8.56 |
| 7/23/2007 11:25 | 2.301 | 8.56 |
| 7/23/2007 11:30 | 2.301 | 8.56 |
| 7/23/2007 11:35 | 2.302 | 8.56 |
| 7/23/2007 11:40 | 2.302 | 8.56 |
| 7/23/2007 11:45 | 2.303 | 8.56 |
| 7/23/2007 11:50 | 2.303 | 8.56 |
| 7/23/2007 11:55 | 2.303 | 8.56 |
| 7/23/2007 12:00 | 2.304 | 8.56 |
| 7/23/2007 12:05 | 2.304 | 8.56 |
| 7/23/2007 12:10 | 2.306 | 8.56 |
| 7/23/2007 12:15 | 2.307 | 8.56 |
| 7/23/2007 12:20 | 2.306 | 8.56 |
| 7/23/2007 12:25 | 2.306 | 8.56 |
| 7/23/2007 12:30 | 2.306 | 8.56 |
| 7/23/2007 12:35 | 2.305 | 8.56 |
| 7/23/2007 12:40 | 2.304 | 8.56 |
| 7/23/2007 12:45 | 2.305 | 8.56 |
| 7/23/2007 12:50 | 2.304 | 8.56 |
| 7/23/2007 12:55 | 2.304 | 8.56 |
| 7/23/2007 13:00 | 2.305 | 8.56 |
| 7/23/2007 13:05 | 2.305 | 8.56 |
| 7/23/2007 13:10 | 2.305 | 8.56 |
| 7/23/2007 13:15 | 2.305 | 8.56 |
| 7/23/2007 13:20 | 2.305 | 8.56 |
| 7/23/2007 13:25 | 2.306 | 8.56 |
| 7/23/2007 13:30 | 2.305 | 8.56 |
| 7/23/2007 13:35 | 2.306 | 8.56 |
| 7/23/2007 13:40 | 2.306 | 8.56 |
| 7/23/2007 13:45 | 2.307 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 13:50 | 2.306 | 8.56 |
| 7/23/2007 13:55 | 2.306 | 8.56 |
| 7/23/2007 14:00 | 2.306 | 8.56 |
| 7/23/2007 14:05 | 2.306 | 8.56 |
| 7/23/2007 14:10 | 2.306 | 8.56 |
| 7/23/2007 14:15 | 2.306 | 8.56 |
| 7/23/2007 14:20 | 2.306 | 8.56 |
| 7/23/2007 14:25 | 2.305 | 8.56 |
| 7/23/2007 14:30 | 2.306 | 8.56 |
| 7/23/2007 14:35 | 2.306 | 8.56 |
| 7/23/2007 14:40 | 2.306 | 8.56 |
| 7/23/2007 14:45 | 2.306 | 8.56 |
| 7/23/2007 14:50 | 2.306 | 8.56 |
| 7/23/2007 14:55 | 2.306 | 8.56 |
| 7/23/2007 15:00 | 2.306 | 8.56 |
| 7/23/2007 15:05 | 2.306 | 8.56 |
| 7/23/2007 15:10 | 2.307 | 8.56 |
| 7/23/2007 15:15 | 2.307 | 8.56 |
| 7/23/2007 15:20 | 2.307 | 8.56 |
| 7/23/2007 15:25 | 2.307 | 8.56 |
| 7/23/2007 15:30 | 2.306 | 8.56 |
| 7/23/2007 15:35 | 2.306 | 8.56 |
| 7/23/2007 15:40 | 2.307 | 8.56 |
| 7/23/2007 15:45 | 2.307 | 8.56 |
| 7/23/2007 15:50 | 2.306 | 8.56 |
| 7/23/2007 15:55 | 2.307 | 8.56 |
| 7/23/2007 16:00 | 2.305 | 8.56 |
| 7/23/2007 16:05 | 2.305 | 8.56 |
| 7/23/2007 16:10 | 2.305 | 8.56 |
| 7/23/2007 16:15 | 2.305 | 8.56 |
| 7/23/2007 16:20 | 2.305 | 8.56 |
| 7/23/2007 16:25 | 2.306 | 8.56 |
| 7/23/2007 16:30 | 2.306 | 8.56 |
| 7/23/2007 16:35 | 2.305 | 8.56 |
| 7/23/2007 16:40 | 2.305 | 8.56 |
| 7/23/2007 16:45 | 2.305 | 8.56 |
| 7/23/2007 16:50 | 2.305 | 8.56 |
| 7/23/2007 16:55 | 2.305 | 8.56 |
| 7/23/2007 17:00 | 2.305 | 8.56 |
| 7/23/2007 17:05 | 2.305 | 8.56 |
| 7/23/2007 17:10 | 2.305 | 8.56 |
| 7/23/2007 17:15 | 2.304 | 8.56 |
| 7/23/2007 17:20 | 2.304 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 17:25 | 2.304 | 8.56 |
| 7/23/2007 17:30 | 2.305 | 8.56 |
| 7/23/2007 17:35 | 2.304 | 8.56 |
| 7/23/2007 17:40 | 2.304 | 8.56 |
| 7/23/2007 17:45 | 2.304 | 8.56 |
| 7/23/2007 17:50 | 2.304 | 8.56 |
| 7/23/2007 17:55 | 2.304 | 8.56 |
| 7/23/2007 18:00 | 2.305 | 8.56 |
| 7/23/2007 18:05 | 2.305 | 8.56 |
| 7/23/2007 18:10 | 2.305 | 8.56 |
| 7/23/2007 18:15 | 2.306 | 8.56 |
| 7/23/2007 18:20 | 2.306 | 8.56 |
| 7/23/2007 18:25 | 2.305 | 8.56 |
| 7/23/2007 18:30 | 2.305 | 8.56 |
| 7/23/2007 18:35 | 2.304 | 8.56 |
| 7/23/2007 18:40 | 2.306 | 8.56 |
| 7/23/2007 18:45 | 2.305 | 8.56 |
| 7/23/2007 18:50 | 2.305 | 8.56 |
| 7/23/2007 18:55 | 2.304 | 8.56 |
| 7/23/2007 19:00 | 2.304 | 8.56 |
| 7/23/2007 19:05 | 2.304 | 8.56 |
| 7/23/2007 19:10 | 2.305 | 8.56 |
| 7/23/2007 19:15 | 2.304 | 8.56 |
| 7/23/2007 19:20 | 2.304 | 8.56 |
| 7/23/2007 19:25 | 2.304 | 8.56 |
| 7/23/2007 19:30 | 2.305 | 8.56 |
| 7/23/2007 19:35 | 2.304 | 8.56 |
| 7/23/2007 19:40 | 2.304 | 8.56 |
| 7/23/2007 19:45 | 2.304 | 8.56 |
| 7/23/2007 19:50 | 2.304 | 8.56 |
| 7/23/2007 19:55 | 2.31 | 8.56 |
| 7/23/2007 20:00 | 2.309 | 8.56 |
| 7/23/2007 20:05 | 2.307 | 8.56 |
| 7/23/2007 20:10 | 2.308 | 8.56 |
| 7/23/2007 20:15 | 2.307 | 8.56 |
| 7/23/2007 20:20 | 2.307 | 8.56 |
| 7/23/2007 20:25 | 2.307 | 8.56 |
| 7/23/2007 20:30 | 2.307 | 8.56 |
| 7/23/2007 20:35 | 2.306 | 8.56 |
| 7/23/2007 20:40 | 2.307 | 8.56 |
| 7/23/2007 20:45 | 2.306 | 8.56 |
| 7/23/2007 20:50 | 2.306 | 8.56 |
| 7/23/2007 20:55 | 2.306 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 21:00 | 2.307 | 8.56 |
| 7/23/2007 21:05 | 2.306 | 8.56 |
| 7/23/2007 21:10 | 2.307 | 8.56 |
| 7/23/2007 21:15 | 2.306 | 8.56 |
| 7/23/2007 21:20 | 2.306 | 8.56 |
| 7/23/2007 21:25 | 2.306 | 8.56 |
| 7/23/2007 21:30 | 2.306 | 8.56 |
| 7/23/2007 21:35 | 2.306 | 8.56 |
| 7/23/2007 21:40 | 2.306 | 8.56 |
| 7/23/2007 21:45 | 2.305 | 8.56 |
| 7/23/2007 21:50 | 2.305 | 8.56 |
| 7/23/2007 21:55 | 2.304 | 8.56 |
| 7/23/2007 22:00 | 2.303 | 8.56 |
| 7/23/2007 22:05 | 2.302 | 8.56 |
| 7/23/2007 22:10 | 2.302 | 8.56 |
| 7/23/2007 22:15 | 2.301 | 8.56 |
| 7/23/2007 22:20 | 2.301 | 8.56 |
| 7/23/2007 22:25 | 2.301 | 8.56 |
| 7/23/2007 22:30 | 2.301 | 8.56 |
| 7/23/2007 22:35 | 2.301 | 8.56 |
| 7/23/2007 22:40 | 2.301 | 8.56 |
| 7/23/2007 22:45 | 2.301 | 8.56 |
| 7/23/2007 22:50 | 2.301 | 8.56 |
| 7/23/2007 22:55 | 2.301 | 8.56 |
| 7/23/2007 23:00 | 2.301 | 8.56 |
| 7/23/2007 23:05 | 2.302 | 8.56 |
| 7/23/2007 23:10 | 2.301 | 8.56 |
| 7/23/2007 23:15 | 2.301 | 8.56 |
| 7/23/2007 23:20 | 2.301 | 8.56 |
| 7/23/2007 23:25 | 2.301 | 8.56 |
| 7/23/2007 23:30 | 2.301 | 8.56 |
| 7/23/2007 23:35 | 2.301 | 8.56 |
| 7/23/2007 23:40 | 2.301 | 8.56 |
| 7/23/2007 23:45 | 2.301 | 8.56 |
| 7/23/2007 23:50 | 2.301 | 8.56 |
| 7/23/2007 23:55 | 2.301 | 8.56 |
| 7/24/2007 0:00 | 2.302 | 8.56 |
| 7/24/2007 0:05 | 2.3 | 8.56 |
| 7/24/2007 0:10 | 2.299 | 8.56 |
| 7/24/2007 0:15 | 2.299 | 8.56 |
| 7/24/2007 0:20 | 2.299 | 8.56 |
| 7/24/2007 0:25 | 2.299 | 8.56 |
| 7/24/2007 0:30 | 2.298 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 0:35 | 2.298 | 8.56 |
| 7/24/2007 0:40 | 2.298 | 8.56 |
| 7/24/2007 0:45 | 2.299 | 8.56 |
| 7/24/2007 0:50 | 2.302 | 8.56 |
| 7/24/2007 0:55 | 2.302 | 8.56 |
| 7/24/2007 1:00 | 2.3 | 8.56 |
| 7/24/2007 1:05 | 2.301 | 8.56 |
| 7/24/2007 1:10 | 2.3 | 8.56 |
| 7/24/2007 1:15 | 2.3 | 8.56 |
| 7/24/2007 1:20 | 2.3 | 8.56 |
| 7/24/2007 1:25 | 2.299 | 8.56 |
| 7/24/2007 1:30 | 2.299 | 8.56 |
| 7/24/2007 1:35 | 2.3 | 8.56 |
| 7/24/2007 1:40 | 2.236 | 8.56 |
| 7/24/2007 1:45 | 2.238 | 8.56 |
| 7/24/2007 1:50 | 2.239 | 8.56 |
| 7/24/2007 1:55 | 2.24 | 8.56 |
| 7/24/2007 2:00 | 2.241 | 8.56 |
| 7/24/2007 2:05 | 2.241 | 8.56 |
| 7/24/2007 2:10 | 2.241 | 8.56 |
| 7/24/2007 2:15 | 2.242 | 8.56 |
| 7/24/2007 2:20 | 2.241 | 8.56 |
| 7/24/2007 2:25 | 2.241 | 8.56 |
| 7/24/2007 2:30 | 2.242 | 8.56 |
| 7/24/2007 2:35 | 2.242 | 8.56 |
| 7/24/2007 2:40 | 2.242 | 8.56 |
| 7/24/2007 2:45 | 2.242 | 8.56 |
| 7/24/2007 2:50 | 2.237 | 8.56 |
| 7/24/2007 2:55 | 2.238 | 8.56 |
| 7/24/2007 3:00 | 2.234 | 8.56 |
| 7/24/2007 3:05 | 2.237 | 8.56 |
| 7/24/2007 3:10 | 2.238 | 8.56 |
| 7/24/2007 3:15 | 2.239 | 8.56 |
| 7/24/2007 3:20 | 2.239 | 8.56 |
| 7/24/2007 3:25 | 2.24 | 8.56 |
| 7/24/2007 3:30 | 2.24 | 8.56 |
| 7/24/2007 3:35 | 2.241 | 8.56 |
| 7/24/2007 3:40 | 2.241 | 8.56 |
| 7/24/2007 3:45 | 2.242 | 8.56 |
| 7/24/2007 3:50 | 2.242 | 8.56 |
| 7/24/2007 3:55 | 2.242 | 8.56 |
| 7/24/2007 4:00 | 2.242 | 8.56 |
| 7/24/2007 4:05 | 2.242 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 4:10 | 2.242 | 8.56 |
| 7/24/2007 4:15 | 2.241 | 8.56 |
| 7/24/2007 4:20 | 2.242 | 8.56 |
| 7/24/2007 4:25 | 2.243 | 8.56 |
| 7/24/2007 4:30 | 2.243 | 8.56 |
| 7/24/2007 4:35 | 2.243 | 8.56 |
| 7/24/2007 4:40 | 2.243 | 8.56 |
| 7/24/2007 4:45 | 2.242 | 8.56 |
| 7/24/2007 4:50 | 2.242 | 8.56 |
| 7/24/2007 4:55 | 2.242 | 8.56 |
| 7/24/2007 5:00 | 2.242 | 8.56 |
| 7/24/2007 5:05 | 2.242 | 8.56 |
| 7/24/2007 5:10 | 2.242 | 8.56 |
| 7/24/2007 5:15 | 2.243 | 8.56 |
| 7/24/2007 5:20 | 2.244 | 8.56 |
| 7/24/2007 5:25 | 2.244 | 8.56 |
| 7/24/2007 5:30 | 2.243 | 8.56 |
| 7/24/2007 5:35 | 2.243 | 8.56 |
| 7/24/2007 5:40 | 2.242 | 8.56 |
| 7/24/2007 5:45 | 2.241 | 8.56 |
| 7/24/2007 5:50 | 2.241 | 8.56 |
| 7/24/2007 5:55 | 2.24 | 8.56 |
| 7/24/2007 6:00 | 2.24 | 8.56 |
| 7/24/2007 6:05 | 2.24 | 8.56 |
| 7/24/2007 6:10 | 2.24 | 8.56 |
| 7/24/2007 6:15 | 2.238 | 8.56 |
| 7/24/2007 6:20 | 2.236 | 8.56 |
| 7/24/2007 6:25 | 2.234 | 8.56 |
| 7/24/2007 6:30 | 2.233 | 8.56 |
| 7/24/2007 6:35 | 2.234 | 8.56 |
| 7/24/2007 6:40 | 2.234 | 8.56 |
| 7/24/2007 6:45 | 2.234 | 8.56 |
| 7/24/2007 6:50 | 2.234 | 8.56 |
| 7/24/2007 6:55 | 2.234 | 8.56 |
| 7/24/2007 7:00 | 2.234 | 8.56 |
| 7/24/2007 7:05 | 2.233 | 8.56 |
| 7/24/2007 7:10 | 2.233 | 8.56 |
| 7/24/2007 7:15 | 2.234 | 8.56 |
| 7/24/2007 7:20 | 2.233 | 8.56 |
| 7/24/2007 7:25 | 2.234 | 8.56 |
| 7/24/2007 7:30 | 2.234 | 8.56 |
| 7/24/2007 7:35 | 2.235 | 8.56 |
| 7/24/2007 7:40 | 2.235 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 7:45 | 2.235 | 8.56 |
| 7/24/2007 7:50 | 2.235 | 8.56 |
| 7/24/2007 7:55 | 2.235 | 8.56 |
| 7/24/2007 8:00 | 2.235 | 8.56 |
| 7/24/2007 8:05 | 2.235 | 8.56 |
| 7/24/2007 8:10 | 2.235 | 8.56 |
| 7/24/2007 8:15 | 2.235 | 8.56 |
| 7/24/2007 8:20 | 2.235 | 8.56 |
| 7/24/2007 8:25 | 2.235 | 8.56 |
| 7/24/2007 8:30 | 2.235 | 8.56 |
| 7/24/2007 8:35 | 2.236 | 8.56 |
| 7/24/2007 8:40 | 2.235 | 8.56 |
| 7/24/2007 8:45 | 2.235 | 8.56 |
| 7/24/2007 8:50 | 2.235 | 8.56 |
| 7/24/2007 8:55 | 2.235 | 8.56 |
| 7/24/2007 9:00 | 2.236 | 8.56 |
| 7/24/2007 9:05 | 2.236 | 8.56 |
| 7/24/2007 9:10 | 2.235 | 8.56 |
| 7/24/2007 9:15 | 2.236 | 8.56 |
| 7/24/2007 9:20 | 2.236 | 8.56 |
| 7/24/2007 9:25 | 2.235 | 8.56 |
| 7/24/2007 9:30 | 2.236 | 8.56 |
| 7/24/2007 9:35 | 2.235 | 8.56 |
| 7/24/2007 9:40 | 2.235 | 8.56 |
| 7/24/2007 9:45 | 2.235 | 8.56 |
| 7/24/2007 9:50 | 2.236 | 8.56 |
| 7/24/2007 9:55 | 2.236 | 8.56 |
| 7/24/2007 10:00 | 2.236 | 8.56 |
| 7/24/2007 10:05 | 2.236 | 8.56 |
| 7/24/2007 10:10 | 2.236 | 8.56 |
| 7/24/2007 10:15 | 2.236 | 8.56 |
| 7/24/2007 10:20 | 2.236 | 8.56 |
| 7/24/2007 10:25 | 2.236 | 8.56 |
| 7/24/2007 10:30 | 2.237 | 8.56 |
| 7/24/2007 10:35 | 2.237 | 8.56 |
| 7/24/2007 10:40 | 2.236 | 8.56 |
| 7/24/2007 10:45 | 2.235 | 8.56 |
| 7/24/2007 10:50 | 2.236 | 8.56 |
| 7/24/2007 10:55 | 2.237 | 8.56 |
| 7/24/2007 11:00 | 2.233 | 8.56 |
| 7/24/2007 11:05 | 2.236 | 8.56 |
| 7/24/2007 11:10 | 2.236 | 8.56 |
| 7/24/2007 11:15 | 2.237 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 11:20 | 2.237 | 8.56 |
| 7/24/2007 11:25 | 2.236 | 8.56 |
| 7/24/2007 11:30 | 2.236 | 8.56 |
| 7/24/2007 11:35 | 2.236 | 8.56 |
| 7/24/2007 11:40 | 2.236 | 8.56 |
| 7/24/2007 11:45 | 2.237 | 8.56 |
| 7/24/2007 11:50 | 2.237 | 8.56 |
| 7/24/2007 11:55 | 2.237 | 8.56 |
| 7/24/2007 12:00 | 2.237 | 8.56 |
| 7/24/2007 12:05 | 2.236 | 8.56 |
| 7/24/2007 12:10 | 2.236 | 8.56 |
| 7/24/2007 12:15 | 2.235 | 8.56 |
| 7/24/2007 12:20 | 2.235 | 8.56 |
| 7/24/2007 12:25 | 2.234 | 8.56 |
| 7/24/2007 12:30 | 2.227 | 8.56 |
| 7/24/2007 12:35 | 2.275 | 8.56 |
| 7/24/2007 12:40 | 2.281 | 8.56 |
| 7/24/2007 12:45 | 2.274 | 8.56 |
| 7/24/2007 12:50 | 2.277 | 8.56 |
| 7/24/2007 12:55 | 2.272 | 8.56 |
| 7/24/2007 13:00 | 2.261 | 8.56 |
| 7/24/2007 13:05 | 2.256 | 8.56 |
| 7/24/2007 13:10 | 2.254 | 8.56 |
| 7/24/2007 13:15 | 2.252 | 8.56 |
| 7/24/2007 13:20 | 2.251 | 8.56 |
| 7/24/2007 13:25 | 2.248 | 8.56 |
| 7/24/2007 13:30 | 2.248 | 8.56 |
| 7/24/2007 13:35 | 2.246 | 8.56 |
| 7/24/2007 13:40 | 2.246 | 8.56 |
| 7/24/2007 13:45 | 2.245 | 8.56 |
| 7/24/2007 13:50 | 2.245 | 8.56 |
| 7/24/2007 13:55 | 2.244 | 8.56 |
| 7/24/2007 14:00 | 2.243 | 8.56 |
| 7/24/2007 14:05 | 2.243 | 8.56 |
| 7/24/2007 14:10 | 2.242 | 8.56 |
| 7/24/2007 14:15 | 2.242 | 8.56 |
| 7/24/2007 14:20 | 2.242 | 8.56 |
| 7/24/2007 14:25 | 2.243 | 8.56 |
| 7/24/2007 14:30 | 2.241 | 8.56 |
| 7/24/2007 14:35 | 2.241 | 8.56 |
| 7/24/2007 14:40 | 2.239 | 8.56 |
| 7/24/2007 14:45 | 2.239 | 8.56 |
| 7/24/2007 14:50 | 2.24 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 14:55 | 2.239 | 8.56 |
| 7/24/2007 15:00 | 2.24 | 8.56 |
| 7/24/2007 15:05 | 2.239 | 8.56 |
| 7/24/2007 15:10 | 2.239 | 8.56 |
| 7/24/2007 15:15 | 2.237 | 8.56 |
| 7/24/2007 15:20 | 2.237 | 8.56 |
| 7/24/2007 15:25 | 2.237 | 8.56 |
| 7/24/2007 15:30 | 2.236 | 8.56 |
| 7/24/2007 15:35 | 2.236 | 8.56 |
| 7/24/2007 15:40 | 2.235 | 8.56 |
| 7/24/2007 15:45 | 2.234 | 8.56 |
| 7/24/2007 15:50 | 2.234 | 8.56 |
| 7/24/2007 15:55 | 2.235 | 8.56 |
| 7/24/2007 16:00 | 2.234 | 8.56 |
| 7/24/2007 16:05 | 2.234 | 8.56 |
| 7/24/2007 16:10 | 2.234 | 8.56 |
| 7/24/2007 16:15 | 2.235 | 8.56 |
| 7/24/2007 16:20 | 2.234 | 8.56 |
| 7/24/2007 16:25 | 2.234 | 8.56 |
| 7/24/2007 16:30 | 2.233 | 8.56 |
| 7/24/2007 16:35 | 2.233 | 8.56 |
| 7/24/2007 16:40 | 2.233 | 8.56 |
| 7/24/2007 16:45 | 2.234 | 8.56 |
| 7/24/2007 16:50 | 2.234 | 8.56 |
| 7/24/2007 16:55 | 2.233 | 8.56 |
| 7/24/2007 17:00 | 2.233 | 8.56 |
| 7/24/2007 17:05 | 2.233 | 8.56 |
| 7/24/2007 17:10 | 2.243 | 8.56 |
| 7/24/2007 17:15 | 2.241 | 8.56 |
| 7/24/2007 17:20 | 2.24 | 8.56 |
| 7/24/2007 17:25 | 2.229 | 8.56 |
| 7/24/2007 17:30 | 2.23 | 8.56 |
| 7/24/2007 17:35 | 2.232 | 8.56 |
| 7/24/2007 17:40 | 2.232 | 8.56 |
| 7/24/2007 17:45 | 2.231 | 8.56 |
| 7/24/2007 17:50 | 2.23 | 8.56 |
| 7/24/2007 17:55 | 2.232 | 8.56 |
| 7/24/2007 18:00 | 2.232 | 8.56 |
| 7/24/2007 18:05 | 2.23 | 8.56 |
| 7/24/2007 18:10 | 2.232 | 8.56 |
| 7/24/2007 18:15 | 2.232 | 8.56 |
| 7/24/2007 18:20 | 2.231 | 8.56 |
| 7/24/2007 18:25 | 2.231 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 18:30 | 2.231 | 8.56 |
| 7/24/2007 18:35 | 2.231 | 8.56 |
| 7/24/2007 18:40 | 2.231 | 8.56 |
| 7/24/2007 18:45 | 2.232 | 8.56 |
| 7/24/2007 18:50 | 2.231 | 8.56 |
| 7/24/2007 18:55 | 2.232 | 8.56 |
| 7/24/2007 19:00 | 2.231 | 8.56 |
| 7/24/2007 19:05 | 2.232 | 8.56 |
| 7/24/2007 19:10 | 2.232 | 8.56 |
| 7/24/2007 19:15 | 2.232 | 8.56 |
| 7/24/2007 19:20 | 2.231 | 8.56 |
| 7/24/2007 19:25 | 2.232 | 8.56 |
| 7/24/2007 19:30 | 2.231 | 8.56 |
| 7/24/2007 19:35 | 2.231 | 8.56 |
| 7/24/2007 19:40 | 2.23 | 8.56 |
| 7/24/2007 19:45 | 2.23 | 8.56 |
| 7/24/2007 19:50 | 2.23 | 8.56 |
| 7/24/2007 19:55 | 2.23 | 8.56 |
| 7/24/2007 20:00 | 2.23 | 8.56 |
| 7/24/2007 20:05 | 2.23 | 8.56 |
| 7/24/2007 20:10 | 2.23 | 8.56 |
| 7/24/2007 20:15 | 2.23 | 8.56 |
| 7/24/2007 20:20 | 2.229 | 8.56 |
| 7/24/2007 20:25 | 2.229 | 8.56 |
| 7/24/2007 20:30 | 2.23 | 8.56 |
| 7/24/2007 20:35 | 2.23 | 8.56 |
| 7/24/2007 20:40 | 2.229 | 8.56 |
| 7/24/2007 20:45 | 2.229 | 8.56 |
| 7/24/2007 20:50 | 2.228 | 8.56 |
| 7/24/2007 20:55 | 2.229 | 8.56 |
| 7/24/2007 21:00 | 2.229 | 8.56 |
| 7/24/2007 21:05 | 2.229 | 8.56 |
| 7/24/2007 21:10 | 2.229 | 8.56 |
| 7/24/2007 21:15 | 2.229 | 8.56 |
| 7/24/2007 21:20 | 2.23 | 8.56 |
| 7/24/2007 21:25 | 2.23 | 8.56 |
| 7/24/2007 21:30 | 2.23 | 8.56 |
| 7/24/2007 21:35 | 2.23 | 8.56 |
| 7/24/2007 21:40 | 2.23 | 8.56 |
| 7/24/2007 21:45 | 2.229 | 8.56 |
| 7/24/2007 21:50 | 2.233 | 8.56 |
| 7/24/2007 21:55 | 2.228 | 8.56 |
| 7/24/2007 22:00 | 2.228 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 22:05 | 2.229 | 8.56 |
| 7/24/2007 22:10 | 2.229 | 8.56 |
| 7/24/2007 22:15 | 2.229 | 8.56 |
| 7/24/2007 22:20 | 2.228 | 8.56 |
| 7/24/2007 22:25 | 2.228 | 8.56 |
| 7/24/2007 22:30 | 2.228 | 8.56 |
| 7/24/2007 22:35 | 2.228 | 8.56 |
| 7/24/2007 22:40 | 2.228 | 8.56 |
| 7/24/2007 22:45 | 2.227 | 8.56 |
| 7/24/2007 22:50 | 2.228 | 8.56 |
| 7/24/2007 22:55 | 2.228 | 8.56 |
| 7/24/2007 23:00 | 2.227 | 8.56 |
| 7/24/2007 23:05 | 2.227 | 8.56 |
| 7/24/2007 23:10 | 2.231 | 8.56 |
| 7/24/2007 23:15 | 2.229 | 8.56 |
| 7/24/2007 23:20 | 2.228 | 8.56 |
| 7/24/2007 23:25 | 2.228 | 8.56 |
| 7/24/2007 23:30 | 2.227 | 8.56 |
| 7/24/2007 23:35 | 2.227 | 8.56 |
| 7/24/2007 23:40 | 2.227 | 8.56 |
| 7/24/2007 23:45 | 2.226 | 8.56 |
| 7/24/2007 23:50 | 2.227 | 8.56 |
| 7/24/2007 23:55 | 2.226 | 8.56 |
| 7/25/2007 0:00 | 2.228 | 8.56 |
| 7/25/2007 0:05 | 2.227 | 8.56 |
| 7/25/2007 0:10 | 2.227 | 8.56 |
| 7/25/2007 0:15 | 2.227 | 8.56 |
| 7/25/2007 0:20 | 2.227 | 8.56 |
| 7/25/2007 0:25 | 2.227 | 8.56 |
| 7/25/2007 0:30 | 2.227 | 8.56 |
| 7/25/2007 0:35 | 2.225 | 8.56 |
| 7/25/2007 0:40 | 2.226 | 8.56 |
| 7/25/2007 0:45 | 2.226 | 8.56 |
| 7/25/2007 0:50 | 2.227 | 8.56 |
| 7/25/2007 0:55 | 2.227 | 8.56 |
| 7/25/2007 1:00 | 2.227 | 8.56 |
| 7/25/2007 1:05 | 2.227 | 8.56 |
| 7/25/2007 1:10 | 2.226 | 8.56 |
| 7/25/2007 1:15 | 2.226 | 8.56 |
| 7/25/2007 1:20 | 2.226 | 8.56 |
| 7/25/2007 1:25 | 2.227 | 8.56 |
| 7/25/2007 1:30 | 2.226 | 8.56 |
| 7/25/2007 1:35 | 2.226 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 1:40 | 2.226 | 8.56 |
| 7/25/2007 1:45 | 2.226 | 8.56 |
| 7/25/2007 1:50 | 2.226 | 8.56 |
| 7/25/2007 1:55 | 2.225 | 8.56 |
| 7/25/2007 2:00 | 2.225 | 8.56 |
| 7/25/2007 2:05 | 2.225 | 8.56 |
| 7/25/2007 2:10 | 2.225 | 8.56 |
| 7/25/2007 2:15 | 2.225 | 8.56 |
| 7/25/2007 2:20 | 2.225 | 8.56 |
| 7/25/2007 2:25 | 2.224 | 8.56 |
| 7/25/2007 2:30 | 2.224 | 8.56 |
| 7/25/2007 2:35 | 2.225 | 8.56 |
| 7/25/2007 2:40 | 2.225 | 8.56 |
| 7/25/2007 2:45 | 2.225 | 8.56 |
| 7/25/2007 2:50 | 2.225 | 8.56 |
| 7/25/2007 2:55 | 2.225 | 8.56 |
| 7/25/2007 3:00 | 2.224 | 8.56 |
| 7/25/2007 3:05 | 2.218 | 8.56 |
| 7/25/2007 3:10 | 2.217 | 8.56 |
| 7/25/2007 3:15 | 2.218 | 8.56 |
| 7/25/2007 3:20 | 2.218 | 8.56 |
| 7/25/2007 3:25 | 2.217 | 8.56 |
| 7/25/2007 3:30 | 2.216 | 8.56 |
| 7/25/2007 3:35 | 2.216 | 8.56 |
| 7/25/2007 3:40 | 2.216 | 8.56 |
| 7/25/2007 3:45 | 2.216 | 8.56 |
| 7/25/2007 3:50 | 2.216 | 8.56 |
| 7/25/2007 3:55 | 2.216 | 8.56 |
| 7/25/2007 4:00 | 2.215 | 8.56 |
| 7/25/2007 4:05 | 2.215 | 8.56 |
| 7/25/2007 4:10 | 2.215 | 8.56 |
| 7/25/2007 4:15 | 2.215 | 8.56 |
| 7/25/2007 4:20 | 2.215 | 8.56 |
| 7/25/2007 4:25 | 2.215 | 8.56 |
| 7/25/2007 4:30 | 2.215 | 8.56 |
| 7/25/2007 4:35 | 2.214 | 8.56 |
| 7/25/2007 4:40 | 2.214 | 8.56 |
| 7/25/2007 4:45 | 2.214 | 8.56 |
| 7/25/2007 4:50 | 2.214 | 8.56 |
| 7/25/2007 4:55 | 2.214 | 8.56 |
| 7/25/2007 5:00 | 2.214 | 8.56 |
| 7/25/2007 5:05 | 2.214 | 8.56 |
| 7/25/2007 5:10 | 2.214 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 5:15 | 2.214 | 8.56 |
| 7/25/2007 5:20 | 2.213 | 8.56 |
| 7/25/2007 5:25 | 2.213 | 8.56 |
| 7/25/2007 5:30 | 2.213 | 8.56 |
| 7/25/2007 5:35 | 2.212 | 8.56 |
| 7/25/2007 5:40 | 2.215 | 8.56 |
| 7/25/2007 5:45 | 2.214 | 8.56 |
| 7/25/2007 5:50 | 2.214 | 8.56 |
| 7/25/2007 5:55 | 2.213 | 8.56 |
| 7/25/2007 6:00 | 2.214 | 8.56 |
| 7/25/2007 6:05 | 2.214 | 8.56 |
| 7/25/2007 6:10 | 2.214 | 8.56 |
| 7/25/2007 6:15 | 2.214 | 8.56 |
| 7/25/2007 6:20 | 2.214 | 8.56 |
| 7/25/2007 6:25 | 2.214 | 8.56 |
| 7/25/2007 6:30 | 2.212 | 8.56 |
| 7/25/2007 6:35 | 2.213 | 8.56 |
| 7/25/2007 6:40 | 2.213 | 8.56 |
| 7/25/2007 6:45 | 2.214 | 8.56 |
| 7/25/2007 6:50 | 2.213 | 8.56 |
| 7/25/2007 6:55 | 2.213 | 8.56 |
| 7/25/2007 7:00 | 2.213 | 8.56 |
| 7/25/2007 7:05 | 2.213 | 8.56 |
| 7/25/2007 7:10 | 2.213 | 8.56 |
| 7/25/2007 7:15 | 2.214 | 8.56 |
| 7/25/2007 7:20 | 2.214 | 8.56 |
| 7/25/2007 7:25 | 2.214 | 8.56 |
| 7/25/2007 7:30 | 2.213 | 8.56 |
| 7/25/2007 7:35 | 2.213 | 8.56 |
| 7/25/2007 7:40 | 2.213 | 8.56 |
| 7/25/2007 7:45 | 2.207 | 8.56 |
| 7/25/2007 7:50 | 2.208 | 8.56 |
| 7/25/2007 7:55 | 2.214 | 8.56 |
| 7/25/2007 8:00 | 2.213 | 8.56 |
| 7/25/2007 8:05 | 2.213 | 8.56 |
| 7/25/2007 8:10 | 2.213 | 8.56 |
| 7/25/2007 8:15 | 2.212 | 8.56 |
| 7/25/2007 8:20 | 2.213 | 8.56 |
| 7/25/2007 8:25 | 2.212 | 8.56 |
| 7/25/2007 8:30 | 2.212 | 8.56 |
| 7/25/2007 8:35 | 2.212 | 8.56 |
| 7/25/2007 8:40 | 2.212 | 8.56 |
| 7/25/2007 8:45 | 2.213 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 8:50 | 2.213 | 8.56 |
| 7/25/2007 8:55 | 2.213 | 8.56 |
| 7/25/2007 9:00 | 2.213 | 8.56 |
| 7/25/2007 9:05 | 2.213 | 8.56 |
| 7/25/2007 9:10 | 2.212 | 8.56 |
| 7/25/2007 9:15 | 2.212 | 8.56 |
| 7/25/2007 9:20 | 2.213 | 8.56 |
| 7/25/2007 9:25 | 2.213 | 8.56 |
| 7/25/2007 9:30 | 2.213 | 8.56 |
| 7/25/2007 9:35 | 2.212 | 8.56 |
| 7/25/2007 9:40 | 2.212 | 8.56 |
| 7/25/2007 9:45 | 2.213 | 8.56 |
| 7/25/2007 9:50 | 2.213 | 8.56 |
| 7/25/2007 9:55 | 2.212 | 8.56 |
| 7/25/2007 10:00 | 2.212 | 8.56 |
| 7/25/2007 10:05 | 2.212 | 8.56 |
| 7/25/2007 10:10 | 2.212 | 8.56 |
| 7/25/2007 10:15 | 2.211 | 8.56 |
| 7/25/2007 10:20 | 2.225 | 8.56 |
| 7/25/2007 10:25 | 2.226 | 8.56 |
| 7/25/2007 10:30 | 2.226 | 8.56 |
| 7/25/2007 10:35 | 2.225 | 8.56 |
| 7/25/2007 10:40 | 2.225 | 8.56 |
| 7/25/2007 10:45 | 2.224 | 8.56 |
| 7/25/2007 10:50 | 2.224 | 8.56 |
| 7/25/2007 10:55 | 2.224 | 8.56 |
| 7/25/2007 11:00 | 2.223 | 8.56 |
| 7/25/2007 11:05 | 2.224 | 8.56 |
| 7/25/2007 11:10 | 2.223 | 8.56 |
| 7/25/2007 11:15 | 2.222 | 8.56 |
| 7/25/2007 11:20 | 2.222 | 8.56 |
| 7/25/2007 11:25 | 2.221 | 8.56 |
| 7/25/2007 11:30 | 2.222 | 8.56 |
| 7/25/2007 11:35 | 2.221 | 8.56 |
| 7/25/2007 11:40 | 2.22 | 8.56 |
| 7/25/2007 11:45 | 2.219 | 8.56 |
| 7/25/2007 11:50 | 2.22 | 8.56 |
| 7/25/2007 11:55 | 2.219 | 8.56 |
| 7/25/2007 12:00 | 2.219 | 8.56 |
| 7/25/2007 12:05 | 2.218 | 8.56 |
| 7/25/2007 12:10 | 2.218 | 8.56 |
| 7/25/2007 12:15 | 2.218 | 8.56 |
| 7/25/2007 12:20 | 2.218 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 12:25 | 2.218 | 8.56 |
| 7/25/2007 12:30 | 2.218 | 8.56 |
| 7/25/2007 12:35 | 2.218 | 8.56 |
| 7/25/2007 12:40 | 2.218 | 8.56 |
| 7/25/2007 12:45 | 2.218 | 8.56 |
| 7/25/2007 12:50 | 2.218 | 8.56 |
| 7/25/2007 12:55 | 2.217 | 8.56 |
| 7/25/2007 13:00 | 2.216 | 8.56 |
| 7/25/2007 13:05 | 2.216 | 8.56 |
| 7/25/2007 13:10 | 2.215 | 8.56 |
| 7/25/2007 13:15 | 2.216 | 8.56 |
| 7/25/2007 13:20 | 2.215 | 8.56 |
| 7/25/2007 13:25 | 2.215 | 8.56 |
| 7/25/2007 13:30 | 2.215 | 8.56 |
| 7/25/2007 13:35 | 2.215 | 8.56 |
| 7/25/2007 13:40 | 2.214 | 8.56 |
| 7/25/2007 13:45 | 2.214 | 8.56 |
| 7/25/2007 13:50 | 2.214 | 8.56 |
| 7/25/2007 13:55 | 2.213 | 8.56 |
| 7/25/2007 14:00 | 2.213 | 8.56 |
| 7/25/2007 14:05 | 2.213 | 8.56 |
| 7/25/2007 14:10 | 2.213 | 8.56 |
| 7/25/2007 14:15 | 2.212 | 8.56 |
| 7/25/2007 14:20 | 2.213 | 8.56 |
| 7/25/2007 14:25 | 2.212 | 8.56 |
| 7/25/2007 14:30 | 2.212 | 8.56 |
| 7/25/2007 14:35 | 2.212 | 8.56 |
| 7/25/2007 14:40 | 2.212 | 8.56 |
| 7/25/2007 14:45 | 2.212 | 8.56 |
| 7/25/2007 14:50 | 2.211 | 8.56 |
| 7/25/2007 14:55 | 2.212 | 8.56 |
| 7/25/2007 15:00 | 2.212 | 8.56 |
| 7/25/2007 15:05 | 2.212 | 8.56 |
| 7/25/2007 15:10 | 2.211 | 8.56 |
| 7/25/2007 15:15 | 2.212 | 8.56 |
| 7/25/2007 15:20 | 2.211 | 8.56 |
| 7/25/2007 15:25 | 2.21 | 8.56 |
| 7/25/2007 15:30 | 2.21 | 8.56 |
| 7/25/2007 15:35 | 2.21 | 8.56 |
| 7/25/2007 15:40 | 2.211 | 8.56 |
| 7/25/2007 15:45 | 2.209 | 8.56 |
| 7/25/2007 15:50 | 2.209 | 8.56 |
| 7/25/2007 15:55 | 2.209 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 16:00 | 2.208 | 8.56 |
| 7/25/2007 16:05 | 2.207 | 8.56 |
| 7/25/2007 16:10 | 2.208 | 8.56 |
| 7/25/2007 16:15 | 2.209 | 8.56 |
| 7/25/2007 16:20 | 2.209 | 8.56 |
| 7/25/2007 16:25 | 2.209 | 8.56 |
| 7/25/2007 16:30 | 2.208 | 8.56 |
| 7/25/2007 16:35 | 2.208 | 8.56 |
| 7/25/2007 16:40 | 2.207 | 8.56 |
| 7/25/2007 16:45 | 2.208 | 8.56 |
| 7/25/2007 16:50 | 2.208 | 8.56 |
| 7/25/2007 16:55 | 2.208 | 8.56 |
| 7/25/2007 17:00 | 2.208 | 8.56 |
| 7/25/2007 17:05 | 2.208 | 8.56 |
| 7/25/2007 17:10 | 2.208 | 8.56 |
| 7/25/2007 17:15 | 2.208 | 8.56 |
| 7/25/2007 17:20 | 2.209 | 8.56 |
| 7/25/2007 17:25 | 2.211 | 8.56 |
| 7/25/2007 17:30 | 2.211 | 8.56 |
| 7/25/2007 17:35 | 1.264 | 8.56 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/29/2007 16:30 | 1.42 | 11.28 |
| 6/29/2007 16:35 | 1.419 | 11.28 |
| 6/29/2007 16:40 | 1.419 | 11.28 |
| 6/29/2007 16:45 | 1.419 | 11.28 |
| 6/29/2007 16:50 | 1.419 | 11.28 |
| 6/29/2007 16:55 | 1.419 | 11.28 |
| 6/29/2007 17:00 | 1.418 | 11.28 |
| 6/29/2007 17:05 | 1.418 | 11.28 |
| 6/29/2007 17:10 | 1.419 | 11.28 |
| 6/29/2007 17:15 | 1.419 | 11.28 |
| 6/29/2007 17:20 | 1.419 | 11.28 |
| 6/29/2007 17:25 | 1.418 | 11.28 |
| 6/29/2007 17:30 | 1.419 | 11.28 |
| 6/29/2007 17:35 | 1.419 | 11.28 |
| 6/29/2007 17:40 | 1.419 | 11.28 |
| 6/29/2007 17:45 | 1.419 | 11.28 |
| 6/29/2007 17:50 | 1.418 | 11.28 |
| 6/29/2007 17:55 | 1.419 | 11.28 |
| 6/29/2007 18:00 | 1.419 | 11.28 |
| 6/29/2007 18:05 | 1.419 | 11.28 |
| 6/29/2007 18:10 | 1.419 | 11.28 |
| 6/29/2007 18:15 | 1.419 | 11.28 |
| 6/29/2007 18:20 | 1.419 | 11.28 |
| 6/29/2007 18:25 | 1.419 | 11.28 |
| 6/29/2007 18:30 | 1.419 | 11.28 |
| 6/29/2007 18:35 | 1.419 | 11.28 |
| 6/29/2007 18:40 | 1.419 | 11.28 |
| 6/29/2007 18:45 | 1.419 | 11.28 |
| 6/29/2007 18:50 | 1.419 | 11.28 |
| 6/29/2007 18:55 | 1.419 | 11.28 |
| 6/29/2007 19:00 | 1.419 | 11.28 |
| 6/29/2007 19:05 | 1.419 | 11.28 |
| 6/29/2007 19:10 | 1.419 | 11.28 |
| 6/29/2007 19:15 | 1.419 | 11.28 |
| 6/29/2007 19:20 | 1.419 | 11.28 |
| 6/29/2007 19:25 | 1.418 | 11.28 |
| 6/29/2007 19:30 | 1.418 | 11.28 |
| 6/29/2007 19:35 | 1.418 | 11.28 |
| 6/29/2007 19:40 | 1.419 | 11.28 |
| 6/29/2007 19:45 | 1.419 | 11.28 |
| 6/29/2007 19:50 | 1.419 | 11.28 |
| 6/29/2007 19:55 | 1.418 | 11.28 |
| 6/29/2007 20:00 | 1.418 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/29/2007 20:05 | 1.418 | 11.28 |
| 6/29/2007 20:10 | 1.417 | 11.28 |
| 6/29/2007 20:15 | 1.417 | 11.28 |
| 6/29/2007 20:20 | 1.417 | 11.28 |
| 6/29/2007 20:25 | 1.418 | 11.28 |
| 6/29/2007 20:30 | 1.418 | 11.28 |
| 6/29/2007 20:35 | 1.418 | 11.28 |
| 6/29/2007 20:40 | 1.418 | 11.28 |
| 6/29/2007 20:45 | 1.417 | 11.28 |
| 6/29/2007 20:50 | 1.417 | 11.28 |
| 6/29/2007 20:55 | 1.418 | 11.28 |
| 6/29/2007 21:00 | 1.417 | 11.28 |
| 6/29/2007 21:05 | 1.416 | 11.28 |
| 6/29/2007 21:10 | 1.417 | 11.28 |
| 6/29/2007 21:15 | 1.416 | 11.28 |
| 6/29/2007 21:20 | 1.417 | 11.28 |
| 6/29/2007 21:25 | 1.417 | 11.28 |
| 6/29/2007 21:30 | 1.417 | 11.28 |
| 6/29/2007 21:35 | 1.417 | 11.28 |
| 6/29/2007 21:40 | 1.417 | 11.28 |
| 6/29/2007 21:45 | 1.417 | 11.28 |
| 6/29/2007 21:50 | 1.417 | 11.28 |
| 6/29/2007 21:55 | 1.417 | 11.28 |
| 6/29/2007 22:00 | 1.417 | 11.28 |
| 6/29/2007 22:05 | 1.417 | 11.28 |
| 6/29/2007 22:10 | 1.417 | 11.28 |
| 6/29/2007 22:15 | 1.417 | 11.28 |
| 6/29/2007 22:20 | 1.417 | 11.28 |
| 6/29/2007 22:25 | 1.417 | 11.28 |
| 6/29/2007 22:30 | 1.417 | 11.28 |
| 6/29/2007 22:35 | 1.417 | 11.28 |
| 6/29/2007 22:40 | 1.417 | 11.28 |
| 6/29/2007 22:45 | 1.416 | 11.28 |
| 6/29/2007 22:50 | 1.416 | 11.28 |
| 6/29/2007 22:55 | 1.415 | 11.28 |
| 6/29/2007 23:00 | 1.415 | 11.28 |
| 6/29/2007 23:05 | 1.415 | 11.28 |
| 6/29/2007 23:10 | 1.415 | 11.28 |
| 6/29/2007 23:15 | 1.415 | 11.28 |
| 6/29/2007 23:20 | 1.415 | 11.28 |
| 6/29/2007 23:25 | 1.415 | 11.28 |
| 6/29/2007 23:30 | 1.415 | 11.28 |
| 6/29/2007 23:35 | 1.414 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/29/2007 23:40 | 1.414 | 11.28 |
| 6/29/2007 23:45 | 1.414 | 11.28 |
| 6/29/2007 23:50 | 1.414 | 11.28 |
| 6/29/2007 23:55 | 1.414 | 11.28 |
| 6/30/2007 0:00 | 1.414 | 11.28 |
| 6/30/2007 0:05 | 1.414 | 11.28 |
| 6/30/2007 0:10 | 1.415 | 11.28 |
| 6/30/2007 0:15 | 1.414 | 11.28 |
| 6/30/2007 0:20 | 1.414 | 11.28 |
| 6/30/2007 0:25 | 1.414 | 11.28 |
| 6/30/2007 0:30 | 1.413 | 11.28 |
| 6/30/2007 0:35 | 1.414 | 11.28 |
| 6/30/2007 0:40 | 1.413 | 11.28 |
| 6/30/2007 0:45 | 1.413 | 11.28 |
| 6/30/2007 0:50 | 1.413 | 11.28 |
| 6/30/2007 0:55 | 1.413 | 11.28 |
| 6/30/2007 1:00 | 1.413 | 11.28 |
| 6/30/2007 1:05 | 1.413 | 11.28 |
| 6/30/2007 1:10 | 1.413 | 11.28 |
| 6/30/2007 1:15 | 1.413 | 11.28 |
| 6/30/2007 1:20 | 1.413 | 11.28 |
| 6/30/2007 1:25 | 1.413 | 11.28 |
| 6/30/2007 1:30 | 1.413 | 11.28 |
| 6/30/2007 1:35 | 1.412 | 11.28 |
| 6/30/2007 1:40 | 1.412 | 11.28 |
| 6/30/2007 1:45 | 1.412 | 11.28 |
| 6/30/2007 1:50 | 1.412 | 11.28 |
| 6/30/2007 1:55 | 1.412 | 11.28 |
| 6/30/2007 2:00 | 1.412 | 11.28 |
| 6/30/2007 2:05 | 1.412 | 11.28 |
| 6/30/2007 2:10 | 1.412 | 11.28 |
| 6/30/2007 2:15 | 1.411 | 11.28 |
| 6/30/2007 2:20 | 1.411 | 11.28 |
| 6/30/2007 2:25 | 1.411 | 11.28 |
| 6/30/2007 2:30 | 1.411 | 11.28 |
| 6/30/2007 2:35 | 1.411 | 11.28 |
| 6/30/2007 2:40 | 1.411 | 11.28 |
| 6/30/2007 2:45 | 1.411 | 11.28 |
| 6/30/2007 2:50 | 1.411 | 11.28 |
| 6/30/2007 2:55 | 1.411 | 11.28 |
| 6/30/2007 3:00 | 1.411 | 11.28 |
| 6/30/2007 3:05 | 1.411 | 11.28 |
| 6/30/2007 3:10 | 1.411 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 3:15 | 1.411 | 11.28 |
| 6/30/2007 3:20 | 1.411 | 11.28 |
| 6/30/2007 3:25 | 1.41 | 11.28 |
| 6/30/2007 3:30 | 1.41 | 11.28 |
| 6/30/2007 3:35 | 1.41 | 11.28 |
| 6/30/2007 3:40 | 1.41 | 11.28 |
| 6/30/2007 3:45 | 1.41 | 11.28 |
| 6/30/2007 3:50 | 1.41 | 11.28 |
| 6/30/2007 3:55 | 1.41 | 11.28 |
| 6/30/2007 4:00 | 1.409 | 11.28 |
| 6/30/2007 4:05 | 1.41 | 11.28 |
| 6/30/2007 4:10 | 1.409 | 11.28 |
| 6/30/2007 4:15 | 1.409 | 11.28 |
| 6/30/2007 4:20 | 1.409 | 11.28 |
| 6/30/2007 4:25 | 1.409 | 11.28 |
| 6/30/2007 4:30 | 1.409 | 11.28 |
| 6/30/2007 4:35 | 1.409 | 11.28 |
| 6/30/2007 4:40 | 1.409 | 11.28 |
| 6/30/2007 4:45 | 1.409 | 11.28 |
| 6/30/2007 4:50 | 1.409 | 11.28 |
| 6/30/2007 4:55 | 1.408 | 11.28 |
| 6/30/2007 5:00 | 1.408 | 11.28 |
| 6/30/2007 5:05 | 1.409 | 11.28 |
| 6/30/2007 5:10 | 1.408 | 11.28 |
| 6/30/2007 5:15 | 1.408 | 11.28 |
| 6/30/2007 5:20 | 1.408 | 11.28 |
| 6/30/2007 5:25 | 1.408 | 11.28 |
| 6/30/2007 5:30 | 1.408 | 11.28 |
| 6/30/2007 5:35 | 1.407 | 11.28 |
| 6/30/2007 5:40 | 1.407 | 11.28 |
| 6/30/2007 5:45 | 1.407 | 11.28 |
| 6/30/2007 5:50 | 1.407 | 11.28 |
| 6/30/2007 5:55 | 1.407 | 11.28 |
| 6/30/2007 6:00 | 1.407 | 11.28 |
| 6/30/2007 6:05 | 1.407 | 11.28 |
| 6/30/2007 6:10 | 1.407 | 11.28 |
| 6/30/2007 6:15 | 1.407 | 11.28 |
| 6/30/2007 6:20 | 1.407 | 11.28 |
| 6/30/2007 6:25 | 1.407 | 11.28 |
| 6/30/2007 6:30 | 1.407 | 11.28 |
| 6/30/2007 6:35 | 1.407 | 11.28 |
| 6/30/2007 6:40 | 1.407 | 11.28 |
| 6/30/2007 6:45 | 1.407 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 6:50 | 1.407 | 11.28 |
| 6/30/2007 6:55 | 1.407 | 11.28 |
| 6/30/2007 7:00 | 1.407 | 11.28 |
| 6/30/2007 7:05 | 1.406 | 11.28 |
| 6/30/2007 7:10 | 1.406 | 11.28 |
| 6/30/2007 7:15 | 1.406 | 11.28 |
| 6/30/2007 7:20 | 1.405 | 11.28 |
| 6/30/2007 7:25 | 1.405 | 11.28 |
| 6/30/2007 7:30 | 1.405 | 11.28 |
| 6/30/2007 7:35 | 1.404 | 11.28 |
| 6/30/2007 7:40 | 1.405 | 11.28 |
| 6/30/2007 7:45 | 1.405 | 11.28 |
| 6/30/2007 7:50 | 1.405 | 11.28 |
| 6/30/2007 7:55 | 1.405 | 11.28 |
| 6/30/2007 8:00 | 1.405 | 11.28 |
| 6/30/2007 8:05 | 1.404 | 11.28 |
| 6/30/2007 8:10 | 1.405 | 11.28 |
| 6/30/2007 8:15 | 1.403 | 11.28 |
| 6/30/2007 8:20 | 1.405 | 11.28 |
| 6/30/2007 8:25 | 1.405 | 11.28 |
| 6/30/2007 8:30 | 1.405 | 11.28 |
| 6/30/2007 8:35 | 1.406 | 11.28 |
| 6/30/2007 8:40 | 1.406 | 11.28 |
| 6/30/2007 8:45 | 1.406 | 11.28 |
| 6/30/2007 8:50 | 1.406 | 11.28 |
| 6/30/2007 8:55 | 1.406 | 11.28 |
| 6/30/2007 9:00 | 1.406 | 11.28 |
| 6/30/2007 9:05 | 1.405 | 11.28 |
| 6/30/2007 9:10 | 1.406 | 11.28 |
| 6/30/2007 9:15 | 1.405 | 11.28 |
| 6/30/2007 9:20 | 1.405 | 11.28 |
| 6/30/2007 9:25 | 1.405 | 11.28 |
| 6/30/2007 9:30 | 1.405 | 11.28 |
| 6/30/2007 9:35 | 1.405 | 11.28 |
| 6/30/2007 9:40 | 1.405 | 11.28 |
| 6/30/2007 9:45 | 1.404 | 11.28 |
| 6/30/2007 9:50 | 1.402 | 11.28 |
| 6/30/2007 9:55 | 1.402 | 11.28 |
| 6/30/2007 10:00 | 1.403 | 11.28 |
| 6/30/2007 10:05 | 1.403 | 11.28 |
| 6/30/2007 10:10 | 1.403 | 11.28 |
| 6/30/2007 10:15 | 1.403 | 11.28 |
| 6/30/2007 10:20 | 1.403 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 10:25 | 1.403 | 11.28 |
| 6/30/2007 10:30 | 1.402 | 11.28 |
| 6/30/2007 10:35 | 1.405 | 11.28 |
| 6/30/2007 10:40 | 1.402 | 11.28 |
| 6/30/2007 10:45 | 1.403 | 11.28 |
| 6/30/2007 10:50 | 1.402 | 11.28 |
| 6/30/2007 10:55 | 1.402 | 11.28 |
| 6/30/2007 11:00 | 1.402 | 11.28 |
| 6/30/2007 11:05 | 1.403 | 11.28 |
| 6/30/2007 11:10 | 1.401 | 11.28 |
| 6/30/2007 11:15 | 1.401 | 11.28 |
| 6/30/2007 11:20 | 1.4 | 11.28 |
| 6/30/2007 11:25 | 1.4 | 11.28 |
| 6/30/2007 11:30 | 1.401 | 11.28 |
| 6/30/2007 11:35 | 1.401 | 11.28 |
| 6/30/2007 11:40 | 1.401 | 11.28 |
| 6/30/2007 11:45 | 1.401 | 11.28 |
| 6/30/2007 11:50 | 1.401 | 11.28 |
| 6/30/2007 11:55 | 1.401 | 11.28 |
| 6/30/2007 12:00 | 1.4 | 11.28 |
| 6/30/2007 12:05 | 1.399 | 11.28 |
| 6/30/2007 12:10 | 1.399 | 11.28 |
| 6/30/2007 12:15 | 1.399 | 11.28 |
| 6/30/2007 12:20 | 1.399 | 11.28 |
| 6/30/2007 12:25 | 1.399 | 11.28 |
| 6/30/2007 12:30 | 1.397 | 11.28 |
| 6/30/2007 12:35 | 1.398 | 11.28 |
| 6/30/2007 12:40 | 1.398 | 11.28 |
| 6/30/2007 12:45 | 1.399 | 11.28 |
| 6/30/2007 12:50 | 1.399 | 11.28 |
| 6/30/2007 12:55 | 1.398 | 11.28 |
| 6/30/2007 13:00 | 1.397 | 11.28 |
| 6/30/2007 13:05 | 1.396 | 11.28 |
| 6/30/2007 13:10 | 1.396 | 11.28 |
| 6/30/2007 13:15 | 1.396 | 11.28 |
| 6/30/2007 13:20 | 1.397 | 11.28 |
| 6/30/2007 13:25 | 1.397 | 11.28 |
| 6/30/2007 13:30 | 1.397 | 11.28 |
| 6/30/2007 13:35 | 1.397 | 11.28 |
| 6/30/2007 13:40 | 1.395 | 11.28 |
| 6/30/2007 13:45 | 1.396 | 11.28 |
| 6/30/2007 13:50 | 1.395 | 11.28 |
| 6/30/2007 13:55 | 1.395 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 14:00 | 1.395 | 11.28 |
| 6/30/2007 14:05 | 1.395 | 11.28 |
| 6/30/2007 14:10 | 1.395 | 11.28 |
| 6/30/2007 14:15 | 1.396 | 11.28 |
| 6/30/2007 14:20 | 1.395 | 11.28 |
| 6/30/2007 14:25 | 1.394 | 11.28 |
| 6/30/2007 14:30 | 1.393 | 11.28 |
| 6/30/2007 14:35 | 1.394 | 11.28 |
| 6/30/2007 14:40 | 1.394 | 11.28 |
| 6/30/2007 14:45 | 1.393 | 11.28 |
| 6/30/2007 14:50 | 1.394 | 11.28 |
| 6/30/2007 14:55 | 1.394 | 11.28 |
| 6/30/2007 15:00 | 1.394 | 11.28 |
| 6/30/2007 15:05 | 1.394 | 11.28 |
| 6/30/2007 15:10 | 1.393 | 11.28 |
| 6/30/2007 15:15 | 1.392 | 11.28 |
| 6/30/2007 15:20 | 1.392 | 11.28 |
| 6/30/2007 15:25 | 1.392 | 11.28 |
| 6/30/2007 15:30 | 1.392 | 11.28 |
| 6/30/2007 15:35 | 1.392 | 11.28 |
| 6/30/2007 15:40 | 1.391 | 11.28 |
| 6/30/2007 15:45 | 1.393 | 11.28 |
| 6/30/2007 15:50 | 1.394 | 11.28 |
| 6/30/2007 15:55 | 1.395 | 11.28 |
| 6/30/2007 16:00 | 1.395 | 11.28 |
| 6/30/2007 16:05 | 1.394 | 11.28 |
| 6/30/2007 16:10 | 1.395 | 11.28 |
| 6/30/2007 16:15 | 1.395 | 11.28 |
| 6/30/2007 16:20 | 1.394 | 11.28 |
| 6/30/2007 16:25 | 1.393 | 11.28 |
| 6/30/2007 16:30 | 1.393 | 11.28 |
| 6/30/2007 16:35 | 1.392 | 11.28 |
| 6/30/2007 16:40 | 1.392 | 11.28 |
| 6/30/2007 16:45 | 1.393 | 11.28 |
| 6/30/2007 16:50 | 1.393 | 11.28 |
| 6/30/2007 16:55 | 1.393 | 11.28 |
| 6/30/2007 17:00 | 1.392 | 11.28 |
| 6/30/2007 17:05 | 1.393 | 11.28 |
| 6/30/2007 17:10 | 1.393 | 11.28 |
| 6/30/2007 17:15 | 1.393 | 11.28 |
| 6/30/2007 17:20 | 1.392 | 11.28 |
| 6/30/2007 17:25 | 1.393 | 11.28 |
| 6/30/2007 17:30 | 1.393 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 17:35 | 1.393 | 11.28 |
| 6/30/2007 17:40 | 1.393 | 11.28 |
| 6/30/2007 17:45 | 1.393 | 11.28 |
| 6/30/2007 17:50 | 1.393 | 11.28 |
| 6/30/2007 17:55 | 1.393 | 11.28 |
| 6/30/2007 18:00 | 1.393 | 11.28 |
| 6/30/2007 18:05 | 1.393 | 11.28 |
| 6/30/2007 18:10 | 1.394 | 11.28 |
| 6/30/2007 18:15 | 1.394 | 11.28 |
| 6/30/2007 18:20 | 1.394 | 11.28 |
| 6/30/2007 18:25 | 1.393 | 11.28 |
| 6/30/2007 18:30 | 1.394 | 11.28 |
| 6/30/2007 18:35 | 1.394 | 11.28 |
| 6/30/2007 18:40 | 1.393 | 11.28 |
| 6/30/2007 18:45 | 1.394 | 11.28 |
| 6/30/2007 18:50 | 1.393 | 11.28 |
| 6/30/2007 18:55 | 1.393 | 11.28 |
| 6/30/2007 19:00 | 1.393 | 11.28 |
| 6/30/2007 19:05 | 1.394 | 11.28 |
| 6/30/2007 19:10 | 1.394 | 11.28 |
| 6/30/2007 19:15 | 1.394 | 11.28 |
| 6/30/2007 19:20 | 1.394 | 11.28 |
| 6/30/2007 19:25 | 1.394 | 11.28 |
| 6/30/2007 19:30 | 1.394 | 11.28 |
| 6/30/2007 19:35 | 1.394 | 11.28 |
| 6/30/2007 19:40 | 1.395 | 11.28 |
| 6/30/2007 19:45 | 1.395 | 11.28 |
| 6/30/2007 19:50 | 1.395 | 11.28 |
| 6/30/2007 19:55 | 1.394 | 11.28 |
| 6/30/2007 20:00 | 1.394 | 11.28 |
| 6/30/2007 20:05 | 1.394 | 11.28 |
| 6/30/2007 20:10 | 1.394 | 11.28 |
| 6/30/2007 20:15 | 1.394 | 11.28 |
| 6/30/2007 20:20 | 1.394 | 11.28 |
| 6/30/2007 20:25 | 1.394 | 11.28 |
| 6/30/2007 20:30 | 1.393 | 11.28 |
| 6/30/2007 20:35 | 1.393 | 11.28 |
| 6/30/2007 20:40 | 1.393 | 11.28 |
| 6/30/2007 20:45 | 1.393 | 11.28 |
| 6/30/2007 20:50 | 1.393 | 11.28 |
| 6/30/2007 20:55 | 1.394 | 11.28 |
| 6/30/2007 21:00 | 1.393 | 11.28 |
| 6/30/2007 21:05 | 1.393 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 6/30/2007 21:10 | 1.393 | 11.28 |
| 6/30/2007 21:15 | 1.393 | 11.28 |
| 6/30/2007 21:20 | 1.393 | 11.28 |
| 6/30/2007 21:25 | 1.393 | 11.28 |
| 6/30/2007 21:30 | 1.393 | 11.28 |
| 6/30/2007 21:35 | 1.393 | 11.28 |
| 6/30/2007 21:40 | 1.393 | 11.28 |
| 6/30/2007 21:45 | 1.393 | 11.28 |
| 6/30/2007 21:50 | 1.394 | 11.28 |
| 6/30/2007 21:55 | 1.393 | 11.28 |
| 6/30/2007 22:00 | 1.393 | 11.28 |
| 6/30/2007 22:05 | 1.393 | 11.28 |
| 6/30/2007 22:10 | 1.393 | 11.28 |
| 6/30/2007 22:15 | 1.393 | 11.28 |
| 6/30/2007 22:20 | 1.393 | 11.28 |
| 6/30/2007 22:25 | 1.393 | 11.28 |
| 6/30/2007 22:30 | 1.393 | 11.28 |
| 6/30/2007 22:35 | 1.393 | 11.28 |
| 6/30/2007 22:40 | 1.393 | 11.28 |
| 6/30/2007 22:45 | 1.393 | 11.28 |
| 6/30/2007 22:50 | 1.394 | 11.28 |
| 6/30/2007 22:55 | 1.393 | 11.28 |
| 6/30/2007 23:00 | 1.393 | 11.28 |
| 6/30/2007 23:05 | 1.393 | 11.28 |
| 6/30/2007 23:10 | 1.393 | 11.28 |
| 6/30/2007 23:15 | 1.393 | 11.28 |
| 6/30/2007 23:20 | 1.393 | 11.28 |
| 6/30/2007 23:25 | 1.392 | 11.28 |
| 6/30/2007 23:30 | 1.393 | 11.28 |
| 6/30/2007 23:35 | 1.393 | 11.28 |
| 6/30/2007 23:40 | 1.393 | 11.28 |
| 6/30/2007 23:45 | 1.393 | 11.28 |
| 6/30/2007 23:50 | 1.393 | 11.28 |
| 6/30/2007 23:55 | 1.393 | 11.28 |
| 7/1/2007 0:00 | 1.394 | 11.28 |
| 7/1/2007 0:05 | 1.393 | 11.28 |
| 7/1/2007 0:10 | 1.393 | 11.28 |
| 7/1/2007 0:15 | 1.393 | 11.28 |
| 7/1/2007 0:20 | 1.393 | 11.28 |
| 7/1/2007 0:25 | 1.393 | 11.28 |
| 7/1/2007 0:30 | 1.393 | 11.28 |
| 7/1/2007 0:35 | 1.393 | 11.28 |
| 7/1/2007 0:40 | 1.393 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 0:45 | 1.393 | 11.28 |
| 7/1/2007 0:50 | 1.393 | 11.28 |
| 7/1/2007 0:55 | 1.392 | 11.28 |
| 7/1/2007 1:00 | 1.392 | 11.28 |
| 7/1/2007 1:05 | 1.392 | 11.28 |
| 7/1/2007 1:10 | 1.393 | 11.28 |
| 7/1/2007 1:15 | 1.393 | 11.28 |
| 7/1/2007 1:20 | 1.393 | 11.28 |
| 7/1/2007 1:25 | 1.393 | 11.28 |
| 7/1/2007 1:30 | 1.393 | 11.28 |
| 7/1/2007 1:35 | 1.393 | 11.28 |
| 7/1/2007 1:40 | 1.393 | 11.28 |
| 7/1/2007 1:45 | 1.393 | 11.28 |
| 7/1/2007 1:50 | 1.393 | 11.28 |
| 7/1/2007 1:55 | 1.392 | 11.28 |
| 7/1/2007 2:00 | 1.392 | 11.28 |
| 7/1/2007 2:05 | 1.393 | 11.28 |
| 7/1/2007 2:10 | 1.393 | 11.28 |
| 7/1/2007 2:15 | 1.392 | 11.28 |
| 7/1/2007 2:20 | 1.392 | 11.28 |
| 7/1/2007 2:25 | 1.392 | 11.28 |
| 7/1/2007 2:30 | 1.392 | 11.28 |
| 7/1/2007 2:35 | 1.392 | 11.28 |
| 7/1/2007 2:40 | 1.392 | 11.28 |
| 7/1/2007 2:45 | 1.391 | 11.28 |
| 7/1/2007 2:50 | 1.391 | 11.28 |
| 7/1/2007 2:55 | 1.392 | 11.28 |
| 7/1/2007 3:00 | 1.391 | 11.28 |
| 7/1/2007 3:05 | 1.391 | 11.28 |
| 7/1/2007 3:10 | 1.39 | 11.28 |
| 7/1/2007 3:15 | 1.39 | 11.28 |
| 7/1/2007 3:20 | 1.39 | 11.28 |
| 7/1/2007 3:25 | 1.39 | 11.28 |
| 7/1/2007 3:30 | 1.389 | 11.28 |
| 7/1/2007 3:35 | 1.389 | 11.28 |
| 7/1/2007 3:40 | 1.389 | 11.28 |
| 7/1/2007 3:45 | 1.389 | 11.28 |
| 7/1/2007 3:50 | 1.389 | 11.28 |
| 7/1/2007 3:55 | 1.388 | 11.28 |
| 7/1/2007 4:00 | 1.388 | 11.28 |
| 7/1/2007 4:05 | 1.388 | 11.28 |
| 7/1/2007 4:10 | 1.388 | 11.28 |
| 7/1/2007 4:15 | 1.388 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 4:20 | 1.388 | 11.28 |
| 7/1/2007 4:25 | 1.388 | 11.28 |
| 7/1/2007 4:30 | 1.388 | 11.28 |
| 7/1/2007 4:35 | 1.388 | 11.28 |
| 7/1/2007 4:40 | 1.388 | 11.28 |
| 7/1/2007 4:45 | 1.388 | 11.28 |
| 7/1/2007 4:50 | 1.388 | 11.28 |
| 7/1/2007 4:55 | 1.387 | 11.28 |
| 7/1/2007 5:00 | 1.387 | 11.28 |
| 7/1/2007 5:05 | 1.387 | 11.28 |
| 7/1/2007 5:10 | 1.387 | 11.28 |
| 7/1/2007 5:15 | 1.388 | 11.28 |
| 7/1/2007 5:20 | 1.388 | 11.28 |
| 7/1/2007 5:25 | 1.387 | 11.28 |
| 7/1/2007 5:30 | 1.387 | 11.28 |
| 7/1/2007 5:35 | 1.387 | 11.28 |
| 7/1/2007 5:40 | 1.387 | 11.28 |
| 7/1/2007 5:45 | 1.387 | 11.28 |
| 7/1/2007 5:50 | 1.387 | 11.28 |
| 7/1/2007 5:55 | 1.387 | 11.28 |
| 7/1/2007 6:00 | 1.387 | 11.28 |
| 7/1/2007 6:05 | 1.386 | 11.28 |
| 7/1/2007 6:10 | 1.386 | 11.28 |
| 7/1/2007 6:15 | 1.387 | 11.28 |
| 7/1/2007 6:20 | 1.387 | 11.28 |
| 7/1/2007 6:25 | 1.386 | 11.28 |
| 7/1/2007 6:30 | 1.386 | 11.28 |
| 7/1/2007 6:35 | 1.386 | 11.28 |
| 7/1/2007 6:40 | 1.386 | 11.28 |
| 7/1/2007 6:45 | 1.386 | 11.28 |
| 7/1/2007 6:50 | 1.386 | 11.28 |
| 7/1/2007 6:55 | 1.386 | 11.28 |
| 7/1/2007 7:00 | 1.386 | 11.28 |
| 7/1/2007 7:05 | 1.386 | 11.28 |
| 7/1/2007 7:10 | 1.386 | 11.28 |
| 7/1/2007 7:15 | 1.386 | 11.28 |
| 7/1/2007 7:20 | 1.385 | 11.28 |
| 7/1/2007 7:25 | 1.385 | 11.28 |
| 7/1/2007 7:30 | 1.384 | 11.28 |
| 7/1/2007 7:35 | 1.384 | 11.28 |
| 7/1/2007 7:40 | 1.385 | 11.28 |
| 7/1/2007 7:45 | 1.386 | 11.28 |
| 7/1/2007 7:50 | 1.385 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 7:55 | 1.386 | 11.28 |
| 7/1/2007 8:00 | 1.386 | 11.28 |
| 7/1/2007 8:05 | 1.386 | 11.28 |
| 7/1/2007 8:10 | 1.385 | 11.28 |
| 7/1/2007 8:15 | 1.386 | 11.28 |
| 7/1/2007 8:20 | 1.387 | 11.28 |
| 7/1/2007 8:25 | 1.387 | 11.28 |
| 7/1/2007 8:30 | 1.387 | 11.28 |
| 7/1/2007 8:35 | 1.386 | 11.28 |
| 7/1/2007 8:40 | 1.386 | 11.28 |
| 7/1/2007 8:45 | 1.386 | 11.28 |
| 7/1/2007 8:50 | 1.386 | 11.28 |
| 7/1/2007 8:55 | 1.387 | 11.28 |
| 7/1/2007 9:00 | 1.385 | 11.28 |
| 7/1/2007 9:05 | 1.386 | 11.28 |
| 7/1/2007 9:10 | 1.386 | 11.28 |
| 7/1/2007 9:15 | 1.385 | 11.28 |
| 7/1/2007 9:20 | 1.386 | 11.28 |
| 7/1/2007 9:25 | 1.385 | 11.28 |
| 7/1/2007 9:30 | 1.385 | 11.28 |
| 7/1/2007 9:35 | 1.386 | 11.28 |
| 7/1/2007 9:40 | 1.386 | 11.28 |
| 7/1/2007 9:45 | 1.386 | 11.28 |
| 7/1/2007 9:50 | 1.385 | 11.28 |
| 7/1/2007 9:55 | 1.384 | 11.28 |
| 7/1/2007 10:00 | 1.384 | 11.28 |
| 7/1/2007 10:05 | 1.384 | 11.28 |
| 7/1/2007 10:10 | 1.385 | 11.28 |
| 7/1/2007 10:15 | 1.384 | 11.28 |
| 7/1/2007 10:20 | 1.385 | 11.28 |
| 7/1/2007 10:25 | 1.385 | 11.28 |
| 7/1/2007 10:30 | 1.385 | 11.28 |
| 7/1/2007 10:35 | 1.384 | 11.28 |
| 7/1/2007 10:40 | 1.383 | 11.28 |
| 7/1/2007 10:45 | 1.382 | 11.28 |
| 7/1/2007 10:50 | 1.382 | 11.28 |
| 7/1/2007 10:55 | 1.383 | 11.28 |
| 7/1/2007 11:00 | 1.383 | 11.28 |
| 7/1/2007 11:05 | 1.383 | 11.28 |
| 7/1/2007 11:10 | 1.383 | 11.28 |
| 7/1/2007 11:15 | 1.383 | 11.28 |
| 7/1/2007 11:20 | 1.383 | 11.28 |
| 7/1/2007 11:25 | 1.384 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 11:30 | 1.384 | 11.28 |
| 7/1/2007 11:35 | 1.382 | 11.28 |
| 7/1/2007 11:40 | 1.383 | 11.28 |
| 7/1/2007 11:45 | 1.383 | 11.28 |
| 7/1/2007 11:50 | 1.384 | 11.28 |
| 7/1/2007 11:55 | 1.385 | 11.28 |
| 7/1/2007 12:00 | 1.384 | 11.28 |
| 7/1/2007 12:05 | 1.384 | 11.28 |
| 7/1/2007 12:10 | 1.383 | 11.28 |
| 7/1/2007 12:15 | 1.382 | 11.28 |
| 7/1/2007 12:20 | 1.381 | 11.28 |
| 7/1/2007 12:25 | 1.381 | 11.28 |
| 7/1/2007 12:30 | 1.382 | 11.28 |
| 7/1/2007 12:35 | 1.381 | 11.28 |
| 7/1/2007 12:40 | 1.383 | 11.28 |
| 7/1/2007 12:45 | 1.383 | 11.28 |
| 7/1/2007 12:50 | 1.381 | 11.28 |
| 7/1/2007 12:55 | 1.382 | 11.28 |
| 7/1/2007 13:00 | 1.382 | 11.28 |
| 7/1/2007 13:05 | 1.38 | 11.28 |
| 7/1/2007 13:10 | 1.381 | 11.28 |
| 7/1/2007 13:15 | 1.38 | 11.28 |
| 7/1/2007 13:20 | 1.38 | 11.28 |
| 7/1/2007 13:25 | 1.379 | 11.28 |
| 7/1/2007 13:30 | 1.379 | 11.28 |
| 7/1/2007 13:35 | 1.378 | 11.28 |
| 7/1/2007 13:40 | 1.378 | 11.28 |
| 7/1/2007 13:45 | 1.378 | 11.28 |
| 7/1/2007 13:50 | 1.378 | 11.28 |
| 7/1/2007 13:55 | 1.378 | 11.28 |
| 7/1/2007 14:00 | 1.378 | 11.28 |
| 7/1/2007 14:05 | 1.378 | 11.28 |
| 7/1/2007 14:10 | 1.377 | 11.28 |
| 7/1/2007 14:15 | 1.377 | 11.28 |
| 7/1/2007 14:20 | 1.377 | 11.28 |
| 7/1/2007 14:25 | 1.378 | 11.28 |
| 7/1/2007 14:30 | 1.377 | 11.28 |
| 7/1/2007 14:35 | 1.377 | 11.28 |
| 7/1/2007 14:40 | 1.376 | 11.28 |
| 7/1/2007 14:45 | 1.378 | 11.28 |
| 7/1/2007 14:50 | 1.377 | 11.28 |
| 7/1/2007 14:55 | 1.377 | 11.28 |
| 7/1/2007 15:00 | 1.377 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 15:05 | 1.375 | 11.28 |
| 7/1/2007 15:10 | 1.375 | 11.28 |
| 7/1/2007 15:15 | 1.375 | 11.28 |
| 7/1/2007 15:20 | 1.374 | 11.28 |
| 7/1/2007 15:25 | 1.375 | 11.28 |
| 7/1/2007 15:30 | 1.375 | 11.28 |
| 7/1/2007 15:35 | 1.374 | 11.28 |
| 7/1/2007 15:40 | 1.375 | 11.28 |
| 7/1/2007 15:45 | 1.376 | 11.28 |
| 7/1/2007 15:50 | 1.376 | 11.28 |
| 7/1/2007 15:55 | 1.376 | 11.28 |
| 7/1/2007 16:00 | 1.375 | 11.28 |
| 7/1/2007 16:05 | 1.374 | 11.28 |
| 7/1/2007 16:10 | 1.375 | 11.28 |
| 7/1/2007 16:15 | 1.375 | 11.28 |
| 7/1/2007 16:20 | 1.374 | 11.28 |
| 7/1/2007 16:25 | 1.374 | 11.28 |
| 7/1/2007 16:30 | 1.374 | 11.28 |
| 7/1/2007 16:35 | 1.376 | 11.28 |
| 7/1/2007 16:40 | 1.374 | 11.28 |
| 7/1/2007 16:45 | 1.375 | 11.28 |
| 7/1/2007 16:50 | 1.374 | 11.28 |
| 7/1/2007 16:55 | 1.374 | 11.28 |
| 7/1/2007 17:00 | 1.374 | 11.28 |
| 7/1/2007 17:05 | 1.374 | 11.28 |
| 7/1/2007 17:10 | 1.374 | 11.28 |
| 7/1/2007 17:15 | 1.374 | 11.28 |
| 7/1/2007 17:20 | 1.374 | 11.28 |
| 7/1/2007 17:25 | 1.374 | 11.28 |
| 7/1/2007 17:30 | 1.374 | 11.28 |
| 7/1/2007 17:35 | 1.374 | 11.28 |
| 7/1/2007 17:40 | 1.374 | 11.28 |
| 7/1/2007 17:45 | 1.374 | 11.28 |
| 7/1/2007 17:50 | 1.374 | 11.28 |
| 7/1/2007 17:55 | 1.374 | 11.28 |
| 7/1/2007 18:00 | 1.374 | 11.28 |
| 7/1/2007 18:05 | 1.374 | 11.28 |
| 7/1/2007 18:10 | 1.374 | 11.28 |
| 7/1/2007 18:15 | 1.374 | 11.28 |
| 7/1/2007 18:20 | 1.374 | 11.28 |
| 7/1/2007 18:25 | 1.374 | 11.28 |
| 7/1/2007 18:30 | 1.374 | 11.28 |
| 7/1/2007 18:35 | 1.374 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 18:40 | 1.374 | 11.28 |
| 7/1/2007 18:45 | 1.374 | 11.28 |
| 7/1/2007 18:50 | 1.374 | 11.28 |
| 7/1/2007 18:55 | 1.37 | 11.28 |
| 7/1/2007 19:00 | 1.374 | 11.28 |
| 7/1/2007 19:05 | 1.374 | 11.28 |
| 7/1/2007 19:10 | 1.374 | 11.28 |
| 7/1/2007 19:15 | 1.374 | 11.28 |
| 7/1/2007 19:20 | 1.374 | 11.28 |
| 7/1/2007 19:25 | 1.374 | 11.28 |
| 7/1/2007 19:30 | 1.374 | 11.28 |
| 7/1/2007 19:35 | 1.374 | 11.28 |
| 7/1/2007 19:40 | 1.374 | 11.28 |
| 7/1/2007 19:45 | 1.374 | 11.28 |
| 7/1/2007 19:50 | 1.374 | 11.28 |
| 7/1/2007 19:55 | 1.374 | 11.28 |
| 7/1/2007 20:00 | 1.373 | 11.28 |
| 7/1/2007 20:05 | 1.373 | 11.28 |
| 7/1/2007 20:10 | 1.373 | 11.28 |
| 7/1/2007 20:15 | 1.373 | 11.28 |
| 7/1/2007 20:20 | 1.373 | 11.28 |
| 7/1/2007 20:25 | 1.374 | 11.28 |
| 7/1/2007 20:30 | 1.374 | 11.28 |
| 7/1/2007 20:35 | 1.374 | 11.28 |
| 7/1/2007 20:40 | 1.374 | 11.28 |
| 7/1/2007 20:45 | 1.374 | 11.28 |
| 7/1/2007 20:50 | 1.374 | 11.28 |
| 7/1/2007 20:55 | 1.373 | 11.28 |
| 7/1/2007 21:00 | 1.373 | 11.28 |
| 7/1/2007 21:05 | 1.374 | 11.28 |
| 7/1/2007 21:10 | 1.374 | 11.28 |
| 7/1/2007 21:15 | 1.374 | 11.28 |
| 7/1/2007 21:20 | 1.374 | 11.28 |
| 7/1/2007 21:25 | 1.375 | 11.28 |
| 7/1/2007 21:30 | 1.373 | 11.28 |
| 7/1/2007 21:35 | 1.373 | 11.28 |
| 7/1/2007 21:40 | 1.373 | 11.28 |
| 7/1/2007 21:45 | 1.373 | 11.28 |
| 7/1/2007 21:50 | 1.373 | 11.28 |
| 7/1/2007 21:55 | 1.373 | 11.28 |
| 7/1/2007 22:00 | 1.373 | 11.28 |
| 7/1/2007 22:05 | 1.373 | 11.28 |
| 7/1/2007 22:10 | 1.373 | 11.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/1/2007 22:15 | 1.372 | 11.28 |
| 7/1/2007 22:20 | 1.372 | 11.28 |
| 7/1/2007 22:25 | 1.372 | 11.28 |
| 7/1/2007 22:30 | 1.372 | 11.28 |
| 7/1/2007 22:35 | 1.373 | 11.28 |
| 7/1/2007 22:40 | 1.372 | 11.28 |
| 7/1/2007 22:45 | 1.372 | 11.28 |
| 7/1/2007 22:50 | 1.373 | 11.28 |
| 7/1/2007 22:55 | 1.372 | 11.28 |
| 7/1/2007 23:00 | 1.372 | 11.28 |
| 7/1/2007 23:05 | 1.372 | 11.28 |
| 7/1/2007 23:10 | 1.372 | 11.28 |
| 7/1/2007 23:15 | 1.372 | 11.28 |
| 7/1/2007 23:20 | 1.371 | 11.28 |
| 7/1/2007 23:25 | 1.371 | 11.28 |
| 7/1/2007 23:30 | 1.371 | 11.28 |
| 7/1/2007 23:35 | 1.371 | 11.28 |
| 7/1/2007 23:40 | 1.371 | 11.28 |
| 7/1/2007 23:45 | 1.371 | 11.28 |
| 7/1/2007 23:50 | 1.371 | 11.28 |
| 7/1/2007 23:55 | 1.371 | 11.28 |
| 7/2/2007 0:00 | 1.371 | 11.28 |
| 7/2/2007 0:05 | 1.371 | 11.28 |
| 7/2/2007 0:10 | 1.371 | 11.28 |
| 7/2/2007 0:15 | 1.371 | 11.28 |
| 7/2/2007 0:20 | 1.37 | 11.28 |
| 7/2/2007 0:25 | 1.37 | 11.28 |
| 7/2/2007 0:30 | 1.37 | 11.28 |
| 7/2/2007 0:35 | 1.37 | 11.28 |
| 7/2/2007 0:40 | 1.37 | 11.28 |
| 7/2/2007 0:45 | 1.37 | 11.28 |
| 7/2/2007 0:50 | 1.37 | 11.28 |
| 7/2/2007 0:55 | 1.371 | 11.28 |
| 7/2/2007 1:00 | 1.37 | 11.28 |
| 7/2/2007 1:05 | 1.37 | 11.28 |
| 7/2/2007 1:10 | 1.37 | 11.28 |
| 7/2/2007 1:15 | 1.37 | 11.28 |
| 7/2/2007 1:20 | 1.37 | -15.07 |
| 7/2/2007 1:25 | 1.372 | -14.34 |
| 7/2/2007 1:30 | 1.372 | -14.85 |
| 7/2/2007 1:35 | 1.372 | -14.67 |
| 7/2/2007 1:40 | 1.371 | -15.21 |
| 7/2/2007 1:45 | 1.371 | -15.15 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 1:50 | 1.371 | -13.38 |
| 7/2/2007 1:55 | 1.371 | -14.31 |
| 7/2/2007 2:00 | 1.371 | -15.23 |
| 7/2/2007 2:05 | 1.371 | -13.89 |
| 7/2/2007 2:10 | 1.371 | -15.67 |
| 7/2/2007 2:15 | 1.371 | -15.68 |
| 7/2/2007 2:20 | 1.371 | -15.14 |
| 7/2/2007 2:25 | 1.37 | -15.05 |
| 7/2/2007 2:30 | 1.37 | -15.26 |
| 7/2/2007 2:35 | 1.37 | -14.2 |
| 7/2/2007 2:40 | 1.369 | -14.34 |
| 7/2/2007 2:45 | 1.369 | -14.74 |
| 7/2/2007 2:50 | 1.369 | -14.74 |
| 7/2/2007 2:55 | 1.369 | -14.74 |
| 7/2/2007 3:00 | 1.37 | -14.74 |
| 7/2/2007 3:05 | 1.369 | 10.76 |
| 7/2/2007 3:10 | 1.369 | 11.37 |
| 7/2/2007 3:15 | 1.37 | 11.37 |
| 7/2/2007 3:20 | 1.369 | 11.37 |
| 7/2/2007 3:25 | 1.37 | -15.6 |
| 7/2/2007 3:30 | 1.37 | -14.88 |
| 7/2/2007 3:35 | 1.369 | -14.87 |
| 7/2/2007 3:40 | 1.369 | -14.31 |
| 7/2/2007 3:45 | 1.369 | -14.81 |
| 7/2/2007 3:50 | 1.369 | -14.59 |
| 7/2/2007 3:55 | 1.369 | -14.03 |
| 7/2/2007 4:00 | 1.369 | -15.47 |
| 7/2/2007 4:05 | 1.368 | -15.52 |
| 7/2/2007 4:10 | 1.368 | -15.46 |
| 7/2/2007 4:15 | 1.368 | -14.97 |
| 7/2/2007 4:20 | 1.368 | -13.43 |
| 7/2/2007 4:25 | 1.368 | -14.9 |
| 7/2/2007 4:30 | 1.368 | -15.08 |
| 7/2/2007 4:35 | 1.368 | -15.52 |
| 7/2/2007 4:40 | 1.368 | -15.16 |
| 7/2/2007 4:45 | 1.368 | -15.49 |
| 7/2/2007 4:50 | 1.368 | -14.31 |
| 7/2/2007 4:55 | 1.368 | -13.77 |
| 7/2/2007 5:00 | 1.368 | -14.73 |
| 7/2/2007 5:05 | 1.368 | -13.91 |
| 7/2/2007 5:10 | 1.368 | -13.91 |
| 7/2/2007 5:15 | 1.368 | -14.81 |
| 7/2/2007 5:20 | 1.367 | -13.43 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 5:25 | 1.368 | -15.29 |
| 7/2/2007 5:30 | 1.367 | -15.29 |
| 7/2/2007 5:35 | 1.367 | 8.02 |
| 7/2/2007 5:40 | 1.367 | 9.59 |
| 7/2/2007 5:45 | 1.367 | 10.74 |
| 7/2/2007 5:50 | 1.367 | 10.55 |
| 7/2/2007 5:55 | 1.367 | 10.65 |
| 7/2/2007 6:00 | 1.367 | 10.65 |
| 7/2/2007 6:05 | 1.367 | 10.84 |
| 7/2/2007 6:10 | 1.367 | 9.77 |
| 7/2/2007 6:15 | 1.367 | 9.77 |
| 7/2/2007 6:20 | 1.366 | 9.77 |
| 7/2/2007 6:25 | 1.366 | 9.77 |
| 7/2/2007 6:30 | 1.366 | 9.77 |
| 7/2/2007 6:35 | 1.366 | 9.77 |
| 7/2/2007 6:40 | 1.366 | 9.77 |
| 7/2/2007 6:45 | 1.365 | 9.77 |
| 7/2/2007 6:50 | 1.365 | 9.26 |
| 7/2/2007 6:55 | 1.365 | 10.63 |
| 7/2/2007 7:00 | 1.365 | 10.01 |
| 7/2/2007 7:05 | 1.365 | 10.01 |
| 7/2/2007 7:10 | 1.365 | 8.86 |
| 7/2/2007 7:15 | 1.364 | 8.86 |
| 7/2/2007 7:20 | 1.363 | 8.86 |
| 7/2/2007 7:25 | 1.363 | 8.86 |
| 7/2/2007 7:30 | 1.364 | 8.86 |
| 7/2/2007 7:35 | 1.364 | 8.86 |
| 7/2/2007 7:40 | 1.363 | 8.23 |
| 7/2/2007 7:45 | 1.363 | 9.7 |
| 7/2/2007 7:50 | 1.363 | 9.7 |
| 7/2/2007 7:55 | 1.362 | 9.7 |
| 7/2/2007 8:00 | 1.362 | 9.7 |
| 7/2/2007 8:05 | 1.363 | 9.7 |
| 7/2/2007 8:10 | 1.362 | 9.7 |
| 7/2/2007 8:15 | 1.363 | 9.7 |
| 7/2/2007 8:20 | 1.363 | 9.7 |
| 7/2/2007 8:25 | 1.363 | 9.7 |
| 7/2/2007 8:30 | 1.363 | 9.7 |
| 7/2/2007 8:35 | 1.364 | 9.7 |
| 7/2/2007 8:40 | 1.364 | 9.7 |
| 7/2/2007 8:45 | 1.364 | 9.7 |
| 7/2/2007 8:50 | 1.364 | 9.7 |
| 7/2/2007 8:55 | 1.363 | 9.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 9:00 | 1.363 | 9.7 |
| 7/2/2007 9:05 | 1.363 | 9.7 |
| 7/2/2007 9:10 | 1.363 | 9.7 |
| 7/2/2007 9:15 | 1.363 | 9.7 |
| 7/2/2007 9:20 | 1.362 | 9.7 |
| 7/2/2007 9:25 | 1.362 | 9.7 |
| 7/2/2007 9:30 | 1.363 | 9.7 |
| 7/2/2007 9:35 | 1.362 | 9.7 |
| 7/2/2007 9:40 | 1.361 | 9.7 |
| 7/2/2007 9:45 | 1.361 | 9.7 |
| 7/2/2007 9:50 | 1.361 | 9.7 |
| 7/2/2007 9:55 | 1.361 | 9.7 |
| 7/2/2007 10:00 | 1.361 | 9.7 |
| 7/2/2007 10:05 | 1.362 | 9.7 |
| 7/2/2007 10:10 | 1.361 | 9.7 |
| 7/2/2007 10:15 | 1.36 | 9.7 |
| 7/2/2007 10:20 | 1.36 | 9.7 |
| 7/2/2007 10:25 | 1.361 | 9.7 |
| 7/2/2007 10:30 | 1.36 | 9.7 |
| 7/2/2007 10:35 | 1.361 | 9.7 |
| 7/2/2007 10:40 | 1.36 | 9.7 |
| 7/2/2007 10:45 | 1.359 | 9.7 |
| 7/2/2007 10:50 | 1.36 | 9.7 |
| 7/2/2007 10:55 | 1.359 | 9.7 |
| 7/2/2007 11:00 | 1.359 | 9.7 |
| 7/2/2007 11:05 | 1.359 | 9.7 |
| 7/2/2007 11:10 | 1.358 | 9.7 |
| 7/2/2007 11:15 | 1.359 | 9.7 |
| 7/2/2007 11:20 | 1.358 | 9.7 |
| 7/2/2007 11:25 | 1.358 | 9.7 |
| 7/2/2007 11:30 | 1.358 | 9.7 |
| 7/2/2007 11:35 | 1.358 | 9.7 |
| 7/2/2007 11:40 | 1.358 | 9.7 |
| 7/2/2007 11:45 | 1.358 | 9.7 |
| 7/2/2007 11:50 | 1.357 | 9.7 |
| 7/2/2007 11:55 | 1.357 | 9.7 |
| 7/2/2007 12:00 | 1.357 | 9.7 |
| 7/2/2007 12:05 | 1.357 | 9.7 |
| 7/2/2007 12:10 | 1.356 | 9.7 |
| 7/2/2007 12:15 | 1.355 | 9.7 |
| 7/2/2007 12:20 | 1.355 | 9.7 |
| 7/2/2007 12:25 | 1.355 | 9.7 |
| 7/2/2007 12:30 | 1.355 | 9.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 12:35 | 1.356 | 9.7 |
| 7/2/2007 12:40 | 1.356 | 9.7 |
| 7/2/2007 12:45 | 1.356 | 9.7 |
| 7/2/2007 12:50 | 1.356 | 9.7 |
| 7/2/2007 12:55 | 1.355 | 9.7 |
| 7/2/2007 13:00 | 1.355 | 9.7 |
| 7/2/2007 13:05 | 1.355 | 9.7 |
| 7/2/2007 13:10 | 1.355 | 9.7 |
| 7/2/2007 13:15 | 1.354 | 9.7 |
| 7/2/2007 13:20 | 1.354 | 9.7 |
| 7/2/2007 13:25 | 1.353 | 9.7 |
| 7/2/2007 13:30 | 1.353 | 9.7 |
| 7/2/2007 13:35 | 1.353 | 9.7 |
| 7/2/2007 13:40 | 1.353 | 9.7 |
| 7/2/2007 13:45 | 1.353 | 9.7 |
| 7/2/2007 13:50 | 1.352 | 9.7 |
| 7/2/2007 13:55 | 1.352 | 9.7 |
| 7/2/2007 14:00 | 1.352 | 9.7 |
| 7/2/2007 14:05 | 1.352 | 9.7 |
| 7/2/2007 14:10 | 1.352 | 9.7 |
| 7/2/2007 14:15 | 1.353 | 9.7 |
| 7/2/2007 14:20 | 1.352 | 9.7 |
| 7/2/2007 14:25 | 1.351 | 9.7 |
| 7/2/2007 14:30 | 1.351 | 9.7 |
| 7/2/2007 14:35 | 1.351 | 9.7 |
| 7/2/2007 14:40 | 1.35 | 9.7 |
| 7/2/2007 14:45 | 1.351 | 9.7 |
| 7/2/2007 14:50 | 1.351 | 9.7 |
| 7/2/2007 14:55 | 1.351 | 9.7 |
| 7/2/2007 15:00 | 1.351 | 9.7 |
| 7/2/2007 15:05 | 1.351 | 9.7 |
| 7/2/2007 15:10 | 1.351 | 9.7 |
| 7/2/2007 15:15 | 1.35 | 9.7 |
| 7/2/2007 15:20 | 1.35 | 9.7 |
| 7/2/2007 15:25 | 1.35 | 9.7 |
| 7/2/2007 15:30 | 1.35 | 9.7 |
| 7/2/2007 15:35 | 1.35 | 9.7 |
| 7/2/2007 15:40 | 1.349 | 9.7 |
| 7/2/2007 15:45 | 1.348 | 9.7 |
| 7/2/2007 15:50 | 1.349 | 9.7 |
| 7/2/2007 15:55 | 1.349 | 9.7 |
| 7/2/2007 16:00 | 1.349 | 9.7 |
| 7/2/2007 16:05 | 1.348 | 9.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 16:10 | 1.348 | 9.7 |
| 7/2/2007 16:15 | 1.348 | 9.7 |
| 7/2/2007 16:20 | 1.348 | 9.7 |
| 7/2/2007 16:25 | 1.348 | 9.7 |
| 7/2/2007 16:30 | 1.348 | 9.7 |
| 7/2/2007 16:35 | 1.348 | 9.7 |
| 7/2/2007 16:40 | 1.348 | 9.7 |
| 7/2/2007 16:45 | 1.347 | 9.7 |
| 7/2/2007 16:50 | 1.347 | 9.7 |
| 7/2/2007 16:55 | 1.346 | 9.7 |
| 7/2/2007 17:00 | 1.347 | 9.7 |
| 7/2/2007 17:05 | 1.346 | 9.7 |
| 7/2/2007 17:10 | 1.346 | 9.7 |
| 7/2/2007 17:15 | 1.347 | 9.7 |
| 7/2/2007 17:20 | 1.346 | 9.7 |
| 7/2/2007 17:25 | 1.346 | 9.7 |
| 7/2/2007 17:30 | 1.346 | 9.7 |
| 7/2/2007 17:35 | 1.346 | 9.7 |
| 7/2/2007 17:40 | 1.346 | 9.7 |
| 7/2/2007 17:45 | 1.346 | 9.7 |
| 7/2/2007 17:50 | 1.345 | 9.7 |
| 7/2/2007 17:55 | 1.346 | 9.7 |
| 7/2/2007 18:00 | 1.345 | 9.7 |
| 7/2/2007 18:05 | 1.345 | 9.7 |
| 7/2/2007 18:10 | 1.346 | 9.7 |
| 7/2/2007 18:15 | 1.345 | 9.7 |
| 7/2/2007 18:20 | 1.346 | 9.7 |
| 7/2/2007 18:25 | 1.345 | 9.7 |
| 7/2/2007 18:30 | 1.346 | 9.7 |
| 7/2/2007 18:35 | 1.346 | 9.7 |
| 7/2/2007 18:40 | 1.346 | 9.7 |
| 7/2/2007 18:45 | 1.345 | 9.7 |
| 7/2/2007 18:50 | 1.346 | 9.7 |
| 7/2/2007 18:55 | 1.346 | 9.7 |
| 7/2/2007 19:00 | 1.346 | 9.7 |
| 7/2/2007 19:05 | 1.346 | 9.7 |
| 7/2/2007 19:10 | 1.346 | 9.7 |
| 7/2/2007 19:15 | 1.347 | 9.7 |
| 7/2/2007 19:20 | 1.347 | 9.7 |
| 7/2/2007 19:25 | 1.347 | 9.7 |
| 7/2/2007 19:30 | 1.347 | 9.7 |
| 7/2/2007 19:35 | 1.347 | 9.7 |
| 7/2/2007 19:40 | 1.347 | 9.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 19:45 | 1.347 | 9.7 |
| 7/2/2007 19:50 | 1.347 | 9.7 |
| 7/2/2007 19:55 | 1.348 | 9.7 |
| 7/2/2007 20:00 | 1.348 | 9.7 |
| 7/2/2007 20:05 | 1.348 | 9.7 |
| 7/2/2007 20:10 | 1.348 | 9.7 |
| 7/2/2007 20:15 | 1.347 | 9.7 |
| 7/2/2007 20:20 | 1.347 | 9.7 |
| 7/2/2007 20:25 | 1.347 | 9.7 |
| 7/2/2007 20:30 | 1.346 | 9.7 |
| 7/2/2007 20:35 | 1.346 | 9.7 |
| 7/2/2007 20:40 | 1.346 | 9.7 |
| 7/2/2007 20:45 | 1.346 | 9.7 |
| 7/2/2007 20:50 | 1.345 | 9.7 |
| 7/2/2007 20:55 | 1.345 | 9.7 |
| 7/2/2007 21:00 | 1.345 | 9.7 |
| 7/2/2007 21:05 | 1.345 | 9.7 |
| 7/2/2007 21:10 | 1.345 | 9.7 |
| 7/2/2007 21:15 | 1.346 | 9.7 |
| 7/2/2007 21:20 | 1.346 | 9.7 |
| 7/2/2007 21:25 | 1.346 | 9.7 |
| 7/2/2007 21:30 | 1.346 | 9.7 |
| 7/2/2007 21:35 | 1.346 | 9.7 |
| 7/2/2007 21:40 | 1.347 | 9.7 |
| 7/2/2007 21:45 | 1.35 | 9.7 |
| 7/2/2007 21:50 | 1.346 | 9.7 |
| 7/2/2007 21:55 | 1.346 | 9.7 |
| 7/2/2007 22:00 | 1.348 | 9.7 |
| 7/2/2007 22:05 | 1.347 | 9.7 |
| 7/2/2007 22:10 | 1.347 | 9.7 |
| 7/2/2007 22:15 | 1.347 | 9.7 |
| 7/2/2007 22:20 | 1.347 | 9.7 |
| 7/2/2007 22:25 | 1.347 | 9.7 |
| 7/2/2007 22:30 | 1.347 | 9.7 |
| 7/2/2007 22:35 | 1.345 | 9.7 |
| 7/2/2007 22:40 | 1.345 | 9.7 |
| 7/2/2007 22:45 | 1.345 | 9.7 |
| 7/2/2007 22:50 | 1.344 | 9.7 |
| 7/2/2007 22:55 | 1.344 | 9.7 |
| 7/2/2007 23:00 | 1.344 | 9.7 |
| 7/2/2007 23:05 | 1.344 | 9.7 |
| 7/2/2007 23:10 | 1.343 | 9.7 |
| 7/2/2007 23:15 | 1.343 | 9.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/2/2007 23:20 | 1.343 | 9.7 |
| 7/2/2007 23:25 | 1.343 | 9.7 |
| 7/2/2007 23:30 | 1.343 | 9.7 |
| 7/2/2007 23:35 | 1.343 | 9.7 |
| 7/2/2007 23:40 | 1.343 | 9.7 |
| 7/2/2007 23:45 | 1.343 | 9.7 |
| 7/2/2007 23:50 | 1.343 | 9.7 |
| 7/2/2007 23:55 | 1.343 | 9.7 |
| 7/3/2007 0:00 | 1.344 | 9.7 |
| 7/3/2007 0:05 | 1.344 | 9.7 |
| 7/3/2007 0:10 | 1.344 | 9.7 |
| 7/3/2007 0:15 | 1.344 | 9.7 |
| 7/3/2007 0:20 | 1.343 | 9.7 |
| 7/3/2007 0:25 | 1.343 | 9.7 |
| 7/3/2007 0:30 | 1.343 | 9.7 |
| 7/3/2007 0:35 | 1.343 | 9.7 |
| 7/3/2007 0:40 | 1.343 | 9.7 |
| 7/3/2007 0:45 | 1.343 | 9.7 |
| 7/3/2007 0:50 | 1.343 | 9.7 |
| 7/3/2007 0:55 | 1.343 | 9.7 |
| 7/3/2007 1:00 | 1.343 | 9.7 |
| 7/3/2007 1:05 | 1.343 | 9.7 |
| 7/3/2007 1:10 | 1.343 | 9.7 |
| 7/3/2007 1:15 | 1.344 | 9.7 |
| 7/3/2007 1:20 | 1.344 | 9.7 |
| 7/3/2007 1:25 | 1.343 | 9.7 |
| 7/3/2007 1:30 | 1.343 | 9.7 |
| 7/3/2007 1:35 | 1.343 | 9.7 |
| 7/3/2007 1:40 | 1.343 | 9.7 |
| 7/3/2007 1:45 | 1.343 | 9.7 |
| 7/3/2007 1:50 | 1.343 | 9.7 |
| 7/3/2007 1:55 | 1.343 | 9.7 |
| 7/3/2007 2:00 | 1.342 | 9.7 |
| 7/3/2007 2:05 | 1.342 | 9.7 |
| 7/3/2007 2:10 | 1.342 | 9.7 |
| 7/3/2007 2:15 | 1.343 | 9.7 |
| 7/3/2007 2:20 | 1.341 | 9.7 |
| 7/3/2007 2:25 | 1.341 | 9.7 |
| 7/3/2007 2:30 | 1.352 | 9.7 |
| 7/3/2007 2:35 | 1.351 | 9.7 |
| 7/3/2007 2:40 | 1.349 | 9.7 |
| 7/3/2007 2:45 | 1.347 | 9.7 |
| 7/3/2007 2:50 | 1.346 | 9.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 2:55 | 1.345 | 9.7 |
| 7/3/2007 3:00 | 1.344 | 9.7 |
| 7/3/2007 3:05 | 1.343 | 9.7 |
| 7/3/2007 3:10 | 1.343 | 9.7 |
| 7/3/2007 3:15 | 1.342 | 9.7 |
| 7/3/2007 3:20 | 1.341 | 9.7 |
| 7/3/2007 3:25 | 1.341 | 9.7 |
| 7/3/2007 3:30 | 1.341 | 9.7 |
| 7/3/2007 3:35 | 1.341 | 9.7 |
| 7/3/2007 3:40 | 1.34 | 9.7 |
| 7/3/2007 3:45 | 1.341 | 9.7 |
| 7/3/2007 3:50 | 1.341 | 9.7 |
| 7/3/2007 3:55 | 1.341 | 9.7 |
| 7/3/2007 4:00 | 1.341 | 9.7 |
| 7/3/2007 4:05 | 1.34 | 9.7 |
| 7/3/2007 4:10 | 1.34 | 9.7 |
| 7/3/2007 4:15 | 1.34 | 9.7 |
| 7/3/2007 4:20 | 1.34 | 9.7 |
| 7/3/2007 4:25 | 1.34 | 9.7 |
| 7/3/2007 4:30 | 1.34 | 9.7 |
| 7/3/2007 4:35 | 1.34 | 9.7 |
| 7/3/2007 4:40 | 1.34 | 9.7 |
| 7/3/2007 4:45 | 1.339 | 9.7 |
| 7/3/2007 4:50 | 1.339 | 9.7 |
| 7/3/2007 4:55 | 1.339 | 9.7 |
| 7/3/2007 5:00 | 1.339 | 9.7 |
| 7/3/2007 5:05 | 1.339 | 9.7 |
| 7/3/2007 5:10 | 1.339 | 9.7 |
| 7/3/2007 5:15 | 1.339 | 9.7 |
| 7/3/2007 5:20 | 1.338 | 9.7 |
| 7/3/2007 5:25 | 1.339 | 9.7 |
| 7/3/2007 5:30 | 1.338 | 9.7 |
| 7/3/2007 5:35 | 1.338 | 9.7 |
| 7/3/2007 5:40 | 1.338 | 9.7 |
| 7/3/2007 5:45 | 1.338 | 9.7 |
| 7/3/2007 5:50 | 1.338 | 9.7 |
| 7/3/2007 5:55 | 1.338 | 9.7 |
| 7/3/2007 6:00 | 1.337 | 9.7 |
| 7/3/2007 6:05 | 1.337 | 9.7 |
| 7/3/2007 6:10 | 1.337 | 9.7 |
| 7/3/2007 6:15 | 1.337 | 9.7 |
| 7/3/2007 6:20 | 1.337 | 9.7 |
| 7/3/2007 6:25 | 1.337 | 9.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 6:30 | 1.337 | 9.7 |
| 7/3/2007 6:35 | 1.337 | 9.7 |
| 7/3/2007 6:40 | 1.337 | 9.7 |
| 7/3/2007 6:45 | 1.337 | 9.7 |
| 7/3/2007 6:50 | 1.337 | 9.7 |
| 7/3/2007 6:55 | 1.337 | 9.7 |
| 7/3/2007 7:00 | 1.337 | 9.7 |
| 7/3/2007 7:05 | 1.336 | 9.7 |
| 7/3/2007 7:10 | 1.336 | 9.7 |
| 7/3/2007 7:15 | 1.336 | 9.7 |
| 7/3/2007 7:20 | 1.335 | 9.7 |
| 7/3/2007 7:25 | 1.334 | 9.7 |
| 7/3/2007 7:30 | 1.334 | 9.7 |
| 7/3/2007 7:35 | 1.333 | 9.7 |
| 7/3/2007 7:40 | 1.334 | 9.7 |
| 7/3/2007 7:45 | 1.334 | 9.7 |
| 7/3/2007 7:50 | 1.334 | 9.7 |
| 7/3/2007 7:55 | 1.334 | 9.7 |
| 7/3/2007 8:00 | 1.333 | 9.7 |
| 7/3/2007 8:05 | 1.333 | 9.7 |
| 7/3/2007 8:10 | 1.333 | 9.7 |
| 7/3/2007 8:15 | 1.333 | 9.7 |
| 7/3/2007 8:20 | 1.333 | 9.7 |
| 7/3/2007 8:25 | 1.332 | 9.7 |
| 7/3/2007 8:30 | 1.333 | 9.7 |
| 7/3/2007 8:35 | 1.333 | 9.7 |
| 7/3/2007 8:40 | 1.333 | 9.7 |
| 7/3/2007 8:45 | 1.334 | 9.7 |
| 7/3/2007 8:50 | 1.334 | 9.7 |
| 7/3/2007 8:55 | 1.333 | 9.7 |
| 7/3/2007 9:00 | 1.333 | 9.7 |
| 7/3/2007 9:05 | 1.333 | 9.7 |
| 7/3/2007 9:10 | 1.334 | 9.7 |
| 7/3/2007 9:15 | 1.334 | 9.7 |
| 7/3/2007 9:20 | 1.333 | 9.7 |
| 7/3/2007 9:25 | 1.333 | 9.7 |
| 7/3/2007 9:30 | 1.333 | 9.7 |
| 7/3/2007 9:35 | 1.333 | 9.7 |
| 7/3/2007 9:40 | 1.332 | 9.7 |
| 7/3/2007 9:45 | 1.331 | 9.7 |
| 7/3/2007 9:50 | 1.33 | 9.7 |
| 7/3/2007 9:55 | 1.33 | 9.7 |
| 7/3/2007 10:00 | 1.331 | 9.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 10:05 | 1.331 | 9.7 |
| 7/3/2007 10:10 | 1.331 | 9.7 |
| 7/3/2007 10:15 | 1.331 | 9.7 |
| 7/3/2007 10:20 | 1.331 | 9.7 |
| 7/3/2007 10:25 | 1.331 | 9.7 |
| 7/3/2007 10:30 | 1.331 | 9.7 |
| 7/3/2007 10:35 | 1.33 | 9.7 |
| 7/3/2007 10:40 | 1.33 | 9.7 |
| 7/3/2007 10:45 | 1.33 | 9.7 |
| 7/3/2007 10:50 | 1.33 | 9.7 |
| 7/3/2007 10:55 | 1.328 | 9.7 |
| 7/3/2007 11:00 | 1.328 | 9.7 |
| 7/3/2007 11:05 | 1.329 | 9.7 |
| 7/3/2007 11:10 | 1.329 | 9.7 |
| 7/3/2007 11:15 | 1.329 | 9.7 |
| 7/3/2007 11:20 | 1.328 | 9.7 |
| 7/3/2007 11:25 | 1.328 | 9.7 |
| 7/3/2007 11:30 | 1.327 | 9.7 |
| 7/3/2007 11:35 | 1.328 | 9.7 |
| 7/3/2007 11:40 | 1.327 | 9.7 |
| 7/3/2007 11:45 | 1.327 | 9.7 |
| 7/3/2007 11:50 | 1.327 | 9.7 |
| 7/3/2007 11:55 | 1.327 | 9.7 |
| 7/3/2007 12:00 | 1.326 | 9.7 |
| 7/3/2007 12:05 | 1.325 | 9.7 |
| 7/3/2007 12:10 | 1.326 | 9.7 |
| 7/3/2007 12:15 | 1.326 | 9.7 |
| 7/3/2007 12:20 | 1.326 | 9.7 |
| 7/3/2007 12:25 | 1.325 | 9.7 |
| 7/3/2007 12:30 | 1.324 | 9.7 |
| 7/3/2007 12:35 | 1.324 | 9.7 |
| 7/3/2007 12:40 | 1.324 | 9.7 |
| 7/3/2007 12:45 | 1.324 | 9.7 |
| 7/3/2007 12:50 | 1.323 | 9.7 |
| 7/3/2007 12:55 | 1.323 | 9.7 |
| 7/3/2007 13:00 | 1.323 | 9.7 |
| 7/3/2007 13:05 | 1.323 | 9.7 |
| 7/3/2007 13:10 | 1.322 | 9.7 |
| 7/3/2007 13:15 | 1.322 | 9.7 |
| 7/3/2007 13:20 | 1.321 | 9.7 |
| 7/3/2007 13:25 | 1.321 | 9.7 |
| 7/3/2007 13:30 | 1.321 | 9.7 |
| 7/3/2007 13:35 | 1.321 | 9.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 13:40 | 1.32 | 9.7 |
| 7/3/2007 13:45 | 1.319 | 9.7 |
| 7/3/2007 13:50 | 1.316 | 9.7 |
| 7/3/2007 13:55 | 1.322 | 9.7 |
| 7/3/2007 14:00 | 1.324 | 9.7 |
| 7/3/2007 14:05 | 1.325 | 9.7 |
| 7/3/2007 14:10 | 1.324 | 9.7 |
| 7/3/2007 14:15 | 1.323 | 9.09 |
| 7/3/2007 14:20 | 1.323 | 12.45 |
| 7/3/2007 14:25 | 1.323 | 12.45 |
| 7/3/2007 14:30 | 1.323 | 12.45 |
| 7/3/2007 14:35 | 1.324 | 12.95 |
| 7/3/2007 14:40 | 1.323 | 12.95 |
| 7/3/2007 14:45 | 1.322 | 11.39 |
| 7/3/2007 14:50 | 1.322 | 11.39 |
| 7/3/2007 14:55 | 1.323 | 11.39 |
| 7/3/2007 15:00 | 1.323 | 11.39 |
| 7/3/2007 15:05 | 1.323 | 11.39 |
| 7/3/2007 15:10 | 1.323 | 8.66 |
| 7/3/2007 15:15 | 1.322 | 8.66 |
| 7/3/2007 15:20 | 1.322 | 8.66 |
| 7/3/2007 15:25 | 1.32 | 8.66 |
| 7/3/2007 15:30 | 1.32 | 8.66 |
| 7/3/2007 15:35 | 1.32 | 8.66 |
| 7/3/2007 15:40 | 1.319 | 8.66 |
| 7/3/2007 15:45 | 1.32 | 8.66 |
| 7/3/2007 15:50 | 1.32 | 8.66 |
| 7/3/2007 15:55 | 1.319 | 8.66 |
| 7/3/2007 16:00 | 1.319 | 8.66 |
| 7/3/2007 16:05 | 1.319 | 11.37 |
| 7/3/2007 16:10 | 1.319 | 11.37 |
| 7/3/2007 16:15 | 1.319 | 11.37 |
| 7/3/2007 16:20 | 1.319 | 11.37 |
| 7/3/2007 16:25 | 1.319 | 10.15 |
| 7/3/2007 16:30 | 1.318 | 9.21 |
| 7/3/2007 16:35 | 1.318 | 10.65 |
| 7/3/2007 16:40 | 1.318 | 10.65 |
| 7/3/2007 16:45 | 1.317 | 10.65 |
| 7/3/2007 16:50 | 1.318 | 10.65 |
| 7/3/2007 16:55 | 1.318 | 10.65 |
| 7/3/2007 17:00 | 1.317 | 10.65 |
| 7/3/2007 17:05 | 1.317 | 9.55 |
| 7/3/2007 17:10 | 1.318 | 9.15 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 17:15 | 1.317 | 8.65 |
| 7/3/2007 17:20 | 1.317 | 8.65 |
| 7/3/2007 17:25 | 1.317 | 8.65 |
| 7/3/2007 17:30 | 1.317 | 8.65 |
| 7/3/2007 17:35 | 1.317 | 8.65 |
| 7/3/2007 17:40 | 1.317 | 8.65 |
| 7/3/2007 17:45 | 1.317 | 8.65 |
| 7/3/2007 17:50 | 1.317 | 8.65 |
| 7/3/2007 17:55 | 1.317 | 8.65 |
| 7/3/2007 18:00 | 1.317 | 8.65 |
| 7/3/2007 18:05 | 1.317 | 8.65 |
| 7/3/2007 18:10 | 1.316 | 8.65 |
| 7/3/2007 18:15 | 1.316 | 8.65 |
| 7/3/2007 18:20 | 1.317 | 8.65 |
| 7/3/2007 18:25 | 1.317 | 8.65 |
| 7/3/2007 18:30 | 1.317 | 8.16 |
| 7/3/2007 18:35 | 1.317 | 8.16 |
| 7/3/2007 18:40 | 1.315 | 8.16 |
| 7/3/2007 18:45 | 1.315 | 8.16 |
| 7/3/2007 18:50 | 1.316 | 8.16 |
| 7/3/2007 18:55 | 1.316 | 8.16 |
| 7/3/2007 19:00 | 1.316 | 8.16 |
| 7/3/2007 19:05 | 1.316 | 10.84 |
| 7/3/2007 19:10 | 1.317 | 10.84 |
| 7/3/2007 19:15 | 1.316 | 9.36 |
| 7/3/2007 19:20 | 1.316 | 9.36 |
| 7/3/2007 19:25 | 1.316 | 9.36 |
| 7/3/2007 19:30 | 1.317 | 9.36 |
| 7/3/2007 19:35 | 1.317 | 9.36 |
| 7/3/2007 19:40 | 1.311 | 9.36 |
| 7/3/2007 19:45 | 1.311 | 9.36 |
| 7/3/2007 19:50 | 1.312 | 9.36 |
| 7/3/2007 19:55 | 1.313 | 9.36 |
| 7/3/2007 20:00 | 1.314 | 9.36 |
| 7/3/2007 20:05 | 1.312 | 9.36 |
| 7/3/2007 20:10 | 1.312 | 9.36 |
| 7/3/2007 20:15 | 1.312 | 9.36 |
| 7/3/2007 20:20 | 1.311 | 9.36 |
| 7/3/2007 20:25 | 1.311 | 9.36 |
| 7/3/2007 20:30 | 1.308 | 9.36 |
| 7/3/2007 20:35 | 1.306 | 9.36 |
| 7/3/2007 20:40 | 1.307 | 9.36 |
| 7/3/2007 20:45 | 1.308 | 9.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/3/2007 20:50 | 1.308 | 9.36 |
| 7/3/2007 20:55 | 1.309 | 9.36 |
| 7/3/2007 21:00 | 1.31 | 9.36 |
| 7/3/2007 21:05 | 1.31 | 9.36 |
| 7/3/2007 21:10 | 1.311 | 9.36 |
| 7/3/2007 21:15 | 1.311 | 9.36 |
| 7/3/2007 21:20 | 1.311 | 9.36 |
| 7/3/2007 21:25 | 1.311 | 9.36 |
| 7/3/2007 21:30 | 1.311 | 9.36 |
| 7/3/2007 21:35 | 1.311 | 9.36 |
| 7/3/2007 21:40 | 1.311 | 9.36 |
| 7/3/2007 21:45 | 1.312 | 9.36 |
| 7/3/2007 21:50 | 1.311 | 9.36 |
| 7/3/2007 21:55 | 1.312 | 9.36 |
| 7/3/2007 22:00 | 1.311 | 9.36 |
| 7/3/2007 22:05 | 1.312 | 9.36 |
| 7/3/2007 22:10 | 1.311 | 9.36 |
| 7/3/2007 22:15 | 1.311 | 9.36 |
| 7/3/2007 22:20 | 1.311 | 9.36 |
| 7/3/2007 22:25 | 1.311 | 9.36 |
| 7/3/2007 22:30 | 1.311 | 9.36 |
| 7/3/2007 22:35 | 1.31 | 9.36 |
| 7/3/2007 22:40 | 1.31 | 9.36 |
| 7/3/2007 22:45 | 1.311 | 9.36 |
| 7/3/2007 22:50 | 1.311 | 9.36 |
| 7/3/2007 22:55 | 1.311 | 9.36 |
| 7/3/2007 23:00 | 1.311 | 9.48 |
| 7/3/2007 23:05 | 1.311 | 9.48 |
| 7/3/2007 23:10 | 1.311 | 9.48 |
| 7/3/2007 23:15 | 1.311 | 9.48 |
| 7/3/2007 23:20 | 1.311 | 9.48 |
| 7/3/2007 23:25 | 1.31 | 9.48 |
| 7/3/2007 23:30 | 1.31 | 9.48 |
| 7/3/2007 23:35 | 1.309 | 9.48 |
| 7/3/2007 23:40 | 1.309 | 9.48 |
| 7/3/2007 23:45 | 1.31 | 9.48 |
| 7/3/2007 23:50 | 1.31 | 9.48 |
| 7/3/2007 23:55 | 1.311 | 9.48 |
| 7/4/2007 0:00 | 1.31 | 9.48 |
| 7/4/2007 0:05 | 1.31 | 9.48 |
| 7/4/2007 0:10 | 1.311 | 9.48 |
| 7/4/2007 0:15 | 1.31 | 9.48 |
| 7/4/2007 0:20 | 1.31 | 9.48 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 0:25 | 1.311 | 9.48 |
| 7/4/2007 0:30 | 1.31 | 9.48 |
| 7/4/2007 0:35 | 1.311 | 9.48 |
| 7/4/2007 0:40 | 1.31 | 9.48 |
| 7/4/2007 0:45 | 1.31 | 9.48 |
| 7/4/2007 0:50 | 1.312 | 9.48 |
| 7/4/2007 0:55 | 1.314 | 9.48 |
| 7/4/2007 1:00 | 1.313 | 9.48 |
| 7/4/2007 1:05 | 1.312 | 9.48 |
| 7/4/2007 1:10 | 1.311 | 9.48 |
| 7/4/2007 1:15 | 1.311 | 9.48 |
| 7/4/2007 1:20 | 1.311 | 9.48 |
| 7/4/2007 1:25 | 1.311 | 9.48 |
| 7/4/2007 1:30 | 1.31 | 9.48 |
| 7/4/2007 1:35 | 1.309 | 9.48 |
| 7/4/2007 1:40 | 1.309 | 9.48 |
| 7/4/2007 1:45 | 1.309 | 9.48 |
| 7/4/2007 1:50 | 1.309 | 9.48 |
| 7/4/2007 1:55 | 1.309 | 9.48 |
| 7/4/2007 2:00 | 1.309 | 9.48 |
| 7/4/2007 2:05 | 1.31 | 9.48 |
| 7/4/2007 2:10 | 1.31 | 9.48 |
| 7/4/2007 2:15 | 1.31 | 9.48 |
| 7/4/2007 2:20 | 1.307 | 9.48 |
| 7/4/2007 2:25 | 1.306 | 9.48 |
| 7/4/2007 2:30 | 1.306 | 9.48 |
| 7/4/2007 2:35 | 1.305 | 9.48 |
| 7/4/2007 2:40 | 1.306 | 9.48 |
| 7/4/2007 2:45 | 1.306 | 9.48 |
| 7/4/2007 2:50 | 1.305 | 9.48 |
| 7/4/2007 2:55 | 1.305 | 9.48 |
| 7/4/2007 3:00 | 1.305 | 9.48 |
| 7/4/2007 3:05 | 1.305 | 9.48 |
| 7/4/2007 3:10 | 1.305 | 9.48 |
| 7/4/2007 3:15 | 1.305 | 9.48 |
| 7/4/2007 3:20 | 1.305 | 9.48 |
| 7/4/2007 3:25 | 1.305 | 9.48 |
| 7/4/2007 3:30 | 1.305 | 9.48 |
| 7/4/2007 3:35 | 1.305 | 9.48 |
| 7/4/2007 3:40 | 1.304 | 9.48 |
| 7/4/2007 3:45 | 1.303 | 9.48 |
| 7/4/2007 3:50 | 1.303 | 9.48 |
| 7/4/2007 3:55 | 1.304 | 9.48 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 4:00 | 1.304 | 9.48 |
| 7/4/2007 4:05 | 1.304 | 9.48 |
| 7/4/2007 4:10 | 1.304 | 9.48 |
| 7/4/2007 4:15 | 1.305 | 9.48 |
| 7/4/2007 4:20 | 1.305 | 9.48 |
| 7/4/2007 4:25 | 1.305 | 9.48 |
| 7/4/2007 4:30 | 1.305 | 9.48 |
| 7/4/2007 4:35 | 1.305 | 9.48 |
| 7/4/2007 4:40 | 1.305 | 9.48 |
| 7/4/2007 4:45 | 1.305 | 9.48 |
| 7/4/2007 4:50 | 1.305 | 9.48 |
| 7/4/2007 4:55 | 1.304 | 9.48 |
| 7/4/2007 5:00 | 1.304 | 9.48 |
| 7/4/2007 5:05 | 1.304 | -15.73 |
| 7/4/2007 5:10 | 1.304 | -15.73 |
| 7/4/2007 5:15 | 1.304 | -15.73 |
| 7/4/2007 5:20 | 1.305 | -13.51 |
| 7/4/2007 5:25 | 1.303 | -13.51 |
| 7/4/2007 5:30 | 1.302 | -13.51 |
| 7/4/2007 5:35 | 1.302 | -13.51 |
| 7/4/2007 5:40 | 1.302 | -13.51 |
| 7/4/2007 5:45 | 1.302 | -13.51 |
| 7/4/2007 5:50 | 1.302 | -13.51 |
| 7/4/2007 5:55 | 1.302 | -13.51 |
| 7/4/2007 6:00 | 1.302 | -13.51 |
| 7/4/2007 6:05 | 1.302 | -13.51 |
| 7/4/2007 6:10 | 1.302 | -13.51 |
| 7/4/2007 6:15 | 1.302 | -13.51 |
| 7/4/2007 6:20 | 1.302 | -14.31 |
| 7/4/2007 6:25 | 1.302 | -14.31 |
| 7/4/2007 6:30 | 1.302 | -14.31 |
| 7/4/2007 6:35 | 1.302 | -14.31 |
| 7/4/2007 6:40 | 1.301 | -14.31 |
| 7/4/2007 6:45 | 1.302 | -14.31 |
| 7/4/2007 6:50 | 1.301 | -14.31 |
| 7/4/2007 6:55 | 1.302 | -14.31 |
| 7/4/2007 7:00 | 1.302 | -14.31 |
| 7/4/2007 7:05 | 1.302 | -14.31 |
| 7/4/2007 7:10 | 1.302 | -14.31 |
| 7/4/2007 7:15 | 1.301 | -14.31 |
| 7/4/2007 7:20 | 1.301 | -14.31 |
| 7/4/2007 7:25 | 1.3 | -14.31 |
| 7/4/2007 7:30 | 1.3 | -14.31 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 7:35 | 1.3 | -14.31 |
| 7/4/2007 7:40 | 1.301 | -14.31 |
| 7/4/2007 7:45 | 1.302 | -14.31 |
| 7/4/2007 7:50 | 1.301 | -14.31 |
| 7/4/2007 7:55 | 1.301 | -14.31 |
| 7/4/2007 8:00 | 1.302 | -14.31 |
| 7/4/2007 8:05 | 1.302 | -14.31 |
| 7/4/2007 8:10 | 1.302 | -14.31 |
| 7/4/2007 8:15 | 1.303 | -14.31 |
| 7/4/2007 8:20 | 1.303 | -14.31 |
| 7/4/2007 8:25 | 1.303 | -14.31 |
| 7/4/2007 8:30 | 1.303 | -14.31 |
| 7/4/2007 8:35 | 1.303 | -14.31 |
| 7/4/2007 8:40 | 1.303 | -14.97 |
| 7/4/2007 8:45 | 1.304 | -15.7 |
| 7/4/2007 8:50 | 1.304 | -15.7 |
| 7/4/2007 8:55 | 1.304 | -15.7 |
| 7/4/2007 9:00 | 1.303 | -15.27 |
| 7/4/2007 9:05 | 1.303 | -15.27 |
| 7/4/2007 9:10 | 1.304 | -15.27 |
| 7/4/2007 9:15 | 1.304 | -15.27 |
| 7/4/2007 9:20 | 1.305 | -15.27 |
| 7/4/2007 9:25 | 1.304 | -15.27 |
| 7/4/2007 9:30 | 1.303 | -15.27 |
| 7/4/2007 9:35 | 1.304 | -15.27 |
| 7/4/2007 9:40 | 1.304 | -15.27 |
| 7/4/2007 9:45 | 1.305 | -15.27 |
| 7/4/2007 9:50 | 1.304 | -15.27 |
| 7/4/2007 9:55 | 1.303 | -15.27 |
| 7/4/2007 10:00 | 1.305 | -15.27 |
| 7/4/2007 10:05 | 1.305 | -15.27 |
| 7/4/2007 10:10 | 1.304 | -15.27 |
| 7/4/2007 10:15 | 1.304 | -15.27 |
| 7/4/2007 10:20 | 1.304 | -15.27 |
| 7/4/2007 10:25 | 1.304 | -15.27 |
| 7/4/2007 10:30 | 1.304 | -15.27 |
| 7/4/2007 10:35 | 1.304 | -15.27 |
| 7/4/2007 10:40 | 1.304 | -15.27 |
| 7/4/2007 10:45 | 1.304 | -15.27 |
| 7/4/2007 10:50 | 1.304 | -15.27 |
| 7/4/2007 10:55 | 1.304 | -15.27 |
| 7/4/2007 11:00 | 1.303 | -15.27 |
| 7/4/2007 11:05 | 1.304 | -15.27 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 11:10 | 1.304 | -15.27 |
| 7/4/2007 11:15 | 1.303 | -15.27 |
| 7/4/2007 11:20 | 1.304 | -15.27 |
| 7/4/2007 11:25 | 1.303 | -15.27 |
| 7/4/2007 11:30 | 1.303 | -15.27 |
| 7/4/2007 11:35 | 1.303 | -15.27 |
| 7/4/2007 11:40 | 1.304 | -15.27 |
| 7/4/2007 11:45 | 1.303 | -15.27 |
| 7/4/2007 11:50 | 1.304 | -15.27 |
| 7/4/2007 11:55 | 1.304 | -15.27 |
| 7/4/2007 12:00 | 1.303 | -15.27 |
| 7/4/2007 12:05 | 1.304 | -15.27 |
| 7/4/2007 12:10 | 1.303 | -15.27 |
| 7/4/2007 12:15 | 1.302 | -13.95 |
| 7/4/2007 12:20 | 1.303 | -13.95 |
| 7/4/2007 12:25 | 1.303 | -13.95 |
| 7/4/2007 12:30 | 1.303 | -13.95 |
| 7/4/2007 12:35 | 1.304 | -13.95 |
| 7/4/2007 12:40 | 1.303 | -13.95 |
| 7/4/2007 12:45 | 1.304 | -14.85 |
| 7/4/2007 12:50 | 1.304 | -13.36 |
| 7/4/2007 12:55 | 1.303 | -13.36 |
| 7/4/2007 13:00 | 1.304 | -13.36 |
| 7/4/2007 13:05 | 1.304 | -13.36 |
| 7/4/2007 13:10 | 1.304 | -13.36 |
| 7/4/2007 13:15 | 1.304 | -13.36 |
| 7/4/2007 13:20 | 1.304 | -13.36 |
| 7/4/2007 13:25 | 1.304 | -13.36 |
| 7/4/2007 13:30 | 1.305 | -13.36 |
| 7/4/2007 13:35 | 1.304 | -13.36 |
| 7/4/2007 13:40 | 1.305 | -13.36 |
| 7/4/2007 13:45 | 1.304 | -13.36 |
| 7/4/2007 13:50 | 1.305 | -13.36 |
| 7/4/2007 13:55 | 1.305 | -13.36 |
| 7/4/2007 14:00 | 1.305 | -13.36 |
| 7/4/2007 14:05 | 1.306 | -13.36 |
| 7/4/2007 14:10 | 1.307 | -13.36 |
| 7/4/2007 14:15 | 1.307 | -13.36 |
| 7/4/2007 14:20 | 1.308 | -13.36 |
| 7/4/2007 14:25 | 1.307 | -12.52 |
| 7/4/2007 14:30 | 1.308 | -12.52 |
| 7/4/2007 14:35 | 1.308 | -12.52 |
| 7/4/2007 14:40 | 1.308 | -12.52 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 14:45 | 1.309 | -12.52 |
| 7/4/2007 14:50 | 1.309 | -12.52 |
| 7/4/2007 14:55 | 1.309 | -12.52 |
| 7/4/2007 15:00 | 1.31 | -12.52 |
| 7/4/2007 15:05 | 1.31 | -12.52 |
| 7/4/2007 15:10 | 1.31 | -12.52 |
| 7/4/2007 15:15 | 1.312 | -12.52 |
| 7/4/2007 15:20 | 1.312 | -12.52 |
| 7/4/2007 15:25 | 1.312 | -12.52 |
| 7/4/2007 15:30 | 1.313 | -12.52 |
| 7/4/2007 15:35 | 1.313 | -12.52 |
| 7/4/2007 15:40 | 1.313 | -12.52 |
| 7/4/2007 15:45 | 1.314 | -12.52 |
| 7/4/2007 15:50 | 1.314 | -14.65 |
| 7/4/2007 15:55 | 1.314 | -14.58 |
| 7/4/2007 16:00 | 1.313 | -14.58 |
| 7/4/2007 16:05 | 1.313 | -14.58 |
| 7/4/2007 16:10 | 1.313 | -14.58 |
| 7/4/2007 16:15 | 1.312 | -14.58 |
| 7/4/2007 16:20 | 1.313 | -14.58 |
| 7/4/2007 16:25 | 1.313 | -14.58 |
| 7/4/2007 16:30 | 1.313 | -14.58 |
| 7/4/2007 16:35 | 1.315 | -14.58 |
| 7/4/2007 16:40 | 1.317 | -14.58 |
| 7/4/2007 16:45 | 1.319 | -14.58 |
| 7/4/2007 16:50 | 1.327 | -14.58 |
| 7/4/2007 16:55 | 1.357 | -14.58 |
| 7/4/2007 17:00 | 1.395 | -14.58 |
| 7/4/2007 17:05 | 1.439 | -14.58 |
| 7/4/2007 17:10 | 1.484 | -14.58 |
| 7/4/2007 17:15 | 1.526 | -14.58 |
| 7/4/2007 17:20 | 1.553 | -14.58 |
| 7/4/2007 17:25 | 1.565 | -14.58 |
| 7/4/2007 17:30 | 1.568 | -14.58 |
| 7/4/2007 17:35 | 1.569 | -14.58 |
| 7/4/2007 17:40 | 1.565 | -14.58 |
| 7/4/2007 17:45 | 1.555 | -14.58 |
| 7/4/2007 17:50 | 1.543 | -14.58 |
| 7/4/2007 17:55 | 1.53 | -14.58 |
| 7/4/2007 18:00 | 1.516 | -14.58 |
| 7/4/2007 18:05 | 1.503 | -14.58 |
| 7/4/2007 18:10 | 1.491 | -14.58 |
| 7/4/2007 18:15 | 1.48 | -14.58 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 18:20 | 1.469 | -14.58 |
| 7/4/2007 18:25 | 1.461 | -14.58 |
| 7/4/2007 18:30 | 1.453 | -14.58 |
| 7/4/2007 18:35 | 1.446 | -14.58 |
| 7/4/2007 18:40 | 1.441 | -14.58 |
| 7/4/2007 18:45 | 1.435 | -14.58 |
| 7/4/2007 18:50 | 1.431 | -14.58 |
| 7/4/2007 18:55 | 1.427 | -14.58 |
| 7/4/2007 19:00 | 1.425 | -14.58 |
| 7/4/2007 19:05 | 1.423 | -14.58 |
| 7/4/2007 19:10 | 1.423 | -14.58 |
| 7/4/2007 19:15 | 1.426 | -14.58 |
| 7/4/2007 19:20 | 1.432 | -14.58 |
| 7/4/2007 19:25 | 1.438 | -14.58 |
| 7/4/2007 19:30 | 1.442 | -14.58 |
| 7/4/2007 19:35 | 1.447 | -14.58 |
| 7/4/2007 19:40 | 1.452 | -14.58 |
| 7/4/2007 19:45 | 1.455 | -14.58 |
| 7/4/2007 19:50 | 1.456 | -14.58 |
| 7/4/2007 19:55 | 1.454 | -14.58 |
| 7/4/2007 20:00 | 1.452 | -14.58 |
| 7/4/2007 20:05 | 1.449 | -14.58 |
| 7/4/2007 20:10 | 1.445 | 7.41 |
| 7/4/2007 20:15 | 1.442 | 7.41 |
| 7/4/2007 20:20 | 1.439 | 7.41 |
| 7/4/2007 20:25 | 1.437 | 7.41 |
| 7/4/2007 20:30 | 1.435 | 7.41 |
| 7/4/2007 20:35 | 1.432 | 7.41 |
| 7/4/2007 20:40 | 1.431 | 7.41 |
| 7/4/2007 20:45 | 1.43 | 7.41 |
| 7/4/2007 20:50 | 1.429 | 7.41 |
| 7/4/2007 20:55 | 1.428 | 7.41 |
| 7/4/2007 21:00 | 1.427 | 7.41 |
| 7/4/2007 21:05 | 1.427 | 7.41 |
| 7/4/2007 21:10 | 1.427 | 7.41 |
| 7/4/2007 21:15 | 1.427 | 7.41 |
| 7/4/2007 21:20 | 1.428 | 7.41 |
| 7/4/2007 21:25 | 1.433 | 7.41 |
| 7/4/2007 21:30 | 1.453 | 7.41 |
| 7/4/2007 21:35 | 1.529 | 7.41 |
| 7/4/2007 21:40 | 1.672 | 7.41 |
| 7/4/2007 21:45 | 1.718 | 7.41 |
| 7/4/2007 21:50 | 1.737 | 7.41 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/4/2007 21:55 | 1.742 | 7.41 |
| 7/4/2007 22:00 | 1.73 | 7.41 |
| 7/4/2007 22:05 | 1.705 | 7.41 |
| 7/4/2007 22:10 | 1.673 | 7.41 |
| 7/4/2007 22:15 | 1.643 | 7.41 |
| 7/4/2007 22:20 | 1.617 | 7.41 |
| 7/4/2007 22:25 | 1.596 | 7.41 |
| 7/4/2007 22:30 | 1.581 | 7.41 |
| 7/4/2007 22:35 | 1.569 | 7.41 |
| 7/4/2007 22:40 | 1.561 | 7.41 |
| 7/4/2007 22:45 | 1.552 | 7.41 |
| 7/4/2007 22:50 | 1.547 | 7.41 |
| 7/4/2007 22:55 | 1.543 | 7.41 |
| 7/4/2007 23:00 | 1.538 | 7.41 |
| 7/4/2007 23:05 | 1.535 | 7.41 |
| 7/4/2007 23:10 | 1.533 | 7.41 |
| 7/4/2007 23:15 | 1.532 | 7.41 |
| 7/4/2007 23:20 | 1.532 | 7.41 |
| 7/4/2007 23:25 | 1.532 | 7.41 |
| 7/4/2007 23:30 | 1.533 | 7.41 |
| 7/4/2007 23:35 | 1.534 | 7.41 |
| 7/4/2007 23:40 | 1.535 | 7.41 |
| 7/4/2007 23:45 | 1.537 | 7.41 |
| 7/4/2007 23:50 | 1.54 | 7.41 |
| 7/4/2007 23:55 | 1.55 | 7.41 |
| 7/5/2007 0:00 | 1.573 | 7.41 |
| 7/5/2007 0:05 | 1.622 | 7.41 |
| 7/5/2007 0:10 | 1.681 | 7.41 |
| 7/5/2007 0:15 | 1.711 | 7.41 |
| 7/5/2007 0:20 | 1.714 | 7.41 |
| 7/5/2007 0:25 | 1.701 | 7.41 |
| 7/5/2007 0:30 | 1.681 | 7.41 |
| 7/5/2007 0:35 | 1.661 | 7.41 |
| 7/5/2007 0:40 | 1.643 | 7.41 |
| 7/5/2007 0:45 | 1.63 | 7.41 |
| 7/5/2007 0:50 | 1.619 | 7.41 |
| 7/5/2007 0:55 | 1.612 | 7.41 |
| 7/5/2007 1:00 | 1.606 | 7.41 |
| 7/5/2007 1:05 | 1.601 | 7.41 |
| 7/5/2007 1:10 | 1.596 | 7.41 |
| 7/5/2007 1:15 | 1.591 | 7.41 |
| 7/5/2007 1:20 | 1.588 | 7.41 |
| 7/5/2007 1:25 | 1.584 | 7.41 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 1:30 | 1.581 | 7.41 |
| 7/5/2007 1:35 | 1.578 | 7.41 |
| 7/5/2007 1:40 | 1.576 | 7.41 |
| 7/5/2007 1:45 | 1.575 | 7.41 |
| 7/5/2007 1:50 | 1.573 | 7.41 |
| 7/5/2007 1:55 | 1.571 | 7.41 |
| 7/5/2007 2:00 | 1.57 | 7.41 |
| 7/5/2007 2:05 | 1.569 | 7.41 |
| 7/5/2007 2:10 | 1.568 | 7.41 |
| 7/5/2007 2:15 | 1.567 | 7.41 |
| 7/5/2007 2:20 | 1.566 | 7.41 |
| 7/5/2007 2:25 | 1.566 | 7.41 |
| 7/5/2007 2:30 | 1.565 | 7.41 |
| 7/5/2007 2:35 | 1.564 | 7.41 |
| 7/5/2007 2:40 | 1.564 | 7.41 |
| 7/5/2007 2:45 | 1.564 | 7.41 |
| 7/5/2007 2:50 | 1.562 | 7.41 |
| 7/5/2007 2:55 | 1.562 | 7.41 |
| 7/5/2007 3:00 | 1.561 | 7.41 |
| 7/5/2007 3:05 | 1.561 | 7.41 |
| 7/5/2007 3:10 | 1.56 | 7.41 |
| 7/5/2007 3:15 | 1.56 | 7.41 |
| 7/5/2007 3:20 | 1.559 | 7.41 |
| 7/5/2007 3:25 | 1.559 | 7.41 |
| 7/5/2007 3:30 | 1.558 | -13.15 |
| 7/5/2007 3:35 | 1.557 | -13.15 |
| 7/5/2007 3:40 | 1.556 | -13.15 |
| 7/5/2007 3:45 | 1.555 | -13.15 |
| 7/5/2007 3:50 | 1.554 | -13.15 |
| 7/5/2007 3:55 | 1.553 | -13.15 |
| 7/5/2007 4:00 | 1.552 | -13.15 |
| 7/5/2007 4:05 | 1.55 | -13.15 |
| 7/5/2007 4:10 | 1.549 | -13.15 |
| 7/5/2007 4:15 | 1.548 | -13.15 |
| 7/5/2007 4:20 | 1.547 | -13.15 |
| 7/5/2007 4:25 | 1.546 | -13.15 |
| 7/5/2007 4:30 | 1.545 | -13.15 |
| 7/5/2007 4:35 | 1.544 | -13.15 |
| 7/5/2007 4:40 | 1.542 | -13.15 |
| 7/5/2007 4:45 | 1.541 | -13.15 |
| 7/5/2007 4:50 | 1.54 | -13.15 |
| 7/5/2007 4:55 | 1.538 | -13.15 |
| 7/5/2007 5:00 | 1.538 | -13.15 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 5:05 | 1.537 | -13.15 |
| 7/5/2007 5:10 | 1.535 | -13.15 |
| 7/5/2007 5:15 | 1.534 | -13.15 |
| 7/5/2007 5:20 | 1.533 | -13.15 |
| 7/5/2007 5:25 | 1.532 | -13.15 |
| 7/5/2007 5:30 | 1.531 | -13.15 |
| 7/5/2007 5:35 | 1.529 | -13.15 |
| 7/5/2007 5:40 | 1.528 | -13.15 |
| 7/5/2007 5:45 | 1.526 | -13.15 |
| 7/5/2007 5:50 | 1.525 | -13.15 |
| 7/5/2007 5:55 | 1.524 | -13.15 |
| 7/5/2007 6:00 | 1.523 | -13.15 |
| 7/5/2007 6:05 | 1.522 | -13.15 |
| 7/5/2007 6:10 | 1.521 | -13.15 |
| 7/5/2007 6:15 | 1.519 | -13.15 |
| 7/5/2007 6:20 | 1.518 | -15.35 |
| 7/5/2007 6:25 | 1.516 | -15.35 |
| 7/5/2007 6:30 | 1.515 | -15.52 |
| 7/5/2007 6:35 | 1.515 | -15.52 |
| 7/5/2007 6:40 | 1.513 | -15.52 |
| 7/5/2007 6:45 | 1.512 | -15.52 |
| 7/5/2007 6:50 | 1.511 | -15.52 |
| 7/5/2007 6:55 | 1.51 | -15.52 |
| 7/5/2007 7:00 | 1.508 | -15.52 |
| 7/5/2007 7:05 | 1.507 | -15.52 |
| 7/5/2007 7:10 | 1.507 | -15.52 |
| 7/5/2007 7:15 | 1.505 | -15.52 |
| 7/5/2007 7:20 | 1.505 | -15.52 |
| 7/5/2007 7:25 | 1.504 | -15.52 |
| 7/5/2007 7:30 | 1.503 | -15.52 |
| 7/5/2007 7:35 | 1.502 | -15.52 |
| 7/5/2007 7:40 | 1.501 | -15.52 |
| 7/5/2007 7:45 | 1.5 | -15.52 |
| 7/5/2007 7:50 | 1.498 | -15.52 |
| 7/5/2007 7:55 | 1.498 | -15.52 |
| 7/5/2007 8:00 | 1.496 | -15.52 |
| 7/5/2007 8:05 | 1.494 | -15.52 |
| 7/5/2007 8:10 | 1.494 | -15.52 |
| 7/5/2007 8:15 | 1.494 | -15.52 |
| 7/5/2007 8:20 | 1.493 | -15.52 |
| 7/5/2007 8:25 | 1.492 | -15.52 |
| 7/5/2007 8:30 | 1.491 | -15.52 |
| 7/5/2007 8:35 | 1.489 | -15.52 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 8:40 | 1.489 | -15.52 |
| 7/5/2007 8:45 | 1.487 | -15.52 |
| 7/5/2007 8:50 | 1.488 | -15.52 |
| 7/5/2007 8:55 | 1.487 | -15.52 |
| 7/5/2007 9:00 | 1.486 | -15.52 |
| 7/5/2007 9:05 | 1.486 | -15.52 |
| 7/5/2007 9:10 | 1.485 | -15.52 |
| 7/5/2007 9:15 | 1.484 | -15.52 |
| 7/5/2007 9:20 | 1.483 | -15.52 |
| 7/5/2007 9:25 | 1.481 | -14.87 |
| 7/5/2007 9:30 | 1.481 | -14.87 |
| 7/5/2007 9:35 | 1.48 | -14.87 |
| 7/5/2007 9:40 | 1.479 | -14.47 |
| 7/5/2007 9:45 | 1.478 | -14.47 |
| 7/5/2007 9:50 | 1.479 | -14.47 |
| 7/5/2007 9:55 | 1.478 | -14.47 |
| 7/5/2007 10:00 | 1.477 | -14.47 |
| 7/5/2007 10:05 | 1.476 | -14.47 |
| 7/5/2007 10:10 | 1.475 | -14.47 |
| 7/5/2007 10:15 | 1.474 | -14.47 |
| 7/5/2007 10:20 | 1.474 | -14.47 |
| 7/5/2007 10:25 | 1.472 | -14.47 |
| 7/5/2007 10:30 | 1.472 | -14.47 |
| 7/5/2007 10:35 | 1.471 | -14.47 |
| 7/5/2007 10:40 | 1.47 | -14.47 |
| 7/5/2007 10:45 | 1.469 | -14.47 |
| 7/5/2007 10:50 | 1.468 | -14.47 |
| 7/5/2007 10:55 | 1.468 | -14.47 |
| 7/5/2007 11:00 | 1.467 | -14.47 |
| 7/5/2007 11:05 | 1.466 | 9.07 |
| 7/5/2007 11:10 | 1.465 | 9.07 |
| 7/5/2007 11:15 | 1.464 | 9.07 |
| 7/5/2007 11:20 | 1.464 | 9.07 |
| 7/5/2007 11:25 | 1.464 | 9.07 |
| 7/5/2007 11:30 | 1.464 | 9.07 |
| 7/5/2007 11:35 | 1.464 | 9.07 |
| 7/5/2007 11:40 | 1.463 | 9.07 |
| 7/5/2007 11:45 | 1.463 | 9.07 |
| 7/5/2007 11:50 | 1.461 | 9.07 |
| 7/5/2007 11:55 | 1.461 | 9.07 |
| 7/5/2007 12:00 | 1.459 | 9.07 |
| 7/5/2007 12:05 | 1.459 | 9.07 |
| 7/5/2007 12:10 | 1.458 | 9.07 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 12:15 | 1.458 | 9.07 |
| 7/5/2007 12:20 | 1.457 | 9.07 |
| 7/5/2007 12:25 | 1.457 | 9.07 |
| 7/5/2007 12:30 | 1.457 | 9.07 |
| 7/5/2007 12:35 | 1.456 | 9.07 |
| 7/5/2007 12:40 | 1.456 | 9.07 |
| 7/5/2007 12:45 | 1.455 | 9.07 |
| 7/5/2007 12:50 | 1.454 | 9.07 |
| 7/5/2007 12:55 | 1.453 | 9.07 |
| 7/5/2007 13:00 | 1.453 | 9.07 |
| 7/5/2007 13:05 | 1.452 | 9.07 |
| 7/5/2007 13:10 | 1.453 | 9.07 |
| 7/5/2007 13:15 | 1.451 | 9.07 |
| 7/5/2007 13:20 | 1.45 | 9.07 |
| 7/5/2007 13:25 | 1.449 | -15.37 |
| 7/5/2007 13:30 | 1.449 | -15.37 |
| 7/5/2007 13:35 | 1.448 | -15.37 |
| 7/5/2007 13:40 | 1.449 | -15.37 |
| 7/5/2007 13:45 | 1.448 | -15.58 |
| 7/5/2007 13:50 | 1.447 | -15.58 |
| 7/5/2007 13:55 | 1.447 | -15.58 |
| 7/5/2007 14:00 | 1.446 | -15.58 |
| 7/5/2007 14:05 | 1.446 | -15.58 |
| 7/5/2007 14:10 | 1.445 | -15.58 |
| 7/5/2007 14:15 | 1.445 | -15.58 |
| 7/5/2007 14:20 | 1.445 | -15.58 |
| 7/5/2007 14:25 | 1.445 | -15.58 |
| 7/5/2007 14:30 | 1.448 | -14.65 |
| 7/5/2007 14:35 | 1.466 | -14.65 |
| 7/5/2007 14:40 | 1.496 | -14.65 |
| 7/5/2007 14:45 | 1.532 | -14.65 |
| 7/5/2007 14:50 | 1.614 | -14.65 |
| 7/5/2007 14:55 | 1.68 | -14.65 |
| 7/5/2007 15:00 | 1.719 | -14.65 |
| 7/5/2007 15:05 | 1.735 | -14.65 |
| 7/5/2007 15:10 | 1.734 | -14.65 |
| 7/5/2007 15:15 | 1.714 | -14.65 |
| 7/5/2007 15:20 | 1.693 | -14.65 |
| 7/5/2007 15:25 | 1.671 | -14.65 |
| 7/5/2007 15:30 | 1.649 | -14.65 |
| 7/5/2007 15:35 | 1.632 | -14.65 |
| 7/5/2007 15:40 | 1.617 | -14.65 |
| 7/5/2007 15:45 | 1.604 | -14.65 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 15:50 | 1.595 | -14.65 |
| 7/5/2007 15:55 | 1.588 | -14.65 |
| 7/5/2007 16:00 | 1.581 | -14.65 |
| 7/5/2007 16:05 | 1.576 | -14.65 |
| 7/5/2007 16:10 | 1.572 | -14.65 |
| 7/5/2007 16:15 | 1.569 | -14.65 |
| 7/5/2007 16:20 | 1.567 | -14.65 |
| 7/5/2007 16:25 | 1.566 | -14.65 |
| 7/5/2007 16:30 | 1.565 | -14.65 |
| 7/5/2007 16:35 | 1.564 | -14.65 |
| 7/5/2007 16:40 | 1.564 | -14.65 |
| 7/5/2007 16:45 | 1.565 | -14.65 |
| 7/5/2007 16:50 | 1.565 | -14.65 |
| 7/5/2007 16:55 | 1.566 | -14.65 |
| 7/5/2007 17:00 | 1.566 | -14.65 |
| 7/5/2007 17:05 | 1.566 | -14.65 |
| 7/5/2007 17:10 | 1.566 | -14.65 |
| 7/5/2007 17:15 | 1.567 | -14.65 |
| 7/5/2007 17:20 | 1.567 | -14.65 |
| 7/5/2007 17:25 | 1.568 | -14.65 |
| 7/5/2007 17:30 | 1.568 | -14.65 |
| 7/5/2007 17:35 | 1.568 | -14.65 |
| 7/5/2007 17:40 | 1.569 | -14.65 |
| 7/5/2007 17:45 | 1.568 | -14.65 |
| 7/5/2007 17:50 | 1.569 | -14.65 |
| 7/5/2007 17:55 | 1.569 | -14.65 |
| 7/5/2007 18:00 | 1.569 | -14.65 |
| 7/5/2007 18:05 | 1.57 | -14.65 |
| 7/5/2007 18:10 | 1.569 | -14.65 |
| 7/5/2007 18:15 | 1.569 | -14.65 |
| 7/5/2007 18:20 | 1.569 | -14.65 |
| 7/5/2007 18:25 | 1.569 | -14.65 |
| 7/5/2007 18:30 | 1.569 | -14.65 |
| 7/5/2007 18:35 | 1.569 | -14.65 |
| 7/5/2007 18:40 | 1.568 | -14.65 |
| 7/5/2007 18:45 | 1.569 | -14.65 |
| 7/5/2007 18:50 | 1.568 | -14.65 |
| 7/5/2007 18:55 | 1.568 | -14.65 |
| 7/5/2007 19:00 | 1.569 | -14.65 |
| 7/5/2007 19:05 | 1.568 | -14.65 |
| 7/5/2007 19:10 | 1.567 | -14.65 |
| 7/5/2007 19:15 | 1.568 | -14.65 |
| 7/5/2007 19:20 | 1.567 | -14.65 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 19:25 | 1.568 | -14.65 |
| 7/5/2007 19:30 | 1.57 | -14.65 |
| 7/5/2007 19:35 | 1.574 | -14.65 |
| 7/5/2007 19:40 | 1.579 | -14.65 |
| 7/5/2007 19:45 | 1.584 | -14.65 |
| 7/5/2007 19:50 | 1.59 | -14.65 |
| 7/5/2007 19:55 | 1.593 | -14.65 |
| 7/5/2007 20:00 | 1.594 | -14.65 |
| 7/5/2007 20:05 | 1.594 | -14.65 |
| 7/5/2007 20:10 | 1.593 | -14.65 |
| 7/5/2007 20:15 | 1.591 | -14.65 |
| 7/5/2007 20:20 | 1.591 | -14.65 |
| 7/5/2007 20:25 | 1.589 | -14.65 |
| 7/5/2007 20:30 | 1.588 | -14.65 |
| 7/5/2007 20:35 | 1.587 | -14.65 |
| 7/5/2007 20:40 | 1.586 | -14.65 |
| 7/5/2007 20:45 | 1.585 | -14.65 |
| 7/5/2007 20:50 | 1.585 | -14.65 |
| 7/5/2007 20:55 | 1.584 | -14.65 |
| 7/5/2007 21:00 | 1.584 | -14.65 |
| 7/5/2007 21:05 | 1.582 | -14.65 |
| 7/5/2007 21:10 | 1.581 | -14.65 |
| 7/5/2007 21:15 | 1.579 | -14.65 |
| 7/5/2007 21:20 | 1.578 | -14.65 |
| 7/5/2007 21:25 | 1.577 | -14.65 |
| 7/5/2007 21:30 | 1.576 | -14.65 |
| 7/5/2007 21:35 | 1.575 | -14.65 |
| 7/5/2007 21:40 | 1.574 | -14.65 |
| 7/5/2007 21:45 | 1.572 | -14.65 |
| 7/5/2007 21:50 | 1.571 | -14.65 |
| 7/5/2007 21:55 | 1.57 | -14.65 |
| 7/5/2007 22:00 | 1.569 | -14.65 |
| 7/5/2007 22:05 | 1.569 | -14.65 |
| 7/5/2007 22:10 | 1.568 | -14.65 |
| 7/5/2007 22:15 | 1.567 | -14.65 |
| 7/5/2007 22:20 | 1.566 | -14.65 |
| 7/5/2007 22:25 | 1.566 | -14.65 |
| 7/5/2007 22:30 | 1.565 | -14.65 |
| 7/5/2007 22:35 | 1.565 | -14.65 |
| 7/5/2007 22:40 | 1.565 | -14.65 |
| 7/5/2007 22:45 | 1.566 | -14.65 |
| 7/5/2007 22:50 | 1.567 | -14.65 |
| 7/5/2007 22:55 | 1.568 | -14.65 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/5/2007 23:00 | 1.57 | -14.65 |
| 7/5/2007 23:05 | 1.573 | -14.65 |
| 7/5/2007 23:10 | 1.576 | -14.65 |
| 7/5/2007 23:15 | 1.579 | -14.65 |
| 7/5/2007 23:20 | 1.581 | -14.65 |
| 7/5/2007 23:25 | 1.581 | -14.65 |
| 7/5/2007 23:30 | 1.581 | -14.65 |
| 7/5/2007 23:35 | 1.581 | -14.65 |
| 7/5/2007 23:40 | 1.58 | -14.65 |
| 7/5/2007 23:45 | 1.579 | -14.65 |
| 7/5/2007 23:50 | 1.578 | -14.65 |
| 7/5/2007 23:55 | 1.576 | -14.65 |
| 7/6/2007 0:00 | 1.575 | -14.65 |
| 7/6/2007 0:05 | 1.574 | -14.65 |
| 7/6/2007 0:10 | 1.574 | -14.65 |
| 7/6/2007 0:15 | 1.573 | -14.65 |
| 7/6/2007 0:20 | 1.571 | -14.65 |
| 7/6/2007 0:25 | 1.571 | -14.65 |
| 7/6/2007 0:30 | 1.57 | -14.65 |
| 7/6/2007 0:35 | 1.57 | -14.65 |
| 7/6/2007 0:40 | 1.569 | -14.65 |
| 7/6/2007 0:45 | 1.568 | -14.65 |
| 7/6/2007 0:50 | 1.568 | -14.65 |
| 7/6/2007 0:55 | 1.567 | -14.65 |
| 7/6/2007 1:00 | 1.566 | -14.65 |
| 7/6/2007 1:05 | 1.565 | -14.65 |
| 7/6/2007 1:10 | 1.565 | -14.65 |
| 7/6/2007 1:15 | 1.565 | -14.65 |
| 7/6/2007 1:20 | 1.564 | -14.65 |
| 7/6/2007 1:25 | 1.564 | -14.65 |
| 7/6/2007 1:30 | 1.563 | -14.65 |
| 7/6/2007 1:35 | 1.563 | -14.65 |
| 7/6/2007 1:40 | 1.563 | -14.65 |
| 7/6/2007 1:45 | 1.562 | -14.65 |
| 7/6/2007 1:50 | 1.562 | -14.65 |
| 7/6/2007 1:55 | 1.563 | -14.65 |
| 7/6/2007 2:00 | 1.562 | -14.65 |
| 7/6/2007 2:05 | 1.561 | -14.65 |
| 7/6/2007 2:10 | 1.561 | -14.65 |
| 7/6/2007 2:15 | 1.56 | -14.65 |
| 7/6/2007 2:20 | 1.56 | -14.65 |
| 7/6/2007 2:25 | 1.56 | -14.65 |
| 7/6/2007 2:30 | 1.56 | -14.65 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 2:35 | 1.559 | -14.65 |
| 7/6/2007 2:40 | 1.559 | -14.65 |
| 7/6/2007 2:45 | 1.559 | -14.65 |
| 7/6/2007 2:50 | 1.559 | -14.65 |
| 7/6/2007 2:55 | 1.558 | -14.65 |
| 7/6/2007 3:00 | 1.558 | -14.65 |
| 7/6/2007 3:05 | 1.557 | -14.65 |
| 7/6/2007 3:10 | 1.557 | -14.65 |
| 7/6/2007 3:15 | 1.556 | -14.65 |
| 7/6/2007 3:20 | 1.556 | -14.65 |
| 7/6/2007 3:25 | 1.556 | -14.65 |
| 7/6/2007 3:30 | 1.555 | -14.65 |
| 7/6/2007 3:35 | 1.554 | -14.65 |
| 7/6/2007 3:40 | 1.554 | -14.65 |
| 7/6/2007 3:45 | 1.554 | -14.65 |
| 7/6/2007 3:50 | 1.553 | -14.65 |
| 7/6/2007 3:55 | 1.552 | -14.65 |
| 7/6/2007 4:00 | 1.552 | -14.65 |
| 7/6/2007 4:05 | 1.552 | -14.65 |
| 7/6/2007 4:10 | 1.552 | -14.65 |
| 7/6/2007 4:15 | 1.552 | -14.65 |
| 7/6/2007 4:20 | 1.552 | -14.65 |
| 7/6/2007 4:25 | 1.551 | -14.65 |
| 7/6/2007 4:30 | 1.55 | -14.65 |
| 7/6/2007 4:35 | 1.55 | -14.65 |
| 7/6/2007 4:40 | 1.549 | -14.65 |
| 7/6/2007 4:45 | 1.549 | -14.65 |
| 7/6/2007 4:50 | 1.548 | -14.65 |
| 7/6/2007 4:55 | 1.549 | -14.65 |
| 7/6/2007 5:00 | 1.548 | -14.65 |
| 7/6/2007 5:05 | 1.547 | -14.65 |
| 7/6/2007 5:10 | 1.547 | -14.65 |
| 7/6/2007 5:15 | 1.547 | -14.65 |
| 7/6/2007 5:20 | 1.546 | -14.65 |
| 7/6/2007 5:25 | 1.545 | -14.65 |
| 7/6/2007 5:30 | 1.545 | -14.65 |
| 7/6/2007 5:35 | 1.545 | -14.65 |
| 7/6/2007 5:40 | 1.545 | -14.65 |
| 7/6/2007 5:45 | 1.544 | -14.65 |
| 7/6/2007 5:50 | 1.545 | -14.65 |
| 7/6/2007 5:55 | 1.544 | -14.65 |
| 7/6/2007 6:00 | 1.543 | -14.65 |
| 7/6/2007 6:05 | 1.543 | -14.65 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 6:10 | 1.543 | -14.65 |
| 7/6/2007 6:15 | 1.542 | -14.65 |
| 7/6/2007 6:20 | 1.543 | -14.65 |
| 7/6/2007 6:25 | 1.543 | -14.65 |
| 7/6/2007 6:30 | 1.542 | -14.65 |
| 7/6/2007 6:35 | 1.542 | -14.65 |
| 7/6/2007 6:40 | 1.542 | -14.65 |
| 7/6/2007 6:45 | 1.542 | -14.65 |
| 7/6/2007 6:50 | 1.541 | -14.65 |
| 7/6/2007 6:55 | 1.541 | -14.65 |
| 7/6/2007 7:00 | 1.539 | -14.65 |
| 7/6/2007 7:05 | 1.54 | -14.65 |
| 7/6/2007 7:10 | 1.539 | -14.65 |
| 7/6/2007 7:15 | 1.539 | -14.65 |
| 7/6/2007 7:20 | 1.539 | -14.65 |
| 7/6/2007 7:25 | 1.538 | -14.65 |
| 7/6/2007 7:30 | 1.538 | -14.65 |
| 7/6/2007 7:35 | 1.538 | -14.65 |
| 7/6/2007 7:40 | 1.537 | -14.65 |
| 7/6/2007 7:45 | 1.537 | -14.65 |
| 7/6/2007 7:50 | 1.537 | -14.65 |
| 7/6/2007 7:55 | 1.538 | -14.65 |
| 7/6/2007 8:00 | 1.536 | -14.65 |
| 7/6/2007 8:05 | 1.536 | -14.65 |
| 7/6/2007 8:10 | 1.537 | -14.65 |
| 7/6/2007 8:15 | 1.535 | -14.65 |
| 7/6/2007 8:20 | 1.535 | -14.65 |
| 7/6/2007 8:25 | 1.536 | -14.65 |
| 7/6/2007 8:30 | 1.535 | -14.65 |
| 7/6/2007 8:35 | 1.536 | -14.65 |
| 7/6/2007 8:40 | 1.537 | -14.65 |
| 7/6/2007 8:45 | 1.536 | -14.65 |
| 7/6/2007 8:50 | 1.536 | -14.65 |
| 7/6/2007 8:55 | 1.535 | -14.65 |
| 7/6/2007 9:00 | 1.535 | -14.65 |
| 7/6/2007 9:05 | 1.536 | -14.65 |
| 7/6/2007 9:10 | 1.535 | -14.65 |
| 7/6/2007 9:15 | 1.535 | -14.65 |
| 7/6/2007 9:20 | 1.535 | -14.65 |
| 7/6/2007 9:25 | 1.534 | -14.65 |
| 7/6/2007 9:30 | 1.534 | -14.65 |
| 7/6/2007 9:35 | 1.533 | -14.65 |
| 7/6/2007 9:40 | 1.533 | -14.65 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 9:45 | 1.532 | -14.65 |
| 7/6/2007 9:50 | 1.532 | -14.65 |
| 7/6/2007 9:55 | 1.532 | -14.65 |
| 7/6/2007 10:00 | 1.535 | -14.65 |
| 7/6/2007 10:05 | 1.534 | -14.65 |
| 7/6/2007 10:10 | 1.534 | -14.65 |
| 7/6/2007 10:15 | 1.533 | -14.65 |
| 7/6/2007 10:20 | 1.532 | -10.44 |
| 7/6/2007 10:25 | 1.531 | -11.19 |
| 7/6/2007 10:30 | 1.531 | -11.19 |
| 7/6/2007 10:35 | 1.53 | -11.11 |
| 7/6/2007 10:40 | 1.531 | -11.11 |
| 7/6/2007 10:45 | 1.53 | -11.11 |
| 7/6/2007 10:50 | 1.53 | -11.11 |
| 7/6/2007 10:55 | 1.528 | -11.11 |
| 7/6/2007 11:00 | 1.528 | -11.11 |
| 7/6/2007 11:05 | 1.528 | -11.11 |
| 7/6/2007 11:10 | 1.527 | -11.11 |
| 7/6/2007 11:15 | 1.526 | -11.11 |
| 7/6/2007 11:20 | 1.525 | -11.11 |
| 7/6/2007 11:25 | 1.527 | -11.11 |
| 7/6/2007 11:30 | 1.525 | -11.11 |
| 7/6/2007 11:35 | 1.525 | -11.11 |
| 7/6/2007 11:40 | 1.523 | -11.11 |
| 7/6/2007 11:45 | 1.523 | -11.11 |
| 7/6/2007 11:50 | 1.524 | -11.11 |
| 7/6/2007 11:55 | 1.524 | -11.11 |
| 7/6/2007 12:00 | 1.523 | -11.11 |
| 7/6/2007 12:05 | 1.523 | -11.11 |
| 7/6/2007 12:10 | 1.523 | -11.11 |
| 7/6/2007 12:15 | 1.522 | -11.11 |
| 7/6/2007 12:20 | 1.521 | -11.11 |
| 7/6/2007 12:25 | 1.521 | -11.11 |
| 7/6/2007 12:30 | 1.521 | -11.11 |
| 7/6/2007 12:35 | 1.52 | -11.11 |
| 7/6/2007 12:40 | 1.519 | -11.11 |
| 7/6/2007 12:45 | 1.519 | -11.11 |
| 7/6/2007 12:50 | 1.519 | -11.11 |
| 7/6/2007 12:55 | 1.519 | -11.11 |
| 7/6/2007 13:00 | 1.518 | -11.11 |
| 7/6/2007 13:05 | 1.518 | -11.11 |
| 7/6/2007 13:10 | 1.518 | -11.11 |
| 7/6/2007 13:15 | 1.517 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 13:20 | 1.517 | -11.11 |
| 7/6/2007 13:25 | 1.517 | -11.11 |
| 7/6/2007 13:30 | 1.517 | -11.11 |
| 7/6/2007 13:35 | 1.517 | -11.11 |
| 7/6/2007 13:40 | 1.516 | -11.11 |
| 7/6/2007 13:45 | 1.516 | -11.11 |
| 7/6/2007 13:50 | 1.515 | -11.11 |
| 7/6/2007 13:55 | 1.516 | -11.11 |
| 7/6/2007 14:00 | 1.515 | -11.11 |
| 7/6/2007 14:05 | 1.515 | -11.11 |
| 7/6/2007 14:10 | 1.515 | -11.11 |
| 7/6/2007 14:15 | 1.513 | -11.11 |
| 7/6/2007 14:20 | 1.514 | -11.11 |
| 7/6/2007 14:25 | 1.514 | -11.11 |
| 7/6/2007 14:30 | 1.513 | -11.11 |
| 7/6/2007 14:35 | 1.513 | -11.11 |
| 7/6/2007 14:40 | 1.513 | -11.11 |
| 7/6/2007 14:45 | 1.516 | -11.11 |
| 7/6/2007 14:50 | 1.524 | -11.11 |
| 7/6/2007 14:55 | 1.536 | -11.11 |
| 7/6/2007 15:00 | 1.562 | -11.11 |
| 7/6/2007 15:05 | 1.613 | -11.11 |
| 7/6/2007 15:10 | 1.653 | -11.11 |
| 7/6/2007 15:15 | 1.672 | -11.11 |
| 7/6/2007 15:20 | 1.673 | -11.11 |
| 7/6/2007 15:25 | 1.663 | -11.11 |
| 7/6/2007 15:30 | 1.648 | -11.11 |
| 7/6/2007 15:35 | 1.633 | -11.11 |
| 7/6/2007 15:40 | 1.62 | -11.11 |
| 7/6/2007 15:45 | 1.611 | -11.11 |
| 7/6/2007 15:50 | 1.603 | -11.11 |
| 7/6/2007 15:55 | 1.598 | -11.11 |
| 7/6/2007 16:00 | 1.592 | -11.11 |
| 7/6/2007 16:05 | 1.588 | -11.11 |
| 7/6/2007 16:10 | 1.585 | -11.11 |
| 7/6/2007 16:15 | 1.582 | -11.11 |
| 7/6/2007 16:20 | 1.581 | -11.11 |
| 7/6/2007 16:25 | 1.579 | -11.11 |
| 7/6/2007 16:30 | 1.578 | -11.11 |
| 7/6/2007 16:35 | 1.576 | -11.11 |
| 7/6/2007 16:40 | 1.576 | -11.11 |
| 7/6/2007 16:45 | 1.576 | -11.11 |
| 7/6/2007 16:50 | 1.576 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 16:55 | 1.575 | -11.11 |
| 7/6/2007 17:00 | 1.576 | -11.11 |
| 7/6/2007 17:05 | 1.576 | -11.11 |
| 7/6/2007 17:10 | 1.576 | -11.11 |
| 7/6/2007 17:15 | 1.576 | -11.11 |
| 7/6/2007 17:20 | 1.576 | -11.11 |
| 7/6/2007 17:25 | 1.576 | -11.11 |
| 7/6/2007 17:30 | 1.577 | -11.11 |
| 7/6/2007 17:35 | 1.577 | -11.11 |
| 7/6/2007 17:40 | 1.577 | -11.11 |
| 7/6/2007 17:45 | 1.577 | -11.11 |
| 7/6/2007 17:50 | 1.577 | -11.11 |
| 7/6/2007 17:55 | 1.577 | -11.11 |
| 7/6/2007 18:00 | 1.578 | -11.11 |
| 7/6/2007 18:05 | 1.579 | -11.11 |
| 7/6/2007 18:10 | 1.578 | -11.11 |
| 7/6/2007 18:15 | 1.579 | -11.11 |
| 7/6/2007 18:20 | 1.578 | -11.11 |
| 7/6/2007 18:25 | 1.578 | -11.11 |
| 7/6/2007 18:30 | 1.579 | -11.11 |
| 7/6/2007 18:35 | 1.579 | -11.11 |
| 7/6/2007 18:40 | 1.578 | -11.11 |
| 7/6/2007 18:45 | 1.578 | -11.11 |
| 7/6/2007 18:50 | 1.578 | -11.11 |
| 7/6/2007 18:55 | 1.578 | -11.11 |
| 7/6/2007 19:00 | 1.578 | -11.11 |
| 7/6/2007 19:05 | 1.578 | -11.11 |
| 7/6/2007 19:10 | 1.577 | -11.11 |
| 7/6/2007 19:15 | 1.577 | -11.11 |
| 7/6/2007 19:20 | 1.577 | -11.11 |
| 7/6/2007 19:25 | 1.576 | -11.11 |
| 7/6/2007 19:30 | 1.576 | -11.11 |
| 7/6/2007 19:35 | 1.575 | -11.11 |
| 7/6/2007 19:40 | 1.576 | -11.11 |
| 7/6/2007 19:45 | 1.574 | -11.11 |
| 7/6/2007 19:50 | 1.574 | -11.11 |
| 7/6/2007 19:55 | 1.574 | -11.11 |
| 7/6/2007 20:00 | 1.574 | -11.11 |
| 7/6/2007 20:05 | 1.574 | -11.11 |
| 7/6/2007 20:10 | 1.573 | -11.11 |
| 7/6/2007 20:15 | 1.573 | -11.11 |
| 7/6/2007 20:20 | 1.572 | -11.11 |
| 7/6/2007 20:25 | 1.572 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/6/2007 20:30 | 1.571 | -11.11 |
| 7/6/2007 20:35 | 1.571 | -11.11 |
| 7/6/2007 20:40 | 1.571 | -11.11 |
| 7/6/2007 20:45 | 1.57 | -11.11 |
| 7/6/2007 20:50 | 1.57 | -11.11 |
| 7/6/2007 20:55 | 1.569 | -11.11 |
| 7/6/2007 21:00 | 1.567 | -11.11 |
| 7/6/2007 21:05 | 1.567 | -11.11 |
| 7/6/2007 21:10 | 1.566 | -11.11 |
| 7/6/2007 21:15 | 1.565 | -11.11 |
| 7/6/2007 21:20 | 1.565 | -11.11 |
| 7/6/2007 21:25 | 1.564 | -11.11 |
| 7/6/2007 21:30 | 1.564 | -11.11 |
| 7/6/2007 21:35 | 1.563 | -11.11 |
| 7/6/2007 21:40 | 1.563 | -11.11 |
| 7/6/2007 21:45 | 1.563 | -11.11 |
| 7/6/2007 21:50 | 1.562 | -11.11 |
| 7/6/2007 21:55 | 1.562 | -11.11 |
| 7/6/2007 22:00 | 1.56 | -11.11 |
| 7/6/2007 22:05 | 1.561 | -11.11 |
| 7/6/2007 22:10 | 1.56 | -11.11 |
| 7/6/2007 22:15 | 1.56 | -11.11 |
| 7/6/2007 22:20 | 1.56 | -11.11 |
| 7/6/2007 22:25 | 1.559 | -11.11 |
| 7/6/2007 22:30 | 1.559 | -11.11 |
| 7/6/2007 22:35 | 1.558 | -11.11 |
| 7/6/2007 22:40 | 1.558 | -11.11 |
| 7/6/2007 22:45 | 1.557 | -11.11 |
| 7/6/2007 22:50 | 1.557 | -11.11 |
| 7/6/2007 22:55 | 1.557 | -11.11 |
| 7/6/2007 23:00 | 1.556 | -11.11 |
| 7/6/2007 23:05 | 1.556 | -11.11 |
| 7/6/2007 23:10 | 1.555 | -11.11 |
| 7/6/2007 23:15 | 1.555 | -11.11 |
| 7/6/2007 23:20 | 1.555 | -11.11 |
| 7/6/2007 23:25 | 1.555 | -11.11 |
| 7/6/2007 23:30 | 1.554 | -11.11 |
| 7/6/2007 23:35 | 1.553 | -11.11 |
| 7/6/2007 23:40 | 1.553 | -11.11 |
| 7/6/2007 23:45 | 1.553 | -11.11 |
| 7/6/2007 23:50 | 1.553 | -11.11 |
| 7/6/2007 23:55 | 1.553 | -11.11 |
| 7/7/2007 0:00 | 1.552 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 0:05 | 1.552 | -11.11 |
| 7/7/2007 0:10 | 1.551 | -11.11 |
| 7/7/2007 0:15 | 1.551 | -11.11 |
| 7/7/2007 0:20 | 1.551 | -11.11 |
| 7/7/2007 0:25 | 1.55 | -11.11 |
| 7/7/2007 0:30 | 1.55 | -11.11 |
| 7/7/2007 0:35 | 1.549 | -11.11 |
| 7/7/2007 0:40 | 1.55 | -11.11 |
| 7/7/2007 0:45 | 1.549 | -11.11 |
| 7/7/2007 0:50 | 1.548 | -11.11 |
| 7/7/2007 0:55 | 1.548 | -11.11 |
| 7/7/2007 1:00 | 1.548 | -11.11 |
| 7/7/2007 1:05 | 1.548 | -11.11 |
| 7/7/2007 1:10 | 1.547 | -11.11 |
| 7/7/2007 1:15 | 1.547 | -11.11 |
| 7/7/2007 1:20 | 1.547 | -11.11 |
| 7/7/2007 1:25 | 1.547 | -11.11 |
| 7/7/2007 1:30 | 1.547 | -11.11 |
| 7/7/2007 1:35 | 1.548 | -11.11 |
| 7/7/2007 1:40 | 1.547 | -11.11 |
| 7/7/2007 1:45 | 1.547 | -11.11 |
| 7/7/2007 1:50 | 1.546 | -11.11 |
| 7/7/2007 1:55 | 1.546 | -11.11 |
| 7/7/2007 2:00 | 1.545 | -11.11 |
| 7/7/2007 2:05 | 1.545 | -11.11 |
| 7/7/2007 2:10 | 1.546 | -11.11 |
| 7/7/2007 2:15 | 1.545 | -11.11 |
| 7/7/2007 2:20 | 1.545 | -11.11 |
| 7/7/2007 2:25 | 1.545 | -11.11 |
| 7/7/2007 2:30 | 1.545 | -11.11 |
| 7/7/2007 2:35 | 1.544 | -11.11 |
| 7/7/2007 2:40 | 1.544 | -11.11 |
| 7/7/2007 2:45 | 1.544 | -11.11 |
| 7/7/2007 2:50 | 1.543 | -11.11 |
| 7/7/2007 2:55 | 1.543 | -11.11 |
| 7/7/2007 3:00 | 1.543 | -11.11 |
| 7/7/2007 3:05 | 1.543 | -11.11 |
| 7/7/2007 3:10 | 1.543 | -11.11 |
| 7/7/2007 3:15 | 1.542 | -11.11 |
| 7/7/2007 3:20 | 1.542 | -11.11 |
| 7/7/2007 3:25 | 1.542 | -11.11 |
| 7/7/2007 3:30 | 1.541 | -11.11 |
| 7/7/2007 3:35 | 1.542 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 3:40 | 1.541 | -11.11 |
| 7/7/2007 3:45 | 1.541 | -11.11 |
| 7/7/2007 3:50 | 1.541 | -11.11 |
| 7/7/2007 3:55 | 1.54 | -11.11 |
| 7/7/2007 4:00 | 1.54 | -11.11 |
| 7/7/2007 4:05 | 1.54 | -11.11 |
| 7/7/2007 4:10 | 1.539 | -11.11 |
| 7/7/2007 4:15 | 1.539 | -11.11 |
| 7/7/2007 4:20 | 1.54 | -11.11 |
| 7/7/2007 4:25 | 1.538 | -11.11 |
| 7/7/2007 4:30 | 1.539 | -11.11 |
| 7/7/2007 4:35 | 1.538 | -11.11 |
| 7/7/2007 4:40 | 1.538 | -11.11 |
| 7/7/2007 4:45 | 1.538 | -11.11 |
| 7/7/2007 4:50 | 1.537 | -11.11 |
| 7/7/2007 4:55 | 1.538 | -11.11 |
| 7/7/2007 5:00 | 1.537 | -11.11 |
| 7/7/2007 5:05 | 1.537 | -11.11 |
| 7/7/2007 5:10 | 1.538 | -11.11 |
| 7/7/2007 5:15 | 1.538 | -11.11 |
| 7/7/2007 5:20 | 1.538 | -11.11 |
| 7/7/2007 5:25 | 1.538 | -11.11 |
| 7/7/2007 5:30 | 1.537 | -11.11 |
| 7/7/2007 5:35 | 1.537 | -11.11 |
| 7/7/2007 5:40 | 1.537 | -11.11 |
| 7/7/2007 5:45 | 1.536 | -11.11 |
| 7/7/2007 5:50 | 1.536 | -11.11 |
| 7/7/2007 5:55 | 1.536 | -11.11 |
| 7/7/2007 6:00 | 1.536 | -11.11 |
| 7/7/2007 6:05 | 1.535 | -11.11 |
| 7/7/2007 6:10 | 1.535 | -11.11 |
| 7/7/2007 6:15 | 1.536 | -11.11 |
| 7/7/2007 6:20 | 1.535 | -11.11 |
| 7/7/2007 6:25 | 1.535 | -11.11 |
| 7/7/2007 6:30 | 1.535 | -11.11 |
| 7/7/2007 6:35 | 1.535 | -11.11 |
| 7/7/2007 6:40 | 1.534 | -11.11 |
| 7/7/2007 6:45 | 1.534 | -11.11 |
| 7/7/2007 6:50 | 1.535 | -11.11 |
| 7/7/2007 6:55 | 1.534 | -11.11 |
| 7/7/2007 7:00 | 1.534 | -11.11 |
| 7/7/2007 7:05 | 1.532 | -11.11 |
| 7/7/2007 7:10 | 1.533 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 7:15 | 1.534 | -11.11 |
| 7/7/2007 7:20 | 1.534 | -11.11 |
| 7/7/2007 7:25 | 1.534 | -11.11 |
| 7/7/2007 7:30 | 1.533 | -11.11 |
| 7/7/2007 7:35 | 1.533 | -11.11 |
| 7/7/2007 7:40 | 1.532 | -11.11 |
| 7/7/2007 7:45 | 1.532 | -11.11 |
| 7/7/2007 7:50 | 1.532 | -11.11 |
| 7/7/2007 7:55 | 1.532 | -11.11 |
| 7/7/2007 8:00 | 1.532 | -11.11 |
| 7/7/2007 8:05 | 1.531 | -11.11 |
| 7/7/2007 8:10 | 1.531 | -11.11 |
| 7/7/2007 8:15 | 1.532 | -11.11 |
| 7/7/2007 8:20 | 1.532 | -11.11 |
| 7/7/2007 8:25 | 1.532 | -11.11 |
| 7/7/2007 8:30 | 1.533 | -11.11 |
| 7/7/2007 8:35 | 1.533 | -11.11 |
| 7/7/2007 8:40 | 1.532 | -11.11 |
| 7/7/2007 8:45 | 1.532 | -11.11 |
| 7/7/2007 8:50 | 1.532 | -11.11 |
| 7/7/2007 8:55 | 1.532 | -11.11 |
| 7/7/2007 9:00 | 1.532 | -11.11 |
| 7/7/2007 9:05 | 1.532 | -11.11 |
| 7/7/2007 9:10 | 1.531 | -11.11 |
| 7/7/2007 9:15 | 1.532 | -11.11 |
| 7/7/2007 9:20 | 1.532 | -11.11 |
| 7/7/2007 9:25 | 1.532 | -11.11 |
| 7/7/2007 9:30 | 1.531 | -11.11 |
| 7/7/2007 9:35 | 1.531 | -11.11 |
| 7/7/2007 9:40 | 1.531 | -11.11 |
| 7/7/2007 9:45 | 1.53 | -11.11 |
| 7/7/2007 9:50 | 1.529 | -11.11 |
| 7/7/2007 9:55 | 1.529 | -11.11 |
| 7/7/2007 10:00 | 1.529 | -11.11 |
| 7/7/2007 10:05 | 1.53 | -11.11 |
| 7/7/2007 10:10 | 1.529 | -11.11 |
| 7/7/2007 10:15 | 1.53 | -11.11 |
| 7/7/2007 10:20 | 1.529 | -11.11 |
| 7/7/2007 10:25 | 1.528 | -11.11 |
| 7/7/2007 10:30 | 1.527 | -11.11 |
| 7/7/2007 10:35 | 1.527 | -11.11 |
| 7/7/2007 10:40 | 1.528 | -11.11 |
| 7/7/2007 10:45 | 1.527 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 10:50 | 1.526 | -11.11 |
| 7/7/2007 10:55 | 1.526 | -11.11 |
| 7/7/2007 11:00 | 1.525 | -11.11 |
| 7/7/2007 11:05 | 1.526 | -11.11 |
| 7/7/2007 11:10 | 1.526 | -11.11 |
| 7/7/2007 11:15 | 1.525 | -11.11 |
| 7/7/2007 11:20 | 1.525 | -11.11 |
| 7/7/2007 11:25 | 1.524 | -11.11 |
| 7/7/2007 11:30 | 1.523 | -11.11 |
| 7/7/2007 11:35 | 1.524 | -11.11 |
| 7/7/2007 11:40 | 1.523 | -11.11 |
| 7/7/2007 11:45 | 1.522 | -11.11 |
| 7/7/2007 11:50 | 1.522 | -11.11 |
| 7/7/2007 11:55 | 1.523 | -11.11 |
| 7/7/2007 12:00 | 1.523 | -11.11 |
| 7/7/2007 12:05 | 1.522 | -11.11 |
| 7/7/2007 12:10 | 1.521 | -11.11 |
| 7/7/2007 12:15 | 1.52 | -11.11 |
| 7/7/2007 12:20 | 1.52 | -11.11 |
| 7/7/2007 12:25 | 1.52 | -11.11 |
| 7/7/2007 12:30 | 1.52 | -11.11 |
| 7/7/2007 12:35 | 1.52 | -11.11 |
| 7/7/2007 12:40 | 1.52 | -11.11 |
| 7/7/2007 12:45 | 1.519 | -11.11 |
| 7/7/2007 12:50 | 1.518 | -11.11 |
| 7/7/2007 12:55 | 1.518 | -11.11 |
| 7/7/2007 13:00 | 1.518 | -11.11 |
| 7/7/2007 13:05 | 1.517 | -11.11 |
| 7/7/2007 13:10 | 1.517 | -11.11 |
| 7/7/2007 13:15 | 1.518 | -11.11 |
| 7/7/2007 13:20 | 1.517 | -11.11 |
| 7/7/2007 13:25 | 1.517 | -11.11 |
| 7/7/2007 13:30 | 1.516 | -11.11 |
| 7/7/2007 13:35 | 1.517 | -11.11 |
| 7/7/2007 13:40 | 1.516 | -11.11 |
| 7/7/2007 13:45 | 1.515 | -11.11 |
| 7/7/2007 13:50 | 1.514 | -11.11 |
| 7/7/2007 13:55 | 1.514 | -11.11 |
| 7/7/2007 14:00 | 1.514 | -11.11 |
| 7/7/2007 14:05 | 1.514 | -11.11 |
| 7/7/2007 14:10 | 1.513 | -11.11 |
| 7/7/2007 14:15 | 1.513 | -11.11 |
| 7/7/2007 14:20 | 1.514 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 14:25 | 1.513 | -11.11 |
| 7/7/2007 14:30 | 1.512 | -11.11 |
| 7/7/2007 14:35 | 1.512 | -11.11 |
| 7/7/2007 14:40 | 1.512 | -11.11 |
| 7/7/2007 14:45 | 1.51 | -11.11 |
| 7/7/2007 14:50 | 1.51 | -11.11 |
| 7/7/2007 14:55 | 1.51 | -11.11 |
| 7/7/2007 15:00 | 1.51 | -11.11 |
| 7/7/2007 15:05 | 1.51 | -11.11 |
| 7/7/2007 15:10 | 1.509 | -11.11 |
| 7/7/2007 15:15 | 1.509 | -11.11 |
| 7/7/2007 15:20 | 1.51 | -11.11 |
| 7/7/2007 15:25 | 1.51 | -11.11 |
| 7/7/2007 15:30 | 1.509 | -11.11 |
| 7/7/2007 15:35 | 1.51 | -11.11 |
| 7/7/2007 15:40 | 1.51 | -11.11 |
| 7/7/2007 15:45 | 1.509 | -11.11 |
| 7/7/2007 15:50 | 1.508 | -11.11 |
| 7/7/2007 15:55 | 1.505 | -11.11 |
| 7/7/2007 16:00 | 1.506 | -11.11 |
| 7/7/2007 16:05 | 1.504 | -11.11 |
| 7/7/2007 16:10 | 1.506 | -11.11 |
| 7/7/2007 16:15 | 1.505 | -11.11 |
| 7/7/2007 16:20 | 1.506 | -11.11 |
| 7/7/2007 16:25 | 1.504 | -11.11 |
| 7/7/2007 16:30 | 1.504 | -11.11 |
| 7/7/2007 16:35 | 1.504 | -11.11 |
| 7/7/2007 16:40 | 1.505 | -11.11 |
| 7/7/2007 16:45 | 1.504 | -11.11 |
| 7/7/2007 16:50 | 1.504 | -11.11 |
| 7/7/2007 16:55 | 1.504 | -11.11 |
| 7/7/2007 17:00 | 1.503 | -11.11 |
| 7/7/2007 17:05 | 1.504 | -11.11 |
| 7/7/2007 17:10 | 1.504 | -11.11 |
| 7/7/2007 17:15 | 1.503 | -11.11 |
| 7/7/2007 17:20 | 1.503 | -11.11 |
| 7/7/2007 17:25 | 1.503 | -11.11 |
| 7/7/2007 17:30 | 1.503 | -11.11 |
| 7/7/2007 17:35 | 1.502 | -11.11 |
| 7/7/2007 17:40 | 1.502 | -11.11 |
| 7/7/2007 17:45 | 1.501 | -11.11 |
| 7/7/2007 17:50 | 1.502 | -11.11 |
| 7/7/2007 17:55 | 1.502 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 18:00 | 1.501 | -11.11 |
| 7/7/2007 18:05 | 1.502 | -11.11 |
| 7/7/2007 18:10 | 1.501 | -11.11 |
| 7/7/2007 18:15 | 1.502 | -11.11 |
| 7/7/2007 18:20 | 1.502 | -11.11 |
| 7/7/2007 18:25 | 1.501 | -11.11 |
| 7/7/2007 18:30 | 1.501 | -11.11 |
| 7/7/2007 18:35 | 1.501 | -11.11 |
| 7/7/2007 18:40 | 1.501 | -11.11 |
| 7/7/2007 18:45 | 1.501 | -11.11 |
| 7/7/2007 18:50 | 1.501 | -11.11 |
| 7/7/2007 18:55 | 1.501 | -11.11 |
| 7/7/2007 19:00 | 1.5 | -11.11 |
| 7/7/2007 19:05 | 1.501 | -11.11 |
| 7/7/2007 19:10 | 1.5 | -11.11 |
| 7/7/2007 19:15 | 1.501 | -11.11 |
| 7/7/2007 19:20 | 1.5 | -11.11 |
| 7/7/2007 19:25 | 1.5 | -11.11 |
| 7/7/2007 19:30 | 1.5 | -11.11 |
| 7/7/2007 19:35 | 1.5 | -11.11 |
| 7/7/2007 19:40 | 1.5 | -11.11 |
| 7/7/2007 19:45 | 1.499 | -11.11 |
| 7/7/2007 19:50 | 1.499 | -11.11 |
| 7/7/2007 19:55 | 1.499 | -11.11 |
| 7/7/2007 20:00 | 1.499 | -11.11 |
| 7/7/2007 20:05 | 1.499 | -11.11 |
| 7/7/2007 20:10 | 1.499 | -11.11 |
| 7/7/2007 20:15 | 1.499 | -11.11 |
| 7/7/2007 20:20 | 1.499 | -11.11 |
| 7/7/2007 20:25 | 1.498 | -11.11 |
| 7/7/2007 20:30 | 1.498 | -11.11 |
| 7/7/2007 20:35 | 1.498 | -11.11 |
| 7/7/2007 20:40 | 1.498 | -11.11 |
| 7/7/2007 20:45 | 1.498 | -11.11 |
| 7/7/2007 20:50 | 1.495 | -11.11 |
| 7/7/2007 20:55 | 1.497 | -11.11 |
| 7/7/2007 21:00 | 1.497 | -11.11 |
| 7/7/2007 21:05 | 1.497 | -11.11 |
| 7/7/2007 21:10 | 1.496 | -11.11 |
| 7/7/2007 21:15 | 1.496 | -11.11 |
| 7/7/2007 21:20 | 1.495 | -11.11 |
| 7/7/2007 21:25 | 1.495 | -11.11 |
| 7/7/2007 21:30 | 1.495 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/7/2007 21:35 | 1.495 | -11.11 |
| 7/7/2007 21:40 | 1.496 | -11.11 |
| 7/7/2007 21:45 | 1.495 | -11.11 |
| 7/7/2007 21:50 | 1.495 | -11.11 |
| 7/7/2007 21:55 | 1.495 | -11.11 |
| 7/7/2007 22:00 | 1.495 | -11.11 |
| 7/7/2007 22:05 | 1.495 | -11.11 |
| 7/7/2007 22:10 | 1.494 | -11.11 |
| 7/7/2007 22:15 | 1.494 | -11.11 |
| 7/7/2007 22:20 | 1.494 | -11.11 |
| 7/7/2007 22:25 | 1.494 | -11.11 |
| 7/7/2007 22:30 | 1.494 | -11.11 |
| 7/7/2007 22:35 | 1.495 | -11.11 |
| 7/7/2007 22:40 | 1.493 | -11.11 |
| 7/7/2007 22:45 | 1.493 | -11.11 |
| 7/7/2007 22:50 | 1.493 | -11.11 |
| 7/7/2007 22:55 | 1.493 | -11.11 |
| 7/7/2007 23:00 | 1.494 | -11.11 |
| 7/7/2007 23:05 | 1.493 | -11.11 |
| 7/7/2007 23:10 | 1.491 | -11.11 |
| 7/7/2007 23:15 | 1.49 | -11.11 |
| 7/7/2007 23:20 | 1.49 | -11.11 |
| 7/7/2007 23:25 | 1.49 | -11.11 |
| 7/7/2007 23:30 | 1.489 | -11.11 |
| 7/7/2007 23:35 | 1.489 | -11.11 |
| 7/7/2007 23:40 | 1.489 | -11.11 |
| 7/7/2007 23:45 | 1.488 | -11.11 |
| 7/7/2007 23:50 | 1.488 | -11.11 |
| 7/7/2007 23:55 | 1.488 | -11.11 |
| 7/8/2007 0:00 | 1.488 | -11.11 |
| 7/8/2007 0:05 | 1.487 | -11.11 |
| 7/8/2007 0:10 | 1.487 | -11.11 |
| 7/8/2007 0:15 | 1.487 | -11.11 |
| 7/8/2007 0:20 | 1.487 | -11.11 |
| 7/8/2007 0:25 | 1.487 | -11.11 |
| 7/8/2007 0:30 | 1.487 | -11.11 |
| 7/8/2007 0:35 | 1.487 | -11.11 |
| 7/8/2007 0:40 | 1.486 | -11.11 |
| 7/8/2007 0:45 | 1.487 | -11.11 |
| 7/8/2007 0:50 | 1.486 | -11.11 |
| 7/8/2007 0:55 | 1.486 | -11.11 |
| 7/8/2007 1:00 | 1.486 | -11.11 |
| 7/8/2007 1:05 | 1.486 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 1:10 | 1.486 | -11.11 |
| 7/8/2007 1:15 | 1.486 | -11.11 |
| 7/8/2007 1:20 | 1.486 | -11.11 |
| 7/8/2007 1:25 | 1.486 | -11.11 |
| 7/8/2007 1:30 | 1.486 | -11.11 |
| 7/8/2007 1:35 | 1.486 | -11.11 |
| 7/8/2007 1:40 | 1.486 | -11.11 |
| 7/8/2007 1:45 | 1.486 | -11.11 |
| 7/8/2007 1:50 | 1.486 | -11.11 |
| 7/8/2007 1:55 | 1.486 | -11.11 |
| 7/8/2007 2:00 | 1.486 | -11.11 |
| 7/8/2007 2:05 | 1.485 | -11.11 |
| 7/8/2007 2:10 | 1.485 | -11.11 |
| 7/8/2007 2:15 | 1.485 | -11.11 |
| 7/8/2007 2:20 | 1.484 | -11.11 |
| 7/8/2007 2:25 | 1.485 | -11.11 |
| 7/8/2007 2:30 | 1.485 | -11.11 |
| 7/8/2007 2:35 | 1.485 | -11.11 |
| 7/8/2007 2:40 | 1.484 | -11.11 |
| 7/8/2007 2:45 | 1.484 | -11.11 |
| 7/8/2007 2:50 | 1.484 | -11.11 |
| 7/8/2007 2:55 | 1.483 | -11.11 |
| 7/8/2007 3:00 | 1.483 | -11.11 |
| 7/8/2007 3:05 | 1.484 | -11.11 |
| 7/8/2007 3:10 | 1.483 | -11.11 |
| 7/8/2007 3:15 | 1.483 | -11.11 |
| 7/8/2007 3:20 | 1.483 | -11.11 |
| 7/8/2007 3:25 | 1.483 | -11.11 |
| 7/8/2007 3:30 | 1.481 | -11.11 |
| 7/8/2007 3:35 | 1.482 | -11.11 |
| 7/8/2007 3:40 | 1.482 | -11.11 |
| 7/8/2007 3:45 | 1.482 | -11.11 |
| 7/8/2007 3:50 | 1.482 | -11.11 |
| 7/8/2007 3:55 | 1.482 | -11.11 |
| 7/8/2007 4:00 | 1.481 | -11.11 |
| 7/8/2007 4:05 | 1.482 | -11.11 |
| 7/8/2007 4:10 | 1.481 | -11.11 |
| 7/8/2007 4:15 | 1.481 | -11.11 |
| 7/8/2007 4:20 | 1.481 | -11.11 |
| 7/8/2007 4:25 | 1.481 | -11.11 |
| 7/8/2007 4:30 | 1.481 | -11.11 |
| 7/8/2007 4:35 | 1.48 | -11.11 |
| 7/8/2007 4:40 | 1.48 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 4:45 | 1.481 | -11.11 |
| 7/8/2007 4:50 | 1.48 | -11.11 |
| 7/8/2007 4:55 | 1.48 | -11.11 |
| 7/8/2007 5:00 | 1.48 | -11.11 |
| 7/8/2007 5:05 | 1.48 | -11.11 |
| 7/8/2007 5:10 | 1.479 | -11.11 |
| 7/8/2007 5:15 | 1.479 | -11.11 |
| 7/8/2007 5:20 | 1.478 | -11.11 |
| 7/8/2007 5:25 | 1.479 | -11.11 |
| 7/8/2007 5:30 | 1.479 | -11.11 |
| 7/8/2007 5:35 | 1.479 | -11.11 |
| 7/8/2007 5:40 | 1.478 | -11.11 |
| 7/8/2007 5:45 | 1.478 | -11.11 |
| 7/8/2007 5:50 | 1.478 | -11.11 |
| 7/8/2007 5:55 | 1.478 | -11.11 |
| 7/8/2007 6:00 | 1.478 | -11.11 |
| 7/8/2007 6:05 | 1.478 | -11.11 |
| 7/8/2007 6:10 | 1.478 | -11.11 |
| 7/8/2007 6:15 | 1.478 | -11.11 |
| 7/8/2007 6:20 | 1.477 | -11.11 |
| 7/8/2007 6:25 | 1.478 | -11.11 |
| 7/8/2007 6:30 | 1.477 | -11.11 |
| 7/8/2007 6:35 | 1.478 | -11.11 |
| 7/8/2007 6:40 | 1.477 | -11.11 |
| 7/8/2007 6:45 | 1.477 | -11.11 |
| 7/8/2007 6:50 | 1.477 | -11.11 |
| 7/8/2007 6:55 | 1.477 | -11.11 |
| 7/8/2007 7:00 | 1.477 | -11.11 |
| 7/8/2007 7:05 | 1.477 | -11.11 |
| 7/8/2007 7:10 | 1.477 | -11.11 |
| 7/8/2007 7:15 | 1.477 | -11.11 |
| 7/8/2007 7:20 | 1.477 | -11.11 |
| 7/8/2007 7:25 | 1.477 | -11.11 |
| 7/8/2007 7:30 | 1.475 | -11.11 |
| 7/8/2007 7:35 | 1.477 | -11.11 |
| 7/8/2007 7:40 | 1.477 | -11.11 |
| 7/8/2007 7:45 | 1.477 | -11.11 |
| 7/8/2007 7:50 | 1.477 | -11.11 |
| 7/8/2007 7:55 | 1.477 | -11.11 |
| 7/8/2007 8:00 | 1.477 | -11.11 |
| 7/8/2007 8:05 | 1.476 | -11.11 |
| 7/8/2007 8:10 | 1.477 | -11.11 |
| 7/8/2007 8:15 | 1.476 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 8:20 | 1.476 | -11.11 |
| 7/8/2007 8:25 | 1.475 | -11.11 |
| 7/8/2007 8:30 | 1.475 | -11.11 |
| 7/8/2007 8:35 | 1.475 | -11.11 |
| 7/8/2007 8:40 | 1.476 | -11.11 |
| 7/8/2007 8:45 | 1.476 | -11.11 |
| 7/8/2007 8:50 | 1.477 | -11.11 |
| 7/8/2007 8:55 | 1.476 | -11.11 |
| 7/8/2007 9:00 | 1.475 | -11.11 |
| 7/8/2007 9:05 | 1.475 | -11.11 |
| 7/8/2007 9:10 | 1.476 | -11.11 |
| 7/8/2007 9:15 | 1.475 | -11.11 |
| 7/8/2007 9:20 | 1.476 | -11.11 |
| 7/8/2007 9:25 | 1.475 | -11.11 |
| 7/8/2007 9:30 | 1.475 | -11.11 |
| 7/8/2007 9:35 | 1.475 | -11.11 |
| 7/8/2007 9:40 | 1.474 | -11.11 |
| 7/8/2007 9:45 | 1.474 | -11.11 |
| 7/8/2007 9:50 | 1.473 | -11.11 |
| 7/8/2007 9:55 | 1.473 | -11.11 |
| 7/8/2007 10:00 | 1.473 | -11.11 |
| 7/8/2007 10:05 | 1.474 | -11.11 |
| 7/8/2007 10:10 | 1.474 | -11.11 |
| 7/8/2007 10:15 | 1.473 | -11.11 |
| 7/8/2007 10:20 | 1.472 | -11.11 |
| 7/8/2007 10:25 | 1.473 | -11.11 |
| 7/8/2007 10:30 | 1.472 | -11.11 |
| 7/8/2007 10:35 | 1.473 | -11.11 |
| 7/8/2007 10:40 | 1.472 | -11.11 |
| 7/8/2007 10:45 | 1.472 | -11.11 |
| 7/8/2007 10:50 | 1.472 | -11.11 |
| 7/8/2007 10:55 | 1.473 | -11.11 |
| 7/8/2007 11:00 | 1.47 | -11.11 |
| 7/8/2007 11:05 | 1.471 | -11.11 |
| 7/8/2007 11:10 | 1.469 | -11.11 |
| 7/8/2007 11:15 | 1.47 | -11.11 |
| 7/8/2007 11:20 | 1.47 | -11.11 |
| 7/8/2007 11:25 | 1.47 | -11.11 |
| 7/8/2007 11:30 | 1.471 | -11.11 |
| 7/8/2007 11:35 | 1.469 | -11.11 |
| 7/8/2007 11:40 | 1.47 | -11.11 |
| 7/8/2007 11:45 | 1.469 | -11.11 |
| 7/8/2007 11:50 | 1.469 | -11.11 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 11:55 | 1.469 | -11.11 |
| 7/8/2007 12:00 | 1.469 | -11.11 |
| 7/8/2007 12:05 | 1.468 | -11.11 |
| 7/8/2007 12:10 | 1.467 | -11.11 |
| 7/8/2007 12:15 | 1.468 | -11.11 |
| 7/8/2007 12:20 | 1.467 | -11.11 |
| 7/8/2007 12:25 | 1.467 | -11.11 |
| 7/8/2007 12:30 | 1.465 | -11.11 |
| 7/8/2007 12:35 | 1.466 | -11.11 |
| 7/8/2007 12:40 | 1.466 | -11.11 |
| 7/8/2007 12:45 | 1.466 | -11.11 |
| 7/8/2007 12:50 | 1.466 | -11.11 |
| 7/8/2007 12:55 | 1.466 | -11.11 |
| 7/8/2007 13:00 | 1.466 | -11.11 |
| 7/8/2007 13:05 | 1.465 | -11.11 |
| 7/8/2007 13:10 | 1.465 | -11.11 |
| 7/8/2007 13:15 | 1.464 | -11.11 |
| 7/8/2007 13:20 | 1.465 | -11.11 |
| 7/8/2007 13:25 | 1.464 | -11.11 |
| 7/8/2007 13:30 | 1.463 | -11.11 |
| 7/8/2007 13:35 | 1.463 | -11.11 |
| 7/8/2007 13:40 | 1.464 | -11.11 |
| 7/8/2007 13:45 | 1.463 | -11.11 |
| 7/8/2007 13:50 | 1.464 | -11.11 |
| 7/8/2007 13:55 | 1.465 | -11.11 |
| 7/8/2007 14:00 | 1.465 | -11.11 |
| 7/8/2007 14:05 | 1.464 | -11.31 |
| 7/8/2007 14:10 | 1.464 | -11.31 |
| 7/8/2007 14:15 | 1.463 | -14.75 |
| 7/8/2007 14:20 | 1.463 | -13.79 |
| 7/8/2007 14:25 | 1.463 | -15.41 |
| 7/8/2007 14:30 | 1.462 | 9.08 |
| 7/8/2007 14:35 | 1.463 | 9.08 |
| 7/8/2007 14:40 | 1.463 | 9.08 |
| 7/8/2007 14:45 | 1.462 | 9.08 |
| 7/8/2007 14:50 | 1.461 | 9.08 |
| 7/8/2007 14:55 | 1.461 | 9.08 |
| 7/8/2007 15:00 | 1.462 | 9.08 |
| 7/8/2007 15:05 | 1.461 | 9.08 |
| 7/8/2007 15:10 | 1.46 | 9.08 |
| 7/8/2007 15:15 | 1.46 | 9.08 |
| 7/8/2007 15:20 | 1.46 | 9.08 |
| 7/8/2007 15:25 | 1.461 | 9.08 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 15:30 | 1.461 | 9.08 |
| 7/8/2007 15:35 | 1.459 | 9.08 |
| 7/8/2007 15:40 | 1.459 | 9.08 |
| 7/8/2007 15:45 | 1.459 | 9.08 |
| 7/8/2007 15:50 | 1.46 | 9.08 |
| 7/8/2007 15:55 | 1.458 | 9.08 |
| 7/8/2007 16:00 | 1.458 | 9.08 |
| 7/8/2007 16:05 | 1.459 | 9.08 |
| 7/8/2007 16:10 | 1.458 | -13.01 |
| 7/8/2007 16:15 | 1.459 | -13.01 |
| 7/8/2007 16:20 | 1.458 | 9.64 |
| 7/8/2007 16:25 | 1.459 | 9.48 |
| 7/8/2007 16:30 | 1.458 | 9.48 |
| 7/8/2007 16:35 | 1.457 | 9.44 |
| 7/8/2007 16:40 | 1.457 | 9.9 |
| 7/8/2007 16:45 | 1.457 | 9.93 |
| 7/8/2007 16:50 | 1.457 | 9.93 |
| 7/8/2007 16:55 | 1.457 | 9.93 |
| 7/8/2007 17:00 | 1.457 | -13.46 |
| 7/8/2007 17:05 | 1.457 | -14.39 |
| 7/8/2007 17:10 | 1.456 | -13.68 |
| 7/8/2007 17:15 | 1.457 | -14.5 |
| 7/8/2007 17:20 | 1.456 | -13.22 |
| 7/8/2007 17:25 | 1.457 | -13.84 |
| 7/8/2007 17:30 | 1.457 | -12.87 |
| 7/8/2007 17:35 | 1.457 | -12.87 |
| 7/8/2007 17:40 | 1.457 | -14.25 |
| 7/8/2007 17:45 | 1.456 | -14.25 |
| 7/8/2007 17:50 | 1.456 | -14.25 |
| 7/8/2007 17:55 | 1.456 | -14.25 |
| 7/8/2007 18:00 | 1.456 | -14.25 |
| 7/8/2007 18:05 | 1.456 | -14.25 |
| 7/8/2007 18:10 | 1.456 | -14.25 |
| 7/8/2007 18:15 | 1.456 | -14.25 |
| 7/8/2007 18:20 | 1.456 | -14.25 |
| 7/8/2007 18:25 | 1.456 | -14.25 |
| 7/8/2007 18:30 | 1.456 | -14.25 |
| 7/8/2007 18:35 | 1.456 | -14.25 |
| 7/8/2007 18:40 | 1.455 | -14.25 |
| 7/8/2007 18:45 | 1.455 | -13.96 |
| 7/8/2007 18:50 | 1.458 | -12.5 |
| 7/8/2007 18:55 | 1.454 | -12.5 |
| 7/8/2007 19:00 | 1.455 | -12.5 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 19:05 | 1.455 | -12.5 |
| 7/8/2007 19:10 | 1.455 | -12.5 |
| 7/8/2007 19:15 | 1.454 | -12.5 |
| 7/8/2007 19:20 | 1.454 | -13.45 |
| 7/8/2007 19:25 | 1.454 | -13.45 |
| 7/8/2007 19:30 | 1.454 | -13.45 |
| 7/8/2007 19:35 | 1.454 | -13.45 |
| 7/8/2007 19:40 | 1.453 | -13.45 |
| 7/8/2007 19:45 | 1.454 | -13.45 |
| 7/8/2007 19:50 | 1.453 | -13.45 |
| 7/8/2007 19:55 | 1.453 | -13.45 |
| 7/8/2007 20:00 | 1.453 | -13.45 |
| 7/8/2007 20:05 | 1.451 | -13.45 |
| 7/8/2007 20:10 | 1.451 | -13.45 |
| 7/8/2007 20:15 | 1.451 | -13.45 |
| 7/8/2007 20:20 | 1.451 | -13.45 |
| 7/8/2007 20:25 | 1.452 | -13.45 |
| 7/8/2007 20:30 | 1.448 | -13.45 |
| 7/8/2007 20:35 | 1.451 | -13.45 |
| 7/8/2007 20:40 | 1.452 | -13.45 |
| 7/8/2007 20:45 | 1.452 | -13.45 |
| 7/8/2007 20:50 | 1.451 | -13.45 |
| 7/8/2007 20:55 | 1.451 | -13.45 |
| 7/8/2007 21:00 | 1.45 | -13.45 |
| 7/8/2007 21:05 | 1.45 | -13.45 |
| 7/8/2007 21:10 | 1.45 | -13.45 |
| 7/8/2007 21:15 | 1.449 | -13.45 |
| 7/8/2007 21:20 | 1.448 | -13.45 |
| 7/8/2007 21:25 | 1.446 | -13.45 |
| 7/8/2007 21:30 | 1.446 | -13.45 |
| 7/8/2007 21:35 | 1.442 | -13.45 |
| 7/8/2007 21:40 | 1.446 | -13.45 |
| 7/8/2007 21:45 | 1.446 | -13.45 |
| 7/8/2007 21:50 | 1.446 | -13.45 |
| 7/8/2007 21:55 | 1.444 | -13.45 |
| 7/8/2007 22:00 | 1.444 | -13.45 |
| 7/8/2007 22:05 | 1.448 | -13.45 |
| 7/8/2007 22:10 | 1.447 | -13.45 |
| 7/8/2007 22:15 | 1.447 | -13.45 |
| 7/8/2007 22:20 | 1.446 | -13.45 |
| 7/8/2007 22:25 | 1.446 | -13.45 |
| 7/8/2007 22:30 | 1.445 | -13.45 |
| 7/8/2007 22:35 | 1.445 | -13.45 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/8/2007 22:40 | 1.444 | -13.45 |
| 7/8/2007 22:45 | 1.444 | -13.45 |
| 7/8/2007 22:50 | 1.444 | -13.45 |
| 7/8/2007 22:55 | 1.444 | -13.45 |
| 7/8/2007 23:00 | 1.443 | -13.45 |
| 7/8/2007 23:05 | 1.443 | -13.45 |
| 7/8/2007 23:10 | 1.442 | -13.45 |
| 7/8/2007 23:15 | 1.443 | -13.45 |
| 7/8/2007 23:20 | 1.442 | -13.45 |
| 7/8/2007 23:25 | 1.442 | -13.45 |
| 7/8/2007 23:30 | 1.442 | -13.45 |
| 7/8/2007 23:35 | 1.443 | -13.45 |
| 7/8/2007 23:40 | 1.443 | -13.45 |
| 7/8/2007 23:45 | 1.443 | -13.45 |
| 7/8/2007 23:50 | 1.443 | -13.45 |
| 7/8/2007 23:55 | 1.443 | -13.45 |
| 7/9/2007 0:00 | 1.443 | -13.45 |
| 7/9/2007 0:05 | 1.443 | -13.45 |
| 7/9/2007 0:10 | 1.443 | -13.45 |
| 7/9/2007 0:15 | 1.443 | -13.45 |
| 7/9/2007 0:20 | 1.443 | -13.45 |
| 7/9/2007 0:25 | 1.443 | -13.45 |
| 7/9/2007 0:30 | 1.441 | -13.45 |
| 7/9/2007 0:35 | 1.443 | -13.45 |
| 7/9/2007 0:40 | 1.442 | -13.45 |
| 7/9/2007 0:45 | 1.442 | -13.45 |
| 7/9/2007 0:50 | 1.442 | -13.45 |
| 7/9/2007 0:55 | 1.442 | -13.45 |
| 7/9/2007 1:00 | 1.442 | -13.45 |
| 7/9/2007 1:05 | 1.441 | -13.45 |
| 7/9/2007 1:10 | 1.441 | -13.45 |
| 7/9/2007 1:15 | 1.441 | -13.45 |
| 7/9/2007 1:20 | 1.441 | -13.45 |
| 7/9/2007 1:25 | 1.441 | -13.45 |
| 7/9/2007 1:30 | 1.441 | -13.45 |
| 7/9/2007 1:35 | 1.441 | -13.45 |
| 7/9/2007 1:40 | 1.441 | -13.45 |
| 7/9/2007 1:45 | 1.44 | -13.45 |
| 7/9/2007 1:50 | 1.44 | -13.45 |
| 7/9/2007 1:55 | 1.44 | -13.45 |
| 7/9/2007 2:00 | 1.44 | -13.45 |
| 7/9/2007 2:05 | 1.44 | -13.45 |
| 7/9/2007 2:10 | 1.44 | -13.45 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 2:15 | 1.44 | -13.45 |
| 7/9/2007 2:20 | 1.44 | -13.45 |
| 7/9/2007 2:25 | 1.44 | -13.45 |
| 7/9/2007 2:30 | 1.44 | 10.05 |
| 7/9/2007 2:35 | 1.44 | 10.05 |
| 7/9/2007 2:40 | 1.439 | 8.82 |
| 7/9/2007 2:45 | 1.44 | 8.82 |
| 7/9/2007 2:50 | 1.439 | 8.82 |
| 7/9/2007 2:55 | 1.439 | 8.82 |
| 7/9/2007 3:00 | 1.439 | 8.24 |
| 7/9/2007 3:05 | 1.438 | 8.24 |
| 7/9/2007 3:10 | 1.438 | 9.35 |
| 7/9/2007 3:15 | 1.438 | 9.22 |
| 7/9/2007 3:20 | 1.438 | 9.66 |
| 7/9/2007 3:25 | 1.438 | 7.99 |
| 7/9/2007 3:30 | 1.438 | 9.4 |
| 7/9/2007 3:35 | 1.438 | 9.01 |
| 7/9/2007 3:40 | 1.437 | 10.3 |
| 7/9/2007 3:45 | 1.438 | 10.17 |
| 7/9/2007 3:50 | 1.438 | 9.16 |
| 7/9/2007 3:55 | 1.438 | 9.84 |
| 7/9/2007 4:00 | 1.438 | 10.11 |
| 7/9/2007 4:05 | 1.437 | 8.98 |
| 7/9/2007 4:10 | 1.437 | 8.61 |
| 7/9/2007 4:15 | 1.438 | 6.92 |
| 7/9/2007 4:20 | 1.438 | 6.92 |
| 7/9/2007 4:25 | 1.438 | 9.09 |
| 7/9/2007 4:30 | 1.438 | 9.63 |
| 7/9/2007 4:35 | 1.438 | 9.63 |
| 7/9/2007 4:40 | 1.438 | 9.63 |
| 7/9/2007 4:45 | 1.438 | 9.63 |
| 7/9/2007 4:50 | 1.438 | 9.63 |
| 7/9/2007 4:55 | 1.438 | 9.42 |
| 7/9/2007 5:00 | 1.438 | 9.42 |
| 7/9/2007 5:05 | 1.439 | 9.42 |
| 7/9/2007 5:10 | 1.438 | 9.42 |
| 7/9/2007 5:15 | 1.437 | 9.42 |
| 7/9/2007 5:20 | 1.438 | 9.42 |
| 7/9/2007 5:25 | 1.438 | 9.42 |
| 7/9/2007 5:30 | 1.438 | 9.42 |
| 7/9/2007 5:35 | 1.438 | 9.42 |
| 7/9/2007 5:40 | 1.438 | 9.42 |
| 7/9/2007 5:45 | 1.438 | 9.42 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 5:50 | 1.438 | 9.42 |
| 7/9/2007 5:55 | 1.438 | 9.42 |
| 7/9/2007 6:00 | 1.437 | 9.42 |
| 7/9/2007 6:05 | 1.438 | 9.42 |
| 7/9/2007 6:10 | 1.437 | 9.42 |
| 7/9/2007 6:15 | 1.437 | 9.42 |
| 7/9/2007 6:20 | 1.436 | 9.42 |
| 7/9/2007 6:25 | 1.436 | 9.42 |
| 7/9/2007 6:30 | 1.436 | 9.42 |
| 7/9/2007 6:35 | 1.436 | 9.42 |
| 7/9/2007 6:40 | 1.436 | 9.42 |
| 7/9/2007 6:45 | 1.44 | 9.42 |
| 7/9/2007 6:50 | 1.466 | 9.42 |
| 7/9/2007 6:55 | 1.56 | 9.42 |
| 7/9/2007 7:00 | 1.921 | 9.42 |
| 7/9/2007 7:05 | 2.021 | 9.42 |
| 7/9/2007 7:10 | 2.008 | 9.42 |
| 7/9/2007 7:15 | 1.981 | 9.42 |
| 7/9/2007 7:20 | 1.95 | 9.42 |
| 7/9/2007 7:25 | 1.911 | 9.42 |
| 7/9/2007 7:30 | 1.867 | 9.42 |
| 7/9/2007 7:35 | 1.815 | 9.42 |
| 7/9/2007 7:40 | 1.766 | 9.42 |
| 7/9/2007 7:45 | 1.723 | 9.42 |
| 7/9/2007 7:50 | 1.692 | 9.42 |
| 7/9/2007 7:55 | 1.668 | 9.42 |
| 7/9/2007 8:00 | 1.649 | 9.42 |
| 7/9/2007 8:05 | 1.635 | 9.42 |
| 7/9/2007 8:10 | 1.624 | 9.42 |
| 7/9/2007 8:15 | 1.615 | 9.42 |
| 7/9/2007 8:20 | 1.608 | 9.42 |
| 7/9/2007 8:25 | 1.604 | 9.42 |
| 7/9/2007 8:30 | 1.6 | 9.42 |
| 7/9/2007 8:35 | 1.597 | 9.42 |
| 7/9/2007 8:40 | 1.595 | 9.42 |
| 7/9/2007 8:45 | 1.594 | 9.42 |
| 7/9/2007 8:50 | 1.593 | 9.42 |
| 7/9/2007 8:55 | 1.593 | 9.42 |
| 7/9/2007 9:00 | 1.592 | 9.42 |
| 7/9/2007 9:05 | 1.592 | 9.42 |
| 7/9/2007 9:10 | 1.591 | 9.42 |
| 7/9/2007 9:15 | 1.591 | 9.42 |
| 7/9/2007 9:20 | 1.592 | 9.42 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 9:25 | 1.592 | 9.42 |
| 7/9/2007 9:30 | 1.592 | 9.42 |
| 7/9/2007 9:35 | 1.592 | 9.42 |
| 7/9/2007 9:40 | 1.592 | 9.42 |
| 7/9/2007 9:45 | 1.592 | 9.42 |
| 7/9/2007 9:50 | 1.592 | 9.42 |
| 7/9/2007 9:55 | 1.591 | 9.42 |
| 7/9/2007 10:00 | 1.592 | 9.42 |
| 7/9/2007 10:05 | 1.592 | 9.42 |
| 7/9/2007 10:10 | 1.591 | 9.42 |
| 7/9/2007 10:15 | 1.592 | 9.42 |
| 7/9/2007 10:20 | 1.59 | 9.42 |
| 7/9/2007 10:25 | 1.591 | 9.42 |
| 7/9/2007 10:30 | 1.59 | 9.42 |
| 7/9/2007 10:35 | 1.589 | 9.42 |
| 7/9/2007 10:40 | 1.59 | 9.42 |
| 7/9/2007 10:45 | 1.589 | 9.42 |
| 7/9/2007 10:50 | 1.588 | 9.42 |
| 7/9/2007 10:55 | 1.588 | 9.42 |
| 7/9/2007 11:00 | 1.586 | 9.42 |
| 7/9/2007 11:05 | 1.585 | 9.42 |
| 7/9/2007 11:10 | 1.584 | 9.42 |
| 7/9/2007 11:15 | 1.583 | 9.42 |
| 7/9/2007 11:20 | 1.582 | 9.42 |
| 7/9/2007 11:25 | 1.582 | 9.42 |
| 7/9/2007 11:30 | 1.582 | 9.42 |
| 7/9/2007 11:35 | 1.58 | 9.42 |
| 7/9/2007 11:40 | 1.579 | 9.42 |
| 7/9/2007 11:45 | 1.577 | 9.42 |
| 7/9/2007 11:50 | 1.578 | 9.42 |
| 7/9/2007 11:55 | 1.577 | 9.42 |
| 7/9/2007 12:00 | 1.575 | 9.42 |
| 7/9/2007 12:05 | 1.575 | 9.42 |
| 7/9/2007 12:10 | 1.574 | 9.42 |
| 7/9/2007 12:15 | 1.573 | 9.42 |
| 7/9/2007 12:20 | 1.571 | 9.42 |
| 7/9/2007 12:25 | 1.569 | 9.42 |
| 7/9/2007 12:30 | 1.568 | 9.42 |
| 7/9/2007 12:35 | 1.567 | 9.42 |
| 7/9/2007 12:40 | 1.566 | 9.42 |
| 7/9/2007 12:45 | 1.565 | 9.42 |
| 7/9/2007 12:50 | 1.564 | 9.42 |
| 7/9/2007 12:55 | 1.564 | 9.42 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 13:00 | 1.562 | 9.42 |
| 7/9/2007 13:05 | 1.562 | 9.42 |
| 7/9/2007 13:10 | 1.56 | 9.42 |
| 7/9/2007 13:15 | 1.558 | 9.42 |
| 7/9/2007 13:20 | 1.558 | 9.42 |
| 7/9/2007 13:25 | 1.556 | 9.42 |
| 7/9/2007 13:30 | 1.555 | 9.42 |
| 7/9/2007 13:35 | 1.554 | 9.42 |
| 7/9/2007 13:40 | 1.553 | 9.42 |
| 7/9/2007 13:45 | 1.551 | 9.42 |
| 7/9/2007 13:50 | 1.551 | 9.42 |
| 7/9/2007 13:55 | 1.549 | 9.42 |
| 7/9/2007 14:00 | 1.549 | 9.42 |
| 7/9/2007 14:05 | 1.547 | 9.42 |
| 7/9/2007 14:10 | 1.546 | 9.42 |
| 7/9/2007 14:15 | 1.546 | 9.42 |
| 7/9/2007 14:20 | 1.545 | 9.42 |
| 7/9/2007 14:25 | 1.543 | 9.42 |
| 7/9/2007 14:30 | 1.543 | 9.42 |
| 7/9/2007 14:35 | 1.541 | 9.42 |
| 7/9/2007 14:40 | 1.539 | 9.42 |
| 7/9/2007 14:45 | 1.539 | 9.42 |
| 7/9/2007 14:50 | 1.539 | 9.42 |
| 7/9/2007 14:55 | 1.537 | 9.42 |
| 7/9/2007 15:00 | 1.537 | 9.42 |
| 7/9/2007 15:05 | 1.536 | 9.42 |
| 7/9/2007 15:10 | 1.534 | 9.42 |
| 7/9/2007 15:15 | 1.534 | 9.42 |
| 7/9/2007 15:20 | 1.533 | 9.42 |
| 7/9/2007 15:25 | 1.532 | 9.42 |
| 7/9/2007 15:30 | 1.529 | 9.42 |
| 7/9/2007 15:35 | 1.53 | 9.42 |
| 7/9/2007 15:40 | 1.528 | 9.42 |
| 7/9/2007 15:45 | 1.529 | 9.42 |
| 7/9/2007 15:50 | 1.525 | 9.42 |
| 7/9/2007 15:55 | 1.525 | 9.42 |
| 7/9/2007 16:00 | 1.525 | 9.42 |
| 7/9/2007 16:05 | 1.524 | 9.42 |
| 7/9/2007 16:10 | 1.523 | 9.42 |
| 7/9/2007 16:15 | 1.523 | -15.2 |
| 7/9/2007 16:20 | 1.523 | -14.52 |
| 7/9/2007 16:25 | 1.523 | -14.53 |
| 7/9/2007 16:30 | 1.521 | -14.53 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 16:35 | 1.519 | -14.53 |
| 7/9/2007 16:40 | 1.518 | 10.41 |
| 7/9/2007 16:45 | 1.518 | 10.41 |
| 7/9/2007 16:50 | 1.518 | 10.41 |
| 7/9/2007 16:55 | 1.516 | 10.41 |
| 7/9/2007 17:00 | 1.517 | -13.32 |
| 7/9/2007 17:05 | 1.516 | -13.51 |
| 7/9/2007 17:10 | 1.516 | -13.51 |
| 7/9/2007 17:15 | 1.515 | 9.62 |
| 7/9/2007 17:20 | 1.514 | 8.69 |
| 7/9/2007 17:25 | 1.513 | 7.21 |
| 7/9/2007 17:30 | 1.514 | 11.64 |
| 7/9/2007 17:35 | 1.513 | 10.89 |
| 7/9/2007 17:40 | 1.512 | 11.07 |
| 7/9/2007 17:45 | 1.512 | 9.74 |
| 7/9/2007 17:50 | 1.512 | 9.13 |
| 7/9/2007 17:55 | 1.511 | 8.45 |
| 7/9/2007 18:00 | 1.511 | 8.22 |
| 7/9/2007 18:05 | 1.51 | 9.72 |
| 7/9/2007 18:10 | 1.51 | 8.47 |
| 7/9/2007 18:15 | 1.51 | 11.17 |
| 7/9/2007 18:20 | 1.508 | 11.34 |
| 7/9/2007 18:25 | 1.509 | 10.18 |
| 7/9/2007 18:30 | 1.508 | 10.18 |
| 7/9/2007 18:35 | 1.507 | 10.18 |
| 7/9/2007 18:40 | 1.505 | 10.18 |
| 7/9/2007 18:45 | 1.506 | 10.18 |
| 7/9/2007 18:50 | 1.516 | 6.76 |
| 7/9/2007 18:55 | 1.53 | 6.4 |
| 7/9/2007 19:00 | 1.552 | 6.4 |
| 7/9/2007 19:05 | 1.596 | 6.4 |
| 7/9/2007 19:10 | 1.622 | 6.4 |
| 7/9/2007 19:15 | 1.631 | 6.4 |
| 7/9/2007 19:20 | 1.628 | 6.4 |
| 7/9/2007 19:25 | 1.621 | 6.4 |
| 7/9/2007 19:30 | 1.611 | 6.4 |
| 7/9/2007 19:35 | 1.6 | 6.4 |
| 7/9/2007 19:40 | 1.593 | 7.24 |
| 7/9/2007 19:45 | 1.586 | 10.93 |
| 7/9/2007 19:50 | 1.58 | 10.32 |
| 7/9/2007 19:55 | 1.574 | 10.51 |
| 7/9/2007 20:00 | 1.569 | 10.78 |
| 7/9/2007 20:05 | 1.567 | 10.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 20:10 | 1.564 | 10.78 |
| 7/9/2007 20:15 | 1.561 | 10.78 |
| 7/9/2007 20:20 | 1.558 | 10.78 |
| 7/9/2007 20:25 | 1.558 | 10.78 |
| 7/9/2007 20:30 | 1.556 | 10.78 |
| 7/9/2007 20:35 | 1.556 | 10.78 |
| 7/9/2007 20:40 | 1.555 | 10.78 |
| 7/9/2007 20:45 | 1.555 | 10.78 |
| 7/9/2007 20:50 | 1.554 | 10.78 |
| 7/9/2007 20:55 | 1.554 | 7.08 |
| 7/9/2007 21:00 | 1.555 | 10.3 |
| 7/9/2007 21:05 | 1.555 | 9.47 |
| 7/9/2007 21:10 | 1.554 | 9.51 |
| 7/9/2007 21:15 | 1.554 | 9.24 |
| 7/9/2007 21:20 | 1.555 | 8.56 |
| 7/9/2007 21:25 | 1.555 | 8.87 |
| 7/9/2007 21:30 | 1.556 | 8.08 |
| 7/9/2007 21:35 | 1.555 | 8.95 |
| 7/9/2007 21:40 | 1.556 | 8.94 |
| 7/9/2007 21:45 | 1.556 | 8.11 |
| 7/9/2007 21:50 | 1.555 | 8.52 |
| 7/9/2007 21:55 | 1.556 | 9.92 |
| 7/9/2007 22:00 | 1.556 | 9.11 |
| 7/9/2007 22:05 | 1.556 | 8.09 |
| 7/9/2007 22:10 | 1.557 | 11.12 |
| 7/9/2007 22:15 | 1.556 | 11.79 |
| 7/9/2007 22:20 | 1.556 | 11.79 |
| 7/9/2007 22:25 | 1.555 | 11.79 |
| 7/9/2007 22:30 | 1.556 | 11.79 |
| 7/9/2007 22:35 | 1.556 | 11.79 |
| 7/9/2007 22:40 | 1.555 | 11.79 |
| 7/9/2007 22:45 | 1.553 | 11.79 |
| 7/9/2007 22:50 | 1.543 | 11.79 |
| 7/9/2007 22:55 | 1.542 | 11.4 |
| 7/9/2007 23:00 | 1.551 | 11.4 |
| 7/9/2007 23:05 | 1.553 | 11.4 |
| 7/9/2007 23:10 | 1.552 | 11.4 |
| 7/9/2007 23:15 | 1.553 | 11.4 |
| 7/9/2007 23:20 | 1.553 | 11.4 |
| 7/9/2007 23:25 | 1.553 | 11.4 |
| 7/9/2007 23:30 | 1.553 | 11.4 |
| 7/9/2007 23:35 | 1.553 | 11.4 |
| 7/9/2007 23:40 | 1.552 | 11.4 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/9/2007 23:45 | 1.553 | 11.4 |
| 7/9/2007 23:50 | 1.553 | 11.4 |
| 7/9/2007 23:55 | 1.552 | 11.4 |
| 7/10/2007 0:00 | 1.552 | 11.4 |
| 7/10/2007 0:05 | 1.551 | 11.4 |
| 7/10/2007 0:10 | 1.551 | 11.4 |
| 7/10/2007 0:15 | 1.551 | 11.4 |
| 7/10/2007 0:20 | 1.551 | 11.4 |
| 7/10/2007 0:25 | 1.55 | 11.4 |
| 7/10/2007 0:30 | 1.55 | 11.4 |
| 7/10/2007 0:35 | 1.549 | 11.4 |
| 7/10/2007 0:40 | 1.549 | 11.4 |
| 7/10/2007 0:45 | 1.548 | 11.4 |
| 7/10/2007 0:50 | 1.548 | 11.4 |
| 7/10/2007 0:55 | 1.548 | 11.4 |
| 7/10/2007 1:00 | 1.548 | 11.4 |
| 7/10/2007 1:05 | 1.548 | 11.4 |
| 7/10/2007 1:10 | 1.547 | 11.4 |
| 7/10/2007 1:15 | 1.547 | 11.4 |
| 7/10/2007 1:20 | 1.546 | 11.4 |
| 7/10/2007 1:25 | 1.545 | 11.4 |
| 7/10/2007 1:30 | 1.544 | 11.4 |
| 7/10/2007 1:35 | 1.544 | 11.4 |
| 7/10/2007 1:40 | 1.544 | 11.4 |
| 7/10/2007 1:45 | 1.543 | 11.4 |
| 7/10/2007 1:50 | 1.542 | 11.4 |
| 7/10/2007 1:55 | 1.542 | 11.4 |
| 7/10/2007 2:00 | 1.542 | 11.4 |
| 7/10/2007 2:05 | 1.542 | 11.4 |
| 7/10/2007 2:10 | 1.542 | 11.4 |
| 7/10/2007 2:15 | 1.541 | 11.4 |
| 7/10/2007 2:20 | 1.54 | 11.4 |
| 7/10/2007 2:25 | 1.54 | 11.4 |
| 7/10/2007 2:30 | 1.539 | 11.4 |
| 7/10/2007 2:35 | 1.539 | 11.4 |
| 7/10/2007 2:40 | 1.538 | 11.4 |
| 7/10/2007 2:45 | 1.537 | 11.4 |
| 7/10/2007 2:50 | 1.537 | 11.4 |
| 7/10/2007 2:55 | 1.537 | 11.4 |
| 7/10/2007 3:00 | 1.537 | 11.4 |
| 7/10/2007 3:05 | 1.536 | 11.4 |
| 7/10/2007 3:10 | 1.536 | 11.4 |
| 7/10/2007 3:15 | 1.535 | 11.4 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 3:20 | 1.535 | 11.4 |
| 7/10/2007 3:25 | 1.535 | 11.4 |
| 7/10/2007 3:30 | 1.534 | 11.4 |
| 7/10/2007 3:35 | 1.534 | 11.4 |
| 7/10/2007 3:40 | 1.534 | 11.4 |
| 7/10/2007 3:45 | 1.533 | 11.4 |
| 7/10/2007 3:50 | 1.533 | 11.4 |
| 7/10/2007 3:55 | 1.532 | 11.4 |
| 7/10/2007 4:00 | 1.532 | 11.4 |
| 7/10/2007 4:05 | 1.531 | 11.4 |
| 7/10/2007 4:10 | 1.531 | 11.4 |
| 7/10/2007 4:15 | 1.531 | 11.4 |
| 7/10/2007 4:20 | 1.531 | 11.4 |
| 7/10/2007 4:25 | 1.529 | 11.4 |
| 7/10/2007 4:30 | 1.53 | 11.4 |
| 7/10/2007 4:35 | 1.529 | 11.4 |
| 7/10/2007 4:40 | 1.529 | 11.4 |
| 7/10/2007 4:45 | 1.529 | 11.4 |
| 7/10/2007 4:50 | 1.528 | 11.4 |
| 7/10/2007 4:55 | 1.528 | 11.4 |
| 7/10/2007 5:00 | 1.527 | 11.4 |
| 7/10/2007 5:05 | 1.527 | 11.4 |
| 7/10/2007 5:10 | 1.527 | 11.4 |
| 7/10/2007 5:15 | 1.526 | 11.4 |
| 7/10/2007 5:20 | 1.526 | 11.4 |
| 7/10/2007 5:25 | 1.526 | 11.4 |
| 7/10/2007 5:30 | 1.526 | 11.4 |
| 7/10/2007 5:35 | 1.525 | 11.4 |
| 7/10/2007 5:40 | 1.526 | 11.4 |
| 7/10/2007 5:45 | 1.525 | 11.4 |
| 7/10/2007 5:50 | 1.525 | 11.4 |
| 7/10/2007 5:55 | 1.525 | 11.4 |
| 7/10/2007 6:00 | 1.525 | 11.4 |
| 7/10/2007 6:05 | 1.524 | 11.4 |
| 7/10/2007 6:10 | 1.524 | 11.4 |
| 7/10/2007 6:15 | 1.524 | 11.4 |
| 7/10/2007 6:20 | 1.523 | 11.4 |
| 7/10/2007 6:25 | 1.523 | 11.4 |
| 7/10/2007 6:30 | 1.523 | 11.4 |
| 7/10/2007 6:35 | 1.523 | 11.4 |
| 7/10/2007 6:40 | 1.522 | 11.4 |
| 7/10/2007 6:45 | 1.522 | 11.4 |
| 7/10/2007 6:50 | 1.522 | 11.4 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 6:55 | 1.521 | 11.64 |
| 7/10/2007 7:00 | 1.521 | 9.48 |
| 7/10/2007 7:05 | 1.52 | 8.69 |
| 7/10/2007 7:10 | 1.52 | 8.34 |
| 7/10/2007 7:15 | 1.521 | 9.71 |
| 7/10/2007 7:20 | 1.521 | 8.83 |
| 7/10/2007 7:25 | 1.52 | 9.7 |
| 7/10/2007 7:30 | 1.519 | 9.7 |
| 7/10/2007 7:35 | 1.519 | 9.7 |
| 7/10/2007 7:40 | 1.519 | 9.05 |
| 7/10/2007 7:45 | 1.519 | 7.35 |
| 7/10/2007 7:50 | 1.519 | 8.09 |
| 7/10/2007 7:55 | 1.519 | 9.3 |
| 7/10/2007 8:00 | 1.519 | 7.86 |
| 7/10/2007 8:05 | 1.518 | 8.16 |
| 7/10/2007 8:10 | 1.518 | 9.13 |
| 7/10/2007 8:15 | 1.518 | 9.13 |
| 7/10/2007 8:20 | 1.518 | 8.78 |
| 7/10/2007 8:25 | 1.517 | 9.96 |
| 7/10/2007 8:30 | 1.516 | 9.96 |
| 7/10/2007 8:35 | 1.516 | 9.84 |
| 7/10/2007 8:40 | 1.517 | 9.84 |
| 7/10/2007 8:45 | 1.516 | 9.84 |
| 7/10/2007 8:50 | 1.517 | 9.84 |
| 7/10/2007 8:55 | 1.516 | 9.84 |
| 7/10/2007 9:00 | 1.517 | 8.96 |
| 7/10/2007 9:05 | 1.517 | 8.96 |
| 7/10/2007 9:10 | 1.517 | 8.96 |
| 7/10/2007 9:15 | 1.517 | 8.96 |
| 7/10/2007 9:20 | 1.516 | 8.96 |
| 7/10/2007 9:25 | 1.517 | 8.96 |
| 7/10/2007 9:30 | 1.516 | 8.96 |
| 7/10/2007 9:35 | 1.517 | 8.96 |
| 7/10/2007 9:40 | 1.516 | 8.96 |
| 7/10/2007 9:45 | 1.515 | 8.96 |
| 7/10/2007 9:50 | 1.514 | 8.96 |
| 7/10/2007 9:55 | 1.515 | 8.96 |
| 7/10/2007 10:00 | 1.515 | 8.96 |
| 7/10/2007 10:05 | 1.515 | 8.96 |
| 7/10/2007 10:10 | 1.514 | 8.96 |
| 7/10/2007 10:15 | 1.514 | 8.96 |
| 7/10/2007 10:20 | 1.514 | 8.96 |
| 7/10/2007 10:25 | 1.514 | 8.96 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 10:30 | 1.513 | 8.96 |
| 7/10/2007 10:35 | 1.514 | 8.96 |
| 7/10/2007 10:40 | 1.513 | 8.96 |
| 7/10/2007 10:45 | 1.513 | 8.96 |
| 7/10/2007 10:50 | 1.512 | 8.96 |
| 7/10/2007 10:55 | 1.513 | 8.96 |
| 7/10/2007 11:00 | 1.512 | 8.96 |
| 7/10/2007 11:05 | 1.512 | 8.96 |
| 7/10/2007 11:10 | 1.511 | 8.96 |
| 7/10/2007 11:15 | 1.511 | 8.96 |
| 7/10/2007 11:20 | 1.51 | 8.96 |
| 7/10/2007 11:25 | 1.51 | 8.96 |
| 7/10/2007 11:30 | 1.51 | 8.96 |
| 7/10/2007 11:35 | 1.51 | 8.96 |
| 7/10/2007 11:40 | 1.509 | 8.96 |
| 7/10/2007 11:45 | 1.509 | 8.96 |
| 7/10/2007 11:50 | 1.508 | 8.96 |
| 7/10/2007 11:55 | 1.508 | 8.96 |
| 7/10/2007 12:00 | 1.508 | 8.96 |
| 7/10/2007 12:05 | 1.507 | 8.96 |
| 7/10/2007 12:10 | 1.506 | 8.96 |
| 7/10/2007 12:15 | 1.506 | 8.96 |
| 7/10/2007 12:20 | 1.506 | 8.96 |
| 7/10/2007 12:25 | 1.505 | 8.96 |
| 7/10/2007 12:30 | 1.505 | 8.96 |
| 7/10/2007 12:35 | 1.504 | 8.96 |
| 7/10/2007 12:40 | 1.504 | 8.96 |
| 7/10/2007 12:45 | 1.504 | 8.96 |
| 7/10/2007 12:50 | 1.503 | 8.96 |
| 7/10/2007 12:55 | 1.503 | 8.96 |
| 7/10/2007 13:00 | 1.502 | 8.96 |
| 7/10/2007 13:05 | 1.501 | 8.96 |
| 7/10/2007 13:10 | 1.502 | 8.96 |
| 7/10/2007 13:15 | 1.501 | 8.96 |
| 7/10/2007 13:20 | 1.501 | 8.96 |
| 7/10/2007 13:25 | 1.5 | 8.96 |
| 7/10/2007 13:30 | 1.5 | 8.96 |
| 7/10/2007 13:35 | 1.499 | 8.96 |
| 7/10/2007 13:40 | 1.499 | 8.96 |
| 7/10/2007 13:45 | 1.498 | 8.96 |
| 7/10/2007 13:50 | 1.497 | 8.96 |
| 7/10/2007 13:55 | 1.497 | -15.1 |
| 7/10/2007 14:00 | 1.496 | -14.84 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 14:05 | 1.496 | -15 |
| 7/10/2007 14:10 | 1.496 | -13.41 |
| 7/10/2007 14:15 | 1.495 | -15.47 |
| 7/10/2007 14:20 | 1.494 | -14.5 |
| 7/10/2007 14:25 | 1.495 | -15.21 |
| 7/10/2007 14:30 | 1.494 | -12.65 |
| 7/10/2007 14:35 | 1.494 | -10.8 |
| 7/10/2007 14:40 | 1.487 | -10.8 |
| 7/10/2007 14:45 | 1.492 | -14.42 |
| 7/10/2007 14:50 | 1.492 | -14.42 |
| 7/10/2007 14:55 | 1.492 | -15.16 |
| 7/10/2007 15:00 | 1.492 | -14.55 |
| 7/10/2007 15:05 | 1.491 | -15.54 |
| 7/10/2007 15:10 | 1.491 | -13.1 |
| 7/10/2007 15:15 | 1.49 | -14.51 |
| 7/10/2007 15:20 | 1.49 | -14.94 |
| 7/10/2007 15:25 | 1.49 | -14.23 |
| 7/10/2007 15:30 | 1.49 | -14.76 |
| 7/10/2007 15:35 | 1.489 | -15.06 |
| 7/10/2007 15:40 | 1.489 | -15.06 |
| 7/10/2007 15:45 | 1.489 | -14.52 |
| 7/10/2007 15:50 | 1.489 | -13.55 |
| 7/10/2007 15:55 | 1.488 | -15.24 |
| 7/10/2007 16:00 | 1.488 | -13.19 |
| 7/10/2007 16:05 | 1.487 | -11.84 |
| 7/10/2007 16:10 | 1.488 | -14.7 |
| 7/10/2007 16:15 | 1.487 | -12.68 |
| 7/10/2007 16:20 | 1.487 | -12.17 |
| 7/10/2007 16:25 | 1.487 | -14.08 |
| 7/10/2007 16:30 | 1.487 | -11.41 |
| 7/10/2007 16:35 | 1.486 | -15.38 |
| 7/10/2007 16:40 | 1.486 | -12.93 |
| 7/10/2007 16:45 | 1.485 | -14.91 |
| 7/10/2007 16:50 | 1.484 | -13.98 |
| 7/10/2007 16:55 | 1.484 | -13.73 |
| 7/10/2007 17:00 | 1.485 | -13.43 |
| 7/10/2007 17:05 | 1.485 | -12.62 |
| 7/10/2007 17:10 | 1.484 | -13.16 |
| 7/10/2007 17:15 | 1.485 | -14.39 |
| 7/10/2007 17:20 | 1.485 | -13.39 |
| 7/10/2007 17:25 | 1.484 | -13.15 |
| 7/10/2007 17:30 | 1.484 | -12.74 |
| 7/10/2007 17:35 | 1.483 | -12.03 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 17:40 | 1.483 | -10.45 |
| 7/10/2007 17:45 | 1.483 | -13.71 |
| 7/10/2007 17:50 | 1.483 | -13.66 |
| 7/10/2007 17:55 | 1.482 | -14.64 |
| 7/10/2007 18:00 | 1.483 | -14.64 |
| 7/10/2007 18:05 | 1.482 | -14.99 |
| 7/10/2007 18:10 | 1.482 | -14.99 |
| 7/10/2007 18:15 | 1.482 | -14.99 |
| 7/10/2007 18:20 | 1.478 | -14.99 |
| 7/10/2007 18:25 | 1.475 | -14.99 |
| 7/10/2007 18:30 | 1.471 | -14.99 |
| 7/10/2007 18:35 | 1.464 | -14.99 |
| 7/10/2007 18:40 | 1.457 | -14.99 |
| 7/10/2007 18:45 | 1.453 | -14.99 |
| 7/10/2007 18:50 | 1.453 | -14.99 |
| 7/10/2007 18:55 | 1.451 | -14.99 |
| 7/10/2007 19:00 | 1.448 | -14.99 |
| 7/10/2007 19:05 | 1.447 | -14.99 |
| 7/10/2007 19:10 | 1.438 | -14.99 |
| 7/10/2007 19:15 | 1.426 | -14.99 |
| 7/10/2007 19:20 | 1.419 | -14.99 |
| 7/10/2007 19:25 | 1.429 | -14.99 |
| 7/10/2007 19:30 | 1.43 | -14.99 |
| 7/10/2007 19:35 | 1.428 | -14.99 |
| 7/10/2007 19:40 | 1.432 | -14.99 |
| 7/10/2007 19:45 | 1.436 | -14.99 |
| 7/10/2007 19:50 | 1.441 | -14.99 |
| 7/10/2007 19:55 | 1.442 | -14.99 |
| 7/10/2007 20:00 | 1.444 | -14.99 |
| 7/10/2007 20:05 | 1.445 | -14.99 |
| 7/10/2007 20:10 | 1.447 | -14.99 |
| 7/10/2007 20:15 | 1.45 | -14.99 |
| 7/10/2007 20:20 | 1.451 | -14.99 |
| 7/10/2007 20:25 | 1.451 | -14.99 |
| 7/10/2007 20:30 | 1.451 | -14.99 |
| 7/10/2007 20:35 | 1.453 | -14.99 |
| 7/10/2007 20:40 | 1.453 | -14.99 |
| 7/10/2007 20:45 | 1.454 | -14.99 |
| 7/10/2007 20:50 | 1.454 | -14.99 |
| 7/10/2007 20:55 | 1.454 | -14.99 |
| 7/10/2007 21:00 | 1.455 | -14.99 |
| 7/10/2007 21:05 | 1.456 | -14.99 |
| 7/10/2007 21:10 | 1.456 | -14.99 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/10/2007 21:15 | 1.456 | -14.99 |
| 7/10/2007 21:20 | 1.456 | -14.99 |
| 7/10/2007 21:25 | 1.456 | -14.99 |
| 7/10/2007 21:30 | 1.456 | -14.99 |
| 7/10/2007 21:35 | 1.457 | -14.99 |
| 7/10/2007 21:40 | 1.458 | -14.99 |
| 7/10/2007 21:45 | 1.458 | -14.99 |
| 7/10/2007 21:50 | 1.457 | -14.99 |
| 7/10/2007 21:55 | 1.458 | -14.99 |
| 7/10/2007 22:00 | 1.455 | -14.99 |
| 7/10/2007 22:05 | 1.443 | -14.99 |
| 7/10/2007 22:10 | 1.438 | -14.99 |
| 7/10/2007 22:15 | 1.425 | -14.99 |
| 7/10/2007 22:20 | 1.427 | -14.99 |
| 7/10/2007 22:25 | 1.413 | -14.99 |
| 7/10/2007 22:30 | 1.406 | -14.99 |
| 7/10/2007 22:35 | 1.408 | -14.99 |
| 7/10/2007 22:40 | 1.414 | -14.99 |
| 7/10/2007 22:45 | 1.41 | -14.99 |
| 7/10/2007 22:50 | 1.39 | -14.99 |
| 7/10/2007 22:55 | 1.387 | -14.99 |
| 7/10/2007 23:00 | 1.39 | -14.99 |
| 7/10/2007 23:05 | 1.394 | -14.99 |
| 7/10/2007 23:10 | 1.398 | -14.99 |
| 7/10/2007 23:15 | 1.402 | -14.99 |
| 7/10/2007 23:20 | 1.405 | -14.99 |
| 7/10/2007 23:25 | 1.408 | -14.99 |
| 7/10/2007 23:30 | 1.41 | -14.99 |
| 7/10/2007 23:35 | 1.412 | -14.99 |
| 7/10/2007 23:40 | 1.413 | -14.99 |
| 7/10/2007 23:45 | 1.417 | -14.99 |
| 7/10/2007 23:50 | 1.419 | -14.99 |
| 7/10/2007 23:55 | 1.42 | -14.99 |
| 7/11/2007 0:00 | 1.421 | -14.99 |
| 7/11/2007 0:05 | 1.424 | -14.99 |
| 7/11/2007 0:10 | 1.426 | -14.99 |
| 7/11/2007 0:15 | 1.427 | -14.99 |
| 7/11/2007 0:20 | 1.427 | -14.99 |
| 7/11/2007 0:25 | 1.428 | -14.99 |
| 7/11/2007 0:30 | 1.43 | -14.99 |
| 7/11/2007 0:35 | 1.43 | -14.99 |
| 7/11/2007 0:40 | 1.431 | -14.99 |
| 7/11/2007 0:45 | 1.432 | -14.99 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 0:50 | 1.432 | -14.99 |
| 7/11/2007 0:55 | 1.433 | -14.99 |
| 7/11/2007 1:00 | 1.434 | -14.99 |
| 7/11/2007 1:05 | 1.435 | -14.99 |
| 7/11/2007 1:10 | 1.435 | -14.99 |
| 7/11/2007 1:15 | 1.436 | -14.99 |
| 7/11/2007 1:20 | 1.437 | -14.99 |
| 7/11/2007 1:25 | 1.437 | -14.99 |
| 7/11/2007 1:30 | 1.438 | -14.99 |
| 7/11/2007 1:35 | 1.438 | -14.99 |
| 7/11/2007 1:40 | 1.439 | -14.99 |
| 7/11/2007 1:45 | 1.439 | -14.99 |
| 7/11/2007 1:50 | 1.44 | -14.99 |
| 7/11/2007 1:55 | 1.44 | -14.99 |
| 7/11/2007 2:00 | 1.441 | -14.99 |
| 7/11/2007 2:05 | 1.441 | -14.99 |
| 7/11/2007 2:10 | 1.441 | -14.99 |
| 7/11/2007 2:15 | 1.443 | -14.99 |
| 7/11/2007 2:20 | 1.444 | -14.99 |
| 7/11/2007 2:25 | 1.444 | -14.99 |
| 7/11/2007 2:30 | 1.445 | -14.99 |
| 7/11/2007 2:35 | 1.445 | -14.99 |
| 7/11/2007 2:40 | 1.446 | -14.99 |
| 7/11/2007 2:45 | 1.447 | -14.99 |
| 7/11/2007 2:50 | 1.447 | -14.99 |
| 7/11/2007 2:55 | 1.447 | -14.99 |
| 7/11/2007 3:00 | 1.447 | -14.99 |
| 7/11/2007 3:05 | 1.447 | -14.99 |
| 7/11/2007 3:10 | 1.448 | -14.99 |
| 7/11/2007 3:15 | 1.447 | -14.99 |
| 7/11/2007 3:20 | 1.448 | -14.99 |
| 7/11/2007 3:25 | 1.448 | -14.99 |
| 7/11/2007 3:30 | 1.449 | 9.89 |
| 7/11/2007 3:35 | 1.451 | 10.25 |
| 7/11/2007 3:40 | 1.451 | 10.25 |
| 7/11/2007 3:45 | 1.452 | 8.9 |
| 7/11/2007 3:50 | 1.451 | 8.9 |
| 7/11/2007 3:55 | 1.452 | 8.9 |
| 7/11/2007 4:00 | 1.453 | 8.9 |
| 7/11/2007 4:05 | 1.453 | 8.9 |
| 7/11/2007 4:10 | 1.453 | 8.9 |
| 7/11/2007 4:15 | 1.452 | 9.21 |
| 7/11/2007 4:20 | 1.453 | 8.88 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 4:25 | 1.453 | 9.71 |
| 7/11/2007 4:30 | 1.454 | 9.71 |
| 7/11/2007 4:35 | 1.454 | 7.79 |
| 7/11/2007 4:40 | 1.454 | 9.2 |
| 7/11/2007 4:45 | 1.454 | 9.2 |
| 7/11/2007 4:50 | 1.455 | 9.2 |
| 7/11/2007 4:55 | 1.455 | 9.2 |
| 7/11/2007 5:00 | 1.455 | 9.2 |
| 7/11/2007 5:05 | 1.459 | 7.47 |
| 7/11/2007 5:10 | 1.456 | 7.47 |
| 7/11/2007 5:15 | 1.455 | 7.47 |
| 7/11/2007 5:20 | 1.456 | 7.47 |
| 7/11/2007 5:25 | 1.455 | 7.47 |
| 7/11/2007 5:30 | 1.455 | 7.47 |
| 7/11/2007 5:35 | 1.456 | 7.47 |
| 7/11/2007 5:40 | 1.456 | 7.47 |
| 7/11/2007 5:45 | 1.457 | 7.47 |
| 7/11/2007 5:50 | 1.458 | 7.47 |
| 7/11/2007 5:55 | 1.457 | 7.47 |
| 7/11/2007 6:00 | 1.457 | 7.47 |
| 7/11/2007 6:05 | 1.457 | 7.47 |
| 7/11/2007 6:10 | 1.456 | 7.47 |
| 7/11/2007 6:15 | 1.456 | 7.47 |
| 7/11/2007 6:20 | 1.456 | 7.47 |
| 7/11/2007 6:25 | 1.456 | 7.47 |
| 7/11/2007 6:30 | 1.456 | 7.47 |
| 7/11/2007 6:35 | 1.456 | 7.47 |
| 7/11/2007 6:40 | 1.456 | 7.47 |
| 7/11/2007 6:45 | 1.456 | 7.47 |
| 7/11/2007 6:50 | 1.456 | 7.47 |
| 7/11/2007 6:55 | 1.456 | 7.47 |
| 7/11/2007 7:00 | 1.455 | 7.47 |
| 7/11/2007 7:05 | 1.455 | 7.47 |
| 7/11/2007 7:10 | 1.456 | 7.47 |
| 7/11/2007 7:15 | 1.456 | 8.58 |
| 7/11/2007 7:20 | 1.456 | 9.65 |
| 7/11/2007 7:25 | 1.456 | 9.65 |
| 7/11/2007 7:30 | 1.455 | 9.65 |
| 7/11/2007 7:35 | 1.455 | 9.65 |
| 7/11/2007 7:40 | 1.454 | 9.65 |
| 7/11/2007 7:45 | 1.455 | 9.65 |
| 7/11/2007 7:50 | 1.454 | 9.65 |
| 7/11/2007 7:55 | 1.454 | 9.65 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 8:00 | 1.454 | 9.65 |
| 7/11/2007 8:05 | 1.455 | 9.65 |
| 7/11/2007 8:10 | 1.455 | 9.65 |
| 7/11/2007 8:15 | 1.456 | 9.65 |
| 7/11/2007 8:20 | 1.456 | 9.65 |
| 7/11/2007 8:25 | 1.456 | 9.65 |
| 7/11/2007 8:30 | 1.455 | 9.65 |
| 7/11/2007 8:35 | 1.455 | 9.65 |
| 7/11/2007 8:40 | 1.455 | 9.65 |
| 7/11/2007 8:45 | 1.456 | 9.65 |
| 7/11/2007 8:50 | 1.454 | 9.65 |
| 7/11/2007 8:55 | 1.454 | 9.65 |
| 7/11/2007 9:00 | 1.454 | 9.65 |
| 7/11/2007 9:05 | 1.455 | 9.65 |
| 7/11/2007 9:10 | 1.454 | 9.65 |
| 7/11/2007 9:15 | 1.455 | 9.65 |
| 7/11/2007 9:20 | 1.454 | 9.65 |
| 7/11/2007 9:25 | 1.455 | 9.65 |
| 7/11/2007 9:30 | 1.454 | 9.65 |
| 7/11/2007 9:35 | 1.455 | 9.65 |
| 7/11/2007 9:40 | 1.453 | 9.65 |
| 7/11/2007 9:45 | 1.453 | 9.65 |
| 7/11/2007 9:50 | 1.453 | 9.65 |
| 7/11/2007 9:55 | 1.452 | 9.65 |
| 7/11/2007 10:00 | 1.453 | 9.65 |
| 7/11/2007 10:05 | 1.452 | 9.65 |
| 7/11/2007 10:10 | 1.452 | 9.65 |
| 7/11/2007 10:15 | 1.454 | 9.65 |
| 7/11/2007 10:20 | 1.456 | 9.65 |
| 7/11/2007 10:25 | 1.455 | 9.65 |
| 7/11/2007 10:30 | 1.456 | 9.65 |
| 7/11/2007 10:35 | 1.456 | 9.65 |
| 7/11/2007 10:40 | 1.455 | 9.65 |
| 7/11/2007 10:45 | 1.455 | 9.65 |
| 7/11/2007 10:50 | 1.455 | 9.65 |
| 7/11/2007 10:55 | 1.455 | 9.65 |
| 7/11/2007 11:00 | 1.456 | 9.65 |
| 7/11/2007 11:05 | 1.455 | 9.65 |
| 7/11/2007 11:10 | 1.455 | 9.65 |
| 7/11/2007 11:15 | 1.455 | 9.65 |
| 7/11/2007 11:20 | 1.454 | 9.65 |
| 7/11/2007 11:25 | 1.454 | 9.65 |
| 7/11/2007 11:30 | 1.454 | 9.65 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 11:35 | 1.455 | 9.65 |
| 7/11/2007 11:40 | 1.454 | 9.65 |
| 7/11/2007 11:45 | 1.454 | 9.65 |
| 7/11/2007 11:50 | 1.454 | 9.65 |
| 7/11/2007 11:55 | 1.453 | 9.65 |
| 7/11/2007 12:00 | 1.453 | 9.65 |
| 7/11/2007 12:05 | 1.454 | 9.65 |
| 7/11/2007 12:10 | 1.453 | 9.65 |
| 7/11/2007 12:15 | 1.452 | 9.65 |
| 7/11/2007 12:20 | 1.453 | 9.65 |
| 7/11/2007 12:25 | 1.453 | 9.65 |
| 7/11/2007 12:30 | 1.453 | 9.65 |
| 7/11/2007 12:35 | 1.453 | 9.65 |
| 7/11/2007 12:40 | 1.452 | 9.65 |
| 7/11/2007 12:45 | 1.452 | 9.65 |
| 7/11/2007 12:50 | 1.451 | 9.65 |
| 7/11/2007 12:55 | 1.452 | 9.65 |
| 7/11/2007 13:00 | 1.452 | 9.65 |
| 7/11/2007 13:05 | 1.452 | 9.65 |
| 7/11/2007 13:10 | 1.451 | 9.65 |
| 7/11/2007 13:15 | 1.451 | 9.65 |
| 7/11/2007 13:20 | 1.451 | 9.65 |
| 7/11/2007 13:25 | 1.451 | 9.65 |
| 7/11/2007 13:30 | 1.452 | 9.65 |
| 7/11/2007 13:35 | 1.452 | 9.65 |
| 7/11/2007 13:40 | 1.451 | 9.65 |
| 7/11/2007 13:45 | 1.45 | 9.65 |
| 7/11/2007 13:50 | 1.45 | 9.65 |
| 7/11/2007 13:55 | 1.45 | 9.65 |
| 7/11/2007 14:00 | 1.45 | 9.65 |
| 7/11/2007 14:05 | 1.45 | 9.65 |
| 7/11/2007 14:10 | 1.451 | 9.65 |
| 7/11/2007 14:15 | 1.451 | 9.65 |
| 7/11/2007 14:20 | 1.45 | 9.65 |
| 7/11/2007 14:25 | 1.451 | 11.21 |
| 7/11/2007 14:30 | 1.451 | 11.21 |
| 7/11/2007 14:35 | 1.45 | 11.05 |
| 7/11/2007 14:40 | 1.45 | 10.67 |
| 7/11/2007 14:45 | 1.45 | 10.67 |
| 7/11/2007 14:50 | 1.45 | 10.67 |
| 7/11/2007 14:55 | 1.45 | 7.17 |
| 7/11/2007 15:00 | 1.451 | 7.17 |
| 7/11/2007 15:05 | 1.451 | 7.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 15:10 | 1.45 | 12.31 |
| 7/11/2007 15:15 | 1.451 | 10.18 |
| 7/11/2007 15:20 | 1.45 | 10.18 |
| 7/11/2007 15:25 | 1.45 | 10.18 |
| 7/11/2007 15:30 | 1.45 | 10.18 |
| 7/11/2007 15:35 | 1.45 | 10.18 |
| 7/11/2007 15:40 | 1.451 | 10.18 |
| 7/11/2007 15:45 | 1.451 | 10.18 |
| 7/11/2007 15:50 | 1.45 | 10.18 |
| 7/11/2007 15:55 | 1.45 | 10.18 |
| 7/11/2007 16:00 | 1.449 | 10.18 |
| 7/11/2007 16:05 | 1.45 | 10.18 |
| 7/11/2007 16:10 | 1.449 | 10.18 |
| 7/11/2007 16:15 | 1.449 | 10.18 |
| 7/11/2007 16:20 | 1.45 | 10.18 |
| 7/11/2007 16:25 | 1.45 | 10.18 |
| 7/11/2007 16:30 | 1.449 | 10.18 |
| 7/11/2007 16:35 | 1.449 | 10.18 |
| 7/11/2007 16:40 | 1.449 | 10.18 |
| 7/11/2007 16:45 | 1.449 | 10.18 |
| 7/11/2007 16:50 | 1.449 | 10.18 |
| 7/11/2007 16:55 | 1.448 | 10.18 |
| 7/11/2007 17:00 | 1.449 | 10.18 |
| 7/11/2007 17:05 | 1.449 | 10.18 |
| 7/11/2007 17:10 | 1.45 | 10.18 |
| 7/11/2007 17:15 | 1.45 | 10.18 |
| 7/11/2007 17:20 | 1.452 | 10.18 |
| 7/11/2007 17:25 | 1.453 | 10.18 |
| 7/11/2007 17:30 | 1.453 | 10.18 |
| 7/11/2007 17:35 | 1.455 | 10.18 |
| 7/11/2007 17:40 | 1.459 | 10.18 |
| 7/11/2007 17:45 | 1.463 | 10.18 |
| 7/11/2007 17:50 | 1.47 | 10.18 |
| 7/11/2007 17:55 | 1.481 | 10.18 |
| 7/11/2007 18:00 | 1.493 | 10.18 |
| 7/11/2007 18:05 | 1.506 | 10.18 |
| 7/11/2007 18:10 | 1.519 | 10.18 |
| 7/11/2007 18:15 | 1.53 | 9.67 |
| 7/11/2007 18:20 | 1.541 | 9.89 |
| 7/11/2007 18:25 | 1.553 | 7.86 |
| 7/11/2007 18:30 | 1.567 | 8.3 |
| 7/11/2007 18:35 | 1.583 | 8.57 |
| 7/11/2007 18:40 | 1.602 | 8.14 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 18:45 | 1.613 | 8.02 |
| 7/11/2007 18:50 | 1.63 | -14.22 |
| 7/11/2007 18:55 | 1.692 | -14.81 |
| 7/11/2007 19:00 | 1.876 | -14.81 |
| 7/11/2007 19:05 | 1.977 | -14.62 |
| 7/11/2007 19:10 | 1.979 | -15.13 |
| 7/11/2007 19:15 | 1.965 | -13.47 |
| 7/11/2007 19:20 | 1.945 | -14.86 |
| 7/11/2007 19:25 | 1.91 | -14.2 |
| 7/11/2007 19:30 | 1.864 | -14.2 |
| 7/11/2007 19:35 | 1.817 | 7.62 |
| 7/11/2007 19:40 | 1.774 | 7.26 |
| 7/11/2007 19:45 | 1.74 | 7.26 |
| 7/11/2007 19:50 | 1.722 | 7.26 |
| 7/11/2007 19:55 | 1.717 | 7.26 |
| 7/11/2007 20:00 | 1.721 | 7.26 |
| 7/11/2007 20:05 | 1.722 | 7.26 |
| 7/11/2007 20:10 | 1.719 | 7.26 |
| 7/11/2007 20:15 | 1.717 | 7.26 |
| 7/11/2007 20:20 | 1.715 | 7.26 |
| 7/11/2007 20:25 | 1.712 | 7.26 |
| 7/11/2007 20:30 | 1.713 | 7.26 |
| 7/11/2007 20:35 | 1.713 | 7.26 |
| 7/11/2007 20:40 | 1.714 | 7.26 |
| 7/11/2007 20:45 | 1.714 | 7.26 |
| 7/11/2007 20:50 | 1.717 | 7.26 |
| 7/11/2007 20:55 | 1.716 | 7.26 |
| 7/11/2007 21:00 | 1.716 | 7.26 |
| 7/11/2007 21:05 | 1.716 | 7.26 |
| 7/11/2007 21:10 | 1.715 | 7.26 |
| 7/11/2007 21:15 | 1.715 | 7.26 |
| 7/11/2007 21:20 | 1.715 | 7.26 |
| 7/11/2007 21:25 | 1.714 | 7.26 |
| 7/11/2007 21:30 | 1.713 | 7.26 |
| 7/11/2007 21:35 | 1.713 | 7.26 |
| 7/11/2007 21:40 | 1.712 | 7.26 |
| 7/11/2007 21:45 | 1.71 | 7.26 |
| 7/11/2007 21:50 | 1.71 | 7.26 |
| 7/11/2007 21:55 | 1.71 | 7.26 |
| 7/11/2007 22:00 | 1.71 | 7.26 |
| 7/11/2007 22:05 | 1.709 | 7.26 |
| 7/11/2007 22:10 | 1.708 | 7.26 |
| 7/11/2007 22:15 | 1.707 | 7.26 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/11/2007 22:20 | 1.706 | 7.26 |
| 7/11/2007 22:25 | 1.699 | 7.26 |
| 7/11/2007 22:30 | 1.697 | 7.26 |
| 7/11/2007 22:35 | 1.692 | 7.26 |
| 7/11/2007 22:40 | 1.684 | 7.26 |
| 7/11/2007 22:45 | 1.684 | 7.26 |
| 7/11/2007 22:50 | 1.685 | 7.26 |
| 7/11/2007 22:55 | 1.681 | 7.26 |
| 7/11/2007 23:00 | 1.679 | 7.26 |
| 7/11/2007 23:05 | 1.68 | 7.26 |
| 7/11/2007 23:10 | 1.679 | 7.26 |
| 7/11/2007 23:15 | 1.68 | 7.26 |
| 7/11/2007 23:20 | 1.68 | 7.26 |
| 7/11/2007 23:25 | 1.68 | 7.26 |
| 7/11/2007 23:30 | 1.679 | 7.26 |
| 7/11/2007 23:35 | 1.68 | 7.26 |
| 7/11/2007 23:40 | 1.679 | 7.26 |
| 7/11/2007 23:45 | 1.677 | 7.26 |
| 7/11/2007 23:50 | 1.676 | 7.26 |
| 7/11/2007 23:55 | 1.676 | 7.26 |
| 7/12/2007 0:00 | 1.676 | 7.26 |
| 7/12/2007 0:05 | 1.675 | 7.26 |
| 7/12/2007 0:10 | 1.674 | 7.26 |
| 7/12/2007 0:15 | 1.658 | 7.26 |
| 7/12/2007 0:20 | 1.65 | 7.26 |
| 7/12/2007 0:25 | 1.649 | 7.26 |
| 7/12/2007 0:30 | 1.647 | 7.26 |
| 7/12/2007 0:35 | 1.646 | 7.26 |
| 7/12/2007 0:40 | 1.646 | 7.26 |
| 7/12/2007 0:45 | 1.647 | 7.26 |
| 7/12/2007 0:50 | 1.647 | 7.26 |
| 7/12/2007 0:55 | 1.646 | 7.26 |
| 7/12/2007 1:00 | 1.647 | 7.26 |
| 7/12/2007 1:05 | 1.646 | 7.26 |
| 7/12/2007 1:10 | 1.647 | 7.26 |
| 7/12/2007 1:15 | 1.646 | 7.26 |
| 7/12/2007 1:20 | 1.646 | 7.26 |
| 7/12/2007 1:25 | 1.645 | 7.26 |
| 7/12/2007 1:30 | 1.645 | 7.26 |
| 7/12/2007 1:35 | 1.643 | 7.26 |
| 7/12/2007 1:40 | 1.643 | 7.26 |
| 7/12/2007 1:45 | 1.642 | 7.26 |
| 7/12/2007 1:50 | 1.643 | 7.26 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 1:55 | 1.641 | 7.26 |
| 7/12/2007 2:00 | 1.641 | 7.26 |
| 7/12/2007 2:05 | 1.641 | 7.26 |
| 7/12/2007 2:10 | 1.639 | 7.26 |
| 7/12/2007 2:15 | 1.639 | 7.26 |
| 7/12/2007 2:20 | 1.638 | 7.26 |
| 7/12/2007 2:25 | 1.637 | 7.26 |
| 7/12/2007 2:30 | 1.635 | 7.26 |
| 7/12/2007 2:35 | 1.635 | 7.26 |
| 7/12/2007 2:40 | 1.635 | 7.26 |
| 7/12/2007 2:45 | 1.631 | 7.26 |
| 7/12/2007 2:50 | 1.631 | 7.26 |
| 7/12/2007 2:55 | 1.631 | 7.26 |
| 7/12/2007 3:00 | 1.63 | 7.26 |
| 7/12/2007 3:05 | 1.629 | 7.26 |
| 7/12/2007 3:10 | 1.627 | 7.26 |
| 7/12/2007 3:15 | 1.626 | 7.26 |
| 7/12/2007 3:20 | 1.626 | 7.26 |
| 7/12/2007 3:25 | 1.624 | 7.26 |
| 7/12/2007 3:30 | 1.623 | 7.26 |
| 7/12/2007 3:35 | 1.623 | 7.26 |
| 7/12/2007 3:40 | 1.622 | 7.26 |
| 7/12/2007 3:45 | 1.621 | 7.26 |
| 7/12/2007 3:50 | 1.62 | 7.26 |
| 7/12/2007 3:55 | 1.618 | 7.26 |
| 7/12/2007 4:00 | 1.622 | 7.26 |
| 7/12/2007 4:05 | 1.621 | 7.26 |
| 7/12/2007 4:10 | 1.618 | 7.26 |
| 7/12/2007 4:15 | 1.618 | 7.26 |
| 7/12/2007 4:20 | 1.617 | 7.26 |
| 7/12/2007 4:25 | 1.615 | 7.26 |
| 7/12/2007 4:30 | 1.614 | 7.26 |
| 7/12/2007 4:35 | 1.615 | 7.26 |
| 7/12/2007 4:40 | 1.615 | 7.26 |
| 7/12/2007 4:45 | 1.613 | 7.26 |
| 7/12/2007 4:50 | 1.612 | 7.26 |
| 7/12/2007 4:55 | 1.611 | 7.26 |
| 7/12/2007 5:00 | 1.61 | 7.26 |
| 7/12/2007 5:05 | 1.609 | 7.26 |
| 7/12/2007 5:10 | 1.607 | 7.26 |
| 7/12/2007 5:15 | 1.606 | 7.26 |
| 7/12/2007 5:20 | 1.605 | 7.26 |
| 7/12/2007 5:25 | 1.604 | 7.26 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 5:30 | 1.603 | 7.26 |
| 7/12/2007 5:35 | 1.602 | 7.26 |
| 7/12/2007 5:40 | 1.602 | 7.26 |
| 7/12/2007 5:45 | 1.601 | 7.26 |
| 7/12/2007 5:50 | 1.599 | 7.26 |
| 7/12/2007 5:55 | 1.598 | 7.26 |
| 7/12/2007 6:00 | 1.597 | 7.26 |
| 7/12/2007 6:05 | 1.596 | 7.26 |
| 7/12/2007 6:10 | 1.595 | 7.26 |
| 7/12/2007 6:15 | 1.595 | 7.26 |
| 7/12/2007 6:20 | 1.595 | 7.26 |
| 7/12/2007 6:25 | 1.593 | 7.26 |
| 7/12/2007 6:30 | 1.592 | 7.26 |
| 7/12/2007 6:35 | 1.591 | 7.26 |
| 7/12/2007 6:40 | 1.59 | 7.26 |
| 7/12/2007 6:45 | 1.59 | 7.26 |
| 7/12/2007 6:50 | 1.59 | 7.26 |
| 7/12/2007 6:55 | 1.588 | 7.26 |
| 7/12/2007 7:00 | 1.588 | 7.26 |
| 7/12/2007 7:05 | 1.587 | 7.26 |
| 7/12/2007 7:10 | 1.586 | 7.26 |
| 7/12/2007 7:15 | 1.586 | 7.26 |
| 7/12/2007 7:20 | 1.585 | 7.26 |
| 7/12/2007 7:25 | 1.583 | 7.26 |
| 7/12/2007 7:30 | 1.581 | 7.26 |
| 7/12/2007 7:35 | 1.58 | 7.26 |
| 7/12/2007 7:40 | 1.58 | 7.26 |
| 7/12/2007 7:45 | 1.58 | 7.26 |
| 7/12/2007 7:50 | 1.579 | 7.26 |
| 7/12/2007 7:55 | 1.578 | 7.26 |
| 7/12/2007 8:00 | 1.577 | 7.26 |
| 7/12/2007 8:05 | 1.577 | 7.26 |
| 7/12/2007 8:10 | 1.578 | 7.26 |
| 7/12/2007 8:15 | 1.576 | 7.26 |
| 7/12/2007 8:20 | 1.575 | 7.26 |
| 7/12/2007 8:25 | 1.574 | 7.26 |
| 7/12/2007 8:30 | 1.574 | 7.26 |
| 7/12/2007 8:35 | 1.574 | 7.26 |
| 7/12/2007 8:40 | 1.573 | 7.26 |
| 7/12/2007 8:45 | 1.574 | 7.26 |
| 7/12/2007 8:50 | 1.573 | 7.26 |
| 7/12/2007 8:55 | 1.573 | 7.26 |
| 7/12/2007 9:00 | 1.571 | 7.26 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 9:05 | 1.57 | 7.26 |
| 7/12/2007 9:10 | 1.571 | 7.26 |
| 7/12/2007 9:15 | 1.57 | 7.26 |
| 7/12/2007 9:20 | 1.569 | 7.26 |
| 7/12/2007 9:25 | 1.569 | 7.26 |
| 7/12/2007 9:30 | 1.568 | 7.26 |
| 7/12/2007 9:35 | 1.568 | 7.26 |
| 7/12/2007 9:40 | 1.567 | 7.26 |
| 7/12/2007 9:45 | 1.567 | 7.26 |
| 7/12/2007 9:50 | 1.566 | 7.26 |
| 7/12/2007 9:55 | 1.566 | 7.26 |
| 7/12/2007 10:00 | 1.566 | 7.26 |
| 7/12/2007 10:05 | 1.566 | 7.26 |
| 7/12/2007 10:10 | 1.566 | 7.26 |
| 7/12/2007 10:15 | 1.564 | 7.26 |
| 7/12/2007 10:20 | 1.563 | 7.26 |
| 7/12/2007 10:25 | 1.562 | 7.26 |
| 7/12/2007 10:30 | 1.562 | 7.26 |
| 7/12/2007 10:35 | 1.562 | 7.26 |
| 7/12/2007 10:40 | 1.562 | 7.26 |
| 7/12/2007 10:45 | 1.56 | 7.26 |
| 7/12/2007 10:50 | 1.559 | 7.26 |
| 7/12/2007 10:55 | 1.56 | 7.26 |
| 7/12/2007 11:00 | 1.56 | 7.26 |
| 7/12/2007 11:05 | 1.559 | 7.26 |
| 7/12/2007 11:10 | 1.558 | -15.78 |
| 7/12/2007 11:15 | 1.557 | -15.55 |
| 7/12/2007 11:20 | 1.556 | -15.46 |
| 7/12/2007 11:25 | 1.556 | -14.77 |
| 7/12/2007 11:30 | 1.556 | -15.11 |
| 7/12/2007 11:35 | 1.554 | -15.35 |
| 7/12/2007 11:40 | 1.555 | -13.99 |
| 7/12/2007 11:45 | 1.556 | -13.99 |
| 7/12/2007 11:50 | 1.554 | -15.43 |
| 7/12/2007 11:55 | 1.554 | -15.43 |
| 7/12/2007 12:00 | 1.553 | -15.43 |
| 7/12/2007 12:05 | 1.551 | -15.43 |
| 7/12/2007 12:10 | 1.551 | -15.43 |
| 7/12/2007 12:15 | 1.55 | -15.43 |
| 7/12/2007 12:20 | 1.55 | -15.43 |
| 7/12/2007 12:25 | 1.549 | -15.43 |
| 7/12/2007 12:30 | 1.549 | -15.43 |
| 7/12/2007 12:35 | 1.549 | 6.99 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 12:40 | 1.548 | 7.73 |
| 7/12/2007 12:45 | 1.548 | 7.73 |
| 7/12/2007 12:50 | 1.547 | 7.73 |
| 7/12/2007 12:55 | 1.547 | 7.73 |
| 7/12/2007 13:00 | 1.546 | 7.73 |
| 7/12/2007 13:05 | 1.545 | 7.73 |
| 7/12/2007 13:10 | 1.545 | 7.73 |
| 7/12/2007 13:15 | 1.545 | 7.73 |
| 7/12/2007 13:20 | 1.543 | 7.73 |
| 7/12/2007 13:25 | 1.543 | 7.73 |
| 7/12/2007 13:30 | 1.542 | 7.73 |
| 7/12/2007 13:35 | 1.541 | 7.73 |
| 7/12/2007 13:40 | 1.542 | 7.73 |
| 7/12/2007 13:45 | 1.541 | 7.73 |
| 7/12/2007 13:50 | 1.54 | 7.73 |
| 7/12/2007 13:55 | 1.539 | 7.73 |
| 7/12/2007 14:00 | 1.538 | 7.73 |
| 7/12/2007 14:05 | 1.537 | 7.73 |
| 7/12/2007 14:10 | 1.538 | 7.73 |
| 7/12/2007 14:15 | 1.536 | 7.73 |
| 7/12/2007 14:20 | 1.537 | 7.73 |
| 7/12/2007 14:25 | 1.533 | 7.73 |
| 7/12/2007 14:30 | 1.532 | 7.73 |
| 7/12/2007 14:35 | 1.533 | 7.73 |
| 7/12/2007 14:40 | 1.531 | 7.73 |
| 7/12/2007 14:45 | 1.531 | 7.73 |
| 7/12/2007 14:50 | 1.531 | 7.73 |
| 7/12/2007 14:55 | 1.53 | 7.73 |
| 7/12/2007 15:00 | 1.53 | 7.73 |
| 7/12/2007 15:05 | 1.528 | 7.73 |
| 7/12/2007 15:10 | 1.527 | 7.73 |
| 7/12/2007 15:15 | 1.527 | 7.73 |
| 7/12/2007 15:20 | 1.526 | 7.73 |
| 7/12/2007 15:25 | 1.527 | 7.73 |
| 7/12/2007 15:30 | 1.526 | 7.73 |
| 7/12/2007 15:35 | 1.526 | 7.73 |
| 7/12/2007 15:40 | 1.526 | 7.73 |
| 7/12/2007 15:45 | 1.526 | 7.73 |
| 7/12/2007 15:50 | 1.531 | 7.73 |
| 7/12/2007 15:55 | 1.525 | 7.73 |
| 7/12/2007 16:00 | 1.523 | 7.73 |
| 7/12/2007 16:05 | 1.527 | 7.73 |
| 7/12/2007 16:10 | 1.527 | 7.73 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 16:15 | 1.527 | 7.73 |
| 7/12/2007 16:20 | 1.527 | 7.73 |
| 7/12/2007 16:25 | 1.525 | 7.73 |
| 7/12/2007 16:30 | 1.526 | 7.73 |
| 7/12/2007 16:35 | 1.526 | 7.73 |
| 7/12/2007 16:40 | 1.524 | 7.73 |
| 7/12/2007 16:45 | 1.523 | 7.73 |
| 7/12/2007 16:50 | 1.523 | 7.73 |
| 7/12/2007 16:55 | 1.523 | 7.73 |
| 7/12/2007 17:00 | 1.523 | 7.73 |
| 7/12/2007 17:05 | 1.523 | 7.73 |
| 7/12/2007 17:10 | 1.522 | 7.73 |
| 7/12/2007 17:15 | 1.522 | 7.73 |
| 7/12/2007 17:20 | 1.521 | 7.73 |
| 7/12/2007 17:25 | 1.521 | 7.73 |
| 7/12/2007 17:30 | 1.521 | 7.73 |
| 7/12/2007 17:35 | 1.521 | 7.73 |
| 7/12/2007 17:40 | 1.519 | 7.73 |
| 7/12/2007 17:45 | 1.52 | 7.73 |
| 7/12/2007 17:50 | 1.519 | 7.73 |
| 7/12/2007 17:55 | 1.519 | 7.73 |
| 7/12/2007 18:00 | 1.52 | 7.73 |
| 7/12/2007 18:05 | 1.518 | 7.73 |
| 7/12/2007 18:10 | 1.519 | 7.73 |
| 7/12/2007 18:15 | 1.518 | 7.73 |
| 7/12/2007 18:20 | 1.517 | 7.73 |
| 7/12/2007 18:25 | 1.518 | 7.73 |
| 7/12/2007 18:30 | 1.517 | 7.73 |
| 7/12/2007 18:35 | 1.517 | 7.73 |
| 7/12/2007 18:40 | 1.517 | 7.73 |
| 7/12/2007 18:45 | 1.516 | 7.73 |
| 7/12/2007 18:50 | 1.516 | 7.73 |
| 7/12/2007 18:55 | 1.516 | 7.73 |
| 7/12/2007 19:00 | 1.516 | 7.73 |
| 7/12/2007 19:05 | 1.516 | 7.73 |
| 7/12/2007 19:10 | 1.515 | 7.73 |
| 7/12/2007 19:15 | 1.515 | 7.73 |
| 7/12/2007 19:20 | 1.515 | 7.73 |
| 7/12/2007 19:25 | 1.514 | 7.73 |
| 7/12/2007 19:30 | 1.514 | 7.73 |
| 7/12/2007 19:35 | 1.514 | 7.73 |
| 7/12/2007 19:40 | 1.514 | 7.73 |
| 7/12/2007 19:45 | 1.514 | 7.73 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 19:50 | 1.513 | 7.73 |
| 7/12/2007 19:55 | 1.513 | 7.73 |
| 7/12/2007 20:00 | 1.512 | 7.73 |
| 7/12/2007 20:05 | 1.512 | 7.73 |
| 7/12/2007 20:10 | 1.512 | 7.73 |
| 7/12/2007 20:15 | 1.512 | 7.73 |
| 7/12/2007 20:20 | 1.511 | 7.73 |
| 7/12/2007 20:25 | 1.512 | 7.73 |
| 7/12/2007 20:30 | 1.511 | 7.73 |
| 7/12/2007 20:35 | 1.511 | 7.73 |
| 7/12/2007 20:40 | 1.511 | 7.73 |
| 7/12/2007 20:45 | 1.511 | 7.57 |
| 7/12/2007 20:50 | 1.511 | 7.57 |
| 7/12/2007 20:55 | 1.511 | 7.57 |
| 7/12/2007 21:00 | 1.51 | 7.57 |
| 7/12/2007 21:05 | 1.51 | 7.57 |
| 7/12/2007 21:10 | 1.51 | 7.57 |
| 7/12/2007 21:15 | 1.51 | 7.57 |
| 7/12/2007 21:20 | 1.51 | 7.57 |
| 7/12/2007 21:25 | 1.509 | 7.57 |
| 7/12/2007 21:30 | 1.509 | 7.57 |
| 7/12/2007 21:35 | 1.51 | 7.57 |
| 7/12/2007 21:40 | 1.509 | 7.57 |
| 7/12/2007 21:45 | 1.509 | 7.57 |
| 7/12/2007 21:50 | 1.509 | 7.57 |
| 7/12/2007 21:55 | 1.508 | 7.57 |
| 7/12/2007 22:00 | 1.508 | 7.57 |
| 7/12/2007 22:05 | 1.508 | 7.57 |
| 7/12/2007 22:10 | 1.508 | 7.57 |
| 7/12/2007 22:15 | 1.507 | 7.57 |
| 7/12/2007 22:20 | 1.508 | 7.57 |
| 7/12/2007 22:25 | 1.508 | 7.57 |
| 7/12/2007 22:30 | 1.507 | 7.57 |
| 7/12/2007 22:35 | 1.508 | 7.57 |
| 7/12/2007 22:40 | 1.507 | 7.57 |
| 7/12/2007 22:45 | 1.509 | 7.57 |
| 7/12/2007 22:50 | 1.509 | 7.57 |
| 7/12/2007 22:55 | 1.509 | 7.57 |
| 7/12/2007 23:00 | 1.508 | 7.57 |
| 7/12/2007 23:05 | 1.508 | 7.57 |
| 7/12/2007 23:10 | 1.508 | 7.57 |
| 7/12/2007 23:15 | 1.508 | 7.57 |
| 7/12/2007 23:20 | 1.509 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/12/2007 23:25 | 1.508 | 7.57 |
| 7/12/2007 23:30 | 1.508 | 7.57 |
| 7/12/2007 23:35 | 1.507 | 7.57 |
| 7/12/2007 23:40 | 1.507 | 7.57 |
| 7/12/2007 23:45 | 1.507 | 7.57 |
| 7/12/2007 23:50 | 1.507 | 7.57 |
| 7/12/2007 23:55 | 1.506 | 7.57 |
| 7/13/2007 0:00 | 1.507 | 7.57 |
| 7/13/2007 0:05 | 1.506 | 7.57 |
| 7/13/2007 0:10 | 1.506 | 7.57 |
| 7/13/2007 0:15 | 1.506 | 7.57 |
| 7/13/2007 0:20 | 1.506 | 7.57 |
| 7/13/2007 0:25 | 1.505 | 7.57 |
| 7/13/2007 0:30 | 1.505 | 7.57 |
| 7/13/2007 0:35 | 1.505 | 7.57 |
| 7/13/2007 0:40 | 1.505 | 7.57 |
| 7/13/2007 0:45 | 1.505 | 7.57 |
| 7/13/2007 0:50 | 1.505 | 7.57 |
| 7/13/2007 0:55 | 1.505 | 7.57 |
| 7/13/2007 1:00 | 1.504 | 7.57 |
| 7/13/2007 1:05 | 1.504 | 7.57 |
| 7/13/2007 1:10 | 1.504 | 7.57 |
| 7/13/2007 1:15 | 1.504 | 7.57 |
| 7/13/2007 1:20 | 1.504 | 7.57 |
| 7/13/2007 1:25 | 1.504 | 7.57 |
| 7/13/2007 1:30 | 1.504 | 7.57 |
| 7/13/2007 1:35 | 1.504 | 7.57 |
| 7/13/2007 1:40 | 1.503 | 7.57 |
| 7/13/2007 1:45 | 1.503 | 7.57 |
| 7/13/2007 1:50 | 1.503 | 7.57 |
| 7/13/2007 1:55 | 1.503 | 7.57 |
| 7/13/2007 2:00 | 1.503 | 7.57 |
| 7/13/2007 2:05 | 1.503 | 7.57 |
| 7/13/2007 2:10 | 1.503 | 7.57 |
| 7/13/2007 2:15 | 1.503 | 7.57 |
| 7/13/2007 2:20 | 1.502 | 7.57 |
| 7/13/2007 2:25 | 1.501 | 7.57 |
| 7/13/2007 2:30 | 1.501 | 7.57 |
| 7/13/2007 2:35 | 1.501 | 7.57 |
| 7/13/2007 2:40 | 1.5 | 7.57 |
| 7/13/2007 2:45 | 1.501 | 7.57 |
| 7/13/2007 2:50 | 1.5 | 7.57 |
| 7/13/2007 2:55 | 1.5 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 3:00 | 1.499 | 7.57 |
| 7/13/2007 3:05 | 1.499 | 7.57 |
| 7/13/2007 3:10 | 1.499 | 7.57 |
| 7/13/2007 3:15 | 1.499 | 7.57 |
| 7/13/2007 3:20 | 1.499 | 7.57 |
| 7/13/2007 3:25 | 1.498 | 7.57 |
| 7/13/2007 3:30 | 1.497 | 7.57 |
| 7/13/2007 3:35 | 1.498 | 7.57 |
| 7/13/2007 3:40 | 1.497 | 7.57 |
| 7/13/2007 3:45 | 1.497 | 7.57 |
| 7/13/2007 3:50 | 1.497 | 7.57 |
| 7/13/2007 3:55 | 1.496 | 7.57 |
| 7/13/2007 4:00 | 1.496 | 7.57 |
| 7/13/2007 4:05 | 1.496 | 7.57 |
| 7/13/2007 4:10 | 1.496 | 7.57 |
| 7/13/2007 4:15 | 1.495 | 7.57 |
| 7/13/2007 4:20 | 1.495 | 7.57 |
| 7/13/2007 4:25 | 1.495 | 7.57 |
| 7/13/2007 4:30 | 1.495 | 7.57 |
| 7/13/2007 4:35 | 1.495 | 7.57 |
| 7/13/2007 4:40 | 1.495 | 7.57 |
| 7/13/2007 4:45 | 1.494 | 7.57 |
| 7/13/2007 4:50 | 1.494 | 7.57 |
| 7/13/2007 4:55 | 1.493 | 7.57 |
| 7/13/2007 5:00 | 1.493 | 7.57 |
| 7/13/2007 5:05 | 1.494 | 7.57 |
| 7/13/2007 5:10 | 1.493 | 7.57 |
| 7/13/2007 5:15 | 1.492 | 7.57 |
| 7/13/2007 5:20 | 1.492 | 7.57 |
| 7/13/2007 5:25 | 1.493 | 7.57 |
| 7/13/2007 5:30 | 1.493 | 7.57 |
| 7/13/2007 5:35 | 1.492 | 7.57 |
| 7/13/2007 5:40 | 1.493 | 7.57 |
| 7/13/2007 5:45 | 1.493 | 7.57 |
| 7/13/2007 5:50 | 1.492 | 7.57 |
| 7/13/2007 5:55 | 1.495 | 7.57 |
| 7/13/2007 6:00 | 1.492 | 7.57 |
| 7/13/2007 6:05 | 1.492 | 7.57 |
| 7/13/2007 6:10 | 1.492 | 7.57 |
| 7/13/2007 6:15 | 1.492 | 7.57 |
| 7/13/2007 6:20 | 1.492 | 7.57 |
| 7/13/2007 6:25 | 1.491 | 7.57 |
| 7/13/2007 6:30 | 1.492 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 6:35 | 1.49 | 7.57 |
| 7/13/2007 6:40 | 1.49 | 7.57 |
| 7/13/2007 6:45 | 1.491 | 7.57 |
| 7/13/2007 6:50 | 1.49 | 7.57 |
| 7/13/2007 6:55 | 1.491 | 7.57 |
| 7/13/2007 7:00 | 1.49 | 7.57 |
| 7/13/2007 7:05 | 1.489 | 7.57 |
| 7/13/2007 7:10 | 1.49 | 7.57 |
| 7/13/2007 7:15 | 1.49 | 7.57 |
| 7/13/2007 7:20 | 1.489 | 7.57 |
| 7/13/2007 7:25 | 1.488 | 7.57 |
| 7/13/2007 7:30 | 1.488 | 7.57 |
| 7/13/2007 7:35 | 1.488 | 7.57 |
| 7/13/2007 7:40 | 1.488 | 7.57 |
| 7/13/2007 7:45 | 1.488 | 7.57 |
| 7/13/2007 7:50 | 1.488 | 7.57 |
| 7/13/2007 7:55 | 1.487 | 7.57 |
| 7/13/2007 8:00 | 1.487 | 7.57 |
| 7/13/2007 8:05 | 1.486 | 7.57 |
| 7/13/2007 8:10 | 1.486 | 7.57 |
| 7/13/2007 8:15 | 1.485 | 7.57 |
| 7/13/2007 8:20 | 1.486 | 7.57 |
| 7/13/2007 8:25 | 1.485 | 7.57 |
| 7/13/2007 8:30 | 1.487 | 7.57 |
| 7/13/2007 8:35 | 1.486 | 7.57 |
| 7/13/2007 8:40 | 1.486 | 7.57 |
| 7/13/2007 8:45 | 1.487 | 7.57 |
| 7/13/2007 8:50 | 1.487 | 7.57 |
| 7/13/2007 8:55 | 1.487 | 7.57 |
| 7/13/2007 9:00 | 1.485 | 7.57 |
| 7/13/2007 9:05 | 1.486 | 7.57 |
| 7/13/2007 9:10 | 1.486 | 7.57 |
| 7/13/2007 9:15 | 1.486 | 7.57 |
| 7/13/2007 9:20 | 1.486 | 7.57 |
| 7/13/2007 9:25 | 1.486 | 7.57 |
| 7/13/2007 9:30 | 1.486 | 7.57 |
| 7/13/2007 9:35 | 1.486 | 7.57 |
| 7/13/2007 9:40 | 1.486 | 7.57 |
| 7/13/2007 9:45 | 1.485 | 7.57 |
| 7/13/2007 9:50 | 1.484 | 7.57 |
| 7/13/2007 9:55 | 1.485 | 7.57 |
| 7/13/2007 10:00 | 1.484 | 7.57 |
| 7/13/2007 10:05 | 1.483 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 10:10 | 1.483 | 7.57 |
| 7/13/2007 10:15 | 1.482 | 7.57 |
| 7/13/2007 10:20 | 1.483 | 7.57 |
| 7/13/2007 10:25 | 1.483 | 7.57 |
| 7/13/2007 10:30 | 1.483 | 7.57 |
| 7/13/2007 10:35 | 1.483 | 7.57 |
| 7/13/2007 10:40 | 1.484 | 7.57 |
| 7/13/2007 10:45 | 1.481 | 7.57 |
| 7/13/2007 10:50 | 1.481 | 7.57 |
| 7/13/2007 10:55 | 1.481 | 7.57 |
| 7/13/2007 11:00 | 1.481 | 7.57 |
| 7/13/2007 11:05 | 1.48 | 7.57 |
| 7/13/2007 11:10 | 1.48 | 7.57 |
| 7/13/2007 11:15 | 1.479 | 7.57 |
| 7/13/2007 11:20 | 1.478 | 7.57 |
| 7/13/2007 11:25 | 1.479 | 7.57 |
| 7/13/2007 11:30 | 1.48 | 7.57 |
| 7/13/2007 11:35 | 1.48 | 7.57 |
| 7/13/2007 11:40 | 1.48 | 7.57 |
| 7/13/2007 11:45 | 1.48 | 7.57 |
| 7/13/2007 11:50 | 1.479 | 7.57 |
| 7/13/2007 11:55 | 1.479 | 7.57 |
| 7/13/2007 12:00 | 1.478 | 7.57 |
| 7/13/2007 12:05 | 1.478 | 7.57 |
| 7/13/2007 12:10 | 1.477 | 7.57 |
| 7/13/2007 12:15 | 1.477 | 7.57 |
| 7/13/2007 12:20 | 1.477 | 7.57 |
| 7/13/2007 12:25 | 1.479 | 7.57 |
| 7/13/2007 12:30 | 1.477 | 7.57 |
| 7/13/2007 12:35 | 1.477 | 7.57 |
| 7/13/2007 12:40 | 1.476 | 7.57 |
| 7/13/2007 12:45 | 1.475 | 7.57 |
| 7/13/2007 12:50 | 1.475 | 7.57 |
| 7/13/2007 12:55 | 1.475 | 7.57 |
| 7/13/2007 13:00 | 1.475 | 7.57 |
| 7/13/2007 13:05 | 1.474 | 7.57 |
| 7/13/2007 13:10 | 1.476 | 7.57 |
| 7/13/2007 13:15 | 1.474 | 7.57 |
| 7/13/2007 13:20 | 1.473 | 7.57 |
| 7/13/2007 13:25 | 1.474 | 7.57 |
| 7/13/2007 13:30 | 1.473 | 7.57 |
| 7/13/2007 13:35 | 1.473 | 7.57 |
| 7/13/2007 13:40 | 1.473 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 13:45 | 1.472 | 7.57 |
| 7/13/2007 13:50 | 1.472 | 7.57 |
| 7/13/2007 13:55 | 1.472 | 7.57 |
| 7/13/2007 14:00 | 1.472 | 7.57 |
| 7/13/2007 14:05 | 1.47 | 7.57 |
| 7/13/2007 14:10 | 1.473 | 7.57 |
| 7/13/2007 14:15 | 1.471 | 7.57 |
| 7/13/2007 14:20 | 1.47 | 7.57 |
| 7/13/2007 14:25 | 1.469 | 7.57 |
| 7/13/2007 14:30 | 1.47 | 7.57 |
| 7/13/2007 14:35 | 1.471 | 7.57 |
| 7/13/2007 14:40 | 1.469 | 7.57 |
| 7/13/2007 14:45 | 1.471 | 7.57 |
| 7/13/2007 14:50 | 1.469 | 7.57 |
| 7/13/2007 14:55 | 1.47 | 7.57 |
| 7/13/2007 15:00 | 1.469 | 7.57 |
| 7/13/2007 15:05 | 1.468 | 7.57 |
| 7/13/2007 15:10 | 1.468 | 7.57 |
| 7/13/2007 15:15 | 1.469 | 7.57 |
| 7/13/2007 15:20 | 1.469 | 7.57 |
| 7/13/2007 15:25 | 1.467 | 7.57 |
| 7/13/2007 15:30 | 1.467 | 7.57 |
| 7/13/2007 15:35 | 1.467 | 7.57 |
| 7/13/2007 15:40 | 1.467 | 7.57 |
| 7/13/2007 15:45 | 1.467 | 7.57 |
| 7/13/2007 15:50 | 1.466 | 7.57 |
| 7/13/2007 15:55 | 1.465 | 7.57 |
| 7/13/2007 16:00 | 1.464 | 7.57 |
| 7/13/2007 16:05 | 1.466 | 7.57 |
| 7/13/2007 16:10 | 1.466 | 7.57 |
| 7/13/2007 16:15 | 1.465 | 7.57 |
| 7/13/2007 16:20 | 1.465 | 7.57 |
| 7/13/2007 16:25 | 1.464 | 7.57 |
| 7/13/2007 16:30 | 1.464 | 7.57 |
| 7/13/2007 16:35 | 1.464 | 7.57 |
| 7/13/2007 16:40 | 1.464 | 7.57 |
| 7/13/2007 16:45 | 1.464 | 7.57 |
| 7/13/2007 16:50 | 1.464 | 7.57 |
| 7/13/2007 16:55 | 1.464 | 7.57 |
| 7/13/2007 17:00 | 1.465 | 7.57 |
| 7/13/2007 17:05 | 1.465 | 7.57 |
| 7/13/2007 17:10 | 1.465 | 7.57 |
| 7/13/2007 17:15 | 1.464 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 17:20 | 1.463 | 7.57 |
| 7/13/2007 17:25 | 1.464 | 7.57 |
| 7/13/2007 17:30 | 1.463 | 7.57 |
| 7/13/2007 17:35 | 1.464 | 7.57 |
| 7/13/2007 17:40 | 1.464 | 7.57 |
| 7/13/2007 17:45 | 1.464 | 7.57 |
| 7/13/2007 17:50 | 1.464 | 7.57 |
| 7/13/2007 17:55 | 1.463 | 7.57 |
| 7/13/2007 18:00 | 1.463 | 7.57 |
| 7/13/2007 18:05 | 1.462 | 7.57 |
| 7/13/2007 18:10 | 1.462 | 7.57 |
| 7/13/2007 18:15 | 1.461 | 7.57 |
| 7/13/2007 18:20 | 1.461 | 7.57 |
| 7/13/2007 18:25 | 1.461 | 7.57 |
| 7/13/2007 18:30 | 1.461 | 7.57 |
| 7/13/2007 18:35 | 1.46 | 7.57 |
| 7/13/2007 18:40 | 1.46 | 7.57 |
| 7/13/2007 18:45 | 1.46 | 7.57 |
| 7/13/2007 18:50 | 1.46 | 7.57 |
| 7/13/2007 18:55 | 1.46 | 7.57 |
| 7/13/2007 19:00 | 1.459 | 7.57 |
| 7/13/2007 19:05 | 1.459 | 7.57 |
| 7/13/2007 19:10 | 1.46 | 7.57 |
| 7/13/2007 19:15 | 1.46 | 7.57 |
| 7/13/2007 19:20 | 1.46 | 7.57 |
| 7/13/2007 19:25 | 1.46 | 7.57 |
| 7/13/2007 19:30 | 1.46 | 7.57 |
| 7/13/2007 19:35 | 1.46 | 7.57 |
| 7/13/2007 19:40 | 1.46 | 7.57 |
| 7/13/2007 19:45 | 1.46 | 7.57 |
| 7/13/2007 19:50 | 1.459 | 7.57 |
| 7/13/2007 19:55 | 1.46 | 7.57 |
| 7/13/2007 20:00 | 1.46 | 7.57 |
| 7/13/2007 20:05 | 1.46 | 7.57 |
| 7/13/2007 20:10 | 1.458 | 7.57 |
| 7/13/2007 20:15 | 1.459 | 7.57 |
| 7/13/2007 20:20 | 1.458 | 7.57 |
| 7/13/2007 20:25 | 1.459 | 7.57 |
| 7/13/2007 20:30 | 1.459 | 7.57 |
| 7/13/2007 20:35 | 1.459 | 7.57 |
| 7/13/2007 20:40 | 1.458 | 7.57 |
| 7/13/2007 20:45 | 1.458 | 7.57 |
| 7/13/2007 20:50 | 1.457 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/13/2007 20:55 | 1.457 | 7.57 |
| 7/13/2007 21:00 | 1.457 | 7.57 |
| 7/13/2007 21:05 | 1.458 | 7.57 |
| 7/13/2007 21:10 | 1.457 | 7.57 |
| 7/13/2007 21:15 | 1.457 | 7.57 |
| 7/13/2007 21:20 | 1.457 | 7.57 |
| 7/13/2007 21:25 | 1.457 | 7.57 |
| 7/13/2007 21:30 | 1.457 | 7.57 |
| 7/13/2007 21:35 | 1.457 | 7.57 |
| 7/13/2007 21:40 | 1.456 | 7.57 |
| 7/13/2007 21:45 | 1.457 | 7.57 |
| 7/13/2007 21:50 | 1.456 | 7.57 |
| 7/13/2007 21:55 | 1.457 | 7.57 |
| 7/13/2007 22:00 | 1.456 | 7.57 |
| 7/13/2007 22:05 | 1.456 | 7.57 |
| 7/13/2007 22:10 | 1.456 | 7.57 |
| 7/13/2007 22:15 | 1.456 | 7.57 |
| 7/13/2007 22:20 | 1.456 | 7.57 |
| 7/13/2007 22:25 | 1.456 | 7.57 |
| 7/13/2007 22:30 | 1.456 | 7.57 |
| 7/13/2007 22:35 | 1.456 | 7.57 |
| 7/13/2007 22:40 | 1.454 | 7.57 |
| 7/13/2007 22:45 | 1.455 | 7.57 |
| 7/13/2007 22:50 | 1.454 | 7.57 |
| 7/13/2007 22:55 | 1.455 | 7.57 |
| 7/13/2007 23:00 | 1.454 | 7.57 |
| 7/13/2007 23:05 | 1.455 | 7.57 |
| 7/13/2007 23:10 | 1.455 | 7.57 |
| 7/13/2007 23:15 | 1.456 | 7.57 |
| 7/13/2007 23:20 | 1.457 | 7.57 |
| 7/13/2007 23:25 | 1.457 | 7.57 |
| 7/13/2007 23:30 | 1.457 | 7.57 |
| 7/13/2007 23:35 | 1.458 | 7.57 |
| 7/13/2007 23:40 | 1.457 | 7.57 |
| 7/13/2007 23:45 | 1.458 | 7.57 |
| 7/13/2007 23:50 | 1.458 | 7.57 |
| 7/13/2007 23:55 | 1.458 | 7.57 |
| 7/14/2007 0:00 | 1.458 | 7.57 |
| 7/14/2007 0:05 | 1.458 | 7.57 |
| 7/14/2007 0:10 | 1.457 | 7.57 |
| 7/14/2007 0:15 | 1.457 | 7.57 |
| 7/14/2007 0:20 | 1.455 | 7.57 |
| 7/14/2007 0:25 | 1.454 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 0:30 | 1.453 | 7.57 |
| 7/14/2007 0:35 | 1.453 | 7.57 |
| 7/14/2007 0:40 | 1.451 | 7.57 |
| 7/14/2007 0:45 | 1.45 | 7.57 |
| 7/14/2007 0:50 | 1.45 | 7.57 |
| 7/14/2007 0:55 | 1.45 | 7.57 |
| 7/14/2007 1:00 | 1.45 | 7.57 |
| 7/14/2007 1:05 | 1.45 | 7.57 |
| 7/14/2007 1:10 | 1.45 | 7.57 |
| 7/14/2007 1:15 | 1.449 | 7.57 |
| 7/14/2007 1:20 | 1.45 | 7.57 |
| 7/14/2007 1:25 | 1.45 | 7.57 |
| 7/14/2007 1:30 | 1.45 | 7.57 |
| 7/14/2007 1:35 | 1.449 | 7.57 |
| 7/14/2007 1:40 | 1.449 | 7.57 |
| 7/14/2007 1:45 | 1.449 | 7.57 |
| 7/14/2007 1:50 | 1.449 | 7.57 |
| 7/14/2007 1:55 | 1.449 | 7.57 |
| 7/14/2007 2:00 | 1.449 | 7.57 |
| 7/14/2007 2:05 | 1.449 | 7.57 |
| 7/14/2007 2:10 | 1.448 | 7.57 |
| 7/14/2007 2:15 | 1.448 | 7.57 |
| 7/14/2007 2:20 | 1.449 | 7.57 |
| 7/14/2007 2:25 | 1.448 | 7.57 |
| 7/14/2007 2:30 | 1.448 | 7.57 |
| 7/14/2007 2:35 | 1.448 | 7.57 |
| 7/14/2007 2:40 | 1.448 | 7.57 |
| 7/14/2007 2:45 | 1.448 | 7.57 |
| 7/14/2007 2:50 | 1.447 | 7.57 |
| 7/14/2007 2:55 | 1.448 | 7.57 |
| 7/14/2007 3:00 | 1.447 | 7.57 |
| 7/14/2007 3:05 | 1.447 | 7.57 |
| 7/14/2007 3:10 | 1.447 | 7.57 |
| 7/14/2007 3:15 | 1.447 | 7.57 |
| 7/14/2007 3:20 | 1.446 | 7.57 |
| 7/14/2007 3:25 | 1.446 | 7.57 |
| 7/14/2007 3:30 | 1.446 | 7.57 |
| 7/14/2007 3:35 | 1.446 | 7.57 |
| 7/14/2007 3:40 | 1.446 | 7.57 |
| 7/14/2007 3:45 | 1.445 | 7.57 |
| 7/14/2007 3:50 | 1.445 | 7.57 |
| 7/14/2007 3:55 | 1.445 | 7.57 |
| 7/14/2007 4:00 | 1.443 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 4:05 | 1.443 | 7.57 |
| 7/14/2007 4:10 | 1.442 | 7.57 |
| 7/14/2007 4:15 | 1.442 | 7.57 |
| 7/14/2007 4:20 | 1.44 | 7.57 |
| 7/14/2007 4:25 | 1.438 | 7.57 |
| 7/14/2007 4:30 | 1.437 | 7.57 |
| 7/14/2007 4:35 | 1.436 | 7.57 |
| 7/14/2007 4:40 | 1.436 | 7.57 |
| 7/14/2007 4:45 | 1.435 | 7.57 |
| 7/14/2007 4:50 | 1.435 | 7.57 |
| 7/14/2007 4:55 | 1.435 | 7.57 |
| 7/14/2007 5:00 | 1.434 | 7.57 |
| 7/14/2007 5:05 | 1.435 | 7.57 |
| 7/14/2007 5:10 | 1.434 | 7.57 |
| 7/14/2007 5:15 | 1.434 | 7.57 |
| 7/14/2007 5:20 | 1.433 | 7.57 |
| 7/14/2007 5:25 | 1.433 | 7.57 |
| 7/14/2007 5:30 | 1.433 | 7.57 |
| 7/14/2007 5:35 | 1.433 | 7.57 |
| 7/14/2007 5:40 | 1.433 | 7.57 |
| 7/14/2007 5:45 | 1.432 | 7.57 |
| 7/14/2007 5:50 | 1.432 | 7.57 |
| 7/14/2007 5:55 | 1.433 | 7.57 |
| 7/14/2007 6:00 | 1.432 | 7.57 |
| 7/14/2007 6:05 | 1.432 | 7.57 |
| 7/14/2007 6:10 | 1.431 | 7.57 |
| 7/14/2007 6:15 | 1.432 | 7.57 |
| 7/14/2007 6:20 | 1.431 | 7.57 |
| 7/14/2007 6:25 | 1.431 | 7.57 |
| 7/14/2007 6:30 | 1.431 | 7.57 |
| 7/14/2007 6:35 | 1.432 | 7.57 |
| 7/14/2007 6:40 | 1.432 | 7.57 |
| 7/14/2007 6:45 | 1.431 | 7.57 |
| 7/14/2007 6:50 | 1.431 | 7.57 |
| 7/14/2007 6:55 | 1.431 | 7.57 |
| 7/14/2007 7:00 | 1.431 | 7.57 |
| 7/14/2007 7:05 | 1.43 | 7.57 |
| 7/14/2007 7:10 | 1.43 | 7.57 |
| 7/14/2007 7:15 | 1.43 | 7.57 |
| 7/14/2007 7:20 | 1.43 | 7.57 |
| 7/14/2007 7:25 | 1.43 | 7.57 |
| 7/14/2007 7:30 | 1.43 | 7.57 |
| 7/14/2007 7:35 | 1.429 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 7:40 | 1.43 | 7.57 |
| 7/14/2007 7:45 | 1.43 | 7.57 |
| 7/14/2007 7:50 | 1.43 | 7.57 |
| 7/14/2007 7:55 | 1.43 | 7.57 |
| 7/14/2007 8:00 | 1.429 | 7.57 |
| 7/14/2007 8:05 | 1.429 | 7.57 |
| 7/14/2007 8:10 | 1.428 | 7.57 |
| 7/14/2007 8:15 | 1.428 | 7.57 |
| 7/14/2007 8:20 | 1.428 | 7.57 |
| 7/14/2007 8:25 | 1.428 | 7.57 |
| 7/14/2007 8:30 | 1.428 | 7.57 |
| 7/14/2007 8:35 | 1.429 | 7.57 |
| 7/14/2007 8:40 | 1.429 | 7.57 |
| 7/14/2007 8:45 | 1.43 | 7.57 |
| 7/14/2007 8:50 | 1.43 | 7.57 |
| 7/14/2007 8:55 | 1.429 | 7.57 |
| 7/14/2007 9:00 | 1.429 | 7.57 |
| 7/14/2007 9:05 | 1.429 | 7.57 |
| 7/14/2007 9:10 | 1.429 | 7.57 |
| 7/14/2007 9:15 | 1.429 | 7.57 |
| 7/14/2007 9:20 | 1.429 | 7.57 |
| 7/14/2007 9:25 | 1.429 | 7.57 |
| 7/14/2007 9:30 | 1.429 | 7.57 |
| 7/14/2007 9:35 | 1.429 | 7.57 |
| 7/14/2007 9:40 | 1.428 | 7.57 |
| 7/14/2007 9:45 | 1.428 | 7.57 |
| 7/14/2007 9:50 | 1.428 | 7.57 |
| 7/14/2007 9:55 | 1.428 | 7.57 |
| 7/14/2007 10:00 | 1.427 | 7.57 |
| 7/14/2007 10:05 | 1.427 | 7.57 |
| 7/14/2007 10:10 | 1.427 | 7.57 |
| 7/14/2007 10:15 | 1.428 | 7.57 |
| 7/14/2007 10:20 | 1.427 | 7.57 |
| 7/14/2007 10:25 | 1.427 | 7.57 |
| 7/14/2007 10:30 | 1.427 | 7.57 |
| 7/14/2007 10:35 | 1.427 | 7.57 |
| 7/14/2007 10:40 | 1.427 | 7.57 |
| 7/14/2007 10:45 | 1.426 | 7.57 |
| 7/14/2007 10:50 | 1.426 | 7.57 |
| 7/14/2007 10:55 | 1.426 | 7.57 |
| 7/14/2007 11:00 | 1.426 | 7.57 |
| 7/14/2007 11:05 | 1.427 | 7.57 |
| 7/14/2007 11:10 | 1.426 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 11:15 | 1.425 | 7.57 |
| 7/14/2007 11:20 | 1.425 | 7.57 |
| 7/14/2007 11:25 | 1.425 | 7.57 |
| 7/14/2007 11:30 | 1.425 | 7.57 |
| 7/14/2007 11:35 | 1.424 | 7.57 |
| 7/14/2007 11:40 | 1.425 | 7.57 |
| 7/14/2007 11:45 | 1.424 | 7.57 |
| 7/14/2007 11:50 | 1.424 | 7.57 |
| 7/14/2007 11:55 | 1.424 | 7.57 |
| 7/14/2007 12:00 | 1.424 | 7.57 |
| 7/14/2007 12:05 | 1.423 | 7.57 |
| 7/14/2007 12:10 | 1.424 | 7.57 |
| 7/14/2007 12:15 | 1.424 | 7.57 |
| 7/14/2007 12:20 | 1.423 | 7.57 |
| 7/14/2007 12:25 | 1.423 | 7.57 |
| 7/14/2007 12:30 | 1.424 | 7.57 |
| 7/14/2007 12:35 | 1.423 | 7.57 |
| 7/14/2007 12:40 | 1.424 | 7.57 |
| 7/14/2007 12:45 | 1.425 | 7.57 |
| 7/14/2007 12:50 | 1.423 | 7.57 |
| 7/14/2007 12:55 | 1.423 | 7.57 |
| 7/14/2007 13:00 | 1.422 | 7.57 |
| 7/14/2007 13:05 | 1.422 | 7.57 |
| 7/14/2007 13:10 | 1.421 | 7.57 |
| 7/14/2007 13:15 | 1.422 | 7.57 |
| 7/14/2007 13:20 | 1.421 | 7.57 |
| 7/14/2007 13:25 | 1.421 | 7.57 |
| 7/14/2007 13:30 | 1.419 | 7.57 |
| 7/14/2007 13:35 | 1.42 | 7.57 |
| 7/14/2007 13:40 | 1.42 | 7.57 |
| 7/14/2007 13:45 | 1.419 | 7.57 |
| 7/14/2007 13:50 | 1.418 | 7.57 |
| 7/14/2007 13:55 | 1.418 | 7.57 |
| 7/14/2007 14:00 | 1.418 | 7.57 |
| 7/14/2007 14:05 | 1.419 | 7.57 |
| 7/14/2007 14:10 | 1.417 | 7.57 |
| 7/14/2007 14:15 | 1.418 | 7.57 |
| 7/14/2007 14:20 | 1.418 | 7.57 |
| 7/14/2007 14:25 | 1.418 | 7.57 |
| 7/14/2007 14:30 | 1.418 | 7.57 |
| 7/14/2007 14:35 | 1.416 | 7.57 |
| 7/14/2007 14:40 | 1.415 | 7.57 |
| 7/14/2007 14:45 | 1.416 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 14:50 | 1.415 | 7.57 |
| 7/14/2007 14:55 | 1.415 | 7.57 |
| 7/14/2007 15:00 | 1.415 | 7.57 |
| 7/14/2007 15:05 | 1.415 | 7.57 |
| 7/14/2007 15:10 | 1.416 | 7.57 |
| 7/14/2007 15:15 | 1.417 | 7.57 |
| 7/14/2007 15:20 | 1.415 | 7.57 |
| 7/14/2007 15:25 | 1.414 | 7.57 |
| 7/14/2007 15:30 | 1.414 | 7.57 |
| 7/14/2007 15:35 | 1.413 | 7.57 |
| 7/14/2007 15:40 | 1.413 | 7.57 |
| 7/14/2007 15:45 | 1.414 | 7.57 |
| 7/14/2007 15:50 | 1.414 | 7.57 |
| 7/14/2007 15:55 | 1.413 | 7.57 |
| 7/14/2007 16:00 | 1.413 | 7.57 |
| 7/14/2007 16:05 | 1.413 | 7.57 |
| 7/14/2007 16:10 | 1.411 | 7.57 |
| 7/14/2007 16:15 | 1.414 | 7.57 |
| 7/14/2007 16:20 | 1.413 | 7.57 |
| 7/14/2007 16:25 | 1.413 | 7.57 |
| 7/14/2007 16:30 | 1.413 | 7.57 |
| 7/14/2007 16:35 | 1.412 | 7.57 |
| 7/14/2007 16:40 | 1.41 | 7.57 |
| 7/14/2007 16:45 | 1.411 | 7.57 |
| 7/14/2007 16:50 | 1.41 | 7.57 |
| 7/14/2007 16:55 | 1.411 | 7.57 |
| 7/14/2007 17:00 | 1.41 | 7.57 |
| 7/14/2007 17:05 | 1.409 | 7.57 |
| 7/14/2007 17:10 | 1.408 | 7.57 |
| 7/14/2007 17:15 | 1.409 | 7.57 |
| 7/14/2007 17:20 | 1.41 | 7.57 |
| 7/14/2007 17:25 | 1.409 | 7.57 |
| 7/14/2007 17:30 | 1.41 | 7.57 |
| 7/14/2007 17:35 | 1.409 | 7.57 |
| 7/14/2007 17:40 | 1.408 | 7.57 |
| 7/14/2007 17:45 | 1.408 | 7.57 |
| 7/14/2007 17:50 | 1.408 | 7.57 |
| 7/14/2007 17:55 | 1.408 | 7.57 |
| 7/14/2007 18:00 | 1.408 | 7.57 |
| 7/14/2007 18:05 | 1.408 | 7.57 |
| 7/14/2007 18:10 | 1.408 | 7.57 |
| 7/14/2007 18:15 | 1.408 | 7.57 |
| 7/14/2007 18:20 | 1.405 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 18:25 | 1.404 | 7.57 |
| 7/14/2007 18:30 | 1.404 | 7.57 |
| 7/14/2007 18:35 | 1.404 | 7.57 |
| 7/14/2007 18:40 | 1.404 | 7.57 |
| 7/14/2007 18:45 | 1.404 | 7.57 |
| 7/14/2007 18:50 | 1.404 | 7.57 |
| 7/14/2007 18:55 | 1.405 | 7.57 |
| 7/14/2007 19:00 | 1.405 | 7.57 |
| 7/14/2007 19:05 | 1.404 | 7.57 |
| 7/14/2007 19:10 | 1.405 | 7.57 |
| 7/14/2007 19:15 | 1.404 | 7.57 |
| 7/14/2007 19:20 | 1.405 | 7.57 |
| 7/14/2007 19:25 | 1.405 | 7.57 |
| 7/14/2007 19:30 | 1.405 | 7.57 |
| 7/14/2007 19:35 | 1.404 | 7.57 |
| 7/14/2007 19:40 | 1.405 | 7.57 |
| 7/14/2007 19:45 | 1.405 | 7.57 |
| 7/14/2007 19:50 | 1.405 | 7.57 |
| 7/14/2007 19:55 | 1.404 | 7.57 |
| 7/14/2007 20:00 | 1.404 | 7.57 |
| 7/14/2007 20:05 | 1.404 | 7.57 |
| 7/14/2007 20:10 | 1.404 | 7.57 |
| 7/14/2007 20:15 | 1.404 | 7.57 |
| 7/14/2007 20:20 | 1.404 | 7.57 |
| 7/14/2007 20:25 | 1.403 | 7.57 |
| 7/14/2007 20:30 | 1.404 | 7.57 |
| 7/14/2007 20:35 | 1.404 | 7.57 |
| 7/14/2007 20:40 | 1.403 | 7.57 |
| 7/14/2007 20:45 | 1.403 | 7.57 |
| 7/14/2007 20:50 | 1.403 | 7.57 |
| 7/14/2007 20:55 | 1.404 | 7.57 |
| 7/14/2007 21:00 | 1.403 | 7.57 |
| 7/14/2007 21:05 | 1.404 | 7.57 |
| 7/14/2007 21:10 | 1.404 | 7.57 |
| 7/14/2007 21:15 | 1.403 | 7.57 |
| 7/14/2007 21:20 | 1.404 | 7.57 |
| 7/14/2007 21:25 | 1.403 | 7.57 |
| 7/14/2007 21:30 | 1.403 | 7.57 |
| 7/14/2007 21:35 | 1.403 | 7.57 |
| 7/14/2007 21:40 | 1.403 | 7.57 |
| 7/14/2007 21:45 | 1.403 | 7.57 |
| 7/14/2007 21:50 | 1.403 | 7.57 |
| 7/14/2007 21:55 | 1.404 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/14/2007 22:00 | 1.403 | 7.57 |
| 7/14/2007 22:05 | 1.403 | 7.57 |
| 7/14/2007 22:10 | 1.403 | 7.57 |
| 7/14/2007 22:15 | 1.403 | 7.57 |
| 7/14/2007 22:20 | 1.403 | 7.57 |
| 7/14/2007 22:25 | 1.404 | 7.57 |
| 7/14/2007 22:30 | 1.403 | 7.57 |
| 7/14/2007 22:35 | 1.404 | 7.57 |
| 7/14/2007 22:40 | 1.404 | 7.57 |
| 7/14/2007 22:45 | 1.403 | 7.57 |
| 7/14/2007 22:50 | 1.403 | 7.57 |
| 7/14/2007 22:55 | 1.403 | 7.57 |
| 7/14/2007 23:00 | 1.403 | 7.57 |
| 7/14/2007 23:05 | 1.403 | 7.57 |
| 7/14/2007 23:10 | 1.403 | 7.57 |
| 7/14/2007 23:15 | 1.403 | 7.57 |
| 7/14/2007 23:20 | 1.402 | 7.57 |
| 7/14/2007 23:25 | 1.402 | 7.57 |
| 7/14/2007 23:30 | 1.403 | 7.57 |
| 7/14/2007 23:35 | 1.402 | 7.57 |
| 7/14/2007 23:40 | 1.401 | 7.57 |
| 7/14/2007 23:45 | 1.401 | 7.57 |
| 7/14/2007 23:50 | 1.401 | 7.57 |
| 7/14/2007 23:55 | 1.401 | 7.57 |
| 7/15/2007 0:00 | 1.403 | 7.57 |
| 7/15/2007 0:05 | 1.403 | 7.57 |
| 7/15/2007 0:10 | 1.402 | 7.57 |
| 7/15/2007 0:15 | 1.402 | 7.57 |
| 7/15/2007 0:20 | 1.402 | 7.57 |
| 7/15/2007 0:25 | 1.402 | 7.57 |
| 7/15/2007 0:30 | 1.402 | 7.57 |
| 7/15/2007 0:35 | 1.401 | 7.57 |
| 7/15/2007 0:40 | 1.401 | 7.57 |
| 7/15/2007 0:45 | 1.401 | 7.57 |
| 7/15/2007 0:50 | 1.401 | 7.57 |
| 7/15/2007 0:55 | 1.4 | 7.57 |
| 7/15/2007 1:00 | 1.401 | 7.57 |
| 7/15/2007 1:05 | 1.401 | 7.57 |
| 7/15/2007 1:10 | 1.401 | 7.57 |
| 7/15/2007 1:15 | 1.4 | 7.57 |
| 7/15/2007 1:20 | 1.4 | 7.57 |
| 7/15/2007 1:25 | 1.4 | 7.57 |
| 7/15/2007 1:30 | 1.4 | 7.57 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 1:35 | 1.4 | 7.57 |
| 7/15/2007 1:40 | 1.4 | 7.57 |
| 7/15/2007 1:45 | 1.4 | 7.57 |
| 7/15/2007 1:50 | 1.399 | 7.57 |
| 7/15/2007 1:55 | 1.399 | 7.57 |
| 7/15/2007 2:00 | 1.399 | 7.57 |
| 7/15/2007 2:05 | 1.399 | 7.57 |
| 7/15/2007 2:10 | 1.399 | 7.57 |
| 7/15/2007 2:15 | 1.399 | 7.57 |
| 7/15/2007 2:20 | 1.398 | 7.57 |
| 7/15/2007 2:25 | 1.398 | 7.57 |
| 7/15/2007 2:30 | 1.398 | 7.57 |
| 7/15/2007 2:35 | 1.398 | 7.57 |
| 7/15/2007 2:40 | 1.398 | 7.57 |
| 7/15/2007 2:45 | 1.398 | 7.57 |
| 7/15/2007 2:50 | 1.398 | 7.57 |
| 7/15/2007 2:55 | 1.397 | 9.11 |
| 7/15/2007 3:00 | 1.397 | 9.11 |
| 7/15/2007 3:05 | 1.397 | 9.11 |
| 7/15/2007 3:10 | 1.396 | 9.11 |
| 7/15/2007 3:15 | 1.396 | 9.11 |
| 7/15/2007 3:20 | 1.396 | 9.11 |
| 7/15/2007 3:25 | 1.395 | 9.11 |
| 7/15/2007 3:30 | 1.395 | 9.11 |
| 7/15/2007 3:35 | 1.395 | 9.11 |
| 7/15/2007 3:40 | 1.395 | 9.11 |
| 7/15/2007 3:45 | 1.394 | 9.11 |
| 7/15/2007 3:50 | 1.394 | 9.11 |
| 7/15/2007 3:55 | 1.394 | 9.11 |
| 7/15/2007 4:00 | 1.393 | 9.11 |
| 7/15/2007 4:05 | 1.393 | 9.39 |
| 7/15/2007 4:10 | 1.392 | 9.39 |
| 7/15/2007 4:15 | 1.392 | 9.39 |
| 7/15/2007 4:20 | 1.393 | 9.39 |
| 7/15/2007 4:25 | 1.392 | 9.39 |
| 7/15/2007 4:30 | 1.391 | 9.39 |
| 7/15/2007 4:35 | 1.391 | 9.39 |
| 7/15/2007 4:40 | 1.391 | 9.39 |
| 7/15/2007 4:45 | 1.391 | 9.39 |
| 7/15/2007 4:50 | 1.391 | 9.39 |
| 7/15/2007 4:55 | 1.39 | 9.39 |
| 7/15/2007 5:00 | 1.39 | 9.39 |
| 7/15/2007 5:05 | 1.39 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 5:10 | 1.39 | 9.39 |
| 7/15/2007 5:15 | 1.39 | 9.39 |
| 7/15/2007 5:20 | 1.39 | 9.39 |
| 7/15/2007 5:25 | 1.39 | 9.39 |
| 7/15/2007 5:30 | 1.389 | 9.39 |
| 7/15/2007 5:35 | 1.389 | 9.39 |
| 7/15/2007 5:40 | 1.389 | 9.39 |
| 7/15/2007 5:45 | 1.388 | 9.39 |
| 7/15/2007 5:50 | 1.388 | 9.39 |
| 7/15/2007 5:55 | 1.388 | 9.39 |
| 7/15/2007 6:00 | 1.388 | 9.39 |
| 7/15/2007 6:05 | 1.388 | 9.39 |
| 7/15/2007 6:10 | 1.387 | 9.39 |
| 7/15/2007 6:15 | 1.387 | 9.39 |
| 7/15/2007 6:20 | 1.387 | 9.39 |
| 7/15/2007 6:25 | 1.387 | 9.39 |
| 7/15/2007 6:30 | 1.387 | 9.39 |
| 7/15/2007 6:35 | 1.386 | 9.39 |
| 7/15/2007 6:40 | 1.386 | 9.39 |
| 7/15/2007 6:45 | 1.386 | 9.39 |
| 7/15/2007 6:50 | 1.385 | 9.39 |
| 7/15/2007 6:55 | 1.385 | 9.39 |
| 7/15/2007 7:00 | 1.386 | 9.39 |
| 7/15/2007 7:05 | 1.385 | 9.39 |
| 7/15/2007 7:10 | 1.386 | 9.39 |
| 7/15/2007 7:15 | 1.387 | 9.39 |
| 7/15/2007 7:20 | 1.387 | 9.39 |
| 7/15/2007 7:25 | 1.387 | 9.39 |
| 7/15/2007 7:30 | 1.386 | 9.39 |
| 7/15/2007 7:35 | 1.386 | 9.39 |
| 7/15/2007 7:40 | 1.387 | 9.39 |
| 7/15/2007 7:45 | 1.386 | 9.39 |
| 7/15/2007 7:50 | 1.386 | 9.39 |
| 7/15/2007 7:55 | 1.386 | 9.39 |
| 7/15/2007 8:00 | 1.386 | 9.39 |
| 7/15/2007 8:05 | 1.386 | 9.39 |
| 7/15/2007 8:10 | 1.386 | 9.39 |
| 7/15/2007 8:15 | 1.385 | 9.39 |
| 7/15/2007 8:20 | 1.385 | 9.39 |
| 7/15/2007 8:25 | 1.385 | 9.39 |
| 7/15/2007 8:30 | 1.384 | 9.39 |
| 7/15/2007 8:35 | 1.385 | 9.39 |
| 7/15/2007 8:40 | 1.385 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 8:45 | 1.384 | 9.39 |
| 7/15/2007 8:50 | 1.384 | 9.39 |
| 7/15/2007 8:55 | 1.384 | 9.39 |
| 7/15/2007 9:00 | 1.384 | 9.39 |
| 7/15/2007 9:05 | 1.384 | 9.39 |
| 7/15/2007 9:10 | 1.384 | 9.39 |
| 7/15/2007 9:15 | 1.384 | 9.39 |
| 7/15/2007 9:20 | 1.384 | 9.39 |
| 7/15/2007 9:25 | 1.384 | 9.39 |
| 7/15/2007 9:30 | 1.384 | 9.39 |
| 7/15/2007 9:35 | 1.383 | 9.39 |
| 7/15/2007 9:40 | 1.384 | 9.39 |
| 7/15/2007 9:45 | 1.383 | 9.39 |
| 7/15/2007 9:50 | 1.385 | 9.39 |
| 7/15/2007 9:55 | 1.385 | 9.39 |
| 7/15/2007 10:00 | 1.385 | 9.39 |
| 7/15/2007 10:05 | 1.386 | 9.39 |
| 7/15/2007 10:10 | 1.385 | 9.39 |
| 7/15/2007 10:15 | 1.385 | 9.39 |
| 7/15/2007 10:20 | 1.385 | 9.39 |
| 7/15/2007 10:25 | 1.385 | 9.39 |
| 7/15/2007 10:30 | 1.384 | 9.39 |
| 7/15/2007 10:35 | 1.384 | 9.39 |
| 7/15/2007 10:40 | 1.383 | 9.39 |
| 7/15/2007 10:45 | 1.384 | 9.39 |
| 7/15/2007 10:50 | 1.383 | 9.39 |
| 7/15/2007 10:55 | 1.383 | 9.39 |
| 7/15/2007 11:00 | 1.384 | 9.39 |
| 7/15/2007 11:05 | 1.381 | 9.39 |
| 7/15/2007 11:10 | 1.38 | 9.39 |
| 7/15/2007 11:15 | 1.381 | 9.39 |
| 7/15/2007 11:20 | 1.382 | 9.39 |
| 7/15/2007 11:25 | 1.382 | 9.39 |
| 7/15/2007 11:30 | 1.381 | 9.39 |
| 7/15/2007 11:35 | 1.381 | 9.39 |
| 7/15/2007 11:40 | 1.38 | 9.39 |
| 7/15/2007 11:45 | 1.381 | 9.39 |
| 7/15/2007 11:50 | 1.38 | 9.39 |
| 7/15/2007 11:55 | 1.379 | 9.39 |
| 7/15/2007 12:00 | 1.383 | 9.39 |
| 7/15/2007 12:05 | 1.382 | 9.39 |
| 7/15/2007 12:10 | 1.381 | 9.39 |
| 7/15/2007 12:15 | 1.38 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 12:20 | 1.379 | 9.39 |
| 7/15/2007 12:25 | 1.379 | 9.39 |
| 7/15/2007 12:30 | 1.379 | 9.39 |
| 7/15/2007 12:35 | 1.379 | 9.39 |
| 7/15/2007 12:40 | 1.379 | 9.39 |
| 7/15/2007 12:45 | 1.377 | 9.39 |
| 7/15/2007 12:50 | 1.378 | 9.39 |
| 7/15/2007 12:55 | 1.377 | 9.39 |
| 7/15/2007 13:00 | 1.374 | 9.39 |
| 7/15/2007 13:05 | 1.376 | 9.39 |
| 7/15/2007 13:10 | 1.375 | 9.39 |
| 7/15/2007 13:15 | 1.376 | 9.39 |
| 7/15/2007 13:20 | 1.374 | 9.39 |
| 7/15/2007 13:25 | 1.375 | 9.39 |
| 7/15/2007 13:30 | 1.376 | 9.39 |
| 7/15/2007 13:35 | 1.375 | 9.39 |
| 7/15/2007 13:40 | 1.375 | 9.39 |
| 7/15/2007 13:45 | 1.372 | 9.39 |
| 7/15/2007 13:50 | 1.372 | 9.39 |
| 7/15/2007 13:55 | 1.373 | 9.39 |
| 7/15/2007 14:00 | 1.372 | 9.39 |
| 7/15/2007 14:05 | 1.372 | 9.39 |
| 7/15/2007 14:10 | 1.372 | 9.39 |
| 7/15/2007 14:15 | 1.372 | 9.39 |
| 7/15/2007 14:20 | 1.371 | 9.39 |
| 7/15/2007 14:25 | 1.371 | 9.39 |
| 7/15/2007 14:30 | 1.371 | 9.39 |
| 7/15/2007 14:35 | 1.371 | 9.39 |
| 7/15/2007 14:40 | 1.371 | 9.39 |
| 7/15/2007 14:45 | 1.371 | 9.39 |
| 7/15/2007 14:50 | 1.37 | 9.39 |
| 7/15/2007 14:55 | 1.37 | 9.39 |
| 7/15/2007 15:00 | 1.37 | 9.39 |
| 7/15/2007 15:05 | 1.37 | 9.39 |
| 7/15/2007 15:10 | 1.369 | 9.39 |
| 7/15/2007 15:15 | 1.369 | 9.39 |
| 7/15/2007 15:20 | 1.369 | 9.39 |
| 7/15/2007 15:25 | 1.369 | 9.39 |
| 7/15/2007 15:30 | 1.369 | 9.39 |
| 7/15/2007 15:35 | 1.368 | 9.39 |
| 7/15/2007 15:40 | 1.369 | 9.39 |
| 7/15/2007 15:45 | 1.368 | 9.39 |
| 7/15/2007 15:50 | 1.367 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 15:55 | 1.367 | 9.39 |
| 7/15/2007 16:00 | 1.368 | 9.39 |
| 7/15/2007 16:05 | 1.368 | 9.39 |
| 7/15/2007 16:10 | 1.368 | 9.39 |
| 7/15/2007 16:15 | 1.367 | 9.39 |
| 7/15/2007 16:20 | 1.367 | 9.39 |
| 7/15/2007 16:25 | 1.367 | 9.39 |
| 7/15/2007 16:30 | 1.367 | 9.39 |
| 7/15/2007 16:35 | 1.366 | 9.39 |
| 7/15/2007 16:40 | 1.366 | 9.39 |
| 7/15/2007 16:45 | 1.366 | 9.39 |
| 7/15/2007 16:50 | 1.367 | 9.39 |
| 7/15/2007 16:55 | 1.367 | 9.39 |
| 7/15/2007 17:00 | 1.366 | 9.39 |
| 7/15/2007 17:05 | 1.366 | 9.39 |
| 7/15/2007 17:10 | 1.366 | 9.39 |
| 7/15/2007 17:15 | 1.366 | 9.39 |
| 7/15/2007 17:20 | 1.366 | 9.39 |
| 7/15/2007 17:25 | 1.366 | 9.39 |
| 7/15/2007 17:30 | 1.366 | 9.39 |
| 7/15/2007 17:35 | 1.365 | 9.39 |
| 7/15/2007 17:40 | 1.365 | 9.39 |
| 7/15/2007 17:45 | 1.365 | 9.39 |
| 7/15/2007 17:50 | 1.364 | 9.39 |
| 7/15/2007 17:55 | 1.365 | 9.39 |
| 7/15/2007 18:00 | 1.365 | 9.39 |
| 7/15/2007 18:05 | 1.365 | 9.39 |
| 7/15/2007 18:10 | 1.365 | 9.39 |
| 7/15/2007 18:15 | 1.364 | 9.39 |
| 7/15/2007 18:20 | 1.365 | 9.39 |
| 7/15/2007 18:25 | 1.365 | 9.39 |
| 7/15/2007 18:30 | 1.364 | 9.39 |
| 7/15/2007 18:35 | 1.364 | 9.39 |
| 7/15/2007 18:40 | 1.364 | 9.39 |
| 7/15/2007 18:45 | 1.364 | 9.39 |
| 7/15/2007 18:50 | 1.364 | 9.39 |
| 7/15/2007 18:55 | 1.364 | 9.39 |
| 7/15/2007 19:00 | 1.364 | 9.39 |
| 7/15/2007 19:05 | 1.364 | 9.39 |
| 7/15/2007 19:10 | 1.364 | 9.39 |
| 7/15/2007 19:15 | 1.364 | 9.39 |
| 7/15/2007 19:20 | 1.364 | 9.39 |
| 7/15/2007 19:25 | 1.364 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 19:30 | 1.364 | 9.39 |
| 7/15/2007 19:35 | 1.363 | 9.39 |
| 7/15/2007 19:40 | 1.363 | 9.39 |
| 7/15/2007 19:45 | 1.363 | 9.39 |
| 7/15/2007 19:50 | 1.363 | 9.39 |
| 7/15/2007 19:55 | 1.363 | 9.39 |
| 7/15/2007 20:00 | 1.362 | 9.39 |
| 7/15/2007 20:05 | 1.362 | 9.39 |
| 7/15/2007 20:10 | 1.362 | 9.39 |
| 7/15/2007 20:15 | 1.362 | 9.39 |
| 7/15/2007 20:20 | 1.362 | 9.39 |
| 7/15/2007 20:25 | 1.361 | 9.39 |
| 7/15/2007 20:30 | 1.361 | 9.39 |
| 7/15/2007 20:35 | 1.361 | 9.39 |
| 7/15/2007 20:40 | 1.361 | 9.39 |
| 7/15/2007 20:45 | 1.36 | 9.39 |
| 7/15/2007 20:50 | 1.36 | 9.39 |
| 7/15/2007 20:55 | 1.36 | 9.39 |
| 7/15/2007 21:00 | 1.36 | 9.39 |
| 7/15/2007 21:05 | 1.36 | 9.39 |
| 7/15/2007 21:10 | 1.359 | 9.39 |
| 7/15/2007 21:15 | 1.359 | 9.39 |
| 7/15/2007 21:20 | 1.359 | 9.39 |
| 7/15/2007 21:25 | 1.359 | 9.39 |
| 7/15/2007 21:30 | 1.36 | 9.39 |
| 7/15/2007 21:35 | 1.359 | 9.39 |
| 7/15/2007 21:40 | 1.359 | 9.39 |
| 7/15/2007 21:45 | 1.359 | 9.39 |
| 7/15/2007 21:50 | 1.358 | 9.39 |
| 7/15/2007 21:55 | 1.358 | 9.39 |
| 7/15/2007 22:00 | 1.358 | 9.39 |
| 7/15/2007 22:05 | 1.358 | 9.39 |
| 7/15/2007 22:10 | 1.358 | 9.39 |
| 7/15/2007 22:15 | 1.358 | 9.39 |
| 7/15/2007 22:20 | 1.358 | 9.39 |
| 7/15/2007 22:25 | 1.358 | 9.39 |
| 7/15/2007 22:30 | 1.358 | 9.39 |
| 7/15/2007 22:35 | 1.357 | 9.39 |
| 7/15/2007 22:40 | 1.357 | 9.39 |
| 7/15/2007 22:45 | 1.357 | 9.39 |
| 7/15/2007 22:50 | 1.358 | 9.39 |
| 7/15/2007 22:55 | 1.357 | 9.39 |
| 7/15/2007 23:00 | 1.357 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/15/2007 23:05 | 1.357 | 9.39 |
| 7/15/2007 23:10 | 1.357 | 9.39 |
| 7/15/2007 23:15 | 1.356 | 9.39 |
| 7/15/2007 23:20 | 1.356 | 9.39 |
| 7/15/2007 23:25 | 1.356 | 9.39 |
| 7/15/2007 23:30 | 1.356 | 9.39 |
| 7/15/2007 23:35 | 1.355 | 9.39 |
| 7/15/2007 23:40 | 1.355 | 9.39 |
| 7/15/2007 23:45 | 1.355 | 9.39 |
| 7/15/2007 23:50 | 1.356 | 9.39 |
| 7/15/2007 23:55 | 1.355 | 9.39 |
| 7/16/2007 0:00 | 1.355 | 9.39 |
| 7/16/2007 0:05 | 1.355 | 9.39 |
| 7/16/2007 0:10 | 1.354 | 9.39 |
| 7/16/2007 0:15 | 1.354 | 9.39 |
| 7/16/2007 0:20 | 1.354 | 9.39 |
| 7/16/2007 0:25 | 1.354 | 9.39 |
| 7/16/2007 0:30 | 1.354 | 9.39 |
| 7/16/2007 0:35 | 1.354 | 9.39 |
| 7/16/2007 0:40 | 1.353 | 9.39 |
| 7/16/2007 0:45 | 1.353 | 9.39 |
| 7/16/2007 0:50 | 1.353 | 9.39 |
| 7/16/2007 0:55 | 1.353 | 9.39 |
| 7/16/2007 1:00 | 1.353 | 9.39 |
| 7/16/2007 1:05 | 1.353 | 9.39 |
| 7/16/2007 1:10 | 1.352 | 9.39 |
| 7/16/2007 1:15 | 1.352 | 9.39 |
| 7/16/2007 1:20 | 1.352 | 9.39 |
| 7/16/2007 1:25 | 1.351 | 9.39 |
| 7/16/2007 1:30 | 1.351 | 9.39 |
| 7/16/2007 1:35 | 1.35 | 9.39 |
| 7/16/2007 1:40 | 1.349 | 9.39 |
| 7/16/2007 1:45 | 1.349 | 9.39 |
| 7/16/2007 1:50 | 1.348 | 9.39 |
| 7/16/2007 1:55 | 1.348 | 9.39 |
| 7/16/2007 2:00 | 1.347 | 9.39 |
| 7/16/2007 2:05 | 1.347 | 9.39 |
| 7/16/2007 2:10 | 1.346 | 9.39 |
| 7/16/2007 2:15 | 1.346 | 9.39 |
| 7/16/2007 2:20 | 1.346 | 9.39 |
| 7/16/2007 2:25 | 1.346 | 9.39 |
| 7/16/2007 2:30 | 1.345 | 9.39 |
| 7/16/2007 2:35 | 1.345 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 2:40 | 1.345 | 9.39 |
| 7/16/2007 2:45 | 1.344 | 9.39 |
| 7/16/2007 2:50 | 1.344 | 9.39 |
| 7/16/2007 2:55 | 1.344 | 9.39 |
| 7/16/2007 3:00 | 1.344 | 9.39 |
| 7/16/2007 3:05 | 1.344 | 9.39 |
| 7/16/2007 3:10 | 1.343 | 9.39 |
| 7/16/2007 3:15 | 1.343 | 9.39 |
| 7/16/2007 3:20 | 1.343 | 9.39 |
| 7/16/2007 3:25 | 1.343 | 9.39 |
| 7/16/2007 3:30 | 1.342 | 9.39 |
| 7/16/2007 3:35 | 1.343 | 9.39 |
| 7/16/2007 3:40 | 1.342 | 9.39 |
| 7/16/2007 3:45 | 1.342 | 9.39 |
| 7/16/2007 3:50 | 1.341 | 9.39 |
| 7/16/2007 3:55 | 1.34 | 9.39 |
| 7/16/2007 4:00 | 1.34 | 9.39 |
| 7/16/2007 4:05 | 1.341 | 9.39 |
| 7/16/2007 4:10 | 1.339 | 9.39 |
| 7/16/2007 4:15 | 1.339 | 9.39 |
| 7/16/2007 4:20 | 1.339 | 9.39 |
| 7/16/2007 4:25 | 1.339 | 9.39 |
| 7/16/2007 4:30 | 1.338 | 9.39 |
| 7/16/2007 4:35 | 1.338 | 9.39 |
| 7/16/2007 4:40 | 1.337 | 9.39 |
| 7/16/2007 4:45 | 1.337 | 9.39 |
| 7/16/2007 4:50 | 1.336 | 9.39 |
| 7/16/2007 4:55 | 1.336 | 9.39 |
| 7/16/2007 5:00 | 1.336 | 9.39 |
| 7/16/2007 5:05 | 1.335 | 9.39 |
| 7/16/2007 5:10 | 1.335 | 9.39 |
| 7/16/2007 5:15 | 1.335 | 9.39 |
| 7/16/2007 5:20 | 1.335 | 9.39 |
| 7/16/2007 5:25 | 1.335 | 9.39 |
| 7/16/2007 5:30 | 1.334 | 9.39 |
| 7/16/2007 5:35 | 1.334 | 9.39 |
| 7/16/2007 5:40 | 1.334 | 9.39 |
| 7/16/2007 5:45 | 1.333 | 9.39 |
| 7/16/2007 5:50 | 1.333 | 9.39 |
| 7/16/2007 5:55 | 1.333 | 9.39 |
| 7/16/2007 6:00 | 1.332 | 9.39 |
| 7/16/2007 6:05 | 1.332 | 9.39 |
| 7/16/2007 6:10 | 1.331 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 6:15 | 1.331 | 9.39 |
| 7/16/2007 6:20 | 1.331 | 9.39 |
| 7/16/2007 6:25 | 1.33 | 9.39 |
| 7/16/2007 6:30 | 1.33 | 9.39 |
| 7/16/2007 6:35 | 1.33 | 9.39 |
| 7/16/2007 6:40 | 1.329 | 9.39 |
| 7/16/2007 6:45 | 1.329 | 9.39 |
| 7/16/2007 6:50 | 1.329 | 9.39 |
| 7/16/2007 6:55 | 1.329 | 9.39 |
| 7/16/2007 7:00 | 1.328 | 9.39 |
| 7/16/2007 7:05 | 1.328 | 9.39 |
| 7/16/2007 7:10 | 1.328 | 9.39 |
| 7/16/2007 7:15 | 1.327 | 9.39 |
| 7/16/2007 7:20 | 1.327 | 9.39 |
| 7/16/2007 7:25 | 1.326 | 9.39 |
| 7/16/2007 7:30 | 1.326 | 9.39 |
| 7/16/2007 7:35 | 1.326 | 9.39 |
| 7/16/2007 7:40 | 1.326 | 9.39 |
| 7/16/2007 7:45 | 1.325 | 9.39 |
| 7/16/2007 7:50 | 1.325 | 9.39 |
| 7/16/2007 7:55 | 1.324 | 9.39 |
| 7/16/2007 8:00 | 1.324 | 9.39 |
| 7/16/2007 8:05 | 1.323 | 9.39 |
| 7/16/2007 8:10 | 1.323 | 9.39 |
| 7/16/2007 8:15 | 1.322 | 9.39 |
| 7/16/2007 8:20 | 1.322 | 9.39 |
| 7/16/2007 8:25 | 1.322 | 9.39 |
| 7/16/2007 8:30 | 1.322 | 9.39 |
| 7/16/2007 8:35 | 1.322 | 9.39 |
| 7/16/2007 8:40 | 1.323 | 9.39 |
| 7/16/2007 8:45 | 1.322 | 9.39 |
| 7/16/2007 8:50 | 1.322 | 9.39 |
| 7/16/2007 8:55 | 1.323 | 9.39 |
| 7/16/2007 9:00 | 1.322 | 9.39 |
| 7/16/2007 9:05 | 1.322 | 9.39 |
| 7/16/2007 9:10 | 1.321 | 9.39 |
| 7/16/2007 9:15 | 1.321 | 9.39 |
| 7/16/2007 9:20 | 1.321 | 9.39 |
| 7/16/2007 9:25 | 1.321 | 9.39 |
| 7/16/2007 9:30 | 1.32 | 9.39 |
| 7/16/2007 9:35 | 1.32 | 9.39 |
| 7/16/2007 9:40 | 1.32 | 9.39 |
| 7/16/2007 9:45 | 1.32 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 9:50 | 1.319 | 9.39 |
| 7/16/2007 9:55 | 1.318 | 9.39 |
| 7/16/2007 10:00 | 1.32 | 9.39 |
| 7/16/2007 10:05 | 1.32 | 9.39 |
| 7/16/2007 10:10 | 1.319 | 9.39 |
| 7/16/2007 10:15 | 1.319 | 9.39 |
| 7/16/2007 10:20 | 1.319 | 9.39 |
| 7/16/2007 10:25 | 1.318 | 9.39 |
| 7/16/2007 10:30 | 1.318 | 9.39 |
| 7/16/2007 10:35 | 1.317 | 9.39 |
| 7/16/2007 10:40 | 1.317 | 9.39 |
| 7/16/2007 10:45 | 1.316 | 9.39 |
| 7/16/2007 10:50 | 1.316 | 9.39 |
| 7/16/2007 10:55 | 1.315 | 9.39 |
| 7/16/2007 11:00 | 1.315 | 9.39 |
| 7/16/2007 11:05 | 1.314 | 9.39 |
| 7/16/2007 11:10 | 1.313 | 9.39 |
| 7/16/2007 11:15 | 1.312 | 9.39 |
| 7/16/2007 11:20 | 1.312 | 9.39 |
| 7/16/2007 11:25 | 1.312 | 9.39 |
| 7/16/2007 11:30 | 1.311 | 9.39 |
| 7/16/2007 11:35 | 1.312 | 9.39 |
| 7/16/2007 11:40 | 1.311 | 9.39 |
| 7/16/2007 11:45 | 1.311 | 9.39 |
| 7/16/2007 11:50 | 1.311 | 9.39 |
| 7/16/2007 11:55 | 1.311 | 9.39 |
| 7/16/2007 12:00 | 1.311 | 9.39 |
| 7/16/2007 12:05 | 1.31 | 9.39 |
| 7/16/2007 12:10 | 1.309 | 9.39 |
| 7/16/2007 12:15 | 1.309 | 9.39 |
| 7/16/2007 12:20 | 1.308 | 9.39 |
| 7/16/2007 12:25 | 1.308 | 9.39 |
| 7/16/2007 12:30 | 1.308 | 9.39 |
| 7/16/2007 12:35 | 1.308 | 9.39 |
| 7/16/2007 12:40 | 1.307 | 9.39 |
| 7/16/2007 12:45 | 1.307 | 9.39 |
| 7/16/2007 12:50 | 1.306 | 9.39 |
| 7/16/2007 12:55 | 1.305 | 9.39 |
| 7/16/2007 13:00 | 1.305 | 9.39 |
| 7/16/2007 13:05 | 1.304 | 9.39 |
| 7/16/2007 13:10 | 1.304 | 9.39 |
| 7/16/2007 13:15 | 1.304 | 9.39 |
| 7/16/2007 13:20 | 1.302 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 13:25 | 1.302 | 9.39 |
| 7/16/2007 13:30 | 1.302 | 9.39 |
| 7/16/2007 13:35 | 1.302 | 9.39 |
| 7/16/2007 13:40 | 1.3 | 9.39 |
| 7/16/2007 13:45 | 1.3 | 9.39 |
| 7/16/2007 13:50 | 1.298 | 9.39 |
| 7/16/2007 13:55 | 1.298 | 9.39 |
| 7/16/2007 14:00 | 1.297 | 9.39 |
| 7/16/2007 14:05 | 1.296 | 9.39 |
| 7/16/2007 14:10 | 1.297 | 9.39 |
| 7/16/2007 14:15 | 1.297 | 9.39 |
| 7/16/2007 14:20 | 1.297 | 9.39 |
| 7/16/2007 14:25 | 1.296 | 9.39 |
| 7/16/2007 14:30 | 1.295 | 9.39 |
| 7/16/2007 14:35 | 1.295 | 9.39 |
| 7/16/2007 14:40 | 1.294 | 9.39 |
| 7/16/2007 14:45 | 1.294 | 9.39 |
| 7/16/2007 14:50 | 1.294 | 9.39 |
| 7/16/2007 14:55 | 1.293 | 9.39 |
| 7/16/2007 15:00 | 1.293 | 9.39 |
| 7/16/2007 15:05 | 1.292 | 9.39 |
| 7/16/2007 15:10 | 1.291 | 9.39 |
| 7/16/2007 15:15 | 1.29 | 9.39 |
| 7/16/2007 15:20 | 1.289 | 9.39 |
| 7/16/2007 15:25 | 1.289 | 9.39 |
| 7/16/2007 15:30 | 1.289 | 9.39 |
| 7/16/2007 15:35 | 1.283 | 9.39 |
| 7/16/2007 15:40 | 1.281 | 9.39 |
| 7/16/2007 15:45 | 1.281 | 9.39 |
| 7/16/2007 15:50 | 1.281 | 9.39 |
| 7/16/2007 15:55 | 1.282 | 9.39 |
| 7/16/2007 16:00 | 1.282 | 9.39 |
| 7/16/2007 16:05 | 1.282 | 9.39 |
| 7/16/2007 16:10 | 1.283 | 9.39 |
| 7/16/2007 16:15 | 1.283 | 9.39 |
| 7/16/2007 16:20 | 1.283 | 9.39 |
| 7/16/2007 16:25 | 1.283 | 9.39 |
| 7/16/2007 16:30 | 1.284 | 9.39 |
| 7/16/2007 16:35 | 1.287 | 9.39 |
| 7/16/2007 16:40 | 1.286 | 9.39 |
| 7/16/2007 16:45 | 1.286 | 9.39 |
| 7/16/2007 16:50 | 1.286 | 9.39 |
| 7/16/2007 16:55 | 1.285 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 17:00 | 1.284 | 9.39 |
| 7/16/2007 17:05 | 1.284 | 9.39 |
| 7/16/2007 17:10 | 1.284 | 9.39 |
| 7/16/2007 17:15 | 1.283 | 9.39 |
| 7/16/2007 17:20 | 1.283 | 9.39 |
| 7/16/2007 17:25 | 1.282 | 9.39 |
| 7/16/2007 17:30 | 1.282 | 9.39 |
| 7/16/2007 17:35 | 1.281 | 9.39 |
| 7/16/2007 17:40 | 1.281 | 9.39 |
| 7/16/2007 17:45 | 1.281 | 9.39 |
| 7/16/2007 17:50 | 1.281 | 9.39 |
| 7/16/2007 17:55 | 1.281 | 9.39 |
| 7/16/2007 18:00 | 1.281 | 9.39 |
| 7/16/2007 18:05 | 1.281 | 9.39 |
| 7/16/2007 18:10 | 1.28 | 9.39 |
| 7/16/2007 18:15 | 1.28 | 9.39 |
| 7/16/2007 18:20 | 1.28 | 9.39 |
| 7/16/2007 18:25 | 1.28 | 9.39 |
| 7/16/2007 18:30 | 1.28 | 9.39 |
| 7/16/2007 18:35 | 1.28 | 9.39 |
| 7/16/2007 18:40 | 1.279 | 9.39 |
| 7/16/2007 18:45 | 1.279 | 9.39 |
| 7/16/2007 18:50 | 1.278 | 9.39 |
| 7/16/2007 18:55 | 1.278 | 9.39 |
| 7/16/2007 19:00 | 1.277 | 9.39 |
| 7/16/2007 19:05 | 1.278 | 9.39 |
| 7/16/2007 19:10 | 1.278 | 9.39 |
| 7/16/2007 19:15 | 1.278 | 9.39 |
| 7/16/2007 19:20 | 1.279 | 9.39 |
| 7/16/2007 19:25 | 1.279 | 9.39 |
| 7/16/2007 19:30 | 1.279 | 9.39 |
| 7/16/2007 19:35 | 1.279 | 9.39 |
| 7/16/2007 19:40 | 1.278 | 9.39 |
| 7/16/2007 19:45 | 1.278 | 9.39 |
| 7/16/2007 19:50 | 1.278 | 9.39 |
| 7/16/2007 19:55 | 1.278 | 9.39 |
| 7/16/2007 20:00 | 1.278 | 9.39 |
| 7/16/2007 20:05 | 1.278 | 9.39 |
| 7/16/2007 20:10 | 1.278 | 9.39 |
| 7/16/2007 20:15 | 1.277 | 9.39 |
| 7/16/2007 20:20 | 1.277 | 9.39 |
| 7/16/2007 20:25 | 1.277 | 9.39 |
| 7/16/2007 20:30 | 1.277 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/16/2007 20:35 | 1.276 | 9.39 |
| 7/16/2007 20:40 | 1.276 | 9.39 |
| 7/16/2007 20:45 | 1.276 | 9.39 |
| 7/16/2007 20:50 | 1.275 | 9.39 |
| 7/16/2007 20:55 | 1.275 | 9.39 |
| 7/16/2007 21:00 | 1.275 | 9.39 |
| 7/16/2007 21:05 | 1.275 | 9.39 |
| 7/16/2007 21:10 | 1.274 | 9.39 |
| 7/16/2007 21:15 | 1.275 | 9.39 |
| 7/16/2007 21:20 | 1.275 | 9.39 |
| 7/16/2007 21:25 | 1.277 | 9.39 |
| 7/16/2007 21:30 | 1.278 | 9.39 |
| 7/16/2007 21:35 | 1.279 | 9.39 |
| 7/16/2007 21:40 | 1.279 | 9.39 |
| 7/16/2007 21:45 | 1.277 | 9.39 |
| 7/16/2007 21:50 | 1.275 | 9.39 |
| 7/16/2007 21:55 | 1.273 | 9.39 |
| 7/16/2007 22:00 | 1.272 | 9.39 |
| 7/16/2007 22:05 | 1.271 | 9.39 |
| 7/16/2007 22:10 | 1.271 | 9.39 |
| 7/16/2007 22:15 | 1.27 | 9.39 |
| 7/16/2007 22:20 | 1.27 | 9.39 |
| 7/16/2007 22:25 | 1.27 | 9.39 |
| 7/16/2007 22:30 | 1.269 | 9.39 |
| 7/16/2007 22:35 | 1.268 | 9.39 |
| 7/16/2007 22:40 | 1.268 | 9.39 |
| 7/16/2007 22:45 | 1.268 | 9.39 |
| 7/16/2007 22:50 | 1.267 | 9.39 |
| 7/16/2007 22:55 | 1.267 | 9.39 |
| 7/16/2007 23:00 | 1.267 | 9.39 |
| 7/16/2007 23:05 | 1.267 | 9.39 |
| 7/16/2007 23:10 | 1.267 | 9.39 |
| 7/16/2007 23:15 | 1.267 | 9.39 |
| 7/16/2007 23:20 | 1.266 | 9.39 |
| 7/16/2007 23:25 | 1.266 | 9.39 |
| 7/16/2007 23:30 | 1.266 | 9.39 |
| 7/16/2007 23:35 | 1.266 | 9.39 |
| 7/16/2007 23:40 | 1.266 | 9.39 |
| 7/16/2007 23:45 | 1.265 | 9.39 |
| 7/16/2007 23:50 | 1.265 | 9.39 |
| 7/16/2007 23:55 | 1.265 | 9.39 |
| 7/17/2007 0:00 | 1.265 | 9.39 |
| 7/17/2007 0:05 | 1.265 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 0:10 | 1.265 | 9.39 |
| 7/17/2007 0:15 | 1.264 | 9.39 |
| 7/17/2007 0:20 | 1.265 | 9.39 |
| 7/17/2007 0:25 | 1.264 | 9.39 |
| 7/17/2007 0:30 | 1.264 | 9.39 |
| 7/17/2007 0:35 | 1.264 | 9.39 |
| 7/17/2007 0:40 | 1.263 | 9.39 |
| 7/17/2007 0:45 | 1.263 | 9.39 |
| 7/17/2007 0:50 | 1.263 | 9.39 |
| 7/17/2007 0:55 | 1.263 | 9.39 |
| 7/17/2007 1:00 | 1.263 | 9.39 |
| 7/17/2007 1:05 | 1.263 | 9.39 |
| 7/17/2007 1:10 | 1.262 | 9.39 |
| 7/17/2007 1:15 | 1.262 | 9.39 |
| 7/17/2007 1:20 | 1.262 | 9.39 |
| 7/17/2007 1:25 | 1.262 | 9.39 |
| 7/17/2007 1:30 | 1.262 | 9.39 |
| 7/17/2007 1:35 | 1.263 | 9.39 |
| 7/17/2007 1:40 | 1.263 | 9.39 |
| 7/17/2007 1:45 | 1.263 | 9.39 |
| 7/17/2007 1:50 | 1.263 | 9.39 |
| 7/17/2007 1:55 | 1.263 | 9.39 |
| 7/17/2007 2:00 | 1.263 | 9.39 |
| 7/17/2007 2:05 | 1.263 | 9.39 |
| 7/17/2007 2:10 | 1.262 | 9.39 |
| 7/17/2007 2:15 | 1.262 | 9.39 |
| 7/17/2007 2:20 | 1.262 | 9.39 |
| 7/17/2007 2:25 | 1.261 | 9.39 |
| 7/17/2007 2:30 | 1.262 | 9.39 |
| 7/17/2007 2:35 | 1.261 | 9.39 |
| 7/17/2007 2:40 | 1.261 | 9.39 |
| 7/17/2007 2:45 | 1.261 | 9.39 |
| 7/17/2007 2:50 | 1.262 | 9.39 |
| 7/17/2007 2:55 | 1.261 | 9.39 |
| 7/17/2007 3:00 | 1.261 | 9.39 |
| 7/17/2007 3:05 | 1.261 | 9.39 |
| 7/17/2007 3:10 | 1.261 | 9.39 |
| 7/17/2007 3:15 | 1.26 | 9.39 |
| 7/17/2007 3:20 | 1.26 | 9.39 |
| 7/17/2007 3:25 | 1.26 | 9.39 |
| 7/17/2007 3:30 | 1.26 | 9.39 |
| 7/17/2007 3:35 | 1.26 | 9.39 |
| 7/17/2007 3:40 | 1.259 | 9.39 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 3:45 | 1.256 | 9.39 |
| 7/17/2007 3:50 | 1.256 | 9.39 |
| 7/17/2007 3:55 | 1.255 | 9.39 |
| 7/17/2007 4:00 | 1.254 | 9.39 |
| 7/17/2007 4:05 | 1.254 | 9.39 |
| 7/17/2007 4:10 | 1.254 | 9.39 |
| 7/17/2007 4:15 | 1.252 | 9.39 |
| 7/17/2007 4:20 | 1.251 | 9.39 |
| 7/17/2007 4:25 | 1.25 | 9.39 |
| 7/17/2007 4:30 | 1.25 | 9.39 |
| 7/17/2007 4:35 | 1.249 | 9.39 |
| 7/17/2007 4:40 | 1.248 | 9.39 |
| 7/17/2007 4:45 | 1.248 | -13.95 |
| 7/17/2007 4:50 | 1.249 | -14.59 |
| 7/17/2007 4:55 | 1.248 | -15.08 |
| 7/17/2007 5:00 | 1.249 | 8.73 |
| 7/17/2007 5:05 | 1.249 | 8.7 |
| 7/17/2007 5:10 | 1.249 | 8.7 |
| 7/17/2007 5:15 | 1.249 | 8.7 |
| 7/17/2007 5:20 | 1.249 | 8.7 |
| 7/17/2007 5:25 | 1.249 | 8.7 |
| 7/17/2007 5:30 | 1.248 | 8.7 |
| 7/17/2007 5:35 | 1.248 | 8.7 |
| 7/17/2007 5:40 | 1.248 | 8.7 |
| 7/17/2007 5:45 | 1.249 | 8.7 |
| 7/17/2007 5:50 | 1.248 | 8.7 |
| 7/17/2007 5:55 | 1.248 | 8.7 |
| 7/17/2007 6:00 | 1.248 | 8.7 |
| 7/17/2007 6:05 | 1.248 | 8.7 |
| 7/17/2007 6:10 | 1.248 | 8.7 |
| 7/17/2007 6:15 | 1.248 | 8.7 |
| 7/17/2007 6:20 | 1.247 | 8.7 |
| 7/17/2007 6:25 | 1.247 | 8.7 |
| 7/17/2007 6:30 | 1.247 | 8.7 |
| 7/17/2007 6:35 | 1.247 | 8.7 |
| 7/17/2007 6:40 | 1.247 | 8.7 |
| 7/17/2007 6:45 | 1.246 | 8.7 |
| 7/17/2007 6:50 | 1.246 | 8.7 |
| 7/17/2007 6:55 | 1.245 | 8.7 |
| 7/17/2007 7:00 | 1.246 | 8.7 |
| 7/17/2007 7:05 | 1.246 | 8.7 |
| 7/17/2007 7:10 | 1.245 | 8.7 |
| 7/17/2007 7:15 | 1.245 | 8.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 7:20 | 1.245 | 8.7 |
| 7/17/2007 7:25 | 1.245 | 8.7 |
| 7/17/2007 7:30 | 1.244 | 8.7 |
| 7/17/2007 7:35 | 1.244 | 8.7 |
| 7/17/2007 7:40 | 1.245 | 8.7 |
| 7/17/2007 7:45 | 1.245 | 8.7 |
| 7/17/2007 7:50 | 1.245 | 8.7 |
| 7/17/2007 7:55 | 1.245 | 8.7 |
| 7/17/2007 8:00 | 1.244 | 8.7 |
| 7/17/2007 8:05 | 1.243 | 8.7 |
| 7/17/2007 8:10 | 1.243 | 8.7 |
| 7/17/2007 8:15 | 1.243 | 8.7 |
| 7/17/2007 8:20 | 1.244 | 8.7 |
| 7/17/2007 8:25 | 1.243 | 8.7 |
| 7/17/2007 8:30 | 1.244 | 8.7 |
| 7/17/2007 8:35 | 1.244 | 8.7 |
| 7/17/2007 8:40 | 1.245 | 8.7 |
| 7/17/2007 8:45 | 1.246 | 8.7 |
| 7/17/2007 8:50 | 1.246 | 8.7 |
| 7/17/2007 8:55 | 1.245 | 8.7 |
| 7/17/2007 9:00 | 1.244 | 8.7 |
| 7/17/2007 9:05 | 1.244 | 8.7 |
| 7/17/2007 9:10 | 1.244 | 8.7 |
| 7/17/2007 9:15 | 1.244 | 8.7 |
| 7/17/2007 9:20 | 1.244 | 8.7 |
| 7/17/2007 9:25 | 1.245 | 8.7 |
| 7/17/2007 9:30 | 1.245 | 8.7 |
| 7/17/2007 9:35 | 1.245 | 8.7 |
| 7/17/2007 9:40 | 1.245 | 8.7 |
| 7/17/2007 9:45 | 1.244 | 8.7 |
| 7/17/2007 9:50 | 1.244 | 8.7 |
| 7/17/2007 9:55 | 1.243 | 8.7 |
| 7/17/2007 10:00 | 1.243 | 8.7 |
| 7/17/2007 10:05 | 1.243 | 8.7 |
| 7/17/2007 10:10 | 1.243 | 8.7 |
| 7/17/2007 10:15 | 1.243 | 8.7 |
| 7/17/2007 10:20 | 1.243 | 8.7 |
| 7/17/2007 10:25 | 1.242 | 8.7 |
| 7/17/2007 10:30 | 1.242 | 8.7 |
| 7/17/2007 10:35 | 1.242 | 8.7 |
| 7/17/2007 10:40 | 1.242 | 8.7 |
| 7/17/2007 10:45 | 1.242 | 8.7 |
| 7/17/2007 10:50 | 1.243 | 8.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 10:55 | 1.243 | 8.7 |
| 7/17/2007 11:00 | 1.242 | 8.7 |
| 7/17/2007 11:05 | 1.242 | 8.7 |
| 7/17/2007 11:10 | 1.242 | 8.7 |
| 7/17/2007 11:15 | 1.241 | 8.7 |
| 7/17/2007 11:20 | 1.241 | 8.7 |
| 7/17/2007 11:25 | 1.241 | 8.7 |
| 7/17/2007 11:30 | 1.241 | 8.7 |
| 7/17/2007 11:35 | 1.242 | 8.7 |
| 7/17/2007 11:40 | 1.242 | 8.7 |
| 7/17/2007 11:45 | 1.241 | 8.7 |
| 7/17/2007 11:50 | 1.241 | 8.7 |
| 7/17/2007 11:55 | 1.241 | 8.7 |
| 7/17/2007 12:00 | 1.24 | 8.7 |
| 7/17/2007 12:05 | 1.24 | 8.7 |
| 7/17/2007 12:10 | 1.24 | 8.7 |
| 7/17/2007 12:15 | 1.238 | 8.7 |
| 7/17/2007 12:20 | 1.238 | 8.7 |
| 7/17/2007 12:25 | 1.238 | 8.7 |
| 7/17/2007 12:30 | 1.238 | 8.7 |
| 7/17/2007 12:35 | 1.236 | 8.7 |
| 7/17/2007 12:40 | 1.235 | 8.7 |
| 7/17/2007 12:45 | 1.235 | 8.7 |
| 7/17/2007 12:50 | 1.235 | 8.7 |
| 7/17/2007 12:55 | 1.235 | 8.7 |
| 7/17/2007 13:00 | 1.234 | 8.7 |
| 7/17/2007 13:05 | 1.235 | 8.7 |
| 7/17/2007 13:10 | 1.234 | 8.7 |
| 7/17/2007 13:15 | 1.235 | 8.7 |
| 7/17/2007 13:20 | 1.235 | 8.7 |
| 7/17/2007 13:25 | 1.234 | 8.7 |
| 7/17/2007 13:30 | 1.233 | 8.7 |
| 7/17/2007 13:35 | 1.233 | 8.7 |
| 7/17/2007 13:40 | 1.233 | 8.7 |
| 7/17/2007 13:45 | 1.233 | 8.7 |
| 7/17/2007 13:50 | 1.232 | 8.7 |
| 7/17/2007 13:55 | 1.232 | 8.7 |
| 7/17/2007 14:00 | 1.231 | 8.7 |
| 7/17/2007 14:05 | 1.231 | 8.7 |
| 7/17/2007 14:10 | 1.23 | 8.7 |
| 7/17/2007 14:15 | 1.23 | 8.7 |
| 7/17/2007 14:20 | 1.229 | 8.7 |
| 7/17/2007 14:25 | 1.229 | 8.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 14:30 | 1.228 | 8.7 |
| 7/17/2007 14:35 | 1.228 | 8.7 |
| 7/17/2007 14:40 | 1.228 | 8.7 |
| 7/17/2007 14:45 | 1.229 | 8.7 |
| 7/17/2007 14:50 | 1.228 | 8.7 |
| 7/17/2007 14:55 | 1.228 | 8.7 |
| 7/17/2007 15:00 | 1.227 | 8.7 |
| 7/17/2007 15:05 | 1.227 | 8.7 |
| 7/17/2007 15:10 | 1.227 | 8.7 |
| 7/17/2007 15:15 | 1.226 | 8.7 |
| 7/17/2007 15:20 | 1.225 | 8.7 |
| 7/17/2007 15:25 | 1.224 | 8.7 |
| 7/17/2007 15:30 | 1.225 | 8.7 |
| 7/17/2007 15:35 | 1.226 | 8.7 |
| 7/17/2007 15:40 | 1.225 | 8.7 |
| 7/17/2007 15:45 | 1.225 | 8.7 |
| 7/17/2007 15:50 | 1.224 | 8.7 |
| 7/17/2007 15:55 | 1.224 | 8.7 |
| 7/17/2007 16:00 | 1.224 | 8.7 |
| 7/17/2007 16:05 | 1.224 | 8.7 |
| 7/17/2007 16:10 | 1.224 | 8.7 |
| 7/17/2007 16:15 | 1.224 | 8.7 |
| 7/17/2007 16:20 | 1.224 | 8.7 |
| 7/17/2007 16:25 | 1.225 | 8.7 |
| 7/17/2007 16:30 | 1.225 | 8.7 |
| 7/17/2007 16:35 | 1.225 | 8.7 |
| 7/17/2007 16:40 | 1.224 | 8.7 |
| 7/17/2007 16:45 | 1.225 | 8.7 |
| 7/17/2007 16:50 | 1.225 | 8.7 |
| 7/17/2007 16:55 | 1.225 | 8.7 |
| 7/17/2007 17:00 | 1.225 | 8.7 |
| 7/17/2007 17:05 | 1.223 | 8.7 |
| 7/17/2007 17:10 | 1.224 | 8.7 |
| 7/17/2007 17:15 | 1.224 | 8.7 |
| 7/17/2007 17:20 | 1.224 | 8.7 |
| 7/17/2007 17:25 | 1.224 | 8.7 |
| 7/17/2007 17:30 | 1.223 | 8.7 |
| 7/17/2007 17:35 | 1.224 | 8.7 |
| 7/17/2007 17:40 | 1.224 | 8.7 |
| 7/17/2007 17:45 | 1.224 | 8.7 |
| 7/17/2007 17:50 | 1.223 | 8.7 |
| 7/17/2007 17:55 | 1.223 | 8.7 |
| 7/17/2007 18:00 | 1.223 | 8.7 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 18:05 | 1.223 | 8.7 |
| 7/17/2007 18:10 | 1.223 | 8.7 |
| 7/17/2007 18:15 | 1.223 | 8.7 |
| 7/17/2007 18:20 | 1.222 | 8.7 |
| 7/17/2007 18:25 | 1.222 | 8.7 |
| 7/17/2007 18:30 | 1.222 | 8.7 |
| 7/17/2007 18:35 | 1.222 | 8.7 |
| 7/17/2007 18:40 | 1.222 | 8.7 |
| 7/17/2007 18:45 | 1.222 | 8.7 |
| 7/17/2007 18:50 | 1.222 | 8.7 |
| 7/17/2007 18:55 | 1.222 | 8.7 |
| 7/17/2007 19:00 | 1.221 | 8.7 |
| 7/17/2007 19:05 | 1.221 | 8.7 |
| 7/17/2007 19:10 | 1.221 | 8.7 |
| 7/17/2007 19:15 | 1.221 | 8.7 |
| 7/17/2007 19:20 | 1.221 | 8.7 |
| 7/17/2007 19:25 | 1.221 | 8.7 |
| 7/17/2007 19:30 | 1.221 | 8.7 |
| 7/17/2007 19:35 | 1.221 | 8.7 |
| 7/17/2007 19:40 | 1.223 | 8.7 |
| 7/17/2007 19:45 | 1.225 | 8.7 |
| 7/17/2007 19:50 | 1.225 | 8.7 |
| 7/17/2007 19:55 | 1.224 | 8.7 |
| 7/17/2007 20:00 | 1.224 | 8.7 |
| 7/17/2007 20:05 | 1.224 | 8.92 |
| 7/17/2007 20:10 | 1.224 | 10.11 |
| 7/17/2007 20:15 | 1.223 | 11.72 |
| 7/17/2007 20:20 | 1.222 | 11.72 |
| 7/17/2007 20:25 | 1.222 | 11.72 |
| 7/17/2007 20:30 | 1.222 | 11.72 |
| 7/17/2007 20:35 | 1.222 | 11.72 |
| 7/17/2007 20:40 | 1.222 | 11.72 |
| 7/17/2007 20:45 | 1.223 | 11.72 |
| 7/17/2007 20:50 | 1.222 | 11.72 |
| 7/17/2007 20:55 | 1.222 | 11.72 |
| 7/17/2007 21:00 | 1.222 | 11.72 |
| 7/17/2007 21:05 | 1.222 | 11.72 |
| 7/17/2007 21:10 | 1.222 | 11.72 |
| 7/17/2007 21:15 | 1.222 | 11.72 |
| 7/17/2007 21:20 | 1.222 | 11.72 |
| 7/17/2007 21:25 | 1.222 | 11.72 |
| 7/17/2007 21:30 | 1.222 | 11.72 |
| 7/17/2007 21:35 | 1.222 | 11.72 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/17/2007 21:40 | 1.223 | 11.72 |
| 7/17/2007 21:45 | 1.223 | 11.72 |
| 7/17/2007 21:50 | 1.222 | 11.72 |
| 7/17/2007 21:55 | 1.222 | 11.72 |
| 7/17/2007 22:00 | 1.222 | 11.72 |
| 7/17/2007 22:05 | 1.222 | 11.72 |
| 7/17/2007 22:10 | 1.224 | 11.72 |
| 7/17/2007 22:15 | 1.223 | 11.72 |
| 7/17/2007 22:20 | 1.224 | 11.72 |
| 7/17/2007 22:25 | 1.225 | 11.72 |
| 7/17/2007 22:30 | 1.225 | 12.28 |
| 7/17/2007 22:35 | 1.225 | 12.28 |
| 7/17/2007 22:40 | 1.226 | 12.28 |
| 7/17/2007 22:45 | 1.226 | 12.28 |
| 7/17/2007 22:50 | 1.226 | 12.28 |
| 7/17/2007 22:55 | 1.227 | 12.28 |
| 7/17/2007 23:00 | 1.226 | 12.28 |
| 7/17/2007 23:05 | 1.226 | 12.28 |
| 7/17/2007 23:10 | 1.227 | 14.12 |
| 7/17/2007 23:15 | 1.226 | 14.89 |
| 7/17/2007 23:20 | 1.226 | 13.18 |
| 7/17/2007 23:25 | 1.226 | 13.18 |
| 7/17/2007 23:30 | 1.226 | 13.18 |
| 7/17/2007 23:35 | 1.225 | 13.18 |
| 7/17/2007 23:40 | 1.226 | 13.18 |
| 7/17/2007 23:45 | 1.225 | 13.18 |
| 7/17/2007 23:50 | 1.225 | 13.18 |
| 7/17/2007 23:55 | 1.225 | 13.18 |
| 7/18/2007 0:00 | 1.225 | 13.18 |
| 7/18/2007 0:05 | 1.225 | 13.18 |
| 7/18/2007 0:10 | 1.225 | 13.18 |
| 7/18/2007 0:15 | 1.225 | 13.18 |
| 7/18/2007 0:20 | 1.225 | 13.18 |
| 7/18/2007 0:25 | 1.225 | 13.18 |
| 7/18/2007 0:30 | 1.225 | 13.18 |
| 7/18/2007 0:35 | 1.225 | 13.18 |
| 7/18/2007 0:40 | 1.224 | 13.18 |
| 7/18/2007 0:45 | 1.224 | 13.18 |
| 7/18/2007 0:50 | 1.224 | 13.18 |
| 7/18/2007 0:55 | 1.224 | 13.18 |
| 7/18/2007 1:00 | 1.224 | 13.18 |
| 7/18/2007 1:05 | 1.224 | 13.18 |
| 7/18/2007 1:10 | 1.224 | 13.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 1:15 | 1.224 | 13.18 |
| 7/18/2007 1:20 | 1.223 | 13.18 |
| 7/18/2007 1:25 | 1.222 | 13.18 |
| 7/18/2007 1:30 | 1.222 | 13.18 |
| 7/18/2007 1:35 | 1.221 | 13.18 |
| 7/18/2007 1:40 | 1.221 | 13.18 |
| 7/18/2007 1:45 | 1.22 | 13.18 |
| 7/18/2007 1:50 | 1.22 | 13.18 |
| 7/18/2007 1:55 | 1.22 | 13.18 |
| 7/18/2007 2:00 | 1.22 | 13.18 |
| 7/18/2007 2:05 | 1.22 | 13.18 |
| 7/18/2007 2:10 | 1.221 | 13.18 |
| 7/18/2007 2:15 | 1.221 | 13.18 |
| 7/18/2007 2:20 | 1.221 | 13.18 |
| 7/18/2007 2:25 | 1.221 | 13.18 |
| 7/18/2007 2:30 | 1.222 | 13.18 |
| 7/18/2007 2:35 | 1.223 | 13.18 |
| 7/18/2007 2:40 | 1.223 | 13.18 |
| 7/18/2007 2:45 | 1.223 | 13.18 |
| 7/18/2007 2:50 | 1.223 | 13.18 |
| 7/18/2007 2:55 | 1.222 | 13.18 |
| 7/18/2007 3:00 | 1.223 | 13.18 |
| 7/18/2007 3:05 | 1.224 | 13.18 |
| 7/18/2007 3:10 | 1.224 | 13.18 |
| 7/18/2007 3:15 | 1.225 | 13.18 |
| 7/18/2007 3:20 | 1.225 | 13.18 |
| 7/18/2007 3:25 | 1.226 | 13.18 |
| 7/18/2007 3:30 | 1.226 | 13.18 |
| 7/18/2007 3:35 | 1.226 | 13.18 |
| 7/18/2007 3:40 | 1.227 | 13.18 |
| 7/18/2007 3:45 | 1.228 | 13.18 |
| 7/18/2007 3:50 | 1.229 | 13.18 |
| 7/18/2007 3:55 | 1.23 | 13.18 |
| 7/18/2007 4:00 | 1.233 | 13.18 |
| 7/18/2007 4:05 | 1.24 | 13.18 |
| 7/18/2007 4:10 | 1.256 | 13.18 |
| 7/18/2007 4:15 | 1.277 | 13.18 |
| 7/18/2007 4:20 | 1.309 | 13.18 |
| 7/18/2007 4:25 | 1.335 | 13.18 |
| 7/18/2007 4:30 | 1.355 | 13.18 |
| 7/18/2007 4:35 | 1.364 | 13.18 |
| 7/18/2007 4:40 | 1.366 | 13.18 |
| 7/18/2007 4:45 | 1.362 | 13.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 4:50 | 1.355 | 13.18 |
| 7/18/2007 4:55 | 1.348 | 13.18 |
| 7/18/2007 5:00 | 1.343 | 13.18 |
| 7/18/2007 5:05 | 1.34 | 13.18 |
| 7/18/2007 5:10 | 1.337 | 13.18 |
| 7/18/2007 5:15 | 1.336 | 13.18 |
| 7/18/2007 5:20 | 1.336 | 13.18 |
| 7/18/2007 5:25 | 1.338 | 13.18 |
| 7/18/2007 5:30 | 1.341 | 13.18 |
| 7/18/2007 5:35 | 1.344 | 13.18 |
| 7/18/2007 5:40 | 1.347 | 13.18 |
| 7/18/2007 5:45 | 1.35 | 13.18 |
| 7/18/2007 5:50 | 1.351 | 13.18 |
| 7/18/2007 5:55 | 1.352 | 13.18 |
| 7/18/2007 6:00 | 1.352 | 13.18 |
| 7/18/2007 6:05 | 1.351 | 13.18 |
| 7/18/2007 6:10 | 1.35 | 13.18 |
| 7/18/2007 6:15 | 1.35 | 13.18 |
| 7/18/2007 6:20 | 1.349 | 13.18 |
| 7/18/2007 6:25 | 1.349 | 13.18 |
| 7/18/2007 6:30 | 1.349 | 13.18 |
| 7/18/2007 6:35 | 1.35 | 13.18 |
| 7/18/2007 6:40 | 1.35 | 13.18 |
| 7/18/2007 6:45 | 1.351 | 13.18 |
| 7/18/2007 6:50 | 1.352 | 13.18 |
| 7/18/2007 6:55 | 1.352 | 13.18 |
| 7/18/2007 7:00 | 1.354 | 13.18 |
| 7/18/2007 7:05 | 1.356 | 13.18 |
| 7/18/2007 7:10 | 1.358 | 13.18 |
| 7/18/2007 7:15 | 1.361 | 13.18 |
| 7/18/2007 7:20 | 1.362 | 13.18 |
| 7/18/2007 7:25 | 1.363 | 13.18 |
| 7/18/2007 7:30 | 1.365 | 13.18 |
| 7/18/2007 7:35 | 1.367 | 13.18 |
| 7/18/2007 7:40 | 1.368 | 13.18 |
| 7/18/2007 7:45 | 1.37 | 13.18 |
| 7/18/2007 7:50 | 1.373 | 13.18 |
| 7/18/2007 7:55 | 1.377 | 13.18 |
| 7/18/2007 8:00 | 1.381 | 13.18 |
| 7/18/2007 8:05 | 1.382 | 13.18 |
| 7/18/2007 8:10 | 1.382 | 13.18 |
| 7/18/2007 8:15 | 1.382 | 13.18 |
| 7/18/2007 8:20 | 1.381 | 13.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 8:25 | 1.38 | 13.18 |
| 7/18/2007 8:30 | 1.378 | 13.18 |
| 7/18/2007 8:35 | 1.376 | 13.18 |
| 7/18/2007 8:40 | 1.375 | 13.18 |
| 7/18/2007 8:45 | 1.374 | 13.18 |
| 7/18/2007 8:50 | 1.372 | 13.18 |
| 7/18/2007 8:55 | 1.37 | 13.18 |
| 7/18/2007 9:00 | 1.37 | 13.18 |
| 7/18/2007 9:05 | 1.368 | 13.18 |
| 7/18/2007 9:10 | 1.368 | 13.18 |
| 7/18/2007 9:15 | 1.368 | 13.18 |
| 7/18/2007 9:20 | 1.368 | 13.18 |
| 7/18/2007 9:25 | 1.367 | 13.18 |
| 7/18/2007 9:30 | 1.366 | 13.18 |
| 7/18/2007 9:35 | 1.365 | 13.18 |
| 7/18/2007 9:40 | 1.364 | 13.18 |
| 7/18/2007 9:45 | 1.364 | 13.18 |
| 7/18/2007 9:50 | 1.363 | 13.18 |
| 7/18/2007 9:55 | 1.363 | 13.18 |
| 7/18/2007 10:00 | 1.362 | 13.18 |
| 7/18/2007 10:05 | 1.363 | 13.18 |
| 7/18/2007 10:10 | 1.362 | 13.18 |
| 7/18/2007 10:15 | 1.362 | 13.18 |
| 7/18/2007 10:20 | 1.362 | 13.18 |
| 7/18/2007 10:25 | 1.361 | 13.18 |
| 7/18/2007 10:30 | 1.361 | 13.18 |
| 7/18/2007 10:35 | 1.361 | 13.18 |
| 7/18/2007 10:40 | 1.362 | 13.18 |
| 7/18/2007 10:45 | 1.361 | 13.18 |
| 7/18/2007 10:50 | 1.36 | 13.18 |
| 7/18/2007 10:55 | 1.36 | 13.18 |
| 7/18/2007 11:00 | 1.359 | 13.18 |
| 7/18/2007 11:05 | 1.359 | 13.18 |
| 7/18/2007 11:10 | 1.358 | 13.18 |
| 7/18/2007 11:15 | 1.357 | 13.18 |
| 7/18/2007 11:20 | 1.357 | 13.18 |
| 7/18/2007 11:25 | 1.356 | 13.18 |
| 7/18/2007 11:30 | 1.356 | 13.18 |
| 7/18/2007 11:35 | 1.355 | 13.18 |
| 7/18/2007 11:40 | 1.354 | 13.18 |
| 7/18/2007 11:45 | 1.353 | 13.18 |
| 7/18/2007 11:50 | 1.354 | 13.18 |
| 7/18/2007 11:55 | 1.354 | 13.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 12:00 | 1.353 | 13.18 |
| 7/18/2007 12:05 | 1.352 | 13.18 |
| 7/18/2007 12:10 | 1.352 | 13.18 |
| 7/18/2007 12:15 | 1.351 | 13.18 |
| 7/18/2007 12:20 | 1.35 | 13.18 |
| 7/18/2007 12:25 | 1.35 | 13.18 |
| 7/18/2007 12:30 | 1.349 | 13.18 |
| 7/18/2007 12:35 | 1.349 | 13.18 |
| 7/18/2007 12:40 | 1.348 | 13.18 |
| 7/18/2007 12:45 | 1.348 | 13.18 |
| 7/18/2007 12:50 | 1.347 | 13.18 |
| 7/18/2007 12:55 | 1.347 | 13.18 |
| 7/18/2007 13:00 | 1.348 | 13.18 |
| 7/18/2007 13:05 | 1.348 | 13.18 |
| 7/18/2007 13:10 | 1.349 | 13.18 |
| 7/18/2007 13:15 | 1.349 | 13.18 |
| 7/18/2007 13:20 | 1.347 | 13.18 |
| 7/18/2007 13:25 | 1.348 | 13.18 |
| 7/18/2007 13:30 | 1.347 | 13.18 |
| 7/18/2007 13:35 | 1.346 | 13.18 |
| 7/18/2007 13:40 | 1.346 | 13.18 |
| 7/18/2007 13:45 | 1.345 | 13.18 |
| 7/18/2007 13:50 | 1.343 | 13.18 |
| 7/18/2007 13:55 | 1.343 | 13.18 |
| 7/18/2007 14:00 | 1.342 | 13.18 |
| 7/18/2007 14:05 | 1.342 | 13.18 |
| 7/18/2007 14:10 | 1.34 | 13.18 |
| 7/18/2007 14:15 | 1.34 | 13.18 |
| 7/18/2007 14:20 | 1.34 | 13.18 |
| 7/18/2007 14:25 | 1.339 | 13.18 |
| 7/18/2007 14:30 | 1.339 | 13.18 |
| 7/18/2007 14:35 | 1.339 | 13.18 |
| 7/18/2007 14:40 | 1.338 | 13.18 |
| 7/18/2007 14:45 | 1.337 | 13.18 |
| 7/18/2007 14:50 | 1.336 | 13.18 |
| 7/18/2007 14:55 | 1.335 | 13.18 |
| 7/18/2007 15:00 | 1.335 | 13.18 |
| 7/18/2007 15:05 | 1.337 | 13.18 |
| 7/18/2007 15:10 | 1.336 | 13.18 |
| 7/18/2007 15:15 | 1.335 | 13.18 |
| 7/18/2007 15:20 | 1.335 | 13.18 |
| 7/18/2007 15:25 | 1.334 | 13.18 |
| 7/18/2007 15:30 | 1.334 | 13.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 15:35 | 1.333 | 13.18 |
| 7/18/2007 15:40 | 1.332 | 13.18 |
| 7/18/2007 15:45 | 1.332 | 13.18 |
| 7/18/2007 15:50 | 1.331 | 13.18 |
| 7/18/2007 15:55 | 1.33 | 13.18 |
| 7/18/2007 16:00 | 1.33 | 13.18 |
| 7/18/2007 16:05 | 1.329 | 13.18 |
| 7/18/2007 16:10 | 1.329 | 13.18 |
| 7/18/2007 16:15 | 1.328 | 13.18 |
| 7/18/2007 16:20 | 1.328 | 13.18 |
| 7/18/2007 16:25 | 1.327 | 13.18 |
| 7/18/2007 16:30 | 1.326 | 13.18 |
| 7/18/2007 16:35 | 1.326 | 13.18 |
| 7/18/2007 16:40 | 1.326 | 13.18 |
| 7/18/2007 16:45 | 1.325 | 13.18 |
| 7/18/2007 16:50 | 1.325 | 13.18 |
| 7/18/2007 16:55 | 1.323 | 13.18 |
| 7/18/2007 17:00 | 1.325 | 13.18 |
| 7/18/2007 17:05 | 1.341 | 13.18 |
| 7/18/2007 17:10 | 1.374 | 13.18 |
| 7/18/2007 17:15 | 1.398 | 13.18 |
| 7/18/2007 17:20 | 1.438 | 13.18 |
| 7/18/2007 17:25 | 1.443 | 13.18 |
| 7/18/2007 17:30 | 1.434 | 13.18 |
| 7/18/2007 17:35 | 1.418 | 13.18 |
| 7/18/2007 17:40 | 1.406 | 13.18 |
| 7/18/2007 17:45 | 1.399 | 13.18 |
| 7/18/2007 17:50 | 1.394 | 13.18 |
| 7/18/2007 17:55 | 1.389 | 13.18 |
| 7/18/2007 18:00 | 1.385 | 13.18 |
| 7/18/2007 18:05 | 1.38 | 13.18 |
| 7/18/2007 18:10 | 1.378 | 13.18 |
| 7/18/2007 18:15 | 1.377 | 13.18 |
| 7/18/2007 18:20 | 1.374 | 13.18 |
| 7/18/2007 18:25 | 1.373 | 13.18 |
| 7/18/2007 18:30 | 1.371 | 13.18 |
| 7/18/2007 18:35 | 1.37 | 13.18 |
| 7/18/2007 18:40 | 1.368 | 13.18 |
| 7/18/2007 18:45 | 1.366 | 13.18 |
| 7/18/2007 18:50 | 1.364 | 13.18 |
| 7/18/2007 18:55 | 1.363 | 13.18 |
| 7/18/2007 19:00 | 1.362 | 13.18 |
| 7/18/2007 19:05 | 1.36 | 13.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 19:10 | 1.359 | 13.18 |
| 7/18/2007 19:15 | 1.358 | 13.18 |
| 7/18/2007 19:20 | 1.357 | 13.18 |
| 7/18/2007 19:25 | 1.356 | 13.18 |
| 7/18/2007 19:30 | 1.356 | 13.18 |
| 7/18/2007 19:35 | 1.355 | 13.18 |
| 7/18/2007 19:40 | 1.355 | 13.18 |
| 7/18/2007 19:45 | 1.355 | 13.18 |
| 7/18/2007 19:50 | 1.354 | 13.18 |
| 7/18/2007 19:55 | 1.354 | 13.18 |
| 7/18/2007 20:00 | 1.352 | 13.18 |
| 7/18/2007 20:05 | 1.353 | 13.18 |
| 7/18/2007 20:10 | 1.352 | 13.18 |
| 7/18/2007 20:15 | 1.351 | 13.18 |
| 7/18/2007 20:20 | 1.351 | 13.18 |
| 7/18/2007 20:25 | 1.351 | 13.18 |
| 7/18/2007 20:30 | 1.351 | 13.18 |
| 7/18/2007 20:35 | 1.351 | 13.18 |
| 7/18/2007 20:40 | 1.349 | 13.18 |
| 7/18/2007 20:45 | 1.348 | 13.18 |
| 7/18/2007 20:50 | 1.348 | 13.18 |
| 7/18/2007 20:55 | 1.349 | 13.18 |
| 7/18/2007 21:00 | 1.348 | 13.18 |
| 7/18/2007 21:05 | 1.347 | 13.18 |
| 7/18/2007 21:10 | 1.347 | 13.18 |
| 7/18/2007 21:15 | 1.348 | 13.18 |
| 7/18/2007 21:20 | 1.347 | 13.18 |
| 7/18/2007 21:25 | 1.348 | 13.18 |
| 7/18/2007 21:30 | 1.347 | 13.18 |
| 7/18/2007 21:35 | 1.347 | 13.18 |
| 7/18/2007 21:40 | 1.347 | 13.18 |
| 7/18/2007 21:45 | 1.347 | 13.18 |
| 7/18/2007 21:50 | 1.346 | 13.18 |
| 7/18/2007 21:55 | 1.346 | 13.18 |
| 7/18/2007 22:00 | 1.346 | 13.18 |
| 7/18/2007 22:05 | 1.346 | 13.18 |
| 7/18/2007 22:10 | 1.346 | 13.18 |
| 7/18/2007 22:15 | 1.346 | 13.18 |
| 7/18/2007 22:20 | 1.346 | 13.18 |
| 7/18/2007 22:25 | 1.347 | 13.18 |
| 7/18/2007 22:30 | 1.347 | 13.18 |
| 7/18/2007 22:35 | 1.347 | 13.18 |
| 7/18/2007 22:40 | 1.346 | 13.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/18/2007 22:45 | 1.344 | 13.18 |
| 7/18/2007 22:50 | 1.346 | 13.18 |
| 7/18/2007 22:55 | 1.346 | 13.18 |
| 7/18/2007 23:00 | 1.345 | 13.18 |
| 7/18/2007 23:05 | 1.344 | 13.18 |
| 7/18/2007 23:10 | 1.344 | 13.18 |
| 7/18/2007 23:15 | 1.343 | 13.18 |
| 7/18/2007 23:20 | 1.343 | 13.18 |
| 7/18/2007 23:25 | 1.342 | 13.18 |
| 7/18/2007 23:30 | 1.341 | 13.18 |
| 7/18/2007 23:35 | 1.341 | 13.18 |
| 7/18/2007 23:40 | 1.34 | 13.18 |
| 7/18/2007 23:45 | 1.34 | 13.18 |
| 7/18/2007 23:50 | 1.339 | 13.18 |
| 7/18/2007 23:55 | 1.339 | 13.18 |
| 7/19/2007 0:00 | 1.338 | 13.18 |
| 7/19/2007 0:05 | 1.338 | 13.18 |
| 7/19/2007 0:10 | 1.338 | 13.18 |
| 7/19/2007 0:15 | 1.338 | 13.18 |
| 7/19/2007 0:20 | 1.337 | 13.18 |
| 7/19/2007 0:25 | 1.337 | 13.18 |
| 7/19/2007 0:30 | 1.336 | 13.18 |
| 7/19/2007 0:35 | 1.336 | 13.18 |
| 7/19/2007 0:40 | 1.336 | 13.18 |
| 7/19/2007 0:45 | 1.335 | 13.18 |
| 7/19/2007 0:50 | 1.334 | 13.18 |
| 7/19/2007 0:55 | 1.334 | 13.18 |
| 7/19/2007 1:00 | 1.334 | 13.18 |
| 7/19/2007 1:05 | 1.333 | 13.18 |
| 7/19/2007 1:10 | 1.333 | 13.18 |
| 7/19/2007 1:15 | 1.333 | 13.18 |
| 7/19/2007 1:20 | 1.332 | 13.18 |
| 7/19/2007 1:25 | 1.332 | 13.18 |
| 7/19/2007 1:30 | 1.332 | 13.18 |
| 7/19/2007 1:35 | 1.331 | 13.18 |
| 7/19/2007 1:40 | 1.331 | 13.18 |
| 7/19/2007 1:45 | 1.33 | 13.18 |
| 7/19/2007 1:50 | 1.33 | 13.18 |
| 7/19/2007 1:55 | 1.33 | 13.18 |
| 7/19/2007 2:00 | 1.329 | 13.18 |
| 7/19/2007 2:05 | 1.329 | 13.18 |
| 7/19/2007 2:10 | 1.329 | 13.18 |
| 7/19/2007 2:15 | 1.329 | 13.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 2:20 | 1.328 | 13.18 |
| 7/19/2007 2:25 | 1.328 | 13.18 |
| 7/19/2007 2:30 | 1.328 | 13.18 |
| 7/19/2007 2:35 | 1.327 | 13.18 |
| 7/19/2007 2:40 | 1.326 | 13.18 |
| 7/19/2007 2:45 | 1.327 | 13.18 |
| 7/19/2007 2:50 | 1.326 | 13.18 |
| 7/19/2007 2:55 | 1.326 | 13.18 |
| 7/19/2007 3:00 | 1.324 | 13.18 |
| 7/19/2007 3:05 | 1.324 | 13.18 |
| 7/19/2007 3:10 | 1.323 | 13.18 |
| 7/19/2007 3:15 | 1.322 | 13.18 |
| 7/19/2007 3:20 | 1.322 | 13.18 |
| 7/19/2007 3:25 | 1.322 | 13.18 |
| 7/19/2007 3:30 | 1.321 | 13.18 |
| 7/19/2007 3:35 | 1.321 | 13.18 |
| 7/19/2007 3:40 | 1.322 | 13.18 |
| 7/19/2007 3:45 | 1.321 | 13.18 |
| 7/19/2007 3:50 | 1.321 | 13.18 |
| 7/19/2007 3:55 | 1.321 | 13.18 |
| 7/19/2007 4:00 | 1.32 | 13.18 |
| 7/19/2007 4:05 | 1.32 | 13.18 |
| 7/19/2007 4:10 | 1.319 | 13.18 |
| 7/19/2007 4:15 | 1.319 | 13.18 |
| 7/19/2007 4:20 | 1.319 | 13.18 |
| 7/19/2007 4:25 | 1.319 | 13.18 |
| 7/19/2007 4:30 | 1.319 | 13.18 |
| 7/19/2007 4:35 | 1.319 | 13.18 |
| 7/19/2007 4:40 | 1.318 | 13.18 |
| 7/19/2007 4:45 | 1.318 | 13.18 |
| 7/19/2007 4:50 | 1.317 | 13.18 |
| 7/19/2007 4:55 | 1.317 | 13.18 |
| 7/19/2007 5:00 | 1.316 | 13.18 |
| 7/19/2007 5:05 | 1.316 | 13.18 |
| 7/19/2007 5:10 | 1.315 | 13.18 |
| 7/19/2007 5:15 | 1.315 | 13.18 |
| 7/19/2007 5:20 | 1.315 | 13.18 |
| 7/19/2007 5:25 | 1.308 | 13.18 |
| 7/19/2007 5:30 | 1.314 | 13.18 |
| 7/19/2007 5:35 | 1.314 | 13.18 |
| 7/19/2007 5:40 | 1.313 | 13.18 |
| 7/19/2007 5:45 | 1.313 | 13.18 |
| 7/19/2007 5:50 | 1.314 | 13.18 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 5:55 | 1.313 | 13.18 |
| 7/19/2007 6:00 | 1.312 | 13.18 |
| 7/19/2007 6:05 | 1.312 | 13.18 |
| 7/19/2007 6:10 | 1.312 | 13.18 |
| 7/19/2007 6:15 | 1.312 | 13.18 |
| 7/19/2007 6:20 | 1.312 | 13.18 |
| 7/19/2007 6:25 | 1.311 | 13.18 |
| 7/19/2007 6:30 | 1.311 | 13.18 |
| 7/19/2007 6:35 | 1.311 | 13.18 |
| 7/19/2007 6:40 | 1.311 | 13.18 |
| 7/19/2007 6:45 | 1.311 | 13.18 |
| 7/19/2007 6:50 | 1.311 | 13.18 |
| 7/19/2007 6:55 | 1.31 | 13.18 |
| 7/19/2007 7:00 | 1.31 | 13.18 |
| 7/19/2007 7:05 | 1.31 | 13.18 |
| 7/19/2007 7:10 | 1.311 | 11.15 |
| 7/19/2007 7:15 | 1.311 | 11.15 |
| 7/19/2007 7:20 | 1.31 | 11.15 |
| 7/19/2007 7:25 | 1.31 | 9.46 |
| 7/19/2007 7:30 | 1.31 | 9.55 |
| 7/19/2007 7:35 | 1.31 | 9.55 |
| 7/19/2007 7:40 | 1.31 | 9.55 |
| 7/19/2007 7:45 | 1.31 | 9.01 |
| 7/19/2007 7:50 | 1.31 | 10.51 |
| 7/19/2007 7:55 | 1.31 | 9.55 |
| 7/19/2007 8:00 | 1.309 | 11.26 |
| 7/19/2007 8:05 | 1.309 | 11.26 |
| 7/19/2007 8:10 | 1.309 | 9.38 |
| 7/19/2007 8:15 | 1.309 | 9.89 |
| 7/19/2007 8:20 | 1.309 | 9.45 |
| 7/19/2007 8:25 | 1.309 | 9.45 |
| 7/19/2007 8:30 | 1.309 | 6.62 |
| 7/19/2007 8:35 | 1.309 | 8.61 |
| 7/19/2007 8:40 | 1.309 | 8.61 |
| 7/19/2007 8:45 | 1.309 | 9.32 |
| 7/19/2007 8:50 | 1.309 | 9.32 |
| 7/19/2007 8:55 | 1.309 | 9.25 |
| 7/19/2007 9:00 | 1.309 | 9.25 |
| 7/19/2007 9:05 | 1.309 | 9.25 |
| 7/19/2007 9:10 | 1.309 | 9.25 |
| 7/19/2007 9:15 | 1.309 | 9.25 |
| 7/19/2007 9:20 | 1.309 | 9.25 |
| 7/19/2007 9:25 | 1.309 | 9.25 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 9:30 | 1.309 | 9.25 |
| 7/19/2007 9:35 | 1.309 | 9.25 |
| 7/19/2007 9:40 | 1.309 | 9.25 |
| 7/19/2007 9:45 | 1.308 | 9.25 |
| 7/19/2007 9:50 | 1.308 | 9.25 |
| 7/19/2007 9:55 | 1.308 | 9.25 |
| 7/19/2007 10:00 | 1.308 | 9.25 |
| 7/19/2007 10:05 | 1.308 | 9.25 |
| 7/19/2007 10:10 | 1.308 | 9.25 |
| 7/19/2007 10:15 | 1.308 | 9.25 |
| 7/19/2007 10:20 | 1.308 | 9.25 |
| 7/19/2007 10:25 | 1.308 | 9.25 |
| 7/19/2007 10:30 | 1.308 | 9.25 |
| 7/19/2007 10:35 | 1.308 | 9.25 |
| 7/19/2007 10:40 | 1.308 | 9.25 |
| 7/19/2007 10:45 | 1.308 | 9.25 |
| 7/19/2007 10:50 | 1.308 | 9.25 |
| 7/19/2007 10:55 | 1.308 | 9.25 |
| 7/19/2007 11:00 | 1.308 | 9.25 |
| 7/19/2007 11:05 | 1.308 | 9.25 |
| 7/19/2007 11:10 | 1.307 | 9.25 |
| 7/19/2007 11:15 | 1.31 | 9.25 |
| 7/19/2007 11:20 | 1.313 | 9.25 |
| 7/19/2007 11:25 | 1.315 | 9.25 |
| 7/19/2007 11:30 | 1.314 | 9.25 |
| 7/19/2007 11:35 | 1.313 | 9.25 |
| 7/19/2007 11:40 | 1.313 | 9.25 |
| 7/19/2007 11:45 | 1.312 | 9.25 |
| 7/19/2007 11:50 | 1.312 | 9.25 |
| 7/19/2007 11:55 | 1.312 | 9.25 |
| 7/19/2007 12:00 | 1.312 | 9.25 |
| 7/19/2007 12:05 | 1.312 | 9.25 |
| 7/19/2007 12:10 | 1.311 | 9.25 |
| 7/19/2007 12:15 | 1.311 | 9.25 |
| 7/19/2007 12:20 | 1.313 | 9.25 |
| 7/19/2007 12:25 | 1.316 | 9.25 |
| 7/19/2007 12:30 | 1.318 | 9.25 |
| 7/19/2007 12:35 | 1.321 | 9.25 |
| 7/19/2007 12:40 | 1.328 | 9.25 |
| 7/19/2007 12:45 | 1.335 | 9.25 |
| 7/19/2007 12:50 | 1.344 | 9.25 |
| 7/19/2007 12:55 | 1.355 | 9.25 |
| 7/19/2007 13:00 | 1.369 | 9.25 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 13:05 | 1.385 | 9.25 |
| 7/19/2007 13:10 | 1.405 | 9.25 |
| 7/19/2007 13:15 | 1.439 | 9.25 |
| 7/19/2007 13:20 | 1.534 | 9.25 |
| 7/19/2007 13:25 | 1.727 | 9.25 |
| 7/19/2007 13:30 | 1.859 | 9.25 |
| 7/19/2007 13:35 | 1.851 | 9.25 |
| 7/19/2007 13:40 | 1.845 | 9.25 |
| 7/19/2007 13:45 | 1.817 | 9.25 |
| 7/19/2007 13:50 | 1.78 | 9.25 |
| 7/19/2007 13:55 | 1.738 | 9.25 |
| 7/19/2007 14:00 | 1.688 | 9.25 |
| 7/19/2007 14:05 | 1.644 | 9.25 |
| 7/19/2007 14:10 | 1.605 | 9.25 |
| 7/19/2007 14:15 | 1.577 | 9.25 |
| 7/19/2007 14:20 | 1.557 | 9.25 |
| 7/19/2007 14:25 | 1.542 | 9.25 |
| 7/19/2007 14:30 | 1.532 | 9.25 |
| 7/19/2007 14:35 | 1.523 | 9.25 |
| 7/19/2007 14:40 | 1.516 | 9.25 |
| 7/19/2007 14:45 | 1.512 | 9.25 |
| 7/19/2007 14:50 | 1.506 | 9.25 |
| 7/19/2007 14:55 | 1.503 | 10.27 |
| 7/19/2007 15:00 | 1.499 | 13.97 |
| 7/19/2007 15:05 | 1.497 | 13.97 |
| 7/19/2007 15:10 | 1.496 | 12.17 |
| 7/19/2007 15:15 | 1.495 | 12.17 |
| 7/19/2007 15:20 | 1.492 | 12.17 |
| 7/19/2007 15:25 | 1.491 | 12.17 |
| 7/19/2007 15:30 | 1.491 | 12.17 |
| 7/19/2007 15:35 | 1.49 | 12.17 |
| 7/19/2007 15:40 | 1.489 | 12.17 |
| 7/19/2007 15:45 | 1.489 | 12.17 |
| 7/19/2007 15:50 | 1.489 | 12.17 |
| 7/19/2007 15:55 | 1.488 | 12.17 |
| 7/19/2007 16:00 | 1.489 | 14.04 |
| 7/19/2007 16:05 | 1.49 | 14.04 |
| 7/19/2007 16:10 | 1.489 | 13.15 |
| 7/19/2007 16:15 | 1.489 | 10.67 |
| 7/19/2007 16:20 | 1.491 | 13.24 |
| 7/19/2007 16:25 | 1.49 | 12.52 |
| 7/19/2007 16:30 | 1.489 | 14.67 |
| 7/19/2007 16:35 | 1.491 | 14.67 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 16:40 | 1.49 | 14.67 |
| 7/19/2007 16:45 | 1.49 | 11.55 |
| 7/19/2007 16:50 | 1.489 | 11.55 |
| 7/19/2007 16:55 | 1.491 | 11.55 |
| 7/19/2007 17:00 | 1.49 | 11.55 |
| 7/19/2007 17:05 | 1.49 | 11.55 |
| 7/19/2007 17:10 | 1.49 | 11.55 |
| 7/19/2007 17:15 | 1.49 | 13.36 |
| 7/19/2007 17:20 | 1.49 | 13.36 |
| 7/19/2007 17:25 | 1.488 | 13.36 |
| 7/19/2007 17:30 | 1.489 | 13.36 |
| 7/19/2007 17:35 | 1.49 | 13.36 |
| 7/19/2007 17:40 | 1.488 | 13.36 |
| 7/19/2007 17:45 | 1.489 | 13.36 |
| 7/19/2007 17:50 | 1.488 | 13.36 |
| 7/19/2007 17:55 | 1.488 | 13.36 |
| 7/19/2007 18:00 | 1.488 | 13.36 |
| 7/19/2007 18:05 | 1.488 | 13.36 |
| 7/19/2007 18:10 | 1.487 | 13.36 |
| 7/19/2007 18:15 | 1.488 | 13.36 |
| 7/19/2007 18:20 | 1.486 | 13.36 |
| 7/19/2007 18:25 | 1.486 | 13.36 |
| 7/19/2007 18:30 | 1.487 | 13.36 |
| 7/19/2007 18:35 | 1.488 | 13.36 |
| 7/19/2007 18:40 | 1.484 | 13.36 |
| 7/19/2007 18:45 | 1.484 | 13.36 |
| 7/19/2007 18:50 | 1.483 | 13.36 |
| 7/19/2007 18:55 | 1.483 | 13.36 |
| 7/19/2007 19:00 | 1.482 | 13.36 |
| 7/19/2007 19:05 | 1.482 | 13.36 |
| 7/19/2007 19:10 | 1.481 | 13.36 |
| 7/19/2007 19:15 | 1.48 | 13.36 |
| 7/19/2007 19:20 | 1.479 | 13.36 |
| 7/19/2007 19:25 | 1.478 | 13.36 |
| 7/19/2007 19:30 | 1.477 | 13.36 |
| 7/19/2007 19:35 | 1.476 | 13.36 |
| 7/19/2007 19:40 | 1.475 | 13.36 |
| 7/19/2007 19:45 | 1.474 | 13.36 |
| 7/19/2007 19:50 | 1.473 | 13.36 |
| 7/19/2007 19:55 | 1.472 | 13.36 |
| 7/19/2007 20:00 | 1.471 | 13.36 |
| 7/19/2007 20:05 | 1.47 | 13.36 |
| 7/19/2007 20:10 | 1.468 | 13.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 20:15 | 1.468 | 13.36 |
| 7/19/2007 20:20 | 1.467 | 13.36 |
| 7/19/2007 20:25 | 1.467 | 13.36 |
| 7/19/2007 20:30 | 1.466 | 13.36 |
| 7/19/2007 20:35 | 1.466 | 13.36 |
| 7/19/2007 20:40 | 1.465 | 13.36 |
| 7/19/2007 20:45 | 1.463 | 13.36 |
| 7/19/2007 20:50 | 1.463 | 13.36 |
| 7/19/2007 20:55 | 1.463 | 13.36 |
| 7/19/2007 21:00 | 1.46 | 13.36 |
| 7/19/2007 21:05 | 1.46 | 13.36 |
| 7/19/2007 21:10 | 1.46 | 13.36 |
| 7/19/2007 21:15 | 1.459 | 13.36 |
| 7/19/2007 21:20 | 1.458 | 13.36 |
| 7/19/2007 21:25 | 1.457 | 13.36 |
| 7/19/2007 21:30 | 1.456 | 13.36 |
| 7/19/2007 21:35 | 1.455 | 13.36 |
| 7/19/2007 21:40 | 1.455 | 13.36 |
| 7/19/2007 21:45 | 1.455 | 13.36 |
| 7/19/2007 21:50 | 1.453 | 13.36 |
| 7/19/2007 21:55 | 1.453 | 13.36 |
| 7/19/2007 22:00 | 1.451 | 13.36 |
| 7/19/2007 22:05 | 1.45 | 13.36 |
| 7/19/2007 22:10 | 1.45 | 13.36 |
| 7/19/2007 22:15 | 1.45 | 13.36 |
| 7/19/2007 22:20 | 1.448 | 13.36 |
| 7/19/2007 22:25 | 1.447 | 13.36 |
| 7/19/2007 22:30 | 1.447 | 13.36 |
| 7/19/2007 22:35 | 1.446 | 13.36 |
| 7/19/2007 22:40 | 1.446 | 13.36 |
| 7/19/2007 22:45 | 1.445 | 13.36 |
| 7/19/2007 22:50 | 1.444 | 13.36 |
| 7/19/2007 22:55 | 1.444 | 13.36 |
| 7/19/2007 23:00 | 1.443 | 13.36 |
| 7/19/2007 23:05 | 1.442 | 13.36 |
| 7/19/2007 23:10 | 1.442 | 13.36 |
| 7/19/2007 23:15 | 1.441 | 13.36 |
| 7/19/2007 23:20 | 1.44 | 13.36 |
| 7/19/2007 23:25 | 1.441 | 13.36 |
| 7/19/2007 23:30 | 1.44 | 13.36 |
| 7/19/2007 23:35 | 1.44 | 13.36 |
| 7/19/2007 23:40 | 1.439 | 13.36 |
| 7/19/2007 23:45 | 1.439 | 13.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/19/2007 23:50 | 1.439 | 13.36 |
| 7/19/2007 23:55 | 1.438 | 13.36 |
| 7/20/2007 0:00 | 1.437 | 13.36 |
| 7/20/2007 0:05 | 1.436 | 13.36 |
| 7/20/2007 0:10 | 1.436 | 13.36 |
| 7/20/2007 0:15 | 1.436 | 13.36 |
| 7/20/2007 0:20 | 1.435 | 13.36 |
| 7/20/2007 0:25 | 1.435 | 13.36 |
| 7/20/2007 0:30 | 1.434 | 13.36 |
| 7/20/2007 0:35 | 1.434 | 13.36 |
| 7/20/2007 0:40 | 1.433 | 13.36 |
| 7/20/2007 0:45 | 1.433 | 13.36 |
| 7/20/2007 0:50 | 1.433 | 13.36 |
| 7/20/2007 0:55 | 1.441 | 13.36 |
| 7/20/2007 1:00 | 1.463 | 13.36 |
| 7/20/2007 1:05 | 1.6 | 13.36 |
| 7/20/2007 1:10 | 1.78 | 13.36 |
| 7/20/2007 1:15 | 1.828 | 13.36 |
| 7/20/2007 1:20 | 1.798 | 13.36 |
| 7/20/2007 1:25 | 1.777 | 13.36 |
| 7/20/2007 1:30 | 1.754 | 13.36 |
| 7/20/2007 1:35 | 1.721 | 13.36 |
| 7/20/2007 1:40 | 1.681 | 13.36 |
| 7/20/2007 1:45 | 1.645 | 13.36 |
| 7/20/2007 1:50 | 1.615 | 13.36 |
| 7/20/2007 1:55 | 1.597 | 13.36 |
| 7/20/2007 2:00 | 1.584 | 13.36 |
| 7/20/2007 2:05 | 1.574 | 13.36 |
| 7/20/2007 2:10 | 1.569 | 13.36 |
| 7/20/2007 2:15 | 1.563 | 13.36 |
| 7/20/2007 2:20 | 1.56 | 13.36 |
| 7/20/2007 2:25 | 1.557 | 13.36 |
| 7/20/2007 2:30 | 1.554 | 13.36 |
| 7/20/2007 2:35 | 1.553 | 13.36 |
| 7/20/2007 2:40 | 1.554 | 13.36 |
| 7/20/2007 2:45 | 1.553 | 13.36 |
| 7/20/2007 2:50 | 1.555 | 13.36 |
| 7/20/2007 2:55 | 1.579 | 13.36 |
| 7/20/2007 3:00 | 1.652 | 13.36 |
| 7/20/2007 3:05 | 1.924 | 13.36 |
| 7/20/2007 3:10 | 2.042 | 13.36 |
| 7/20/2007 3:15 | 2.038 | 13.36 |
| 7/20/2007 3:20 | 2.022 | 13.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 3:25 | 1.998 | 13.36 |
| 7/20/2007 3:30 | 1.966 | 13.36 |
| 7/20/2007 3:35 | 1.926 | 13.36 |
| 7/20/2007 3:40 | 1.881 | 13.36 |
| 7/20/2007 3:45 | 1.838 | 13.36 |
| 7/20/2007 3:50 | 1.813 | 13.36 |
| 7/20/2007 3:55 | 1.8 | 13.36 |
| 7/20/2007 4:00 | 1.794 | 13.36 |
| 7/20/2007 4:05 | 1.79 | 13.36 |
| 7/20/2007 4:10 | 1.792 | 13.36 |
| 7/20/2007 4:15 | 1.794 | 13.36 |
| 7/20/2007 4:20 | 1.793 | 13.36 |
| 7/20/2007 4:25 | 1.794 | 13.36 |
| 7/20/2007 4:30 | 1.796 | 13.36 |
| 7/20/2007 4:35 | 1.798 | 13.36 |
| 7/20/2007 4:40 | 1.802 | 13.36 |
| 7/20/2007 4:45 | 1.802 | 13.36 |
| 7/20/2007 4:50 | 1.802 | 13.36 |
| 7/20/2007 4:55 | 1.801 | 13.36 |
| 7/20/2007 5:00 | 1.801 | 13.36 |
| 7/20/2007 5:05 | 1.802 | 13.36 |
| 7/20/2007 5:10 | 1.805 | 13.36 |
| 7/20/2007 5:15 | 1.809 | 13.36 |
| 7/20/2007 5:20 | 1.808 | 13.36 |
| 7/20/2007 5:25 | 1.806 | 13.36 |
| 7/20/2007 5:30 | 1.806 | 13.36 |
| 7/20/2007 5:35 | 1.805 | 13.36 |
| 7/20/2007 5:40 | 1.802 | 13.36 |
| 7/20/2007 5:45 | 1.803 | 13.36 |
| 7/20/2007 5:50 | 1.802 | 13.36 |
| 7/20/2007 5:55 | 1.803 | 13.36 |
| 7/20/2007 6:00 | 1.801 | 13.36 |
| 7/20/2007 6:05 | 1.799 | 13.36 |
| 7/20/2007 6:10 | 1.798 | 13.36 |
| 7/20/2007 6:15 | 1.796 | 13.36 |
| 7/20/2007 6:20 | 1.793 | 13.36 |
| 7/20/2007 6:25 | 1.794 | 13.36 |
| 7/20/2007 6:30 | 1.793 | 13.36 |
| 7/20/2007 6:35 | 1.792 | 13.36 |
| 7/20/2007 6:40 | 1.791 | 13.36 |
| 7/20/2007 6:45 | 1.79 | 13.36 |
| 7/20/2007 6:50 | 1.789 | 13.36 |
| 7/20/2007 6:55 | 1.786 | 13.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 7:00 | 1.785 | 13.36 |
| 7/20/2007 7:05 | 1.783 | 13.36 |
| 7/20/2007 7:10 | 1.782 | 13.36 |
| 7/20/2007 7:15 | 1.781 | 13.36 |
| 7/20/2007 7:20 | 1.779 | 13.36 |
| 7/20/2007 7:25 | 1.778 | 13.36 |
| 7/20/2007 7:30 | 1.776 | 13.36 |
| 7/20/2007 7:35 | 1.775 | 13.36 |
| 7/20/2007 7:40 | 1.774 | 13.36 |
| 7/20/2007 7:45 | 1.772 | 13.36 |
| 7/20/2007 7:50 | 1.769 | 13.36 |
| 7/20/2007 7:55 | 1.769 | 13.36 |
| 7/20/2007 8:00 | 1.765 | 13.36 |
| 7/20/2007 8:05 | 1.765 | 13.36 |
| 7/20/2007 8:10 | 1.766 | 13.36 |
| 7/20/2007 8:15 | 1.764 | 13.36 |
| 7/20/2007 8:20 | 1.76 | 13.36 |
| 7/20/2007 8:25 | 1.762 | 13.36 |
| 7/20/2007 8:30 | 1.759 | 13.36 |
| 7/20/2007 8:35 | 1.759 | 13.36 |
| 7/20/2007 8:40 | 1.759 | 13.36 |
| 7/20/2007 8:45 | 1.756 | 13.36 |
| 7/20/2007 8:50 | 1.756 | 13.36 |
| 7/20/2007 8:55 | 1.755 | 13.36 |
| 7/20/2007 9:00 | 1.753 | 13.36 |
| 7/20/2007 9:05 | 1.751 | 13.36 |
| 7/20/2007 9:10 | 1.749 | 13.36 |
| 7/20/2007 9:15 | 1.748 | 13.36 |
| 7/20/2007 9:20 | 1.747 | 13.36 |
| 7/20/2007 9:25 | 1.745 | 13.36 |
| 7/20/2007 9:30 | 1.745 | 13.36 |
| 7/20/2007 9:35 | 1.744 | 13.36 |
| 7/20/2007 9:40 | 1.742 | 13.36 |
| 7/20/2007 9:45 | 1.741 | 13.36 |
| 7/20/2007 9:50 | 1.74 | 13.36 |
| 7/20/2007 9:55 | 1.738 | 13.36 |
| 7/20/2007 10:00 | 1.738 | 13.36 |
| 7/20/2007 10:05 | 1.733 | 13.36 |
| 7/20/2007 10:10 | 1.734 | 13.36 |
| 7/20/2007 10:15 | 1.73 | 13.36 |
| 7/20/2007 10:20 | 1.731 | 13.36 |
| 7/20/2007 10:25 | 1.729 | 13.36 |
| 7/20/2007 10:30 | 1.729 | 13.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 10:35 | 1.725 | 13.36 |
| 7/20/2007 10:40 | 1.725 | 13.36 |
| 7/20/2007 10:45 | 1.723 | 13.36 |
| 7/20/2007 10:50 | 1.721 | 13.36 |
| 7/20/2007 10:55 | 1.721 | 13.36 |
| 7/20/2007 11:00 | 1.719 | 13.36 |
| 7/20/2007 11:05 | 1.72 | 13.36 |
| 7/20/2007 11:10 | 1.721 | 13.36 |
| 7/20/2007 11:15 | 1.72 | 13.36 |
| 7/20/2007 11:20 | 1.718 | 13.36 |
| 7/20/2007 11:25 | 1.716 | 13.36 |
| 7/20/2007 11:30 | 1.716 | 13.36 |
| 7/20/2007 11:35 | 1.714 | 13.36 |
| 7/20/2007 11:40 | 1.713 | 13.36 |
| 7/20/2007 11:45 | 1.711 | 13.36 |
| 7/20/2007 11:50 | 1.709 | 13.36 |
| 7/20/2007 11:55 | 1.709 | 13.36 |
| 7/20/2007 12:00 | 1.708 | 13.36 |
| 7/20/2007 12:05 | 1.706 | 13.36 |
| 7/20/2007 12:10 | 1.705 | 13.36 |
| 7/20/2007 12:15 | 1.701 | 13.36 |
| 7/20/2007 12:20 | 1.701 | 13.36 |
| 7/20/2007 12:25 | 1.7 | 13.36 |
| 7/20/2007 12:30 | 1.7 | 13.36 |
| 7/20/2007 12:35 | 1.699 | 13.36 |
| 7/20/2007 12:40 | 1.698 | 13.36 |
| 7/20/2007 12:45 | 1.696 | 13.36 |
| 7/20/2007 12:50 | 1.694 | 13.36 |
| 7/20/2007 12:55 | 1.693 | 13.36 |
| 7/20/2007 13:00 | 1.69 | 13.36 |
| 7/20/2007 13:05 | 1.688 | 13.36 |
| 7/20/2007 13:10 | 1.689 | 13.36 |
| 7/20/2007 13:15 | 1.687 | 13.36 |
| 7/20/2007 13:20 | 1.685 | 13.36 |
| 7/20/2007 13:25 | 1.686 | 13.36 |
| 7/20/2007 13:30 | 1.681 | 13.36 |
| 7/20/2007 13:35 | 1.682 | 13.36 |
| 7/20/2007 13:40 | 1.68 | 13.36 |
| 7/20/2007 13:45 | 1.68 | 13.36 |
| 7/20/2007 13:50 | 1.68 | 13.36 |
| 7/20/2007 13:55 | 1.678 | 13.36 |
| 7/20/2007 14:00 | 1.677 | 13.36 |
| 7/20/2007 14:05 | 1.677 | 13.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 14:10 | 1.677 | 13.36 |
| 7/20/2007 14:15 | 1.676 | 13.36 |
| 7/20/2007 14:20 | 1.676 | -14.37 |
| 7/20/2007 14:25 | 1.673 | -15.2 |
| 7/20/2007 14:30 | 1.67 | -14.62 |
| 7/20/2007 14:35 | 1.667 | -14.98 |
| 7/20/2007 14:40 | 1.666 | -14.03 |
| 7/20/2007 14:45 | 1.668 | -14.09 |
| 7/20/2007 14:50 | 1.669 | -14.09 |
| 7/20/2007 14:55 | 1.667 | -13.94 |
| 7/20/2007 15:00 | 1.665 | -13.94 |
| 7/20/2007 15:05 | 1.665 | -13.94 |
| 7/20/2007 15:10 | 1.665 | -13.94 |
| 7/20/2007 15:15 | 1.662 | 12.72 |
| 7/20/2007 15:20 | 1.661 | 12.72 |
| 7/20/2007 15:25 | 1.661 | 12.72 |
| 7/20/2007 15:30 | 1.66 | 8.68 |
| 7/20/2007 15:35 | 1.659 | 8.68 |
| 7/20/2007 15:40 | 1.659 | 8.68 |
| 7/20/2007 15:45 | 1.657 | 8.68 |
| 7/20/2007 15:50 | 1.656 | 12.44 |
| 7/20/2007 15:55 | 1.655 | 12.27 |
| 7/20/2007 16:00 | 1.654 | 12.27 |
| 7/20/2007 16:05 | 1.654 | 12.27 |
| 7/20/2007 16:10 | 1.649 | 12.27 |
| 7/20/2007 16:15 | 1.653 | -14.61 |
| 7/20/2007 16:20 | 1.649 | -14.82 |
| 7/20/2007 16:25 | 1.647 | -14.14 |
| 7/20/2007 16:30 | 1.647 | -14.59 |
| 7/20/2007 16:35 | 1.649 | -14.59 |
| 7/20/2007 16:40 | 1.647 | -14.59 |
| 7/20/2007 16:45 | 1.645 | -14.59 |
| 7/20/2007 16:50 | 1.646 | -14.59 |
| 7/20/2007 16:55 | 1.644 | -14.59 |
| 7/20/2007 17:00 | 1.645 | -14.59 |
| 7/20/2007 17:05 | 1.644 | -14.59 |
| 7/20/2007 17:10 | 1.642 | -14.59 |
| 7/20/2007 17:15 | 1.642 | -14.59 |
| 7/20/2007 17:20 | 1.641 | -14.59 |
| 7/20/2007 17:25 | 1.639 | -14.59 |
| 7/20/2007 17:30 | 1.636 | -14.59 |
| 7/20/2007 17:35 | 1.638 | -14.59 |
| 7/20/2007 17:40 | 1.635 | -14.59 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 17:45 | 1.635 | -14.59 |
| 7/20/2007 17:50 | 1.637 | -14.59 |
| 7/20/2007 17:55 | 1.634 | -14.59 |
| 7/20/2007 18:00 | 1.632 | -14.59 |
| 7/20/2007 18:05 | 1.632 | -14.59 |
| 7/20/2007 18:10 | 1.631 | -14.59 |
| 7/20/2007 18:15 | 1.629 | -14.59 |
| 7/20/2007 18:20 | 1.631 | -14.59 |
| 7/20/2007 18:25 | 1.63 | -14.59 |
| 7/20/2007 18:30 | 1.628 | -14.59 |
| 7/20/2007 18:35 | 1.629 | -14.59 |
| 7/20/2007 18:40 | 1.628 | -14.59 |
| 7/20/2007 18:45 | 1.628 | -14.59 |
| 7/20/2007 18:50 | 1.627 | -14.59 |
| 7/20/2007 18:55 | 1.626 | -14.59 |
| 7/20/2007 19:00 | 1.623 | -14.59 |
| 7/20/2007 19:05 | 1.624 | -14.59 |
| 7/20/2007 19:10 | 1.622 | -14.59 |
| 7/20/2007 19:15 | 1.624 | -14.59 |
| 7/20/2007 19:20 | 1.623 | -14.59 |
| 7/20/2007 19:25 | 1.622 | -14.59 |
| 7/20/2007 19:30 | 1.621 | -14.71 |
| 7/20/2007 19:35 | 1.621 | -14.71 |
| 7/20/2007 19:40 | 1.62 | -14.71 |
| 7/20/2007 19:45 | 1.62 | -14.71 |
| 7/20/2007 19:50 | 1.619 | -14.71 |
| 7/20/2007 19:55 | 1.619 | -13.89 |
| 7/20/2007 20:00 | 1.618 | -13.89 |
| 7/20/2007 20:05 | 1.616 | -13.89 |
| 7/20/2007 20:10 | 1.616 | -13.89 |
| 7/20/2007 20:15 | 1.615 | -13.89 |
| 7/20/2007 20:20 | 1.614 | -13.89 |
| 7/20/2007 20:25 | 1.614 | -13.89 |
| 7/20/2007 20:30 | 1.614 | -13.89 |
| 7/20/2007 20:35 | 1.614 | -13.89 |
| 7/20/2007 20:40 | 1.613 | -13.89 |
| 7/20/2007 20:45 | 1.612 | -13.89 |
| 7/20/2007 20:50 | 1.612 | -13.89 |
| 7/20/2007 20:55 | 1.61 | -13.89 |
| 7/20/2007 21:00 | 1.611 | -13.89 |
| 7/20/2007 21:05 | 1.61 | -13.89 |
| 7/20/2007 21:10 | 1.609 | -13.89 |
| 7/20/2007 21:15 | 1.609 | -13.89 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/20/2007 21:20 | 1.609 | -13.89 |
| 7/20/2007 21:25 | 1.608 | -13.89 |
| 7/20/2007 21:30 | 1.608 | -13.89 |
| 7/20/2007 21:35 | 1.607 | -13.89 |
| 7/20/2007 21:40 | 1.606 | -13.89 |
| 7/20/2007 21:45 | 1.607 | -13.89 |
| 7/20/2007 21:50 | 1.606 | -13.89 |
| 7/20/2007 21:55 | 1.605 | -13.89 |
| 7/20/2007 22:00 | 1.604 | -13.89 |
| 7/20/2007 22:05 | 1.604 | -13.89 |
| 7/20/2007 22:10 | 1.604 | -13.89 |
| 7/20/2007 22:15 | 1.604 | -13.89 |
| 7/20/2007 22:20 | 1.603 | -13.89 |
| 7/20/2007 22:25 | 1.602 | -13.89 |
| 7/20/2007 22:30 | 1.601 | -13.89 |
| 7/20/2007 22:35 | 1.602 | -13.89 |
| 7/20/2007 22:40 | 1.601 | -13.89 |
| 7/20/2007 22:45 | 1.602 | -13.89 |
| 7/20/2007 22:50 | 1.601 | -13.89 |
| 7/20/2007 22:55 | 1.6 | -13.89 |
| 7/20/2007 23:00 | 1.599 | -13.89 |
| 7/20/2007 23:05 | 1.599 | -13.89 |
| 7/20/2007 23:10 | 1.598 | -13.89 |
| 7/20/2007 23:15 | 1.598 | -13.89 |
| 7/20/2007 23:20 | 1.597 | -13.89 |
| 7/20/2007 23:25 | 1.597 | -13.89 |
| 7/20/2007 23:30 | 1.596 | -13.89 |
| 7/20/2007 23:35 | 1.596 | -13.89 |
| 7/20/2007 23:40 | 1.595 | -13.89 |
| 7/20/2007 23:45 | 1.595 | -13.89 |
| 7/20/2007 23:50 | 1.594 | -13.89 |
| 7/20/2007 23:55 | 1.595 | -13.89 |
| 7/21/2007 0:00 | 1.594 | -13.89 |
| 7/21/2007 0:05 | 1.593 | -13.89 |
| 7/21/2007 0:10 | 1.591 | -13.89 |
| 7/21/2007 0:15 | 1.594 | -13.89 |
| 7/21/2007 0:20 | 1.595 | -13.89 |
| 7/21/2007 0:25 | 1.592 | -13.89 |
| 7/21/2007 0:30 | 1.592 | -13.89 |
| 7/21/2007 0:35 | 1.592 | -13.89 |
| 7/21/2007 0:40 | 1.592 | -13.89 |
| 7/21/2007 0:45 | 1.591 | -13.89 |
| 7/21/2007 0:50 | 1.591 | -13.89 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 0:55 | 1.59 | -13.89 |
| 7/21/2007 1:00 | 1.59 | -13.89 |
| 7/21/2007 1:05 | 1.588 | -13.89 |
| 7/21/2007 1:10 | 1.589 | -13.89 |
| 7/21/2007 1:15 | 1.588 | -13.89 |
| 7/21/2007 1:20 | 1.587 | -13.89 |
| 7/21/2007 1:25 | 1.587 | -13.89 |
| 7/21/2007 1:30 | 1.586 | -13.89 |
| 7/21/2007 1:35 | 1.587 | -13.89 |
| 7/21/2007 1:40 | 1.584 | -13.89 |
| 7/21/2007 1:45 | 1.585 | -13.89 |
| 7/21/2007 1:50 | 1.584 | -13.89 |
| 7/21/2007 1:55 | 1.584 | -13.89 |
| 7/21/2007 2:00 | 1.583 | -13.89 |
| 7/21/2007 2:05 | 1.583 | -13.89 |
| 7/21/2007 2:10 | 1.584 | 10.28 |
| 7/21/2007 2:15 | 1.584 | 10.28 |
| 7/21/2007 2:20 | 1.582 | 10.28 |
| 7/21/2007 2:25 | 1.582 | 10.28 |
| 7/21/2007 2:30 | 1.582 | 10.28 |
| 7/21/2007 2:35 | 1.581 | 10.28 |
| 7/21/2007 2:40 | 1.58 | 10.28 |
| 7/21/2007 2:45 | 1.58 | 10.28 |
| 7/21/2007 2:50 | 1.579 | 10.28 |
| 7/21/2007 2:55 | 1.579 | 10.98 |
| 7/21/2007 3:00 | 1.579 | 10 |
| 7/21/2007 3:05 | 1.577 | 10.1 |
| 7/21/2007 3:10 | 1.577 | 8.4 |
| 7/21/2007 3:15 | 1.577 | 8.4 |
| 7/21/2007 3:20 | 1.576 | 8.01 |
| 7/21/2007 3:25 | 1.576 | 8.01 |
| 7/21/2007 3:30 | 1.575 | 9.71 |
| 7/21/2007 3:35 | 1.575 | 8.19 |
| 7/21/2007 3:40 | 1.574 | 8.19 |
| 7/21/2007 3:45 | 1.574 | 8.19 |
| 7/21/2007 3:50 | 1.573 | 8.19 |
| 7/21/2007 3:55 | 1.573 | 8.19 |
| 7/21/2007 4:00 | 1.573 | 8.19 |
| 7/21/2007 4:05 | 1.572 | 8.19 |
| 7/21/2007 4:10 | 1.571 | 8.19 |
| 7/21/2007 4:15 | 1.571 | 8.19 |
| 7/21/2007 4:20 | 1.572 | 8.19 |
| 7/21/2007 4:25 | 1.571 | 8.19 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 4:30 | 1.57 | 8.19 |
| 7/21/2007 4:35 | 1.57 | 8.19 |
| 7/21/2007 4:40 | 1.57 | 8.19 |
| 7/21/2007 4:45 | 1.569 | 8.19 |
| 7/21/2007 4:50 | 1.569 | 8.19 |
| 7/21/2007 4:55 | 1.567 | 8.19 |
| 7/21/2007 5:00 | 1.566 | 8.19 |
| 7/21/2007 5:05 | 1.567 | 8.19 |
| 7/21/2007 5:10 | 1.566 | 8.19 |
| 7/21/2007 5:15 | 1.566 | 8.19 |
| 7/21/2007 5:20 | 1.566 | 8.19 |
| 7/21/2007 5:25 | 1.565 | 8.19 |
| 7/21/2007 5:30 | 1.565 | 8.19 |
| 7/21/2007 5:35 | 1.564 | 8.19 |
| 7/21/2007 5:40 | 1.564 | 8.19 |
| 7/21/2007 5:45 | 1.563 | 8.19 |
| 7/21/2007 5:50 | 1.563 | 8.19 |
| 7/21/2007 5:55 | 1.563 | 8.19 |
| 7/21/2007 6:00 | 1.562 | 8.19 |
| 7/21/2007 6:05 | 1.564 | 8.19 |
| 7/21/2007 6:10 | 1.564 | 8.19 |
| 7/21/2007 6:15 | 1.562 | 8.19 |
| 7/21/2007 6:20 | 1.562 | 8.19 |
| 7/21/2007 6:25 | 1.562 | 8.19 |
| 7/21/2007 6:30 | 1.561 | 8.19 |
| 7/21/2007 6:35 | 1.561 | 8.19 |
| 7/21/2007 6:40 | 1.56 | 8.19 |
| 7/21/2007 6:45 | 1.56 | 8.19 |
| 7/21/2007 6:50 | 1.56 | 8.19 |
| 7/21/2007 6:55 | 1.56 | 8.19 |
| 7/21/2007 7:00 | 1.558 | 8.19 |
| 7/21/2007 7:05 | 1.558 | 8.19 |
| 7/21/2007 7:10 | 1.559 | 8.19 |
| 7/21/2007 7:15 | 1.558 | 8.19 |
| 7/21/2007 7:20 | 1.557 | 8.19 |
| 7/21/2007 7:25 | 1.557 | 8.19 |
| 7/21/2007 7:30 | 1.557 | 8.19 |
| 7/21/2007 7:35 | 1.556 | 8.19 |
| 7/21/2007 7:40 | 1.557 | 8.19 |
| 7/21/2007 7:45 | 1.557 | 8.19 |
| 7/21/2007 7:50 | 1.556 | 8.19 |
| 7/21/2007 7:55 | 1.555 | 8.19 |
| 7/21/2007 8:00 | 1.555 | 8.19 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 8:05 | 1.553 | 8.19 |
| 7/21/2007 8:10 | 1.553 | 8.19 |
| 7/21/2007 8:15 | 1.552 | 8.19 |
| 7/21/2007 8:20 | 1.552 | 8.19 |
| 7/21/2007 8:25 | 1.552 | 8.19 |
| 7/21/2007 8:30 | 1.552 | 8.19 |
| 7/21/2007 8:35 | 1.553 | -14.53 |
| 7/21/2007 8:40 | 1.554 | -12.7 |
| 7/21/2007 8:45 | 1.554 | -14.92 |
| 7/21/2007 8:50 | 1.554 | -14.92 |
| 7/21/2007 8:55 | 1.554 | -14.92 |
| 7/21/2007 9:00 | 1.553 | -14.92 |
| 7/21/2007 9:05 | 1.553 | -14.92 |
| 7/21/2007 9:10 | 1.553 | -14.92 |
| 7/21/2007 9:15 | 1.552 | -14.92 |
| 7/21/2007 9:20 | 1.551 | -14.92 |
| 7/21/2007 9:25 | 1.55 | -14.92 |
| 7/21/2007 9:30 | 1.551 | -14.92 |
| 7/21/2007 9:35 | 1.55 | -14.92 |
| 7/21/2007 9:40 | 1.55 | -14.92 |
| 7/21/2007 9:45 | 1.55 | -14.92 |
| 7/21/2007 9:50 | 1.549 | -14.92 |
| 7/21/2007 9:55 | 1.547 | -14.92 |
| 7/21/2007 10:00 | 1.548 | -14.92 |
| 7/21/2007 10:05 | 1.547 | -14.92 |
| 7/21/2007 10:10 | 1.547 | -14.92 |
| 7/21/2007 10:15 | 1.547 | -14.92 |
| 7/21/2007 10:20 | 1.545 | -14.92 |
| 7/21/2007 10:25 | 1.545 | -14.92 |
| 7/21/2007 10:30 | 1.544 | -14.92 |
| 7/21/2007 10:35 | 1.543 | -14.92 |
| 7/21/2007 10:40 | 1.542 | -14.92 |
| 7/21/2007 10:45 | 1.541 | -14.92 |
| 7/21/2007 10:50 | 1.54 | -14.92 |
| 7/21/2007 10:55 | 1.539 | -14.92 |
| 7/21/2007 11:00 | 1.537 | -14.92 |
| 7/21/2007 11:05 | 1.536 | -14.92 |
| 7/21/2007 11:10 | 1.536 | -14.92 |
| 7/21/2007 11:15 | 1.535 | -14.92 |
| 7/21/2007 11:20 | 1.534 | -14.92 |
| 7/21/2007 11:25 | 1.534 | -14.92 |
| 7/21/2007 11:30 | 1.532 | -14.92 |
| 7/21/2007 11:35 | 1.532 | -14.92 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 11:40 | 1.532 | -14.92 |
| 7/21/2007 11:45 | 1.531 | -14.92 |
| 7/21/2007 11:50 | 1.531 | -14.92 |
| 7/21/2007 11:55 | 1.53 | -14.92 |
| 7/21/2007 12:00 | 1.529 | -14.92 |
| 7/21/2007 12:05 | 1.529 | -14.92 |
| 7/21/2007 12:10 | 1.528 | -14.92 |
| 7/21/2007 12:15 | 1.526 | -14.92 |
| 7/21/2007 12:20 | 1.525 | -14.92 |
| 7/21/2007 12:25 | 1.524 | -14.92 |
| 7/21/2007 12:30 | 1.523 | -14.92 |
| 7/21/2007 12:35 | 1.523 | -14.92 |
| 7/21/2007 12:40 | 1.522 | -14.92 |
| 7/21/2007 12:45 | 1.522 | -14.92 |
| 7/21/2007 12:50 | 1.522 | -14.92 |
| 7/21/2007 12:55 | 1.518 | -14.92 |
| 7/21/2007 13:00 | 1.517 | -14.92 |
| 7/21/2007 13:05 | 1.516 | 11.3 |
| 7/21/2007 13:10 | 1.516 | 11.3 |
| 7/21/2007 13:15 | 1.516 | 10.98 |
| 7/21/2007 13:20 | 1.514 | 10.98 |
| 7/21/2007 13:25 | 1.513 | 10.98 |
| 7/21/2007 13:30 | 1.514 | 10.98 |
| 7/21/2007 13:35 | 1.512 | 10.98 |
| 7/21/2007 13:40 | 1.512 | 10.98 |
| 7/21/2007 13:45 | 1.512 | 10.98 |
| 7/21/2007 13:50 | 1.51 | 10.98 |
| 7/21/2007 13:55 | 1.51 | 10.98 |
| 7/21/2007 14:00 | 1.508 | 10.98 |
| 7/21/2007 14:05 | 1.509 | 10.98 |
| 7/21/2007 14:10 | 1.507 | 10.98 |
| 7/21/2007 14:15 | 1.507 | 10.98 |
| 7/21/2007 14:20 | 1.506 | 10.98 |
| 7/21/2007 14:25 | 1.506 | 10.98 |
| 7/21/2007 14:30 | 1.505 | 10.98 |
| 7/21/2007 14:35 | 1.504 | 10.98 |
| 7/21/2007 14:40 | 1.502 | 10.98 |
| 7/21/2007 14:45 | 1.501 | 10.83 |
| 7/21/2007 14:50 | 1.501 | 9.17 |
| 7/21/2007 14:55 | 1.5 | 9.17 |
| 7/21/2007 15:00 | 1.499 | 9.17 |
| 7/21/2007 15:05 | 1.498 | 9.17 |
| 7/21/2007 15:10 | 1.497 | 9.17 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 15:15 | 1.497 | 9.17 |
| 7/21/2007 15:20 | 1.496 | 9.17 |
| 7/21/2007 15:25 | 1.495 | 9.17 |
| 7/21/2007 15:30 | 1.494 | 9.17 |
| 7/21/2007 15:35 | 1.493 | 10.31 |
| 7/21/2007 15:40 | 1.494 | 10.31 |
| 7/21/2007 15:45 | 1.492 | 10.31 |
| 7/21/2007 15:50 | 1.492 | 10.31 |
| 7/21/2007 15:55 | 1.491 | 10.31 |
| 7/21/2007 16:00 | 1.49 | 10.31 |
| 7/21/2007 16:05 | 1.49 | 10.31 |
| 7/21/2007 16:10 | 1.489 | 10.31 |
| 7/21/2007 16:15 | 1.489 | 10.31 |
| 7/21/2007 16:20 | 1.487 | 10.31 |
| 7/21/2007 16:25 | 1.487 | 10.31 |
| 7/21/2007 16:30 | 1.486 | 10.31 |
| 7/21/2007 16:35 | 1.486 | 10.31 |
| 7/21/2007 16:40 | 1.485 | 10.31 |
| 7/21/2007 16:45 | 1.484 | 10.31 |
| 7/21/2007 16:50 | 1.483 | 10.31 |
| 7/21/2007 16:55 | 1.483 | 10.31 |
| 7/21/2007 17:00 | 1.483 | 10.31 |
| 7/21/2007 17:05 | 1.481 | 10.31 |
| 7/21/2007 17:10 | 1.482 | 10.31 |
| 7/21/2007 17:15 | 1.48 | 10.31 |
| 7/21/2007 17:20 | 1.479 | 10.31 |
| 7/21/2007 17:25 | 1.478 | 10.31 |
| 7/21/2007 17:30 | 1.478 | 10.31 |
| 7/21/2007 17:35 | 1.478 | 10.31 |
| 7/21/2007 17:40 | 1.477 | 10.31 |
| 7/21/2007 17:45 | 1.477 | 10.31 |
| 7/21/2007 17:50 | 1.477 | 10.31 |
| 7/21/2007 17:55 | 1.477 | 10.31 |
| 7/21/2007 18:00 | 1.475 | 10.31 |
| 7/21/2007 18:05 | 1.475 | 10.31 |
| 7/21/2007 18:10 | 1.474 | 10.31 |
| 7/21/2007 18:15 | 1.474 | 10.31 |
| 7/21/2007 18:20 | 1.473 | 10.31 |
| 7/21/2007 18:25 | 1.472 | 10.31 |
| 7/21/2007 18:30 | 1.472 | 10.31 |
| 7/21/2007 18:35 | 1.472 | 10.31 |
| 7/21/2007 18:40 | 1.471 | 10.31 |
| 7/21/2007 18:45 | 1.472 | 10.31 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 18:50 | 1.469 | 10.31 |
| 7/21/2007 18:55 | 1.469 | 10.31 |
| 7/21/2007 19:00 | 1.469 | 10.31 |
| 7/21/2007 19:05 | 1.468 | 10.31 |
| 7/21/2007 19:10 | 1.469 | 10.31 |
| 7/21/2007 19:15 | 1.468 | 7.63 |
| 7/21/2007 19:20 | 1.467 | 7.63 |
| 7/21/2007 19:25 | 1.467 | 8.56 |
| 7/21/2007 19:30 | 1.466 | 8.56 |
| 7/21/2007 19:35 | 1.466 | 8.56 |
| 7/21/2007 19:40 | 1.466 | 8.56 |
| 7/21/2007 19:45 | 1.465 | 8.56 |
| 7/21/2007 19:50 | 1.465 | 8.56 |
| 7/21/2007 19:55 | 1.464 | 8.56 |
| 7/21/2007 20:00 | 1.464 | -15.62 |
| 7/21/2007 20:05 | 1.463 | -15.62 |
| 7/21/2007 20:10 | 1.461 | -15.62 |
| 7/21/2007 20:15 | 1.461 | -15.62 |
| 7/21/2007 20:20 | 1.46 | -15.62 |
| 7/21/2007 20:25 | 1.458 | -15.62 |
| 7/21/2007 20:30 | 1.458 | -15.62 |
| 7/21/2007 20:35 | 1.457 | -15.62 |
| 7/21/2007 20:40 | 1.457 | -15.62 |
| 7/21/2007 20:45 | 1.457 | -15.62 |
| 7/21/2007 20:50 | 1.456 | -15.62 |
| 7/21/2007 20:55 | 1.454 | -15.62 |
| 7/21/2007 21:00 | 1.455 | -15.62 |
| 7/21/2007 21:05 | 1.453 | -15.62 |
| 7/21/2007 21:10 | 1.452 | -15.62 |
| 7/21/2007 21:15 | 1.449 | -15.62 |
| 7/21/2007 21:20 | 1.446 | -15.62 |
| 7/21/2007 21:25 | 1.447 | -15.62 |
| 7/21/2007 21:30 | 1.447 | -15.62 |
| 7/21/2007 21:35 | 1.447 | -15.62 |
| 7/21/2007 21:40 | 1.447 | -15.62 |
| 7/21/2007 21:45 | 1.448 | -15.62 |
| 7/21/2007 21:50 | 1.447 | -15.62 |
| 7/21/2007 21:55 | 1.446 | -15.62 |
| 7/21/2007 22:00 | 1.446 | -15.62 |
| 7/21/2007 22:05 | 1.445 | -15.62 |
| 7/21/2007 22:10 | 1.446 | -15.62 |
| 7/21/2007 22:15 | 1.446 | -15.62 |
| 7/21/2007 22:20 | 1.445 | -15.62 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/21/2007 22:25 | 1.445 | -15.62 |
| 7/21/2007 22:30 | 1.448 | -15.62 |
| 7/21/2007 22:35 | 1.447 | -15.62 |
| 7/21/2007 22:40 | 1.447 | -15.62 |
| 7/21/2007 22:45 | 1.447 | -15.62 |
| 7/21/2007 22:50 | 1.446 | -15.62 |
| 7/21/2007 22:55 | 1.445 | -15.62 |
| 7/21/2007 23:00 | 1.446 | -15.62 |
| 7/21/2007 23:05 | 1.445 | -15.62 |
| 7/21/2007 23:10 | 1.444 | -15.62 |
| 7/21/2007 23:15 | 1.445 | -13.28 |
| 7/21/2007 23:20 | 1.444 | -13.28 |
| 7/21/2007 23:25 | 1.443 | -13.28 |
| 7/21/2007 23:30 | 1.444 | -13.28 |
| 7/21/2007 23:35 | 1.442 | -13.28 |
| 7/21/2007 23:40 | 1.443 | -13.28 |
| 7/21/2007 23:45 | 1.443 | -13.28 |
| 7/21/2007 23:50 | 1.444 | -13.28 |
| 7/21/2007 23:55 | 1.443 | -13.28 |
| 7/22/2007 0:00 | 1.442 | -13.28 |
| 7/22/2007 0:05 | 1.441 | -13.28 |
| 7/22/2007 0:10 | 1.441 | -13.28 |
| 7/22/2007 0:15 | 1.44 | -13.28 |
| 7/22/2007 0:20 | 1.439 | -13.28 |
| 7/22/2007 0:25 | 1.44 | -13.28 |
| 7/22/2007 0:30 | 1.44 | -13.28 |
| 7/22/2007 0:35 | 1.438 | -13.28 |
| 7/22/2007 0:40 | 1.438 | -13.28 |
| 7/22/2007 0:45 | 1.438 | -13.28 |
| 7/22/2007 0:50 | 1.438 | -13.28 |
| 7/22/2007 0:55 | 1.438 | -13.28 |
| 7/22/2007 1:00 | 1.436 | -13.28 |
| 7/22/2007 1:05 | 1.436 | -13.28 |
| 7/22/2007 1:10 | 1.436 | -13.28 |
| 7/22/2007 1:15 | 1.435 | -13.28 |
| 7/22/2007 1:20 | 1.435 | -13.28 |
| 7/22/2007 1:25 | 1.434 | -13.28 |
| 7/22/2007 1:30 | 1.434 | -13.28 |
| 7/22/2007 1:35 | 1.433 | -13.28 |
| 7/22/2007 1:40 | 1.433 | -13.28 |
| 7/22/2007 1:45 | 1.433 | -13.28 |
| 7/22/2007 1:50 | 1.433 | -13.28 |
| 7/22/2007 1:55 | 1.432 | -13.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 2:00 | 1.432 | -13.28 |
| 7/22/2007 2:05 | 1.432 | -13.28 |
| 7/22/2007 2:10 | 1.431 | -13.28 |
| 7/22/2007 2:15 | 1.431 | -13.28 |
| 7/22/2007 2:20 | 1.431 | -13.28 |
| 7/22/2007 2:25 | 1.43 | -13.28 |
| 7/22/2007 2:30 | 1.43 | -13.28 |
| 7/22/2007 2:35 | 1.43 | -13.28 |
| 7/22/2007 2:40 | 1.43 | -13.28 |
| 7/22/2007 2:45 | 1.429 | -13.28 |
| 7/22/2007 2:50 | 1.428 | -13.28 |
| 7/22/2007 2:55 | 1.428 | -13.28 |
| 7/22/2007 3:00 | 1.428 | -13.28 |
| 7/22/2007 3:05 | 1.429 | -13.28 |
| 7/22/2007 3:10 | 1.429 | -13.28 |
| 7/22/2007 3:15 | 1.429 | -13.28 |
| 7/22/2007 3:20 | 1.429 | -13.28 |
| 7/22/2007 3:25 | 1.429 | -13.28 |
| 7/22/2007 3:30 | 1.428 | -13.28 |
| 7/22/2007 3:35 | 1.428 | -13.28 |
| 7/22/2007 3:40 | 1.427 | -13.28 |
| 7/22/2007 3:45 | 1.427 | -13.28 |
| 7/22/2007 3:50 | 1.426 | -13.28 |
| 7/22/2007 3:55 | 1.427 | -13.28 |
| 7/22/2007 4:00 | 1.426 | -13.28 |
| 7/22/2007 4:05 | 1.425 | -13.28 |
| 7/22/2007 4:10 | 1.425 | -13.28 |
| 7/22/2007 4:15 | 1.425 | -13.28 |
| 7/22/2007 4:20 | 1.425 | -13.28 |
| 7/22/2007 4:25 | 1.424 | -13.28 |
| 7/22/2007 4:30 | 1.423 | -13.28 |
| 7/22/2007 4:35 | 1.424 | -13.28 |
| 7/22/2007 4:40 | 1.424 | -13.28 |
| 7/22/2007 4:45 | 1.423 | -13.28 |
| 7/22/2007 4:50 | 1.422 | -13.28 |
| 7/22/2007 4:55 | 1.423 | -13.28 |
| 7/22/2007 5:00 | 1.423 | -13.28 |
| 7/22/2007 5:05 | 1.422 | -13.28 |
| 7/22/2007 5:10 | 1.421 | -13.28 |
| 7/22/2007 5:15 | 1.42 | -13.28 |
| 7/22/2007 5:20 | 1.421 | -13.28 |
| 7/22/2007 5:25 | 1.42 | -13.28 |
| 7/22/2007 5:30 | 1.42 | -13.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 5:35 | 1.42 | -13.28 |
| 7/22/2007 5:40 | 1.42 | -13.28 |
| 7/22/2007 5:45 | 1.42 | -13.28 |
| 7/22/2007 5:50 | 1.42 | -13.28 |
| 7/22/2007 5:55 | 1.42 | -13.28 |
| 7/22/2007 6:00 | 1.42 | -13.28 |
| 7/22/2007 6:05 | 1.419 | -13.28 |
| 7/22/2007 6:10 | 1.419 | -13.28 |
| 7/22/2007 6:15 | 1.42 | -13.28 |
| 7/22/2007 6:20 | 1.419 | -13.28 |
| 7/22/2007 6:25 | 1.42 | -13.28 |
| 7/22/2007 6:30 | 1.42 | -13.28 |
| 7/22/2007 6:35 | 1.419 | -13.28 |
| 7/22/2007 6:40 | 1.42 | -13.28 |
| 7/22/2007 6:45 | 1.42 | -13.28 |
| 7/22/2007 6:50 | 1.42 | -13.28 |
| 7/22/2007 6:55 | 1.42 | -13.28 |
| 7/22/2007 7:00 | 1.419 | -13.28 |
| 7/22/2007 7:05 | 1.419 | -13.28 |
| 7/22/2007 7:10 | 1.418 | -13.28 |
| 7/22/2007 7:15 | 1.419 | -13.28 |
| 7/22/2007 7:20 | 1.419 | -13.28 |
| 7/22/2007 7:25 | 1.418 | -13.28 |
| 7/22/2007 7:30 | 1.418 | -13.28 |
| 7/22/2007 7:35 | 1.418 | -13.28 |
| 7/22/2007 7:40 | 1.418 | -13.28 |
| 7/22/2007 7:45 | 1.418 | -13.28 |
| 7/22/2007 7:50 | 1.417 | -13.28 |
| 7/22/2007 7:55 | 1.418 | -13.28 |
| 7/22/2007 8:00 | 1.417 | -13.28 |
| 7/22/2007 8:05 | 1.416 | -13.28 |
| 7/22/2007 8:10 | 1.414 | -13.28 |
| 7/22/2007 8:15 | 1.414 | -13.28 |
| 7/22/2007 8:20 | 1.414 | -13.28 |
| 7/22/2007 8:25 | 1.413 | -13.28 |
| 7/22/2007 8:30 | 1.414 | -13.28 |
| 7/22/2007 8:35 | 1.414 | -13.28 |
| 7/22/2007 8:40 | 1.416 | -13.28 |
| 7/22/2007 8:45 | 1.417 | -13.28 |
| 7/22/2007 8:50 | 1.418 | -13.28 |
| 7/22/2007 8:55 | 1.417 | -13.28 |
| 7/22/2007 9:00 | 1.416 | -13.28 |
| 7/22/2007 9:05 | 1.416 | -13.28 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 9:10 | 1.416 | -13.28 |
| 7/22/2007 9:15 | 1.416 | -13.28 |
| 7/22/2007 9:20 | 1.416 | -13.28 |
| 7/22/2007 9:25 | 1.415 | -13.28 |
| 7/22/2007 9:30 | 1.416 | -13.28 |
| 7/22/2007 9:35 | 1.417 | -13.28 |
| 7/22/2007 9:40 | 1.417 | -13.28 |
| 7/22/2007 9:45 | 1.416 | -13.28 |
| 7/22/2007 9:50 | 1.415 | -13.28 |
| 7/22/2007 9:55 | 1.415 | -13.28 |
| 7/22/2007 10:00 | 1.415 | -13.28 |
| 7/22/2007 10:05 | 1.415 | -13.28 |
| 7/22/2007 10:10 | 1.414 | -13.28 |
| 7/22/2007 10:15 | 1.414 | -13.28 |
| 7/22/2007 10:20 | 1.413 | -13.28 |
| 7/22/2007 10:25 | 1.413 | -13.28 |
| 7/22/2007 10:30 | 1.413 | -13.28 |
| 7/22/2007 10:35 | 1.413 | -13.28 |
| 7/22/2007 10:40 | 1.413 | -13.28 |
| 7/22/2007 10:45 | 1.412 | -13.28 |
| 7/22/2007 10:50 | 1.412 | -13.28 |
| 7/22/2007 10:55 | 1.411 | -13.28 |
| 7/22/2007 11:00 | 1.412 | -13.28 |
| 7/22/2007 11:05 | 1.411 | -13.28 |
| 7/22/2007 11:10 | 1.41 | -13.28 |
| 7/22/2007 11:15 | 1.408 | -13.28 |
| 7/22/2007 11:20 | 1.407 | -13.28 |
| 7/22/2007 11:25 | 1.407 | -13.28 |
| 7/22/2007 11:30 | 1.408 | -13.28 |
| 7/22/2007 11:35 | 1.408 | -13.28 |
| 7/22/2007 11:40 | 1.408 | -13.28 |
| 7/22/2007 11:45 | 1.408 | -13.28 |
| 7/22/2007 11:50 | 1.407 | -13.28 |
| 7/22/2007 11:55 | 1.406 | -13.28 |
| 7/22/2007 12:00 | 1.406 | -13.28 |
| 7/22/2007 12:05 | 1.405 | -11.78 |
| 7/22/2007 12:10 | 1.406 | -11.78 |
| 7/22/2007 12:15 | 1.405 | -11.78 |
| 7/22/2007 12:20 | 1.404 | -11.78 |
| 7/22/2007 12:25 | 1.404 | -11.78 |
| 7/22/2007 12:30 | 1.403 | -11.78 |
| 7/22/2007 12:35 | 1.402 | -11.78 |
| 7/22/2007 12:40 | 1.402 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 12:45 | 1.403 | -11.78 |
| 7/22/2007 12:50 | 1.401 | -11.78 |
| 7/22/2007 12:55 | 1.401 | -11.78 |
| 7/22/2007 13:00 | 1.401 | -11.78 |
| 7/22/2007 13:05 | 1.4 | -11.78 |
| 7/22/2007 13:10 | 1.392 | -11.78 |
| 7/22/2007 13:15 | 1.4 | -11.78 |
| 7/22/2007 13:20 | 1.398 | -11.78 |
| 7/22/2007 13:25 | 1.398 | -11.78 |
| 7/22/2007 13:30 | 1.398 | -11.78 |
| 7/22/2007 13:35 | 1.398 | -11.78 |
| 7/22/2007 13:40 | 1.397 | -11.78 |
| 7/22/2007 13:45 | 1.397 | -11.78 |
| 7/22/2007 13:50 | 1.396 | -11.78 |
| 7/22/2007 13:55 | 1.396 | -11.78 |
| 7/22/2007 14:00 | 1.397 | -11.78 |
| 7/22/2007 14:05 | 1.395 | -11.78 |
| 7/22/2007 14:10 | 1.394 | -11.78 |
| 7/22/2007 14:15 | 1.395 | -11.78 |
| 7/22/2007 14:20 | 1.395 | -11.78 |
| 7/22/2007 14:25 | 1.394 | -11.78 |
| 7/22/2007 14:30 | 1.394 | -11.78 |
| 7/22/2007 14:35 | 1.393 | -11.78 |
| 7/22/2007 14:40 | 1.393 | -11.78 |
| 7/22/2007 14:45 | 1.392 | -11.78 |
| 7/22/2007 14:50 | 1.392 | -11.78 |
| 7/22/2007 14:55 | 1.392 | -11.78 |
| 7/22/2007 15:00 | 1.391 | -11.78 |
| 7/22/2007 15:05 | 1.39 | -11.78 |
| 7/22/2007 15:10 | 1.389 | -11.78 |
| 7/22/2007 15:15 | 1.389 | -11.78 |
| 7/22/2007 15:20 | 1.389 | -11.78 |
| 7/22/2007 15:25 | 1.388 | -11.78 |
| 7/22/2007 15:30 | 1.388 | -11.78 |
| 7/22/2007 15:35 | 1.388 | -11.78 |
| 7/22/2007 15:40 | 1.387 | -11.78 |
| 7/22/2007 15:45 | 1.387 | -11.78 |
| 7/22/2007 15:50 | 1.387 | -11.78 |
| 7/22/2007 15:55 | 1.389 | -11.78 |
| 7/22/2007 16:00 | 1.389 | -11.78 |
| 7/22/2007 16:05 | 1.386 | -11.78 |
| 7/22/2007 16:10 | 1.387 | -11.78 |
| 7/22/2007 16:15 | 1.386 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 16:20 | 1.385 | -11.78 |
| 7/22/2007 16:25 | 1.385 | -11.78 |
| 7/22/2007 16:30 | 1.384 | -11.78 |
| 7/22/2007 16:35 | 1.385 | -11.78 |
| 7/22/2007 16:40 | 1.385 | -11.78 |
| 7/22/2007 16:45 | 1.386 | -11.78 |
| 7/22/2007 16:50 | 1.386 | -11.78 |
| 7/22/2007 16:55 | 1.385 | -11.78 |
| 7/22/2007 17:00 | 1.385 | -11.78 |
| 7/22/2007 17:05 | 1.385 | -11.78 |
| 7/22/2007 17:10 | 1.384 | -11.78 |
| 7/22/2007 17:15 | 1.383 | -11.78 |
| 7/22/2007 17:20 | 1.383 | -11.78 |
| 7/22/2007 17:25 | 1.384 | -11.78 |
| 7/22/2007 17:30 | 1.383 | -11.78 |
| 7/22/2007 17:35 | 1.383 | -11.78 |
| 7/22/2007 17:40 | 1.383 | -11.78 |
| 7/22/2007 17:45 | 1.383 | -11.78 |
| 7/22/2007 17:50 | 1.383 | -11.78 |
| 7/22/2007 17:55 | 1.382 | -11.78 |
| 7/22/2007 18:00 | 1.382 | -11.78 |
| 7/22/2007 18:05 | 1.381 | -11.78 |
| 7/22/2007 18:10 | 1.381 | -11.78 |
| 7/22/2007 18:15 | 1.381 | -11.78 |
| 7/22/2007 18:20 | 1.381 | -11.78 |
| 7/22/2007 18:25 | 1.377 | -11.78 |
| 7/22/2007 18:30 | 1.378 | -11.78 |
| 7/22/2007 18:35 | 1.379 | -11.78 |
| 7/22/2007 18:40 | 1.379 | -11.78 |
| 7/22/2007 18:45 | 1.379 | -11.78 |
| 7/22/2007 18:50 | 1.379 | -11.78 |
| 7/22/2007 18:55 | 1.379 | -11.78 |
| 7/22/2007 19:00 | 1.378 | -11.78 |
| 7/22/2007 19:05 | 1.378 | -11.78 |
| 7/22/2007 19:10 | 1.378 | -11.78 |
| 7/22/2007 19:15 | 1.378 | -11.78 |
| 7/22/2007 19:20 | 1.378 | -11.78 |
| 7/22/2007 19:25 | 1.378 | -11.78 |
| 7/22/2007 19:30 | 1.379 | -11.78 |
| 7/22/2007 19:35 | 1.375 | -11.78 |
| 7/22/2007 19:40 | 1.375 | -11.78 |
| 7/22/2007 19:45 | 1.376 | -11.78 |
| 7/22/2007 19:50 | 1.376 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 19:55 | 1.376 | -11.78 |
| 7/22/2007 20:00 | 1.376 | -11.78 |
| 7/22/2007 20:05 | 1.375 | -11.78 |
| 7/22/2007 20:10 | 1.376 | -11.78 |
| 7/22/2007 20:15 | 1.376 | -11.78 |
| 7/22/2007 20:20 | 1.376 | -11.78 |
| 7/22/2007 20:25 | 1.376 | -11.78 |
| 7/22/2007 20:30 | 1.376 | -11.78 |
| 7/22/2007 20:35 | 1.376 | -11.78 |
| 7/22/2007 20:40 | 1.376 | -11.78 |
| 7/22/2007 20:45 | 1.376 | -11.78 |
| 7/22/2007 20:50 | 1.376 | -11.78 |
| 7/22/2007 20:55 | 1.376 | -11.78 |
| 7/22/2007 21:00 | 1.376 | -11.78 |
| 7/22/2007 21:05 | 1.376 | -11.78 |
| 7/22/2007 21:10 | 1.375 | -11.78 |
| 7/22/2007 21:15 | 1.373 | -11.78 |
| 7/22/2007 21:20 | 1.372 | -11.78 |
| 7/22/2007 21:25 | 1.372 | -11.78 |
| 7/22/2007 21:30 | 1.372 | -11.78 |
| 7/22/2007 21:35 | 1.371 | -11.78 |
| 7/22/2007 21:40 | 1.371 | -11.78 |
| 7/22/2007 21:45 | 1.371 | -11.78 |
| 7/22/2007 21:50 | 1.372 | -11.78 |
| 7/22/2007 21:55 | 1.371 | -11.78 |
| 7/22/2007 22:00 | 1.371 | -11.78 |
| 7/22/2007 22:05 | 1.371 | -11.78 |
| 7/22/2007 22:10 | 1.371 | -11.78 |
| 7/22/2007 22:15 | 1.37 | -11.78 |
| 7/22/2007 22:20 | 1.371 | -11.78 |
| 7/22/2007 22:25 | 1.371 | -11.78 |
| 7/22/2007 22:30 | 1.37 | -11.78 |
| 7/22/2007 22:35 | 1.37 | -11.78 |
| 7/22/2007 22:40 | 1.369 | -11.78 |
| 7/22/2007 22:45 | 1.369 | -11.78 |
| 7/22/2007 22:50 | 1.369 | -11.78 |
| 7/22/2007 22:55 | 1.37 | -11.78 |
| 7/22/2007 23:00 | 1.37 | -11.78 |
| 7/22/2007 23:05 | 1.371 | -11.78 |
| 7/22/2007 23:10 | 1.371 | -11.78 |
| 7/22/2007 23:15 | 1.37 | -11.78 |
| 7/22/2007 23:20 | 1.369 | -11.78 |
| 7/22/2007 23:25 | 1.37 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/22/2007 23:30 | 1.37 | -11.78 |
| 7/22/2007 23:35 | 1.37 | -11.78 |
| 7/22/2007 23:40 | 1.369 | -11.78 |
| 7/22/2007 23:45 | 1.37 | -11.78 |
| 7/22/2007 23:50 | 1.369 | -11.78 |
| 7/22/2007 23:55 | 1.369 | -11.78 |
| 7/23/2007 0:00 | 1.369 | -11.78 |
| 7/23/2007 0:05 | 1.368 | -11.78 |
| 7/23/2007 0:10 | 1.368 | -11.78 |
| 7/23/2007 0:15 | 1.368 | -11.78 |
| 7/23/2007 0:20 | 1.368 | -11.78 |
| 7/23/2007 0:25 | 1.368 | -11.78 |
| 7/23/2007 0:30 | 1.368 | -11.78 |
| 7/23/2007 0:35 | 1.368 | -11.78 |
| 7/23/2007 0:40 | 1.367 | -11.78 |
| 7/23/2007 0:45 | 1.367 | -11.78 |
| 7/23/2007 0:50 | 1.368 | -11.78 |
| 7/23/2007 0:55 | 1.368 | -11.78 |
| 7/23/2007 1:00 | 1.367 | -11.78 |
| 7/23/2007 1:05 | 1.368 | -11.78 |
| 7/23/2007 1:10 | 1.367 | -11.78 |
| 7/23/2007 1:15 | 1.367 | -11.78 |
| 7/23/2007 1:20 | 1.367 | -11.78 |
| 7/23/2007 1:25 | 1.368 | -11.78 |
| 7/23/2007 1:30 | 1.368 | -11.78 |
| 7/23/2007 1:35 | 1.367 | -11.78 |
| 7/23/2007 1:40 | 1.366 | -11.78 |
| 7/23/2007 1:45 | 1.366 | -11.78 |
| 7/23/2007 1:50 | 1.366 | -11.78 |
| 7/23/2007 1:55 | 1.366 | -11.78 |
| 7/23/2007 2:00 | 1.366 | -11.78 |
| 7/23/2007 2:05 | 1.366 | -11.78 |
| 7/23/2007 2:10 | 1.364 | -11.78 |
| 7/23/2007 2:15 | 1.363 | -11.78 |
| 7/23/2007 2:20 | 1.363 | -11.78 |
| 7/23/2007 2:25 | 1.362 | -11.78 |
| 7/23/2007 2:30 | 1.362 | -11.78 |
| 7/23/2007 2:35 | 1.362 | -11.78 |
| 7/23/2007 2:40 | 1.363 | -11.78 |
| 7/23/2007 2:45 | 1.362 | -11.78 |
| 7/23/2007 2:50 | 1.362 | -11.78 |
| 7/23/2007 2:55 | 1.362 | -11.78 |
| 7/23/2007 3:00 | 1.362 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 3:05 | 1.361 | -11.78 |
| 7/23/2007 3:10 | 1.362 | -11.78 |
| 7/23/2007 3:15 | 1.363 | -11.78 |
| 7/23/2007 3:20 | 1.362 | -11.78 |
| 7/23/2007 3:25 | 1.363 | -11.78 |
| 7/23/2007 3:30 | 1.364 | -11.78 |
| 7/23/2007 3:35 | 1.363 | -11.78 |
| 7/23/2007 3:40 | 1.363 | -11.78 |
| 7/23/2007 3:45 | 1.363 | -11.78 |
| 7/23/2007 3:50 | 1.363 | -11.78 |
| 7/23/2007 3:55 | 1.363 | -11.78 |
| 7/23/2007 4:00 | 1.362 | -11.78 |
| 7/23/2007 4:05 | 1.361 | -11.78 |
| 7/23/2007 4:10 | 1.362 | -11.78 |
| 7/23/2007 4:15 | 1.362 | -11.78 |
| 7/23/2007 4:20 | 1.362 | -11.78 |
| 7/23/2007 4:25 | 1.361 | -11.78 |
| 7/23/2007 4:30 | 1.361 | -11.78 |
| 7/23/2007 4:35 | 1.36 | -11.78 |
| 7/23/2007 4:40 | 1.361 | -11.78 |
| 7/23/2007 4:45 | 1.36 | -11.78 |
| 7/23/2007 4:50 | 1.36 | -11.78 |
| 7/23/2007 4:55 | 1.36 | -11.78 |
| 7/23/2007 5:00 | 1.36 | -11.78 |
| 7/23/2007 5:05 | 1.36 | -11.78 |
| 7/23/2007 5:10 | 1.359 | -11.78 |
| 7/23/2007 5:15 | 1.359 | -11.78 |
| 7/23/2007 5:20 | 1.359 | -11.78 |
| 7/23/2007 5:25 | 1.359 | -11.78 |
| 7/23/2007 5:30 | 1.36 | -11.78 |
| 7/23/2007 5:35 | 1.359 | -11.78 |
| 7/23/2007 5:40 | 1.359 | -11.78 |
| 7/23/2007 5:45 | 1.359 | -11.78 |
| 7/23/2007 5:50 | 1.359 | -11.78 |
| 7/23/2007 5:55 | 1.359 | -11.78 |
| 7/23/2007 6:00 | 1.359 | -11.78 |
| 7/23/2007 6:05 | 1.359 | -11.78 |
| 7/23/2007 6:10 | 1.36 | -11.78 |
| 7/23/2007 6:15 | 1.359 | -11.78 |
| 7/23/2007 6:20 | 1.358 | -11.78 |
| 7/23/2007 6:25 | 1.358 | -11.78 |
| 7/23/2007 6:30 | 1.358 | -11.78 |
| 7/23/2007 6:35 | 1.358 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 6:40 | 1.358 | -11.78 |
| 7/23/2007 6:45 | 1.359 | -11.78 |
| 7/23/2007 6:50 | 1.358 | -11.78 |
| 7/23/2007 6:55 | 1.358 | -11.78 |
| 7/23/2007 7:00 | 1.358 | -11.78 |
| 7/23/2007 7:05 | 1.358 | -11.78 |
| 7/23/2007 7:10 | 1.358 | -11.78 |
| 7/23/2007 7:15 | 1.358 | -11.78 |
| 7/23/2007 7:20 | 1.357 | -11.78 |
| 7/23/2007 7:25 | 1.358 | -11.78 |
| 7/23/2007 7:30 | 1.359 | -11.78 |
| 7/23/2007 7:35 | 1.359 | -11.78 |
| 7/23/2007 7:40 | 1.359 | -11.78 |
| 7/23/2007 7:45 | 1.359 | -11.78 |
| 7/23/2007 7:50 | 1.36 | -11.78 |
| 7/23/2007 7:55 | 1.36 | -11.78 |
| 7/23/2007 8:00 | 1.36 | -11.78 |
| 7/23/2007 8:05 | 1.359 | -11.78 |
| 7/23/2007 8:10 | 1.36 | -11.78 |
| 7/23/2007 8:15 | 1.36 | -11.78 |
| 7/23/2007 8:20 | 1.36 | -11.78 |
| 7/23/2007 8:25 | 1.36 | -11.78 |
| 7/23/2007 8:30 | 1.36 | -11.78 |
| 7/23/2007 8:35 | 1.36 | -11.78 |
| 7/23/2007 8:40 | 1.36 | -11.78 |
| 7/23/2007 8:45 | 1.359 | -11.78 |
| 7/23/2007 8:50 | 1.36 | -11.78 |
| 7/23/2007 8:55 | 1.36 | -11.78 |
| 7/23/2007 9:00 | 1.36 | -11.78 |
| 7/23/2007 9:05 | 1.36 | -11.78 |
| 7/23/2007 9:10 | 1.36 | -11.78 |
| 7/23/2007 9:15 | 1.361 | -11.78 |
| 7/23/2007 9:20 | 1.361 | -11.78 |
| 7/23/2007 9:25 | 1.361 | -11.78 |
| 7/23/2007 9:30 | 1.361 | -11.78 |
| 7/23/2007 9:35 | 1.362 | -11.78 |
| 7/23/2007 9:40 | 1.362 | -11.78 |
| 7/23/2007 9:45 | 1.361 | -11.78 |
| 7/23/2007 9:50 | 1.361 | -11.78 |
| 7/23/2007 9:55 | 1.362 | -11.78 |
| 7/23/2007 10:00 | 1.36 | -11.78 |
| 7/23/2007 10:05 | 1.361 | -11.78 |
| 7/23/2007 10:10 | 1.361 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 10:15 | 1.361 | -11.78 |
| 7/23/2007 10:20 | 1.361 | -11.78 |
| 7/23/2007 10:25 | 1.361 | -11.78 |
| 7/23/2007 10:30 | 1.361 | -11.78 |
| 7/23/2007 10:35 | 1.362 | -11.78 |
| 7/23/2007 10:40 | 1.361 | -11.78 |
| 7/23/2007 10:45 | 1.361 | -11.78 |
| 7/23/2007 10:50 | 1.361 | -11.78 |
| 7/23/2007 10:55 | 1.36 | -11.78 |
| 7/23/2007 11:00 | 1.364 | -11.78 |
| 7/23/2007 11:05 | 1.364 | -11.78 |
| 7/23/2007 11:10 | 1.364 | -11.78 |
| 7/23/2007 11:15 | 1.363 | -11.78 |
| 7/23/2007 11:20 | 1.364 | -11.78 |
| 7/23/2007 11:25 | 1.363 | -11.78 |
| 7/23/2007 11:30 | 1.363 | -11.78 |
| 7/23/2007 11:35 | 1.364 | -11.78 |
| 7/23/2007 11:40 | 1.364 | -11.78 |
| 7/23/2007 11:45 | 1.364 | -11.78 |
| 7/23/2007 11:50 | 1.364 | -11.78 |
| 7/23/2007 11:55 | 1.364 | -11.78 |
| 7/23/2007 12:00 | 1.365 | -11.78 |
| 7/23/2007 12:05 | 1.366 | -11.78 |
| 7/23/2007 12:10 | 1.366 | -11.78 |
| 7/23/2007 12:15 | 1.367 | -11.78 |
| 7/23/2007 12:20 | 1.366 | -11.78 |
| 7/23/2007 12:25 | 1.366 | -11.78 |
| 7/23/2007 12:30 | 1.366 | -11.78 |
| 7/23/2007 12:35 | 1.366 | -11.78 |
| 7/23/2007 12:40 | 1.365 | -11.78 |
| 7/23/2007 12:45 | 1.364 | -11.78 |
| 7/23/2007 12:50 | 1.364 | -11.78 |
| 7/23/2007 12:55 | 1.365 | -11.78 |
| 7/23/2007 13:00 | 1.365 | -11.78 |
| 7/23/2007 13:05 | 1.365 | -11.78 |
| 7/23/2007 13:10 | 1.365 | -11.78 |
| 7/23/2007 13:15 | 1.365 | -11.78 |
| 7/23/2007 13:20 | 1.364 | -11.78 |
| 7/23/2007 13:25 | 1.364 | -11.78 |
| 7/23/2007 13:30 | 1.364 | -11.78 |
| 7/23/2007 13:35 | 1.364 | -11.78 |
| 7/23/2007 13:40 | 1.365 | -11.78 |
| 7/23/2007 13:45 | 1.365 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 13:50 | 1.364 | -11.78 |
| 7/23/2007 13:55 | 1.364 | -11.78 |
| 7/23/2007 14:00 | 1.362 | -11.78 |
| 7/23/2007 14:05 | 1.364 | -11.78 |
| 7/23/2007 14:10 | 1.363 | -11.78 |
| 7/23/2007 14:15 | 1.363 | -11.78 |
| 7/23/2007 14:20 | 1.362 | -11.78 |
| 7/23/2007 14:25 | 1.361 | -11.78 |
| 7/23/2007 14:30 | 1.362 | -11.78 |
| 7/23/2007 14:35 | 1.362 | -11.78 |
| 7/23/2007 14:40 | 1.361 | -11.78 |
| 7/23/2007 14:45 | 1.362 | -11.78 |
| 7/23/2007 14:50 | 1.361 | -11.78 |
| 7/23/2007 14:55 | 1.362 | -11.78 |
| 7/23/2007 15:00 | 1.362 | -11.78 |
| 7/23/2007 15:05 | 1.362 | -11.78 |
| 7/23/2007 15:10 | 1.362 | -11.78 |
| 7/23/2007 15:15 | 1.361 | -11.78 |
| 7/23/2007 15:20 | 1.362 | -11.78 |
| 7/23/2007 15:25 | 1.362 | -11.78 |
| 7/23/2007 15:30 | 1.361 | -11.78 |
| 7/23/2007 15:35 | 1.36 | -11.78 |
| 7/23/2007 15:40 | 1.361 | -11.78 |
| 7/23/2007 15:45 | 1.361 | -11.78 |
| 7/23/2007 15:50 | 1.361 | -11.78 |
| 7/23/2007 15:55 | 1.362 | -11.78 |
| 7/23/2007 16:00 | 1.362 | -11.78 |
| 7/23/2007 16:05 | 1.361 | -11.78 |
| 7/23/2007 16:10 | 1.361 | -11.78 |
| 7/23/2007 16:15 | 1.361 | -11.78 |
| 7/23/2007 16:20 | 1.361 | -11.78 |
| 7/23/2007 16:25 | 1.361 | -11.78 |
| 7/23/2007 16:30 | 1.359 | -11.78 |
| 7/23/2007 16:35 | 1.358 | -11.78 |
| 7/23/2007 16:40 | 1.359 | -11.78 |
| 7/23/2007 16:45 | 1.359 | -11.78 |
| 7/23/2007 16:50 | 1.359 | -11.78 |
| 7/23/2007 16:55 | 1.358 | -11.78 |
| 7/23/2007 17:00 | 1.358 | -11.78 |
| 7/23/2007 17:05 | 1.357 | -11.78 |
| 7/23/2007 17:10 | 1.357 | -11.78 |
| 7/23/2007 17:15 | 1.358 | -11.78 |
| 7/23/2007 17:20 | 1.357 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 17:25 | 1.357 | -11.78 |
| 7/23/2007 17:30 | 1.357 | -11.78 |
| 7/23/2007 17:35 | 1.356 | -11.78 |
| 7/23/2007 17:40 | 1.356 | -11.78 |
| 7/23/2007 17:45 | 1.356 | -11.78 |
| 7/23/2007 17:50 | 1.356 | -11.78 |
| 7/23/2007 17:55 | 1.356 | -11.78 |
| 7/23/2007 18:00 | 1.356 | -11.78 |
| 7/23/2007 18:05 | 1.356 | -11.78 |
| 7/23/2007 18:10 | 1.356 | -11.78 |
| 7/23/2007 18:15 | 1.356 | -11.78 |
| 7/23/2007 18:20 | 1.355 | -11.78 |
| 7/23/2007 18:25 | 1.356 | -11.78 |
| 7/23/2007 18:30 | 1.355 | -11.78 |
| 7/23/2007 18:35 | 1.354 | -11.78 |
| 7/23/2007 18:40 | 1.355 | -11.78 |
| 7/23/2007 18:45 | 1.355 | -11.78 |
| 7/23/2007 18:50 | 1.355 | -11.78 |
| 7/23/2007 18:55 | 1.355 | -11.78 |
| 7/23/2007 19:00 | 1.354 | -11.78 |
| 7/23/2007 19:05 | 1.354 | -11.78 |
| 7/23/2007 19:10 | 1.355 | -11.78 |
| 7/23/2007 19:15 | 1.354 | -11.78 |
| 7/23/2007 19:20 | 1.355 | -11.78 |
| 7/23/2007 19:25 | 1.353 | -11.78 |
| 7/23/2007 19:30 | 1.354 | -11.78 |
| 7/23/2007 19:35 | 1.353 | -11.78 |
| 7/23/2007 19:40 | 1.353 | -11.78 |
| 7/23/2007 19:45 | 1.352 | -11.78 |
| 7/23/2007 19:50 | 1.352 | -11.78 |
| 7/23/2007 19:55 | 1.352 | -11.78 |
| 7/23/2007 20:00 | 1.352 | -11.78 |
| 7/23/2007 20:05 | 1.351 | -11.78 |
| 7/23/2007 20:10 | 1.352 | -11.78 |
| 7/23/2007 20:15 | 1.352 | -11.78 |
| 7/23/2007 20:20 | 1.351 | -11.78 |
| 7/23/2007 20:25 | 1.351 | -11.78 |
| 7/23/2007 20:30 | 1.351 | -11.78 |
| 7/23/2007 20:35 | 1.35 | -11.78 |
| 7/23/2007 20:40 | 1.351 | -11.78 |
| 7/23/2007 20:45 | 1.35 | -11.78 |
| 7/23/2007 20:50 | 1.35 | -11.78 |
| 7/23/2007 20:55 | 1.35 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/23/2007 21:00 | 1.35 | -11.78 |
| 7/23/2007 21:05 | 1.349 | -11.78 |
| 7/23/2007 21:10 | 1.349 | -11.78 |
| 7/23/2007 21:15 | 1.349 | -11.78 |
| 7/23/2007 21:20 | 1.349 | -11.78 |
| 7/23/2007 21:25 | 1.349 | -11.78 |
| 7/23/2007 21:30 | 1.349 | -11.78 |
| 7/23/2007 21:35 | 1.348 | -11.78 |
| 7/23/2007 21:40 | 1.348 | -11.78 |
| 7/23/2007 21:45 | 1.348 | -11.78 |
| 7/23/2007 21:50 | 1.347 | -11.78 |
| 7/23/2007 21:55 | 1.347 | -11.78 |
| 7/23/2007 22:00 | 1.345 | -11.78 |
| 7/23/2007 22:05 | 1.344 | -11.78 |
| 7/23/2007 22:10 | 1.345 | -11.78 |
| 7/23/2007 22:15 | 1.345 | -11.78 |
| 7/23/2007 22:20 | 1.344 | -11.78 |
| 7/23/2007 22:25 | 1.344 | -11.78 |
| 7/23/2007 22:30 | 1.344 | -11.78 |
| 7/23/2007 22:35 | 1.343 | -11.78 |
| 7/23/2007 22:40 | 1.344 | -11.78 |
| 7/23/2007 22:45 | 1.344 | -11.78 |
| 7/23/2007 22:50 | 1.344 | -11.78 |
| 7/23/2007 22:55 | 1.344 | -11.78 |
| 7/23/2007 23:00 | 1.344 | -11.78 |
| 7/23/2007 23:05 | 1.344 | -11.78 |
| 7/23/2007 23:10 | 1.343 | -11.78 |
| 7/23/2007 23:15 | 1.343 | -11.78 |
| 7/23/2007 23:20 | 1.342 | -11.78 |
| 7/23/2007 23:25 | 1.342 | -11.78 |
| 7/23/2007 23:30 | 1.342 | -11.78 |
| 7/23/2007 23:35 | 1.342 | -11.78 |
| 7/23/2007 23:40 | 1.342 | -11.78 |
| 7/23/2007 23:45 | 1.342 | -11.78 |
| 7/23/2007 23:50 | 1.341 | -11.78 |
| 7/23/2007 23:55 | 1.341 | -11.78 |
| 7/24/2007 0:00 | 1.342 | -11.78 |
| 7/24/2007 0:05 | 1.341 | -11.78 |
| 7/24/2007 0:10 | 1.342 | -11.78 |
| 7/24/2007 0:15 | 1.342 | -11.78 |
| 7/24/2007 0:20 | 1.341 | -11.78 |
| 7/24/2007 0:25 | 1.341 | -11.78 |
| 7/24/2007 0:30 | 1.341 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 0:35 | 1.34 | -11.78 |
| 7/24/2007 0:40 | 1.341 | -11.78 |
| 7/24/2007 0:45 | 1.34 | -11.78 |
| 7/24/2007 0:50 | 1.341 | -11.78 |
| 7/24/2007 0:55 | 1.341 | -11.78 |
| 7/24/2007 1:00 | 1.34 | -11.78 |
| 7/24/2007 1:05 | 1.34 | -11.78 |
| 7/24/2007 1:10 | 1.34 | -11.78 |
| 7/24/2007 1:15 | 1.339 | -11.78 |
| 7/24/2007 1:20 | 1.339 | -11.78 |
| 7/24/2007 1:25 | 1.339 | -11.78 |
| 7/24/2007 1:30 | 1.339 | -11.78 |
| 7/24/2007 1:35 | 1.339 | -11.78 |
| 7/24/2007 1:40 | 1.339 | -11.78 |
| 7/24/2007 1:45 | 1.338 | -11.78 |
| 7/24/2007 1:50 | 1.339 | -11.78 |
| 7/24/2007 1:55 | 1.339 | -11.78 |
| 7/24/2007 2:00 | 1.339 | -11.78 |
| 7/24/2007 2:05 | 1.339 | -11.78 |
| 7/24/2007 2:10 | 1.34 | -11.78 |
| 7/24/2007 2:15 | 1.339 | -11.78 |
| 7/24/2007 2:20 | 1.339 | -11.78 |
| 7/24/2007 2:25 | 1.339 | -11.78 |
| 7/24/2007 2:30 | 1.339 | -11.78 |
| 7/24/2007 2:35 | 1.339 | -11.78 |
| 7/24/2007 2:40 | 1.338 | -11.78 |
| 7/24/2007 2:45 | 1.338 | -11.78 |
| 7/24/2007 2:50 | 1.333 | -11.78 |
| 7/24/2007 2:55 | 1.334 | -11.78 |
| 7/24/2007 3:00 | 1.329 | -11.78 |
| 7/24/2007 3:05 | 1.332 | -11.78 |
| 7/24/2007 3:10 | 1.333 | -11.78 |
| 7/24/2007 3:15 | 1.334 | -11.78 |
| 7/24/2007 3:20 | 1.334 | -11.78 |
| 7/24/2007 3:25 | 1.335 | -11.78 |
| 7/24/2007 3:30 | 1.335 | -11.78 |
| 7/24/2007 3:35 | 1.336 | -11.78 |
| 7/24/2007 3:40 | 1.336 | -11.78 |
| 7/24/2007 3:45 | 1.336 | -11.78 |
| 7/24/2007 3:50 | 1.337 | -11.78 |
| 7/24/2007 3:55 | 1.336 | -11.78 |
| 7/24/2007 4:00 | 1.336 | -11.78 |
| 7/24/2007 4:05 | 1.336 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 4:10 | 1.336 | -11.78 |
| 7/24/2007 4:15 | 1.335 | -11.78 |
| 7/24/2007 4:20 | 1.336 | -11.78 |
| 7/24/2007 4:25 | 1.336 | -11.78 |
| 7/24/2007 4:30 | 1.337 | -11.78 |
| 7/24/2007 4:35 | 1.336 | -11.78 |
| 7/24/2007 4:40 | 1.336 | -11.78 |
| 7/24/2007 4:45 | 1.335 | -11.78 |
| 7/24/2007 4:50 | 1.335 | -11.78 |
| 7/24/2007 4:55 | 1.335 | -11.78 |
| 7/24/2007 5:00 | 1.335 | -11.78 |
| 7/24/2007 5:05 | 1.335 | -11.78 |
| 7/24/2007 5:10 | 1.334 | -11.78 |
| 7/24/2007 5:15 | 1.335 | -11.78 |
| 7/24/2007 5:20 | 1.337 | -11.78 |
| 7/24/2007 5:25 | 1.336 | -11.78 |
| 7/24/2007 5:30 | 1.336 | -11.78 |
| 7/24/2007 5:35 | 1.335 | -11.78 |
| 7/24/2007 5:40 | 1.335 | -11.78 |
| 7/24/2007 5:45 | 1.333 | -11.78 |
| 7/24/2007 5:50 | 1.333 | -11.78 |
| 7/24/2007 5:55 | 1.333 | -11.78 |
| 7/24/2007 6:00 | 1.331 | -11.78 |
| 7/24/2007 6:05 | 1.332 | -11.78 |
| 7/24/2007 6:10 | 1.331 | -11.78 |
| 7/24/2007 6:15 | 1.33 | -11.78 |
| 7/24/2007 6:20 | 1.327 | -11.78 |
| 7/24/2007 6:25 | 1.325 | -11.78 |
| 7/24/2007 6:30 | 1.325 | -11.78 |
| 7/24/2007 6:35 | 1.325 | -11.78 |
| 7/24/2007 6:40 | 1.325 | -11.78 |
| 7/24/2007 6:45 | 1.324 | -11.78 |
| 7/24/2007 6:50 | 1.324 | -11.78 |
| 7/24/2007 6:55 | 1.324 | -11.78 |
| 7/24/2007 7:00 | 1.324 | -11.78 |
| 7/24/2007 7:05 | 1.323 | -11.78 |
| 7/24/2007 7:10 | 1.324 | -11.78 |
| 7/24/2007 7:15 | 1.324 | -11.78 |
| 7/24/2007 7:20 | 1.323 | -11.78 |
| 7/24/2007 7:25 | 1.323 | -11.78 |
| 7/24/2007 7:30 | 1.323 | -11.78 |
| 7/24/2007 7:35 | 1.324 | -11.78 |
| 7/24/2007 7:40 | 1.325 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 7:45 | 1.324 | -11.78 |
| 7/24/2007 7:50 | 1.324 | -11.78 |
| 7/24/2007 7:55 | 1.324 | -11.78 |
| 7/24/2007 8:00 | 1.324 | -11.78 |
| 7/24/2007 8:05 | 1.324 | -11.78 |
| 7/24/2007 8:10 | 1.324 | -11.78 |
| 7/24/2007 8:15 | 1.324 | -11.78 |
| 7/24/2007 8:20 | 1.324 | -11.78 |
| 7/24/2007 8:25 | 1.324 | -11.78 |
| 7/24/2007 8:30 | 1.324 | -11.78 |
| 7/24/2007 8:35 | 1.324 | -11.78 |
| 7/24/2007 8:40 | 1.323 | -11.78 |
| 7/24/2007 8:45 | 1.324 | -11.78 |
| 7/24/2007 8:50 | 1.323 | -11.78 |
| 7/24/2007 8:55 | 1.323 | -11.78 |
| 7/24/2007 9:00 | 1.324 | -11.78 |
| 7/24/2007 9:05 | 1.323 | -11.78 |
| 7/24/2007 9:10 | 1.323 | -11.78 |
| 7/24/2007 9:15 | 1.324 | -11.78 |
| 7/24/2007 9:20 | 1.323 | -11.78 |
| 7/24/2007 9:25 | 1.323 | -11.78 |
| 7/24/2007 9:30 | 1.323 | -11.78 |
| 7/24/2007 9:35 | 1.322 | -11.78 |
| 7/24/2007 9:40 | 1.322 | -11.78 |
| 7/24/2007 9:45 | 1.323 | -11.78 |
| 7/24/2007 9:50 | 1.323 | -11.78 |
| 7/24/2007 9:55 | 1.323 | -11.78 |
| 7/24/2007 10:00 | 1.323 | -11.78 |
| 7/24/2007 10:05 | 1.323 | -11.78 |
| 7/24/2007 10:10 | 1.322 | -11.78 |
| 7/24/2007 10:15 | 1.323 | -11.78 |
| 7/24/2007 10:20 | 1.322 | -11.78 |
| 7/24/2007 10:25 | 1.323 | -11.78 |
| 7/24/2007 10:30 | 1.322 | -11.78 |
| 7/24/2007 10:35 | 1.323 | -11.78 |
| 7/24/2007 10:40 | 1.322 | -11.78 |
| 7/24/2007 10:45 | 1.322 | -11.78 |
| 7/24/2007 10:50 | 1.322 | -11.78 |
| 7/24/2007 10:55 | 1.322 | -11.78 |
| 7/24/2007 11:00 | 1.323 | -11.78 |
| 7/24/2007 11:05 | 1.321 | -11.78 |
| 7/24/2007 11:10 | 1.322 | -11.78 |
| 7/24/2007 11:15 | 1.322 | -11.78 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 11:20 | 1.322 | -11.78 |
| 7/24/2007 11:25 | 1.322 | -11.78 |
| 7/24/2007 11:30 | 1.322 | -11.78 |
| 7/24/2007 11:35 | 1.321 | -11.78 |
| 7/24/2007 11:40 | 1.322 | -11.78 |
| 7/24/2007 11:45 | 1.318 | 9.74 |
| 7/24/2007 11:50 | 1.321 | 9.74 |
| 7/24/2007 11:55 | 1.322 | 9.74 |
| 7/24/2007 12:00 | 1.322 | 9.74 |
| 7/24/2007 12:05 | 1.32 | 9.74 |
| 7/24/2007 12:10 | 1.321 | 9.74 |
| 7/24/2007 12:15 | 1.32 | 9.74 |
| 7/24/2007 12:20 | 1.32 | 9.74 |
| 7/24/2007 12:25 | 1.319 | 9.74 |
| 7/24/2007 12:30 | 1.311 | 9.74 |
| 7/24/2007 12:35 | 1.361 | -15.28 |
| 7/24/2007 12:40 | 1.365 | -15.28 |
| 7/24/2007 12:45 | 1.358 | -15.28 |
| 7/24/2007 12:50 | 1.362 | -15.28 |
| 7/24/2007 12:55 | 1.352 | -15.28 |
| 7/24/2007 13:00 | 1.345 | -15.28 |
| 7/24/2007 13:05 | 1.34 | -15.28 |
| 7/24/2007 13:10 | 1.337 | -15.28 |
| 7/24/2007 13:15 | 1.335 | -15.28 |
| 7/24/2007 13:20 | 1.334 | -15.28 |
| 7/24/2007 13:25 | 1.333 | -15.28 |
| 7/24/2007 13:30 | 1.332 | -15.28 |
| 7/24/2007 13:35 | 1.33 | -15.28 |
| 7/24/2007 13:40 | 1.329 | -15.28 |
| 7/24/2007 13:45 | 1.328 | -15.28 |
| 7/24/2007 13:50 | 1.328 | -15.28 |
| 7/24/2007 13:55 | 1.328 | -15.28 |
| 7/24/2007 14:00 | 1.326 | -15.28 |
| 7/24/2007 14:05 | 1.327 | 8.42 |
| 7/24/2007 14:10 | 1.327 | 9.22 |
| 7/24/2007 14:15 | 1.326 | 8.62 |
| 7/24/2007 14:20 | 1.325 | 7.55 |
| 7/24/2007 14:25 | 1.325 | 8.18 |
| 7/24/2007 14:30 | 1.324 | 8.6 |
| 7/24/2007 14:35 | 1.323 | 9.72 |
| 7/24/2007 14:40 | 1.323 | 8.25 |
| 7/24/2007 14:45 | 1.322 | 7.74 |
| 7/24/2007 14:50 | 1.322 | 7.74 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 14:55 | 1.322 | 7.93 |
| 7/24/2007 15:00 | 1.321 | 8.89 |
| 7/24/2007 15:05 | 1.321 | 8.17 |
| 7/24/2007 15:10 | 1.32 | 8.17 |
| 7/24/2007 15:15 | 1.319 | 8.07 |
| 7/24/2007 15:20 | 1.318 | 8.34 |
| 7/24/2007 15:25 | 1.318 | 7.46 |
| 7/24/2007 15:30 | 1.316 | 7.46 |
| 7/24/2007 15:35 | 1.316 | 8.94 |
| 7/24/2007 15:40 | 1.316 | 8.94 |
| 7/24/2007 15:45 | 1.315 | 8.94 |
| 7/24/2007 15:50 | 1.314 | 8.94 |
| 7/24/2007 15:55 | 1.314 | 10.16 |
| 7/24/2007 16:00 | 1.315 | 9.85 |
| 7/24/2007 16:05 | 1.315 | 9.85 |
| 7/24/2007 16:10 | 1.315 | 9.85 |
| 7/24/2007 16:15 | 1.316 | 8.98 |
| 7/24/2007 16:20 | 1.315 | 8.98 |
| 7/24/2007 16:25 | 1.314 | 8.98 |
| 7/24/2007 16:30 | 1.314 | 9.02 |
| 7/24/2007 16:35 | 1.315 | 9.9 |
| 7/24/2007 16:40 | 1.312 | 10.56 |
| 7/24/2007 16:45 | 1.313 | 11.16 |
| 7/24/2007 16:50 | 1.315 | 11.16 |
| 7/24/2007 16:55 | 1.313 | 8.97 |
| 7/24/2007 17:00 | 1.312 | 8.97 |
| 7/24/2007 17:05 | 1.312 | 8.97 |
| 7/24/2007 17:10 | 1.312 | -13.93 |
| 7/24/2007 17:15 | 1.311 | -14.27 |
| 7/24/2007 17:20 | 1.312 | -14.08 |
| 7/24/2007 17:25 | 1.311 | -13.38 |
| 7/24/2007 17:30 | 1.311 | -13.47 |
| 7/24/2007 17:35 | 1.311 | -12.26 |
| 7/24/2007 17:40 | 1.311 | -10.6 |
| 7/24/2007 17:45 | 1.31 | -10.6 |
| 7/24/2007 17:50 | 1.31 | -10.6 |
| 7/24/2007 17:55 | 1.31 | -10.6 |
| 7/24/2007 18:00 | 1.31 | -10.6 |
| 7/24/2007 18:05 | 1.31 | -10.6 |
| 7/24/2007 18:10 | 1.31 | -10.6 |
| 7/24/2007 18:15 | 1.31 | -10.6 |
| 7/24/2007 18:20 | 1.309 | -10.6 |
| 7/24/2007 18:25 | 1.309 | -10.6 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 18:30 | 1.309 | -10.6 |
| 7/24/2007 18:35 | 1.309 | -10.6 |
| 7/24/2007 18:40 | 1.309 | -10.6 |
| 7/24/2007 18:45 | 1.309 | -10.6 |
| 7/24/2007 18:50 | 1.309 | -10.6 |
| 7/24/2007 18:55 | 1.309 | -10.6 |
| 7/24/2007 19:00 | 1.309 | -10.6 |
| 7/24/2007 19:05 | 1.309 | -10.6 |
| 7/24/2007 19:10 | 1.309 | -10.6 |
| 7/24/2007 19:15 | 1.309 | -10.6 |
| 7/24/2007 19:20 | 1.309 | -10.6 |
| 7/24/2007 19:25 | 1.309 | -10.6 |
| 7/24/2007 19:30 | 1.308 | -10.6 |
| 7/24/2007 19:35 | 1.308 | -10.6 |
| 7/24/2007 19:40 | 1.308 | -10.6 |
| 7/24/2007 19:45 | 1.308 | -10.6 |
| 7/24/2007 19:50 | 1.307 | -10.6 |
| 7/24/2007 19:55 | 1.307 | -10.6 |
| 7/24/2007 20:00 | 1.307 | -10.6 |
| 7/24/2007 20:05 | 1.307 | -10.6 |
| 7/24/2007 20:10 | 1.307 | -10.6 |
| 7/24/2007 20:15 | 1.307 | -10.6 |
| 7/24/2007 20:20 | 1.307 | -10.6 |
| 7/24/2007 20:25 | 1.307 | -10.6 |
| 7/24/2007 20:30 | 1.307 | -10.6 |
| 7/24/2007 20:35 | 1.306 | -10.6 |
| 7/24/2007 20:40 | 1.306 | -10.6 |
| 7/24/2007 20:45 | 1.306 | -10.6 |
| 7/24/2007 20:50 | 1.306 | -10.6 |
| 7/24/2007 20:55 | 1.306 | -10.6 |
| 7/24/2007 21:00 | 1.305 | -10.6 |
| 7/24/2007 21:05 | 1.305 | -10.6 |
| 7/24/2007 21:10 | 1.305 | -10.6 |
| 7/24/2007 21:15 | 1.305 | -10.6 |
| 7/24/2007 21:20 | 1.305 | -10.6 |
| 7/24/2007 21:25 | 1.306 | -10.6 |
| 7/24/2007 21:30 | 1.305 | -10.6 |
| 7/24/2007 21:35 | 1.305 | -10.6 |
| 7/24/2007 21:40 | 1.305 | -10.6 |
| 7/24/2007 21:45 | 1.305 | -10.6 |
| 7/24/2007 21:50 | 1.309 | -10.6 |
| 7/24/2007 21:55 | 1.304 | -10.6 |
| 7/24/2007 22:00 | 1.304 | -10.6 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/24/2007 22:05 | 1.304 | -10.6 |
| 7/24/2007 22:10 | 1.304 | -10.6 |
| 7/24/2007 22:15 | 1.303 | -10.6 |
| 7/24/2007 22:20 | 1.303 | -10.6 |
| 7/24/2007 22:25 | 1.303 | -10.6 |
| 7/24/2007 22:30 | 1.303 | -10.6 |
| 7/24/2007 22:35 | 1.303 | -10.6 |
| 7/24/2007 22:40 | 1.303 | -10.6 |
| 7/24/2007 22:45 | 1.302 | -10.6 |
| 7/24/2007 22:50 | 1.302 | -10.6 |
| 7/24/2007 22:55 | 1.302 | -10.6 |
| 7/24/2007 23:00 | 1.301 | -10.6 |
| 7/24/2007 23:05 | 1.301 | -10.6 |
| 7/24/2007 23:10 | 1.303 | -10.6 |
| 7/24/2007 23:15 | 1.302 | -10.6 |
| 7/24/2007 23:20 | 1.301 | -10.6 |
| 7/24/2007 23:25 | 1.301 | -10.6 |
| 7/24/2007 23:30 | 1.301 | -10.6 |
| 7/24/2007 23:35 | 1.301 | -10.6 |
| 7/24/2007 23:40 | 1.3 | -10.6 |
| 7/24/2007 23:45 | 1.3 | -10.6 |
| 7/24/2007 23:50 | 1.3 | -10.6 |
| 7/24/2007 23:55 | 1.299 | -10.6 |
| 7/25/2007 0:00 | 1.3 | -10.6 |
| 7/25/2007 0:05 | 1.3 | -10.6 |
| 7/25/2007 0:10 | 1.3 | -10.6 |
| 7/25/2007 0:15 | 1.3 | -10.6 |
| 7/25/2007 0:20 | 1.3 | -10.6 |
| 7/25/2007 0:25 | 1.299 | -10.6 |
| 7/25/2007 0:30 | 1.299 | -10.6 |
| 7/25/2007 0:35 | 1.298 | -10.6 |
| 7/25/2007 0:40 | 1.299 | -10.6 |
| 7/25/2007 0:45 | 1.299 | -10.6 |
| 7/25/2007 0:50 | 1.299 | -10.6 |
| 7/25/2007 0:55 | 1.299 | -10.6 |
| 7/25/2007 1:00 | 1.299 | -10.6 |
| 7/25/2007 1:05 | 1.298 | -10.6 |
| 7/25/2007 1:10 | 1.298 | -10.6 |
| 7/25/2007 1:15 | 1.298 | -10.6 |
| 7/25/2007 1:20 | 1.298 | -10.6 |
| 7/25/2007 1:25 | 1.298 | -10.6 |
| 7/25/2007 1:30 | 1.298 | -10.6 |
| 7/25/2007 1:35 | 1.298 | -10.6 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

**UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 1:40 | 1.296 | -10.6 |
| 7/25/2007 1:45 | 1.297 | -10.6 |
| 7/25/2007 1:50 | 1.297 | -10.6 |
| 7/25/2007 1:55 | 1.296 | -10.6 |
| 7/25/2007 2:00 | 1.296 | -10.6 |
| 7/25/2007 2:05 | 1.296 | -10.6 |
| 7/25/2007 2:10 | 1.296 | -10.6 |
| 7/25/2007 2:15 | 1.296 | -10.6 |
| 7/25/2007 2:20 | 1.296 | -10.6 |
| 7/25/2007 2:25 | 1.295 | -10.6 |
| 7/25/2007 2:30 | 1.295 | -10.6 |
| 7/25/2007 2:35 | 1.295 | -10.6 |
| 7/25/2007 2:40 | 1.296 | -10.6 |
| 7/25/2007 2:45 | 1.296 | -10.6 |
| 7/25/2007 2:50 | 1.296 | -10.6 |
| 7/25/2007 2:55 | 1.295 | -10.6 |
| 7/25/2007 3:00 | 1.294 | -10.6 |
| 7/25/2007 3:05 | 1.293 | -10.6 |
| 7/25/2007 3:10 | 1.293 | -10.6 |
| 7/25/2007 3:15 | 1.293 | -10.6 |
| 7/25/2007 3:20 | 1.293 | -10.6 |
| 7/25/2007 3:25 | 1.292 | -10.6 |
| 7/25/2007 3:30 | 1.291 | -10.6 |
| 7/25/2007 3:35 | 1.291 | -10.6 |
| 7/25/2007 3:40 | 1.291 | -10.6 |
| 7/25/2007 3:45 | 1.29 | -10.6 |
| 7/25/2007 3:50 | 1.29 | -10.6 |
| 7/25/2007 3:55 | 1.289 | -10.6 |
| 7/25/2007 4:00 | 1.289 | -10.6 |
| 7/25/2007 4:05 | 1.289 | -10.6 |
| 7/25/2007 4:10 | 1.288 | -10.6 |
| 7/25/2007 4:15 | 1.288 | -10.6 |
| 7/25/2007 4:20 | 1.288 | -10.6 |
| 7/25/2007 4:25 | 1.288 | -10.6 |
| 7/25/2007 4:30 | 1.287 | -10.6 |
| 7/25/2007 4:35 | 1.287 | -10.6 |
| 7/25/2007 4:40 | 1.287 | -10.6 |
| 7/25/2007 4:45 | 1.287 | -10.6 |
| 7/25/2007 4:50 | 1.287 | -10.6 |
| 7/25/2007 4:55 | 1.287 | -10.6 |
| 7/25/2007 5:00 | 1.286 | -10.6 |
| 7/25/2007 5:05 | 1.287 | -10.6 |
| 7/25/2007 5:10 | 1.286 | -10.6 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 5:15 | 1.286 | -10.6 |
| 7/25/2007 5:20 | 1.285 | -10.6 |
| 7/25/2007 5:25 | 1.285 | -10.6 |
| 7/25/2007 5:30 | 1.285 | -10.6 |
| 7/25/2007 5:35 | 1.285 | -10.6 |
| 7/25/2007 5:40 | 1.284 | 8.76 |
| 7/25/2007 5:45 | 1.285 | 8.76 |
| 7/25/2007 5:50 | 1.283 | 8.76 |
| 7/25/2007 5:55 | 1.283 | 8.76 |
| 7/25/2007 6:00 | 1.283 | 7.69 |
| 7/25/2007 6:05 | 1.283 | 7.69 |
| 7/25/2007 6:10 | 1.283 | 7.69 |
| 7/25/2007 6:15 | 1.283 | 7.69 |
| 7/25/2007 6:20 | 1.283 | 7.69 |
| 7/25/2007 6:25 | 1.283 | 7.69 |
| 7/25/2007 6:30 | 1.283 | 7.69 |
| 7/25/2007 6:35 | 1.283 | 7.69 |
| 7/25/2007 6:40 | 1.283 | 7.69 |
| 7/25/2007 6:45 | 1.283 | 7.69 |
| 7/25/2007 6:50 | 1.282 | 7.69 |
| 7/25/2007 6:55 | 1.283 | 7.69 |
| 7/25/2007 7:00 | 1.282 | 7.69 |
| 7/25/2007 7:05 | 1.282 | 7.69 |
| 7/25/2007 7:10 | 1.282 | 7.69 |
| 7/25/2007 7:15 | 1.282 | 7.69 |
| 7/25/2007 7:20 | 1.281 | 7.69 |
| 7/25/2007 7:25 | 1.282 | 7.69 |
| 7/25/2007 7:30 | 1.282 | 7.69 |
| 7/25/2007 7:35 | 1.282 | 7.69 |
| 7/25/2007 7:40 | 1.281 | 7.69 |
| 7/25/2007 7:45 | 1.274 | 7.69 |
| 7/25/2007 7:50 | 1.275 | 7.69 |
| 7/25/2007 7:55 | 1.282 | 7.69 |
| 7/25/2007 8:00 | 1.281 | 7.69 |
| 7/25/2007 8:05 | 1.28 | 7.69 |
| 7/25/2007 8:10 | 1.28 | 7.69 |
| 7/25/2007 8:15 | 1.28 | 7.69 |
| 7/25/2007 8:20 | 1.28 | 7.69 |
| 7/25/2007 8:25 | 1.28 | 7.69 |
| 7/25/2007 8:30 | 1.28 | 7.69 |
| 7/25/2007 8:35 | 1.28 | 7.69 |
| 7/25/2007 8:40 | 1.281 | 7.69 |
| 7/25/2007 8:45 | 1.281 | 7.69 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 8:50 | 1.281 | 7.69 |
| 7/25/2007 8:55 | 1.281 | 7.69 |
| 7/25/2007 9:00 | 1.28 | 7.69 |
| 7/25/2007 9:05 | 1.28 | 7.69 |
| 7/25/2007 9:10 | 1.28 | 7.69 |
| 7/25/2007 9:15 | 1.28 | 7.69 |
| 7/25/2007 9:20 | 1.28 | 7.69 |
| 7/25/2007 9:25 | 1.281 | 7.69 |
| 7/25/2007 9:30 | 1.281 | 7.69 |
| 7/25/2007 9:35 | 1.28 | 7.69 |
| 7/25/2007 9:40 | 1.281 | 7.69 |
| 7/25/2007 9:45 | 1.281 | 7.69 |
| 7/25/2007 9:50 | 1.28 | 7.69 |
| 7/25/2007 9:55 | 1.28 | 7.69 |
| 7/25/2007 10:00 | 1.28 | 7.69 |
| 7/25/2007 10:05 | 1.279 | 7.69 |
| 7/25/2007 10:10 | 1.279 | 7.69 |
| 7/25/2007 10:15 | 1.279 | 7.69 |
| 7/25/2007 10:20 | 1.278 | 7.69 |
| 7/25/2007 10:25 | 1.278 | 7.69 |
| 7/25/2007 10:30 | 1.279 | 7.69 |
| 7/25/2007 10:35 | 1.278 | 7.69 |
| 7/25/2007 10:40 | 1.278 | 7.69 |
| 7/25/2007 10:45 | 1.277 | 7.69 |
| 7/25/2007 10:50 | 1.277 | 7.69 |
| 7/25/2007 10:55 | 1.277 | 7.69 |
| 7/25/2007 11:00 | 1.277 | 7.69 |
| 7/25/2007 11:05 | 1.276 | 7.69 |
| 7/25/2007 11:10 | 1.275 | 7.69 |
| 7/25/2007 11:15 | 1.275 | 7.69 |
| 7/25/2007 11:20 | 1.273 | 7.69 |
| 7/25/2007 11:25 | 1.274 | 7.69 |
| 7/25/2007 11:30 | 1.275 | 7.69 |
| 7/25/2007 11:35 | 1.275 | 7.69 |
| 7/25/2007 11:40 | 1.275 | 7.69 |
| 7/25/2007 11:45 | 1.274 | -15.36 |
| 7/25/2007 11:50 | 1.274 | -15.36 |
| 7/25/2007 11:55 | 1.274 | -15.36 |
| 7/25/2007 12:00 | 1.273 | -15.36 |
| 7/25/2007 12:05 | 1.273 | -15.36 |
| 7/25/2007 12:10 | 1.273 | -15.36 |
| 7/25/2007 12:15 | 1.272 | -15.36 |
| 7/25/2007 12:20 | 1.272 | -15.36 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 12:25 | 1.272 | -15.36 |
| 7/25/2007 12:30 | 1.271 | -15.36 |
| 7/25/2007 12:35 | 1.271 | -15.2 |
| 7/25/2007 12:40 | 1.271 | -15.2 |
| 7/25/2007 12:45 | 1.27 | -15.31 |
| 7/25/2007 12:50 | 1.271 | -15.57 |
| 7/25/2007 12:55 | 1.27 | -15.57 |
| 7/25/2007 13:00 | 1.269 | -14.73 |
| 7/25/2007 13:05 | 1.269 | -14.73 |
| 7/25/2007 13:10 | 1.269 | -14.73 |
| 7/25/2007 13:15 | 1.268 | -14.73 |
| 7/25/2007 13:20 | 1.268 | -14.73 |
| 7/25/2007 13:25 | 1.268 | 6.32 |
| 7/25/2007 13:30 | 1.267 | 6.32 |
| 7/25/2007 13:35 | 1.267 | 7.01 |
| 7/25/2007 13:40 | 1.266 | 6.33 |
| 7/25/2007 13:45 | 1.265 | 5.79 |
| 7/25/2007 13:50 | 1.264 | 5.79 |
| 7/25/2007 13:55 | 1.264 | 5.79 |
| 7/25/2007 14:00 | 1.263 | 5.79 |
| 7/25/2007 14:05 | 1.265 | 6.65 |
| 7/25/2007 14:10 | 1.264 | 6.65 |
| 7/25/2007 14:15 | 1.264 | 6.65 |
| 7/25/2007 14:20 | 1.263 | 7.73 |
| 7/25/2007 14:25 | 1.263 | 7.73 |
| 7/25/2007 14:30 | 1.263 | 7.73 |
| 7/25/2007 14:35 | 1.262 | 7.73 |
| 7/25/2007 14:40 | 1.262 | 7.73 |
| 7/25/2007 14:45 | 1.262 | 7.73 |
| 7/25/2007 14:50 | 1.262 | 7.73 |
| 7/25/2007 14:55 | 1.261 | 7.73 |
| 7/25/2007 15:00 | 1.26 | 7.73 |
| 7/25/2007 15:05 | 1.26 | 7.73 |
| 7/25/2007 15:10 | 1.26 | 7.73 |
| 7/25/2007 15:15 | 1.258 | 7.73 |
| 7/25/2007 15:20 | 1.259 | 7.73 |
| 7/25/2007 15:25 | 1.259 | 7.73 |
| 7/25/2007 15:30 | 1.258 | 7.73 |
| 7/25/2007 15:35 | 1.258 | 7.73 |
| 7/25/2007 15:40 | 1.257 | 7.73 |
| 7/25/2007 15:45 | 1.257 | 7.73 |
| 7/25/2007 15:50 | 1.257 | -13.97 |
| 7/25/2007 15:55 | 1.257 | -13.97 |

UNKAMET BROOK FLOW MONITORING DATA - APRIL THROUGH JUNE 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 7/25/2007 16:00 | 1.257 | -13.97 |
| 7/25/2007 16:05 | 1.256 | -14.66 |
| 7/25/2007 16:10 | 1.256 | -14.66 |
| 7/25/2007 16:15 | 1.257 | -14.8 |
| 7/25/2007 16:20 | 1.256 | -14.58 |
| 7/25/2007 16:25 | 1.255 | -14.16 |
| 7/25/2007 16:30 | 1.255 | -15.6 |
| 7/25/2007 16:35 | 1.255 | -15.06 |
| 7/25/2007 16:40 | 1.254 | -14.8 |
| 7/25/2007 16:45 | 1.255 | -15.12 |
| 7/25/2007 16:50 | 1.255 | -15.63 |
| 7/25/2007 16:55 | 1.255 | -15.63 |
| 7/25/2007 17:00 | 1.255 | -15.63 |
| 7/25/2007 17:05 | 1.255 | -15.63 |
| 7/25/2007 17:10 | 1.255 | -15.63 |
| 7/25/2007 17:15 | 1.255 | -15.63 |
| 7/25/2007 17:20 | 1.255 | -15.43 |
| 7/25/2007 17:35 | 2.2 | 7.29 |

**ITEM 8
FORMER OXBOW AREAS A & C
(GEC410)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

Sent notification letters to encumbrance holders on properties where Conditional Solutions have been implemented (July 17, 2007).

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

Submitted report on the May 2007 inspection of backfilled/restored areas (July 11, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

Prepare and submit draft Final Completion Report.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**ITEM 9
LYMAN STREET AREA
(GEC430)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

- Continued performance of remediation activities at properties east of Lyman Street.
- Conducted air monitoring for particulates and PCBs, as identified in Table 9-1.
- Sent notification letters to encumbrance holders on properties west of Lyman Street where Conditional Solutions have been implemented (July 17, 2007).

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

- Submitted information on construction of infiltration area for properties east of Lyman Street (July 11, 2007).
- Submitted report on the May 2007 inspection of backfilled/restored areas west of Lyman Street (July 11, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

Continue performance of remediation activities at properties east of Lyman Street.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

Received EPA approval of GE's July 11, 2007 submittal of information on construction of infiltration area for properties east of Lyman Street (July 12, 2007).

**TABLE 9-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**LYMAN STREET AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|------------------------|--------------------|---------------|-------------------------|--------------------|-----------------------------------|
| Ambient Air Particulate Matter Sampling | LY-2A | 7/2/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/2/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/2/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/2/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/3/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/3/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/3/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/3/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/5/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/5/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/5/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/5/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/6/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/6/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/6/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/6/2007 | Air | Berkshire Environmental | Particulate Matter | 7/9/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/9/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/9/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/9/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/9/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/10/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/10/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/10/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/10/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/11/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/11/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/11/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/11/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/12/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/12/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/12/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/12/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/13/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/13/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/13/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |

**TABLE 9-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**LYMAN STREET AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|------------------------|--------------------|---------------|-------------------------|--------------------|-----------------------------------|
| Ambient Air Particulate Matter Sampling | Background Location | 7/13/2007 | Air | Berkshire Environmental | Particulate Matter | 7/16/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/16/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/16/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/16/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/16/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/17/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/17/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/17/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/17/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/18/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/18/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/18/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/18/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/19/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/19/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/19/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/19/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/20/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/20/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/20/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/20/2007 | Air | Berkshire Environmental | Particulate Matter | 7/24/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/23/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/23/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/23/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/23/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/24/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/24/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/24/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/24/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/25/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/25/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/25/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/25/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/26/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/26/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |

**TABLE 9-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**LYMAN STREET AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|----------------------------------|--------------------|---------------|-------------------------|--------------------|-----------------------------------|
| Ambient Air Particulate Matter Sampling | LY-4 | 7/26/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/26/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/27/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/27/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/27/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/27/2007 | Air | Berkshire Environmental | Particulate Matter | 7/30/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/30/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/30/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/30/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/30/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | LY-2A | 7/31/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | LY-3 | 7/31/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | LY-4 | 7/31/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 7/31/2007 | Air | Berkshire Environmental | Particulate Matter | 8/1/2007 |
| PCB Ambient Air Sampling | Field Blank | 07/17 - 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | LY-2A | 07/17 - 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | LY-3 | 07/17 - 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | LY-3 (colocated) | 07/17 - 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | LY-4 | 07/17 - 07/18/07 | Air | NEA | PCB | 7/25/2007 |
| PCB Ambient Air Sampling | Background - East of Building 9B | 07/17 - 07/18/07 | Air | NEA | PCB | 7/25/2007 |

**TABLE 9-2
 AMBIENT AIR PCB DATA RECEIVED DURING JULY 2007**

**PCB AMBIENT AIR CONCENTRATIONS
 LYMAN STREET AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Event Period | Date Analytical Results Received by Berkshire Environmental Consultants, Inc. | Field Blank (µg/PUF) | LY-2A (µg/m3) | LY-3 (µg/m3) | LY-3 (colocated) (µg/m3) | LY-4 (µg/m3) | Background - East of Building 9B (µg/m3) |
|------------------------------|--|-----------------------------|----------------------|---------------------|---------------------------------|---------------------|---|
| 07/17 - 07/18/07 | 07/23/07 | ND (<0.10) | 0.0036 | 0.0046 | 0.0023 | 0.0049 | 0.0021 |
| Notification Level | | 0.05 | 0.05 | 0.05 | 0.05 | 0.05 | 0.05 |

Notes:

ND - Non-Detect

**TABLE 9-3
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING JULY 2007¹**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 LYMAN STREET PARKING LOT
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ² | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|------------------|---|--|----------------------------|----------------------------|
| 07/02/07 | LY-2A | 0.003* | 0.003** | 11:30 | WNW |
| | LY-3 | 0.001* | | 11:30 | |
| | LY-4 | 0.003* | | 11:30 | |
| 07/03/07 | LY-2A | 0.009* | 0.003** | 10:45 | WNW |
| | LY-3 | 0.005* | | 10:30 | |
| | LY-4 | 0.008* | | 10:30 | |
| 07/05/07 | LY-2A | 0.053* | 0.041** | 11:00 | Variable |
| | LY-3 | 0.034* | | 11:00 | |
| | LY-4 | 0.050* | | 11:00 | |
| 07/06/07 | LY-2A | 0.030* | 0.018** | 11:15 | Variable |
| | LY-3 | 0.019* | | 11:15 | |
| | LY-4 | 0.030* | | 11:00 | |
| 07/09/07 | LY-2A | 0.040* | 0.036** | 11:15 | SSW |
| | LY-3 | 0.027* | | 11:15 | |
| | LY-4 | 0.036* | | 11:30 | |
| 07/10/07 | LY-2A | 0.050* | 0.033** | 11:00 | SSW |
| | LY-3 | 0.030* | | 11:00 | |
| | LY-4 | 0.051* | | 11:30 | |
| 07/11/07 | LY-2A | 0.068* | 0.015** | 11:00 | SSW |
| | LY-3 | 0.050* | | 6:00 ³ | |
| | LY-4 | 0.063* | | 11:30 | |
| 07/12/07 | LY-2A | 0.003* | 0.002** | 11:00 | WNW |
| | LY-3 | 0.002* | | 11:00 | |
| | LY-4 | 0.003* | | 10:45 | |
| 07/13/07 | LY-2A | 0.011* | 0.008** | 11:00 | WSW, WNW |
| | LY-3 | 0.004* | | 11:00 | |
| | LY-4 | 0.008* | | 11:00 | |
| 07/16/07 | LY-2A | 0.008* | 0.003** | 11:00 | WNW |
| | LY-3 | 0.004* | | 11:00 | |
| | LY-4 | 0.001* | | 11:15 | |
| 07/17/07 | LY-2A | 0.012* | 0.008** | 10:45 | Variable |
| | LY-3 | 0.007* | | 10:45 | |
| | LY-4 | 0.013* | | 11:15 | |
| 07/18/07 | LY-2A | 0.062* | 0.033** | 11:00 | Variable |
| | LY-3 | 0.054* | | 11:15 | |
| | LY-4 | 0.056* | | 11:15 | |
| 07/19/07 | LY-2A | 0.042* | 0.022** | 10:45 | SSW |
| | LY-3 | 0.038* ⁴ | | 10:45 ⁵ | |
| | LY-4 | 0.037* | | 10:45 | |
| 07/20/07 | LY-2A | 0.010* | 0.002** | 11:00 | WNW |
| | LY-3 | 0.006* | | 11:00 | |
| | LY-4 | 0.008* | | 11:00 | |

**TABLE 9-3
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING JULY 2007¹**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 LYMAN STREET PARKING LOT
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ² | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|------------------|---|--|----------------------------|----------------------------|
| 07/23/07 | LY-2A | 0.011* | 0.013** | 11:00 | ENE |
| | LY-3 | 0.008* | | 11:00 | |
| | LY-4 | 0.011* | | 11:15 | |
| 07/24/07 | LY-2A | 0.003* | 0.002** | 11:30 | WSW |
| | LY-3 | 0.002* | | 11:30 | |
| | LY-4 | 0.003* | | 11:15 | |
| 07/25/07 | LY-2A | 0.027* | 0.014** | 11:15 | SSW |
| | LY-3 | 0.016* | | 11:15 | |
| | LY-4 | 0.024* | | 11:30 | |
| 07/26/07 | LY-2A | 0.023* | 0.012** | 10:45 | SSW |
| | LY-3 | 0.020* | | 10:30 | |
| | LY-4 | 0.027* | | 10:45 | |
| 07/27/07 | LY-2A | 0.036* | 0.026** | 10:45 | SSW |
| | LY-3 | 0.021* | | 10:45 | |
| | LY-4 | 0.032* | | 10:45 | |
| 07/30/07 | LY-2A | 0.031* | 0.010** | 11:00 | WNW |
| | LY-3 | 0.018* | | 11:00 | |
| | LY-4 | 0.029* | | 11:15 | |
| 07/31/07 | LY-2A | 0.017* | 0.007** | 10:15 | Variable |
| | LY-3 | 0.011* | | 10:15 | |
| | LY-4 | 0.016* | | 10:30 | |
| Notification Level | | 0.120 | | | |

Notes:

* Measured with DR-2000 or DR-4000.

** Measured with EBAM.

Background monitoring station is located east of Building 9B, between 9B and New York Avenue.

Predominant wind direction determined using hourly wind direction data from the Pittsfield Municipal Airport Weather Station.

¹ Monitoring was performed only on days when site activities occurred.

² The particulate monitors obtain real-time data. The sampling data were obtained by Berkshire Environmental Consultants, Inc. on the sampling date.

³ Sampling period was shortened due to instrument malfunction (dead battery).

⁴ Reading reflects average concentration manually recorded from the monitor at the end of the day. Unable to download data due to technician error.

⁵ Estimated time of operation. Unable to download data due to technician error.

**ITEM 10
NEWELL STREET AREA I
(GEC440)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

None

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

- Submitted report on the May 2007 inspections of engineered barriers and backfilled/restored areas (July 11, 2007).
- Submitted final executed EREs and related documents for GE-owned properties to EPA for formal approval and to MDEP for acceptance (July 18, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

None

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Draft Final Completion Report is under review by EPA.

f. Proposed/Approved Work Plan Modifications

None

**ITEM 11
NEWELL STREET AREA II
(GEC450)
JULY 2007**

* **All activities described below for this item were conducted pursuant to or in connection with the Consent Decree.**

a. Activities Undertaken/Completed

- Sent follow-up letters to owners of properties where Conditional Solutions have been implemented (July 13, 2007).
- Sent notification letters to encumbrance holders on properties where Conditional Solutions have been implemented (July 17, 2007).
- Note: Shipments of soil excavated from Parcel J9-23-8 to the Port Arthur disposal facility were completed in May 2007.

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

Submitted report on the May 2007 inspection of engineered barriers and backfilled/restored areas (July 11, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Submit report on June 2007 inspection of plantings and bluebird box installed as part of natural resource restoration/enhancement activities.
- Conduct second inspection of plantings installed as part of natural resource restoration/enhancement activities (late August 2007).
- Prepare draft EREs and associated survey plans for GE-owned properties.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Draft Final Completion Report is under review by EPA.

f. Proposed/Approved Work Plan Modifications

None

**ITEM 12
FORMER OXBOW AREAS J & K
(GECD420)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

Sent notification letters to encumbrance holders on properties where Conditional Solutions have been implemented (July 17, 2007).

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

- Submitted report on the May 2007 inspection of backfilled/restored areas (July 11, 2007).
- Submitted draft Final Completion Report to EPA for review (July 17, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

None

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**ITEM 13
HOUSATONIC RIVER AREA
UPPER ½ MILE REACH
(GECD800)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

- Reviewed results from May 2007 sampling of restored sediments.
- Selected Remediation Contractor for bank soil removal and armor stone placement activities to be performed in summer 2007 to address erosion issues.

b. Sampling/Test Results Received

See attached table and grain size analysis results from Geotechnics, Inc. from May 2007 sediment sampling.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Collect isolation layer samples at eight locations, as described in the 2006 Annual Monitoring Report.
- Initiate bank soil removal and armor stone placement activities to address erosion issues.
- Perform 2007 inspections of restored bank vegetation, armor stone, and aquatic habitat enhancement structures.
- Prepare summary report and evaluation on May 2007 restored sediment sampling.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

GE submitted a report evaluating the TOC content and effectiveness of the isolation layer on March 14, 2007. The Final Completion Report for the Upper ½-Mile Reach Removal Action will be submitted following EPA review and approval of that report.

f. Proposed/Approved Work Plan Modifications

None

**TABLE 13-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**


**HOUSATONIC RIVER - UPPER 1/2 MILE REACH
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Depth (feet) | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---------------------|------------------------|--------------------|---------------------|---------------|-------------------|-----------------|---------------------------------------|
| Sediment Sampling | RS-C10 | 5/25/07 | 0-3 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-C14 | 5/25/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-C17 | 5/25/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-C17 | 5/25/07 | 6-25 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-C26 | 5/24/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-C29 | 5/24/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-C31 | 5/24/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-C34 | 5/24/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-C4 | 5/25/07 | 0-7 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-N11 | 5/25/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-N11 | 5/25/07 | 6-10 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-N12 | 5/25/07 | 0-5 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-N27 | 5/24/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-N32 | 5/24/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-N32 | 5/24/07 | 6-9 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-N5 | 5/25/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-S19 | 5/25/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-S21 | 5/24/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-S23 | 5/24/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-S23 | 5/24/07 | 6-11 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-S25 | 5/24/07 | 0-4 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-S3 | 5/25/07 | 0-6 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |
| Sediment Sampling | RS-S36 | 5/24/07 | 0-5 | Sediment | Geotechnics, Inc. | Grain Size | 7/6/07 |

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-3 |
| Project No. | 2007-261-01 | Sample No. | RS-C10 |
| Lab ID | 2007-261-01-23 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------------------|--------------|------------|-------------|-------------|
| USCS Symbol | SP | D60 = | 5.1 | CC = | 0.7 |
| USCS Classification | POORLY GRADED SAND WITH GRAVEL | D30 = | 1.2 | CU = | 13.2 |
| | | D10 = | 0.4 | | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-3 |
| Project No. | 2007-261-01 | Sample No. | RS-C10 |
| Lab ID | 2007-261-01-23 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 637 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1116.40 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 1002.30 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 100.85 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 114.10 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 901.45 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 12.7 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 901.45 |
| Dry Weight - 3/4" Sample (gm) | 795.3 | Weight of minus #200 material (gm) | 11.42 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 890.03 |
| Dry Weight + 3/4" Sample (gm) | 94.73 | | |
| Total Dry Weight Sample (gm) | NA | | |

| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 26.90 | 2.98 | 2.98 | 97.02 | 97.02 |
| 3/4" | 19.0 | 67.83 | 7.52 | 10.51 | 89.49 | 89.49 |
| 1/2" | 12.50 | 73.93 | 8.20 | 18.71 | 81.29 | 81.29 |
| 3/8" | 9.50 | 68.57 | 7.61 | 26.32 | 73.68 | 73.68 |
| #4 | 4.75 | 137.70 | 15.28 | 41.59 | 58.41 | 58.41 |
| #10 | 2.00 | 152.14 | 16.88 | 58.47 | 41.53 | 41.53 |
| #20 | 0.850 | 162.50 | 18.03 | 76.50 | 23.50 | 23.50 |
| #40 | 0.425 | 112.78 | 12.51 | 89.01 | 10.99 | 10.99 |
| #60 | 0.250 | 49.02 | 5.44 | 94.44 | 5.56 | 5.56 |
| #140 | 0.106 | 32.71 | 3.63 | 98.07 | 1.93 | 1.93 |
| #200 | 0.075 | 5.95 | 0.66 | 98.73 | 1.27 | 1.27 |
| Pan | - | 11.42 | 1.27 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C14 |
| Lab ID | 2007-261-01-19 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 1.0 | CC = | 0.7 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.5 | CU = | 3.9 |
| | | D10 = | 0.3 | | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C14 |
| Lab ID | 2007-261-01-19 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 2343 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1195.40 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 994.50 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 98.68 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 200.90 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 895.82 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 22.4 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 895.82 |
| Dry Weight - 3/4" Sample (gm) | 887.1 | Weight of minus #200 material (gm) | 8.77 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 887.05 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 17.28 | 1.93 | 1.93 | 98.07 | 98.07 |
| 3/8" | 9.50 | 23.76 | 2.65 | 4.58 | 95.42 | 95.42 |
| #4 | 4.75 | 64.80 | 7.23 | 11.81 | 88.19 | 88.19 |
| #10 | 2.00 | 121.68 | 13.58 | 25.40 | 74.60 | 74.60 |
| #20 | 0.850 | 173.30 | 19.35 | 44.74 | 55.26 | 55.26 |
| #40 | 0.425 | 255.85 | 28.56 | 73.30 | 26.70 | 26.70 |
| #60 | 0.250 | 177.59 | 19.82 | 93.13 | 6.87 | 6.87 |
| #140 | 0.106 | 47.99 | 5.36 | 98.49 | 1.51 | 1.51 |
| #200 | 0.075 | 4.80 | 0.54 | 99.02 | 0.98 | 0.98 |
| Pan | - | 8.77 | 0.98 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C17 |
| Lab ID | 2007-261-01-17 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 0.9 | CC = | 1.0 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.4 | CU = | 5.1 |
| | | D10 = | 0.2 | | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C17 |
| Lab ID | 2007-261-01-17 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 641 | Tare No. | NA |
| Wgt.Tare + Wet Specimen (gm) | 1218.70 | Wgt.Tare + Wet Specimen (gm) | NA |
| Wgt.Tare + Dry Specimen (gm) | 989.00 | Wgt.Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 98.17 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 229.70 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 890.83 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 25.8 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 890.83 |
| Dry Weight - 3/4" Sample (gm) | 876.5 | Weight of minus #200 material (gm) | 14.30 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 876.53 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt.of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|---------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 2.38 | 0.27 | 0.27 | 99.73 | 99.73 |
| 3/8" | 9.50 | 7.32 | 0.82 | 1.09 | 98.91 | 98.91 |
| #4 | 4.75 | 22.18 | 2.49 | 3.58 | 96.42 | 96.42 |
| #10 | 2.00 | 100.53 | 11.28 | 14.86 | 85.14 | 85.14 |
| #20 | 0.850 | 226.00 | 25.37 | 40.23 | 59.77 | 59.77 |
| #40 | 0.425 | 222.02 | 24.92 | 65.16 | 34.84 | 34.84 |
| #60 | 0.250 | 168.70 | 18.94 | 84.09 | 15.91 | 15.91 |
| #140 | 0.106 | 115.40 | 12.95 | 97.05 | 2.95 | 2.95 |
| #200 | 0.075 | 12.00 | 1.35 | 98.39 | 1.61 | 1.61 |
| Pan | - | 14.30 | 1.61 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 6-25 |
| Project No. | 2007-261-01 | Sample No. | RS-C17 |
| Lab ID | 2007-261-01-18 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|-------------------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP-SM | D60 = | 0.2 | CC = | 1.1 |
| USCS Classification | POORLY GRADED SAND WITH SILT | D30 = | 0.1 | CU = | 2.9 |
| | | D10 = | 0.1 | | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 6-25 |
| Project No. | 2007-261-01 | Sample No. | RS-C17 |
| Lab ID | 2007-261-01-18 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 687 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1067.20 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 829.20 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 97.89 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 238.00 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 731.31 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 32.5 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 731.31 |
| Dry Weight - 3/4" Sample (gm) | 660.4 | Weight of minus #200 material (gm) | 70.87 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 660.44 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 4.19 | 0.57 | 0.57 | 99.43 | 99.43 |
| 3/8" | 9.50 | 2.16 | 0.30 | 0.87 | 99.13 | 99.13 |
| #4 | 4.75 | 14.73 | 2.01 | 2.88 | 97.12 | 97.12 |
| #10 | 2.00 | 19.54 | 2.67 | 5.55 | 94.45 | 94.45 |
| #20 | 0.850 | 20.40 | 2.79 | 8.34 | 91.66 | 91.66 |
| #40 | 0.425 | 43.29 | 5.92 | 14.26 | 85.74 | 85.74 |
| #60 | 0.250 | 125.96 | 17.22 | 31.49 | 68.51 | 68.51 |
| #140 | 0.106 | 378.17 | 51.71 | 83.20 | 16.80 | 16.80 |
| #200 | 0.075 | 52.00 | 7.11 | 90.31 | 9.69 | 9.69 |
| Pan | - | 70.87 | 9.69 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C26 |
| Lab ID | 2007-261-01-08 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 1.0 | CC = | 0.8 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.4 | CU = | 6.1 |
| | | D10 = | 0.2 | | |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C26 |
| Lab ID | 2007-261-01-08 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 951 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 973.50 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 747.60 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 102.50 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 225.90 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 645.10 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 35.0 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 645.10 |
| Dry Weight - 3/4" Sample (gm) | 621.9 | Weight of minus #200 material (gm) | 23.23 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 621.87 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 15.22 | 2.36 | 2.36 | 97.64 | 97.64 |
| 3/8" | 9.50 | 13.32 | 2.06 | 4.42 | 95.58 | 95.58 |
| #4 | 4.75 | 50.39 | 7.81 | 12.24 | 87.76 | 87.76 |
| #10 | 2.00 | 76.88 | 11.92 | 24.15 | 75.85 | 75.85 |
| #20 | 0.850 | 126.43 | 19.60 | 43.75 | 56.25 | 56.25 |
| #40 | 0.425 | 138.70 | 21.50 | 65.25 | 34.75 | 34.75 |
| #60 | 0.250 | 128.01 | 19.84 | 85.10 | 14.90 | 14.90 |
| #140 | 0.106 | 65.30 | 10.12 | 95.22 | 4.78 | 4.78 |
| #200 | 0.075 | 7.62 | 1.18 | 96.40 | 3.60 | 3.60 |
| Pan | - | 23.23 | 3.60 | 100.00 | - | - |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C29 |
| Lab ID | 2007-261-01-06 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 1.5 | CC = | 0.8 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.7 | CU = | 3.5 |
| | | D10 = | 0.4 | | |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C29 |
| Lab ID | 2007-261-01-06 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 968 | Tare No. | NA |
| Wgt.Tare + Wet Specimen (gm) | 1211.90 | Wgt.Tare + Wet Specimen (gm) | NA |
| Wgt.Tare + Dry Specimen (gm) | 1007.90 | Wgt.Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 103.10 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 204.00 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 904.80 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 22.5 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 904.80 |
| Dry Weight - 3/4" Sample (gm) | 900.6 | Weight of minus #200 material (gm) | 4.19 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 900.61 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt.of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|---------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 0.94 | 0.10 | 0.10 | 99.90 | 99.90 |
| 3/8" | 9.50 | 0.88 | 0.10 | 0.20 | 99.80 | 99.80 |
| #4 | 4.75 | 33.29 | 3.68 | 3.88 | 96.12 | 96.12 |
| #10 | 2.00 | 222.39 | 24.58 | 28.46 | 71.54 | 71.54 |
| #20 | 0.850 | 321.00 | 35.48 | 63.94 | 36.06 | 36.06 |
| #40 | 0.425 | 245.90 | 27.18 | 91.11 | 8.89 | 8.89 |
| #60 | 0.250 | 56.87 | 6.29 | 97.40 | 2.60 | 2.60 |
| #140 | 0.106 | 17.66 | 1.95 | 99.35 | 0.65 | 0.65 |
| #200 | 0.075 | 1.68 | 0.19 | 99.54 | 0.46 | 0.46 |
| Pan | - | 4.19 | 0.46 | 100.00 | - | - |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C31 |
| Lab ID | 2007-261-01-05 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 1.4 | CC = | 0.8 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.7 | CU = | 3.3 |
| | | D10 = | 0.4 | | |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C31 |
| Lab ID | 2007-261-01-05 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 2338 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 919.50 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 774.50 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 97.68 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 145.00 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 676.82 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 21.4 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 676.82 |
| Dry Weight - 3/4" Sample (gm) | 673.9 | Weight of minus #200 material (gm) | 2.95 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 673.87 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 2.85 | 0.42 | 0.42 | 99.58 | 99.58 |
| 3/8" | 9.50 | 1.97 | 0.29 | 0.71 | 99.29 | 99.29 |
| #4 | 4.75 | 20.63 | 3.05 | 3.76 | 96.24 | 96.24 |
| #10 | 2.00 | 144.39 | 21.33 | 25.09 | 74.91 | 74.91 |
| #20 | 0.850 | 250.00 | 36.94 | 62.03 | 37.97 | 37.97 |
| #40 | 0.425 | 191.80 | 28.34 | 90.37 | 9.63 | 9.63 |
| #60 | 0.250 | 51.32 | 7.58 | 97.95 | 2.05 | 2.05 |
| #140 | 0.106 | 10.15 | 1.50 | 99.45 | 0.55 | 0.55 |
| #200 | 0.075 | 0.76 | 0.11 | 99.56 | 0.44 | 0.44 |
| Pan | - | 2.95 | 0.44 | 100.00 | - | - |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C34 |
| Lab ID | 2007-261-01-02 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 1.2 | CC = | 0.9 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.5 | CU = | 5.8 |
| | | D10 = | 0.2 | | |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-C34 |
| Lab ID | 2007-261-01-02 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 706 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 914.20 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 789.40 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 102.10 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 124.80 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 687.30 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 18.2 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight - 3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 687.30 |
| Dry Weight - 3/4" Sample (gm) | 677.6 | Weight of minus #200 material (gm) | 9.70 |
| Wet Weight + 3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 677.60 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |

| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 3.95 | 0.57 | 0.57 | 99.43 | 99.43 |
| 3/8" | 9.50 | 3.23 | 0.47 | 1.04 | 98.96 | 98.96 |
| #4 | 4.75 | 30.06 | 4.37 | 5.42 | 94.58 | 94.58 |
| #10 | 2.00 | 147.91 | 21.52 | 26.94 | 73.06 | 73.06 |
| #20 | 0.850 | 160.60 | 23.37 | 50.31 | 49.69 | 49.69 |
| #40 | 0.425 | 162.38 | 23.63 | 73.93 | 26.07 | 26.07 |
| #60 | 0.250 | 98.87 | 14.39 | 88.32 | 11.68 | 11.68 |
| #140 | 0.106 | 63.80 | 9.28 | 97.60 | 2.40 | 2.40 |
| #200 | 0.075 | 6.80 | 0.99 | 98.59 | 1.41 | 1.41 |
| Pan | - | 9.70 | 1.41 | 100.00 | - | - |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|----------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-7 |
| Project No. | 2007-261-01 | Sample No. | RS-C4 |
| Lab ID | 2007-261-01-14 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



USCS Symbol **SP** **D60 = 3.3** **CC = 0.5**
USCS Classification **POORLY GRADED SAND WITH GRAVEL** **D30 = 0.8** **CU = 9.4**
D10 = 0.4

Tested By PC Date 7/3/2007 Checked By Date

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-7 |
| Project No. | 2007-261-01 | Sample No. | RS-C4 |
| Lab ID | 2007-261-01-14 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 1682 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1110.30 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 952.00 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 100.97 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 158.30 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 851.03 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 18.6 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 851.03 |
| Dry Weight - 3/4" Sample (gm) | 841.5 | Weight of minus #200 material (gm) | 9.55 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 841.48 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |

| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 86.25 | 10.13 | 10.13 | 89.87 | 89.87 |
| 3/8" | 9.50 | 46.58 | 5.47 | 15.61 | 84.39 | 84.39 |
| #4 | 4.75 | 135.69 | 15.94 | 31.55 | 68.45 | 68.45 |
| #10 | 2.00 | 173.70 | 20.41 | 51.96 | 48.04 | 48.04 |
| #20 | 0.850 | 133.73 | 15.71 | 67.68 | 32.32 | 32.32 |
| #40 | 0.425 | 163.10 | 19.17 | 86.84 | 13.16 | 13.16 |
| #60 | 0.250 | 75.70 | 8.90 | 95.74 | 4.26 | 4.26 |
| #140 | 0.106 | 23.05 | 2.71 | 98.45 | 1.55 | 1.55 |
| #200 | 0.075 | 3.68 | 0.43 | 98.88 | 1.12 | 1.12 |
| Pan | - | 9.55 | 1.12 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-N11 |
| Lab ID | 2007-261-01-21 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 1.7 | CC = | 0.7 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.6 | CU = | 5.9 |
| | | D10 = | 0.3 | | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-N11 |
| Lab ID | 2007-261-01-21 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 640 | Tare No. | NA |
| Wgt.Tare + Wet Specimen (gm) | 1121.40 | Wgt.Tare + Wet Specimen (gm) | NA |
| Wgt.Tare + Dry Specimen (gm) | 948.70 | Wgt.Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 97.56 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 172.70 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 851.14 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 20.3 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 851.14 |
| Dry Weight - 3/4" Sample (gm) | 836.6 | Weight of minus #200 material (gm) | 14.53 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 836.61 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt.of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|---------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 5.39 | 0.63 | 0.63 | 99.37 | 99.37 |
| 3/8" | 9.50 | 14.57 | 1.71 | 2.35 | 97.65 | 97.65 |
| #4 | 4.75 | 84.36 | 9.91 | 12.26 | 87.74 | 87.74 |
| #10 | 2.00 | 192.60 | 22.63 | 34.88 | 65.12 | 65.12 |
| #20 | 0.850 | 195.40 | 22.96 | 57.84 | 42.16 | 42.16 |
| #40 | 0.425 | 173.27 | 20.36 | 78.20 | 21.80 | 21.80 |
| #60 | 0.250 | 127.37 | 14.96 | 93.16 | 6.84 | 6.84 |
| #140 | 0.106 | 39.75 | 4.67 | 97.83 | 2.17 | 2.17 |
| #200 | 0.075 | 3.90 | 0.46 | 98.29 | 1.71 | 1.71 |
| Pan | - | 14.53 | 1.71 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 6-10 |
| Project No. | 2007-261-01 | Sample No. | RS-N11 |
| Lab ID | 2007-261-01-22 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 2.1 | CC = | 0.6 |
| USCS Classification | POORLY GRADED SAND WITH GRAVEL | D30 = | 0.6 | CU = | 7.7 |
| | | D10 = | 0.3 | | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 6-10 |
| Project No. | 2007-261-01 | Sample No. | RS-N11 |
| Lab ID | 2007-261-01-22 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 674 | Tare No. | NA |
| Wgt.Tare + Wet Specimen (gm) | 701.20 | Wgt.Tare + Wet Specimen (gm) | NA |
| Wgt.Tare + Dry Specimen (gm) | 588.50 | Wgt.Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 99.40 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 112.70 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 489.10 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 23.0 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 489.10 |
| Dry Weight - 3/4" Sample (gm) | 442.3 | Weight of minus #200 material (gm) | 8.04 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 481.06 |
| Dry Weight + 3/4" Sample (gm) | 38.73 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt.of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|---------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 34.27 | 7.01 | 7.01 | 92.99 | 92.99 |
| 3/4" | 19.0 | 4.46 | 0.91 | 7.92 | 92.08 | 92.08 |
| 1/2" | 12.50 | 2.44 | 0.50 | 8.42 | 91.58 | 91.58 |
| 3/8" | 9.50 | 12.14 | 2.48 | 10.90 | 89.10 | 89.10 |
| #4 | 4.75 | 55.26 | 11.30 | 22.20 | 77.80 | 77.80 |
| #10 | 2.00 | 94.48 | 19.32 | 41.52 | 58.48 | 58.48 |
| #20 | 0.850 | 94.40 | 19.30 | 60.82 | 39.18 | 39.18 |
| #40 | 0.425 | 88.00 | 17.99 | 78.81 | 21.19 | 21.19 |
| #60 | 0.250 | 67.99 | 13.90 | 92.71 | 7.29 | 7.29 |
| #140 | 0.106 | 24.98 | 5.11 | 97.82 | 2.18 | 2.18 |
| #200 | 0.075 | 2.64 | 0.54 | 98.36 | 1.64 | 1.64 |
| Pan | - | 8.04 | 1.64 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-5 |
| Project No. | 2007-261-01 | Sample No. | RS-N12 |
| Lab ID | 2007-261-01-20 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 2.2 | CC = | 0.9 |
| USCS Classification | POORLY GRADED SAND WITH GRAVEL | D30 = | 0.9 | CU = | 5.7 |
| | | D10 = | 0.4 | | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-5 |
| Project No. | 2007-261-01 | Sample No. | RS-N12 |
| Lab ID | 2007-261-01-20 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 979 | Tare No. | NA |
| Wgt.Tare + Wet Specimen (gm) | 1228.20 | Wgt.Tare + Wet Specimen (gm) | NA |
| Wgt.Tare + Dry Specimen (gm) | 1033.60 | Wgt.Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 102.97 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 194.60 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 930.63 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 20.9 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 930.63 |
| Dry Weight - 3/4" Sample (gm) | 922.7 | Weight of minus #200 material (gm) | 7.95 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 922.68 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt.of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|---------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 8.40 | 0.90 | 0.90 | 99.10 | 99.10 |
| 3/8" | 9.50 | 34.15 | 3.67 | 4.57 | 95.43 | 95.43 |
| #4 | 4.75 | 103.08 | 11.08 | 15.65 | 84.35 | 84.35 |
| #10 | 2.00 | 247.60 | 26.61 | 42.25 | 57.75 | 57.75 |
| #20 | 0.850 | 261.93 | 28.15 | 70.40 | 29.60 | 29.60 |
| #40 | 0.425 | 170.10 | 18.28 | 88.68 | 11.32 | 11.32 |
| #60 | 0.250 | 59.54 | 6.40 | 95.08 | 4.92 | 4.92 |
| #140 | 0.106 | 33.36 | 3.58 | 98.66 | 1.34 | 1.34 |
| #200 | 0.075 | 4.52 | 0.49 | 99.15 | 0.85 | 0.85 |
| Pan | - | 7.95 | 0.85 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-N27 |
| Lab ID | 2007-261-01-07 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|-------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SW | D60 = | 2.5 | CC = | 1.2 |
| USCS Classification | WELL-GRADED SAND | D30 = | 1.1 | CU = | 6.2 |
| | | D10 = | 0.4 | | |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-N27 |
| Lab ID | 2007-261-01-07 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 502 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1224.90 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 1062.20 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 102.00 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 162.70 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 960.20 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 16.9 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 960.20 |
| Dry Weight - 3/4" Sample (gm) | 951.0 | Weight of minus #200 material (gm) | 9.18 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 951.02 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/8" | 9.50 | 1.63 | 0.17 | 0.17 | 99.83 | 99.83 |
| #4 | 4.75 | 76.44 | 7.96 | 8.13 | 91.87 | 91.87 |
| #10 | 2.00 | 407.90 | 42.48 | 50.61 | 49.39 | 49.39 |
| #20 | 0.850 | 253.96 | 26.45 | 77.06 | 22.94 | 22.94 |
| #40 | 0.425 | 117.50 | 12.24 | 89.30 | 10.70 | 10.70 |
| #60 | 0.250 | 55.79 | 5.81 | 95.11 | 4.89 | 4.89 |
| #140 | 0.106 | 33.29 | 3.47 | 98.57 | 1.43 | 1.43 |
| #200 | 0.075 | 4.51 | 0.47 | 99.04 | 0.96 | 0.96 |
| Pan | - | 9.18 | 0.96 | 100.00 | - | - |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

SIEVE ANALYSIS
ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-N32 |
| Lab ID | 2007-261-01-03 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 0.9 | CC = | 0.8 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.6 | CU = | 2.0 |
| | | D10 = | 0.5 | | |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-N32 |
| Lab ID | 2007-261-01-03 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 650 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1166.00 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 961.70 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 98.00 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 204.30 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 863.70 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 23.7 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 863.70 |
| Dry Weight - 3/4" Sample (gm) | 862.0 | Weight of minus #200 material (gm) | 1.75 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 861.95 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/8" | 9.50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| #4 | 4.75 | 0.41 | 0.05 | 0.05 | 99.95 | 99.95 |
| #10 | 2.00 | 21.75 | 2.52 | 2.57 | 97.43 | 97.43 |
| #20 | 0.850 | 362.90 | 42.02 | 44.58 | 55.42 | 55.42 |
| #40 | 0.425 | 453.70 | 52.53 | 97.11 | 2.89 | 2.89 |
| #60 | 0.250 | 17.65 | 2.04 | 99.16 | 0.84 | 0.84 |
| #140 | 0.106 | 4.80 | 0.56 | 99.71 | 0.29 | 0.29 |
| #200 | 0.075 | 0.74 | 0.09 | 99.80 | 0.20 | 0.20 |
| Pan | - | 1.75 | 0.20 | 100.00 | - | - |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

SIEVE ANALYSIS
ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 6-9 |
| Project No. | 2007-261-01 | Sample No. | RS-N32 |
| Lab ID | 2007-261-01-04 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 1.1 | CC = | 0.8 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.6 | CU = | 2.5 |
| | | D10 = | 0.4 | | |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 6-9 |
| Project No. | 2007-261-01 | Sample No. | RS-N32 |
| Lab ID | 2007-261-01-04 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 964 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 995.30 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 827.40 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 102.70 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 167.90 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 724.70 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 23.2 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 724.70 |
| Dry Weight - 3/4" Sample (gm) | 719.4 | Weight of minus #200 material (gm) | 5.30 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 719.40 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/8" | 9.50 | 0.54 | 0.07 | 0.07 | 99.93 | 99.93 |
| #4 | 4.75 | 20.74 | 2.86 | 2.94 | 97.06 | 97.06 |
| #10 | 2.00 | 57.38 | 7.92 | 10.85 | 89.15 | 89.15 |
| #20 | 0.850 | 313.90 | 43.31 | 54.17 | 45.83 | 45.83 |
| #40 | 0.425 | 280.63 | 38.72 | 92.89 | 7.11 | 7.11 |
| #60 | 0.250 | 23.10 | 3.19 | 96.08 | 3.92 | 3.92 |
| #140 | 0.106 | 20.12 | 2.78 | 98.86 | 1.14 | 1.14 |
| #200 | 0.075 | 2.99 | 0.41 | 99.27 | 0.73 | 0.73 |
| Pan | - | 5.30 | 0.73 | 100.00 | - | - |

Tested By PC Date 7/2/2007 Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-N5 |
| Lab ID | 2007-261-01-13 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 0.9 | CC = | 0.8 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.4 | CU = | 3.2 |
| | | D10 = | 0.3 | | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-N5 |
| Lab ID | 2007-261-01-13 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 1343 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1384.70 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 1128.50 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 97.34 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 256.20 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 1031.16 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 24.8 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|--------|------------------------------------|---------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 1031.16 |
| Dry Weight - 3/4" Sample (gm) | 1019.1 | Weight of minus #200 material (gm) | 12.05 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 1019.11 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 3.69 | 0.36 | 0.36 | 99.64 | 99.64 |
| 3/8" | 9.50 | 23.42 | 2.27 | 2.63 | 97.37 | 97.37 |
| #4 | 4.75 | 58.78 | 5.70 | 8.33 | 91.67 | 91.67 |
| #10 | 2.00 | 115.82 | 11.23 | 19.56 | 80.44 | 80.44 |
| #20 | 0.850 | 212.36 | 20.59 | 40.16 | 59.84 | 59.84 |
| #40 | 0.425 | 322.10 | 31.24 | 71.39 | 28.61 | 28.61 |
| #60 | 0.250 | 216.50 | 21.00 | 92.39 | 7.61 | 7.61 |
| #140 | 0.106 | 61.29 | 5.94 | 98.33 | 1.67 | 1.67 |
| #200 | 0.075 | 5.15 | 0.50 | 98.83 | 1.17 | 1.17 |
| Pan | - | 12.05 | 1.17 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-S19 |
| Lab ID | 2007-261-01-16 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



USCS Symbol **SP** **D60 = 3.9** **CC = 1.2**
USCS Classification **POORLY GRADED SAND WITH GRAVEL** **D30 = 2.5** **CU = 3.0**
D10 = 1.3

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-S19 |
| Lab ID | 2007-261-01-16 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|------------|---|-----------|
| Tare No. | 2337 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1320.80 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 1223.70 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 98.48 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 97.10 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 1125.22 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 8.6 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|--------|------------------------------------|---------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 1125.22 |
| Dry Weight - 3/4" Sample (gm) | 1121.3 | Weight of minus #200 material (gm) | 3.97 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 1121.25 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 3.73 | 0.33 | 0.33 | 99.67 | 99.67 |
| 3/8" | 9.50 | 6.21 | 0.55 | 0.88 | 99.12 | 99.12 |
| #4 | 4.75 | 299.40 | 26.61 | 27.49 | 72.51 | 72.51 |
| #10 | 2.00 | 634.70 | 56.41 | 83.90 | 16.10 | 16.10 |
| #20 | 0.850 | 137.78 | 12.24 | 96.14 | 3.86 | 3.86 |
| #40 | 0.425 | 11.23 | 1.00 | 97.14 | 2.86 | 2.86 |
| #60 | 0.250 | 6.91 | 0.61 | 97.76 | 2.24 | 2.24 |
| #140 | 0.106 | 18.63 | 1.66 | 99.41 | 0.59 | 0.59 |
| #200 | 0.075 | 2.66 | 0.24 | 99.65 | 0.35 | 0.35 |
| Pan | - | 3.97 | 0.35 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-S21 |
| Lab ID | 2007-261-01-12 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 1.3 | CC = | 0.9 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.6 | CU = | 3.8 |
| | | D10 = | 0.3 | | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-S21 |
| Lab ID | 2007-261-01-12 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 667 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1287.00 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 1026.30 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 95.59 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 260.70 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 930.71 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 28.0 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 930.71 |
| Dry Weight - 3/4" Sample (gm) | 922.0 | Weight of minus #200 material (gm) | 8.73 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 921.98 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 7.26 | 0.78 | 0.78 | 99.22 | 99.22 |
| 3/8" | 9.50 | 5.00 | 0.54 | 1.32 | 98.68 | 98.68 |
| #4 | 4.75 | 39.91 | 4.29 | 5.61 | 94.39 | 94.39 |
| #10 | 2.00 | 159.98 | 17.19 | 22.79 | 77.21 | 77.21 |
| #20 | 0.850 | 313.67 | 33.70 | 56.50 | 43.50 | 43.50 |
| #40 | 0.425 | 269.00 | 28.90 | 85.40 | 14.60 | 14.60 |
| #60 | 0.250 | 105.20 | 11.30 | 96.70 | 3.30 | 3.30 |
| #140 | 0.106 | 18.99 | 2.04 | 98.74 | 1.26 | 1.26 |
| #200 | 0.075 | 2.97 | 0.32 | 99.06 | 0.94 | 0.94 |
| Pan | - | 8.73 | 0.94 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-S23 |
| Lab ID | 2007-261-01-10 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 1.4 | CC = | 1.1 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.9 | CU = | 3.0 |
| | | D10 = | 0.5 | | |

Tested By **PC** Date **7/5/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-S23 |
| Lab ID | 2007-261-01-10 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 503 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1283.60 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 1106.60 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 96.07 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 177.00 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 1010.53 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 17.5 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|--------|------------------------------------|---------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 1010.53 |
| Dry Weight - 3/4" Sample (gm) | 1006.1 | Weight of minus #200 material (gm) | 4.42 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 1006.11 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 1.95 | 0.19 | 0.19 | 99.81 | 99.81 |
| 3/8" | 9.50 | 0.00 | 0.00 | 0.19 | 99.81 | 99.81 |
| #4 | 4.75 | 11.27 | 1.12 | 1.31 | 98.69 | 98.69 |
| #10 | 2.00 | 168.75 | 16.70 | 18.01 | 81.99 | 81.99 |
| #20 | 0.850 | 528.20 | 52.27 | 70.28 | 29.72 | 29.72 |
| #40 | 0.425 | 229.46 | 22.71 | 92.98 | 7.02 | 7.02 |
| #60 | 0.250 | 47.50 | 4.70 | 97.68 | 2.32 | 2.32 |
| #140 | 0.106 | 16.99 | 1.68 | 99.37 | 0.63 | 0.63 |
| #200 | 0.075 | 1.99 | 0.20 | 99.56 | 0.44 | 0.44 |
| Pan | - | 4.42 | 0.44 | 100.00 | - | - |

Tested By **PC** Date **7/5/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 6-11 |
| Project No. | 2007-261-01 | Sample No. | RS-S23 |
| Lab ID | 2007-261-01-11 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | |
|----------------------------|-------------------------------------|------------------|-----------------|
| USCS Symbol | SP-SM | D60 = 0.7 | CC = 1.0 |
| USCS Classification | POORLY GRADED SAND WITH SILT | D30 = 0.3 | CU = 5.8 |
| | | D10 = 0.1 | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 6-11 |
| Project No. | 2007-261-01 | Sample No. | RS-S23 |
| Lab ID | 2007-261-01-11 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 694 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1033.40 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 804.30 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 96.60 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 229.10 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 707.70 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 32.4 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 707.70 |
| Dry Weight - 3/4" Sample (gm) | 671.9 | Weight of minus #200 material (gm) | 35.79 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 671.91 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/8" | 9.50 | 0.30 | 0.04 | 0.04 | 99.96 | 99.96 |
| #4 | 4.75 | 9.42 | 1.33 | 1.37 | 98.63 | 98.63 |
| #10 | 2.00 | 70.30 | 9.93 | 11.31 | 88.69 | 88.69 |
| #20 | 0.850 | 171.97 | 24.30 | 35.61 | 64.39 | 64.39 |
| #40 | 0.425 | 113.72 | 16.07 | 51.68 | 48.32 | 48.32 |
| #60 | 0.250 | 193.10 | 27.29 | 78.96 | 21.04 | 21.04 |
| #140 | 0.106 | 91.64 | 12.95 | 91.91 | 8.09 | 8.09 |
| #200 | 0.075 | 21.46 | 3.03 | 94.94 | 5.06 | 5.06 |
| Pan | - | 35.79 | 5.06 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-4 |
| Project No. | 2007-261-01 | Sample No. | RS-S25 |
| Lab ID | 2007-261-01-09 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 0.7 | CC = | 1.2 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.5 | CU = | 2.6 |
| | | D10 = | 0.3 | | |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-4 |
| Project No. | 2007-261-01 | Sample No. | RS-S25 |
| Lab ID | 2007-261-01-09 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 1327 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1130.90 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 950.40 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 100.32 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 180.50 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 850.08 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 21.2 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 850.08 |
| Dry Weight - 3/4" Sample (gm) | 818.5 | Weight of minus #200 material (gm) | 10.31 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 839.77 |
| Dry Weight + 3/4" Sample (gm) | 21.27 | | |
| Total Dry Weight Sample (gm) | NA | | |


| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 21.27 | 2.50 | 2.50 | 97.50 | 97.50 |
| 1/2" | 12.50 | 9.48 | 1.12 | 3.62 | 96.38 | 96.38 |
| 3/8" | 9.50 | 10.44 | 1.23 | 4.85 | 95.15 | 95.15 |
| #4 | 4.75 | 5.87 | 0.69 | 5.54 | 94.46 | 94.46 |
| #10 | 2.00 | 4.45 | 0.52 | 6.06 | 93.94 | 93.94 |
| #20 | 0.850 | 122.07 | 14.36 | 20.42 | 79.58 | 79.58 |
| #40 | 0.425 | 464.10 | 54.59 | 75.01 | 24.99 | 24.99 |
| #60 | 0.250 | 135.11 | 15.89 | 90.91 | 9.09 | 9.09 |
| #140 | 0.106 | 58.51 | 6.88 | 97.79 | 2.21 | 2.21 |
| #200 | 0.075 | 8.47 | 1.00 | 98.79 | 1.21 | 1.21 |
| Pan | - | 10.31 | 1.21 | 100.00 | - | - |

Tested By **PC** Date **7/2/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-S3 |
| Lab ID | 2007-261-01-15 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|-------------------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SW | D60 = | 5.1 | CC = | 1.0 |
| USCS Classification | WELL-GRADED SAND WITH GRAVEL | D30 = | 2.0 | CU = | 6.6 |
| | | D10 = | 0.8 | | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-6 |
| Project No. | 2007-261-01 | Sample No. | RS-S3 |
| Lab ID | 2007-261-01-15 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|------------|---|-----------|
| Tare No. | 702 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1301.80 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 1227.00 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 98.02 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 74.80 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 1128.98 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 6.6 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|--------|------------------------------------|---------|
| Wet Weight - 3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 1128.98 |
| Dry Weight - 3/4" Sample (gm) | 1092.1 | Weight of minus #200 material (gm) | 6.85 |
| Wet Weight + 3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 1122.13 |
| Dry Weight + 3/4" Sample (gm) | 30.06 | | |
| Total Dry Weight Sample (gm) | NA | | |

| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 30.06 | 2.66 | 2.66 | 97.34 | 97.34 |
| 1/2" | 12.50 | 130.92 | 11.60 | 14.26 | 85.74 | 85.74 |
| 3/8" | 9.50 | 68.11 | 6.03 | 20.29 | 79.71 | 79.71 |
| #4 | 4.75 | 251.10 | 22.24 | 42.53 | 57.47 | 57.47 |
| #10 | 2.00 | 316.90 | 28.07 | 70.60 | 29.40 | 29.40 |
| #20 | 0.850 | 208.95 | 18.51 | 89.11 | 10.89 | 10.89 |
| #40 | 0.425 | 77.38 | 6.85 | 95.96 | 4.04 | 4.04 |
| #60 | 0.250 | 21.19 | 1.88 | 97.84 | 2.16 | 2.16 |
| #140 | 0.106 | 15.09 | 1.34 | 99.18 | 0.82 | 0.82 |
| #200 | 0.075 | 2.43 | 0.22 | 99.39 | 0.61 | 0.61 |
| Pan | - | 6.85 | 0.61 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

SIEVE ANALYSIS
 ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-5 |
| Project No. | 2007-261-01 | Sample No. | RS-S36 |
| Lab ID | 2007-261-01-01 | Soil Color | BROWN |

| | | | |
|-------------|-----------------------|------|-------------------|
| USCS | SIEVE ANALYSIS | | HYDROMETER |
| | gravel | sand | silt and clay |



| | | | | | |
|----------------------------|---------------------------|--------------|------------|-------------|------------|
| USCS Symbol | SP | D60 = | 1.1 | CC = | 0.9 |
| USCS Classification | POORLY GRADED SAND | D30 = | 0.6 | CU = | 3.0 |
| | | D10 = | 0.4 | | |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

WASH SIEVE ANALYSIS

ASTM D 422-63/AASHTO T88-00 (SOP-S3)

| | | | |
|------------------|-----------------------------|------------|--------------|
| Client | ARCADIS BBL | Boring No. | SEDIMENT |
| Client Reference | Housatonic River 201.97.025 | Depth (in) | 0-5 |
| Project No. | 2007-261-01 | Sample No. | RS-S36 |
| Lab ID | 2007-261-01-01 | Soil Color | BROWN |

| Moisture Content of Passing 3/4" Material | | Water Content of Retained 3/4" Material | |
|---|-------------|---|-----------|
| Tare No. | 514 | Tare No. | NA |
| Wgt. Tare + Wet Specimen (gm) | 1170.60 | Wgt. Tare + Wet Specimen (gm) | NA |
| Wgt. Tare + Dry Specimen (gm) | 952.80 | Wgt. Tare + Dry Specimen (gm) | NA |
| Weight of Tare (gm) | 96.05 | Weight of Tare (gm) | NA |
| Weight of Water (gm) | 217.80 | Weight of Water (gm) | NA |
| Weight of Dry Soil (gm) | 856.75 | Weight of Dry Soil (gm) | NA |
| Moisture Content (%) | 25.4 | Moisture Content (%) | NA |

| | | | |
|-------------------------------|-------|------------------------------------|--------|
| Wet Weight -3/4" Sample (gm) | NA | Weight of the Dry Specimen (gm) | 856.75 |
| Dry Weight - 3/4" Sample (gm) | 848.8 | Weight of minus #200 material (gm) | 7.97 |
| Wet Weight +3/4" Sample (gm) | NA | Weight of plus #200 material (gm) | 848.78 |
| Dry Weight + 3/4" Sample (gm) | 0.00 | | |
| Total Dry Weight Sample (gm) | NA | | |

| Sieve Size | Sieve Opening (mm) | Wgt. of Soil Retained (gm) | Percent Retained (%) | Accumulated Percent Retained (%) | Percent Finer (%) | Accumulated Percent Finer (%) |
|------------|--------------------|----------------------------|----------------------|----------------------------------|-------------------|-------------------------------|
| 12" | 300 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 6" | 150 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3" | 75 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 2" | 50 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1" | 25.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 0.00 | 0.00 | 100.00 | 100.00 |
| 1/2" | 12.50 | 2.71 | 0.32 | 0.32 | 99.68 | 99.68 |
| 3/8" | 9.50 | 0.53 | 0.06 | 0.38 | 99.62 | 99.62 |
| #4 | 4.75 | 13.18 | 1.54 | 1.92 | 98.08 | 98.08 |
| #10 | 2.00 | 72.46 | 8.46 | 10.37 | 89.63 | 89.63 |
| #20 | 0.850 | 342.60 | 39.99 | 50.36 | 49.64 | 49.64 |
| #40 | 0.425 | 309.40 | 36.11 | 86.48 | 13.52 | 13.52 |
| #60 | 0.250 | 86.80 | 10.13 | 96.61 | 3.39 | 3.39 |
| #140 | 0.106 | 19.30 | 2.25 | 98.86 | 1.14 | 1.14 |
| #200 | 0.075 | 1.80 | 0.21 | 99.07 | 0.93 | 0.93 |
| Pan | - | 7.97 | 0.93 | 100.00 | - | - |

Tested By **PC** Date **7/3/2007** Checked By _____ Date _____

ITEM 14
HOUSATONIC RIVER AREA
1½ MILE REACH
(GEC820)
JULY 2007

(Note: This item is limited to activities conducted by GE and does not include work performed by EPA.)

a. Activities Undertaken/Completed

- On GE's behalf, ARCADIS BBL performed a round of water column monitoring at 10 locations along the Housatonic River between Coltsville, MA and Great Barrington, MA on July 26, 2007. Two of these locations are situated in the 1½ Mile Reach: Lyman Street Bridge (Location 4) and Pomeroy Avenue Bridge (Location 6A). A composite grab sample was collected at each location and submitted to Northeast Analytical for analysis of PCBs (total), total suspended solids (TSS), POC, and chlorophyll-a, as identified in Table 14-1. The sample collected at Pomeroy Avenue Bridge was also analyzed for volatile suspended solids (VSS). (The other eight locations are discussed under Items 15 and 20 below.)
- On GE's behalf, ARCADIS BBL performed eight rounds of twice-weekly routine water column sampling at the Pomeroy Avenue Bridge (Location 6A). Samples were submitted to Northeast Analytical for analysis of PCBs (total), TSS, VSS, and POC, as identified in Table 14-1. This effort was in support of the Corrective Measures Study (CMS) modeling for the Rest of River, and is therefore further discussed under Item 15 below.*
- GE reviewed the results provided by EPA of EPA's restored sediment sampling conducted in May 2007 within the 1½ Mile Reach.*

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue Housatonic River water column monitoring.
- Continue routine (change from twice-weekly to once-weekly) water column sampling at Pomeroy Avenue Bridge, and conduct storm event water column sampling (depending on conditions) at that location.*

ITEM 14
(cont'd)
HOUSATONIC RIVER AREA
1½ MILE REACH
(GEC820)
JULY 2007

e. **General Progress/Unresolved Issues/Potential Schedule Impacts**

No issues

f. **Proposed/Approved Work Plan Modifications**

None

**TABLE 14-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**HOUSATONIC RIVER - 1 1/2 MILE REACH
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|--|---------------------------------|--------------------|---------------|-------------------|---------------------------------------|-----------------------------------|
| Monthly Water Column Sampling | Location-4 | 6/28/07 | Water | NEA | PCB, PCB (f), TSS, POC, Chlorophyll-A | 7/17/07 |
| Monthly Water Column Sampling | Location-4 | 7/26/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling/Pomeroy Ave. Semi-Weekly | Location-6A | 6/28/07 | Water | NEA | PCB, TSS, VSS, POC, Chlorophyll-A | 7/17/07 |
| Monthly Water Column Sampling/Pomeroy Ave. Semi-Weekly | Location-6A | 7/26/07 | Water | NEA | PCB, TSS, VSS, POC, Chlorophyll-A | |
| Pomeroy Ave. Semi-Weekly Water Column Sampling | LOC-6A-0618-1400 | 6/18/07 | Water | NEA | PCB, TSS, VSS, POC | 7/5/07 |
| Pomeroy Ave. Semi-Weekly Water Column Sampling | LOC-6A-0621-0900 | 6/21/07 | Water | NEA | PCB, TSS, VSS, POC | 7/5/07 |
| Pomeroy Ave. Semi-Weekly Water Column Sampling | Loc-6A-0625-0930 | 6/25/07 | Water | NEA | PCB, TSS, VSS, POC | 7/13/07 |
| Pomeroy Ave. Semi-Weekly Water Column Sampling | Loc-6A-0702-1130 | 7/2/07 | Water | NEA | PCB, TSS, VSS, POC | 7/17/07 |
| Pomeroy Ave. Semi-Weekly Water Column Sampling | Loc-6A-0706-1100 | 7/6/07 | Water | NEA | PCB, TSS, VSS, POC | 7/23/07 |
| Pomeroy Ave. Semi-Weekly Water Column Sampling | Loc-6A-0710-1100 | 7/10/07 | Water | NEA | PCB, TSS, VSS, POC | 7/24/07 |
| Pomeroy Ave. Semi-Weekly Water Column Sampling | Loc-6A-0713-1600 | 7/13/07 | Water | NEA | PCB, TSS, VSS, POC | 7/30/07 |
| Pomeroy Ave. Semi-Weekly Water Column Sampling | LOC-6A-0718-1400 | 7/18/07 | Water | NEA | PCB, TSS, VSS, POC | 7/30/07 |
| Pomeroy Ave. Semi-Weekly Water Column Sampling | LOC-6A-0720-1100 | 7/20/07 | Water | NEA | PCB, TSS, VSS, POC | |
| Pomeroy Ave. Semi-Weekly Water Column Sampling | Loc-6A-0723-1400 | 7/23/07 | Water | NEA | PCB, TSS, VSS, POC | |
| Pomeroy Ave. Semi-Weekly Water Column Sampling | Loc-6A-DUP-3 (Loc-6A-0706-1100) | 7/6/07 | Water | NEA | PCB, TSS, VSS, POC | 7/23/07 |

Notes:

1. Field duplicate parent sample locations are presented in parenthesis.
2. (f) - Indicates filtered analysis requested.

**TABLE 14-2
SAMPLE DATA RECEIVED DURING JULY 2007**

**MONTHLY WATER COLUMN SAMPLING
HOUSATONIC RIVER - 1 1/2 MILE REACH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Location | Date Collected | Aroclor-1016, -1221, -1232, -1242 | Aroclor 1248 | Aroclor 1254 | Aroclor 1260 | Total PCBs | POC | TSS | Chlorophyll (a) | VSS |
|-----------------------|---------------------|----------------|-----------------------------------|---------------|---------------|---------------|---------------|------|------|-----------------|------|
| LOCATION-4 | Lyman Street Bridge | 06/28/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | 0.41 | 1.90 | 0.0020 | NA |
| LOCATION 4 (FILTERED) | | 06/28/07 | ND(0.0000220) | ND(0.0000220) | 0.0000250 AF | ND(0.0000220) | 0.0000250 | NA | NA | NA | NA |
| LOCATION-6A | Pomeroy Ave. Bridge | 06/28/07 | ND(0.00000550) | 0.0000150 PE | 0.0000200 AF | 0.00000890 AG | 0.0000439 | 0.33 | 2.30 | 0.0016 | 1.10 |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to Northeast Analytical, Inc. for analysis of PCBs (filtered and unfiltered), total suspended solids (TSS), particulate organic carbon (POC), chlorophyll (a) and volatile suspended solids (VSS).
2. Sampling methods involved the collection of composite grab samples at each location, representative of three stations (25, 50, and 75 percent of the total river width at each location) at 50 percent of the total river depth at each station.
3. NA - Not Analyzed.
4. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

Data Qualifiers:

AF - Aroclor 1254 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

AG - Aroclor 1260 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

PE - Aroclor 1248 is being used to report an altered PCB pattern exhibited by the sample. Actual Aroclor 1248 is not present in the sample, but is reported to more accurately quantify PCBs present in a sample that has undergone environmental alteration.

**TABLE 14-3
SAMPLE DATA RECEIVED DURING JULY 2007**

**POMEROY AVE. SEMI-WEEKLY WATER COLUMN SAMPLING
HOUSATONIC RIVER - 1 1/2 MILE REACH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Location | Date Collected | Aroclor-1016 -1221, -1232, -1242 | Aroclor 1248 | Aroclor 1254 | Aroclor 1260 | Total PCBs | POC | TSS | VSS |
|--------------------------|---------------------|----------------|-------------------------------------|----------------|----------------|-----------------|-------------|--------|--------|----------|
| LOC-6A-0618-1400 | Pomeroy Ave. Bridge | 06/18/07 | ND(0.00000550) | 0.00000560 PE | 0.00000720 AF | ND(0.00000550) | 0.0000128 | 0.28 | 1.30 | ND(1.00) |
| LOC-6A-0621-0900 | Pomeroy Ave. Bridge | 06/21/07 | ND(0.00000550) | 0.00000630 PE | 0.00000820 AF | ND(0.00000550) | 0.0000145 | 0.31 | 2.20 | ND(1.00) |
| LOC-6A-0625-0930 | Pomeroy Ave. Bridge | 06/25/07 | ND(0.00000550) | 0.00000980 PE | 0.00000770 AF | ND(0.00000550) | 0.0000175 | 0.32 | 3.20 | 1.80 |
| LOCATION-6A ⁴ | Pomeroy Ave. Bridge | 06/28/07 | ND(0.00000550) | 0.0000150 PE | 0.0000200 AF | 0.00000890 AG | 0.0000439 | 0.33 | 2.30 | 1.10 |
| LOC-6A-0702-1130 | Pomeroy Ave. Bridge | 07/02/07 | ND(0.00000550) | 0.0000100 PE | 0.00000900 AF | ND(0.00000550) | 0.0000190 | 0.46 | 2.90 | ND(1.00) |
| LOC-6A-0706-1100 | Pomeroy Ave. Bridge | 07/06/07 | ND(0.00000550) | 0.00000990 PE | 0.0000110 AF | ND(0.00000550) | 0.0000209 | 0.62 | 7.80 | 5.40 |
| | Pomeroy Ave. Bridge | 07/06/07 | [ND(0.00000550)] | [0.0000120 PE] | [0.0000140 AF] | [0.00000630 AG] | [0.0000323] | [0.59] | [7.30] | [3.80] |
| LOC-6A-0710-1100 | Pomeroy Ave. Bridge | 07/10/07 | ND(0.00000550) | 0.0000110 PE | 0.00000930 AF | ND(0.00000550) | 0.0000203 | 0.49 | 3.10 | 2.30 |
| LOC-6A-0713-1600 | Pomeroy Ave. Bridge | 07/13/07 | ND(0.00000550) | 0.00000960 PE | 0.0000100 AF | ND(0.00000550) | 0.0000196 | 0.46 | 6.00 | 2.40 |
| LOC-6A-0718-1400 | Pomeroy Ave. Bridge | 07/18/07 | ND(0.00000550) | 0.00000790 PE | 0.00000930 AF | ND(0.00000550) | 0.0000172 | 0.67 | 3.80 | 1.80 |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to Northeast Analytical, Inc. for analysis of unfiltered PCBs, total suspended solids (TSS), particulate organic carbon (POC) and volatile suspended solids (VSS).
2. Sampling methods involved the collection of composite grab samples at each location, representative of three stations (25, 50, and 75 percent of the total river width at each location) at 50 percent of the total river depth at each station.
3. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.
4. Samples collected as part of Housatonic River 1 1/2 Mile Reach Semi-Weekly Water Column Sampling and Housatonic River Monthly Water Column Monitoring Program.

Data Qualifiers:

AF - Aroclor 1254 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

AG - Aroclor 1260 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

PE - Aroclor 1248 is being used to report an altered PCB pattern exhibited by the sample. Actual Aroclor 1248 is not present in the sample, but is reported to more accurately quantify PCBs present in a sample that has undergone environmental alteration.

**ITEM 15
HOUSATONIC RIVER AREA
REST OF THE RIVER
(GEC850)
JULY 2007**

a. Activities Undertaken/Completed

- On GE's behalf, ARCADIS BBL performed a round of water column monitoring at 10 locations along the Housatonic River between Coltsville and Great Barrington, MA, on July 26, 2007. Two locations are situated in the 1½ Mile Reach of the Housatonic River and were discussed in Item 14. One location is at the outlet of Silver Lake and is discussed in Item 20 below. Of the remaining seven locations, two are located upstream of the 1½ Mile Reach: Hubbard Avenue Bridge (Location 1) and Newell Street Bridge (Location 2). The five remaining locations are situated in the Rest of the River: Holmes Road Bridge (Location 7); New Lenox Road Bridge (Location 9); Woods Pond Headwaters (Location 10); Schweitzer Bridge (Location 12); and Division Street Bridge (Location 13). Sampling activities were performed at these locations on July 26, 2007, from downstream to upstream. Composite grab samples were collected at each location sampled and submitted to Northeast Analytical for analysis of PCBs (total), TSS, POC, and chlorophyll-a, as identified in Table 15-1.
- On GE's behalf, ARCADIS BBL performed eight rounds of routine twice-weekly water column sampling at the Pomeroy Avenue Bridge (Location 6A) as part of an effort to obtain additional data on East Branch PCB inputs to the Rest of the River for use in the CMS modeling. Composite grab samples were collected on July 2, 6, 10, 13, 18, 20, 23, and 26, 2007, and were submitted to Northeast Analytical for analysis of PCBs (total), TSS, VSS, and POC, as identified in Table 14-1 (under Item 14 above).*
- GE met with EPA to discuss EPA's comments in its May 24, 2007 conditional approval letter for GE's Model Input Addendum (MIA) to the CMS Proposal (July 18, 2007).*
- GE continued work on the CMS.*

b. Sampling/Test Results

See attached tables. (Note that the results from twice-weekly water sampling conducted at the Pomeroy Avenue Bridge to obtain data for CMS modeling are provided in Table 14-3 under Item 14 above.)

c. Work Plans/Reports/Documents Submitted

- Submitted work plan for a treatability study of chemical extraction as part of the CMS (July 11, 2007).*
- Submitted to EPA a letter and attached statement of position invoking dispute resolution on certain directives in one condition in EPA's July 11, 2007 conditional approval letter for GE's CMS Proposal Supplement (July 25, 2007).*

ITEM 15
(cont'd)
HOUSATONIC RIVER AREA
REST OF THE RIVER
(GEC850)
JULY 2007

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue Housatonic River monthly water column monitoring.
- Submit to EPA a Supplement to the MIA, including a summary of the supplemental sediment and water column sampling conducted in the East Branch (as proposed in the MIA) and a proposal of current and future PCB boundary condition values for the East Branch of the River for use in modeling in the CMS (due by August 3, 2007).*
- Submit the credentials for the consultants that will perform a Phase 1 Cultural Resources Assessment of the Rest of River on GE's behalf.*
- Continue work on the CMS.*

e. General Progress/Unresolved Issues/Potential Schedule Impacts

A number of issues relating to the CMS are under discussion with EPA.*

f. Proposed/Approved Work Plan Modifications

- Received EPA conditional approval of CMS Proposal Supplement and Model Code Proposal, and approval of the Addendum to the CMS Proposal Supplement (July 11, 2007).*
- Received EPA conditional approval of GE's treatability study work plan (July 31, 2007).*
- EPA agreed to extend the deadline for GE's submission of the Supplement to the MIA from July 30 to August 3, 2007.*

**TABLE 15-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**HOUSATONIC RIVER - REST OF RIVER
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|-------------------------------|------------------------|--------------------|---------------|-------------------|---------------------------------------|---------------------------------------|
| Monthly Water Column Sampling | HR-D1 (Location-12) | 6/28/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 7/17/07 |
| Monthly Water Column Sampling | HR-D1 (Location-12) | 7/26/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-1 | 6/28/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 7/17/07 |
| Monthly Water Column Sampling | Location-1 | 7/26/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-10 | 7/26/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-10 | 6/28/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 7/17/07 |
| Monthly Water Column Sampling | Location-12 | 6/28/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 7/17/07 |
| Monthly Water Column Sampling | Location-12 | 7/26/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-13 | 6/28/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 7/17/07 |
| Monthly Water Column Sampling | Location-13 | 7/26/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-2 | 6/28/07 | Water | NEA | PCB, PCB (f), TSS, POC, Chlorophyll-A | 7/17/07 |
| Monthly Water Column Sampling | Location-2 | 7/26/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-7 | 6/28/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 7/17/07 |
| Monthly Water Column Sampling | Location-7 | 7/26/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-9 | 7/26/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-9 | 6/28/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 7/17/07 |

Notes:

1. Field duplicate parent sample locations are presented in parenthesis.
2. (f) - Indicates filtered analysis requested.

**TABLE 15-2
SAMPLE DATA RECEIVED DURING JULY 2007**

**MONTHLY WATER COLUMN SAMPLING
HOUSATONIC RIVER - REST OF RIVER
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Location | Date Collected | Aroclor-1016, -1221, -1232, -1242 | Aroclor 1248 | Aroclor 1254 | Aroclor 1260 | Total PCBs | POC | TSS | Chlorophyll (a) |
|-----------------------|--------------------------|----------------|-----------------------------------|----------------|----------------|----------------|---------------|--------|--------|-----------------|
| LOCATION-1 | Hubbard Avenue Bridge | 06/28/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | 0.52 | 2.10 | 0.0014 |
| LOCATION-2 | Newell Street Bridge | 06/28/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | 0.67 | 3.30 | 0.0018 |
| LOCATION 2 (FILTERED) | | 06/28/07 | ND(0.0000220) | ND(0.0000220) | 0.0000360 AF | ND(0.0000220) | 0.0000360 | NA | NA | NA |
| LOCATION-7 | Holmes Road Bridge | 06/28/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | 0.46 | 4.10 | 0.0027 |
| LOCATION-9 | New Lenox Road Bridge | 06/28/07 | ND(0.0000220) | 0.0000300 PE | 0.0000300 AF | 0.0000400 AG | 0.000100 | 0.38 | 3.87 | 0.0047 |
| LOCATION-10 | Headwaters of Woods Pond | 06/28/07 | ND(0.0000220) | 0.0000400 PE | 0.0000420 AF | 0.0000620 AG | 0.000144 | 0.58 | 5.20 | 0.0050 |
| LOCATION-12 | Schweitzer Bridge | 06/28/07 | ND(0.0000220) | 0.0000310 PE | 0.0000290 AF | 0.0000350 AG | 0.0000950 | 0.44 | 2.00 | 0.0036 |
| | | 06/28/07 | ND(0.0000220) | [0.0000370 PE] | [0.0000360 AF] | [0.0000490 AG] | [0.000122] | [0.40] | [2.70] | [0.0062] |
| LOCATION-13 | Division Street Bridge | 06/28/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | 0.42 | 2.40 | 0.0059 |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to Northeast Analytical, Inc. for analysis of of PCBs (filtered and unfiltered), total suspended solids (TSS), particulate organic carbon (POC), and chlorophyll (a).
2. Sampling methods involved the collection of composite grab samples at each location, representative of three stations (25, 50, and 75 percent of the total river width at each location) at 50 percent of the total river depth at each station.
3. NA - Not Analyzed.
4. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.
5. Field duplicate sample results are presented in brackets.

Data Qualifiers:

AG - Aroclor 1260 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

AF - Aroclor 1254 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

PE - Aroclor 1248 is being used to report an altered PCB pattern exhibited by the sample. Actual Aroclor 1248 is not present in the sample, but is reported to more accurately quantify PCBs present in a sample that has undergone environmental alteration.

**ITEMS 16 & 17
HOUSATONIC RIVER FLOODPLAIN
RESIDENTIAL AND NON-RESIDENTIAL
PROPERTIES ADJACENT TO 1½-MILE REACH
(GEC710 AND GEC720)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

Conducted sampling of topsoil to be used for remediation activities at Phase 2 floodplain properties, as identified in Table 16&17-1.

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

- Submitted reports on the May 2007 inspections of backfilled/restored areas at Phase 3 and Phase 4 floodplain properties (July 11, 2007).
- Submitted Addendum to Supplemental Information Package for Selected Phase 2 Floodplain Properties (July 30, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

Following EPA approval of GE's July 30, 2007 Addendum to Supplemental Information Package for Selected Phase 2 Floodplain Properties, initiate remediation actions at those properties.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

Received EPA's conditional approval for GE's Supplemental Information Package for Selected Phase 2 Floodplain Properties (July 17, 2007).

**TABLE 16&17-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**FLOODPLAIN RESIDENTIAL AND NON-RESIDENTIAL PROPERTIES ADJACENT TO 1 1/2 MILE REACH
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|--|------------------------|--------------------|---------------|-------------------|------------------------|---------------------------------------|
| Phase II Floodplain Maxymillian Topsoil Sampling | MAXYMILLIAN-TOPSOIL-1 | 7/2/07 | Soil | SGS | PCB, VOC, SVOC, Metals | 7/11/07 |

**TABLE 16&17-2
APPENDIX IX+3 DATA RECEIVED DURING JULY 2007**

**PHASE II FLOODPLAIN MAXYMILLIAN TOPSOIL SAMPLING
FLOODPLAIN RESIDENTIAL AND NON-RESIDENTIAL PROPERTIES ADJACENT TO 1 1/2 MILE REACH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in dry weight parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | Maxymillian-Topsoil-1 07/02/07 |
|------------------------------|-------------------------------|-----------------------------------|
| Volatile Organics | | |
| 2-Butanone | | 0.013 |
| Acetone | | 0.076 |
| Methylene Chloride | | 0.0077 |
| Xylenes (total) | | 0.0050 J |
| PCBs | | |
| None Detected | | -- |
| Semivolatile Organics | | |
| Benzo(a)anthracene | | 0.073 J |
| Benzo(a)pyrene | | 0.084 J |
| Benzo(b)fluoranthene | | 0.084 J |
| bis(2-Ethylhexyl)phthalate | | 0.080 J |
| Chrysene | | 0.091 J |
| Fluoranthene | | 0.13 J |
| Phenanthrene | | 0.055 J |
| Pyrene | | 0.16 J |
| Inorganics | | |
| Arsenic | | 7.39 |
| Barium | | 84.7 |
| Cadmium | | 1.00 B |
| Chromium | | 14.5 |
| Cobalt | | 9.08 |
| Copper | | 19.2 |
| Lead | | 22.6 |
| Mercury | | 0.0877 |
| Nickel | | 17.8 |
| Selenium | | 2.03 B |
| Tin | | 1.19 |
| Vanadium | | 15.7 |
| Zinc | | 63.4 |

Notes:

1. Sample was collected by ARCADIS BBL, and submitted to SGS Environmental Services, Inc. for analysis of PCBs, volatiles, semivolatiles and metals.
2. Only detected constituents are summarized.
3. -- Indicates that all constituents for the parameter group were not detected.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles)

J - Indicates an estimated value less than the practical quantitation limit (PQL).

Inorganics

B - Indicates an estimated value between the instrument detection limit (IDL) and PQL.

ITEM 18
HOUSATONIC RIVER FLOODPLAIN
CURRENT RESIDENTIAL PROPERTIES
DOWNSTREAM OF CONFLUENCE
(ACTUAL/POTENTIAL LAWNS)
(GEC730)
JULY 2007

a. Activities Undertaken/Completed

None

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

None

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Awaiting EPA approval of GE's Pre-Design Investigation Work Plan (submitted on February 26, 2002). (Based on discussions with EPA, this pre-design sampling will be deferred for some period of time.)*

f. Proposed/Approved Work Plan Modifications

None

**ITEM 19
ALLENDALE SCHOOL PROPERTY
(GECD500)
JULY 2007**

a. Activities Undertaken/Completed

None

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

Continue to receive results from outdoor air monitoring conducted by EPA.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**ITEM 20
OTHER AREAS
SILVER LAKE AREA
(GEC600)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

- Initiated bank soil investigations related to stained materials observed during performance of Pilot Study, in accordance with EPA's conditional approval letter dated June 12, 2007.
- Reported a small sheen on Silver Lake. This sheen was not in an area where it could be attributed to GE's Pilot Study activities and was of unknown composition, but was reported as a protective matter to the National Response Center and the MDEP, as well as EPA (July 5, 2007).
- Collected monthly water column sample from the Silver Lake Outfall (July 26, 2007).

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

Submitted to EPA, via electronic mail, CADD files for the Conceptual RD/RA Work Plan for Soils Adjacent to Silver Lake and associated RD/RA evaluations presented therein (July 11, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Perform supplemental/additional bank soil investigations related to stained materials observed during performance of Pilot Study, based on analytical results from initial sample collection.
- Continue discussions with certain property owners regarding EREs.
- Present preliminary Pilot Study results to EPA (August 8, 2007).
- Initiate development of Pilot Study Report (due by end of September 2007).

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**TABLE 20-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**SILVER LAKE AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Depth (feet) | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|--------------------------------|------------------------|--------------------|-------------------------|---------------|-------------------|--------------------------|---------------------------------------|
| Monthly Water Column Sampling | Location-4A | 6/28/07 | NA | Water | NEA | PCB, TSS | 7/16/07 |
| Monthly Water Column Sampling | Location-4A | 7/26/07 | NA | Water | NEA | PCB, TSS | |
| Silver Lake Bank Soil Sampling | SL-Pilotbank-1 | 7/12/07 | 2-4 | Soil | SGS | PCB, VOC, SVOC, EPH, VPH | 7/31/07 |
| Silver Lake Bank Soil Sampling | SL-Pilotbank-2 | 7/12/07 | 3-6 | Soil | SGS | PCB, SVOC, EPH | 7/31/07 |
| Silver Lake Bank Soil Sampling | SL-Pilotbank-2 | 7/12/07 | 4-6 | Soil | SGS | VOC, VPH | 7/31/07 |
| Silver Lake Bank Soil Sampling | SL-Pilotbank-3 | 7/12/07 | 1-4 | Soil | SGS | PCB, SVOC, EPH | 7/31/07 |
| Silver Lake Bank Soil Sampling | SL-Pilotbank-3 | 7/12/07 | 2-4 | Soil | SGS | VOC, VPH | 7/31/07 |

**TABLE 20-2
SAMPLE DATA RECEIVED DURING JULY 2007**

**MONTHLY WATER COLUMN SAMPLING
SILVER LAKE AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Location | Date Collected | Aroclor-1016, -1232, -1242 | Aroclor 1221 | Aroclor 1248 | Aroclor 1254 | Aroclor 1260 | Total PCBs | TSS |
|------------------|--------------------|-----------------------|-----------------------------------|---------------------|---------------------|---------------------|---------------------|-------------------|------------|
| LOCATION-4A | Silver Lake Outlet | 6/28/2007 | ND(0.0000220) | 0.000230 PB | 0.000100 PE | 0.0000320 AF | ND(0.0000220) | 0.000362 | ND(2.00) |

Notes:

1. Sample was collected by ARCADIS BBL, and submitted to Northeast Analytical, Inc. for analysis of unfiltered PCBs and total suspended solids (TSS).
2. Sampling methods involved the collection of single grab 50 percent of the total river width, and 50 percent of the total river depth.
3. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

Data Qualifiers:

AF - Aroclor 1254 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

PB - Aroclor 1221 is being used to report an altered PCB pattern exhibited by the sample. Actual Aroclor 1221 is not present in the sample, but is reported to more accurately quantify PCBs present in a sample that has undergone environmental alteration.

PE - Aroclor 1248 is being used to report an altered PCB pattern exhibited by the sample. Actual Aroclor 1248 is not present in the sample, but is reported to more accurately quantify PCBs present in a sample that has undergone environmental alteration.

**TABLE 20-3
SAMPLE DATA RECEIVED DURING JULY 2007**

**SILVER LAKE BANK SOIL SAMPLING
SILVER LAKE AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in dry weight parts per million, ppm)**

| Sample ID: Sample Depth(Feet): Date Collected: | SL-PILOTBANK-1 2-4 07/12/07 | SL-PILOTBANK-2 3-6 07/12/07 | SL-PILOTBANK-2 4-6 07/12/07 | SL-PILOTBANK-3 1-4 07/12/07 | SL-PILOTBANK-3 2-4 07/12/07 |
|--|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| Volatile Organics | | | | | |
| 1,1-Dichloroethane | ND(0.10) | NA | 0.011 J | NA | ND(0.0038) |
| Acetone | ND(0.52) | NA | ND(0.22) | NA | 0.035 |
| Benzene | 0.53 | NA | 0.21 | NA | ND(0.0038) |
| Carbon Disulfide | ND(0.10) | NA | ND(0.044) | NA | 0.0092 |
| Chlorobenzene | 0.089 J | NA | 0.014 J | NA | ND(0.0038) |
| Ethylbenzene | 0.36 | NA | 0.19 | NA | ND(0.0038) |
| Methylene Chloride | 0.26 J | NA | 0.098 J | NA | ND(0.0038) |
| Tetrachloroethene | 0.99 | NA | 0.081 | NA | ND(0.0038) |
| Toluene | 1.1 | NA | 0.13 | NA | ND(0.0038) |
| trans-1,2-Dichloroethene | 0.13 | NA | 0.035 J | NA | ND(0.0038) |
| Trichloroethene | 0.64 | NA | 0.10 | NA | ND(0.0038) |
| Vinyl Chloride | ND(0.10) | NA | 0.025 J | NA | ND(0.0038) |
| Xylenes (total) | 1.7 | NA | 0.92 | NA | ND(0.0038) |
| PCBs | | | | | |
| Aroclor-1254 | ND(44) | 0.84 | NA | ND(15) | NA |
| Aroclor-1260 | 180 | 1.0 | NA | 31 | NA |
| Total PCBs | 180 | 1.84 | NA | 31 | NA |
| Semivolatile Organics | | | | | |
| 1,3-Dichlorobenzene | 0.96 J | ND(4.0) | NA | ND(1.9) | NA |
| 1,4-Dichlorobenzene | 1.7 J | ND(4.0) | NA | ND(1.9) | NA |
| 2-Chloronaphthalene | 2.2 J | ND(4.0) | NA | ND(1.9) | NA |
| Acenaphthene | 3.0 J | ND(4.0) | NA | ND(1.9) | NA |
| Aniline | 7.6 | ND(4.0) | NA | ND(1.9) | NA |
| Anthracene | 5.9 | ND(4.0) | NA | ND(1.9) | NA |
| Benzo(a)anthracene | 11 | ND(4.0) | NA | ND(1.9) | NA |
| Benzo(a)pyrene | 8.9 | ND(4.0) | NA | 0.35 J | NA |
| Benzo(b)fluoranthene | 11 | ND(4.0) | NA | 0.40 J | NA |
| Benzo(g,h,i)perylene | 6.9 | ND(4.0) | NA | ND(1.9) | NA |
| Benzo(k)fluoranthene | 4.0 J | ND(4.0) | NA | ND(1.9) | NA |
| bis(2-Ethylhexyl)phthalate | 3.0 J | ND(4.0) | NA | ND(1.9) | NA |
| Chrysene | 16 | 0.56 J | NA | 0.52 J | NA |
| Dibenzofuran | 1.1 J | ND(4.0) | NA | ND(1.9) | NA |
| Di-n-Butylphthalate | 6.2 | ND(4.0) | NA | ND(1.9) | NA |
| Fluoranthene | 23 | 0.84 J | NA | 0.56 J | NA |
| Fluorene | 4.7 | ND(4.0) | NA | ND(1.9) | NA |
| Indeno(1,2,3-cd)pyrene | 7.4 | ND(4.0) | NA | ND(1.9) | NA |
| Naphthalene | 2.2 J | 0.60 J | NA | ND(1.9) | NA |
| Phenanthrene | 25 | ND(4.0) | NA | 0.33 J | NA |
| Pyrene | 22 | 1.0 J | NA | 0.73 J | NA |
| Extractable Petroleum Hydrocarbons | | | | | |
| C11-C22 Aromatic Hydrocarbons | 2700 | 1000 | NA | 840 | NA |
| C19-C36 Aliphatic Hydrocarbons | 20000 | 2600 | NA | 1900 | NA |
| C9-C18 Aliphatic Hydrocarbons | 6500 | 930 | NA | 920 | NA |
| Volatile Petroleum Hydrocarbons | | | | | |
| C5-C8 Aliphatic Hydrocarbons | ND(10) | NA | 10 | NA | ND(10) |
| C9-C10 Aromatic Hydrocarbons | 39 | NA | 350 | NA | ND(10) |
| C9-C12 Aliphatic Hydrocarbons | 45 | NA | 61 | NA | ND(10) |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to SGS Environmental Services, Inc. for analysis of volatiles, PCBs, semivolatiles, extractable petroleum hydrocarbons (EPH) and volatile petroleum hydrocarbons (VPH) .
2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.
3. Only those constituents detected in one or more samples are summarized.

Data Qualifiers:

J - Indicates an estimated value less than the practical quantitation limit (PQL).

**ITEM 21
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 1 (GMA 1)
(GECD310)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

General:

Conducted routine groundwater elevation and NAPL monitoring activities.

East Street Area 1-North and South:

- Continued automated groundwater and NAPL pumping at North Side and South Side Caissons. Approximately 0.9 gallon of LNAPL was recovered from the North Side Caisson in July. Approximately 1.1 gallons of LNAPL were recovered from the South Side Caisson in July.
- Continued routine well monitoring and manual NAPL removal activities. Approximately 0.006 liter (0.002 gallon) of LNAPL was removed from this area during July.

East Street Area 2-South:

- Continued automated groundwater and LNAPL removal activities. A total of approximately 3,382,602 gallons of groundwater was recovered from pumping systems 64R, 64S, 64V, 64X, RW-1(S), RW-1(X), and RW-2(X). In addition, approximately 656 gallons of LNAPL were removed from pumping systems 64R, 64V, GMA1-17W, RW-1(S), RW-1(X), 64X, and 64S Caisson.
- Continued automated DNAPL removal activities. Approximately 25 gallons of DNAPL were removed from pumping system RW-3(X) during July.
- Continued routine well monitoring and manual NAPL removal activities. Approximately 11.149 liters (2.942 gallons) of LNAPL were removed from wells in this area during July. Approximately 2.202 liters (0.581 gallon) of DNAPL were removed from wells in this area during July.
- Treated/discharged 3,250,138 gallons of water through 64G Groundwater Treatment Facility.
- Installed and developed new recovery well RW-4 in former scrapyard portion of East Street Area 2-South.
- Conducted wipe sampling of equipment used for the installation of recovery well RW-4, as identified in Table 21-1.

**ITEM 21
(cont'd)
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 1 (GMA 1)
(GEC310)
JULY 2007**

a. Activities Undertaken/Completed (cont'd)

East Street Area 2-South (cont'd)

Conducted water and solids sampling from the installation of recovery well RW-4, as identified in Table 21-1.

East Street Area 2-North:

Continued well monitoring and NAPL removal activities. No LNAPL was recovered from this area during July.

20s, 30s, and 40s Complexes:

Continued well monitoring and NAPL removal activities. No LNAPL was recovered from this area during July.

Lyman Street Area:

- Continued automated groundwater and NAPL removal activities. A total of approximately 186,214 gallons of groundwater was recovered from pumping systems RW-1R, RW-2, and RW-3. No LNAPL was removed from the automated recovery systems during July.
- Continued routine well monitoring and NAPL removal activities. No LNAPL was removed from wells in this area during July. Approximately 1.055 liter (0.278 gallon) of DNAPL was removed from wells in this area during July.
- Took recovery systems RW-1R, RW-2, and RW-3 off-line on July 30, 2007 to allow modifications to be made as part of remediation activities at the Lyman Street Area.

Newell Street Area II:

- Continued automated DNAPL removal activities. A total of approximately 75.2 gallons of DNAPL was removed by System 2 in July.
- Continued routine well monitoring and NAPL removal activities. Approximately 0.741 liter (0.196 gallon) of LNAPL was recovered from this area during July. Approximately 1.326 liters (0.350 gallon) of DNAPL were recovered from this area during July.

ITEM 21
(cont'd)
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 1 (GMA 1)
(GEC310)
JULY 2007

a. Activities Undertaken/Completed (cont'd)

Silver Lake Area:

Continued routine monitoring of lake level.

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

- Submitted Addendum to NAPL Monitoring Report for Fall 2006 (July 20, 2007).
- Submitted Supplemental Groundwater Quality Report for Spring 2007 (July 30, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue routine groundwater and NAPL monitoring/recovery activities. New recovery well RW-4 will be monitored on a weekly basis until an automated recovery system is installed in the well. Any recoverable NAPL observed in the well will be manually removed.
- Decommission Lyman Street well RW-1.
- Schedule installation of new recovery system in well RW-4 in former scrapyard portion of East Street Area 2-South.
- Submit Spring 2007 NAPL Monitoring Report (due to EPA by August 31, 2007).
- Complete modifications to the Lyman Street recovery systems and re-activate the upgraded systems.

**ITEM 21
(cont'd)
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 1 (GMA 1)
(GEC310)
JULY 2007**

e. General Progress/Unresolved Issues/Potential Schedule Impacts

The replacement for monitoring well O-R was not installed following decommissioning of that well in December 2006, as the proposed location was not accessible to the drill rig. No suitable alternate locations could be identified where a well could be installed at this time, due to future changes in the ground surface that are proposed for this area. Following discussions among representatives of GE, EPA, and PEDDA, it was decided that the well would be installed in 2007 following construction/re-grading activities in this area. At that time, GE will also extend or cut certain existing wells to fit the final grade, as discussed in GE's May 22, 2006 proposal.

f. Proposed/Approved Work Plan Modifications

None

**TABLE 21-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**GROUNDWATER MANAGEMENT AREA 1
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|--|------------------------|--------------------|---------------|-------------------|-------------------------------------|---------------------------------------|
| Recovery Well RW-4 Wipe Samples | RW-4-W-1 | 7/30/07 | Wipe | SGS | PCB | |
| Recovery Well RW-4 Wipe Samples | RW-4-W-10 | 7/30/07 | Wipe | SGS | PCB | |
| Recovery Well RW-4 Wipe Samples | RW-4-W-2 | 7/30/07 | Wipe | SGS | PCB | |
| Recovery Well RW-4 Wipe Samples | RW-4-W-3 | 7/30/07 | Wipe | SGS | PCB | |
| Recovery Well RW-4 Wipe Samples | RW-4-W-4 | 7/30/07 | Wipe | SGS | PCB | |
| Recovery Well RW-4 Wipe Samples | RW-4-W-5 | 7/30/07 | Wipe | SGS | PCB | |
| Recovery Well RW-4 Wipe Samples | RW-4-W-6 | 7/30/07 | Wipe | SGS | PCB | |
| Recovery Well RW-4 Wipe Samples | RW-4-W-7 | 7/30/07 | Wipe | SGS | PCB | |
| Recovery Well RW-4 Wipe Samples | RW-4-W-8 | 7/30/07 | Wipe | SGS | PCB | |
| Recovery Well RW-4 Wipe Samples | RW-4-W-9 | 7/30/07 | Wipe | SGS | PCB | |
| Water and Solids Sampling from Installation of Well RW-4 | RW4-Water-1 | 7/30/07 | Water | SGS | PCB, VOC, SVOC, Total Metals-RCRA 8 | |
| Water and Solids Sampling from Installation of Well RW-4 | RW4-Soil-1 | 7/30/07 | Soil | SGS | PCB, TCLP - Excluding Pest, Herb | |

**TABLE 21-2
AUTOMATED LNAPL & GROUNDWATER RECOVERY SYSTEMS MONTHLY SUMMARY
EAST STREET AREA 1 - NORTH & SOUTH
GROUNDWATER MANAGEMENT AREA 1**

**CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007**

| Caisson | Month | Vol. LNAPL Collected (gallon) | Vol. Water Recovered (gallon) | Percent Downtime |
|----------------|----------------|--------------------------------------|--------------------------------------|-------------------------|
| Northside | July 2006 | 0.0 | 18,500 | |
| | August 2006 | 0.0 | 21,700 | |
| | September 2006 | 0.0 | 13,000 | 0.89 |
| | October 2006 | 0.0 | 17,000 | |
| | November 2006 | 1.1 | 26,700 | |
| | December 2006 | 0.0 | 13,700 | |
| | January 2007 | 0.0 | 24,800 | |
| | February 2007 | 0.0 | 16,000 | |
| | March 2007 | 0.6 | 10,400 | 23.33 |
| | April 2007 | 0.6 | 4,775 | 7.41 |
| | May 2007 | 0.3 | 31,002 | |
| | June 2007 | 0.0 | 18,792 | |
| July 2007 | 0.9 | 11,800 | 13.33 | |
| Southside | July 2006 | 0.0 | 58,900 | |
| | August 2006 | 0.0 | 84,900 | |
| | September 2006 | 25.0 | 59,400 | 0.89 |
| | October 2006 | 1.0 | 55,800 | |
| | November 2006 | 1.1 | 92,200 | |
| | December 2006 | 0.6 | 64,400 | |
| | January 2007 | 0.0 | 87,400 | |
| | February 2007 | 0.4 | 57,700 | |
| | March 2007 | 1.6 | 50,700 | 6.67 |
| | April 2007 | 1.1 | 52,570 | |
| | May 2007 | 1.2 | 62,720 | |
| | June 2007 | 0.9 | 53,800 | 3.57 |
| July 2007 | 1.1 | 35,770 | 36.67 | |

Note:

1. New flowmeters were installed at both caissons during April 2007.

TABLE 21-3
MEASUREMENT AND REMOVAL OF RECOVERABLE LNAPL
EAST STREET AREA 1 - NORTH & SOUTH
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | LNAPL Removed (liters) | July 2007 Removal (liters) |
|-----------|-----------|-------------------------|-------------------------|------------------------|------------------------|----------------------------|
| 34 | 7/17/2007 | 5.71 | 5.70 | 0.01 | 0.006 | 0.006 |

Total Manual LNAPL Removal for July 2007: 0.006 liters
0.002 gallons

Note:

1. ft BMP - feet Below Measuring Point.

TABLE 21-4
ROUTINE WELL MONITORING
EAST STREET AREA 1 - NORTH & SOUTH
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|---|------------------------------|-----------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| GMA 1 - East Street Area 1 - North | | | | | | | | | |
| 52 | 999.26 | 7/17/2007 | 4.90 | --- | 0.00 | --- | 9.70 | 0.00 | 994.36 |
| 131 | 1001.18 | 7/17/2007 | 4.30 | --- | 0.00 | --- | 6.60 | 0.00 | 996.88 |
| 140 | 1000.30 | 7/17/2007 | 7.76 | --- | 0.00 | --- | 15.28 | 0.00 | 992.54 |
| ES1-08 | 1000.85 | 7/17/2007 | 5.48 | --- | 0.00 | --- | 13.35 | 0.00 | 995.37 |
| North Caisson | 997.84 | 7/5/2007 | 16.81 | 16.80 | 0.01 | --- | 19.80 | 0.00 | 981.04 |
| North Caisson | 997.84 | 7/10/2007 | 17.59 | 17.58 | 0.01 | --- | 19.80 | 0.00 | 980.26 |
| North Caisson | 997.84 | 7/18/2007 | 17.70 | 17.69 | 0.01 | --- | 19.80 | 0.00 | 980.15 |
| North Caisson | 997.84 | 7/27/2007 | 17.07 | 17.06 | 0.01 | --- | 19.80 | 0.00 | 980.78 |
| GMA 1 - East Street Area 1 - South | | | | | | | | | |
| 31R | 1,000.23 | 7/17/2007 | 9.30 | --- | 0.00 | --- | 15.02 | 0.00 | 990.93 |
| 33 | 999.50 | 7/17/2007 | 6.50 | --- | 0.00 | --- | 21.30 | 0.00 | 993.00 |
| 34 | 999.90 | 7/17/2007 | 5.71 | 5.70 | 0.01 | --- | 21.02 | 0.00 | 994.20 |
| 72 | 1000.62 | 7/17/2007 | 6.35 | --- | 0.00 | --- | 21.95 | 0.00 | 994.27 |
| 72R | 1000.92 | 7/17/2007 | 6.45 | --- | 0.00 | --- | 13.30 | 0.00 | 994.47 |
| South Caisson | 1001.11 | 7/5/2007 | 13.90 | 13.89 | 0.01 | --- | 15.00 | 0.00 | 987.22 |
| South Caisson | 1001.11 | 7/10/2007 | 12.25 | 12.24 | 0.01 | --- | 15.00 | 0.00 | 988.87 |
| South Caisson | 1001.11 | 7/18/2007 | 10.15 | 10.14 | 0.01 | --- | 15.00 | 0.00 | 990.97 |
| South Caisson | 1001.11 | 7/27/2007 | 8.23 | 8.22 | 0.01 | --- | 15.00 | 0.00 | 992.89 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.

**TABLE 21-5
AUTOMATED LNAPL/DNAPL & GROUNDWATER RECOVERY SYSTEMS
EAST STREET AREA 2 - SOUTH
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
July 2007**

| Recovery System Location | Month | Oil Collected (gallon) | Water Recovered (gallon) | Percent Downtime |
|--------------------------|----------------|------------------------|--------------------------|------------------|
| 17W | October 2006 | 21 | | |
| | November 2006 | 24 | | |
| | December 2006 | 13 | | |
| | January 2007 | 8 | | |
| | February 2007 | 6 | | |
| | March 2007 | 6 | | |
| | April 2007 | 2 | | |
| | May 2007 | 6 | | |
| 64R | July 2006 | 250 | 345,697 | |
| | August 2006 | 25 | 38,948 | |
| | September 2006 | 75 | 4,627 | 0.89 |
| | October 2006 | 0 | 16,844 | 0.15 |
| | November 2006 | 13 | 211,062 | |
| | December 2006 | 19 | 85,911 | |
| | January 2007 | 50 | 225,994 | |
| | February 2007 | 6 | 56,097 | |
| | March 2007 | 6 | 110,548 | |
| | April 2007 | 69 | 954,730 | |
| | May 2007 | 419 | 1,268,754 | 0.49 |
| | June 2007 | 194 | 544,491 | |
| | July 2007 | 56 | 75,278 | |
| 64S System | July 2006 | 472 | 732,853 | 0.93 |
| | August 2006 | 238 | 646,128 | |
| | September 2006 | 188 | 393,032 | 0.89 |
| | October 2006 | 82 | 400,898 | 0.30 |
| | November 2006 | 75 | 682,641 | 3.37 |
| | December 2006 | 209 | 638,261 | |
| | January 2007 | 372 | 856,752 | 2.46 |
| | February 2007 | 376 | 584,460 | 10.71 |
| | March 2007 | 90 | 699,541 | |
| | April 2007 | 189 | 1,020,240 | |
| | May 2007 | 265 | 1,615,013 | 0.74 |
| | June 2007 | 197 | 778,200 | |
| | July 2007 | 158 | 516,126 | 5.00 |
| 64V ¹ | July 2006 | 548 | 885,300 | |
| | August 2006 | 548 | 1,016,400 | |
| | September 2006 | 332 | 794,600 | 0.89 |
| | October 2006 | 432 | 825,400 | 0.15 |
| | November 2006 | 855 | 1,181,500 | |
| | December 2006 | 493 | 1,017,800 | |
| | January 2007 | 680 | 1,131,400 | |
| | February 2007 | 365 | 831,700 | |
| | March 2007 | 357 | 981,000 | |
| | April 2007 | 133 | 664,100 | 31.48 |
| | May 2007 | 1,480 | 1,325,500 | 0.49 |
| | June 2007 | 303 | 965,600 | |
| | July 2007 | 423 | 720,200 | |

TABLE 21-5
AUTOMATED LNAPL/DNAPL & GROUNDWATER RECOVERY SYSTEMS
EAST STREET AREA 2 - SOUTH
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
July 2007

| Recovery System Location | Month | Oil Collected (gallon) | Water Recovered (gallon) | Percent Downtime |
|--------------------------|----------------|------------------------|--------------------------|------------------|
| 64X | July 2006 | 28 | 388,800 | |
| | August 2006 | 127 | 504,000 | |
| | September 2006 | 24 | 403,200 | 0.89 |
| | October 2006 | 68 | 403,200 | 0.15 |
| | November 2006 | 14 | 489,600 | |
| | December 2006 | 15 | 446,400 | |
| | January 2007 | 25 | 475,200 | |
| | February 2007 | 3 | 403,200 | |
| | March 2007 | 23 | 432,000 | |
| | April 2007 | 12 | 388,800 | 12.35 |
| | May 2007 | 7 | 489,600 | 0.49 |
| | June 2007 | 0 | 403,200 | |
| | July 2007 | 4 | 432,000 | |
| RW-2(X) | July 2006 | 0 | 1,076,551 | |
| | August 2006 | 0 | 1,146,830 | |
| | September 2006 | 1 | 546,233 | 0.89 |
| | October 2006 | 0 | 574,780 | 0.15 |
| | November 2006 | 0 | 742,383 | |
| | December 2006 | 0 | 681,784 | |
| | January 2007 | 0 | 741,727 | |
| | February 2007 | 0 | 613,664 | |
| | March 2007 | 0 | 661,630 | |
| | April 2007 | 0 | 630,962 | |
| | May 2007 | 0 | 759,917 | 0.49 |
| | June 2007 | 0 | 623,287 | |
| | July 2007 | 0 | 621,704 | |
| RW-1(S) ² | July 2006 | 28 | 722,887 | |
| | August 2006 | 17 | 741,315 | |
| | September 2006 | 12 | 554,826 | 0.89 |
| | October 2006 | 31 | 583,596 | 0.00 |
| | November 2006 | 85 | 877,320 | 5.88 |
| | December 2006 | 43 | 706,488 | |
| | January 2007 | 24 | 814,809 | |
| | February 2007 | 22 | 129,672 | |
| | March 2007 | 22 | 749,862 | |
| | April 2007 | 22 | 907,766 | |
| | May 2007 | 22 | 1,266,422 | 0.49 |
| | June 2007 | 28 | 922,524 | |
| | July 2007 | 14 | 728,718 | 5.00 |
| RW-1(X) | July 2006 | 0 | 369,041 | |
| | August 2006 | 0 | 471,215 | |
| | September 2006 | 1 | 374,761 | 0.89 |
| | October 2006 | 0 | 397,949 | 0.15 |
| | November 2006 | 2 | 545,763 | |
| | December 2006 | 0 | 435,048 | |
| | January 2007 | 0 | 531,367 | |
| | February 2007 | 0 | 385,165 | |
| | March 2007 | 0 | 456,714 | |
| | April 2007 | 6 | 485,631 | |
| | May 2007 | 0 | 525,891 | 3.43 |
| | June 2007 | 0 | 432,622 | |
| | July 2007 | 0 | 288,576 | |

**TABLE 21-5
 AUTOMATED LNAPL/DNAPL & GROUNDWATER RECOVERY SYSTEMS
 EAST STREET AREA 2 - SOUTH
 GROUNDWATER MANAGEMENT AREA 1
 CONSENT DECREE MONTHLY STATUS REPORT
 GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
 July 2007**

| Recovery System Location | Month | Oil Collected (gallon) | Water Recovered (gallon) | Percent Downtime |
|--------------------------|----------------|------------------------|--------------------------|------------------|
| RW-3(X) | July 2006 | 28 | | |
| | August 2006 | 37 | | |
| | September 2006 | 26 | | |
| | October 2006 | 22 | | |
| | November 2006 | 32 | | 5.88 |
| | December 2006 | 18 | | |
| | January 2007 | 60 | | 6.06 |
| | February 2007 | 32 | | 10.71 |
| | March 2007 | 30 | | |
| | April 2007 | 13 | | |
| | May 2007 | 30 | | |
| | June 2007 | 30 | | |
| | July 2007 | 25 | | |

| Summary of Total Automated Removal | |
|------------------------------------|--------------------------|
| Water: | 3,382,602 Gallons |
| LNAPL: | 656 Gallons |
| DNAPL: | 25 Gallons |

Notes:

1. The flow meter at recovery well 64V was reset in December 2004.
2. The flow meter at recovery well RW-1(S) was reset in January 2007.
3. The flow meters at recovery wells RW-1(X), RW-2(X), 64X(W), and 64R were reset in March 2006.

**TABLE 21-6
WELL MONITORING AND RECOVERY OF LNAPL
EAST STREET AREA 2 - NORTH & SOUTH / 20s, 30s, & 40s COMPLEXES
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007**

| Well Name | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | LNAPL Removed (liters) | July 2007 Removal (liters) |
|-----------------------------------|-----------|-------------------------|-------------------------|------------------------|------------------------|----------------------------|
| East Street Area 2 - South | | | | | | |
| 13 | 7/17/2007 | 18.17 | 18.16 | 0.01 | 0.006 | 0.01 |
| 14 | 7/17/2007 | 18.28 | 18.25 | 0.03 | 0.019 | 0.02 |
| 25R | 7/17/2007 | 25.22 | 20.20 | 5.02 | 3.097 | 3.10 |
| 48 | 7/16/2007 | 17.01 | 15.80 | 1.21 | 0.747 | 0.75 |
| 55 | 7/16/2007 | 17.20 | 16.75 | 0.45 | 0.278 | 0.28 |
| 95-04R | 7/16/2007 | 15.50 | 14.20 | 1.30 | 3.21 | 3.21 |
| 95-07R | 7/17/2007 | 19.16 | 19.14 | 0.02 | 0.050 | 0.05 |
| GMA1-15 | 7/3/2007 | 16.20 | 15.68 | 0.52 | 0.321 | 1.31 |
| | 7/11/2007 | 16.15 | 15.60 | 0.55 | 0.339 | |
| | 7/17/2007 | 16.05 | 15.75 | 0.30 | 0.185 | |
| | 7/26/2007 | 16.45 | 15.70 | 0.75 | 0.463 | |
| GMA1-16 | 7/3/2007 | 13.50 | 13.41 | 0.09 | 0.056 | 0.33 |
| | 7/11/2007 | 13.35 | 13.30 | 0.05 | 0.031 | |
| | 7/17/2007 | 13.80 | 13.56 | 0.24 | 0.148 | |
| | 7/26/2007 | 13.81 | 13.66 | 0.15 | 0.093 | |
| GMA1-19 | 7/3/2007 | 11.98 | 11.40 | 0.58 | 0.358 | 2.10 |
| | 7/11/2007 | 12.15 | 11.32 | 0.83 | 0.511 | |
| | 7/17/2007 | 12.50 | 11.60 | 0.90 | 0.555 | |
| | 7/26/2007 | 12.55 | 11.45 | 1.10 | 0.679 | |

**Total LNAPL Removal East Street Area 2 - South for July 2007: 11.149 liters
2.942 gallons**

**Total LNAPL Removal for July 2007: 11.149 liters
2.942 gallons**

Note:

1. ft BMP - feet Below Measuring Point.

TABLE 21-7
WELL MONITORING AND RECOVERY OF DNAPL
EAST STREET AREA 2 - NORTH & SOUTH / 20s, 30s, & 40s COMPLEXES
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Date | Depth to Water (ft BMP) | Depth to DNAPL (ft BMP) | DNAPL Thickness (feet) | DNAPL Removed (liters) | July 2007 Removal (liters) |
|-----------|-----------|-------------------------|-------------------------|------------------------|------------------------|----------------------------|
| E2SC-03I | 7/17/2007 | 9.85 | 38.78 | 3.57 | 2.20 | 2.20 |

Total DNAPL Removal East Street Area 2 - South for July 2007: 2.202 liters
0.581 gallons

Total DNAPL Removal for July 2007: 2.202 liters
0.581 gallons

Note:

1. ft BMP - feet Below Measuring Point

**TABLE 21-8
64G TREATMENT PLANT DISCHARGE DATA
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007**

| Date | Housatonic River Discharge (gallons) | Recharge Pond Discharge (gallons) | Total Discharge (gallons) |
|----------------|---|--|----------------------------------|
| July 2006 | 4,631,550 | 348,554 | 4,980,104 |
| August 2006 | 3,542,620 | 322,375 | 3,864,995 |
| September 2006 | 2,938,190 | 327,432 | 3,265,622 |
| October 2006 | 3,358,570 | 240,091 | 3,598,661 |
| November 2006 | 4,003,730 | 173,630 | 4,177,360 |
| December 2006 | 3,733,070 | 192,539 | 3,925,609 |
| January 2007 | 4,323,220 | 169,346 | 4,492,566 |
| February 2007 | 3,151,020 | 156,954 | 3,307,974 |
| March 2007 | 3,975,040 | 51,863 | 4,026,903 |
| April 2007 | 5,902,880 | 81,907 | 5,984,787 |
| May 2007 | 5,734,160 | 261,734 | 5,995,894 |
| June 2007 | 4,330,740 | 300,469 | 4,631,209 |
| July 2007 | 2,951,980 | 298,158 | 3,250,138 |

After treatment, the majority of the water processed at GE's Building 64G groundwater treatment facility is discharged to the Housatonic River through NPDES permitted Outfall 005. However, as part of GE's overall efforts to contain NAPL within the site and to optimize NAPL recovery operations, a portion of the treated water discharged from the 64G facility is routed to GE's on-site recharge pond located in East Street Area 2-South.

**TABLE 21-9
ROUTINE WELL MONITORING
EAST STREET AREA 2 - NORTH & SOUTH / 20s, 30s, & 40s COMPLEXES
GROUNDWATER MANAGEMENT AREA 1**

**CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007**

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|-----------------------------------|------------------------------|-----------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| East Street Area 2 - North | | | | | | | | | |
| ES1-20 | 1,001.56 | 7/17/2007 | 14.62 | --- | 0.00 | --- | 19.58 | 0.00 | 986.94 |
| East Street Area 2 - South | | | | | | | | | |
| 13 | 990.88 | 7/17/2007 | 18.17 | 18.16 | 0.01 | --- | 22.51 | 0.00 | 972.72 |
| 14 | 991.61 | 7/17/2007 | 18.28 | 18.25 | 0.03 | --- | 25.62 | 0.00 | 973.36 |
| 19 | 983.59 | 7/3/2007 | 11.50 | --- | 0.00 | --- | 17.70 | 0.00 | 972.09 |
| 19 | 983.59 | 7/11/2007 | 11.28 | --- | 0.00 | --- | 17.70 | 0.00 | 972.31 |
| 19 | 983.59 | 7/17/2007 | 11.52 | --- | 0.00 | --- | 17.68 | 0.00 | 972.07 |
| 19 | 983.59 | 7/26/2007 | 11.60 | --- | 0.00 | --- | 17.70 | 0.00 | 971.99 |
| 25R | 998.31 | 7/17/2007 | 25.22 | 20.20 | 5.02 | --- | 30.70 | 0.00 | 977.76 |
| 26RR | 1,000.58 | 7/16/2007 | 21.62 | 21.55 | 0.07 | --- | 28.45 | 0.00 | 979.03 |
| 40R | 991.60 | 7/16/2007 | Dry at 13.05 feet | | | --- | 13.05 | 0.00 | NA |
| 48 | 992.39 | 7/16/2007 | 17.01 | 15.80 | 1.21 | --- | 22.64 | 0.00 | 976.51 |
| 49R | 988.71 | 7/16/2007 | 15.75 | --- | 0.00 | --- | 24.88 | 0.00 | 972.96 |
| 49RR | 989.80 | 7/16/2007 | 16.80 | --- | 0.00 | --- | 23.04 | 0.00 | 973.00 |
| 50 | 985.79 | 7/16/2007 | 10.93 | 10.80 | 0.13 | --- | 23.45 | 0.00 | 974.98 |
| 53 | 986.90 | 7/16/2007 | 14.50 | --- | 0.00 | --- | 25.56 | 0.00 | 972.40 |
| 55 | 989.45 | 7/16/2007 | 17.20 | 16.75 | 0.45 | --- | 30.05 | 0.00 | 972.67 |
| 64R | 993.37 | 7/5/2007 | 16.61 | 16.60 | 0.01 | --- | 20.50 | 0.00 | 976.77 |
| 64R | 993.37 | 7/10/2007 | 15.60 | 15.59 | 0.01 | --- | 20.50 | 0.00 | 977.78 |
| 64R | 993.37 | 7/18/2007 | 16.71 | 16.70 | 0.01 | --- | 20.50 | 0.00 | 976.67 |
| 64R | 993.37 | 7/26/2007 | 15.65 | P | < 0.01 | --- | 20.50 | 0.00 | 977.72 |
| 64S | 984.48 | 7/5/2007 | 19.19 | --- | 0.00 | P | 28.70 | < 0.01 | 965.29 |
| 64S | 984.48 | 7/10/2007 | 10.10 | --- | 0.00 | --- | 28.70 | 0.00 | 974.38 |
| 64S | 984.48 | 7/18/2007 | 19.10 | P | < 0.01 | --- | 28.70 | 0.00 | 965.38 |
| 64S | 984.48 | 7/27/2007 | 19.50 | P | < 0.01 | --- | 28.70 | 0.00 | 964.98 |
| 64S-Caisson | NA | 7/5/2007 | 10.65 | 10.63 | 0.02 | --- | 14.55 | 0.00 | NA |
| 64S-Caisson | NA | 7/10/2007 | 9.43 | 9.40 | 0.03 | --- | 14.55 | 0.00 | NA |
| 64S-Caisson | NA | 7/18/2007 | 10.50 | 10.48 | 0.02 | --- | 14.55 | 0.00 | NA |
| 64S-Caisson | NA | 7/27/2007 | 10.61 | 10.59 | 0.02 | --- | 14.55 | 0.00 | NA |
| 64V | 987.29 | 7/5/2007 | 21.60 | 21.40 | 0.20 | P | 29.60 | < 0.01 | 965.88 |
| 64V | 987.29 | 7/10/2007 | 21.55 | 21.45 | 0.10 | P | 29.60 | < 0.01 | 965.83 |
| 64V | 987.29 | 7/18/2007 | 18.90 | 18.30 | 0.60 | P | 29.60 | < 0.01 | 968.95 |
| 64V | 987.29 | 7/26/2007 | 18.60 | 18.18 | 0.42 | P | 29.60 | < 0.01 | 969.08 |
| 64X(N) | 984.83 | 7/5/2007 | 12.35 | 12.34 | 0.01 | --- | 15.85 | 0.00 | 972.49 |
| 64X(N) | 984.83 | 7/10/2007 | 12.30 | 12.29 | 0.01 | --- | 15.85 | 0.00 | 972.54 |
| 64X(N) | 984.83 | 7/18/2007 | 12.36 | 12.35 | 0.01 | --- | 15.85 | 0.00 | 972.48 |
| 64X(N) | 984.83 | 7/26/2007 | 12.29 | 12.28 | 0.01 | --- | 15.85 | 0.00 | 972.55 |
| 64X(S) | 981.56 | 7/5/2007 | 15.50 | 15.46 | 0.04 | --- | 23.82 | 0.00 | 966.10 |
| 64X(S) | 981.56 | 7/10/2007 | 14.45 | 14.42 | 0.03 | --- | 23.82 | 0.00 | 967.14 |
| 64X(S) | 981.56 | 7/18/2007 | 15.61 | 15.56 | 0.05 | --- | 23.82 | 0.00 | 966.00 |
| 64X(S) | 981.56 | 7/26/2007 | 15.56 | 15.25 | 0.31 | --- | 23.82 | 0.00 | 966.29 |
| 64X(W) | 984.87 | 7/5/2007 | 18.58 | 18.50 | 0.08 | --- | 24.35 | 0.00 | 966.36 |
| 64X(W) | 984.87 | 7/10/2007 | 18.51 | 18.50 | 0.01 | --- | 24.35 | 0.00 | 966.37 |
| 64X(W) | 984.87 | 7/18/2007 | 18.60 | 18.59 | 0.01 | --- | 24.35 | 0.00 | 966.28 |
| 64X(W) | 984.87 | 7/26/2007 | 18.64 | 18.47 | 0.17 | --- | 24.35 | 0.00 | 966.39 |
| 95-01 | 983.77 | 7/16/2007 | 10.68 | --- | 0.00 | --- | 17.20 | 0.00 | 973.09 |
| 95-04R | 988.36 | 7/16/2007 | 15.50 | 14.20 | 1.30 | --- | 21.95 | 0.00 | 974.07 |
| 95-07R | 994.56 | 7/17/2007 | 19.16 | 19.14 | 0.02 | --- | 26.05 | 0.00 | 975.42 |

**TABLE 21-9
ROUTINE WELL MONITORING
EAST STREET AREA 2 - NORTH & SOUTH / 20s, 30s, & 40s COMPLEXES
GROUNDWATER MANAGEMENT AREA 1**

**CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007**

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|------------|------------------------------|-----------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| 3-6C-EB-22 | 986.94 | 7/16/2007 | 14.40 | --- | 0.00 | --- | 20.02 | 0.00 | 972.54 |
| E2SC-031* | 982.12 | 7/17/2007 | 9.85 | --- | 0.00 | 38.78 | 42.35 | 3.57 | 972.27 |
| E2SC-17* | 985.38 | 7/17/2007 | 12.21 | --- | 0.00 | --- | 45.72 | 0.00 | 973.17 |
| E2SC-23 | 992.07 | 7/16/2007 | 17.21 | --- | 0.00 | --- | 21.16 | 0.00 | 974.86 |
| E2SC-24 | 987.90 | 7/16/2007 | 15.90 | --- | 0.00 | --- | 21.62 | 0.00 | 972.00 |
| ES2-06 | 986.00 | 7/16/2007 | 13.11 | --- | 0.00 | --- | 34.54 | 0.00 | 972.89 |
| GMA1-14 | 997.43 | 7/3/2007 | 18.50 | --- | 0.00 | --- | 23.03 | 0.00 | 978.93 |
| GMA1-14 | 997.43 | 7/11/2007 | 18.75 | --- | 0.00 | --- | 23.05 | 0.00 | 978.68 |
| GMA1-14 | 997.43 | 7/17/2007 | 18.93 | --- | 0.00 | --- | 23.04 | 0.00 | 978.50 |
| GMA1-14 | 997.43 | 7/26/2007 | 19.20 | --- | 0.00 | --- | 23.02 | 0.00 | 978.23 |
| GMA1-15 | 988.59 | 7/3/2007 | 16.20 | 15.68 | 0.52 | --- | 17.20 | 0.00 | 972.87 |
| GMA1-15 | 988.59 | 7/11/2007 | 16.15 | 15.60 | 0.55 | --- | 17.82 | 0.00 | 972.95 |
| GMA1-15 | 988.59 | 7/17/2007 | 16.05 | 15.75 | 0.30 | --- | 17.80 | 0.00 | 972.82 |
| GMA1-15 | 988.59 | 7/26/2007 | 16.45 | 15.70 | 0.75 | --- | 17.80 | 0.00 | 972.84 |
| GMA1-16 | 986.82 | 7/3/2007 | 13.50 | 13.41 | 0.09 | --- | 19.96 | 0.00 | 973.40 |
| GMA1-16 | 986.82 | 7/11/2007 | 13.35 | 13.30 | 0.05 | --- | 19.97 | 0.00 | 973.52 |
| GMA1-16 | 986.82 | 7/17/2007 | 13.80 | 13.56 | 0.24 | --- | 19.97 | 0.00 | 973.24 |
| GMA1-16 | 986.82 | 7/26/2007 | 13.81 | 13.66 | 0.15 | --- | 19.96 | 0.00 | 973.15 |
| GMA1-17E | 993.03 | 7/16/2007 | 15.26 | --- | 0.00 | --- | 17.30 | 0.00 | 977.77 |
| GMA1-19 | 984.28 | 7/3/2007 | 11.98 | 11.40 | 0.58 | --- | 17.12 | 0.00 | 972.84 |
| GMA1-19 | 984.28 | 7/11/2007 | 12.15 | 11.32 | 0.83 | --- | 17.14 | 0.00 | 972.90 |
| GMA1-19 | 984.28 | 7/17/2007 | 12.50 | 11.60 | 0.90 | --- | 17.13 | 0.00 | 972.62 |
| GMA1-19 | 984.28 | 7/26/2007 | 12.55 | 11.45 | 1.10 | --- | 17.13 | 0.00 | 972.75 |
| GMA1-20 | 983.49 | 7/3/2007 | 11.10 | --- | 0.00 | --- | 17.30 | 0.00 | 972.39 |
| GMA1-20 | 983.49 | 7/11/2007 | 10.95 | --- | 0.00 | --- | 17.30 | 0.00 | 972.54 |
| GMA1-20 | 983.49 | 7/17/2007 | 11.05 | --- | 0.00 | --- | 17.28 | 0.00 | 972.44 |
| GMA1-20 | 983.49 | 7/26/2007 | 11.10 | --- | 0.00 | --- | 17.30 | 0.00 | 972.39 |
| GMA1-21 | 985.68 | 7/3/2007 | 13.15 | --- | 0.00 | --- | 19.46 | 0.00 | 972.53 |
| GMA1-21 | 985.68 | 7/11/2007 | 13.10 | --- | 0.00 | --- | 19.42 | 0.00 | 972.58 |
| GMA1-21 | 985.68 | 7/17/2007 | 13.20 | --- | 0.00 | --- | 19.42 | 0.00 | 972.48 |
| GMA1-21 | 985.68 | 7/26/2007 | 13.25 | --- | 0.00 | --- | 19.45 | 0.00 | 972.43 |
| GMA1-22 | 988.45 | 7/3/2007 | 15.40 | --- | 0.00 | --- | 19.24 | 0.00 | 973.05 |
| GMA1-22 | 988.45 | 7/11/2007 | 15.35 | --- | 0.00 | --- | 19.24 | 0.00 | 973.10 |
| GMA1-22 | 988.45 | 7/17/2007 | 15.45 | --- | 0.00 | --- | 19.25 | 0.00 | 973.00 |
| GMA1-22 | 988.45 | 7/26/2007 | 15.50 | --- | 0.00 | --- | 19.24 | 0.00 | 972.95 |
| GMA1-23 | 986.16 | 7/3/2007 | 13.20 | --- | 0.00 | --- | 17.30 | 0.00 | 972.96 |
| GMA1-23 | 986.16 | 7/11/2007 | 13.15 | --- | 0.00 | --- | 17.30 | 0.00 | 973.01 |
| GMA1-23 | 986.16 | 7/17/2007 | 13.25 | --- | 0.00 | --- | 17.30 | 0.00 | 972.91 |
| GMA1-23 | 986.16 | 7/26/2007 | 13.30 | --- | 0.00 | --- | 17.30 | 0.00 | 972.86 |
| GMA1-24 | 983.81 | 7/3/2007 | 11.35 | --- | 0.00 | --- | 16.03 | 0.00 | 972.46 |
| GMA1-24 | 983.81 | 7/11/2007 | 11.30 | --- | 0.00 | --- | 16.03 | 0.00 | 972.51 |
| GMA1-24 | 983.81 | 7/17/2007 | 11.40 | --- | 0.00 | --- | 16.02 | 0.00 | 972.41 |
| GMA1-24 | 983.81 | 7/26/2007 | 11.42 | --- | 0.00 | --- | 16.03 | 0.00 | 972.39 |
| HR-G1-MW-1 | 982.42 | 7/16/2007 | 10.90 | --- | 0.00 | --- | 20.30 | 0.00 | 971.52 |
| HR-G1-MW-2 | 980.23 | 7/16/2007 | 8.50 | --- | 0.00 | --- | 28.40 | 0.00 | 971.73 |
| HR-G1-MW-3 | 980.21 | 7/16/2007 | 8.92 | --- | 0.00 | --- | 17.85 | 0.00 | 971.29 |
| HR-G2-MW-1 | 982.60 | 7/16/2007 | 11.20 | --- | 0.00 | --- | 18.25 | 0.00 | 971.40 |
| HR-G2-MW-2 | 981.39 | 7/16/2007 | 9.43 | --- | 0.00 | --- | 17.68 | 0.00 | 971.96 |
| HR-G2-MW-3 | 987.14 | 7/16/2007 | 15.15 | --- | 0.00 | --- | 22.00 | 0.00 | 971.99 |
| HR-G2-RW-1 | 976.88 | 7/16/2007 | 6.90 | --- | 0.00 | --- | 18.70 | 0.00 | 971.73 |
| HR-G3-MW-1 | 987.10 | 7/16/2007 | 15.51 | --- | 0.00 | --- | 17.71 | 0.00 | 971.59 |
| HR-G3-MW-2 | 987.88 | 7/16/2007 | 15.93 | --- | 0.00 | --- | 17.72 | 0.00 | 971.95 |
| HR-G3-RW-1 | 977.78 | 7/16/2007 | 5.75 | --- | 0.00 | --- | 8.58 | 0.00 | 972.03 |
| HR-J1-MW-1 | 985.95 | 7/16/2007 | 14.02 | --- | 0.00 | --- | 25.90 | 0.00 | 971.93 |
| HR-J1-MW-2 | 983.56 | 7/16/2007 | 11.52 | --- | 0.00 | --- | 17.65 | 0.00 | 972.04 |
| HR-J1-MW-3 | 987.68 | 7/16/2007 | 15.48 | --- | 0.00 | --- | 26.56 | 0.00 | 972.20 |

**TABLE 21-9
ROUTINE WELL MONITORING
EAST STREET AREA 2 - NORTH & SOUTH / 20s, 30s, & 40s COMPLEXES
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007**

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) | |
|-------------------------|------------------------------|-----------|-------------------------|-------------------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|--------|
| HR-J1-RW-1 | 975.05 | 7/16/2007 | 3.38 | --- | 0.00 | --- | 19.92 | 0.00 | 971.67 | |
| RW-1(S) | 987.23 | 7/5/2007 | 19.13 | 19.10 | 0.03 | --- | 28.60 | 0.00 | 968.13 | |
| RW-1(S) | 987.23 | 7/10/2007 | 13.06 | 13.03 | 0.03 | --- | 28.60 | 0.00 | 974.20 | |
| RW-1(S) | 987.23 | 7/18/2007 | 19.90 | 19.71 | 0.19 | --- | 28.60 | 0.00 | 967.51 | |
| RW-1(S) | 987.23 | 7/27/2007 | 18.41 | 17.81 | 0.60 | --- | 28.60 | 0.00 | 969.38 | |
| RW-1(X) | 982.68 | 7/5/2007 | 15.12 | 15.08 | 0.04 | --- | 20.80 | 0.00 | 967.60 | |
| RW-1(X) | 982.68 | 7/10/2007 | 15.10 | 15.07 | 0.03 | --- | 20.80 | 0.00 | 967.61 | |
| RW-1(X) | 982.68 | 7/18/2007 | 15.38 | 15.36 | 0.02 | --- | 20.80 | 0.00 | 967.32 | |
| RW-1(X) | 982.68 | 7/26/2007 | 14.44 | 14.42 | 0.02 | --- | 20.80 | 0.00 | 968.26 | |
| RW-2(X) | 985.96 | 7/5/2007 | 13.50 | --- | 0.00 | --- | 15.30 | 0.00 | 972.46 | |
| RW-2(X) | 985.96 | 7/10/2007 | 13.60 | --- | 0.00 | --- | 15.30 | 0.00 | 972.36 | |
| RW-2(X) | 985.96 | 7/18/2007 | 13.85 | --- | 0.00 | --- | 15.30 | 0.00 | 972.11 | |
| RW-2(X) | 985.96 | 7/26/2007 | 13.43 | --- | 0.00 | --- | 15.30 | 0.00 | 972.53 | |
| RW-3(X) | 980.28 | 7/5/2007 | 9.50 | --- | 0.00 | 43.10 | 44.40 | 1.30 | 970.78 | |
| RW-3(X) | 980.28 | 7/10/2007 | 9.18 | --- | 0.00 | 42.90 | 44.40 | 1.50 | 971.10 | |
| RW-3(X) | 980.28 | 7/18/2007 | 9.25 | --- | 0.00 | 42.80 | 44.40 | 1.60 | 971.03 | |
| RW-3(X) | 980.28 | 7/26/2007 | 9.50 | --- | 0.00 | 43.32 | 44.40 | 1.08 | 970.78 | |
| TMP-1 | 992.74 | 7/16/2007 | 20.02 | --- | 0.00 | --- | 21.96 | 0.00 | 972.72 | |
| Housatonic River | | | | | | | | | | |
| SG-HR-1 | 990.73 | 7/3/2007 | 19.90 | See Note 6 regarding depth to water | | | | | | 970.83 |
| SG-HR-1 | 990.73 | 7/11/2007 | 19.72 | See Note 6 regarding depth to water | | | | | | 971.01 |
| SG-HR-1 | 990.73 | 7/18/2007 | 19.71 | See Note 6 regarding depth to water | | | | | | 971.02 |
| SG-HR-1 | 990.73 | 7/25/2007 | 19.80 | See Note 6 regarding depth to water | | | | | | 970.93 |
| SG-HR-1 | 990.73 | 7/30/2007 | 19.90 | See Note 6 regarding depth to water | | | | | | 970.83 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. NA indicates information not available.
4. P indicates that LNAPL is present at a thickness that is < 0.01 feet, the corresponding thickness is recorded as such.
5. Well HR-G2-RW-1 is constructed at an angle of 41.67 degrees from vertical. Depth to water data reflect measurements collected along the angled well casing. Groundwater elevations are corrected to account for the angle of the well casing.
6. A survey reference point (SG-HR-1) was established on the Newell Street Bridge. The "Depth to Water" value(s) provided in the above table refer to the vertical distance from the surveyed reference point to the water surface.
7. * - A weighted bailer has been installed at this location to remove accumulations of DNAPL. The DNAPL thickness reported is that measured within the bailer upon the initial retrieval.

TABLE 21-10
ACTIVE RECOVERY SYSTEMS MONTHLY SUMMARY
LYMAN STREET AREA
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Month / Year | Volume Water Pumped (gallon) | RW-1 DNAPL Recovered (gallon) | RW-1R LNAPL Recovered (gallon) | RW-3 LNAPL Recovered (gallon) |
|---------------------|-------------------------------------|--------------------------------------|---------------------------------------|--------------------------------------|
| July 2005 | 310,647 | -- | 5 | 10 |
| August 2005 | 302,572 | -- | -- | -- |
| September 2005 | 198,753 | -- | -- | -- |
| October 2005 | 314,247 | -- | -- | -- |
| November 2005 | 412,936 | -- | -- | -- |
| December 2005 | 332,721 | -- | -- | -- |
| January 2006 | 342,548 | -- | -- | -- |
| February 2006 | 336,595 | -- | -- | -- |
| March 2006 | 322,169 | -- | -- | -- |
| April 2006 | 245,626 | -- | -- | -- |
| May 2006 | 253,821 | -- | -- | -- |
| June 2006 | 562,906 | -- | -- | -- |
| July 2006 | 206,016 | -- | -- | -- |
| August 2006 | 216,359 | -- | -- | -- |
| September 2006 | 172,604 | -- | -- | -- |
| October 2006 | 184,541 | -- | -- | -- |
| November 2006 | 270,731 | -- | -- | -- |
| December 2006 | 205,096 | -- | -- | -- |
| January 2007 | 240,662 | -- | -- | 5 |
| February 2007 | 170,181 | -- | -- | 5 |
| March 2007 | 205,590 | -- | -- | 10 |
| April 2007 | 292,955 | -- | -- | -- |
| May 2007 | 279,466 | -- | -- | 10 |
| June 2007 | 204,886 | -- | -- | -- |
| July 2007 | 186,214 | -- | -- | 5 |

Notes:

1. Volume of water pumped is total from Wells RW-1R, RW-2, and RW-3.
2. -- indicates LNAPL or DNAPL was not recovered by the system.

**TABLE 21-11
 MEASUREMENT AND REMOVAL OF RECOVERABLE DNAPL
 LYMAN STREET AREA
 GROUNDWATER MANAGEMENT AREA 1
 CONSENT DECREE MONTHLY STATUS REPORT
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
 July 2007**

| Well Name | Date | Depth to Water (ft BMP) | Depth to DNAPL (ft BMP) | DNAPL Thickness (feet) | DNAPL Removed (liters) | July 2007 Removal (liters) |
|------------------|-------------|--------------------------------|--------------------------------|-------------------------------|-------------------------------|-----------------------------------|
| LS-34 | 7/24/2007 | 15.60 | 28.90 | 0.84 | 0.518 | 0.518 |
| LSSC-07 | 7/3/2007 | 24.85 | 24.85 | 0.23 | 0.136 | 0.531 |
| | 7/9/2007 | 24.85 | 24.85 | 0.23 | 0.142 | |
| | 7/18/2007 | 24.85 | 24.85 | 0.23 | 0.142 | |
| | 7/24/2007 | 24.90 | 24.90 | 0.18 | 0.111 | |
| LSSC-08I | 7/9/2007 | 12.75 | 23.35 | 0.01 | 0.006 | 0.006 |

**Total Manual DNAPL Removal for July 2007: 1.055 liters
 0.278 gallons**

Note:

1. ft BMP - feet Below Measuring Point.

TABLE 21-12
ROUTINE WELL MONITORING
LYMAN STREET AREA
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|-----------|------------------------------|-----------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| EPA-01 | 983.04 | 7/24/2007 | 12.82 | --- | 0.00 | --- | 22.65 | 0.00 | 970.22 |
| LS-24 | 986.58 | 7/24/2007 | 18.40 | --- | 0.00 | --- | 19.36 | 0.00 | 968.18 |
| LS-30 | 986.440 | 7/24/2007 | 15.93 | --- | 0.00 | 23.56 | 23.94 | 0.38 | 970.51 |
| LS-31 | 987.090 | 7/24/2007 | 16.20 | 16.15 | 0.05 | 25.00 | 25.45 | 0.45 | 970.94 |
| LS-34 | 985.79 | 7/24/2007 | 15.60 | --- | 0.00 | 28.90 | 29.74 | 0.84 | 970.19 |
| LS-38 | 986.95 | 7/24/2007 | 17.20 | --- | 0.00 | --- | 26.04 | 0.00 | 969.75 |
| LS-43 | 981.17 | 7/24/2007 | Well Destroyed | | | --- | NA | 0.00 | NA |
| LS-44 | 980.78 | 7/24/2007 | 10.50 | --- | 0.00 | --- | 24.70 | 0.00 | 970.28 |
| LSSC-07 | 982.48 | 7/3/2007 | 11.53 | --- | 0.00 | 24.85 | 25.08 | 0.23 | 970.95 |
| LSSC-07 | 982.48 | 7/9/2007 | 11.10 | --- | 0.00 | 24.85 | 25.08 | 0.23 | 971.38 |
| LSSC-07 | 982.48 | 7/18/2007 | 11.50 | --- | 0.00 | 24.85 | 25.08 | 0.23 | 970.98 |
| LSSC-07 | 982.48 | 7/24/2007 | 11.50 | --- | 0.00 | 24.90 | 25.08 | 0.18 | 970.98 |
| LSSC-08I | 983.13 | 7/3/2007 | 13.24 | --- | 0.00 | --- | 23.36 | 0.00 | 969.89 |
| LSSC-08I | 983.13 | 7/9/2007 | 12.75 | --- | 0.00 | 23.35 | 23.36 | 0.01 | 970.38 |
| LSSC-08I | 983.13 | 7/18/2007 | 12.94 | --- | 0.00 | --- | 23.35 | 0.00 | 970.19 |
| LSSC-08I | 983.13 | 7/24/2007 | 13.00 | --- | 0.00 | --- | 23.36 | 0.00 | 970.13 |
| LSSC-08S | 983.11 | 7/24/2007 | 13.00 | --- | 0.00 | --- | 14.68 | 0.00 | 970.11 |
| LSSC-16I | 980.88 | 7/24/2007 | 9.80 | --- | 0.00 | --- | 28.51 | 0.00 | 971.08 |
| LSSC-18 | 987.32 | 7/24/2007 | 18.81 | --- | 0.00 | --- | 22.50 | 0.00 | 968.51 |
| LSSC-32 | 980.68 | 7/24/2007 | 9.95 | --- | 0.00 | --- | 35.24 | 0.00 | 970.73 |
| LSSC-33 | 980.49 | 7/24/2007 | 9.78 | --- | 0.00 | --- | 29.15 | 0.00 | 970.71 |
| LSSC-34I | 984.74 | 7/24/2007 | 16.15 | --- | 0.00 | 30.55 | 30.75 | 0.20 | 968.59 |
| MW-4R | 980.82 | 7/24/2007 | 10.15 | --- | 0.00 | --- | 14.05 | 0.00 | 970.67 |
| RW-1 | 984.88 | 7/5/2007 | 12.75 | P | < 0.01 | P | 21.00 | < 0.01 | 972.13 |
| RW-1 | 984.88 | 7/10/2007 | 12.80 | P | < 0.01 | P | 21.00 | < 0.01 | 972.08 |
| RW-1 | 984.88 | 7/18/2007 | 12.85 | P | < 0.01 | P | 21.00 | < 0.01 | 972.03 |
| RW-1 | 984.88 | 7/27/2007 | 13.84 | --- | 0.00 | P | 21.00 | < 0.01 | 971.04 |
| RW-1 (R) | 985.07 | 7/5/2007 | 15.83 | --- | 0.00 | P | 20.42 | < 0.01 | 969.24 |
| RW-1 (R) | 985.07 | 7/10/2007 | 15.70 | P | < 0.01 | P | 20.42 | < 0.01 | 969.37 |
| RW-1 (R) | 985.07 | 7/18/2007 | 15.95 | P | < 0.01 | P | 20.42 | < 0.01 | 969.12 |
| RW-1 (R) | 985.07 | 7/27/2007 | 16.86 | P | < 0.01 | P | 20.42 | < 0.01 | 968.21 |
| RW-2 | 987.82 | 7/5/2007 | 14.38 | --- | 0.00 | --- | 21.75 | 0.00 | 973.44 |
| RW-2 | 987.82 | 7/10/2007 | 15.35 | --- | 0.00 | --- | 21.75 | 0.00 | 972.47 |
| RW-2 | 987.82 | 7/18/2007 | 14.50 | --- | 0.00 | --- | 21.75 | 0.00 | 973.32 |
| RW-2 | 987.82 | 7/27/2007 | 14.74 | --- | 0.00 | --- | 21.75 | 0.00 | 973.08 |
| RW-3 | 984.08 | 7/5/2007 | 16.35 | 16.34 | 0.01 | --- | 21.57 | 0.00 | 967.74 |
| RW-3 | 984.08 | 7/10/2007 | 15.40 | 15.36 | 0.04 | --- | 21.57 | 0.00 | 968.72 |
| RW-3 | 984.08 | 7/18/2007 | 16.30 | 16.27 | 0.03 | --- | 21.57 | 0.00 | 967.81 |
| RW-3 | 984.08 | 7/27/2007 | 16.65 | 16.61 | 0.04 | --- | 21.57 | 0.00 | 967.47 |

TABLE 21-12
ROUTINE WELL MONITORING
LYMAN STREET AREA
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|---|------------------------------|-----------|-------------------------|-------------------------|------------------------|-------------------------------------|----------------------|------------------------|------------------------------|
| Housatonic River (Lyman Street Bridge) | | | | | | | | | |
| BM-2A | 986.32 | 7/3/2007 | 16.58 | | | See Note 5 regarding depth to water | | | 969.74 |
| BM-2A | 986.32 | 7/11/2007 | 16.50 | | | See Note 5 regarding depth to water | | | 969.82 |
| BM-2A | 986.32 | 7/18/2007 | 16.45 | | | See Note 5 regarding depth to water | | | 969.87 |
| BM-2A | 986.32 | 7/25/2007 | 16.48 | | | See Note 5 regarding depth to water | | | 969.84 |
| BM-2A | 986.32 | 7/30/2007 | 16.51 | | | See Note 5 regarding depth to water | | | 969.81 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. NA indicates information not available.
4. P indicates that LNAPL is present at a thickness that is < 0.01 feet, the corresponding thickness is recorded as such.
5. A survey reference point (BM-2A) was established on the Lyman Street Bridge. The "Depth to Water" value(s) provided in the above table refer to the vertical distance from the surveyed reference point to the water surface.

**TABLE 21-13
ACTIVE DNAPL RECOVERY SYSTEMS MONTHLY SUMMARY
NEWELL STREET AREA II
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007**

| Recovery System | Date | Total Gallons Recovered |
|---|----------------|-------------------------|
| System 2⁽¹⁾ | July 2006 | -- ⁽²⁾ |
| | August 2006 | -- ⁽²⁾ |
| | September 2006 | 97.2 |
| | October 2006 | 340.2 |
| | November 2006 | 224.1 |
| | December 2006 | 54.0 |
| | January 2007 | 72.9 |
| | February 2007 | 124.2 |
| | March 2007 | 94.8 |
| | April 2007 | 302.4 |
| | May 2007 | 175.5 |
| | June 2007 | 126.9 |
| | July 2007 | 75.2 |
| Total Automated DNAPL Removal for July 2007: | | 75.2 |

Notes:

1. System 2 wells are N2SC-01I(R), N2SC-03I(R), and N2SC-14.
2. The DNAPL recovery systems for the Newell Street Area II were shut down on July 25, 2005. An upgraded system was completed and activated on August 30, 2006.

TABLE 21-14
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
CONSENT DECREE MONTHLY STATUS REPORT
GROUNDWATER MANAGEMENT AREA 1 - NEWELL STREET AREA II
MEASUREMENT AND REMOVAL OF RECOVERABLE LNAPL
July 2007

| Well Name | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | LNAPL Removed (liters) | July 2007 Removal (liters) |
|-----------|-----------|-------------------------|-------------------------|------------------------|------------------------|----------------------------|
| NS-10 | 7/23/2007 | 13.30 | 13.00 | 0.30 | 0.741 | 0.741 |

Total LNAPL Removal for July 2007: 0.741 liters
0.196 gallons

Note:

1. ft BMP - feet Below Measuring Point.

TABLE 21-15
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
CONSENT DECREE MONTHLY STATUS REPORT
GROUNDWATER MANAGEMENT AREA 1 - NEWELL STREET AREA II
MEASUREMENT AND REMOVAL OF RECOVERABLE DNAPL
July 2007

| Well Name | Date | Depth to Water (ft BMP) | Depth to DNAPL (ft BMP) | DNAPL Thickness (feet) | DNAPL Removed (liters) | July 2007 Removal (liters) |
|------------------|-------------|--------------------------------|--------------------------------|-------------------------------|-------------------------------|-----------------------------------|
| N2SC-07 | 7/23/2007 | 10.64 | 35.60 | 0.20 | 0.123 | 0.123 |
| N2SC-08 | 7/23/2007 | 11.75 | 39.65 | 1.50 | 0.925 | 0.925 |
| N2SC-09S | 7/23/2007 | 9.60 | 12.75 | 0.39 | 0.241 | 0.241 |
| NS-30 | 7/23/2007 | 10.60 | 35.04 | 0.06 | 0.037 | 0.037 |

Total DNAPL Removal for July 2007: 1.326 liters
0.350 gallons

Note:

1. ft BMP - feet Below Measuring Point.

TABLE 21-16
ROUTINE WELL MONITORING
NEWELL STREET AREA II
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|-------------|------------------------------|-----------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| GMA1-8 | 981.66 | 7/23/2007 | 10.05 | --- | 0.00 | --- | 16.20 | 0.00 | 971.61 |
| GMA1-9 | 982.36 | 7/23/2007 | 10.15 | --- | 0.00 | --- | 14.34 | 0.00 | 972.21 |
| GMA1-25 | 987.19 | 7/23/2007 | 13.20 | --- | 0.00 | --- | 17.32 | 0.00 | 973.99 |
| GMA1-26 | 985.53 | 7/23/2007 | 12.40 | --- | 0.00 | --- | 16.98 | 0.00 | 973.13 |
| GMA1-27 | 983.29 | 7/23/2007 | 8.68 | --- | 0.00 | --- | 16.45 | 0.00 | 974.61 |
| GMA1-28 | 983.49 | 7/23/2007 | 10.80 | --- | 0.00 | --- | 16.16 | 0.00 | 972.69 |
| MW-1D | 987.20 | 7/23/2007 | 13.96 | --- | 0.00 | 38.30 | 38.74 | 0.44 | 973.24 |
| MW-1S | 986.60 | 7/23/2007 | 14.02 | --- | 0.00 | 22.10 | 22.32 | 0.22 | 972.58 |
| N2SC-01I | 984.99 | 7/23/2007 | 12.35 | --- | 0.00 | 37.50 | 40.40 | 2.90 | 972.64 |
| N2SC-01I(R) | 986.01 | 7/5/2007 | 15.9 | NM | NM | 41.80 | 42.60 | 0.80 | 970.11 |
| N2SC-01I(R) | 986.01 | 7/10/2007 | 15.91 | --- | 0.00 | 41.90 | 42.60 | 0.70 | 970.10 |
| N2SC-01I(R) | 986.01 | 7/18/2007 | 16.00 | NM | NM | 41.60 | 42.60 | 1.00 | 970.01 |
| N2SC-01I(R) | 986.01 | 7/27/2007 | 16.06 | NM | NM | 42.58 | 42.60 | 0.02 | 969.95 |
| N2SC-02 | 985.56 | 7/23/2007 | 11.45 | --- | 0.00 | --- | 38.36 | 0.00 | 974.11 |
| N2SC-03I | 986.24 | 7/23/2007 | 10.84 | --- | 0.00 | 35.95 | 37.71 | 1.76 | 975.40 |
| N2SC-03I(R) | 985.86 | 7/5/2007 | 14.01 | NM | NM | 38.85 | 41.10 | 2.25 | 971.85 |
| N2SC-03I(R) | 985.86 | 7/10/2007 | 14.00 | --- | 0.00 | 38.90 | 41.10 | 2.20 | 971.86 |
| N2SC-03I(R) | 985.86 | 7/18/2007 | 14.08 | NM | NM | 40.01 | 41.10 | 1.09 | 971.78 |
| N2SC-03I(R) | 985.86 | 7/27/2007 | 14.18 | NM | NM | 38.62 | 41.10 | 2.48 | 971.68 |
| N2SC-07 | 984.61 | 7/23/2007 | 10.64 | --- | 0.00 | 35.60 | 35.80 | 0.20 | 973.97 |
| N2SC-07S | 982.93 | 7/23/2007 | Well Destroyed | | | --- | --- | 0.00 | NA |
| N2SC-08 | 986.07 | 7/23/2007 | 11.75 | --- | 0.00 | 39.65 | 41.15 | 1.50 | 974.32 |
| N2SC-09S | 982.75 | 7/23/2007 | 9.60 | --- | 0.00 | 12.75 | 13.14 | 0.39 | 973.15 |
| N2SC-14 | 985.06 | 7/5/2007 | 14.73 | NM | NM | 38.70 | 40.00 | 1.30 | 970.33 |
| N2SC-14 | 985.06 | 7/10/2007 | 14.70 | --- | 0.00 | 39.10 | 40.00 | 0.90 | 970.36 |
| N2SC-14 | 985.06 | 7/18/2007 | 14.87 | NM | NM | 39.63 | 40.00 | 0.37 | 970.19 |
| N2SC-14 | 985.06 | 7/27/2007 | 14.91 | NM | NM | 39.06 | 40.00 | 0.94 | 970.15 |
| NS-9 | 982.51 | 7/23/2007 | Well could not be found | | | --- | -- | 0.00 | NA |
| NS-10 | 987.14 | 7/23/2007 | 13.30 | 13.00 | 0.30 | --- | 21.55 | 0.00 | 974.12 |
| NS-15R | NA | 7/23/2007 | 11.10 | --- | 0.00 | --- | 19.00 | 0.00 | NA |
| NS-16 | 984.46 | 7/23/2007 | Well Destroyed | | | --- | --- | 0.00 | NA |
| NS-17 | 984.64 | 7/23/2007 | 12.68 | --- | 0.00 | --- | 18.73 | 0.00 | 971.96 |
| NS-20 | 985.29 | 7/23/2007 | 6.20 | --- | 0.00 | --- | 14.98 | 0.00 | NA |
| NS-30 | 985.99 | 7/23/2007 | 10.60 | --- | 0.00 | 35.04 | 35.10 | 0.06 | 975.39 |
| NS-32 | 986.20 | 7/23/2007 | 11.70 | --- | 0.00 | 37.90 | 38.05 | 0.15 | 974.50 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. NA indicates information not available.
4. NM indicates information not measured.

TABLE 21-17
ROUTINE WELL MONITORING
SILVER LAKE AREA
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|---------------------------------------|------------------------------|-----------|-------------------------|-------------------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| Staff Gauge within Silver Lake | | | | | | | | | |
| BM-SL-5 | 980.27 | 7/3/2007 | 4.52 | See Note 4 regarding depth to water | | | | | 975.75 |
| BM-SL-5 | 980.27 | 7/11/2007 | 4.48 | See Note 4 regarding depth to water | | | | | 975.79 |
| BM-SL-5 | 980.27 | 7/18/2007 | 4.48 | See Note 4 regarding depth to water | | | | | 975.79 |
| BM-SL-5 | 980.27 | 7/25/2007 | 4.52 | See Note 4 regarding depth to water | | | | | 975.75 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. NA indicates information not available.
4. Survey reference point BM-SL-5 was established on the former Silver Lake staff gauge support structure following destruction of the gauge due to ice. The "Depth to Water" value(s) provided in the above table refer to the vertical distance as measured down from the surveyed reference point to the water surface.
5. Additional groundwater elevation data may also be collected from wells near Silver Lake that are located in the 30s Complex and at the Lyman Street Area. If available, those results are presented in the monitoring tables for those Removal Action Areas.

**ITEM 22
GROUNDWATER MANAGEMENT AREAS
FORMER OXBOWS J & K (GMA 2)
(GEC320)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

Continued routine river elevation monitoring.

b. Sampling/Test Results Received

See attached table.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

Continue routine river elevation monitoring.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Awaiting EPA approval of GE's June 15, 2007 Baseline Assessment Final Report and Long-Term Monitoring Program Proposal.

f. Proposed/Approved Work Plan Modifications

None

TABLE 22-1
ROUTINE WELL MONITORING
GROUNDWATER MANAGEMENT AREA 2
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|---------------------------------------|------------------------------|-----------|-------------------------|-------------------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| Housatonic River (Foot Bridge) | | | | | | | | | |
| GMA2-SG-1 | 989.82 | 7/30/2007 | 17.72 | See Note 3 regarding depth to water | | | | | 972.10 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. A survey reference point was established on the Oxbow J & K foot bridge. The "Depth to Water" value(s) provided in the above table refer to the vertical distance from the surveyed reference point to the water surface.

ITEM 23
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 2 (GMA 3)
(GECD330)
JULY 2007

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

- Conducted routine groundwater elevation and NAPL monitoring activities. Approximately 51.104 liters (13.48 gallons) of LNAPL were removed by the automatic skimmer located in well 51-21 and an additional 4.708 liters (1.24 gallons) of LNAPL were manually removed from the wells in this area during July (see Table 23-1).
- Conducted inspection of certain areas identified in Buildings 51 and 59 that could potentially constitute soil gas migration pathways and, where feasible, sealed those penetrations.

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

- Submitted evaluation of LNAPL recovery rates at wells near Buildings 51 and 59, including a proposal to install a new automated LNAPL recovery system in that area (July 17, 2007).
- Submitted *Addendum to Supplemental Soil Gas Migration Assessment Report and Sampling Plan* addressing Conditions Nos. 1 and 2 of EPA's June 25, 2007 conditional approval letter, including a proposal for future activities to address remaining identified unsealed penetrations in Building 51 (July 24, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue routine groundwater and NAPL monitoring/recovery activities.
- Submit Spring 2007 Interim Groundwater Quality and NAPL Monitoring Report (due by August 31, 2007).

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

TABLE 23-1
MEASUREMENT AND REMOVAL OF RECOVERABLE LNAPL
GROUNDWATER MANAGEMENT AREA 3
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | LNAPL Removed (liters) | July 2007 Removal (liters) |
|-----------|-----------|-------------------------|-------------------------|------------------------|------------------------|----------------------------|
| 51-08 | 7/3/2007 | 11.45 | 11.05 | 0.40 | 0.247 | 2.055 |
| | 7/9/2007 | 12.00 | 11.09 | 0.91 | 0.561 | |
| | 7/25/2007 | 12.10 | 11.30 | 0.80 | 0.494 | |
| | 7/30/2007 | 12.35 | 11.33 | 1.02 | 0.753 | |
| 51-17 | 7/30/2007 | 11.70 | 10.50 | 1.20 | 0.740 | 0.740 |
| 51-19 | 7/30/2007 | 11.09 | 10.98 | 0.11 | 0.068 | 0.068 |
| 51-21 | 7/5/2007 | 15.56 | P | < 0.01 | 9.46 | 51.104 |
| | 7/10/2007 | 15.68 | P | < 0.01 | 7.19 | |
| | 7/18/2007 | 15.80 | P | < 0.01 | 9.46 | |
| | 7/27/2007 | 15.95 | P | < 0.01 | 24.98 | |
| 59-03R | 7/30/2007 | 12.50 | 11.75 | 0.75 | 0.463 | 0.463 |
| GMA3-10 | 7/3/2007 | 11.60 | 11.28 | 0.32 | 0.197 | 1.061 |
| | 7/9/2007 | 11.83 | 11.38 | 0.45 | 0.278 | |
| | 7/18/2007 | 11.80 | 11.50 | 0.30 | 0.185 | |
| | 7/25/2007 | 12.00 | 11.60 | 0.40 | 0.247 | |
| | 7/30/2007 | 11.95 | 11.70 | 0.25 | 0.154 | |
| GMA3-12 | 7/18/2007 | 12.05 | 11.88 | 0.17 | 0.105 | 0.105 |
| GMA3-13 | 7/3/2007 | 11.53 | 11.45 | 0.08 | 0.049 | 0.216 |
| | 7/9/2007 | 11.68 | 11.57 | 0.11 | 0.068 | |
| | 7/18/2007 | 11.80 | 11.70 | 0.10 | 0.006 | |
| | 7/25/2007 | 11.92 | 11.80 | 0.12 | 0.074 | |
| | 7/30/2007 | 11.91 | 11.88 | 0.03 | 0.019 | |

Total Automated LNAPL Removal at well 51-21 for July 2007: 51.104 liters
13.48 Gallons

Total Manual LNAPL Removal at all other wells for July 2007: 4.708 liters
1.24 Gallons

Total LNAPL Removed for July 2007: 55.812 liters
14.73 Gallons

Notes:

1. ft BMP - feet Below Measuring Point.
2. P indicates that LNAPL or DNAPL is present at a thickness that is < 0.01 feet. The corresponding thickness is recorded as such.

TABLE 23-2
ROUTINE WELL MONITORING
GROUNDWATER MANAGEMENT AREA
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) | |
|-----------|------------------------------|-----------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|----|
| 51-05 | 996.44 | 7/30/2007 | 10.34 | --- | 0.00 | --- | 11.35 | 0.00 | 986.10 | |
| 51-06 | 997.36 | 7/30/2007 | 11.20 | --- | 0.00 | --- | 14.40 | 0.00 | 986.16 | |
| 51-07 | 997.08 | 7/30/2007 | Dry at 11.22 feet | | | --- | 11.22 | 0.00 | NA | |
| 51-08 | 997.08 | 7/3/2007 | 11.45 | 11.05 | 0.40 | --- | 14.64 | 0.00 | 986.00 | |
| 51-08 | 997.08 | 7/9/2007 | 12.00 | 11.09 | 0.91 | --- | 14.62 | 0.00 | 985.93 | |
| 51-08 | 997.08 | 7/18/2007 | 12.30 | 11.20 | 1.10 | --- | 14.63 | 0.00 | 985.80 | |
| 51-08 | 997.08 | 7/25/2007 | 12.10 | 11.30 | 0.80 | --- | 14.63 | 0.00 | 985.72 | |
| 51-08 | 997.08 | 7/30/2007 | 12.35 | 11.33 | 1.02 | --- | 14.63 | 0.00 | 985.68 | |
| 51-09 | 997.70 | 7/30/2007 | Dry at 11.60 feet | | | 0.00 | --- | 11.60 | 0.00 | NA |
| 51-11 | 994.37 | 7/30/2007 | 9.00 | --- | 0.00 | --- | 13.53 | 0.00 | 985.37 | |
| 51-12 | 996.55 | 7/30/2007 | 7.63 | --- | 0.00 | --- | 13.34 | 0.00 | 988.92 | |
| 51-13 | 997.42 | 7/30/2007 | Dry at 9.82 feet | | | --- | 9.82 | 0.00 | NA | |
| 51-14 | 996.77 | 7/30/2007 | 11.35 | --- | 0.00 | --- | 14.74 | 0.00 | 985.42 | |
| 51-15 | 996.43 | 7/30/2007 | 10.84 | 10.72 | 0.12 | --- | 14.44 | 0.00 | 985.70 | |
| 51-16R | 996.39 | 7/30/2007 | 10.88 | 10.72 | 0.16 | --- | 14.54 | 0.00 | 985.66 | |
| 51-17 | 996.43 | 7/30/2007 | 11.70 | 10.50 | 1.20 | --- | 14.50 | 0.00 | 985.85 | |
| 51-18 | 997.12 | 7/30/2007 | 11.50 | --- | 0.00 | --- | 12.60 | 0.00 | 985.62 | |
| 51-19 | 996.43 | 7/30/2007 | 11.09 | 10.98 | 0.11 | --- | 14.10 | 0.00 | 985.44 | |
| 51-21 | 1001.49 | 7/5/2007 | 15.56 | P | < 0.01 | --- | NM | 0.00 | 985.93 | |
| 51-21 | 1001.49 | 7/10/2007 | 15.68 | P | < 0.01 | --- | NM | 0.00 | 985.81 | |
| 51-21 | 1001.49 | 7/18/2007 | 15.80 | P | < 0.01 | --- | NM | 0.00 | 985.69 | |
| 51-21 | 1001.49 | 7/27/2007 | 15.95 | P | < 0.01 | --- | NM | 0.00 | 985.54 | |
| 59-01 | 997.52 | 7/30/2007 | Dry at 11.42 feet | | | --- | 11.42 | 0.00 | NA | |
| 59-03R | 997.64 | 7/30/2007 | 12.50 | 11.75 | 0.75 | --- | 17.05 | 0.00 | 985.84 | |
| 59-07 | 997.96 | 7/30/2007 | 12.18 | 12.15 | 0.03 | --- | 23.50 | 0.00 | 985.81 | |
| 078B-R | 988.83 | 7/30/2007 | 1.72 | --- | 0.00 | --- | 11.75 | 0.00 | 987.11 | |
| GMA3-7 | 1000.17 | 7/30/2007 | 14.25 | --- | 0.00 | --- | 19.79 | 0.00 | 985.92 | |
| GMA3-10 | 997.54 | 7/3/2007 | 11.60 | 11.28 | 0.32 | --- | 17.83 | 0.00 | 986.24 | |
| GMA3-10 | 997.54 | 7/9/2007 | 11.83 | 11.38 | 0.45 | --- | 17.83 | 0.00 | 986.13 | |
| GMA3-10 | 997.54 | 7/18/2007 | 11.80 | 11.50 | 0.30 | --- | 17.82 | 0.00 | 986.02 | |
| GMA3-10 | 997.54 | 7/25/2007 | 12.00 | 11.60 | 0.40 | --- | 17.81 | 0.00 | 985.91 | |
| GMA3-10 | 997.54 | 7/30/2007 | 11.95 | 11.70 | 0.25 | --- | 17.80 | 0.00 | 985.82 | |
| GMA3-11 | 997.25 | 7/9/2007 | 10.65 | --- | 0.00 | --- | 18.28 | 0.00 | 986.60 | |
| GMA3-11 | 997.25 | 7/18/2007 | 10.85 | --- | 0.00 | --- | 18.24 | 0.00 | 986.40 | |
| GMA3-11 | 997.25 | 7/25/2007 | 10.90 | --- | 0.00 | --- | 18.28 | 0.00 | 986.35 | |
| GMA3-11 | 997.25 | 7/30/2007 | 11.02 | --- | 0.00 | --- | 18.26 | 0.00 | 986.23 | |
| GMA3-12 | 997.84 | 7/3/2007 | 11.81 | 11.70 | 0.11 | --- | 21.25 | 0.00 | 986.13 | |
| GMA3-12 | 997.84 | 7/9/2007 | 11.90 | 11.76 | 0.14 | --- | 21.25 | 0.00 | 986.07 | |
| GMA3-12 | 997.84 | 7/18/2007 | 12.05 | 11.88 | 0.17 | --- | 21.20 | 0.00 | 985.95 | |
| GMA3-12 | 997.84 | 7/25/2007 | 12.14 | 11.98 | 0.16 | --- | 21.25 | 0.00 | 985.85 | |
| GMA3-12 | 997.84 | 7/30/2007 | 12.02 | 12.00 | 0.02 | --- | 21.22 | 0.00 | 985.84 | |
| GMA3-13 | 997.73 | 7/3/2007 | 11.53 | 11.45 | 0.08 | --- | 17.45 | 0.00 | 986.27 | |
| GMA3-13 | 997.73 | 7/9/2007 | 11.68 | 11.57 | 0.11 | --- | 17.46 | 0.00 | 986.15 | |
| GMA3-13 | 997.73 | 7/18/2007 | 11.80 | 11.70 | 0.10 | --- | 17.47 | 0.00 | 986.02 | |
| GMA3-13 | 997.73 | 7/25/2007 | 11.92 | 11.80 | 0.12 | --- | 17.45 | 0.00 | 985.92 | |
| GMA3-13 | 997.73 | 7/30/2007 | 11.91 | 11.88 | 0.03 | --- | 17.45 | 0.00 | 985.85 | |

TABLE 23-2
ROUTINE WELL MONITORING
GROUNDWATER MANAGEMENT AREA :
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|-----------|------------------------------|-----------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| GMA3-14 | 997.42 | 7/30/2007 | 11.02 | --- | 0.00 | --- | 16.70 | 0.00 | 986.40 |
| GMA3-15 | 996.74 | 7/30/2007 | 12.00 | --- | 0.00 | --- | 17.18 | 0.00 | 984.74 |
| GMA3-16 | 989.26 | 7/3/2007 | 2.94 | --- | 0.00 | --- | 12.95 | 0.00 | 986.32 |
| GMA3-16 | 989.26 | 7/9/2007 | 1.50 | --- | 0.00 | --- | 12.94 | 0.00 | 987.76 |
| GMA3-16 | 989.26 | 7/18/2007 | 1.90 | --- | 0.00 | --- | 12.95 | 0.00 | 987.36 |
| GMA3-16 | 989.26 | 7/25/2007 | 2.02 | --- | 0.00 | --- | 12.85 | 0.00 | 987.24 |
| GMA3-16 | 989.26 | 7/30/2007 | 1.90 | --- | 0.00 | --- | 12.86 | 0.00 | 987.36 |
| UB-MW-10 | 995.99 | 7/30/2007 | 10.25 | --- | 0.00 | --- | 14.65 | 0.00 | 985.74 |
| UB-PZ-3 | 998.15 | 7/30/2007 | 12.65 | 12.50 | 0.15 | --- | 13.43 | 0.00 | 985.64 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. NA indicates information not available.
4. NM indicates information not measured.
5. P indicates that LNAPL is present at a thickness that is < 0.01 feet, the corresponding thickness is recorded as such.

**ITEM 24
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 3 (GMA 4)
(GEC340)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

Conducted routine monthly groundwater elevation monitoring at well GMA4-3.

b. Sampling/Test Results Received

See attached table.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue routine monitoring at well GMA4-3.
- Submit Spring 2007 Interim Groundwater Quality Report (due by August 31, 2007).

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

TABLE 24-1
ROUTINE WELL MONITORING
GROUNDWATER MANAGEMENT AREA 4
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
July 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|------------|------------------------------|-----------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| 78-1 | 1,026.32 | 7/10/2007 | 10.40 | --- | 0.00 | --- | 22.44 | 0.00 | 1,015.92 |
| 78-2 | 1,033.96 | 7/10/2007 | 8.20 | --- | 0.00 | --- | 20.80 | 0.00 | 1,025.76 |
| GMA4-3 | 1,003.95 | 7/10/2007 | 17.80 | --- | 0.00 | --- | 26.25 | 0.00 | 986.15 |
| GMA4-4 | 999.64 | 7/10/2007 | 12.84 | --- | 0.00 | --- | 23.05 | 0.00 | 986.80 |
| GMA4-6 | 1,009.12 | 7/10/2007 | 8.92 | --- | 0.00 | --- | 12.61 | 0.00 | 1,000.20 |
| NY-3 | 1,005.49 | 7/10/2007 | 15.41 | --- | 0.00 | --- | 24.70 | 0.00 | 990.08 |
| NY-4 | 1,024.24 | 7/10/2007 | 10.41 | --- | 0.00 | --- | 31.18 | 0.00 | 1,013.83 |
| OPCA-MW-1R | 1,016.46 | 7/10/2007 | 3.92 | --- | 0.00 | --- | 24.60 | 0.00 | 1,012.54 |
| OPCA-MW-2 | 1,019.58 | 7/10/2007 | 18.40 | --- | 0.00 | --- | 25.30 | 0.00 | 1,001.18 |
| OPCA-MW-3 | 1,014.83 | 7/10/2007 | 19.80 | --- | 0.00 | --- | 27.40 | 0.00 | 995.03 |
| OPCA-MW-4 | 1,018.67 | 7/10/2007 | 12.43 | --- | 0.00 | --- | 21.50 | 0.00 | 1,006.24 |
| OPCA-MW-5R | 1,016.34 | 7/10/2007 | 11.45 | --- | 0.00 | --- | 21.60 | 0.00 | 1,004.89 |
| OPCA-MW-6 | 1,022.31 | 7/10/2007 | 17.41 | --- | 0.00 | --- | 23.91 | 0.00 | 1,004.90 |
| OPCA-MW-7 | 1,026.57 | 7/10/2007 | 15.60 | --- | 0.00 | --- | 23.65 | 0.00 | 1,010.97 |
| OPCA-MW-8 | 1,027.40 | 7/10/2007 | 10.70 | --- | 0.00 | --- | 21.68 | 0.00 | 1,016.70 |
| SCH-4 | 1,014.05 | 7/10/2007 | 9.30 | --- | 0.00 | --- | 16.25 | 0.00 | 1,004.75 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.

**ITEM 25
GROUNDWATER MANAGEMENT AREAS
FORMER OXBOWS A & C (GMA 5)
(GECD350)
JULY 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

None

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

None

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Awaiting EPA approval of GE's April 26, 2007 Baseline Assessment Final Report and Long-Term Monitoring Program Proposal.

f. Proposed/Approved Work Plan Modifications

None

Attachment A

NPDES Sampling Records
and Results – July 2007

**TABLE A-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**NPDES PERMIT MONITORING
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---------------------|------------------------|--------------------|---------------|-------------------|-----------------|---------------------------------------|
| NPDES Sampling | 001-A8290 | 7/2/07 | Water | Columbia | Oil & Grease | 7/11/07 |
| NPDES Sampling | 001-A8292 | 7/2/07 | Water | Accutest | PCB | 7/17/07 |
| NPDES Sampling | 001-A8293 | 7/2/07 | Water | Columbia | TSS | 7/11/07 |
| NPDES Sampling | 005-A8270/A8271 | 6/19/07 | Water | Accutest | PCB | 7/3/07 |
| NPDES Sampling | 005-A8284/A8285 | 6/26/07 | Water | Accutest | PCB | 7/18/07 |
| NPDES Sampling | 005-A8297/A8300 | 7/2/07 | Water | Accutest | PCB, BOD | 7/17/07 |
| NPDES Sampling | 005-A8297/A8300 | 7/2/07 | Water | Columbia | TSS | 7/11/07 |
| NPDES Sampling | 005-A8320/A8324 | 7/9/07 | Water | Accutest | PCB | 7/26/07 |
| NPDES Sampling | 005-A8356/A8357 | 7/17/07 | Water | Accutest | PCB | |
| NPDES Sampling | 005-A8370/A8371 | 7/24/07 | Water | Accutest | PCB | |
| NPDES Sampling | 005-A8390/A8391 | 7/31/07 | Water | Accutest | PCB | |
| NPDES Sampling | 006-A8311 | 7/4/07 | Water | Columbia | Oil & Grease | 7/13/07 |
| NPDES Sampling | 006-A8313 | 7/4/07 | Water | Accutest | PCB | 7/27/07 |
| NPDES Sampling | 01A-A8330 | 7/10/07 | Water | Columbia | Oil & Grease | 7/19/07 |
| NPDES Sampling | 01A-A8334 | 7/9/07 | Water | Accutest | PCB | 7/25/07 |
| NPDES Sampling | 05A-A8308 | 7/4/07 | Water | Columbia | Oil & Grease | 7/13/07 |
| NPDES Sampling | 05A-A8310 | 7/4/07 | Water | Accutest | PCB | 7/27/07 |
| NPDES Sampling | 05B-A8342 | 7/11/07 | Water | Columbia | Oil & Grease | 7/20/07 |
| NPDES Sampling | 05B-A8344 | 7/11/07 | Water | Accutest | PCB | |
| NPDES Sampling | 09B-A8286 | 6/26/07 | Water | Accutest | BOD | 7/18/07 |
| NPDES Sampling | 09B-A8286 | 6/26/07 | Water | Columbia | TSS | 7/9/07 |
| NPDES Sampling | 09B-A8303 | 7/2/07 | Water | Columbia | TSS | 7/11/07 |
| NPDES Sampling | 09B-A8304 | 7/2/07 | Water | Accutest | BOD | 7/17/07 |
| NPDES Sampling | 09B-A8327 | 7/9/07 | Water | Accutest | BOD | 7/26/07 |
| NPDES Sampling | 09B-A8327 | 7/9/07 | Water | Columbia | TSS | 7/17/07 |
| NPDES Sampling | 09B-A8358 | 7/17/07 | Water | Accutest | BOD | |
| NPDES Sampling | 09B-A8358 | 7/17/07 | Water | Columbia | TSS | 7/25/07 |
| NPDES Sampling | 09B-A8362 | 7/19/07 | Water | Accutest | BOD | |
| NPDES Sampling | 09B-A8368 | 7/23/07 | Water | Accutest | BOD | |
| NPDES Sampling | 09B-A8368 | 7/23/07 | Water | Columbia | TSS | 7/31/07 |
| NPDES Sampling | 09B-A8388 | 7/30/07 | Water | Accutest | BOD | |
| NPDES Sampling | 09B-A8388 | 7/30/07 | Water | Columbia | TSS | |
| NPDES Sampling | 09C-A8288 | 6/27/07 | Water | Columbia | Oil & Grease | 7/13/07 |
| NPDES Sampling | 09C-A8305 | 7/4/07 | Water | Columbia | Oil & Grease | 7/13/07 |
| NPDES Sampling | 09C-A8307 | 7/4/07 | Water | Accutest | PCB | 7/27/07 |
| NPDES Sampling | 09C-A8331 | 7/9/07 | Water | Columbia | Oil & Grease | 7/17/07 |
| NPDES Sampling | 09C-A8360 | 7/18/07 | Water | Columbia | Oil & Grease | |

**TABLE A-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**NPDES PERMIT MONITORING
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---------------------|------------------------|--------------------|---------------|-------------------|-----------------------|---------------------------------------|
| NPDES Sampling | 09C-A8360 | 7/18/07 | Water | Columbia | SVOC | 7/26/07 |
| NPDES Sampling | 09C-A8373 | 7/28/07 | Water | Columbia | Oil & Grease | |
| NPDES Sampling | 64G-A8280 | 6/25/07 | Water | Columbia | Oil & Grease | 7/9/07 |
| NPDES Sampling | 64G-A8298 | 7/2/07 | Water | Columbia | Oil & Grease | |
| NPDES Sampling | 64G-A8299 | 7/2/07 | Water | Columbia | Oil & Grease | 7/13/07 |
| NPDES Sampling | 64G-A8301 | 7/2/07 | Water | Columbia | SVOC | |
| NPDES Sampling | 64G-A8302 | 7/2/07 | Water | Columbia | VOC | 7/11/07 |
| NPDES Sampling | 64G-A8322 | 7/9/07 | Water | Columbia | Oil & Grease | 7/17/07 |
| NPDES Sampling | 64G-A8335 | 7/10/07 | Water | Columbia | SVOC | |
| NPDES Sampling | 64G-A8354 | 7/16/07 | Water | Columbia | Oil & Grease | 7/25/07 |
| NPDES Sampling | 64G-A8359 | 7/18/07 | Water | Columbia | Oil & Grease | 7/26/07 |
| NPDES Sampling | 64G-A8366 | 7/23/07 | Water | Columbia | Oil & Grease | 7/31/07 |
| NPDES Sampling | 64G-A8386 | 7/30/07 | Water | Columbia | Oil & Grease | |
| NPDES Sampling | 64G-A8392 | 7/31/07 | Water | Columbia | SVOC | |
| NPDES Sampling | 64T-A8278 | 6/25/07 | Water | Columbia | Oil & Grease | 7/9/07 |
| NPDES Sampling | 64T-A8295 | 7/2/07 | Water | Columbia | Oil & Grease | |
| NPDES Sampling | 64T-A8296 | 7/2/07 | Water | Columbia | Oil & Grease | 7/13/07 |
| NPDES Sampling | 64T-A8318 | 7/9/07 | Water | Columbia | Oil & Grease | 7/17/07 |
| NPDES Sampling | 64T-A8351 | 7/16/07 | Water | Columbia | Oil & Grease | 7/25/07 |
| NPDES Sampling | 64T-A8364 | 7/23/07 | Water | Columbia | Oil & Grease | 7/31/07 |
| NPDES Sampling | 64T-A8384 | 7/30/07 | Water | Columbia | Oil & Grease | |
| NPDES Sampling | A8252C | 6/13/07 | Water | Aquatec | Acute Toxicity Test | 7/9/07 |
| NPDES Sampling | A8253R | 6/13/07 | Water | Aquatec | Acute Toxicity Test | 7/9/07 |
| NPDES Sampling | A8328C | 7/9/07 | Water | Aquatec | Acute Toxicity Test | |
| NPDES Sampling | A8328CCN | 7/9/07 | Water | Columbia | CN | 7/17/07 |
| NPDES Sampling | A8328CCN-FLTR | 7/9/07 | Water | Columbia | CN | 7/17/07 |
| NPDES Sampling | A8328CDM | 7/9/07 | Water | Columbia | Filtered Metals (8) | 7/9/07 |
| NPDES Sampling | A8328CTM | 7/9/07 | Water | Columbia | Metals (10) | 7/17/07 |
| NPDES Sampling | A8329R | 7/9/07 | Water | Aquatec | Acute Toxicity Test | |
| NPDES Sampling | A8329RCN | 7/9/07 | Water | Columbia | CN | 7/17/07 |
| NPDES Sampling | A8329RCN-FLTR | 7/9/07 | Water | Columbia | CN | 7/17/07 |
| NPDES Sampling | A8329RTM | 7/9/07 | Water | Columbia | Metals (10) | 7/17/07 |
| NPDES Sampling | A8340C | 7/11/07 | Water | Aquatec | Chronic Toxicity Test | |
| NPDES Sampling | A8340CCN | 7/11/07 | Water | Columbia | CN | 7/20/07 |
| NPDES Sampling | A8340CCN-FLTR | 7/11/07 | Water | Columbia | CN | 7/20/07 |
| NPDES Sampling | A8340CDM | 7/11/07 | Water | Columbia | Filtered Metals (8) | 7/20/07 |
| NPDES Sampling | A8340CTM | 7/11/07 | Water | Columbia | Metals (10) | 7/20/07 |

**TABLE A-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING JULY 2007**

**NPDES PERMIT MONITORING
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---------------------|------------------------|--------------------|---------------|-------------------|-----------------------|---------------------------------------|
| NPDES Sampling | A8341R | 7/11/07 | Water | Aquatec | Chronic Toxicity Test | |
| NPDES Sampling | A8341RCN | 7/11/07 | Water | Columbia | CN | 7/20/07 |
| NPDES Sampling | A8341RCN-FLTR | 7/11/07 | Water | Columbia | CN | 7/20/07 |
| NPDES Sampling | A8341RTM | 7/11/07 | Water | Columbia | Metals (10) | 7/20/07 |
| NPDES Sampling | A8349C | 7/13/07 | Water | Aquatec | Chronic Toxicity Test | |
| NPDES Sampling | A8349CCN | 7/13/07 | Water | Columbia | CN | 7/23/07 |
| NPDES Sampling | A8349CCN-FLTR | 7/13/07 | Water | Columbia | CN | 7/23/07 |
| NPDES Sampling | A8349CDM | 7/13/07 | Water | Columbia | Filtered Metals (8) | 7/23/07 |
| NPDES Sampling | A8349CTM | 7/13/07 | Water | Columbia | Metals (10) | 7/23/07 |
| NPDES Sampling | A8350R | 7/13/07 | Water | Aquatec | Chronic Toxicity Test | |
| NPDES Sampling | A8350RCN | 7/13/07 | Water | Columbia | CN | 7/23/07 |
| NPDES Sampling | A8350RCN-FLTR | 7/13/07 | Water | Columbia | CN | 7/23/07 |
| NPDES Sampling | A8350RTM | 7/13/07 | Water | Columbia | Metals (10) | 7/23/07 |
| NPDES Sampling | AUG07WK1 | 7/31/07 | Water | Columbia | Cu, Pb, Zn | |
| NPDES Sampling | JUL07WK1 | 7/2/07 | Water | Columbia | Cu, Pb, Zn | 7/11/07 |
| NPDES Sampling | JUL07WK3 | 7/17/07 | Water | Columbia | Cu, Pb, Zn | 7/25/07 |
| NPDES Sampling | JUL07WK4 | 7/24/07 | Water | Columbia | Cu, Pb, Zn | |
| NPDES Sampling | JUN07WK4-2 | 6/23/07 | Water | Columbia | Cu, Pb, Zn | 7/9/07 |
| NPDES Sampling | JUN07WK5 | 6/26/07 | Water | Columbia | Cu, Pb, Zn | 7/9/07 |

**TABLE A-2
DATA RECEIVED DURING JULY2007**

**NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 001-A8290 07/02/07 | 001-A8292 07/02/07 | 001-A8293 07/02/07 | 01A-A8330 07/10/07 | 01A-A8334 07/09/07 | 005-A8270/A8271 06/19/07 | 005-A8284/A8285 06/26/07 |
|----------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------------|-----------------------------|
| Volatile Organics | | | | | | | | |
| 1,1,1-Trichloroethane | | NA | NA | NA | NA | NA | NA | NA |
| 1,1-Dichloroethane | | NA | NA | NA | NA | NA | NA | NA |
| bis(Chloromethyl)ether | | NA | NA | NA | NA | NA | NA | NA |
| Chloroethane | | NA | NA | NA | NA | NA | NA | NA |
| PCBs-Unfiltered | | | | | | | | |
| Aroclor-1260 | | NA | ND(0.000050) | NA | NA | 0.00038 | ND(0.00050) | ND(0.000050) |
| Total PCBs | | NA | ND(0.000050) | NA | NA | 0.00038 | ND(0.00050) | ND(0.000050) |
| Semivolatile Organics | | | | | | | | |
| None Detected | | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Unfiltered | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | NA |
| Calcium | | NA | NA | NA | NA | NA | NA | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | NA |
| Copper | | NA | NA | NA | NA | NA | NA | NA |
| Cyanide | | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA |
| Magnesium | | NA | NA | NA | NA | NA | NA | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | NA |
| Silver | | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Filtered | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | NA |
| Copper | | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | NA |
| Silver | | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA |
| Conventionals | | | | | | | | |
| Biological Oxygen Demand (5-day) | | NA | NA | NA | NA | NA | NA | NA |
| Total Suspended Solids | | NA | NA | 2.20 | NA | NA | NA | NA |
| Oil & Grease | | ND(5.0) | NA | NA | ND(5.0) | NA | NA | NA |

**TABLE A-2
DATA RECEIVED DURING JULY2007**

**NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 005-A8297/A8300 07/02/07 | 005-A8320/A8324 07/09/07 | 05A-A8308 07/04/07 | 05A-A8310 07/04/07 | 05B-A8342 07/11/07 | 006-A8311 07/04/07 | 006-A8313 07/04/07 | 09B-A8286 06/26/07 |
|----------------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Volatile Organics | | | | | | | | | |
| 1,1,1-Trichloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| 1,1-Dichloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| bis(Chloromethyl)ether | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| PCBs-Unfiltered | | | | | | | | | |
| Aroclor-1260 | | ND(0.000050) | ND(0.000050) | NA | 0.00042 | NA | NA | 0.00018 | NA |
| Total PCBs | | ND(0.000050) | ND(0.000050) | NA | 0.00042 | NA | NA | 0.00018 | NA |
| Semivolatile Organics | | | | | | | | | |
| None Detected | | NA | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Unfiltered | | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Calcium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Copper | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cyanide | | NA | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA | NA |
| Magnesium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | NA | NA |
| Silver | | NA | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Filtered | | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Copper | | NA | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | NA | NA |
| Silver | | NA | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA | NA |
| Conventionals | | | | | | | | | |
| Biological Oxygen Demand (5-day) | | ND(2.0) | NA | NA | NA | NA | NA | NA | ND(2.0) |
| Total Suspended Solids | | ND(1.00) | NA | NA | NA | NA | NA | NA | 4.50 |
| Oil & Grease | | NA | NA | ND(5.0) | NA | ND(5.0) | ND(5.0) | NA | NA |

**TABLE A-2
DATA RECEIVED DURING JULY2007**

**NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 09B-A8303 07/02/07 | 09B-A8304 07/02/07 | 09B-A8327 07/09/07 | 09B-A8358 07/17/07 | 09B-A8368 07/23/07 | 09C-A8288 06/27/07 | 09C-A8305 07/04/07 | 09C-A8307 07/04/07 |
|----------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Volatile Organics | | | | | | | | | |
| 1,1,1-Trichloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| 1,1-Dichloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| bis(Chloromethyl)ether | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| PCBs-Unfiltered | | | | | | | | | |
| Aroclor-1260 | | NA | NA | NA | NA | NA | NA | NA | ND(0.000050) |
| Total PCBs | | NA | NA | NA | NA | NA | NA | NA | ND(0.000050) |
| Semivolatile Organics | | | | | | | | | |
| None Detected | | NA | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Unfiltered | | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Calcium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Copper | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cyanide | | NA | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA | NA |
| Magnesium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | NA | NA |
| Silver | | NA | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Filtered | | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Copper | | NA | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | NA | NA |
| Silver | | NA | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA | NA |
| Conventionals | | | | | | | | | |
| Biological Oxygen Demand (5-day) | | NA | ND(2.0) | ND(2.0) | NA | NA | NA | NA | NA |
| Total Suspended Solids | | 3.00 | NA | 3.20 | 2.60 | 4.90 | NA | NA | NA |
| Oil & Grease | | NA | NA | NA | NA | NA | ND(5.0) | ND(5.0) | NA |

**TABLE A-2
DATA RECEIVED DURING JULY2007**

**NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 09C-A8331 07/09/07 | 09C-A8360 07/18/07 | 64G-A8280 06/25/07 | 64G-A8299 07/02/07 | 64G-A8302 07/02/07 | 64G-A8322 07/09/07 | 64G-A8354 07/16/07 | 64G-A8359 07/18/07 |
|----------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| Volatile Organics | | | | | | | | | |
| 1,1,1-Trichloroethane | | NA | NA | NA | NA | 0.00030 | NA | NA | NA |
| 1,1-Dichloroethane | | NA | NA | NA | NA | 0.00052 | NA | NA | NA |
| bis(Chloromethyl)ether | | NA | NA | NA | NA | Not present | NA | NA | NA |
| Chloroethane | | NA | NA | NA | NA | 0.00043 | NA | NA | NA |
| PCBs-Unfiltered | | | | | | | | | |
| Aroclor-1260 | | NA | NA | NA | NA | NA | NA | NA | NA |
| Total PCBs | | NA | NA | NA | NA | NA | NA | NA | NA |
| Semivolatile Organics | | | | | | | | | |
| None Detected | | NA | -- | NA | NA | NA | NA | NA | NA |
| Inorganics-Unfiltered | | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Calcium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Copper | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cyanide | | NA | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA | NA |
| Magnesium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | NA | NA |
| Silver | | NA | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Filtered | | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Copper | | NA | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | NA | NA |
| Silver | | NA | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA | NA |
| Conventionals | | | | | | | | | |
| Biological Oxygen Demand (5-day) | | NA | NA | NA | NA | NA | NA | NA | NA |
| Total Suspended Solids | | NA | NA | NA | NA | NA | NA | NA | NA |
| Oil & Grease | | ND(5.0) | NA | ND(5.0) | ND(5.0) | NA | ND(5.0) | ND(5.0) | ND(5.0) |

**TABLE A-2
DATA RECEIVED DURING JULY2007**

**NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 64G-A8366 07/23/07 | 64T-A8278 06/25/07 | 64T-A8296 07/02/07 | 64T-A8318 07/09/07 | 64T-A8351 07/16/07 | 64T-A8364 07/23/07 | A8328CCN 07/09/07 | A8328CCN-FLTR 07/09/07 |
|----------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------|---------------------------|
| Volatile Organics | | | | | | | | | |
| 1,1,1-Trichloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| 1,1-Dichloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| bis(Chloromethyl)ether | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| PCBs-Unfiltered | | | | | | | | | |
| Aroclor-1260 | | NA | NA | NA | NA | NA | NA | NA | NA |
| Total PCBs | | NA | NA | NA | NA | NA | NA | NA | NA |
| Semivolatile Organics | | | | | | | | | |
| None Detected | | NA | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Unfiltered | | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Calcium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Copper | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cyanide | | NA | NA | NA | NA | NA | NA | 0.0133 | ND(0.0100) |
| Lead | | NA | NA | NA | NA | NA | NA | NA | NA |
| Magnesium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | NA | NA |
| Silver | | NA | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Filtered | | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | NA | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | NA | NA |
| Copper | | NA | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | NA | NA |
| Silver | | NA | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA | NA |
| Conventionals | | | | | | | | | |
| Biological Oxygen Demand (5-day) | | NA | NA | NA | NA | NA | NA | NA | NA |
| Total Suspended Solids | | NA | NA | NA | NA | NA | NA | NA | NA |
| Oil & Grease | | ND(5.0) | ND(5.0) | ND(5.0) | ND(5.0) | ND(5.0) | ND(5.0) | NA | NA |

TABLE A-2
DATA RECEIVED DURING JULY2007

NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | A8328CDM 07/09/07 | A8328CTM 07/09/07 | A8329RCN 07/09/07 | A8329RCN-FLTR 07/09/07 | A8329RTM 07/09/07 | A8340CCN 07/11/07 | A8340CCN-FLTR 07/11/07 | A8340CDM 07/11/07 |
|----------------------------------|-------------------------------|----------------------|----------------------|----------------------|---------------------------|----------------------|----------------------|---------------------------|----------------------|
| Volatile Organics | | | | | | | | | |
| 1,1,1-Trichloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| 1,1-Dichloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| bis(Chloromethyl)ether | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| PCBs-Unfiltered | | | | | | | | | |
| Aroclor-1260 | | NA | NA | NA | NA | NA | NA | NA | NA |
| Total PCBs | | NA | NA | NA | NA | NA | NA | NA | NA |
| Semivolatile Organics | | | | | | | | | |
| None Detected | | NA | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Unfiltered | | | | | | | | | |
| Aluminum | | NA | ND(0.100) | NA | NA | 0.468 | NA | NA | NA |
| Cadmium | | NA | ND(0.00500) | NA | NA | ND(0.00500) | NA | NA | NA |
| Calcium | | NA | 60.4 | NA | NA | 26.0 | NA | NA | NA |
| Chromium | | NA | ND(0.0100) | NA | NA | ND(0.0100) | NA | NA | NA |
| Copper | | NA | ND(0.0200) | NA | NA | ND(0.0200) | NA | NA | NA |
| Cyanide | | NA | NA | ND(0.0100) | ND(0.0100) | NA | 0.0399 | ND(0.0100) | NA |
| Lead | | NA | ND(0.00500) | NA | NA | ND(0.00500) | NA | NA | NA |
| Magnesium | | NA | 28.7 | NA | NA | 9.70 | NA | NA | NA |
| Nickel | | NA | ND(0.0400) | NA | NA | ND(0.0400) | NA | NA | NA |
| Silver | | NA | ND(0.0100) | NA | NA | ND(0.0100) | NA | NA | NA |
| Zinc | | NA | 0.0209 | NA | NA | ND(0.0200) | NA | NA | NA |
| Inorganics-Filtered | | | | | | | | | |
| Aluminum | | ND(0.100) | NA | NA | NA | NA | NA | NA | ND(0.100) |
| Cadmium | | ND(0.00500) | NA | NA | NA | NA | NA | NA | ND(0.00500) |
| Chromium | | ND(0.0100) | NA | NA | NA | NA | NA | NA | ND(0.0100) |
| Copper | | ND(0.0200) | NA | NA | NA | NA | NA | NA | ND(0.0200) |
| Lead | | ND(0.00500) | NA | NA | NA | NA | NA | NA | ND(0.00500) |
| Nickel | | ND(0.0400) | NA | NA | NA | NA | NA | NA | ND(0.0400) |
| Silver | | ND(0.0100) | NA | NA | NA | NA | NA | NA | ND(0.0100) |
| Zinc | | 0.0320 | NA | NA | NA | NA | NA | NA | 0.0340 |
| Conventionals | | | | | | | | | |
| Biological Oxygen Demand (5-day) | | NA | NA | NA | NA | NA | NA | NA | NA |
| Total Suspended Solids | | NA | NA | NA | NA | NA | NA | NA | NA |
| Oil & Grease | | NA | NA | NA | NA | NA | NA | NA | NA |

**TABLE A-2
DATA RECEIVED DURING JULY2007**

**NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | A8340CTM 07/11/07 | A8341RCN 07/11/07 | A8341RCN-FLTR 07/11/07 | A8341RTM 07/11/07 | A8349CCN 07/13/07 | A8349CCN-FLTR 07/13/07 | A8349CDM 07/13/07 | A8349CTM 07/13/07 |
|----------------------------------|-------------------------------|----------------------|----------------------|---------------------------|----------------------|----------------------|---------------------------|----------------------|----------------------|
| Volatile Organics | | | | | | | | | |
| 1,1,1-Trichloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| 1,1-Dichloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| bis(Chloromethyl)ether | | NA | NA | NA | NA | NA | NA | NA | NA |
| Chloroethane | | NA | NA | NA | NA | NA | NA | NA | NA |
| PCBs-Unfiltered | | | | | | | | | |
| Aroclor-1260 | | NA | NA | NA | NA | NA | NA | NA | NA |
| Total PCBs | | NA | NA | NA | NA | NA | NA | NA | NA |
| Semivolatile Organics | | | | | | | | | |
| None Detected | | NA | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Unfiltered | | | | | | | | | |
| Aluminum | | ND(0.100) | NA | NA | ND(0.100) | NA | NA | NA | ND(0.100) |
| Cadmium | | ND(0.00500) | NA | NA | ND(0.00500) | NA | NA | NA | ND(0.00500) |
| Calcium | | 56.2 | NA | NA | 28.1 | NA | NA | NA | 41.7 |
| Chromium | | ND(0.0100) | NA | NA | ND(0.0100) | NA | NA | NA | ND(0.0100) |
| Copper | | ND(0.0200) | NA | NA | ND(0.0200) | NA | NA | NA | ND(0.0200) |
| Cyanide | | NA | ND(0.0100) | ND(0.0100) | NA | 0.0112 | ND(0.0100) | NA | NA |
| Lead | | ND(0.00500) | NA | NA | ND(0.00500) | NA | NA | NA | ND(0.00500) |
| Magnesium | | 26.1 | NA | NA | 10.1 | NA | NA | NA | 18.6 |
| Nickel | | ND(0.0400) | NA | NA | ND(0.0400) | NA | NA | NA | ND(0.0400) |
| Silver | | ND(0.0100) | NA | NA | ND(0.0100) | NA | NA | NA | ND(0.0100) |
| Zinc | | 0.0266 | NA | NA | ND(0.0200) | NA | NA | NA | 0.0280 |
| Inorganics-Filtered | | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | ND(0.100) | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | ND(0.00500) | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | ND(0.0100) | NA |
| Copper | | NA | NA | NA | NA | NA | NA | ND(0.0200) | NA |
| Lead | | NA | NA | NA | NA | NA | NA | ND(0.00500) | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | ND(0.0400) | NA |
| Silver | | NA | NA | NA | NA | NA | NA | ND(0.0100) | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | 0.0327 | NA |
| Conventionals | | | | | | | | | |
| Biological Oxygen Demand (5-day) | | NA | NA | NA | NA | NA | NA | NA | NA |
| Total Suspended Solids | | NA | NA | NA | NA | NA | NA | NA | NA |
| Oil & Grease | | NA | NA | NA | NA | NA | NA | NA | NA |

**TABLE A-2
DATA RECEIVED DURING JULY2007**

**NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | A8350RCN 07/13/07 | A8350RCN-FLTR 07/13/07 | A8350RTM 07/13/07 | JUL07WK1 07/02/07 | JUL07WK3 07/17/07 | JUN07WK4-2 06/23/07 | JUN07WK5 06/26/07 |
|----------------------------------|-------------------------------|----------------------|---------------------------|----------------------|----------------------|----------------------|------------------------|----------------------|
| Volatile Organics | | | | | | | | |
| 1,1,1-Trichloroethane | | NA | NA | NA | NA | NA | NA | NA |
| 1,1-Dichloroethane | | NA | NA | NA | NA | NA | NA | NA |
| bis(Chloromethyl)ether | | NA | NA | NA | NA | NA | NA | NA |
| Chloroethane | | NA | NA | NA | NA | NA | NA | NA |
| PCBs-Unfiltered | | | | | | | | |
| Aroclor-1260 | | NA | NA | NA | NA | NA | NA | NA |
| Total PCBs | | NA | NA | NA | NA | NA | NA | NA |
| Semivolatile Organics | | | | | | | | |
| None Detected | | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Unfiltered | | | | | | | | |
| Aluminum | | NA | NA | ND(0.100) | NA | NA | NA | NA |
| Cadmium | | NA | NA | ND(0.00500) | NA | NA | NA | NA |
| Calcium | | NA | NA | 20.9 | NA | NA | NA | NA |
| Chromium | | NA | NA | ND(0.0100) | NA | NA | NA | NA |
| Copper | | NA | NA | ND(0.0200) | ND(0.0200) | ND(0.0200) | ND(0.0200) | ND(0.0200) |
| Cyanide | | ND(0.0100) | ND(0.0100) | NA | NA | NA | NA | NA |
| Lead | | NA | NA | ND(0.00500) | ND(0.00500) | ND(0.00500) | 0.00670 | ND(0.00500) |
| Magnesium | | NA | NA | 7.20 | NA | NA | NA | NA |
| Nickel | | NA | NA | ND(0.0400) | NA | NA | NA | NA |
| Silver | | NA | NA | ND(0.0100) | NA | NA | NA | NA |
| Zinc | | NA | NA | ND(0.0200) | ND(0.0200) | ND(0.0200) | 0.0407 | ND(0.0200) |
| Inorganics-Filtered | | | | | | | | |
| Aluminum | | NA | NA | NA | NA | NA | NA | NA |
| Cadmium | | NA | NA | NA | NA | NA | NA | NA |
| Chromium | | NA | NA | NA | NA | NA | NA | NA |
| Copper | | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA |
| Nickel | | NA | NA | NA | NA | NA | NA | NA |
| Silver | | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA |
| Conventionals | | | | | | | | |
| Biological Oxygen Demand (5-day) | | NA | NA | NA | NA | NA | NA | NA |
| Total Suspended Solids | | NA | NA | NA | NA | NA | NA | NA |
| Oil & Grease | | NA | NA | NA | NA | NA | NA | NA |

Notes:

1. Samples were collected by General Electric Company, and were submitted to Accutest Laboratories and Columbia Analytical Services, Inc. for analysis of volatiles, PCBs, semivolatiles, cyanide, TSS, BOD, oil & grease, and metals (filtered and unfiltered).
2. NA - Not Analyzed.
3. ND - Analyte was not detected. The number in parentheses is the associated detection limit.
4. With the exception of inorganics and conventional parameters, only those constituents detected in one or more samples are summarized.
5. -- Indicates that all constituents for the parameter group were not detected.
6. Not present - Calibration for the compound bis(Chloromethyl)ether was not performed and reported as a tentively identified compound (TIC).

Attachment B

NPDES Discharge
Monitoring Reports
June 2007

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


0051
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
WATERS TO HOUSATONIC RIVER
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 06 | 01 | FROM | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|---------------|--------|--------------------------|-------|-------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| BOD, 5-day, 20 deg. C 00310 T 0 See Comments | SAMPLE MEASUREMENT | 0 | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | 90 MO AVG | 135 DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Solids, total suspended 00530 T 0 See Comments | SAMPLE MEASUREMENT | 0 | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | 188 MO AVG | 270 DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Oil & grease 00556 T 0 See Comments | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | 0 | MG/L | 0 | 01/07 | GR |
| | PERMIT REQUIREMENT | ***** | 135 DAILY MX | lb/d | ***** | ***** | 15 DAILY MX | mg/L | | Weekly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 T 0 See Comments | SAMPLE MEASUREMENT | 0.00014 | 0.00071 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | .01 MO AVG | .03 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Flow, in conduit or thru treatment plant 50050 T 0 See Comments | SAMPLE MEASUREMENT | 0.178 | 0.357 | MGD | ***** | ***** | ***** | | 0 | 99/99 | RC |
| | PERMIT REQUIREMENT | 2.09 MO AVG | 2.09 DAILY MX | Mgal/d | ***** | ***** | ***** | | | Continuous | RCORDR |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEE PAGE 8 + 9 OF PERMIT FOR SAMPLING REQUIREMENTS. SEE DMR(S) 064G + 064T FOR FURTHER PARAMETERS.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 2

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER

0061
DISCHARGE NUMBER


DMR MAILING ZIP CODE: 01201
MAJOR (SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | |
|-------------------|----|-----|------|----|-----|
| YEAR | MO | DAY | YEAR | MO | DAY |
| 07 | 04 | 01 | 07 | 06 | 30 |

FROM TO

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|-------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | 8.3 | ***** | 8.3 | SU | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| pH 00400 U 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | NODI [C] | ***** | NODI [C] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| Oil & grease 00556 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | 0 | PPM | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Oil & grease 00556 U 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [C] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | 0.27 | PPB | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 U 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [C] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 S 0 See Comments | SAMPLE MEASUREMENT | ***** | 0.056 | MGD | ***** | ***** | ***** | | 0 | 01/90 | ES |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 QUARTERLY. SAMPLE AT POINT OF DISCHARGE. SEE PAGES 16-17 FOR WET WEATHER REQUIREMENTS. FOR LIMITS WITH MONITORING LOCATION OF 'S'. SEE PAGE 18 FOR DRY WEATHER REQUIREMENTS FOR LIMITS WITH MONITORING LOCATION OF 'U'. IF NO DISCHARGE USE '9'.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F


| | |
|----------------------|-------------------------|
| MA0003891 | 0061 |
| PERMIT NUMBER | DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 04 | 01 | FROM | 07 | 06 | 30 |
| | | | | | | TO |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|--|---------------------------|---------------------|--------------------|--------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| Flow, in conduit or thru treatment plant | SAMPLE MEASUREMENT | ***** | NODI [C] | | ***** | ***** | ***** | | | | |
| 50050 U 0 See Comments | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

| | | | | | | | |
|--|---|---|-----------|--------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

QUARTERLY. SAMPLE AT POINT OF DISCHARGE. SEE PAGES 16-17 FOR WET WEATHER REQUIREMENTS. FOR LIMITS WITH MONITORING LOCATION OF 'U'. IF NO DISCHARGE USE '9'. SEE PAGE 18 FOR DRY WEATHER REQUIREMENTS FOR LIMITS WITH MONITORING LOCATION OF 'U'. IF NO DISCHARGE USE '9'.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 4

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


0071
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
DISCHARGE TO HOUSATONIC RIVER
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 06 | 01 | FROM | 07 | 06 | 30 |
| | | | TO | | | |

No Discharge 

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|------------------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| Temperature, water deg. fahrenheit 00011 W 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | | | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | 70 MO AVG | 75 DAILY MX | deg F | | Monthly | GRAB |
| pH 00400 W 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | | | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Weekly | RANG-C |
| Polychlorinated biphenyls (PCBs) 39516 W 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | | | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | Req. Mon. MO AVG | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 W 0 See Comments | SAMPLE MEASUREMENT | | | | ***** | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | Req. Mon. MO AVG | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Monthly | CALCTD |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SAMPLE AT MANHOLE PRIOR TO CITY STORM DRAIN.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 5

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F


| | |
|----------------------|-------------------------|
| MA0003891 | 0091 |
| PERMIT NUMBER | DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
PROCESSES TO UNKAMET BROOK
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|----|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 06 | 01 | TO | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|---------------------------|---------------------|-----------------------|--------|--------------------------|---------------------|-----------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| BOD, 5-day, 20 deg. C 00310 V 0 See Comments | SAMPLE MEASUREMENT | 0.002 | 0.01 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | 106 MO AVG | 438 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| pH 00400 V 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | 6.8 | ***** | 7.5 | SU | 0 | 01/07 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Weekly | RANG-C |
| Solids, total suspended 00530 V 0 See Comments | SAMPLE MEASUREMENT | 0.4 | 1.5 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | 213 MO AVG | 876 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Oil & grease 00556 V 0 See Comments | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | 0 | MG/L | 0 | 01/07 | GR |
| | PERMIT REQUIREMENT | ***** | 438 DAILY MX | lb/d | ***** | ***** | 15 DAILY MX | mg/L | | Weekly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 V 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | 0 | 0 | MG/L | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | Req. Mon. MO AVG | Req. Mon. DAILY MX | mg/L | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 V 0 See Comments | SAMPLE MEASUREMENT | 0.050 | 0.290 | MGD | ***** | ***** | ***** | | 0 | 99/99 | RC |
| | PERMIT REQUIREMENT | Req. Mon. MO AVG | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Continuous | RCORDR |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SEE PAGE 11 OF PERMIT. SEE DMRS 009A + 009B. REPORT SUM OF LOAD 09A+ 09B, FOR BOD, TSS, FLOW. SAMPLE AT DISCHARGE POINT TO BROOK FOR PH, OIL & GREASE, AND PCB.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 6

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F


| | |
|----------------------|-------------------------|
| MA0003891 | SRO1 |
| PERMIT NUMBER | DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|----|-----|--|
| FROM | | | TO | | | |
| YEAR | MO | DAY | YEAR | MO | DAY | |
| 07 | 04 | 01 | 07 | 06 | 30 | |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|-------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | NODI [E] | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| Oil & grease 00556 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 S 0 See Comments | SAMPLE MEASUREMENT | ***** | NODI [E] | | ***** | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

| | | | | | | | | | |
|--|---|---|-----------|----------|------|---|----|-----------|--------|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | | | |
| | | | 413 | 494-5902 | 2007 | 7 | 25 | AREA Code | NUMBER |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SAMPLE AT POINT OF DISCHARGE.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 7

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F


| | |
|----------------------|-------------------------|
| MA0003891 | SRO2 |
| PERMIT NUMBER | DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|----|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| FROM 07 | 04 | 01 | TO | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|-------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | NODI [E] | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| Oil & grease 00556 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 S 0 See Comments | SAMPLE MEASUREMENT | ***** | NODI [E] | | ***** | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

| | | | | | | | |
|---|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  | TELEPHONE | | DATE | | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |
| | | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | 413 | 494-5902 | 2007 | 7 | 25 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SAMPLE AT POINT OF DISCHARGE.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 8

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


SRO3
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 04 | 01 | FROM | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|-------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | NODI [E] | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| Oil & grease 00556 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 S 0 See Comments | SAMPLE MEASUREMENT | ***** | NODI [E] | | ***** | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

| | | | | | | | |
|---|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT  | TELEPHONE | | DATE | | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SAMPLE AT POINT OF DISCHARGE.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 9

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


SRO4
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR (SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 04 | 01 | FROM | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|-------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | NODI [C] | ***** | NODI [C] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| Oil & grease 00556 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [C] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [C] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 S 0 See Comments | SAMPLE MEASUREMENT | ***** | NODI [C] | | ***** | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

| | | | | | | | |
|---|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |
| SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SAMPLE AT POINT OF DISCHARGE.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 10

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


SRO5
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 04 | 01 | FROM | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|-------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | NODI [E] | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| Oil & grease 00556 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 S 0 See Comments | SAMPLE MEASUREMENT | ***** | NODI [E] | | ***** | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

| | | | | | | | |
|---|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |
| SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SAMPLE AT POINT OF DISCHARGE.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


005A
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|----|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 04 | 01 | | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|-----------------------|--------|--------------------------|-------|-----------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | 7.6 | ***** | 7.6 | SU | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| pH 00400 U 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | NODI C | ***** | NODI C | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| Oil & grease 00556 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | 0 | PPM | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Oil & grease 00556 U 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI C | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | 1.3 | PPB | 0 | 01/90 | RC |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 U 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI C | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 S 0 See Comments | SAMPLE MEASUREMENT | ***** | 0.341 | MGD | ***** | ***** | ***** | | 0 | 01/90 | ES |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

| | | | | | | |
|---|---|--------------|--------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | TELEPHONE | | DATE | | |
| | | 413 494-5902 | | 2007 | 7 | 25 |
| SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT  | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
QUARTERLY. SAMPLE AT POINT OF DISCHARGE. SEE PAGES 16-17 FOR WET WEATHER REQUIREMENTS FOR LIMITS WITH MONITORING LOCATION OF 'S'. SEE PAGE 18 FOR DRY WEATHER REQUIREMENTS FOR LIMITS WITH MONITORING LOCATION OF 'U'. IF NO DISCHARGE USE '9'.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 13

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F


| | |
|----------------------|-------------------------|
| MA0003891 | 005A |
| PERMIT NUMBER | DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 04 | 01 | FROM | 07 | 06 | 30 |
| | | | | | | TO |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|--|---------------------------|---------------------|--------------------|--------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| Flow, in conduit or thru treatment plant | SAMPLE MEASUREMENT | ***** | NODI [C] | | ***** | ***** | ***** | | | | |
| 50050 U 0 See Comments | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

QUARTERLY. SAMPLE AT POINT OF DISCHARGE. SEE PAGES 16-17 FOR WET WEATHER REQUIREMENTS FOR LIMITS WITH MONITORING LOCATION OF 'S'. SEEPAGE 18 FOR DRY WEATHER REQUIREMENTS FOR LIMITS WITH MONITORING LOCATION OF 'U'. IF NO DISCHARGE USE '9'.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 14

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F

| | |
|----------------------|-------------------------|
| MA0003891 | 006A |
| PERMIT NUMBER | DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 04 | 01 | FROM | 07 | 06 | 30 |
| | | | | | | |
| | | | TO | | | |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|-------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | 8.2 | ***** | 8.2 | SU | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| Oil & grease 00556 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | 0 | PPM | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | 6.5 | PPB | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 S 0 See Comments | SAMPLE MEASUREMENT | ***** | 0.403 | MGD | ***** | ***** | ***** | | 0 | 01/90 | ES |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

0.341 *MTC*

| | | | | | | | |
|--|---|--|--------------|--------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | <i>M. T. Carroll</i> SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | 413 494-5902 | 2007 | 7 | 25 | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
QUARTERLY. SAMPLE AT POINT OF DISCHARGE.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F

| |
|----------------------|
| MA0003891 |
| PERMIT NUMBER |


| |
|-------------------------|
| 009A |
| DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
09A SAMPLE POINT BEFORE 009
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 06 | 01 | FROM | 07 | 06 | 30 |
| | | | TO | | | |

No Discharge 

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|--|---------------------------|---------------------|-----------------------|--------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| BOD, 5-day, 20 deg. C | SAMPLE MEASUREMENT | | | | ***** | ***** | ***** | | | | |
| 00310 V 0 See Comments | PERMIT REQUIREMENT | 106 MO AVG | 438 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Solids, total suspended | SAMPLE MEASUREMENT | | | | ***** | ***** | ***** | | | | |
| 00530 V 0 See Comments | PERMIT REQUIREMENT | 213 MO AVG | 876 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Flow, in conduit or thru treatment plant | SAMPLE MEASUREMENT | | | | ***** | ***** | ***** | | | | |
| 50050 V 0 See Comments | PERMIT REQUIREMENT | Req. Mon. MO AVG | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Continuous | RCORDR |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEE PAGE 11 OF PERMIT. SEE DMR 0091. SAMPLE AT 09A.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 16

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


SUMA
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
METALS: 001,004,005,007,009,011
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 06 | 01 | FROM | 07 | 06 | 30 |
| | | | TO | | | |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| Phosphorus, total (as P) 00665 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Nickel, total recoverable 01074 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Silver total recoverable 01079 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Zinc, total recoverable 01094 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0.3 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Aluminum, total (as Al) 01105 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Cadmium, total recoverable 01113 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Lead, total recoverable 01114 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0.05 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT  | TELEPHONE | | DATE | | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
COMPOSITE PROPORTIONATE TO FLOW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 17

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F

| |
|----------------------|
| MA0003891 |
| PERMIT NUMBER |


| |
|-------------------------|
| SUMA |
| DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
METALS:001,004,005,007,009,011
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|----|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 06 | 01 | | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|--|---------------------------|---------------------|--------------------|--------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| Chromium, total recoverable 01118 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Copper, total recoverable 01119 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Cyanide, total recoverable 78248 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0.08 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | GRAB |

| | | | | | | |
|--|---|---|------------------|--------------------------|--------------|---------|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | TELEPHONE 413 494-5902 | | DATE 2007 7 25 | | |
| | | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT  | AREA Code 413 | NUMBER 494-5902 | YEAR 2007 | MO 7 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
COMPOSITE PROPORTIONATE TO FLOW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER

005B
DISCHARGE NUMBER


DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|----|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 04 | 01 | | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|-------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | 7.3 | ***** | 7.3 | SU | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| Oil & grease 00556 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | 0 | PPM | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | 13.1 | PPB | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 S 0 See Comments | SAMPLE MEASUREMENT | ***** | 0.069 | MGD | ***** | ***** | ***** | | 0 | 01/90 | ES |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

~~0.341~~ *MTC*

| | | | | | | |
|--|---|--|------------------|--------------------------|--------------|---------|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | TELEPHONE 413 494-5902 | | DATE 2007 7 23 | | |
| | | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT  | AREA Code 413 | NUMBER 494-5902 | YEAR 2007 | MO 7 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
QUARTERLY. SAMPLE AT POINT OF DISCHARGE.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


009B
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
09B SAMPLE POINT PRIOR TO 009
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|----|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 06 | 01 | TO | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|---------------------------|---------------------|--------------------|--------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| BOD, 5-day, 20' deg. C 00310 V 0 See Comments | SAMPLE MEASUREMENT | 0.002 | 0.01 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | 106 MO AVG | 438 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Solids, total suspended 00530 V 0 See Comments | SAMPLE MEASUREMENT | 0.40 | 1.52 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | 213 MO AVG | 876 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Flow, in conduit or thru treatment plant 50050 V 0 See Comments | SAMPLE MEASUREMENT | 0.050 | 0.290 | MGD | ***** | ***** | ***** | | 0 | 99/99 | RC |
| | PERMIT REQUIREMENT | Req. Mon. MO AVG | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Continuous | RCORDR |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEE PAGE 11 OF PERMIT. SEE DMR 0091; SAMPLE AT 09B.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 20

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F


| | |
|---------------|------------------|
| MA0003891 | SUMB |
| PERMIT NUMBER | DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
TOXICS:001,004,005,007,009,011
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 06 | 01 | FROM | 07 | 06 | 30 |
| | | | TO | | | |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|----------------------------------|--------------------|---------------------|-------|-------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| Noael Statre 48Hr Acute D. Pulex | SAMPLE MEASUREMENT | ***** | ***** | | 100 | ***** | ***** | % | 0 | 01/30 | CP |
| TDM3D 10 Effluent Gross | PERMIT REQUIREMENT | ***** | ***** | | 35 DAILY MN | ***** | ***** | % | | Monthly | COMPOS |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

MONTHLY DRY WEATHER TESTING. COMPOSITE PROPORTIONATE TO FLOW. FOR JULY, AUG., SEPT. REPORT ACUTE AND CHRONIC. SEE DMR SUMC FOR QUARTERLY WET WEATHER ACUTE. SUBMIT THIS DMR WITH A NODI '9' WHEN SUBMITTING WET WEATHER RESULTS ON DMR SUMC.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 22

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F


| | |
|----------------------|-------------------------|
| MA0003891 | 009D |
| PERMIT NUMBER | DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
NON PROCESS/STORMWATER BYPASS
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 04 | 01 | FROM | 07 | 06 | 30 |
| | | | TO | | | |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|-------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | NODI [E] | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Quarterly | RANG-C |
| Oil & grease 00556 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | 15 DAILY MX | ppm | | Quarterly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 S 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | ***** | NODI [E] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | ***** | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 S 0 See Comments | SAMPLE MEASUREMENT | ***** | NODI [E] | | ***** | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Quarterly | ESTIMA |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
 QUARTERLY. SAMPLE AT POINT OF DISCHARGE.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F


| | |
|---------------|------------------|
| MA0003891 | 064G |
| PERMIT NUMBER | DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
GROUNDWATER TREATMENT (005)
External Outfall

| MONITORING PERIOD | | | | | |
|-------------------|----|-----|------|----|-----|
| YEAR | MO | DAY | YEAR | MO | DAY |
| 07 | 06 | 01 | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|-------|-------|--------------------------|------------------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 T 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | 7.4 | ***** | 7.7 | SU | 0 | 99/99 | RCDR |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Weekly | RANG-C |
| Base neutrals & acid (Method 625), total 76030 T 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | 0 | 0 | MG/L | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | Req. Mon. MO AVG | Req. Mon. DAILY MX | mg/L | | Quarterly | GRAB |
| Volatile compounds, (GC/MS) 78732 T 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | 0.00025 | 0.00025 | MG/L | 0 | 01/90 | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | Req. Mon. MO AVG | Req. Mon. DAILY MX | mg/L | | Quarterly | GRAB |

| | | | | | | | |
|---|---|---|-----------|--------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEE COMMENTS FOR 0051. SEE PAGE 8+ 9 OF PERMIT.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


064T
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR (SUBRW)
WASTEWATER TREATMENT (005)
External Outfall

| MONITORING PERIOD | | | | | |
|-------------------|----|-----|------|----|-----|
| YEAR | MO | DAY | YEAR | MO | DAY |
| 07 | 06 | 01 | 07 | 06 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|-------|-------|--------------------------|---------------------|-----------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 T 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | 6.7 | ***** | 8.0 | SU | 0 | 99/99 | RCDR |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Weekly | RANG-C |
| Dibenzofuran 81302 T 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | NODI [2] | NODI [2] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | Req. Mon. MO AVG | Req. Mon. DAILY MX | ppt | | Monthly | COMPOS |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 7 | 25 |
| SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEE COMMENTS FOR 0051. SEE PAGE 8+ 9 OF PERMIT.

Attachment C

NPDES Biomonitoring Report
July 2007

August 7, 2007

Mr. Jeffrey Nicholson
GE Corporate Environmental Programs
159 Plastics Avenue
Pittsfield, MA 01201

Re: NPDES Biomonitoring Report for July 2007
Submission #: R2738528

Dear Mr. Nicholson:

Enclosed is our report on the Acute Whole Effluent Toxicity testing conducted in July 2007. The Outfall Composite samples were collected on 7/9/07 at 10:50 am. The Housatonic River samples were collected on 7/9/07 at 8:35 am. The Outfall Composite and Housatonic River samples were analyzed at Columbia Analytical Services for total cyanide, ammonia, total organic carbon, total phosphorus, chloride, total solids, total suspended solids, total residual chlorine, and total metals. Dissolved metals were analyzed for only on the Outfall Composite samples. Results are presented in Appendix 2. The Outfall Composite and Housatonic River samples were sent directly by General Electric to Aquatec Biological Services for the acute aquatic toxicity testing including the analysis of alkalinity, hardness, specific conductance, and pH. Results are presented in Appendix 1.

Should you have any questions please contact me at (585)288-5380 x130.

Thank you for allowing us to provide this service.

Sincerely,

COLUMBIA ANALYTICAL SERVICES



Carlton Beechler
Project Manager

enc.

CC: Jill Piskorz, Pat Foos and Yelena Geyfman vial email.

NPDES BIOMONITORING REPORT

GENERAL ELECTRIC COMPANY

Pittsfield, MA

NPDES PERMIT MA 0003891

Monthly Acute Toxicity Monitoring

Wet Weather Conditions

July 2007

WHOLE EFFLUENT TOXICITY TEST REPORT CERTIFICATION

I certify under penalty of law that this document and all ATTACHMENTS were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on

_____ (Date)

_____ (Authorized Signature)

Michael T. Carroll

General Electric Co. – Pittsfield, MA
Permit MA0003891

Prepared by: Carlton R. Beechler
August 6, 2007

TABLE OF CONTENTS

| | <u>PAGE</u> |
|---|-------------|
| I. Summary | 1 |
| II. Review of Toxicity Analytical Results | 2 |
| III. Review of Wastewater Sampling Procedures | 3 |
| IV. Review of Individual Discharges | 5 |

Table I – Summary of Analytical Test Results

Appendices:

1. Chemical and Acute Toxicity Data from Aquatec Biological Sciences
2. Laboratory Reports from Columbia Analytical Services, Inc. and O'Brien & Gere, Inc.
3. Chain of Custody Forms

I. Summary

On July 8-9, 2007 sampling of wastewater discharges from the General Electric Company facility in Pittsfield MA was conducted in accordance with the wet weather toxicity testing requirement of the GE NPDES Permit MA0003891. Composite samples were collected from GE outfalls 001, 005-64T, 005-64G and 09B over a 24-hour period. These composite samples were combined in a flow-proportioned manner to generate a single wastewater sample that was shipped to Aquatec Biological Sciences in Williston, Vermont. A grab sample of Housatonic River water, to be used as dilution water in the toxicity test, was collected upstream of the GE discharges on July 9, 2007 and shipped to AquaTec along with the wastewater composite. AquaTec dechlorinated the composite sample prior to the acute toxicity test following the toxicity reduction procedures summarized in a letter dated November 11, 1993 to EPA Region I from JG Ruebesam of General Electric Company. The composite wastewater sample and the dilution water sample were tested for chemical constituents by O'Brien & Gere, Inc. and Columbia Analytical Services. The analytical results are summarized in Table I and the detailed laboratory test data are include as Appendices to this report. As a result of land transfer documents executed on April 27, 2005 and recorded in the Berkshire County Registry of Deeds on May 2, 2005, Outfalls 001 and 004 were transferred to the Pittsfield Economic Development Authority (PEDA). Outfalls 001 and 004 DMRs will no longer be submitted under the GE NPDES Permit No. MA0003891. However, GE's NPDES Permit requires that the metal and toxicity composites to be made by compositing samples from the following outfalls: 001, 004, 005, 007, and 009. These two composites will continue to include an aliquot of water from outfall 001 and outfall 004, and will be reported on GE's DMR until further actions by the Agencies.

The results from Aquatec Biological Sciences for the acute toxicity test on the wastewater discharge sample indicated a No Observed Acute Effect Level (NOAEL) of 100%.

II. Review of Toxicity Test Results

The wastewater discharge sample collected on July 8-9, 2007 was tested for 48-hour acute toxicity using *Daphnia pulex* organisms. The sample did not require dechlorination with sodium thiosulfate (Na₂S₂O₃) prior to toxicity testing. Aquatec Biological Sciences reported the results of this toxicity testing as follows:

| | |
|---|-------|
| Effluent toxicity as NOAEL = | 100% |
| Effluent toxicity as LC ₅₀ = | >100% |

No limit is established for wet weather NOAEL in the GE NPDES permit.

The following table summarizes the results of the control sample analyses performed by AquaTec during the acute toxicity bioassay:

| <u>Control Analysis</u> | <u>Result</u> |
|---|-----------------------------|
| Survival in 100% dilution water | 96% |
| Survival in laboratory water | 100% |
| Survival in laboratory water with 100 mg/L sodium thiosulfate | 100% |
| LC ₅₀ for <i>Daphnia pulex</i> in sodium chloride reference toxicant solution | 3.372g NaCl/L July 10, 2007 |

The *Daphnia* survival rates in control solutions of upstream dilution water, laboratory water and reference toxicant solution were within acceptable limits, indicating that the results of the toxicity test are valid.

III. Review of Wastewater Sampling Procedures

Composite samples of the individual NPDES wastewater discharges were collected over a 24-hour period. These samples were composited in a flow-weighted manner to generate a single combined discharge sample for toxicity testing and chemical analysis.

The 24-hour composite samples from the individual discharges were collected as follows:

Each automatic sampler (at outfall 001, 64T, 64G, and 09B) was programmed to collect approximately 7 liters of wastewater into a 10-liter glass container in a time-proportioned manner over a 24-hour period. Outfalls 004, 007, and 09A have been plugged and no longer flow.

All sample containers were packed in ice or refrigerated to keep the wastewater samples cold during the 24-hour collection period.

Flow meter readings were taken at the beginning and end of the 24-hour collection period to determine the total 24-hour flow for each wastewater discharge.

At the end of the 24-hour collection period, the discharge samples were taken to Building 64G where OB&G personnel composited these samples, in a flow weighted manner, to generate a single combined sample for the acute toxicity test and the chemical analyses, as follows:

The proportions of each individual discharge sample needed to produce a single combined sample were calculated from the flow measurements. The calculated sample volumes were then transferred from their original collection containers to a 2.5 or 5 gallon mixing container. The combined discharge sample was then split into various containers for toxicity testing and chemical analyses. These containers were shipped by vendor courier to AquaTec for toxicity testing and by FedEx (overnight) to Columbia Analytical Services for chemical analyses. All samples were chilled with ice packs during shipment.

A grab sample of Housatonic River water was collected on the second day of sampling at the Lyman Road Bridge in Hinsdale, MA, upstream of the GE site. This sample was split for chemical analysis and toxicity testing in a similar manner as the combined effluent sample (see above).

Details of the times and dates of sample collection as well as the names of the individuals collecting and transporting the samples are provided on the chain of custody forms in Appendix 3 of this report.

IV. Review of Individual NPDES Discharges


The following is a brief description of each of the seven outfalls that are monitored for acute and chronic toxicity in accordance with NPDES Permit MA0003891 issued to the General Electric Company, Pittsfield, MA.

1. Outfall 001 is permitted to discharge storm water runoff from the oil/water separator in Building 31W to Silver Lake.
2. Outfall 004 is permitted to discharge storm water runoff to Silver Lake. (**Outfall plugged**)
3. Outfall 005 is permitted to discharge contact cooling water, non-contact cooling water, treated process water and storm water runoff from the Wastewater Treatment Plant in Building 64T, and treated groundwater from the Groundwater Treatment Plant in Building 64G to the Housatonic River. Monitoring samples are collected separately from the effluents of 64G and 64T. Both samples are included in the flow composite sample used for toxicity testing.
4. Outfall 007 is permitted to discharge stormwater runoff to the Housatonic River. (**Outfall plugged**)
5. Outfall 09A is permitted to discharge non-contact cooling water and stormwater runoff to Unkamet Brook. (**Outfall plugged**)
6. Outfall 09B is permitted to discharge non-contact cooling water, treated process water and stormwater runoff from the oil/water separator in Building 119W to Unkamet Brook.

APPENDIX 1

Chemical and Acute Toxicity Data

Aquatec Biological Sciences



Aquatec Biological Sciences



Ecology



Environmental
Toxicology



Natural Resource
Assessments



Microbiology

July 27, 2007

Mr. Carl Beechler
Columbia Analytical Services,
1 Mustard Street – Suite 250
Rochester, NY 14609

Dear Mr. Beechler:

Enclosed please find one bound and one unbound copies of our report of the results for whole effluent toxicity testing of samples received from GE Pittsfield, Massachusetts on July 10, 2007.

According to the Chain-of-Custody documentation the samples for Whole Effluent Toxicity (WET) Testing were collected on July 9, 2007. The samples were transported to Aquatec Biological Sciences, Inc. by courier and delivered on the following morning. The effluent sample (Sample 35627) was logged in for the acute 48-hour static toxicity test with *Daphnia pulex*. The receiving water sample (Sample 35628) was logged in for dilution water. A sub-sample of each sample was checked for residual chlorine and for alkalinity and hardness measurements at Aquatec Biological Sciences, Inc. The toxicity test was started on July 10, 2007, within the specified holding time.

At the conclusion of the toxicity test on July 12, 2007, a final count of surviving organisms was completed. The average survival was 92 - 100 percent in all test concentrations.. Acute toxicity to *Daphnia pulex* was not detected, and the 48-hour LC50 reported as >100% effluent (Section 4.1 of the report).

If you have any questions regarding the report, please call Dr. Philip C. Downey or me.

Sincerely,


John Williams
Manager, Environmental Toxicology

This report consists of the following numbered pages:

1 - 35

**Whole Effluent Toxicity Testing
Of Wastewaters Discharged from
The General Electric Plant
Pittsfield, Massachusetts**

Samples Collected in July 2007

Submitted to:
General Electric
Area Environmental & Facility Programs
100 Woodlawn Avenue
Pittsfield, Massachusetts 01201

SDG number: 10488

Effluent ID: Outfall Composite A8328C Aquatec sample number: 35627

Receiving water ID: Housatonic River A8329R Aquatec sample number: 35628

Study Director: John Williams

July 27, 2007

Submitted by:
Aquatec Biological Sciences, Inc.
273 Commerce Street
Williston, Vermont 05454
Phone: (802) 860-1638 Fax: (802) 860-1638

Accreditation: NH Environmental Laboratory Accreditation Program
NELAP / NELAC accredited for the requested analysis.

Signatures and Approval

Submitted by:

Aquatec Biological Sciences, Inc.
273 Commerce Street
Williston, Vermont 05454
Phone: (802) 860-1638
Fax: (802) 860-1638



Study Director
John Williams

7/27/07

Date



Quality Assurance Officer
Philip C. Downey, Ph. D.

7/31/07

Date

Whole Effluent Toxicity Test Report Certification

The results reported pertain only to the samples received and tested under this Sample Delivery Group (SDG).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on:

Date: July 27, 2007

Authorized signature

John Williams

Name

Manager, Environmental Toxicology

Title

Aquatec Biological Sciences, Inc.

Laboratory



Certificate # 1737

Table of Contents

| | Page | | | | | | | | | | | | |
|--|--|------------|--------------------------------|------------|----------------------------|------------|--|------------|--|------------|--|------------|--|
| Signatures and Approval | 2 | | | | | | | | | | | | |
| Whole Effluent Toxicity Test Report Certification | 3 | | | | | | | | | | | | |
| List of Tables | 5 | | | | | | | | | | | | |
| Summary of Static Acute Toxicity Test With <i>Daphnia pulex</i> | 6 | | | | | | | | | | | | |
| 1.0 Introduction | | | | | | | | | | | | | |
| 1.1 Background | 7 | | | | | | | | | | | | |
| 1.2 Objective of the General Electric Study | 7 | | | | | | | | | | | | |
| 2.0 Materials and Methods | | | | | | | | | | | | | |
| 2.1 Protocol | 7 | | | | | | | | | | | | |
| 2.2 Effluent and receiving water samples | 8 | | | | | | | | | | | | |
| 2.3 Control water | 8 | | | | | | | | | | | | |
| 2.4 Test organism | 8 | | | | | | | | | | | | |
| 2.5 Test procedure | 9 | | | | | | | | | | | | |
| 2.6 Test monitoring | 9 | | | | | | | | | | | | |
| 2.7 Reference toxicant test | 10 | | | | | | | | | | | | |
| 3.0 Statistics | | | | | | | | | | | | | |
| 3.1 Statistical protocol | 10 | | | | | | | | | | | | |
| 4.0 Results | | | | | | | | | | | | | |
| 4.1 Effluent toxicity test | 10 | | | | | | | | | | | | |
| 4.2 Reference toxicant test | 11 | | | | | | | | | | | | |
| 5.0 Qualifiers | | | | | | | | | | | | | |
| 5.1 Qualifiers and Special Conditions | 11 | | | | | | | | | | | | |
| References | 12 | | | | | | | | | | | | |
| <table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 150px;">Appendix 1</td> <td>Chain-of-Custody Documentation</td> </tr> <tr> <td>Appendix 2</td> <td>Summary of Test Conditions</td> </tr> <tr> <td>Appendix 3</td> <td>U.S. EPA Region 1 Toxicity Test Summary and Statistical Flow Chart</td> </tr> <tr> <td>Appendix 4</td> <td>Bench Data, <i>Daphnia pulex</i> Acute Toxicity Test</td> </tr> <tr> <td>Appendix 5</td> <td>Standard Reference Toxicant test Control Chart</td> </tr> <tr> <td>Appendix 6</td> <td>SOP TOX2-001, Standard Operating Procedure for Daphnid (<i>Ceriodaphnia dubia</i>, <i>Daphnia magna</i>, and <i>Daphnia pulex</i>) Acute Toxicity Test</td> </tr> </table> | | Appendix 1 | Chain-of-Custody Documentation | Appendix 2 | Summary of Test Conditions | Appendix 3 | U.S. EPA Region 1 Toxicity Test Summary and Statistical Flow Chart | Appendix 4 | Bench Data, <i>Daphnia pulex</i> Acute Toxicity Test | Appendix 5 | Standard Reference Toxicant test Control Chart | Appendix 6 | SOP TOX2-001, Standard Operating Procedure for Daphnid (<i>Ceriodaphnia dubia</i> , <i>Daphnia magna</i> , and <i>Daphnia pulex</i>) Acute Toxicity Test |
| Appendix 1 | Chain-of-Custody Documentation | | | | | | | | | | | | |
| Appendix 2 | Summary of Test Conditions | | | | | | | | | | | | |
| Appendix 3 | U.S. EPA Region 1 Toxicity Test Summary and Statistical Flow Chart | | | | | | | | | | | | |
| Appendix 4 | Bench Data, <i>Daphnia pulex</i> Acute Toxicity Test | | | | | | | | | | | | |
| Appendix 5 | Standard Reference Toxicant test Control Chart | | | | | | | | | | | | |
| Appendix 6 | SOP TOX2-001, Standard Operating Procedure for Daphnid (<i>Ceriodaphnia dubia</i> , <i>Daphnia magna</i> , and <i>Daphnia pulex</i>) Acute Toxicity Test | | | | | | | | | | | | |

List of Tables

| | | Page |
|---------|--|-------------|
| Table 1 | Results of the characterization and analysis of the General Electric Pittsfield Plant effluent and the dilution water (Housatonic River) | 13 |
| Table 2 | The water quality measurements recorded during the 48-hour static toxicity test for <i>Daphnia pulex</i> exposed to General Electric Pittsfield Plant effluent | 14 |
| Table 3 | Cumulative percent mortalities recorded during the 48-hour static toxicity test for <i>Daphnia pulex</i> exposed to General Electric Pittsfield Plant effluent | 15 |

Summary of Static Acute Toxicity Test with *Daphnia pulex*

Sponsor: General Electric

Protocol title: US EPA-821-R-02-012. *Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms*, 5th Ed., December 2002. Method 2021.0

Aquatec SDG: 10488

Test material: Composite effluent from the General Electric Company located in Pittsfield, Massachusetts

GE sample ID: OUTFALL COMPOSITE A8328C

Dilution water: Water from the Housatonic River (grab sample)

GE sample ID: HOUSATONIC RIVER A8329R

Dates collected: July 9, 2007

Date received: July 10, 2007

Test dates: July 10-12, 2007

Test concentrations: 100%, 75%, 50%, 35%, 15%, 5% effluent.
Dilution water control (Housatonic River A8329R)
Laboratory control 1 (culture water)
Laboratory control 2 (culture water with sodium thiosulfate)

Results: The 48-hour LC50 value was determined to be >100% effluent. The Acute No-Observed-Effect-Concentration (A-NOEC) was 100% effluent.

1.0 Introduction

1.1 Background

In 1972, amendments were made to the Clean Water Act (CWA) prohibiting the discharge of any pollutant from a point source to waters of the United States, unless the discharge is authorized by a National Pollutant Discharge Elimination System (NPDES) permit. Since the passing of the 1972 amendments to the CWA, significant progress has been made in cleaning up industrial wastewater and municipal sewage point source discharges. EPA defines point sources as discrete discharges via pipes or man-made ditches.

In 1984, the U.S. Environmental Protection Agency (EPA) released a national policy statement and a supporting document that recommended, where appropriate, effluent permit limits should be based on effluent toxicity as measured in aquatic toxicity tests. Generally, permits require that no toxic discharge occur in toxic amounts. The routine use of dilution-series toxicity tests and/or biologically-based criteria (i.e., invertebrate and vertebrate community studies) have become increasingly utilized to calculate or estimate the potential toxicity of a discharge.

EPA has the authority to delegate primary responsibility for the implementation, permitting, and enforcement of NPDES regulations to appropriate State regulatory agencies. Even when EPA delegates this authority to the states, EPA still maintains oversight responsibility.

1.2 Objective of the General Electric Study

The objective of this study was to measure the acute toxicity of the composite wastewater discharged by the General Electric facility located in Pittsfield, Massachusetts to the Housatonic River. The water flea, *Daphnia pulex*, is exposed to effluent and dilutions of effluent under static conditions. *Daphnia pulex* is routinely used by regulatory agencies and by contract laboratories for toxicity testing and EPA has published guidance documents for the performance of this test (U.S. EPA, 2002).

A toxicity test was conducted from July 10-12, 2007 at Aquatec Biological Sciences, Inc. (Aquatec) located in Williston Vermont. Aquatec Biological Sciences, Inc. holds NELAC accreditation for the requested whole effluent toxicity test. All original raw data and the final report produced for this study are stored in Aquatec's archives in Williston, Vermont.

2.0 Materials and Methods

2.1 Protocol

Procedures used in this acute toxicity test followed those described in the Aquatec Standard Operating Procedure (SOP) TOX2-001, Daphnid Acute R5, July 4, 2006. This SOP generally follows the standard methodology presented in U.S. EPA. 2002 (EPA-821-R-02-012). *Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms*, 5th Ed.,

December 2002, Method 2021.0 (as summarized in Appendix 2 of this report). A copy of the SOP is located in Appendix 6 (Controlled document, please do not copy or distribute.)

Additional SOPs used in this study are outlined below:

| Title | SOP Number | Revision Date |
|--|------------|------------------------|
| Sample Acceptance | TOX1-017 | Rev. 4, February, 2004 |
| Hardness – total titrimetric method | TOX1-011 | Rev. 3, July 2003 |
| Alkalinity – total titrimetric method | TOX1-010 | Rev. 6, July 2004 |
| Thermo-Orion 145 A+ Conductivity Meter | TOX1-016 | Rev. 1, July 2004 |
| Dissolved oxygen | TOX1-006 | Rev. 7, July 2004 |
| pH measurement | TOX1-007 | Rev. 2, July 2004 |
| Salinity: refraction method | TOX1-008 | Rev. 3, January, 2003 |

2.2 Effluent and Receiving Water Samples

The effluent sample (Outfall Composite A8328C) was collected by GE personnel on July 9, 2007. The receiving water sample (Housatonic River A8329R) was a grab collected from the Housatonic River on July 9, 2007. Samples were delivered to Aquatec on the same day. Upon receipt at Aquatec on July 10, 2007, the temperature of the temperature blank contained within the cooler was 4.0°C. The effluent and receiving water were prepared for testing and characterized (Table 1). The receiving water was the dilution water for preparing effluent concentrations and was also the reference control for statistical comparisons.

2.3 Control water

Laboratory control water for the toxicity test was a 1:1 mixture of laboratory reconstituted moderately hard water and 60-micron filtered river water collected from the Lamoille River, Vermont. This water was characterized for the following parameters: pH (7.5); dissolved oxygen (7.5 mg/L); conductivity (225 uS/cm). An additional dechlorination control (laboratory water with 0.2 N sodium thiosulfate added) was included in the test array, even though chlorine was not detected in the effluent sample.

2.4 Test Organism

Daphnids (*Daphnia pulex*), less than 24-hours old were obtained from Aquatec laboratory cultures. The culture system consisted of several 1-liter glass beakers containing approximately 1-liter of culture medium and up to approximately 100 daphnids. The culture water was laboratory reconstituted moderately hard water. Prior to use, the culture water was characterized:

| Parameter | Result |
|---|-----------------------------|
| Total hardness (mg/L) | Within range of 80-110 mg/L |
| Alkalinity (mg/L as CaCO ₃) | Within range of 60-70 mg/L |
| pH | Nominal 7.7 – 8.0 |

The culture area was maintained at a nominal temperature of 20°C (range 19 – 21 °C) with a regulated photoperiod of 16 hours light and 8 hours of darkness.

Daphnid cultures were fed a combination of green algae (*Selenastrum capricornutum*) and YCT obtained from Aquatic BioSystems of Fort Collins, Colorado. The cultures were fed a ration of *Selenastrum* and YCT daily Monday through Friday. Daphnids were transferred to new culture medium weekly.

Approximately 24 hours before toxicity test initiation, all daphnid neonates were removed from the culture beakers. Offspring produced within 24 hours were used for toxicity testing.

2.5 Test Procedures

Prior to initiating the toxicity test, a sub-sample of effluent and receiving water was decanted for subsequent alkalinity and hardness determination. A sub-sample was also checked for presence of chlorine to determine whether dechlorination of effluent is required. Chlorine was not detected, therefore dechlorination of the effluent was not required. The sample was then aerated and warmed to test temperature.

The toxicity test was conducted at effluent concentrations of 100%, 75%, 50%, 35%, 15%, and 5% effluent. Test concentrations were prepared by diluting the appropriate volume of effluent with dilution water to a total volume of 400 mL. Test solutions were then decanted to five replicate 30-mL cups per concentration, each containing approximately 20 mL of test solution. Three sets of control replicates were also included in the test array, set up as the effluent replicates. The controls included: Housatonic River water (dilution control), a laboratory control (a mix of moderately hard water and Lamoille River, VT water), and a laboratory control with sodium thiosulfate added (dechlorination control). The dechlorination control was included in the test array even though residual chlorine was not detected in the effluent.

Prior to testing, daphnids less than 24-hours old were collected from the cultures, pooled in Carolina bowl, and fed. The test was initiated when the daphnid neonates were transferred to the replicate test cups, five daphnids per cup. The toxicity test cups were incubated to maintain temperature in the range of 19°C to 21 °C. The lighting cycle was 16 hours light and eight hours dark and a luminance of approximately 80 ft-c.

2.6 Test Monitoring

The number of surviving daphnids was observed at approximately 24-hour intervals during the test, with the final count of surviving daphnids at approximately 48 hours. Temperature was measured daily in one replicate of each test treatment. The parameters of pH, dissolved oxygen, and conductivity were measured at the beginning and the end of the test.

Total hardness was measured by the EDTA titrimetric method and total alkalinity was measured by potentiometric titration to an endpoint of 4.5. The check for residual chlorine was performed with an acidified sample to which potassium iodide and starch indicator added. If chlorine was detected, the color was titrated away with 0.02 N sodium thiosulfate to determine the equivalent volume of 0.2 N sodium thiosulfate to add to effluent (if needed).

Dissolved oxygen was measured with a YSI Model 58 dissolved oxygen meter. A Beckman Phi 40 was used to measure pH. A Thermo-Orion Model 145 conductivity meter was used to measure conductivity. Salinity was measured with an Atago salinity refractometer.

2.7 Reference Toxicant Test

A 48-hour standard reference toxicant (SRT) test was conducted concurrently with the effluent toxicity test. The SRT test was conducted as a quality control procedure to establish the health and sensitivity of the test organisms. The SRT included four concentrations of reagent grade sodium chloride (NaCl) with nominal concentrations of 0.75, 1.5, 3.0, 6.0, and 12 g NaCl/L. Four test replicates, each containing five daphnid neonates were test at each concentration and the laboratory control.

3.0 Statistics

3.1 Statistical protocol

The concentration-response relationships observed were characterized by the median lethal concentration (LC50), which was the calculated concentration lethal to 50 percent of the test organisms. If no concentrations resulted in 50% mortality, the LC50 was reported as greater than the highest concentration effluent (in this case >100% effluent), by direct observation. If greater than 50 percent mortality was observed in any effluent treatment, then a computer program (TOXIS2) was used to calculate the LC50 value, following the U.S. EPA statistical flowchart (Appendix 3).

The Acute-No-Observable-Effect Concentration (A-NOEC) was determined statistically using multiple comparison tests (TOXIS2), with the receiving water control as the reference.

4.0 Results

4.1 Effluent Toxicity Test

Results of effluent and receiving water characterizations performed at Aquatec as part of the toxicity test are presented in Table 1. Water quality parameters measured during the toxicity test are presented in Table 2. Measured temperatures during the test were within the range of 19°C to 21.2°C. The percent mortality data for the toxicity test are presented in Table 3. Acute toxicity

was not demonstrated during this evaluation. The 48-hour LC50 value was >100% effluent. The A-NOEC was 100% effluent.

4.2 Reference Toxicant Test

A standard reference toxicant (SRT) test was performed concurrently with the effluent toxicity test, using the same batch of daphnid neonates. The resulting 48-hour LC50, calculated by the Spearman-Kärber method, was 3.329 g NaCl/L with 95% confidence intervals of 2.87-3.85 g/L. This LC50 value was within the Control Chart limits generated for tests in our laboratory.

5.0 Qualifiers

5.1 Qualifiers and Special Conditions

To the best of our knowledge, there are no special conditions or qualifiers that apply to the reported toxicity test.

References

American Public Health Association, American Water Works Association, and Water Pollution Control Federation (APHA). 1989. Standard Methods for the Examination of Water and Wastewater. 17th Edition

U.S. Environmental Protection Agency, 2002. 5th Edition. *Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms*. EPA-821-R-02-012.

Table 1. Results of the characterization of the General Electric Pittsfield Plant effluent and receiving water (Housatonic River).

| Parameter | Effluent OUTFALL COMPOSITE A8328C | Housatonic River A8329R HOUSATONIC RIVER A8329R |
|--|--|--|
| Temperature | 20.1 | 19.8 |
| pH | 7.8 | 7.3 |
| Alkalinity (as CaCO ₃), mg/L | 272 | 88 |
| Hardness (as CaCO ₃), mg/L | 276 | 102 |
| Dissolved oxygen, mg/L | 8.2 | 8.1 |
| Specific conductivity, uS/cm | 1002 | 224 |
| Salinity (‰) | 1 | 0 |
| Total residual chlorine (mg/L) | 0.05 | 0.15 |

Note: Characterizations reflect conditions of sample after preparation for the toxicity test. ND = not detected

Table 2. Water quality measurements recorded during the 48-hour static toxicity test with *Daphnia pulex* exposed to General Electric Pittsfield Plant effluent, July 10-12, 2007.

| Test Concentration (% effluent) | pH | | | Dissolved Oxygen (mg/L) | | | Temperature (°C) | | |
|------------------------------------|-----|----|-----|----------------------------|----|-----|---------------------|------|------|
| | 0 | 24 | 48 | 0 | 24 | 48 | 0 | 24 | 48 |
| Dechl. Control | 7.5 | - | 7.4 | 8.0 | - | 8.0 | 20.8 | 21.2 | 20.4 |
| Lab Control | 7.5 | - | 7.4 | 7.5 | - | 8.0 | 20.8 | 21.1 | 20.5 |
| Dilution Control | 7.3 | - | 7.7 | 8.1 | - | 8.0 | 19.8 | 20.9 | 20.0 |
| 5% | 7.4 | - | 7.8 | 8.2 | - | 8.1 | 20.8 | 21.1 | 20.1 |
| 15% | 7.5 | - | 7.9 | 8.1 | - | 8.0 | 20.2 | 21.0 | 20.2 |
| 35% | 7.6 | - | 8.1 | 8.1 | - | 8.1 | 20.3 | 20.9 | 20.2 |
| 50% | 7.7 | - | 8.3 | 8.1 | - | 8.1 | 20.4 | 20.8 | 20.2 |
| 75% | 7.8 | - | 8.3 | 8.2 | - | 8.0 | 20.5 | 20.7 | 20.2 |
| 100% | 7.8 | - | 8.3 | 8.2 | - | 8.1 | 20.1 | 20.9 | 20.3 |

Measurements at time 0 were from a sub-sample of the prepared treatment. Measurements at time 48 were from the combined water from all replicates for each treatment.

Dechl. Control = laboratory water with sodium thiosulfate added (dechlorination control).

Lab Control = a mix of natural river water and moderately hard water.

Dilution Control = receiving water (Housatonic River).

Table 3. Cumulative percent mortalities recorded during the 48-hour static acute toxicity test with *Daphnia pulex* exposed to General Electric Pittsfield Plant effluent, July 10-12, 2007.

| Effluent Conc. (%) | 24-hour | | | | | | 48-hour | | | | | |
|--------------------|---------|---|----|---|---|-----|---------|---|----|----|---|-----|
| | A | B | C | D | E | Avg | A | B | C | D | E | Avg |
| Dechl. Control | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Lab Control | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| Rec. Control | 0 | 0 | 20 | 0 | 0 | 4 | 0 | 0 | 20 | 20 | 0 | 8 |
| 5% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 35% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 50% | 0 | 0 | 40 | 0 | 0 | 8 | 0 | 0 | 40 | 0 | 0 | 8 |
| 75% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 100% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 | 0 | 0 | 4 |

Dechl. Control = laboratory water with sodium thiosulfate added (dechlorination control).

Lab Control = a mix of natural river water and moderately hard water.

Dilution Control = receiving water (Housatonic River).

Percent mortality = (# dead/5) X 100

Appendix 1

Chain-of-Custody Documentation

Aquatec Biological Sciences

Chain-of-Custody Record

273 Commerce Street
 Williston, VT 05495
 TEL: (802) 860-1638
 FAX: (802) 658-3189

| | | |
|--|--|---|
| COMPANY INFORMATION Name: General Electric Company Address: O'Brien & Gere 1000 East Street, Gate 64 City/State/Zip: Pittsfield, MA 01201 Telephone: (413) 494-6709 Facsimile: (413) 494-7052 Contact Name: Sean Coyle | COMPANY'S PROJECT INFORMATION Project Name: GE PITTSFIELD Outfall Composite Project Number: 07003 Sampler Name(s): SEAN C. COYLE NPDES Permit #: MA0003891 Quote #: 10/05 Client Code: GEPITTS | SHIPPING INFORMATION Carrier: <u>EXPRESS</u> Airbill Number: _____ Date Shipped: <u>7-9-07</u> Hand Delivered: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| VOLUME/CONTAINER TYPE/PRESERVATIVE 4°C _____ 4°C _____ 4°C _____ _____ H ₂ SO ₄ _____ H ₂ SO ₄ _____ Plastic _____ Plastic _____ Glass _____ 1 gal _____ 1/2 gal _____ 40 ml _____ 40 mL _____ | | |

| SAMPLE IDENTIFICATION | COLLECTION | | GRAB | COMPOSITE | MATRIX | ANALYSIS (detection limits, mg/L) | NUMBER OF CONTAINERS | | | | | | | |
|--------------------------|------------|----------|------|-----------|-----------|---|----------------------|---------|-----|------------------------------------|--------|---------|--|---|
| | DATE | TIME | | | | | 1 gal | 1/2 gal | 4°C | 4°C H ₂ SO ₄ | 4°C HI | Plastic | | |
| Outfall Composite A832XC | 7/9/07 | 10:50 AM | | X | Effluent | Daphnia pulex 48-h Static Acute Toxicity (EPA Method 2021.0). Log in for A48DPS | 1 | | | | | | | |
| Outfall Composite A832XC | 7/9/07 | 10:50 AM | | X | Effluent | Total Residual Chlorine | | | | | | | | 1 |
| Housatonic River A8329R | 7/9/07 | 1:35 PM | X | | Receiving | Dilution Water | | | | | | | | |
| Housatonic River A8329R | 7/9/07 | 1:35 PM | X | | Receiving | Total Residual Chlorine | | | | | | | | 1 |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

NOTES TO SAMPLER(S): (1): Complete the labels (Date, time, initials) and cover the labels with clear tape. Tape the caps of the sample bottles to ensure that they do not become dislodged during shipment. Nest the samples in sufficient ice to maintain 0°C ± 6°C. Results for samples received at temperatures exceeding 6°C will be qualified in 1 report.

Notes to Lab: Ambient cooler temperature: 4.0 °C. Dechlorinate the effluent sample if chlorine is detected.

| | | | |
|--|--|----------------|------------------|
| Relinquished by: (signature) <i>R. C. Coyle</i> | Received by: (signature) <i>R. C. Coyle</i> | DATE 7/9/07 | TIME 12:10 pm |
| Relinquished by: (signature) | Received by: (signature) | DATE 7/9/07 | TIME 08:45 |
| Relinquished by: (signature) | Received by: (signature) | DATE | TIME |

Appendix 2 Summary of Test Conditions

Test Description: Daphnid, *Daphnia pulex*, acute toxicity testASSOCIATED PROTOCOL: EPA 2002, 5th ed. (EPA-821-R-02-012) *Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms, Method 2002.0*

| | |
|--|---|
| 1. Test type: | Static, non-renewal |
| 2. Test temperature: | 20 ± 1°C |
| 3. Light quality: | Ambient laboratory illumination |
| 4. Photoperiod: | 16 hr. light, 8 hr. dark |
| 5. Test chamber size: | 30 ml |
| 6. Test solution volume: | 25 ml / replicate |
| 7. Renewal of test concentrations: | None |
| 8. Age of test organisms: | Less than 24 h |
| 9. No. organisms / test chamber: | 5 |
| 10. No. of replicate chambers / concentration: | 5 |
| 11. No. of organisms / concentration: | 20 |
| 12. Feeding regime: | Feed 0.1 ml of YTC and algal suspension prior to testing. Not fed during test. |
| 13. Cleaning: | None |
| 14. Aeration: | None |
| 15. Dilution water: | Receiving Water (Housatonic River) |
| 16. Test concentrations: | 5, 15, 35, 50, 75, 100% |
| 17. Laboratory control: | 1:1 mix of reconstituted moderately hard water and Lamoille River water. Dechlorination control. |
| 18. Test duration: | 48 h |
| 19. Monitoring: | Day 0: temperature, DO, pH, and conductivity. Day 1: temperature. Day 2: temperature, DO, pH, and conductivity Hardness, alkalinity, salinity, TRC Biological monitoring daily (survival) |
| 19. End points: | Survival |
| 20. Reference toxicant test: | Sodium chloride 48-h LC50 |
| 21. Test acceptability | 90% or greater |
| 22. Data interpretation: | Acute: 48 h LC50 (Point estimate by EPA statistical flowchart using TOXIS 2) and A-NOEC by hypothesis test statistics compared to the receiving water control (EPA statistical flowchart using TOXIS 2) |

Appendix 3
U.S. EPA Region 1 Toxicity Test Summary and
Statistical Flow Chart

TOXICITY TEST SUMMARY SHEET

Facility Name: Outfall Composite A8328C Test Start Date: 07/10/07

NPDES Permit Number: MA0003891 Pipe Number: 001

| Test Type | Test Species | Sample Type | Sampling Method |
|-----------|----------------------|-------------|-----------------|
| Acute | <i>Daphnia pulex</i> | EFFLUENT | Composite |

Dilution Water: Housatonic River

Receiving Water: Housatonic River

Effluent Sampling Dates: July 9, 2007

Concentrations Tested: 0 5.0 15 35 50 75 100 Control Permit Limit: NA

Was Effluent Salinity Adjusted? NA If yes, to what value? NA

With Sea Salts? NA Hypersaline Brine Solution? NA

Actual effluent concentrations tested after salinity adjustment in percent: Same as above.

Reference Toxicant Date: 7/10/07

PERMIT LIMITS AND TEST RESULTS

Test Acceptability Criteria: Mean Control Survival: 92 (%)

| | Limits (%) | | Results (%) |
|---------------|------------|-----------------------|--------------------|
| LC50 | NA | 48-Hour LC50 | >100 |
| | | Upper Value | -- |
| | | Lower Value | -- |
| | | Data Analysis Method | Direct observation |
| A-NOEC | NA | 48-hour A-NOEC | 100 |
| C-NOEC | NA | C-NOEC | -- |
| | | LOEC | -- |
| IC25 | NA | IC25 | -- |
| IC50 | NA | IC50 | -- |

NA: Not Applicable

DETERMINATION OF THE NOAEC FROM A MULTI-EFFLUENT-CONCENTRATION ACUTE TOXICITY TEST




Figure 13. Flowchart for analysis of multi-effluent-concentration test data.




Figure 6. Flowchart for determination of the LC50 for multi-effluent-concentration acute toxicity tests.

Appendix 4
Bench Data, *Daphnia pulex* Acute Toxicity Test

Aquatec Biological Sciences, Inc.

Test Date: 7/10/07
 Sample Date: 7/09/07
 Species: Daphnia pulex
 Test Type: Acute - 48 hours

Test Number: 53923
 Test Material: Effluent - Industrial %
 Source: MA0003891
 General Electric Company
 Pittsfield, MA

SUMMARY

| End Point | Day | Transformation | Conc | #Reps | Mean | StDev | % Surv |
|------------------|-----|-----------------------|-------------|-------|------|-------|--------|
| Proportion Alive | 2 | Arc sine sqrt w/ adj. | 0.000 B | 5 | 1.35 | 0.000 | |
| | | | X 0.000 D | 5 | 1.25 | .130 | |
| | | | X 5.000 D | 5 | 1.35 | 0.000 | |
| | | | X 15.000 D | 5 | 1.35 | 0.000 | |
| | | | X 35.000 D | 5 | 1.35 | 0.000 | |
| | | | X 50.000 D | 5 | 1.25 | .205 | |
| | | | X 75.000 D | 5 | 1.35 | 0.000 | |
| | | | X 100.000 D | 5 | 1.30 | .106 | |
| Proportion Alive | 2 | No transformation | 0.000 B | 5 | 1.00 | 0.000 | |
| | | | 0.000 D | 5 | .92 | .110 | |
| | | | 5.000 D | 5 | 1.00 | 0.000 | |
| | | | 15.000 D | 5 | 1.00 | 0.000 | |
| | | | 35.000 D | 5 | 1.00 | 0.000 | |
| | | | 50.000 D | 5 | .92 | .179 | |
| | | | 75.000 D | 5 | 1.00 | 0.000 | |
| | | | 100.000 D | 5 | .96 | .089 | |

X = indicates concentrations used in calculations

- HYPOTHESIS TEST -

| End Point | Day | Transformation/Analysis | NOEC | LOEC | TU | MSE | MSD |
|------------------|-----|--------------------------|----------|------------|------|------|------|
| Proportion Alive | 2 | Arc sine sqrt w/ adj. | | | | | |
| | | Steel many-one rank test | >100.000 | >100.000 < | 1.00 | .010 | .109 |

48-h LCSO: >100% (Direct observation, OWW)

=====

WATER FLEA TEST DATA

=====

Test Number: 53923 () Chronic (x) Acute 48 hours
 Test Date: 10-Jul-07
 Source: MA0003891 Test Material: EFF2 (%)

| Conc | Rep | Cont. No. Sex | Start | Daily Survival | | | | | | Prop Alive | Total Young | Max Young |
|----------|-----|------------------|-------|----------------|---|---|---|---|---|---------------|----------------|--------------|
| | | | | 1 | 2 | 3 | 4 | 5 | 6 | | | |
| 0.00 B | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 B | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 B | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 B | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 B | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 D | 3 | F | 5 | 4 | | | | | | .80 | | |
| 0.00 D | 4 | F | 5 | 4 | | | | | | .80 | | |
| 0.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 5.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 5.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 5.00 D | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 5.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 5.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 15.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 15.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 15.00 D | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 15.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 15.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 35.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 35.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 35.00 D | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 35.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 35.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 50.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 50.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 50.00 D | 3 | F | 5 | 3 | | | | | | .60 | | |
| 50.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 50.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 75.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 75.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 75.00 D | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 75.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 75.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 100.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 100.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 100.00 D | 3 | F | 5 | 4 | | | | | | .80 | | |
| 100.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 100.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |

J 7/26/07

Test Description: *Daphnia pulex* 48-h daily renewal acute toxicity test

SURVIVAL DATA, SAMPLE 35627

| Treatment (%) | Day 0 | Day 1 # Surviving | Day 2 # Surviving | |
|---------------|---------------|-------------------|-------------------|---|
| Rec. A | 5 | 5 | 5 | |
| | Water B | 5 | 5 | |
| | Contr C | 5 | 4 | 4 |
| | | D | 5 | 4 |
| | | E | 5 | 5 |
| 5.0 | A | 5 | 5 | |
| | B | 5 | 5 | |
| | C | 5 | 5 | |
| | D | 5 | 5 | |
| | E | 5 | 5 | |
| 15 | A | 5 | 5 | |
| | B | 5 | 5 | |
| | C | 5 | 5 | |
| | D | 4 ① | 5 | |
| | E | 5 | 5 | |
| 35 | A | 5 | 5 | |
| | B | 5 | 5 | |
| | C | 5 | 5 | |
| | D | 5 | 5 | |
| | E | 5 | 5 | |
| 50 | A | 5 | 5 | |
| | B | 5 | 5 | |
| | C | 3 | 3 | |
| | D | 5 | 5 | |
| | E | 5 | 5 | |
| 75 | A | 5 | 5 | |
| | B | 5 | 5 | |
| | C | 5 | 5 | |
| | D | 5 | 5 | |
| | E | 5 | 5 | |
| 100 | A | 5 | 5 | |
| | B | 5 | 5 | |
| | C | 5 | 4 | |
| | D | 5 | 5 | |
| | E | 5 | 5 | |
| Sample # | 35627 | | | |
| I/D/T | 7-10-07 14:00 | 7-11-07 14:10 | 7-12-07 13:50 | |


① Five surviving at 48-h, assume miscount at 24-h. JW

SURVIVAL DATA, LAB CONTROL AND DECHLORINATION CONTROL

| Treatment (%) | Day 0 | Day 1 # Surviving | Day 2 # Surviving |
|---------------|----------|-------------------|-------------------|
| Lab A | 5 | 5 | 5 |
| Contr B | 5 | 5 | 5 |
| C | 5 | 5 | 5 |
| D | 5 | 5 | 5 |
| E | 5 | 5 | 5 |
| Dechlor. A | 5 | 5 | 5 |
| Control B | 5 | 5 | 5 |
| C | 5 | 5 | 5 |
| D | 5 | 5 | 5 |
| E | 5 | 5 | 5 |
| | 14:00-36 | 14:10 JL | 13:50 JL |
| I/D/T | 7/10/07 | 7/11/07 | 7/12/07 |

Note: Residual chlorine was not detected in the effluent sample, therefore sodium thiosulfate was not added to the effluent before toxicity testing. Although chlorine was not detected, an additional dechlorination control (0.1 mL of 0.25 N sodium thiosulfate per liter of moderately hard / Lamoyille River water) was included in the test array.

1300 Blue Spruce Drive, Suite C
Fort Collins, Colorado 80524



Toll Free: 800/331-5916
Tel: 970/484-5091 Fax: 970/484-2514

ORGANISM HISTORY

DATE: 7/9/07

SPECIES: Daphnia pulex

AGE: < 24 hour

LIFE STAGE: Neonates

HATCH DATE: 7/9/07

BEGAN FEEDING: Immediately


FOOD: YTC, Selenastrum sp.

per ABS
Neonate collection
times 12:30 - 14:30
(mountain time) on
7/9/07
24-h old at 15:30
(Eastern Time)
7/10/07

Water Chemistry Record:

| | Current | Range |
|---|----------------|-----------|
| TEMPERATURE: | <u>24 °C</u> | <u>--</u> |
| SALINITY/CONDUCTIVITY: | <u>--</u> | <u>--</u> |
| TOTAL HARDNESS (as CaCO ₃): | <u>128mg/l</u> | <u>--</u> |
| TOTAL ALKALINITY (as CaCO ₃): | <u>85 mg/l</u> | <u>--</u> |
| pH: | <u>8.23</u> | <u>--</u> |

Comments:



Facility Supervisor

Received - 7/10/07

Temp - 26.5 °C

Cond. - 400

DO - 7.2

pH - 7.6

Fed ✓ Selenastrum
+ YTC
10:15

Test Description: *Daphnia pulex* 48-h daily renewal acute toxicity test

| Treatment (%) | Parameter | Day 0 | Day 1 | Day 2 |
|---------------------------|-----------|---------|---------|---------|
| Lab Contr | pH | 7.5 | — | 7.4 |
| | DO | 7.5 | — | 8.0 |
| | Temp | 20.8 | 21.1 | 20.5 |
| | Cond. | 225 | — | 244 |
| Dechlorination Control | pH | 7.5 | — | 7.4 |
| | DO | 8.0 | — | 8.0 |
| | Temp | 20.8 | 21.2 | 20.4 |
| | Cond. | 227 | — | 249 |
| Rec. Water Contr | pH | 7.3 | — | 7.7 |
| | DO | 8.1 | — | 8.0 |
| | Temp | 19.8 | 20.9 | 20.0 |
| | Cond. | 224 | — | 246 |
| 5.0 | pH | 7.4 | — | 7.8 |
| | DO | 8.2 | — | 8.1 |
| | Temp | 20.8 | 21.1 | 20.1 |
| | Cond. | 295 | — | 303 |
| 15 | pH | 7.5 | — | 7.9 |
| | DO | 8.1 | — | 8.0 |
| | Temp | 20.2 | 21.0 | 20.2 |
| | Cond. | 371 | — | 382 |
| 35 | pH | 7.6 | — | 8.1 |
| | DO | 8.1 | — | 8.1 |
| | Temp | 20.3 | 20.9 | 20.2 |
| | Cond. | 524 | — | 528 |
| 50 | pH | 7.7 | — | 8.3 |
| | DO | 8.1 | — | 8.1 |
| | Temp | 20.4 | 20.8 | 20.2 |
| | Cond. | 639 | — | 637 |
| 75 | pH | 7.8 | — | 8.3 |
| | DO | 8.2 | — | 8.0 |
| | Temp | 20.5 | 20.7 | 20.2 |
| | Cond. | 821 | — | 793 |
| 100 | pH | 7.8 | — | 8.3 |
| | DO | 8.2 | — | 8.1 |
| | Temp | 20.1 | 20.9 | 20.3 |
| | Cond. | 1002 | — | 926 |
| Sample # | | 35627 | 35627 | 35627 |
| I/D (2007) | | IL 7110 | IL 7111 | IL 7112 |

Aquatec Biological Sciences, Inc.
 273 Commerce Street
 Williston, VT 05495
 (802) 860-1638

Total Residual Chlorine Analysis

| | |
|-------------------|------------|
| Client | SDG |
| GE Pittsfield, MA | 10488 |

| Sample # | Sample ID | Collection Date / Time | Analysis Date / Time / Analyst | Result (TRC mg/L) | Method |
|----------|--------------------------------|---------------------------|--------------------------------------|----------------------|---------------------|
| 35627 | Outfall Composite A8328C | 7/9/07 10:50 | 07/10/07 14:39 JW | 0.05 | DPD Colorimetric |
| 35246 | Housatonic River A8329R | 7/9/07 08:35 | 07/10/07 14:44 JW | 0.15 | DPD Colorimetric |

A chlorine check by a titrimetric method did not detect chlorine in effluent or receiving water.

Alkalinity and Hardness Worksheet

| Sample Identifier | LIMS Identifier | Sub ID Code | Sampling Date | Sample Volume | Alkalinity | | | | Hardness | | | | | | |
|-------------------|-------------------|-------------|---------------|---------------|----------------------|--------------------|---------|---------------|---------------|----------------------|--------------------|---------|---------------|---------|-------|
| | | | | | Initial Titrant (ml) | Final Titrant (ml) | Analyst | Analysis Date | Sample Volume | Initial Titrant (ml) | Final Titrant (ml) | Analyst | Analysis Date | | |
| 35627 | Outfall Composite | | 7/10/07 | 25 | 24.5 | 31.3 | JD | 7/10/07 | 272.0 | 25 | 37 | 43.9 | JD | 7/10/07 | 276.0 |
| 35628 | Housatonic River | | 7/10/07 | 25 | 31.3 | 33.5 | JD | 7/10/07 | 88.0 | 50 | 43.9 | 49 | JD | 7/10/07 | 102.0 |

5-7/21/07

Sample Preparation

| | |
|---|---------------|
| Client: GENERAL ELECTRIC, PITTSFIELD, MA MA0003891 | SDG: 10488 |
| Test Description: <i>Daphnia pulex</i> acute toxicity test. | Test #: 53923 |

Sample Identification:

| Sample Description | Rec. Water (Housatonic River) | Effluent | | |
|--------------------|-------------------------------|----------|--|--|
| Sample # | 35628 | 35627 | | |

Sample Preparation:

| Filtration | 60 micron | 60 micron | 60 micron | 60 micron |
|--------------------------|-----------|-----------|-----------|-----------|
| Chlorine ¹ | ND | ND | | |
| Dechlorine ² | — | — | | |
| Salinity ^(‰) | 0‰ | 1‰ | | |
| Prepared by (Init./date) | JH/10/07 | — | | |

¹ Record vol. 0.025 N sodium thiosulfate to dechlorinate 100 mL sample or record "ND" (not detected).

² Dechlorination required if detected. Record vol. 0.25 N sodium thiosulfate added per gallon effluent.

Dilution Plan for: *Daphnia pulex* static acute toxicity test

Receiving water is the dilution water

Lab Control = moderately hard water / Lamoille River 1:1 mix

Dechlorination Control = moderately hard water / Lamoille River 1:1 mix + sodium thiosulfate (0.1 mL of 0.25 N)

| Concentration (%) | Volume Effluent (mL) | Volume Diluent (mL) | Total Volume (mL) |
|---------------------|----------------------|---------------------|-------------------|
| Laboratory Control | 0 | 400 | 400 |
| Thiosulfate Control | 0 | 400 | 400 |
| Rec. Water Control | 0 | 400 | 400 |
| 5.0 | 20 | 380 | 400 |
| 15 | 60 | 340 | 400 |
| 35 | 140 | 260 | 400 |
| 50 | 200 | 200 | 400 |
| 75 | 300 | 100 | 400 |
| 100 | 400 | 0 | 400 |
| Total Volume | 1120 | 1680 | |

Comments:

Collect alkalinity and hardness samples on each new effluent and receiving water sample.


Appendix 5
Standard Reference Toxicant test Control Chart

Reference Toxicant Control Chart

Daphnia pulex

in Sodium chloride (g/L)

| Test Number | Test Date | Organism | | 48-Hr. LC50 | Mean LC50 | Lower Limit | Upper Limit | Organism Source |
|-------------|-----------|------------|--|-------------|-----------|-------------|-------------|-----------------------------|
| | | Age (Days) | | | | | | |
| 1 | 01/05/06 | 1 | | 4.009 | 4.01 | 4.01 | 4.01 | Aquatec Biological Sciences |
| 2 | 02/08/06 | 1 | | 3.189 | 3.60 | 2.44 | 4.76 | Aquatec Biological Sciences |
| 3 | 03/11/06 | 1 | | 2.698 | 3.30 | 1.97 | 4.62 | Aquatec Biological Sciences |
| 4 | 04/06/06 | 1 | | 4.243 | 3.53 | 2.10 | 4.97 | Aquatec Biological Sciences |
| 5 | 05/10/06 | 1 | | 3.992 | 3.63 | 2.32 | 4.94 | Aquatec Biological Sciences |
| 6 | 06/07/06 | 1 | | 3.959 | 3.68 | 2.48 | 4.88 | Aquatec Biological Sciences |
| 7 | 07/11/06 | 1 | | 3.215 | 3.62 | 2.46 | 4.77 | Aquatec Biological Sciences |
| 8 | 08/08/06 | 1 | | 3.839 | 3.64 | 2.56 | 4.72 | Aquatec Biological Sciences |
| 9 | 09/13/06 | 1 | | 3.068 | 3.58 | 2.50 | 4.66 | Aquatec Biological Sciences |
| 10 | 10/11/06 | 1 | | 4.098 | 3.63 | 1.79 | 4.70 | Aquatec Biological Sciences |
| 11 | 11/17/06 | 1 | | 2.733 | 3.55 | 2.40 | 4.70 | Aquatec Biological Sciences |
| 12 | 12/13/06 | 1 | | 2.281 | 3.44 | 2.13 | 4.76 | Aquatec Biological Sciences |
| 13 | 01/10/07 | 1 | | 2.196 | 3.35 | 1.91 | 4.79 | Aquatec Biological Sciences |
| 14 | 02/07/07 | 1 | | 2.34 | 3.28 | 1.79 | 4.76 | Aquatec Biological Sciences |
| 15 | 03/08/07 | 1 | | 3.959 | 3.32 | 1.85 | 4.79 | Aquatec Biological Sciences |
| 16 | 04/18/07 | 1 | | 3.329 | 3.32 | 1.90 | 4.74 | Aquatec Biological Sciences |
| 17 | 05/09/07 | 1 | | 3.069 | 3.31 | 1.92 | 4.69 | Aquatec Biological Sciences |
| 18 | 06/26/07 | 1 | | 2.661 | 3.27 | 1.89 | 4.65 | Aquatec Biological Sciences |
| 19 | 07/09/07 | 1 | | 2.799 | 3.25 | 1.89 | 4.60 | Aquatec Biological Sciences |
| 20 | 07/10/07 | 1 | | 3.329 | 3.25 | 1.93 | 4.57 | Aquatic BioSystems |



qaq\srts\Dp acute nacl recent

Appendix 6
SOP TOX2-001, Standard Operating Procedure for
Daphnid (*Ceriodaphnia dubia*, *Daphnia magna*, and
***Daphnia pulex*) Acute Toxicity Test**

Copies of our SOP have been submitted with prior reports. Any future revisions of this SOP will be submitted.

APPENDIX 2

Laboratory Reports

Columbia Analytical Services, Inc.
O'Brien & Gere, Inc.

NPDES Sampling
GE Pittsfield
Toxicity pH

Date: July 9, 2007

Acute Dry

Acute Wet

Chronic (Day 1 or 3)

split sample

Effluent Composite

Sample # AY328C

Date 7-9-07

Time 10:50AM

pH 7.68 su

River/Dilution Water

Sample # AY329R

Date 7-9-07

Time 8:35AM

pH 7.22 su

SEAN C COYLE

[Signature]

Signed & Dated

COLUMBIA ANALYTICAL SERVICES

Reported: 07/17/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8328C

Date Sampled : 07/09/07 10:50

Order #: 1017876

Sample Matrix: WATER

Date Received: 07/10/07

Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|------------------------|----------|--------|----------|-------|---------------|---------------|----------|
| AMMONIA | 350.1M | 0.0500 | 0.359 | MG/L | 07/16/07 | 09:33 | 1.0 |
| CHLORIDE | SM4500-C | 1.00 | 144 | MG/L | 07/17/07 | 15:14 | 5.0 |
| TOTAL ALKALINITY | SM2320B | 2.00 | 298 | MG/L | 07/13/07 | 09:00 | 1.0 |
| TOTAL ORGANIC CARBON | SM5310C | 1.00 | 5.46 | MG/L | 07/11/07 | 22:07 | 1.0 |
| TOTAL PHOSPHORUS | 365.1 | 0.0500 | 0.0500 U | MG/L | 07/12/07 | 11:49 | 1.0 |
| TOTAL SOLIDS | SM2540B | 10.0 | 542 | MG/L | 07/12/07 | 11:00 | 1.0 |
| TOTAL SUSPENDED SOLIDS | SM2540D | 1.00 | 1.80 | MG/L | 07/13/07 | 13:45 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/17/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8328CCN

Date Sampled : 07/09/07 10:50 Order #: 1017884 Sample Matrix: WATER
Date Received: 07/10/07 Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|--------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0133 | MG/L | 07/13/07 | 10:24 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/17/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8328CCN-FLTR

Date Sampled : 07/09/07 10:50 Order #: 1017885 Sample Matrix: WATER
Date Received: 07/10/07 Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 10:24 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/17/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8328CTM

Date Sampled : 07/09/07 10:50

Order #: 1017880

Sample Matrix: WATER

Date Received: 07/10/07

Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|-----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 07/13/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| CALCIUM | 200.7 | 1.00 | 60.4 | MG/L | 07/13/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/13/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| MAGNESIUM | 200.7 | 1.00 | 28.7 | MG/L | 07/13/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/13/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0209 | MG/L | 07/13/07 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/17/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8328CDM

Date Sampled : 07/09/07 10:50

Order #: 1017877

Sample Matrix: WATER

Date Received: 07/10/07

Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 07/13/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/13/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/13/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0320 | MG/L | 07/13/07 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/17/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8329R

Date Sampled : 07/09/07 08:35

Order #: 1017875

Sample Matrix: WATER

Date Received: 07/10/07

Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE | TIME | DILUTION |
|------------------------|----------|--------|----------|-------|----------|----------|----------|
| | | | | | ANALYZED | ANALYZED | |
| AMMONIA | 350.1M | 0.0500 | 0.0626 | MG/L | 07/16/07 | 09:33 | 1.0 |
| CHLORIDE | SM4500-C | 1.00 | 19.9 | MG/L | 07/17/07 | 15:14 | 1.0 |
| TOTAL ALKALINITY | SM2320B | 2.00 | 97.0 | MG/L | 07/13/07 | 09:00 | 1.0 |
| TOTAL ORGANIC CARBON | SM5310C | 1.00 | 5.77 | MG/L | 07/11/07 | 21:48 | 1.0 |
| TOTAL PHOSPHORUS | 365.1 | 0.0500 | 0.0500 U | MG/L | 07/12/07 | 11:49 | 1.0 |
| TOTAL SOLIDS | SM2540B | 10.0 | 164 | MG/L | 07/12/07 | 11:00 | 1.0 |
| TOTAL SUSPENDED SOLIDS | SM2540D | 1.00 | 16.4 | MG/L | 07/13/07 | 13:45 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/17/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8329RCN

Date Sampled : 07/09/07 08:35

Order #: 1017882

Sample Matrix: WATER

Date Received: 07/10/07

Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 10:24 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/17/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8329RCN-FLTR

Date Sampled : 07/09/07 08:35 Order #: 1017883 Sample Matrix: WATER
Date Received: 07/10/07 Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 10:24 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/17/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8329RTM

Date Sampled : 07/09/07 08:35

Order #: 1017881

Sample Matrix: WATER

Date Received: 07/10/07

Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|-----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.468 | MG/L | 07/13/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| CALCIUM | 200.7 | 1.00 | 26.0 | MG/L | 07/13/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/13/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| MAGNESIUM | 200.7 | 1.00 | 9.70 | MG/L | 07/13/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/13/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/13/07 | 1.0 |

APPENDIX 3

Chain of Custody Forms



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

One Mustard St., Suite 250 • Rochester, NY 14609-0859 • (585) 288-5380 • 800-695-7222 x11 • FAX (585) 288-8475 PAGE 1 OF 3 CAS Contact

| Project Name | | Project Number | | ANALYSIS REQUESTED (Include Method Number and Container Preservative) | | PRESERVATIVE | | NUMBER OF CONTAINERS | | MATRIX | | REMARKS/ALTERNATE DESCRIPTION | | | |
|------------------|---------|---------------------|--------|---|--------|------------------------------|------------------|-----------------------------|---|----------------------|--|-------------------------------|--|------------------|--|
| Project Manager | | Report CC | | METALS, TOTAL (10) EPA (List in comments below) 2007 | | METALS, DISSOLVED (EPA) 2007 | | METALS, DISOLVED (EPA) 2007 | | PRESERVATIVE KEY | | REMARKS/ALTERNATE DESCRIPTION | | | |
| Company/Address | | Company/Address | | PCBs 8082 608 CLP | | PCBs 8081 608 CLP | | PESTICIDES 8021 601/602 | | GC VOAs 8270 625 CLP | | GCMS VOAs 8260 624 CLP | | PRESERVATIVE KEY | |
| Client Sample ID | | FOR OFFICE USE ONLY | | SAMPLING DATE | | SAMPLING TIME | | SAMPLING DATE | | SAMPLING TIME | | SAMPLING DATE | | SAMPLING TIME | |
| LAB ID | | LAB ID | | DATE | | TIME | | DATE | | TIME | | DATE | | TIME | |
| A8327CTM | 1017880 | 1017880 | 7/9/07 | 10:30 AM | 7/9/07 | 10:30 AM | H ₂ O | 1 | | | | | | | |
| A8329RTM | 1017881 | 1017881 | 7/9/07 | 8:35 AM | 7/9/07 | 8:35 AM | H ₂ O | 1 | | | | | | | |
| A8327CDM | 1017027 | 1017027 | 7/9/07 | 10:30 AM | 7/9/07 | 10:30 AM | H ₂ O | 1 | X | | | | | | |
| A8327CCN | 1017884 | 1017884 | 7/9/07 | 10:30 AM | 7/9/07 | 10:30 AM | H ₂ O | 1 | X | | | | | | |
| A8328CCN-FLTR | 1017885 | 1017885 | 7/9/07 | 10:30 AM | 7/9/07 | 10:30 AM | SOLID | 1 | | X | | | | | |
| A8329RON | 1017882 | 1017882 | 7/9/07 | 7:35 AM | 7/9/07 | 7:35 AM | H ₂ O | 1 | | | | | | | |
| A8329RON-FLTR | 1017883 | 1017883 | 7/9/07 | 7:35 AM | 7/9/07 | 7:35 AM | SOLID | 1 | | | | | | | |
| A8328C | 1017826 | 1017826 | 7/9/07 | 10:30 AM | 7/9/07 | 10:30 AM | H ₂ O | 3 | | | | | | | |
| A8329R | 1017875 | 1017875 | 7/9/07 | 8:35 AM | 7/9/07 | 8:35 AM | H ₂ O | 3 | | | | | | | |

SPECIAL INSTRUCTIONS/COMMENTS
Metals TOTAL METALS(10) & DISSOLVED METALS(7) LISTED ON SAMPLE BOTTLES
 - CHRONIC TOX. COMPOSITE SHEET & PH SHEETS INCLUDED W/ COC'S
 - SAMPLES PACKED IN ICE

See QAPP

SAMPLE RECEIPT: CONDITION/COOLER TEMP: _____
 RELINQUISHED BY: _____ RECEIVED BY: _____
 SIGNATURE: *Sean E. Coyle* SIGNATURE: _____
 PRINTED NAME: Sean E. Coyle PRINTED NAME: _____
 FIRM: OBL FIRM: _____
 DATE/TIME: 7/9/07 2:30pm DATE/TIME: 7/10/07 10:35

TURNAROUND REQUIREMENTS
 RUSH (SURCHARGES APPLY) 5 day
 24 hr 48 hr
 STANDARD
 REQUESTED FAX DATE _____
 REQUESTED REPORT DATE _____

REPORT REQUIREMENTS
 I. Results Only _____
 II. Results + QC Summaries (LCS, DUP, MSMSD as required) _____
 III. Results + QC and Calibration Summaries _____
 IV. Data Validation Report with Raw Data
 V. Specialized Forms / Custom Report _____
 Edata Yes _____ No _____

INVOICE INFORMATION
 PO# _____
 BILL TO: _____
 SUBMISSION #: *P2738528*
 RECEIVED BY: _____



An Employee - Owned Company
www.caslab.com

| Project Name NPDES PERMIT | | Project Number | |
|--|-------------------------------|------------------|----------|
| Project Manager J. NICHOLSON | | Report CC | |
| Company/Address GS USA | | | |
| 159 PLASTICS AVE, BLDG 59 | | | |
| PITTSFIELD, MA 01201 | | | |
| Phone # | FAX# | | |
| (413) 448-5915 | (413) 448-5935 | | |
| Sampler's Signature J. C. Gay | | | |
| Sampler's Printed Name JEAN C. GAY | | | |
| CLIENT SAMPLE ID | FOR OFFICE USE ONLY LAB ID | SAMPLING DATE | TIME |
| A8329C | 1017876 | 7/9/07 | 10:50 AM |
| A8329R | 1017875 | 7/9/07 | 10:35 AM |
| A8329C | 1017876 | 7/9/07 | 10:50 AM |
| A8329R | 1017875 | 7/9/07 | 10:35 AM |
| A8329C | 1017876 | 7/9/07 | 10:50 AM |
| A8329R | 1017875 | 7/9/07 | 10:35 AM |
| A8329C | 1017876 | 7/9/07 | 10:50 AM |
| A8329R | 1017875 | 7/9/07 | 10:35 AM |
| 09B - A8327 | | 7/9/07 | 10:50 AM |
| | | MATRIX | |
| | | H ₂ O | |
| | | H ₂ O | |
| | | H ₂ O | |
| | | H ₂ O | |
| | | H ₂ O | |
| | | H ₂ O | |
| | | H ₂ O | |
| | | H ₂ O | |
| | | H ₂ O | |

ANALYSIS REQUESTED (include Method Number and Container Preservative)

| PRESERVATIVE | NUMBER OF CONTAINERS | METALS, TOTAL (List in comments below) | METALS, DISSOLVED (List in comments below) | AMMONIA (NH3) | TOTAL PHOSPHORUS | TOTAL SULFUR | PRECAUTIONS | REMARKS/ALTERNATE DESCRIPTION | PRESERVATIVE KEY |
|--|----------------------|--|--|--|--|--|--|-------------------------------|---|
| <input type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> CLP <input type="checkbox"/> 8270 <input type="checkbox"/> 625 <input type="checkbox"/> CLP <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | | <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP <input type="checkbox"/> 8081 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP <input type="checkbox"/> 8081 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | | | 0. NONE 1. HCL 2. HNO ₃ 3. H ₂ SO ₄ 4. NaOH 5. Zn Acetate 6. MeOH 7. NaHSO ₄ 8. Other _____ |
| | 1 | | | | X | X | 5471-20 25400 PRESAURDITY TSS TOTAL PHOSPHORUS AMMONIA (NH3) TOTAL SULFUR | | |
| | 1 | | | | X | | | | |
| | 1 | | | | X | | | | |
| | 1 | | | | X | | | | |
| | 1 | | | | X | | | | |
| | 1 | | | | X | | | | |
| | 1 | | | | X | | | | |
| | 1 | | | | X | | | | |
| | 1 | | | | X | | | | |

SPECIAL INSTRUCTIONS/COMMENTS
Metals
- samples packed in ice

See QAPP

TURNAROUND REQUIREMENTS
RUSH (SURCHARGES APPLY)
24 hr _____ 48 hr _____ 5 day _____
STANDARD _____
REQUESTED FAX DATE _____
REQUESTED REPORT DATE _____

REPORT REQUIREMENTS
 I. Results Only
 II. Results + QC Summaries (LCS, DUP, MS/MSD as required)
 III. Results + QC and Calibration Summaries
 IV. Data Validation Report with Raw Data
 V. Specialized Forms / Custom Report
Edata _____ Yes _____ No _____

INVOICE INFORMATION
PO# _____
BILL TO: _____
SUBMISSION # **12738528**
RECEIVED BY

CUSTOMER RECEIPT: CONDITION/COOLER TEMP:

RECEIVED BY **J. C. Gay** SIGNATURE
Signature
Printed Name
Firm
Date/Time **7/9/07 2:30pm**

RECEIVED BY **AMY HENTSCHKE** SIGNATURE
Signature
Printed Name
Firm
Date/Time **7/10/07 1035**

RECEIVED BY _____ SIGNATURE
Signature
Printed Name
Firm
Date/Time _____

Cooler Receipt And Preservation Check Form

Project/Client GE Pittsfield Submission Number _____

Cooler received on 7/10/07 by: AKH COURIER: CAS UPS FEDEX VELOCITY CLIENT

1. Were custody seals on outside of cooler? YES NO *Shackwatch Shattered*
 2. Were custody papers properly filled out (ink, signed, etc.)? YES NO
 3. Did all bottles arrive in good condition (unbroken)? YES NO
 4. Did any VOA vials have significant air bubbles? YES NO N/A
 5. Were **Ice** or **Ice packs** present? YES NO
 6. Where did the bottles originate? CAS/ROC, CLIENT
 7. Temperature of cooler(s) upon receipt: 1.1° 0.7° _____
- Is the temperature within 0° - 6° C?: Yes Yes Yes Yes Yes
 If No, Explain Below No No No No No

Date/Time Temperatures Taken: 7/10/07 10:40

Thermometer ID: 161 or IR GUN Reading From: Temp Blank or Sample Bottle

If out of Temperature, Client Approval to Run Samples _____
 PC Secondary Review: AKH 7/10/07

Cooler Breakdown: Date: _____ by: _____

1. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
 2. Did all bottle labels and tags agree with custody papers? YES NO
 3. Were correct containers used for the tests indicated? YES NO
 4. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated N/A
- Explain any discrepancies: _____

| {PRIVATE } | | YES | NO | Sample I.D. | Reagent | Vol. Added | Final pH |
|--|--------------------------------|-----|----|-------------|---------|------------|----------|
| pH | Reagent | | | | | | |
| 12 | NaOH | | | | | | |
| 2 | HNO ₃ | | | | | | |
| 2 | H ₂ SO ₄ | | | | | | |
| Residual Chlorine (+/-) for TCN & Phenol | | | | | | | |

YES = All samples OK NO = Samples were preserved at lab as listed PC OK to adjust pH _____

| | |
|------------|--|
| {PRIVATE } | VOC Vial pH Verification (Tested after Analysis) Following Samples Exhibited pH > 2 |
| | |
| | |
| | |

Other Comments:

PC Secondary Review: _____

Aquatec Biological Sciences Chain-of-Custody Record

273 Commerce Street
Williston, VT 05495
TEL: (802) 860-1638
FAX: (802) 658-3189

COMPANY INFORMATION
 Name: General Electric Company
 Address: O'Brien & Gere
 1000 East Street, Gate 64
 City/State/Zip: Pittsfield, MA 01201
 Telephone: (413) 494-6709
 Facsimile: (413) 494-7052
 Contact Name: Sean Coyle

COMPANY'S PROJECT INFORMATION
 Project Name: GE PITTSFIELD
Outfall Composite
 Project Number: 07003
 Sampler Name(s): SEAN C. COYLE
 NPDES Permit #: MA0003891
 Quote #: 10/05 Client Code: GEPITTS

SHIPPING INFORMATION
 Carrier: PRICEMAX
 Airbill Number:
 Date Shipped: 7-9-07
 Hand Delivered: Yes No

**VOLUME/CONTAINER TYPE/
PRESERVATIVE**

| | | | | |
|---------|---------|--------------------------------|--------------------------------|--------|
| 4°C | 4°C | 4°C | 4°C | 4°C |
| Plastic | Plastic | H ₂ SO ₄ | H ₂ SO ₄ | 4°C HI |
| 1 gal | 1/2 gal | 1 L | 40 ml | 40 mL |
| | | | | 0 |

| SAMPLE IDENTIFICATION | COLLECTION | | GRAB | COMPOSITE | MATRIX | ANALYSIS (detection limits, mg/L) | NUMBER OF CONTAINERS | | |
|--------------------------|------------|----------|------|-----------|-----------|---|----------------------|---|---|
| | DATE | TIME | | | | | 1 | 2 | 3 |
| Outfall Composite A8328C | 7/9/07 | 12:30 PM | | X | Effluent | Daphnia pulex 48-h Static Acute Toxicity (EPA Method 2021.0). Log in for A48DPS | 1 | | |
| Outfall Composite A8328C | 7/9/07 | 10:30 AM | | X | Effluent | Total Residual Chlorine | | 1 | |
| Housatonic River A8329R | 7/9/07 | 8:35 AM | X | | Receiving | Dilution Water | 1 | | |
| Housatonic River A8329R | 7/9/07 | 8:35 AM | X | | Receiving | Total Residual Chlorine | | 1 | |

NOTES TO SAMPLER(S): (1): Complete the labels (Date, time, initials) and cover the labels with clear tape. Tape the caps of the sample bottles to ensure that they do not become dislodged during shipment. Nest the samples in sufficient ice to maintain 0°C to 6°C. Results for samples received at temperatures exceeding 6°C will be qualified in 1 report.

Notes to Lab: Ambient cooler temperature: 4.0 °C. Dechlorinate the effluent sample if chlorine is detected.

| DATE | TIME | Relinquished by: (signature) | Received by: (signature) |
|--------|----------|------------------------------|--------------------------|
| 7/9/07 | 12:10 PM | <i>K.C. Coyle</i> | <i>Sean Daknam</i> |
| 7/9/07 | 08:45 | | <i>[Signature]</i> |
| | | | <i>[Signature]</i> |

7/9/2007

CHRONIC AQUATIC TOXICITY COMPOSITE 7C1

Month: JUL
Week: 2
Fiscal Wk: 28
Weather: WET

*This Effluent sample is a flow proportioned composite made from 24 Hr
Composite samples collected at the indicated outfalls and specified times.*

| Outfall # | Collection Time | Gallons/Day | MI in Composite | Percent of Composite |
|-----------|-----------------|-------------|-----------------|----------------------|
| 001 | 8:00AM | 5,070 | 580.83 | 3.87% |
| 004 | | 0 | - | 0.00% |
| 007 | | 0 | - | 0.00% |
| 64T | 7:00AM | 5,567 | 637.77 | 4.25% |
| 64G | 7:00AM | 99,580 | 11,408.12 | 76.05% |
| 09A | | 0 | - | 0.00% |
| 09B | 8:55AM | 20,716 | 2,373.27 | 15.82% |
| | | 130,933 | 15000 | 100.00% |

The Acute Toxicity Composite was made today by SEAN C. COYLE @ 10:50 AM
according to the table above, and given the sample ID# A8328C

[Signature]
Signed
7-9-07
Date

| | |
|-------------------------------|---|
| Chain-of-Custody Form Number: | <u>5960</u> |
| Analysis: | <u>ACUTE & TOXICITY - CHRONIC DAY 1</u> |
| Location: | <u>10:50AM</u> |
| Date: | <u>7-9-07</u> |
| TIME: | |
| Sample Label Serial Number | <u>A 8328C</u> |

Attachment D

NPDES Chronic Biomonitoring
Report July 2007

August 8, 2007

Mr. Jeffrey Nicholson
GE Corporate Environmental Programs
159 Plastics Avenue
Pittsfield, MA 01201

Re: NPDES Chronic Biomonitoring Report for July 2007
Submission #s: R2738528, R2738592, R2738626

Dear Mr. Nicholson:

Enclosed is our report on the Chronic Whole Effluent Toxicity testing conducted in July 2007. The Outfall Composite samples were collected on 7/9/07 at 10:50am, 7/11/07 at 10:10am and 7/13/07 at 9:50am. The Housatonic River samples were collected on 7/9/07 at 8:35am, 7/11/07 at 8:25am and 7/13/07 at 8:30am. The Outfall Composite and Housatonic River samples were analyzed at Columbia Analytical Services for total cyanide, ammonia, total organic carbon, total phosphorus, chloride, total solids, total suspended solids, total residual chlorine, and total metals. Dissolved metals were analyzed for only on the Outfall Composite samples. Results are presented in Appendix 2. The Outfall Composite and Housatonic River samples were sent directly by General Electric to Aquatec Biological Services for the chronic aquatic toxicity testing including the analysis of alkalinity, hardness, specific conductance, and pH. Results are presented in Appendix 1.

Should you have any questions please contact me at (585)288-5380 x130.

Thank you for allowing us to provide this service.

Sincerely,

COLUMBIA ANALYTICAL SERVICES



Carlton Beechler
Project Manager

enc.

CC: Jill Piskorz, Pat Foos and Yelena Geyfman vial email.

NPDES BIOMONITORING REPORT

**GENERAL ELECTRIC COMPANY
Pittsfield, MA
NPDES PERMIT MA 0003891**

**Reproductive Chronic Toxicity Monitoring
July 2007**

WHOLE EFFLUENT TOXICITY TEST REPORT CERTIFICATION

I certify under penalty of law that this document and all ATTACHMENTS were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on

(Date)

(Authorized Signature)

Michael T. Carroll

General Electric Co. – Pittsfield, MA
Permit MA0003891

**Prepared by: Carlton R. Beechler
August 8, 2007**

TABLE OF CONTENTS

| | <u>PAGE</u> |
|---|-------------|
| I. Summary | 1 |
| II. Review of Toxicity Analytical Results | 2 |
| III. Review of Wastewater Sampling Procedures | 3 |
| IV. Review of Individual Discharges | 5 |

Table I – Summary of Analytical Test Results

Appendices:

1. Chemical and Acute Toxicity Data from Aquatec Biological Sciences
2. Laboratory Reports from Columbia Analytical Services, Inc. and O'Brien & Gere, Inc.
3. Chain of Custody Forms

I. Summary

On July 8-13, 2007 sampling of wastewater discharges from the General Electric Company facility in Pittsfield, MA was conducted in accordance with the chronic toxicity testing requirement of the GE NPDES Permit MA0003891. Three composite effluent samples were collected from GE outfalls 001, 005-64T, 005-64G and 09B over a 6-day period. Sampling dates were July 8-9, July 10-11 and July 12-13. If flow did not occur at an outfall during the 24 hour period, no sample was collected (see chain of custody records in Appendix 3 for details of the outfalls sampled during each period). Each set of samples were combined in a flow-proportioned manner to generate a single wastewater sample that was shipped via FedEx to Aquatec Biological Sciences in Williston, Vermont for chronic toxicity testing. Grab samples of Housatonic River water, to be used as dilution water in the toxicity test, were collected upstream of the GE discharges on July 9, 11 and 13 and shipped to AquaTec along with the wastewater composite. AquaTec dechlorinated the composite sample prior to the acute toxicity test following the toxicity reduction procedures summarized in a letter dated November 11, 1993 to EPA Region I from JG Ruebesam of General Electric Company. The composite wastewater sample and the dilution water sample were tested for chemical constituents by O'Brien & Gere, Inc. and Columbia Analytical Services. The analytical results are summarized in Table I and the detailed laboratory test data are include as Appendices to this report. As a result of land transfer documents executed on April 27, 2005 and recorded in the Berkshire County Registry of Deeds on May 2, 2005, Outfalls 001 and 004 were transferred to the Pittsfield Economic Development Authority (PEDA). Outfalls 001 and 004 DMRs will no longer be submitted under the GE NPDES Permit No. MA0003891. However, GE's NPDES Permit requires that the metal and toxicity composites to be made by compositing samples from the following outfalls: 001, 004, 005, 007, and 009. These two composites will continue to include an aliquot of water from outfall 001 and outfall 004, and will be reported on GE's DMR until further actions by the Agencies.

The results from Aquatec Biological Sciences for the chronic toxicity test on the wastewater discharge sample indicated a No Observed Chronic Effect Level (NOCEL) of 100%. No Limit is established for NOCEL in the GE NPDES permit.

II. Review of Toxicity Test Results

The wastewater discharge sample collected on July 8-9, July 10-11 and July 12-13 were tested for 7 day chronic toxicity using *Ceriodaphnia dubia* organisms. The sample did not require dechlorination with sodium thiosulfate (Na₂S₂O₃) prior to toxicity testing. Aquatec Biological Sciences reported the results of this toxicity testing as follows:

| | |
|---|-------|
| Effluent toxicity as NOCEL = | 100% |
| Effluent toxicity as LC ₅₀ = | >100% |

No limit is established for NOCEL in the GE NPDES permit.

The following table summarizes the results of the control sample analyses performed by AquaTec during the chronic toxicity bioassay:

| <u>Control Analysis</u> | <u>Result</u> | <u>Acceptable Limit</u> |
|--|---------------|-------------------------|
| Survival in 100% dilution water | 100% | ≥80% |
| Reproduction in 100% dilution water (average # of offspring/female/day) | 32.4 | ≥15% |
| Reproduction in 100% dilution water (% of females having three broods) | 100% | ≥60% |

The survival and reproduction rate of *Ceriodaphnia* in the upstream dilution water control samples was within acceptable limits, indicating that the results of the toxicity test are valid.

III. Review of Wastewater Sampling Procedures

Three composite effluent samples of the individual NPDES wastewater discharges were collected over a 24-hour period. Each composite effluent sample was generated by combining samples from the individual NPDES discharges. Each group of individual samples collected over the same 24 hour period were composited in a flow-weighted manner to generate a single combined discharge sample for toxicity testing and chemical analysis.

The 24-hour composite samples from the individual discharges were collected as follows:

Each automatic sampler (at outfall 001, 64T, 64G, and 09B) was programmed to collect approximately 7 liters of wastewater into a 10-liter glass container in a time-proportioned manner over a 24-hour period. Outfalls 004, 007, and 09A have been plugged and no longer flow.

All sample containers were packed in ice or refrigerated to keep the wastewater samples cold during the 24-hour collection period.

Flow meter readings were taken at the beginning and end of the 24-hour collection period to determine the total 24-hour flow for each wastewater discharge.

At the end of the 24-hour collection period, the discharge samples were taken to Building 64G where O'Brien & Gere personnel composited these samples, in a flow weighted manner, to generate a single combined sample for the chronic toxicity test and the chemical analyses, as follows:

The proportions of each individual discharge sample needed to produce a single combined sample were calculated from the flow measurements. The calculated sample volumes were then transferred from their original collection containers to a 2.5 or 5 gallon mixing container. The combined discharge sample was then split into various containers for toxicity testing and chemical analyses. These containers were shipped by vendor courier to AquaTec for toxicity testing and by FedEx (overnight) to Columbia Analytical Services for chemical analyses. All samples were chilled with ice packs during shipment.

A grab sample of Housatonic River water was collected on the second day of each 24 hour period at the Lyman Road Bridge in Hinsdale, MA, upstream of the GE site. This sample was split for chemical analysis and toxicity testing in a similar manner as the combined effluent sample (see above).

Details of the times and dates of sample collection as well as the names of the individuals collecting and transporting the samples are provided on the chain of custody forms in Appendix 3 of this report.

IV. Review of Individual NPDES Discharges

The following is a brief description of each of the seven outfalls that are monitored for acute and chronic toxicity in accordance with NPDES Permit MA0003891 issued to the General Electric Company, Pittsfield, MA.

1. Outfall 001 is permitted to discharge storm water runoff from the oil/water separator in Building 31W to Silver Lake.
2. Outfall 004 is permitted to discharge storm water runoff to Silver Lake. (**Outfall plugged**)
3. Outfall 005 is permitted to discharge contact cooling water, non-contact cooling water, treated process water and storm water runoff from the Wastewater Treatment Plant in Building 64T, and treated groundwater from the Groundwater Treatment Plant in Building 64G to the Housatonic River. Monitoring samples are collected separately from the effluents of 64G and 64T. Both samples are included in the flow composite sample used for toxicity testing.
4. Outfall 007 is permitted to discharge stormwater runoff to the Housatonic River. (**Outfall plugged**)
5. Outfall 09A is permitted to discharge non-contact cooling water and stormwater runoff to Unkamet Brook. (**Outfall plugged**)
6. Outfall 09B is permitted to discharge non-contact cooling water, treated process water and stormwater runoff from the oil/water separator in Building 119W to Unkamet Brook.

Table I – Summary of Analytical results for NPDES Outfall Composite Sample and Housatonic River Dilution Water July 8-12, 2007

| Aquatic Chronic Toxicity Results: | | No Observed Effect Level (NOCEL) = 100% | | | | | |
|--|------------|---|------------------|--------------------|------------------|--------------------|------------------|
| | | LC50 = >100% | | | | | |
| Chemical Analyses: (all results are mg/L unless otherwise indicated) | | | | | | | |
| Parameter Tested | Laboratory | July 8-9 | July 9 | July 10-11 | July 11 | July 11-12 | July 12 |
| | | Effluent Composite | Housatonic River | Effluent Composite | Housatonic River | Effluent Composite | Housatonic River |
| Ammonia | CAS | 0.359 | 0.0626 | 0.200 | ND (0.0500) | 0.235 | ND (0.0500) |
| Chloride | CAS | 144 | 19.9 | 148 | 19.4 | 112 | 15.3 |
| Total Alkalinity | CAS | 298 | 97.0 | 263 | 110 | 204 | 77.4 |
| Total Organic Carbon | CAS | 5.46 | 5.77 | 5.35 | 6.30 | 4.46 | 7.25 |
| Total Phosphorus | CAS | ND (0.0500) | ND (0.0500) | ND (0.0500) | ND (0.0500) | ND (0.0500) | ND (0.100) |
| Total Solids | CAS | 542 | 164 | 494 | 161 | 382 | 133 |
| Total Suspended Solids | CAS | 1.80 | 16.40 | 2.10 | 2.20 | 1.80 | 3.70 |
| Hardness | Aquatec | 276 | 102 | 242 | 110 | 184 | 82 |
| Spec. Conductance (umhos) | Aquatec | 959 | 256 | 911 | 272 | 734 | 207 |
| pH (SU) | Aquatec | 8 | 7.5 | 8 | 7.6 | 7.6 | 7.2 |
| TRC (start of toxicity test) | Aquatec | ND | ND | ND | ND | ND | ND |
| Cyanide | CAS | 0.0133 | ND (0.0100) | 0.0399 | ND (0.0100) | 0.0112 | ND (0.0100) |
| Cyanide (Sulfide Precipitation Filter) | CAS | ND (0.0100) | ND (0.0100) | ND (0.0100) | ND (0.0100) | ND (0.0100) | ND (0.0100) |
| Aluminum, total | CAS | ND (0.100) | 0.468 | ND (0.100) | ND (0.100) | ND (0.100) | ND (0.100) |
| Aluminum, dissolved | CAS | ND (0.100) | NA | ND (0.100) | NA | ND (0.100) | NA |
| Cadmium, total | CAS | ND (0.00500) | ND (0.00500) | ND (0.00500) | ND (0.00500) | ND (0.00500) | ND (0.00500) |
| Cadmium, dissolved | CAS | ND (0.00500) | NA | ND (0.00500) | NA | ND (0.00500) | NA |
| Chromium, total | CAS | ND (0.0100) | ND (0.0100) | ND (0.0100) | ND (0.0100) | ND (0.0100) | ND (0.0100) |
| Chromium, dissolved | CAS | ND (0.0100) | NA | ND (0.0100) | NA | ND (0.0100) | NA |
| Copper, total | CAS | ND (0.0200) | ND (0.0200) | ND (0.0200) | ND (0.0200) | ND (0.0200) | ND (0.0200) |
| Copper, dissolved | CAS | ND (0.0200) | NA | ND (0.0200) | NA | ND (0.0200) | NA |
| Lead, total | CAS | ND (0.00500) | ND (0.00500) | ND (0.00500) | ND (0.00500) | ND (0.00500) | ND (0.00500) |
| Lead, dissolved | CAS | ND (0.00500) | NA | ND (0.00500) | NA | ND (0.00500) | NA |
| Nickel, total | CAS | ND (0.0400) | ND (0.0400) | ND (0.0400) | ND (0.0400) | ND (0.0400) | ND (0.0400) |
| Nickel, dissolved | CAS | ND (0.0400) | NA | ND (0.0400) | NA | ND (0.0400) | NA |
| Silver, total | CAS | ND (0.0100) | ND (0.0100) | ND (0.0100) | ND (0.0100) | ND (0.0100) | ND (0.0100) |
| Silver, dissolved | CAS | ND (0.0100) | NA | ND (0.0100) | NA | ND (0.0100) | NA |
| Zinc, total | CAS | 0.0209 | ND (0.0200) | 0.0266 | ND (0.0200) | 0.0280 | ND (0.0200) |
| Zinc, dissolved | CAS | 0.0320 | NA | 0.0340 | NA | 0.0327 | NA |
| pH (SU) | OB&G | 7.68 | 7.22 | 7.71 | 7.46 | 7.72 | 7.32 |
| Hardness | Aquatec | 276 | 102 | 242 | 110 | 184 | 82 |
| NA – Not analyzed | | | | | | | |

APPENDIX 1

Chemical and Acute Toxicity Data

Aquatec Biological Sciences



Aquatec Biological Sciences



Ecology



Environmental
Toxicology



Natural Resource
Assessments



Microbiology

August 3, 2007

Mr. Carl Beechler
Columbia Analytical Services,
1 Mustard Street – Suite 250
Rochester, NY 14609

Dear Mr. Beechler:

Enclosed please find one bound and one unbound copies of our report of the results for chronic whole effluent toxicity testing of samples received from GE Pittsfield, Massachusetts on July 10 - 16, 2007.

According to the Chain-of-Custody documentation, samples for Whole Effluent Toxicity (WET) Testing were collected on July 9, 11, and 13, 2007. The samples were transported to Aquatec Biological Sciences, Inc. by courier and delivered on the same day. The initial effluent sample was logged in for the short-term chronic toxicity test with *Ceriodaphnia dubia* (EPA Method 1002.0). Subsequent effluent samples were used for toxicity test renewals. The receiving water samples were logged in for dilution water. A subsample of each sample was checked for residual chlorine (not detected) and for alkalinity and hardness measurements at Aquatec Biological Sciences, Inc. The toxicity test was started on July 10, 2007, within the specified holding time.

At the conclusion of the toxicity test on July 16, 2007, a final count of surviving organisms and offspring (neonates) was completed. The average survival was 100 percent in all test concentrations. Acute toxicity or chronic to *Ceriodaphnia dubia* was not detected, with the 48-hour LC50 reported as >100% effluent and the Chronic No-Observed-Effect Concentration (C-NOEC) reported as 100% (Section 4.1 of the report).

If you have any questions regarding the report, please call Dr. Philip C. Downey or me.

Sincerely,


John Williams
Manager, Environmental Toxicology

This report consists of the following numbered pages:

1 - 49

**Chronic Whole Effluent Toxicity Testing
Of Wastewaters Discharged from
The General Electric Plant
Pittsfield, Massachusetts**

Samples Collected in July 2007

Submitted to:
**General Electric
Area Environmental & Facility Programs
100 Woodlawn Avenue
Pittsfield, Massachusetts 01201**

SDG number: 10490

Effluent ID: Outfall Composite A8328C Aquatec sample number: 35632
Effluent ID: Outfall Composite A8340C Aquatec sample number: 35688
Effluent ID: Outfall Composite A8349C Aquatec sample number: 35711

Receiving water ID: Housatonic River A8329R Aquatec sample number: 35633
Receiving water ID: Housatonic River A8341R Aquatec sample number: 35689
Receiving water ID: Housatonic River A8350R Aquatec sample number: 35712
Study Director: John Williams

July 27, 2007


Submitted by:
**Aquatec Biological Sciences, Inc.
273 Commerce Street
Williston, Vermont 05454
Phone: (802) 860-1638 Fax: (802) 860-1638**

Accreditation: NH Environmental Laboratory Accreditation Program
NELAP / NELAC accredited for the requested analysis.

Signatures and Approval

Submitted by:

Aquatec Biological Sciences, Inc.
273 Commerce Street
Williston, Vermont 05454
Phone: (802) 860-1638
Fax: (802) 860-1638



Study Director
John Williams

8/2/07

Date



Quality Assurance Officer
Philip C. Downey, Ph. D.

8/6/07

Date

Whole Effluent Toxicity Test Report Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on:

Date: 8/2/07

Authorized signature

John Williams

Name

Manager, Environmental Toxicology

Title

Aquatec Biological Sciences, Inc.

Laboratory

Table of Contents

| | Page |
|---|--|
| Signatures and Approval | 2 |
| Whole Effluent Toxicity Test Report Certification | 3 |
| List of Tables | 5 |
| Summary of Chronic Toxicity Test With <i>Ceriodaphnia dubia</i> | 6 |
| | |
| 1.0 Introduction | |
| 1.1 Background | 7 |
| 1.2 Objective of the General Electric Study | 7 |
| | |
| 2.0 Materials and Methods | |
| 2.1 Protocol | 7 |
| 2.2 Effluent and receiving water samples | 8 |
| 2.3 Control water | 8 |
| 2.4 Test organism | 8 |
| 2.5 Test procedure | 9 |
| 2.6 Test monitoring | 9 |
| 2.7 Reference toxicant test | 10 |
| | |
| 3.0 Statistics | |
| 3.1 Statistical protocol | 10 |
| | |
| 4.0 Results | |
| 4.1 Effluent toxicity test | 10 |
| 4.2 Reference toxicant test | 11 |
| | |
| 5.0 Qualifiers | |
| 5.1 Qualifiers and Special Conditions | 11 |
| | |
| References | 12 |
| | |
| Appendix 1 | Chain-of-Custody Documentation |
| Appendix 2 | Summary of Test Conditions |
| Appendix 3 | U.S. EPA Region 1 Toxicity Test Summary and Statistical Flow Chart |
| Appendix 4 | Bench Data, <i>Ceriodaphnia dubia</i> Chronic Toxicity Test |
| Appendix 5 | Standard Reference Toxicant test Control Chart |
| Appendix 6 | TOX2-002, Standard Operating Procedure for Daphnid (<i>Ceriodaphnia dubia</i>) Survival and Reproduction Toxicity Test |

List of Tables

| | | Page |
|----------|--|-------------|
| Table 1a | Results of the characterization and analysis of the General Electric Pittsfield Plant effluent and the dilution water (Housatonic River): Initial Samples | 13 |
| Table 1b | Results of the characterization and analysis of the General Electric Pittsfield Plant effluent and the dilution water (Housatonic River): Renewal Samples | 13 |
| Table 1c | Results of the characterization and analysis of the General Electric Pittsfield Plant effluent and the dilution water (Housatonic River): Renewal Samples | 13 |
| Table 2 | The water quality measurements recorded during the short-term chronic toxicity test for <i>Ceriodaphnia dubia</i> exposed to General Electric Pittsfield Plant effluent | 14 |
| Table 3 | Summary of mean survival and reproduction recorded during the 7-day short-term chronic toxicity test for <i>Ceriodaphnia dubia</i> exposed to General Electric Pittsfield Plant effluent | 15 |

**Summary
of
Chronic Survival and Reproduction Toxicity Test with
*Ceriodaphnia dubia***

Sponsor: General Electric

Protocol title: US EPA-821-R-02-013. *Methods for Measuring the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms*, 4th Ed., October 2002. Method 1002.0

Aquatec SDG: 10490

Test material: Composite effluent from the General Electric Company located in Pittsfield, Massachusetts

GE sample ID: Outfall Composite A8328C
Outfall Composite A8340C
Outfall Composite A8349C

Dilution water: Water from the Housatonic River (grab sample)

GE sample ID: Housatonic River A8329R
Housatonic River A8341R
Housatonic River A8350R

Dates collected: July 9, 11, and 13, 2007

Date received: July 10, 12, and 14, 2007

Test dates: July 10-16 , 2007

Test concentrations: 100%, 75%, 50%, 25%, 12.5%, 6.25% effluent.
Dilution water control (Housatonic River)
Laboratory control 1 (culture water)
Laboratory control 2 (culture water with sodium thiosulfate)

Acute Toxicity Values

| Species | Exposure Period | 48-hour LC50 (% effluent) | A-NOAC (% effluent) |
|---------------------------|------------------------|--------------------------------------|--------------------------------|
| <i>Ceriodaphnia dubia</i> | 48 hours | >100% | >100% |

Chronic Toxicity Values

| Species | Endpoint | Exposure Period | C-NOEC (% effluent) | C-LOEC (% effluent) |
|---------------------------|-----------------|----------------------------|--------------------------------|--------------------------------|
| <i>Ceriodaphnia dubia</i> | Survival | 6 – 7 days | >100% | >100% |
| <i>Ceriodaphnia dubia</i> | Reproduction | 6 – 7 days | >100% | >100% |

1.0 Introduction

1.1 Background

In 1972, amendments were made to the Clean Water Act (CWA) prohibiting the discharge of any pollutant from a point source to waters of the United States, unless the discharge is authorized by a National Pollutant Discharge Elimination System (NPDES) permit. Since the passing of the 1972 amendments to the CWA, significant progress has been made in cleaning up industrial wastewater and municipal sewage point source discharges. EPA defines point sources as discrete discharges via pipes or man-made ditches.

In 1984, the U.S. Environmental Protection Agency (EPA) released a national policy statement and a supporting document that recommended, where appropriate, effluent permit limits should be based on effluent toxicity as measured in aquatic toxicity tests. Generally, permits require that no toxic discharge occur in toxic amounts. The routine use of dilution-series toxicity tests and/or biologically-based criteria (i.e., invertebrate and vertebrate community studies) have become increasingly utilized to calculate or estimate the potential toxicity of a discharge.

EPA has the authority to delegate primary responsibility for the implementation, permitting, and enforcement of NPDES regulations to appropriate State regulatory agencies. Even when EPA delegates this authority to the states, EPA still maintains oversight responsibility.

1.2 Objective of the General Electric Study

The objective of this study was to measure the chronic toxicity of the composite wastewater discharged by the General Electric facility located in Pittsfield, Massachusetts to the Housatonic River. The water flea, *Ceriodaphnia dubia*, is exposed to effluent and dilutions of effluent under static conditions with daily renewal of test solutions. *Ceriodaphnia dubia* is routinely used by regulatory agencies and by contract laboratories for toxicity testing and EPA has published guidance documents for the performance of this test (U.S. EPA, 2002).

A toxicity test was conducted from July 10-16, 2007 at Aquatec Biological Sciences, Inc. (Aquatec) located in Williston Vermont. Aquatec Biological Sciences, Inc. holds NELAC accreditation for the requested whole effluent toxicity test. All original raw data and the final report produced for this study are stored in Aquatec's archives in Williston, Vermont.

2.0 Materials and Methods

2.1 Protocol

Procedures used in this chronic toxicity test followed those described in the Aquatec Standard Operating Procedure (SOP) TOX2-002, Cladoceran, *Ceriodaphnia dubia* Survival and Reproduction Toxicity Test R4, May 4, 2007. This SOP generally follows the standard methodology presented in U.S. EPA. 2002 (EPA-821-R-02-013). *Methods for Measuring the Chronic Toxicity of*

Effluents and Receiving Waters to Freshwater Organisms, 4th Ed., October 2002, Method 1002.0 (as summarized in Appendix 2 of this report). A copy of the SOP is located in Appendix 6 (Controlled document, please do not copy or distribute.)

Additional SOPs used in this study are outlined below:

| Title | SOP Number | Revision Date |
|--|------------|------------------------|
| Sample Acceptance | TOX1-017 | Rev. 4, February, 2004 |
| Hardness – total titrimetric method | TOX1-011 | Rev. 3, May 2003 |
| Alkalinity – total titrimetric method | TOX1-010 | Rev. 6, April 2004 |
| Thermo-Orion 145 A+ Conductivity Meter | TOX1-016 | Rev. 1, April 2004 |
| Dissolved oxygen | TOX1-006 | Rev. 7, April 2004 |
| pH measurement | TOX1-007 | Rev. 2, April 2004 |
| Salinity: refraction method | TOX1-008 | Rev. 3, January, 2003 |

2.2 Effluent and Receiving Water Samples

Effluent samples were collected by GE personnel from July 8-9, 2007 (initial sample); July 10-11, 2007 (first renewal sample), and July 12-13, 2007 (second renewal sample). Receiving water samples were grab samples collected from the Housatonic River on July 9, 11, and 13, 2007. Samples were delivered to Aquatec on the same day as they were collected. Upon receipt at Aquatec on the temperature of the temperature blank contained within the cooler was within the range of 0.0°C to 6.0°C. The effluent and receiving water were prepared for testing and characterized (Table 1). The receiving water was the dilution water for preparing effluent concentrations and was also the reference control for statistical comparisons.

2.3 Control water

Laboratory control water for the toxicity test was a 1:1 mixture of laboratory reconstituted moderately hard water and 60-micron filtered river water collected from the Lamoille River, Vermont. This water was characterized for the following parameters: pH (7.4); dissolved oxygen (8.0 mg/L); conductivity (186 uS/cm). An additional dechlorination control (laboratory water with 0.25 N sodium thiosulfate added) was included in the test array, even though chlorine was not detected in the effluent sample.

2.4 Test Organism

Daphnids (*Ceriodaphnia dubia*), less than 24-hours old and collected within and eight-hour period were obtained from Aquatec laboratory cultures. The culture system consisted of brood boards with 1-oz cups containing approximately 20 mL of culture medium and one daphnid. The culture water was laboratory reconstituted moderately hard water mixed in a 1:1 ratio with filtered Lamoille River, VT water. Prior to use, the culture water was characterized:

| Parameter | Result |
|---|-----------------------------|
| Total hardness (mg/L) | Within range of 50-110 mg/L |
| Alkalinity (mg/L as CaCO ₃) | Within range of 60-70 mg/L |
| pH | Nominal 7.7 – 8.0 |

The culture area was maintained at a nominal temperature of 25°C (range 24 – 26 °C) with a regulated photoperiod of 16 hours light and 8 hours of darkness.

Daphnid cultures were fed daily a combination of green algae (*Selenastrum capricornutum*) and YCT obtained from Aquatic BioSystems of Fort Collins, Colorado. Daphnids were transferred to new culture medium daily.

Beginning approximately 24 hours before toxicity test initiation neonates were removed from the culture cups. Offspring produced within eight hours were used for toxicity testing when the neonates were 24 hours old or less.

2.5 Test Procedures

Prior to initiating the toxicity test, a sub-sample of effluent and receiving water was decanted for subsequent alkalinity and hardness determination. A sub-sample was also check for presence of chlorine to determine whether dechlorination of effluent is required. Chlorine was not detected, therefore dechlorination of the effluent was not required. The sample was then aerated and warmed to test temperature.

The toxicity test was conducted at effluent concentrations of 100%, 75%, 50%, 25%, 12.5%, and 6.25% effluent. Test concentrations were prepared by diluting the appropriate volume of effluent with dilution water to a total volume of 300 mL. Test solutions were then decanted to ten replicate 30-mL cups per concentration, each containing approximately 20 mL of test solution. Three sets of control replicates were also included in the test array, set up as the effluent replicates. The controls included: Housatonic River water (dilution control), a laboratory control (a mix of moderately hard water and Lamoille River, VT water), and a laboratory control with sodium thiosulfate added (dechlorination control). The dechlorination control was included in the test array even though residual chlorine was not detected in the effluent.

Prior to testing, daphnids less than 24-hours old were collected from the cultures, pooled in Carolina bowl, and fed. The test was initiated when the daphnid neonates were transferred to the replicate test cups, one daphnid per cup. The toxicity test cups were incubated to maintain temperature in the range of 24°C to 26 °C. The lighting cycle was 16 hours light and eight hours dark and a luminance of approximately 80 ft-c.

The criteria for ending the toxicity test was based upon the controls reaching an average of 15 neonates or more per female and at least 60 percent of surviving females having produced three broods during the test.

2.6 Test Monitoring

The number of surviving daphnids and the number of young produced was observed at approximately 24-hour intervals during the test, with the final count of surviving daphnids and young at the end of the test. Temperature was measured daily in one replicate of each test treatment. The parameters of pH, dissolved oxygen, and conductivity were measured daily on a composite of the test solutions before and after renewal.

Total hardness was measured by the EDTA titrimetric method and total alkalinity was measured by potentiometric titration to an endpoint of 4.5 on each new sample. The check for residual chlorine was performed with an acidified sample to which potassium iodide and starch indicator added. If chlorine was detected, the color was titrated away with 0.02 N sodium thiosulfate to determine the equivalent volume of 0.2 N sodium thiosulfate to add to effluent (if needed).

Dissolved oxygen was measured with a YSI Model 58 dissolved oxygen meter. A Beckman Phi 40 was used to measure pH. A Thermo-Orion Model 145 conductivity meter was used to measure conductivity.

2.7 Reference Toxicant Test

A acute / chronic standard reference toxicant (SRT) test was conducted monthly. The SRT test was conducted as a quality control procedure to establish the health and sensitivity of the test organisms. The SRT included four concentrations of reagent grade sodium chloride (NaCl) with nominal concentrations of 0.25, 0.5, 1.0, 2.0, and 3.0 g NaCl/L. Ten test replicates, each containing one daphnid were test at each concentration and the laboratory control.

3.0 Statistics

3.1 Statistical protocol

The concentration-response relationships observed were characterized by the median lethal concentration (LC50, based on survival data at 48-hours of the test), which was the calculated concentration lethal to 50 percent of the test organisms. If no concentrations resulted in 50% mortality, the LC50 was reported as greater than the highest concentration effluent (in this case >100% effluent), by direct observation. If greater than 50 percent mortality was observed in any effluent treatment, then a computer program (TOXIS2) was used to calculate the LC50 value, following the U.S. EPA statistical flowchart (Appendix 3).

The Acute-No-Observable-Effect Concentration (A-NOEC) was determined statistically using multiple comparison tests (TOXIS2), with the receiving water control as the reference.

The Chronic-No-Observable-Effect Concentration (C-NOEC) was determined based on the end-of-test survival and reproduction data using multiple comparison tests (TOXIS2), with the receiving water control as the statistical reference.

4.0 Results

4.1 Effluent Toxicity Test

Results of effluent and receiving water characterizations performed at Aquatec as part of the toxicity test are presented in Table 1. Water quality parameters measured during the toxicity test are presented in Table 2. Measured temperatures during the test were within the range of 24.1°C to 26.2°C. The percent survival data and number of offspring produced during the exposure for the toxicity test are presented in Table 3.

By day six, at least 60 percent of the reference control (receiving water) organisms had produced at least three broods with a minimum of 15 young per surviving female.

Acute toxicity was not demonstrated during this evaluation. The 48-hour LC50 value was >100% effluent. The A-NOEC was 100% effluent. Chronic toxicity was not demonstrated during this evaluation. The C-NOEC value was 100% effluent. And the C-LOEC was >100% effluent.

4.2 Reference Toxicant Test

The most recent standard reference toxicant (SRT) test, conducted in July 2007, had a resulting 48-hour LC50 1.78 g NaCl/L and a chronic IC25 of 0.23 g NaCl/L. These values were within the Control Chart limits generated for SRT tests with *Ceriodaphnia dubia* in our laboratory.

5.0 Qualifiers

5.1 Qualifiers and Special Conditions

Qualifiers or special conditions were not applicable to the reported toxicity test.

References

American Public Health Association, American Water Works Association, and Water Pollution Control Federation (APHA). 1989. Standard Methods for the Examination of Water and Wastewater. 17th Edition

U.S. Environmental Protection Agency, 2002. 4th Edition. *Methods for Measuring the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms*. EPA-821-R-02-013.

Table 1. Results of the characterization of the General Electric Pittsfield Plant effluent and receiving water samples.

| Parameter | OUTFALL COMPOSITE A8328C | OUTFALL COMPOSITE A8340C | OUTFALL COMPOSITE A8349C |
|---|---|---|---|
| Temperature | 25.2 | 24.4 | 25.2 |
| pH | 8.0 | 8.0 | 7.6 |
| Alkalinity (as CaCO ₃), mg/L | 272 | 220 | 180 |
| Hardness (as CaCO ₃), mg/L | 276 | 242 | 184 |
| Dissolved oxygen, mg/L | 8.1 | 8.4 | 9.0 |
| Specific conductivity, uS/cm | 959 | 911 | 734 |
| Total residual chlorine (mg/L) | ND | ND | ND |

| Parameter | Housatonic River A8329R | Housatonic River A8341R | Housatonic River A8350R |
|---|--|--|--|
| Temperature | 25.1 | 24.4 | 25.0 |
| pH | 7.5 | 7.6 | 7.2 |
| Alkalinity (as CaCO ₃), mg/L | 88 | 96 | 76 |
| Hardness (as CaCO ₃), mg/L | 102 | 110 | 82 |
| Dissolved oxygen, mg/L | 8.3 | 8.0 | 8.9 |
| Specific conductivity, uS/cm | 256 | 272 | 207 |
| Total residual chlorine (mg/L) | ND | ND | ND |

Note: Characterizations reflect conditions of sample after preparation for the toxicity test. ND = not detected

Table 2. Water quality measurements (ranges) recorded during the chronic toxicity test with *Ceriodaphnia dubia* exposed to General Electric Pittsfield Plant effluent, July 10 - 16, 2007.

| Test Concentration (% effluent) | pH | Dissolved Oxygen (mg/L) | Temperature (°C) | Conductivity (umhos/cm) |
|--|-----------|--|-----------------------------|------------------------------------|
| Dechl. Control | 7.2 - 7.8 | 7.5 - 9.0 | 24.2 - 26.0 | 296-318 |
| Lab Control | 7.1 - 7.6 | 7.5 - 8.3 | 24.1 - 26.0 | 186 - 237 |
| Reference Control | 7.2- 7.7 | 7.5 - 8.9 | 24.4 - 26.2 | 207 - 276 |
| 6.25% | 7.3 - 7.8 | 7.5 - 8.9 | 24.3 - 26.2 | 242 - 319 |
| 12.5% | 7.3 - 7.9 | 7.4 - 8.9 | 24.8 - 26.2 | 278 - 363 |
| 25% | 7.4 - 8.0 | 7.4 - 8.8 | 24.9 - 26.1 | 345 - 449 |
| 50% | 7.5 - 8.1 | 7.5 - 8.8 | 24.9 - 26.1 | 477 - 615 |
| 75% | 7.6 - 8.2 | 7.5 - 9.0 | 24.9 - 26.1 | 602 - 790 |
| 100% | 7.6 - 8.3 | 7.5 - 9.0 | 24.4 - 26.2 | 732 - 959 |

Dechl. Control = laboratory water with sodium thiosulfate added (dechlorination control).

Lab Control = a mix of natural river water and moderately hard water.

Dilution Control = receiving water (Housatonic River).

Table 3 a. Summary of percent survival and reproduction data recorded during the chronic toxicity test with *Ceriodaphnia dubia* exposed to General Electric Pittsfield Plant effluent, July 10-16, 2007.

| Test Concentration (% effluent) | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 |
|---------------------------------|-------|-------|-------|-------|-------|-------|-------|
| Dechl. Control | 100 | 100 | 100 | 100 | 100 | 100 | - |
| Lab Control | 100 | 100 | 100 | 100 | 100 | 100 | - |
| Reference Control | 100 | 100 | 100 | 100 | 100 | 100 | - |
| 6.25% | 100 | 100 | 100 | 100 | 100 | 100 | - |
| 12.5% | 100 | 100 | 100 | 100 | 100 | 100 | - |
| 25% | 100 | 100 | 100 | 100 | 100 | 100 | - |
| 50% | 100 | 100 | 100 | 100 | 100 | 100 | - |
| 75% | 100 | 100 | 100 | 100 | 100 | 100 | - |
| 100% | 100 | 100 | 100 | 100 | 100 | 100 | - |

Table 3 b. Summary of reproduction data (number of offspring produced) recorded during the chronic toxicity test with *Ceriodaphnia dubia* exposed to General Electric Pittsfield Plant effluent, July 10-16, 2007.

| Test Concentration (% effluent) | Day 1 | Day 2 | Day 3 | Day 4 | Day 5 | Day 6 | Day 7 | Mean Per female |
|---------------------------------|-------|-------|-------|-------|-------|-------|-------|-----------------|
| Dechl. Control | 0 | 0 | 56 | 65 | 34 | 162 | - | 31.7 |
| Lab Control | 0 | 0 | 62 | 84 | 13 | 162 | - | 32.1 |
| Reference Control | 0 | 0 | 57 | 85 | 0 | 150 | - | 29.2 |
| 6.25% | 0 | 0 | 56 | 62 | 12 | 117 | - | 24.7 |
| 12.5% | 0 | 0 | 56 | 84 | 16 | 131 | - | 28.7 |
| 25% | 0 | 0 | 54 | 95 | 10 | 171 | - | 33.0 |
| 50% | 0 | 0 | 52 | 94 | 12 | 167 | - | 32.5 |
| 75% | 0 | 0 | 54 | 76 | 0 | 186 | - | 31.6 |
| 100% | 0 | 0 | 56 | 89 | 0 | 179 | - | 32.4 |

**Dechl. Control = laboratory water with sodium thiosulfate added
(dechlorination control).**

Lab Control = a mix of natural river water and moderately hard water.

Dilution Control = receiving water (Housatonic River).

Percent mortality = (# dead/5) X 100

Appendix 1

Chain-of-Custody Documentation

Aquatec Biological Sciences

Chain-of-Custody Record

273 Commerce Street
 Williston, VT 05495
 TEL: (802) 960-1638
 FAX: (802) 658-3189

| COMPANY INFORMATION | COMPANY'S PROJECT INFORMATION | SHIPPING INFORMATION |
|--|--|---|
| Name: General Electric Company Address: O'Brien & Gere 1000 East Street, Gate 64 City/State/Zip: Pittsfield, MA 01201 Telephone: (413) 494-6709 Facsimile: (413) 494-7052 Contact Name: Sean Coyle | Project Name: GE PITTSFIELD Outfall Composite - INITIAL SAMPLE Project Number: 07003 Sampler Name(s): SEAN COYLE NPDES Permit #: MA0003891 Ship these samples on Monday. Quote #: 1005 Client Code: GEPITTS | Carrier: <u>PRIORITY EXPRESS</u> Airbill Number: _____ Date Shipped: <u>7-9-07</u> Hand Delivered: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |

| SAMPLE IDENTIFICATION | COLLECTION | | GRAB | COMPOSITE | MATRIX | ANALYSIS | VOLUME/CONTAINER TYPE/PRESERVATIVE | | | | NUMBER OF CONTAINERS | | | | | |
|-----------------------------|------------|----------|------|-----------|-----------|--|------------------------------------|---------|---------|---------|----------------------|-------|-----|-------|-------|----|
| | DATE | TIME | | | | | 4°C | 4°C | 4°C | 4°C | | 4°C | 4°C | | | |
| Outfall Composite A8329C | 7/9/07 | 10:30 AM | | X | Effluent | Ceriodaphnia dubia chronic survival and reproduction (EPA Method 1002.0) Initial sample | Plastic | Plastic | Plastic | Plastic | 1 | 1 gal | 1 L | 40 ml | 40 mL | 0: |
| Outfall Composite A8329C | 7/9/07 | 10:30 AM | | X | Effluent | Total Residual Chlorine | | | | | 2 | | | | | |
| Housatonic River A8329R | 7/9/07 | 8:35 AM | X | | Receiving | Dilution Water | | | | | | | | | | |
| Housatonic River A8329R | 7/9/07 | 8:35 AM | X | | Receiving | Total Residual Chlorine | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

NOTES TO SAMPLER(S): (1): Complete the labels (Date, time, initials) and cover the labels with clear tape. Tape the caps of the sample bottles to ensure that they do not become dislodged during shipment. Nest the samples in sufficient ice to maintain 0°C ± 0.5°C. Results for samples received at temperatures exceeding 6°C will be qualified in 1 report.

Notes to Lab: Ambient cooler temperature: 0.3 °C. Dechlorinate the effluent sample if chlorine is detected.

| | | | |
|---|-----------------|------------------|--|
| Relinquished by: (signature) <i>Sean Coyle</i> | DATE 7/9/07 | TIME 12:10 PM | Received by: (signature) <i>Ron Dufour</i> |
| Relinquished by: (signature) | DATE 7/10/07 | TIME 08:45 | Received by: (signature) <i>[Signature]</i> |
| Relinquished by: (signature) | DATE | TIME | Received by: (signature) |

Aquatec Biological Sciences

Chain-of-Custody Record

273 Commerce Street
 Williston, VT 05495
 TEL: (802) 860-1638
 FAX: (802) 658-3189

| COMPANY INFORMATION | | COMPANY'S PROJECT INFORMATION | | | | SHIPPING INFORMATION | | VOLUME/CONTAINER TYPE/ PRESERVATIVE | | | |
|--|------------|---|--|--|-----------|---|----------------------|--|--|---|--|
| Name: General Electric Company Address: O'Brien & Gere 1000 East Street, Gate 64 City/State/Zip: Pittsfield, MA 01201 Telephone: (413) 494-6709 Facsimile: (413) 494-7052 Contact Name: Sean Coyle | | Project Name: GE PITTSFIELD Outfall Composite - RENEWAL SAMPLE Project Number: 07003 Sampler Name(s): SEAN C. COYLE NPDES Permit #: MA0003891 Ship these samples on Wednesday. Quote #: 10/05 Client Code: GEPITTS | | | | Carrier: <u>PRIDALITY EXPRESS</u> Airbill Number: _____ Date Shipped: <u>7/11/07</u> Hand Delivered: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | 4°C 4°C 4°C 4°C H ₂ SO ₄ H ₂ SO ₄ H ₂ SO ₄ H ₂ SO ₄ Plastic Plastic Glass Glass 1 gal 1/2 gal 1 L 40 ml 40 mL 40 mL 0.1 | | | |
| SAMPLE IDENTIFICATION | COLLECTION | | GRAB | COMPOSITE | MATRIX | ANALYSIS | NUMBER OF CONTAINERS | | | | |
| | DATE | TIME | | | | | | | | | |
| Outfall Composite A8340C | 7/11/07 | 10:10 AM | | X | Effluent | Ceriodaphnia dubia chronic survival and reproduction (EPA Method 1002.0) - Renewal 1 | 1 | | | | |
| Outfall Composite A8340C | 7/11/07 | 10:30 AM | | X | Effluent | Total Residual Chlorine | | | | 1 | |
| Housatonic River A8341R | 7/11/07 | 8:25 AM | X | | Receiving | Dilution Water | 2 | | | | |
| Housatonic River A8341R | 7/11/07 | 8:25 AM | X | | Receiving | Total Residual Chlorine | | | | 1 | |
| Relinquished by: (signature) <i>Sean Coyle</i> | DATE | TIME | Received by: (signature) <i>[Signature]</i> | NOTES TO SAMPLER(S): (1): Complete the labels (Date, time, initials) and cover the labels with clear tape. Tape the caps of the sample bottles to ensure that they do not become dislodged during shipment. Nest the samples in sufficient ice to maintain 0°C ± 0.5°C. Results for samples received at temperatures exceeding 6°C will be qualified in 1 report. Notes to Lab: Ambient cooler temperature: _____ °C. Dechlorinate the effluent sample if chlorine is detected. | | | | | | | |
| Relinquished by: (signature) <i>[Signature]</i> | DATE | TIME | Received by: (signature) <i>[Signature]</i> | | | | | | | | |
| Relinquished by: (signature) <i>[Signature]</i> | DATE | TIME | Received by: (signature) <i>[Signature]</i> | | | | | | | | |

Aquatec Biological Sciences

Chain-of-Custody Record

273 Commerce Street
 Williston, VT 05495
 TEL: (802) 860-1638
 FAX: (802) 658-3189

| COMPANY INFORMATION | COMPANY'S PROJECT INFORMATION | SHIPPING INFORMATION |
|---|---|--|
| Name: General Electric Company Address: O'Brien & Gere 1000 East Street Gate 64 City/State/Zip: Pittsfield, MA 01201 Telephone: (413) 494-6709 Facsimile: (413) 494-7052 Contact Name: Sean Coyle | Project Name: GE PITTSFIELD Outfall Composite - RENEWAL SAMPLE Project Number: 07003 Sampler Name(s): Joseph C. Hamlin NPDES Permit #: MA0003891 Ship these samples on Friday. Quote #: 10/05 Client Code: GEPITTS | Carrier: <u>PRIORITY Express</u> Airbill Number: _____ Date Shipped: <u>7-13-07</u> Hand Delivered: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No |
| VOLUME/CONTAINER TYPE/ PRESERVATIVE | | |

| SAMPLE IDENTIFICATION | COLLECTION | | GRAB | COMPOSITE | MATRIX | ANALYSIS | NUMBER OF CONTAINERS |
|---------------------------------------|------------|-------|------|-----------|-----------|--|----------------------|
| | DATE | TIME | | | | | |
| Outfall Composite A 8349 C | 7-13-07 | 09:15 | | X | Effluent | Ceriodaphnia dubia chronic survival and reproduction (EPA Method 1002.0) - Renewal 2 | 2 |
| Outfall Composite A 8349 C | 7-13-07 | 09:50 | | X | Effluent | Total Residual Chlorine | 1 |
| Nonautotonic River A 8350 R | 7-13-07 | 08:30 | X | | Receiving | Dilution Water | 2 |
| Housatonic River A 8350 R | 7-13-07 | 08:30 | X | | Receiving | Total Residual Chlorine | 1 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

NOTES TO SAMPLER(S): (1): Complete the labels (Date, time, initials) and cover the labels with clear tape. Tape the caps of the sample bottles to ensure that they do not become dislodged during shipment. Nest the samples in sufficient ice to maintain 0°C ± 6°C. Results for samples received at temperatures exceeding 6°C will be qualified in report.

Notes to Lab: Ambient cooler temperature: 0 °C. Dechlorinate the effluent sample if chlorine is detected.

① Collection time provided by telephone communication from Sean Coyle 7/16/07

| | |
|---|--|
| Relinquished by: (signature) <i>Joseph C. Hamlin</i> | Received by: (signature) <i>Rae Dakin</i> |
| Relinquished by: (signature) | Received by: (signature) <i>[Signature]</i> |
| Relinquished by: (signature) | Received by: (signature) |

Appendix 2 Summary of Test Conditions

Client: CAS / GE PITTSFIELD

Test #: 53930

SDG: 10490

Test Description: Daphnid, *Ceriodaphnia dubia* acute / chronic survival and reproduction

ASSOCIATED PROTOCOL: EPA 1994. *Short Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms*. (EPA/600/4-91/002) Method 1002.0

| | |
|--|---|
| 1. Test type: | Static, daily renewal |
| 2. Test temperature: | 25 ± 1°C |
| 3. Light quality: | Ambient laboratory illumination |
| 4. Photoperiod: | 16 hr. light, 8 hr. dark |
| 5. Test chamber size: | 30 ml |
| 6. Test solution volume: | 15-20 ml / replicate |
| 7. Renewal of test concentrations: | Daily |
| 8. Age of test organisms: | Less than 24 h, released within an 8 hr. period |
| 9. No. organisms / test chamber: | 1 |
| 10. No. of replicate chambers / concentration: | 10 |
| 11. No. of organisms / concentration: | 10 |
| 12. Feeding regime: | 0.1 ml each of YTC and algal suspension daily |
| 13. Cleaning: | Transfer to new test solution and test chamber daily |
| 14. Aeration: | None |
| 15. Dilution water: | Receiving water |
| 16. Test concentrations: | 6.25, 12.5, 25, 50, 75, 100% effluent |
| 17. Laboratory control: | 1:1 Lamaille R. / MHW as additional control. Sodium thiosulfate in MHW as additional control |
| 18. Test duration: | Until 60% of control females have three broods |
| 19. Monitoring: | Daily temperature, dissolved oxygen, pH, and conductivity. Hardness, alkalinity on each new sample. Biological monitoring daily |
| 19. End points: | Survival (Days 2 and end of test) and reproduction (end of test) |
| 20. Reference toxicant test: | Sodium chloride LC50 / IC25 |
| 21. Test acceptability (control performance): | 80% or greater survival and an average of 15 or more young/female. At least 60% of surviving females must have produced third brood |
| 22. Data interpretation: | Acute: 48-h LC50 (point estimate); A-NOEC Chronic: C-NOEC by hypothesis test statistics compared to the Lab Control using TOXIS2 |

Aquatec Biological Sciences Williston, Vermont

Reviewed by: Date: 7/27/07

GE TOX FORMS Cd

Appendix 3
U.S. EPA Region 1 Toxicity Test Summary and
Statistical Flow Chart

TOXICITY TEST SUMMARY SHEET

Facility Name: Outfall Composite A8328C Test Start Date: 07/10/07

NPDES Permit Number: MA0003891 Pipe Number: 001

| Test Type | Test Species | Sample Type | Sampling Method |
|-----------|---------------------------|-------------|-----------------|
| Acute | <i>Ceriodaphnia dubia</i> | EFFLUENT | Composite |

Dilution Water: Housatonic River

Receiving Water: Housatonic River

Effluent Sampling Dates: July 9, July 11, and July 13, 2007

Concentrations Tested: 0 5.0 15 35 50 75 100 Control Permit Limit: NA

Was Effluent Salinity Adjusted? NA If yes, to what value? NA

With Sea Salts? NA Hypersaline Brine Solution? NA

Actual effluent concentrations tested after salinity adjustment in percent: Same as above.

Reference Toxicant Date: 7/22/07-7/28/07

PERMIT LIMITS AND TEST RESULTS

Test Acceptability Criteria:

Mean Control Survival: 100 (%)

Mean Control Reproduction: 29.2 neonates per female

| | Limits (%) | | Results (%) |
|---------------|------------|-----------------------|--------------------------|
| LC50 | NA | 48-Hour LC50 | >100 |
| | | Upper Value | -- |
| | | Lower Value | -- |
| | | Data Analysis Method | Steel Many-One Rank Test |
| A-NOEC | NA | 48-hour A-NOEC | 100 |
| C-NOEC | NA | C-NOEC | 100 |
| | | LOEC | >100 |
| IC25 | NA | IC25 | -- |
| IC50 | NA | IC50 | -- |

NA: Not Applicable

STATISTICAL ANALYSIS OF CERIODAPHNIA
SURVIVAL AND REPRODUCTION TEST




Figure 4. Flowchart for statistical analysis of the daphnid, *Ceriodaphnia dubia*, survival data.

STATISTICAL ANALYSIS OF CERIODAPHNIA SURVIVAL AND REPRODUCTION TEST




Figure 6.

Flowchart for the statistical analysis of the daphnid, *Ceriodaphnia dubia*, reproduction data.

Appendix 4
Bench Data, *Ceriodaphnia dubia* Chronic Toxicity Test

=====

Aquatec Biological Sciences, Inc.

=====

Test Date: 7/10/07
 Sample Date: 7/09/07
 Species: Ceriodaphnia dubia
 Test Type: Chronic

Test Number: 53930
 Test Material: Effluent - POTW
 Source: MA0003891
 General Electric Company
 Pittsfield, MA

=====

SUMMARY

=====

| End Point | Day | Transformation | Conc | #Reps | Mean | StDev | % Surv |
|------------------|-----|-------------------|------------------|-------|-------------------|---------|--------|
| Proportion Alive | 2 | No transformation | 0.000 B | 10 | 1.00 | 0.000 | |
| | | | X 0.000 D | 10 | 1.00 | 0.000 | |
| | | | X 6.250 D | 10 | 1.00 | 0.000 | |
| | | | X 12.500 D | 10 | 1.00 | 0.000 | |
| | | | X 25.000 D | 10 | 1.00 | 0.000 | |
| | | | X 50.000 D | 10 | 1.00 | 0.000 | |
| | | | X 75.000 D | 10 | 1.00 | 0.000 | |
| | | | X 100.000 D | 10 | 1.00 | 0.000 | |
| | | | Proportion Alive | 7 | No transformation | 0.000 B | 10 |
| X 0.000 D | 10 | 1.00 | | | | 0.000 | |
| X 6.250 D | 10 | 1.00 | | | | 0.000 | |
| X 12.500 D | 10 | 1.00 | | | | 0.000 | |
| X 25.000 D | 10 | 1.00 | | | | 0.000 | |
| X 50.000 D | 10 | 1.00 | | | | 0.000 | |
| X 75.000 D | 10 | 1.00 | | | | 0.000 | |
| X 100.000 D | 10 | 1.00 | | | | 0.000 | |
| Reproduction | | No transformation | | | | 0.000 B | 10 |
| | | | X 0.000 D | 10 | 29.20 | 4.803 | |
| | | | X 6.250 D | 10 | 24.70 | 7.009 | |
| | | | X 12.500 D | 10 | 28.70 | 5.143 | |
| | | | X 25.000 D | 10 | 33.00 | 4.472 | |
| | | | X 50.000 D | 10 | 32.50 | 3.567 | |
| | | | X 75.000 D | 10 | 31.60 | 4.142 | |
| | | | X 100.000 D | 10 | 32.40 | 2.716 | |

X = indicates concentrations used in calculations

=====

- HYPOTHESIS TEST -

=====

| End Point | Day | Transformation/Analysis | NOEC | LOEC | TU | MSE | MSD |
|------------------|-----|--------------------------|----------|----------|--------|--------|-------|
| Proportion Alive | 2 | No transformation | | | | | |
| | | Fisher Exact | >100.000 | >100.000 | < 1.00 | | |
| Proportion Alive | 7 | No transformation | | | | | |
| | | Fisher Exact | >100.000 | >100.000 | < 1.00 | | |
| Reproduction | | No transformation | | | | | |
| | | Steel many-one rank test | >100.000 | >100.000 | < 1.00 | 22.271 | 4.957 |

=====
 Water Flea
 =====

| Lab | Species | Test Date | Test Material | Permit | Protocol | Test Number |
|-----|---------|-----------|---------------|-----------|----------|-------------|
| ABS | CD | 7/10/7 | EFF1 (%) | MA0003891 | EPAF 94 | 53930 |

=====

=====
 Statistics Parameters
 =====

PROPORTION

| | | | |
|------------|------------------------|--------------------|-----------|
| End Point: | PA Proportion Alive | | |
| Analysis: | Fisher Exact | Auto growth select | 1 control |
| Transform: | No transformation | | |
| Tail: | One-tailed, decreasing | | |
| Constant: | -.01 | Variance: | .01 |
| Root: | 0.00 | Alpha Normality: | .01 |
| | | NOEC: | .05 |

EC/LC Method: F (P,S,G,L,N) Superdunnet: 4000

GROWTH

| | | | |
|------------|------------------------|--------------------|-----------|
| End Point: | GR Reproduction | | |
| Analysis: | EPA Flowchart | Auto growth select | 1 control |
| Transform: | No transformation | | |
| Tail: | One-tailed, decreasing | | |
| Constant: | -.01 | Variance: | .01 |
| Root: | 0.00 | Alpha Normality: | .01 |
| | | NOEC: | .05 |

Calculate IC? Y (Y,N) IC resamples: 120

=====
 Errors/Warnings
 =====

Type Number

| | | |
|-------|----|--|
| EC/LC | 71 | No linear interpolation estimate can be calculated - none of the group response means < 100-p % of the control response me |
| IC | 71 | No linear interpolation estimate can be calculated - none of the group response means < 100-p % of the control response me |
| PROP | 0 | Analysis completed with no errors |
| GROW | 0 | Analysis completed with no errors |

7/25/07

TOXIS ANALYSIS SUMMARY

| Ceriodaphnia | | Proportion Alive | | | | Day 7 |
|--------------|---------|------------------|---------------|-----------|----------|-------------|
| Lab | Species | Date | Test Material | Permit | Protocol | Test Number |
| ABS | CD | 7/10/7 | EFF1 (%) | MA0003891 | EPAF 94 | 53930 |

| Fisher Exact | | Auto growth select | 1 control | | |
|-------------------|------------|--------------------|-----------|--|--|
| Transformation | Prop. Conc | Alive | P | | |
| No transformation | | | | | |
| | 0.00B | 1.00 | | | |
| | X 0.00D | 1.00 | | | |
| | X 6.25D | 1.00 | 1.000 | | |
| | X 12.50D | 1.00 | 1.000 | | |
| | X 25.00D | 1.00 | 1.000 | | |
| | X 50.00D | 1.00 | 1.000 | | |
| | X 75.00D | 1.00 | 1.000 | | |
| | X 100.00D | 1.00 | 1.000 | | |

| NOEC | LOEC | TU | Alpha | Tail | Based on |
|------|------|----|-------|-----------|--------------|
| >100 | >100 | <1 | .05 | One-sided | Fisher Exact |

7/25/07

TOXIS ANALYSIS SUMMARY

| Ceriodaphnia | | Reproduction | | | | |
|--------------|---------|--------------|---------------|-----------|----------|-------------|
| Lab | Species | Date | Test Material | Permit | Protocol | Test Number |
| ABS | CD | 7/10/7 | EFF1 (%) | MA0003891 | EPAF 94 | 53930 |

EPA Flowchart Auto growth select 1 control

| | Conc | Mean | SD | N | T | Sum of Ranks |
|----------------------|---------|-------------------|-------|----|--------|--------------|
| Data transformation: | | No transformation | | | | |
| | 0.00B | 32.10 | 3.814 | 10 | | |
| X | 0.00D | 29.20 | 4.803 | 10 | | |
| X | 6.25D | 24.70 | 7.009 | 10 | 2.132 | 86.000 |
| X | 12.50D | 28.70 | 5.143 | 10 | .237 | 103.000 |
| X | 25.00D | 33.00 | 4.472 | 10 | -1.801 | 129.000 |
| X | 50.00D | 32.50 | 3.567 | 10 | -1.564 | 122.500 |
| X | 75.00D | 31.60 | 4.142 | 10 | -1.137 | 119.000 |
| X | 100.00D | 32.40 | 2.716 | 10 | -1.516 | 126.000 |

| NOEC | LOEC | TU | Alpha | Tail | Based on | Critical Sum of Ran |
|------|------|----|-------|-----------|----------|---------------------|
| >100 | >100 | <1 | .05 | One-sided | Steel | 74 |

| | | | | |
|-----------------------------------|--------|------------------------------------|------------|------------|
| Dunnnett Test: | MSE | MSD % Reduction from Control | Critical T | |
| | 22.271 | 16.9744 | 2.3485 | |
| Kolmogorov Test for Normality: | Alpha | D | Cutoff D | Normal? |
| | .01 | .141042 | .124 | No |
| Bartlett Test for Equal Variance: | Alpha | B | P(B) | Equal Var? |
| | .01 | 8.9374 | .17712 | Yes |

Aquatec Biological Sciences, Inc.

=====

WATER FLEA TEST DATA

=====

Test Number: 53930 (x) Chronic () Acute hours
 Test Date: 10-Jul-07
 Source: MA0003891 Test Material: EFF1 (%)

| Conc | Rep | Cont. | | Start | Daily Survival | | | | | | Prop Alive | Total Young | Max Young | |
|---------|-----|-------|-----|-------|----------------|---|---|---|---|---|---------------|----------------|--------------|-----|
| | | No. | Sex | | 1 | 2 | 3 | 4 | 5 | 6 | | | | End |
| 0.00 B | 1 | | F | 1 | 1 | | | | | | 1 | 1.00 | 31 | 15 |
| 0.00 B | 2 | | F | 1 | 1 | | | | | | 1 | 1.00 | 31 | 16 |
| 0.00 B | 3 | | F | 1 | 1 | | | | | | 1 | 1.00 | 31 | 16 |
| 0.00 B | 4 | | F | 1 | 1 | | | | | | 1 | 1.00 | 35 | 15 |
| 0.00 B | 5 | | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 19 |
| 0.00 B | 6 | | F | 1 | 1 | | | | | | 1 | 1.00 | 38 | 18 |
| 0.00 B | 7 | | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 20 |
| 0.00 B | 8 | | F | 1 | 1 | | | | | | 1 | 1.00 | 28 | 14 |
| 0.00 B | 9 | | F | 1 | 1 | | | | | | 1 | 1.00 | 25 | 12 |
| 0.00 B | 10 | | F | 1 | 1 | | | | | | 1 | 1.00 | 36 | 17 |
| 0.00 D | 1 | | F | 1 | 1 | | | | | | 1 | 1.00 | 34 | 22 |
| 0.00 D | 2 | | F | 1 | 1 | | | | | | 1 | 1.00 | 28 | 15 |
| 0.00 D | 3 | | F | 1 | 1 | | | | | | 1 | 1.00 | 25 | 15 |
| 0.00 D | 4 | | F | 1 | 1 | | | | | | 1 | 1.00 | 29 | 13 |
| 0.00 D | 5 | | F | 1 | 1 | | | | | | 1 | 1.00 | 29 | 17 |
| 0.00 D | 6 | | F | 1 | 1 | | | | | | 1 | 1.00 | 22 | 9 |
| 0.00 D | 7 | | F | 1 | 1 | | | | | | 1 | 1.00 | 23 | 10 |
| 0.00 D | 8 | | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 16 |
| 0.00 D | 9 | | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 20 |
| 0.00 D | 10 | | F | 1 | 1 | | | | | | 1 | 1.00 | 36 | 17 |
| 6.25 D | 1 | | F | 1 | 1 | | | | | | 1 | 1.00 | 19 | 10 |
| 6.25 D | 2 | | F | 1 | 1 | | | | | | 1 | 1.00 | 10 | 6 |
| 6.25 D | 3 | | F | 1 | 1 | | | | | | 1 | 1.00 | 24 | 12 |
| 6.25 D | 4 | | F | 1 | 1 | | | | | | 1 | 1.00 | 24 | 12 |
| 6.25 D | 5 | | F | 1 | 1 | | | | | | 1 | 1.00 | 25 | 15 |
| 6.25 D | 6 | | F | 1 | 1 | | | | | | 1 | 1.00 | 26 | 14 |
| 6.25 D | 7 | | F | 1 | 1 | | | | | | 1 | 1.00 | 28 | 14 |
| 6.25 D | 8 | | F | 1 | 1 | | | | | | 1 | 1.00 | 24 | 17 |
| 6.25 D | 9 | | F | 1 | 1 | | | | | | 1 | 1.00 | 37 | 22 |
| 6.25 D | 10 | | F | 1 | 1 | | | | | | 1 | 1.00 | 30 | 12 |
| 12.50 D | 1 | | F | 1 | 1 | | | | | | 1 | 1.00 | 25 | 11 |
| 12.50 D | 2 | | F | 1 | 1 | | | | | | 1 | 1.00 | 28 | 14 |
| 12.50 D | 3 | | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 18 |
| 12.50 D | 4 | | F | 1 | 1 | | | | | | 1 | 1.00 | 19 | 9 |
| 12.50 D | 5 | | F | 1 | 1 | | | | | | 1 | 1.00 | 29 | 16 |
| 12.50 D | 6 | | F | 1 | 1 | | | | | | 1 | 1.00 | 30 | 15 |
| 12.50 D | 7 | | F | 1 | 1 | | | | | | 1 | 1.00 | 24 | 11 |
| 12.50 D | 8 | | F | 1 | 1 | | | | | | 1 | 1.00 | 37 | 19 |
| 12.50 D | 9 | | F | 1 | 1 | | | | | | 1 | 1.00 | 29 | 15 |
| 12.50 D | 10 | | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 10 |
| 25.00 D | 1 | | F | 1 | 1 | | | | | | 1 | 1.00 | 36 | 19 |
| 25.00 D | 2 | | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 20 |
| 25.00 D | 3 | | F | 1 | 1 | | | | | | 1 | 1.00 | 29 | 12 |
| 25.00 D | 4 | | F | 1 | 1 | | | | | | 1 | 1.00 | 36 | 20 |
| 25.00 D | 5 | | F | 1 | 1 | | | | | | 1 | 1.00 | 34 | 18 |
| 25.00 D | 6 | | F | 1 | 1 | | | | | | 1 | 1.00 | 37 | 23 |
| 25.00 D | 7 | | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 20 |

Aquatec Biological Sciences, Inc.

=====

WATER FLEA TEST DATA

=====

Test Number: 53930 (x) Chronic () Acute hours
 Test Date: 10-Jul-07
 Source: MA0003891 Test Material: EFF1 (%)

| Conc | Rep | Cont. | | Start | Daily Survival | | | | | | Prop Alive | Total Young | Max Young | |
|--------|-----|-------|-----|-------|----------------|---|---|---|---|---|---------------|----------------|--------------|-----|
| | | No. | Sex | | 1 | 2 | 3 | 4 | 5 | 6 | | | | End |
| 25.00 | D | 8 | F | 1 | 1 | | | | | | 1 | 1.00 | 38 | 21 |
| 25.00 | D | 9 | F | 1 | 1 | | | | | | 1 | 1.00 | 31 | 18 |
| 25.00 | D | 10 | F | 1 | 1 | | | | | | 1 | 1.00 | 23 | 10 |
| 50.00 | D | 1 | F | 1 | 1 | | | | | | 1 | 1.00 | 32 | 18 |
| 50.00 | D | 2 | F | 1 | 1 | | | | | | 1 | 1.00 | 35 | 19 |
| 50.00 | D | 3 | F | 1 | 1 | | | | | | 1 | 1.00 | 32 | 16 |
| 50.00 | D | 4 | F | 1 | 1 | | | | | | 1 | 1.00 | 38 | 23 |
| 50.00 | D | 5 | F | 1 | 1 | | | | | | 1 | 1.00 | 37 | 20 |
| 50.00 | D | 6 | F | 1 | 1 | | | | | | 1 | 1.00 | 28 | 14 |
| 50.00 | D | 7 | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 17 |
| 50.00 | D | 8 | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 19 |
| 50.00 | D | 9 | F | 1 | 1 | | | | | | 1 | 1.00 | 30 | 20 |
| 50.00 | D | 10 | F | 1 | 1 | | | | | | 1 | 1.00 | 27 | 12 |
| 75.00 | D | 1 | F | 1 | 1 | | | | | | 1 | 1.00 | 35 | 21 |
| 75.00 | D | 2 | F | 1 | 1 | | | | | | 1 | 1.00 | 34 | 20 |
| 75.00 | D | 3 | F | 1 | 1 | | | | | | 1 | 1.00 | 32 | 20 |
| 75.00 | D | 4 | F | 1 | 1 | | | | | | 1 | 1.00 | 21 | 10 |
| 75.00 | D | 5 | F | 1 | 1 | | | | | | 1 | 1.00 | 36 | 21 |
| 75.00 | D | 6 | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 19 |
| 75.00 | D | 7 | F | 1 | 1 | | | | | | 1 | 1.00 | 32 | 18 |
| 75.00 | D | 8 | F | 1 | 1 | | | | | | 1 | 1.00 | 31 | 18 |
| 75.00 | D | 9 | F | 1 | 1 | | | | | | 1 | 1.00 | 30 | 18 |
| 75.00 | D | 10 | F | 1 | 1 | | | | | | 1 | 1.00 | 32 | 21 |
| 100.00 | D | 1 | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 18 |
| 100.00 | D | 2 | F | 1 | 1 | | | | | | 1 | 1.00 | 35 | 17 |
| 100.00 | D | 3 | F | 1 | 1 | | | | | | 1 | 1.00 | 31 | 16 |
| 100.00 | D | 4 | F | 1 | 1 | | | | | | 1 | 1.00 | 36 | 21 |
| 100.00 | D | 5 | F | 1 | 1 | | | | | | 1 | 1.00 | 35 | 20 |
| 100.00 | D | 6 | F | 1 | 1 | | | | | | 1 | 1.00 | 34 | 18 |
| 100.00 | D | 7 | F | 1 | 1 | | | | | | 1 | 1.00 | 29 | 18 |
| 100.00 | D | 8 | F | 1 | 1 | | | | | | 1 | 1.00 | 29 | 16 |
| 100.00 | D | 9 | F | 1 | 1 | | | | | | 1 | 1.00 | 29 | 18 |
| 100.00 | D | 10 | F | 1 | 1 | | | | | | 1 | 1.00 | 33 | 17 |

J 7/27/07

Aquatec Biological Sciences, Inc.

WATER FLEA DAILY REPORT

TEST NUMBER: 53930 (x) Chronic () Acute hours
 TEST DATE: 10-Jul-07
 SOURCE: MA0003891 TEST MATERIAL: EFF1 (%)

| Conc | Ctrl | Rep | Cont. # | Daily Reproduction | | | | | | | | | | |
|-------|------|-----|------------|--------------------|---|---|----|----|----|---|---|---|----|--|
| | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |
| 0.00 | B | 1 | | | | 5 | 11 | 0 | 15 | | | | | |
| 0.00 | B | 2 | | | | 6 | 9 | 0 | 16 | | | | | |
| 0.00 | B | 3 | | | | 6 | 9 | 0 | 16 | | | | | |
| 0.00 | B | 4 | | | | 7 | 0 | 13 | 15 | | | | | |
| 0.00 | B | 5 | | | | 6 | 8 | 0 | 19 | | | | | |
| 0.00 | B | 6 | | | | 7 | 13 | 0 | 18 | | | | | |
| 0.00 | B | 7 | | | | 5 | 8 | 0 | 20 | | | | | |
| 0.00 | B | 8 | | | | 5 | 9 | 0 | 14 | | | | | |
| 0.00 | B | 9 | | | | 8 | 5 | 0 | 12 | | | | | |
| 0.00 | B | 10 | | | | 7 | 12 | 0 | 17 | | | | | |
| 0.00 | D | 1 | | | | 5 | 7 | 0 | 22 | | | | | |
| 0.00 | D | 2 | | | | 6 | 7 | 0 | 15 | | | | | |
| 0.00 | D | 3 | | | | 5 | 5 | 0 | 15 | | | | | |
| 0.00 | D | 4 | | | | 6 | 10 | 0 | 13 | | | | | |
| 0.00 | D | 5 | | | | 5 | 7 | 0 | 17 | | | | | |
| 0.00 | D | 6 | | | | 6 | 9 | 0 | 7 | | | | | |
| 0.00 | D | 7 | | | | 5 | 10 | 0 | 8 | | | | | |
| 0.00 | D | 8 | | | | 7 | 10 | 0 | 16 | | | | | |
| 0.00 | D | 9 | | | | 5 | 8 | 0 | 20 | | | | | |
| 0.00 | D | 10 | | | | 7 | 12 | 0 | 17 | | | | | |
| 6.25 | D | 1 | | | | 5 | 4 | 0 | 10 | | | | | |
| 6.25 | D | 2 | | | | 4 | 6 | 0 | 0 | | | | | |
| 6.25 | D | 3 | | | | 6 | 6 | 0 | 12 | | | | | |
| 6.25 | D | 4 | | | | 5 | 7 | 0 | 12 | | | | | |
| 6.25 | D | 5 | | | | 4 | 6 | 0 | 15 | | | | | |
| 6.25 | D | 6 | | | | 6 | 6 | 0 | 14 | | | | | |
| 6.25 | D | 7 | | | | 5 | 9 | 0 | 14 | | | | | |
| 6.25 | D | 8 | | | | 7 | 0 | 0 | 17 | | | | | |
| 6.25 | D | 9 | | | | 8 | 7 | 0 | 22 | | | | | |
| 6.25 | D | 10 | | | | 6 | 11 | 12 | 1 | | | | | |
| 12.50 | D | 1 | | | | 6 | 8 | 0 | 11 | | | | | |
| 12.50 | D | 2 | | | | 5 | 9 | 0 | 14 | | | | | |
| 12.50 | D | 3 | | | | 5 | 10 | 0 | 18 | | | | | |
| 12.50 | D | 4 | | | | 5 | 9 | 0 | 5 | | | | | |
| 12.50 | D | 5 | | | | 7 | 6 | 0 | 16 | | | | | |
| 12.50 | D | 6 | | | | 4 | 11 | 0 | 15 | | | | | |
| 12.50 | D | 7 | | | | 6 | 0 | 7 | 11 | | | | | |
| 12.50 | D | 8 | | | | 6 | 12 | 0 | 19 | | | | | |
| 12.50 | D | 9 | | | | 5 | 9 | 0 | 15 | | | | | |
| 12.50 | D | 10 | | | | 7 | 10 | 9 | 7 | | | | | |
| 25.00 | D | 1 | | | | 7 | 10 | 0 | 19 | | | | | |
| 25.00 | D | 2 | | | | 5 | 8 | 0 | 20 | | | | | |
| 25.00 | D | 3 | | | | 5 | 12 | 0 | 12 | | | | | |
| 25.00 | D | 4 | | | | 6 | 10 | 0 | 20 | | | | | |
| 25.00 | D | 5 | | | | 7 | 9 | 0 | 18 | | | | | |
| 25.00 | D | 6 | | | | 5 | 9 | 0 | 23 | | | | | |
| 25.00 | D | 7 | | | | 3 | 10 | 0 | 20 | | | | | |

Aquatec Biological Sciences, Inc.

WATER FLEA DAILY REPORT

TEST NUMBER: 53930 (x) Chronic () Acute hours
 TEST DATE: 10-Jul-07
 SOURCE: MA0003891 TEST MATERIAL: EFF1 (%)

| Conc | Ctrl | Rep | Cont. # | Daily Reproduction | | | | | | | | | | |
|--------|------|-----|------------|--------------------|---|---|----|----|----|---|---|---|----|--|
| | | | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | |
| 25.00 | D | 8 | | | | 7 | 10 | 0 | 21 | | | | | |
| 25.00 | D | 9 | | | | 5 | 8 | 0 | 18 | | | | | |
| 25.00 | D | 10 | | | | 4 | 9 | 10 | 0 | | | | | |
| 50.00 | D | 1 | | | | 5 | 9 | 0 | 18 | | | | | |
| 50.00 | D | 2 | | | | 5 | 11 | 0 | 19 | | | | | |
| 50.00 | D | 3 | | | | 7 | 9 | 0 | 16 | | | | | |
| 50.00 | D | 4 | | | | 7 | 8 | 0 | 23 | | | | | |
| 50.00 | D | 5 | | | | 6 | 11 | 0 | 20 | | | | | |
| 50.00 | D | 6 | | | | 4 | 10 | 0 | 14 | | | | | |
| 50.00 | D | 7 | | | | 4 | 12 | 0 | 17 | | | | | |
| 50.00 | D | 8 | | | | 5 | 9 | 0 | 19 | | | | | |
| 50.00 | D | 9 | | | | 4 | 6 | 0 | 20 | | | | | |
| 50.00 | D | 10 | | | | 5 | 9 | 12 | 1 | | | | | |
| 75.00 | D | 1 | | | | 6 | 8 | 0 | 21 | | | | | |
| 75.00 | D | 2 | | | | 4 | 10 | 0 | 20 | | | | | |
| 75.00 | D | 3 | | | | 6 | 6 | 0 | 20 | | | | | |
| 75.00 | D | 4 | | | | 4 | 7 | 0 | 10 | | | | | |
| 75.00 | D | 5 | | | | 7 | 8 | 0 | 21 | | | | | |
| 75.00 | D | 6 | | | | 6 | 8 | 0 | 19 | | | | | |
| 75.00 | D | 7 | | | | 5 | 9 | 0 | 18 | | | | | |
| 75.00 | D | 8 | | | | 6 | 7 | 0 | 18 | | | | | |
| 75.00 | D | 9 | | | | 6 | 6 | 0 | 18 | | | | | |
| 75.00 | D | 10 | | | | 4 | 7 | 0 | 21 | | | | | |
| 100.00 | D | 1 | | | | 5 | 10 | 0 | 18 | | | | | |
| 100.00 | D | 2 | | | | 7 | 11 | 0 | 17 | | | | | |
| 100.00 | D | 3 | | | | 5 | 10 | 0 | 16 | | | | | |
| 100.00 | D | 4 | | | | 7 | 8 | 0 | 21 | | | | | |
| 100.00 | D | 5 | | | | 6 | 9 | 0 | 20 | | | | | |
| 100.00 | D | 6 | | | | 7 | 9 | 0 | 18 | | | | | |
| 100.00 | D | 7 | | | | 5 | 6 | 0 | 18 | | | | | |
| 100.00 | D | 8 | | | | 4 | 9 | 0 | 16 | | | | | |
| 100.00 | D | 9 | | | | 4 | 7 | 0 | 18 | | | | | |
| 100.00 | D | 10 | | | | 6 | 10 | 0 | 17 | | | | | |

J 7/27/07

Ceriodaphnia dubia Survival and Reproduction Data (Page 1 of 4)

Client: CAS / GE PITTSFIELD

Test #: 53930

SDG: 10490

Test Description: *Ceriodaphnia dubia* acute / chronic toxicity tests

| Effluent (%) | Repl 1 | Repl 2 | Repl 3 | Repl 4 | Repl 5 | Repl 6 | Repl 7 | Repl 8 | Repl 9 | Repl 10 | Remarks |
|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|-------------------------------------|
| Lab Ctrl | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Day 0 |
| Rec. Ctrl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Sample: 35632 |
| 6.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Fed Sel / YCT ✓ |
| 12.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Sel Lot #: 7307 Sel |
| 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | YCT Lot #: 62107 YC |
| 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Date/time/Init. KX 7-10-07 11:25 |
| 75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| Lab Ctrl | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Day 1 |
| Rec. Ctrl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Sample: 35632 |
| 6.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Fed Sel / YCT ✓ |
| 12.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Sel Lot #: same as |
| 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | YCT Lot #: above |
| 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Date/time/Init. |
| 75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7-11-07 |
| 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 16:30 JG |
| Lab Ctrl | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Day 2 |
| Rec. Ctrl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Sample: 35688 |
| 6.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Fed Sel / YCT ✓ |
| 12.5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Sel Lot #: same as |
| 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | YCT Lot #: above |
| 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Date/time/Init. |
| 75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7-12-07 |
| 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 14:30 JG |

0=original organism surviving, no young; D=original organism dead; #=# young released;
*=lab-induced mortality. Receiving water is dilution water; Lab water is additional control.

Ceriodaphnia dubia Survival and Reproduction Data (Page 2 of 4)

Client: CAS / GE PITTSFIELD

Test #: 53930

SDG: 10490

Test Description: *Ceriodaphnia dubia* acute / chronic toxicity tests

| Effluent (%) | Repl 1 | Repl 2 | Repl 3 | Repl 4 | Repl 5 | Repl 6 | Repl 7 | Repl 8 | Repl 9 | Repl 10 | Remarks |
|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|--------------------|
| Lab Ctrl | 5 | 6 | 6 | 7 | 6 | 7 | 5 | 5 | 8 | 7 | Day 3 |
| Rec. Ctrl. | 5 | 6 | 5 | 6 | 5 | 6 | 5 | 7 | 5 | 7 | Sample: 35688 |
| 6.25 | 5 | 4 | 6 | 5 | 4 | 6 | 5 | 7 | 8 | 6 | Fed Sel / YCT ✓ |
| 12.5 | 6 | 5 | 5 | 5 | 7 | 4 | 6 | 6 | 5 | 7 | Sel Lot #: 7307Sel |
| 25 | 7 | 5 | 5 | 6 | 7 | 5 | 3 | 7 | 5 | 4 | YCT Lot #: 62107K |
| 50 | 5 | 5 | 7 | 7 | 6 | 4 | 4 | 5 | 4 | 5 | Date/time/Init. |
| 75 | 6 | 4 | 6 | 4 | 7 | 6 | 5 | 6 | 6 | 4 | 7-13-07 |
| 100 | 5 | 7 | 5 | 7 | 6 | 7 | 5 | 4 | 4 | 6 | 16:15 JG |

| | | | | | | | | | | | |
|------------|----|----|----|----|----|----|----|----|---|----|--------------------------------------|
| Lab Ctrl | 11 | 9 | 9 | 0 | 8 | 13 | 8 | 9 | 5 | 12 | Day 4 |
| Rec. Ctrl. | 7 | 7 | 5 | 10 | 7 | 9 | 10 | 10 | 8 | 12 | Sample: 35711 |
| 6.25 | 4 | 6 | 6 | 7 | 6 | 6 | 9 | 0 | 7 | 11 | Fed Sel / YCT ✓ |
| 12.5 | 8 | 9 | 10 | 9 | 6 | 11 | 0 | 12 | 9 | 10 | Sel Lot #: Same |
| 25 | 10 | 8 | 12 | 10 | 9 | 9 | 10 | 10 | 8 | 9 | YCT Lot #: Same |
| 50 | 9 | 11 | 9 | 8 | 11 | 10 | 12 | 9 | 6 | 9 | Date/time/Init. YCT 7-14-07 11:45 |
| 75 | 8 | 10 | 6 | 7 | 8 | 8 | 9 | 7 | 6 | 7 | |
| 100 | 10 | 11 | 10 | 8 | 9 | 9 | 6 | 9 | 7 | 10 | |

| | | | | | | | | | | | |
|------------|---|---|---|----|---|---|---|---|---|----|-----------------|
| Lab Ctrl | 0 | 0 | 0 | 13 | 0 | 0 | 0 | 0 | 0 | 0 | Day 5 |
| Rec. Ctrl. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Sample: 35711 |
| 6.25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | Fed Sel / YCT ✓ |
| 12.5 | 0 | 0 | 0 | 0 | 0 | 0 | 7 | 0 | 0 | 9 | Sel Lot #: same |
| 25 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | YCT Lot #: same |
| 50 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12 | Date/time/Init. |
| 75 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 7-15-07 |
| 100 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 12:15 JG |

0=original organism surviving, no young; D=original organism dead; #=# young released;
 *=lab-induced mortality. Receiving water is dilution water; Lab water is additional control.

Ceriodaphnia dubia Survival and Reproduction Data (Page 3 of 4)

Client: CAS / GE PITTSFIELD

Test #: 53930

SDG: 10490

Test Description: *Ceriodaphnia dubia* acute / chronic toxicity tests

| Effluent (%) | Repl 1 | Repl 2 | Repl 3 | Repl 4 | Repl 5 | Repl 6 | Repl 7 | Repl 8 | Repl 9 | Repl 10 | Remarks |
|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------------|----------------------------------|
| Lab Ctrl | 15 | 16 | 16 | 15 | 19 | 18 | 20 | 14 | 12 | 17 | Day 6 |
| Rec. Ctrl. | 22 | 15 | 15 | 13 | 17 | 7 | 8 | 16 | 20 | 17 | Sample: 35688 |
| 6.25 | 10 | 0 | 12 | 12 | 15 | 14 | 14 | 17 | 22 | 23 | Fed Sel / YCT |
| 12.5 | 11 | 14 | 18 | 5 | 16 | 15 | 11 | 19 | 15 | 7 | Sel Lot #: |
| 25 | 19 | 20 | 12 | 20 | 18 | 23 | 20 | 21 | 18 | 0 | YCT Lot #: |
| 50 | 18 | 19 | 14 | 23 | 20 | 14 | 17 | 19 | 20 | 1 | Date/time/Init. 3/11/09 14:20 |
| 75 | 21 | 20 | 20 | 10 | 21 | 19 | 18 | 18 | 18 | 21 | |
| 100 | 18 | 17 | 16 | 21 | 20 | 18 | 18 | 16 | 18 | 17 | |

| | | | | | | | | | | | |
|------------|--|--|--|--|--|--|--|--|--|--|-----------------|
| Lab Ctrl | | | | | | | | | | | Day 7 |
| Rec. Ctrl. | | | | | | | | | | | Sample: |
| 6.25 | | | | | | | | | | | Fed Sel / YCT |
| 12.5 | | | | | | | | | | | Sel Lot #: |
| 25 | | | | | | | | | | | YCT Lot #: |
| 50 | | | | | | | | | | | Date/time/Init. |
| 75 | | | | | | | | | | | |
| 100 | | | | | | | | | | | |

| | | | | | | | | | | | |
|------------|--|--|--|--|--|--|--|--|--|--|-----------------|
| Lab Ctrl | | | | | | | | | | | Day 8 |
| Rec. Ctrl. | | | | | | | | | | | Sample: |
| 6.25 | | | | | | | | | | | Fed Sel / YCT |
| 12.5 | | | | | | | | | | | Sel Lot #: |
| 25 | | | | | | | | | | | YCT Lot #: |
| 50 | | | | | | | | | | | Date/time/Init. |
| 75 | | | | | | | | | | | |
| 100 | | | | | | | | | | | |

0=original organism surviving, no young; D=original organism dead; #=# young released;
 *=lab-induced mortality. Receiving water is dilution water; Lab water is additional control.

Ceriodaphnia dubia Survival and Reproduction Data (Page 4 of 4)

Client: CAS / GE PITTSFIELD

Test #: 53930

SDG: 10490

Test Description: *Ceriodaphnia dubia* acute / chronic toxicity tests

Sodium thiosulfate control

| Effluent (%) | Repl 1 | Repl 2 | Repl 3 | Repl 4 | Repl 5 | Repl 6 | Repl 7 | Repl 8 | Repl 9 | Repl 10 | Remarks |
|--------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|---------|------------------------------|
| Na thio | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Day 0 Fed 7-10-07 11:25 KC ✓ |
| Na thio | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Day 1 Fed 7-11-07 16:30 JG ✓ |
| Na thio | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | Day 2 Fed 7-12-07 14:30 JG ✓ |
| Na thio | 6 | 5 | 7 | 6 | 4 | 5 | 5 | 5 | 7 | 6 | Day 3 Fed 7-13-07 16:15 JG ✓ |
| Na thio | 10 | 0 | 11 | 0 | 8 | 9 | 7 | 10 | 0 | 10 | Day 4 Fed 7-14-07 10:50 KK ✓ |
| Na thio | 0 | 12 | 0 | 10 | 0 | 0 | 0 | 0 | 12 | 0 | Day 5 Fed 7-15-07 12:15 JG ✓ |
| Na thio | *0/14 | 15 | 20 | 20 | 18 | 15 | 14 | 17 | 17 | 10 | Day 6 Fed 7-16-07 14:20 ✓ |
| Na thio | | | | | | | | | | | Day 7 Fed |
| Na thio | | | | | | | | | | | Day 8 Fed |

0=original organism surviving, no young; D=original organism dead; #=# young released; * =lab-induced mortality. Receiving water is dilution water; Lab water is additional control.

Documentation of Collection of *Ceriodaphnia dubia* for Toxicity Testing

| Brood Board | Date / Time Init. when cleared of Neonates | Date / Time Init. when neonates collected | No. Cups with 8 or more neonates | Fed YCT / Selenastrum (Lot #s) |
|-------------|--|---|----------------------------------|--------------------------------|
| 7/3/07A | 10:00 JL 7/9 | — | | 7307sel 62107yl |
| 7/3B | 10:30 JL 7/9 | | | " |
| 7/3A | 12:00 JL 7/9 | 12:00 JL 7/9 | 2 | — |
| 7/3B | | 12:05 JL 7/9 | 3 | — |
| 7/3A | | 17:05 JL 7/9 | 41 | " |
| 7/3B | 8:15 | 17:15 JL 7/9 | 20 | " |
| 7/3A | 8:00 7/10 | | | " |
| 7/3B | 8:30 7/10 | | | " |
| | | | | |
| | | | | |
| | | | | |

Project Description / Test Use: G E PITTSFIELD

cdcoll.doc

Water Chemistry Data

Client: CAS / GE PITTSFIELD Test Description: C. dubia acute / chronic toxicity* Test #: 53930 SDG: 10490

| | | FINAL WATER CHEMISTRY DATA | | | | | | |
|---------------------------|----------|----------------------------|--------|--------|--------|--------|--------|------|
| Day: | | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| Lab Contr | pH | 7.4 | 7.4 | 7.1 | 7.4 | 7.6 | 7.4 | 7.4 |
| | DO | 7.8 | 7.5 | 7.9 | 8.1 | 8.1 | 8.1 | 8.1 |
| | Temp. | 26.0 | 24.9 | 25.2 | 24.9 | 25.2 | 25.2 | 25.7 |
| | Conduct. | 198 | 233 | 237 | 234 | 239 | 237 | 237 |
| Rec. W Contr (Dil. Water) | pH | 7.6 | 7.6 | 7.4 | 7.7 | 7.7 | 7.7 | 7.4 |
| | DO | 7.6 | 7.5 | 7.9 | 8.0 | 8.1 | 8.1 | 8.1 |
| | Temp. | 25.7 | 24.8 | 25.4 | 25.3 | 25.3 | 25.3 | 26.2 |
| | Conduct. | 263 | 261 | 277 | 276 | 218 | 218 | 218 |
| 6.25% | pH | 7.7 | 7.7 | 7.5 | 7.8 | 7.8 | 7.8 | 7.4 |
| | DO | 7.6 | 7.5 | 7.8 | 8.0 | 8.1 | 8.1 | 8.1 |
| | Temp. | 26.0 | 24.8 | 25.5 | 25.0 | 25.4 | 26.2 | 26.2 |
| | Conduct. | 309 | 308 | 319 | 318 | 252 | 253 | 253 |
| 12.5% | pH | 7.8 | 7.8 | 7.6 | 7.9 | 7.8 | 7.7 | 7.7 |
| | DO | 7.5 | 7.4 | 7.8 | 8.0 | 8.1 | 7.7 | 7.7 |
| | Temp. | 26.0 | 25.0 | 25.5 | 25.0 | 25.5 | 26.2 | 26.2 |
| | Conduct. | 354 | 354 | 363 | 362 | 285 | 286 | 286 |
| 25% | pH | 7.9 | 7.9 | 7.7 | 8.0 | 7.9 | 7.9 | 7.9 |
| | DO | 7.5 | 7.4 | 7.8 | 8.1 | 8.1 | 8.2 | 8.2 |
| | Temp. | 25.9 | 25.0 | 25.6 | 24.9 | 25.5 | 26.1 | 26.1 |
| | Conduct. | 444 | 442 | 444 | 449 | 352 | 355 | 355 |
| 50% | pH | 8.0 | 8.1 | 7.9 | 8.1 | 8.1 | 8.1 | 8.1 |
| | DO | 7.5 | 7.5 | 7.8 | 8.1 | 8.1 | 8.1 | 8.1 |
| | Temp. | 25.9 | 25.1 | 25.7 | 24.9 | 25.5 | 26.1 | 26.1 |
| | Conduct. | 614 | 612 | 604 | 603 | 484 | 485 | 485 |
| 75% | pH | 8.1 | 8.2 | 8.0 | 8.2 | 8.2 | 8.2 | 8.2 |
| | DO | 7.5 | 7.5 | 7.8 | 8.1 | 8.1 | 8.2 | 8.2 |
| | Temp. | 26.1 | 25.0 | 25.6 | 24.9 | 25.4 | 26.1 | 26.1 |
| | Conduct. | 746 | 756 | 743 | 759 | 611 | 610 | 610 |
| 100% | pH | 8.1 | 8.2 | 8.0 | 8.3 | 8.3 | 8.3 | 8.3 |
| | DO | 7.4 | 7.5 | 7.8 | 8.0 | 8.0 | 8.3 | 8.3 |
| | Temp. | 25.9 | 25.0 | 25.6 | 24.9 | 25.4 | 26.2 | 26.2 |
| | Conduct. | 884 | 902 | 896 | 899 | 733 | 740 | 740 |
| Sample # | | | | | | | | |
| Init./Date | JG7/11 | JG7/12 | JG7/13 | JK7/14 | JG7/15 | JK7/15 | JK7/16 | |

| | | INITIAL WATER CHEMISTRY DATA | | | | | | |
|---------------------------|----------|------------------------------|--------|--------|--------|--------|--------|------|
| Day: | | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
| Lab Contr | pH | 7.4 | 7.4 | 7.5 | 7.6 | 7.6 | 7.6 | 7.6 |
| | DO | 8.0 | 7.8 | 7.8 | 8.2 | 8.23 | 8.3 | 8.3 |
| | Temp. | 25.1 | 24.5 | 24.4 | 24.7 | 24.2 | 25.6 | 25.6 |
| | Conduct. | 180 | 228 | 205 | 208 | 229 | 230 | 230 |
| Rec. W Contr (Dil. Water) | pH | 7.5 | 7.6 | 7.6 | 7.4 | 7.2 | 7.6 | 7.6 |
| | DO | 8.3 | 8.3 | 8.0 | 8.7 | 8.9 | 8.3 | 8.3 |
| | Temp. | 25.1 | 25.2 | 24.9 | 24.9 | 25.0 | 25.5 | 25.5 |
| | Conduct. | 250 | 256 | 271 | 271 | 207 | 209 | 209 |
| 6.25% | pH | 7.6 | 7.6 | 7.7 | 7.4 | 7.3 | 7.6 | 7.6 |
| | DO | 8.3 | 8.3 | 8.0 | 8.7 | 8.9 | 8.3 | 8.3 |
| | Temp. | 25.1 | 25.4 | 25.6 | 25.0 | 24.3 | 25.7 | 25.7 |
| | Conduct. | 202 | 295 | 292 | 313 | 242 | 242 | 242 |
| 12.5% | pH | 7.7 | 7.7 | 7.7 | 7.6 | 7.3 | 7.7 | 7.7 |
| | DO | 8.2 | 8.3 | 7.9 | 8.6 | 8.9 | 8.3 | 8.3 |
| | Temp. | 25.0 | 25.3 | 25.8 | 25.0 | 24.8 | 25.3 | 25.3 |
| | Conduct. | 349 | 343 | 357 | 357 | 278 | 280 | 280 |
| 25% | pH | 7.8 | 7.8 | 7.8 | 7.7 | 7.4 | 7.8 | 7.8 |
| | DO | 8.2 | 8.3 | 8.0 | 8.5 | 8.8 | 8.3 | 8.3 |
| | Temp. | 25.1 | 25.3 | 25.4 | 25.0 | 24.9 | 25.3 | 25.3 |
| | Conduct. | 438 | 440 | 439 | 439 | 345 | 346 | 346 |
| 50% | pH | 7.9 | 7.9 | 7.9 | 7.9 | 7.5 | 7.9 | 7.9 |
| | DO | 8.2 | 8.3 | 8.1 | 8.4 | 8.8 | 8.2 | 8.2 |
| | Temp. | 25.1 | 25.3 | 25.8 | 24.9 | 24.9 | 25.3 | 25.3 |
| | Conduct. | 615 | 612 | 427 | 600 | 477 | 478 | 478 |
| 75% | pH | 8.0 | 8.0 | 7.9 | 8.1 | 7.6 | 7.9 | 7.9 |
| | DO | 8.2 | 8.4 | 8.2 | 8.3 | 9.0 | 8.2 | 8.2 |
| | Temp. | 25.2 | 25.3 | 25.9 | 24.9 | 24.9 | 25.4 | 25.4 |
| | Conduct. | 790 | 789 | 760 | 760 | 605 | 602 | 602 |
| 100% | pH | 8.0 | 8.0 | 8.0 | 8.2 | 7.6 | 7.9 | 7.9 |
| | DO | 8.1 | 8.5 | 8.4 | 8.1 | 9.0 | 8.2 | 8.2 |
| | Temp. | 25.2 | 25.2 | 24.4 | 24.9 | 25.2 | 25.5 | 25.5 |
| | Conduct. | 959 | 958 | 745 | 917 | 734 | 732 | 732 |
| Sample # | 35632 | 35632 | 35632 | 35632 | 35711 | 35711 | 35711 | |
| Init./Date | JK7/10 | JG7/11 | JK7/12 | JK7/13 | JK7/14 | JG7/15 | JK7/15 | |

Aquatec Biological Sciences Williston, Vermont 35683/35688

Reviewed by: U Date: 7/27/07

Water Chemistry Data

Client: CAS / GE PITTSFIELD Test Description: *C. dubia* acute / chronic toxicity * Test #: 53930 SDG: 10490

INITIAL WATER CHEMISTRY DATA

| Day: | 0 | 1 | 2 | 3 | 4 | 5 | 6 |
|-----------------|---------------|---------------|---------------|---------------|---------------|------|---|
| Na thio | 7.8 | 7.7 | 7.6 | 7.6 | 7.6 | 7.7 | |
| Control | 7.8 | 8.0 | 8.0 | 8.2 | 9.0 | 8.2 | |
| Temp. | 25.1 | 25.2 | 25.9 | 24.6 | 24.2 | 25.0 | |
| Conduct. | 305 | 296 | 306 | 304 | 302 | 312 | |
| 2007 Init./Date | 07/10 JG 7/11 | 07/11 KR 7/12 | 07/12 KR 7/13 | 07/13 KR 7/14 | 07/14 JG 7/15 | | |

FINAL WATER CHEMISTRY DATA

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
|-----------------|---------|---------|---------|---------|---------|---------|---|
| pH | 7.5 | 7.5 | 7.2 | 7.5 | 7.6 | 7.8 | |
| DO | 7.6 | 7.5 | 7.9 | 8.2 | 8.1 | 8.0 | |
| Temp. | 26.0 | 25.0 | 25.3 | 24.9 | 24.8 | 25.9 | |
| Conduct. | 305 | 302 | 308 | 310 | 308 | 318 | |
| 2007 Init./Date | JG 7/11 | JG 7/12 | JG 7/13 | KR 7/14 | JG 7/15 | JG 7/16 | |

Alkalinity and Hardness Worksheet

| Sample Identifier | LIMS Identifier | Sub ID Code | Sampling Date | Sample Volume | Alkalinity | | | | Hardness | | | | | | |
|-------------------|---------------------|-------------|---------------|---------------|----------------------|--------------------|---------|---------------|------------|---------------|----------------------|--------------------|---------|---------------|----------|
| | | | | | Initial Titrant (ml) | Final Titrant (ml) | Analyst | Analysis Date | Alkalinity | Sample Volume | Initial Titrant (ml) | Final Titrant (ml) | Analyst | Analysis Date | Hardness |
| 35632 | Outfall Composite | | 7/10/07 | 25 | 24.5 | 31.3 | JD | 7/10/07 | 272.0 | 25 | 37 | 43.9 | JD | 7/10/07 | 276.0 |
| 35633 | Housatonic River | | 7/10/07 | 25 | 31.3 | 33.5 | JD | 7/10/07 | 88.0 | 50 | 43.9 | 49 | JD | 7/10/07 | 102.0 |
| 35688 | Outfall Composite | | 7/12/07 | 25 | 11.6 | 17.1 | JL | 7/12/07 | 220.0 | 50 | 15.1 | 27.2 | JL | 7/12/07 | 242.0 |
| 35689 | Housatonic River A | | 7/12/07 | 25 | 17.8 | 20.2 | JL | 7/12/07 | 96.0 | 50 | 27.2 | 32.7 | JL | 7/12/07 | 110.0 |
| 35711 | Outfall Composite (| | 7/14/07 | 25 | 28.1 | 32.6 | KK | 7/14/07 | 180.0 | 25 | 19.9 | 24.5 | KK | 7/14/07 | 184.0 |
| 35712 | Housatonic River (| | 7/14/07 | 25 | 32.6 | 34.5 | KK | 7/14/07 | 76.0 | 50 | 24.5 | 28.6 | KK | 7/14/07 | 82.0 |

Aquatec Biological Sciences, Inc.
 273 Commerce Street
 Williston, VT 05495
 (802) 860-1638

Total Residual Chlorine Analysis

| | |
|------------------------------------|---------------------|
| Client GE Pittsfield, MA | SDG 10490 |
|------------------------------------|---------------------|

| Sample # | Sample ID | Collection Date / Time | Analysis Date / Time / Analyst | Result (TRC mg/L) | Method |
|-----------------|-----------------------------|-------------------------------|---------------------------------------|--------------------------|---------------------|
| 35632 | Outfall Composite A8328C | 7/9/07 10:50 | 07/10/07 14:39 JW | 0.05 | DPD Colorimetric |
| 35633 | Housatonic River A8329R | 7/9/07 08:35 | 07/10/07 14:44 JW | 0.15 | DPD Colorimetric |

An additional chlorine check by a titrimetric method did not detect chlorine in effluent or receiving water.

Sample Preparation

Client: CAS / GE PITTSFIELD Test #: 53930 (*C. dubia*) SDG: 10490
 Test Description: *Ceriodaphnia dubia* acute / chronic toxicity tests

Sample Identification:

| Sample Description | Effluent | Receiving Water | Effluent | Receiving Water | Effluent | Receiving Water |
|--------------------|----------|-----------------|----------|-----------------|----------|-----------------|
| Sample # | 35632 | 35633 | 35688 | 35689 | 35711 | 35712 |

Sample Preparation:

| Filtration | 60 micron | 60 micron | 60 micron | 60 micron | 60 micron | 60 micron |
|--------------------------|------------|-----------|------------|-----------|------------|-----------|
| Chlorine ¹ | ND | ND | ND | ND | ND | ND |
| Dechlorine ² | No | No | No | No | No | No |
| Prepared by (Init./date) | JK 7/10/07 | | JK 7/12/07 | | JK 7/14/07 | |

¹ Record vol. 0.025 N sodium thiosulfate to dechlorinate 100 mL sample or record "ND" (not detected).
² Dechlorination not required per instructions from client.

Daily Dilution Plan for: *Ceriodaphnia dubia* chronic toxicity test

| Concentration (%) | Volume Effluent (mL) | Volume Diluent (mL) | Total Volume (mL) |
|----------------------------------|----------------------|---------------------|-------------------|
| Lab Water (Additional Control) | 0 | 300 | 300 |
| Na thiosulfate control | 0 | 300 | 300 |
| Receiving water (Dilution Water) | 0 | 300 | 300 |
| 6.25 | 18.8 | 281.2 | 300 |
| 12.5 | 37.5 | 262.5 | 300 |
| 25 | 75 | 225 | 300 |
| 50 | 150 | 150 | 300 |
| 75 | 225 | 75 | 300 |
| 100 | 300 | 0 | 300 |
| Total Volume | 806.3 | 1893.7 | |

Comments:

Collect alkalinity and hardness samples on each new effluent and receiving water sample.

Appendix 5
Standard Reference Toxicant test Control Chart


Appendix 6
SOP TOX2-002, Standard Operating Procedure for
Cladoceran, *Ceriodaphnia dubia*, Survival and
Reproduction Toxicity Test

Ceriodaphnia dubia

Reference Control Chart for NaCl Acute Toxicity

| Test Number | Test Date | LC50 (g/L) | Mean LC50 | Calculated limits Upper | Calculated limits Lower | Organism Source |
|-------------|------------------|------------|-----------|-------------------------|-------------------------|-----------------------------|
| 1 | 12/6/2005 | 1.782 | 1.78 | | | Aquatec Biological Sciences |
| 2 | 1/3/2006 | 2.328 | 2.06 | 2.83 | 1.28 | Aquatec Biological Sciences |
| 3 | 2/2/2006 | 1.414 | 1.84 | 2.76 | 0.92 | Aquatec Biological Sciences |
| 4 | 3/2/2006 | 2.672 | 2.05 | 3.17 | 0.93 | Aquatec Biological Sciences |
| 5 | 4/18/2006 | 2.450 | 2.13 | 3.16 | 1.10 | Aquatec Biological Sciences |
| 6 | 5/2/2006 | 1.361 | 2.00 | 3.12 | 0.88 | Aquatec Biological Sciences |
| 7 | 6/13/2006 | 1.782 | 1.97 | 3.00 | 0.94 | Aquatec Biological Sciences |
| 8 | 7/25/2006 | 2.450 | 2.03 | 3.05 | 1.01 | Aquatec Biological Sciences |
| 9 | 8/14/2006 | 2.395 | 2.07 | 3.05 | 1.09 | Aquatec Biological Sciences |
| 10 | 9/5/2006 | 1.414 | 2.00 | 3.02 | 0.99 | Aquatec Biological Sciences |
| 11 | 10/10/2006 | 2.395 | 2.04 | 3.03 | 1.05 | Aquatec Biological Sciences |
| 12 | 11/7/2006 | 2.505 | 2.08 | 3.06 | 1.10 | Aquatec Biological Sciences |
| 13 | 12/15/2006 | 2.395 | 2.10 | 3.06 | 1.15 | Aquatec Biological Sciences |
| 14 | 1/8/2007 | 2.450 | 2.13 | 3.06 | 1.19 | Aquatec Biological Sciences |
| 15 | 2/2/2007 | 1.641 | 2.10 | 3.03 | 1.16 | Aquatec Biological Sciences |
| 16 | 2/26/2007-3/5/07 | 2.328 | 2.11 | 3.02 | 1.20 | Aquatec Biological Sciences |
| 17 | 3/27/07-4/2/07 | 2.450 | 2.13 | 3.03 | 1.23 | Aquatec Biological Sciences |
| 18 | 5/2/07-5/8/07 | 2.395 | 2.14 | 3.03 | 1.26 | Aquatec Biological Sciences |
| 19 | 6/19/07-6/25/07 | 2.395 | 2.16 | 3.02 | 1.29 | Aquatec Biological Sciences |
| 20 | 7/22/07-7/28/07 | 1.782 | 2.14 | 3.00 | 1.28 | Aquatec Biological Sciences |

Reference Control Chart
Ceriodaphnia dubia Acute LC50




Ceriodaphnia dubia


Reference Control Chart for NaCl Chronic Toxicity

| Test Number | Test Date | IC-25 (g/L) | Mean IC-25 | Calculated limits Upper | Calculated limits Lower | Organism Source |
|-------------|------------------|-------------|------------|-------------------------|-------------------------|-----------------------------|
| 1 | 12/06/05 | 0.573 | 0.57 | | | Aquatec Biological Sciences |
| 2 | 01/03/06 | 0.333 | 0.45 | 0.79 | 0.11 | Aquatec Biological Sciences |
| 3 | 02/02/06 | 0.339 | 0.42 | 0.69 | 0.14 | Aquatec Biological Sciences |
| 4 | 03/02/06 | 0.78 | 0.51 | 0.93 | 0.08 | Aquatec Biological Sciences |
| 5 | 04/18/06 | 0.693 | 0.54 | 0.95 | 0.14 | Aquatec Biological Sciences |
| 6 | 05/02/06 | 0.313 | 0.51 | 0.91 | 0.10 | Aquatec Biological Sciences |
| 7 | 06/13/06 | 0.155 | 0.46 | 0.91 | 0.00 | Aquatec Biological Sciences |
| 8 | 07/25/06 | 0.488 | 0.46 | 0.88 | 0.03 | Aquatec Biological Sciences |
| 9 | 08/14/06 | 0.529 | 0.47 | 0.87 | 0.07 | Aquatec Biological Sciences |
| 10 | 09/05/06 | 0.507 | 0.47 | 0.85 | 0.09 | Aquatec Biological Sciences |
| 11 | 10/10/06 | 0.457 | 0.47 | 0.83 | 0.11 | Aquatec Biological Sciences |
| 12 | 11/07/06 | 0.665 | 0.49 | 0.85 | 0.13 | Aquatec Biological Sciences |
| 13 | 12/15/06 | 0.335 | 0.47 | 0.83 | 0.12 | Aquatec Biological Sciences |
| 14 | 01/08/07 | 0.473 | 0.47 | 0.82 | 0.13 | Aquatec Biological Sciences |
| 15 | 02/02/07 | 0.655 | 0.49 | 0.83 | 0.14 | Aquatec Biological Sciences |
| 16 | 2/26/2007-3/5/07 | 0.678 | 0.50 | 0.84 | 0.15 | Aquatec Biological Sciences |
| 17 | 3/27/07-4/2/07 | 0.686 | 0.51 | 0.85 | 0.16 | Aquatec Biological Sciences |
| 18 | 5/2/07-5/8/07 | 0.612 | 0.52 | 0.85 | 0.18 | Aquatec Biological Sciences |
| 19 | 6/19/07-6/25/07 | 0.625 | 0.52 | 0.85 | 0.19 | Aquatec Biological Sciences |
| 20 | 7/22/07-7/28/07 | 0.233 | 0.51 | 0.85 | 0.16 | Aquatec Biological Sciences |

Reference Control Chart
Ceriodaphnia dubia Chronic IC25



Toxicity Quality Assurance Report



EQ Laboratories, Inc.
Calle E. # 60 Industrial Park Minillas
Bayamon, PR 00959

Date: 8/6/2007
Project: 07047
SDG: 10521

Permit:

Method: A48DMR *Daphna magna*

Response: Survival (%)


| Day | Sample ID | Dilution Control |
|-----|-----------|------------------|
| 2 | 35723 | 80 |

Method: A48PPR *Pimephales promelas*

Response: Survival (%)

| Day | Sample ID | Dilution Control |
|-----|-----------|------------------|
| 2 | 35723 | 100 |

Toxicity Quality Assurance Report



EQ Laboratories, Inc.
Calle E. # 60 Industrial Park Minillas
Bayamon, PR 00959

Date: 8/6/2007
Project: 07047
SDG: 10521

Permit:


Special Conditions and Qualifiers

Residual chlorine was detected in the initial effluent sample therefore the sample was dechlorinated with sodium thiosulfate before using it for the toxicity tests. The laboratory control (dechlorination control) had an equivalent amount of sodium thiosulfate added.

Survival in the control for *Daphnia magna* was 80 percent. The test was viewed as being conditionally acceptable because survival in all test concentrations ranged from 95-100 percent (Acute toxicity was not detected.).

Low dissolved oxygen concentrations were observed in the 100 percent effluent during the fathead minnow, *Pimephales promelas*, survival assessment on Day 1. All larval minnows in that concentration had died.

Toxicity Quality Assurance Report



EQ Laboratories, Inc.
Calle E. # 60 Industrial Park Minillas
Bayamon, PR 00959

Date: 8/6/2007
Project: 07047
SDG: 10521

Permit:

WHOLE EFFLUENT TOXICITY TEST REPORT CERTIFICATION

The results reported relate only to the the samples submitted as received.

I certify under penalty of law that this document and all ATTACHMENTs were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on: _____
(Date)

(Authorized signature)

John Williams
Toxicity Laboratory Manager
Aquatec Biological Sciences, Inc.

Toxicity Detail Report

EQ Laboratories, Inc.
Calle E. # 60 Industrial Park Minillas
Bayamon, PR 00959

Date: 8/6/2007
Project: 07047
SDG: 10521
Permit:

Sample ID: 35723

Method: A48DMR *Daphna magna*

Response: Survival (%)

| Day | % | | | | | |
|-----|----|------|------|-----|-----|-----|
| | 0 | 6.25 | 12.5 | 25 | 50 | 100 |
| 2 | 80 | 95 | 100 | 100 | 100 | 95 |

Method: A48PPR *Pimephales promelas*

Response: Survival (%)

| Day | % | | | | | |
|-----|-----|------|------|------|------|-----|
| | 0 | 6.25 | 12.5 | 25 | 50 | 100 |
| 2 | 100 | 100 | 100 | 93.3 | 73.3 | 0 |

Toxicity Summary Report

EQ Laboratories, Inc.
 Calle E. # 60 Industrial Park Minillas
 Bayamon, PR 00959

Date: 8/6/2007
 Project: 07047
 SDG: 10521
 Permit:

Sample Name: Yauco Wastewater #1047206

Sample ID: 35723

| Method | Species | ACUTE | | CHRONIC | |
|--------|----------------------------|--------|--------|---------|--------|
| | | A-NOEC | A-LC50 | C-NOEC | C-LOEC |
| A48DMR | <i>Daphna magna</i> | 100 | >100 | | |
| A48PPR | <i>Pimephales promelas</i> | 25 | 54.4 | | |

Samples Received

| Number | Sample Name | Date Time and Collected | Type |
|--------|-----------------------------|-------------------------|-----------|
| 035723 | Yauco Wastewater #1047206 | 7/16/2007 9:18:00 AM | Effluent |
| 035726 | Moderately hard water 35717 | 7/16/2007 | Lab water |

APPENDIX 2

Laboratory Reports

Columbia Analytical Services, Inc.
O'Brien & Gere, Inc.

COLUMBIA ANALYTICAL SERVICES

Reported: 08/03/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8328CDM

Date Sampled : 07/09/07 10:50
Date Received: 07/10/07

Order #: 1017877
Submission #: R2738528

Sample Matrix: WATER

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 07/13/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/13/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/13/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0320 | MG/L | 07/13/07 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 08/03/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8328CTM

Date Sampled : 07/09/07 10:50 **Order #:** 1017880 **Sample Matrix:** WATER
Date Received: 07/10/07 **Submission #:** R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|-----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 07/13/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| CALCIUM | 200.7 | 1.00 | 60.4 | MG/L | 07/13/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/13/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| MAGNESIUM | 200.7 | 1.00 | 28.7 | MG/L | 07/13/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/13/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0209 | MG/L | 07/13/07 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 08/03/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8329RTM

Date Sampled : 07/09/07 08:35 Order #: 1017881 Sample Matrix: WATER
Date Received: 07/10/07 Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|-----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.468 | MG/L | 07/13/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| CALCIUM | 200.7 | 1.00 | 26.0 | MG/L | 07/13/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/13/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/13/07 | 1.0 |
| MAGNESIUM | 200.7 | 1.00 | 9.70 | MG/L | 07/13/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/13/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/13/07 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 08/03/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8329R

Date Sampled : 07/09/07 08:35

Order #: 1017875

Sample Matrix: WATER

Date Received: 07/10/07

Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|------------------------|----------|--------|----------|-------|---------------|---------------|----------|
| AMMONIA | 350.1M | 0.0500 | 0.0626 | MG/L | 07/16/07 | 09:33 | 1.0 |
| CHLORIDE | SM4500-C | 1.00 | 19.9 | MG/L | 07/17/07 | 15:14 | 1.0 |
| TOTAL ALKALINITY | SM2320B | 2.00 | 97.0 | MG/L | 07/13/07 | 09:00 | 1.0 |
| TOTAL ORGANIC CARBON | SM5310C | 1.00 | 5.77 | MG/L | 07/11/07 | 21:48 | 1.0 |
| TOTAL PHOSPHORUS | 365.1 | 0.0500 | 0.0500 U | MG/L | 07/12/07 | 11:49 | 1.0 |
| TOTAL SOLIDS | SM2540B | 10.0 | 164 | MG/L | 07/12/07 | 11:00 | 1.0 |
| TOTAL SUSPENDED SOLIDS | SM2540D | 1.00 | 16.4 | MG/L | 07/13/07 | 13:45 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 08/03/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8328C

Date Sampled : 07/09/07 10:50
Date Received: 07/10/07

Order #: 1017876
Submission #: R2738528

Sample Matrix: WATER

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE | TIME | DILUTION |
|------------------------|----------|--------|----------|-------|----------|----------|----------|
| | | | | | ANALYZED | ANALYZED | |
| AMMONIA | 350.1M | 0.0500 | 0.359 | MG/L | 07/16/07 | 09:33 | 1.0 |
| CHLORIDE | SM4500-C | 1.00 | 144 | MG/L | 07/17/07 | 15:14 | 5.0 |
| TOTAL ALKALINITY | SM2320B | 2.00 | 298 | MG/L | 07/13/07 | 09:00 | 1.0 |
| TOTAL ORGANIC CARBON | SM5310C | 1.00 | 5.46 | MG/L | 07/11/07 | 22:07 | 1.0 |
| TOTAL PHOSPHORUS | 365.1 | 0.0500 | 0.0500 U | MG/L | 07/12/07 | 11:49 | 1.0 |
| TOTAL SOLIDS | SM2540B | 10.0 | 542 | MG/L | 07/12/07 | 11:00 | 1.0 |
| TOTAL SUSPENDED SOLIDS | SM2540D | 1.00 | 1.80 | MG/L | 07/13/07 | 13:45 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 08/03/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8329RCN

Date Sampled : 07/09/07 08:35 Order #: 1017882 Sample Matrix: WATER
Date Received: 07/10/07 Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 10:24 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 08/03/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8329RCN-FLTR

Date Sampled : 07/09/07 08:35 **Order #:** 1017883 **Sample Matrix:** WATER
Date Received: 07/10/07 **Submission #:** R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 10:24 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 08/03/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8328CCN

Date Sampled : 07/09/07 10:50 Order #: 1017884 Sample Matrix: WATER
Date Received: 07/10/07 Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|--------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0133 | MG/L | 07/13/07 | 10:24 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 08/03/07

General Electric

Project Reference: GE-PITTSFIELD - ACUTE/CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8328CCN-FLTR

Date Sampled : 07/09/07 10:50 Order #: 1017885 Sample Matrix: WATER
Date Received: 07/10/07 Submission #: R2738528

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/13/07 | 10:24 | 1.0 |

NPDES Sampling
GE Pittsfield
Toxicity pH

Date: July 9, 2007

Acute Dry
Acute Wet
Chronic (Day 1 or 3)

split sample

Effluent Composite

Sample # AY328C
Date 7-9-07
Time 10:50AM
pH 7.64 su

River/Dilution Water

Sample # AY329R
Date 7-9-07
Time 8:35AM
pH 7.22 su

SEAN C COYLE



Signed & Dated

COLUMBIA ANALYTICAL SERVICES

Reported: 07/20/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8340C

Date Sampled : 07/11/07 10:10 Order #: 1018657 Sample Matrix: WATER
Date Received: 07/12/07 Submission #: R2738592

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|------------------------|----------|--------|----------|-------|---------------|---------------|----------|
| AMMONIA | 350.1M | 0.0500 | 0.200 | MG/L | 07/16/07 | 09:33 | 1.0 |
| CHLORIDE | SM4500-C | 1.00 | 148 | MG/L | 07/17/07 | 15:14 | 5.0 |
| TOTAL ALKALINITY | SM2320B | 2.00 | 263 | MG/L | 07/13/07 | 09:00 | 1.0 |
| TOTAL ORGANIC CARBON | SM5310C | 1.00 | 5.35 | MG/L | 07/13/07 | 18:01 | 1.0 |
| TOTAL PHOSPHORUS | 365.1 | 0.0500 | 0.0500 U | MG/L | 07/19/07 | 11:27 | 1.0 |
| TOTAL SOLIDS | SM2540B | 10.0 | 494 | MG/L | 07/17/07 | 13:15 | 1.0 |
| TOTAL SUSPENDED SOLIDS | SM2540D | 1.00 | 2.10 | MG/L | 07/18/07 | 11:00 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/20/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8340CCN

Date Sampled : 07/11/07 10:10 Order #: 1018667 Sample Matrix: WATER
Date Received: 07/12/07 Submission #: R2738592

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|--------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0399 | MG/L | 07/18/07 | 15:31 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/20/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8340CCN-FLTR

Date Sampled : 07/11/07 10:10 Order #: 1018668 Sample Matrix: WATER
Date Received: 07/12/07 Submission #: R2738592

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 15:31 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/20/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8340CTM

Date Sampled : 07/11/07 10:10

Order #: 1018662

Sample Matrix: WATER

Date Received: 07/12/07

Submission #: R2738592

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|-----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 07/16/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/16/07 | 1.0 |
| CALCIUM | 200.7 | 1.00 | 56.2 | MG/L | 07/16/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/16/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/16/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/16/07 | 1.0 |
| MAGNESIUM | 200.7 | 1.00 | 26.1 | MG/L | 07/16/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/16/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/16/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0266 | MG/L | 07/16/07 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/20/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8340CDM

Date Sampled : 07/11/07 10:10
Date Received: 07/12/07

Order #: 1018658
Submission #: R2738592

Sample Matrix: WATER

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 07/16/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/16/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/16/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/16/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/16/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/16/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/16/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0340 | MG/L | 07/16/07 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/20/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8341R

Date Sampled : 07/11/07 08:25

Order #: 1018656

Sample Matrix: WATER

Date Received: 07/12/07

Submission #: R2738592

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|------------------------|----------|--------|----------|-------|---------------|---------------|----------|
| AMMONIA | 350.1M | 0.0500 | 0.0500 U | MG/L | 07/16/07 | 09:33 | 1.0 |
| CHLORIDE | SM4500-C | 1.00 | 19.4 | MG/L | 07/17/07 | 15:14 | 1.0 |
| TOTAL ALKALINITY | SM2320B | 2.00 | 110 | MG/L | 07/13/07 | 09:00 | 1.0 |
| TOTAL ORGANIC CARBON | SM5310C | 1.00 | 6.30 | MG/L | 07/13/07 | 17:42 | 1.0 |
| TOTAL PHOSPHORUS | 365.1 | 0.0500 | 0.0500 U | MG/L | 07/19/07 | 11:27 | 1.0 |
| TOTAL SOLIDS | SM2540B | 10.0 | 161 | MG/L | 07/17/07 | 13:15 | 1.0 |
| TOTAL SUSPENDED SOLIDS | SM2540D | 1.00 | 2.20 | MG/L | 07/18/07 | 11:00 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/20/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8341RCN

Date Sampled : 07/11/07 08:25 Order #: 1018665 Sample Matrix: WATER
Date Received: 07/12/07 Submission #: R2738592

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 15:31 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/20/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8341RCN-FLTR

Date Sampled : 07/11/07 08:25

Order #: 1018666

Sample Matrix: WATER

Date Received: 07/12/07

Submission #: R2738592

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 15:31 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/20/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8341RTM

Date Sampled : 07/11/07 08:25
Date Received: 07/12/07

Order #: 1018664
Submission #: R2738592

Sample Matrix: WATER

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|-----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 07/16/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/16/07 | 1.0 |
| CALCIUM | 200.7 | 1.00 | 28.1 | MG/L | 07/16/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/16/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/16/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/16/07 | 1.0 |
| MAGNESIUM | 200.7 | 1.00 | 10.1 | MG/L | 07/16/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/16/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/16/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/16/07 | 1.0 |

NPDES Sampling
GE Pittsfield
Toxicity pH

Date: July 11, 2007

Acute Dry

Acute Wet

Chronic (Day 1 or 3)

Effluent Composite

Sample # A8340C

Date 7/11/07

Time 10:10 AM

pH 7.71 su

River/Dilution Water

Sample # A8341R

Date 7/11/07

Time 8:25 AM

pH 7.46 su

SEAN C. COYNE



Signed & Dated

COLUMBIA ANALYTICAL SERVICES

Reported: 07/23/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8349C

Date Sampled : 07/13/07 09:50

Order #: 1019310

Sample Matrix: WATER

Date Received: 07/14/07

Submission #: R2738626

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE | TIME | DILUTION |
|------------------------|----------|--------|----------|-------|----------|----------|----------|
| | | | | | ANALYZED | ANALYZED | |
| AMMONIA | 350.1M | 0.0500 | 0.235 | MG/L | 07/20/07 | 13:24 | 1.0 |
| CHLORIDE | SM4500-C | 1.00 | 112 | MG/L | 07/17/07 | 15:14 | 5.0 |
| TOTAL ALKALINITY | SM2320B | 2.00 | 204 | MG/L | 07/23/07 | 10:50 | 1.0 |
| TOTAL ORGANIC CARBON | SM5310C | 1.00 | 4.46 | MG/L | 07/19/07 | 14:08 | 1.0 |
| TOTAL PHOSPHORUS | 365.1 | 0.0500 | 0.0500 U | MG/L | 07/19/07 | 11:27 | 1.0 |
| TOTAL SOLIDS | SM2540B | 10.0 | 382 | MG/L | 07/17/07 | 13:15 | 1.0 |
| TOTAL SUSPENDED SOLIDS | SM2540D | 1.00 | 1.80 | MG/L | 07/18/07 | 11:00 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/23/07

General Electric
Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07
Client Sample ID : A8349CCN

Date Sampled : 07/13/07 09:50 Order #: 1019316 Sample Matrix: WATER
Date Received: 07/14/07 Submission #: R2738626

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|--------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0112 | MG/L | 07/18/07 | 15:31 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/23/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8349CCN-FLTR

Date Sampled : 07/13/07 09:50 Order #: 1019317 Sample Matrix: WATER
Date Received: 07/14/07 Submission #: R2738626

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 15:31 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/23/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8349CTM

Date Sampled : 07/13/07 09:50
Date Received: 07/14/07

Order #: 1019312
Submission #: R2738626

Sample Matrix: WATER

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|-----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 07/18/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/18/07 | 1.0 |
| CALCIUM | 200.7 | 1.00 | 41.7 | MG/L | 07/18/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/18/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/18/07 | 1.0 |
| MAGNESIUM | 200.7 | 1.00 | 18.6 | MG/L | 07/18/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/18/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0280 | MG/L | 07/18/07 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/23/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8349CDM

Date Sampled : 07/13/07 09:50

Order #: 1019311

Sample Matrix: WATER

Date Received: 07/14/07

Submission #: R2738626

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 07/18/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/18/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/18/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/18/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/18/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0327 | MG/L | 07/18/07 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/23/07

General Electric
Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07
Client Sample ID : A8350R

Date Sampled : 07/13/07 08:30 Order #: 1019309 Sample Matrix: WATER
Date Received: 07/14/07 Submission #: R2738626

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|------------------------|----------|--------|----------|-------|---------------|---------------|----------|
| AMMONIA | 350.1M | 0.0500 | 0.0500 U | MG/L | 07/20/07 | 13:24 | 1.0 |
| CHLORIDE | SM4500-C | 1.00 | 15.3 | MG/L | 07/17/07 | 15:14 | 1.0 |
| TOTAL ALKALINITY | SM2320B | 2.00 | 77.4 | MG/L | 07/23/07 | 10:50 | 1.0 |
| TOTAL ORGANIC CARBON | SM5310C | 1.00 | 7.25 | MG/L | 07/19/07 | 13:49 | 1.0 |
| TOTAL PHOSPHORUS | 365.1 | 0.0500 | 0.100 U | MG/L | 07/19/07 | 11:27 | 2.0 |
| TOTAL SOLIDS | SM2540B | 10.0 | 133 | MG/L | 07/17/07 | 13:15 | 1.0 |
| TOTAL SUSPENDED SOLIDS | SM2540D | 1.00 | 3.70 | MG/L | 07/18/07 | 11:00 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/23/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8350RCN

Date Sampled : 07/13/07 08:30 Order #: 1019314 Sample Matrix: WATER
Date Received: 07/14/07 Submission #: R2738626

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 15:31 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/23/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8350RCN-FLTR

Date Sampled : 07/13/07 08:30 Order #: 1019315 Sample Matrix: WATER
Date Received: 07/14/07 Submission #: R2738626

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 15:31 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 07/23/07

General Electric

Project Reference: GE-PITTSFIELD CHRONIC BIOMONITORING - 7/07

Client Sample ID : A8350RTM

Date Sampled : 07/13/07 08:30
Date Received: 07/14/07

Order #: 1019313
Submission #: R2738626

Sample Matrix: WATER

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|-----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 07/18/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/18/07 | 1.0 |
| CALCIUM | 200.7 | 1.00 | 20.9 | MG/L | 07/18/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/18/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 07/18/07 | 1.0 |
| MAGNESIUM | 200.7 | 1.00 | 7.20 | MG/L | 07/18/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 07/18/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 07/18/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0200 U | MG/L | 07/18/07 | 1.0 |

NPDES Sampling
GE Pittsfield
Toxicity pH

Date: 7/13/07

Acute Dry

Acute Wet

Chronic (Day 1, 2 or 3)

Effluent Composite

Sample # A 8349 C

Date 7-13-07

Time 9⁵⁰ AM

pH 7.72 su

River/Dilution Water

Sample # A 8350-R

Date 7-13-07

Time 8³⁰ AM

pH 7.32 su

Joseph C. Hawley 7-13-07
Signed & Dated

APPENDIX 3

Chain of Custody Forms



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

One Mustard St., Suite 250 • Rochester, NY 14609-0859 • (585) 288-5380 • 800-695-7222 x11 • FAX (585) 288-8475 PAGE 1 OF 1

SR #

CAS Contact

| Project Name | | Project Number | | ANALYSIS REQUESTED (Include Method Number and Container Preservative) | | PRESERVATIVE | REMARKS/ ALTERNATE DESCRIPTION | Preservative Key 0. NONE 1. HCL 2. HNO3 3. H2SO4 4. NaOH 5. Zn. Acetate 6. MeOH 7. NaHSO4 8. Other |
|--------------------------|----------------|---------------------|--------|---|---------------|-------------------|-----------------------------------|---|
| Company/Address | Report CC | Client Sample ID | Lab ID | For Office Use Only | Matrix | | | |
| NPDES PERMIT | | | | | | | | |
| J. Nicholson | | | | | | | | |
| G.E. CEP | | | | | | | | |
| 159 PLASTICS AVE Bldg 59 | | | | | | | | |
| Pittsfield MA, 01201 | | | | | | | | |
| Phone # | FAX | SAMPLING DATE | | SAMPLING TIME | | MATRIX | | |
| (413) 448-5915 | (413) 448-5935 | | | | | | | |
| Joseph C. Hamling | | Joseph C. Hamling | | Joseph C. Hamling | | Joseph C. Hamling | | |
| CLIENT SAMPLE ID | LAB ID | FOR OFFICE USE ONLY | LAB ID | SAMPLING DATE | SAMPLING TIME | MATRIX | | |
| A8349C | 1019310 | | | 7-13-07 | 9:30 AM | H2O | | |
| A8350R | 1019309 | | | 7-13-07 | 8:30 AM | H2O | | |
| A8349C | 1019310 | | | 7-13-07 | 9:30 AM | H2O | | |
| A8350R | 1019309 | | | 7-13-07 | 8:30 AM | H2O | | |
| A8349C | 1019310 | | | 7-13-07 | 9:30 AM | H2O | | |
| A8350R | 1019309 | | | 7-13-07 | 8:30 AM | H2O | | |
| A8349C | 1019310 | | | 7-13-07 | 9:30 AM | H2O | | |
| A8350R | 1019309 | | | 7-13-07 | 8:30 AM | H2O | | |

| | | | |
|---|--|--|--|
| SPECIAL INSTRUCTIONS/COMMENTS Metals SAMPLES packed in Ice | TURNAROUND REQUIREMENTS RUSH (SURCHARGES APPLY) 24 hr _____ 48 hr _____ 5 day _____ STANDARD REQUESTED FAX DATE _____ REQUESTED REPORT DATE _____ | REPORT REQUIREMENTS I. Results Only _____ II. Results + QC Summaries (LCS, DUP, MS/MSD as required) _____ III. Results + QC and Calibration Summaries _____ IV. Data Validation Report with Raw Data _____ V. Specialized Forms / Custom Report _____ Edata Yes _____ No _____ | INVOICE INFORMATION PO# _____ BILL TO: _____ SUBMISSION #: <u>R2738626</u> RECEIVED BY _____ |
| | RECEIVED BY _____ Signature _____ Printed Name _____ Firm _____ Date/Time _____ | RECEIVED BY _____ Signature _____ Printed Name _____ Firm _____ Date/Time _____ | RECEIVED BY _____ Signature _____ Printed Name _____ Firm _____ Date/Time _____ |



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

One Mustard St., Suite 250 • Rochester, NY 14609-0859 • (585) 286-5380 • 800-695-7222 x11 • FAX (585) 288-8475 PAGE 2 OF 2

SR #

CAS Contact

| Project Name | | Project Number | | ANALYSIS REQUESTED (Include Method Number and Container Preservative) | | | | | | | | | | REMARKS/ALTERNATE DESCRIPTION | | | | | | | | | | | |
|-------------------|--|--------------------------|--|---|--|----------------------|--|---------------|--|------------------|--|-------------------------------------|--|-------------------------------------|--|-------------------------------------|--|-------------------------------------|--|-------------------------------------|--|-------------------------------------|--|----------------------|--|
| Project Manager | | Report CC | | PRESERVATIVE | | NUMBER OF CONTAINERS | | GC/MS VOAS | | PESTICIDES | | PCBS | | METALS, TOTAL | | METALS, DISSOLVED | | CYANIDE-CPM 335.4 | | CYANIDE | | | | | |
| Company/Address | | PAX# | | LAB ID | | DATE | | SAMPLING TIME | | MATRIX | | GC/MS VOAS | | PESTICIDES | | PCBS | | METALS, TOTAL | | METALS, DISSOLVED | | CYANIDE-CPM 335.4 | | CYANIDE | |
| NPDES PERMIT | | 159 PLASTICS AVE BLDG 59 | | 1019312 | | 7-13-07 9:30 AM | | 8:30 AM | | H ₂ O | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | MATRIX SPIKE | |
| Joseph C. Hamling | | Pittsfield, MA. 01201 | | 1019313 | | 7-13-07 8:30 AM | | 8:30 AM | | H ₂ O | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | Filtered + Preserved | |
| Joseph C. Hamling | | Pittsfield, MA. 01201 | | 1019311 | | 7-13-07 9:30 AM | | 9:30 AM | | H ₂ O | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | | |
| Joseph C. Hamling | | Pittsfield, MA. 01201 | | 1019316 | | 7-13-07 9:30 AM | | 9:30 AM | | H ₂ O | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | | |
| Joseph C. Hamling | | Pittsfield, MA. 01201 | | 1019314 | | 7-13-07 8:30 AM | | 8:30 AM | | H ₂ O | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | | |
| Joseph C. Hamling | | Pittsfield, MA. 01201 | | 1019317 | | 7-13-07 9:30 AM | | 9:30 AM | | SOLID | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | | |
| Joseph C. Hamling | | Pittsfield, MA. 01201 | | 1019315 | | 7-13-07 8:30 AM | | 8:30 AM | | SOLID | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | | |
| Joseph C. Hamling | | Pittsfield, MA. 01201 | | 1019312 | | 7-13-07 9:30 AM | | 9:30 AM | | H ₂ O | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | <input checked="" type="checkbox"/> | | | |

SPECIAL INSTRUCTIONS/COMMENTS
Metals TOTAL METALS (10) + DISSOLVED METALS (8) LISTED
 ① 260 ML OF SAMPLE FILTERED THROUGH PAD
 - SAMPLES PACKED IN ICE
 - CHRONIC TOX COMPOSITE SHEET + PH (TOX) SHEET INCL.

REPORT REQUIREMENTS
 I. Results Only
 II. Results + QC Summaries (LCS, DUP, MSM/SD as required)
 III. Results + QC and Calibration Summaries
 IV. Data Validation Report with Raw Data
 V. Specialized Forms / Custom Report

EDATA: Yes No

INVOICE INFORMATION
 PO#
 BILL TO:
 SUBMISSION #: R2738626
 RECEIVED BY:

TURNAROUND REQUIREMENTS
 RUSH (SURCHARGES APPLY)
 24 hr 48 hr 5 day
 STANDARD
 REQUESTED FAX DATE
 REQUESTED REPORT DATE

RECEIVED BY: _____
 SIGNATURE: _____
 PRINTED NAME: _____
 FIRM: _____
 DATE/TIME: _____

RECEIVED BY: _____
 SIGNATURE: _____
 PRINTED NAME: _____
 FIRM: _____
 DATE/TIME: _____

RECEIVED BY: _____
 SIGNATURE: _____
 PRINTED NAME: _____
 FIRM: _____
 DATE/TIME: _____

RECEIVED BY: _____
 SIGNATURE: _____
 PRINTED NAME: _____
 FIRM: _____
 DATE/TIME: _____

Cooler Receipt And Preservation Check Form

Project/Client GE-Pittsfield Submission Number _____

Cooler received on 7-14-07 by: KE COURIER: CAS UPS FEDEX VELOCITY CLIENT

1. Were custody seals on outside of cooler? YES NO
2. Were custody papers properly filled out (ink, signed, etc.)? YES NO
3. Did all bottles arrive in good condition (unbroken)? YES NO
4. Did any VOA vials have significant air bubbles? YES NO N/A
5. Were Ice or Ice packs present? YES NO
6. Where did the bottles originate? CAS/ROC, CLIENT
7. Temperature of cooler(s) upon receipt: 2.0°

Is the temperature within 0° - 6° C?: Yes Yes Yes Yes Yes

If No, Explain Below No No No No No

Date/Time Temperatures Taken: 7-14-07 @ 11:26

Thermometer ID: 161 or IR GUN Reading From: Temp Blank or Sample Bottle

If out of Temperature, Client Approval to Run Samples

PC Secondary Review: _____

Cooler Breakdown: Date: _____ by: _____

1. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
2. Did all bottle labels and tags agree with custody papers? YES NO
3. Were correct containers used for the tests indicated? YES NO
4. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated N/A

Explain any discrepancies: _____

| | | YES | NO | Sample I.D. | Reagent | Vol. Added | Final pH |
|-------------------------|--------------------------------|-----|----|-------------|---------|------------|----------|
| pH | Reagent | | | | | | |
| ≥12 | NaOH | | | | | | |
| ≤2 | HNO ₃ | | | | | | |
| ≤2 | H ₂ SO ₄ | | | | | | |
| Residual Chlorine (+/-) | for TCN & Phenol | | | | | | |

YES = All samples OK NO = Samples were preserved at lab as listed PC OK to adjust pH _____

| | | |
|--|--|--|
| VOC Vial pH Verification (Tested after Analysis) Following Samples Exhibited pH > 2 | | |
| | | |
| | | |
| | | |

Other Comments:

PC Secondary Review: _____

7/13/2007

CHRONIC AQUATIC TOXICITY COMPOSITE 7C3

Month: JUL
Week: 2
Fiscal Wk: 28
Weather: DRY

This Effluent sample is a flow proportioned composite made from 24 Hr Composite samples collected at the indicated outfalls and specified times.

| Outfall # | Collection Time | Gallons/Day | MI in Composite | Percent of Composite |
|-----------|-----------------|-------------|-----------------|----------------------|
| 001 | 7:10AM | 12,140 | 1,290.89 | 8.61% |
| 004 | | 0 | - | 0.00% |
| 007 | | 0 | - | 0.00% |
| 64T | 7:05AM | 9,190 | 977.20 | 6.51% |
| 64G | 7:05AM | 69,980 | 7,441.20 | 49.61% |
| 09A | | 0 | - | 0.00% |
| 09B | 7:25AM | 49,756 | 5,290.71 | 35.27% |
| | | 141,066 | 15000 | 100.00% |

The Acute Toxicity Composite was made today by Joseph C. Hamling @ 9:50 AM
according to the table above, and given the sample ID# A8349C

Joseph C. Hamling
Signed
7-13-07
Date

| | |
|-------------------------------|------------------------------------|
| Chain-of-Custody Form Number: | <u>5967</u> |
| Analysis: | <u>Chronic Tox Composite DAY 3</u> |
| Location: | <u>9:50 AM</u> |
| Date: | <u>7-13-07</u> |
| Time: | |
| Sample Label Serial Number | <u>A 8349</u> |



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

One Mustard St., Suite 250 • Rochester, NY 14609-0859 • (585) 288-5380 • 800-695-7222 X11 • FAX (585) 288-8475 PAGE 1 OF 3

SR # _____
CAS Contact _____

| Project Name | Project Number | ANALYSIS REQUESTED (Include Method Number and Container Preservative) | PRESERVATIVE | NUMBER OF CONTAINERS | CLIENT SAMPLE ID | FOR OFFICE USE ONLY LAB ID | SAMPLING DATE | SAMPLING TIME | MATRIX | SPECIAL INSTRUCTIONS/COMMENTS | TURNAROUND REQUIREMENTS | REPORT REQUIREMENTS | INVOICE INFORMATION |
|--|----------------------|---|--|----------------------|------------------|-------------------------------|---------------|---------------|------------------|-------------------------------|--|---|---|
| NPDES PERMIT | J. NICHOLSON | 2 Z 4 P | GCMS VOAs <input type="checkbox"/> CLP GCMS SVOAs <input type="checkbox"/> CLP GC VOAs <input type="checkbox"/> CLP PESTICIDES <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 PCBs <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP METALS, TOTAL (9) EPA <input type="checkbox"/> CLP (List in comments below) 200.1 METALS, DISSOLVED (8) EPA <input type="checkbox"/> CLP (List in comments below) 200.7 CHLORIDE EPA 333.1 CHLORIDE | 1 | A8340CTM | 1018662 | 7/11/07 | 10 AM | H ₂ O | | <input checked="" type="checkbox"/> I. Results Only <input type="checkbox"/> II. Results + QC Summaries (LCS, DUP, MS/MSD as required) <input type="checkbox"/> III. Results + QC and Calibration Summaries <input checked="" type="checkbox"/> IV. Data Validation Report with Raw Data <input type="checkbox"/> V. Specialized Forms / Custom Report | <input type="checkbox"/> PO# <input type="checkbox"/> BILL TO: SUBMISSION #: <u>R271892</u> | RECEIVED BY _____ SIGNATURE _____ PRINTED NAME _____ FIRM _____ DATE/TIME _____ |
| 159 PLASTICS AVE, BLDG 59 | PITTSFIELD, MA 01201 | | | 1 | A8341RTM | 1018664 | 7/11/07 | 8 AM | H ₂ O | | | | |
| | | | | 1 | A8340CCM | 1018665 | 7/11/07 | 10 AM | H ₂ O | | | | |
| | | | | 1 | A8340CCN | 1018667 | 7/11/07 | 10 AM | H ₂ O | | | | |
| | | | | 1 | A8341RCN | 1018665 | 7/14/07 | 8 AM | H ₂ O | | | | |
| | | | | 1 | A8340CCN-FLTR | 1018666 | 7/11/07 | 10 AM | SOLID | | | | |
| | | | | 1 | A8341RCN-FLTR | 1018666 | 7/11/07 | 8 AM | SOLID | | | | |
| SPECIAL INSTRUCTIONS/COMMENTS Metals (TOTAL METALS(10) & DISSOLVED METALS(8)) LISTED ON SAMPLE BOTTLES 1) 260 ml of sample filtered through 4 pad - SAMPLES PACKED IN ICE - ENRONIC TOX COMPOSITE SHEET & PK (TOX) SHEET INCL. W/ COCCS) | | | | | | | | | | | RUSH (SURCHARGES APPLY) <input type="checkbox"/> 24 hr <input type="checkbox"/> 48 hr <input checked="" type="checkbox"/> 5 day STANDARD REQUESTED FAX DATE _____ REQUESTED REPORT DATE _____ | I. Results Only II. Results + QC Summaries (LCS, DUP, MS/MSD as required) III. Results + QC and Calibration Summaries IV. Data Validation Report with Raw Data V. Specialized Forms / Custom Report | RECEIVED BY _____ SIGNATURE _____ PRINTED NAME _____ FIRM _____ DATE/TIME _____ |
| SAMPLE RECEIPT: CONDITION/COOLER TEMP: _____ CUSTODY SEALS: Y N RELINQUISHED BY _____ SIGNATURE: <u>C. Coyne</u> PRINTED NAME: <u>SEAN E. COYNE</u> FIRM: <u>CAS</u> DATE/TIME: <u>7/11/07 2:00pm</u> | | | | | | | | | | | RECEIVED BY _____ SIGNATURE _____ PRINTED NAME _____ FIRM _____ DATE/TIME _____ | RECEIVED BY _____ SIGNATURE _____ PRINTED NAME _____ FIRM _____ DATE/TIME _____ | RECEIVED BY _____ SIGNATURE _____ PRINTED NAME _____ FIRM _____ DATE/TIME _____ |



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

SR # _____

CAS Contact _____

PAGE 2 OF 3

One Mustard St., Suite 250 • Rochester, NY 14609-0859 • (585) 288-5380 • 800-695-7222 X11 • FAX (585) 288-8475

www.caslab.com

| Project Name | | Project Number | | ANALYSIS REQUESTED (Include Method Number and Container Preservative) | |
|---|---------|--|-------|--|---|
| NPDES PERMIT | | Report CC | | PRESERVATIVE | |
| J. NICKOLSON | | | | <input type="checkbox"/> NONE <input type="checkbox"/> HCL <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> Zn-Acetate <input type="checkbox"/> MeOH <input type="checkbox"/> NaHSO ₄ <input type="checkbox"/> Other _____ | |
| Company/Address | | Company/Address | | REMARKS/ ALTERNATE DESCRIPTION | |
| GE CEP | | 159 PLASTICS AVE, BUDG 59 | | | |
| 159 PLASTICS AVE, BUDG 59 | | PITTSFIELD, MA 01201 | | | |
| Phone # | | FAX# | | | |
| (413) 448-5915 | | (413) 448-5935 | | | |
| Sampler's Signature | | Sampler's Printed Name | | | |
| <i>J. C. Coyne</i> | | SEAN C. COYNE | | | |
| CLIENT SAMPLE ID | | FOR OFFICE USE ONLY | | MATRIX | |
| | | LAB ID | | SAMPLING DATE | |
| | | | | TIME | |
| | | | | | |
| A8340C | 1018657 | 7/11/07 | 10 AM | H ₂ O | 3 |
| A8341R | 1018656 | 7/11/07 | 8 AM | H ₂ O | 3 |
| A8340C | 1018657 | 7/11/07 | 10 AM | H ₂ O | 1 |
| A8341R | 1018656 | 7/11/07 | 8 AM | H ₂ O | 1 |
| A8340C | 1018657 | 7/11/07 | 10 AM | H ₂ O | 1 |
| A8341R | 1018656 | 7/11/07 | 8 AM | H ₂ O | 1 |
| A8340C | 1018657 | 7/11/07 | 10 AM | H ₂ O | 1 |
| A8341R | 1018656 | 7/11/07 | 8 AM | H ₂ O | 1 |
| A8340C | 1018657 | 7/11/07 | 10 AM | H ₂ O | 1 |
| A8341R | 1018656 | 7/11/07 | 8 AM | H ₂ O | 1 |
| SPECIAL INSTRUCTIONS/COMMENTS Metals - SAMPLES PACKED IN ICE | | | | | |
| See QAPP <input type="checkbox"/> | | TURNAROUND REQUIREMENTS <input type="checkbox"/> RUSH (SURCHARGES APPLY) <input checked="" type="checkbox"/> 24 hr <input type="checkbox"/> 48 hr <input type="checkbox"/> 5 day <input type="checkbox"/> STANDARD REQUESTED FAX DATE _____ REQUESTED REPORT DATE _____ | | REPORT REQUIREMENTS <input type="checkbox"/> I. Results Only <input type="checkbox"/> II. Results + QC Summaries (LCS, DUP, MS/MSD as required) <input type="checkbox"/> III. Results + QC and Calibration Summaries <input checked="" type="checkbox"/> IV. Data Validation Report with Raw Data <input type="checkbox"/> V. Specified Forms / Custom Report Edata <input type="checkbox"/> Yes <input type="checkbox"/> No | |
| SAMPLE RECEIPT: CONDITION/COOLER TEMP. _____ RECEIVED BY _____ Signature: <i>J. C. Coyne</i> Printed Name: SEAN C. COYNE Firm: CAS Date/Time: 7/11/07 2:00pm | | CUSTODY SEALS: Y N RECEIVED BY _____ Signature: _____ Printed Name: _____ Firm: _____ Date/Time: 7/11/07 9:30 | | INVOICE INFORMATION PO# _____ BILL TO: _____ SUBMISSION #: <u>6238592</u> RECEIVED BY _____ Signature: _____ Printed Name: _____ Firm: _____ Date/Time: _____ | |

Cooler Receipt And Preservation Check Form

Project/Client GE-Pittsfield Submission Number _____

Cooler received on 7-12-07 by: ME COURIER: CAS UPS FEDEX VELOCITY CLIENT

1. Were custody seals on outside of cooler? YES NO
2. Were custody papers properly filled out (ink, signed, etc.)? YES NO
3. Did all bottles arrive in good condition (unbroken)? YES NO
4. Did any VOA vials have significant air bubbles? YES NO N/A
5. Were Ice or Ice packs present? YES NO
6. Where did the bottles originate? CAS/ROC, CLIENT
7. Temperature of cooler(s) upon receipt: 0.9°

Is the temperature within 0° - 6° C?: Yes Yes Yes Yes Yes
 If No, Explain Below No No No No No

Date/Time Temperatures Taken: 7-12-07 @ 10:25

Thermometer ID: 161 or IR GUN Reading From: Temp Blank or Sample Bottle

If out of Temperature, Client Approval to Run Samples _____

PC Secondary Review: OK 7/12/07

Cooler Breakdown: Date: _____ by: _____

1. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
2. Did all bottle labels and tags agree with custody papers? YES NO
3. Were correct containers used for the tests indicated? YES NO
4. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated N/A

Explain any discrepancies: _____

| | YES | NO | Sample I.D. | Reagent | Vol. Added | Final pH |
|-------------------------|-----|----|-------------|--------------------------------|------------|----------|
| pH | | | | | | |
| ≥12 | | | | NaOH | | |
| ≤2 | | | | HNO ₃ | | |
| ≤2 | | | | H ₂ SO ₄ | | |
| Residual Chlorine (+/-) | | | | for TCN & Phenol | | |

YES = All samples OK NO = Samples were preserved at lab as listed PC OK to adjust pH _____

| | | |
|--|--|--|
| VOC Vial pH Verification (Tested after Analysis) Following Samples Exhibited pH > 2 | | |
| | | |
| | | |
| | | |

Other Comments:

PC Secondary Review: _____

7/11/2007

CHRONIC AQUATIC TOXICITY COMPOSITE 7C2

Month: JUL
Week: 2
Fiscal Wk: 28
Weather: DRY

This Effluent sample is a flow proportioned composite made from 24 Hr Composite samples collected at the indicated outfalls and specified times.

| Outfall # | Collection Time | Gallons/Day | MI in Composite | Percent of Composite |
|-----------|-----------------|-------------|-----------------|----------------------|
| 001 | 7:10AM | 18,350 | 1,231.64 | 12.32% |
| 004 | | 0 | - | 0.00% |
| 007 | | 0 | - | 0.00% |
| 64T | 7:15AM | 9,636 | 646.76 | 6.47% |
| 64G | 7:15AM | 93,550 | 6,279.03 | 62.79% |
| 09A | | 0 | - | 0.00% |
| 09B | 7:30AM | 27,452 | 1,842.56 | 18.43% |
| | | 148,988 | 10000 | 100.00% |

The Acute Toxicity Composite was made today by SEAN C. COYLE @ 10:10 AM
according to the table above, and given the sample ID# A8340C.

Sean C. Coyle
Signed
7/11/07
Date

| | |
|-------------------------------|--------------------------------------|
| Chain-of-Custody Form Number: | <u>5965</u> |
| Analysis: | <u>CHRONIC TOX COMPOSITE - DAY 2</u> |
| Location: | <u>10:10AM</u> |
| Date: | <u>7/11/07</u> |
| TIME: | |
| Sample Label Serial Number | <u>A 8340C</u> |



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

One Mustard St., Suite 250 • Rochester, NY 14609-0859 • (585) 288-5380 • 800-695-7222 x11 • FAX (565) 288-8475 PAGE 1 OF 3

SR #

CAS Contact

| Project Name | | Project Number | | ANALYSIS REQUESTED (Include Method Number and Container Preservative) | | PRESERVATIVE | REMARKS/ ALTERNATE DESCRIPTION |
|---|-------------------------------|--|----------|--|----------------------|--|--|
| NPDES PERMIT | | Report CC | | | | | |
| Project Manager J. NICHOLSON | | Company/Address 159 PLASTICS AVE, BLDG 59 PITTSFIELD, MA 01201 | | METALS, TOTAL (10) EPA (List in comments below) 2001 CHLORIDE EPA 2001 CHLORIDE EPA 2001 TOC | | Preservative Key 0. NONE 1. HCL 2. HNO3 3. H2SO4 4. NaOH 5. Zn. Acetate 6. MeOH 7. NaHSO4 8. Other _____ | |
| Phone # (413) 448-5985 | | FAX # (413) 448-5985 | | METALS, DISSOLVED (2) EPA (List in comments below) 2001 METALS, TOTAL (10) EPA (List in comments below) 2001 CHLORIDE EPA 2001 CHLORIDE EPA 2001 TOC | | | |
| Sampler's Signature <i>J. C. Coyle</i> | | Sampler's Printed Name JEAN C. COYLE | | METALS, TOTAL (10) EPA (List in comments below) 2001 CHLORIDE EPA 2001 CHLORIDE EPA 2001 TOC | | | |
| CLIENT SAMPLE ID | FOR OFFICE USE ONLY LAB ID | SAMPLING DATE | TIME | MATRIX | NUMBER OF CONTAINERS | GCMS VOAS 8260 □ 624 □ CLP 8270 □ 625 □ CLP GC VOAS 8021 □ 601/602 PESTICIDES 8081 □ 608 □ CLP PCBS 8082 □ 608 □ CLP METALS, TOTAL (10) EPA (List in comments below) 2001 METALS, DISSOLVED (2) EPA (List in comments below) 2001 CHLORIDE EPA 2001 CHLORIDE EPA 2001 TOC | REMARKS/ ALTERNATE DESCRIPTION |
| A8328CTM | 1017880 | 7/9/07 | 10:50 AM | H2O | 1 | X | |
| A8329RTM | 1017881 | 7/9/07 | 8:35 AM | H2O | 1 | X | |
| A8328CDM | 1017077 | 7/9/07 | 10:50 AM | H2O | 1 | X | |
| A8328CCN | 1017884 | 7/9/07 | 10:50 AM | H2O | 1 | X | |
| A8328CCN-FLTR | 1017885 | 7/9/07 | 10:50 AM | SOLID | 1 | X | 200 ML OF SAMPLE (H2O) FILTERED THROUGH PAD |
| A8329RCN | 1017882 | 7/9/07 | 8:35 AM | H2O | 1 | X | |
| A8329RCN-FLTR | 1017883 | 7/9/07 | 8:35 AM | SOLID | 1 | X | 200 ML OF SAMPLE (H2O) FILTERED THROUGH PAD |
| A8328C | 1017876 | 7/9/07 | 10:50 AM | H2O | 3 | X | |
| A8329R | 1017875 | 7/9/07 | 8:35 AM | H2O | 3 | X | |

SPECIAL INSTRUCTIONS/COMMENTS
Metals TOTAL METALS (10) & DISSOLVED METALS (2) LISTED
 ON SAMPLE BOTTLES
 - CHRONIC TOX. COMPOSITE SHEET & pH SHEETS
 INCLUDED W/ COC'S
 - SAMPLES PACKED IN ICE

See OAPP

TURNAROUND REQUIREMENTS
 RUSH (SURCHARGES APPLY) _____
 24 hr _____ 48 hr _____ 5 day _____
 STANDARD _____
 REQUESTED FAX DATE _____
 REQUESTED REPORT DATE _____

REPORT REQUIREMENTS
 I. Results Only _____
 II. Results + QC Summaries (LCS, DUP, MSMSD as required) _____
 III. Results + QC and Calibration Summaries _____
 IV. Data Validation Report with Raw Data _____
 V. Specialized Forms / Custom Report Edata Yes _____ No _____

INVOICE INFORMATION
 TOF _____
 BILL TO: _____
 SUBMISSION #: 102738528
 RECEIVED BY _____

CUSTOMER RECEIPT: CONDITION/COOLER TEMP. _____
 RECEIVED BY *J. C. Coyle*
 Signature
 Printed Name
 Firm
 Date/Time

RELINQUISHED BY
 Signature
 Printed Name
 Firm
 Date/Time

CUSTODY SEALS: Y N
 RELINQUISHED BY
 Signature
 Printed Name
 Firm
 Date/Time



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

One Mustard St., Suite 250 • Rochester, NY 14609-0859 • (585) 288-5380 • 800-695-7222 x11 • FAX (585) 288-8475 PAGE 2 OF 3

SR #

CAS Contact

| Project Name | | Project Number | | ANALYSIS REQUESTED (Include Method Number and Container Preservative) | | PRESERVATIVE | | REMARKS/ALTERNATE DESCRIPTION | | | | | |
|--|----------------------------|------------------------|---------------|---|----------------------|---|---|--|---|---|---|---|---|
| NPDES PERMIT | | Report CC | | | | | | | | | | | |
| J. NICHOLSON | | | | | | | | | | | | | |
| Company/Address | | | | | | | | | | | | | |
| 65 CSP | | | | | | | | | | | | | |
| 159 PLASTICS AVE, BUDG 59 | | | | | | | | | | | | | |
| PITTSFIELD, MA 01201 | | | | | | | | | | | | | |
| Phone # | | FAX# | | | | | | | | | | | |
| (413) 447-5915 | | (413) 447-5935 | | | | | | | | | | | |
| Sampler's Signature | | Sampler's Printed Name | | | | | | | | | | | |
| <i>J. C. Coy</i> | | JEAN C. COY | | | | | | | | | | | |
| CLIENT SAMPLE ID | FOR OFFICE USE ONLY LAB ID | SAMPLING DATE | SAMPLING TIME | MATRIX | NUMBER OF CONTAINERS | GC/MS VOAs | GC/MS SVoAs | PESTICIDES | PCBs | METALS, TOTAL | METALS, DISSOLVED | OTHER | PRESERVATIVE |
| A8327C | 1017876 | 7/9/07 | 10:30 AM | H2O | 1 | <input type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> CLP | <input type="checkbox"/> 8270 <input type="checkbox"/> 625 <input type="checkbox"/> CLP | <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> 8081 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> METALS, DISSOLVED (List in comments below) | <input type="checkbox"/> METALS, TOTAL (List in comments below) | <input type="checkbox"/> TOTAL PHOSPHORUS (NR3) |
| A8329R | 1017875 | 7/9/07 | 11:35 AM | H2O | 1 | <input type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> CLP | <input type="checkbox"/> 8270 <input type="checkbox"/> 625 <input type="checkbox"/> CLP | <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> 8081 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> METALS, DISSOLVED (List in comments below) | <input type="checkbox"/> METALS, TOTAL (List in comments below) | <input type="checkbox"/> TOTAL PHOSPHORUS (NR3) |
| A8328C | 1017876 | 7/9/07 | 10:30 AM | H2O | 1 | <input type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> CLP | <input type="checkbox"/> 8270 <input type="checkbox"/> 625 <input type="checkbox"/> CLP | <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> 8081 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> METALS, DISSOLVED (List in comments below) | <input type="checkbox"/> METALS, TOTAL (List in comments below) | <input type="checkbox"/> TOTAL PHOSPHORUS (NR3) |
| A8329R | 1017875 | 7/9/07 | 8:35 AM | H2O | 1 | <input type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> CLP | <input type="checkbox"/> 8270 <input type="checkbox"/> 625 <input type="checkbox"/> CLP | <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> 8081 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> METALS, DISSOLVED (List in comments below) | <input type="checkbox"/> METALS, TOTAL (List in comments below) | <input type="checkbox"/> TOTAL PHOSPHORUS (NR3) |
| A8327C | 1017875 | 7/9/07 | 8:35 AM | H2O | 1 | <input type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> CLP | <input type="checkbox"/> 8270 <input type="checkbox"/> 625 <input type="checkbox"/> CLP | <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> 8081 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> METALS, DISSOLVED (List in comments below) | <input type="checkbox"/> METALS, TOTAL (List in comments below) | <input type="checkbox"/> TOTAL PHOSPHORUS (NR3) |
| A8329R | 1017876 | 7/9/07 | 10:30 AM | H2O | 1 | <input type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> CLP | <input type="checkbox"/> 8270 <input type="checkbox"/> 625 <input type="checkbox"/> CLP | <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> 8081 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> METALS, DISSOLVED (List in comments below) | <input type="checkbox"/> METALS, TOTAL (List in comments below) | <input type="checkbox"/> TOTAL PHOSPHORUS (NR3) |
| A8327C | 1017875 | 7/9/07 | 8:35 AM | H2O | 1 | <input type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> CLP | <input type="checkbox"/> 8270 <input type="checkbox"/> 625 <input type="checkbox"/> CLP | <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> 8081 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> METALS, DISSOLVED (List in comments below) | <input type="checkbox"/> METALS, TOTAL (List in comments below) | <input type="checkbox"/> TOTAL PHOSPHORUS (NR3) |
| 09B - A8327 | | 7/9/07 | 10:30 AM | H2O | 1 | <input type="checkbox"/> 8260 <input type="checkbox"/> 624 <input type="checkbox"/> CLP | <input type="checkbox"/> 8270 <input type="checkbox"/> 625 <input type="checkbox"/> CLP | <input type="checkbox"/> 8021 <input type="checkbox"/> 601/602 | <input type="checkbox"/> 8082 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> 8081 <input type="checkbox"/> 608 <input type="checkbox"/> CLP | <input type="checkbox"/> METALS, DISSOLVED (List in comments below) | <input type="checkbox"/> METALS, TOTAL (List in comments below) | <input type="checkbox"/> TOTAL PHOSPHORUS (NR3) |
| SPECIAL INSTRUCTIONS/COMMENTS | | | | | | | | | | | | | |
| Metals | | | | | | | | | | | | | |
| - SAMPLES PACKED IN ICE | | | | | | | | | | | | | |
| TURNAROUND REQUIREMENTS <input type="checkbox"/> RUSH (SURCHARGES APPLY) <input type="checkbox"/> 24 hr <input type="checkbox"/> 48 hr <input checked="" type="checkbox"/> 5 day <input type="checkbox"/> STANDARD REQUESTED FAX DATE _____ REQUESTED REPORT DATE _____ | | | | | | | | | | | | | |
| REPORT REQUIREMENTS <input type="checkbox"/> I. Results Only <input type="checkbox"/> II. Results + QC Summaries (LCS, DUP, MS/MSD as required) <input type="checkbox"/> III. Results + QC and Calibration Summaries <input checked="" type="checkbox"/> IV. Data Validation Report with Raw Data <input type="checkbox"/> V. Specialized Forms / Custom Report Edata <input type="checkbox"/> Yes <input type="checkbox"/> No | | | | | | | | | | | | | |
| INVOICE INFORMATION TO# _____ BILL TO: _____ SUBMISSION # <u>12738528</u> RECEIVED BY _____ | | | | | | | | | | | | | |
| SAMPLE RECEIPT: CONDITION/COOLER TEMP. _____ RELINQUISHED BY <i>J. C. Coy</i> Signature _____ Signature _____ Printed Name JEAN C. COY Firm CAS Date/Time 7/9/07 2:39pm RECEIVED BY _____ Signature _____ Printed Name Amy Hentschke Firm CHS Date/Time 7/10/07 10:35 | | | | | | | | | | | | | |
| CUSTODY SEALS: Y N RELINQUISHED BY _____ Signature _____ Printed Name _____ Firm _____ Date/Time _____ | | | | | | | | | | | | | |

Cooler Receipt And Preservation Check Form

Project/Client GE Pittsfield Submission Number _____

Cooler received on 7/10/07 by: AWB COURIER: CAS UPS FEDEX VELOCITY CLIENT

1. Were custody seals on outside of cooler? YES NO *Shockwatch Shattered.*
 2. Were custody papers properly filled out (ink, signed, etc.)? YES NO
 3. Did all bottles arrive in good condition (unbroken)? YES NO
 4. Did any VOA vials have significant air bubbles? YES NO N/A
 5. Were **Ice** or **Ice packs** present? YES NO
 6. Where did the bottles originate? CAS/ROC, CLIENT
 7. Temperature of cooler(s) upon receipt: 1.1° 0.7°
- Is the temperature within 0° - 6° C?: Yes Yes Yes Yes Yes
 If No, Explain Below No No No No No
- Date/Time Temperatures Taken: 7/10/07 10:40
- Thermometer ID: 161 or IR GUN Reading From: Temp Blank or Sample Bottle

If out of Temperature, Client Approval to Run Samples
 PC Secondary Review: 7/10/07

Cooler Breakdown: Date: _____ by: _____

1. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
2. Did all bottle labels and tags agree with custody papers? YES NO
3. Were correct containers used for the tests indicated? YES NO
4. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated N/A

Explain any discrepancies: _____

| {PRIVATE } | | YES | NO | Sample I.D. | Reagent | Vol. Added | Final pH |
|-------------------------|--------------------------------|-----|----|-------------|---------|------------|----------|
| pH | Reagent | | | | | | |
| 12 | NaOH | | | | | | |
| 2 | HNO ₃ | | | | | | |
| 2 | H ₂ SO ₄ | | | | | | |
| Residual Chlorine (+/-) | for TCN & Phenol | | | | | | |

YES = All samples OK NO = Samples were preserved at lab as listed PC OK to adjust pH _____

| | |
|------------|--|
| {PRIVATE } | VOC Vial pH Verification (Tested after Analysis) Following Samples Exhibited pH > 2 |
| | |
| | |
| | |

Other Comments:

PC Secondary Review: _____

7/9/2007

CHRONIC AQUATIC TOXICITY COMPOSITE 7C1

Month: JUL
Week: 2
Fiscal Wk: 28
Weather: WET

This Effluent sample is a flow proportioned composite made from 24 Hr Composite samples collected at the indicated outfalls and specified times.

| Outfall # | Collection Time | Gallons/Day | MI in Composite | Percent of Composite |
|-----------|-----------------|-------------|-----------------|----------------------|
| 001 | 8:00AM | 5,070 | 580.83 | 3.87% |
| 004 | | 0 | - | 0.00% |
| 007 | | 0 | - | 0.00% |
| 64T | 7:00AM | 5,567 | 637.77 | 4.25% |
| 64G | 7:00AM | 99,580 | 11,408.12 | 76.05% |
| 09A | | 0 | - | 0.00% |
| 09B | 8:55AM | 20,716 | 2,373.27 | 15.82% |
| | | 130,933 | 15000 | 100.00% |

The Acute Toxicity Composite was made today by SEAN C. COYLE @ 10:50AM according to the table above, and given the sample ID# A8328C.





[Signature]
Signed
7-9-07
Date

| | |
|-------------------------------|--|
| Chain-of-Custody Form Number: | <u>5960</u> |
| Analysis: | <u>ACUTE & TOXICITY - CRONIC DAY 1</u> |
| Location: | <u>10:50AM</u> |
| Date: | <u>7-9-07</u> |
| TIME: | |
| Sample Label Serial Number | <u>A 8328C</u> |

Aquatec Biological Sciences

Chain-of-Custody Record

273 Commerce Street
 Williston, VT 05495
 TEL: (802) 860-1638
 FAX: (802) 858-3189

| COMPANY INFORMATION | | COMPANY'S PROJECT INFORMATION | | SHIPPING INFORMATION | | VOLUME/CONTAINER TYPE/ PRESERVATIVE | | | | | |
|---|--|---|--|--|--|--|-----|---------------------------------------|---------------------------------------|-----|-----------------------|
| Name: General Electric Company Address: O'Brien & Gere 1000 East Street, Gales Bldg City/State/Zip: Pittsfield, MA 01201 Telephone: (413) 494-6709 Facsimile: (413) 494-7052 Contact Name: Sean Coyle | | Project Name: GE PITTSFIELD Outfall Composite - INITIAL SAMPLE Project Number: 07003 Sampler Name(s): SEAN C. COYLE NPDES Permit #: MA0003891 Ship these samples on Monday. Quote #: 10705 Client Code: GEPTTS | | Carrier: <u>PERIORITY EXPRESS</u> Airbill Number: _____ Date Shipped: <u>7-9-07</u> Hand Delivered: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | 4°C | 4°C | 4°C H ₂ SO ₄ | 4°C H ₂ SO ₄ | 4°C | 4°C H ₂ |
| Outfall Composite 7/9/07 10:30 AM X | | Effluent Total Residual Chlorine | | 1 | | | | | | | |
| Outfall Composite 7/9/07 10:35 AM X | | Receiving Total Residual Chlorine | | 2 | | | | | | | |
| Outfall Composite 7/9/07 8:35 AM X | | Receiving Total Residual Chlorine | | 1 | | | | | | | |
| Relinquished by: (signature)  | | DATE: 7/9/07 TIME: 12:10 PM Received by: (signature)  | | NOTES TO SAMPLERS: (1) Complete the labels (Date, time, initials) and cover the labels with clear tape. Tape the caps of the sample bottles to ensure that they do not become dislodged during shipment. Next the samples in sufficient ice to maintain 0°C ± 0.5°C. Results for samples received at temperatures exceeding 6°C will be qualified in 1 report. | | | | | | | |
| Relinquished by: (signature)  | | DATE: 7/10/07 TIME: 08:45 Received by: (signature)  | | Notes to Lab: Ambient cooler temperature: 0.3 °C. Dechlorinate the effluent sample if chlorine is detected. | | | | | | | |
| Relinquished by: (signature) | | DATE: | | TIME: | | | | | | | |
| Relinquished by: (signature) | | DATE: | | TIME: | | | | | | | |

Aquatic Biological Sciences

Chain-of-Custody Record

273 Commerce Street
 Williston, VT 05495
 TEL: (802) 860-1638
 FAX: (802) 658-3189

| COMPANY INFORMATION | | COMPANY'S PROJECT INFORMATION | | SHIPPING INFORMATION | | VOLUME/CONTAINER TYPE/ PRESERVATIVE | | | | | |
|--------------------------------------|--|---|--|---|--|--|---------|---------------------------------------|---------------------------------------|-------|-----------|
| Name: General Electric Company | | Project Name: GE PITTSFIELD | | Carrier: <u>Priority Express</u> | | 4°C | 4°C | 4°C H ₂ SO ₄ | 4°C H ₂ SO ₄ | 4°C | 4°C HN |
| Address: O'Brien & Gere | | Outfall Composite - RENEWAL SAMPLE | | Airbill Number: _____ | | Plastic | Plastic | Plastic | Glass | Glass | Pla |
| 1000 East Street, Gate 64 | | Project Number: 07003 | | Date Shipped: <u>7/11/07</u> | | 1 gal | 1/2 gal | 1 L | 40 ml | 40 mL | 0.1 |
| City/State/Zip: Pittsfield, MA 01201 | | Sampler Name(s): <u>Sean C. Coyle</u> | | Hand Delivered: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | | | | | | |
| Telephone: (413) 494-6709 | | NPDES Permit #: MA0003691 | | | | | | | | | |
| Facsimile: (413) 494-7052 | | Ship these samples on Wednesday. | | | | | | | | | |
| Contact Name: Sean Coyle | | Quote #: 10/05 Client Code: GEPITTS | | | | | | | | | |

| SAMPLE IDENTIFICATION | COLLECTION | | GRAB | COMPOSITE | MATRIX | ANALYSIS | NUMBER OF CONTAINERS | | | | | | | | |
|--|------------------------|-------------------------|--|-----------|---|--|----------------------|---|--|--|--|--|---|--|--|
| | DATE | TIME | | | | | | | | | | | | | |
| Outfall Composite <u>A8340C</u> | <u>7/11/07</u> | <u>10 AM</u> | | <u>X</u> | Effluent | Ceriodaphnia dubia chronic survival and reproduction (EPA Method 1002.0) - Renewal 1 | 1 | | | | | | | | |
| Outfall Composite <u>A8341R</u> | <u>7/11/07</u> | <u>10 AM</u> | | | Effluent | Total Residual Chlorine | | 2 | | | | | | | |
| Outfall Composite <u>A8341R</u> | <u>7/11/07</u> | <u>8:30 AM</u> | | <u>X</u> | Receiving | Dilution Water | | | | | | | | | |
| Housatonic River <u>A8341R</u> | <u>7/11/07</u> | <u>8:30 AM</u> | | <u>X</u> | Receiving | Total Residual Chlorine | | | | | | | 1 | | |
| Relinquished by: (signature) <u>[Signature]</u> | DATE <u>7/11/07</u> | TIME <u>11:20 AM</u> | Received by: (signature) <u>[Signature]</u> | | NOTES TO SAMPLER(S): (1): Complete the labels (Date, time, initials) and cover the labels with clear tape. Tape the caps of the sample bottles to ensure that they do not become dislodged during shipment. Nest the samples in sufficient ice to maintain 0°C ± 0.5°C. Results for samples received at temperatures exceeding 6°C will be qualified in 1 report. | | | | | | | | | | |
| Relinquished by: (signature) <u>[Signature]</u> | DATE <u>7/12/07</u> | TIME <u>8:30</u> | Received by: (signature) <u>[Signature]</u> | | | | | | | | | | | | |
| Relinquished by: (signature) <u>[Signature]</u> | DATE | TIME | Received by: (signature) | | | | | | | | | | | | |

Notes to Lab: Ambient cooler temperature: _____ °C. Dechlorinate the effluent sample if chlorine is detected.

Aquatec Biological Sciences

Chain-of-Custody Record

273 Commerce Street
 Williston, VT 05495
 TEL: (802) 860-1638
 FAX: (802) 658-3189

| | | | | | | | | | | | | | |
|--------------------------------------|--|---|--|---|--|--|---------|--------------------------------|--------------------------------|-------|-----|-----|-----|
| COMPANY INFORMATION | | COMPANY'S PROJECT INFORMATION | | SHIPPING INFORMATION | | VOLUME/CONTAINER TYPE/ PRESERVATIVE | | | | | | | |
| Name: General Electric Company | | Project Name: GE PITTSFIELD | | Carrier: <u>PRIORITY Express</u> | | 4°C | 4°C | 4°C | 4°C | 4°C | 4°C | 4°C | 4°C |
| Address: O'Brien & Gere | | Outfall Composite - RENEWAL SAMPLE | | Airbill Number: _____ | | — | — | H ₂ SO ₄ | H ₂ SO ₄ | — | — | — | — |
| 1000 East Street, Gate 64 | | Project Number: 07003 | | Date Shipped: <u>7-13-07</u> | | Plastic | Plastic | Plastic | Glass | Glass | — | — | — |
| City/State/Zip: Pittsfield, MA 01201 | | Sampler Name(s): <u>Sean Coyle</u> | | Hand Delivered: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | — | — | — | — | — | — | — | — |
| Telephone: (413) 494-6709 | | NPDES Permit #: MA0003891 | | | | 1 gal | 1/2 gal | 1 L | 40 ml | 40 mL | — | — | — |
| Facsimile: <u>(413) 494-7052</u> | | Ship these samples on Friday. | | | | — | — | — | — | — | — | — | — |
| Contact Name: Sean Coyle | | Quote #: 10/05 Client Code: GEPITTS | | | | — | — | — | — | — | — | — | — |

| SAMPLE IDENTIFICATION | COLLECTION | | GRAB | COMPOSITE | MATRIX | ANALYSIS | NUMBER OF CONTAINERS | | | | | | | | |
|--------------------------------------|------------|-------|------|-----------|-----------|--|----------------------|--|--|--|--|--|--|---|--|
| | DATE | TIME | | | | | | | | | | | | | |
| Outfall Composite <u>A 8349 C</u> | 7-13-07 | 09:50 | | X | Effluent | Ceriodaphnia dubia chronic survival and reproduction (EPA Method 1002.0) - Renewal 2 | 2 | | | | | | | | |
| Musautonic River <u>A 8350 R</u> | 7-13-07 | 08:30 | X | | Receiving | Dilution Water | 2 | | | | | | | | |
| Housatonic River <u>A 8350 R</u> | 7-13-07 | 08:30 | X | | Receiving | Total Residual Chlorine | | | | | | | | 1 | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

| | | | | |
|---|------------------------|------------------------|--|---|
| Relinquished by: (signature) <u>Sean Coyle</u> | DATE <u>7-13-07</u> | TIME <u>1:40 pm</u> | Received by: (signature) <u>Ron DeLima</u> | <p>NOTES TO SAMPLER(S): (1): Complete the labels (Date, time, initials) and cover the labels with clear tape. Tape the caps of the sample bottles to ensure that they do not become dislodged during shipment. Nest the samples in sufficient ice to maintain 0°C to 6°C. Results for samples received at temperatures exceeding 6°C will be qualified in 1 report.</p> <p>Notes to Lab: Ambient cooler temperature: 0 °C. Dechlorinate the effluent sample if chlorine is detected.</p> <p>① collection time provided by telephone communication from Sean Coyle on 7/16/07</p> |
| Relinquished by: (signature) | DATE <u>7/14/07</u> | TIME <u>8:35</u> | Received by: (signature) <u>[Signature]</u> | |
| Relinquished by: (signature) | DATE | TIME | Received by: (signature) | |