



GE
159 Plastics Avenue
Pittsfield, MA 01201
USA

Transmitted via Overnight Courier

January 9, 2008

Mr. Dean Tagliaferro
U.S. Environmental Protection Agency
Region I – New England
10 Lyman Street, Suite 2
Pittsfield, MA 01201

Ms. Susan Steenstrup
Bureau of Waste Site Cleanup
Department of Environmental Protection
436 Dwight Street
Springfield, MA 01103

**Re: GE-Pittsfield/Housatonic River Site
Monthly Status Report Pursuant to Consent Decree for December 2007 (GEC900)**

Dear Mr. Tagliaferro and Ms. Steenstrup:

Enclosed are copies of General Electric's (GE's) monthly progress report for December 2007 activities conducted by GE at the GE-Pittsfield/Housatonic River Site. This monthly report is submitted pursuant to Paragraph 67 of the Consent Decree (CD) for this Site, which was entered by the U.S. District Court on October 27, 2000.

The enclosed monthly report includes not only the activities conducted by GE under the CD, but also other activities conducted by GE at the GE-Pittsfield/Housatonic River Site (as defined in the CD). The report is formatted to apply to the various areas of the Site as defined in the CD, and to provide for each area, the information specified in Paragraph 67 of the CD. The activities conducted specifically pursuant to or in connection with the CD are marked with an asterisk. GE is submitting a separate monthly report to the Massachusetts Department of Environmental Protection (MDEP), with a copy to the United States Environmental Protection Agency (EPA), describing the activities conducted by GE at properties outside the CD Site pursuant to GE's November 2000 Administrative Consent Order from MDEP.

The enclosed monthly report includes, where applicable, tables that list the samples collected during the subject month, summarize the analytical results received during that month from sampling or other testing activities, and summarize other groundwater monitoring and oil recovery information obtained during that month. Also, enclosed for each of you (and for Weston) is a CD-ROM that contains these same tables of the analytical data and monitoring information in electronic form.

Please call Andrew Silber or me if you have any questions.

Sincerely,

A handwritten signature in blue ink that reads "Richard W. Gates/JAG".

Richard W. Gates
Remediation Project Manager

Enclosure

G:\GE\GE_Pittsfield_General\Reports and Presentations\Monthly Reports\2007\12-07 CD Monthly\Letter.doc

cc: Richard W. Hull, EPA
Richard Fisher, EPA
Robert Cianciarulo, EPA (cover letter only)
Tim Conway, EPA (cover letter only)
Rose Howell, EPA (cover letter and CD-ROM of report)
Holly Inglis, EPA (hard copy and CD-ROM of report)
Susan Svirsky, EPA (Items 7, 15, and 20 only)
K.C. Mitkevicius, USACE (CD-ROM of report)
Thomas Angus, MDEP (cover letter only)
Jane Rothchild, MDEP (cover letter only)
Anna Symington, MDEP (cover letter only)
Nancy E. Harper, MA AG
Susan Peterson, CT DEP
Field Supervisor, US FWS, DOI
Kenneth Finkelstein, Ph.D., NOAA (Items 13, 14, and 15 only)
Dale Young, MA EOE
Mayor James Ruberto, City of Pittsfield
Thomas Hickey, Director, Pittsfield Economic Development Authority
Linda Palmieri, Weston
Richard Nasman, P.E., Berkshire Gas (CD-ROM of report)
Michael Carroll GE (CD-ROM of report)
Andrew Silfer, GE (cover letter only)
Rod McLaren, GE (CD-ROM of report)
James Nuss, ARCADIS
James Bieke, Goodwin Procter
Jim Rhea, QEA (narrative only)
Teresa Bowers, Gradient
Public Information Repositories (1 hard copy, 5 copies of CD-ROM)
GE Internal Repository (1 hard copy)

(w/o separate CD-ROM, except where noted)

December 2007

**MONTHLY STATUS REPORT
PURSUANT TO CONSENT DECREE
FOR
GE-PITTSFIELD/HOUSATONIC RIVER
SITE**

GENERAL ELECTRIC COMPANY



PITTSFIELD, MASSACHUSETTS

Background

The General Electric Company (GE), the United States Environmental Protection Agency (EPA), the Massachusetts Department of Environmental Protection (MDEP), and other governmental entities have entered into a Consent Decree (CD) for the GE-Pittsfield/Housatonic River Site, which was entered by the U.S. Court on October 27, 2000. In accordance with Paragraph 67 of the CD, GE is submitting this monthly report, prepared on GE's behalf by Blasland, Bouck & Lee, Inc. (BBL), which summarizes the status of activities conducted by GE at the GE-Pittsfield/Housatonic River Site ("Site") (as defined in the CD).

This report covers activities in the areas listed below (as defined in the CD and/or the accompanying Statement of Work for Removal Actions Outside the River [SOW]). Only those areas that have had work activities for the month subject to reporting are included. The specific activities conducted pursuant to or in connection with the CD are noted with an asterisk.

General Activities (GECD900)

GE Plant Area (non-groundwater)

1. 20s, 30s, 40s Complexes (GECD120)
2. East Street Area 2 – South (GECD150)
3. East Street Area 2 – North (GECD140)
4. East Street Area 1 – North (GECD130)
5. Hill 78 and Building 71 Consolidation Areas (GECD210/220)
6. Hill 78 Area – Remainder (GECD160)
7. Unkamet Brook Area (GECD170)

Former Oxbow Areas (non-groundwater)

8. Former Oxbow Areas A & C (GECD410)
9. Lyman Street Area (GECD430)
10. Newell Street Area I (GECD440)
11. Newell Street Area II (GECD450)
12. Former Oxbow Areas J & K (GECD420)

Housatonic River

13. Upper ½-Mile Reach (GECD800)
14. 1½-Mile Reach (only for activities, if any, conducted by GE) (GECD820)
15. Rest of the River (GECD850)

Housatonic River Floodplain

16. Current Residential Properties Adjacent to 1½-Mile Reach (Actual/Potential Lawns) (GECD710)
17. Non-Residential Properties Adjacent to 1½-Mile Reach (excluding banks) (GECD720)
18. Current Residential Properties Downstream of Confluence (Actual/Potential Lawns) (GECD730)

Other Areas

19. Allendale School Property (GECD500)
20. Silver Lake Area (GECD600)

Groundwater Management Areas (GMAs)

21. Plant Site 1 (GECD310)
22. Former Oxbows J & K (GECD320)
23. Plant Site 2 (GECD330)
24. Plant Site 3 (GECD340)
25. Former Oxbows A&C (GECD350)

**GENERAL ACTIVITIES
GE-PITTSFIELD/HOUSATONIC RIVER SITE
(GEC900)
DECEMBER 2007**

a. Activities Undertaken/Completed

- Continued GE-EPA electronic data exchanges for the Housatonic River Watershed and Areas Outside the River.*

b. Sampling/Test Results Received

- Sample results were received for routine sampling conducted pursuant to GE's NPDES Permit for the GE facility. Sampling records and results are provided in Attachment A to this report.
- NPDES Discharge Monitoring Reports (DMRs) for the period of November 1 through November 30, 2007, are provided in Attachment B to this report.
- GE received a report from Columbia Analytical Services, Inc. (CAS) titled *NPDES Biomonitoring Report for December 2007*, which included analytical results for samples collected for NPDES-related whole effluent toxicity testing, as well as an attached report from Aquatec Biological Sciences providing the results of the whole effluent toxicity testing performed in December 2007. A copy of this document is provided in Attachment C.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue NPDES sampling and monitoring activities.
- Attend public and Citizens Coordinating Council (CCC) meetings, as appropriate.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**ITEM 1
PLANT AREA
20s, 30s, 40s COMPLEXES
(GEC120)
DECEMBER 2007**

a. Activities Undertaken/Completed

Continued data review for results of soil sampling conducted on behalf of the Pittsfield Economic Development Authority (PEDA) in the vicinity of planned utility lines to be installed by PEDA at the former 20s and 30s Complexes and the adjacent portion of Woodlawn Avenue.

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

Submit reports on soil sampling conducted on behalf of PEDA in the vicinity of planned utility lines to be installed by PEDA at the former 20s and 30s Complexes and the adjacent portion of Woodlawn Avenue.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

- GE is awaiting EPA's comments on GE's December 21, 2006 proposal for the remaining at-grade concrete slabs of former Buildings 42, 43/43A, and 44, which also addressed certain issues relative to the final restoration of previously placed crushed demolition debris.*
- GE is awaiting EPA's comments on GE's January 25, 2007 draft letter which proposed, at PEDA's request, additional soil sampling within the 40s Complex. Following receipt of such comments, GE will submit a final sampling plan for such additional sampling, if appropriate. In addition, work on development of a Final Completion Report for the 40s Complex has been deferred pending resolution of issues relating to such additional sampling.*
- GE is also awaiting comments from EPA and MDEP on draft Grant of Environmental Restriction and Easement (ERE) and Plan of Restricted Area for the 40s Complex.*

f. Proposed/Approved Work Plan Modifications

None

**ITEM 2
PLANT AREA
EAST STREET AREA 2-SOUTH
(GEC150)
DECEMBER 2007**

a. Activities Undertaken/Completed

Conducted drum sampling at Building 78 of routine maintenance compressor oil from Building 64X as identified in Table 2-1.

b. Sampling/Test Results Received

See attached table.

c. Work Plans/Reports/Documents Submitted

Submitted Addendum to Conceptual Removal Design/Removal Action (RD/RA) Work Plan (December 12, 2007).*

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

None

e. General Progress/Unresolved Issues/Potential Schedule Impacts

None

f. Proposed/Approved Work Plan Modifications

None

TABLE 2-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007

EAST STREET AREA 2 - SOUTH
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|--|-----------------|-------------|--------|------------|----------|----------------------------|
| Building 64X Compressor Oil Routine Sampling | F3654-1 | 12/19/07 | Oil | SGS | PCB | |

**ITEM 3
PLANT AREA
EAST STREET AREA 2-NORTH
(GEC140)
DECEMBER 2007**

a. Activities Undertaken/Completed

Collected and transferred approximately 30,000 gallons of water from Building 9 to Building 64G for treatment.

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Submit Revised Supplemental Information Package (SIP) for remediation at East Street Area 2-North (by January 2, 2008).*
- Following receipt of EPA's comments on GE's October 26, 2007 proposal regarding disposition of demolition debris from Buildings 7, 11, 16, 17, 17C, and 19, submit draft CD modification to allow the proposed disposition.*
- Schedule initiation of demolition activities for Buildings 7, 11, 16, 17, 17C, and 19 following receipt of all necessary regulatory approvals for GE's October 26, 2007 revised proposal regarding disposition of demolition debris from those buildings.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

- GE is awaiting EPA's comments on GE's December 21, 2006 proposal for the remaining at-grade concrete slabs of certain buildings in the portion of East Street Area 2-North that is intended to be transferred to PEDDA (i.e., the 19s Complex).*
- GE, EPA, and PEDDA are currently discussing issues relating to disposition of demolition debris from Buildings 7, 11, 16, 17, 17C, and 19.*
- Demolition activities for Buildings 7, 11, 16, 17, 17C, and 19 will be scheduled following receipt of all necessary regulatory approvals for disposition of demolition debris from those buildings.

**ITEM 3
(cont'd)
PLANT AREA
EAST STREET AREA 2-NORTH
(GEC140)
DECEMBER 2007**

e. General Progress/Unresolved Issues/Potential Schedule Impacts (cont'd)

- The formal follow-notification letter associated with GE's May 10, 2007 verbal notification to EPA and MDEP regarding the result of a liquid sample collected from a drainage piping system in the Building 11 laboratory will be submitted after GE has completed removal of any additional liquids collected from the piping system (as discussed with M. Milete [EPA] during the May 10, 2007 verbal notification, and documented in a May 17, 2007 letter to EPA regarding the results of certain oil samples from Buildings 11 and 16). However, given site-specific conditions, such additional removal activities can only be completed as part of the demolition of Buildings 11 and 16. Therefore, submittal of the follow-up notification letter is dependent upon initiation of demolition activities for those buildings.
- Due to current weather conditions, remediation activities at East Street Area 2-North will be postponed until April 2008, following receipt of necessary EPA approvals.*

f. Proposed/Approved Work Plan Modifications

Received EPA conditional approval of GE's November 13, 2007 Supplemental Information Package for remediation activities at East Street Area 2-North (December 18, 2007).*

**ITEM 4
PLANT AREA
EAST STREET AREA 1-NORTH
(GECD130)
DECEMBER 2007**

a. Activities Undertaken/Completed

None

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

Submitted report on annual inspection conducted in November 2007 of properties with Conditional Solutions (December 21, 2007).*

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

None

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**ITEM 5
PLANT AREA
HILL 78 & BUILDING 71 CONSOLIDATION AREAS
(GEC210/220)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

- Conducted air monitoring for particulates and PCBs, as identified in Table 5-1.
- Continued transfer of leachate from Building 71 On-Plant Consolidation Area (OPCA) to Building 64G for treatment. The total amount transferred in December 2007 was 12,000 gallons (see Table 5-2).
- Conducted preliminary data review (PDR) of PCB analytical data for ambient air samples collected from the OPCA air monitors on December 19-20, 2007 (see Table 5-3). The PDR was conducted based on the following data quality indicators associated with the tabulated data set – sampling collection time, sampling calibration check, temperature receipt, associated blanks, laboratory control samples, recoveries and surrogate recoveries – in accordance with Validation Annex F in GE's revised Field Sampling Plan/Quality Assurance Project Plan (FSP/QAPP) and the Region I Data Validation Functional Guidelines referenced therein. This PDR review resulted in no qualifications of the data. Tier I and Tier II data validation of all PCB analytical data for ambient air samples collected from the OPCA air monitors during these events will be conducted after receiving the full data package(s) from the laboratory.
- Conducted Tier I and Tier II data validation of PCB analytical data for ambient air samples collected from the OPCA air monitors on November 6-7, 2007. The Tier I and Tier II data validation consisted of a review of all data package summary forms for identification of quality assurance/quality control (QA/QC) deviations, as well as qualification of the data, in accordance with Validation Annex F in GE's revised FSP/QAPP and the Region I Data Validation Functional Guidelines referenced therein. The Tier I/II review resulted in no qualifications of these data, as shown in Table 5-5. The PCB analytical data from these samples have an overall usability of 100%. The validated data from these events are included in Table 5-6 (the year-to-date summary PCB table).
- Activities conducted in December 2007 related to the relocation of storm and sanitary sewer lines from beneath the Hill 78 OPCA to the Hill 78 Area-Remainder are discussed in Item 6.
- Placed soils from soil removal at Allendale School property in Building 78 OPCA.

b. Sampling/Test Results Received

See attached tables.

**ITEM 5
(cont'd)
PLANT AREA
HILL 78 & BUILDING 71 CONSOLIDATION AREAS
(GECD210/220)
DECEMBER 2007**

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue monthly submittals of PCB analytical data and Tier II data validation for ambient air samples collected from the OPCA air monitors.
- Continue placing soils from Allendale School property soil removal in Building 78 OPCA.
- Continue activities related to the relocation of storm and sanitary sewer lines from beneath the Hill 78 OPCA to the Hill 78 Area-Remainder.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Timing for completion of closure of Hill 78 OPCA is dependent on timing of building demolition activities.

f. Proposed/Approved Work Plan Modifications

None

**TABLE 5-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|---------------------------|--------------------|---------------|-------------------------|--------------------|---------------------------------------|
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/3/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/3/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/3/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/3/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/3/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/3/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/4/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/4/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/4/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/4/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/4/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/4/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/5/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/5/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/5/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/5/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/5/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/5/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/6/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/6/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/6/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/6/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/6/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/6/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/7/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/7/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/7/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/7/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/7/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/7/2007 | Air | Berkshire Environmental | Particulate Matter | 12/10/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/10/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/10/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/10/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/10/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/10/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/10/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |

**TABLE 5-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|---------------------------|--------------------|---------------|-------------------------|--------------------|---------------------------------------|
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/11/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/11/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/11/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/11/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/11/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/11/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/12/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/12/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/12/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/12/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/12/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/12/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/13/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/13/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/13/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/13/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/13/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/13/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/14/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/14/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/14/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/14/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/14/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/14/2007 | Air | Berkshire Environmental | Particulate Matter | 12/17/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/17/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/17/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/17/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/17/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/17/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/17/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/18/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/18/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/18/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/18/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/18/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/18/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |

**TABLE 5-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|---------------------------|--------------------|---------------|-------------------------|--------------------|---------------------------------------|
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/19/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/19/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/19/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/19/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/19/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/19/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/20/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/20/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/20/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/20/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/20/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/20/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/21/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/21/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/21/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/21/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/21/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/21/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/26/2007 | Air | Berkshire Environmental | Particulate Matter | 12/26/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/26/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/26/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/26/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/26/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/26/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/27/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/27/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/27/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/27/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/27/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/27/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/28/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/28/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/28/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/28/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/28/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/28/2007 | Air | Berkshire Environmental | Particulate Matter | 12/31/2007 |

**TABLE 5-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|--------------------------------|--------------------|---------------|-------------------------|--------------------|---------------------------------------|
| Ambient Air Particulate Matter Sampling | North of OPCAs | 12/31/2007 | Air | Berkshire Environmental | Particulate Matter | 1/2/2008 |
| Ambient Air Particulate Matter Sampling | Pittsfield Generating Co. | 12/31/2007 | Air | Berkshire Environmental | Particulate Matter | 1/2/2008 |
| Ambient Air Particulate Matter Sampling | Southeast of OPCAs | 12/31/2007 | Air | Berkshire Environmental | Particulate Matter | 1/2/2008 |
| Ambient Air Particulate Matter Sampling | Northwest of OPCAs | 12/31/2007 | Air | Berkshire Environmental | Particulate Matter | 1/2/2008 |
| Ambient Air Particulate Matter Sampling | West of OPCAs | 12/31/2007 | Air | Berkshire Environmental | Particulate Matter | 1/2/2008 |
| Ambient Air Particulate Matter Sampling | Background Location | 12/31/2007 | Air | Berkshire Environmental | Particulate Matter | 1/2/2008 |
| PCB Ambient Air Sampling | Field Blank | 12/19-12/20/2007 | Air | NEA | PCB | 12/28/2007 |
| PCB Ambient Air Sampling | Northwest of OPCAs | 12/19-12/20/2007 | Air | NEA | PCB | 12/28/2007 |
| PCB Ambient Air Sampling | West of OPCAs | 12/19-12/20/2007 | Air | NEA | PCB | 12/28/2007 |
| PCB Ambient Air Sampling | West of OPCAs colocated | 12/19-12/20/2007 | Air | NEA | PCB | 12/28/2007 |
| PCB Ambient Air Sampling | North of OPCAs | 12/19-12/20/2007 | Air | NEA | PCB | 12/28/2007 |
| PCB Ambient Air Sampling | Southeast of OPCAs | 12/19-12/20/2007 | Air | NEA | PCB | 12/28/2007 |
| PCB Ambient Air Sampling | Pittsfield Generating (PGE) | 12/19-12/20/2007 | Air | NEA | PCB | 12/28/2007 |
| PCB Ambient Air Sampling | Background East of Building 9B | 12/19-12/20/2007 | Air | NEA | PCB | 12/28/2007 |

TABLE 5-2
BUILDING 71 CONSOLIDATION AREA LEACHATE TRANSFER SUMMARY
PLANT AREA - HILL 78 & BUILDING 71 CONSOLIDATION AREAS
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Month / Year | Total Volume of Leachate Transferred (Gallons) |
|----------------|--|
| December 2006 | 42,000 |
| January 2007 | 36,000 |
| February 2007 | 18,000 |
| March 2007 | 29,000 |
| April 2007 | 26,000 |
| May 2007 | 17,000 |
| June 2007 | 18,000 |
| July 2007 | 9,000 |
| August 2007 | 18,000 |
| September 2007 | 21,500 |
| October 2007 | 19,000 |
| November 2007 | 13,000 |
| December 2007 | 12,000 |

Leachate is transferred from the Building 71 On-Plant Consolidation Area to Building 64G for treatment.

**TABLE 5-3
SUMMARY OF 2007 PCB AMBIENT AIR SAMPLING RESULTS RECEIVED DURING DECEMBER 2007**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
(all results are ug/m3)**

| Sample Location | Sample ID | Sample Date(s) | Aroclor ID | Result (ug/m ³) | Exceedances of Notification Level (0.05 ug/m ³) | Data Validated? |
|--|----------------|---------------------|------------|-----------------------------|---|------------------|
| Northwest of OPCAs | NW-122007-304 | 12/19/07 - 12/20/07 | Total PCB | ND (0.0003) | No | PDR ¹ |
| West of OPCAs | W-122007-301 | 12/19/07 - 12/20/07 | Total PCB | ND (0.0003) | No | |
| West of OPCAs, colocated | WCo-122007-006 | 12/19/07 - 12/20/07 | Total PCB | ND (0.0003) | No | |
| North of OPCAs | N-122007-002 | 12/19/07 - 12/20/07 | Total PCB | ND (0.0003) | No | |
| Southeast of OPCAs | SE-122007-202 | 12/19/07 - 12/20/07 | Total PCB | ND (0.0003) | No | |
| Pittsfield Generating (PGE) | PGE-122007-303 | 12/19/07 - 12/20/07 | Total PCB | ND (0.0003) | No | |
| Background Sample Location - East of Building 9B | BK3-122007-001 | 12/19/07 - 12/20/07 | Total PCB | ND (0.0003) | No | |

Notes:

All sampling activities performed by Berkshire Environmental Consultants, Inc. All analytical activities performed by Northeast Analytical, Inc. Only results for detected Aroclors, as well as Total PCBs, are presented.
PDR - Preliminary Data Review
ND - Non Detect (PQL)
PQL - Practical Quantitation Limit

Qualification Notes:

¹ PDR was conducted based on the following data quality indicators associated with the tabulated data set above: sampling collection time, sampling calibration check, temperature receipt, associated blanks, laboratory control samples recoveries, and surrogate recoveries.

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 04/17/07 | Pittsfield Generating Co. | 0.001 | 0.004 | 10:45 | NNW |
| | Northwest of OPCAs | 0.006 | | 10:30 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 04/18/07 | Pittsfield Generating Co. | 0.004 | 0.002 | 10:45 | NNE |
| | Northwest of OPCAs | 0.004 | | 10:15 | |
| | West of OPCAs | 0.002 | | 10:45 | |
| 05/29/07 | North of OPCAs | 0.009 | 0.032 | 10:45 | NNW, WNW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:50 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| 05/30/07 | West of OPCAs | 0.020 | 0.026 | 10:45 | Variable |
| | North of OPCAs | 0.016 | | 10:45 | |
| | Pittsfield Generating Co. | 0.008 | | 10:45 | |
| | Southeast of OPCAs | 0.017 | | 10:45 | |
| 05/31/07 | Northwest of OPCAs | 0.005 | 0.050 | 10:45 | Calm |
| | West of OPCAs | 0.005 | | 10:45 | |
| | North of OPCAs | 0.029 | | 10:45 | |
| | Pittsfield Generating Co. | 0.026 | | 10:45 | |
| 06/01/07 | Southeast of OPCAs | 0.024 | 0.048 | 10:45 | WNW |
| | Northwest of OPCAs | 0.023 | | 10:45 | |
| | West of OPCAs | 0.022 | | 10:45 | |
| | North of OPCAs | 0.051 | | 10:45 | |
| 06/04/07 | Pittsfield Generating Co. | 0.028 | 0.006 | 10:45 | Variable |
| | Southeast of OPCAs | 0.026 | | 10:45 | |
| | Northwest of OPCAs | 0.026 | | 10:45 | |
| | West of OPCAs | 0.033 | | 10:45 | |
| 06/05/07 | North of OPCAs | 0.006 | 0.026 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.006 | | 6:30 ² | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.003 | | 10:45 | |
| 06/06/07 | West of OPCAs | 0.008 | 0.008 | 10:45 | WNW |
| | North of OPCAs | 0.025 | | 10:45 | |
| | Pittsfield Generating Co. | 0.031 | | 10:15 | |
| | Southeast of OPCAs | 0.021 | | 10:45 | |
| 06/07/07 | Northwest of OPCAs | 0.023 | 0.003 | 10:45 | Variable |
| | West of OPCAs | 0.025 | | 10:45 | |
| | North of OPCAs | 0.011 | | 10:45 | |
| | Pittsfield Generating Co. | 0.010 | | 10:45 | |
| 06/07/07 | Southeast of OPCAs | 0.006 | 0.003 | 10:45 | Variable |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.009 | | 10:45 | |
| | North of OPCAs | 0.013 | | 10:45 | |
| 06/07/07 | Pittsfield Generating Co. | 0.008 | 0.003 | 10:45 | Variable |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.004 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 06/08/07 | North of OPCAs | 0.034 | 0.016 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.030 | | 10:45 | |
| | Southeast of OPCAs | 0.029 | | 10:45 | |
| | Northwest of OPCAs | 0.007 | | 5:15 ² | |
| | West of OPCAs | 0.027 | | 10:45 | |
| 06/11/07 | North of OPCAs | 0.011 | 0.036 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.015 | | 10:45 | |
| | Southeast of OPCAs | 0.012 | | 10:45 | |
| | Northwest of OPCAs | 0.011 | | 10:45 | |
| | West of OPCAs | 0.023 | | 10:45 | |
| 06/12/07 | North of OPCAs | 0.011 | 0.010 | 10:45 | NNE |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.008 | | 10:45 | |
| | Northwest of OPCAs | 0.009 | | 10:45 | |
| | West of OPCAs | 0.015 | | 10:45 | |
| 06/13/07 | North of OPCAs | 0.005 | 0.035 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.005 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |
| 06/14/07 | North of OPCAs | 0.013 | 0.031 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.007 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.008 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |
| 06/15/07 | North of OPCAs | 0.009 | 0.023 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.004 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.003 | | 10:30 | |
| | West of OPCAs | 0.005 | | 10:30 | |
| 06/18/07 | North of OPCAs | 0.006 | 0.018 | 10:30 | Variable |
| | Pittsfield Generating Co. | 0.010 | | 10:15 | |
| | Southeast of OPCAs | 0.007 | | 10:15 | |
| | Northwest of OPCAs | 0.004 | | 10:30 | |
| | West of OPCAs | 0.011 | | 10:30 | |
| 06/19/07 | North of OPCAs | 0.030 | 0.045 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.031 | | 10:45 | |
| | Southeast of OPCAs | 0.031 | | 10:45 | |
| | Northwest of OPCAs | 0.033 | | 10:30 | |
| | West of OPCAs | 0.021 | | 10:45 | |
| 06/20/07 | North of OPCAs | 0.011 | 0.015 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.004* | | 5:30 ² | |
| | Southeast of OPCAs | 0.021 | | 10:45 | |
| | Northwest of OPCAs | 0.016 | | 10:45 | |
| | West of OPCAs | 0.012 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date¹ | Sampler Location | Average Site Concentration (mg/m³) | Background Site Concentration (mg/m³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------------|---------------------------|--|---|-----------------------------------|-----------------------------------|
| 06/21/07 | North of OPCAs | 0.008 | 0.006 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.009 | | 10:45 | |
| | Northwest of OPCAs | 0.008 | | 10:45 | |
| | West of OPCAs | 0.005 | | 10:45 | |
| 06/22/07 | North of OPCAs | 0.007 | 0.004 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.006 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 06/25/07 | North of OPCAs | 0.016 | 0.007 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.017 | | 10:45 | |
| | Southeast of OPCAs | 0.015 | | 10:45 | |
| | Northwest of OPCAs | 0.019 | | 10:45 | |
| | West of OPCAs | 0.020 | | 10:45 | |
| 06/26/07 | North of OPCAs | 0.022 | 0.044 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.023 | | 10:45 | |
| | Southeast of OPCAs | 0.020 | | 10:45 | |
| | Northwest of OPCAs | 0.024 | | 10:45 | |
| | West of OPCAs | 0.024 | | 10:45 | |
| 06/27/07 | North of OPCAs | 0.049 | 0.033 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.044 | | 10:45 | |
| | Southeast of OPCAs | 0.039 | | 10:45 | |
| | Northwest of OPCAs | 0.039 | | 10:45 | |
| | West of OPCAs | 0.043 | | 10:45 | |
| 06/28/07 | North of OPCAs | 0.025 | 0.045 | 10:45 | WSW, WNW |
| | Pittsfield Generating Co. | 0.023 | | 10:45 | |
| | Southeast of OPCAs | 0.016 | | 10:45 | |
| | Northwest of OPCAs | 0.019 | | 10:45 | |
| | West of OPCAs | 0.017 | | 10:45 | |
| 06/29/07 | North of OPCAs | 0.005 | 0.001 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.002 | | 10:45 | |
| | West of OPCAs | 0.003 | | 10:45 | |
| 07/02/07 | North of OPCAs | 0.008 | 0.003 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.004 | | 10:45 | |
| | Southeast of OPCAs | 0.002 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 07/03/07 | North of OPCAs | 0.009 | 0.003 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.008 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.023 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 07/05/07 | North of OPCAs | 0.033 | 0.041 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.025 | | 10:45 | |
| | Southeast of OPCAs | 0.033 | | 10:45 | |
| | Northwest of OPCAs | 0.038 | | 10:45 | |
| | West of OPCAs | 0.032 | | 10:45 | |
| 07/06/07 | North of OPCAs | 0.022 | 0.018 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.019 | | 10:45 | |
| | Southeast of OPCAs | 0.016 | | 10:45 | |
| | Northwest of OPCAs | 0.021 | | 10:45 | |
| | West of OPCAs | 0.016 | | 10:45 | |
| 07/09/07 | North of OPCAs | 0.029 | 0.036 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.032 | | 10:45 | |
| | Southeast of OPCAs | 0.032 | | 10:45 | |
| | Northwest of OPCAs | 0.027 | | 10:45 | |
| | West of OPCAs | 0.025 | | 10:45 | |
| 07/10/07 | North of OPCAs | 0.033 | 0.033 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.033 | | 10:45 | |
| | Southeast of OPCAs | 0.022 | | 10:45 | |
| | Northwest of OPCAs | 0.028 | | 10:45 | |
| | West of OPCAs | 0.026 | | 10:45 | |
| 07/11/07 | North of OPCAs | 0.020 | 0.015 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.027 | | 10:45 | |
| | Southeast of OPCAs | 0.018 | | 10:45 | |
| | Northwest of OPCAs | 0.023 | | 10:45 | |
| | West of OPCAs | 0.021 | | 10:45 | |
| 07/12/07 | North of OPCAs | 0.010 | 0.002 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.007 | | 10:45 | |
| | Southeast of OPCAs | 0.003 | | 10:45 | |
| | Northwest of OPCAs | 0.004 | | 10:45 | |
| | West of OPCAs | 0.002 | | 10:45 | |
| 07/13/07 | North of OPCAs | 0.013 | 0.008 | 10:45 | WSW, WNW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.010 | | 10:45 | |
| | West of OPCAs | 0.007 | | 10:45 | |
| 07/16/07 | North of OPCAs | 0.007 | 0.003 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.005 | | 10:45 | |
| | Southeast of OPCAs | 0.003 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 07/17/07 | North of OPCAs | 0.009 | 0.008 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.026 | | 10:45 | |
| | Southeast of OPCAs | 0.009 | | 10:45 | |
| | Northwest of OPCAs | 0.009 | | 10:45 | |
| | West of OPCAs | 0.007 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 07/18/07 | North of OPCAs | 0.038 | 0.033 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.036 | | 10:45 | |
| | Southeast of OPCAs | 0.035 | | 10:45 | |
| | Northwest of OPCAs | 0.035 | | 10:45 | |
| | West of OPCAs | 0.034 | | 10:45 | |
| 07/19/07 | North of OPCAs | 0.024 | 0.022 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.025 | | 10:45 | |
| | Southeast of OPCAs | 0.023 | | 10:45 | |
| | Northwest of OPCAs | 0.021 | | 10:45 | |
| | West of OPCAs | 0.018 | | 10:45 | |
| 07/20/07 | North of OPCAs | 0.006 | 0.002 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |
| 07/23/07 | North of OPCAs | 0.011 | 0.013 | 10:45 | ENE |
| | Pittsfield Generating Co. | 0.009 | | 10:45 | |
| | Southeast of OPCAs | 0.010 | | 10:45 | |
| | Northwest of OPCAs | 0.018 | | 10:45 | |
| | West of OPCAs | 0.009 | | 10:45 | |
| 07/24/07 | North of OPCAs | 0.004 | 0.002 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.004 | | 10:45 | |
| | Southeast of OPCAs | 0.002 | | 10:45 | |
| | Northwest of OPCAs | 0.003 | | 10:45 | |
| | West of OPCAs | 0.005 | | 10:45 | |
| 07/25/07 | North of OPCAs | 0.016 | 0.014 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.022 | | 10:45 | |
| | Southeast of OPCAs | 0.015 | | 10:45 | |
| | Northwest of OPCAs | 0.017 | | 10:45 | |
| | West of OPCAs | 0.013 | | 10:45 | |
| 07/26/07 | North of OPCAs | 0.015 | 0.012 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.017 | | 10:45 | |
| | Southeast of OPCAs | 0.012 | | 10:45 | |
| | Northwest of OPCAs | 0.016 | | 10:45 | |
| | West of OPCAs | 0.011 | | 10:45 | |
| 07/27/07 | North of OPCAs | 0.017 | 0.026 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.019 | | 10:45 | |
| | Southeast of OPCAs | 0.013 | | 10:45 | |
| | Northwest of OPCAs | 0.016 | | 10:45 | |
| | West of OPCAs | 0.016 | | 10:45 | |
| 07/30/07 | North of OPCAs | 0.012 | 0.010 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.015 | | 10:45 | |
| | Southeast of OPCAs | 0.012 | | 10:45 | |
| | Northwest of OPCAs | 0.028 | | 10:15 | |
| | West of OPCAs | 0.006 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 07/31/07 | North of OPCAs | 0.014 | 0.007 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.015 | | 10:45 | |
| | Southeast of OPCAs | 0.010 | | 10:45 | |
| | Northwest of OPCAs | 0.011 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |
| 08/01/07 | North of OPCAs | 0.010 | 0.009 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.026 | | 10:45 | |
| | Southeast of OPCAs | 0.011 | | 10:45 | |
| | Northwest of OPCAs | 0.011 | | 10:45 | |
| | West of OPCAs | 0.009 | | 10:45 | |
| 08/02/07 | North of OPCAs | 0.029 | 0.013 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.022 | | 10:45 | |
| | Southeast of OPCAs | 0.016 | | 10:45 | |
| | Northwest of OPCAs | 0.015 | | 10:45 | |
| | West of OPCAs | 0.012 | | 10:45 | |
| 08/03/07 | North of OPCAs | 0.041 | 0.032 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.045 | | 10:45 | |
| | Southeast of OPCAs | 0.035 | | 10:45 | |
| | Northwest of OPCAs | 0.036 | | 10:45 | |
| | West of OPCAs | 0.032 | | 10:45 | |
| 08/06/07 | North of OPCAs | 0.022 | 0.020 | 10:45 | SSW, WSW |
| | Pittsfield Generating Co. | 0.023 | | 10:15 | |
| | Southeast of OPCAs | 0.019 | | 10:45 | |
| | Northwest of OPCAs | 0.019 | | 10:45 | |
| | West of OPCAs | 0.018 | | 10:45 | |
| 08/07/07 | North of OPCAs | 0.020 | 0.011 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.016 | | 10:45 | |
| | Southeast of OPCAs | 0.015 | | 10:45 | |
| | Northwest of OPCAs | 0.014 | | 10:45 | |
| | West of OPCAs | 0.016 | | 10:45 | |
| 08/08/07 | North of OPCAs | 0.029 | 0.035 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.029 | | 10:30 | |
| | Southeast of OPCAs | 0.016 | | 10:45 | |
| | Northwest of OPCAs | 0.021 | | 10:45 | |
| | West of OPCAs | 0.020 | | 10:45 | |
| 08/09/07 | North of OPCAs | 0.006 | 0.001 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.003 | | 10:45 | |
| | Northwest of OPCAs | 0.003 | | 10:45 | |
| | West of OPCAs | 0.003 | | 10:45 | |
| 08/10/07 | North of OPCAs | 0.007 | 0.007 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.023 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 08/13/07 | North of OPCAs | 0.016 | 0.010 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.015 | | 10:45 | |
| | Southeast of OPCAs | 0.013 | | 10:45 | |
| | Northwest of OPCAs | 0.023 | | 10:15 | |
| | West of OPCAs | 0.013 | | 10:45 | |
| 08/14/07 | North of OPCAs | 0.010 | 0.004 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.033 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.008 | | 10:45 | |
| | West of OPCAs | 0.005 | | 10:45 | |
| 08/15/07 | North of OPCAs | 0.016 | 0.013 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.017 | | 10:45 | |
| | Southeast of OPCAs | 0.017 | | 10:45 | |
| | Northwest of OPCAs | 0.016 | | 10:45 | |
| | West of OPCAs | 0.015 | | 10:45 | |
| 08/16/07 | North of OPCAs | 0.020 | 0.017 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.020 | | 10:45 | |
| | Southeast of OPCAs | 0.017 | | 10:45 | |
| | Northwest of OPCAs | 0.019 | | 10:45 | |
| | West of OPCAs | 0.016 | | 10:45 | |
| 08/17/07 | North of OPCAs | 0.005 | 0.003 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.004 | | 10:45 | |
| | West of OPCAs | 0.003 | | 10:45 | |
| 08/20/07 | North of OPCAs | 0.008 | 0.004 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.007 | | 10:45 | |
| | Southeast of OPCAs | 0.009 | | 10:45 | |
| | Northwest of OPCAs | 0.017 | | 10:00 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 08/21/07 | North of OPCAs | 0.012 | 0.004 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.008 | | 10:45 | |
| | Southeast of OPCAs | 0.016 | | 10:45 | |
| | Northwest of OPCAs | 0.008 ³ | | 5:15 ² | |
| | West of OPCAs | 0.009 | | 10:45 | |
| 08/22/07 | North of OPCAs | 0.009 | 0.003 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.005 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.007 | | 10:45 | |
| 08/23/07 | North of OPCAs | 0.007 | 0.004 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.007 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.011 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 08/24/07 | North of OPCAs | 0.023 | 0.021 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.024 | | 10:45 | |
| | Southeast of OPCAs | 0.023 | | 10:45 | |
| | Northwest of OPCAs | 0.033 | | 10:45 | |
| | West of OPCAs | 0.022 | | 10:45 | |
| 08/27/07 | North of OPCAs | 0.007 | 0.002 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.015 | | 10:45 | |
| | Southeast of OPCAs | 0.009 | | 10:00 | |
| | Northwest of OPCAs | 0.004 | | 10:45 | |
| | West of OPCAs | 0.005 | | 10:45 | |
| 08/28/07 | North of OPCAs | 0.042 | 0.005 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.023 | | 10:45 | |
| | Southeast of OPCAs | 0.008 | | 10:45 | |
| | Northwest of OPCAs | 0.010 | | 10:45 | |
| | West of OPCAs | 0.009 | | 10:45 | |
| 08/29/07 | North of OPCAs | 0.021 | 0.014 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.027 | | 10:45 | |
| | Southeast of OPCAs | 0.020 | | 10:45 | |
| | Northwest of OPCAs | 0.022 | | 10:45 | |
| | West of OPCAs | 0.017 | | 10:45 | |
| 08/30/07 | North of OPCAs | 0.034 | 0.024 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.027 | | 10:45 | |
| | Southeast of OPCAs | 0.027 | | 10:45 | |
| | Northwest of OPCAs | 0.028 | | 10:45 | |
| | West of OPCAs | 0.030 | | 10:45 | |
| 08/31/07 | North of OPCAs | 0.012 | 0.006 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.009 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.007 | | 10:45 | |
| | West of OPCAs | 0.009 | | 10:45 | |
| 09/04/07 | North of OPCAs | 0.008 | 0.009 | 10:45 | NNW |
| | Pittsfield Generating Co. | 0.009 | | 10:45 | |
| | Southeast of OPCAs | 0.006 | | 10:45 | |
| | Northwest of OPCAs | 0.011 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |
| 09/05/07 | North of OPCAs | 0.004 | 0.004 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |
| 09/06/07 | North of OPCAs | 0.016 | 0.009 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.017 | | 10:45 | |
| | Southeast of OPCAs | 0.012 | | 10:45 | |
| | Northwest of OPCAs | 0.019 | | 10:45 | |
| | West of OPCAs | 0.013 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 09/07/07 | North of OPCAs | 0.022 | 0.021 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.025 | | 10:45 | |
| | Southeast of OPCAs | 0.023 | | 10:45 | |
| | Northwest of OPCAs | 0.025 | | 10:45 | |
| | West of OPCAs | 0.021 | | 10:45 | |
| 09/10/07 | North of OPCAs | 0.016 | 0.016 | 10:30 | Calm |
| | Pittsfield Generating Co. | 0.023 | | 10:45 | |
| | Southeast of OPCAs | 0.015 | | 10:45 | |
| | Northwest of OPCAs | 0.015 | | 10:45 | |
| | West of OPCAs | 0.012 | | 10:45 | |
| 09/11/07 | North of OPCAs | 0.009 | 0.008 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.008 | | 10:45 | |
| | Southeast of OPCAs | 0.008 | | 10:45 | |
| | Northwest of OPCAs | 0.008 | | 10:45 | |
| | West of OPCAs | 0.007 | | 10:45 | |
| 09/12/07 | North of OPCAs | 0.003 | 0.002 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.004 | | 10:45 | |
| | Southeast of OPCAs | 0.002 | | 10:45 | |
| | Northwest of OPCAs | 0.003 | | 10:45 | |
| | West of OPCAs | 0.002 | | 10:45 | |
| 09/13/07 | North of OPCAs | 0.007 | 0.006 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.007 | | 10:45 | |
| | Southeast of OPCAs | 0.006 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.007 | | 10:45 | |
| 09/14/07 | North of OPCAs | 0.012 | 0.009 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.009 | | 10:45 | |
| | Southeast of OPCAs | 0.009 | | 10:45 | |
| | Northwest of OPCAs | 0.009 | | 10:45 | |
| | West of OPCAs | 0.009 | | 10:45 | |
| 09/17/07 | North of OPCAs | 0.006 | 0.007 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.008 | | 10:45 | |
| | Southeast of OPCAs | 0.006 | | 10:45 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |
| 09/18/07 | North of OPCAs | 0.011 | 0.007 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.010 | | 10:45 | |
| | Northwest of OPCAs | 0.010 | | 10:45 | |
| | West of OPCAs | 0.010 | | 10:45 | |
| 09/19/07 | North of OPCAs | 0.016 | 0.008 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.010 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.011 | | 10:45 | |
| | West of OPCAs | 0.011 | | 6:30 ² | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 09/20/07 | North of OPCAs | 0.020 | 0.015 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.020 | | 10:45 | |
| | Southeast of OPCAs | 0.016 | | 10:45 | |
| | Northwest of OPCAs | 0.029 | | 10:45 | |
| | West of OPCAs | 0.058 | | 7:45 ² | |
| 09/21/07 | North of OPCAs | 0.019 | 0.022 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.027 | | 10:45 | |
| | Southeast of OPCAs | 0.022 | | 10:45 | |
| | Northwest of OPCAs | 0.025 | | 10:45 | |
| | West of OPCAs | 0.025 | | 10:45 | |
| 09/24/07 | North of OPCAs | 0.010 | 0.005 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.009 | | 10:45 | |
| | Northwest of OPCAs | 0.018 | | 10:45 | |
| | West of OPCAs | 0.011 | | 10:45 | |
| 09/25/07 | North of OPCAs | 0.018 | 0.014 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.039 | | 10:45 | |
| | Southeast of OPCAs | 0.015 | | 10:45 | |
| | Northwest of OPCAs | 0.018 | | 10:45 | |
| | West of OPCAs | 0.020 | | 10:45 | |
| 09/26/07 | North of OPCAs | 0.030 | 0.028 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.035 | | 10:45 | |
| | Southeast of OPCAs | 0.032 | | 10:45 | |
| | Northwest of OPCAs | 0.033 | | 10:45 | |
| | West of OPCAs | 0.034 | | 10:45 | |
| 09/27/07 | North of OPCAs | 0.030 | 0.024 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.041 | | 10:45 | |
| | Southeast of OPCAs | 0.025 | | 10:45 | |
| | Northwest of OPCAs | 0.028 | | 10:45 | |
| | West of OPCAs | 0.033 | | 10:45 | |
| 09/28/07 | North of OPCAs | 0.008 | 0.004 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.003 | | 10:45 | |
| 10/01/07 | North of OPCAs | 0.009 | 0.006 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.008 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | NA ⁴ | | NA ⁴ | |
| | West of OPCAs | 0.014 | | 10:15 | |
| 10/02/07 | North of OPCAs | 0.008 | 0.004 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.007 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | NA ⁴ | | NA ⁴ | |
| | West of OPCAs | 0.007 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 10/03/07 | North of OPCAs | 0.006 | 0.005 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |
| 10/04/07 | North of OPCAs | 0.017 | 0.017 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.017 | | 10:45 | |
| | Southeast of OPCAs | 0.016 | | 10:45 | |
| | Northwest of OPCAs | 0.014 | | 10:45 | |
| | West of OPCAs | 0.014 | | 10:45 | |
| 10/05/07 | North of OPCAs | 0.025 | 0.021 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.033 | | 10:45 | |
| | Southeast of OPCAs | 0.024 | | 10:45 | |
| | Northwest of OPCAs | 0.024 | | 10:45 | |
| | West of OPCAs | 0.025 | | 10:45 | |
| 10/08/07 | North of OPCAs | 0.016 | 0.020 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.021 | | 10:45 | |
| | Southeast of OPCAs | 0.019 | | 10:45 | |
| | Northwest of OPCAs | 0.016 | | 10:45 | |
| | West of OPCAs | 0.020 | | 10:45 | |
| 10/09/07 | North of OPCAs | 0.006 | 0.005 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.005 | | 10:45 | |
| | Southeast of OPCAs | 0.006 | | 10:45 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 10/10/07 | North of OPCAs | 0.006 | 0.002 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.009 | | 10:45 | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.007 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 10/11/07 | North of OPCAs | 0.005 | 0.005 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.008 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.005 | | 10:45 | |
| 10/12/07 | North of OPCAs | 0.004 | 0.005 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.003 | | 10:45 | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.003 | | 10:45 | |
| 10/15/07 | North of OPCAs | 0.004 | 0.003 ³ | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.003 | | 10:45 | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.002 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:15 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 10/16/07 | North of OPCAs | 0.006 | 0.004 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.006 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |
| 10/17/07 | North of OPCAs | 0.015 | 0.011 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.015 | | 10:00 | |
| | Southeast of OPCAs | 0.014 | | 10:30 | |
| | Northwest of OPCAs | 0.010 | | 10:45 | |
| | West of OPCAs | 0.017 | | 10:45 | |
| 10/18/07 | North of OPCAs | 0.026 | 0.023 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.026 | | 10:45 | |
| | Southeast of OPCAs | 0.022 | | 10:45 | |
| | Northwest of OPCAs | 0.027 | | 10:45 | |
| | West of OPCAs | 0.022 | | 10:45 | |
| 10/19/07 | North of OPCAs | 0.020 | 0.023 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.037 | | 10:45 | |
| | Southeast of OPCAs | 0.014 | | 10:45 | |
| | Northwest of OPCAs | 0.013 | | 10:45 | |
| | West of OPCAs | 0.021 | | 10:45 | |
| 10/22/07 | North of OPCAs | 0.016 | 0.019 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.040 | | 10:45 | |
| | Southeast of OPCAs | 0.013 | | 10:45 | |
| | Northwest of OPCAs | 0.013 | | 10:45 | |
| | West of OPCAs | 0.017 | | 10:45 | |
| 10/23/07 | North of OPCAs | 0.013 | 0.012 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.015 | | 10:45 | |
| | Southeast of OPCAs | 0.014 | | 10:45 | |
| | Northwest of OPCAs | 0.014 | | 10:45 | |
| | West of OPCAs | 0.013 | | 10:45 | |
| 10/24/07 | North of OPCAs | 0.004 | 0.004 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.003 | | 10:45 | |
| | Southeast of OPCAs | 0.001 | | 10:45 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.002 | | 10:45 | |
| 10/25/07 | North of OPCAs | 0.006 | 0.007 | 10:45 | NNE |
| | Pittsfield Generating Co. | 0.005 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.005 | | 10:45 | |
| 10/26/07 | North of OPCAs | 0.012 | 0.008 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.012 | | 10:45 | |
| | Southeast of OPCAs | 0.010 | | 10:45 | |
| | Northwest of OPCAs | 0.009 | | 10:45 | |
| | West of OPCAs | 0.016 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 10/29/07 | North of OPCAs | 0.007 | 0.005 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.005 | | 10:45 | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.006 | | 7:30 ² | |
| 10/30/07 | North of OPCAs | 0.016 | 0.063 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.015 | | 10:45 | |
| | Southeast of OPCAs | 0.013 | | 10:45 | |
| | Northwest of OPCAs | 0.014 | | 10:45 | |
| | West of OPCAs | 0.011 | | 10:30 | |
| 10/31/07 | North of OPCAs | 0.018 | 0.014 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.019 | | 10:45 | |
| | Southeast of OPCAs | 0.014 | | 10:45 | |
| | Northwest of OPCAs | 0.020 | | 10:45 | |
| | West of OPCAs | 0.017 | | 10:00 | |
| 11/01/07 | North of OPCAs | 0.007 | 0.006 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.009 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.008 | | 10:45 | |
| | West of OPCAs | 0.009 | | 10:45 | |
| 11/02/07 | North of OPCAs | 0.009 | 0.006 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.007 | | 10:45 | |
| | West of OPCAs | 0.003 | | 10:45 | |
| 11/05/07 | North of OPCAs | 0.011 | 0.011 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.010 | | 10:45 | |
| | Southeast of OPCAs | 0.012 | | 9:00 ⁵ | |
| | Northwest of OPCAs | 0.012 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |
| 11/06/07 | North of OPCAs | 0.009 | 0.011 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.008 | | 10:45 | |
| | Southeast of OPCAs | 0.009 | | 10:15 | |
| | Northwest of OPCAs | 0.008 | | 10:45 | |
| | West of OPCAs | 0.007 | | 9:45 ⁵ | |
| 11/07/07 | North of OPCAs | 0.003 | 0.003 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.003 | | 10:45 | |
| | Southeast of OPCAs | 0.004 | | 10:45 | |
| | Northwest of OPCAs | 0.003 | | 10:45 | |
| | West of OPCAs | 0.002 | | 10:45 | |
| 11/08/07 | North of OPCAs | 0.007 | 0.005 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.004 | | 10:45 | |
| | Southeast of OPCAs | 0.010 | | 8:00 ² | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 11/09/07 | North of OPCAs | 0.009 | 0.006 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.009 | | 10:45 | |
| | Southeast of OPCAs | 0.017 | | 10:45 | |
| | Northwest of OPCAs | 0.008 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |
| 11/12/07 | North of OPCAs | 0.016 | 0.013 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.017 | | 10:45 | |
| | Southeast of OPCAs | 0.011 | | 10:45 | |
| | Northwest of OPCAs | 0.012 | | 10:45 | |
| | West of OPCAs | 0.012 | | 10:45 | |
| 11/13/07 | North of OPCAs | 0.017 | 0.063 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.014 | | 10:45 | |
| | Southeast of OPCAs | 0.010 | | 10:45 | |
| | Northwest of OPCAs | 0.013 | | 10:45 | |
| | West of OPCAs | 0.010 | | 10:45 | |
| 11/14/07 | North of OPCAs | 0.024 | 0.022 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.022 | | 10:45 | |
| | Southeast of OPCAs | 0.015 | | 10:45 | |
| | Northwest of OPCAs | 0.023 | | 10:45 | |
| | West of OPCAs | 0.018 | | 10:45 | |
| 11/15/07 | North of OPCAs | 0.014 | 0.015 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.016 | | 10:45 | |
| | Southeast of OPCAs | 0.010 | | 10:45 | |
| | Northwest of OPCAs | 0.010 | | 10:45 | |
| | West of OPCAs | 0.007 | | 10:45 | |
| 11/16/07 | North of OPCAs | 0.002 | 0.003 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.003 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.003 | | 10:45 | |
| 11/19/07 | North of OPCAs | 0.006 | 0.006 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.025 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.004 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 11/20/07 | North of OPCAs | 0.015 | 0.020 | 9:15 ² | Calm |
| | Pittsfield Generating Co. | 0.020 | | 10:45 | |
| | Southeast of OPCAs | 0.013 | | 10:45 | |
| | Northwest of OPCAs | 0.017 | | 10:45 | |
| | West of OPCAs | 0.013 | | 10:45 | |
| 11/21/07 | North of OPCAs | 0.033 | 0.029 | 8:00 ² | Calm |
| | Pittsfield Generating Co. | 0.027 | | 10:45 | |
| | Southeast of OPCAs | 0.022 | | 10:45 | |
| | Northwest of OPCAs | 0.023 | | 10:45 | |
| | West of OPCAs | 0.016 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 11/23/07 | North of OPCAs | 0.002 | 0.005 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.004 | | 10:00 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 11/26/07 | North of OPCAs | 0.034 | 0.038 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.042 | | 10:45 | |
| | Southeast of OPCAs | 0.027 | | 10:45 | |
| | Northwest of OPCAs | 0.033 | | 10:45 | |
| | West of OPCAs | 0.021 | | 10:45 | |
| 11/27/07 | North of OPCAs | 0.002 | 0.006 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.003 | | 10:45 | |
| | Southeast of OPCAs | 0.003 | | 10:45 | |
| | Northwest of OPCAs | 0.005 | | 10:45 | |
| | West of OPCAs | 0.003 | | 10:45 | |
| 11/28/07 | North of OPCAs | 0.003 | 0.003 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.004 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.004 | | 10:45 | |
| | West of OPCAs | 0.002 | | 10:45 | |
| 11/29/07 | North of OPCAs | 0.016 | 0.013 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.018 | | 10:45 | |
| | Southeast of OPCAs | 0.015 | | 10:45 | |
| | Northwest of OPCAs | 0.009 | | 10:45 | |
| | West of OPCAs | 0.014 | | 10:45 | |
| 11/30/07 | North of OPCAs | 0.007 | 0.007 | 10:15 | WNW |
| | Pittsfield Generating Co. | 0.007 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.007 | | 10:45 | |
| | West of OPCAs | 0.006 | | 10:45 | |
| 12/03/07 | North of OPCAs | 0.011 | 0.013 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.009 | | 10:45 | |
| | Northwest of OPCAs | 0.008 | | 10:45 | |
| | West of OPCAs | 0.010 | | 7:30 ⁶ | |
| 12/04/07 | North of OPCAs | 0.026 | 0.009 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.024 | | 10:45 | |
| | Southeast of OPCAs | 0.012 | | 10:45 | |
| | Northwest of OPCAs | 0.030 | | 10:45 | |
| | West of OPCAs | 0.012 | | 10:45 | |
| 12/05/07 | North of OPCAs | 0.009 | 0.006 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.010 | | 10:45 | |
| | Southeast of OPCAs | 0.006 | | 10:45 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.005 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 12/06/07 | North of OPCAs | 0.005 | 0.005 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.006 | | 10:45 | |
| | Southeast of OPCAs | 0.005 | | 10:45 | |
| | Northwest of OPCAs | 0.003 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |
| 12/07/07 | North of OPCAs | 0.036 | 0.027 | 10:45 | SSW |
| | Pittsfield Generating Co. | 0.035 | | 10:45 | |
| | Southeast of OPCAs | 0.024 | | 10:45 | |
| | Northwest of OPCAs | 0.031 | | 10:45 | |
| | West of OPCAs | 0.021 | | 10:45 | |
| 12/10/07 | North of OPCAs | 0.015 | 0.016 | 7:15 ⁷ | W |
| | Pittsfield Generating Co. | 0.012 | | 10:45 | |
| | Southeast of OPCAs | 0.011 | | 10:45 | |
| | Northwest of OPCAs | 0.011 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |
| 12/11/07 | North of OPCAs | 0.026 | 0.025 | 10:15 | WSW |
| | Pittsfield Generating Co. | 0.027 | | 10:45 | |
| | Southeast of OPCAs | 0.020 | | 10:45 | |
| | Northwest of OPCAs | 0.016 | | 10:45 | |
| | West of OPCAs | 0.018 | | 10:45 | |
| 12/12/07 | North of OPCAs | 0.004 | 0.007 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.005 | | 10:45 | |
| | Southeast of OPCAs | 0.003 | | 10:45 | |
| | Northwest of OPCAs | 0.006 | | 10:45 | |
| | West of OPCAs | 0.004 | | 10:45 | |
| 12/13/07 | North of OPCAs | 0.017 | 0.016 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.032 | | 10:45 | |
| | Southeast of OPCAs | 0.023 | | 10:45 | |
| | Northwest of OPCAs | 0.014 | | 10:45 | |
| | West of OPCAs | 0.015 | | 10:45 | |
| 12/14/07 | North of OPCAs | 0.015 | 0.016 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.019 | | 10:45 | |
| | Southeast of OPCAs | 0.016 | | 10:45 | |
| | Northwest of OPCAs | 0.015 | | 10:45 | |
| | West of OPCAs | 0.013 | | 10:45 | |
| 12/17/07 | North of OPCAs | 0.015 | 0.017 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.009 | | 10:45 | |
| | Southeast of OPCAs | 0.009 | | 10:45 | |
| | Northwest of OPCAs | 0.027 | | 8:30 ⁷ | |
| | West of OPCAs | 0.012 | | 10:45 | |
| 12/18/07 | North of OPCAs | 0.013 | 0.008 | 10:45 | WSW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.011 | | 10:45 | |
| | West of OPCAs | 0.009 | | 10:45 | |

**TABLE 5-4
 AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING 2007**

**PARTICULATE AMBIENT AIR CONCENTRATIONS
 HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sampling Date ¹ | Sampler Location | Average Site Concentration (mg/m ³) | Background Site Concentration (mg/m ³) | Average Period (Hours:Min) | Predominant Wind Direction |
|----------------------------|---------------------------|---|--|----------------------------|----------------------------|
| 12/19/07 | North of OPCAs | 0.045 | 0.041 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.042 | | 9:00 ² | |
| | Southeast of OPCAs | 0.043 | | 10:45 | |
| | Northwest of OPCAs | 0.044 | | 10:45 | |
| | West of OPCAs | 0.048 | | 10:45 | |
| 12/20/07 | North of OPCAs | 0.011 | 0.009 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.011 | | 10:45 | |
| | Southeast of OPCAs | 0.011 | | 10:45 | |
| | Northwest of OPCAs | 0.013 | | 10:45 | |
| | West of OPCAs | 0.008 | | 10:45 | |
| 12/21/07 | North of OPCAs | 0.011 | 0.011 | 10:45 | Variable |
| | Pittsfield Generating Co. | 0.013 | | 10:45 | |
| | Southeast of OPCAs | 0.013 | | 10:45 | |
| | Northwest of OPCAs | 0.016 | | 10:45 | |
| | West of OPCAs | 0.011 | | 10:45 | |
| 12/26/07 | North of OPCAs | 0.011 | 0.011 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.019 | | 10:45 | |
| | Southeast of OPCAs | 0.010 | | 10:45 | |
| | Northwest of OPCAs | 0.012 | | 10:45 | |
| | West of OPCAs | 0.012 | | 9:45 ² | |
| 12/27/07 | North of OPCAs | 0.014 | 0.012 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.010 | | 10:45 | |
| | Southeast of OPCAs | 0.013 | | 10:45 | |
| | Northwest of OPCAs | 0.012 | | 10:45 | |
| | West of OPCAs | 0.010 | | 10:45 | |
| 12/28/07 | North of OPCAs | 0.013 | 0.015 | 10:45 | Calm |
| | Pittsfield Generating Co. | 0.013 | | 10:45 | |
| | Southeast of OPCAs | 0.012 | | 10:45 | |
| | Northwest of OPCAs | 0.015 | | 10:45 | |
| | West of OPCAs | 0.010 | | 10:45 | |
| 12/31/07 | North of OPCAs | 0.011 | 0.008 | 10:45 | WNW |
| | Pittsfield Generating Co. | 0.007 | | 10:45 | |
| | Southeast of OPCAs | 0.007 | | 10:45 | |
| | Northwest of OPCAs | 0.008 | | 10:45 | |
| | West of OPCAs | 0.005 | | 10:45 | |
| Notification Level | | 0.120 | | | |
| Action Level | | 0.150 | | | |

Notes:

Concentrations measured with an EBAM unless noted.

Background monitoring station is located east of Building 9B, between Building 9B and New York Avenue.

Predominant wind direction determined using hourly wind direction data from the Pittsfield Municipal Airport Weather Station.

NA - Not Available

¹ The particulate monitors obtain real-time data. The sampling data were obtained by Berkshire Environmental Consultants, Inc. on the sampling date.

² Sampling period was shortened due to instrument malfunction.

³ Represents data from an EBAM and a DR-4000.

⁴ Data invalidated due to interference from insects.

⁵ Sampling Period was shortened due to EBAM maintenance.

⁶ Sampling Period was shortened due to temporary power shutdown for gate removal.

⁷ Sampling Period was shortened due to temporary power loss.

**TABLE 5-5
ANALYTICAL DATA VALIDATION SUMMARY
AMBIENT AIR DATA FROM HILL 78/BUILDING 71 ON-PLANT CONSOLIDATION AREA (OPCA) MONITORS FOR WHICH DATA VALIDATION WAS PERFORMED IN DECEMBER 200**

**GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in micrograms per PUF, ug/PUF)**

| Sample Delivery Group No. | Sample Location | Sample ID | Lab Sample ID | Date Collected | Matrix | Validation Level | Qualification | Compound | QA/QC Parameter | Value | Control Limits | Qualified Result (ug/PUF) | Qualified Result (ug/m ³) | Notes |
|---------------------------|--|----------------|---------------|----------------|--------|------------------|---------------|----------|-----------------|-------|----------------|---------------------------|---------------------------------------|-------|
| EPA TO-4A | | | | | | | | | | | | | | |
| 07110070 | Northwest of OPCAs | NA* | NA* | NA* | -- | -- | -- | | | | | | | |
| 07110070 | West of OPCAs | W-110707-301 | AK18407 | 11/7/2007 | Air | Tier II | No | | | | | | | |
| 07110070 | West of OPCAs colocated | WCO-110707-006 | AK18408 | 11/7/2007 | Air | Tier II | No | | | | | | | |
| 07110070 | North of OPCAs | N-110707-002 | AK18409 | 11/7/2007 | Air | Tier II | No | | | | | | | |
| 07110070 | Southeast of OPCAs | SE-110707-202 | AK18410 | 11/7/2007 | Air | Tier II | No | | | | | | | |
| 07110070 | Pittsfield Generating (PGE) | PGE-110707-303 | AK18411 | 11/7/2007 | Air | Tier II | No | | | | | | | |
| 07110070 | Background Sample Location - East of Building 9B | BK3-110707-001 | AK18412 | 11/7/2007 | Air | Tier II | No | | | | | | | |

NA - Not Available

* NW sample did not meet QA/QC criteria and was invalidated as a result of the pre- and post- event 1 point audits being out of range.

**TABLE 5-6
SUMMARY OF 2007 PCB AMBIENT AIR SAMPLING RESULTS**

**HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
(all results are ug/m³)**

| Date | Northwest of OPCAs | West of OPCAs | West of OPCAs collocated | North of OPCAs | Southeast of OPCAs | Pittsfield Generating (PGE) | Background Sample Location - East of Building 9B | Data Validated? |
|--|-------------------------|-------------------------|--------------------------|-------------------------|-------------------------|-----------------------------|--|-----------------|
| 01/10/07 - 01/11/07 | ND | ND | ND | ND | ND | ND | ND | Tier I/II |
| 02/06/07 - 02/07/07 | ND | ND | ND | ND | ND | ND | ND | Tier I/II |
| 03/06/07 - 03/07/07 | ND J ¹ | ND | ND | ND | ND | ND | ND | Tier I/II |
| 04/17/07 - 04/18/07 | ND | ND | ND | ND | ND | ND | ND | Tier I/II |
| 05/08/07 - 05/09/07 | 0.0008 ² | 0.0015 ² | 0.0018 ² | 0.0008 ² | 0.0008 ² | 0.0008 ² | 0.0015 ² | Tier I/II |
| 05/30/07 - 05/31/07 | 0.0008 ² | 0.0017 ² | 0.0017 ² | 0.0008 ² | 0.0010 ² | 0.0012 ² | 0.0022 ² | Tier I/II |
| 06/06/07 - 06/07/07 | 0.0003 J ³ | ND | ND | ND | ND | 0.0004 J ³ | ND | Tier I/II |
| 06/12/07 - 06/13/07 | 0.0007 J ³ | 0.0008 J ³ | 0.0008 J ³ | 0.0004 J ³ | 0.0006 J ³ | 0.0004 | 0.0020 J ³ | Tier I/II |
| 06/19/07 - 06/20/07 | 0.0034 J ³ | 0.0058 J ³ | 0.0056 J ^{3,4} | 0.0021 J ³ | 0.0014 J ^{3,5} | 0.0019 J ³ | 0.0042 J ³ | Tier I/II |
| 06/26/07 - 06/27/07 | 0.0024 J ³ | 0.0041 J ³ | 0.0039 J ³ | 0.0017 J ³ | 0.0019 J ³ | 0.0028 J ³ | 0.0036 J ³ | Tier I/II |
| 07/02/07 - 07/03/07 | ND | NA ⁷ | 0.0003 | ND | ND | ND | 0.0004 | Tier I/II |
| 07/10/07 - 07/11/07 | 0.0032 J ³ | 0.0050 J ^{3,5} | 0.0059 J ³ | 0.0025 J ³ | 0.0018 J ³ | 0.0024 J ³ | 0.0039 J ³ | Tier I/II |
| 07/17/07 - 07/18/07 | 0.0008 J ^{3,8} | 0.0020 J ^{3,8} | 0.0017 J ^{3,8} | 0.0008 J ^{3,8} | 0.0011 J ^{3,8} | 0.0010 J ^{3,8} | 0.0021 J ^{3,8} | Tier I/II |
| 07/24/07 - 07/25/07 | 0.0008 J ³ | 0.0013 J ³ | 0.0010 J ³ | 0.0009 J ³ | 0.0008 J ³ | 0.0012 J ³ | 0.0019 J ^{3,5} | Tier I/II |
| 08/01/07 - 08/02/07 | 0.0011 J ^{3,5} | 0.0013 J ^{3,9} | 0.0018 J ^{3,9} | 0.0009 J ^{3,5} | 0.0012 J ³ | 0.0010 J ³ | 0.0022 J ³ | Tier I/II |
| 08/07/07 - 08/08/07 | 0.0015 J ³ | 0.0026 J ³ | 0.0027 J ³ | 0.0014 J ³ | 0.0013 J ³ | 0.0014 J ³ | 0.0037 J ³ | Tier I/II |
| 08/14/07 - 08/15/07 | 0.0004 | 0.0009 J ³ | 0.0006 | 0.0004 | 0.0008 J ³ | 0.0010 J ³ | 0.0016 J ³ | Tier I/II |
| 08/22/07 - 08/23/07 | ND | 0.0005 | 0.0009 J ³ | ND | ND | ND | 0.0013 J ³ | Tier I/II |
| 08/28/07 - 08/29/07 | 0.0014 J ³ | 0.0020 J ³ | 0.0022 J ^{3,5} | 0.0009 J ³ | 0.0008 J ³ | 0.0008 J ³ | 0.0019 J ³ | Tier I/II |
| 09/05/07 - 09/06/07 | 0.0003 J ³ | 0.0010 J ³ | 0.0011 J ³ | ND | ND | 0.0009 J ³ | ND | Tier I/II |
| 09/12/07 - 09/13/07 | 0.0003 J ³ | 0.0009 J ³ | 0.0004 | 0.0003 J ³ | 0.0004 J ³ | 0.0010 J ³ | 0.0008 J ³ | Tier I/II |
| 10/02/07 - 10/03/07 | ND | 0.0012 J ³ | 0.0011 J ³ | 0.0003 J ³ | ND | ND | 0.0010 J ³ | Tier I/II |
| 11/06/07 - 11/07/07 | NA ¹⁰ | ND | ND | ND | ND | ND | ND | Tier I/II |
| 12/19/07 - 12/20/07 | ND | ND | ND | ND | ND | ND | ND | PDR |
| Exceedances of Notification Level (0.05 ug/m³) | None | None | None | None | None | None | None | |

TABLE 5-6
SUMMARY OF 2007 PCB AMBIENT AIR SAMPLING RESULTS
HILL 78/BUILDING 71 ON PLANT CONSOLIDATION AREAS
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
(all results are ug/m³)

Notes:

All sampling activities performed by Berkshire Environmental Consultants, Inc. All analytical activities performed by Northeast Analytical, Inc.

ND - Non Detect (<0.0003)

PDR - Preliminary Data Review

J - Indicates that the associated numerical value is an estimated concentration.

¹ Sample location NW-030707-012 was qualified due to pre-event sample collection pump flow percent difference (%D) greater than 10% from target flow rate.

² Prior to the June 6-7, 2007 sampling event, sampling data that did not match the Aroclor pattern established through analysis of the target Aroclor standard (which consisted of data for Aroclor 1248) were qualified as non-detect ("ND"), and the Total PCB concentration was adjusted to reflect the qualification of those data as "ND".

³ Based on discussions with the EPA, beginning with the June 6-7, 2007 sampling event, sampling data that did not match the Aroclor pattern established through analysis of the target Aroclor standard (which consisted of data for Aroclor 1248) were qualified as estimated ("J").

⁴ During PDR, this value was reported from the confirmation column and was later corrected to the value from the primary analytical column.

⁵ Sample result qualified as estimate due to confirmation column analysis exhibiting a %D greater than the control limit.

⁶ PDR was conducted based on the following data quality indicators associated with the tabulated data set above: sampling collection time, sampling calibration check, temperature receipt, associated blanks, laboratory control samples recoveries, and surrogate recoveries.

⁷ Sample did not meet validity requirements and was not analyzed. Sample did not meet the QA/QC criteria of 24 hours ± 30 minutes.

⁸ Sample results qualified as estimate due to the laboratory control sample (LCS) exhibiting a recovery less than the control limit and exhibiting a relative percent difference (RPD) between the LCS and laboratory control sample duplicate (LCSD) greater than the control limit.

⁹ Sample result qualified as estimate due to the co-located field duplicate exhibiting a RPD greater than the control limit.

¹⁰ Sample did not meet QA/QC criteria and was invalidated as a result of the pre- and post- event 1 point audits being out of range.

**ITEM 6
PLANT AREA
HILL 78 AREA - REMAINDER
(GEC160)
DECEMBER 2007**

a. Activities Undertaken/Completed

- Continued soil-related evaluations to support Conceptual RD/RA Work Plan for Hill 78 Area-Remainder.*
- Continued construction activities for the utility re-routing project around the Hill 78 OPCA.
- Conducted drum sampling at Building 78 of routine maintenance oil and antifreeze from the Building 78 forklift, as identified in Table 6-1.

b. Sampling/Test Results Received

See attached table.

c. Work Plans/Reports/Documents Submitted

Submitted results of Data Needs Assessment (December 17, 2007).*

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Prepare Conceptual RD/RA Work Plan for Hill 78 Area-Remainder (due to EPA by February 18, 2008).*
- Continue construction activities for the utility re-routing project around the Hill 78 OPCA.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**TABLE 6-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**HILL 78 AREA-REMAINDER
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|--|------------------------|--------------------|---------------|-------------------|-----------------|---------------------------------------|
| Building 78 Forklift Routine Antifreeze Sampling | F3344-1 | 12/19/07 | Glycol | SGS | PCB | |
| Building 78 Forklift Routine Oil Sampling | F3345-1 | 12/19/07 | Oil | SGS | PCB | |

**ITEM 7
PLANT AREA
UNKAMET BROOK AREA
(GEC170)
DECEMBER 2007**

a. Activities Undertaken/Completed

Continued flow monitoring activities in Unkamet Brook.*

b. Sampling/Test Results Received

See attached tables and enclosed compact disk containing flow monitoring data from Unkamet Brook.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

Develop Second Supplement to Pre-Design Investigation Report following EPA approval of GE's July 2007 Supplement to Pre-Design Investigation Report.*

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Issues relating to GE's July 2007 Supplement to Pre-Design Investigation Report are under discussion with EPA.*

f. Proposed/Approved Work Plan Modifications

None

TABLE 7-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---------------------------------|-----------------|-------------|--------|------------|----------|----------------------------|
| On/Off Site Decon Drum Sampling | F3331-2 | 11/30/07 | Water | SGS | PCB | 12/6/07 |

**TABLE 7-2
PCB DATA RECEIVED DURING DECEMBER 2007**

**ON/OFF SITE DECON DRUM SAMPLING
UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Date Collected | Aroclor-1016, -1221, -1232, -1242, -1248 | Aroclor-1254 | Aroclor-1260 | Total PCBs |
|------------------|-----------------------|---|---------------------|---------------------|-------------------|
| F3331-2 | 11/30/2007 | ND(0.000065) | 0.00063 | 0.00042 | 0.00105 |

Notes:

1. Sample was collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis of PCBs.
2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 0:05 | 2.539 | 0.24 |
| 11/9/07 0:10 | 2.539 | 0.24 |
| 11/9/07 0:15 | 2.539 | 0.24 |
| 11/9/07 0:20 | 2.539 | 0.24 |
| 11/9/07 0:25 | 2.539 | 0.24 |
| 11/9/07 0:30 | 2.539 | 0.24 |
| 11/9/07 0:35 | 2.539 | 0.24 |
| 11/9/07 0:40 | 2.539 | 0.24 |
| 11/9/07 0:45 | 2.539 | 0.24 |
| 11/9/07 0:50 | 2.539 | 0.24 |
| 11/9/07 0:55 | 2.539 | 0.24 |
| 11/9/07 1:00 | 2.539 | 0.24 |
| 11/9/07 1:05 | 2.539 | 0.24 |
| 11/9/07 1:10 | 2.54 | 0.24 |
| 11/9/07 1:15 | 2.539 | 0.24 |
| 11/9/07 1:20 | 2.539 | 0.24 |
| 11/9/07 1:25 | 2.539 | 0.24 |
| 11/9/07 1:30 | 2.539 | 0.24 |
| 11/9/07 1:35 | 2.539 | 0.24 |
| 11/9/07 1:40 | 2.54 | 0.24 |
| 11/9/07 1:45 | 2.54 | 0.24 |
| 11/9/07 1:50 | 2.54 | 0.24 |
| 11/9/07 1:55 | 2.54 | 0.24 |
| 11/9/07 2:00 | 2.539 | 0.24 |
| 11/9/07 2:05 | 2.539 | 0.24 |
| 11/9/07 2:10 | 2.539 | 0.24 |
| 11/9/07 2:15 | 2.54 | 0.24 |
| 11/9/07 2:20 | 2.54 | 0.24 |
| 11/9/07 2:25 | 2.54 | 0.24 |
| 11/9/07 2:30 | 2.54 | 0.24 |
| 11/9/07 2:35 | 2.54 | 0.24 |
| 11/9/07 2:40 | 2.54 | 0.24 |
| 11/9/07 2:45 | 2.54 | 0.24 |
| 11/9/07 2:50 | 2.54 | 0.24 |
| 11/9/07 2:55 | 2.54 | 0.24 |
| 11/9/07 3:00 | 2.54 | 0.24 |
| 11/9/07 3:05 | 2.54 | 0.24 |
| 11/9/07 3:10 | 2.54 | 0.24 |
| 11/9/07 3:15 | 2.54 | 0.24 |
| 11/9/07 3:20 | 2.54 | 0.24 |
| 11/9/07 3:25 | 2.54 | 0.24 |
| 11/9/07 3:30 | 2.54 | 0.24 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 3:35 | 2.54 | 0.24 |
| 11/9/07 3:40 | 2.54 | 0.24 |
| 11/9/07 3:45 | 2.54 | 0.24 |
| 11/9/07 3:50 | 2.54 | 0.24 |
| 11/9/07 3:55 | 2.54 | 0.24 |
| 11/9/07 4:00 | 2.54 | 0.24 |
| 11/9/07 4:05 | 2.54 | 0.24 |
| 11/9/07 4:10 | 2.539 | 0.24 |
| 11/9/07 4:15 | 2.54 | 0.24 |
| 11/9/07 4:20 | 2.54 | 0.24 |
| 11/9/07 4:25 | 2.54 | 0.24 |
| 11/9/07 4:30 | 2.54 | 0.24 |
| 11/9/07 4:35 | 2.54 | 0.24 |
| 11/9/07 4:40 | 2.54 | 0.24 |
| 11/9/07 4:45 | 2.54 | 0.24 |
| 11/9/07 4:50 | 2.54 | 0.24 |
| 11/9/07 4:55 | 2.54 | 0.24 |
| 11/9/07 5:00 | 2.54 | 0.24 |
| 11/9/07 5:05 | 2.54 | 0.24 |
| 11/9/07 5:10 | 2.54 | 0.24 |
| 11/9/07 5:15 | 2.54 | 0.24 |
| 11/9/07 5:20 | 2.54 | 0.24 |
| 11/9/07 5:25 | 2.54 | 0.24 |
| 11/9/07 5:30 | 2.54 | 0.24 |
| 11/9/07 5:35 | 2.54 | 0.24 |
| 11/9/07 5:40 | 2.539 | 0.24 |
| 11/9/07 5:45 | 2.54 | 0.24 |
| 11/9/07 5:50 | 2.54 | 0.24 |
| 11/9/07 5:55 | 2.54 | 0.24 |
| 11/9/07 6:00 | 2.54 | 0.24 |
| 11/9/07 6:05 | 2.54 | 0.24 |
| 11/9/07 6:10 | 2.54 | 0.24 |
| 11/9/07 6:15 | 2.54 | 0.24 |
| 11/9/07 6:20 | 2.54 | 0.24 |
| 11/9/07 6:25 | 2.54 | 0.24 |
| 11/9/07 6:30 | 2.54 | 0.24 |
| 11/9/07 6:35 | 2.54 | 0.24 |
| 11/9/07 6:40 | 2.539 | 0.24 |
| 11/9/07 6:45 | 2.54 | 0.24 |
| 11/9/07 6:50 | 2.539 | 0.24 |
| 11/9/07 6:55 | 2.54 | 0.24 |
| 11/9/07 7:00 | 2.54 | 0.24 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 7:05 | 2.54 | 0.24 |
| 11/9/07 7:10 | 2.54 | 0.24 |
| 11/9/07 7:15 | 2.54 | 0.24 |
| 11/9/07 7:20 | 2.54 | 0.24 |
| 11/9/07 7:25 | 2.54 | 0.24 |
| 11/9/07 7:30 | 2.539 | 0.24 |
| 11/9/07 7:35 | 2.54 | 0.24 |
| 11/9/07 7:40 | 2.539 | 0.24 |
| 11/9/07 7:45 | 2.539 | 0.24 |
| 11/9/07 7:50 | 2.54 | 0.24 |
| 11/9/07 7:55 | 2.54 | 0.24 |
| 11/9/07 8:00 | 2.539 | 0.24 |
| 11/9/07 8:05 | 2.54 | 0.24 |
| 11/9/07 8:10 | 2.539 | 0.24 |
| 11/9/07 8:15 | 2.539 | 0.24 |
| 11/9/07 8:20 | 2.539 | 0.24 |
| 11/9/07 8:25 | 2.54 | 0.24 |
| 11/9/07 8:30 | 2.539 | 0.24 |
| 11/9/07 8:35 | 2.539 | 0.24 |
| 11/9/07 8:40 | 2.539 | 0.24 |
| 11/9/07 8:45 | 2.539 | 0.24 |
| 11/9/07 8:50 | 2.539 | 0.24 |
| 11/9/07 8:55 | 2.539 | 0.24 |
| 11/9/07 9:00 | 2.539 | 0.24 |
| 11/9/07 9:05 | 2.539 | 0.24 |
| 11/9/07 9:10 | 2.539 | 0.24 |
| 11/9/07 9:15 | 2.539 | 0.24 |
| 11/9/07 9:20 | 2.539 | 0.24 |
| 11/9/07 9:25 | 2.539 | 0.24 |
| 11/9/07 9:30 | 2.539 | 0.24 |
| 11/9/07 9:35 | 2.539 | 0.24 |
| 11/9/07 9:40 | 2.539 | 0.24 |
| 11/9/07 9:45 | 2.539 | 0.24 |
| 11/9/07 9:50 | 2.539 | 0.24 |
| 11/9/07 9:55 | 2.539 | 0.24 |
| 11/9/07 10:00 | 2.539 | 0.24 |
| 11/9/07 10:05 | 2.538 | 0.24 |
| 11/9/07 10:10 | 2.538 | 0.24 |
| 11/9/07 10:15 | 2.538 | 0.24 |
| 11/9/07 10:20 | 2.539 | 0.24 |
| 11/9/07 10:25 | 2.539 | 0.24 |
| 11/9/07 10:30 | 2.539 | 0.24 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 10:35 | 2.539 | 0.24 |
| 11/9/07 10:40 | 2.538 | 0.24 |
| 11/9/07 10:45 | 2.539 | 0.24 |
| 11/9/07 10:50 | 2.539 | 0.24 |
| 11/9/07 10:55 | 2.539 | 0.24 |
| 11/9/07 11:00 | 2.539 | 0.24 |
| 11/9/07 11:05 | 2.539 | 0.24 |
| 11/9/07 11:10 | 2.539 | 0.24 |
| 11/9/07 11:15 | 2.539 | 0.24 |
| 11/9/07 11:20 | 2.539 | 0.24 |
| 11/9/07 11:25 | 2.539 | 0.24 |
| 11/9/07 11:30 | 2.539 | 0.24 |
| 11/9/07 11:35 | 2.54 | 0.24 |
| 11/9/07 11:40 | 2.539 | 0.24 |
| 11/9/07 11:45 | 2.539 | 0.24 |
| 11/9/07 11:50 | 2.539 | 0.24 |
| 11/9/07 11:55 | 2.54 | 0.24 |
| 11/9/07 12:00 | 2.54 | 12.1 |
| 11/9/07 12:05 | 2.54 | 12.1 |
| 11/9/07 12:10 | 2.539 | 9.17 |
| 11/9/07 12:15 | 2.539 | 9.17 |
| 11/9/07 12:20 | 2.539 | 9.17 |
| 11/9/07 12:25 | 2.539 | 9.17 |
| 11/9/07 12:30 | 2.539 | 10.1 |
| 11/9/07 12:35 | 2.539 | 6.68 |
| 11/9/07 12:40 | 2.539 | 6.68 |
| 11/9/07 12:45 | 2.539 | 6.68 |
| 11/9/07 12:50 | 2.54 | 6.68 |
| 11/9/07 12:55 | 2.539 | 6.68 |
| 11/9/07 13:00 | 2.539 | 6.68 |
| 11/9/07 13:05 | 2.539 | 6.68 |
| 11/9/07 13:10 | 2.539 | 6.68 |
| 11/9/07 13:15 | 2.539 | 6.68 |
| 11/9/07 13:20 | 2.539 | 6.68 |
| 11/9/07 13:25 | 2.539 | 6.68 |
| 11/9/07 13:30 | 2.539 | 6.68 |
| 11/9/07 13:35 | 2.54 | 6.68 |
| 11/9/07 13:40 | 2.539 | 6.68 |
| 11/9/07 13:45 | 2.539 | 6.68 |
| 11/9/07 13:50 | 2.539 | 6.68 |
| 11/9/07 13:55 | 2.539 | 6.68 |
| 11/9/07 14:00 | 2.538 | 6.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 14:05 | 2.538 | 6.68 |
| 11/9/07 14:10 | 2.539 | 6.68 |
| 11/9/07 14:15 | 2.538 | 6.68 |
| 11/9/07 14:20 | 2.539 | 6.68 |
| 11/9/07 14:25 | 2.539 | 6.68 |
| 11/9/07 14:30 | 2.539 | 6.68 |
| 11/9/07 14:35 | 2.538 | 6.68 |
| 11/9/07 14:40 | 2.539 | 6.68 |
| 11/9/07 14:45 | 2.539 | 6.68 |
| 11/9/07 14:50 | 2.539 | 6.68 |
| 11/9/07 14:55 | 2.538 | 6.68 |
| 11/9/07 15:00 | 2.538 | 6.68 |
| 11/9/07 15:05 | 2.538 | 6.68 |
| 11/9/07 15:10 | 2.538 | 6.68 |
| 11/9/07 15:20 | 2.54 | 6.68 |
| 11/9/07 15:25 | 2.541 | 6.68 |
| 11/9/07 15:30 | 2.538 | 6.68 |
| 11/9/07 15:35 | 2.538 | 6.68 |
| 11/9/07 15:40 | 2.539 | 6.68 |
| 11/9/07 15:45 | 2.539 | 6.68 |
| 11/9/07 15:50 | 2.538 | 6.68 |
| 11/9/07 15:55 | 2.538 | 6.68 |
| 11/9/07 16:00 | 2.538 | 6.68 |
| 11/9/07 16:05 | 2.537 | 6.68 |
| 11/9/07 16:10 | 2.537 | 6.68 |
| 11/9/07 16:15 | 2.538 | 6.68 |
| 11/9/07 16:20 | 2.538 | 6.68 |
| 11/9/07 16:25 | 2.537 | 6.68 |
| 11/9/07 16:30 | 2.536 | 6.68 |
| 11/9/07 16:35 | 2.536 | 6.68 |
| 11/9/07 16:40 | 2.534 | 6.68 |
| 11/9/07 16:45 | 2.533 | 6.68 |
| 11/9/07 16:50 | 2.532 | 6.68 |
| 11/9/07 16:55 | 2.529 | 6.68 |
| 11/9/07 17:00 | 2.529 | 6.68 |
| 11/9/07 17:05 | 2.527 | 6.68 |
| 11/9/07 17:10 | 2.525 | 6.68 |
| 11/9/07 17:15 | 2.524 | 6.68 |
| 11/9/07 17:20 | 2.522 | 6.68 |
| 11/9/07 17:25 | 2.52 | 6.68 |
| 11/9/07 17:30 | 2.518 | 6.68 |
| 11/9/07 17:35 | 2.518 | 6.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 17:40 | 2.516 | 6.68 |
| 11/9/07 17:45 | 2.515 | 6.68 |
| 11/9/07 17:50 | 2.513 | 6.68 |
| 11/9/07 17:55 | 2.511 | 6.68 |
| 11/9/07 18:00 | 2.51 | 6.68 |
| 11/9/07 18:05 | 2.508 | 6.68 |
| 11/9/07 18:10 | 2.507 | 6.68 |
| 11/9/07 18:15 | 2.506 | 6.68 |
| 11/9/07 18:20 | 2.504 | 6.68 |
| 11/9/07 18:25 | 2.503 | 6.68 |
| 11/9/07 18:30 | 2.502 | 6.68 |
| 11/9/07 18:35 | 2.5 | 6.68 |
| 11/9/07 18:40 | 2.499 | 6.68 |
| 11/9/07 18:45 | 2.497 | 6.68 |
| 11/9/07 18:50 | 2.497 | 6.68 |
| 11/9/07 18:55 | 2.495 | 6.68 |
| 11/9/07 19:00 | 2.494 | 6.68 |
| 11/9/07 19:05 | 2.492 | 6.68 |
| 11/9/07 19:10 | 2.491 | 6.68 |
| 11/9/07 19:15 | 2.49 | 6.68 |
| 11/9/07 19:20 | 2.488 | 6.68 |
| 11/9/07 19:25 | 2.487 | 6.68 |
| 11/9/07 19:30 | 2.486 | 6.68 |
| 11/9/07 19:35 | 2.485 | 6.68 |
| 11/9/07 19:40 | 2.484 | 6.68 |
| 11/9/07 19:45 | 2.483 | 6.68 |
| 11/9/07 19:50 | 2.481 | 6.68 |
| 11/9/07 19:55 | 2.48 | 6.68 |
| 11/9/07 20:00 | 2.479 | 6.68 |
| 11/9/07 20:05 | 2.477 | 6.68 |
| 11/9/07 20:10 | 2.476 | 6.68 |
| 11/9/07 20:15 | 2.475 | 6.68 |
| 11/9/07 20:20 | 2.474 | 6.68 |
| 11/9/07 20:25 | 2.473 | 6.68 |
| 11/9/07 20:30 | 2.472 | 6.68 |
| 11/9/07 20:35 | 2.471 | 6.68 |
| 11/9/07 20:40 | 2.47 | 6.68 |
| 11/9/07 20:45 | 2.469 | 6.68 |
| 11/9/07 20:50 | 2.468 | 6.68 |
| 11/9/07 20:55 | 2.466 | 6.68 |
| 11/9/07 21:00 | 2.465 | 6.68 |
| 11/9/07 21:05 | 2.464 | 6.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 21:10 | 2.463 | 6.68 |
| 11/9/07 21:15 | 2.462 | 6.68 |
| 11/9/07 21:20 | 2.461 | 6.68 |
| 11/9/07 21:25 | 2.46 | 6.68 |
| 11/9/07 21:30 | 2.459 | 6.68 |
| 11/9/07 21:35 | 2.459 | 6.68 |
| 11/9/07 21:40 | 2.457 | 6.68 |
| 11/9/07 21:45 | 2.457 | 6.68 |
| 11/9/07 21:50 | 2.456 | 6.68 |
| 11/9/07 21:55 | 2.455 | 6.68 |
| 11/9/07 22:00 | 2.454 | 6.68 |
| 11/9/07 22:05 | 2.453 | 6.68 |
| 11/9/07 22:10 | 2.452 | 6.68 |
| 11/9/07 22:15 | 2.451 | 6.68 |
| 11/9/07 22:20 | 2.45 | 6.68 |
| 11/9/07 22:25 | 2.45 | 6.68 |
| 11/9/07 22:30 | 2.449 | 6.68 |
| 11/9/07 22:35 | 2.448 | 6.68 |
| 11/9/07 22:40 | 2.447 | 6.68 |
| 11/9/07 22:45 | 2.446 | 6.68 |
| 11/9/07 22:50 | 2.445 | 6.68 |
| 11/9/07 22:55 | 2.444 | 6.68 |
| 11/9/07 23:00 | 2.444 | 6.68 |
| 11/9/07 23:05 | 2.443 | 6.68 |
| 11/9/07 23:10 | 2.442 | 6.68 |
| 11/9/07 23:15 | 2.441 | 6.68 |
| 11/9/07 23:20 | 2.441 | 6.68 |
| 11/9/07 23:25 | 2.44 | 6.68 |
| 11/9/07 23:30 | 2.439 | 6.68 |
| 11/9/07 23:35 | 2.438 | 6.68 |
| 11/9/07 23:40 | 2.437 | 6.68 |
| 11/9/07 23:45 | 2.437 | 6.68 |
| 11/9/07 23:50 | 2.436 | 6.68 |
| 11/9/07 23:55 | 2.436 | 6.68 |
| 11/10/07 0:00 | 2.435 | 6.68 |
| 11/10/07 0:05 | 2.434 | 6.68 |
| 11/10/07 0:10 | 2.432 | 6.68 |
| 11/10/07 0:15 | 2.433 | 6.68 |
| 11/10/07 0:20 | 2.431 | 6.68 |
| 11/10/07 0:25 | 2.43 | 6.68 |
| 11/10/07 0:30 | 2.43 | 6.68 |
| 11/10/07 0:35 | 2.429 | 6.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 0:40 | 2.428 | 6.68 |
| 11/10/07 0:45 | 2.428 | 6.68 |
| 11/10/07 0:50 | 2.427 | 6.68 |
| 11/10/07 0:55 | 2.426 | 6.68 |
| 11/10/07 1:00 | 2.425 | 6.68 |
| 11/10/07 1:05 | 2.424 | 6.68 |
| 11/10/07 1:10 | 2.424 | 6.68 |
| 11/10/07 1:15 | 2.423 | 6.68 |
| 11/10/07 1:20 | 2.423 | 6.68 |
| 11/10/07 1:25 | 2.421 | 6.68 |
| 11/10/07 1:30 | 2.421 | 6.68 |
| 11/10/07 1:35 | 2.42 | 6.68 |
| 11/10/07 1:40 | 2.419 | 6.68 |
| 11/10/07 1:45 | 2.419 | 6.68 |
| 11/10/07 1:50 | 2.419 | 6.68 |
| 11/10/07 1:55 | 2.417 | 6.68 |
| 11/10/07 2:00 | 2.417 | 6.68 |
| 11/10/07 2:05 | 2.417 | 6.68 |
| 11/10/07 2:10 | 2.416 | 6.68 |
| 11/10/07 2:15 | 2.415 | 6.68 |
| 11/10/07 2:20 | 2.415 | 6.68 |
| 11/10/07 2:25 | 2.413 | 6.68 |
| 11/10/07 2:30 | 2.413 | 6.68 |
| 11/10/07 2:35 | 2.412 | 6.68 |
| 11/10/07 2:40 | 2.411 | 6.68 |
| 11/10/07 2:45 | 2.411 | 6.68 |
| 11/10/07 2:50 | 2.41 | 6.68 |
| 11/10/07 2:55 | 2.41 | 6.68 |
| 11/10/07 3:00 | 2.409 | 6.68 |
| 11/10/07 3:05 | 2.409 | 6.68 |
| 11/10/07 3:10 | 2.408 | 6.68 |
| 11/10/07 3:15 | 2.407 | 6.68 |
| 11/10/07 3:20 | 2.406 | 6.68 |
| 11/10/07 3:25 | 2.406 | 6.68 |
| 11/10/07 3:30 | 2.405 | 6.68 |
| 11/10/07 3:35 | 2.405 | 6.68 |
| 11/10/07 3:40 | 2.403 | 6.68 |
| 11/10/07 3:45 | 2.403 | 6.68 |
| 11/10/07 3:50 | 2.403 | 6.68 |
| 11/10/07 3:55 | 2.402 | 6.68 |
| 11/10/07 4:00 | 2.402 | 6.68 |
| 11/10/07 4:05 | 2.401 | 6.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 4:10 | 2.401 | 6.68 |
| 11/10/07 4:15 | 2.4 | 6.68 |
| 11/10/07 4:20 | 2.4 | 6.68 |
| 11/10/07 4:25 | 2.4 | 6.68 |
| 11/10/07 4:30 | 2.399 | 6.68 |
| 11/10/07 4:35 | 2.398 | 6.68 |
| 11/10/07 4:40 | 2.397 | 6.68 |
| 11/10/07 4:45 | 2.397 | 6.68 |
| 11/10/07 4:50 | 2.396 | 6.68 |
| 11/10/07 4:55 | 2.396 | 6.68 |
| 11/10/07 5:00 | 2.395 | 6.68 |
| 11/10/07 5:05 | 2.394 | 6.68 |
| 11/10/07 5:10 | 2.394 | 6.68 |
| 11/10/07 5:15 | 2.394 | 6.68 |
| 11/10/07 5:20 | 2.393 | 6.68 |
| 11/10/07 5:25 | 2.392 | 6.68 |
| 11/10/07 5:30 | 2.391 | 6.68 |
| 11/10/07 5:35 | 2.391 | 6.68 |
| 11/10/07 5:40 | 2.39 | 6.68 |
| 11/10/07 5:45 | 2.389 | 6.68 |
| 11/10/07 5:50 | 2.39 | 6.68 |
| 11/10/07 5:55 | 2.389 | 6.68 |
| 11/10/07 6:00 | 2.388 | 6.68 |
| 11/10/07 6:05 | 2.388 | 6.68 |
| 11/10/07 6:10 | 2.387 | 6.68 |
| 11/10/07 6:15 | 2.387 | 6.68 |
| 11/10/07 6:20 | 2.387 | 6.68 |
| 11/10/07 6:25 | 2.385 | 6.68 |
| 11/10/07 6:30 | 2.385 | 6.68 |
| 11/10/07 6:35 | 2.385 | 0.19 |
| 11/10/07 6:40 | 2.384 | 0.19 |
| 11/10/07 6:45 | 2.384 | 0.19 |
| 11/10/07 6:50 | 2.384 | 0.19 |
| 11/10/07 6:55 | 2.383 | 0.19 |
| 11/10/07 7:00 | 2.382 | 0.19 |
| 11/10/07 7:05 | 2.382 | 0.19 |
| 11/10/07 7:10 | 2.381 | 0.19 |
| 11/10/07 7:15 | 2.381 | 0.19 |
| 11/10/07 7:20 | 2.381 | 0.19 |
| 11/10/07 7:25 | 2.38 | 0.19 |
| 11/10/07 7:30 | 2.38 | 0.19 |
| 11/10/07 7:35 | 2.379 | 0.19 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 7:40 | 2.379 | 0.19 |
| 11/10/07 7:45 | 2.378 | 0.19 |
| 11/10/07 7:50 | 2.378 | 0.19 |
| 11/10/07 7:55 | 2.377 | 0.19 |
| 11/10/07 8:00 | 2.377 | 0.19 |
| 11/10/07 8:05 | 2.377 | 0.19 |
| 11/10/07 8:10 | 2.377 | 0.19 |
| 11/10/07 8:15 | 2.376 | 0.19 |
| 11/10/07 8:20 | 2.375 | 0.19 |
| 11/10/07 8:25 | 2.375 | 0.19 |
| 11/10/07 8:30 | 2.375 | 0.19 |
| 11/10/07 8:35 | 2.374 | 0.19 |
| 11/10/07 8:40 | 2.374 | 0.19 |
| 11/10/07 8:45 | 2.373 | 0.19 |
| 11/10/07 8:50 | 2.373 | 0.19 |
| 11/10/07 8:55 | 2.372 | 0.19 |
| 11/10/07 9:00 | 2.372 | 0.19 |
| 11/10/07 9:05 | 2.371 | 0.19 |
| 11/10/07 9:10 | 2.37 | 0.19 |
| 11/10/07 9:15 | 2.37 | 0.19 |
| 11/10/07 9:20 | 2.369 | 0.19 |
| 11/10/07 9:25 | 2.369 | 0.19 |
| 11/10/07 9:30 | 2.368 | 0.19 |
| 11/10/07 9:35 | 2.368 | 0.19 |
| 11/10/07 9:40 | 2.368 | 0.19 |
| 11/10/07 9:45 | 2.368 | 0.19 |
| 11/10/07 9:50 | 2.367 | 0.19 |
| 11/10/07 9:55 | 2.367 | 0.19 |
| 11/10/07 10:00 | 2.366 | 0.19 |
| 11/10/07 10:05 | 2.366 | 0.19 |
| 11/10/07 10:10 | 2.366 | 0.19 |
| 11/10/07 10:15 | 2.365 | 0.19 |
| 11/10/07 10:20 | 2.365 | 0.19 |
| 11/10/07 10:25 | 2.364 | 0.19 |
| 11/10/07 10:30 | 2.364 | 0.19 |
| 11/10/07 10:35 | 2.364 | 0.19 |
| 11/10/07 10:40 | 2.364 | 0.19 |
| 11/10/07 10:45 | 2.364 | 0.19 |
| 11/10/07 10:50 | 2.364 | 0.19 |
| 11/10/07 10:55 | 2.363 | 0.19 |
| 11/10/07 11:00 | 2.363 | 0.19 |
| 11/10/07 11:05 | 2.362 | 0.19 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 11:10 | 2.362 | 0.19 |
| 11/10/07 11:15 | 2.362 | 0.19 |
| 11/10/07 11:20 | 2.36 | 0.19 |
| 11/10/07 11:25 | 2.36 | 0.19 |
| 11/10/07 11:30 | 2.359 | 0.19 |
| 11/10/07 11:35 | 2.36 | 8.13 |
| 11/10/07 11:40 | 2.359 | 10.55 |
| 11/10/07 11:45 | 2.359 | 9.77 |
| 11/10/07 11:50 | 2.358 | 9.77 |
| 11/10/07 11:55 | 2.359 | 9.77 |
| 11/10/07 12:00 | 2.357 | 11.8 |
| 11/10/07 12:05 | 2.357 | 11.8 |
| 11/10/07 12:10 | 2.357 | 10.7 |
| 11/10/07 12:15 | 2.356 | 10.7 |
| 11/10/07 12:20 | 2.357 | 7.41 |
| 11/10/07 12:25 | 2.357 | 9.13 |
| 11/10/07 12:30 | 2.356 | 11.3 |
| 11/10/07 12:35 | 2.356 | 11.3 |
| 11/10/07 12:40 | 2.355 | 11.3 |
| 11/10/07 12:45 | 2.355 | 11.3 |
| 11/10/07 12:50 | 2.355 | 11.3 |
| 11/10/07 12:55 | 2.354 | 11.3 |
| 11/10/07 13:00 | 2.353 | 11.3 |
| 11/10/07 13:05 | 2.354 | 11.3 |
| 11/10/07 13:10 | 2.353 | 11.3 |
| 11/10/07 13:15 | 2.353 | 11.3 |
| 11/10/07 13:20 | 2.352 | 11.3 |
| 11/10/07 13:25 | 2.351 | 11.3 |
| 11/10/07 13:30 | 2.35 | 11.3 |
| 11/10/07 13:35 | 2.351 | 11.3 |
| 11/10/07 13:40 | 2.349 | 11.3 |
| 11/10/07 13:45 | 2.35 | 11.3 |
| 11/10/07 13:50 | 2.349 | 11.3 |
| 11/10/07 13:55 | 2.349 | 11.3 |
| 11/10/07 14:00 | 2.348 | 11.3 |
| 11/10/07 14:05 | 2.347 | 11.3 |
| 11/10/07 14:10 | 2.349 | 11.3 |
| 11/10/07 14:15 | 2.348 | 11.3 |
| 11/10/07 14:20 | 2.347 | 11.3 |
| 11/10/07 14:25 | 2.346 | 11.3 |
| 11/10/07 14:30 | 2.347 | 11.3 |
| 11/10/07 14:35 | 2.345 | 11.3 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 14:40 | 2.345 | 11.3 |
| 11/10/07 14:45 | 2.344 | 11.3 |
| 11/10/07 14:50 | 2.343 | 11.3 |
| 11/10/07 14:55 | 2.343 | 11.3 |
| 11/10/07 15:00 | 2.344 | 11.3 |
| 11/10/07 15:05 | 2.344 | 11.3 |
| 11/10/07 15:10 | 2.343 | 11.3 |
| 11/10/07 15:15 | 2.342 | 11.3 |
| 11/10/07 15:20 | 2.342 | 11.3 |
| 11/10/07 15:25 | 2.341 | 11.3 |
| 11/10/07 15:30 | 2.341 | 11.3 |
| 11/10/07 15:35 | 2.34 | 11.3 |
| 11/10/07 15:40 | 2.341 | 11.3 |
| 11/10/07 15:45 | 2.339 | 11.3 |
| 11/10/07 15:50 | 2.339 | 11.3 |
| 11/10/07 15:55 | 2.34 | 11.3 |
| 11/10/07 16:00 | 2.339 | 11.3 |
| 11/10/07 16:05 | 2.339 | 11.3 |
| 11/10/07 16:10 | 2.338 | 11.3 |
| 11/10/07 16:15 | 2.339 | 11.3 |
| 11/10/07 16:20 | 2.338 | 11.3 |
| 11/10/07 16:25 | 2.338 | 11.3 |
| 11/10/07 16:30 | 2.337 | 11.3 |
| 11/10/07 16:35 | 2.337 | 11.3 |
| 11/10/07 16:40 | 2.337 | 11.3 |
| 11/10/07 16:45 | 2.338 | 11.3 |
| 11/10/07 16:50 | 2.336 | 11.3 |
| 11/10/07 16:55 | 2.336 | 11.3 |
| 11/10/07 17:00 | 2.336 | 11.3 |
| 11/10/07 17:05 | 2.336 | 0.19 |
| 11/10/07 17:10 | 2.335 | 0.19 |
| 11/10/07 17:15 | 2.334 | 0.19 |
| 11/10/07 17:20 | 2.336 | 0.19 |
| 11/10/07 17:25 | 2.335 | 0.19 |
| 11/10/07 17:30 | 2.334 | 0.18 |
| 11/10/07 17:35 | 2.334 | 0.18 |
| 11/10/07 17:40 | 2.334 | 0.18 |
| 11/10/07 17:45 | 2.333 | 0.18 |
| 11/10/07 17:50 | 2.333 | 0.18 |
| 11/10/07 17:55 | 2.333 | 0.18 |
| 11/10/07 18:00 | 2.332 | 0.18 |
| 11/10/07 18:05 | 2.332 | 0.18 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 18:10 | 2.331 | 0.18 |
| 11/10/07 18:15 | 2.331 | 0.18 |
| 11/10/07 18:20 | 2.331 | 0.18 |
| 11/10/07 18:25 | 2.331 | 0.18 |
| 11/10/07 18:30 | 2.331 | 0.18 |
| 11/10/07 18:35 | 2.33 | 0.18 |
| 11/10/07 18:40 | 2.33 | 0.18 |
| 11/10/07 18:45 | 2.33 | 0.18 |
| 11/10/07 18:50 | 2.33 | 0.18 |
| 11/10/07 18:55 | 2.329 | 0.18 |
| 11/10/07 19:00 | 2.33 | 0.18 |
| 11/10/07 19:05 | 2.329 | 0.18 |
| 11/10/07 19:10 | 2.329 | 0.18 |
| 11/10/07 19:15 | 2.328 | 0.18 |
| 11/10/07 19:20 | 2.329 | 0.18 |
| 11/10/07 19:25 | 2.328 | 0.18 |
| 11/10/07 19:30 | 2.328 | 0.18 |
| 11/10/07 19:35 | 2.329 | 0.18 |
| 11/10/07 19:40 | 2.328 | 0.18 |
| 11/10/07 19:45 | 2.328 | 0.18 |
| 11/10/07 19:50 | 2.327 | 0.18 |
| 11/10/07 19:55 | 2.328 | 0.18 |
| 11/10/07 20:00 | 2.327 | 0.18 |
| 11/10/07 20:05 | 2.327 | 0.18 |
| 11/10/07 20:10 | 2.327 | 0.18 |
| 11/10/07 20:15 | 2.327 | 0.18 |
| 11/10/07 20:20 | 2.326 | 0.18 |
| 11/10/07 20:25 | 2.326 | 0.18 |
| 11/10/07 20:30 | 2.324 | 0.18 |
| 11/10/07 20:35 | 2.325 | 0.18 |
| 11/10/07 20:40 | 2.325 | 0.18 |
| 11/10/07 20:45 | 2.325 | 0.18 |
| 11/10/07 20:50 | 2.325 | 0.18 |
| 11/10/07 20:55 | 2.325 | 0.18 |
| 11/10/07 21:00 | 2.324 | 0.18 |
| 11/10/07 21:05 | 2.323 | 0.18 |
| 11/10/07 21:10 | 2.323 | 0.18 |
| 11/10/07 21:15 | 2.324 | 0.18 |
| 11/10/07 21:20 | 2.323 | 0.18 |
| 11/10/07 21:25 | 2.323 | 0.2 |
| 11/10/07 21:30 | 2.323 | 0.2 |
| 11/10/07 21:35 | 2.323 | 0.2 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 21:40 | 2.323 | 0.2 |
| 11/10/07 21:45 | 2.323 | 0.2 |
| 11/10/07 21:50 | 2.323 | 0.2 |
| 11/10/07 21:55 | 2.322 | 0.2 |
| 11/10/07 22:00 | 2.323 | 0.2 |
| 11/10/07 22:05 | 2.322 | 0.2 |
| 11/10/07 22:10 | 2.323 | 0.2 |
| 11/10/07 22:15 | 2.322 | 0.2 |
| 11/10/07 22:20 | 2.322 | 0.2 |
| 11/10/07 22:25 | 2.321 | 0.2 |
| 11/10/07 22:30 | 2.321 | 0.2 |
| 11/10/07 22:35 | 2.32 | 0.2 |
| 11/10/07 22:40 | 2.321 | 0.2 |
| 11/10/07 22:45 | 2.32 | 0.2 |
| 11/10/07 22:50 | 2.32 | 0.2 |
| 11/10/07 22:55 | 2.32 | 0.2 |
| 11/10/07 23:00 | 2.32 | 0.2 |
| 11/10/07 23:05 | 2.319 | 0.2 |
| 11/10/07 23:10 | 2.32 | 7.25 |
| 11/10/07 23:15 | 2.32 | 7.25 |
| 11/10/07 23:20 | 2.319 | 7.25 |
| 11/10/07 23:25 | 2.319 | 7.25 |
| 11/10/07 23:30 | 2.318 | 7.05 |
| 11/10/07 23:35 | 2.318 | 7.05 |
| 11/10/07 23:40 | 2.319 | 7.05 |
| 11/10/07 23:45 | 2.319 | 7.05 |
| 11/10/07 23:50 | 2.319 | 7.05 |
| 11/10/07 23:55 | 2.318 | 7.05 |
| 11/11/07 0:00 | 2.319 | 7.05 |
| 11/11/07 0:05 | 2.319 | 7.05 |
| 11/11/07 0:10 | 2.318 | 7.05 |
| 11/11/07 0:15 | 2.317 | 7.05 |
| 11/11/07 0:20 | 2.318 | 7.05 |
| 11/11/07 0:25 | 2.317 | 7.05 |
| 11/11/07 0:30 | 2.317 | 7.05 |
| 11/11/07 0:35 | 2.316 | 7.05 |
| 11/11/07 0:40 | 2.316 | 7.05 |
| 11/11/07 0:45 | 2.316 | 7.05 |
| 11/11/07 0:50 | 2.316 | 7.05 |
| 11/11/07 0:55 | 2.315 | 7.05 |
| 11/11/07 1:00 | 2.315 | 7.05 |
| 11/11/07 1:05 | 2.315 | 7.05 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 1:10 | 2.315 | 7.05 |
| 11/11/07 1:15 | 2.314 | 7.05 |
| 11/11/07 1:20 | 2.314 | 7.05 |
| 11/11/07 1:25 | 2.314 | 7.05 |
| 11/11/07 1:30 | 2.314 | 7.05 |
| 11/11/07 1:35 | 2.314 | 7.05 |
| 11/11/07 1:40 | 2.314 | 7.05 |
| 11/11/07 1:45 | 2.314 | 7.05 |
| 11/11/07 1:50 | 2.313 | 7.05 |
| 11/11/07 1:55 | 2.313 | 7.05 |
| 11/11/07 2:00 | 2.313 | 7.05 |
| 11/11/07 2:05 | 2.312 | 7.05 |
| 11/11/07 2:10 | 2.312 | 7.05 |
| 11/11/07 2:15 | 2.312 | 7.05 |
| 11/11/07 2:20 | 2.312 | 7.05 |
| 11/11/07 2:25 | 2.313 | 7.05 |
| 11/11/07 2:30 | 2.313 | 9.79 |
| 11/11/07 2:35 | 2.311 | 9.79 |
| 11/11/07 2:40 | 2.311 | 9.79 |
| 11/11/07 2:45 | 2.311 | 9.79 |
| 11/11/07 2:50 | 2.311 | 9.79 |
| 11/11/07 2:55 | 2.311 | 9.79 |
| 11/11/07 3:00 | 2.311 | 9.79 |
| 11/11/07 3:05 | 2.31 | 9.79 |
| 11/11/07 3:10 | 2.31 | 9.79 |
| 11/11/07 3:15 | 2.31 | 9.79 |
| 11/11/07 3:20 | 2.309 | 9.79 |
| 11/11/07 3:25 | 2.31 | 9.79 |
| 11/11/07 3:30 | 2.311 | 9.79 |
| 11/11/07 3:35 | 2.309 | 9.79 |
| 11/11/07 3:40 | 2.308 | 9.79 |
| 11/11/07 3:45 | 2.308 | 9.79 |
| 11/11/07 3:50 | 2.309 | 9.79 |
| 11/11/07 3:55 | 2.31 | 9.79 |
| 11/11/07 4:00 | 2.309 | 9.79 |
| 11/11/07 4:05 | 2.309 | 9.79 |
| 11/11/07 4:10 | 2.308 | 9.79 |
| 11/11/07 4:15 | 2.307 | 9.79 |
| 11/11/07 4:20 | 2.308 | 9.79 |
| 11/11/07 4:25 | 2.309 | 9.79 |
| 11/11/07 4:30 | 2.309 | 9.79 |
| 11/11/07 4:35 | 2.309 | 9.79 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 4:40 | 2.309 | 9.79 |
| 11/11/07 4:45 | 2.307 | 9.79 |
| 11/11/07 4:50 | 2.308 | 9.79 |
| 11/11/07 4:55 | 2.309 | 9.79 |
| 11/11/07 5:00 | 2.309 | 9.79 |
| 11/11/07 5:05 | 2.308 | 9.79 |
| 11/11/07 5:10 | 2.308 | 9.79 |
| 11/11/07 5:15 | 2.308 | 9.79 |
| 11/11/07 5:20 | 2.307 | 9.79 |
| 11/11/07 5:25 | 2.308 | 9.79 |
| 11/11/07 5:30 | 2.306 | 9.79 |
| 11/11/07 5:35 | 2.307 | 9.79 |
| 11/11/07 5:40 | 2.306 | 9.79 |
| 11/11/07 5:45 | 2.307 | 9.79 |
| 11/11/07 5:50 | 2.306 | 9.79 |
| 11/11/07 5:55 | 2.306 | 9.79 |
| 11/11/07 6:00 | 2.305 | 9.79 |
| 11/11/07 6:05 | 2.306 | 9.79 |
| 11/11/07 6:10 | 2.306 | 9.79 |
| 11/11/07 6:15 | 2.306 | 9.79 |
| 11/11/07 6:20 | 2.306 | 9.79 |
| 11/11/07 6:25 | 2.305 | 9.79 |
| 11/11/07 6:30 | 2.303 | 9.79 |
| 11/11/07 6:35 | 2.305 | 9.79 |
| 11/11/07 6:40 | 2.304 | 9.79 |
| 11/11/07 6:45 | 2.304 | 9.79 |
| 11/11/07 6:50 | 2.305 | 9.79 |
| 11/11/07 6:55 | 2.305 | 9.79 |
| 11/11/07 7:00 | 2.303 | 9.79 |
| 11/11/07 7:05 | 2.304 | 9.79 |
| 11/11/07 7:10 | 2.305 | 9.79 |
| 11/11/07 7:15 | 2.304 | 9.79 |
| 11/11/07 7:20 | 2.303 | 9.79 |
| 11/11/07 7:25 | 2.304 | 9.79 |
| 11/11/07 7:30 | 2.303 | 9.79 |
| 11/11/07 7:35 | 2.303 | 9.79 |
| 11/11/07 7:40 | 2.302 | 9.79 |
| 11/11/07 7:45 | 2.303 | 9.79 |
| 11/11/07 7:50 | 2.302 | 9.79 |
| 11/11/07 7:55 | 2.303 | 9.79 |
| 11/11/07 8:00 | 2.3 | 9.79 |
| 11/11/07 8:05 | 2.302 | 9.79 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 8:10 | 2.301 | 9.79 |
| 11/11/07 8:15 | 2.302 | 9.79 |
| 11/11/07 8:20 | 2.302 | 9.79 |
| 11/11/07 8:25 | 2.301 | 9.79 |
| 11/11/07 8:30 | 2.301 | 9.79 |
| 11/11/07 8:35 | 2.3 | 9.79 |
| 11/11/07 8:40 | 2.302 | 9.79 |
| 11/11/07 8:45 | 2.301 | 9.79 |
| 11/11/07 8:50 | 2.301 | 9.79 |
| 11/11/07 8:55 | 2.302 | 9.79 |
| 11/11/07 9:00 | 2.301 | 9.79 |
| 11/11/07 9:05 | 2.301 | 9.79 |
| 11/11/07 9:10 | 2.3 | 9.79 |
| 11/11/07 9:15 | 2.297 | 9.79 |
| 11/11/07 9:20 | 2.3 | 9.79 |
| 11/11/07 9:25 | 2.298 | 9.79 |
| 11/11/07 9:30 | 2.299 | 9.79 |
| 11/11/07 9:35 | 2.299 | 9.79 |
| 11/11/07 9:40 | 2.299 | 9.79 |
| 11/11/07 9:45 | 2.299 | 9.79 |
| 11/11/07 9:50 | 2.3 | 9.79 |
| 11/11/07 9:55 | 2.3 | 9.79 |
| 11/11/07 10:00 | 2.3 | 9.79 |
| 11/11/07 10:05 | 2.3 | 9.79 |
| 11/11/07 10:10 | 2.3 | 9.79 |
| 11/11/07 10:15 | 2.3 | 9.79 |
| 11/11/07 10:20 | 2.3 | 9.79 |
| 11/11/07 10:25 | 2.3 | 9.79 |
| 11/11/07 10:30 | 2.3 | 9.79 |
| 11/11/07 10:35 | 2.3 | 9.79 |
| 11/11/07 10:40 | 2.3 | 9.79 |
| 11/11/07 10:45 | 2.3 | 9.79 |
| 11/11/07 10:50 | 2.3 | 9.79 |
| 11/11/07 10:55 | 2.3 | 9.79 |
| 11/11/07 11:00 | 2.3 | 9.79 |
| 11/11/07 11:05 | 2.3 | 9.79 |
| 11/11/07 11:10 | 2.3 | 9.79 |
| 11/11/07 11:15 | 2.3 | 9.79 |
| 11/11/07 11:20 | 2.3 | 9.79 |
| 11/11/07 11:25 | 2.3 | 1.08 |
| 11/11/07 11:30 | 2.3 | 1.08 |
| 11/11/07 11:35 | 2.3 | 1.08 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 11:40 | 2.3 | 1.08 |
| 11/11/07 11:45 | 2.3 | 1.08 |
| 11/11/07 11:50 | 2.3 | 1.08 |
| 11/11/07 11:55 | 2.3 | 1.08 |
| 11/11/07 12:00 | 2.3 | 1.08 |
| 11/11/07 12:05 | 2.3 | 1.08 |
| 11/11/07 12:10 | 2.3 | 1.08 |
| 11/11/07 12:15 | 2.3 | 1.08 |
| 11/11/07 12:20 | 2.3 | 1.08 |
| 11/11/07 12:25 | 2.3 | 1.08 |
| 11/11/07 12:30 | 2.3 | 1.08 |
| 11/11/07 12:35 | 2.3 | 1.08 |
| 11/11/07 12:40 | 2.3 | 1.08 |
| 11/11/07 12:45 | 2.3 | 1.08 |
| 11/11/07 12:50 | 2.3 | 1.08 |
| 11/11/07 12:55 | 2.3 | 1.08 |
| 11/11/07 13:00 | 2.3 | 1.08 |
| 11/11/07 13:05 | 2.3 | 1.08 |
| 11/11/07 13:10 | 2.3 | 1.08 |
| 11/11/07 13:15 | 2.3 | 1.08 |
| 11/11/07 13:20 | 2.3 | 1.08 |
| 11/11/07 13:25 | 2.3 | 1.08 |
| 11/11/07 13:30 | 2.3 | 1.08 |
| 11/11/07 13:35 | 2.3 | 1.08 |
| 11/11/07 13:40 | 2.3 | 1.08 |
| 11/11/07 13:45 | 2.3 | 1.08 |
| 11/11/07 13:50 | 2.3 | 1.08 |
| 11/11/07 13:55 | 2.3 | 1.08 |
| 11/11/07 14:00 | 2.3 | 1.08 |
| 11/11/07 14:05 | 2.3 | 1.08 |
| 11/11/07 14:10 | 2.3 | 1.08 |
| 11/11/07 14:15 | 2.3 | 1.08 |
| 11/11/07 14:20 | 2.3 | 1.08 |
| 11/11/07 14:25 | 2.3 | 1.08 |
| 11/11/07 14:30 | 2.3 | 1.08 |
| 11/11/07 14:35 | 2.3 | 1.08 |
| 11/11/07 14:40 | 2.3 | 1.08 |
| 11/11/07 14:45 | 2.3 | 1.08 |
| 11/11/07 14:50 | 2.3 | 1.08 |
| 11/11/07 14:55 | 2.3 | 1.08 |
| 11/11/07 15:00 | 2.3 | 1.08 |
| 11/11/07 15:05 | 2.3 | 1.08 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 15:10 | 2.3 | 1.08 |
| 11/11/07 15:15 | 2.3 | 1.08 |
| 11/11/07 15:20 | 2.3 | 1.08 |
| 11/11/07 15:25 | 2.3 | 1.08 |
| 11/11/07 15:30 | 2.3 | 1.08 |
| 11/11/07 15:35 | 2.3 | 1.08 |
| 11/11/07 15:40 | 2.3 | 1.08 |
| 11/11/07 15:45 | 2.3 | 1.08 |
| 11/11/07 15:50 | 2.3 | 1.08 |
| 11/11/07 15:55 | 2.3 | 1.08 |
| 11/11/07 16:00 | 2.3 | 1.08 |
| 11/11/07 16:05 | 2.3 | 1.08 |
| 11/11/07 16:10 | 2.3 | 1.08 |
| 11/11/07 16:15 | 2.3 | 1.08 |
| 11/11/07 16:20 | 2.3 | 1.08 |
| 11/11/07 16:25 | 2.3 | 1.08 |
| 11/11/07 16:30 | 2.3 | 1.08 |
| 11/11/07 16:35 | 2.3 | 1.08 |
| 11/11/07 16:40 | 2.3 | 1.08 |
| 11/11/07 16:45 | 2.3 | 1.08 |
| 11/11/07 16:50 | 2.3 | 1.08 |
| 11/11/07 16:55 | 2.3 | 1.08 |
| 11/11/07 17:00 | 2.3 | 1.08 |
| 11/11/07 17:05 | 2.3 | 1.08 |
| 11/11/07 17:10 | 2.3 | 1.08 |
| 11/11/07 17:15 | 2.3 | 1.08 |
| 11/11/07 17:20 | 2.3 | 1.08 |
| 11/11/07 17:25 | 2.3 | 1.08 |
| 11/11/07 17:30 | 2.3 | 1.08 |
| 11/11/07 17:35 | 2.3 | 1.08 |
| 11/11/07 17:40 | 2.3 | 1.08 |
| 11/11/07 17:45 | 2.3 | 1.08 |
| 11/11/07 17:50 | 2.3 | 1.08 |
| 11/11/07 17:55 | 2.3 | 1.08 |
| 11/11/07 18:00 | 2.3 | 1.08 |
| 11/11/07 18:05 | 2.3 | 1.08 |
| 11/11/07 18:10 | 2.3 | 1.08 |
| 11/11/07 18:15 | 2.3 | 1.08 |
| 11/11/07 18:20 | 2.3 | 1.08 |
| 11/11/07 18:25 | 2.3 | 1.08 |
| 11/11/07 18:30 | 2.3 | 1.08 |
| 11/11/07 18:35 | 2.3 | 1.08 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 18:40 | 2.3 | 1.08 |
| 11/11/07 18:45 | 2.3 | 1.08 |
| 11/11/07 18:50 | 2.3 | 1.08 |
| 11/11/07 18:55 | 2.3 | 1.08 |
| 11/11/07 19:00 | 2.3 | 1.08 |
| 11/11/07 19:05 | 2.3 | 1.08 |
| 11/11/07 19:10 | 2.3 | 1.08 |
| 11/11/07 19:15 | 2.3 | 1.08 |
| 11/11/07 19:20 | 2.3 | 1.08 |
| 11/11/07 19:25 | 2.3 | 1.08 |
| 11/11/07 19:30 | 2.3 | 1.08 |
| 11/11/07 19:35 | 2.3 | 1.08 |
| 11/11/07 19:40 | 2.3 | 1.08 |
| 11/11/07 19:45 | 2.3 | 1.08 |
| 11/11/07 19:50 | 2.3 | 1.08 |
| 11/11/07 19:55 | 2.3 | 1.08 |
| 11/11/07 20:00 | 2.3 | 1.08 |
| 11/11/07 20:05 | 2.3 | 1.08 |
| 11/11/07 20:10 | 2.3 | 1.08 |
| 11/11/07 20:15 | 2.3 | 1.08 |
| 11/11/07 20:20 | 2.3 | 1.08 |
| 11/11/07 20:25 | 2.3 | 1.08 |
| 11/11/07 20:30 | 2.3 | 1.08 |
| 11/11/07 20:35 | 2.3 | 1.08 |
| 11/11/07 20:40 | 2.3 | 1.08 |
| 11/11/07 20:45 | 2.3 | 1.08 |
| 11/11/07 20:50 | 2.3 | 1.08 |
| 11/11/07 20:55 | 2.3 | 8.13 |
| 11/11/07 21:00 | 2.3 | 8.13 |
| 11/11/07 21:05 | 2.3 | 8.13 |
| 11/11/07 21:10 | 2.3 | 8.13 |
| 11/11/07 21:15 | 2.3 | 8.13 |
| 11/11/07 21:20 | 2.3 | 8.13 |
| 11/11/07 21:25 | 2.3 | 8.13 |
| 11/11/07 21:30 | 2.3 | 8.13 |
| 11/11/07 21:35 | 2.3 | 8.13 |
| 11/11/07 21:40 | 2.3 | 8.13 |
| 11/11/07 21:45 | 2.3 | 8.13 |
| 11/11/07 21:50 | 2.3 | 8.13 |
| 11/11/07 21:55 | 2.3 | 7.5 |
| 11/11/07 22:00 | 2.3 | 7.5 |
| 11/11/07 22:05 | 2.3 | 7.5 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 22:10 | 2.3 | 7.5 |
| 11/11/07 22:15 | 2.3 | 7.5 |
| 11/11/07 22:20 | 2.3 | 9.21 |
| 11/11/07 22:25 | 2.3 | 9.21 |
| 11/11/07 22:30 | 2.3 | 9.21 |
| 11/11/07 22:35 | 2.3 | 9.21 |
| 11/11/07 22:40 | 2.3 | 9.21 |
| 11/11/07 22:45 | 2.3 | 9.21 |
| 11/11/07 22:50 | 2.3 | 9.21 |
| 11/11/07 22:55 | 2.3 | 9.21 |
| 11/11/07 23:00 | 2.3 | 9.21 |
| 11/11/07 23:05 | 2.3 | 9.21 |
| 11/11/07 23:10 | 2.3 | 9.21 |
| 11/11/07 23:15 | 2.3 | 9.21 |
| 11/11/07 23:20 | 2.3 | 9.21 |
| 11/11/07 23:25 | 2.3 | 9.21 |
| 11/11/07 23:30 | 2.3 | 9.21 |
| 11/11/07 23:35 | 2.3 | 9.21 |
| 11/11/07 23:40 | 2.3 | 9.21 |
| 11/11/07 23:45 | 2.3 | 9.21 |
| 11/11/07 23:50 | 2.3 | 9.21 |
| 11/11/07 23:55 | 2.3 | 9.21 |
| 11/12/07 0:00 | 2.3 | 9.21 |
| 11/12/07 0:05 | 2.3 | 9.21 |
| 11/12/07 0:10 | 2.3 | 9.21 |
| 11/12/07 0:15 | 2.3 | 9.21 |
| 11/12/07 0:20 | 2.3 | 9.21 |
| 11/12/07 0:25 | 2.3 | 9.21 |
| 11/12/07 0:30 | 2.3 | 9.21 |
| 11/12/07 0:35 | 2.3 | 9.21 |
| 11/12/07 0:40 | 2.3 | 9.21 |
| 11/12/07 0:45 | 2.3 | 9.21 |
| 11/12/07 0:50 | 2.3 | 9.21 |
| 11/12/07 0:55 | 2.3 | 9.21 |
| 11/12/07 1:00 | 2.3 | 9.21 |
| 11/12/07 1:05 | 2.3 | 9.21 |
| 11/12/07 1:10 | 2.3 | 9.21 |
| 11/12/07 1:15 | 2.3 | 9.21 |
| 11/12/07 1:20 | 2.3 | 9.21 |
| 11/12/07 1:25 | 2.3 | 9.21 |
| 11/12/07 1:30 | 2.3 | 9.21 |
| 11/12/07 1:35 | 2.3 | 9.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 1:40 | 2.3 | 9.21 |
| 11/12/07 1:45 | 2.3 | 9.21 |
| 11/12/07 1:50 | 2.3 | 9.21 |
| 11/12/07 1:55 | 2.3 | 9.21 |
| 11/12/07 2:00 | 2.3 | 9.21 |
| 11/12/07 2:05 | 2.3 | 9.21 |
| 11/12/07 2:10 | 2.3 | 9.21 |
| 11/12/07 2:15 | 2.3 | 9.21 |
| 11/12/07 2:20 | 2.3 | 9.21 |
| 11/12/07 2:25 | 2.3 | 9.21 |
| 11/12/07 2:30 | 2.3 | 9.21 |
| 11/12/07 2:35 | 2.3 | 9.21 |
| 11/12/07 2:40 | 2.3 | 9.21 |
| 11/12/07 2:45 | 2.3 | 9.21 |
| 11/12/07 2:50 | 2.3 | 9.21 |
| 11/12/07 2:55 | 2.3 | 9.21 |
| 11/12/07 3:00 | 2.3 | 9.21 |
| 11/12/07 3:05 | 2.3 | 9.21 |
| 11/12/07 3:10 | 2.3 | 9.21 |
| 11/12/07 3:15 | 2.3 | 9.21 |
| 11/12/07 3:20 | 2.3 | 9.21 |
| 11/12/07 3:25 | 2.3 | 9.21 |
| 11/12/07 3:30 | 2.3 | 9.21 |
| 11/12/07 3:35 | 2.3 | 9.21 |
| 11/12/07 3:40 | 2.3 | 9.21 |
| 11/12/07 3:45 | 2.3 | 9.21 |
| 11/12/07 3:50 | 2.3 | 9.21 |
| 11/12/07 3:55 | 2.3 | 9.21 |
| 11/12/07 4:00 | 2.3 | 9.21 |
| 11/12/07 4:05 | 2.3 | 9.21 |
| 11/12/07 4:10 | 2.3 | 9.21 |
| 11/12/07 4:15 | 2.3 | 9.21 |
| 11/12/07 4:20 | 2.3 | 9.21 |
| 11/12/07 4:25 | 2.3 | 9.21 |
| 11/12/07 4:30 | 2.3 | 9.21 |
| 11/12/07 4:35 | 2.3 | -10.06 |
| 11/12/07 4:40 | 2.3 | -10.06 |
| 11/12/07 4:45 | 2.3 | -10.06 |
| 11/12/07 4:50 | 2.3 | -10.06 |
| 11/12/07 4:55 | 2.3 | -10.06 |
| 11/12/07 5:00 | 2.3 | -10.06 |
| 11/12/07 5:05 | 2.3 | -10.06 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 5:10 | 2.3 | -10.06 |
| 11/12/07 5:15 | 2.3 | -10.06 |
| 11/12/07 5:20 | 2.3 | -10.06 |
| 11/12/07 5:25 | 2.3 | -10.06 |
| 11/12/07 5:30 | 2.3 | -10.06 |
| 11/12/07 5:35 | 2.3 | -10.06 |
| 11/12/07 5:40 | 2.3 | -10.06 |
| 11/12/07 5:45 | 2.3 | -10.06 |
| 11/12/07 5:50 | 2.3 | -10.06 |
| 11/12/07 5:55 | 2.3 | -10.06 |
| 11/12/07 6:00 | 2.3 | -10.06 |
| 11/12/07 6:05 | 2.3 | -10.06 |
| 11/12/07 6:10 | 2.3 | -10.06 |
| 11/12/07 6:15 | 2.3 | -10.06 |
| 11/12/07 6:20 | 2.3 | -10.06 |
| 11/12/07 6:25 | 2.3 | -10.06 |
| 11/12/07 6:30 | 2.3 | -10.06 |
| 11/12/07 6:35 | 2.3 | -10.06 |
| 11/12/07 6:40 | 2.3 | -10.06 |
| 11/12/07 6:45 | 2.3 | -10.06 |
| 11/12/07 6:50 | 2.3 | -10.06 |
| 11/12/07 6:55 | 2.3 | -10.06 |
| 11/12/07 7:00 | 2.3 | -10.06 |
| 11/12/07 7:05 | 2.3 | -10.06 |
| 11/12/07 7:10 | 2.3 | -10.06 |
| 11/12/07 7:15 | 2.3 | -10.06 |
| 11/12/07 7:20 | 2.3 | -10.06 |
| 11/12/07 7:25 | 2.3 | -10.06 |
| 11/12/07 7:30 | 2.3 | -10.06 |
| 11/12/07 7:35 | 2.3 | -10.06 |
| 11/12/07 7:40 | 2.3 | -10.06 |
| 11/12/07 7:45 | 2.3 | -10.06 |
| 11/12/07 7:50 | 2.3 | -10.06 |
| 11/12/07 7:55 | 2.3 | -10.06 |
| 11/12/07 8:00 | 2.3 | -10.06 |
| 11/12/07 8:05 | 2.3 | -10.06 |
| 11/12/07 8:10 | 2.3 | -10.06 |
| 11/12/07 8:15 | 2.3 | -10.06 |
| 11/12/07 8:20 | 2.3 | -10.06 |
| 11/12/07 8:25 | 2.3 | -10.06 |
| 11/12/07 8:30 | 2.3 | -10.06 |
| 11/12/07 8:35 | 2.3 | -10.06 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 8:40 | 2.3 | -10.06 |
| 11/12/07 8:45 | 2.3 | -10.06 |
| 11/12/07 8:50 | 2.3 | -10.06 |
| 11/12/07 8:55 | 2.3 | -10.06 |
| 11/12/07 9:00 | 2.3 | -10.06 |
| 11/12/07 9:05 | 2.3 | -10.06 |
| 11/12/07 9:10 | 2.3 | -10.06 |
| 11/12/07 9:15 | 2.3 | -10.06 |
| 11/12/07 9:20 | 2.3 | -10.06 |
| 11/12/07 9:25 | 2.3 | -10.06 |
| 11/12/07 9:30 | 2.3 | -10.06 |
| 11/12/07 9:35 | 2.3 | -10.06 |
| 11/12/07 9:40 | 2.3 | -10.06 |
| 11/12/07 9:45 | 2.3 | -10.06 |
| 11/12/07 9:50 | 2.3 | -10.06 |
| 11/12/07 9:55 | 2.3 | -10.06 |
| 11/12/07 10:00 | 2.3 | -10.06 |
| 11/12/07 10:05 | 2.3 | -10.06 |
| 11/12/07 10:10 | 2.3 | -10.06 |
| 11/12/07 10:15 | 2.3 | -10.06 |
| 11/12/07 10:20 | 2.3 | -10.06 |
| 11/12/07 10:25 | 2.3 | -10.06 |
| 11/12/07 10:30 | 2.3 | -10.06 |
| 11/12/07 10:35 | 2.3 | -10.06 |
| 11/12/07 10:40 | 2.3 | -10.06 |
| 11/12/07 10:45 | 2.3 | -10.06 |
| 11/12/07 10:50 | 2.3 | -10.06 |
| 11/12/07 10:55 | 2.3 | -10.06 |
| 11/12/07 11:00 | 2.3 | -10.06 |
| 11/12/07 11:05 | 2.3 | -10.06 |
| 11/12/07 11:10 | 2.3 | -10.06 |
| 11/12/07 11:15 | 2.3 | -10.06 |
| 11/12/07 11:20 | 2.3 | -10.06 |
| 11/12/07 11:25 | 2.3 | -10.06 |
| 11/12/07 11:30 | 2.3 | -10.06 |
| 11/12/07 11:35 | 2.3 | -10.06 |
| 11/12/07 11:40 | 2.3 | -10.06 |
| 11/12/07 11:45 | 2.3 | -10.06 |
| 11/12/07 11:50 | 2.3 | -10.06 |
| 11/12/07 11:55 | 2.3 | -10.06 |
| 11/12/07 12:00 | 2.3 | 10.52 |
| 11/12/07 12:05 | 2.3 | 10.52 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 12:10 | 2.3 | 8.75 |
| 11/12/07 12:15 | 2.3 | 8.75 |
| 11/12/07 12:20 | 2.3 | 9.93 |
| 11/12/07 12:25 | 2.3 | 9.9 |
| 11/12/07 12:30 | 2.3 | 9.9 |
| 11/12/07 12:35 | 2.3 | 9.9 |
| 11/12/07 12:40 | 2.3 | 9.9 |
| 11/12/07 12:45 | 2.3 | 9.9 |
| 11/12/07 12:50 | 2.3 | 9.9 |
| 11/12/07 12:55 | 2.3 | 9.9 |
| 11/12/07 13:00 | 2.3 | 9.9 |
| 11/12/07 13:05 | 2.3 | 9.9 |
| 11/12/07 13:10 | 2.3 | 9.9 |
| 11/12/07 13:15 | 2.3 | 9.9 |
| 11/12/07 13:20 | 2.3 | 9.9 |
| 11/12/07 13:25 | 2.3 | 9.9 |
| 11/12/07 13:30 | 2.3 | 9.9 |
| 11/12/07 13:35 | 2.3 | 9.9 |
| 11/12/07 13:40 | 2.3 | 9.9 |
| 11/12/07 13:45 | 2.3 | 9.9 |
| 11/12/07 13:50 | 2.3 | 9.9 |
| 11/12/07 13:55 | 2.3 | 9.9 |
| 11/12/07 14:00 | 2.3 | 9.9 |
| 11/12/07 14:05 | 2.3 | 9.9 |
| 11/12/07 14:10 | 2.3 | 9.9 |
| 11/12/07 14:15 | 2.3 | 9.9 |
| 11/12/07 14:20 | 2.3 | 9.9 |
| 11/12/07 14:25 | 2.3 | 9.9 |
| 11/12/07 14:30 | 2.3 | 9.9 |
| 11/12/07 14:35 | 2.3 | 9.9 |
| 11/12/07 14:40 | 2.3 | 9.9 |
| 11/12/07 14:45 | 2.3 | 9.9 |
| 11/12/07 14:50 | 2.3 | 9.9 |
| 11/12/07 14:55 | 2.3 | 9.9 |
| 11/12/07 15:00 | 2.3 | 9.9 |
| 11/12/07 15:05 | 2.3 | 9.9 |
| 11/12/07 15:10 | 2.3 | 9.9 |
| 11/12/07 15:15 | 2.3 | 9.9 |
| 11/12/07 15:20 | 2.3 | 9.9 |
| 11/12/07 15:25 | 2.3 | 9.9 |
| 11/12/07 15:30 | 2.3 | 9.9 |
| 11/12/07 15:35 | 2.3 | 9.9 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 15:40 | 2.3 | 9.9 |
| 11/12/07 15:45 | 2.3 | 9.9 |
| 11/12/07 15:50 | 2.3 | 9.9 |
| 11/12/07 15:55 | 2.3 | 9.9 |
| 11/12/07 16:00 | 2.3 | 9.9 |
| 11/12/07 16:05 | 2.3 | 9.9 |
| 11/12/07 16:10 | 2.3 | 9.9 |
| 11/12/07 16:15 | 2.3 | 9.9 |
| 11/12/07 16:20 | 2.3 | 9.9 |
| 11/12/07 16:25 | 2.3 | 9.9 |
| 11/12/07 16:30 | 2.3 | 9.9 |
| 11/12/07 16:35 | 2.3 | 9.9 |
| 11/12/07 16:40 | 2.3 | 9.9 |
| 11/12/07 16:45 | 2.3 | 9.9 |
| 11/12/07 16:50 | 2.3 | 8.45 |
| 11/12/07 16:55 | 2.3 | 8.45 |
| 11/12/07 17:00 | 2.3 | 8.45 |
| 11/12/07 17:05 | 2.3 | 8.45 |
| 11/12/07 17:10 | 2.3 | 8.02 |
| 11/12/07 17:15 | 2.3 | 8.02 |
| 11/12/07 17:20 | 2.3 | 8.02 |
| 11/12/07 17:25 | 2.3 | 8.02 |
| 11/12/07 17:30 | 2.3 | 8.02 |
| 11/12/07 17:35 | 2.3 | 8.02 |
| 11/12/07 17:40 | 2.3 | 8.02 |
| 11/12/07 17:45 | 2.3 | 8.02 |
| 11/12/07 17:50 | 2.3 | 8.02 |
| 11/12/07 17:55 | 2.3 | 8.02 |
| 11/12/07 18:00 | 2.3 | 8.02 |
| 11/12/07 18:05 | 2.3 | 8.02 |
| 11/12/07 18:10 | 2.3 | 8.02 |
| 11/12/07 18:15 | 2.3 | 8.02 |
| 11/12/07 18:20 | 2.3 | 8.02 |
| 11/12/07 18:25 | 2.3 | 8.02 |
| 11/12/07 18:30 | 2.3 | 8.02 |
| 11/12/07 18:35 | 2.3 | 8.02 |
| 11/12/07 18:40 | 2.3 | 8.02 |
| 11/12/07 18:45 | 2.3 | 8.02 |
| 11/12/07 18:50 | 2.3 | 8.02 |
| 11/12/07 18:55 | 2.3 | 9.83 |
| 11/12/07 19:00 | 2.3 | 9.83 |
| 11/12/07 19:05 | 2.3 | 9.83 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 19:10 | 2.3 | 9.83 |
| 11/12/07 19:15 | 2.3 | 9.83 |
| 11/12/07 19:20 | 2.3 | 9.83 |
| 11/12/07 19:25 | 2.3 | 9.83 |
| 11/12/07 19:30 | 2.3 | 9.83 |
| 11/12/07 19:35 | 2.3 | 9.83 |
| 11/12/07 19:40 | 2.3 | 9.83 |
| 11/12/07 19:45 | 2.3 | 9.83 |
| 11/12/07 19:50 | 2.3 | 9.83 |
| 11/12/07 19:55 | 2.3 | 9.83 |
| 11/12/07 20:00 | 2.3 | 9.83 |
| 11/12/07 20:05 | 2.3 | 9.83 |
| 11/12/07 20:10 | 2.3 | 9.83 |
| 11/12/07 20:15 | 2.3 | 9.83 |
| 11/12/07 20:20 | 2.3 | 9.83 |
| 11/12/07 20:25 | 2.3 | 9.83 |
| 11/12/07 20:30 | 2.3 | 9.83 |
| 11/12/07 20:35 | 2.3 | 9.83 |
| 11/12/07 20:40 | 2.3 | 9.83 |
| 11/12/07 20:45 | 2.3 | 9.83 |
| 11/12/07 20:50 | 2.3 | 9.83 |
| 11/12/07 20:55 | 2.3 | 9.83 |
| 11/12/07 21:00 | 2.3 | 9.83 |
| 11/12/07 21:05 | 2.3 | 9.83 |
| 11/12/07 21:10 | 2.3 | 9.83 |
| 11/12/07 21:15 | 2.3 | 9.83 |
| 11/12/07 21:20 | 2.3 | 9.83 |
| 11/12/07 21:25 | 2.3 | 9.83 |
| 11/12/07 21:30 | 2.3 | 9.83 |
| 11/12/07 21:35 | 2.3 | 9.83 |
| 11/12/07 21:40 | 2.3 | 9.83 |
| 11/12/07 21:45 | 2.3 | 9.83 |
| 11/12/07 21:50 | 2.3 | 9.83 |
| 11/12/07 21:55 | 2.3 | 9.83 |
| 11/12/07 22:00 | 2.3 | 9.83 |
| 11/12/07 22:05 | 2.3 | 9.83 |
| 11/12/07 22:10 | 2.3 | 9.83 |
| 11/12/07 22:15 | 2.3 | 9.83 |
| 11/12/07 22:20 | 2.3 | 9.83 |
| 11/12/07 22:25 | 2.3 | 0.23 |
| 11/12/07 22:30 | 2.3 | 0.23 |
| 11/12/07 22:35 | 2.3 | 0.45 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 22:40 | 2.3 | 0.49 |
| 11/12/07 22:45 | 2.3 | 0.49 |
| 11/12/07 22:50 | 2.3 | 0.37 |
| 11/12/07 22:55 | 2.3 | 0.31 |
| 11/12/07 23:00 | 2.3 | 0.27 |
| 11/12/07 23:05 | 2.3 | 0.27 |
| 11/12/07 23:10 | 2.3 | 0.25 |
| 11/12/07 23:15 | 2.3 | 0.19 |
| 11/12/07 23:20 | 2.3 | 0.17 |
| 11/12/07 23:25 | 2.3 | 0.19 |
| 11/12/07 23:30 | 2.3 | 0.19 |
| 11/12/07 23:35 | 2.3 | 0.19 |
| 11/12/07 23:40 | 2.3 | 0.17 |
| 11/12/07 23:45 | 2.3 | 0.17 |
| 11/12/07 23:50 | 2.3 | 0.17 |
| 11/12/07 23:55 | 2.3 | 0.17 |
| 11/13/07 0:00 | 2.3 | 0.17 |
| 11/13/07 0:05 | 2.3 | 0.17 |
| 11/13/07 0:10 | 2.3 | 0.17 |
| 11/13/07 0:15 | 2.3 | 0.17 |
| 11/13/07 0:20 | 2.3 | 0.17 |
| 11/13/07 0:25 | 2.3 | 0.17 |
| 11/13/07 0:30 | 2.3 | 0.17 |
| 11/13/07 0:35 | 2.3 | 0.17 |
| 11/13/07 0:40 | 2.3 | 0.17 |
| 11/13/07 0:45 | 2.3 | 0.17 |
| 11/13/07 0:50 | 2.3 | 0.19 |
| 11/13/07 0:55 | 2.3 | 0.19 |
| 11/13/07 1:00 | 2.3 | 0.19 |
| 11/13/07 1:05 | 2.3 | 0.19 |
| 11/13/07 1:10 | 2.3 | 0.19 |
| 11/13/07 1:15 | 2.3 | 0.19 |
| 11/13/07 1:20 | 2.3 | 0.19 |
| 11/13/07 1:25 | 2.3 | 0.19 |
| 11/13/07 1:30 | 2.3 | 0.19 |
| 11/13/07 1:35 | 2.3 | 0.19 |
| 11/13/07 1:40 | 2.3 | 0.19 |
| 11/13/07 1:45 | 2.3 | 0.19 |
| 11/13/07 1:50 | 2.3 | 0.19 |
| 11/13/07 1:55 | 2.3 | 0.19 |
| 11/13/07 2:00 | 2.3 | 0.19 |
| 11/13/07 2:05 | 2.3 | 0.19 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 2:10 | 2.3 | 0.19 |
| 11/13/07 2:15 | 2.3 | 0.19 |
| 11/13/07 2:20 | 2.3 | 0.19 |
| 11/13/07 2:25 | 2.3 | 0.19 |
| 11/13/07 2:30 | 2.3 | 0.19 |
| 11/13/07 2:35 | 2.3 | 0.19 |
| 11/13/07 2:40 | 2.3 | 0.19 |
| 11/13/07 2:45 | 2.3 | 0.19 |
| 11/13/07 2:50 | 2.3 | 0.19 |
| 11/13/07 2:55 | 2.3 | 0.19 |
| 11/13/07 3:00 | 2.3 | 0.19 |
| 11/13/07 3:05 | 2.3 | 0.19 |
| 11/13/07 3:10 | 2.3 | 0.19 |
| 11/13/07 3:15 | 2.3 | 0.19 |
| 11/13/07 3:20 | 2.3 | 0.19 |
| 11/13/07 3:25 | 2.3 | 0.19 |
| 11/13/07 3:30 | 2.3 | 0.19 |
| 11/13/07 3:35 | 2.3 | 0.19 |
| 11/13/07 3:40 | 2.3 | 0.19 |
| 11/13/07 3:45 | 2.3 | 0.19 |
| 11/13/07 3:50 | 2.3 | 0.19 |
| 11/13/07 3:55 | 2.3 | 0.19 |
| 11/13/07 4:00 | 2.3 | 0.19 |
| 11/13/07 4:05 | 2.3 | 0.19 |
| 11/13/07 4:10 | 2.3 | 0.19 |
| 11/13/07 4:15 | 2.3 | 0.15 |
| 11/13/07 4:20 | 2.3 | 0.15 |
| 11/13/07 4:25 | 2.3 | 0.17 |
| 11/13/07 4:30 | 2.3 | 0.19 |
| 11/13/07 4:35 | 2.3 | 0.19 |
| 11/13/07 4:40 | 2.3 | 0.19 |
| 11/13/07 4:45 | 2.3 | 0.19 |
| 11/13/07 4:50 | 2.3 | 0.19 |
| 11/13/07 4:55 | 2.3 | 0.19 |
| 11/13/07 5:00 | 2.3 | 0.24 |
| 11/13/07 5:05 | 2.3 | 0.35 |
| 11/13/07 5:10 | 2.3 | 0.27 |
| 11/13/07 5:15 | 2.3 | 0.26 |
| 11/13/07 5:20 | 2.3 | 0.28 |
| 11/13/07 5:25 | 2.3 | 0.28 |
| 11/13/07 5:30 | 2.3 | 0.31 |
| 11/13/07 5:35 | 2.3 | 0.28 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 5:40 | 2.3 | 0.29 |
| 11/13/07 5:45 | 2.3 | 0.28 |
| 11/13/07 5:50 | 2.3 | 0.25 |
| 11/13/07 5:55 | 2.3 | 0.24 |
| 11/13/07 6:00 | 2.3 | 0.24 |
| 11/13/07 6:05 | 2.3 | 0.23 |
| 11/13/07 6:10 | 2.3 | 0.23 |
| 11/13/07 6:15 | 2.3 | 0.23 |
| 11/13/07 6:20 | 2.3 | 0.23 |
| 11/13/07 6:25 | 2.3 | 0.23 |
| 11/13/07 6:30 | 2.3 | 0.23 |
| 11/13/07 6:35 | 2.3 | 0.23 |
| 11/13/07 6:40 | 2.3 | 0.23 |
| 11/13/07 6:45 | 2.3 | 0.23 |
| 11/13/07 6:50 | 2.3 | 0.23 |
| 11/13/07 6:55 | 2.3 | 0.23 |
| 11/13/07 7:00 | 2.3 | 0.23 |
| 11/13/07 7:05 | 2.3 | 7.63 |
| 11/13/07 7:10 | 2.3 | 7.63 |
| 11/13/07 7:15 | 2.3 | 7.63 |
| 11/13/07 7:20 | 2.3 | 7.63 |
| 11/13/07 7:25 | 2.3 | 7.63 |
| 11/13/07 7:30 | 2.3 | 7.63 |
| 11/13/07 7:35 | 2.3 | 7.63 |
| 11/13/07 7:40 | 2.3 | 7.63 |
| 11/13/07 7:45 | 2.3 | 7.63 |
| 11/13/07 7:50 | 2.3 | 7.63 |
| 11/13/07 7:55 | 2.3 | 7.63 |
| 11/13/07 8:00 | 2.3 | 7.63 |
| 11/13/07 8:05 | 2.3 | 7.63 |
| 11/13/07 8:10 | 2.3 | 7.63 |
| 11/13/07 8:15 | 2.3 | 7.63 |
| 11/13/07 8:20 | 2.3 | 7.63 |
| 11/13/07 8:25 | 2.3 | 7.63 |
| 11/13/07 8:30 | 2.3 | 7.63 |
| 11/13/07 8:35 | 2.3 | 7.63 |
| 11/13/07 8:40 | 2.3 | 7.63 |
| 11/13/07 8:45 | 2.3 | 7.63 |
| 11/13/07 8:50 | 2.3 | 7.63 |
| 11/13/07 8:55 | 2.3 | 7.63 |
| 11/13/07 9:00 | 2.3 | 7.63 |
| 11/13/07 9:05 | 2.3 | 7.63 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 9:10 | 2.3 | 7.63 |
| 11/13/07 9:15 | 2.3 | 7.63 |
| 11/13/07 9:20 | 2.3 | 7.63 |
| 11/13/07 9:25 | 2.3 | 7.63 |
| 11/13/07 9:30 | 2.3 | 7.63 |
| 11/13/07 9:35 | 2.3 | 7.63 |
| 11/13/07 9:40 | 2.3 | 7.63 |
| 11/13/07 9:45 | 2.3 | 7.63 |
| 11/13/07 9:50 | 2.3 | 7.63 |
| 11/13/07 9:55 | 2.3 | 7.63 |
| 11/13/07 10:00 | 2.3 | 7.63 |
| 11/13/07 10:05 | 2.3 | 7.63 |
| 11/13/07 10:10 | 2.3 | 7.63 |
| 11/13/07 10:15 | 2.3 | 7.63 |
| 11/13/07 10:20 | 2.3 | 7.63 |
| 11/13/07 10:25 | 2.3 | 7.63 |
| 11/13/07 10:30 | 2.3 | 7.63 |
| 11/13/07 10:35 | 2.3 | 7.63 |
| 11/13/07 10:40 | 2.3 | 7.63 |
| 11/13/07 10:45 | 2.3 | 7.63 |
| 11/13/07 10:50 | 2.3 | 7.63 |
| 11/13/07 10:55 | 2.3 | 7.63 |
| 11/13/07 11:00 | 2.3 | 7.63 |
| 11/13/07 11:05 | 2.3 | 7.63 |
| 11/13/07 11:10 | 2.3 | 7.63 |
| 11/13/07 11:15 | 2.3 | 7.63 |
| 11/13/07 11:20 | 2.3 | 7.63 |
| 11/13/07 11:25 | 2.3 | 10.24 |
| 11/13/07 11:30 | 2.3 | 10.24 |
| 11/13/07 11:35 | 2.3 | 10.24 |
| 11/13/07 11:40 | 2.3 | 10.24 |
| 11/13/07 11:45 | 2.3 | 10.24 |
| 11/13/07 11:50 | 2.3 | 10.24 |
| 11/13/07 11:55 | 2.3 | 10.24 |
| 11/13/07 12:00 | 2.3 | 10.24 |
| 11/13/07 12:05 | 2.3 | 10.24 |
| 11/13/07 12:10 | 2.3 | 10.24 |
| 11/13/07 12:15 | 2.3 | 10.24 |
| 11/13/07 12:20 | 2.3 | 10.24 |
| 11/13/07 12:25 | 2.3 | 10.24 |
| 11/13/07 12:30 | 2.3 | 10.24 |
| 11/13/07 12:35 | 2.3 | 10.24 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 12:40 | 2.3 | 10.24 |
| 11/13/07 12:45 | 2.3 | 10.24 |
| 11/13/07 12:50 | 2.3 | 10.24 |
| 11/13/07 12:55 | 2.3 | 10.24 |
| 11/13/07 13:00 | 2.3 | 10.24 |
| 11/13/07 13:05 | 2.3 | 10.24 |
| 11/13/07 13:10 | 2.3 | 10.24 |
| 11/13/07 13:15 | 2.3 | 10.24 |
| 11/13/07 13:20 | 2.3 | 10.24 |
| 11/13/07 13:25 | 2.3 | 10.24 |
| 11/13/07 13:30 | 2.3 | 10.24 |
| 11/13/07 13:35 | 2.3 | 10.24 |
| 11/13/07 13:40 | 2.3 | 10.24 |
| 11/13/07 13:45 | 2.3 | 10.24 |
| 11/13/07 13:50 | 2.3 | 10.24 |
| 11/13/07 13:55 | 2.3 | 10.24 |
| 11/13/07 14:00 | 2.3 | 10.24 |
| 11/13/07 14:05 | 2.3 | 10.24 |
| 11/13/07 14:10 | 2.3 | 10.24 |
| 11/13/07 14:15 | 2.3 | 10.24 |
| 11/13/07 14:20 | 2.3 | 10.24 |
| 11/13/07 14:25 | 2.3 | 10.24 |
| 11/13/07 14:30 | 2.3 | 10.24 |
| 11/13/07 14:35 | 2.3 | 10.24 |
| 11/13/07 14:40 | 2.3 | 10.24 |
| 11/13/07 14:45 | 2.3 | 8.25 |
| 11/13/07 14:50 | 2.3 | 13.98 |
| 11/13/07 14:55 | 2.3 | 13.98 |
| 11/13/07 15:00 | 2.3 | 13.98 |
| 11/13/07 15:05 | 2.3 | 11.66 |
| 11/13/07 15:10 | 2.3 | 11.66 |
| 11/13/07 15:15 | 2.3 | 11.66 |
| 11/13/07 15:20 | 2.3 | 11.57 |
| 11/13/07 15:25 | 2.3 | 11.32 |
| 11/13/07 15:30 | 2.3 | 12.61 |
| 11/13/07 15:35 | 2.3 | 12.61 |
| 11/13/07 15:40 | 2.3 | 12.61 |
| 11/13/07 15:45 | 2.3 | 12.61 |
| 11/13/07 15:50 | 2.3 | 12.61 |
| 11/13/07 15:55 | 2.3 | 12.58 |
| 11/13/07 16:00 | 2.3 | 12.58 |
| 11/13/07 16:05 | 2.3 | 13.27 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 16:10 | 2.3 | 13.27 |
| 11/13/07 16:15 | 2.3 | 13.27 |
| 11/13/07 16:20 | 2.3 | 13.27 |
| 11/13/07 16:25 | 2.3 | 13.27 |
| 11/13/07 16:30 | 2.3 | 0.19 |
| 11/13/07 16:35 | 2.3 | 0.19 |
| 11/13/07 16:40 | 2.3 | 0.19 |
| 11/13/07 16:45 | 2.3 | 0.19 |
| 11/13/07 16:50 | 2.3 | 0.19 |
| 11/13/07 16:55 | 2.3 | 0.19 |
| 11/13/07 17:00 | 2.3 | 0.19 |
| 11/13/07 17:05 | 2.3 | 0.19 |
| 11/13/07 17:10 | 2.3 | 0.19 |
| 11/13/07 17:15 | 2.3 | 0.19 |
| 11/13/07 17:20 | 2.3 | 0.19 |
| 11/13/07 17:25 | 2.3 | 0.19 |
| 11/13/07 17:30 | 2.3 | 0.19 |
| 11/13/07 17:35 | 2.3 | 11.18 |
| 11/13/07 17:40 | 2.3 | 9.99 |
| 11/13/07 17:45 | 2.3 | 0.16 |
| 11/13/07 17:50 | 2.3 | 1.18 |
| 11/13/07 17:55 | 2.3 | 1.24 |
| 11/13/07 18:00 | 2.3 | 1.26 |
| 11/13/07 18:05 | 2.3 | 1.32 |
| 11/13/07 18:10 | 2.3 | 1.24 |
| 11/13/07 18:15 | 2.3 | 0.89 |
| 11/13/07 18:20 | 2.3 | 0.89 |
| 11/13/07 18:25 | 2.3 | 0.89 |
| 11/13/07 18:30 | 2.3 | 9.66 |
| 11/13/07 18:35 | 2.3 | 8.81 |
| 11/13/07 18:40 | 2.3 | 1.32 |
| 11/13/07 18:45 | 2.3 | 1.32 |
| 11/13/07 18:50 | 2.3 | 1.32 |
| 11/13/07 18:55 | 2.3 | 1.32 |
| 11/13/07 19:00 | 2.3 | 1.32 |
| 11/13/07 19:05 | 2.3 | 1.32 |
| 11/13/07 19:10 | 2.3 | 1.32 |
| 11/13/07 19:15 | 2.3 | 1.32 |
| 11/13/07 19:20 | 2.3 | 1.32 |
| 11/13/07 19:25 | 2.3 | 1.32 |
| 11/13/07 19:30 | 2.3 | 1.32 |
| 11/13/07 19:35 | 2.3 | 1.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 19:40 | 2.3 | 1.32 |
| 11/13/07 19:45 | 2.3 | 1.32 |
| 11/13/07 19:50 | 2.3 | 0.17 |
| 11/13/07 19:55 | 2.3 | 0.17 |
| 11/13/07 20:00 | 2.3 | 0.17 |
| 11/13/07 20:05 | 2.3 | 0.17 |
| 11/13/07 20:10 | 2.3 | 0.17 |
| 11/13/07 20:15 | 2.3 | 0.17 |
| 11/13/07 20:20 | 2.3 | 0.17 |
| 11/13/07 20:25 | 2.3 | 0.17 |
| 11/13/07 20:30 | 2.3 | 0.18 |
| 11/13/07 20:35 | 2.3 | 0.18 |
| 11/13/07 20:40 | 2.3 | 0.21 |
| 11/13/07 20:45 | 2.3 | 0.22 |
| 11/13/07 20:50 | 2.3 | 0.22 |
| 11/13/07 20:55 | 2.3 | 0.22 |
| 11/13/07 21:00 | 2.3 | 0.19 |
| 11/13/07 21:05 | 2.3 | 0.19 |
| 11/13/07 21:10 | 2.3 | 0.19 |
| 11/13/07 21:15 | 2.3 | 0.16 |
| 11/13/07 21:20 | 2.3 | 0.16 |
| 11/13/07 21:25 | 2.3 | 0.16 |
| 11/13/07 21:30 | 2.3 | 0.16 |
| 11/13/07 21:35 | 2.3 | 0.16 |
| 11/13/07 21:40 | 2.3 | 0.16 |
| 11/13/07 21:45 | 2.3 | 0.16 |
| 11/13/07 21:50 | 2.3 | 0.2 |
| 11/13/07 21:55 | 2.3 | 0.17 |
| 11/13/07 22:00 | 2.3 | 0.17 |
| 11/13/07 22:05 | 2.3 | 0.17 |
| 11/13/07 22:10 | 2.3 | 0.17 |
| 11/13/07 22:15 | 2.3 | 0.17 |
| 11/13/07 22:20 | 2.3 | 0.17 |
| 11/13/07 22:25 | 2.3 | 0.17 |
| 11/13/07 22:30 | 2.3 | 0.17 |
| 11/13/07 22:35 | 2.3 | 0.17 |
| 11/13/07 22:40 | 2.3 | 0.17 |
| 11/13/07 22:45 | 2.3 | 0.17 |
| 11/13/07 22:50 | 2.3 | 0.17 |
| 11/13/07 22:55 | 2.3 | 0.17 |
| 11/13/07 23:00 | 2.3 | 0.17 |
| 11/13/07 23:05 | 2.3 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 23:10 | 2.3 | 0.17 |
| 11/13/07 23:15 | 2.3 | 0.17 |
| 11/13/07 23:20 | 2.3 | 0.17 |
| 11/13/07 23:25 | 2.3 | 0.17 |
| 11/13/07 23:30 | 2.3 | 0.17 |
| 11/13/07 23:35 | 2.3 | 0.17 |
| 11/13/07 23:40 | 2.3 | 0.17 |
| 11/13/07 23:45 | 2.3 | 0.17 |
| 11/13/07 23:50 | 2.3 | 0.17 |
| 11/13/07 23:55 | 2.3 | 0.17 |
| 11/14/07 0:00 | 2.3 | 0.17 |
| 11/14/07 0:05 | 2.3 | 0.17 |
| 11/14/07 0:10 | 2.3 | 0.17 |
| 11/14/07 0:15 | 2.3 | 0.17 |
| 11/14/07 0:20 | 2.3 | 0.17 |
| 11/14/07 0:25 | 2.3 | 0.17 |
| 11/14/07 0:30 | 2.3 | 0.17 |
| 11/14/07 0:35 | 2.3 | 0.17 |
| 11/14/07 0:40 | 2.3 | 0.17 |
| 11/14/07 0:45 | 2.3 | 0.17 |
| 11/14/07 0:50 | 2.3 | 0.17 |
| 11/14/07 0:55 | 2.3 | 0.17 |
| 11/14/07 1:00 | 2.3 | 0.17 |
| 11/14/07 1:05 | 2.3 | 0.17 |
| 11/14/07 1:10 | 2.3 | 0.17 |
| 11/14/07 1:15 | 2.3 | 0.17 |
| 11/14/07 1:20 | 2.3 | 0.17 |
| 11/14/07 1:25 | 2.3 | 0.17 |
| 11/14/07 1:30 | 2.3 | 0.17 |
| 11/14/07 1:35 | 2.3 | 0.17 |
| 11/14/07 1:40 | 2.3 | 0.17 |
| 11/14/07 1:45 | 2.3 | 0.17 |
| 11/14/07 1:50 | 2.3 | 0.18 |
| 11/14/07 1:55 | 2.3 | 0.18 |
| 11/14/07 2:00 | 2.3 | 0.18 |
| 11/14/07 2:05 | 2.3 | 0.18 |
| 11/14/07 2:10 | 2.3 | 0.18 |
| 11/14/07 2:15 | 2.3 | 0.18 |
| 11/14/07 2:20 | 2.3 | 0.18 |
| 11/14/07 2:25 | 2.3 | 0.18 |
| 11/14/07 2:30 | 2.3 | 0.18 |
| 11/14/07 2:35 | 2.3 | 0.18 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 2:40 | 2.3 | 0.18 |
| 11/14/07 2:45 | 2.3 | 0.18 |
| 11/14/07 2:50 | 2.3 | 0.18 |
| 11/14/07 2:55 | 2.3 | 0.18 |
| 11/14/07 3:00 | 2.3 | 0.18 |
| 11/14/07 3:05 | 2.3 | 0.18 |
| 11/14/07 3:10 | 2.3 | 0.18 |
| 11/14/07 3:15 | 2.3 | 0.18 |
| 11/14/07 3:20 | 2.3 | 0.18 |
| 11/14/07 3:25 | 2.3 | 0.18 |
| 11/14/07 3:30 | 2.3 | 0.18 |
| 11/14/07 3:35 | 2.3 | 0.18 |
| 11/14/07 3:40 | 2.3 | 0.18 |
| 11/14/07 3:45 | 2.3 | 0.18 |
| 11/14/07 3:50 | 2.3 | 0.18 |
| 11/14/07 3:55 | 2.3 | 0.18 |
| 11/14/07 4:00 | 2.3 | 0.18 |
| 11/14/07 4:05 | 2.3 | 0.18 |
| 11/14/07 4:10 | 2.3 | 0.18 |
| 11/14/07 4:15 | 2.3 | 0.18 |
| 11/14/07 4:20 | 2.3 | 0.18 |
| 11/14/07 4:25 | 2.3 | 0.18 |
| 11/14/07 4:30 | 2.3 | 0.18 |
| 11/14/07 4:35 | 2.3 | 0.18 |
| 11/14/07 4:40 | 2.3 | 0.17 |
| 11/14/07 4:45 | 2.3 | 0.17 |
| 11/14/07 4:50 | 2.3 | 0.17 |
| 11/14/07 4:55 | 2.3 | 0.17 |
| 11/14/07 5:00 | 2.3 | 0.17 |
| 11/14/07 5:05 | 2.3 | 0.17 |
| 11/14/07 5:10 | 2.3 | 0.17 |
| 11/14/07 5:15 | 2.3 | 0.17 |
| 11/14/07 5:20 | 2.3 | 0.17 |
| 11/14/07 5:25 | 2.3 | 0.17 |
| 11/14/07 5:30 | 2.3 | 0.17 |
| 11/14/07 5:35 | 2.3 | 0.17 |
| 11/14/07 5:40 | 2.3 | 0.17 |
| 11/14/07 5:45 | 2.3 | 0.17 |
| 11/14/07 5:50 | 2.3 | 0.17 |
| 11/14/07 5:55 | 2.3 | 0.17 |
| 11/14/07 6:00 | 2.3 | 0.17 |
| 11/14/07 6:05 | 2.3 | 0.17 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 6:10 | 2.3 | 0.17 |
| 11/14/07 6:15 | 2.3 | 0.17 |
| 11/14/07 6:20 | 2.3 | 0.17 |
| 11/14/07 6:25 | 2.3 | 0.17 |
| 11/14/07 6:30 | 2.3 | 13.26 |
| 11/14/07 6:35 | 2.3 | 13.26 |
| 11/14/07 6:40 | 2.3 | 13.26 |
| 11/14/07 6:45 | 2.3 | 13.26 |
| 11/14/07 6:50 | 2.3 | 13.26 |
| 11/14/07 6:55 | 2.3 | 13.26 |
| 11/14/07 7:00 | 2.3 | 13.26 |
| 11/14/07 7:05 | 2.3 | 13.26 |
| 11/14/07 7:10 | 2.3 | 13.26 |
| 11/14/07 7:15 | 2.3 | 13.26 |
| 11/14/07 7:20 | 2.3 | 13.26 |
| 11/14/07 7:25 | 2.3 | 13.26 |
| 11/14/07 7:30 | 2.3 | 13.26 |
| 11/14/07 7:35 | 2.3 | 13.26 |
| 11/14/07 7:40 | 2.3 | 13.26 |
| 11/14/07 7:45 | 2.3 | 13.26 |
| 11/14/07 7:50 | 2.3 | 13.26 |
| 11/14/07 7:55 | 2.3 | 13.26 |
| 11/14/07 8:00 | 2.3 | 13.26 |
| 11/14/07 8:05 | 2.3 | 13.26 |
| 11/14/07 8:10 | 2.3 | 13.26 |
| 11/14/07 8:15 | 2.3 | 13.26 |
| 11/14/07 8:20 | 2.3 | 13.26 |
| 11/14/07 8:25 | 2.3 | 13.26 |
| 11/14/07 8:30 | 2.3 | 13.26 |
| 11/14/07 8:35 | 2.3 | 13.26 |
| 11/14/07 8:40 | 2.3 | 13.26 |
| 11/14/07 8:45 | 2.3 | 13.26 |
| 11/14/07 8:50 | 2.3 | 13.26 |
| 11/14/07 8:55 | 2.3 | 13.26 |
| 11/14/07 9:00 | 2.3 | 13.26 |
| 11/14/07 9:05 | 2.3 | 13.26 |
| 11/14/07 9:10 | 2.3 | 13.26 |
| 11/14/07 9:15 | 2.3 | 13.26 |
| 11/14/07 9:20 | 2.3 | 13.26 |
| 11/14/07 9:25 | 2.3 | 13.26 |
| 11/14/07 9:30 | 2.3 | 13.26 |
| 11/14/07 9:35 | 2.3 | 13.26 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 9:40 | 2.3 | 13.04 |
| 11/14/07 9:45 | 2.3 | 13.04 |
| 11/14/07 9:50 | 2.3 | 13.04 |
| 11/14/07 9:55 | 2.3 | 13.04 |
| 11/14/07 10:00 | 2.3 | 13.04 |
| 11/14/07 10:05 | 2.3 | 13.04 |
| 11/14/07 10:10 | 2.3 | 13.04 |
| 11/14/07 10:15 | 2.3 | 13.04 |
| 11/14/07 10:20 | 2.3 | 13.04 |
| 11/14/07 10:25 | 2.3 | 10.11 |
| 11/14/07 10:30 | 2.3 | 10.11 |
| 11/14/07 10:35 | 2.3 | 10.23 |
| 11/14/07 10:40 | 2.3 | 10.23 |
| 11/14/07 10:45 | 2.3 | 10.23 |
| 11/14/07 10:50 | 2.3 | 10.23 |
| 11/14/07 10:55 | 2.3 | 7.95 |
| 11/14/07 11:00 | 2.3 | 7.95 |
| 11/14/07 11:05 | 2.3 | 7.95 |
| 11/14/07 11:10 | 2.3 | 7.95 |
| 11/14/07 11:15 | 2.3 | 7.95 |
| 11/14/07 11:20 | 2.3 | 7.95 |
| 11/14/07 11:25 | 2.3 | 7.95 |
| 11/14/07 11:30 | 2.3 | 7.95 |
| 11/14/07 11:35 | 2.3 | 7.95 |
| 11/14/07 11:40 | 2.3 | 7.95 |
| 11/14/07 11:45 | 2.3 | 6.88 |
| 11/14/07 11:50 | 2.3 | 8.9 |
| 11/14/07 11:55 | 2.3 | 13.61 |
| 11/14/07 12:00 | 2.3 | 11.34 |
| 11/14/07 12:05 | 2.3 | 11.87 |
| 11/14/07 12:10 | 2.3 | 11.87 |
| 11/14/07 12:15 | 2.3 | 12.32 |
| 11/14/07 12:20 | 2.3 | 12.32 |
| 11/14/07 12:25 | 2.3 | 11.24 |
| 11/14/07 12:30 | 2.3 | 12.23 |
| 11/14/07 12:35 | 2.3 | 12.23 |
| 11/14/07 12:40 | 2.3 | 11.17 |
| 11/14/07 12:45 | 2.3 | 11.17 |
| 11/14/07 12:50 | 2.3 | 10.62 |
| 11/14/07 12:55 | 2.3 | 10.62 |
| 11/14/07 13:00 | 2.3 | 10.62 |
| 11/14/07 13:05 | 2.3 | 10.62 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 13:10 | 2.3 | 10.62 |
| 11/14/07 13:15 | 2.3 | 10.62 |
| 11/14/07 13:20 | 2.3 | 10.62 |
| 11/14/07 13:25 | 2.3 | 10.62 |
| 11/14/07 13:30 | 2.3 | 10.62 |
| 11/14/07 13:35 | 2.3 | 10.62 |
| 11/14/07 13:40 | 2.3 | 10.62 |
| 11/14/07 13:45 | 2.3 | 10.62 |
| 11/14/07 13:50 | 2.3 | 10.62 |
| 11/14/07 13:55 | 2.3 | 10.62 |
| 11/14/07 14:00 | 2.3 | 10.62 |
| 11/14/07 14:05 | 2.3 | 10.62 |
| 11/14/07 14:10 | 2.3 | 10.62 |
| 11/14/07 14:15 | 2.3 | 10.62 |
| 11/14/07 14:20 | 2.3 | 10.62 |
| 11/14/07 14:25 | 2.3 | 10.62 |
| 11/14/07 14:30 | 2.3 | 10.62 |
| 11/14/07 14:35 | 2.3 | 10.62 |
| 11/14/07 14:40 | 2.3 | 10.62 |
| 11/14/07 14:45 | 2.3 | 10.62 |
| 11/14/07 14:50 | 2.3 | 10.62 |
| 11/14/07 14:55 | 2.3 | 10.62 |
| 11/14/07 15:00 | 2.3 | 10.62 |
| 11/14/07 15:05 | 2.3 | 10.62 |
| 11/14/07 15:10 | 2.3 | 10.62 |
| 11/14/07 15:15 | 2.3 | 10.62 |
| 11/14/07 15:20 | 2.3 | 10.62 |
| 11/14/07 15:25 | 2.3 | 8.14 |
| 11/14/07 15:30 | 2.3 | 8.14 |
| 11/14/07 15:35 | 2.3 | 8.14 |
| 11/14/07 15:40 | 2.3 | 8.14 |
| 11/14/07 15:45 | 2.3 | 8.14 |
| 11/14/07 15:50 | 2.3 | 8.14 |
| 11/14/07 15:55 | 2.3 | 8.14 |
| 11/14/07 16:00 | 2.3 | 8.14 |
| 11/14/07 16:05 | 2.3 | 8.14 |
| 11/14/07 16:10 | 2.3 | 8.14 |
| 11/14/07 16:15 | 2.3 | 8.14 |
| 11/14/07 16:20 | 2.3 | 8.14 |
| 11/14/07 16:25 | 2.3 | 8.14 |
| 11/14/07 16:30 | 2.3 | 8.14 |
| 11/14/07 16:35 | 2.3 | 8.14 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 16:40 | 2.3 | 8.14 |
| 11/14/07 16:45 | 2.3 | 8.14 |
| 11/14/07 16:50 | 2.3 | 8.14 |
| 11/14/07 16:55 | 2.3 | 8.14 |
| 11/14/07 17:00 | 2.3 | 8.14 |
| 11/14/07 17:05 | 2.3 | 8.14 |
| 11/14/07 17:10 | 2.3 | 8.14 |
| 11/14/07 17:15 | 2.3 | 8.14 |
| 11/14/07 17:20 | 2.3 | 8.14 |
| 11/14/07 17:25 | 2.3 | 8.14 |
| 11/14/07 17:30 | 2.3 | 8.14 |
| 11/14/07 17:35 | 2.3 | 8.14 |
| 11/14/07 17:40 | 2.3 | 8.14 |
| 11/14/07 17:45 | 2.3 | 8.14 |
| 11/14/07 17:50 | 2.3 | 8.14 |
| 11/14/07 17:55 | 2.3 | 8.14 |
| 11/14/07 18:00 | 2.3 | 8.14 |
| 11/14/07 18:05 | 2.3 | 8.14 |
| 11/14/07 18:10 | 2.3 | 8.14 |
| 11/14/07 18:15 | 2.3 | 8.14 |
| 11/14/07 18:20 | 2.3 | 8.14 |
| 11/14/07 18:25 | 2.3 | 8.14 |
| 11/14/07 18:30 | 2.3 | 8.14 |
| 11/14/07 18:35 | 2.3 | 8.14 |
| 11/14/07 18:40 | 2.3 | 8.14 |
| 11/14/07 18:45 | 2.3 | 8.14 |
| 11/14/07 18:50 | 2.3 | 8.14 |
| 11/14/07 18:55 | 2.3 | 8.14 |
| 11/14/07 19:00 | 2.3 | 8.14 |
| 11/14/07 19:05 | 2.3 | 8.14 |
| 11/14/07 19:10 | 2.3 | 8.14 |
| 11/14/07 19:15 | 2.3 | 8.14 |
| 11/14/07 19:20 | 2.3 | 8.14 |
| 11/14/07 19:25 | 2.3 | 8.14 |
| 11/14/07 19:30 | 2.3 | 8.14 |
| 11/14/07 19:35 | 2.3 | 8.14 |
| 11/14/07 19:40 | 2.3 | 8.14 |
| 11/14/07 19:45 | 2.3 | 8.14 |
| 11/14/07 19:50 | 2.3 | 8.14 |
| 11/14/07 19:55 | 2.3 | 8.14 |
| 11/14/07 20:00 | 2.3 | 8.14 |
| 11/14/07 20:05 | 2.3 | 8.14 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 20:10 | 2.3 | 8.14 |
| 11/14/07 20:15 | 2.3 | 8.14 |
| 11/14/07 20:20 | 2.3 | 8.14 |
| 11/14/07 20:25 | 2.3 | 8.14 |
| 11/14/07 20:30 | 2.3 | 8.14 |
| 11/14/07 20:35 | 2.3 | 8.14 |
| 11/14/07 20:40 | 2.3 | 8.14 |
| 11/14/07 20:45 | 2.3 | 8.14 |
| 11/14/07 20:50 | 2.3 | 8.14 |
| 11/14/07 20:55 | 2.3 | 8.14 |
| 11/14/07 21:00 | 2.3 | 8.14 |
| 11/14/07 21:05 | 2.3 | 8.14 |
| 11/14/07 21:10 | 2.3 | 8.14 |
| 11/14/07 21:15 | 2.3 | 8.14 |
| 11/14/07 21:20 | 2.3 | 1.29 |
| 11/14/07 21:25 | 2.3 | 1.29 |
| 11/14/07 21:30 | 2.3 | 1.14 |
| 11/14/07 21:35 | 2.3 | 1.1 |
| 11/14/07 21:40 | 2.3 | 12.96 |
| 11/14/07 21:45 | 2.3 | 12.96 |
| 11/14/07 21:50 | 2.3 | 7.73 |
| 11/14/07 21:55 | 2.3 | 7.73 |
| 11/14/07 22:00 | 2.3 | 7.73 |
| 11/14/07 22:05 | 2.3 | 7.73 |
| 11/14/07 22:10 | 2.3 | 7.73 |
| 11/14/07 22:15 | 2.3 | 0.2 |
| 11/14/07 22:20 | 2.3 | 0.2 |
| 11/14/07 22:25 | 2.3 | 0.17 |
| 11/14/07 22:30 | 2.3 | 0.17 |
| 11/14/07 22:35 | 2.3 | 0.24 |
| 11/14/07 22:40 | 2.3 | 0.29 |
| 11/14/07 22:45 | 2.3 | 0.33 |
| 11/14/07 22:50 | 2.3 | 0.29 |
| 11/14/07 22:55 | 2.3 | 0.28 |
| 11/14/07 23:00 | 2.3 | 0.28 |
| 11/14/07 23:05 | 2.3 | 0.28 |
| 11/14/07 23:10 | 2.3 | 0.28 |
| 11/14/07 23:15 | 2.3 | 0.28 |
| 11/14/07 23:20 | 2.3 | 0.26 |
| 11/14/07 23:25 | 2.3 | 0.24 |
| 11/14/07 23:30 | 2.3 | 0.24 |
| 11/14/07 23:35 | 2.3 | 0.22 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 23:40 | 2.3 | 0.22 |
| 11/14/07 23:45 | 2.3 | 0.22 |
| 11/14/07 23:50 | 2.3 | 0.22 |
| 11/14/07 23:55 | 2.3 | 0.22 |
| 11/15/07 0:00 | 2.3 | 0.22 |
| 11/15/07 0:05 | 2.3 | 0.2 |
| 11/15/07 0:10 | 2.3 | 0.2 |
| 11/15/07 0:15 | 2.3 | 0.2 |
| 11/15/07 0:20 | 2.3 | 0.18 |
| 11/15/07 0:25 | 2.3 | 0.19 |
| 11/15/07 0:30 | 2.3 | 0.19 |
| 11/15/07 0:35 | 2.3 | 0.19 |
| 11/15/07 0:40 | 2.3 | 0.19 |
| 11/15/07 0:45 | 2.3 | 0.19 |
| 11/15/07 0:50 | 2.3 | 0.19 |
| 11/15/07 0:55 | 2.3 | 0.19 |
| 11/15/07 1:00 | 2.3 | 0.19 |
| 11/15/07 1:05 | 2.3 | 0.19 |
| 11/15/07 1:10 | 2.3 | 10.64 |
| 11/15/07 1:15 | 2.3 | 9.5 |
| 11/15/07 1:20 | 2.3 | 9.5 |
| 11/15/07 1:25 | 2.3 | 9.5 |
| 11/15/07 1:30 | 2.3 | 9.5 |
| 11/15/07 1:35 | 2.3 | 9.5 |
| 11/15/07 1:40 | 2.3 | 9.5 |
| 11/15/07 1:45 | 2.3 | 9.5 |
| 11/15/07 1:50 | 2.3 | 9.5 |
| 11/15/07 1:55 | 2.3 | 9.5 |
| 11/15/07 2:00 | 2.3 | 9.5 |
| 11/15/07 2:05 | 2.3 | 9.5 |
| 11/15/07 2:10 | 2.3 | 9.5 |
| 11/15/07 2:15 | 2.3 | 9.5 |
| 11/15/07 2:20 | 2.3 | 0.18 |
| 11/15/07 2:25 | 2.3 | 0.24 |
| 11/15/07 2:30 | 2.3 | 0.24 |
| 11/15/07 2:35 | 2.3 | 0.21 |
| 11/15/07 2:40 | 2.3 | 0.22 |
| 11/15/07 2:45 | 2.3 | 0.23 |
| 11/15/07 2:50 | 2.3 | 0.26 |
| 11/15/07 2:55 | 2.3 | 0.26 |
| 11/15/07 3:00 | 2.3 | 0.26 |
| 11/15/07 3:05 | 2.3 | 0.28 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 3:10 | 2.3 | 0.29 |
| 11/15/07 3:15 | 2.3 | 0.4 |
| 11/15/07 3:20 | 2.3 | 0.4 |
| 11/15/07 3:25 | 2.3 | 0.41 |
| 11/15/07 3:30 | 2.3 | 0.36 |
| 11/15/07 3:35 | 2.3 | 0.44 |
| 11/15/07 3:40 | 2.3 | 0.47 |
| 11/15/07 3:45 | 2.3 | 0.44 |
| 11/15/07 3:50 | 2.3 | 0.44 |
| 11/15/07 3:55 | 2.3 | 0.38 |
| 11/15/07 4:00 | 2.3 | 0.5 |
| 11/15/07 4:05 | 2.3 | 0.49 |
| 11/15/07 4:10 | 2.3 | 0.53 |
| 11/15/07 4:15 | 2.3 | 0.67 |
| 11/15/07 4:20 | 2.3 | 0.66 |
| 11/15/07 4:25 | 2.3 | 0.68 |
| 11/15/07 4:30 | 2.3 | 0.62 |
| 11/15/07 4:35 | 2.3 | 0.51 |
| 11/15/07 4:40 | 2.3 | 0.46 |
| 11/15/07 4:45 | 2.3 | 0.5 |
| 11/15/07 4:50 | 2.3 | 0.48 |
| 11/15/07 4:55 | 2.3 | 0.43 |
| 11/15/07 5:00 | 2.3 | 0.43 |
| 11/15/07 5:05 | 2.3 | 0.44 |
| 11/15/07 5:10 | 2.3 | 0.44 |
| 11/15/07 5:15 | 2.3 | 0.42 |
| 11/15/07 5:20 | 2.3 | 0.41 |
| 11/15/07 5:25 | 2.3 | 0.4 |
| 11/15/07 5:30 | 2.3 | 0.35 |
| 11/15/07 5:35 | 2.3 | 0.39 |
| 11/15/07 5:40 | 2.3 | 0.36 |
| 11/15/07 5:45 | 2.3 | 0.37 |
| 11/15/07 5:50 | 2.3 | 0.39 |
| 11/15/07 5:55 | 2.3 | 0.42 |
| 11/15/07 6:00 | 2.3 | 0.44 |
| 11/15/07 6:05 | 2.3 | 0.49 |
| 11/15/07 6:10 | 2.3 | 0.49 |
| 11/15/07 6:15 | 2.3 | 0.42 |
| 11/15/07 6:20 | 2.3 | 0.46 |
| 11/15/07 6:25 | 2.3 | 0.47 |
| 11/15/07 6:30 | 2.3 | 0.42 |
| 11/15/07 6:35 | 2.3 | 0.44 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 6:40 | 2.3 | 0.44 |
| 11/15/07 6:45 | 2.3 | 0.41 |
| 11/15/07 6:50 | 2.3 | 0.38 |
| 11/15/07 6:55 | 2.3 | 0.45 |
| 11/15/07 7:00 | 2.3 | 0.47 |
| 11/15/07 7:05 | 2.3 | 0.53 |
| 11/15/07 7:10 | 2.3 | 0.45 |
| 11/15/07 7:15 | 2.3 | 0.46 |
| 11/15/07 7:20 | 2.3 | 0.5 |
| 11/15/07 7:25 | 2.3 | 0.5 |
| 11/15/07 7:30 | 2.3 | 0.61 |
| 11/15/07 7:35 | 2.3 | 0.61 |
| 11/15/07 7:40 | 2.3 | 0.65 |
| 11/15/07 7:45 | 2.3 | 0.66 |
| 11/15/07 7:50 | 2.3 | 0.64 |
| 11/15/07 7:55 | 2.3 | 0.7 |
| 11/15/07 8:00 | 2.3 | 0.63 |
| 11/15/07 8:05 | 2.3 | 0.67 |
| 11/15/07 8:10 | 2.3 | 0.68 |
| 11/15/07 8:15 | 2.3 | 0.58 |
| 11/15/07 8:20 | 2.3 | 0.73 |
| 11/15/07 8:25 | 2.3 | 0.76 |
| 11/15/07 8:30 | 2.3 | 0.89 |
| 11/15/07 8:35 | 2.3 | 0.85 |
| 11/15/07 8:40 | 2.3 | 0.82 |
| 11/15/07 8:45 | 2.3 | 0.78 |
| 11/15/07 8:50 | 2.3 | 0.87 |
| 11/15/07 8:55 | 2.3 | 0.77 |
| 11/15/07 9:00 | 2.3 | 0.82 |
| 11/15/07 9:05 | 2.3 | 1 |
| 11/15/07 9:10 | 2.3 | 0.88 |
| 11/15/07 9:15 | 2.3 | 0.91 |
| 11/15/07 9:20 | 2.3 | -0.71 |
| 11/15/07 9:25 | 2.3 | -0.55 |
| 11/15/07 9:30 | 2.3 | -0.52 |
| 11/15/07 9:35 | 2.3 | -0.52 |
| 11/15/07 9:40 | 2.3 | -0.52 |
| 11/15/07 9:45 | 2.3 | -0.54 |
| 11/15/07 9:50 | 2.3 | -0.58 |
| 11/15/07 9:55 | 2.3 | -0.58 |
| 11/15/07 10:00 | 2.3 | -0.58 |
| 11/15/07 10:05 | 2.3 | -0.58 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 10:10 | 2.3 | -0.68 |
| 11/15/07 10:15 | 2.3 | -0.68 |
| 11/15/07 10:20 | 2.3 | -0.63 |
| 11/15/07 10:25 | 2.3 | -0.63 |
| 11/15/07 10:30 | 2.3 | -0.63 |
| 11/15/07 10:35 | 2.3 | -0.61 |
| 11/15/07 10:40 | 2.3 | -0.61 |
| 11/15/07 10:45 | 2.3 | -0.61 |
| 11/15/07 10:50 | 2.3 | -0.61 |
| 11/15/07 10:55 | 2.3 | -0.61 |
| 11/15/07 11:00 | 2.3 | -0.61 |
| 11/15/07 11:05 | 2.3 | -0.61 |
| 11/15/07 11:10 | 2.3 | -0.61 |
| 11/15/07 11:15 | 2.3 | -0.61 |
| 11/15/07 11:20 | 2.3 | -0.61 |
| 11/15/07 11:25 | 2.3 | -0.54 |
| 11/15/07 11:30 | 2.3 | -0.54 |
| 11/15/07 11:35 | 2.3 | -0.48 |
| 11/15/07 11:40 | 2.3 | -0.48 |
| 11/15/07 11:45 | 2.3 | -0.55 |
| 11/15/07 11:50 | 2.3 | -0.51 |
| 11/15/07 11:55 | 2.3 | -0.46 |
| 11/15/07 12:00 | 2.3 | -0.41 |
| 11/15/07 12:05 | 2.3 | -0.45 |
| 11/15/07 12:10 | 2.3 | -0.45 |
| 11/15/07 12:15 | 2.3 | -0.46 |
| 11/15/07 12:20 | 2.3 | -0.46 |
| 11/15/07 12:25 | 2.3 | -0.61 |
| 11/15/07 12:30 | 2.3 | -0.57 |
| 11/15/07 12:35 | 2.3 | -0.57 |
| 11/15/07 12:40 | 2.3 | -0.57 |
| 11/15/07 12:45 | 2.3 | -0.57 |
| 11/15/07 12:50 | 2.3 | -0.57 |
| 11/15/07 12:55 | 2.3 | -0.57 |
| 11/15/07 13:00 | 2.3 | -0.57 |
| 11/15/07 13:05 | 2.3 | -0.57 |
| 11/15/07 13:10 | 2.3 | -0.57 |
| 11/15/07 13:15 | 2.3 | -0.57 |
| 11/15/07 13:20 | 2.3 | -0.57 |
| 11/15/07 13:25 | 2.3 | -0.57 |
| 11/15/07 13:30 | 2.3 | -0.57 |
| 11/15/07 13:35 | 2.3 | -0.57 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 13:40 | 2.3 | -0.57 |
| 11/15/07 13:45 | 2.3 | -0.57 |
| 11/15/07 13:50 | 2.3 | -0.57 |
| 11/15/07 13:55 | 2.3 | -0.57 |
| 11/15/07 14:00 | 2.3 | -0.57 |
| 11/15/07 14:05 | 2.3 | 0.92 |
| 11/15/07 14:10 | 2.3 | 0.92 |
| 11/15/07 14:15 | 2.3 | 0.92 |
| 11/15/07 14:20 | 2.3 | 0.92 |
| 11/15/07 14:25 | 2.3 | 0.87 |
| 11/15/07 14:30 | 2.3 | 0.86 |
| 11/15/07 14:35 | 2.3 | 0.86 |
| 11/15/07 14:40 | 2.3 | 0.91 |
| 11/15/07 14:45 | 2.3 | 0.85 |
| 11/15/07 14:50 | 2.3 | 0.91 |
| 11/15/07 14:55 | 2.3 | 0.91 |
| 11/15/07 15:00 | 2.3 | 0.89 |
| 11/15/07 15:05 | 2.3 | 0.95 |
| 11/15/07 15:10 | 2.3 | 0.92 |
| 11/15/07 15:15 | 2.3 | 0.91 |
| 11/15/07 15:20 | 2.3 | 0.91 |
| 11/15/07 15:25 | 2.3 | 0.85 |
| 11/15/07 15:30 | 2.3 | 0.85 |
| 11/15/07 15:35 | 2.3 | 0.96 |
| 11/15/07 15:40 | 2.3 | 0.96 |
| 11/15/07 15:45 | 2.3 | 0.74 |
| 11/15/07 15:50 | 2.3 | 0.91 |
| 11/15/07 15:55 | 2.3 | 0.84 |
| 11/15/07 16:00 | 2.3 | 0.84 |
| 11/15/07 16:05 | 2.3 | 0.88 |
| 11/15/07 16:10 | 2.3 | 0.9 |
| 11/15/07 16:15 | 2.3 | 0.9 |
| 11/15/07 16:20 | 2.3 | 0.9 |
| 11/15/07 16:25 | 2.3 | 0.9 |
| 11/15/07 16:30 | 2.3 | 0.9 |
| 11/15/07 16:35 | 2.3 | 0.84 |
| 11/15/07 16:40 | 2.3 | 0.89 |
| 11/15/07 16:45 | 2.3 | 0.86 |
| 11/15/07 16:50 | 2.3 | 0.8 |
| 11/15/07 16:55 | 2.3 | 0.84 |
| 11/15/07 17:00 | 2.3 | 0.83 |
| 11/15/07 17:05 | 2.3 | 0.83 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 17:10 | 2.3 | 0.92 |
| 11/15/07 17:15 | 2.3 | 0.8 |
| 11/15/07 17:20 | 2.3 | 0.8 |
| 11/15/07 17:25 | 2.3 | 0.8 |
| 11/15/07 17:30 | 2.3 | 0.8 |
| 11/15/07 17:35 | 2.3 | 0.8 |
| 11/15/07 17:40 | 2.3 | 0.73 |
| 11/15/07 17:45 | 2.3 | 0.81 |
| 11/15/07 17:50 | 2.3 | 0.84 |
| 11/15/07 17:55 | 2.3 | 0.84 |
| 11/15/07 18:00 | 2.3 | 0.82 |
| 11/15/07 18:05 | 2.3 | 0.79 |
| 11/15/07 18:10 | 2.3 | 0.8 |
| 11/15/07 18:15 | 2.3 | 0.81 |
| 11/15/07 18:20 | 2.3 | 0.81 |
| 11/15/07 18:25 | 2.3 | 0.81 |
| 11/15/07 18:30 | 2.3 | 0.76 |
| 11/15/07 18:35 | 2.3 | 0.85 |
| 11/15/07 18:40 | 2.3 | 0.84 |
| 11/15/07 18:45 | 2.3 | 0.8 |
| 11/15/07 18:50 | 2.3 | 0.83 |
| 11/15/07 18:55 | 2.3 | 0.79 |
| 11/15/07 19:00 | 2.3 | 0.8 |
| 11/15/07 19:05 | 2.3 | 0.8 |
| 11/15/07 19:10 | 2.3 | 0.82 |
| 11/15/07 19:15 | 2.3 | 0.81 |
| 11/15/07 19:20 | 2.3 | 0.79 |
| 11/15/07 19:25 | 2.3 | 0.87 |
| 11/15/07 19:30 | 2.3 | 0.8 |
| 11/15/07 19:35 | 2.3 | 0.84 |
| 11/15/07 19:40 | 2.3 | 0.77 |
| 11/15/07 19:45 | 2.3 | 0.72 |
| 11/15/07 19:50 | 2.3 | 0.8 |
| 11/15/07 19:55 | 2.3 | 0.8 |
| 11/15/07 20:00 | 2.3 | 0.82 |
| 11/15/07 20:05 | 2.3 | 0.79 |
| 11/15/07 20:10 | 2.3 | 0.75 |
| 11/15/07 20:15 | 2.3 | 0.75 |
| 11/15/07 20:20 | 2.3 | 0.74 |
| 11/15/07 20:25 | 2.3 | 0.72 |
| 11/15/07 20:30 | 2.3 | 0.9 |
| 11/15/07 20:35 | 2.3 | 0.76 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 20:40 | 2.3 | 0.8 |
| 11/15/07 20:45 | 2.3 | 0.82 |
| 11/15/07 20:50 | 2.3 | 0.85 |
| 11/15/07 20:55 | 2.3 | 0.79 |
| 11/15/07 21:00 | 2.3 | 0.9 |
| 11/15/07 21:05 | 2.3 | 0.9 |
| 11/15/07 21:10 | 2.3 | 0.9 |
| 11/15/07 21:15 | 2.3 | 0.9 |
| 11/15/07 21:20 | 2.3 | 0.85 |
| 11/15/07 21:25 | 2.3 | 0.86 |
| 11/15/07 21:30 | 2.3 | 0.75 |
| 11/15/07 21:35 | 2.3 | 0.8 |
| 11/15/07 21:40 | 2.3 | 0.81 |
| 11/15/07 21:45 | 2.3 | 0.8 |
| 11/15/07 21:50 | 2.3 | 0.83 |
| 11/15/07 21:55 | 2.3 | 0.74 |
| 11/15/07 22:00 | 2.3 | 0.78 |
| 11/15/07 22:05 | 2.3 | 0.83 |
| 11/15/07 22:10 | 2.3 | 0.78 |
| 11/15/07 22:15 | 2.3 | 11.95 |
| 11/15/07 22:20 | 2.3 | 0.93 |
| 11/15/07 22:25 | 2.3 | 0.8 |
| 11/15/07 22:30 | 2.3 | 0.77 |
| 11/15/07 22:35 | 2.3 | 0.77 |
| 11/15/07 22:40 | 2.3 | 0.78 |
| 11/15/07 22:45 | 2.3 | 0.78 |
| 11/15/07 22:50 | 2.3 | 0.82 |
| 11/15/07 22:55 | 2.3 | 0.72 |
| 11/15/07 23:00 | 2.3 | 0.76 |
| 11/15/07 23:05 | 2.3 | 0.77 |
| 11/15/07 23:10 | 2.3 | 0.82 |
| 11/15/07 23:15 | 2.3 | 0.76 |
| 11/15/07 23:20 | 2.3 | 0.76 |
| 11/15/07 23:25 | 2.3 | 0.69 |
| 11/15/07 23:30 | 2.3 | 0.69 |
| 11/15/07 23:35 | 2.3 | 0.69 |
| 11/15/07 23:40 | 2.3 | 0.81 |
| 11/15/07 23:45 | 2.3 | 0.87 |
| 11/15/07 23:50 | 2.3 | 0.87 |
| 11/15/07 23:55 | 2.3 | 0.87 |
| 11/16/07 0:00 | 2.3 | 0.72 |
| 11/16/07 0:05 | 2.3 | 0.72 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 0:10 | 2.3 | 0.72 |
| 11/16/07 0:15 | 2.3 | 0.8 |
| 11/16/07 0:20 | 2.3 | 0.89 |
| 11/16/07 0:25 | 2.3 | 0.8 |
| 11/16/07 0:30 | 2.3 | 0.73 |
| 11/16/07 0:35 | 2.3 | 0.73 |
| 11/16/07 0:40 | 2.3 | 0.73 |
| 11/16/07 0:45 | 2.3 | 0.73 |
| 11/16/07 0:50 | 2.3 | 0.73 |
| 11/16/07 0:55 | 2.3 | 0.73 |
| 11/16/07 1:00 | 2.3 | 0.76 |
| 11/16/07 1:05 | 2.3 | 0.76 |
| 11/16/07 1:10 | 2.3 | 0.82 |
| 11/16/07 1:15 | 2.3 | 0.82 |
| 11/16/07 1:20 | 2.3 | 0.83 |
| 11/16/07 1:25 | 2.3 | 0.83 |
| 11/16/07 1:30 | 2.3 | 9.72 |
| 11/16/07 1:35 | 2.3 | 9.72 |
| 11/16/07 1:40 | 2.3 | 9.72 |
| 11/16/07 1:45 | 2.3 | 9.93 |
| 11/16/07 1:50 | 2.3 | 0.81 |
| 11/16/07 1:55 | 2.3 | 0.66 |
| 11/16/07 2:00 | 2.3 | 0.66 |
| 11/16/07 2:05 | 2.3 | 0.7 |
| 11/16/07 2:10 | 2.3 | 0.7 |
| 11/16/07 2:15 | 2.3 | 0.7 |
| 11/16/07 2:20 | 2.3 | 0.7 |
| 11/16/07 2:25 | 2.3 | 0.77 |
| 11/16/07 2:30 | 2.3 | 0.65 |
| 11/16/07 2:35 | 2.3 | 0.65 |
| 11/16/07 2:40 | 2.3 | 0.65 |
| 11/16/07 2:45 | 2.3 | 0.65 |
| 11/16/07 2:50 | 2.3 | 0.65 |
| 11/16/07 2:55 | 2.3 | 0.76 |
| 11/16/07 3:00 | 2.3 | 0.76 |
| 11/16/07 3:05 | 2.3 | 0.76 |
| 11/16/07 3:10 | 2.3 | 0.76 |
| 11/16/07 3:15 | 2.3 | 0.76 |
| 11/16/07 3:20 | 2.3 | 7.51 |
| 11/16/07 3:25 | 2.3 | 7.51 |
| 11/16/07 3:30 | 2.3 | 7.51 |
| 11/16/07 3:35 | 2.3 | 7.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 3:40 | 2.3 | 9.16 |
| 11/16/07 3:45 | 2.3 | 0.77 |
| 11/16/07 3:50 | 2.3 | 0.72 |
| 11/16/07 3:55 | 2.3 | 0.72 |
| 11/16/07 4:00 | 2.3 | 0.78 |
| 11/16/07 4:05 | 2.3 | 0.78 |
| 11/16/07 4:10 | 2.3 | 0.8 |
| 11/16/07 4:15 | 2.3 | 0.8 |
| 11/16/07 4:20 | 2.3 | 0.8 |
| 11/16/07 4:25 | 2.3 | 0.69 |
| 11/16/07 4:30 | 2.3 | 0.69 |
| 11/16/07 4:35 | 2.3 | 0.78 |
| 11/16/07 4:40 | 2.3 | 0.78 |
| 11/16/07 4:45 | 2.3 | 0.74 |
| 11/16/07 4:50 | 2.3 | 0.74 |
| 11/16/07 4:55 | 2.3 | 0.74 |
| 11/16/07 5:00 | 2.3 | 0.74 |
| 11/16/07 5:05 | 2.3 | 0.75 |
| 11/16/07 5:10 | 2.3 | 0.68 |
| 11/16/07 5:15 | 2.3 | 0.68 |
| 11/16/07 5:20 | 2.3 | 0.68 |
| 11/16/07 5:25 | 2.3 | 0.68 |
| 11/16/07 5:30 | 2.3 | 0.68 |
| 11/16/07 5:35 | 2.3 | 0.79 |
| 11/16/07 5:40 | 2.3 | 0.79 |
| 11/16/07 5:45 | 2.3 | 0.79 |
| 11/16/07 5:50 | 2.3 | 0.79 |
| 11/16/07 5:55 | 2.3 | 0.79 |
| 11/16/07 6:00 | 2.3 | 0.65 |
| 11/16/07 6:05 | 2.3 | 0.74 |
| 11/16/07 6:10 | 2.3 | 0.77 |
| 11/16/07 6:15 | 2.3 | 0.7 |
| 11/16/07 6:20 | 2.3 | 0.69 |
| 11/16/07 6:25 | 2.3 | 0.76 |
| 11/16/07 6:30 | 2.3 | 0.72 |
| 11/16/07 6:35 | 2.3 | 0.73 |
| 11/16/07 6:40 | 2.3 | 0.66 |
| 11/16/07 6:45 | 2.3 | 0.66 |
| 11/16/07 6:50 | 2.3 | 0.69 |
| 11/16/07 6:55 | 2.3 | 0.69 |
| 11/16/07 7:00 | 2.3 | 0.72 |
| 11/16/07 7:05 | 2.3 | 0.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 7:10 | 2.3 | 0.72 |
| 11/16/07 7:15 | 2.3 | 0.78 |
| 11/16/07 7:20 | 2.3 | 0.75 |
| 11/16/07 7:25 | 2.3 | 0.77 |
| 11/16/07 7:30 | 2.3 | 0.66 |
| 11/16/07 7:35 | 2.3 | 0.73 |
| 11/16/07 7:40 | 2.3 | 0.7 |
| 11/16/07 7:45 | 2.3 | 0.68 |
| 11/16/07 7:50 | 2.3 | 0.67 |
| 11/16/07 7:55 | 2.3 | 0.7 |
| 11/16/07 8:00 | 2.3 | 0.74 |
| 11/16/07 8:05 | 2.3 | 0.66 |
| 11/16/07 8:10 | 2.3 | 0.65 |
| 11/16/07 8:15 | 2.3 | 0.68 |
| 11/16/07 8:20 | 2.3 | 0.66 |
| 11/16/07 8:25 | 2.3 | 0.65 |
| 11/16/07 8:30 | 2.3 | 0.72 |
| 11/16/07 8:35 | 2.3 | 0.72 |
| 11/16/07 8:40 | 2.3 | 0.73 |
| 11/16/07 8:45 | 2.3 | 0.68 |
| 11/16/07 8:50 | 2.3 | 0.65 |
| 11/16/07 8:55 | 2.3 | 0.68 |
| 11/16/07 9:00 | 2.3 | 0.68 |
| 11/16/07 9:05 | 2.3 | 0.68 |
| 11/16/07 9:10 | 2.3 | 0.76 |
| 11/16/07 9:15 | 2.3 | 0.7 |
| 11/16/07 9:20 | 2.3 | 0.7 |
| 11/16/07 9:25 | 2.3 | 0.69 |
| 11/16/07 9:30 | 2.3 | 0.66 |
| 11/16/07 9:35 | 2.3 | 0.72 |
| 11/16/07 9:40 | 2.3 | 0.71 |
| 11/16/07 9:45 | 2.3 | 0.75 |
| 11/16/07 9:50 | 2.3 | 0.65 |
| 11/16/07 9:55 | 2.3 | 0.67 |
| 11/16/07 10:00 | 2.3 | 0.78 |
| 11/16/07 10:05 | 2.3 | 0.7 |
| 11/16/07 10:10 | 2.3 | 0.62 |
| 11/16/07 10:15 | 2.3 | 0.57 |
| 11/16/07 10:20 | 2.3 | 0.71 |
| 11/16/07 10:25 | 2.3 | 0.71 |
| 11/16/07 10:30 | 2.3 | 0.62 |
| 11/16/07 10:35 | 2.3 | 0.7 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 10:40 | 2.3 | 0.74 |
| 11/16/07 10:45 | 2.3 | 0.66 |
| 11/16/07 10:50 | 2.3 | 0.67 |
| 11/16/07 10:55 | 2.3 | 0.65 |
| 11/16/07 11:00 | 2.3 | 0.72 |
| 11/16/07 11:05 | 2.3 | 0.72 |
| 11/16/07 11:10 | 2.3 | 0.68 |
| 11/16/07 11:15 | 2.3 | 0.72 |
| 11/16/07 11:20 | 2.3 | 0.72 |
| 11/16/07 11:25 | 2.3 | 0.68 |
| 11/16/07 11:30 | 2.3 | 0.7 |
| 11/16/07 11:35 | 2.3 | 0.61 |
| 11/16/07 11:40 | 2.3 | 0.61 |
| 11/16/07 11:45 | 2.3 | 0.73 |
| 11/16/07 11:50 | 2.3 | 0.65 |
| 11/16/07 11:55 | 2.3 | 0.65 |
| 11/16/07 12:00 | 2.3 | 0.72 |
| 11/16/07 12:05 | 2.3 | 0.63 |
| 11/16/07 12:10 | 2.3 | 0.57 |
| 11/16/07 12:15 | 2.3 | 0.68 |
| 11/16/07 12:20 | 2.3 | 0.68 |
| 11/16/07 12:25 | 2.3 | 0.64 |
| 11/16/07 12:30 | 2.3 | 0.68 |
| 11/16/07 12:35 | 2.3 | 0.69 |
| 11/16/07 12:40 | 2.3 | 0.69 |
| 11/16/07 12:45 | 2.3 | 0.68 |
| 11/16/07 12:50 | 2.3 | 0.67 |
| 11/16/07 12:55 | 2.3 | 0.68 |
| 11/16/07 13:00 | 2.3 | 0.59 |
| 11/16/07 13:05 | 2.3 | 0.71 |
| 11/16/07 13:10 | 2.3 | 0.65 |
| 11/16/07 13:15 | 2.3 | 0.63 |
| 11/16/07 13:20 | 2.3 | 0.72 |
| 11/16/07 13:25 | 2.3 | 0.61 |
| 11/16/07 13:30 | 2.3 | 0.61 |
| 11/16/07 13:35 | 2.3 | 0.68 |
| 11/16/07 13:40 | 2.3 | 0.7 |
| 11/16/07 13:45 | 2.3 | 0.7 |
| 11/16/07 13:50 | 2.3 | 0.61 |
| 11/16/07 13:55 | 2.3 | 0.61 |
| 11/16/07 14:00 | 2.3 | 0.61 |
| 11/16/07 14:05 | 2.3 | 0.61 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 14:10 | 2.3 | 0.61 |
| 11/16/07 14:15 | 2.3 | 0.61 |
| 11/16/07 14:20 | 2.3 | -9.08 |
| 11/16/07 14:25 | 2.3 | 10.95 |
| 11/16/07 14:30 | 2.3 | 10.95 |
| 11/16/07 14:35 | 2.3 | 10.95 |
| 11/16/07 14:40 | 2.3 | 10.95 |
| 11/16/07 14:45 | 2.3 | 10.95 |
| 11/16/07 14:50 | 2.3 | 13.14 |
| 11/16/07 14:55 | 2.3 | 0.79 |
| 11/16/07 15:00 | 2.3 | 0.71 |
| 11/16/07 15:05 | 2.3 | 0.71 |
| 11/16/07 15:10 | 2.3 | 12.37 |
| 11/16/07 15:15 | 2.3 | 12.37 |
| 11/16/07 15:20 | 2.3 | 0.62 |
| 11/16/07 15:25 | 2.3 | 0.64 |
| 11/16/07 15:30 | 2.3 | 0.66 |
| 11/16/07 15:35 | 2.3 | 0.69 |
| 11/16/07 15:40 | 2.3 | 0.69 |
| 11/16/07 15:45 | 2.3 | 0.78 |
| 11/16/07 15:50 | 2.3 | 0.63 |
| 11/16/07 15:55 | 2.3 | 0.61 |
| 11/16/07 16:00 | 2.3 | 0.64 |
| 11/16/07 16:05 | 2.3 | 0.63 |
| 11/16/07 16:10 | 2.3 | 0.67 |
| 11/16/07 16:15 | 2.3 | 0.67 |
| 11/16/07 16:20 | 2.3 | 0.67 |
| 11/16/07 16:25 | 2.3 | 0.67 |
| 11/16/07 16:30 | 2.3 | 0.67 |
| 11/16/07 16:35 | 2.3 | 0.67 |
| 11/16/07 16:40 | 2.3 | 0.67 |
| 11/16/07 16:45 | 2.3 | 0.67 |
| 11/16/07 16:50 | 2.3 | 0.67 |
| 11/16/07 16:55 | 2.3 | 0.67 |
| 11/16/07 17:00 | 2.3 | 0.67 |
| 11/16/07 17:05 | 2.3 | 0.67 |
| 11/16/07 17:10 | 2.3 | 0.67 |
| 11/16/07 17:15 | 2.3 | 0.67 |
| 11/16/07 17:20 | 2.3 | 0.67 |
| 11/16/07 17:25 | 2.3 | 0.67 |
| 11/16/07 17:30 | 2.3 | 0.67 |
| 11/16/07 17:35 | 2.3 | 0.67 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 17:40 | 2.3 | 0.67 |
| 11/16/07 17:45 | 2.3 | 0.67 |
| 11/16/07 17:50 | 2.3 | 0.67 |
| 11/16/07 17:55 | 2.3 | 0.67 |
| 11/16/07 18:00 | 2.3 | 0.67 |
| 11/16/07 18:05 | 2.3 | 0.67 |
| 11/16/07 18:10 | 2.3 | 0.67 |
| 11/16/07 18:15 | 2.3 | 0.67 |
| 11/16/07 18:20 | 2.3 | 0.67 |
| 11/16/07 18:25 | 2.3 | 0.67 |
| 11/16/07 18:30 | 2.3 | 0.67 |
| 11/16/07 18:35 | 2.3 | 0.67 |
| 11/16/07 18:40 | 2.3 | 0.67 |
| 11/16/07 18:45 | 2.3 | 0.61 |
| 11/16/07 18:50 | 2.3 | 0.61 |
| 11/16/07 18:55 | 2.3 | 0.61 |
| 11/16/07 19:00 | 2.3 | 0.61 |
| 11/16/07 19:05 | 2.3 | 0.61 |
| 11/16/07 19:10 | 2.3 | 0.61 |
| 11/16/07 19:15 | 2.3 | 0.61 |
| 11/16/07 19:20 | 2.3 | 0.61 |
| 11/16/07 19:25 | 2.3 | 0.61 |
| 11/16/07 19:30 | 2.3 | 0.61 |
| 11/16/07 19:35 | 2.3 | 0.61 |
| 11/16/07 19:40 | 2.3 | 0.61 |
| 11/16/07 19:45 | 2.3 | 0.61 |
| 11/16/07 19:50 | 2.3 | 0.61 |
| 11/16/07 19:55 | 2.3 | 0.61 |
| 11/16/07 20:00 | 2.3 | 0.61 |
| 11/16/07 20:05 | 2.3 | 0.61 |
| 11/16/07 20:10 | 2.3 | 0.61 |
| 11/16/07 20:15 | 2.3 | 0.61 |
| 11/16/07 20:20 | 2.3 | 0.61 |
| 11/16/07 20:25 | 2.3 | 0.61 |
| 11/16/07 20:30 | 2.3 | 0.61 |
| 11/16/07 20:35 | 2.3 | 0.61 |
| 11/16/07 20:40 | 2.3 | 0.61 |
| 11/16/07 20:45 | 2.3 | 0.61 |
| 11/16/07 20:50 | 2.3 | 0.61 |
| 11/16/07 20:55 | 2.3 | 0.54 |
| 11/16/07 21:00 | 2.3 | 0.54 |
| 11/16/07 21:05 | 2.3 | 0.58 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 21:10 | 2.3 | 0.58 |
| 11/16/07 21:15 | 2.3 | 0.58 |
| 11/16/07 21:20 | 2.3 | 0.58 |
| 11/16/07 21:25 | 2.3 | 0.65 |
| 11/16/07 21:30 | 2.3 | 0.65 |
| 11/16/07 21:35 | 2.3 | 0.65 |
| 11/16/07 21:40 | 2.3 | 0.65 |
| 11/16/07 21:45 | 2.3 | 0.65 |
| 11/16/07 21:50 | 2.3 | 0.65 |
| 11/16/07 21:55 | 2.3 | 0.65 |
| 11/16/07 22:00 | 2.3 | 0.65 |
| 11/16/07 22:05 | 2.3 | 0.65 |
| 11/16/07 22:10 | 2.3 | 0.65 |
| 11/16/07 22:15 | 2.3 | 0.65 |
| 11/16/07 22:20 | 2.3 | 0.65 |
| 11/16/07 22:25 | 2.3 | 0.65 |
| 11/16/07 22:30 | 2.3 | 0.65 |
| 11/16/07 22:35 | 2.3 | 0.65 |
| 11/16/07 22:40 | 2.3 | 0.65 |
| 11/16/07 22:45 | 2.3 | 0.65 |
| 11/16/07 22:50 | 2.3 | 11.43 |
| 11/16/07 22:55 | 2.3 | 13.92 |
| 11/16/07 23:00 | 2.3 | 13.92 |
| 11/16/07 23:05 | 2.3 | 13.92 |
| 11/16/07 23:10 | 2.3 | 13.92 |
| 11/16/07 23:15 | 2.3 | 10.65 |
| 11/16/07 23:20 | 2.3 | 8.22 |
| 11/16/07 23:25 | 2.3 | 8.22 |
| 11/16/07 23:30 | 2.3 | 11.29 |
| 11/16/07 23:35 | 2.3 | 11.29 |
| 11/16/07 23:40 | 2.3 | 14.59 |
| 11/16/07 23:45 | 2.3 | 12.58 |
| 11/16/07 23:50 | 2.3 | 12.58 |
| 11/16/07 23:55 | 2.3 | 12.58 |
| 11/17/07 0:00 | 2.3 | 12.58 |
| 11/17/07 0:05 | 2.3 | 13.95 |
| 11/17/07 0:10 | 2.3 | 9.52 |
| 11/17/07 0:15 | 2.3 | 9.52 |
| 11/17/07 0:20 | 2.3 | 9.52 |
| 11/17/07 0:25 | 2.3 | 9.52 |
| 11/17/07 0:30 | 2.3 | 9.52 |
| 11/17/07 0:35 | 2.3 | 9.52 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 0:40 | 2.3 | 9.52 |
| 11/17/07 0:45 | 2.3 | 9.52 |
| 11/17/07 0:50 | 2.3 | -14.75 |
| 11/17/07 0:55 | 2.3 | -14.75 |
| 11/17/07 1:00 | 2.3 | -14.75 |
| 11/17/07 1:05 | 2.3 | -14.75 |
| 11/17/07 1:10 | 2.3 | 0.57 |
| 11/17/07 1:15 | 2.3 | 0.57 |
| 11/17/07 1:20 | 2.3 | 0.57 |
| 11/17/07 1:25 | 2.3 | 0.57 |
| 11/17/07 1:30 | 2.3 | 0.57 |
| 11/17/07 1:35 | 2.3 | 0.57 |
| 11/17/07 1:40 | 2.3 | 0.57 |
| 11/17/07 1:45 | 2.3 | 0.57 |
| 11/17/07 1:50 | 2.3 | 0.57 |
| 11/17/07 1:55 | 2.3 | 0.57 |
| 11/17/07 2:00 | 2.3 | 0.57 |
| 11/17/07 2:05 | 2.3 | 0.55 |
| 11/17/07 2:10 | 2.3 | 0.55 |
| 11/17/07 2:15 | 2.3 | 0.55 |
| 11/17/07 2:20 | 2.3 | 0.55 |
| 11/17/07 2:25 | 2.3 | 0.55 |
| 11/17/07 2:30 | 2.3 | 0.55 |
| 11/17/07 2:35 | 2.3 | 0.55 |
| 11/17/07 2:40 | 2.3 | 0.55 |
| 11/17/07 2:45 | 2.3 | 0.55 |
| 11/17/07 2:50 | 2.3 | 0.55 |
| 11/17/07 2:55 | 2.3 | 0.55 |
| 11/17/07 3:00 | 2.3 | 0.55 |
| 11/17/07 3:05 | 2.3 | 0.55 |
| 11/17/07 3:10 | 2.3 | 0.55 |
| 11/17/07 3:15 | 2.3 | 0.55 |
| 11/17/07 3:20 | 2.3 | 0.55 |
| 11/17/07 3:25 | 2.3 | 0.55 |
| 11/17/07 3:30 | 2.3 | 0.55 |
| 11/17/07 3:35 | 2.3 | 0.5 |
| 11/17/07 3:40 | 2.3 | 0.5 |
| 11/17/07 3:45 | 2.3 | 0.59 |
| 11/17/07 3:50 | 2.3 | 0.59 |
| 11/17/07 3:55 | 2.3 | 0.59 |
| 11/17/07 4:00 | 2.3 | 0.59 |
| 11/17/07 4:05 | 2.3 | 0.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 4:10 | 2.3 | 0.59 |
| 11/17/07 4:15 | 2.3 | 0.59 |
| 11/17/07 4:20 | 2.3 | 0.59 |
| 11/17/07 4:25 | 2.3 | 0.59 |
| 11/17/07 4:30 | 2.3 | 0.59 |
| 11/17/07 4:35 | 2.3 | 0.59 |
| 11/17/07 4:40 | 2.3 | 0.59 |
| 11/17/07 4:45 | 2.3 | 0.59 |
| 11/17/07 4:50 | 2.3 | 0.59 |
| 11/17/07 4:55 | 2.3 | 0.59 |
| 11/17/07 5:00 | 2.3 | 0.59 |
| 11/17/07 5:05 | 2.3 | 0.59 |
| 11/17/07 5:10 | 2.3 | 0.59 |
| 11/17/07 5:15 | 2.3 | 0.59 |
| 11/17/07 5:20 | 2.3 | 0.59 |
| 11/17/07 5:25 | 2.3 | 0.59 |
| 11/17/07 5:30 | 2.3 | 0.59 |
| 11/17/07 5:35 | 2.3 | 0.59 |
| 11/17/07 5:40 | 2.3 | 0.59 |
| 11/17/07 5:45 | 2.3 | 0.59 |
| 11/17/07 5:50 | 2.3 | 0.59 |
| 11/17/07 5:55 | 2.3 | 0.59 |
| 11/17/07 6:00 | 2.3 | 0.59 |
| 11/17/07 6:05 | 2.3 | 0.59 |
| 11/17/07 6:10 | 2.3 | 0.59 |
| 11/17/07 6:15 | 2.3 | 0.59 |
| 11/17/07 6:20 | 2.3 | 0.59 |
| 11/17/07 6:25 | 2.3 | 0.59 |
| 11/17/07 6:30 | 2.3 | 0.59 |
| 11/17/07 6:35 | 2.3 | 0.59 |
| 11/17/07 6:40 | 2.3 | 0.59 |
| 11/17/07 6:45 | 2.3 | 0.59 |
| 11/17/07 6:50 | 2.3 | 0.59 |
| 11/17/07 6:55 | 2.3 | 0.59 |
| 11/17/07 7:00 | 2.3 | 0.59 |
| 11/17/07 7:05 | 2.3 | 0.59 |
| 11/17/07 7:10 | 2.3 | 0.59 |
| 11/17/07 7:15 | 2.3 | 0.59 |
| 11/17/07 7:20 | 2.3 | 0.59 |
| 11/17/07 7:25 | 2.3 | 0.59 |
| 11/17/07 7:30 | 2.3 | 0.59 |
| 11/17/07 7:35 | 2.3 | 0.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 7:40 | 2.3 | 0.59 |
| 11/17/07 7:45 | 2.3 | 0.59 |
| 11/17/07 7:50 | 2.3 | 0.59 |
| 11/17/07 7:55 | 2.3 | 0.59 |
| 11/17/07 8:00 | 2.3 | 0.59 |
| 11/17/07 8:05 | 2.3 | 0.59 |
| 11/17/07 8:10 | 2.3 | 0.59 |
| 11/17/07 8:15 | 2.3 | 0.59 |
| 11/17/07 8:20 | 2.3 | 0.59 |
| 11/17/07 8:25 | 2.3 | 0.59 |
| 11/17/07 8:30 | 2.3 | 0.59 |
| 11/17/07 8:35 | 2.3 | 0.59 |
| 11/17/07 8:40 | 2.3 | 0.59 |
| 11/17/07 8:45 | 2.3 | 0.59 |
| 11/17/07 8:50 | 2.3 | 0.59 |
| 11/17/07 8:55 | 2.3 | 0.59 |
| 11/17/07 9:00 | 2.3 | 0.59 |
| 11/17/07 9:05 | 2.3 | 0.59 |
| 11/17/07 9:10 | 2.3 | 0.59 |
| 11/17/07 9:15 | 2.3 | 0.59 |
| 11/17/07 9:20 | 2.3 | 0.59 |
| 11/17/07 9:25 | 2.3 | 0.59 |
| 11/17/07 9:30 | 2.3 | 0.59 |
| 11/17/07 9:35 | 2.3 | 0.59 |
| 11/17/07 9:40 | 2.3 | 0.59 |
| 11/17/07 9:45 | 2.3 | 0.59 |
| 11/17/07 9:50 | 2.3 | 0.59 |
| 11/17/07 9:55 | 2.3 | 0.59 |
| 11/17/07 10:00 | 2.3 | 0.59 |
| 11/17/07 10:05 | 2.3 | 0.59 |
| 11/17/07 10:10 | 2.3 | 0.59 |
| 11/17/07 10:15 | 2.3 | 0.59 |
| 11/17/07 10:20 | 2.3 | 0.59 |
| 11/17/07 10:25 | 2.3 | 0.59 |
| 11/17/07 10:30 | 2.3 | 0.59 |
| 11/17/07 10:35 | 2.3 | 0.59 |
| 11/17/07 10:40 | 2.3 | 0.59 |
| 11/17/07 10:45 | 2.3 | 0.59 |
| 11/17/07 10:50 | 2.3 | 0.59 |
| 11/17/07 10:55 | 2.3 | 0.59 |
| 11/17/07 11:00 | 2.3 | 0.59 |
| 11/17/07 11:05 | 2.3 | 0.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 11:10 | 2.3 | 0.59 |
| 11/17/07 11:15 | 2.3 | 0.59 |
| 11/17/07 11:20 | 2.3 | 0.59 |
| 11/17/07 11:25 | 2.3 | 0.59 |
| 11/17/07 11:30 | 2.3 | 0.59 |
| 11/17/07 11:35 | 2.3 | 0.59 |
| 11/17/07 11:40 | 2.3 | 0.59 |
| 11/17/07 11:45 | 2.3 | 0.59 |
| 11/17/07 11:50 | 2.3 | 0.59 |
| 11/17/07 11:55 | 2.3 | 0.59 |
| 11/17/07 12:00 | 2.3 | 0.59 |
| 11/17/07 12:05 | 2.3 | 0.59 |
| 11/17/07 12:10 | 2.3 | 0.59 |
| 11/17/07 12:15 | 2.3 | 0.59 |
| 11/17/07 12:20 | 2.3 | 0.59 |
| 11/17/07 12:25 | 2.3 | 0.59 |
| 11/17/07 12:30 | 2.3 | 0.59 |
| 11/17/07 12:35 | 2.3 | 0.59 |
| 11/17/07 12:40 | 2.3 | 0.59 |
| 11/17/07 12:45 | 2.3 | 0.59 |
| 11/17/07 12:50 | 2.3 | 0.59 |
| 11/17/07 12:55 | 2.3 | 0.59 |
| 11/17/07 13:00 | 2.3 | 0.59 |
| 11/17/07 13:05 | 2.3 | 0.59 |
| 11/17/07 13:10 | 2.3 | 0.51 |
| 11/17/07 13:15 | 2.3 | 0.51 |
| 11/17/07 13:20 | 2.3 | 0.51 |
| 11/17/07 13:25 | 2.3 | 0.51 |
| 11/17/07 13:30 | 2.3 | 0.51 |
| 11/17/07 13:35 | 2.3 | 0.51 |
| 11/17/07 13:40 | 2.3 | 0.51 |
| 11/17/07 13:45 | 2.3 | 0.51 |
| 11/17/07 13:50 | 2.3 | 0.51 |
| 11/17/07 13:55 | 2.3 | 0.51 |
| 11/17/07 14:00 | 2.3 | 0.51 |
| 11/17/07 14:05 | 2.3 | 0.51 |
| 11/17/07 14:10 | 2.3 | 0.51 |
| 11/17/07 14:15 | 2.3 | 0.51 |
| 11/17/07 14:20 | 2.3 | 0.51 |
| 11/17/07 14:25 | 2.3 | 0.51 |
| 11/17/07 14:30 | 2.3 | 0.51 |
| 11/17/07 14:35 | 2.3 | 0.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 14:40 | 2.3 | 0.51 |
| 11/17/07 14:45 | 2.3 | 0.51 |
| 11/17/07 14:50 | 2.3 | 0.51 |
| 11/17/07 14:55 | 2.3 | 0.51 |
| 11/17/07 15:00 | 2.3 | 0.51 |
| 11/17/07 15:05 | 2.3 | 0.51 |
| 11/17/07 15:10 | 2.3 | 0.51 |
| 11/17/07 15:15 | 2.3 | 0.51 |
| 11/17/07 15:20 | 2.3 | 0.51 |
| 11/17/07 15:25 | 2.3 | 0.51 |
| 11/17/07 15:30 | 2.3 | 0.51 |
| 11/17/07 15:35 | 2.3 | 0.51 |
| 11/17/07 15:40 | 2.3 | 0.51 |
| 11/17/07 15:45 | 2.3 | 0.51 |
| 11/17/07 15:50 | 2.3 | 0.51 |
| 11/17/07 15:55 | 2.3 | 0.51 |
| 11/17/07 16:00 | 2.3 | 0.51 |
| 11/17/07 16:05 | 2.3 | 0.51 |
| 11/17/07 16:10 | 2.3 | 0.51 |
| 11/17/07 16:15 | 2.3 | 0.51 |
| 11/17/07 16:20 | 2.3 | 0.51 |
| 11/17/07 16:25 | 2.3 | 0.51 |
| 11/17/07 16:30 | 2.3 | 0.51 |
| 11/17/07 16:35 | 2.3 | 0.51 |
| 11/17/07 16:40 | 2.3 | 12.71 |
| 11/17/07 16:45 | 2.3 | 12.71 |
| 11/17/07 16:50 | 2.3 | 12.71 |
| 11/17/07 16:55 | 2.3 | 14.25 |
| 11/17/07 17:00 | 2.3 | 9.32 |
| 11/17/07 17:05 | 2.3 | 9.32 |
| 11/17/07 17:10 | 2.3 | 9.32 |
| 11/17/07 17:15 | 2.3 | 12.07 |
| 11/17/07 17:20 | 2.3 | 12.07 |
| 11/17/07 17:25 | 2.3 | 12.07 |
| 11/17/07 17:30 | 2.3 | 12.07 |
| 11/17/07 17:35 | 2.3 | 12.07 |
| 11/17/07 17:40 | 2.3 | 12.07 |
| 11/17/07 17:45 | 2.3 | 11.37 |
| 11/17/07 17:50 | 2.3 | 11.37 |
| 11/17/07 17:55 | 2.3 | 11.37 |
| 11/17/07 18:00 | 2.3 | 11.37 |
| 11/17/07 18:05 | 2.3 | 11.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 18:10 | 2.3 | 11.37 |
| 11/17/07 18:15 | 2.3 | 11.37 |
| 11/17/07 18:20 | 2.3 | 11.37 |
| 11/17/07 18:25 | 2.3 | 11.37 |
| 11/17/07 18:30 | 2.3 | 11.37 |
| 11/17/07 18:35 | 2.3 | 11.37 |
| 11/17/07 18:40 | 2.3 | 11.37 |
| 11/17/07 18:45 | 2.3 | 11.37 |
| 11/17/07 18:50 | 2.3 | 11.37 |
| 11/17/07 18:55 | 2.3 | 11.37 |
| 11/17/07 19:00 | 2.3 | 11.37 |
| 11/17/07 19:05 | 2.3 | 11.37 |
| 11/17/07 19:10 | 2.3 | 11.37 |
| 11/17/07 19:15 | 2.3 | 11.37 |
| 11/17/07 19:20 | 2.3 | 11.37 |
| 11/17/07 19:25 | 2.3 | 11.37 |
| 11/17/07 19:30 | 2.3 | 11.37 |
| 11/17/07 19:35 | 2.3 | 11.37 |
| 11/17/07 19:40 | 2.3 | 11.37 |
| 11/17/07 19:45 | 2.3 | 11.37 |
| 11/17/07 19:50 | 2.3 | 11.37 |
| 11/17/07 19:55 | 2.3 | 11.37 |
| 11/17/07 20:00 | 2.3 | 11.37 |
| 11/17/07 20:05 | 2.3 | 11.37 |
| 11/17/07 20:10 | 2.3 | 11.37 |
| 11/17/07 20:15 | 2.3 | 11.37 |
| 11/17/07 20:20 | 2.3 | 11.37 |
| 11/17/07 20:25 | 2.3 | 11.37 |
| 11/17/07 20:30 | 2.3 | 11.37 |
| 11/17/07 20:35 | 2.3 | 11.37 |
| 11/17/07 20:40 | 2.3 | 11.37 |
| 11/17/07 20:45 | 2.3 | 11.37 |
| 11/17/07 20:50 | 2.3 | 11.37 |
| 11/17/07 20:55 | 2.3 | 11.37 |
| 11/17/07 21:00 | 2.3 | 11.37 |
| 11/17/07 21:05 | 2.3 | 11.37 |
| 11/17/07 21:10 | 2.3 | 11.37 |
| 11/17/07 21:15 | 2.3 | 11.37 |
| 11/17/07 21:20 | 2.3 | 11.37 |
| 11/17/07 21:25 | 2.3 | 11.37 |
| 11/17/07 21:30 | 2.3 | 11.37 |
| 11/17/07 21:35 | 2.3 | 11.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 21:40 | 2.3 | 11.37 |
| 11/17/07 21:45 | 2.3 | 11.37 |
| 11/17/07 21:50 | 2.3 | 11.37 |
| 11/17/07 21:55 | 2.3 | 11.37 |
| 11/17/07 22:00 | 2.3 | 11.37 |
| 11/17/07 22:05 | 2.3 | 11.37 |
| 11/17/07 22:10 | 2.3 | 11.37 |
| 11/17/07 22:15 | 2.3 | 11.37 |
| 11/17/07 22:20 | 2.3 | 11.37 |
| 11/17/07 22:25 | 2.3 | 11.37 |
| 11/17/07 22:30 | 2.3 | 11.37 |
| 11/17/07 22:35 | 2.3 | 11.37 |
| 11/17/07 22:40 | 2.3 | 11.37 |
| 11/17/07 22:45 | 2.3 | 11.37 |
| 11/17/07 22:50 | 2.3 | 11.37 |
| 11/17/07 22:55 | 2.3 | 11.37 |
| 11/17/07 23:00 | 2.3 | 11.37 |
| 11/17/07 23:05 | 2.3 | 11.37 |
| 11/17/07 23:10 | 2.3 | 11.37 |
| 11/17/07 23:15 | 2.3 | 11.37 |
| 11/17/07 23:20 | 2.3 | 11.37 |
| 11/17/07 23:25 | 2.3 | 11.37 |
| 11/17/07 23:30 | 2.3 | 11.37 |
| 11/17/07 23:35 | 2.3 | 11.37 |
| 11/17/07 23:40 | 2.3 | 11.37 |
| 11/17/07 23:45 | 2.3 | 11.37 |
| 11/17/07 23:50 | 2.3 | 11.37 |
| 11/17/07 23:55 | 2.3 | 11.37 |
| 11/18/07 0:00 | 2.3 | 11.37 |
| 11/18/07 0:05 | 2.3 | 11.37 |
| 11/18/07 0:10 | 2.3 | 11.37 |
| 11/18/07 0:15 | 2.3 | 11.37 |
| 11/18/07 0:20 | 2.3 | 11.37 |
| 11/18/07 0:25 | 2.3 | 11.37 |
| 11/18/07 0:30 | 2.3 | 11.37 |
| 11/18/07 0:35 | 2.3 | 11.37 |
| 11/18/07 0:40 | 2.3 | 11.37 |
| 11/18/07 0:45 | 2.3 | 11.37 |
| 11/18/07 0:50 | 2.3 | 11.37 |
| 11/18/07 0:55 | 2.3 | 11.37 |
| 11/18/07 1:00 | 2.3 | 11.37 |
| 11/18/07 1:05 | 2.3 | 11.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 1:10 | 2.3 | 11.37 |
| 11/18/07 1:15 | 2.3 | 11.37 |
| 11/18/07 1:20 | 2.3 | 11.37 |
| 11/18/07 1:25 | 2.3 | 11.37 |
| 11/18/07 1:30 | 2.3 | 11.37 |
| 11/18/07 1:35 | 2.3 | 11.37 |
| 11/18/07 1:40 | 2.3 | 11.37 |
| 11/18/07 1:45 | 2.3 | 11.37 |
| 11/18/07 1:50 | 2.3 | 11.37 |
| 11/18/07 1:55 | 2.3 | 11.37 |
| 11/18/07 2:00 | 2.3 | 11.37 |
| 11/18/07 2:05 | 2.3 | 11.37 |
| 11/18/07 2:10 | 2.3 | 11.37 |
| 11/18/07 2:15 | 2.3 | 11.37 |
| 11/18/07 2:20 | 2.3 | 11.37 |
| 11/18/07 2:25 | 2.3 | 11.37 |
| 11/18/07 2:30 | 2.3 | 11.37 |
| 11/18/07 2:35 | 2.3 | 11.37 |
| 11/18/07 2:40 | 2.3 | 11.37 |
| 11/18/07 2:45 | 2.3 | 11.37 |
| 11/18/07 2:50 | 2.3 | 11.37 |
| 11/18/07 2:55 | 2.3 | 11.37 |
| 11/18/07 3:00 | 2.3 | 11.37 |
| 11/18/07 3:05 | 2.3 | 11.37 |
| 11/18/07 3:10 | 2.3 | 11.37 |
| 11/18/07 3:15 | 2.3 | 11.37 |
| 11/18/07 3:20 | 2.3 | 11.37 |
| 11/18/07 3:25 | 2.3 | 11.37 |
| 11/18/07 3:30 | 2.3 | 11.37 |
| 11/18/07 3:35 | 2.3 | 11.37 |
| 11/18/07 3:40 | 2.3 | 11.37 |
| 11/18/07 3:45 | 2.3 | 11.37 |
| 11/18/07 3:50 | 2.3 | 11.37 |
| 11/18/07 3:55 | 2.3 | 11.37 |
| 11/18/07 4:00 | 2.3 | 11.37 |
| 11/18/07 4:05 | 2.3 | 10.89 |
| 11/18/07 4:10 | 2.3 | 10.89 |
| 11/18/07 4:15 | 2.3 | 10.89 |
| 11/18/07 4:20 | 2.3 | 10.89 |
| 11/18/07 4:25 | 2.3 | 10.89 |
| 11/18/07 4:30 | 2.3 | 10.89 |
| 11/18/07 4:35 | 2.3 | 10.89 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 4:40 | 2.3 | 12.62 |
| 11/18/07 4:45 | 2.3 | 12.62 |
| 11/18/07 4:50 | 2.3 | 12.62 |
| 11/18/07 4:55 | 2.3 | 12.62 |
| 11/18/07 5:00 | 2.3 | 12.62 |
| 11/18/07 5:05 | 2.3 | 12.62 |
| 11/18/07 5:10 | 2.3 | 12.62 |
| 11/18/07 5:15 | 2.3 | 12.62 |
| 11/18/07 5:20 | 2.3 | 12.62 |
| 11/18/07 5:25 | 2.3 | 12.62 |
| 11/18/07 5:30 | 2.3 | 12.62 |
| 11/18/07 5:35 | 2.3 | 12.62 |
| 11/18/07 5:40 | 2.3 | 12.62 |
| 11/18/07 5:45 | 2.3 | 12.62 |
| 11/18/07 5:50 | 2.3 | 8.08 |
| 11/18/07 5:55 | 2.3 | 8.08 |
| 11/18/07 6:00 | 2.3 | 8.08 |
| 11/18/07 6:05 | 2.3 | 8.08 |
| 11/18/07 6:10 | 2.3 | 8.08 |
| 11/18/07 6:15 | 2.3 | 8.08 |
| 11/18/07 6:20 | 2.3 | 8.08 |
| 11/18/07 6:25 | 2.3 | 8.08 |
| 11/18/07 6:30 | 2.3 | 8.08 |
| 11/18/07 6:35 | 2.3 | 8.08 |
| 11/18/07 6:40 | 2.3 | 8.08 |
| 11/18/07 6:45 | 2.3 | 8.08 |
| 11/18/07 6:50 | 2.3 | 8.08 |
| 11/18/07 6:55 | 2.3 | 8.08 |
| 11/18/07 7:00 | 2.3 | 8.08 |
| 11/18/07 7:05 | 2.3 | 8.08 |
| 11/18/07 7:10 | 2.3 | 8.08 |
| 11/18/07 7:15 | 2.3 | 8.08 |
| 11/18/07 7:20 | 2.3 | 8.08 |
| 11/18/07 7:25 | 2.3 | 8.08 |
| 11/18/07 7:30 | 2.3 | 8.08 |
| 11/18/07 7:35 | 2.3 | 8.08 |
| 11/18/07 7:40 | 2.3 | 8.08 |
| 11/18/07 7:45 | 2.3 | 8.08 |
| 11/18/07 7:50 | 2.3 | 8.08 |
| 11/18/07 7:55 | 2.3 | 8.08 |
| 11/18/07 8:00 | 2.3 | 8.08 |
| 11/18/07 8:05 | 2.3 | 8.08 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 8:10 | 2.3 | 8.08 |
| 11/18/07 8:15 | 2.3 | 8.08 |
| 11/18/07 8:20 | 2.3 | 8.08 |
| 11/18/07 8:25 | 2.3 | 8.08 |
| 11/18/07 8:30 | 2.3 | 8.08 |
| 11/18/07 8:35 | 2.3 | 8.08 |
| 11/18/07 8:40 | 2.3 | 8.08 |
| 11/18/07 8:45 | 2.3 | 8.08 |
| 11/18/07 8:50 | 2.3 | 8.08 |
| 11/18/07 8:55 | 2.3 | 8.08 |
| 11/18/07 9:00 | 2.3 | 8.08 |
| 11/18/07 9:05 | 2.3 | 8.08 |
| 11/18/07 9:10 | 2.3 | 8.08 |
| 11/18/07 9:15 | 2.3 | 8.08 |
| 11/18/07 9:20 | 2.3 | 8.08 |
| 11/18/07 9:25 | 2.3 | 8.08 |
| 11/18/07 9:30 | 2.3 | 8.08 |
| 11/18/07 9:35 | 2.3 | 8.08 |
| 11/18/07 9:40 | 2.3 | 8.08 |
| 11/18/07 9:45 | 2.3 | 8.08 |
| 11/18/07 9:50 | 2.3 | 8.08 |
| 11/18/07 9:55 | 2.3 | 8.08 |
| 11/18/07 10:00 | 2.3 | 8.08 |
| 11/18/07 10:05 | 2.3 | 8.08 |
| 11/18/07 10:10 | 2.3 | 8.08 |
| 11/18/07 10:15 | 2.3 | 8.08 |
| 11/18/07 10:20 | 2.3 | 8.08 |
| 11/18/07 10:25 | 2.3 | 8.08 |
| 11/18/07 10:30 | 2.3 | 8.08 |
| 11/18/07 10:35 | 2.3 | 8.08 |
| 11/18/07 10:40 | 2.3 | 8.08 |
| 11/18/07 10:45 | 2.3 | 8.08 |
| 11/18/07 10:50 | 2.3 | 8.08 |
| 11/18/07 10:55 | 2.3 | 8.08 |
| 11/18/07 11:00 | 2.3 | 8.08 |
| 11/18/07 11:05 | 2.3 | 8.08 |
| 11/18/07 11:10 | 2.3 | 9.14 |
| 11/18/07 11:15 | 2.3 | 9.14 |
| 11/18/07 11:20 | 2.3 | 9.14 |
| 11/18/07 11:25 | 2.3 | 9.14 |
| 11/18/07 11:30 | 2.3 | 9.14 |
| 11/18/07 11:35 | 2.3 | 9.14 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 11:40 | 2.3 | 9.14 |
| 11/18/07 11:45 | 2.3 | 9.14 |
| 11/18/07 11:50 | 2.3 | 9.14 |
| 11/18/07 11:55 | 2.3 | 9.14 |
| 11/18/07 12:00 | 2.3 | 9.14 |
| 11/18/07 12:05 | 2.3 | 9.14 |
| 11/18/07 12:10 | 2.3 | 9.14 |
| 11/18/07 12:15 | 2.3 | 9.14 |
| 11/18/07 12:20 | 2.3 | 9.14 |
| 11/18/07 12:25 | 2.3 | 9.14 |
| 11/18/07 12:30 | 2.3 | 9.14 |
| 11/18/07 12:35 | 2.3 | 9.14 |
| 11/18/07 12:40 | 2.3 | 9.14 |
| 11/18/07 12:45 | 2.3 | 9.14 |
| 11/18/07 12:50 | 2.3 | 9.14 |
| 11/18/07 12:55 | 2.3 | 9.14 |
| 11/18/07 13:00 | 2.3 | 9.14 |
| 11/18/07 13:05 | 2.3 | 9.14 |
| 11/18/07 13:10 | 2.3 | 9.14 |
| 11/18/07 13:15 | 2.3 | 9.14 |
| 11/18/07 13:20 | 2.3 | 9.14 |
| 11/18/07 13:25 | 2.3 | 9.14 |
| 11/18/07 13:30 | 2.3 | 0.29 |
| 11/18/07 13:35 | 2.3 | 10.27 |
| 11/18/07 13:40 | 2.3 | 10.27 |
| 11/18/07 13:45 | 2.3 | 10.27 |
| 11/18/07 13:50 | 2.3 | 10.27 |
| 11/18/07 13:55 | 2.3 | 10.27 |
| 11/18/07 14:00 | 2.3 | 10.27 |
| 11/18/07 14:05 | 2.3 | 11.73 |
| 11/18/07 14:10 | 2.3 | 11.73 |
| 11/18/07 14:15 | 2.3 | 11.88 |
| 11/18/07 14:20 | 2.3 | 8.81 |
| 11/18/07 14:25 | 2.3 | 9.91 |
| 11/18/07 14:30 | 2.3 | 10.38 |
| 11/18/07 14:35 | 2.3 | 12.41 |
| 11/18/07 14:40 | 2.3 | 12.41 |
| 11/18/07 14:45 | 2.3 | 12.41 |
| 11/18/07 14:50 | 2.3 | 10.53 |
| 11/18/07 14:55 | 2.3 | 13.24 |
| 11/18/07 15:00 | 2.3 | 13.24 |
| 11/18/07 15:05 | 2.3 | 13.24 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 15:10 | 2.3 | 13.24 |
| 11/18/07 15:15 | 2.3 | 14.08 |
| 11/18/07 15:20 | 2.3 | 14.08 |
| 11/18/07 15:25 | 2.3 | 14.08 |
| 11/18/07 15:30 | 2.3 | 14.08 |
| 11/18/07 15:35 | 2.3 | 14.08 |
| 11/18/07 15:40 | 2.3 | 14.08 |
| 11/18/07 15:45 | 2.3 | 14.08 |
| 11/18/07 15:50 | 2.3 | 14.42 |
| 11/18/07 15:55 | 2.3 | 14.82 |
| 11/18/07 16:00 | 2.3 | 14.82 |
| 11/18/07 16:05 | 2.3 | 14.42 |
| 11/18/07 16:10 | 2.3 | 1.18 |
| 11/18/07 16:15 | 2.3 | 1.18 |
| 11/18/07 16:20 | 2.3 | 1.18 |
| 11/18/07 16:25 | 2.3 | 1.12 |
| 11/18/07 16:30 | 2.3 | 1.12 |
| 11/18/07 16:35 | 2.3 | 1.23 |
| 11/18/07 16:40 | 2.3 | 1.23 |
| 11/18/07 16:45 | 2.3 | 1.04 |
| 11/18/07 16:50 | 2.3 | 1.04 |
| 11/18/07 16:55 | 2.3 | 1.2 |
| 11/18/07 17:00 | 2.3 | 1.2 |
| 11/18/07 17:05 | 2.3 | 1.2 |
| 11/18/07 17:10 | 2.3 | 1.2 |
| 11/18/07 17:15 | 2.3 | 1.07 |
| 11/18/07 17:20 | 2.3 | 1.07 |
| 11/18/07 17:25 | 2.3 | 1.07 |
| 11/18/07 17:30 | 2.3 | 1.07 |
| 11/18/07 17:35 | 2.3 | 1.07 |
| 11/18/07 17:40 | 2.3 | 1.07 |
| 11/18/07 17:45 | 2.3 | 1.07 |
| 11/18/07 17:50 | 2.3 | 1.07 |
| 11/18/07 17:55 | 2.3 | 1.07 |
| 11/18/07 18:00 | 2.3 | 1.07 |
| 11/18/07 18:05 | 2.3 | 1.07 |
| 11/18/07 18:10 | 2.3 | 1.07 |
| 11/18/07 18:15 | 2.3 | 1.07 |
| 11/18/07 18:20 | 2.3 | 1.07 |
| 11/18/07 18:25 | 2.3 | 1.07 |
| 11/18/07 18:30 | 2.3 | 1.07 |
| 11/18/07 18:35 | 2.3 | 1.07 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 18:40 | 2.3 | 1.07 |
| 11/18/07 18:45 | 2.3 | 1.07 |
| 11/18/07 18:50 | 2.3 | 1.07 |
| 11/18/07 18:55 | 2.3 | 1.07 |
| 11/18/07 19:00 | 2.3 | 1.07 |
| 11/18/07 19:05 | 2.3 | 1.07 |
| 11/18/07 19:10 | 2.3 | 1.07 |
| 11/18/07 19:15 | 2.3 | 1.07 |
| 11/18/07 19:20 | 2.3 | 1.07 |
| 11/18/07 19:25 | 2.3 | 1.07 |
| 11/18/07 19:30 | 2.3 | 1.07 |
| 11/18/07 19:35 | 2.3 | 1.07 |
| 11/18/07 19:40 | 2.3 | 1.07 |
| 11/18/07 19:45 | 2.3 | 1.07 |
| 11/18/07 19:50 | 2.3 | 1.07 |
| 11/18/07 19:55 | 2.3 | 1.07 |
| 11/18/07 20:00 | 2.3 | 1.07 |
| 11/18/07 20:05 | 2.3 | 1.07 |
| 11/18/07 20:10 | 2.3 | 1.07 |
| 11/18/07 20:15 | 2.3 | 1.07 |
| 11/18/07 20:20 | 2.3 | 1.07 |
| 11/18/07 20:25 | 2.3 | 1.07 |
| 11/18/07 20:30 | 2.3 | 1.07 |
| 11/18/07 20:35 | 2.3 | 1.07 |
| 11/18/07 20:40 | 2.3 | 1.07 |
| 11/18/07 20:45 | 2.3 | 1.07 |
| 11/18/07 20:50 | 2.3 | 1.07 |
| 11/18/07 20:55 | 2.3 | 1.07 |
| 11/18/07 21:00 | 2.3 | 1.07 |
| 11/18/07 21:05 | 2.3 | 1.07 |
| 11/18/07 21:10 | 2.3 | 1.07 |
| 11/18/07 21:15 | 2.3 | 1.07 |
| 11/18/07 21:20 | 2.3 | 1.07 |
| 11/18/07 21:25 | 2.3 | 1.07 |
| 11/18/07 21:30 | 2.3 | 1.07 |
| 11/18/07 21:35 | 2.3 | 1.07 |
| 11/18/07 21:40 | 2.3 | 1.07 |
| 11/18/07 21:45 | 2.3 | 1.07 |
| 11/18/07 21:50 | 2.3 | 1.07 |
| 11/18/07 21:55 | 2.3 | 1.07 |
| 11/18/07 22:00 | 2.3 | 1.07 |
| 11/18/07 22:05 | 2.3 | 1.07 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 22:10 | 2.3 | 1.07 |
| 11/18/07 22:15 | 2.3 | 1.07 |
| 11/18/07 22:20 | 2.3 | 1.07 |
| 11/18/07 22:25 | 2.3 | 1.07 |
| 11/18/07 22:30 | 2.3 | 1.07 |
| 11/18/07 22:35 | 2.3 | 1.07 |
| 11/18/07 22:40 | 2.3 | 1.07 |
| 11/18/07 22:45 | 2.3 | 1.07 |
| 11/18/07 22:50 | 2.3 | 1.07 |
| 11/18/07 22:55 | 2.3 | 1.07 |
| 11/18/07 23:00 | 2.3 | 1.07 |
| 11/18/07 23:05 | 2.3 | 1.07 |
| 11/18/07 23:10 | 2.3 | 1.07 |
| 11/18/07 23:15 | 2.3 | 1.07 |
| 11/18/07 23:20 | 2.3 | 1.07 |
| 11/18/07 23:25 | 2.3 | 1.07 |
| 11/18/07 23:30 | 2.3 | 1.07 |
| 11/18/07 23:35 | 2.3 | 1.07 |
| 11/18/07 23:40 | 2.3 | 1.07 |
| 11/18/07 23:45 | 2.3 | 1.07 |
| 11/18/07 23:50 | 2.3 | 1.07 |
| 11/18/07 23:55 | 2.3 | 1.07 |
| 11/19/07 0:00 | 2.3 | 1.07 |
| 11/19/07 0:05 | 2.3 | 1.07 |
| 11/19/07 0:10 | 2.3 | 1.07 |
| 11/19/07 0:15 | 2.3 | 1.07 |
| 11/19/07 0:20 | 2.3 | 1.07 |
| 11/19/07 0:25 | 2.3 | 1.07 |
| 11/19/07 0:30 | 2.3 | 1.07 |
| 11/19/07 0:35 | 2.3 | 1.07 |
| 11/19/07 0:40 | 2.3 | 1.07 |
| 11/19/07 0:45 | 2.3 | 1.07 |
| 11/19/07 0:50 | 2.3 | 1.07 |
| 11/19/07 0:55 | 2.3 | 1.07 |
| 11/19/07 1:00 | 2.3 | 1.07 |
| 11/19/07 1:05 | 2.3 | 1.07 |
| 11/19/07 1:10 | 2.3 | 1.07 |
| 11/19/07 1:15 | 2.3 | 1.07 |
| 11/19/07 1:20 | 2.3 | 1.07 |
| 11/19/07 1:25 | 2.3 | 1.07 |
| 11/19/07 1:30 | 2.3 | 1.07 |
| 11/19/07 1:35 | 2.3 | 1.07 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 1:40 | 2.3 | 1.07 |
| 11/19/07 1:45 | 2.3 | 1.07 |
| 11/19/07 1:50 | 2.3 | 1.07 |
| 11/19/07 1:55 | 2.3 | 1.07 |
| 11/19/07 2:00 | 2.3 | 1.07 |
| 11/19/07 2:05 | 2.3 | 1.07 |
| 11/19/07 2:10 | 2.3 | 1.07 |
| 11/19/07 2:15 | 2.3 | 1.07 |
| 11/19/07 2:20 | 2.3 | 1.07 |
| 11/19/07 2:25 | 2.3 | 1.07 |
| 11/19/07 2:30 | 2.3 | 1.07 |
| 11/19/07 2:35 | 2.3 | 1.07 |
| 11/19/07 2:40 | 2.3 | 1.07 |
| 11/19/07 2:45 | 2.3 | 1.07 |
| 11/19/07 2:50 | 2.3 | 1.07 |
| 11/19/07 2:55 | 2.3 | 1.07 |
| 11/19/07 3:00 | 2.3 | 1.07 |
| 11/19/07 3:05 | 2.3 | 1.07 |
| 11/19/07 3:10 | 2.3 | 1.07 |
| 11/19/07 3:15 | 2.3 | 1.07 |
| 11/19/07 3:20 | 2.3 | 1.07 |
| 11/19/07 3:25 | 2.3 | 1.07 |
| 11/19/07 3:30 | 2.3 | 1.07 |
| 11/19/07 3:35 | 2.3 | 1.07 |
| 11/19/07 3:40 | 2.3 | 1.07 |
| 11/19/07 3:45 | 2.3 | 1.07 |
| 11/19/07 3:50 | 2.3 | 1.07 |
| 11/19/07 3:55 | 2.3 | 1.07 |
| 11/19/07 4:00 | 2.3 | 1.07 |
| 11/19/07 4:05 | 2.3 | 1.07 |
| 11/19/07 4:10 | 2.3 | 1.07 |
| 11/19/07 4:15 | 2.3 | 1.07 |
| 11/19/07 4:20 | 2.3 | 1.07 |
| 11/19/07 4:25 | 2.3 | 1.07 |
| 11/19/07 4:30 | 2.3 | 1.07 |
| 11/19/07 4:35 | 2.3 | 1.07 |
| 11/19/07 4:40 | 2.3 | 1.07 |
| 11/19/07 4:45 | 2.3 | 1.07 |
| 11/19/07 4:50 | 2.3 | 1.07 |
| 11/19/07 4:55 | 2.3 | 1.07 |
| 11/19/07 5:00 | 2.3 | 1.07 |
| 11/19/07 5:05 | 2.3 | 1.07 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 5:10 | 2.3 | 1.07 |
| 11/19/07 5:15 | 2.3 | 1.07 |
| 11/19/07 5:20 | 2.3 | 1.07 |
| 11/19/07 5:25 | 2.3 | 1.07 |
| 11/19/07 5:30 | 2.3 | 1.07 |
| 11/19/07 5:35 | 2.3 | 1.07 |
| 11/19/07 5:40 | 2.3 | 1.07 |
| 11/19/07 5:45 | 2.3 | 1.07 |
| 11/19/07 5:50 | 2.3 | 1.07 |
| 11/19/07 5:55 | 2.3 | 9.16 |
| 11/19/07 6:00 | 2.3 | 9.16 |
| 11/19/07 6:05 | 2.3 | 9.16 |
| 11/19/07 6:10 | 2.3 | 9.16 |
| 11/19/07 6:15 | 2.3 | 9.16 |
| 11/19/07 6:20 | 2.3 | 9.16 |
| 11/19/07 6:25 | 2.3 | 9.16 |
| 11/19/07 6:30 | 2.3 | 9.16 |
| 11/19/07 6:35 | 2.3 | 9.16 |
| 11/19/07 6:40 | 2.3 | 9.16 |
| 11/19/07 6:45 | 2.3 | 9.16 |
| 11/19/07 6:50 | 2.3 | 9.16 |
| 11/19/07 6:55 | 2.3 | 9.16 |
| 11/19/07 7:00 | 2.3 | 9.16 |
| 11/19/07 7:05 | 2.3 | 9.16 |
| 11/19/07 7:10 | 2.3 | 9.16 |
| 11/19/07 7:15 | 2.3 | 9.16 |
| 11/19/07 7:20 | 2.3 | 9.16 |
| 11/19/07 7:25 | 2.3 | 9.16 |
| 11/19/07 7:30 | 2.3 | 9.16 |
| 11/19/07 7:35 | 2.3 | 9.16 |
| 11/19/07 7:40 | 2.3 | 9.16 |
| 11/19/07 7:45 | 2.3 | 9.16 |
| 11/19/07 7:50 | 2.3 | 9.16 |
| 11/19/07 7:55 | 2.3 | 11.97 |
| 11/19/07 8:00 | 2.3 | 11.97 |
| 11/19/07 8:05 | 2.3 | 11.97 |
| 11/19/07 8:10 | 2.3 | 11.97 |
| 11/19/07 8:15 | 2.3 | 11.97 |
| 11/19/07 8:20 | 2.3 | 11.97 |
| 11/19/07 8:25 | 2.3 | 11.35 |
| 11/19/07 8:30 | 2.3 | 11.35 |
| 11/19/07 8:35 | 2.3 | 11.35 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 8:40 | 2.3 | 11.35 |
| 11/19/07 8:45 | 2.3 | 11.35 |
| 11/19/07 8:50 | 2.3 | 11.35 |
| 11/19/07 8:55 | 2.3 | 11.35 |
| 11/19/07 9:00 | 2.3 | 11.35 |
| 11/19/07 9:05 | 2.3 | 11.35 |
| 11/19/07 9:10 | 2.3 | 11.35 |
| 11/19/07 9:15 | 2.3 | 11.35 |
| 11/19/07 9:20 | 2.3 | 11.35 |
| 11/19/07 9:25 | 2.3 | 11.35 |
| 11/19/07 9:30 | 2.3 | 11.35 |
| 11/19/07 9:35 | 2.3 | 10.86 |
| 11/19/07 9:40 | 2.3 | 10.86 |
| 11/19/07 9:45 | 2.3 | 10.86 |
| 11/19/07 9:50 | 2.3 | 10.86 |
| 11/19/07 9:55 | 2.3 | 10.86 |
| 11/19/07 10:00 | 2.3 | 10.86 |
| 11/19/07 10:05 | 2.3 | 10.86 |
| 11/19/07 10:10 | 2.3 | 8.72 |
| 11/19/07 10:15 | 2.3 | 11.09 |
| 11/19/07 10:20 | 2.3 | 11.09 |
| 11/19/07 10:25 | 2.3 | 10.85 |
| 11/19/07 10:30 | 2.3 | 10.85 |
| 11/19/07 10:35 | 2.3 | 9.76 |
| 11/19/07 10:40 | 2.3 | 9.42 |
| 11/19/07 10:45 | 2.3 | 9.42 |
| 11/19/07 10:50 | 2.3 | 9.42 |
| 11/19/07 10:55 | 2.3 | 9.42 |
| 11/19/07 11:00 | 2.3 | 10.75 |
| 11/19/07 11:05 | 2.3 | 10.75 |
| 11/19/07 11:10 | 2.3 | 10.75 |
| 11/19/07 11:15 | 2.3 | 10.75 |
| 11/19/07 11:20 | 2.3 | 10.75 |
| 11/19/07 11:25 | 2.3 | 10.75 |
| 11/19/07 11:30 | 2.3 | 10.75 |
| 11/19/07 11:35 | 2.3 | 10.75 |
| 11/19/07 11:40 | 2.3 | 10.75 |
| 11/19/07 11:45 | 2.3 | 10.75 |
| 11/19/07 11:50 | 2.3 | 10.75 |
| 11/19/07 11:55 | 2.3 | 10.75 |
| 11/19/07 12:00 | 2.3 | 10.75 |
| 11/19/07 12:05 | 2.3 | 10.75 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 12:10 | 2.3 | 1.08 |
| 11/19/07 12:15 | 2.3 | 1.08 |
| 11/19/07 12:20 | 2.3 | 1.08 |
| 11/19/07 12:25 | 2.3 | 1.08 |
| 11/19/07 12:30 | 2.3 | 1.08 |
| 11/19/07 12:35 | 2.3 | 1.08 |
| 11/19/07 12:40 | 2.3 | 1.08 |
| 11/19/07 12:45 | 2.3 | 1.08 |
| 11/19/07 12:50 | 2.3 | 1.08 |
| 11/19/07 12:55 | 2.3 | 1.08 |
| 11/19/07 13:00 | 2.3 | 1.08 |
| 11/19/07 13:05 | 2.3 | 1.08 |
| 11/19/07 13:10 | 2.3 | 1.08 |
| 11/19/07 13:15 | 2.3 | 1.08 |
| 11/19/07 13:20 | 2.3 | 1.08 |
| 11/19/07 13:25 | 2.3 | 1.08 |
| 11/19/07 13:30 | 2.3 | 1.08 |
| 11/19/07 13:35 | 2.3 | 1.08 |
| 11/19/07 13:40 | 2.3 | 1.08 |
| 11/19/07 13:45 | 2.3 | 1.08 |
| 11/19/07 13:50 | 2.3 | 1.08 |
| 11/19/07 13:55 | 2.3 | 1.08 |
| 11/19/07 14:00 | 2.3 | 1.08 |
| 11/19/07 14:05 | 2.3 | 0.24 |
| 11/19/07 14:10 | 2.3 | 0.24 |
| 11/19/07 14:15 | 2.3 | 0.24 |
| 11/19/07 14:20 | 2.3 | 0.24 |
| 11/19/07 14:25 | 2.3 | 0.24 |
| 11/19/07 14:30 | 2.3 | 0.24 |
| 11/19/07 14:35 | 2.3 | 0.24 |
| 11/19/07 14:40 | 2.3 | 0.24 |
| 11/19/07 14:45 | 2.3 | 0.24 |
| 11/19/07 14:50 | 2.3 | 0.24 |
| 11/19/07 14:55 | 2.3 | 0.24 |
| 11/19/07 15:00 | 2.3 | 0.22 |
| 11/19/07 15:05 | 2.3 | 0.22 |
| 11/19/07 15:10 | 2.3 | 0.22 |
| 11/19/07 15:15 | 2.3 | 0.22 |
| 11/19/07 15:20 | 2.3 | 0.22 |
| 11/19/07 15:25 | 2.3 | 0.22 |
| 11/19/07 15:30 | 2.3 | 0.22 |
| 11/19/07 15:35 | 2.3 | 0.22 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 15:40 | 2.3 | 0.22 |
| 11/19/07 15:45 | 2.3 | 0.22 |
| 11/19/07 15:50 | 2.3 | 0.22 |
| 11/19/07 15:55 | 2.3 | 1.06 |
| 11/19/07 16:00 | 2.3 | 1.11 |
| 11/19/07 16:05 | 2.3 | 1.11 |
| 11/19/07 16:10 | 2.3 | 1.11 |
| 11/19/07 16:15 | 2.3 | 1.11 |
| 11/19/07 16:20 | 2.3 | 1.11 |
| 11/19/07 16:25 | 2.3 | 1.11 |
| 11/19/07 16:30 | 2.3 | 1.11 |
| 11/19/07 16:35 | 2.3 | 1.11 |
| 11/19/07 16:40 | 2.3 | 1.11 |
| 11/19/07 16:45 | 2.3 | 1.11 |
| 11/19/07 16:50 | 2.3 | 1.11 |
| 11/19/07 16:55 | 2.3 | 1.11 |
| 11/19/07 17:00 | 2.3 | 1.11 |
| 11/19/07 17:05 | 2.3 | 1.11 |
| 11/19/07 17:10 | 2.3 | 1.11 |
| 11/19/07 17:15 | 2.3 | 1.11 |
| 11/19/07 17:20 | 2.3 | 1.11 |
| 11/19/07 17:25 | 2.3 | 1.11 |
| 11/19/07 17:30 | 2.3 | 1.11 |
| 11/19/07 17:35 | 2.3 | 1.11 |
| 11/19/07 17:40 | 2.3 | 1.11 |
| 11/19/07 17:45 | 2.3 | 1.11 |
| 11/19/07 17:50 | 2.3 | 1.11 |
| 11/19/07 17:55 | 2.3 | 1.11 |
| 11/19/07 18:00 | 2.3 | 1.11 |
| 11/19/07 18:05 | 2.3 | 1.11 |
| 11/19/07 18:10 | 2.3 | 1.11 |
| 11/19/07 18:15 | 2.3 | 1.11 |
| 11/19/07 18:20 | 2.3 | 0.26 |
| 11/19/07 18:25 | 2.3 | 0.26 |
| 11/19/07 18:30 | 2.3 | 0.26 |
| 11/19/07 18:35 | 2.3 | 0.26 |
| 11/19/07 18:40 | 2.3 | 0.26 |
| 11/19/07 18:45 | 2.3 | 0.26 |
| 11/19/07 18:50 | 2.3 | 0.26 |
| 11/19/07 18:55 | 2.3 | 0.26 |
| 11/19/07 19:00 | 2.3 | 0.26 |
| 11/19/07 19:05 | 2.3 | 0.26 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 19:10 | 2.3 | 0.26 |
| 11/19/07 19:15 | 2.3 | 0.26 |
| 11/19/07 19:20 | 2.3 | 0.26 |
| 11/19/07 19:25 | 2.3 | 0.26 |
| 11/19/07 19:30 | 2.3 | 0.26 |
| 11/19/07 19:35 | 2.3 | 0.26 |
| 11/19/07 19:40 | 2.3 | 0.26 |
| 11/19/07 19:45 | 2.3 | 0.26 |
| 11/19/07 19:50 | 2.3 | 0.26 |
| 11/19/07 19:55 | 2.3 | 0.26 |
| 11/19/07 20:00 | 2.3 | 0.26 |
| 11/19/07 20:05 | 2.3 | 0.26 |
| 11/19/07 20:10 | 2.3 | 0.26 |
| 11/19/07 20:15 | 2.3 | 0.26 |
| 11/19/07 20:20 | 2.3 | 0.26 |
| 11/19/07 20:25 | 2.3 | 0.26 |
| 11/19/07 20:30 | 2.3 | 0.26 |
| 11/19/07 20:35 | 2.3 | 0.26 |
| 11/19/07 20:40 | 2.3 | 0.26 |
| 11/19/07 20:45 | 2.3 | 0.26 |
| 11/19/07 20:50 | 2.3 | 0.26 |
| 11/19/07 20:55 | 2.3 | 0.26 |
| 11/19/07 21:00 | 2.3 | 0.26 |
| 11/19/07 21:05 | 2.3 | 0.26 |
| 11/19/07 21:10 | 2.3 | 0.26 |
| 11/19/07 21:15 | 2.3 | 0.26 |
| 11/19/07 21:20 | 2.3 | 0.26 |
| 11/19/07 21:25 | 2.3 | 0.26 |
| 11/19/07 21:30 | 2.3 | 0.26 |
| 11/19/07 21:35 | 2.3 | 0.26 |
| 11/19/07 21:40 | 2.3 | 0.26 |
| 11/19/07 21:45 | 2.3 | 0.26 |
| 11/19/07 21:50 | 2.3 | 0.26 |
| 11/19/07 21:55 | 2.3 | 0.26 |
| 11/19/07 22:00 | 2.3 | 0.26 |
| 11/19/07 22:05 | 2.3 | 0.26 |
| 11/19/07 22:10 | 2.3 | 0.26 |
| 11/19/07 22:15 | 2.3 | 0.26 |
| 11/19/07 22:20 | 2.3 | 0.26 |
| 11/19/07 22:25 | 2.3 | 0.26 |
| 11/19/07 22:30 | 2.3 | 0.26 |
| 11/19/07 22:35 | 2.3 | 0.26 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 22:40 | 2.3 | 0.26 |
| 11/19/07 22:45 | 2.3 | 0.26 |
| 11/19/07 22:50 | 2.3 | 0.26 |
| 11/19/07 22:55 | 2.3 | 0.26 |
| 11/19/07 23:00 | 2.3 | 0.26 |
| 11/19/07 23:05 | 2.3 | 0.26 |
| 11/19/07 23:10 | 2.3 | 0.26 |
| 11/19/07 23:15 | 2.3 | 0.26 |
| 11/19/07 23:20 | 2.3 | 0.26 |
| 11/19/07 23:25 | 2.3 | 0.26 |
| 11/19/07 23:30 | 2.3 | 0.26 |
| 11/19/07 23:35 | 2.3 | 0.26 |
| 11/19/07 23:40 | 2.3 | 0.26 |
| 11/19/07 23:45 | 2.3 | 0.26 |
| 11/19/07 23:50 | 2.3 | 0.26 |
| 11/19/07 23:55 | 2.3 | 0.26 |
| 11/20/07 0:00 | 2.3 | 0.26 |
| 11/20/07 0:05 | 2.3 | 0.26 |
| 11/20/07 0:10 | 2.3 | 0.26 |
| 11/20/07 0:15 | 2.3 | 0.26 |
| 11/20/07 0:20 | 2.3 | 0.26 |
| 11/20/07 0:25 | 2.3 | 0.26 |
| 11/20/07 0:30 | 2.3 | 0.26 |
| 11/20/07 0:35 | 2.3 | 0.26 |
| 11/20/07 0:40 | 2.3 | 0.26 |
| 11/20/07 0:45 | 2.3 | 0.26 |
| 11/20/07 0:50 | 2.3 | 0.26 |
| 11/20/07 0:55 | 2.3 | 0.26 |
| 11/20/07 1:00 | 2.3 | 0.26 |
| 11/20/07 1:05 | 2.3 | 0.26 |
| 11/20/07 1:10 | 2.3 | 0.26 |
| 11/20/07 1:15 | 2.3 | 0.26 |
| 11/20/07 1:20 | 2.3 | 0.26 |
| 11/20/07 1:25 | 2.3 | 0.26 |
| 11/20/07 1:30 | 2.3 | 0.26 |
| 11/20/07 1:35 | 2.3 | 0.26 |
| 11/20/07 1:40 | 2.3 | 0.26 |
| 11/20/07 1:45 | 2.3 | 0.26 |
| 11/20/07 1:50 | 2.3 | 0.26 |
| 11/20/07 1:55 | 2.3 | 0.26 |
| 11/20/07 2:00 | 2.3 | 0.26 |
| 11/20/07 2:05 | 2.3 | 0.26 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 2:10 | 2.3 | 0.26 |
| 11/20/07 2:15 | 2.3 | 0.26 |
| 11/20/07 2:20 | 2.3 | 0.26 |
| 11/20/07 2:25 | 2.3 | 0.26 |
| 11/20/07 2:30 | 2.3 | 0.26 |
| 11/20/07 2:35 | 2.3 | 0.26 |
| 11/20/07 2:40 | 2.3 | 0.26 |
| 11/20/07 2:45 | 2.3 | 0.26 |
| 11/20/07 2:50 | 2.3 | 0.26 |
| 11/20/07 2:55 | 2.3 | 0.26 |
| 11/20/07 3:00 | 2.3 | 0.26 |
| 11/20/07 3:05 | 2.3 | 0.26 |
| 11/20/07 3:10 | 2.3 | 0.26 |
| 11/20/07 3:15 | 2.3 | 0.26 |
| 11/20/07 3:20 | 2.3 | 0.26 |
| 11/20/07 3:25 | 2.3 | 0.26 |
| 11/20/07 3:30 | 2.3 | 0.26 |
| 11/20/07 3:35 | 2.3 | 0.26 |
| 11/20/07 3:40 | 2.3 | 0.26 |
| 11/20/07 3:45 | 2.3 | 0.26 |
| 11/20/07 3:50 | 2.3 | 0.26 |
| 11/20/07 3:55 | 2.3 | 0.26 |
| 11/20/07 4:00 | 2.3 | 0.26 |
| 11/20/07 4:05 | 2.3 | 0.26 |
| 11/20/07 4:10 | 2.3 | 0.26 |
| 11/20/07 4:15 | 2.3 | 0.26 |
| 11/20/07 4:20 | 2.3 | 0.26 |
| 11/20/07 4:25 | 2.3 | 0.26 |
| 11/20/07 4:30 | 2.3 | 0.26 |
| 11/20/07 4:35 | 2.3 | 0.26 |
| 11/20/07 4:40 | 2.3 | 0.26 |
| 11/20/07 4:45 | 2.3 | 10.23 |
| 11/20/07 4:50 | 2.3 | 10.23 |
| 11/20/07 4:55 | 2.3 | 10.23 |
| 11/20/07 5:00 | 2.3 | 10.23 |
| 11/20/07 5:05 | 2.3 | 13 |
| 11/20/07 5:10 | 2.3 | 13 |
| 11/20/07 5:15 | 2.3 | 9.31 |
| 11/20/07 5:20 | 2.3 | 9.31 |
| 11/20/07 5:25 | 2.3 | 9.31 |
| 11/20/07 5:30 | 2.3 | 9.31 |
| 11/20/07 5:35 | 2.3 | 11.66 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 5:40 | 2.3 | 11.66 |
| 11/20/07 5:45 | 2.3 | 11.66 |
| 11/20/07 5:50 | 2.3 | 10.67 |
| 11/20/07 5:55 | 2.3 | 10.67 |
| 11/20/07 6:00 | 2.3 | 10.67 |
| 11/20/07 6:05 | 2.3 | 10.67 |
| 11/20/07 6:10 | 2.3 | 11.5 |
| 11/20/07 6:15 | 2.3 | 11.5 |
| 11/20/07 6:20 | 2.3 | 11.5 |
| 11/20/07 6:25 | 2.3 | 11.5 |
| 11/20/07 6:30 | 2.3 | 11.5 |
| 11/20/07 6:35 | 2.3 | 11.5 |
| 11/20/07 6:40 | 2.3 | 11.5 |
| 11/20/07 6:45 | 2.3 | 11.5 |
| 11/20/07 6:50 | 2.3 | 11.5 |
| 11/20/07 6:55 | 2.3 | 11.5 |
| 11/20/07 7:00 | 2.3 | 11.5 |
| 11/20/07 7:05 | 2.3 | 11.5 |
| 11/20/07 7:10 | 2.3 | 11.5 |
| 11/20/07 7:15 | 2.3 | 11.5 |
| 11/20/07 7:20 | 2.3 | 11.5 |
| 11/20/07 7:25 | 2.3 | 11.5 |
| 11/20/07 7:30 | 2.3 | 11.5 |
| 11/20/07 7:35 | 2.3 | 11.5 |
| 11/20/07 7:40 | 2.3 | 11.5 |
| 11/20/07 7:45 | 2.3 | 11.5 |
| 11/20/07 7:50 | 2.3 | 11.5 |
| 11/20/07 7:55 | 2.3 | 11.5 |
| 11/20/07 8:00 | 2.3 | 11.5 |
| 11/20/07 8:05 | 2.3 | 11.5 |
| 11/20/07 8:10 | 2.3 | 11.5 |
| 11/20/07 8:15 | 2.3 | 11.5 |
| 11/20/07 8:20 | 2.3 | 11.5 |
| 11/20/07 8:25 | 2.3 | 11.5 |
| 11/20/07 8:30 | 2.3 | 11.5 |
| 11/20/07 8:35 | 2.3 | 11.5 |
| 11/20/07 8:40 | 2.3 | 11.5 |
| 11/20/07 8:45 | 2.3 | 11.5 |
| 11/20/07 8:50 | 2.3 | 11.5 |
| 11/20/07 8:55 | 2.3 | 11.5 |
| 11/20/07 9:00 | 2.3 | 11.5 |
| 11/20/07 9:05 | 2.3 | 11.5 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 9:10 | 2.3 | 11.5 |
| 11/20/07 9:15 | 2.3 | 11.5 |
| 11/20/07 9:20 | 2.3 | 11.5 |
| 11/20/07 9:25 | 2.3 | 11.5 |
| 11/20/07 9:30 | 2.3 | 11.5 |
| 11/20/07 9:35 | 2.3 | 11.5 |
| 11/20/07 9:40 | 2.3 | 11.5 |
| 11/20/07 9:45 | 2.3 | 11.5 |
| 11/20/07 9:50 | 2.3 | 11.5 |
| 11/20/07 9:55 | 2.3 | 11.5 |
| 11/20/07 10:00 | 2.3 | 11.5 |
| 11/20/07 10:05 | 2.3 | 11.5 |
| 11/20/07 10:10 | 2.3 | 11.5 |
| 11/20/07 10:15 | 2.3 | 11.5 |
| 11/20/07 10:20 | 2.3 | 11.5 |
| 11/20/07 10:25 | 2.3 | 11.5 |
| 11/20/07 10:30 | 2.3 | 11.5 |
| 11/20/07 10:35 | 2.3 | 11.5 |
| 11/20/07 10:40 | 2.3 | 11.5 |
| 11/20/07 10:45 | 2.3 | 11.5 |
| 11/20/07 10:50 | 2.3 | 11.5 |
| 11/20/07 10:55 | 2.3 | 11.5 |
| 11/20/07 11:00 | 2.3 | 11.5 |
| 11/20/07 11:05 | 2.3 | 11.5 |
| 11/20/07 11:10 | 2.3 | 11.5 |
| 11/20/07 11:15 | 2.3 | 11.5 |
| 11/20/07 11:20 | 2.3 | 11.5 |
| 11/20/07 11:25 | 2.3 | 11.5 |
| 11/20/07 11:30 | 2.3 | 11.5 |
| 11/20/07 11:35 | 2.3 | 11.5 |
| 11/20/07 11:40 | 2.3 | 11.5 |
| 11/20/07 11:45 | 2.3 | 11.5 |
| 11/20/07 11:50 | 2.3 | 11.5 |
| 11/20/07 11:55 | 2.3 | 11.5 |
| 11/20/07 12:00 | 2.3 | 11.5 |
| 11/20/07 12:05 | 2.3 | 11.5 |
| 11/20/07 12:10 | 2.3 | 11.5 |
| 11/20/07 12:15 | 2.3 | 11.5 |
| 11/20/07 12:20 | 2.3 | 11.5 |
| 11/20/07 12:25 | 2.3 | 0.23 |
| 11/20/07 12:30 | 2.3 | 0.23 |
| 11/20/07 12:35 | 2.3 | 0.23 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 12:40 | 2.3 | 0.23 |
| 11/20/07 12:45 | 2.3 | 0.23 |
| 11/20/07 12:50 | 2.3 | 0.23 |
| 11/20/07 12:55 | 2.3 | 0.23 |
| 11/20/07 13:00 | 2.3 | 0.23 |
| 11/20/07 13:05 | 2.3 | 0.23 |
| 11/20/07 13:10 | 2.3 | 0.23 |
| 11/20/07 13:15 | 2.3 | 0.23 |
| 11/20/07 13:20 | 2.3 | 0.23 |
| 11/20/07 13:25 | 2.3 | 0.23 |
| 11/20/07 13:30 | 2.3 | 0.23 |
| 11/20/07 13:35 | 2.3 | 0.23 |
| 11/20/07 13:40 | 2.3 | 0.23 |
| 11/20/07 13:45 | 2.3 | 0.23 |
| 11/20/07 13:50 | 2.3 | 0.23 |
| 11/20/07 13:55 | 2.3 | 0.23 |
| 11/20/07 14:00 | 2.3 | 0.23 |
| 11/20/07 14:05 | 2.3 | 0.23 |
| 11/20/07 14:10 | 2.3 | 0.23 |
| 11/20/07 14:15 | 2.3 | 0.23 |
| 11/20/07 14:20 | 2.3 | 0.23 |
| 11/20/07 14:25 | 2.3 | 0.23 |
| 11/20/07 14:30 | 2.3 | 0.23 |
| 11/20/07 14:35 | 2.3 | 0.23 |
| 11/20/07 14:40 | 2.3 | 0.23 |
| 11/20/07 14:45 | 2.3 | 0.29 |
| 11/20/07 14:50 | 2.3 | 0.29 |
| 11/20/07 14:55 | 2.3 | 0.29 |
| 11/20/07 15:00 | 2.3 | 0.29 |
| 11/20/07 15:05 | 2.3 | 0.29 |
| 11/20/07 15:10 | 2.3 | 0.29 |
| 11/20/07 15:15 | 2.3 | 0.29 |
| 11/20/07 15:20 | 2.3 | 0.29 |
| 11/20/07 15:25 | 2.3 | 0.29 |
| 11/20/07 15:30 | 2.3 | 0.29 |
| 11/20/07 15:35 | 2.3 | 0.29 |
| 11/20/07 15:40 | 2.3 | 0.29 |
| 11/20/07 15:45 | 2.3 | 0.29 |
| 11/20/07 15:50 | 2.3 | 0.29 |
| 11/20/07 15:55 | 2.3 | 0.29 |
| 11/20/07 16:00 | 2.3 | 0.29 |
| 11/20/07 16:05 | 2.3 | 0.29 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 16:10 | 2.3 | 0.29 |
| 11/20/07 16:15 | 2.3 | 0.29 |
| 11/20/07 16:20 | 2.3 | 0.29 |
| 11/20/07 16:25 | 2.3 | 0.29 |
| 11/20/07 16:30 | 2.3 | 0.29 |
| 11/20/07 16:35 | 2.3 | 0.29 |
| 11/20/07 16:40 | 2.3 | 0.29 |
| 11/20/07 16:45 | 2.3 | 0.29 |
| 11/20/07 16:50 | 2.3 | 0.29 |
| 11/20/07 16:55 | 2.3 | 0.29 |
| 11/20/07 17:00 | 2.3 | 0.29 |
| 11/20/07 17:05 | 2.3 | 0.29 |
| 11/20/07 17:10 | 2.3 | 0.29 |
| 11/20/07 17:15 | 2.3 | 0.29 |
| 11/20/07 17:20 | 2.3 | 0.29 |
| 11/20/07 17:25 | 2.3 | 0.29 |
| 11/20/07 17:30 | 2.3 | 0.29 |
| 11/20/07 17:35 | 2.3 | 0.29 |
| 11/20/07 17:40 | 2.3 | 0.29 |
| 11/20/07 17:45 | 2.3 | 0.29 |
| 11/20/07 17:50 | 2.3 | 0.29 |
| 11/20/07 17:55 | 2.3 | 0.29 |
| 11/20/07 18:00 | 2.3 | 0.29 |
| 11/20/07 18:05 | 2.3 | 0.29 |
| 11/20/07 18:10 | 2.3 | 0.29 |
| 11/20/07 18:15 | 2.3 | 0.29 |
| 11/20/07 18:20 | 2.3 | 0.29 |
| 11/20/07 18:25 | 2.3 | 0.29 |
| 11/20/07 18:30 | 2.3 | 0.29 |
| 11/20/07 18:35 | 2.3 | 0.29 |
| 11/20/07 18:40 | 2.3 | 0.29 |
| 11/20/07 18:45 | 2.3 | 0.29 |
| 11/20/07 18:50 | 2.3 | 0.29 |
| 11/20/07 18:55 | 2.3 | 0.29 |
| 11/20/07 19:00 | 2.3 | 0.29 |
| 11/20/07 19:05 | 2.3 | 0.29 |
| 11/20/07 19:10 | 2.3 | 0.29 |
| 11/20/07 19:15 | 2.3 | 0.29 |
| 11/20/07 19:20 | 2.3 | 0.29 |
| 11/20/07 19:25 | 2.3 | 0.29 |
| 11/20/07 19:30 | 2.3 | 0.29 |
| 11/20/07 19:35 | 2.3 | 0.29 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 19:40 | 2.3 | 0.29 |
| 11/20/07 19:45 | 2.3 | 0.29 |
| 11/20/07 19:50 | 2.3 | 0.29 |
| 11/20/07 19:55 | 2.3 | 0.29 |
| 11/20/07 20:00 | 2.3 | 0.29 |
| 11/20/07 20:05 | 2.3 | 0.29 |
| 11/20/07 20:10 | 2.3 | 0.29 |
| 11/20/07 20:15 | 2.3 | 0.29 |
| 11/20/07 20:20 | 2.3 | 0.29 |
| 11/20/07 20:25 | 2.3 | 0.29 |
| 11/20/07 20:30 | 2.3 | 0.29 |
| 11/20/07 20:35 | 2.3 | 0.29 |
| 11/20/07 20:40 | 2.3 | 0.29 |
| 11/20/07 20:45 | 2.3 | 0.29 |
| 11/20/07 20:50 | 2.3 | 0.29 |
| 11/20/07 20:55 | 2.3 | 0.29 |
| 11/20/07 21:00 | 2.3 | 0.29 |
| 11/20/07 21:05 | 2.3 | 0.29 |
| 11/20/07 21:10 | 2.3 | 0.29 |
| 11/20/07 21:15 | 2.3 | 0.29 |
| 11/20/07 21:20 | 2.3 | 0.29 |
| 11/20/07 21:25 | 2.3 | 0.29 |
| 11/20/07 21:30 | 2.3 | 0.29 |
| 11/20/07 21:35 | 2.3 | 0.29 |
| 11/20/07 21:40 | 2.3 | 0.29 |
| 11/20/07 21:45 | 2.3 | 0.29 |
| 11/20/07 21:50 | 2.3 | 0.29 |
| 11/20/07 21:55 | 2.3 | 0.29 |
| 11/20/07 22:00 | 2.3 | 0.29 |
| 11/20/07 22:05 | 2.3 | 0.29 |
| 11/20/07 22:10 | 2.3 | 0.29 |
| 11/20/07 22:15 | 2.3 | 0.29 |
| 11/20/07 22:20 | 2.3 | 0.29 |
| 11/20/07 22:25 | 2.3 | 0.29 |
| 11/20/07 22:30 | 2.3 | 0.29 |
| 11/20/07 22:35 | 2.3 | 0.29 |
| 11/20/07 22:40 | 2.3 | 0.29 |
| 11/20/07 22:45 | 2.3 | 0.29 |
| 11/20/07 22:50 | 2.3 | 0.29 |
| 11/20/07 22:55 | 2.3 | 0.29 |
| 11/20/07 23:00 | 2.3 | 0.29 |
| 11/20/07 23:05 | 2.3 | 0.29 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 23:10 | 2.3 | 0.29 |
| 11/20/07 23:15 | 2.3 | 0.29 |
| 11/20/07 23:20 | 2.3 | 0.29 |
| 11/20/07 23:25 | 2.3 | 0.29 |
| 11/20/07 23:30 | 2.3 | 0.29 |
| 11/20/07 23:35 | 2.3 | 0.29 |
| 11/20/07 23:40 | 2.3 | 0.29 |
| 11/20/07 23:45 | 2.3 | 0.29 |
| 11/20/07 23:50 | 2.3 | 0.29 |
| 11/20/07 23:55 | 2.3 | 0.29 |
| 11/21/07 0:00 | 2.3 | 0.29 |
| 11/21/07 0:05 | 2.3 | 0.29 |
| 11/21/07 0:10 | 2.3 | 0.29 |
| 11/21/07 0:15 | 2.3 | 0.29 |
| 11/21/07 0:20 | 2.3 | 0.29 |
| 11/21/07 0:25 | 2.3 | 0.29 |
| 11/21/07 0:30 | 2.3 | 0.29 |
| 11/21/07 0:35 | 2.3 | 0.29 |
| 11/21/07 0:40 | 2.3 | 0.29 |
| 11/21/07 0:45 | 2.3 | 0.29 |
| 11/21/07 0:50 | 2.3 | 0.29 |
| 11/21/07 0:55 | 2.3 | 0.29 |
| 11/21/07 1:00 | 2.3 | 0.29 |
| 11/21/07 1:05 | 2.3 | 0.29 |
| 11/21/07 1:10 | 2.3 | 0.29 |
| 11/21/07 1:15 | 2.3 | 0.29 |
| 11/21/07 1:20 | 2.3 | 0.29 |
| 11/21/07 1:25 | 2.3 | 0.29 |
| 11/21/07 1:30 | 2.3 | 0.29 |
| 11/21/07 1:35 | 2.3 | 0.29 |
| 11/21/07 1:40 | 2.3 | 0.29 |
| 11/21/07 1:45 | 2.3 | 0.29 |
| 11/21/07 1:50 | 2.3 | 0.29 |
| 11/21/07 1:55 | 2.3 | 0.29 |
| 11/21/07 2:00 | 2.3 | 0.29 |
| 11/21/07 2:05 | 2.3 | 0.29 |
| 11/21/07 2:10 | 2.3 | 0.29 |
| 11/21/07 2:15 | 2.3 | 0.29 |
| 11/21/07 2:20 | 2.3 | 0.29 |
| 11/21/07 2:25 | 2.3 | 0.29 |
| 11/21/07 2:30 | 2.3 | 0.29 |
| 11/21/07 2:35 | 2.3 | 0.29 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 2:40 | 2.3 | 0.29 |
| 11/21/07 2:45 | 2.3 | 0.29 |
| 11/21/07 2:50 | 2.3 | 0.29 |
| 11/21/07 2:55 | 2.3 | 0.29 |
| 11/21/07 3:00 | 2.3 | 0.29 |
| 11/21/07 3:05 | 2.3 | 0.29 |
| 11/21/07 3:10 | 2.3 | 0.29 |
| 11/21/07 3:15 | 2.3 | 0.29 |
| 11/21/07 3:20 | 2.3 | 0.29 |
| 11/21/07 3:25 | 2.3 | 0.29 |
| 11/21/07 3:30 | 2.3 | 0.29 |
| 11/21/07 3:35 | 2.3 | 0.29 |
| 11/21/07 3:40 | 2.3 | 0.29 |
| 11/21/07 3:45 | 2.3 | 0.29 |
| 11/21/07 3:50 | 2.3 | 0.29 |
| 11/21/07 3:55 | 2.3 | 0.29 |
| 11/21/07 4:00 | 2.3 | 0.29 |
| 11/21/07 4:05 | 2.3 | 0.29 |
| 11/21/07 4:10 | 2.3 | 0.29 |
| 11/21/07 4:15 | 2.3 | 0.29 |
| 11/21/07 4:20 | 2.3 | 0.29 |
| 11/21/07 4:25 | 2.3 | 0.29 |
| 11/21/07 4:30 | 2.3 | 0.29 |
| 11/21/07 4:35 | 2.3 | 0.29 |
| 11/21/07 4:40 | 2.3 | 0.29 |
| 11/21/07 4:45 | 2.3 | 0.29 |
| 11/21/07 4:50 | 2.3 | 0.29 |
| 11/21/07 4:55 | 2.3 | 0.29 |
| 11/21/07 5:00 | 2.3 | 0.29 |
| 11/21/07 5:05 | 2.3 | 0.29 |
| 11/21/07 5:10 | 2.3 | 0.29 |
| 11/21/07 5:15 | 2.3 | 0.29 |
| 11/21/07 5:20 | 2.3 | 0.29 |
| 11/21/07 5:25 | 2.3 | 0.29 |
| 11/21/07 5:30 | 2.3 | 0.29 |
| 11/21/07 5:35 | 2.3 | 0.29 |
| 11/21/07 5:40 | 2.3 | 0.29 |
| 11/21/07 5:45 | 2.3 | 0.29 |
| 11/21/07 5:50 | 2.3 | 0.29 |
| 11/21/07 5:55 | 2.3 | 0.29 |
| 11/21/07 6:00 | 2.3 | 0.29 |
| 11/21/07 6:05 | 2.3 | 0.29 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 6:10 | 2.3 | 0.29 |
| 11/21/07 6:15 | 2.3 | 0.29 |
| 11/21/07 6:20 | 2.3 | 0.29 |
| 11/21/07 6:25 | 2.3 | 0.29 |
| 11/21/07 6:30 | 2.3 | 0.29 |
| 11/21/07 6:35 | 2.3 | 0.29 |
| 11/21/07 6:40 | 2.3 | 0.29 |
| 11/21/07 6:45 | 2.3 | 0.29 |
| 11/21/07 6:50 | 2.3 | 0.29 |
| 11/21/07 6:55 | 2.3 | 0.29 |
| 11/21/07 7:00 | 2.3 | 0.29 |
| 11/21/07 7:05 | 2.3 | 0.29 |
| 11/21/07 7:10 | 2.3 | 0.29 |
| 11/21/07 7:15 | 2.3 | 0.29 |
| 11/21/07 7:20 | 2.3 | 0.29 |
| 11/21/07 7:25 | 2.3 | 0.29 |
| 11/21/07 7:30 | 2.3 | 0.29 |
| 11/21/07 7:35 | 2.3 | 0.29 |
| 11/21/07 7:40 | 2.3 | 0.29 |
| 11/21/07 7:45 | 2.3 | 0.29 |
| 11/21/07 7:50 | 2.3 | 0.29 |
| 11/21/07 7:55 | 2.3 | 0.29 |
| 11/21/07 8:00 | 2.3 | 0.29 |
| 11/21/07 8:05 | 2.3 | 0.29 |
| 11/21/07 8:10 | 2.3 | 0.29 |
| 11/21/07 8:15 | 2.3 | 0.29 |
| 11/21/07 8:20 | 2.3 | 0.29 |
| 11/21/07 8:25 | 2.3 | 0.29 |
| 11/21/07 8:30 | 2.3 | 0.29 |
| 11/21/07 8:35 | 2.3 | 11.76 |
| 11/21/07 8:40 | 2.3 | 11.76 |
| 11/21/07 8:45 | 2.3 | 11.76 |
| 11/21/07 8:50 | 2.3 | 11.76 |
| 11/21/07 8:55 | 2.3 | 11.76 |
| 11/21/07 9:00 | 2.3 | 11.76 |
| 11/21/07 9:05 | 2.3 | 11.76 |
| 11/21/07 9:10 | 2.3 | 6.5 |
| 11/21/07 9:15 | 2.3 | 6.5 |
| 11/21/07 9:20 | 2.3 | 6.5 |
| 11/21/07 9:25 | 2.3 | 6.5 |
| 11/21/07 9:30 | 2.3 | 9.87 |
| 11/21/07 9:35 | 2.3 | 9.87 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 9:40 | 2.3 | 9.87 |
| 11/21/07 9:45 | 2.3 | 9.87 |
| 11/21/07 9:50 | 2.3 | 9.87 |
| 11/21/07 9:55 | 2.3 | 9.87 |
| 11/21/07 10:00 | 2.3 | 9.87 |
| 11/21/07 10:05 | 2.3 | 9.87 |
| 11/21/07 10:10 | 2.3 | 9.3 |
| 11/21/07 10:15 | 2.3 | 8.21 |
| 11/21/07 10:20 | 2.3 | 8.21 |
| 11/21/07 10:25 | 2.3 | 8.21 |
| 11/21/07 10:30 | 2.3 | 10.42 |
| 11/21/07 10:35 | 2.3 | 9.12 |
| 11/21/07 10:40 | 2.3 | 9.99 |
| 11/21/07 10:45 | 2.3 | 10.28 |
| 11/21/07 10:50 | 2.3 | 11.47 |
| 11/21/07 10:55 | 2.3 | 11.47 |
| 11/21/07 11:00 | 2.3 | 10.95 |
| 11/21/07 11:05 | 2.3 | 10.16 |
| 11/21/07 11:10 | 2.3 | 8.6 |
| 11/21/07 11:15 | 2.3 | 8.6 |
| 11/21/07 11:20 | 2.3 | 8.6 |
| 11/21/07 11:25 | 2.3 | 8.6 |
| 11/21/07 11:30 | 2.3 | 10.53 |
| 11/21/07 11:35 | 2.3 | 10.53 |
| 11/21/07 11:40 | 2.3 | 10.53 |
| 11/21/07 11:45 | 2.3 | 10.53 |
| 11/21/07 11:50 | 2.3 | 10.53 |
| 11/21/07 11:55 | 2.3 | -13.17 |
| 11/21/07 12:00 | 2.3 | -13.17 |
| 11/21/07 12:05 | 2.3 | -13.17 |
| 11/21/07 12:10 | 2.3 | 12.69 |
| 11/21/07 12:15 | 2.3 | 12.69 |
| 11/21/07 12:20 | 2.3 | 12.69 |
| 11/21/07 12:25 | 2.3 | 12.69 |
| 11/21/07 12:30 | 2.3 | 12.69 |
| 11/21/07 12:35 | 2.3 | 12.69 |
| 11/21/07 12:40 | 2.3 | 8.36 |
| 11/21/07 12:45 | 2.3 | 8.36 |
| 11/21/07 12:50 | 2.3 | 8.36 |
| 11/21/07 12:55 | 2.3 | 8.36 |
| 11/21/07 13:00 | 2.3 | 8.36 |
| 11/21/07 13:05 | 2.3 | 8.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 13:10 | 2.3 | 9.95 |
| 11/21/07 13:15 | 2.3 | 9.95 |
| 11/21/07 13:20 | 2.3 | 9.95 |
| 11/21/07 13:25 | 2.3 | 9.95 |
| 11/21/07 13:30 | 2.3 | 8.44 |
| 11/21/07 13:35 | 2.3 | 8.44 |
| 11/21/07 13:40 | 2.3 | 8.44 |
| 11/21/07 13:45 | 2.3 | 10.9 |
| 11/21/07 13:50 | 2.3 | 10.63 |
| 11/21/07 13:55 | 2.3 | 10.63 |
| 11/21/07 14:00 | 2.3 | 10.63 |
| 11/21/07 14:05 | 2.3 | 10.63 |
| 11/21/07 14:10 | 2.3 | 10.63 |
| 11/21/07 14:15 | 2.3 | 10.63 |
| 11/21/07 14:20 | 2.3 | 10.63 |
| 11/21/07 14:25 | 2.3 | 10.63 |
| 11/21/07 14:30 | 2.3 | 10.63 |
| 11/21/07 14:35 | 2.3 | 10.63 |
| 11/21/07 14:40 | 2.3 | 10.63 |
| 11/21/07 14:45 | 2.3 | 10.37 |
| 11/21/07 14:50 | 2.3 | 10.37 |
| 11/21/07 14:55 | 2.3 | 10.37 |
| 11/21/07 15:00 | 2.3 | 10.37 |
| 11/21/07 15:05 | 2.3 | 10.37 |
| 11/21/07 15:10 | 2.3 | 10.37 |
| 11/21/07 15:15 | 2.3 | 10.37 |
| 11/21/07 15:20 | 2.3 | 9.21 |
| 11/21/07 15:25 | 2.3 | 9.21 |
| 11/21/07 15:30 | 2.3 | 9.21 |
| 11/21/07 15:35 | 2.3 | 9.21 |
| 11/21/07 15:40 | 2.3 | 9.21 |
| 11/21/07 15:45 | 2.3 | 9.21 |
| 11/21/07 15:50 | 2.3 | 9.21 |
| 11/21/07 15:55 | 2.3 | 9.21 |
| 11/21/07 16:00 | 2.3 | 8.95 |
| 11/21/07 16:05 | 2.3 | 10.87 |
| 11/21/07 16:10 | 2.3 | 7.36 |
| 11/21/07 16:15 | 2.3 | 7.36 |
| 11/21/07 16:20 | 2.3 | 7.36 |
| 11/21/07 16:25 | 2.3 | 7.36 |
| 11/21/07 16:30 | 2.3 | 7.36 |
| 11/21/07 16:35 | 2.3 | 7.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 16:40 | 2.3 | 7.36 |
| 11/21/07 16:45 | 2.3 | 11.76 |
| 11/21/07 16:50 | 2.3 | 11.76 |
| 11/21/07 16:55 | 2.3 | 11.76 |
| 11/21/07 17:00 | 2.3 | 11.76 |
| 11/21/07 17:05 | 2.3 | 11.76 |
| 11/21/07 17:10 | 2.3 | 11.76 |
| 11/21/07 17:15 | 2.3 | 10.15 |
| 11/21/07 17:20 | 2.3 | 10.15 |
| 11/21/07 17:25 | 2.3 | 10.15 |
| 11/21/07 17:30 | 2.3 | 10.15 |
| 11/21/07 17:40 | 2.3 | 10.15 |
| 11/21/07 17:45 | 2.3 | 10.15 |
| 11/21/07 17:50 | 2.3 | 10.15 |
| 11/21/07 17:55 | 2.3 | 10.15 |
| 11/21/07 18:00 | 2.3 | 10.15 |
| 11/21/07 18:05 | 2.3 | 10.09 |
| 11/21/07 18:10 | 2.3 | 10.09 |
| 11/21/07 18:15 | 2.3 | 10.09 |
| 11/21/07 18:20 | 2.3 | 10.09 |
| 11/21/07 18:25 | 2.3 | 10.09 |
| 11/21/07 18:30 | 2.3 | 10.09 |
| 11/21/07 18:35 | 2.3 | 10.09 |
| 11/21/07 18:40 | 2.3 | 10.09 |
| 11/21/07 18:45 | 2.3 | 9.11 |
| 11/21/07 18:50 | 2.3 | 9.11 |
| 11/21/07 18:55 | 2.3 | 9.11 |
| 11/21/07 19:00 | 2.3 | 9.11 |
| 11/21/07 19:05 | 2.3 | 9.11 |
| 11/21/07 19:10 | 2.3 | 11.99 |
| 11/21/07 19:15 | 2.3 | 11.99 |
| 11/21/07 19:20 | 2.3 | 11.99 |
| 11/21/07 19:25 | 2.3 | 11.99 |
| 11/21/07 19:30 | 2.3 | 9.84 |
| 11/21/07 19:35 | 2.3 | 9.84 |
| 11/21/07 19:40 | 2.3 | 9.84 |
| 11/21/07 19:45 | 2.3 | 9.84 |
| 11/21/07 19:50 | 2.3 | 9.84 |
| 11/21/07 19:55 | 2.3 | 9.84 |
| 11/21/07 20:00 | 2.3 | 9.84 |
| 11/21/07 20:05 | 2.3 | 9.43 |
| 11/21/07 20:10 | 2.3 | 9.43 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 20:15 | 2.3 | 9.43 |
| 11/21/07 20:20 | 2.3 | 9.43 |
| 11/21/07 20:25 | 2.3 | 9.43 |
| 11/21/07 20:30 | 2.3 | 9.43 |
| 11/21/07 20:35 | 2.3 | 9.43 |
| 11/21/07 20:40 | 2.3 | 9.43 |
| 11/21/07 20:45 | 2.3 | 9.43 |
| 11/21/07 20:50 | 2.3 | 9.43 |
| 11/21/07 20:55 | 2.3 | 9.43 |
| 11/21/07 21:00 | 2.3 | 9.43 |
| 11/21/07 21:05 | 2.3 | 9.43 |
| 11/21/07 21:10 | 2.3 | 9.43 |
| 11/21/07 21:15 | 2.3 | 9.43 |
| 11/21/07 21:20 | 2.3 | 9.43 |
| 11/21/07 21:25 | 2.3 | 9.43 |
| 11/21/07 21:30 | 2.3 | 9.43 |
| 11/21/07 21:35 | 2.3 | 9.43 |
| 11/21/07 21:40 | 2.3 | 9.43 |
| 11/21/07 21:45 | 2.3 | 9.43 |
| 11/21/07 21:50 | 2.3 | 9.43 |
| 11/21/07 21:55 | 2.3 | 9.43 |
| 11/21/07 22:00 | 2.3 | 9.43 |
| 11/21/07 22:05 | 2.3 | 9.43 |
| 11/21/07 22:10 | 2.3 | 8.14 |
| 11/21/07 22:15 | 2.3 | 8.14 |
| 11/21/07 22:20 | 2.3 | 8.14 |
| 11/21/07 22:25 | 2.3 | 8.64 |
| 11/21/07 22:30 | 2.3 | 8.64 |
| 11/21/07 22:35 | 2.3 | 8.64 |
| 11/21/07 22:40 | 2.3 | 8.64 |
| 11/21/07 22:45 | 2.3 | 8.64 |
| 11/21/07 22:50 | 2.3 | 8.64 |
| 11/21/07 22:55 | 2.3 | 9.77 |
| 11/21/07 23:00 | 2.3 | 9.77 |
| 11/21/07 23:05 | 2.3 | 9.77 |
| 11/21/07 23:10 | 2.3 | 7.27 |
| 11/21/07 23:15 | 2.3 | 7.27 |
| 11/21/07 23:20 | 2.3 | 8.59 |
| 11/21/07 23:25 | 2.3 | 8.59 |
| 11/21/07 23:30 | 2.3 | 8.59 |
| 11/21/07 23:35 | 2.3 | 8.59 |
| 11/21/07 23:40 | 2.3 | 8.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 23:45 | 2.3 | 8.59 |
| 11/21/07 23:50 | 2.3 | 8.59 |
| 11/21/07 23:55 | 2.3 | 8.59 |
| 11/22/07 0:00 | 2.3 | 8.59 |
| 11/22/07 0:05 | 2.3 | 8.59 |
| 11/22/07 0:10 | 2.3 | 8.59 |
| 11/22/07 0:15 | 2.3 | 8.59 |
| 11/22/07 0:20 | 2.3 | 8.59 |
| 11/22/07 0:25 | 2.3 | 8.59 |
| 11/22/07 0:30 | 2.3 | 8.59 |
| 11/22/07 0:35 | 2.3 | 8.59 |
| 11/22/07 0:40 | 2.3 | 8.59 |
| 11/22/07 0:45 | 2.3 | 8.59 |
| 11/22/07 0:50 | 2.3 | 8.59 |
| 11/22/07 0:55 | 2.3 | 8.59 |
| 11/22/07 1:00 | 2.3 | 8.59 |
| 11/22/07 1:05 | 2.3 | 8.59 |
| 11/22/07 1:10 | 2.3 | 8.59 |
| 11/22/07 1:15 | 2.3 | 8.59 |
| 11/22/07 1:20 | 2.3 | 8.59 |
| 11/22/07 1:25 | 2.3 | 8.59 |
| 11/22/07 1:30 | 2.3 | 8.59 |
| 11/22/07 1:35 | 2.3 | 8.59 |
| 11/22/07 1:40 | 2.3 | 8.59 |
| 11/22/07 1:45 | 2.3 | 8.59 |
| 11/22/07 1:50 | 2.3 | 8.59 |
| 11/22/07 1:55 | 2.3 | 8.59 |
| 11/22/07 2:00 | 2.3 | 8.59 |
| 11/22/07 2:05 | 2.3 | 8.59 |
| 11/22/07 2:10 | 2.3 | 8.59 |
| 11/22/07 2:15 | 2.3 | 8.59 |
| 11/22/07 2:20 | 2.3 | 8.59 |
| 11/22/07 2:25 | 2.3 | 8.59 |
| 11/22/07 2:30 | 2.3 | 8.59 |
| 11/22/07 2:35 | 2.3 | 8.59 |
| 11/22/07 2:40 | 2.3 | 8.59 |
| 11/22/07 2:45 | 2.3 | 8.59 |
| 11/22/07 2:50 | 2.3 | 8.59 |
| 11/22/07 2:55 | 2.3 | 8.59 |
| 11/22/07 3:00 | 2.3 | 8.59 |
| 11/22/07 3:05 | 2.3 | 8.59 |
| 11/22/07 3:10 | 2.3 | 8.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 3:15 | 2.3 | 8.59 |
| 11/22/07 3:20 | 2.3 | 8.59 |
| 11/22/07 3:25 | 2.3 | 8.59 |
| 11/22/07 3:30 | 2.3 | 8.59 |
| 11/22/07 3:35 | 2.3 | 8.59 |
| 11/22/07 3:40 | 2.3 | 8.59 |
| 11/22/07 3:45 | 2.3 | 8.59 |
| 11/22/07 3:50 | 2.3 | 8.59 |
| 11/22/07 3:55 | 2.3 | 8.59 |
| 11/22/07 4:00 | 2.3 | 8.59 |
| 11/22/07 4:05 | 2.3 | 8.59 |
| 11/22/07 4:10 | 2.3 | 8.59 |
| 11/22/07 4:15 | 2.3 | 8.59 |
| 11/22/07 4:20 | 2.3 | 8.59 |
| 11/22/07 4:25 | 2.3 | 8.59 |
| 11/22/07 4:30 | 2.3 | 8.59 |
| 11/22/07 4:35 | 2.3 | 8.59 |
| 11/22/07 4:40 | 2.3 | 8.59 |
| 11/22/07 4:45 | 2.3 | 8.59 |
| 11/22/07 4:50 | 2.3 | 8.59 |
| 11/22/07 4:55 | 2.3 | 8.59 |
| 11/22/07 5:00 | 2.3 | 8.59 |
| 11/22/07 5:05 | 2.3 | 8.59 |
| 11/22/07 5:10 | 2.3 | 8.59 |
| 11/22/07 5:15 | 2.3 | 8.59 |
| 11/22/07 5:20 | 2.3 | 8.59 |
| 11/22/07 5:25 | 2.3 | 8.59 |
| 11/22/07 5:30 | 2.3 | 8.59 |
| 11/22/07 5:35 | 2.3 | 8.59 |
| 11/22/07 5:40 | 2.3 | 8.59 |
| 11/22/07 5:45 | 2.3 | 8.59 |
| 11/22/07 5:50 | 2.3 | 8.59 |
| 11/22/07 5:55 | 2.3 | 8.59 |
| 11/22/07 6:00 | 2.3 | 8.59 |
| 11/22/07 6:05 | 2.3 | 8.59 |
| 11/22/07 6:10 | 2.3 | 8.59 |
| 11/22/07 6:15 | 2.3 | 8.59 |
| 11/22/07 6:20 | 2.3 | 8.59 |
| 11/22/07 6:25 | 2.3 | 8.59 |
| 11/22/07 6:30 | 2.3 | 8.59 |
| 11/22/07 6:35 | 2.3 | 8.59 |
| 11/22/07 6:40 | 2.3 | 8.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 6:45 | 2.3 | 8.59 |
| 11/22/07 6:50 | 2.3 | 8.59 |
| 11/22/07 6:55 | 2.3 | 8.59 |
| 11/22/07 7:00 | 2.3 | 8.59 |
| 11/22/07 7:05 | 2.3 | 8.59 |
| 11/22/07 7:10 | 2.3 | 8.59 |
| 11/22/07 7:15 | 2.3 | 8.59 |
| 11/22/07 7:20 | 2.3 | 8.59 |
| 11/22/07 7:25 | 2.3 | 8.59 |
| 11/22/07 7:30 | 2.3 | 8.59 |
| 11/22/07 7:35 | 2.3 | 8.59 |
| 11/22/07 7:40 | 2.3 | 8.59 |
| 11/22/07 7:45 | 2.3 | 8.59 |
| 11/22/07 7:50 | 2.3 | 8.59 |
| 11/22/07 7:55 | 2.3 | 8.59 |
| 11/22/07 8:00 | 2.3 | 8.59 |
| 11/22/07 8:05 | 2.3 | 8.59 |
| 11/22/07 8:10 | 2.3 | 8.59 |
| 11/22/07 8:15 | 2.3 | 8.59 |
| 11/22/07 8:20 | 2.3 | 8.59 |
| 11/22/07 8:25 | 2.3 | 8.59 |
| 11/22/07 8:30 | 2.3 | 8.59 |
| 11/22/07 8:35 | 2.3 | 8.59 |
| 11/22/07 8:40 | 2.3 | 8.59 |
| 11/22/07 8:45 | 2.3 | 8.59 |
| 11/22/07 8:50 | 2.3 | 8.59 |
| 11/22/07 8:55 | 2.3 | 8.59 |
| 11/22/07 9:00 | 2.3 | 8.59 |
| 11/22/07 9:05 | 2.3 | 8.59 |
| 11/22/07 9:10 | 2.3 | 8.59 |
| 11/22/07 9:15 | 2.3 | 8.59 |
| 11/22/07 9:20 | 2.3 | 8.59 |
| 11/22/07 9:25 | 2.3 | 8.59 |
| 11/22/07 9:30 | 2.3 | 8.59 |
| 11/22/07 9:35 | 2.3 | 8.59 |
| 11/22/07 9:40 | 2.3 | 8.59 |
| 11/22/07 9:45 | 2.3 | 8.59 |
| 11/22/07 9:50 | 2.3 | 8.59 |
| 11/22/07 9:55 | 2.3 | 8.59 |
| 11/22/07 10:00 | 2.3 | 8.59 |
| 11/22/07 10:05 | 2.3 | 8.59 |
| 11/22/07 10:10 | 2.3 | 8.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 10:15 | 2.3 | 8.59 |
| 11/22/07 10:20 | 2.3 | 8.59 |
| 11/22/07 10:25 | 2.3 | 8.59 |
| 11/22/07 10:30 | 2.3 | 8.59 |
| 11/22/07 10:35 | 2.3 | 8.59 |
| 11/22/07 10:40 | 2.3 | 8.59 |
| 11/22/07 10:45 | 2.3 | 8.59 |
| 11/22/07 10:50 | 2.3 | 8.59 |
| 11/22/07 10:55 | 2.3 | 8.59 |
| 11/22/07 11:00 | 2.3 | 8.59 |
| 11/22/07 11:05 | 2.3 | 8.59 |
| 11/22/07 11:10 | 2.3 | 8.59 |
| 11/22/07 11:15 | 2.3 | 8.59 |
| 11/22/07 11:20 | 2.3 | 8.59 |
| 11/22/07 11:25 | 2.3 | 8.59 |
| 11/22/07 11:30 | 2.3 | 8.59 |
| 11/22/07 11:35 | 2.3 | 8.59 |
| 11/22/07 11:40 | 2.3 | 8.59 |
| 11/22/07 11:45 | 2.3 | 8.59 |
| 11/22/07 11:50 | 2.3 | 8.59 |
| 11/22/07 11:55 | 2.3 | 8.59 |
| 11/22/07 12:00 | 2.3 | 8.59 |
| 11/22/07 12:05 | 2.3 | 8.59 |
| 11/22/07 12:10 | 2.3 | 8.59 |
| 11/22/07 12:15 | 2.3 | 8.59 |
| 11/22/07 12:20 | 2.3 | 8.59 |
| 11/22/07 12:25 | 2.3 | 8.59 |
| 11/22/07 12:30 | 2.3 | 8.59 |
| 11/22/07 12:35 | 2.3 | 8.59 |
| 11/22/07 12:40 | 2.3 | 8.59 |
| 11/22/07 12:45 | 2.3 | 8.59 |
| 11/22/07 12:50 | 2.3 | 8.59 |
| 11/22/07 12:55 | 2.3 | 8.59 |
| 11/22/07 13:00 | 2.3 | 8.59 |
| 11/22/07 13:05 | 2.3 | 8.59 |
| 11/22/07 13:10 | 2.3 | 8.59 |
| 11/22/07 13:15 | 2.3 | 8.59 |
| 11/22/07 13:20 | 2.3 | 8.59 |
| 11/22/07 13:25 | 2.3 | 8.59 |
| 11/22/07 13:30 | 2.3 | 8.59 |
| 11/22/07 13:35 | 2.3 | 8.59 |
| 11/22/07 13:40 | 2.3 | 8.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 13:45 | 2.3 | 8.59 |
| 11/22/07 13:50 | 2.3 | 8.59 |
| 11/22/07 13:55 | 2.3 | 8.59 |
| 11/22/07 14:00 | 2.3 | 8.59 |
| 11/22/07 14:05 | 2.3 | 8.59 |
| 11/22/07 14:10 | 2.3 | 8.59 |
| 11/22/07 14:15 | 2.3 | 8.59 |
| 11/22/07 14:20 | 2.3 | 8.59 |
| 11/22/07 14:25 | 2.3 | 8.59 |
| 11/22/07 14:30 | 2.3 | 8.59 |
| 11/22/07 14:35 | 2.3 | 8.59 |
| 11/22/07 14:40 | 2.3 | 8.59 |
| 11/22/07 14:45 | 2.3 | 8.59 |
| 11/22/07 14:50 | 2.3 | 8.59 |
| 11/22/07 14:55 | 2.3 | 8.59 |
| 11/22/07 15:00 | 2.3 | 8.59 |
| 11/22/07 15:05 | 2.3 | 8.59 |
| 11/22/07 15:10 | 2.3 | 8.59 |
| 11/22/07 15:15 | 2.3 | 8.59 |
| 11/22/07 15:20 | 2.3 | 8.59 |
| 11/22/07 15:25 | 2.3 | 8.59 |
| 11/22/07 15:30 | 2.3 | 8.59 |
| 11/22/07 15:35 | 2.3 | 8.59 |
| 11/22/07 15:40 | 2.3 | 8.59 |
| 11/22/07 15:45 | 2.3 | 8.59 |
| 11/22/07 15:50 | 2.3 | 8.59 |
| 11/22/07 15:55 | 2.3 | 8.59 |
| 11/22/07 16:00 | 2.3 | 8.59 |
| 11/22/07 16:05 | 2.3 | 8.59 |
| 11/22/07 16:10 | 2.3 | 8.59 |
| 11/22/07 16:15 | 2.3 | 8.59 |
| 11/22/07 16:20 | 2.3 | 8.59 |
| 11/22/07 16:25 | 2.3 | 8.59 |
| 11/22/07 16:30 | 2.3 | 8.59 |
| 11/22/07 16:35 | 2.3 | 12.65 |
| 11/22/07 16:40 | 2.3 | 12.65 |
| 11/22/07 16:45 | 2.3 | 8.78 |
| 11/22/07 16:50 | 2.3 | 8.78 |
| 11/22/07 16:55 | 2.3 | 8.78 |
| 11/22/07 17:00 | 2.3 | 8.78 |
| 11/22/07 17:05 | 2.3 | 8.78 |
| 11/22/07 17:10 | 2.3 | 8.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 17:15 | 2.3 | 8.36 |
| 11/22/07 17:20 | 2.3 | 8.36 |
| 11/22/07 17:25 | 2.3 | 8.36 |
| 11/22/07 17:30 | 2.3 | 8.36 |
| 11/22/07 17:35 | 2.3 | 8.36 |
| 11/22/07 17:40 | 2.3 | 8.36 |
| 11/22/07 17:45 | 2.3 | 8.36 |
| 11/22/07 17:50 | 2.3 | 8.36 |
| 11/22/07 17:55 | 2.3 | 8.36 |
| 11/22/07 18:00 | 2.3 | 8.36 |
| 11/22/07 18:05 | 2.3 | 11.4 |
| 11/22/07 18:10 | 2.3 | 11.4 |
| 11/22/07 18:15 | 2.3 | 11.4 |
| 11/22/07 18:20 | 2.3 | 14.85 |
| 11/22/07 18:25 | 2.3 | 14.85 |
| 11/22/07 18:30 | 2.3 | 14.85 |
| 11/22/07 18:35 | 2.3 | 11.59 |
| 11/22/07 18:40 | 2.3 | 11.59 |
| 11/22/07 18:45 | 2.3 | 11.59 |
| 11/22/07 18:50 | 2.3 | 11.59 |
| 11/22/07 18:55 | 2.3 | 11.59 |
| 11/22/07 19:00 | 2.3 | 11.59 |
| 11/22/07 19:05 | 2.3 | 11.59 |
| 11/22/07 19:10 | 2.3 | 11.59 |
| 11/22/07 19:15 | 2.3 | 11.59 |
| 11/22/07 19:20 | 2.3 | 11.59 |
| 11/22/07 19:25 | 2.3 | 11.59 |
| 11/22/07 19:30 | 2.3 | 11.59 |
| 11/22/07 19:35 | 2.3 | 11.59 |
| 11/22/07 19:40 | 2.3 | 11.59 |
| 11/22/07 19:45 | 2.3 | 11.59 |
| 11/22/07 19:50 | 2.3 | 11.59 |
| 11/22/07 19:55 | 2.3 | 11.59 |
| 11/22/07 20:00 | 2.3 | 13.52 |
| 11/22/07 20:05 | 2.3 | 13.52 |
| 11/22/07 20:10 | 2.3 | 13.52 |
| 11/22/07 20:15 | 2.3 | 13.52 |
| 11/22/07 20:20 | 2.3 | 10.55 |
| 11/22/07 20:25 | 2.3 | 11.3 |
| 11/22/07 20:30 | 2.3 | 11.3 |
| 11/22/07 20:35 | 2.3 | 11.3 |
| 11/22/07 20:40 | 2.3 | 13.99 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 20:45 | 2.3 | 10 |
| 11/22/07 20:50 | 2.3 | 10 |
| 11/22/07 20:55 | 2.3 | 10 |
| 11/22/07 21:00 | 2.3 | 10.74 |
| 11/22/07 21:05 | 2.3 | 10.74 |
| 11/22/07 21:10 | 2.3 | 10.74 |
| 11/22/07 21:15 | 2.3 | 10.74 |
| 11/22/07 21:20 | 2.3 | 10.74 |
| 11/22/07 21:25 | 2.3 | 10.74 |
| 11/22/07 21:30 | 2.3 | 10.74 |
| 11/22/07 21:35 | 2.3 | 10.74 |
| 11/22/07 21:40 | 2.3 | 10.74 |
| 11/22/07 21:45 | 2.3 | 10.74 |
| 11/22/07 21:50 | 2.3 | 10.74 |
| 11/22/07 21:55 | 2.3 | 10.74 |
| 11/22/07 22:00 | 2.3 | 10.74 |
| 11/22/07 22:05 | 2.3 | 10.74 |
| 11/22/07 22:10 | 2.3 | 10.74 |
| 11/22/07 22:15 | 2.3 | 10.74 |
| 11/22/07 22:20 | 2.3 | 10.74 |
| 11/22/07 22:25 | 2.3 | 10.74 |
| 11/22/07 22:30 | 2.3 | 10.74 |
| 11/22/07 22:35 | 2.3 | 10.74 |
| 11/22/07 22:40 | 2.3 | 10.74 |
| 11/22/07 22:45 | 2.3 | 10.74 |
| 11/22/07 22:50 | 2.3 | 10.74 |
| 11/22/07 22:55 | 2.3 | 10.74 |
| 11/22/07 23:00 | 2.3 | 10.74 |
| 11/22/07 23:05 | 2.3 | 10.74 |
| 11/22/07 23:10 | 2.3 | 10.74 |
| 11/22/07 23:15 | 2.3 | 10.74 |
| 11/22/07 23:20 | 2.3 | 10.74 |
| 11/22/07 23:25 | 2.3 | 10.74 |
| 11/22/07 23:30 | 2.3 | 10.74 |
| 11/22/07 23:35 | 2.3 | 10.74 |
| 11/22/07 23:40 | 2.3 | 10.74 |
| 11/22/07 23:45 | 2.3 | 10.74 |
| 11/22/07 23:50 | 2.3 | 10.74 |
| 11/22/07 23:55 | 2.3 | 10.74 |
| 11/23/07 0:00 | 2.3 | 10.74 |
| 11/23/07 0:05 | 2.3 | 10.74 |
| 11/23/07 0:10 | 2.3 | 10.74 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 0:15 | 2.3 | 10.74 |
| 11/23/07 0:20 | 2.3 | 10.74 |
| 11/23/07 0:25 | 2.3 | 10.74 |
| 11/23/07 0:30 | 2.3 | 10.74 |
| 11/23/07 0:35 | 2.3 | 10.74 |
| 11/23/07 0:40 | 2.3 | 10.74 |
| 11/23/07 0:45 | 2.3 | 10.74 |
| 11/23/07 0:50 | 2.3 | 10.74 |
| 11/23/07 0:55 | 2.3 | 10.74 |
| 11/23/07 1:00 | 2.3 | 10.74 |
| 11/23/07 1:05 | 2.3 | 10.74 |
| 11/23/07 1:10 | 2.3 | 10.74 |
| 11/23/07 1:15 | 2.3 | 10.74 |
| 11/23/07 1:20 | 2.3 | 10.74 |
| 11/23/07 1:25 | 2.3 | 10.74 |
| 11/23/07 1:30 | 2.3 | 10.74 |
| 11/23/07 1:35 | 2.3 | 10.74 |
| 11/23/07 1:40 | 2.3 | 10.74 |
| 11/23/07 1:45 | 2.3 | 10.74 |
| 11/23/07 1:50 | 2.3 | 10.74 |
| 11/23/07 1:55 | 2.3 | 10.74 |
| 11/23/07 2:00 | 2.3 | 10.74 |
| 11/23/07 2:05 | 2.3 | 10.74 |
| 11/23/07 2:10 | 2.3 | 10.74 |
| 11/23/07 2:15 | 2.3 | 10.74 |
| 11/23/07 2:20 | 2.3 | 10.74 |
| 11/23/07 2:25 | 2.3 | 10.74 |
| 11/23/07 2:30 | 2.3 | 10.74 |
| 11/23/07 2:35 | 2.3 | 10.74 |
| 11/23/07 2:40 | 2.3 | 10.74 |
| 11/23/07 2:45 | 2.3 | 10.74 |
| 11/23/07 2:50 | 2.3 | 10.74 |
| 11/23/07 2:55 | 2.3 | 10.74 |
| 11/23/07 3:00 | 2.3 | 10.74 |
| 11/23/07 3:05 | 2.3 | 10.74 |
| 11/23/07 3:10 | 2.3 | 10.74 |
| 11/23/07 3:15 | 2.3 | 10.74 |
| 11/23/07 3:20 | 2.3 | 10.74 |
| 11/23/07 3:25 | 2.3 | 10.74 |
| 11/23/07 3:30 | 2.3 | 10.74 |
| 11/23/07 3:35 | 2.3 | 10.74 |
| 11/23/07 3:40 | 2.3 | 10.74 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 3:45 | 2.3 | 10.74 |
| 11/23/07 3:50 | 2.3 | 10.74 |
| 11/23/07 3:55 | 2.3 | 10.74 |
| 11/23/07 4:00 | 2.3 | 10.74 |
| 11/23/07 4:05 | 2.3 | 10.74 |
| 11/23/07 4:10 | 2.3 | 10.74 |
| 11/23/07 4:15 | 2.3 | 10.74 |
| 11/23/07 4:20 | 2.3 | 10.74 |
| 11/23/07 4:25 | 2.3 | 10.74 |
| 11/23/07 4:30 | 2.3 | 10.74 |
| 11/23/07 4:35 | 2.3 | 10.74 |
| 11/23/07 4:40 | 2.3 | 10.74 |
| 11/23/07 4:45 | 2.3 | 10.74 |
| 11/23/07 4:50 | 2.3 | 10.74 |
| 11/23/07 4:55 | 2.3 | 10.74 |
| 11/23/07 5:00 | 2.3 | 10.74 |
| 11/23/07 5:05 | 2.3 | 10.74 |
| 11/23/07 5:10 | 2.3 | 10.74 |
| 11/23/07 5:15 | 2.3 | 10.74 |
| 11/23/07 5:20 | 2.3 | 10.74 |
| 11/23/07 5:25 | 2.3 | 10.74 |
| 11/23/07 5:30 | 2.3 | 10.74 |
| 11/23/07 5:35 | 2.3 | 10.74 |
| 11/23/07 5:40 | 2.3 | 10.74 |
| 11/23/07 5:45 | 2.3 | 10.74 |
| 11/23/07 5:50 | 2.3 | 10.74 |
| 11/23/07 5:55 | 2.3 | 10.74 |
| 11/23/07 6:00 | 2.3 | 10.74 |
| 11/23/07 6:05 | 2.3 | 10.74 |
| 11/23/07 6:10 | 2.3 | 10.74 |
| 11/23/07 6:15 | 2.3 | 10.74 |
| 11/23/07 6:20 | 2.3 | 10.74 |
| 11/23/07 6:25 | 2.3 | 10.74 |
| 11/23/07 6:30 | 2.3 | 10.74 |
| 11/23/07 6:35 | 2.3 | 10.74 |
| 11/23/07 6:40 | 2.3 | 10.74 |
| 11/23/07 6:45 | 2.3 | 10.74 |
| 11/23/07 6:50 | 2.3 | 10.74 |
| 11/23/07 6:55 | 2.3 | 10.74 |
| 11/23/07 7:00 | 2.3 | 10.74 |
| 11/23/07 7:05 | 2.3 | 10.74 |
| 11/23/07 7:10 | 2.3 | 10.74 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 7:15 | 2.3 | 10.74 |
| 11/23/07 7:20 | 2.3 | 10.74 |
| 11/23/07 7:25 | 2.3 | 10.74 |
| 11/23/07 7:30 | 2.3 | 10.74 |
| 11/23/07 7:35 | 2.3 | 10.74 |
| 11/23/07 7:40 | 2.3 | 10.74 |
| 11/23/07 7:45 | 2.3 | 10.74 |
| 11/23/07 7:50 | 2.3 | 10.74 |
| 11/23/07 7:55 | 2.3 | 10.74 |
| 11/23/07 8:00 | 2.3 | 10.74 |
| 11/23/07 8:05 | 2.3 | 10.74 |
| 11/23/07 8:10 | 2.3 | 10.74 |
| 11/23/07 8:15 | 2.3 | 10.74 |
| 11/23/07 8:20 | 2.3 | 10.74 |
| 11/23/07 8:25 | 2.3 | 10.74 |
| 11/23/07 8:30 | 2.3 | 10.74 |
| 11/23/07 8:35 | 2.3 | 10.74 |
| 11/23/07 8:40 | 2.3 | 10.74 |
| 11/23/07 8:45 | 2.3 | 10.74 |
| 11/23/07 8:50 | 2.3 | 10.74 |
| 11/23/07 8:55 | 2.3 | 10.74 |
| 11/23/07 9:00 | 2.3 | 10.74 |
| 11/23/07 9:05 | 2.3 | 10.74 |
| 11/23/07 9:10 | 2.3 | 10.74 |
| 11/23/07 9:15 | 2.3 | 10.74 |
| 11/23/07 9:20 | 2.3 | 10.74 |
| 11/23/07 9:25 | 2.3 | 10.74 |
| 11/23/07 9:30 | 2.3 | 10.74 |
| 11/23/07 9:35 | 2.3 | 10.74 |
| 11/23/07 9:40 | 2.3 | 10.74 |
| 11/23/07 9:45 | 2.3 | 10.74 |
| 11/23/07 9:50 | 2.3 | 10.74 |
| 11/23/07 9:55 | 2.3 | 10.74 |
| 11/23/07 10:00 | 2.3 | 10.74 |
| 11/23/07 10:05 | 2.3 | 10.74 |
| 11/23/07 10:10 | 2.3 | 10.74 |
| 11/23/07 10:15 | 2.3 | 10.74 |
| 11/23/07 10:20 | 2.3 | 10.74 |
| 11/23/07 10:25 | 2.3 | 10.74 |
| 11/23/07 10:30 | 2.3 | 10.74 |
| 11/23/07 10:35 | 2.3 | 10.74 |
| 11/23/07 10:40 | 2.3 | 10.74 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 10:45 | 2.3 | 10.74 |
| 11/23/07 10:50 | 2.3 | 10.74 |
| 11/23/07 10:55 | 2.3 | 10.74 |
| 11/23/07 11:00 | 2.3 | 10.74 |
| 11/23/07 11:05 | 2.3 | 10.74 |
| 11/23/07 11:10 | 2.3 | 10.74 |
| 11/23/07 11:15 | 2.3 | 10.74 |
| 11/23/07 11:20 | 2.3 | 10.74 |
| 11/23/07 11:25 | 2.3 | 10.74 |
| 11/23/07 11:30 | 2.3 | 10.74 |
| 11/23/07 11:35 | 2.3 | 10.74 |
| 11/23/07 11:40 | 2.3 | 10.74 |
| 11/23/07 11:45 | 2.3 | 10.74 |
| 11/23/07 11:50 | 2.3 | 10.74 |
| 11/23/07 11:55 | 2.3 | 10.74 |
| 11/23/07 12:00 | 2.3 | 10.74 |
| 11/23/07 12:05 | 2.3 | 10.74 |
| 11/23/07 12:10 | 2.3 | 10.74 |
| 11/23/07 12:15 | 2.3 | 10.74 |
| 11/23/07 12:20 | 2.3 | 10.74 |
| 11/23/07 12:25 | 2.3 | 10.74 |
| 11/23/07 12:30 | 2.3 | 10.74 |
| 11/23/07 12:35 | 2.3 | 10.74 |
| 11/23/07 12:40 | 2.3 | 10.74 |
| 11/23/07 12:45 | 2.3 | 10.74 |
| 11/23/07 12:50 | 2.3 | 10.74 |
| 11/23/07 12:55 | 2.3 | 10.74 |
| 11/23/07 13:00 | 2.3 | 10.74 |
| 11/23/07 13:05 | 2.3 | 10.74 |
| 11/23/07 13:10 | 2.3 | 10.74 |
| 11/23/07 13:15 | 2.3 | 10.74 |
| 11/23/07 13:20 | 2.3 | 10.74 |
| 11/23/07 13:25 | 2.3 | 10.74 |
| 11/23/07 13:30 | 2.3 | 10.74 |
| 11/23/07 13:35 | 2.3 | 10.74 |
| 11/23/07 13:40 | 2.3 | 10.74 |
| 11/23/07 13:45 | 2.3 | 10.74 |
| 11/23/07 13:50 | 2.3 | 10.74 |
| 11/23/07 13:55 | 2.3 | 10.74 |
| 11/23/07 14:00 | 2.3 | 10.74 |
| 11/23/07 14:05 | 2.3 | 10.74 |
| 11/23/07 14:10 | 2.3 | 10.74 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 14:15 | 2.3 | 10.74 |
| 11/23/07 14:20 | 2.3 | 10.74 |
| 11/23/07 14:25 | 2.3 | 10.74 |
| 11/23/07 14:30 | 2.3 | 10.74 |
| 11/23/07 14:35 | 2.3 | 10.74 |
| 11/23/07 14:40 | 2.3 | 10.74 |
| 11/23/07 14:45 | 2.3 | 10.74 |
| 11/23/07 14:50 | 2.3 | 10.74 |
| 11/23/07 14:55 | 2.3 | 10.74 |
| 11/23/07 15:00 | 2.3 | 10.74 |
| 11/23/07 15:05 | 2.3 | 10.74 |
| 11/23/07 15:10 | 2.3 | 10.74 |
| 11/23/07 15:15 | 2.3 | 10.74 |
| 11/23/07 15:20 | 2.3 | 10.74 |
| 11/23/07 15:25 | 2.3 | 10.74 |
| 11/23/07 15:30 | 2.3 | 10.74 |
| 11/23/07 15:35 | 2.3 | 10.74 |
| 11/23/07 15:40 | 2.3 | 10.74 |
| 11/23/07 15:45 | 2.3 | 10.74 |
| 11/23/07 15:50 | 2.3 | 10.74 |
| 11/23/07 15:55 | 2.3 | 10.74 |
| 11/23/07 16:00 | 2.3 | 10.74 |
| 11/23/07 16:05 | 2.3 | 10.74 |
| 11/23/07 16:10 | 2.3 | 10.74 |
| 11/23/07 16:15 | 2.3 | 10.74 |
| 11/23/07 16:20 | 2.3 | 10.74 |
| 11/23/07 16:25 | 2.3 | 10.74 |
| 11/23/07 16:30 | 2.3 | 0.21 |
| 11/23/07 16:35 | 2.3 | 0.2 |
| 11/23/07 16:40 | 2.3 | 0.21 |
| 11/23/07 16:45 | 2.3 | 0.21 |
| 11/23/07 16:50 | 2.3 | 0.21 |
| 11/23/07 16:55 | 2.3 | 0.21 |
| 11/23/07 17:00 | 2.3 | 0.21 |
| 11/23/07 17:05 | 2.3 | 0.21 |
| 11/23/07 17:10 | 2.3 | 0.21 |
| 11/23/07 17:15 | 2.3 | 0.21 |
| 11/23/07 17:20 | 2.3 | 0.21 |
| 11/23/07 17:25 | 2.3 | 0.21 |
| 11/23/07 17:30 | 2.3 | 0.21 |
| 11/23/07 17:35 | 2.3 | 0.21 |
| 11/23/07 17:40 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 17:45 | 2.3 | 0.21 |
| 11/23/07 17:50 | 2.3 | 0.21 |
| 11/23/07 17:55 | 2.3 | 0.21 |
| 11/23/07 18:00 | 2.3 | 0.21 |
| 11/23/07 18:05 | 2.3 | 0.21 |
| 11/23/07 18:10 | 2.3 | 0.21 |
| 11/23/07 18:15 | 2.3 | 0.21 |
| 11/23/07 18:20 | 2.3 | 0.21 |
| 11/23/07 18:25 | 2.3 | 0.21 |
| 11/23/07 18:30 | 2.3 | 0.21 |
| 11/23/07 18:35 | 2.3 | 0.21 |
| 11/23/07 18:40 | 2.3 | 0.21 |
| 11/23/07 18:45 | 2.3 | 0.21 |
| 11/23/07 18:50 | 2.3 | 0.21 |
| 11/23/07 18:55 | 2.3 | 0.21 |
| 11/23/07 19:00 | 2.3 | 0.21 |
| 11/23/07 19:05 | 2.3 | 0.21 |
| 11/23/07 19:10 | 2.3 | 0.21 |
| 11/23/07 19:15 | 2.3 | 0.21 |
| 11/23/07 19:20 | 2.3 | 0.21 |
| 11/23/07 19:25 | 2.3 | 0.21 |
| 11/23/07 19:30 | 2.3 | 0.21 |
| 11/23/07 19:35 | 2.3 | 0.21 |
| 11/23/07 19:40 | 2.3 | 0.21 |
| 11/23/07 19:45 | 2.3 | 0.21 |
| 11/23/07 19:50 | 2.3 | 0.21 |
| 11/23/07 19:55 | 2.3 | 0.21 |
| 11/23/07 20:00 | 2.3 | 0.21 |
| 11/23/07 20:05 | 2.3 | 0.21 |
| 11/23/07 20:10 | 2.3 | 0.21 |
| 11/23/07 20:15 | 2.3 | 0.21 |
| 11/23/07 20:20 | 2.3 | 0.21 |
| 11/23/07 20:25 | 2.3 | 0.21 |
| 11/23/07 20:30 | 2.3 | 0.21 |
| 11/23/07 20:35 | 2.3 | 0.21 |
| 11/23/07 20:40 | 2.3 | 0.21 |
| 11/23/07 20:45 | 2.3 | 0.21 |
| 11/23/07 20:50 | 2.3 | 0.21 |
| 11/23/07 20:55 | 2.3 | 0.21 |
| 11/23/07 21:00 | 2.3 | 0.21 |
| 11/23/07 21:05 | 2.3 | 0.21 |
| 11/23/07 21:10 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 21:15 | 2.3 | 0.21 |
| 11/23/07 21:20 | 2.3 | 0.21 |
| 11/23/07 21:25 | 2.3 | 0.21 |
| 11/23/07 21:30 | 2.3 | 0.21 |
| 11/23/07 21:35 | 2.3 | 0.21 |
| 11/23/07 21:40 | 2.3 | 0.21 |
| 11/23/07 21:45 | 2.3 | 0.21 |
| 11/23/07 21:50 | 2.3 | 0.21 |
| 11/23/07 21:55 | 2.3 | 0.21 |
| 11/23/07 22:00 | 2.3 | 0.21 |
| 11/23/07 22:05 | 2.3 | 0.21 |
| 11/23/07 22:10 | 2.3 | 0.21 |
| 11/23/07 22:15 | 2.3 | 0.21 |
| 11/23/07 22:20 | 2.3 | 0.21 |
| 11/23/07 22:25 | 2.3 | 0.21 |
| 11/23/07 22:30 | 2.3 | 0.21 |
| 11/23/07 22:35 | 2.3 | 0.21 |
| 11/23/07 22:40 | 2.3 | 0.21 |
| 11/23/07 22:45 | 2.3 | 0.21 |
| 11/23/07 22:50 | 2.3 | 0.21 |
| 11/23/07 22:55 | 2.3 | 0.21 |
| 11/23/07 23:00 | 2.3 | 0.21 |
| 11/23/07 23:05 | 2.3 | 0.21 |
| 11/23/07 23:10 | 2.3 | 0.21 |
| 11/23/07 23:15 | 2.3 | 0.21 |
| 11/23/07 23:20 | 2.3 | 0.21 |
| 11/23/07 23:25 | 2.3 | 0.21 |
| 11/23/07 23:30 | 2.3 | 0.21 |
| 11/23/07 23:35 | 2.3 | 0.21 |
| 11/23/07 23:40 | 2.3 | 0.21 |
| 11/23/07 23:45 | 2.3 | 0.21 |
| 11/23/07 23:50 | 2.3 | 0.21 |
| 11/23/07 23:55 | 2.3 | 0.21 |
| 11/24/07 0:00 | 2.3 | 0.21 |
| 11/24/07 0:05 | 2.3 | 0.21 |
| 11/24/07 0:10 | 2.3 | 0.21 |
| 11/24/07 0:15 | 2.3 | 0.21 |
| 11/24/07 0:20 | 2.3 | 0.21 |
| 11/24/07 0:25 | 2.3 | 0.21 |
| 11/24/07 0:30 | 2.3 | 0.21 |
| 11/24/07 0:35 | 2.3 | 0.21 |
| 11/24/07 0:40 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 0:45 | 2.3 | 0.21 |
| 11/24/07 0:50 | 2.3 | 0.21 |
| 11/24/07 0:55 | 2.3 | 0.21 |
| 11/24/07 1:00 | 2.3 | 0.21 |
| 11/24/07 1:05 | 2.3 | 0.21 |
| 11/24/07 1:10 | 2.3 | 0.21 |
| 11/24/07 1:15 | 2.3 | 0.21 |
| 11/24/07 1:20 | 2.3 | 0.21 |
| 11/24/07 1:25 | 2.3 | 0.21 |
| 11/24/07 1:30 | 2.3 | 0.21 |
| 11/24/07 1:35 | 2.3 | 0.21 |
| 11/24/07 1:40 | 2.3 | 0.21 |
| 11/24/07 1:45 | 2.3 | 0.21 |
| 11/24/07 1:50 | 2.3 | 0.21 |
| 11/24/07 1:55 | 2.3 | 0.21 |
| 11/24/07 2:00 | 2.3 | 0.21 |
| 11/24/07 2:05 | 2.3 | 0.21 |
| 11/24/07 2:10 | 2.3 | 0.21 |
| 11/24/07 2:15 | 2.3 | 0.21 |
| 11/24/07 2:20 | 2.3 | 0.21 |
| 11/24/07 2:25 | 2.3 | 0.21 |
| 11/24/07 2:30 | 2.3 | 0.21 |
| 11/24/07 2:35 | 2.3 | 0.21 |
| 11/24/07 2:40 | 2.3 | 0.21 |
| 11/24/07 2:45 | 2.3 | 0.21 |
| 11/24/07 2:50 | 2.3 | 0.21 |
| 11/24/07 2:55 | 2.3 | 0.21 |
| 11/24/07 3:00 | 2.3 | 0.21 |
| 11/24/07 3:05 | 2.3 | 0.21 |
| 11/24/07 3:10 | 2.3 | 0.21 |
| 11/24/07 3:15 | 2.3 | 0.21 |
| 11/24/07 3:20 | 2.3 | 0.21 |
| 11/24/07 3:25 | 2.3 | 0.21 |
| 11/24/07 3:30 | 2.3 | 0.21 |
| 11/24/07 3:35 | 2.3 | 0.21 |
| 11/24/07 3:40 | 2.3 | 0.21 |
| 11/24/07 3:45 | 2.3 | 0.21 |
| 11/24/07 3:50 | 2.3 | 0.21 |
| 11/24/07 3:55 | 2.3 | 0.21 |
| 11/24/07 4:00 | 2.3 | 0.21 |
| 11/24/07 4:05 | 2.3 | 0.21 |
| 11/24/07 4:10 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 4:15 | 2.3 | 0.21 |
| 11/24/07 4:20 | 2.3 | 0.21 |
| 11/24/07 4:25 | 2.3 | 0.21 |
| 11/24/07 4:30 | 2.3 | 0.21 |
| 11/24/07 4:35 | 2.3 | 0.21 |
| 11/24/07 4:40 | 2.3 | 0.21 |
| 11/24/07 4:45 | 2.3 | 0.21 |
| 11/24/07 4:50 | 2.3 | 0.21 |
| 11/24/07 4:55 | 2.3 | 0.21 |
| 11/24/07 5:00 | 2.3 | 0.21 |
| 11/24/07 5:05 | 2.3 | 0.21 |
| 11/24/07 5:10 | 2.3 | 0.21 |
| 11/24/07 5:15 | 2.3 | 0.21 |
| 11/24/07 5:20 | 2.3 | 0.21 |
| 11/24/07 5:25 | 2.3 | 0.21 |
| 11/24/07 5:30 | 2.3 | 0.21 |
| 11/24/07 5:35 | 2.3 | 0.21 |
| 11/24/07 5:40 | 2.3 | 0.21 |
| 11/24/07 5:45 | 2.3 | 0.21 |
| 11/24/07 5:50 | 2.3 | 0.21 |
| 11/24/07 5:55 | 2.3 | 0.21 |
| 11/24/07 6:00 | 2.3 | 0.21 |
| 11/24/07 6:05 | 2.3 | 0.21 |
| 11/24/07 6:10 | 2.3 | 0.21 |
| 11/24/07 6:15 | 2.3 | 0.21 |
| 11/24/07 6:20 | 2.3 | 0.21 |
| 11/24/07 6:25 | 2.3 | 0.21 |
| 11/24/07 6:30 | 2.3 | 0.21 |
| 11/24/07 6:35 | 2.3 | 0.21 |
| 11/24/07 6:40 | 2.3 | 0.21 |
| 11/24/07 6:45 | 2.3 | 0.21 |
| 11/24/07 6:50 | 2.3 | 0.21 |
| 11/24/07 6:55 | 2.3 | 0.21 |
| 11/24/07 7:00 | 2.3 | 0.21 |
| 11/24/07 7:05 | 2.3 | 0.21 |
| 11/24/07 7:10 | 2.3 | 0.21 |
| 11/24/07 7:15 | 2.3 | 0.21 |
| 11/24/07 7:20 | 2.3 | 0.21 |
| 11/24/07 7:25 | 2.3 | 0.21 |
| 11/24/07 7:30 | 2.3 | 0.21 |
| 11/24/07 7:35 | 2.3 | 0.21 |
| 11/24/07 7:40 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 7:45 | 2.3 | 0.21 |
| 11/24/07 7:50 | 2.3 | 0.21 |
| 11/24/07 7:55 | 2.3 | 0.21 |
| 11/24/07 8:00 | 2.3 | 0.21 |
| 11/24/07 8:05 | 2.3 | 0.21 |
| 11/24/07 8:10 | 2.3 | 0.21 |
| 11/24/07 8:15 | 2.3 | 0.21 |
| 11/24/07 8:20 | 2.3 | 0.21 |
| 11/24/07 8:25 | 2.3 | 0.21 |
| 11/24/07 8:30 | 2.3 | 0.21 |
| 11/24/07 8:35 | 2.3 | 0.21 |
| 11/24/07 8:40 | 2.3 | 0.21 |
| 11/24/07 8:45 | 2.3 | 0.21 |
| 11/24/07 8:50 | 2.3 | 0.21 |
| 11/24/07 8:55 | 2.3 | 0.21 |
| 11/24/07 9:00 | 2.3 | 0.21 |
| 11/24/07 9:05 | 2.3 | 0.21 |
| 11/24/07 9:10 | 2.3 | 0.21 |
| 11/24/07 9:15 | 2.3 | 0.21 |
| 11/24/07 9:20 | 2.3 | 0.21 |
| 11/24/07 9:25 | 2.3 | 0.21 |
| 11/24/07 9:30 | 2.3 | 0.21 |
| 11/24/07 9:35 | 2.3 | 0.21 |
| 11/24/07 9:40 | 2.3 | 0.21 |
| 11/24/07 9:45 | 2.3 | 0.21 |
| 11/24/07 9:50 | 2.3 | 0.21 |
| 11/24/07 9:55 | 2.3 | 0.21 |
| 11/24/07 10:00 | 2.3 | 0.21 |
| 11/24/07 10:05 | 2.3 | 0.21 |
| 11/24/07 10:10 | 2.3 | 0.21 |
| 11/24/07 10:15 | 2.3 | 0.21 |
| 11/24/07 10:20 | 2.3 | 0.21 |
| 11/24/07 10:25 | 2.3 | 0.21 |
| 11/24/07 10:30 | 2.3 | 0.21 |
| 11/24/07 10:35 | 2.3 | 0.21 |
| 11/24/07 10:40 | 2.3 | 0.21 |
| 11/24/07 10:45 | 2.3 | 0.21 |
| 11/24/07 10:50 | 2.3 | 0.21 |
| 11/24/07 10:55 | 2.3 | 0.21 |
| 11/24/07 11:00 | 2.3 | 0.21 |
| 11/24/07 11:05 | 2.3 | 0.21 |
| 11/24/07 11:10 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 11:15 | 2.3 | 0.21 |
| 11/24/07 11:20 | 2.3 | 0.21 |
| 11/24/07 11:25 | 2.3 | 0.21 |
| 11/24/07 11:30 | 2.3 | 0.21 |
| 11/24/07 11:35 | 2.3 | 0.21 |
| 11/24/07 11:40 | 2.3 | 0.21 |
| 11/24/07 11:45 | 2.3 | 0.21 |
| 11/24/07 11:50 | 2.3 | 0.21 |
| 11/24/07 11:55 | 2.3 | 0.21 |
| 11/24/07 12:00 | 2.3 | 0.21 |
| 11/24/07 12:05 | 2.3 | 0.21 |
| 11/24/07 12:10 | 2.3 | 0.21 |
| 11/24/07 12:15 | 2.3 | 0.21 |
| 11/24/07 12:20 | 2.3 | 0.21 |
| 11/24/07 12:25 | 2.3 | 0.21 |
| 11/24/07 12:30 | 2.3 | 0.21 |
| 11/24/07 12:35 | 2.3 | 0.21 |
| 11/24/07 12:40 | 2.3 | 0.21 |
| 11/24/07 12:45 | 2.3 | 0.21 |
| 11/24/07 12:50 | 2.3 | 0.21 |
| 11/24/07 12:55 | 2.3 | 0.21 |
| 11/24/07 13:00 | 2.3 | 0.21 |
| 11/24/07 13:05 | 2.3 | 0.21 |
| 11/24/07 13:10 | 2.3 | 0.21 |
| 11/24/07 13:15 | 2.3 | 0.21 |
| 11/24/07 13:20 | 2.3 | 0.21 |
| 11/24/07 13:25 | 2.3 | 0.21 |
| 11/24/07 13:30 | 2.3 | 0.21 |
| 11/24/07 13:35 | 2.3 | 0.21 |
| 11/24/07 13:40 | 2.3 | 0.21 |
| 11/24/07 13:45 | 2.3 | 0.21 |
| 11/24/07 13:50 | 2.3 | 0.21 |
| 11/24/07 13:55 | 2.3 | 0.21 |
| 11/24/07 14:00 | 2.3 | 0.21 |
| 11/24/07 14:05 | 2.3 | 0.21 |
| 11/24/07 14:10 | 2.3 | 0.21 |
| 11/24/07 14:15 | 2.3 | 0.21 |
| 11/24/07 14:20 | 2.3 | 0.21 |
| 11/24/07 14:25 | 2.3 | 0.21 |
| 11/24/07 14:30 | 2.3 | 0.21 |
| 11/24/07 14:35 | 2.3 | 0.21 |
| 11/24/07 14:40 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 14:45 | 2.3 | 0.21 |
| 11/24/07 14:50 | 2.3 | 0.21 |
| 11/24/07 14:55 | 2.3 | 0.21 |
| 11/24/07 15:00 | 2.3 | 0.21 |
| 11/24/07 15:05 | 2.3 | 0.21 |
| 11/24/07 15:10 | 2.3 | 0.21 |
| 11/24/07 15:15 | 2.3 | 0.21 |
| 11/24/07 15:20 | 2.3 | 0.21 |
| 11/24/07 15:25 | 2.3 | 0.21 |
| 11/24/07 15:30 | 2.3 | 0.21 |
| 11/24/07 15:35 | 2.3 | 0.21 |
| 11/24/07 15:40 | 2.3 | 0.21 |
| 11/24/07 15:45 | 2.3 | 0.21 |
| 11/24/07 15:50 | 2.3 | 0.21 |
| 11/24/07 15:55 | 2.3 | 0.21 |
| 11/24/07 16:00 | 2.3 | 0.21 |
| 11/24/07 16:05 | 2.3 | 0.21 |
| 11/24/07 16:10 | 2.3 | 0.21 |
| 11/24/07 16:15 | 2.3 | 0.21 |
| 11/24/07 16:20 | 2.3 | 0.21 |
| 11/24/07 16:25 | 2.3 | 0.21 |
| 11/24/07 16:30 | 2.3 | 0.21 |
| 11/24/07 16:35 | 2.3 | 0.21 |
| 11/24/07 16:40 | 2.3 | 0.21 |
| 11/24/07 16:45 | 2.3 | 0.21 |
| 11/24/07 16:50 | 2.3 | 0.21 |
| 11/24/07 16:55 | 2.3 | 0.21 |
| 11/24/07 17:00 | 2.3 | 0.21 |
| 11/24/07 17:05 | 2.3 | 0.21 |
| 11/24/07 17:10 | 2.3 | 0.21 |
| 11/24/07 17:15 | 2.3 | 0.21 |
| 11/24/07 17:20 | 2.3 | 0.21 |
| 11/24/07 17:25 | 2.3 | 0.21 |
| 11/24/07 17:30 | 2.3 | 0.21 |
| 11/24/07 17:35 | 2.3 | 0.21 |
| 11/24/07 17:40 | 2.3 | 0.21 |
| 11/24/07 17:45 | 2.3 | 0.21 |
| 11/24/07 17:50 | 2.3 | 0.21 |
| 11/24/07 17:55 | 2.3 | 0.21 |
| 11/24/07 18:00 | 2.3 | 0.21 |
| 11/24/07 18:05 | 2.3 | 0.21 |
| 11/24/07 18:10 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 18:15 | 2.3 | 0.21 |
| 11/24/07 18:20 | 2.3 | 0.21 |
| 11/24/07 18:25 | 2.3 | 0.21 |
| 11/24/07 18:30 | 2.3 | 0.21 |
| 11/24/07 18:35 | 2.3 | 0.21 |
| 11/24/07 18:40 | 2.3 | 0.21 |
| 11/24/07 18:45 | 2.3 | 0.21 |
| 11/24/07 18:50 | 2.3 | 0.21 |
| 11/24/07 18:55 | 2.3 | 0.21 |
| 11/24/07 19:00 | 2.3 | 0.21 |
| 11/24/07 19:05 | 2.3 | 0.21 |
| 11/24/07 19:10 | 2.3 | 0.21 |
| 11/24/07 19:15 | 2.3 | 0.21 |
| 11/24/07 19:20 | 2.3 | 0.21 |
| 11/24/07 19:25 | 2.3 | 0.21 |
| 11/24/07 19:30 | 2.3 | 0.21 |
| 11/24/07 19:35 | 2.3 | 0.21 |
| 11/24/07 19:40 | 2.3 | 0.21 |
| 11/24/07 19:45 | 2.3 | 0.21 |
| 11/24/07 19:50 | 2.3 | 0.21 |
| 11/24/07 19:55 | 2.3 | 0.21 |
| 11/24/07 20:00 | 2.3 | 0.21 |
| 11/24/07 20:05 | 2.3 | 0.21 |
| 11/24/07 20:10 | 2.3 | 0.21 |
| 11/24/07 20:15 | 2.3 | 0.21 |
| 11/24/07 20:20 | 2.3 | 0.21 |
| 11/24/07 20:25 | 2.3 | 0.21 |
| 11/24/07 20:30 | 2.3 | 0.21 |
| 11/24/07 20:35 | 2.3 | 0.21 |
| 11/24/07 20:40 | 2.3 | 0.21 |
| 11/24/07 20:45 | 2.3 | 0.21 |
| 11/24/07 20:50 | 2.3 | 0.21 |
| 11/24/07 20:55 | 2.3 | 0.21 |
| 11/24/07 21:00 | 2.3 | 0.21 |
| 11/24/07 21:05 | 2.3 | 0.21 |
| 11/24/07 21:10 | 2.3 | 0.21 |
| 11/24/07 21:15 | 2.3 | 0.21 |
| 11/24/07 21:20 | 2.3 | 0.21 |
| 11/24/07 21:25 | 2.3 | 0.21 |
| 11/24/07 21:30 | 2.3 | 0.21 |
| 11/24/07 21:35 | 2.3 | 0.21 |
| 11/24/07 21:40 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 21:45 | 2.3 | 0.21 |
| 11/24/07 21:50 | 2.3 | 0.21 |
| 11/24/07 21:55 | 2.3 | 0.21 |
| 11/24/07 22:00 | 2.3 | 0.21 |
| 11/24/07 22:05 | 2.3 | 0.21 |
| 11/24/07 22:10 | 2.3 | 0.21 |
| 11/24/07 22:15 | 2.3 | 0.21 |
| 11/24/07 22:20 | 2.3 | 0.21 |
| 11/24/07 22:25 | 2.3 | 0.21 |
| 11/24/07 22:30 | 2.3 | 0.21 |
| 11/24/07 22:35 | 2.3 | 0.21 |
| 11/24/07 22:40 | 2.3 | 0.21 |
| 11/24/07 22:45 | 2.3 | 0.21 |
| 11/24/07 22:50 | 2.3 | 0.21 |
| 11/24/07 22:55 | 2.3 | 0.21 |
| 11/24/07 23:00 | 2.3 | 0.21 |
| 11/24/07 23:05 | 2.3 | 0.21 |
| 11/24/07 23:10 | 2.3 | 0.21 |
| 11/24/07 23:15 | 2.3 | 0.21 |
| 11/24/07 23:20 | 2.3 | 0.21 |
| 11/24/07 23:25 | 2.3 | 0.21 |
| 11/24/07 23:30 | 2.3 | 0.21 |
| 11/24/07 23:35 | 2.3 | 0.21 |
| 11/24/07 23:40 | 2.3 | 0.21 |
| 11/24/07 23:45 | 2.3 | 0.21 |
| 11/24/07 23:50 | 2.3 | 0.21 |
| 11/24/07 23:55 | 2.3 | 0.21 |
| 11/25/07 0:00 | 2.3 | 0.21 |
| 11/25/07 0:05 | 2.3 | 0.21 |
| 11/25/07 0:10 | 2.3 | 0.21 |
| 11/25/07 0:15 | 2.3 | 0.21 |
| 11/25/07 0:20 | 2.3 | 0.21 |
| 11/25/07 0:25 | 2.3 | 0.21 |
| 11/25/07 0:30 | 2.3 | 0.21 |
| 11/25/07 0:35 | 2.3 | 0.21 |
| 11/25/07 0:40 | 2.3 | 0.21 |
| 11/25/07 0:45 | 2.3 | 0.21 |
| 11/25/07 0:50 | 2.3 | 0.21 |
| 11/25/07 0:55 | 2.3 | 0.21 |
| 11/25/07 1:00 | 2.3 | 0.21 |
| 11/25/07 1:05 | 2.3 | 0.21 |
| 11/25/07 1:10 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 1:15 | 2.3 | 0.21 |
| 11/25/07 1:20 | 2.3 | 0.21 |
| 11/25/07 1:25 | 2.3 | 0.21 |
| 11/25/07 1:30 | 2.3 | 0.21 |
| 11/25/07 1:35 | 2.3 | 0.21 |
| 11/25/07 1:40 | 2.3 | 0.21 |
| 11/25/07 1:45 | 2.3 | 0.21 |
| 11/25/07 1:50 | 2.3 | 0.21 |
| 11/25/07 1:55 | 2.3 | 0.21 |
| 11/25/07 2:00 | 2.3 | 0.21 |
| 11/25/07 2:05 | 2.3 | 0.21 |
| 11/25/07 2:10 | 2.3 | 0.21 |
| 11/25/07 2:15 | 2.3 | 0.21 |
| 11/25/07 2:20 | 2.3 | 0.21 |
| 11/25/07 2:25 | 2.3 | 0.21 |
| 11/25/07 2:30 | 2.3 | 0.21 |
| 11/25/07 2:35 | 2.3 | 0.21 |
| 11/25/07 2:40 | 2.3 | 0.21 |
| 11/25/07 2:45 | 2.3 | 0.21 |
| 11/25/07 2:50 | 2.3 | 0.21 |
| 11/25/07 2:55 | 2.3 | 0.21 |
| 11/25/07 3:00 | 2.3 | 0.21 |
| 11/25/07 3:05 | 2.3 | 0.21 |
| 11/25/07 3:10 | 2.3 | 0.21 |
| 11/25/07 3:15 | 2.3 | 0.21 |
| 11/25/07 3:20 | 2.3 | 0.21 |
| 11/25/07 3:25 | 2.3 | 0.21 |
| 11/25/07 3:30 | 2.3 | 0.21 |
| 11/25/07 3:35 | 2.3 | 0.21 |
| 11/25/07 3:40 | 2.3 | 0.21 |
| 11/25/07 3:45 | 2.3 | 0.21 |
| 11/25/07 3:50 | 2.3 | 0.21 |
| 11/25/07 3:55 | 2.3 | 0.21 |
| 11/25/07 4:00 | 2.3 | 0.21 |
| 11/25/07 4:05 | 2.3 | 0.21 |
| 11/25/07 4:10 | 2.3 | 0.21 |
| 11/25/07 4:15 | 2.3 | 0.21 |
| 11/25/07 4:20 | 2.3 | 0.21 |
| 11/25/07 4:25 | 2.3 | 0.21 |
| 11/25/07 4:30 | 2.3 | 0.21 |
| 11/25/07 4:35 | 2.3 | 0.21 |
| 11/25/07 4:40 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 4:45 | 2.3 | 0.21 |
| 11/25/07 4:50 | 2.3 | 0.21 |
| 11/25/07 4:55 | 2.3 | 0.21 |
| 11/25/07 5:00 | 2.3 | 0.21 |
| 11/25/07 5:05 | 2.3 | 0.21 |
| 11/25/07 5:10 | 2.3 | 0.21 |
| 11/25/07 5:15 | 2.3 | 0.21 |
| 11/25/07 5:20 | 2.3 | 0.21 |
| 11/25/07 5:25 | 2.3 | 0.21 |
| 11/25/07 5:30 | 2.3 | 0.21 |
| 11/25/07 5:35 | 2.3 | 0.21 |
| 11/25/07 5:40 | 2.3 | 0.21 |
| 11/25/07 5:45 | 2.3 | 0.21 |
| 11/25/07 5:50 | 2.3 | 0.21 |
| 11/25/07 5:55 | 2.3 | 0.21 |
| 11/25/07 6:00 | 2.3 | 0.21 |
| 11/25/07 6:05 | 2.3 | 0.21 |
| 11/25/07 6:10 | 2.3 | 0.21 |
| 11/25/07 6:15 | 2.3 | 0.21 |
| 11/25/07 6:20 | 2.3 | 0.21 |
| 11/25/07 6:25 | 2.3 | 0.21 |
| 11/25/07 6:30 | 2.3 | 0.21 |
| 11/25/07 6:35 | 2.3 | 0.21 |
| 11/25/07 6:40 | 2.3 | 0.21 |
| 11/25/07 6:45 | 2.3 | 0.21 |
| 11/25/07 6:50 | 2.3 | 0.21 |
| 11/25/07 6:55 | 2.3 | 0.21 |
| 11/25/07 7:00 | 2.3 | 0.21 |
| 11/25/07 7:05 | 2.3 | 0.21 |
| 11/25/07 7:10 | 2.3 | 0.21 |
| 11/25/07 7:15 | 2.3 | 0.21 |
| 11/25/07 7:20 | 2.3 | 0.21 |
| 11/25/07 7:25 | 2.3 | 0.21 |
| 11/25/07 7:30 | 2.3 | 0.21 |
| 11/25/07 7:35 | 2.3 | 0.21 |
| 11/25/07 7:40 | 2.3 | 0.21 |
| 11/25/07 7:45 | 2.3 | 0.21 |
| 11/25/07 7:50 | 2.3 | 0.21 |
| 11/25/07 7:55 | 2.3 | 0.21 |
| 11/25/07 8:00 | 2.3 | 0.21 |
| 11/25/07 8:05 | 2.3 | 0.21 |
| 11/25/07 8:10 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 8:15 | 2.3 | 0.21 |
| 11/25/07 8:20 | 2.3 | 0.21 |
| 11/25/07 8:25 | 2.3 | 0.21 |
| 11/25/07 8:30 | 2.3 | 0.21 |
| 11/25/07 8:35 | 2.3 | 0.21 |
| 11/25/07 8:40 | 2.3 | 0.21 |
| 11/25/07 8:45 | 2.3 | 0.21 |
| 11/25/07 8:50 | 2.3 | 0.21 |
| 11/25/07 8:55 | 2.3 | 0.21 |
| 11/25/07 9:00 | 2.3 | 0.21 |
| 11/25/07 9:05 | 2.3 | 0.21 |
| 11/25/07 9:10 | 2.3 | 0.21 |
| 11/25/07 9:15 | 2.3 | 0.21 |
| 11/25/07 9:20 | 2.3 | 0.21 |
| 11/25/07 9:25 | 2.3 | 0.21 |
| 11/25/07 9:30 | 2.3 | 0.21 |
| 11/25/07 9:35 | 2.3 | 0.21 |
| 11/25/07 9:40 | 2.3 | 0.21 |
| 11/25/07 9:45 | 2.3 | 0.21 |
| 11/25/07 9:50 | 2.3 | 0.21 |
| 11/25/07 9:55 | 2.3 | 0.21 |
| 11/25/07 10:00 | 2.3 | 0.21 |
| 11/25/07 10:05 | 2.3 | 0.21 |
| 11/25/07 10:10 | 2.3 | 0.21 |
| 11/25/07 10:15 | 2.3 | 0.21 |
| 11/25/07 10:20 | 2.3 | 0.21 |
| 11/25/07 10:25 | 2.3 | 0.21 |
| 11/25/07 10:30 | 2.3 | 0.21 |
| 11/25/07 10:35 | 2.3 | 0.21 |
| 11/25/07 10:40 | 2.3 | 0.21 |
| 11/25/07 10:45 | 2.3 | 0.21 |
| 11/25/07 10:50 | 2.3 | 0.21 |
| 11/25/07 10:55 | 2.3 | 0.21 |
| 11/25/07 11:00 | 2.3 | 0.21 |
| 11/25/07 11:05 | 2.3 | 0.21 |
| 11/25/07 11:10 | 2.3 | 0.21 |
| 11/25/07 11:15 | 2.3 | 0.21 |
| 11/25/07 11:20 | 2.3 | 0.21 |
| 11/25/07 11:25 | 2.3 | 1.28 |
| 11/25/07 11:30 | 2.3 | 1.28 |
| 11/25/07 11:35 | 2.3 | 1.28 |
| 11/25/07 11:40 | 2.3 | 1.28 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 11:45 | 2.3 | 0.94 |
| 11/25/07 11:50 | 2.3 | 0.94 |
| 11/25/07 11:55 | 2.3 | 0.94 |
| 11/25/07 12:00 | 2.3 | 0.94 |
| 11/25/07 12:05 | 2.3 | 0.21 |
| 11/25/07 12:10 | 2.3 | 0.21 |
| 11/25/07 12:15 | 2.3 | 0.21 |
| 11/25/07 12:20 | 2.3 | 0.21 |
| 11/25/07 12:25 | 2.3 | 0.21 |
| 11/25/07 12:30 | 2.3 | 0.21 |
| 11/25/07 12:35 | 2.3 | 0.21 |
| 11/25/07 12:40 | 2.3 | 0.21 |
| 11/25/07 12:45 | 2.3 | 0.21 |
| 11/25/07 12:50 | 2.3 | 0.21 |
| 11/25/07 12:55 | 2.3 | 0.21 |
| 11/25/07 13:00 | 2.3 | 0.21 |
| 11/25/07 13:05 | 2.3 | 0.21 |
| 11/25/07 13:10 | 2.3 | 0.21 |
| 11/25/07 13:15 | 2.3 | 0.21 |
| 11/25/07 13:20 | 2.3 | 0.21 |
| 11/25/07 13:25 | 2.3 | 0.21 |
| 11/25/07 13:30 | 2.3 | 0.21 |
| 11/25/07 13:35 | 2.3 | 0.21 |
| 11/25/07 13:40 | 2.3 | 0.21 |
| 11/25/07 13:45 | 2.3 | 0.21 |
| 11/25/07 13:50 | 2.3 | 0.21 |
| 11/25/07 13:55 | 2.3 | 0.21 |
| 11/25/07 14:00 | 2.3 | 0.21 |
| 11/25/07 14:05 | 2.3 | 0.21 |
| 11/25/07 14:10 | 2.3 | 0.21 |
| 11/25/07 14:15 | 2.3 | 0.21 |
| 11/25/07 14:20 | 2.3 | 0.21 |
| 11/25/07 14:25 | 2.3 | 0.21 |
| 11/25/07 14:30 | 2.3 | 0.21 |
| 11/25/07 14:35 | 2.3 | 0.21 |
| 11/25/07 14:40 | 2.3 | 0.21 |
| 11/25/07 14:45 | 2.3 | 0.21 |
| 11/25/07 14:50 | 2.3 | 0.21 |
| 11/25/07 14:55 | 2.3 | 0.21 |
| 11/25/07 15:00 | 2.3 | 0.21 |
| 11/25/07 15:05 | 2.3 | 0.21 |
| 11/25/07 15:10 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 15:15 | 2.3 | 0.21 |
| 11/25/07 15:20 | 2.3 | 0.21 |
| 11/25/07 15:25 | 2.3 | 0.21 |
| 11/25/07 15:30 | 2.3 | 0.21 |
| 11/25/07 15:35 | 2.3 | 0.21 |
| 11/25/07 15:40 | 2.3 | 0.21 |
| 11/25/07 15:45 | 2.3 | 0.21 |
| 11/25/07 15:50 | 2.3 | 0.21 |
| 11/25/07 15:55 | 2.3 | 0.21 |
| 11/25/07 16:00 | 2.3 | 0.21 |
| 11/25/07 16:05 | 2.3 | 0.21 |
| 11/25/07 16:10 | 2.3 | 0.21 |
| 11/25/07 16:15 | 2.3 | 0.21 |
| 11/25/07 16:20 | 2.3 | 0.21 |
| 11/25/07 16:25 | 2.3 | 0.21 |
| 11/25/07 16:30 | 2.3 | 0.21 |
| 11/25/07 16:35 | 2.3 | 0.21 |
| 11/25/07 16:40 | 2.3 | 0.21 |
| 11/25/07 16:45 | 2.3 | 0.21 |
| 11/25/07 16:50 | 2.3 | 0.21 |
| 11/25/07 16:55 | 2.3 | 0.21 |
| 11/25/07 17:00 | 2.3 | 0.21 |
| 11/25/07 17:05 | 2.3 | 0.21 |
| 11/25/07 17:10 | 2.3 | 0.21 |
| 11/25/07 17:15 | 2.3 | 0.21 |
| 11/25/07 17:20 | 2.3 | 0.21 |
| 11/25/07 17:25 | 2.3 | 0.21 |
| 11/25/07 17:30 | 2.3 | 0.21 |
| 11/25/07 17:35 | 2.3 | 0.21 |
| 11/25/07 17:40 | 2.3 | 0.21 |
| 11/25/07 17:45 | 2.3 | 0.21 |
| 11/25/07 17:50 | 2.3 | 0.21 |
| 11/25/07 17:55 | 2.3 | 0.21 |
| 11/25/07 18:00 | 2.3 | 0.21 |
| 11/25/07 18:05 | 2.3 | 0.21 |
| 11/25/07 18:10 | 2.3 | 0.21 |
| 11/25/07 18:15 | 2.3 | 0.21 |
| 11/25/07 18:20 | 2.3 | 0.21 |
| 11/25/07 18:25 | 2.3 | 0.21 |
| 11/25/07 18:30 | 2.3 | 0.21 |
| 11/25/07 18:35 | 2.3 | 0.21 |
| 11/25/07 18:40 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 18:45 | 2.3 | 0.21 |
| 11/25/07 18:50 | 2.3 | 0.21 |
| 11/25/07 18:55 | 2.3 | 0.21 |
| 11/25/07 19:00 | 2.3 | 0.21 |
| 11/25/07 19:05 | 2.3 | 0.21 |
| 11/25/07 19:10 | 2.3 | 0.21 |
| 11/25/07 19:15 | 2.3 | 0.21 |
| 11/25/07 19:20 | 2.3 | 0.21 |
| 11/25/07 19:25 | 2.3 | 0.21 |
| 11/25/07 19:30 | 2.3 | 0.21 |
| 11/25/07 19:35 | 2.3 | 0.21 |
| 11/25/07 19:40 | 2.3 | 0.21 |
| 11/25/07 19:45 | 2.3 | 0.21 |
| 11/25/07 19:50 | 2.3 | 0.21 |
| 11/25/07 19:55 | 2.3 | 0.21 |
| 11/25/07 20:00 | 2.3 | 0.21 |
| 11/25/07 20:05 | 2.3 | 0.21 |
| 11/25/07 20:10 | 2.3 | 0.21 |
| 11/25/07 20:15 | 2.3 | 0.21 |
| 11/25/07 20:20 | 2.3 | 0.21 |
| 11/25/07 20:25 | 2.3 | 0.21 |
| 11/25/07 20:30 | 2.3 | 0.21 |
| 11/25/07 20:35 | 2.3 | 0.21 |
| 11/25/07 20:40 | 2.3 | 0.21 |
| 11/25/07 20:45 | 2.3 | 0.21 |
| 11/25/07 20:50 | 2.3 | 0.21 |
| 11/25/07 20:55 | 2.3 | 0.21 |
| 11/25/07 21:00 | 2.3 | 0.21 |
| 11/25/07 21:05 | 2.3 | 0.21 |
| 11/25/07 21:10 | 2.3 | 0.21 |
| 11/25/07 21:15 | 2.3 | 0.21 |
| 11/25/07 21:20 | 2.3 | 0.21 |
| 11/25/07 21:25 | 2.3 | 0.21 |
| 11/25/07 21:30 | 2.3 | 0.21 |
| 11/25/07 21:35 | 2.3 | 0.21 |
| 11/25/07 21:40 | 2.3 | 0.21 |
| 11/25/07 21:45 | 2.3 | 0.21 |
| 11/25/07 21:50 | 2.3 | 0.21 |
| 11/25/07 21:55 | 2.3 | 0.21 |
| 11/25/07 22:00 | 2.3 | 0.21 |
| 11/25/07 22:05 | 2.3 | 0.21 |
| 11/25/07 22:10 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 22:15 | 2.3 | 0.21 |
| 11/25/07 22:20 | 2.3 | 0.21 |
| 11/25/07 22:25 | 2.3 | 0.21 |
| 11/25/07 22:30 | 2.3 | 0.21 |
| 11/25/07 22:35 | 2.3 | 0.21 |
| 11/25/07 22:40 | 2.3 | 0.21 |
| 11/25/07 22:45 | 2.3 | 0.21 |
| 11/25/07 22:50 | 2.3 | 0.21 |
| 11/25/07 22:55 | 2.3 | 0.21 |
| 11/25/07 23:00 | 2.3 | 0.21 |
| 11/25/07 23:05 | 2.3 | 0.21 |
| 11/25/07 23:10 | 2.3 | 0.21 |
| 11/25/07 23:15 | 2.3 | 0.21 |
| 11/25/07 23:20 | 2.3 | 0.21 |
| 11/25/07 23:25 | 2.3 | 0.21 |
| 11/25/07 23:30 | 2.3 | 0.21 |
| 11/25/07 23:35 | 2.3 | 0.21 |
| 11/25/07 23:40 | 2.3 | 0.21 |
| 11/25/07 23:45 | 2.3 | 0.21 |
| 11/25/07 23:50 | 2.3 | 0.21 |
| 11/25/07 23:55 | 2.3 | 0.21 |
| 11/26/07 0:00 | 2.3 | 0.21 |
| 11/26/07 0:05 | 2.3 | 0.21 |
| 11/26/07 0:10 | 2.3 | 0.21 |
| 11/26/07 0:15 | 2.3 | 0.21 |
| 11/26/07 0:20 | 2.3 | 0.21 |
| 11/26/07 0:25 | 2.3 | 0.21 |
| 11/26/07 0:30 | 2.3 | 0.21 |
| 11/26/07 0:35 | 2.3 | 0.21 |
| 11/26/07 0:40 | 2.3 | 0.21 |
| 11/26/07 0:45 | 2.3 | 0.21 |
| 11/26/07 0:50 | 2.3 | 0.21 |
| 11/26/07 0:55 | 2.3 | 0.21 |
| 11/26/07 1:00 | 2.3 | 0.21 |
| 11/26/07 1:05 | 2.3 | 0.21 |
| 11/26/07 1:10 | 2.3 | 0.21 |
| 11/26/07 1:15 | 2.3 | 0.21 |
| 11/26/07 1:20 | 2.3 | 0.21 |
| 11/26/07 1:25 | 2.3 | 0.21 |
| 11/26/07 1:30 | 2.3 | 0.21 |
| 11/26/07 1:35 | 2.3 | 0.21 |
| 11/26/07 1:40 | 2.3 | 0.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 1:45 | 2.3 | 0.21 |
| 11/26/07 1:50 | 2.3 | 0.21 |
| 11/26/07 1:55 | 2.3 | 0.21 |
| 11/26/07 2:00 | 2.3 | 0.21 |
| 11/26/07 2:05 | 2.3 | 0.21 |
| 11/26/07 2:10 | 2.3 | 0.21 |
| 11/26/07 2:15 | 2.3 | 0.21 |
| 11/26/07 2:20 | 2.3 | 0.21 |
| 11/26/07 2:25 | 2.3 | 0.21 |
| 11/26/07 2:30 | 2.3 | 0.21 |
| 11/26/07 2:35 | 2.3 | 0.21 |
| 11/26/07 2:40 | 2.3 | 0.21 |
| 11/26/07 2:45 | 2.3 | 0.21 |
| 11/26/07 2:50 | 2.3 | 0.21 |
| 11/26/07 2:55 | 2.3 | 0.21 |
| 11/26/07 3:00 | 2.3 | 0.21 |
| 11/26/07 3:05 | 2.3 | 0.21 |
| 11/26/07 3:10 | 2.3 | 0.21 |
| 11/26/07 3:15 | 2.3 | 0.21 |
| 11/26/07 3:20 | 2.3 | 0.21 |
| 11/26/07 3:25 | 2.3 | 0.21 |
| 11/26/07 3:30 | 2.3 | 0.21 |
| 11/26/07 3:35 | 2.3 | 0.21 |
| 11/26/07 3:40 | 2.3 | 0.21 |
| 11/26/07 3:45 | 2.3 | 0.21 |
| 11/26/07 3:50 | 2.3 | 0.21 |
| 11/26/07 3:55 | 2.3 | 0.21 |
| 11/26/07 4:00 | 2.3 | 0.28 |
| 11/26/07 4:05 | 2.3 | 0.28 |
| 11/26/07 4:10 | 2.3 | 0.28 |
| 11/26/07 4:15 | 2.3 | 0.28 |
| 11/26/07 4:20 | 2.3 | 0.28 |
| 11/26/07 4:25 | 2.3 | 0.29 |
| 11/26/07 4:30 | 2.3 | 0.29 |
| 11/26/07 4:35 | 2.3 | 0.29 |
| 11/26/07 4:40 | 2.3 | 0.31 |
| 11/26/07 4:45 | 2.3 | 0.35 |
| 11/26/07 4:50 | 2.3 | 0.29 |
| 11/26/07 4:55 | 2.3 | 0.29 |
| 11/26/07 5:00 | 2.3 | 0.27 |
| 11/26/07 5:05 | 2.3 | 0.27 |
| 11/26/07 5:10 | 2.3 | 0.27 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 5:15 | 2.3 | 0.29 |
| 11/26/07 5:20 | 2.3 | 0.29 |
| 11/26/07 5:25 | 2.3 | 0.29 |
| 11/26/07 5:30 | 2.3 | 0.29 |
| 11/26/07 5:35 | 2.3 | 0.29 |
| 11/26/07 5:40 | 2.3 | 0.29 |
| 11/26/07 5:45 | 2.3 | 0.29 |
| 11/26/07 5:50 | 2.3 | 0.29 |
| 11/26/07 5:55 | 2.3 | 0.29 |
| 11/26/07 6:00 | 2.3 | 0.29 |
| 11/26/07 6:05 | 2.3 | 0.29 |
| 11/26/07 6:10 | 2.3 | 0.29 |
| 11/26/07 6:15 | 2.3 | 0.29 |
| 11/26/07 6:20 | 2.3 | 0.29 |
| 11/26/07 6:25 | 2.3 | 0.29 |
| 11/26/07 6:30 | 2.3 | 0.29 |
| 11/26/07 6:35 | 2.3 | 0.29 |
| 11/26/07 6:40 | 2.3 | 0.29 |
| 11/26/07 6:45 | 2.3 | 0.29 |
| 11/26/07 6:50 | 2.3 | 0.29 |
| 11/26/07 6:55 | 2.3 | 0.29 |
| 11/26/07 7:00 | 2.3 | 0.29 |
| 11/26/07 7:05 | 2.3 | 0.29 |
| 11/26/07 7:10 | 2.3 | 0.29 |
| 11/26/07 7:15 | 2.3 | 0.29 |
| 11/26/07 7:20 | 2.3 | 0.29 |
| 11/26/07 7:25 | 2.3 | 0.29 |
| 11/26/07 7:30 | 2.3 | 0.29 |
| 11/26/07 7:35 | 2.3 | 0.29 |
| 11/26/07 7:40 | 2.3 | 0.29 |
| 11/26/07 7:45 | 2.3 | 0.29 |
| 11/26/07 7:50 | 2.3 | 0.29 |
| 11/26/07 7:55 | 2.3 | 0.29 |
| 11/26/07 8:00 | 2.3 | 0.29 |
| 11/26/07 8:05 | 2.3 | 0.29 |
| 11/26/07 8:10 | 2.3 | 0.29 |
| 11/26/07 8:15 | 2.3 | 0.29 |
| 11/26/07 8:20 | 2.3 | 0.29 |
| 11/26/07 8:25 | 2.3 | 0.29 |
| 11/26/07 8:30 | 2.3 | 0.29 |
| 11/26/07 8:35 | 2.3 | 0.29 |
| 11/26/07 8:40 | 2.3 | 0.29 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 8:45 | 2.3 | 0.29 |
| 11/26/07 8:50 | 2.3 | 0.29 |
| 11/26/07 8:55 | 2.3 | 0.29 |
| 11/26/07 9:00 | 2.3 | 0.29 |
| 11/26/07 9:05 | 2.3 | 0.29 |
| 11/26/07 9:10 | 2.3 | 0.29 |
| 11/26/07 9:15 | 2.3 | 0.29 |
| 11/26/07 9:20 | 2.3 | 0.29 |
| 11/26/07 9:25 | 2.3 | 0.29 |
| 11/26/07 9:30 | 2.3 | 0.29 |
| 11/26/07 9:35 | 2.3 | 0.29 |
| 11/26/07 9:40 | 2.3 | 0.29 |
| 11/26/07 9:45 | 2.3 | 0.29 |
| 11/26/07 9:50 | 2.3 | 0.29 |
| 11/26/07 9:55 | 2.3 | 0.29 |
| 11/26/07 10:00 | 2.3 | 0.29 |
| 11/26/07 10:05 | 2.3 | 0.29 |
| 11/26/07 10:10 | 2.3 | 0.29 |
| 11/26/07 10:15 | 2.3 | 0.29 |
| 11/26/07 10:20 | 2.3 | 0.29 |
| 11/26/07 10:25 | 2.3 | 0.29 |
| 11/26/07 10:30 | 2.3 | 0.29 |
| 11/26/07 10:35 | 2.3 | 0.29 |
| 11/26/07 10:40 | 2.3 | 0.29 |
| 11/26/07 10:45 | 2.3 | 0.29 |
| 11/26/07 10:50 | 2.3 | 0.29 |
| 11/26/07 10:55 | 2.3 | 0.29 |
| 11/26/07 11:00 | 2.3 | 0.29 |
| 11/26/07 11:05 | 2.3 | 0.29 |
| 11/26/07 11:10 | 2.3 | 0.29 |
| 11/26/07 11:15 | 2.3 | 0.29 |
| 11/26/07 11:20 | 2.3 | 0.29 |
| 11/26/07 11:25 | 2.3 | 0.29 |
| 11/26/07 11:30 | 2.3 | 0.29 |
| 11/26/07 11:35 | 2.3 | 0.29 |
| 11/26/07 11:40 | 2.3 | 0.29 |
| 11/26/07 11:45 | 2.3 | 0.29 |
| 11/26/07 11:50 | 2.3 | 0.29 |
| 11/26/07 11:55 | 2.3 | 0.29 |
| 11/26/07 12:00 | 2.3 | 0.29 |
| 11/26/07 12:05 | 2.3 | 0.23 |
| 11/26/07 12:10 | 2.3 | 0.23 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 12:15 | 2.3 | 0.23 |
| 11/26/07 12:20 | 2.3 | 0.23 |
| 11/26/07 12:25 | 2.3 | 0.23 |
| 11/26/07 12:30 | 2.3 | 0.23 |
| 11/26/07 12:35 | 2.3 | 0.23 |
| 11/26/07 12:40 | 2.3 | 0.23 |
| 11/26/07 12:45 | 2.3 | 0.23 |
| 11/26/07 12:50 | 2.3 | 0.23 |
| 11/26/07 12:55 | 2.3 | 0.23 |
| 11/26/07 13:00 | 2.3 | 0.23 |
| 11/26/07 13:05 | 2.3 | 0.23 |
| 11/26/07 13:10 | 2.3 | 0.23 |
| 11/26/07 13:15 | 2.3 | 0.23 |
| 11/26/07 13:20 | 2.3 | 0.23 |
| 11/26/07 13:25 | 2.3 | 0.23 |
| 11/26/07 13:30 | 2.3 | 0.23 |
| 11/26/07 13:35 | 2.3 | 0.23 |
| 11/26/07 13:40 | 2.3 | 0.23 |
| 11/26/07 13:45 | 2.3 | 0.23 |
| 11/26/07 13:50 | 2.3 | 0.23 |
| 11/26/07 13:55 | 2.3 | 0.23 |
| 11/26/07 14:00 | 2.3 | 0.23 |
| 11/26/07 14:05 | 2.3 | 0.23 |
| 11/26/07 14:10 | 2.3 | 0.27 |
| 11/26/07 14:15 | 2.3 | 0.27 |
| 11/26/07 14:20 | 2.3 | 0.27 |
| 11/26/07 14:25 | 2.3 | 0.27 |
| 11/26/07 14:30 | 2.3 | 0.29 |
| 11/26/07 14:35 | 2.3 | 0.29 |
| 11/26/07 14:40 | 2.3 | 0.29 |
| 11/26/07 14:45 | 2.3 | 0.29 |
| 11/26/07 14:50 | 2.3 | 0.29 |
| 11/26/07 14:55 | 2.3 | 0.29 |
| 11/26/07 15:00 | 2.3 | 0.29 |
| 11/26/07 15:05 | 2.3 | 0.29 |
| 11/26/07 15:10 | 2.3 | 0.29 |
| 11/26/07 15:15 | 2.3 | 0.29 |
| 11/26/07 15:20 | 2.3 | 0.29 |
| 11/26/07 15:25 | 2.3 | 0.29 |
| 11/26/07 15:30 | 2.3 | 0.29 |
| 11/26/07 15:35 | 2.3 | 0.29 |
| 11/26/07 15:40 | 2.3 | 0.29 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 15:45 | 2.3 | 0.29 |
| 11/26/07 15:50 | 2.3 | 0.29 |
| 11/26/07 15:55 | 2.3 | 0.29 |
| 11/26/07 16:00 | 2.3 | 0.29 |
| 11/26/07 16:05 | 2.3 | 0.29 |
| 11/26/07 16:10 | 2.3 | 0.29 |
| 11/26/07 16:15 | 2.3 | 0.29 |
| 11/26/07 16:20 | 2.3 | 0.29 |
| 11/26/07 16:25 | 2.3 | 0.29 |
| 11/26/07 16:30 | 2.3 | 0.29 |
| 11/26/07 16:35 | 2.3 | 0.29 |
| 11/26/07 16:40 | 2.3 | 0.29 |
| 11/26/07 16:45 | 2.3 | 0.29 |
| 11/26/07 16:50 | 2.3 | 0.29 |
| 11/26/07 16:55 | 2.3 | 0.29 |
| 11/26/07 17:00 | 2.3 | 0.29 |
| 11/26/07 17:05 | 2.3 | 0.29 |
| 11/26/07 17:10 | 2.3 | 0.29 |
| 11/26/07 17:15 | 2.3 | 0.29 |
| 11/26/07 17:20 | 2.3 | 0.29 |
| 11/26/07 17:25 | 2.3 | 0.29 |
| 11/26/07 17:30 | 2.3 | 0.29 |
| 11/26/07 17:35 | 2.3 | 0.29 |
| 11/26/07 17:40 | 2.3 | 0.3 |
| 11/26/07 17:45 | 2.3 | 0.3 |
| 11/26/07 17:50 | 2.3 | 0.3 |
| 11/26/07 17:55 | 2.3 | 0.3 |
| 11/26/07 18:00 | 2.3 | 0.3 |
| 11/26/07 18:05 | 2.3 | 0.3 |
| 11/26/07 18:10 | 2.3 | 0.3 |
| 11/26/07 18:15 | 2.3 | 0.3 |
| 11/26/07 18:20 | 2.3 | 0.3 |
| 11/26/07 18:25 | 2.3 | 0.3 |
| 11/26/07 18:30 | 2.3 | 0.3 |
| 11/26/07 18:35 | 2.3 | 0.3 |
| 11/26/07 18:40 | 2.3 | 0.3 |
| 11/26/07 18:45 | 2.3 | 0.3 |
| 11/26/07 18:50 | 2.3 | 0.3 |
| 11/26/07 18:55 | 2.3 | 0.3 |
| 11/26/07 19:00 | 2.3 | 0.3 |
| 11/26/07 19:05 | 2.3 | 0.3 |
| 11/26/07 19:10 | 2.3 | 0.3 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 19:15 | 2.3 | 0.3 |
| 11/26/07 19:20 | 2.3 | 0.3 |
| 11/26/07 19:25 | 2.3 | 0.3 |
| 11/26/07 19:30 | 2.3 | 0.3 |
| 11/26/07 19:35 | 2.3 | 0.3 |
| 11/26/07 19:40 | 2.3 | 0.3 |
| 11/26/07 19:45 | 2.3 | 1.27 |
| 11/26/07 19:50 | 2.3 | 1.27 |
| 11/26/07 19:55 | 2.3 | 1.27 |
| 11/26/07 20:00 | 2.3 | 1.09 |
| 11/26/07 20:05 | 2.3 | 1.02 |
| 11/26/07 20:10 | 2.3 | 1.02 |
| 11/26/07 20:15 | 2.3 | 1.02 |
| 11/26/07 20:20 | 2.3 | 1.02 |
| 11/26/07 20:25 | 2.3 | 1.02 |
| 11/26/07 20:30 | 2.3 | 1.02 |
| 11/26/07 20:35 | 2.3 | 1.02 |
| 11/26/07 20:40 | 2.3 | 1.02 |
| 11/26/07 20:45 | 2.3 | 0.4 |
| 11/26/07 20:50 | 2.3 | 0.52 |
| 11/26/07 20:55 | 2.3 | 0.52 |
| 11/26/07 21:00 | 2.3 | 0.52 |
| 11/26/07 21:05 | 2.3 | 0.45 |
| 11/26/07 21:10 | 2.3 | 0.56 |
| 11/26/07 21:15 | 2.3 | 0.46 |
| 11/26/07 21:20 | 2.3 | 0.47 |
| 11/26/07 21:25 | 2.3 | 0.45 |
| 11/26/07 21:30 | 2.3 | 0.45 |
| 11/26/07 21:35 | 2.3 | 0.4 |
| 11/26/07 21:40 | 2.3 | 0.42 |
| 11/26/07 21:45 | 2.3 | 0.39 |
| 11/26/07 21:50 | 2.3 | 0.39 |
| 11/26/07 21:55 | 2.3 | 0.35 |
| 11/26/07 22:00 | 2.3 | 0.34 |
| 11/26/07 22:05 | 2.3 | 0.36 |
| 11/26/07 22:10 | 2.3 | 0.37 |
| 11/26/07 22:15 | 2.3 | 0.37 |
| 11/26/07 22:20 | 2.3 | 0.37 |
| 11/26/07 22:25 | 2.3 | 0.37 |
| 11/26/07 22:30 | 2.3 | 0.37 |
| 11/26/07 22:35 | 2.3 | 0.37 |
| 11/26/07 22:40 | 2.3 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 22:45 | 2.3 | 0.37 |
| 11/26/07 22:50 | 2.3 | 0.37 |
| 11/26/07 22:55 | 2.3 | 11.86 |
| 11/26/07 23:00 | 2.3 | 11.86 |
| 11/26/07 23:05 | 2.3 | 11.86 |
| 11/26/07 23:10 | 2.3 | 11.86 |
| 11/26/07 23:15 | 2.3 | 11.86 |
| 11/26/07 23:20 | 2.3 | 11.86 |
| 11/26/07 23:25 | 2.3 | 11.86 |
| 11/26/07 23:30 | 2.3 | 11.86 |
| 11/26/07 23:35 | 2.3 | 11.86 |
| 11/26/07 23:40 | 2.3 | 11.86 |
| 11/26/07 23:45 | 2.3 | 11.86 |
| 11/26/07 23:50 | 2.3 | 11.86 |
| 11/26/07 23:55 | 2.3 | 11.86 |
| 11/27/07 0:00 | 2.3 | 11.86 |
| 11/27/07 0:05 | 2.3 | 11.86 |
| 11/27/07 0:10 | 2.3 | 11.86 |
| 11/27/07 0:15 | 2.3 | 11.86 |
| 11/27/07 0:20 | 2.3 | 0.39 |
| 11/27/07 0:25 | 2.3 | 0.36 |
| 11/27/07 0:30 | 2.3 | 0.36 |
| 11/27/07 0:35 | 2.3 | 0.36 |
| 11/27/07 0:40 | 2.3 | 0.45 |
| 11/27/07 0:45 | 2.3 | 0.45 |
| 11/27/07 0:50 | 2.3 | 0.45 |
| 11/27/07 0:55 | 2.3 | 0.45 |
| 11/27/07 1:00 | 2.3 | 0.46 |
| 11/27/07 1:05 | 2.3 | 0.44 |
| 11/27/07 1:10 | 2.3 | 0.44 |
| 11/27/07 1:15 | 2.3 | 0.46 |
| 11/27/07 1:20 | 2.3 | 0.44 |
| 11/27/07 1:25 | 2.3 | 0.45 |
| 11/27/07 1:30 | 2.3 | 0.47 |
| 11/27/07 1:35 | 2.3 | 0.51 |
| 11/27/07 1:40 | 2.3 | 0.45 |
| 11/27/07 1:45 | 2.3 | 0.52 |
| 11/27/07 1:50 | 2.3 | 0.46 |
| 11/27/07 1:55 | 2.3 | 0.46 |
| 11/27/07 2:00 | 2.3 | 0.47 |
| 11/27/07 2:05 | 2.3 | 0.47 |
| 11/27/07 2:10 | 2.3 | 0.47 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 2:15 | 2.3 | 0.42 |
| 11/27/07 2:20 | 2.3 | 0.44 |
| 11/27/07 2:25 | 2.3 | 0.44 |
| 11/27/07 2:30 | 2.3 | 0.44 |
| 11/27/07 2:35 | 2.3 | 0.44 |
| 11/27/07 2:40 | 2.3 | 0.39 |
| 11/27/07 2:45 | 2.3 | 0.37 |
| 11/27/07 2:50 | 2.3 | 0.37 |
| 11/27/07 2:55 | 2.3 | 0.37 |
| 11/27/07 3:00 | 2.3 | 0.37 |
| 11/27/07 3:05 | 2.3 | 0.37 |
| 11/27/07 3:10 | 2.3 | 0.37 |
| 11/27/07 3:15 | 2.3 | 0.37 |
| 11/27/07 3:20 | 2.3 | 0.37 |
| 11/27/07 3:25 | 2.3 | 0.4 |
| 11/27/07 3:30 | 2.3 | 0.4 |
| 11/27/07 3:35 | 2.3 | 0.4 |
| 11/27/07 3:40 | 2.3 | 0.4 |
| 11/27/07 3:45 | 2.3 | 0.39 |
| 11/27/07 3:50 | 2.3 | 0.38 |
| 11/27/07 3:55 | 2.3 | 0.38 |
| 11/27/07 4:00 | 2.3 | 0.38 |
| 11/27/07 4:05 | 2.3 | 0.38 |
| 11/27/07 4:10 | 2.3 | 0.43 |
| 11/27/07 4:15 | 2.3 | 0.43 |
| 11/27/07 4:20 | 2.3 | 0.4 |
| 11/27/07 4:25 | 2.3 | 0.4 |
| 11/27/07 4:30 | 2.3 | 0.4 |
| 11/27/07 4:35 | 2.3 | 0.4 |
| 11/27/07 4:40 | 2.3 | 0.4 |
| 11/27/07 4:45 | 2.3 | 0.4 |
| 11/27/07 4:50 | 2.3 | 1.2 |
| 11/27/07 4:55 | 2.3 | 1.2 |
| 11/27/07 5:00 | 2.3 | 1.2 |
| 11/27/07 5:05 | 2.3 | 1.2 |
| 11/27/07 5:10 | 2.3 | 1.2 |
| 11/27/07 5:15 | 2.3 | 0.39 |
| 11/27/07 5:20 | 2.3 | 0.39 |
| 11/27/07 5:25 | 2.3 | 0.39 |
| 11/27/07 5:30 | 2.3 | 0.39 |
| 11/27/07 5:35 | 2.3 | 0.37 |
| 11/27/07 5:40 | 2.3 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 5:45 | 2.3 | 0.41 |
| 11/27/07 5:50 | 2.3 | 0.41 |
| 11/27/07 5:55 | 2.3 | 0.41 |
| 11/27/07 6:00 | 2.3 | 0.41 |
| 11/27/07 6:05 | 2.3 | 0.38 |
| 11/27/07 6:10 | 2.3 | 0.38 |
| 11/27/07 6:15 | 2.3 | 0.38 |
| 11/27/07 6:20 | 2.3 | 0.36 |
| 11/27/07 6:25 | 2.3 | 0.36 |
| 11/27/07 6:30 | 2.3 | 0.36 |
| 11/27/07 6:35 | 2.3 | 0.36 |
| 11/27/07 6:40 | 2.3 | 0.36 |
| 11/27/07 6:45 | 2.3 | 0.36 |
| 11/27/07 6:50 | 2.3 | 0.36 |
| 11/27/07 6:55 | 2.3 | 0.36 |
| 11/27/07 7:00 | 2.3 | 0.35 |
| 11/27/07 7:05 | 2.3 | 0.32 |
| 11/27/07 7:10 | 2.3 | 0.32 |
| 11/27/07 7:15 | 2.3 | 0.32 |
| 11/27/07 7:20 | 2.3 | 0.38 |
| 11/27/07 7:25 | 2.3 | 0.41 |
| 11/27/07 7:30 | 2.3 | 0.41 |
| 11/27/07 7:35 | 2.3 | 0.41 |
| 11/27/07 7:40 | 2.3 | 0.39 |
| 11/27/07 7:45 | 2.3 | 0.39 |
| 11/27/07 7:50 | 2.3 | 0.35 |
| 11/27/07 7:55 | 2.3 | 0.35 |
| 11/27/07 8:00 | 2.3 | 0.33 |
| 11/27/07 8:05 | 2.3 | 0.33 |
| 11/27/07 8:10 | 2.3 | 0.33 |
| 11/27/07 8:15 | 2.3 | 0.43 |
| 11/27/07 8:20 | 2.3 | 0.43 |
| 11/27/07 8:25 | 2.3 | 0.43 |
| 11/27/07 8:30 | 2.3 | 0.43 |
| 11/27/07 8:35 | 2.3 | 0.43 |
| 11/27/07 8:40 | 2.3 | 0.43 |
| 11/27/07 8:45 | 2.3 | 0.31 |
| 11/27/07 8:50 | 2.3 | 0.31 |
| 11/27/07 8:55 | 2.3 | 0.31 |
| 11/27/07 9:00 | 2.3 | 0.31 |
| 11/27/07 9:05 | 2.3 | 0.31 |
| 11/27/07 9:10 | 2.3 | 0.29 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 9:15 | 2.3 | 0.29 |
| 11/27/07 9:20 | 2.3 | 0.29 |
| 11/27/07 9:25 | 2.3 | 0.29 |
| 11/27/07 9:30 | 2.3 | 0.29 |
| 11/27/07 9:35 | 2.3 | 0.29 |
| 11/27/07 9:40 | 2.3 | 0.29 |
| 11/27/07 9:45 | 2.3 | 0.32 |
| 11/27/07 9:50 | 2.3 | 0.32 |
| 11/27/07 9:55 | 2.3 | 0.32 |
| 11/27/07 10:00 | 2.3 | 0.32 |
| 11/27/07 10:05 | 2.3 | 0.32 |
| 11/27/07 10:10 | 2.3 | 0.32 |
| 11/27/07 10:15 | 2.3 | 0.33 |
| 11/27/07 10:20 | 2.3 | 0.33 |
| 11/27/07 10:25 | 2.3 | 0.37 |
| 11/27/07 10:30 | 2.3 | 0.37 |
| 11/27/07 10:35 | 2.3 | 0.37 |
| 11/27/07 10:40 | 2.3 | 0.36 |
| 11/27/07 10:45 | 2.3 | 0.36 |
| 11/27/07 10:50 | 2.3 | 0.32 |
| 11/27/07 10:55 | 2.3 | 0.32 |
| 11/27/07 11:00 | 2.3 | 0.32 |
| 11/27/07 11:05 | 2.3 | 0.32 |
| 11/27/07 11:10 | 2.3 | 0.32 |
| 11/27/07 11:15 | 2.3 | 0.32 |
| 11/27/07 11:20 | 2.3 | 0.32 |
| 11/27/07 11:25 | 2.3 | 0.32 |
| 11/27/07 11:30 | 2.3 | 0.32 |
| 11/27/07 11:35 | 2.3 | 0.32 |
| 11/27/07 11:40 | 2.3 | 0.32 |
| 11/27/07 11:45 | 2.3 | 0.32 |
| 11/27/07 11:50 | 2.3 | 0.32 |
| 11/27/07 11:55 | 2.3 | 0.32 |
| 11/27/07 12:00 | 2.3 | 0.32 |
| 11/27/07 12:05 | 2.3 | 0.32 |
| 11/27/07 12:10 | 2.3 | 0.32 |
| 11/27/07 12:15 | 2.3 | 9.48 |
| 11/27/07 12:20 | 2.3 | 9.48 |
| 11/27/07 12:25 | 2.3 | 9.48 |
| 11/27/07 12:30 | 2.3 | 9.48 |
| 11/27/07 12:35 | 2.3 | 9.48 |
| 11/27/07 12:40 | 2.3 | 9.48 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 12:45 | 2.3 | 10.28 |
| 11/27/07 12:50 | 2.3 | 10.28 |
| 11/27/07 12:55 | 2.3 | 10.28 |
| 11/27/07 13:00 | 2.3 | 9.71 |
| 11/27/07 13:05 | 2.3 | 9.71 |
| 11/27/07 13:10 | 2.3 | 9.71 |
| 11/27/07 13:15 | 2.3 | 9.71 |
| 11/27/07 13:20 | 2.3 | 9.71 |
| 11/27/07 13:25 | 2.3 | 9.71 |
| 11/27/07 13:30 | 2.3 | 9.71 |
| 11/27/07 13:35 | 2.3 | 9.71 |
| 11/27/07 13:40 | 2.3 | 9.71 |
| 11/27/07 13:45 | 2.3 | 9.71 |
| 11/27/07 13:50 | 2.3 | 9.71 |
| 11/27/07 13:55 | 2.3 | 9.71 |
| 11/27/07 14:00 | 2.3 | 12.18 |
| 11/27/07 14:05 | 2.3 | 12.18 |
| 11/27/07 14:10 | 2.3 | 12.18 |
| 11/27/07 14:15 | 2.3 | 12.95 |
| 11/27/07 14:20 | 2.3 | 12.95 |
| 11/27/07 14:25 | 2.3 | 12.95 |
| 11/27/07 14:30 | 2.3 | 12.95 |
| 11/27/07 14:35 | 2.3 | 12.95 |
| 11/27/07 14:40 | 2.3 | 12.95 |
| 11/27/07 14:45 | 2.3 | 12.95 |
| 11/27/07 14:50 | 2.3 | 12.95 |
| 11/27/07 14:55 | 2.3 | 12.95 |
| 11/27/07 15:00 | 2.3 | 12.95 |
| 11/27/07 15:05 | 2.3 | 12.95 |
| 11/27/07 15:10 | 2.3 | 12.95 |
| 11/27/07 15:15 | 2.3 | 12.95 |
| 11/27/07 15:20 | 2.3 | 12.95 |
| 11/27/07 15:25 | 2.3 | 12.95 |
| 11/27/07 15:30 | 2.3 | 12.95 |
| 11/27/07 15:35 | 2.3 | 12.95 |
| 11/27/07 15:40 | 2.3 | 12.95 |
| 11/27/07 15:45 | 2.3 | 12.95 |
| 11/27/07 15:50 | 2.3 | 12.95 |
| 11/27/07 15:55 | 2.3 | 12.95 |
| 11/27/07 16:00 | 2.3 | 12.95 |
| 11/27/07 16:05 | 2.3 | 12.95 |
| 11/27/07 16:10 | 2.3 | 12.95 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 16:15 | 2.3 | 12.95 |
| 11/27/07 16:20 | 2.3 | 12.95 |
| 11/27/07 16:25 | 2.3 | 12.95 |
| 11/27/07 16:30 | 2.3 | 14.93 |
| 11/27/07 16:35 | 2.3 | 14.93 |
| 11/27/07 16:40 | 2.3 | 14.93 |
| 11/27/07 16:45 | 2.3 | 14.93 |
| 11/27/07 16:50 | 2.3 | 14.93 |
| 11/27/07 16:55 | 2.3 | 14.93 |
| 11/27/07 17:00 | 2.3 | 14.93 |
| 11/27/07 17:05 | 2.3 | 14.93 |
| 11/27/07 17:10 | 2.3 | 14.93 |
| 11/27/07 17:15 | 2.3 | 14.93 |
| 11/27/07 17:20 | 2.3 | 14.93 |
| 11/27/07 17:25 | 2.3 | 14.93 |
| 11/27/07 17:30 | 2.3 | 14.93 |
| 11/27/07 17:35 | 2.3 | 14.93 |
| 11/27/07 17:40 | 2.3 | 14.93 |
| 11/27/07 17:45 | 2.3 | 14.93 |
| 11/27/07 17:50 | 2.3 | 14.93 |
| 11/27/07 17:55 | 2.3 | 14.93 |
| 11/27/07 18:00 | 2.3 | 14.93 |
| 11/27/07 18:05 | 2.3 | 14.93 |
| 11/27/07 18:10 | 2.3 | 14.93 |
| 11/27/07 18:15 | 2.3 | 14.93 |
| 11/27/07 18:20 | 2.3 | 0.32 |
| 11/27/07 18:25 | 2.3 | 0.32 |
| 11/27/07 18:30 | 2.3 | 0.32 |
| 11/27/07 18:35 | 2.3 | 0.32 |
| 11/27/07 18:40 | 2.3 | 0.32 |
| 11/27/07 18:45 | 2.3 | 0.32 |
| 11/27/07 18:50 | 2.3 | 0.32 |
| 11/27/07 18:55 | 2.3 | 0.32 |
| 11/27/07 19:00 | 2.3 | 0.32 |
| 11/27/07 19:05 | 2.3 | 0.32 |
| 11/27/07 19:10 | 2.3 | 0.32 |
| 11/27/07 19:15 | 2.3 | 0.32 |
| 11/27/07 19:20 | 2.3 | 0.32 |
| 11/27/07 19:25 | 2.3 | 0.32 |
| 11/27/07 19:30 | 2.3 | 0.32 |
| 11/27/07 19:35 | 2.3 | 0.32 |
| 11/27/07 19:40 | 2.3 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 19:45 | 2.3 | 0.28 |
| 11/27/07 19:50 | 2.3 | 0.28 |
| 11/27/07 19:55 | 2.3 | 0.28 |
| 11/27/07 20:00 | 2.3 | 0.34 |
| 11/27/07 20:05 | 2.3 | 0.34 |
| 11/27/07 20:10 | 2.3 | 0.35 |
| 11/27/07 20:15 | 2.3 | 0.35 |
| 11/27/07 20:20 | 2.3 | 0.35 |
| 11/27/07 20:25 | 2.3 | 0.35 |
| 11/27/07 20:30 | 2.3 | 0.35 |
| 11/27/07 20:35 | 2.3 | 0.35 |
| 11/27/07 20:40 | 2.3 | 0.31 |
| 11/27/07 20:45 | 2.3 | 0.31 |
| 11/27/07 20:50 | 2.3 | 0.31 |
| 11/27/07 20:55 | 2.3 | 0.31 |
| 11/27/07 21:00 | 2.3 | 0.31 |
| 11/27/07 21:05 | 2.3 | 0.31 |
| 11/27/07 21:10 | 2.3 | 0.31 |
| 11/27/07 21:15 | 2.3 | 0.31 |
| 11/27/07 21:20 | 2.3 | 0.31 |
| 11/27/07 21:25 | 2.3 | 0.31 |
| 11/27/07 21:30 | 2.3 | 0.31 |
| 11/27/07 21:35 | 2.3 | 0.31 |
| 11/27/07 21:40 | 2.3 | 0.31 |
| 11/27/07 21:45 | 2.3 | 0.31 |
| 11/27/07 21:50 | 2.3 | 0.31 |
| 11/27/07 21:55 | 2.3 | 0.31 |
| 11/27/07 22:00 | 2.3 | 0.31 |
| 11/27/07 22:05 | 2.3 | 0.3 |
| 11/27/07 22:10 | 2.3 | 0.3 |
| 11/27/07 22:15 | 2.3 | 0.3 |
| 11/27/07 22:20 | 2.3 | 0.3 |
| 11/27/07 22:25 | 2.3 | 0.3 |
| 11/27/07 22:30 | 2.3 | 0.3 |
| 11/27/07 22:35 | 2.3 | 0.3 |
| 11/27/07 22:40 | 2.3 | 0.3 |
| 11/27/07 22:45 | 2.3 | 0.3 |
| 11/27/07 22:50 | 2.3 | 0.3 |
| 11/27/07 22:55 | 2.3 | 0.3 |
| 11/27/07 23:00 | 2.3 | 0.3 |
| 11/27/07 23:05 | 2.3 | 0.3 |
| 11/27/07 23:10 | 2.3 | 0.3 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 23:15 | 2.3 | 0.3 |
| 11/27/07 23:20 | 2.3 | 0.3 |
| 11/27/07 23:25 | 2.3 | 0.3 |
| 11/27/07 23:30 | 2.3 | 0.3 |
| 11/27/07 23:35 | 2.3 | 0.3 |
| 11/27/07 23:40 | 2.3 | 0.3 |
| 11/27/07 23:45 | 2.3 | 0.3 |
| 11/27/07 23:50 | 2.3 | 0.3 |
| 11/27/07 23:55 | 2.3 | 0.3 |
| 11/28/07 0:00 | 2.3 | 0.3 |
| 11/28/07 0:05 | 2.3 | 0.3 |
| 11/28/07 0:10 | 2.3 | 0.3 |
| 11/28/07 0:15 | 2.3 | 0.3 |
| 11/28/07 0:20 | 2.3 | 0.3 |
| 11/28/07 0:25 | 2.3 | 0.3 |
| 11/28/07 0:30 | 2.3 | 0.3 |
| 11/28/07 0:35 | 2.3 | 0.3 |
| 11/28/07 0:40 | 2.3 | 0.34 |
| 11/28/07 0:45 | 2.3 | 0.34 |
| 11/28/07 0:50 | 2.3 | 0.3 |
| 11/28/07 0:55 | 2.3 | 0.3 |
| 11/28/07 1:00 | 2.3 | 0.3 |
| 11/28/07 1:05 | 2.3 | 0.26 |
| 11/28/07 1:10 | 2.3 | 0.26 |
| 11/28/07 1:15 | 2.3 | 0.32 |
| 11/28/07 1:20 | 2.3 | 0.32 |
| 11/28/07 1:25 | 2.3 | 0.32 |
| 11/28/07 1:30 | 2.3 | 0.32 |
| 11/28/07 1:35 | 2.3 | 0.32 |
| 11/28/07 1:40 | 2.3 | 0.32 |
| 11/28/07 1:45 | 2.3 | 0.32 |
| 11/28/07 1:50 | 2.3 | 0.32 |
| 11/28/07 1:55 | 2.3 | 0.32 |
| 11/28/07 2:00 | 2.3 | 0.32 |
| 11/28/07 2:05 | 2.3 | 0.32 |
| 11/28/07 2:10 | 2.3 | 0.32 |
| 11/28/07 2:15 | 2.3 | 0.32 |
| 11/28/07 2:20 | 2.3 | 0.25 |
| 11/28/07 2:25 | 2.3 | 0.25 |
| 11/28/07 2:30 | 2.3 | 0.25 |
| 11/28/07 2:35 | 2.3 | 0.25 |
| 11/28/07 2:40 | 2.3 | 0.25 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 2:45 | 2.3 | 0.25 |
| 11/28/07 2:50 | 2.3 | 0.25 |
| 11/28/07 2:55 | 2.3 | 0.25 |
| 11/28/07 3:00 | 2.3 | 10.18 |
| 11/28/07 3:05 | 2.3 | 10.18 |
| 11/28/07 3:10 | 2.3 | 10.18 |
| 11/28/07 3:15 | 2.3 | 10.18 |
| 11/28/07 3:20 | 2.3 | 10.18 |
| 11/28/07 3:25 | 2.3 | 10.18 |
| 11/28/07 3:30 | 2.3 | 11.4 |
| 11/28/07 3:35 | 2.3 | 11.4 |
| 11/28/07 3:40 | 2.3 | 11.4 |
| 11/28/07 3:45 | 2.3 | 11.4 |
| 11/28/07 3:50 | 2.3 | 11.4 |
| 11/28/07 3:55 | 2.3 | 11.4 |
| 11/28/07 4:00 | 2.3 | 11.4 |
| 11/28/07 4:05 | 2.3 | 11.4 |
| 11/28/07 4:10 | 2.3 | 11.4 |
| 11/28/07 4:15 | 2.3 | 11.4 |
| 11/28/07 4:20 | 2.3 | 11.4 |
| 11/28/07 4:25 | 2.3 | 11.4 |
| 11/28/07 4:30 | 2.3 | 11.4 |
| 11/28/07 4:35 | 2.3 | 11.4 |
| 11/28/07 4:40 | 2.3 | 11.4 |
| 11/28/07 4:45 | 2.3 | 11.4 |
| 11/28/07 4:50 | 2.3 | 11.4 |
| 11/28/07 4:55 | 2.3 | 11.4 |
| 11/28/07 5:00 | 2.3 | 11.4 |
| 11/28/07 5:05 | 2.3 | 11.4 |
| 11/28/07 5:10 | 2.3 | 11.4 |
| 11/28/07 5:15 | 2.3 | 11.4 |
| 11/28/07 5:20 | 2.3 | 11.4 |
| 11/28/07 5:25 | 2.3 | 11.4 |
| 11/28/07 5:30 | 2.3 | 11.4 |
| 11/28/07 5:35 | 2.3 | 11.4 |
| 11/28/07 5:40 | 2.3 | 11.4 |
| 11/28/07 5:45 | 2.3 | 11.4 |
| 11/28/07 5:50 | 2.3 | 11.4 |
| 11/28/07 5:55 | 2.3 | 11.4 |
| 11/28/07 6:00 | 2.3 | 11.4 |
| 11/28/07 6:05 | 2.3 | 11.4 |
| 11/28/07 6:10 | 2.3 | 11.4 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 6:15 | 2.3 | 11.4 |
| 11/28/07 6:20 | 2.3 | 11.4 |
| 11/28/07 6:25 | 2.3 | 11.4 |
| 11/28/07 6:30 | 2.3 | 11.4 |
| 11/28/07 6:35 | 2.3 | 11.4 |
| 11/28/07 6:40 | 2.3 | 11.4 |
| 11/28/07 6:45 | 2.3 | 11.4 |
| 11/28/07 6:50 | 2.3 | 11.4 |
| 11/28/07 6:55 | 2.3 | 11.4 |
| 11/28/07 7:00 | 2.3 | 11.4 |
| 11/28/07 7:05 | 2.3 | 11.4 |
| 11/28/07 7:10 | 2.3 | 0.32 |
| 11/28/07 7:15 | 2.3 | 0.32 |
| 11/28/07 7:20 | 2.3 | 0.3 |
| 11/28/07 7:25 | 2.3 | 0.3 |
| 11/28/07 7:30 | 2.3 | 0.3 |
| 11/28/07 7:35 | 2.3 | 0.3 |
| 11/28/07 7:40 | 2.3 | 0.3 |
| 11/28/07 7:45 | 2.3 | 0.3 |
| 11/28/07 7:50 | 2.3 | 0.3 |
| 11/28/07 7:55 | 2.3 | 0.3 |
| 11/28/07 8:00 | 2.3 | 0.3 |
| 11/28/07 8:05 | 2.3 | 1.06 |
| 11/28/07 8:10 | 2.3 | 1.06 |
| 11/28/07 8:15 | 2.3 | 0.3 |
| 11/28/07 8:20 | 2.3 | 0.3 |
| 11/28/07 8:25 | 2.3 | 0.3 |
| 11/28/07 8:30 | 2.3 | 0.3 |
| 11/28/07 8:35 | 2.3 | 0.3 |
| 11/28/07 8:40 | 2.3 | 0.3 |
| 11/28/07 8:45 | 2.3 | 0.3 |
| 11/28/07 8:50 | 2.3 | 0.3 |
| 11/28/07 8:55 | 2.3 | 0.31 |
| 11/28/07 9:00 | 2.3 | 0.28 |
| 11/28/07 9:05 | 2.3 | 0.28 |
| 11/28/07 9:10 | 2.3 | 0.32 |
| 11/28/07 9:15 | 2.3 | 0.32 |
| 11/28/07 9:20 | 2.3 | 0.32 |
| 11/28/07 9:25 | 2.3 | 0.32 |
| 11/28/07 9:30 | 2.3 | 0.32 |
| 11/28/07 9:35 | 2.3 | 0.32 |
| 11/28/07 9:40 | 2.3 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 9:45 | 2.3 | 0.28 |
| 11/28/07 9:50 | 2.3 | 0.28 |
| 11/28/07 9:55 | 2.3 | 0.28 |
| 11/28/07 10:00 | 2.3 | 0.28 |
| 11/28/07 10:05 | 2.3 | 0.28 |
| 11/28/07 10:10 | 2.3 | 0.28 |
| 11/28/07 10:15 | 2.3 | 0.28 |
| 11/28/07 10:20 | 2.3 | 0.28 |
| 11/28/07 10:25 | 2.3 | 0.28 |
| 11/28/07 10:30 | 2.3 | 0.28 |
| 11/28/07 10:35 | 2.3 | 0.26 |
| 11/28/07 10:40 | 2.3 | 1.05 |
| 11/28/07 10:45 | 2.3 | 1.05 |
| 11/28/07 10:50 | 2.3 | 1.05 |
| 11/28/07 10:55 | 2.3 | 0.29 |
| 11/28/07 11:00 | 2.3 | 0.29 |
| 11/28/07 11:05 | 2.3 | 0.32 |
| 11/28/07 11:10 | 2.3 | 0.32 |
| 11/28/07 11:15 | 2.3 | 0.32 |
| 11/28/07 11:20 | 2.3 | 0.32 |
| 11/28/07 11:25 | 2.3 | 0.32 |
| 11/28/07 11:30 | 2.3 | 0.32 |
| 11/28/07 11:35 | 2.3 | 0.32 |
| 11/28/07 11:40 | 2.3 | 0.32 |
| 11/28/07 11:45 | 2.3 | 0.32 |
| 11/28/07 11:50 | 2.3 | 0.32 |
| 11/28/07 11:55 | 2.3 | 0.32 |
| 11/28/07 12:00 | 2.3 | 0.32 |
| 11/28/07 12:05 | 2.3 | 0.32 |
| 11/28/07 12:10 | 2.3 | 0.32 |
| 11/28/07 12:15 | 2.3 | 0.32 |
| 11/28/07 12:20 | 2.3 | 0.32 |
| 11/28/07 12:25 | 2.3 | 0.32 |
| 11/28/07 12:30 | 2.3 | 0.32 |
| 11/28/07 12:35 | 2.3 | 0.32 |
| 11/28/07 12:40 | 2.3 | 0.32 |
| 11/28/07 12:45 | 2.3 | 0.32 |
| 11/28/07 12:50 | 2.3 | 0.32 |
| 11/28/07 12:55 | 2.3 | 0.32 |
| 11/28/07 13:00 | 2.3 | 0.32 |
| 11/28/07 13:05 | 2.3 | 0.32 |
| 11/28/07 13:10 | 2.3 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 13:15 | 2.3 | 0.32 |
| 11/28/07 13:20 | 2.3 | 0.32 |
| 11/28/07 13:25 | 2.3 | 0.3 |
| 11/28/07 13:30 | 2.3 | 0.3 |
| 11/28/07 13:35 | 2.3 | 0.3 |
| 11/28/07 13:40 | 2.3 | 0.3 |
| 11/28/07 13:45 | 2.3 | 0.3 |
| 11/28/07 13:50 | 2.3 | 0.3 |
| 11/28/07 13:55 | 2.3 | 0.3 |
| 11/28/07 14:00 | 2.3 | 0.3 |
| 11/28/07 14:05 | 2.3 | 0.3 |
| 11/28/07 14:10 | 2.3 | 0.3 |
| 11/28/07 14:15 | 2.3 | 0.27 |
| 11/28/07 14:20 | 2.3 | 0.27 |
| 11/28/07 14:25 | 2.3 | 0.27 |
| 11/28/07 14:30 | 2.3 | 0.27 |
| 11/28/07 14:35 | 2.3 | 0.27 |
| 11/28/07 14:40 | 2.3 | 0.27 |
| 11/28/07 14:45 | 2.3 | 0.27 |
| 11/28/07 14:50 | 2.3 | 0.27 |
| 11/28/07 14:55 | 2.3 | 0.27 |
| 11/28/07 15:00 | 2.3 | 0.27 |
| 11/28/07 15:05 | 2.3 | 0.27 |
| 11/28/07 15:10 | 2.3 | 0.27 |
| 11/28/07 15:15 | 2.3 | 0.27 |
| 11/28/07 15:20 | 2.3 | 0.27 |
| 11/28/07 15:25 | 2.3 | 0.27 |
| 11/28/07 15:30 | 2.3 | 0.27 |
| 11/28/07 15:35 | 2.3 | 0.27 |
| 11/28/07 15:40 | 2.3 | 0.27 |
| 11/28/07 15:45 | 2.3 | 0.27 |
| 11/28/07 15:50 | 2.3 | 0.27 |
| 11/28/07 15:55 | 2.3 | 0.27 |
| 11/28/07 16:00 | 2.3 | 0.27 |
| 11/28/07 16:05 | 2.3 | 0.27 |
| 11/28/07 16:10 | 2.3 | 0.27 |
| 11/28/07 16:15 | 2.3 | 0.27 |
| 11/28/07 16:20 | 2.3 | 0.27 |
| 11/28/07 16:25 | 2.3 | 0.27 |
| 11/28/07 16:30 | 2.3 | 0.27 |
| 11/28/07 16:35 | 2.3 | 0.27 |
| 11/28/07 16:40 | 2.3 | 0.27 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 16:45 | 2.3 | 0.27 |
| 11/28/07 16:50 | 2.3 | 0.27 |
| 11/28/07 16:55 | 2.3 | 0.27 |
| 11/28/07 17:00 | 2.3 | 0.27 |
| 11/28/07 17:05 | 2.3 | 0.27 |
| 11/28/07 17:10 | 2.3 | 0.27 |
| 11/28/07 17:15 | 2.3 | 0.27 |
| 11/28/07 17:20 | 2.3 | 0.27 |
| 11/28/07 17:25 | 2.3 | 0.27 |
| 11/28/07 17:30 | 2.3 | 0.27 |
| 11/28/07 17:35 | 2.3 | 0.27 |
| 11/28/07 17:40 | 2.3 | 0.27 |
| 11/28/07 17:45 | 2.3 | 0.27 |
| 11/28/07 17:50 | 2.3 | 0.27 |
| 11/28/07 17:55 | 2.3 | 10 |
| 11/28/07 18:00 | 2.3 | 10 |
| 11/28/07 18:05 | 2.3 | 10.83 |
| 11/28/07 18:10 | 2.3 | 10.83 |
| 11/28/07 18:15 | 2.3 | 10.83 |
| 11/28/07 18:20 | 2.3 | 10.83 |
| 11/28/07 18:25 | 2.3 | 10.83 |
| 11/28/07 18:30 | 2.3 | 10.83 |
| 11/28/07 18:35 | 2.3 | 10.83 |
| 11/28/07 18:40 | 2.3 | 10.83 |
| 11/28/07 18:45 | 2.3 | 10.83 |
| 11/28/07 18:50 | 2.3 | 10.83 |
| 11/28/07 18:55 | 2.3 | 10.83 |
| 11/28/07 19:00 | 2.3 | 10.83 |
| 11/28/07 19:05 | 2.3 | 10.83 |
| 11/28/07 19:10 | 2.3 | 10.83 |
| 11/28/07 19:15 | 2.3 | 10.83 |
| 11/28/07 19:20 | 2.3 | 10.83 |
| 11/28/07 19:25 | 2.3 | 10.83 |
| 11/28/07 19:30 | 2.3 | 10.83 |
| 11/28/07 19:35 | 2.3 | 8.04 |
| 11/28/07 19:40 | 2.3 | 8.04 |
| 11/28/07 19:45 | 2.3 | 8.04 |
| 11/28/07 19:50 | 2.3 | 8.04 |
| 11/28/07 19:55 | 2.3 | 8.04 |
| 11/28/07 20:00 | 2.3 | 8.04 |
| 11/28/07 20:05 | 2.3 | 9.64 |
| 11/28/07 20:10 | 2.3 | 9.64 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 20:15 | 2.3 | 9.64 |
| 11/28/07 20:20 | 2.3 | 11.02 |
| 11/28/07 20:25 | 2.3 | 11.02 |
| 11/28/07 20:30 | 2.3 | 11.02 |
| 11/28/07 20:35 | 2.3 | 11.02 |
| 11/28/07 20:40 | 2.3 | 11.02 |
| 11/28/07 20:45 | 2.3 | 11.02 |
| 11/28/07 20:50 | 2.3 | 11.02 |
| 11/28/07 20:55 | 2.3 | 11.02 |
| 11/28/07 21:00 | 2.3 | 11.02 |
| 11/28/07 21:05 | 2.3 | 11.02 |
| 11/28/07 21:10 | 2.3 | 11.02 |
| 11/28/07 21:15 | 2.3 | 11.02 |
| 11/28/07 21:20 | 2.3 | 11.02 |
| 11/28/07 21:25 | 2.3 | 11.02 |
| 11/28/07 21:30 | 2.3 | 11.02 |
| 11/28/07 21:35 | 2.3 | 11.02 |
| 11/28/07 21:40 | 2.3 | 11.02 |
| 11/28/07 21:45 | 2.3 | 11.02 |
| 11/28/07 21:50 | 2.3 | 11.02 |
| 11/28/07 21:55 | 2.3 | 11.02 |
| 11/28/07 22:00 | 2.3 | 11.02 |
| 11/28/07 22:05 | 2.3 | 11.02 |
| 11/28/07 22:10 | 2.3 | 11.02 |
| 11/28/07 22:15 | 2.3 | 11.02 |
| 11/28/07 22:20 | 2.3 | 11.02 |
| 11/28/07 22:25 | 2.3 | 11.02 |
| 11/28/07 22:30 | 2.3 | 11.02 |
| 11/28/07 22:35 | 2.3 | 11.02 |
| 11/28/07 22:40 | 2.3 | 11.02 |
| 11/28/07 22:45 | 2.3 | 11.02 |
| 11/28/07 22:50 | 2.3 | 11.02 |
| 11/28/07 22:55 | 2.3 | 11.02 |
| 11/28/07 23:00 | 2.3 | 11.02 |
| 11/28/07 23:05 | 2.3 | 11.02 |
| 11/28/07 23:10 | 2.3 | 11.02 |
| 11/28/07 23:15 | 2.3 | 11.02 |
| 11/28/07 23:20 | 2.3 | 11.02 |
| 11/28/07 23:25 | 2.3 | 6.88 |
| 11/28/07 23:30 | 2.3 | 6.88 |
| 11/28/07 23:35 | 2.3 | 6.88 |
| 11/28/07 23:40 | 2.3 | 6.88 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 23:45 | 2.3 | 6.88 |
| 11/28/07 23:50 | 2.3 | 6.88 |
| 11/28/07 23:55 | 2.3 | 6.88 |
| 11/29/07 0:00 | 2.3 | 6.88 |
| 11/29/07 0:05 | 2.3 | 6.88 |
| 11/29/07 0:10 | 2.3 | 6.88 |
| 11/29/07 0:15 | 2.3 | 11.79 |
| 11/29/07 0:20 | 2.3 | 11.79 |
| 11/29/07 0:25 | 2.3 | 11.79 |
| 11/29/07 0:30 | 2.3 | 11.79 |
| 11/29/07 0:35 | 2.3 | 11.79 |
| 11/29/07 0:40 | 2.3 | 11.79 |
| 11/29/07 0:45 | 2.3 | 11.79 |
| 11/29/07 0:50 | 2.3 | 11.79 |
| 11/29/07 0:55 | 2.3 | 11.79 |
| 11/29/07 1:00 | 2.3 | 11.79 |
| 11/29/07 1:05 | 2.3 | 11.79 |
| 11/29/07 1:10 | 2.3 | 11.79 |
| 11/29/07 1:15 | 2.3 | 11.79 |
| 11/29/07 1:20 | 2.3 | 9.62 |
| 11/29/07 1:25 | 2.3 | 9.62 |
| 11/29/07 1:30 | 2.3 | 9.62 |
| 11/29/07 1:35 | 2.3 | 9.62 |
| 11/29/07 1:40 | 2.3 | 9.62 |
| 11/29/07 1:45 | 2.3 | 8.45 |
| 11/29/07 1:50 | 2.3 | 8.45 |
| 11/29/07 1:55 | 2.3 | 8.45 |
| 11/29/07 2:00 | 2.3 | 8.45 |
| 11/29/07 2:05 | 2.3 | 8.45 |
| 11/29/07 2:10 | 2.3 | 8.45 |
| 11/29/07 2:15 | 2.3 | 8.45 |
| 11/29/07 2:20 | 2.3 | 8.45 |
| 11/29/07 2:25 | 2.3 | 8.45 |
| 11/29/07 2:30 | 2.3 | 8.45 |
| 11/29/07 2:35 | 2.3 | 8.45 |
| 11/29/07 2:40 | 2.3 | 8.45 |
| 11/29/07 2:45 | 2.3 | 8.45 |
| 11/29/07 2:50 | 2.3 | 8.45 |
| 11/29/07 2:55 | 2.3 | 8.45 |
| 11/29/07 3:00 | 2.3 | 8.45 |
| 11/29/07 3:05 | 2.3 | 8.45 |
| 11/29/07 3:10 | 2.3 | 8.45 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 3:15 | 2.3 | 8.45 |
| 11/29/07 3:20 | 2.3 | 8.45 |
| 11/29/07 3:25 | 2.3 | 8.45 |
| 11/29/07 3:30 | 2.3 | 7.54 |
| 11/29/07 3:35 | 2.3 | 7.54 |
| 11/29/07 3:40 | 2.3 | 7.54 |
| 11/29/07 3:45 | 2.3 | 7.54 |
| 11/29/07 3:50 | 2.3 | 8.93 |
| 11/29/07 3:55 | 2.3 | 8.93 |
| 11/29/07 4:00 | 2.3 | 8.93 |
| 11/29/07 4:05 | 2.3 | 8.93 |
| 11/29/07 4:10 | 2.3 | 8.93 |
| 11/29/07 4:15 | 2.3 | 8.93 |
| 11/29/07 4:20 | 2.3 | 8.93 |
| 11/29/07 4:25 | 2.3 | 8.93 |
| 11/29/07 4:30 | 2.3 | 8.93 |
| 11/29/07 4:35 | 2.3 | 8.93 |
| 11/29/07 4:40 | 2.3 | 8.93 |
| 11/29/07 4:45 | 2.3 | 8.93 |
| 11/29/07 4:50 | 2.3 | 8.93 |
| 11/29/07 4:55 | 2.3 | 8.93 |
| 11/29/07 5:00 | 2.3 | 8.93 |
| 11/29/07 5:05 | 2.3 | 8.93 |
| 11/29/07 5:10 | 2.3 | 8.93 |
| 11/29/07 5:15 | 2.3 | 8.93 |
| 11/29/07 5:20 | 2.3 | 8.93 |
| 11/29/07 5:25 | 2.3 | 8.93 |
| 11/29/07 5:30 | 2.3 | 8.93 |
| 11/29/07 5:35 | 2.3 | 8.93 |
| 11/29/07 5:40 | 2.3 | 8.93 |
| 11/29/07 5:45 | 2.3 | 8.93 |
| 11/29/07 5:50 | 2.3 | 8.93 |
| 11/29/07 5:55 | 2.3 | 8.93 |
| 11/29/07 6:00 | 2.3 | 8.93 |
| 11/29/07 6:05 | 2.3 | 8.93 |
| 11/29/07 6:10 | 2.3 | 8.93 |
| 11/29/07 6:15 | 2.3 | 8.93 |
| 11/29/07 6:20 | 2.3 | 8.93 |
| 11/29/07 6:25 | 2.3 | 8.93 |
| 11/29/07 6:30 | 2.3 | 8.93 |
| 11/29/07 6:35 | 2.3 | 8.93 |
| 11/29/07 6:40 | 2.3 | 8.93 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 6:45 | 2.3 | 8.93 |
| 11/29/07 6:50 | 2.3 | 8.93 |
| 11/29/07 6:55 | 2.3 | 8.93 |
| 11/29/07 7:00 | 2.3 | 8.93 |
| 11/29/07 7:05 | 2.3 | 8.93 |
| 11/29/07 7:10 | 2.3 | -8.5 |
| 11/29/07 7:15 | 2.3 | -8.5 |
| 11/29/07 7:20 | 2.3 | -8.5 |
| 11/29/07 7:25 | 2.3 | -8.5 |
| 11/29/07 7:30 | 2.3 | 0.25 |
| 11/29/07 7:35 | 2.3 | 0.25 |
| 11/29/07 7:40 | 2.3 | 0.25 |
| 11/29/07 7:45 | 2.3 | 0.25 |
| 11/29/07 7:50 | 2.3 | 0.25 |
| 11/29/07 7:55 | 2.3 | 0.25 |
| 11/29/07 8:00 | 2.3 | 0.25 |
| 11/29/07 8:05 | 2.3 | 0.25 |
| 11/29/07 8:10 | 2.3 | 0.25 |
| 11/29/07 8:15 | 2.3 | 0.25 |
| 11/29/07 8:20 | 2.3 | 0.25 |
| 11/29/07 8:25 | 2.3 | 0.25 |
| 11/29/07 8:30 | 2.3 | 0.25 |
| 11/29/07 8:35 | 2.3 | 0.25 |
| 11/29/07 8:40 | 2.3 | 0.25 |
| 11/29/07 8:45 | 2.3 | 0.25 |
| 11/29/07 8:50 | 2.3 | 0.25 |
| 11/29/07 8:55 | 2.3 | 0.25 |
| 11/29/07 9:00 | 2.3 | 0.25 |
| 11/29/07 9:05 | 2.3 | 0.25 |
| 11/29/07 9:10 | 2.3 | 0.32 |
| 11/29/07 9:15 | 2.3 | 0.32 |
| 11/29/07 9:20 | 2.3 | 0.32 |
| 11/29/07 9:25 | 2.3 | 0.32 |
| 11/29/07 9:30 | 2.3 | 0.32 |
| 11/29/07 9:35 | 2.3 | 0.23 |
| 11/29/07 9:40 | 2.3 | 0.23 |
| 11/29/07 9:45 | 2.3 | 0.23 |
| 11/29/07 9:50 | 2.3 | 0.23 |
| 11/29/07 9:55 | 2.3 | 0.23 |
| 11/29/07 10:00 | 2.3 | 0.23 |
| 11/29/07 10:05 | 2.3 | 0.23 |
| 11/29/07 10:10 | 2.3 | 0.23 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 10:15 | 2.3 | 0.23 |
| 11/29/07 10:20 | 2.3 | 0.23 |
| 11/29/07 10:25 | 2.3 | 0.23 |
| 11/29/07 10:30 | 2.3 | 0.23 |
| 11/29/07 10:35 | 2.3 | 0.23 |
| 11/29/07 10:40 | 2.3 | 0.23 |
| 11/29/07 10:45 | 2.3 | 0.23 |
| 11/29/07 10:50 | 2.3 | 0.23 |
| 11/29/07 10:55 | 2.3 | 0.23 |
| 11/29/07 11:00 | 2.3 | 0.23 |
| 11/29/07 11:05 | 2.3 | 0.23 |
| 11/29/07 11:10 | 2.3 | 0.23 |
| 11/29/07 11:15 | 2.3 | 0.23 |
| 11/29/07 11:20 | 2.3 | 0.23 |
| 11/29/07 11:25 | 2.3 | 0.23 |
| 11/29/07 11:30 | 2.3 | 0.23 |
| 11/29/07 11:35 | 2.3 | 0.23 |
| 11/29/07 11:40 | 2.3 | 0.23 |
| 11/29/07 11:45 | 2.3 | 0.23 |
| 11/29/07 11:50 | 2.3 | 0.23 |
| 11/29/07 11:55 | 2.3 | 0.23 |
| 11/29/07 12:00 | 2.3 | 0.23 |
| 11/29/07 12:05 | 2.3 | 0.23 |
| 11/29/07 12:10 | 2.3 | 0.23 |
| 11/29/07 12:15 | 2.3 | 0.23 |
| 11/29/07 12:20 | 2.3 | 0.23 |
| 11/29/07 12:25 | 2.3 | 0.23 |
| 11/29/07 12:30 | 2.3 | 0.23 |
| 11/29/07 12:35 | 2.3 | 0.23 |
| 11/29/07 12:40 | 2.3 | 0.23 |
| 11/29/07 12:45 | 2.3 | 0.23 |
| 11/29/07 12:50 | 2.3 | 0.23 |
| 11/29/07 12:55 | 2.3 | 0.23 |
| 11/29/07 13:00 | 2.3 | 0.23 |
| 11/29/07 13:05 | 2.3 | 0.41 |
| 11/29/07 13:10 | 2.3 | 0.38 |
| 11/29/07 13:15 | 2.3 | 0.38 |
| 11/29/07 13:20 | 2.3 | 0.4 |
| 11/29/07 13:25 | 2.3 | 0.36 |
| 11/29/07 13:30 | 2.3 | 0.36 |
| 11/29/07 13:35 | 2.3 | 8.18 |
| 11/29/07 13:40 | 2.3 | 8.18 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 13:45 | 2.3 | 8.18 |
| 11/29/07 13:50 | 2.3 | 8.18 |
| 11/29/07 13:55 | 2.3 | 11.4 |
| 11/29/07 14:00 | 2.3 | 11.4 |
| 11/29/07 14:05 | 2.3 | 11.4 |
| 11/29/07 14:10 | 2.3 | 11.4 |
| 11/29/07 14:15 | 2.3 | 11.4 |
| 11/29/07 14:20 | 2.3 | 11.4 |
| 11/29/07 14:25 | 2.3 | 11.4 |
| 11/29/07 14:30 | 2.3 | 11.4 |
| 11/29/07 14:35 | 2.3 | 11.4 |
| 11/29/07 14:40 | 2.3 | 11.4 |
| 11/29/07 14:45 | 2.3 | 11.4 |
| 11/29/07 14:50 | 2.3 | 11.4 |
| 11/29/07 14:55 | 2.3 | 11.4 |
| 11/29/07 15:00 | 2.3 | 11.4 |
| 11/29/07 15:05 | 2.3 | 11.4 |
| 11/29/07 15:10 | 2.3 | 11.4 |
| 11/29/07 15:15 | 2.3 | 11.4 |
| 11/29/07 15:20 | 2.3 | 11.4 |
| 11/29/07 15:25 | 2.3 | 11.4 |
| 11/29/07 15:30 | 2.3 | 11.4 |
| 11/29/07 15:35 | 2.3 | 11.4 |
| 11/29/07 15:40 | 2.3 | 11.4 |
| 11/29/07 15:45 | 2.3 | 8.5 |
| 11/29/07 15:50 | 2.3 | 8.5 |
| 11/29/07 15:55 | 2.3 | 8.5 |
| 11/29/07 16:00 | 2.3 | 8.5 |
| 11/29/07 16:05 | 2.3 | 8.5 |
| 11/29/07 16:10 | 2.3 | 9.3 |
| 11/29/07 16:15 | 2.3 | 9.3 |
| 11/29/07 16:20 | 2.3 | 9.3 |
| 11/29/07 16:25 | 2.3 | 9.3 |
| 11/29/07 16:30 | 2.3 | 9.3 |
| 11/29/07 16:35 | 2.3 | 9.3 |
| 11/29/07 16:40 | 2.3 | 9.3 |
| 11/29/07 16:45 | 2.3 | 9.3 |
| 11/29/07 16:50 | 2.3 | 9.3 |
| 11/29/07 16:55 | 2.3 | 9.3 |
| 11/29/07 17:00 | 2.3 | 9.3 |
| 11/29/07 17:05 | 2.3 | 9.3 |
| 11/29/07 17:10 | 2.3 | 9.3 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 17:15 | 2.3 | 9.3 |
| 11/29/07 17:20 | 2.3 | 9.3 |
| 11/29/07 17:25 | 2.3 | 9.3 |
| 11/29/07 17:30 | 2.3 | 9.3 |
| 11/29/07 17:35 | 2.3 | 9.3 |
| 11/29/07 17:40 | 2.3 | 9.3 |
| 11/29/07 17:45 | 2.3 | 9.3 |
| 11/29/07 17:50 | 2.3 | 9.3 |
| 11/29/07 17:55 | 2.3 | 9.3 |
| 11/29/07 18:00 | 2.3 | 9.3 |
| 11/29/07 18:05 | 2.3 | 9.3 |
| 11/29/07 18:10 | 2.3 | 8.77 |
| 11/29/07 18:15 | 2.3 | 9.15 |
| 11/29/07 18:20 | 2.3 | 9.15 |
| 11/29/07 18:25 | 2.3 | 9.15 |
| 11/29/07 18:30 | 2.3 | 9.15 |
| 11/29/07 18:35 | 2.3 | 9.15 |
| 11/29/07 18:40 | 2.3 | 9.15 |
| 11/29/07 18:45 | 2.3 | 9.15 |
| 11/29/07 18:50 | 2.3 | 9.15 |
| 11/29/07 18:55 | 2.3 | 9.15 |
| 11/29/07 19:00 | 2.3 | 9.15 |
| 11/29/07 19:05 | 2.3 | 12.36 |
| 11/29/07 19:10 | 2.3 | 12.36 |
| 11/29/07 19:15 | 2.3 | 12.36 |
| 11/29/07 19:20 | 2.3 | 12.36 |
| 11/29/07 19:25 | 2.3 | 12.36 |
| 11/29/07 19:30 | 2.3 | 12.36 |
| 11/29/07 19:35 | 2.3 | 12.36 |
| 11/29/07 19:40 | 2.3 | 12.36 |
| 11/29/07 19:45 | 2.3 | 12.36 |
| 11/29/07 19:50 | 2.3 | 12.36 |
| 11/29/07 19:55 | 2.3 | 12.36 |
| 11/29/07 20:00 | 2.3 | 12.36 |
| 11/29/07 20:05 | 2.3 | 12.36 |
| 11/29/07 20:10 | 2.3 | 12.36 |
| 11/29/07 20:15 | 2.3 | 12.36 |
| 11/29/07 20:20 | 2.3 | 12.36 |
| 11/29/07 20:25 | 2.3 | 12.36 |
| 11/29/07 20:30 | 2.3 | 12.36 |
| 11/29/07 20:35 | 2.3 | 12.36 |
| 11/29/07 20:40 | 2.3 | 12.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | Upstream Level Level ft 0.001 5 | Upstream Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 20:45 | 2.3 | 12.36 |
| 11/29/07 20:50 | 2.3 | 12.36 |
| 11/29/07 20:55 | 2.3 | 12.36 |
| 11/29/07 21:00 | 2.3 | 11.49 |
| 11/29/07 21:05 | 2.3 | 11.49 |
| 11/29/07 21:10 | 2.3 | 10.74 |
| 11/29/07 21:15 | 2.3 | 10.84 |
| 11/29/07 21:20 | 2.3 | 10.84 |
| 11/29/07 21:25 | 2.3 | 9.96 |
| 11/29/07 21:30 | 2.3 | 9.16 |
| 11/29/07 21:35 | 2.3 | 13.61 |
| 11/29/07 21:40 | 2.3 | 10.15 |
| 11/29/07 21:45 | 2.3 | 10.15 |
| 11/29/07 21:50 | 2.3 | 10.15 |
| 11/29/07 21:55 | 2.3 | 10.15 |
| 11/29/07 22:00 | 2.3 | 9.92 |
| 11/29/07 22:05 | 2.3 | 9.92 |
| 11/29/07 22:10 | 2.3 | 9.92 |
| 11/29/07 22:15 | 2.3 | 9.92 |
| 11/29/07 22:20 | 2.3 | 9.92 |
| 11/29/07 22:25 | 2.3 | 11.36 |
| 11/29/07 22:30 | 2.3 | 11.36 |
| 11/29/07 22:35 | 2.3 | 11.36 |
| 11/29/07 22:40 | 2.3 | 11.36 |
| 11/29/07 22:45 | 2.3 | 11.36 |
| 11/29/07 22:50 | 2.3 | 11.36 |
| 11/29/07 22:55 | 2.3 | 11.36 |
| 11/29/07 23:00 | 2.3 | 11.36 |
| 11/29/07 23:05 | 2.3 | 11.36 |
| 11/29/07 23:10 | 2.3 | 11.36 |
| 11/29/07 23:15 | 2.3 | 11.36 |
| 11/29/07 23:20 | 2.3 | 11.36 |
| 11/29/07 23:25 | 2.3 | 11.36 |
| 11/29/07 23:30 | 2.3 | 11.36 |
| 11/29/07 23:35 | 2.3 | 11.36 |
| 11/29/07 23:40 | 2.3 | 11.36 |
| 11/29/07 23:45 | 2.3 | 11.36 |
| 11/29/07 23:50 | 2.3 | 11.36 |
| 11/29/07 23:55 | 2.3 | 11.36 |
| 11/30/07 0:00 | 2.3 | 11.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 0:05 | 2.321 | 0.8 |
| 11/9/07 0:10 | 2.321 | 0.8 |
| 11/9/07 0:15 | 2.32 | 0.81 |
| 11/9/07 0:20 | 2.32 | 0.85 |
| 11/9/07 0:25 | 2.321 | 0.75 |
| 11/9/07 0:30 | 2.321 | 0.72 |
| 11/9/07 0:35 | 2.32 | 0.84 |
| 11/9/07 0:40 | 2.32 | 0.78 |
| 11/9/07 0:45 | 2.319 | 0.9 |
| 11/9/07 0:50 | 2.319 | 0.77 |
| 11/9/07 0:55 | 2.322 | 0.78 |
| 11/9/07 1:00 | 2.323 | 0.78 |
| 11/9/07 1:05 | 2.326 | 0.8 |
| 11/9/07 1:10 | 2.328 | 0.82 |
| 11/9/07 1:15 | 2.329 | 0.84 |
| 11/9/07 1:20 | 2.331 | 0.83 |
| 11/9/07 1:25 | 2.332 | 0.82 |
| 11/9/07 1:30 | 2.332 | 0.84 |
| 11/9/07 1:35 | 2.331 | 0.84 |
| 11/9/07 1:40 | 2.331 | 0.77 |
| 11/9/07 1:45 | 2.33 | 0.8 |
| 11/9/07 1:50 | 2.331 | 0.8 |
| 11/9/07 1:55 | 2.332 | 0.74 |
| 11/9/07 2:00 | 2.33 | 0.74 |
| 11/9/07 2:05 | 2.331 | 0.78 |
| 11/9/07 2:10 | 2.33 | 0.85 |
| 11/9/07 2:15 | 2.33 | 0.8 |
| 11/9/07 2:20 | 2.329 | 0.81 |
| 11/9/07 2:25 | 2.329 | 0.81 |
| 11/9/07 2:30 | 2.329 | 0.6 |
| 11/9/07 2:35 | 2.329 | 0.84 |
| 11/9/07 2:40 | 2.328 | 0.82 |
| 11/9/07 2:45 | 2.329 | 0.83 |
| 11/9/07 2:50 | 2.328 | 0.85 |
| 11/9/07 2:55 | 2.328 | 0.69 |
| 11/9/07 3:00 | 2.328 | 0.73 |
| 11/9/07 3:05 | 2.327 | 0.83 |
| 11/9/07 3:10 | 2.327 | 0.75 |
| 11/9/07 3:15 | 2.327 | 0.79 |
| 11/9/07 3:20 | 2.326 | 0.78 |
| 11/9/07 3:25 | 2.327 | 0.73 |
| 11/9/07 3:30 | 2.326 | 0.85 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 3:35 | 2.327 | 0.8 |
| 11/9/07 3:40 | 2.327 | 0.73 |
| 11/9/07 3:45 | 2.327 | 0.73 |
| 11/9/07 3:50 | 2.327 | 0.82 |
| 11/9/07 3:55 | 2.327 | 0.66 |
| 11/9/07 4:00 | 2.327 | 0.78 |
| 11/9/07 4:05 | 2.328 | 0.75 |
| 11/9/07 4:10 | 2.327 | 0.69 |
| 11/9/07 4:15 | 2.327 | 0.78 |
| 11/9/07 4:20 | 2.328 | 0.8 |
| 11/9/07 4:25 | 2.324 | 0.67 |
| 11/9/07 4:30 | 2.32 | 0.7 |
| 11/9/07 4:35 | 2.317 | 0.73 |
| 11/9/07 4:40 | 2.314 | 0.73 |
| 11/9/07 4:45 | 2.312 | 0.66 |
| 11/9/07 4:50 | 2.31 | 0.77 |
| 11/9/07 4:55 | 2.309 | 0.7 |
| 11/9/07 5:00 | 2.307 | 0.71 |
| 11/9/07 5:05 | 2.305 | 0.77 |
| 11/9/07 5:10 | 2.305 | 0.75 |
| 11/9/07 5:15 | 2.303 | 0.66 |
| 11/9/07 5:20 | 2.299 | 0.73 |
| 11/9/07 5:25 | 2.292 | 0.8 |
| 11/9/07 5:30 | 2.286 | 0.75 |
| 11/9/07 5:35 | 2.281 | 0.64 |
| 11/9/07 5:40 | 2.275 | 0.82 |
| 11/9/07 5:45 | 2.271 | 0.77 |
| 11/9/07 5:50 | 2.271 | 0.77 |
| 11/9/07 5:55 | 2.27 | 0.82 |
| 11/9/07 6:00 | 2.269 | 0.77 |
| 11/9/07 6:05 | 2.267 | 0.83 |
| 11/9/07 6:10 | 2.266 | 0.75 |
| 11/9/07 6:15 | 2.267 | 0.71 |
| 11/9/07 6:20 | 2.266 | 0.76 |
| 11/9/07 6:25 | 2.264 | 0.79 |
| 11/9/07 6:30 | 2.266 | 0.81 |
| 11/9/07 6:35 | 2.266 | 0.81 |
| 11/9/07 6:40 | 2.266 | 0.79 |
| 11/9/07 6:45 | 2.267 | 0.76 |
| 11/9/07 6:50 | 2.266 | 0.77 |
| 11/9/07 6:55 | 2.267 | 0.85 |
| 11/9/07 7:00 | 2.266 | 0.83 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 7:05 | 2.268 | 0.8 |
| 11/9/07 7:10 | 2.268 | 0.82 |
| 11/9/07 7:15 | 2.267 | 0.75 |
| 11/9/07 7:20 | 2.267 | 0.8 |
| 11/9/07 7:25 | 2.268 | 0.79 |
| 11/9/07 7:30 | 2.268 | 0.74 |
| 11/9/07 7:35 | 2.267 | 0.83 |
| 11/9/07 7:40 | 2.269 | 0.73 |
| 11/9/07 7:45 | 2.267 | 0.83 |
| 11/9/07 7:50 | 2.268 | 0.79 |
| 11/9/07 7:55 | 2.27 | 0.81 |
| 11/9/07 8:00 | 2.269 | 0.87 |
| 11/9/07 8:05 | 2.271 | 0.79 |
| 11/9/07 8:10 | 2.27 | 0.82 |
| 11/9/07 8:15 | 2.27 | 0.74 |
| 11/9/07 8:20 | 2.27 | 0.83 |
| 11/9/07 8:25 | 2.271 | 0.84 |
| 11/9/07 8:30 | 2.272 | 0.79 |
| 11/9/07 8:35 | 2.271 | 0.81 |
| 11/9/07 8:40 | 2.272 | 0.84 |
| 11/9/07 8:45 | 2.273 | 0.83 |
| 11/9/07 8:50 | 2.275 | 0.87 |
| 11/9/07 8:55 | 2.274 | 0.78 |
| 11/9/07 9:00 | 2.276 | 0.76 |
| 11/9/07 9:05 | 2.276 | 0.82 |
| 11/9/07 9:10 | 2.277 | 0.87 |
| 11/9/07 9:15 | 2.282 | 0.83 |
| 11/9/07 9:20 | 2.284 | 0.77 |
| 11/9/07 9:25 | 2.287 | 0.8 |
| 11/9/07 9:30 | 2.289 | 0.72 |
| 11/9/07 9:35 | 2.292 | 0.77 |
| 11/9/07 9:40 | 2.294 | 0.74 |
| 11/9/07 9:45 | 2.297 | 0.8 |
| 11/9/07 9:50 | 2.297 | 0.81 |
| 11/9/07 9:55 | 2.298 | 0.77 |
| 11/9/07 10:00 | 2.3 | 0.85 |
| 11/9/07 10:05 | 2.301 | 0.74 |
| 11/9/07 10:10 | 2.302 | 0.72 |
| 11/9/07 10:15 | 2.304 | 0.86 |
| 11/9/07 10:20 | 2.305 | 0.77 |
| 11/9/07 10:25 | 2.307 | 0.66 |
| 11/9/07 10:30 | 2.306 | 0.73 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 10:35 | 2.307 | 0.8 |
| 11/9/07 10:40 | 2.307 | 0.8 |
| 11/9/07 10:45 | 2.309 | 0.82 |
| 11/9/07 10:50 | 2.308 | 0.87 |
| 11/9/07 10:55 | 2.31 | 0.71 |
| 11/9/07 11:00 | 2.31 | 0.7 |
| 11/9/07 11:05 | 2.311 | 0.9 |
| 11/9/07 11:10 | 2.312 | 0.79 |
| 11/9/07 11:15 | 2.313 | 0.79 |
| 11/9/07 11:20 | 2.313 | 0.78 |
| 11/9/07 11:25 | 2.314 | 0.75 |
| 11/9/07 11:30 | 2.313 | 0.85 |
| 11/9/07 11:35 | 2.313 | 0.88 |
| 11/9/07 11:40 | 2.315 | 0.75 |
| 11/9/07 11:45 | 2.315 | 0.76 |
| 11/9/07 11:50 | 2.317 | 0.82 |
| 11/9/07 11:55 | 2.316 | 0.84 |
| 11/9/07 12:00 | 2.316 | 0.78 |
| 11/9/07 12:05 | 2.316 | 0.86 |
| 11/9/07 12:10 | 2.317 | 0.78 |
| 11/9/07 12:15 | 2.317 | 0.81 |
| 11/9/07 12:20 | 2.316 | 0.79 |
| 11/9/07 12:25 | 2.317 | 0.77 |
| 11/9/07 12:30 | 2.318 | 0.76 |
| 11/9/07 12:35 | 2.319 | 0.78 |
| 11/9/07 12:40 | 2.318 | 0.77 |
| 11/9/07 12:45 | 2.319 | 0.73 |
| 11/9/07 12:50 | 2.319 | 0.83 |
| 11/9/07 12:55 | 2.319 | 0.86 |
| 11/9/07 13:00 | 2.319 | 0.82 |
| 11/9/07 13:05 | 2.32 | 0.87 |
| 11/9/07 13:10 | 2.32 | 0.83 |
| 11/9/07 13:15 | 2.321 | 0.78 |
| 11/9/07 13:20 | 2.32 | 0.79 |
| 11/9/07 13:25 | 2.321 | 0.81 |
| 11/9/07 13:30 | 2.321 | 0.88 |
| 11/9/07 13:35 | 2.321 | 0.82 |
| 11/9/07 13:40 | 2.321 | 0.84 |
| 11/9/07 13:45 | 2.321 | 0.77 |
| 11/9/07 13:50 | 2.322 | 0.82 |
| 11/9/07 13:55 | 2.32 | 0.84 |
| 11/9/07 14:00 | 2.321 | 0.81 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 14:05 | 2.32 | 0.72 |
| 11/9/07 14:10 | 2.321 | 0.74 |
| 11/9/07 14:15 | 2.322 | 0.8 |
| 11/9/07 14:20 | 2.32 | 0.81 |
| 11/9/07 14:25 | 2.321 | 0.83 |
| 11/9/07 14:30 | 2.322 | 0.79 |
| 11/9/07 14:35 | 2.321 | 0.79 |
| 11/9/07 14:40 | 2.322 | 0.66 |
| 11/9/07 14:45 | 2.323 | 0.81 |
| 11/9/07 14:50 | 2.323 | 0.89 |
| 11/9/07 14:55 | 2.323 | 0.8 |
| 11/9/07 15:00 | 2.323 | 0.76 |
| 11/9/07 15:05 | 2.324 | 0.78 |
| 11/9/07 15:10 | 2.325 | 0.82 |
| 11/9/07 15:15 | 2.325 | 0.74 |
| 11/9/07 15:20 | 2.324 | 0.77 |
| 11/9/07 15:25 | 2.324 | 0.74 |
| 11/9/07 15:30 | 2.324 | 0.77 |
| 11/9/07 15:35 | 2.323 | 0.78 |
| 11/9/07 15:40 | 2.324 | 0.8 |
| 11/9/07 15:45 | 2.325 | 0.72 |
| 11/9/07 15:50 | 2.326 | 0.76 |
| 11/9/07 15:55 | 2.325 | 0.79 |
| 11/9/07 16:00 | 2.325 | 0.75 |
| 11/9/07 16:05 | 2.325 | 0.87 |
| 11/9/07 16:10 | 2.387 | 1.14 |
| 11/9/07 16:15 | 2.465 | 1.2 |
| 11/9/07 16:20 | 2.552 | 1.12 |
| 11/9/07 16:25 | 2.682 | 1 |
| 11/9/07 16:30 | 2.79 | 0.81 |
| 11/9/07 16:35 | 2.89 | 0.76 |
| 11/9/07 16:40 | 2.955 | 0.84 |
| 11/9/07 16:45 | 2.985 | 0.7 |
| 11/9/07 16:50 | 3.005 | 0.72 |
| 11/9/07 16:55 | 3.022 | 0.59 |
| 11/9/07 17:00 | 3.03 | 0.68 |
| 11/9/07 17:05 | 3.035 | 0.68 |
| 11/9/07 17:10 | 3.044 | 0.75 |
| 11/9/07 17:15 | 3.047 | 0.73 |
| 11/9/07 17:20 | 3.05 | 0.72 |
| 11/9/07 17:25 | 3.051 | 0.64 |
| 11/9/07 17:30 | 3.053 | 0.6 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 17:35 | 3.052 | 0.63 |
| 11/9/07 17:40 | 3.052 | 0.63 |
| 11/9/07 17:45 | 3.052 | 0.63 |
| 11/9/07 17:50 | 3.048 | 0.63 |
| 11/9/07 17:55 | 3.046 | 0.71 |
| 11/9/07 18:00 | 3.043 | 0.5 |
| 11/9/07 18:05 | 3.037 | 0.64 |
| 11/9/07 18:10 | 3.034 | 0.63 |
| 11/9/07 18:15 | 3.03 | 0.59 |
| 11/9/07 18:20 | 3.025 | 0.71 |
| 11/9/07 18:25 | 3.021 | 0.63 |
| 11/9/07 18:30 | 3.018 | 0.59 |
| 11/9/07 18:35 | 3.012 | 0.67 |
| 11/9/07 18:40 | 3.008 | 0.69 |
| 11/9/07 18:45 | 3.005 | 0.69 |
| 11/9/07 18:50 | 2.999 | 0.6 |
| 11/9/07 18:55 | 2.995 | 0.56 |
| 11/9/07 19:00 | 2.991 | 0.61 |
| 11/9/07 19:05 | 2.987 | 0.67 |
| 11/9/07 19:10 | 2.982 | 0.67 |
| 11/9/07 19:15 | 2.979 | 0.6 |
| 11/9/07 19:20 | 2.975 | 0.6 |
| 11/9/07 19:25 | 2.972 | 0.68 |
| 11/9/07 19:30 | 2.969 | 0.54 |
| 11/9/07 19:35 | 2.965 | 0.62 |
| 11/9/07 19:40 | 2.961 | 0.54 |
| 11/9/07 19:45 | 2.957 | 0.58 |
| 11/9/07 19:50 | 2.955 | 0.58 |
| 11/9/07 19:55 | 2.949 | 0.56 |
| 11/9/07 20:00 | 2.943 | 0.77 |
| 11/9/07 20:05 | 2.936 | 0.57 |
| 11/9/07 20:10 | 2.93 | 0.56 |
| 11/9/07 20:15 | 2.925 | 0.51 |
| 11/9/07 20:20 | 2.917 | 0.65 |
| 11/9/07 20:25 | 2.913 | 0.56 |
| 11/9/07 20:30 | 2.906 | 0.6 |
| 11/9/07 20:35 | 2.902 | 0.58 |
| 11/9/07 20:40 | 2.898 | 0.6 |
| 11/9/07 20:45 | 2.894 | 0.56 |
| 11/9/07 20:50 | 2.889 | 0.61 |
| 11/9/07 20:55 | 2.886 | 0.68 |
| 11/9/07 21:00 | 2.881 | 0.6 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 21:05 | 2.875 | 0.55 |
| 11/9/07 21:10 | 2.869 | 0.66 |
| 11/9/07 21:15 | 2.864 | 0.55 |
| 11/9/07 21:20 | 2.857 | 0.6 |
| 11/9/07 21:25 | 2.852 | 0.54 |
| 11/9/07 21:30 | 2.847 | 0.53 |
| 11/9/07 21:35 | 2.844 | 0.5 |
| 11/9/07 21:40 | 2.841 | 0.53 |
| 11/9/07 21:45 | 2.836 | 0.52 |
| 11/9/07 21:50 | 2.832 | 0.51 |
| 11/9/07 21:55 | 2.83 | 0.52 |
| 11/9/07 22:00 | 2.824 | 0.54 |
| 11/9/07 22:05 | 2.823 | 0.53 |
| 11/9/07 22:10 | 2.819 | 0.51 |
| 11/9/07 22:15 | 2.813 | 0.6 |
| 11/9/07 22:20 | 2.81 | 0.53 |
| 11/9/07 22:25 | 2.805 | 0.53 |
| 11/9/07 22:30 | 2.801 | 0.55 |
| 11/9/07 22:35 | 2.799 | 0.55 |
| 11/9/07 22:40 | 2.797 | 0.54 |
| 11/9/07 22:45 | 2.794 | 0.59 |
| 11/9/07 22:50 | 2.791 | 0.52 |
| 11/9/07 22:55 | 2.789 | 0.53 |
| 11/9/07 23:00 | 2.786 | 0.51 |
| 11/9/07 23:05 | 2.784 | 0.55 |
| 11/9/07 23:10 | 2.781 | 0.52 |
| 11/9/07 23:15 | 2.778 | 0.52 |
| 11/9/07 23:20 | 2.777 | 0.52 |
| 11/9/07 23:25 | 2.775 | 0.52 |
| 11/9/07 23:30 | 2.774 | 0.52 |
| 11/9/07 23:35 | 2.771 | 0.48 |
| 11/9/07 23:40 | 2.769 | 0.52 |
| 11/9/07 23:45 | 2.767 | 0.56 |
| 11/9/07 23:50 | 2.766 | 0.49 |
| 11/9/07 23:55 | 2.764 | 0.55 |
| 11/10/07 0:00 | 2.764 | 0.55 |
| 11/10/07 0:05 | 2.763 | 0.49 |
| 11/10/07 0:10 | 2.761 | 0.55 |
| 11/10/07 0:15 | 2.76 | 0.53 |
| 11/10/07 0:20 | 2.758 | 0.54 |
| 11/10/07 0:25 | 2.756 | 0.54 |
| 11/10/07 0:30 | 2.754 | 0.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 0:35 | 2.753 | 0.53 |
| 11/10/07 0:40 | 2.75 | 0.52 |
| 11/10/07 0:45 | 2.748 | 0.55 |
| 11/10/07 0:50 | 2.746 | 0.48 |
| 11/10/07 0:55 | 2.745 | 0.51 |
| 11/10/07 1:00 | 2.743 | 0.51 |
| 11/10/07 1:05 | 2.74 | 0.47 |
| 11/10/07 1:10 | 2.74 | 0.51 |
| 11/10/07 1:15 | 2.737 | 0.51 |
| 11/10/07 1:20 | 2.736 | 0.51 |
| 11/10/07 1:25 | 2.733 | 0.51 |
| 11/10/07 1:30 | 2.728 | 0.55 |
| 11/10/07 1:35 | 2.725 | 0.55 |
| 11/10/07 1:40 | 2.72 | 0.55 |
| 11/10/07 1:45 | 2.717 | 0.52 |
| 11/10/07 1:50 | 2.714 | 0.5 |
| 11/10/07 1:55 | 2.711 | 0.52 |
| 11/10/07 2:00 | 2.708 | 0.46 |
| 11/10/07 2:05 | 2.706 | 0.5 |
| 11/10/07 2:10 | 2.704 | 0.49 |
| 11/10/07 2:15 | 2.702 | 0.5 |
| 11/10/07 2:20 | 2.701 | 0.51 |
| 11/10/07 2:25 | 2.699 | 0.5 |
| 11/10/07 2:30 | 2.696 | 0.53 |
| 11/10/07 2:35 | 2.694 | 0.48 |
| 11/10/07 2:40 | 2.69 | 0.55 |
| 11/10/07 2:45 | 2.688 | 0.5 |
| 11/10/07 2:50 | 2.686 | 0.54 |
| 11/10/07 2:55 | 2.683 | 0.54 |
| 11/10/07 3:00 | 2.681 | 0.5 |
| 11/10/07 3:05 | 2.68 | 0.54 |
| 11/10/07 3:10 | 2.678 | 0.48 |
| 11/10/07 3:15 | 2.676 | 0.5 |
| 11/10/07 3:20 | 2.674 | 0.55 |
| 11/10/07 3:25 | 2.673 | 0.5 |
| 11/10/07 3:30 | 2.671 | 0.51 |
| 11/10/07 3:35 | 2.669 | 0.5 |
| 11/10/07 3:40 | 2.667 | 0.5 |
| 11/10/07 3:45 | 2.666 | 0.48 |
| 11/10/07 3:50 | 2.665 | 0.48 |
| 11/10/07 3:55 | 2.663 | 0.5 |
| 11/10/07 4:00 | 2.662 | 0.5 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 4:05 | 2.661 | 0.54 |
| 11/10/07 4:10 | 2.659 | 0.47 |
| 11/10/07 4:15 | 2.658 | 0.48 |
| 11/10/07 4:20 | 2.656 | 0.5 |
| 11/10/07 4:25 | 2.654 | 0.51 |
| 11/10/07 4:30 | 2.653 | 0.55 |
| 11/10/07 4:35 | 2.65 | 0.47 |
| 11/10/07 4:40 | 2.645 | 0.5 |
| 11/10/07 4:45 | 2.638 | 0.55 |
| 11/10/07 4:50 | 2.632 | 0.5 |
| 11/10/07 4:55 | 2.628 | 0.53 |
| 11/10/07 5:00 | 2.624 | 0.52 |
| 11/10/07 5:05 | 2.622 | 0.51 |
| 11/10/07 5:10 | 2.619 | 0.54 |
| 11/10/07 5:15 | 2.617 | 0.53 |
| 11/10/07 5:20 | 2.616 | 0.55 |
| 11/10/07 5:25 | 2.613 | 0.5 |
| 11/10/07 5:30 | 2.613 | 0.5 |
| 11/10/07 5:35 | 2.611 | 0.54 |
| 11/10/07 5:40 | 2.606 | 0.45 |
| 11/10/07 5:45 | 2.602 | 0.45 |
| 11/10/07 5:50 | 2.599 | 0.45 |
| 11/10/07 5:55 | 2.595 | 0.45 |
| 11/10/07 6:00 | 2.583 | 0.32 |
| 11/10/07 6:05 | 2.569 | 0.33 |
| 11/10/07 6:10 | 2.555 | 0.33 |
| 11/10/07 6:15 | 2.543 | 0.28 |
| 11/10/07 6:20 | 2.533 | 0.33 |
| 11/10/07 6:25 | 2.526 | 0.34 |
| 11/10/07 6:30 | 2.521 | 0.34 |
| 11/10/07 6:35 | 2.517 | 0.36 |
| 11/10/07 6:40 | 2.513 | 0.33 |
| 11/10/07 6:45 | 2.51 | 0.34 |
| 11/10/07 6:50 | 2.507 | 0.37 |
| 11/10/07 6:55 | 2.505 | 0.36 |
| 11/10/07 7:00 | 2.503 | 0.33 |
| 11/10/07 7:05 | 2.501 | 0.36 |
| 11/10/07 7:10 | 2.499 | 0.37 |
| 11/10/07 7:15 | 2.498 | 0.38 |
| 11/10/07 7:20 | 2.496 | 0.31 |
| 11/10/07 7:25 | 2.495 | 0.3 |
| 11/10/07 7:30 | 2.494 | 0.35 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 7:35 | 2.492 | 0.4 |
| 11/10/07 7:40 | 2.491 | 0.32 |
| 11/10/07 7:45 | 2.49 | 0.34 |
| 11/10/07 7:50 | 2.488 | 0.32 |
| 11/10/07 7:55 | 2.488 | 0.34 |
| 11/10/07 8:00 | 2.487 | 0.32 |
| 11/10/07 8:05 | 2.486 | 0.36 |
| 11/10/07 8:10 | 2.486 | 0.36 |
| 11/10/07 8:15 | 2.485 | 0.29 |
| 11/10/07 8:20 | 2.485 | 0.33 |
| 11/10/07 8:25 | 2.484 | 0.36 |
| 11/10/07 8:30 | 2.483 | 0.31 |
| 11/10/07 8:35 | 2.482 | 0.31 |
| 11/10/07 8:40 | 2.481 | 0.35 |
| 11/10/07 8:45 | 2.481 | 0.33 |
| 11/10/07 8:50 | 2.479 | 0.3 |
| 11/10/07 8:55 | 2.478 | 0.33 |
| 11/10/07 9:00 | 2.478 | 0.38 |
| 11/10/07 9:05 | 2.477 | 0.38 |
| 11/10/07 9:10 | 2.476 | 0.36 |
| 11/10/07 9:15 | 2.475 | 0.34 |
| 11/10/07 9:20 | 2.475 | 0.37 |
| 11/10/07 9:25 | 2.474 | 0.33 |
| 11/10/07 9:30 | 2.473 | 0.33 |
| 11/10/07 9:35 | 2.473 | 0.32 |
| 11/10/07 9:40 | 2.471 | 0.34 |
| 11/10/07 9:45 | 2.47 | 0.32 |
| 11/10/07 9:50 | 2.47 | 0.35 |
| 11/10/07 9:55 | 2.468 | 0.31 |
| 11/10/07 10:00 | 2.467 | 0.36 |
| 11/10/07 10:05 | 2.468 | 0.33 |
| 11/10/07 10:10 | 2.467 | 0.32 |
| 11/10/07 10:15 | 2.467 | 0.34 |
| 11/10/07 10:20 | 2.466 | 0.34 |
| 11/10/07 10:25 | 2.465 | 0.31 |
| 11/10/07 10:30 | 2.464 | 0.3 |
| 11/10/07 10:35 | 2.465 | 0.28 |
| 11/10/07 10:40 | 2.465 | 0.34 |
| 11/10/07 10:45 | 2.464 | 0.34 |
| 11/10/07 10:50 | 2.464 | 0.36 |
| 11/10/07 10:55 | 2.464 | 0.37 |
| 11/10/07 11:00 | 2.463 | 0.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 11:05 | 2.463 | 0.35 |
| 11/10/07 11:10 | 2.463 | 0.3 |
| 11/10/07 11:15 | 2.462 | 0.33 |
| 11/10/07 11:20 | 2.462 | 0.33 |
| 11/10/07 11:25 | 2.462 | 0.44 |
| 11/10/07 11:30 | 2.461 | 0.35 |
| 11/10/07 11:35 | 2.461 | 0.3 |
| 11/10/07 11:40 | 2.46 | 0.33 |
| 11/10/07 11:45 | 2.459 | 0.35 |
| 11/10/07 11:50 | 2.459 | 0.32 |
| 11/10/07 11:55 | 2.458 | 0.36 |
| 11/10/07 12:00 | 2.457 | 0.32 |
| 11/10/07 12:05 | 2.456 | 0.33 |
| 11/10/07 12:10 | 2.454 | 0.31 |
| 11/10/07 12:15 | 2.455 | 0.34 |
| 11/10/07 12:20 | 2.455 | 0.34 |
| 11/10/07 12:25 | 2.454 | 0.3 |
| 11/10/07 12:30 | 2.453 | 0.29 |
| 11/10/07 12:35 | 2.452 | 0.27 |
| 11/10/07 12:40 | 2.452 | 0.34 |
| 11/10/07 12:45 | 2.451 | 0.33 |
| 11/10/07 12:50 | 2.45 | 0.29 |
| 11/10/07 12:55 | 2.45 | 0.3 |
| 11/10/07 13:00 | 2.448 | 0.3 |
| 11/10/07 13:05 | 2.448 | 0.34 |
| 11/10/07 13:10 | 2.447 | 0.34 |
| 11/10/07 13:15 | 2.446 | 0.33 |
| 11/10/07 13:20 | 2.445 | 0.3 |
| 11/10/07 13:25 | 2.444 | 0.31 |
| 11/10/07 13:30 | 2.444 | 0.33 |
| 11/10/07 13:35 | 2.444 | 0.31 |
| 11/10/07 13:40 | 2.442 | 0.29 |
| 11/10/07 13:45 | 2.441 | 0.28 |
| 11/10/07 13:50 | 2.441 | 0.29 |
| 11/10/07 13:55 | 2.441 | 0.29 |
| 11/10/07 14:00 | 2.439 | 0.31 |
| 11/10/07 14:05 | 2.44 | 0.32 |
| 11/10/07 14:10 | 2.439 | 0.35 |
| 11/10/07 14:15 | 2.437 | 0.32 |
| 11/10/07 14:20 | 2.436 | 0.32 |
| 11/10/07 14:25 | 2.435 | 0.27 |
| 11/10/07 14:30 | 2.434 | 0.3 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 14:35 | 2.432 | 0.33 |
| 11/10/07 14:40 | 2.432 | 0.33 |
| 11/10/07 14:45 | 2.431 | 0.32 |
| 11/10/07 14:50 | 2.43 | 0.31 |
| 11/10/07 14:55 | 2.428 | 0.26 |
| 11/10/07 15:00 | 2.427 | 0.3 |
| 11/10/07 15:05 | 2.427 | 0.3 |
| 11/10/07 15:10 | 2.426 | 0.47 |
| 11/10/07 15:15 | 2.424 | 0.34 |
| 11/10/07 15:20 | 2.424 | 0.31 |
| 11/10/07 15:25 | 2.423 | 0.33 |
| 11/10/07 15:30 | 2.421 | 0.32 |
| 11/10/07 15:35 | 2.42 | 0.31 |
| 11/10/07 15:40 | 2.42 | 0.28 |
| 11/10/07 15:45 | 2.419 | 0.3 |
| 11/10/07 15:50 | 2.418 | 0.29 |
| 11/10/07 15:55 | 2.417 | 0.29 |
| 11/10/07 16:00 | 2.416 | 0.28 |
| 11/10/07 16:05 | 2.416 | 0.28 |
| 11/10/07 16:10 | 2.414 | 0.25 |
| 11/10/07 16:15 | 2.414 | 0.25 |
| 11/10/07 16:20 | 2.413 | 0.29 |
| 11/10/07 16:25 | 2.412 | 0.27 |
| 11/10/07 16:30 | 2.412 | 0.27 |
| 11/10/07 16:35 | 2.41 | 0.3 |
| 11/10/07 16:40 | 2.41 | 0.27 |
| 11/10/07 16:45 | 2.409 | 0.27 |
| 11/10/07 16:50 | 2.408 | 0.29 |
| 11/10/07 16:55 | 2.407 | 0.28 |
| 11/10/07 17:00 | 2.406 | 0.28 |
| 11/10/07 17:05 | 2.406 | 0.3 |
| 11/10/07 17:10 | 2.404 | 0.29 |
| 11/10/07 17:15 | 2.404 | 0.3 |
| 11/10/07 17:20 | 2.403 | 0.29 |
| 11/10/07 17:25 | 2.402 | 0.3 |
| 11/10/07 17:30 | 2.401 | 0.3 |
| 11/10/07 17:35 | 2.4 | 0.3 |
| 11/10/07 17:40 | 2.399 | 0.3 |
| 11/10/07 17:45 | 2.398 | 0.3 |
| 11/10/07 17:50 | 2.397 | 0.3 |
| 11/10/07 17:55 | 2.396 | 0.29 |
| 11/10/07 18:00 | 2.395 | 0.28 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 18:05 | 2.395 | 0.27 |
| 11/10/07 18:10 | 2.394 | 0.33 |
| 11/10/07 18:15 | 2.393 | 0.29 |
| 11/10/07 18:20 | 2.393 | 0.31 |
| 11/10/07 18:25 | 2.393 | 0.29 |
| 11/10/07 18:30 | 2.391 | 0.31 |
| 11/10/07 18:35 | 2.39 | 0.29 |
| 11/10/07 18:40 | 2.39 | 0.32 |
| 11/10/07 18:45 | 2.389 | 0.3 |
| 11/10/07 18:50 | 2.388 | 0.28 |
| 11/10/07 18:55 | 2.387 | 0.3 |
| 11/10/07 19:00 | 2.386 | 0.3 |
| 11/10/07 19:05 | 2.385 | 0.31 |
| 11/10/07 19:10 | 2.384 | 0.31 |
| 11/10/07 19:15 | 2.383 | 0.29 |
| 11/10/07 19:20 | 2.382 | 0.37 |
| 11/10/07 19:25 | 2.381 | 0.31 |
| 11/10/07 19:30 | 2.379 | 0.31 |
| 11/10/07 19:35 | 2.378 | 0.29 |
| 11/10/07 19:40 | 2.377 | 0.29 |
| 11/10/07 19:45 | 2.376 | 0.33 |
| 11/10/07 19:50 | 2.375 | 0.29 |
| 11/10/07 19:55 | 2.373 | 0.31 |
| 11/10/07 20:00 | 2.373 | 0.28 |
| 11/10/07 20:05 | 2.371 | 0.35 |
| 11/10/07 20:10 | 2.37 | 0.32 |
| 11/10/07 20:15 | 2.369 | 0.35 |
| 11/10/07 20:20 | 2.369 | 0.33 |
| 11/10/07 20:25 | 2.368 | 0.3 |
| 11/10/07 20:30 | 2.366 | 0.31 |
| 11/10/07 20:35 | 2.365 | 0.3 |
| 11/10/07 20:40 | 2.364 | 0.31 |
| 11/10/07 20:45 | 2.364 | 0.32 |
| 11/10/07 20:50 | 2.362 | 0.34 |
| 11/10/07 20:55 | 2.361 | 0.29 |
| 11/10/07 21:00 | 2.361 | 0.32 |
| 11/10/07 21:05 | 2.358 | 0.35 |
| 11/10/07 21:10 | 2.358 | 0.3 |
| 11/10/07 21:15 | 2.357 | 0.31 |
| 11/10/07 21:20 | 2.356 | 0.37 |
| 11/10/07 21:25 | 2.355 | 0.3 |
| 11/10/07 21:30 | 2.354 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 21:35 | 2.354 | 0.41 |
| 11/10/07 21:40 | 2.353 | 0.27 |
| 11/10/07 21:45 | 2.352 | 0.36 |
| 11/10/07 21:50 | 2.351 | 0.28 |
| 11/10/07 21:55 | 2.349 | 0.33 |
| 11/10/07 22:00 | 2.347 | 0.3 |
| 11/10/07 22:05 | 2.346 | 0.33 |
| 11/10/07 22:10 | 2.345 | 0.35 |
| 11/10/07 22:15 | 2.343 | 0.33 |
| 11/10/07 22:20 | 2.342 | 0.34 |
| 11/10/07 22:25 | 2.341 | 0.36 |
| 11/10/07 22:30 | 2.34 | 0.29 |
| 11/10/07 22:35 | 2.338 | 0.3 |
| 11/10/07 22:40 | 2.337 | 0.28 |
| 11/10/07 22:45 | 2.336 | 0.37 |
| 11/10/07 22:50 | 2.332 | 0.31 |
| 11/10/07 22:55 | 2.328 | 0.26 |
| 11/10/07 23:00 | 2.322 | 0.29 |
| 11/10/07 23:05 | 2.318 | 0.33 |
| 11/10/07 23:10 | 2.314 | 0.34 |
| 11/10/07 23:15 | 2.31 | 0.3 |
| 11/10/07 23:20 | 2.307 | 0.3 |
| 11/10/07 23:25 | 2.305 | 0.32 |
| 11/10/07 23:30 | 2.302 | 0.33 |
| 11/10/07 23:35 | 2.3 | 0.3 |
| 11/10/07 23:40 | 2.297 | 0.32 |
| 11/10/07 23:45 | 2.296 | 0.29 |
| 11/10/07 23:50 | 2.294 | 0.31 |
| 11/10/07 23:55 | 2.293 | 0.32 |
| 11/11/07 0:00 | 2.293 | 0.32 |
| 11/11/07 0:05 | 2.291 | 0.33 |
| 11/11/07 0:10 | 2.29 | 0.33 |
| 11/11/07 0:15 | 2.289 | 0.32 |
| 11/11/07 0:20 | 2.288 | 0.34 |
| 11/11/07 0:25 | 2.287 | 0.31 |
| 11/11/07 0:30 | 2.286 | 0.29 |
| 11/11/07 0:35 | 2.285 | 0.31 |
| 11/11/07 0:40 | 2.285 | 0.33 |
| 11/11/07 0:45 | 2.284 | 0.31 |
| 11/11/07 0:50 | 2.28 | 0.34 |
| 11/11/07 0:55 | 2.277 | 0.28 |
| 11/11/07 1:00 | 2.274 | 0.27 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 1:05 | 2.271 | 0.28 |
| 11/11/07 1:10 | 2.269 | 0.27 |
| 11/11/07 1:15 | 2.262 | 0.29 |
| 11/11/07 1:20 | 2.255 | 0.28 |
| 11/11/07 1:25 | 2.249 | 0.26 |
| 11/11/07 1:30 | 2.244 | 0.3 |
| 11/11/07 1:35 | 2.24 | 0.31 |
| 11/11/07 1:40 | 2.235 | 0.31 |
| 11/11/07 1:45 | 2.232 | 0.3 |
| 11/11/07 1:50 | 2.228 | 0.26 |
| 11/11/07 1:55 | 2.225 | 0.28 |
| 11/11/07 2:00 | 2.224 | 0.29 |
| 11/11/07 2:05 | 2.223 | 0.32 |
| 11/11/07 2:10 | 2.221 | 0.29 |
| 11/11/07 2:15 | 2.221 | 0.29 |
| 11/11/07 2:20 | 2.219 | 0.3 |
| 11/11/07 2:25 | 2.218 | 0.32 |
| 11/11/07 2:30 | 2.218 | 0.31 |
| 11/11/07 2:35 | 2.218 | 0.31 |
| 11/11/07 2:40 | 2.218 | 0.29 |
| 11/11/07 2:45 | 2.217 | 0.32 |
| 11/11/07 2:50 | 2.217 | 0.23 |
| 11/11/07 2:55 | 2.209 | 0.23 |
| 11/11/07 3:00 | 2.2 | 0.27 |
| 11/11/07 3:05 | 2.193 | 0.35 |
| 11/11/07 3:10 | 2.187 | 0.26 |
| 11/11/07 3:15 | 2.182 | 0.31 |
| 11/11/07 3:20 | 2.178 | 0.31 |
| 11/11/07 3:25 | 2.174 | 0.34 |
| 11/11/07 3:30 | 2.171 | 0.34 |
| 11/11/07 3:35 | 2.166 | 0.32 |
| 11/11/07 3:40 | 2.165 | 0.33 |
| 11/11/07 3:45 | 2.164 | 0.33 |
| 11/11/07 3:50 | 2.162 | 0.36 |
| 11/11/07 3:55 | 2.16 | 0.41 |
| 11/11/07 4:00 | 2.159 | 0.37 |
| 11/11/07 4:05 | 2.157 | 0.36 |
| 11/11/07 4:10 | 2.157 | 0.31 |
| 11/11/07 4:15 | 2.155 | 0.34 |
| 11/11/07 4:20 | 2.155 | 0.37 |
| 11/11/07 4:25 | 2.15 | 0.29 |
| 11/11/07 4:30 | 2.154 | 0.34 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 4:35 | 2.153 | 0.35 |
| 11/11/07 4:40 | 2.153 | 0.28 |
| 11/11/07 4:45 | 2.153 | 0.35 |
| 11/11/07 4:50 | 2.153 | 0.36 |
| 11/11/07 4:55 | 2.155 | 0.28 |
| 11/11/07 5:00 | 2.154 | 0.33 |
| 11/11/07 5:05 | 2.154 | 0.34 |
| 11/11/07 5:10 | 2.154 | 0.36 |
| 11/11/07 5:15 | 2.155 | 0.38 |
| 11/11/07 5:20 | 2.154 | 0.4 |
| 11/11/07 5:25 | 2.154 | 0.32 |
| 11/11/07 5:30 | 2.154 | 0.31 |
| 11/11/07 5:35 | 2.154 | 0.38 |
| 11/11/07 5:40 | 2.154 | 0.41 |
| 11/11/07 5:45 | 2.155 | 0.3 |
| 11/11/07 5:50 | 2.155 | 0.36 |
| 11/11/07 5:55 | 2.154 | 0.37 |
| 11/11/07 6:00 | 2.153 | 0.34 |
| 11/11/07 6:05 | 2.153 | 0.3 |
| 11/11/07 6:10 | 2.153 | 0.39 |
| 11/11/07 6:15 | 2.153 | 0.33 |
| 11/11/07 6:20 | 2.153 | 0.33 |
| 11/11/07 6:25 | 2.152 | 0.32 |
| 11/11/07 6:30 | 2.152 | 0.37 |
| 11/11/07 6:35 | 2.153 | 0.44 |
| 11/11/07 6:40 | 2.152 | 0.39 |
| 11/11/07 6:45 | 2.153 | 0.36 |
| 11/11/07 6:50 | 2.154 | 0.39 |
| 11/11/07 6:55 | 2.154 | 0.34 |
| 11/11/07 7:00 | 2.154 | 0.37 |
| 11/11/07 7:05 | 2.154 | 0.37 |
| 11/11/07 7:10 | 2.155 | 0.32 |
| 11/11/07 7:15 | 2.156 | 0.36 |
| 11/11/07 7:20 | 2.156 | 0.37 |
| 11/11/07 7:25 | 2.156 | 0.42 |
| 11/11/07 7:30 | 2.157 | 0.36 |
| 11/11/07 7:35 | 2.158 | 0.41 |
| 11/11/07 7:40 | 2.159 | 0.33 |
| 11/11/07 7:45 | 2.158 | 0.41 |
| 11/11/07 7:50 | 2.159 | 0.34 |
| 11/11/07 7:55 | 2.159 | 0.38 |
| 11/11/07 8:00 | 2.16 | 0.34 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 8:05 | 2.161 | 0.38 |
| 11/11/07 8:10 | 2.161 | 0.3 |
| 11/11/07 8:15 | 2.162 | 0.4 |
| 11/11/07 8:20 | 2.162 | 0.37 |
| 11/11/07 8:25 | 2.162 | 0.25 |
| 11/11/07 8:30 | 2.162 | 0.31 |
| 11/11/07 8:35 | 2.164 | 0.31 |
| 11/11/07 8:40 | 2.163 | 0.37 |
| 11/11/07 8:45 | 2.163 | 0.35 |
| 11/11/07 8:50 | 2.163 | 0.36 |
| 11/11/07 8:55 | 2.163 | 0.42 |
| 11/11/07 9:00 | 2.164 | 0.31 |
| 11/11/07 9:05 | 2.165 | 0.36 |
| 11/11/07 9:10 | 2.165 | 0.31 |
| 11/11/07 9:15 | 2.166 | 0.36 |
| 11/11/07 9:20 | 2.167 | 0.34 |
| 11/11/07 9:25 | 2.167 | 0.36 |
| 11/11/07 9:30 | 2.168 | 0.32 |
| 11/11/07 9:35 | 2.167 | 0.3 |
| 11/11/07 9:40 | 2.168 | 0.32 |
| 11/11/07 9:45 | 2.167 | 0.37 |
| 11/11/07 9:50 | 2.168 | 0.31 |
| 11/11/07 9:55 | 2.167 | 0.39 |
| 11/11/07 10:00 | 2.167 | 0.39 |
| 11/11/07 10:05 | 2.168 | 0.37 |
| 11/11/07 10:10 | 2.168 | 0.41 |
| 11/11/07 10:15 | 2.168 | 0.36 |
| 11/11/07 10:20 | 2.168 | 0.39 |
| 11/11/07 10:25 | 2.168 | 0.36 |
| 11/11/07 10:30 | 2.167 | 0.36 |
| 11/11/07 10:35 | 2.167 | 0.37 |
| 11/11/07 10:40 | 2.167 | 0.37 |
| 11/11/07 10:45 | 2.167 | 0.35 |
| 11/11/07 10:50 | 2.167 | 0.37 |
| 11/11/07 10:55 | 2.168 | 0.39 |
| 11/11/07 11:00 | 2.167 | 0.32 |
| 11/11/07 11:05 | 2.167 | 0.32 |
| 11/11/07 11:10 | 2.168 | 0.31 |
| 11/11/07 11:15 | 2.167 | 0.33 |
| 11/11/07 11:20 | 2.166 | 0.38 |
| 11/11/07 11:25 | 2.166 | 0.35 |
| 11/11/07 11:30 | 2.166 | 0.3 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 11:35 | 2.166 | 0.37 |
| 11/11/07 11:40 | 2.166 | 0.34 |
| 11/11/07 11:45 | 2.166 | 0.3 |
| 11/11/07 11:50 | 2.165 | 0.34 |
| 11/11/07 11:55 | 2.166 | 0.36 |
| 11/11/07 12:00 | 2.166 | 0.38 |
| 11/11/07 12:05 | 2.166 | 0.4 |
| 11/11/07 12:10 | 2.165 | 0.28 |
| 11/11/07 12:15 | 2.166 | 0.31 |
| 11/11/07 12:20 | 2.166 | 0.35 |
| 11/11/07 12:25 | 2.166 | 0.37 |
| 11/11/07 12:30 | 2.166 | 0.33 |
| 11/11/07 12:35 | 2.166 | 0.44 |
| 11/11/07 12:40 | 2.166 | 0.32 |
| 11/11/07 12:45 | 2.165 | 0.33 |
| 11/11/07 12:50 | 2.164 | 0.36 |
| 11/11/07 12:55 | 2.165 | 0.29 |
| 11/11/07 13:00 | 2.165 | 0.38 |
| 11/11/07 13:05 | 2.166 | 0.38 |
| 11/11/07 13:10 | 2.166 | 0.32 |
| 11/11/07 13:15 | 2.165 | 0.4 |
| 11/11/07 13:20 | 2.165 | 0.35 |
| 11/11/07 13:25 | 2.166 | 0.35 |
| 11/11/07 13:30 | 2.165 | 0.35 |
| 11/11/07 13:35 | 2.165 | 0.36 |
| 11/11/07 13:40 | 2.166 | 0.36 |
| 11/11/07 13:45 | 2.166 | 0.44 |
| 11/11/07 13:50 | 2.166 | 0.36 |
| 11/11/07 13:55 | 2.166 | 0.32 |
| 11/11/07 14:00 | 2.166 | 0.36 |
| 11/11/07 14:05 | 2.166 | 0.38 |
| 11/11/07 14:10 | 2.166 | 0.35 |
| 11/11/07 14:15 | 2.166 | 0.35 |
| 11/11/07 14:20 | 2.165 | 0.4 |
| 11/11/07 14:25 | 2.166 | 0.38 |
| 11/11/07 14:30 | 2.164 | 0.32 |
| 11/11/07 14:35 | 2.165 | 0.39 |
| 11/11/07 14:40 | 2.165 | 0.37 |
| 11/11/07 14:45 | 2.165 | 0.33 |
| 11/11/07 14:50 | 2.164 | 0.37 |
| 11/11/07 14:55 | 2.164 | 0.36 |
| 11/11/07 15:00 | 2.163 | 0.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 15:05 | 2.163 | 0.35 |
| 11/11/07 15:10 | 2.163 | 0.33 |
| 11/11/07 15:15 | 2.163 | 0.35 |
| 11/11/07 15:20 | 2.162 | 0.35 |
| 11/11/07 15:25 | 2.163 | 0.34 |
| 11/11/07 15:30 | 2.162 | 0.37 |
| 11/11/07 15:35 | 2.163 | 0.35 |
| 11/11/07 15:40 | 2.162 | 0.36 |
| 11/11/07 15:45 | 2.162 | 0.36 |
| 11/11/07 15:50 | 2.162 | 0.36 |
| 11/11/07 15:55 | 2.162 | 0.36 |
| 11/11/07 16:00 | 2.163 | 0.4 |
| 11/11/07 16:05 | 2.162 | 0.4 |
| 11/11/07 16:10 | 2.163 | 0.4 |
| 11/11/07 16:15 | 2.163 | 0.4 |
| 11/11/07 16:20 | 2.162 | 0.37 |
| 11/11/07 16:25 | 2.162 | 0.41 |
| 11/11/07 16:30 | 2.162 | 0.34 |
| 11/11/07 16:35 | 2.163 | 0.34 |
| 11/11/07 16:40 | 2.163 | 0.33 |
| 11/11/07 16:45 | 2.163 | 0.33 |
| 11/11/07 16:50 | 2.163 | 0.33 |
| 11/11/07 16:55 | 2.163 | 0.37 |
| 11/11/07 17:00 | 2.164 | 0.35 |
| 11/11/07 17:05 | 2.164 | 0.34 |
| 11/11/07 17:10 | 2.164 | 0.35 |
| 11/11/07 17:15 | 2.164 | 0.31 |
| 11/11/07 17:20 | 2.164 | 0.39 |
| 11/11/07 17:25 | 2.164 | 0.32 |
| 11/11/07 17:30 | 2.164 | 0.35 |
| 11/11/07 17:35 | 2.164 | 0.3 |
| 11/11/07 17:40 | 2.165 | 0.38 |
| 11/11/07 17:45 | 2.165 | 0.33 |
| 11/11/07 17:50 | 2.165 | 0.35 |
| 11/11/07 17:55 | 2.165 | 0.33 |
| 11/11/07 18:00 | 2.165 | 0.35 |
| 11/11/07 18:05 | 2.165 | 0.31 |
| 11/11/07 18:10 | 2.165 | 0.29 |
| 11/11/07 18:15 | 2.166 | 0.34 |
| 11/11/07 18:20 | 2.165 | 0.34 |
| 11/11/07 18:25 | 2.165 | 0.33 |
| 11/11/07 18:30 | 2.165 | 0.34 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 18:35 | 2.165 | 0.31 |
| 11/11/07 18:40 | 2.166 | 0.37 |
| 11/11/07 18:45 | 2.166 | 0.32 |
| 11/11/07 18:50 | 2.166 | 0.3 |
| 11/11/07 18:55 | 2.166 | 0.36 |
| 11/11/07 19:00 | 2.166 | 0.32 |
| 11/11/07 19:05 | 2.166 | 0.37 |
| 11/11/07 19:10 | 2.166 | 0.34 |
| 11/11/07 19:15 | 2.166 | 0.36 |
| 11/11/07 19:20 | 2.165 | 0.37 |
| 11/11/07 19:25 | 2.162 | 0.28 |
| 11/11/07 19:30 | 2.159 | 0.37 |
| 11/11/07 19:35 | 2.154 | 0.22 |
| 11/11/07 19:40 | 2.149 | 0.3 |
| 11/11/07 19:45 | 2.142 | 0.35 |
| 11/11/07 19:50 | 2.137 | 0.32 |
| 11/11/07 19:55 | 2.132 | 0.32 |
| 11/11/07 20:00 | 2.128 | 0.36 |
| 11/11/07 20:05 | 2.125 | 0.33 |
| 11/11/07 20:10 | 2.122 | 0.34 |
| 11/11/07 20:15 | 2.119 | 0.39 |
| 11/11/07 20:20 | 2.117 | 0.3 |
| 11/11/07 20:25 | 2.114 | 0.35 |
| 11/11/07 20:30 | 2.114 | 0.4 |
| 11/11/07 20:35 | 2.112 | 0.34 |
| 11/11/07 20:40 | 2.111 | 0.41 |
| 11/11/07 20:45 | 2.11 | 0.42 |
| 11/11/07 20:50 | 2.106 | 0.46 |
| 11/11/07 20:55 | 2.105 | 0.4 |
| 11/11/07 21:00 | 2.104 | 0.39 |
| 11/11/07 21:05 | 2.102 | 0.39 |
| 11/11/07 21:10 | 2.101 | 0.44 |
| 11/11/07 21:15 | 2.099 | 0.47 |
| 11/11/07 21:20 | 2.099 | 0.37 |
| 11/11/07 21:25 | 2.099 | 0.44 |
| 11/11/07 21:30 | 2.098 | 0.35 |
| 11/11/07 21:35 | 2.097 | 0.51 |
| 11/11/07 21:40 | 2.096 | 0.53 |
| 11/11/07 21:45 | 2.097 | 0.42 |
| 11/11/07 21:50 | 2.097 | 0.42 |
| 11/11/07 21:55 | 2.096 | 0.44 |
| 11/11/07 22:00 | 2.093 | 0.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 22:05 | 2.086 | 0.53 |
| 11/11/07 22:10 | 2.077 | 0.54 |
| 11/11/07 22:15 | 2.064 | 0.56 |
| 11/11/07 22:20 | 2.056 | 0.48 |
| 11/11/07 22:25 | 2.05 | 0.51 |
| 11/11/07 22:30 | 2.044 | 0.51 |
| 11/11/07 22:35 | 2.041 | 0.5 |
| 11/11/07 22:40 | 2.035 | 0.49 |
| 11/11/07 22:45 | 2.032 | 0.48 |
| 11/11/07 22:50 | 2.029 | 0.46 |
| 11/11/07 22:55 | 2.027 | 0.48 |
| 11/11/07 23:00 | 2.025 | 0.54 |
| 11/11/07 23:05 | 2.023 | 0.49 |
| 11/11/07 23:10 | 2.021 | 0.52 |
| 11/11/07 23:15 | 2.02 | 0.49 |
| 11/11/07 23:20 | 2.019 | 0.53 |
| 11/11/07 23:25 | 2.018 | 0.5 |
| 11/11/07 23:30 | 2.017 | 0.5 |
| 11/11/07 23:35 | 2.017 | 0.53 |
| 11/11/07 23:40 | 2.017 | 0.48 |
| 11/11/07 23:45 | 2.016 | 0.5 |
| 11/11/07 23:50 | 2.015 | 0.5 |
| 11/11/07 23:55 | 2.011 | 0.51 |
| 11/12/07 0:00 | 2.011 | 0.52 |
| 11/12/07 0:05 | 2.009 | 0.5 |
| 11/12/07 0:10 | 2.008 | 0.53 |
| 11/12/07 0:15 | 2.008 | 0.53 |
| 11/12/07 0:20 | 2.007 | 0.52 |
| 11/12/07 0:25 | 2.006 | 0.56 |
| 11/12/07 0:30 | 2.006 | 0.54 |
| 11/12/07 0:35 | 2.006 | 0.54 |
| 11/12/07 0:40 | 2.006 | 0.51 |
| 11/12/07 0:45 | 2.006 | 0.52 |
| 11/12/07 0:50 | 2.007 | 0.56 |
| 11/12/07 0:55 | 2.007 | 0.56 |
| 11/12/07 1:00 | 2.007 | 0.52 |
| 11/12/07 1:05 | 2.007 | 0.53 |
| 11/12/07 1:10 | 2.007 | 0.52 |
| 11/12/07 1:15 | 2.008 | 0.53 |
| 11/12/07 1:20 | 2.008 | 0.56 |
| 11/12/07 1:25 | 2.006 | 0.48 |
| 11/12/07 1:30 | 2.005 | 0.52 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 1:35 | 2.001 | 0.52 |
| 11/12/07 1:40 | 1.998 | 0.53 |
| 11/12/07 1:45 | 1.998 | 0.55 |
| 11/12/07 1:50 | 1.995 | 0.51 |
| 11/12/07 1:55 | 1.985 | 0.49 |
| 11/12/07 2:00 | 1.979 | 0.54 |
| 11/12/07 2:05 | 1.976 | 0.55 |
| 11/12/07 2:10 | 1.973 | 0.55 |
| 11/12/07 2:15 | 1.971 | 0.55 |
| 11/12/07 2:20 | 1.969 | 0.57 |
| 11/12/07 2:25 | 1.968 | 0.52 |
| 11/12/07 2:30 | 1.967 | 0.55 |
| 11/12/07 2:35 | 1.965 | 0.56 |
| 11/12/07 2:40 | 1.965 | 0.59 |
| 11/12/07 2:45 | 1.965 | 0.56 |
| 11/12/07 2:50 | 1.965 | 0.58 |
| 11/12/07 2:55 | 1.964 | 0.58 |
| 11/12/07 3:00 | 1.964 | 0.55 |
| 11/12/07 3:05 | 1.96 | 0.54 |
| 11/12/07 3:10 | 1.954 | 0.61 |
| 11/12/07 3:15 | 1.948 | 0.61 |
| 11/12/07 3:20 | 1.942 | 0.57 |
| 11/12/07 3:25 | 1.94 | 0.58 |
| 11/12/07 3:30 | 1.939 | 0.6 |
| 11/12/07 3:35 | 1.937 | 0.57 |
| 11/12/07 3:40 | 1.937 | 0.53 |
| 11/12/07 3:45 | 1.934 | 0.54 |
| 11/12/07 3:50 | 1.93 | 0.51 |
| 11/12/07 3:55 | 1.932 | 0.52 |
| 11/12/07 4:00 | 1.931 | 0.58 |
| 11/12/07 4:05 | 1.931 | 0.53 |
| 11/12/07 4:10 | 1.931 | 0.55 |
| 11/12/07 4:15 | 1.93 | 0.52 |
| 11/12/07 4:20 | 1.93 | 0.53 |
| 11/12/07 4:25 | 1.93 | 0.52 |
| 11/12/07 4:30 | 1.93 | 0.53 |
| 11/12/07 4:35 | 1.93 | 0.56 |
| 11/12/07 4:40 | 1.93 | 0.55 |
| 11/12/07 4:45 | 1.929 | 0.56 |
| 11/12/07 4:50 | 1.93 | 0.58 |
| 11/12/07 4:55 | 1.93 | 0.52 |
| 11/12/07 5:00 | 1.93 | 0.56 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 5:05 | 1.93 | 0.57 |
| 11/12/07 5:10 | 1.931 | 0.54 |
| 11/12/07 5:15 | 1.931 | 0.55 |
| 11/12/07 5:20 | 1.932 | 0.54 |
| 11/12/07 5:25 | 1.932 | 0.54 |
| 11/12/07 5:30 | 1.933 | 0.6 |
| 11/12/07 5:35 | 1.934 | 0.55 |
| 11/12/07 5:40 | 1.934 | 0.62 |
| 11/12/07 5:45 | 1.934 | 0.59 |
| 11/12/07 5:50 | 1.934 | 0.56 |
| 11/12/07 5:55 | 1.935 | 0.54 |
| 11/12/07 6:00 | 1.936 | 0.55 |
| 11/12/07 6:05 | 1.936 | 0.63 |
| 11/12/07 6:10 | 1.937 | 0.59 |
| 11/12/07 6:15 | 1.937 | 0.59 |
| 11/12/07 6:20 | 1.938 | 0.59 |
| 11/12/07 6:25 | 1.938 | 0.61 |
| 11/12/07 6:30 | 1.939 | 0.59 |
| 11/12/07 6:35 | 1.939 | 0.59 |
| 11/12/07 6:40 | 1.94 | 0.54 |
| 11/12/07 6:45 | 1.941 | 0.61 |
| 11/12/07 6:50 | 1.941 | 0.63 |
| 11/12/07 6:55 | 1.942 | 0.59 |
| 11/12/07 7:00 | 1.943 | 0.56 |
| 11/12/07 7:05 | 1.944 | 0.56 |
| 11/12/07 7:10 | 1.944 | 0.59 |
| 11/12/07 7:15 | 1.944 | 0.54 |
| 11/12/07 7:20 | 1.945 | 0.6 |
| 11/12/07 7:25 | 1.946 | 0.57 |
| 11/12/07 7:30 | 1.946 | 0.6 |
| 11/12/07 7:35 | 1.947 | 0.58 |
| 11/12/07 7:40 | 1.947 | 0.58 |
| 11/12/07 7:45 | 1.948 | 0.59 |
| 11/12/07 7:50 | 1.948 | 0.6 |
| 11/12/07 7:55 | 1.947 | 0.62 |
| 11/12/07 8:00 | 1.948 | 0.59 |
| 11/12/07 8:05 | 1.947 | 0.61 |
| 11/12/07 8:10 | 1.947 | 0.58 |
| 11/12/07 8:15 | 1.947 | 0.58 |
| 11/12/07 8:20 | 1.947 | 0.56 |
| 11/12/07 8:25 | 1.947 | 0.58 |
| 11/12/07 8:30 | 1.948 | 0.58 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 8:35 | 1.948 | 0.58 |
| 11/12/07 8:40 | 1.949 | 0.58 |
| 11/12/07 8:45 | 1.949 | 0.57 |
| 11/12/07 8:50 | 1.95 | 0.62 |
| 11/12/07 8:55 | 1.95 | 0.58 |
| 11/12/07 9:00 | 1.951 | 0.6 |
| 11/12/07 9:05 | 1.952 | 0.6 |
| 11/12/07 9:10 | 1.952 | 0.63 |
| 11/12/07 9:15 | 1.953 | 0.56 |
| 11/12/07 9:20 | 1.954 | 0.59 |
| 11/12/07 9:25 | 1.955 | 0.57 |
| 11/12/07 9:30 | 1.955 | 0.57 |
| 11/12/07 9:35 | 1.957 | 0.62 |
| 11/12/07 9:40 | 1.958 | 0.59 |
| 11/12/07 9:45 | 1.958 | 0.61 |
| 11/12/07 9:50 | 1.959 | 0.6 |
| 11/12/07 9:55 | 1.96 | 0.61 |
| 11/12/07 10:00 | 1.961 | 0.58 |
| 11/12/07 10:05 | 1.962 | 0.64 |
| 11/12/07 10:10 | 1.963 | 0.6 |
| 11/12/07 10:15 | 1.964 | 0.57 |
| 11/12/07 10:20 | 1.965 | 0.6 |
| 11/12/07 10:25 | 1.965 | 0.63 |
| 11/12/07 10:30 | 1.967 | 0.59 |
| 11/12/07 10:35 | 1.967 | 0.58 |
| 11/12/07 10:40 | 1.968 | 0.63 |
| 11/12/07 10:45 | 1.969 | 0.57 |
| 11/12/07 10:50 | 1.969 | 0.63 |
| 11/12/07 10:55 | 1.971 | 0.63 |
| 11/12/07 11:00 | 1.972 | 0.58 |
| 11/12/07 11:05 | 1.972 | 0.63 |
| 11/12/07 11:10 | 1.973 | 0.62 |
| 11/12/07 11:15 | 1.975 | 0.6 |
| 11/12/07 11:20 | 1.976 | 0.6 |
| 11/12/07 11:25 | 1.976 | 0.61 |
| 11/12/07 11:30 | 1.977 | 0.6 |
| 11/12/07 11:35 | 1.978 | 0.6 |
| 11/12/07 11:40 | 1.979 | 0.59 |
| 11/12/07 11:45 | 1.981 | 0.6 |
| 11/12/07 11:50 | 1.981 | 0.57 |
| 11/12/07 11:55 | 1.982 | 0.59 |
| 11/12/07 12:00 | 1.983 | 0.61 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 12:05 | 1.984 | 0.62 |
| 11/12/07 12:10 | 1.985 | 0.58 |
| 11/12/07 12:15 | 1.987 | 0.62 |
| 11/12/07 12:20 | 1.987 | 0.58 |
| 11/12/07 12:25 | 1.989 | 0.66 |
| 11/12/07 12:30 | 1.989 | 0.6 |
| 11/12/07 12:35 | 1.99 | 0.61 |
| 11/12/07 12:40 | 1.99 | 0.64 |
| 11/12/07 12:45 | 1.991 | 0.62 |
| 11/12/07 12:50 | 1.992 | 0.61 |
| 11/12/07 12:55 | 1.993 | 0.62 |
| 11/12/07 13:00 | 1.993 | 0.58 |
| 11/12/07 13:05 | 1.995 | 0.63 |
| 11/12/07 13:10 | 1.995 | 0.59 |
| 11/12/07 13:15 | 1.996 | 0.58 |
| 11/12/07 13:20 | 1.998 | 0.63 |
| 11/12/07 13:25 | 1.999 | 0.58 |
| 11/12/07 13:30 | 1.999 | 0.67 |
| 11/12/07 13:35 | 2 | 0.63 |
| 11/12/07 13:40 | 2.002 | 0.59 |
| 11/12/07 13:45 | 2.002 | 0.61 |
| 11/12/07 13:50 | 2.003 | 0.66 |
| 11/12/07 13:55 | 2.006 | 0.61 |
| 11/12/07 14:00 | 2.007 | 0.61 |
| 11/12/07 14:05 | 2.008 | 0.6 |
| 11/12/07 14:10 | 2.008 | 0.66 |
| 11/12/07 14:15 | 2.01 | 0.61 |
| 11/12/07 14:20 | 2.01 | 0.59 |
| 11/12/07 14:25 | 2.013 | 0.6 |
| 11/12/07 14:30 | 2.013 | 0.64 |
| 11/12/07 14:35 | 2.014 | 0.68 |
| 11/12/07 14:40 | 2.014 | 0.58 |
| 11/12/07 14:45 | 2.015 | 0.63 |
| 11/12/07 14:50 | 2.016 | 0.62 |
| 11/12/07 14:55 | 2.018 | 0.61 |
| 11/12/07 15:00 | 2.018 | 0.63 |
| 11/12/07 15:05 | 2.02 | 0.6 |
| 11/12/07 15:10 | 2.021 | 0.7 |
| 11/12/07 15:15 | 2.021 | 0.6 |
| 11/12/07 15:20 | 2.022 | 0.66 |
| 11/12/07 15:25 | 2.023 | 0.61 |
| 11/12/07 15:30 | 2.023 | 0.58 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 15:35 | 2.025 | 0.59 |
| 11/12/07 15:40 | 2.025 | 0.58 |
| 11/12/07 15:45 | 2.026 | 0.64 |
| 11/12/07 15:50 | 2.027 | 0.59 |
| 11/12/07 15:55 | 2.027 | 0.68 |
| 11/12/07 16:00 | 2.028 | 0.64 |
| 11/12/07 16:05 | 2.029 | 0.63 |
| 11/12/07 16:10 | 2.03 | 0.63 |
| 11/12/07 16:15 | 2.029 | 0.63 |
| 11/12/07 16:20 | 2.031 | 0.63 |
| 11/12/07 16:25 | 2.032 | 0.62 |
| 11/12/07 16:30 | 2.033 | 0.65 |
| 11/12/07 16:35 | 2.031 | 0.62 |
| 11/12/07 16:40 | 2.034 | 0.61 |
| 11/12/07 16:45 | 2.035 | 0.62 |
| 11/12/07 16:50 | 2.035 | 0.69 |
| 11/12/07 16:55 | 2.035 | 0.68 |
| 11/12/07 17:00 | 2.037 | 0.69 |
| 11/12/07 17:05 | 2.038 | 0.65 |
| 11/12/07 17:10 | 2.038 | 0.67 |
| 11/12/07 17:15 | 2.038 | 0.69 |
| 11/12/07 17:20 | 2.038 | 0.69 |
| 11/12/07 17:25 | 2.038 | 0.63 |
| 11/12/07 17:30 | 2.04 | 0.64 |
| 11/12/07 17:35 | 2.04 | 0.64 |
| 11/12/07 17:40 | 2.039 | 0.61 |
| 11/12/07 17:45 | 2.036 | 0.74 |
| 11/12/07 17:50 | 2.036 | 0.57 |
| 11/12/07 17:55 | 2.034 | 0.62 |
| 11/12/07 18:00 | 2.032 | 0.62 |
| 11/12/07 18:05 | 2.031 | 0.66 |
| 11/12/07 18:10 | 2.029 | 0.61 |
| 11/12/07 18:15 | 2.027 | 0.64 |
| 11/12/07 18:20 | 2.025 | 0.57 |
| 11/12/07 18:25 | 2.015 | 0.65 |
| 11/12/07 18:30 | 2.017 | 0.68 |
| 11/12/07 18:35 | 2.015 | 0.72 |
| 11/12/07 18:40 | 2.012 | 0.65 |
| 11/12/07 18:45 | 2.01 | 0.62 |
| 11/12/07 18:50 | 2.008 | 0.62 |
| 11/12/07 18:55 | 2.006 | 0.71 |
| 11/12/07 19:00 | 2.005 | 0.64 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 19:05 | 2.004 | 0.61 |
| 11/12/07 19:10 | 2.001 | 0.7 |
| 11/12/07 19:15 | 2 | 0.68 |
| 11/12/07 19:20 | 1.998 | 0.68 |
| 11/12/07 19:25 | 1.993 | 0.62 |
| 11/12/07 19:30 | 1.991 | 0.68 |
| 11/12/07 19:35 | 1.989 | 0.7 |
| 11/12/07 19:40 | 1.987 | 0.7 |
| 11/12/07 19:45 | 1.985 | 0.74 |
| 11/12/07 19:50 | 1.984 | 0.7 |
| 11/12/07 19:55 | 1.983 | 0.67 |
| 11/12/07 20:00 | 1.982 | 0.7 |
| 11/12/07 20:05 | 1.981 | 0.7 |
| 11/12/07 20:10 | 1.979 | 0.61 |
| 11/12/07 20:15 | 1.973 | 0.63 |
| 11/12/07 20:20 | 1.97 | 0.68 |
| 11/12/07 20:25 | 1.968 | 0.68 |
| 11/12/07 20:30 | 1.966 | 0.66 |
| 11/12/07 20:35 | 1.965 | 0.66 |
| 11/12/07 20:40 | 1.963 | 0.67 |
| 11/12/07 20:45 | 1.96 | 0.65 |
| 11/12/07 20:50 | 1.959 | 0.61 |
| 11/12/07 20:55 | 1.957 | 0.72 |
| 11/12/07 21:00 | 1.957 | 0.68 |
| 11/12/07 21:05 | 1.955 | 0.69 |
| 11/12/07 21:10 | 1.954 | 0.68 |
| 11/12/07 21:15 | 1.952 | 0.67 |
| 11/12/07 21:20 | 1.952 | 0.67 |
| 11/12/07 21:25 | 1.95 | 0.68 |
| 11/12/07 21:30 | 1.95 | 0.65 |
| 11/12/07 21:35 | 1.95 | 0.73 |
| 11/12/07 21:40 | 1.95 | 0.68 |
| 11/12/07 21:45 | 1.949 | 0.68 |
| 11/12/07 21:50 | 1.949 | 0.65 |
| 11/12/07 21:55 | 1.949 | 0.68 |
| 11/12/07 22:00 | 1.948 | 0.68 |
| 11/12/07 22:05 | 1.948 | 0.7 |
| 11/12/07 22:10 | 1.949 | 0.68 |
| 11/12/07 22:15 | 1.948 | 0.72 |
| 11/12/07 22:20 | 1.949 | 0.68 |
| 11/12/07 22:25 | 1.956 | 0.74 |
| 11/12/07 22:30 | 1.967 | 0.74 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 22:35 | 2.141 | 0.49 |
| 11/12/07 22:40 | 2.361 | 0.25 |
| 11/12/07 22:45 | 2.511 | 0.22 |
| 11/12/07 22:50 | 2.6 | 0.22 |
| 11/12/07 22:55 | 2.632 | 0.18 |
| 11/12/07 23:00 | 2.623 | 0.18 |
| 11/12/07 23:05 | 2.599 | 0.21 |
| 11/12/07 23:10 | 2.569 | 0.19 |
| 11/12/07 23:15 | 2.54 | 0.19 |
| 11/12/07 23:20 | 2.512 | 0.23 |
| 11/12/07 23:25 | 2.487 | 0.24 |
| 11/12/07 23:30 | 2.465 | 0.24 |
| 11/12/07 23:35 | 2.444 | 0.23 |
| 11/12/07 23:40 | 2.426 | 0.25 |
| 11/12/07 23:45 | 2.409 | 0.58 |
| 11/12/07 23:50 | 2.393 | 0.58 |
| 11/12/07 23:55 | 2.378 | 0.27 |
| 11/13/07 0:00 | 2.365 | 0.27 |
| 11/13/07 0:05 | 2.352 | 0.31 |
| 11/13/07 0:10 | 2.34 | 0.3 |
| 11/13/07 0:15 | 2.329 | 0.3 |
| 11/13/07 0:20 | 2.318 | 0.3 |
| 11/13/07 0:25 | 2.309 | 0.3 |
| 11/13/07 0:30 | 2.299 | 0.3 |
| 11/13/07 0:35 | 2.292 | 0.3 |
| 11/13/07 0:40 | 2.285 | 0.29 |
| 11/13/07 0:45 | 2.278 | 0.34 |
| 11/13/07 0:50 | 2.271 | 0.34 |
| 11/13/07 0:55 | 2.265 | 0.29 |
| 11/13/07 1:00 | 2.26 | 0.29 |
| 11/13/07 1:05 | 2.255 | 0.29 |
| 11/13/07 1:10 | 2.25 | 0.38 |
| 11/13/07 1:15 | 2.246 | 0.35 |
| 11/13/07 1:20 | 2.242 | 0.43 |
| 11/13/07 1:25 | 2.239 | 0.39 |
| 11/13/07 1:30 | 2.236 | 0.41 |
| 11/13/07 1:35 | 2.234 | 0.33 |
| 11/13/07 1:40 | 2.231 | 0.33 |
| 11/13/07 1:45 | 2.229 | 0.33 |
| 11/13/07 1:50 | 2.227 | 0.33 |
| 11/13/07 1:55 | 2.225 | 0.41 |
| 11/13/07 2:00 | 2.224 | 0.41 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 2:05 | 2.223 | 0.39 |
| 11/13/07 2:10 | 2.221 | 0.41 |
| 11/13/07 2:15 | 2.216 | 0.45 |
| 11/13/07 2:20 | 2.213 | 0.45 |
| 11/13/07 2:25 | 2.21 | 0.44 |
| 11/13/07 2:30 | 2.207 | 0.44 |
| 11/13/07 2:35 | 2.205 | 0.44 |
| 11/13/07 2:40 | 2.203 | 0.44 |
| 11/13/07 2:45 | 2.201 | 0.48 |
| 11/13/07 2:50 | 2.198 | 0.48 |
| 11/13/07 2:55 | 2.197 | 0.48 |
| 11/13/07 3:00 | 2.195 | 0.48 |
| 11/13/07 3:05 | 2.193 | 0.48 |
| 11/13/07 3:10 | 2.193 | 0.45 |
| 11/13/07 3:15 | 2.193 | 0.45 |
| 11/13/07 3:20 | 2.193 | 0.45 |
| 11/13/07 3:25 | 2.194 | 0.45 |
| 11/13/07 3:30 | 2.196 | 0.45 |
| 11/13/07 3:35 | 2.198 | 0.36 |
| 11/13/07 3:40 | 2.201 | 0.36 |
| 11/13/07 3:45 | 2.204 | 0.36 |
| 11/13/07 3:50 | 2.207 | 0.36 |
| 11/13/07 3:55 | 2.209 | 0.36 |
| 11/13/07 4:00 | 2.211 | 0.41 |
| 11/13/07 4:05 | 2.212 | 0.41 |
| 11/13/07 4:10 | 2.213 | 0.47 |
| 11/13/07 4:15 | 2.215 | 0.47 |
| 11/13/07 4:20 | 2.216 | 0.47 |
| 11/13/07 4:25 | 2.217 | 0.47 |
| 11/13/07 4:30 | 2.217 | 0.47 |
| 11/13/07 4:35 | 2.219 | 0.45 |
| 11/13/07 4:40 | 2.219 | 0.45 |
| 11/13/07 4:45 | 2.221 | 0.45 |
| 11/13/07 4:50 | 2.223 | 0.45 |
| 11/13/07 4:55 | 2.228 | 0.46 |
| 11/13/07 5:00 | 2.229 | 0.42 |
| 11/13/07 5:05 | 2.24 | 0.49 |
| 11/13/07 5:10 | 2.273 | 0.46 |
| 11/13/07 5:15 | 2.32 | 0.35 |
| 11/13/07 5:20 | 2.361 | 0.3 |
| 11/13/07 5:25 | 2.397 | 0.26 |
| 11/13/07 5:30 | 2.436 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 5:35 | 2.479 | 0.32 |
| 11/13/07 5:40 | 2.515 | 0.27 |
| 11/13/07 5:45 | 2.539 | 0.28 |
| 11/13/07 5:50 | 2.549 | 0.27 |
| 11/13/07 5:55 | 2.548 | 0.29 |
| 11/13/07 6:00 | 2.538 | 0.26 |
| 11/13/07 6:05 | 2.524 | 0.26 |
| 11/13/07 6:10 | 2.508 | 0.29 |
| 11/13/07 6:15 | 2.493 | 0.29 |
| 11/13/07 6:20 | 2.477 | 0.26 |
| 11/13/07 6:25 | 2.463 | 0.34 |
| 11/13/07 6:30 | 2.45 | 0.29 |
| 11/13/07 6:35 | 2.438 | 0.3 |
| 11/13/07 6:40 | 2.426 | 0.31 |
| 11/13/07 6:45 | 2.416 | 0.36 |
| 11/13/07 6:50 | 2.405 | 0.36 |
| 11/13/07 6:55 | 2.396 | 0.36 |
| 11/13/07 7:00 | 2.387 | 0.35 |
| 11/13/07 7:05 | 2.38 | 0.32 |
| 11/13/07 7:10 | 2.373 | 0.41 |
| 11/13/07 7:15 | 2.366 | 0.31 |
| 11/13/07 7:20 | 2.36 | 0.41 |
| 11/13/07 7:25 | 2.354 | 0.35 |
| 11/13/07 7:30 | 2.35 | 0.35 |
| 11/13/07 7:35 | 2.349 | 0.45 |
| 11/13/07 7:40 | 2.349 | 0.36 |
| 11/13/07 7:45 | 2.348 | 0.39 |
| 11/13/07 7:50 | 2.35 | 0.36 |
| 11/13/07 7:55 | 2.353 | 0.47 |
| 11/13/07 8:00 | 2.356 | 0.31 |
| 11/13/07 8:05 | 2.358 | 0.38 |
| 11/13/07 8:10 | 2.36 | 0.41 |
| 11/13/07 8:15 | 2.361 | 0.41 |
| 11/13/07 8:20 | 2.361 | 0.34 |
| 11/13/07 8:25 | 2.36 | 0.38 |
| 11/13/07 8:30 | 2.358 | 0.29 |
| 11/13/07 8:35 | 2.357 | 0.36 |
| 11/13/07 8:40 | 2.355 | 0.46 |
| 11/13/07 8:45 | 2.353 | 0.41 |
| 11/13/07 8:50 | 2.35 | 0.29 |
| 11/13/07 8:55 | 2.348 | 0.44 |
| 11/13/07 9:00 | 2.348 | 0.46 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 9:05 | 2.346 | 0.44 |
| 11/13/07 9:10 | 2.345 | 0.42 |
| 11/13/07 9:15 | 2.343 | 0.47 |
| 11/13/07 9:20 | 2.343 | 0.46 |
| 11/13/07 9:25 | 2.342 | 0.46 |
| 11/13/07 9:30 | 2.341 | 0.44 |
| 11/13/07 9:35 | 2.338 | 0.48 |
| 11/13/07 9:40 | 2.338 | 0.43 |
| 11/13/07 9:45 | 2.337 | 0.45 |
| 11/13/07 9:50 | 2.336 | 0.46 |
| 11/13/07 9:55 | 2.335 | 0.35 |
| 11/13/07 10:00 | 2.333 | 0.38 |
| 11/13/07 10:05 | 2.332 | 0.42 |
| 11/13/07 10:10 | 2.331 | 0.44 |
| 11/13/07 10:15 | 2.33 | 0.52 |
| 11/13/07 10:20 | 2.331 | 0.49 |
| 11/13/07 10:25 | 2.328 | 0.47 |
| 11/13/07 10:30 | 2.328 | 0.44 |
| 11/13/07 10:35 | 2.328 | 0.41 |
| 11/13/07 10:40 | 2.328 | 0.5 |
| 11/13/07 10:45 | 2.328 | 0.37 |
| 11/13/07 10:50 | 2.327 | 0.46 |
| 11/13/07 10:55 | 2.327 | 0.47 |
| 11/13/07 11:00 | 2.328 | 0.49 |
| 11/13/07 11:05 | 2.325 | 0.49 |
| 11/13/07 11:10 | 2.326 | 0.39 |
| 11/13/07 11:15 | 2.325 | 0.42 |
| 11/13/07 11:20 | 2.326 | 0.37 |
| 11/13/07 11:25 | 2.326 | 0.5 |
| 11/13/07 11:30 | 2.326 | 0.5 |
| 11/13/07 11:35 | 2.327 | 0.47 |
| 11/13/07 11:40 | 2.328 | 0.44 |
| 11/13/07 11:45 | 2.328 | 0.44 |
| 11/13/07 11:50 | 2.33 | 0.44 |
| 11/13/07 11:55 | 2.329 | 0.34 |
| 11/13/07 12:00 | 2.33 | 0.53 |
| 11/13/07 12:05 | 2.329 | 0.53 |
| 11/13/07 12:10 | 2.329 | 0.52 |
| 11/13/07 12:15 | 2.331 | 0.5 |
| 11/13/07 12:20 | 2.332 | 0.46 |
| 11/13/07 12:25 | 2.333 | 0.49 |
| 11/13/07 12:30 | 2.332 | 0.49 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 12:35 | 2.333 | 0.46 |
| 11/13/07 12:40 | 2.334 | 0.47 |
| 11/13/07 12:45 | 2.334 | 0.5 |
| 11/13/07 12:50 | 2.334 | 0.45 |
| 11/13/07 12:55 | 2.335 | 0.45 |
| 11/13/07 13:00 | 2.337 | 0.45 |
| 11/13/07 13:05 | 2.335 | 0.59 |
| 11/13/07 13:10 | 2.335 | 0.33 |
| 11/13/07 13:15 | 2.335 | 0.49 |
| 11/13/07 13:20 | 2.334 | 0.43 |
| 11/13/07 13:25 | 2.336 | 0.37 |
| 11/13/07 13:30 | 2.333 | 0.28 |
| 11/13/07 13:35 | 2.337 | 0.37 |
| 11/13/07 13:40 | 2.335 | 0.47 |
| 11/13/07 13:45 | 2.337 | 0.47 |
| 11/13/07 13:50 | 2.336 | 0.41 |
| 11/13/07 13:55 | 2.337 | 0.5 |
| 11/13/07 14:00 | 2.334 | 0.39 |
| 11/13/07 14:05 | 2.337 | 0.45 |
| 11/13/07 14:10 | 2.336 | 0.46 |
| 11/13/07 14:15 | 2.334 | 0.41 |
| 11/13/07 14:20 | 2.334 | 0.46 |
| 11/13/07 14:25 | 2.335 | 0.41 |
| 11/13/07 14:30 | 2.336 | 0.38 |
| 11/13/07 14:35 | 2.336 | 0.41 |
| 11/13/07 14:40 | 2.336 | 0.49 |
| 11/13/07 14:45 | 2.335 | 0.33 |
| 11/13/07 14:50 | 2.337 | 0.4 |
| 11/13/07 14:55 | 2.335 | 0.44 |
| 11/13/07 15:00 | 2.336 | 0.49 |
| 11/13/07 15:05 | 2.335 | 0.38 |
| 11/13/07 15:10 | 2.337 | 0.46 |
| 11/13/07 15:15 | 2.338 | 0.44 |
| 11/13/07 15:20 | 2.338 | 0.35 |
| 11/13/07 15:25 | 2.34 | 0.35 |
| 11/13/07 15:30 | 2.339 | 0.4 |
| 11/13/07 15:35 | 2.338 | 0.37 |
| 11/13/07 15:40 | 2.34 | 0.4 |
| 11/13/07 15:45 | 2.34 | 0.45 |
| 11/13/07 15:50 | 2.34 | 0.37 |
| 11/13/07 15:55 | 2.342 | 0.44 |
| 11/13/07 16:00 | 2.342 | 0.44 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 16:05 | 2.342 | 0.44 |
| 11/13/07 16:10 | 2.343 | 0.4 |
| 11/13/07 16:15 | 2.342 | 0.42 |
| 11/13/07 16:20 | 2.344 | 0.45 |
| 11/13/07 16:25 | 2.344 | 0.44 |
| 11/13/07 16:30 | 2.343 | 0.44 |
| 11/13/07 16:35 | 2.345 | 0.42 |
| 11/13/07 16:40 | 2.345 | 0.38 |
| 11/13/07 16:45 | 2.345 | 0.44 |
| 11/13/07 16:50 | 2.346 | 0.43 |
| 11/13/07 16:55 | 2.344 | 0.43 |
| 11/13/07 17:00 | 2.347 | 0.43 |
| 11/13/07 17:05 | 2.346 | 0.41 |
| 11/13/07 17:10 | 2.347 | 0.35 |
| 11/13/07 17:15 | 2.346 | 0.44 |
| 11/13/07 17:20 | 2.347 | 0.44 |
| 11/13/07 17:25 | 2.347 | 0.41 |
| 11/13/07 17:30 | 2.347 | 0.45 |
| 11/13/07 17:35 | 2.348 | 0.45 |
| 11/13/07 17:40 | 2.347 | 0.45 |
| 11/13/07 17:45 | 2.348 | 0.47 |
| 11/13/07 17:50 | 2.348 | 0.47 |
| 11/13/07 17:55 | 2.348 | 0.43 |
| 11/13/07 18:00 | 2.347 | 0.39 |
| 11/13/07 18:05 | 2.349 | 0.48 |
| 11/13/07 18:10 | 2.348 | 0.48 |
| 11/13/07 18:15 | 2.35 | 0.54 |
| 11/13/07 18:20 | 2.349 | 0.37 |
| 11/13/07 18:25 | 2.348 | 0.37 |
| 11/13/07 18:30 | 2.349 | 0.43 |
| 11/13/07 18:35 | 2.349 | 0.57 |
| 11/13/07 18:40 | 2.35 | 0.45 |
| 11/13/07 18:45 | 2.35 | 0.45 |
| 11/13/07 18:50 | 2.35 | 0.47 |
| 11/13/07 18:55 | 2.35 | 0.38 |
| 11/13/07 19:00 | 2.349 | 0.4 |
| 11/13/07 19:05 | 2.35 | 0.48 |
| 11/13/07 19:10 | 2.35 | 0.44 |
| 11/13/07 19:15 | 2.351 | 0.46 |
| 11/13/07 19:20 | 2.351 | 0.43 |
| 11/13/07 19:25 | 2.35 | 0.42 |
| 11/13/07 19:30 | 2.349 | 0.43 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 19:35 | 2.349 | 0.3 |
| 11/13/07 19:40 | 2.349 | 0.44 |
| 11/13/07 19:45 | 2.349 | 0.44 |
| 11/13/07 19:50 | 2.348 | 0.52 |
| 11/13/07 19:55 | 2.348 | 0.47 |
| 11/13/07 20:00 | 2.348 | 0.46 |
| 11/13/07 20:05 | 2.347 | 0.44 |
| 11/13/07 20:10 | 2.346 | 0.51 |
| 11/13/07 20:15 | 2.346 | 0.45 |
| 11/13/07 20:20 | 2.347 | 0.49 |
| 11/13/07 20:25 | 2.343 | 0.5 |
| 11/13/07 20:30 | 2.341 | 0.4 |
| 11/13/07 20:35 | 2.339 | 0.42 |
| 11/13/07 20:40 | 2.335 | 0.41 |
| 11/13/07 20:45 | 2.332 | 0.49 |
| 11/13/07 20:50 | 2.325 | 0.41 |
| 11/13/07 20:55 | 2.318 | 0.49 |
| 11/13/07 21:00 | 2.311 | 0.47 |
| 11/13/07 21:05 | 2.304 | 0.48 |
| 11/13/07 21:10 | 2.298 | 0.49 |
| 11/13/07 21:15 | 2.292 | 0.35 |
| 11/13/07 21:20 | 2.288 | 0.42 |
| 11/13/07 21:25 | 2.284 | 0.55 |
| 11/13/07 21:30 | 2.28 | 0.53 |
| 11/13/07 21:35 | 2.276 | 0.52 |
| 11/13/07 21:40 | 2.272 | 0.57 |
| 11/13/07 21:45 | 2.269 | 0.6 |
| 11/13/07 21:50 | 2.266 | 0.56 |
| 11/13/07 21:55 | 2.264 | 0.62 |
| 11/13/07 22:00 | 2.263 | 0.55 |
| 11/13/07 22:05 | 2.259 | 0.59 |
| 11/13/07 22:10 | 2.259 | 0.45 |
| 11/13/07 22:15 | 2.257 | 0.42 |
| 11/13/07 22:20 | 2.257 | 0.61 |
| 11/13/07 22:25 | 2.258 | 0.54 |
| 11/13/07 22:30 | 2.257 | 0.61 |
| 11/13/07 22:35 | 2.256 | 0.58 |
| 11/13/07 22:40 | 2.254 | 0.59 |
| 11/13/07 22:45 | 2.256 | 0.61 |
| 11/13/07 22:50 | 2.256 | 0.57 |
| 11/13/07 22:55 | 2.258 | 0.64 |
| 11/13/07 23:00 | 2.26 | 0.52 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 23:05 | 2.263 | 0.59 |
| 11/13/07 23:10 | 2.265 | 0.65 |
| 11/13/07 23:15 | 2.266 | 0.69 |
| 11/13/07 23:20 | 2.267 | 0.69 |
| 11/13/07 23:25 | 2.268 | 0.58 |
| 11/13/07 23:30 | 2.27 | 0.43 |
| 11/13/07 23:35 | 2.271 | 0.5 |
| 11/13/07 23:40 | 2.273 | 0.51 |
| 11/13/07 23:45 | 2.273 | 0.69 |
| 11/13/07 23:50 | 2.272 | 0.62 |
| 11/13/07 23:55 | 2.267 | 0.52 |
| 11/14/07 0:00 | 2.262 | 0.66 |
| 11/14/07 0:05 | 2.258 | 0.71 |
| 11/14/07 0:10 | 2.254 | 0.56 |
| 11/14/07 0:15 | 2.249 | 0.52 |
| 11/14/07 0:20 | 2.245 | 0.64 |
| 11/14/07 0:25 | 2.244 | 0.51 |
| 11/14/07 0:30 | 2.24 | 0.62 |
| 11/14/07 0:35 | 2.237 | 0.65 |
| 11/14/07 0:40 | 2.234 | 0.61 |
| 11/14/07 0:45 | 2.233 | 0.68 |
| 11/14/07 0:50 | 2.231 | 0.61 |
| 11/14/07 0:55 | 2.23 | 0.49 |
| 11/14/07 1:00 | 2.229 | 0.67 |
| 11/14/07 1:05 | 2.227 | 0.67 |
| 11/14/07 1:10 | 2.225 | 0.62 |
| 11/14/07 1:15 | 2.225 | 0.54 |
| 11/14/07 1:20 | 2.225 | 0.67 |
| 11/14/07 1:25 | 2.225 | 0.56 |
| 11/14/07 1:30 | 2.223 | 0.62 |
| 11/14/07 1:35 | 2.223 | 0.6 |
| 11/14/07 1:40 | 2.221 | 0.63 |
| 11/14/07 1:45 | 2.221 | 0.63 |
| 11/14/07 1:50 | 2.221 | 0.6 |
| 11/14/07 1:55 | 2.222 | 0.6 |
| 11/14/07 2:00 | 2.221 | 0.55 |
| 11/14/07 2:05 | 2.221 | 0.57 |
| 11/14/07 2:10 | 2.221 | 0.64 |
| 11/14/07 2:15 | 2.221 | 0.69 |
| 11/14/07 2:20 | 2.222 | 0.64 |
| 11/14/07 2:25 | 2.221 | 0.55 |
| 11/14/07 2:30 | 2.222 | 0.62 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 2:35 | 2.221 | 0.64 |
| 11/14/07 2:40 | 2.222 | 0.59 |
| 11/14/07 2:45 | 2.224 | 0.61 |
| 11/14/07 2:50 | 2.223 | 0.68 |
| 11/14/07 2:55 | 2.219 | 0.6 |
| 11/14/07 3:00 | 2.216 | 0.55 |
| 11/14/07 3:05 | 2.212 | 0.55 |
| 11/14/07 3:10 | 2.213 | 0.57 |
| 11/14/07 3:15 | 2.211 | 0.52 |
| 11/14/07 3:20 | 2.211 | 0.63 |
| 11/14/07 3:25 | 2.209 | 0.54 |
| 11/14/07 3:30 | 2.209 | 0.66 |
| 11/14/07 3:35 | 2.209 | 0.66 |
| 11/14/07 3:40 | 2.209 | 0.5 |
| 11/14/07 3:45 | 2.21 | 0.51 |
| 11/14/07 3:50 | 2.21 | 0.61 |
| 11/14/07 3:55 | 2.21 | 0.5 |
| 11/14/07 4:00 | 2.21 | 0.63 |
| 11/14/07 4:05 | 2.211 | 0.61 |
| 11/14/07 4:10 | 2.21 | 0.58 |
| 11/14/07 4:15 | 2.21 | 0.55 |
| 11/14/07 4:20 | 2.211 | 0.64 |
| 11/14/07 4:25 | 2.213 | 0.59 |
| 11/14/07 4:30 | 2.214 | 0.58 |
| 11/14/07 4:35 | 2.214 | 0.54 |
| 11/14/07 4:40 | 2.215 | 0.44 |
| 11/14/07 4:45 | 2.216 | 0.62 |
| 11/14/07 4:50 | 2.215 | 0.52 |
| 11/14/07 4:55 | 2.217 | 0.58 |
| 11/14/07 5:00 | 2.218 | 0.59 |
| 11/14/07 5:05 | 2.218 | 0.58 |
| 11/14/07 5:10 | 2.217 | 0.43 |
| 11/14/07 5:15 | 2.218 | 0.43 |
| 11/14/07 5:20 | 2.218 | 0.56 |
| 11/14/07 5:25 | 2.217 | 0.58 |
| 11/14/07 5:30 | 2.216 | 0.59 |
| 11/14/07 5:35 | 2.218 | 0.64 |
| 11/14/07 5:40 | 2.218 | 0.64 |
| 11/14/07 5:45 | 2.217 | 0.56 |
| 11/14/07 5:50 | 2.218 | 0.57 |
| 11/14/07 5:55 | 2.219 | 0.57 |
| 11/14/07 6:00 | 2.219 | 0.62 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 6:05 | 2.22 | 0.59 |
| 11/14/07 6:10 | 2.221 | 0.62 |
| 11/14/07 6:15 | 2.221 | 0.55 |
| 11/14/07 6:20 | 2.222 | 0.51 |
| 11/14/07 6:25 | 2.222 | 0.53 |
| 11/14/07 6:30 | 2.223 | 0.59 |
| 11/14/07 6:35 | 2.224 | 0.63 |
| 11/14/07 6:40 | 2.225 | 0.6 |
| 11/14/07 6:45 | 2.225 | 0.58 |
| 11/14/07 6:50 | 2.224 | 0.65 |
| 11/14/07 6:55 | 2.226 | 0.51 |
| 11/14/07 7:00 | 2.228 | 0.56 |
| 11/14/07 7:05 | 2.228 | 0.51 |
| 11/14/07 7:10 | 2.23 | 0.55 |
| 11/14/07 7:15 | 2.229 | 0.56 |
| 11/14/07 7:20 | 2.23 | 0.54 |
| 11/14/07 7:25 | 2.232 | 0.54 |
| 11/14/07 7:30 | 2.234 | 0.6 |
| 11/14/07 7:35 | 2.234 | 0.59 |
| 11/14/07 7:40 | 2.234 | 0.61 |
| 11/14/07 7:45 | 2.236 | 0.65 |
| 11/14/07 7:50 | 2.236 | 0.51 |
| 11/14/07 7:55 | 2.237 | 0.63 |
| 11/14/07 8:00 | 2.238 | 0.59 |
| 11/14/07 8:05 | 2.239 | 0.47 |
| 11/14/07 8:10 | 2.238 | 0.7 |
| 11/14/07 8:15 | 2.24 | 0.46 |
| 11/14/07 8:20 | 2.241 | 0.65 |
| 11/14/07 8:25 | 2.242 | 0.55 |
| 11/14/07 8:30 | 2.243 | 0.56 |
| 11/14/07 8:35 | 2.244 | 0.71 |
| 11/14/07 8:40 | 2.243 | 0.49 |
| 11/14/07 8:45 | 2.246 | 0.57 |
| 11/14/07 8:50 | 2.246 | 0.56 |
| 11/14/07 8:55 | 2.247 | 0.63 |
| 11/14/07 9:00 | 2.247 | 0.52 |
| 11/14/07 9:05 | 2.249 | 0.58 |
| 11/14/07 9:10 | 2.249 | 0.59 |
| 11/14/07 9:15 | 2.251 | 0.54 |
| 11/14/07 9:20 | 2.251 | 0.64 |
| 11/14/07 9:25 | 2.252 | 0.58 |
| 11/14/07 9:30 | 2.255 | 0.67 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 9:35 | 2.255 | 0.54 |
| 11/14/07 9:40 | 2.255 | 0.49 |
| 11/14/07 9:45 | 2.256 | 0.61 |
| 11/14/07 9:50 | 2.258 | 0.56 |
| 11/14/07 9:55 | 2.258 | 0.62 |
| 11/14/07 10:00 | 2.257 | 0.5 |
| 11/14/07 10:05 | 2.259 | 0.61 |
| 11/14/07 10:10 | 2.261 | 0.66 |
| 11/14/07 10:15 | 2.261 | 0.68 |
| 11/14/07 10:20 | 2.263 | 0.64 |
| 11/14/07 10:25 | 2.263 | 0.53 |
| 11/14/07 10:30 | 2.264 | 0.53 |
| 11/14/07 10:35 | 2.265 | 0.57 |
| 11/14/07 10:40 | 2.266 | 0.6 |
| 11/14/07 10:45 | 2.265 | 0.67 |
| 11/14/07 10:50 | 2.267 | 0.72 |
| 11/14/07 10:55 | 2.267 | 0.51 |
| 11/14/07 11:00 | 2.268 | 0.59 |
| 11/14/07 11:05 | 2.269 | 0.53 |
| 11/14/07 11:10 | 2.271 | 0.61 |
| 11/14/07 11:15 | 2.273 | 0.56 |
| 11/14/07 11:20 | 2.273 | 0.73 |
| 11/14/07 11:25 | 2.273 | 0.68 |
| 11/14/07 11:30 | 2.274 | 0.56 |
| 11/14/07 11:35 | 2.275 | 0.52 |
| 11/14/07 11:40 | 2.275 | 0.5 |
| 11/14/07 11:45 | 2.276 | 0.86 |
| 11/14/07 11:50 | 2.278 | 0.6 |
| 11/14/07 11:55 | 2.28 | 0.54 |
| 11/14/07 12:00 | 2.281 | 0.62 |
| 11/14/07 12:05 | 2.283 | 0.5 |
| 11/14/07 12:10 | 2.283 | 0.59 |
| 11/14/07 12:15 | 2.283 | 0.62 |
| 11/14/07 12:20 | 2.283 | 0.61 |
| 11/14/07 12:25 | 2.287 | 0.57 |
| 11/14/07 12:30 | 2.284 | 0.62 |
| 11/14/07 12:35 | 2.285 | 0.54 |
| 11/14/07 12:40 | 2.286 | 0.52 |
| 11/14/07 12:45 | 2.287 | 0.65 |
| 11/14/07 12:50 | 2.287 | 0.62 |
| 11/14/07 12:55 | 2.289 | 0.61 |
| 11/14/07 13:00 | 2.289 | 0.49 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 13:05 | 2.29 | 0.6 |
| 11/14/07 13:10 | 2.29 | 0.62 |
| 11/14/07 13:15 | 2.293 | 0.6 |
| 11/14/07 13:20 | 2.296 | 0.54 |
| 11/14/07 13:25 | 2.294 | 0.58 |
| 11/14/07 13:30 | 2.294 | 0.49 |
| 11/14/07 13:35 | 2.294 | 0.57 |
| 11/14/07 13:40 | 2.294 | 0.53 |
| 11/14/07 13:45 | 2.295 | 0.61 |
| 11/14/07 13:50 | 2.298 | 0.63 |
| 11/14/07 13:55 | 2.299 | 0.59 |
| 11/14/07 14:00 | 2.299 | 0.48 |
| 11/14/07 14:05 | 2.3 | 0.5 |
| 11/14/07 14:10 | 2.301 | 0.61 |
| 11/14/07 14:15 | 2.302 | 0.61 |
| 11/14/07 14:20 | 2.301 | 0.67 |
| 11/14/07 14:25 | 2.3 | 0.47 |
| 11/14/07 14:30 | 2.301 | 0.6 |
| 11/14/07 14:35 | 2.303 | 0.6 |
| 11/14/07 14:40 | 2.302 | 0.67 |
| 11/14/07 14:45 | 2.303 | 0.75 |
| 11/14/07 14:50 | 2.303 | 0.68 |
| 11/14/07 14:55 | 2.304 | 0.68 |
| 11/14/07 15:00 | 2.305 | 0.55 |
| 11/14/07 15:05 | 2.307 | 0.54 |
| 11/14/07 15:10 | 2.305 | 0.67 |
| 11/14/07 15:15 | 2.308 | 0.61 |
| 11/14/07 15:20 | 2.307 | 0.48 |
| 11/14/07 15:25 | 2.307 | 0.57 |
| 11/14/07 15:30 | 2.309 | 0.56 |
| 11/14/07 15:35 | 2.308 | 0.57 |
| 11/14/07 15:40 | 2.308 | 0.51 |
| 11/14/07 15:45 | 2.307 | 0.58 |
| 11/14/07 15:50 | 2.308 | 0.71 |
| 11/14/07 15:55 | 2.309 | 0.52 |
| 11/14/07 16:00 | 2.308 | 0.54 |
| 11/14/07 16:05 | 2.307 | 0.49 |
| 11/14/07 16:10 | 2.309 | 0.52 |
| 11/14/07 16:15 | 2.309 | 0.62 |
| 11/14/07 16:20 | 2.309 | 0.48 |
| 11/14/07 16:25 | 2.31 | 0.45 |
| 11/14/07 16:30 | 2.31 | 0.67 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 16:35 | 2.31 | 0.63 |
| 11/14/07 16:40 | 2.311 | 0.59 |
| 11/14/07 16:45 | 2.311 | 0.58 |
| 11/14/07 16:50 | 2.312 | 0.54 |
| 11/14/07 16:55 | 2.312 | 0.53 |
| 11/14/07 17:00 | 2.313 | 0.69 |
| 11/14/07 17:05 | 2.312 | 0.5 |
| 11/14/07 17:10 | 2.312 | 0.62 |
| 11/14/07 17:15 | 2.312 | 0.53 |
| 11/14/07 17:20 | 2.312 | 0.57 |
| 11/14/07 17:25 | 2.311 | 0.45 |
| 11/14/07 17:30 | 2.312 | 0.54 |
| 11/14/07 17:35 | 2.312 | 0.53 |
| 11/14/07 17:40 | 2.312 | 0.52 |
| 11/14/07 17:45 | 2.313 | 0.43 |
| 11/14/07 17:50 | 2.312 | 0.56 |
| 11/14/07 17:55 | 2.313 | 0.49 |
| 11/14/07 18:00 | 2.314 | 0.44 |
| 11/14/07 18:05 | 2.313 | 0.59 |
| 11/14/07 18:10 | 2.314 | 0.47 |
| 11/14/07 18:15 | 2.315 | 0.45 |
| 11/14/07 18:20 | 2.313 | 0.43 |
| 11/14/07 18:25 | 2.316 | 0.47 |
| 11/14/07 18:30 | 2.315 | 0.5 |
| 11/14/07 18:35 | 2.315 | 0.47 |
| 11/14/07 18:40 | 2.316 | 0.53 |
| 11/14/07 18:45 | 2.318 | 0.58 |
| 11/14/07 18:50 | 2.317 | 0.53 |
| 11/14/07 18:55 | 2.316 | 0.44 |
| 11/14/07 19:00 | 2.317 | 0.54 |
| 11/14/07 19:05 | 2.318 | 0.56 |
| 11/14/07 19:10 | 2.317 | 0.54 |
| 11/14/07 19:15 | 2.317 | 0.44 |
| 11/14/07 19:20 | 2.316 | 0.54 |
| 11/14/07 19:25 | 2.316 | 0.53 |
| 11/14/07 19:30 | 2.316 | 0.58 |
| 11/14/07 19:35 | 2.317 | 0.52 |
| 11/14/07 19:40 | 2.316 | 0.54 |
| 11/14/07 19:45 | 2.316 | 0.47 |
| 11/14/07 19:50 | 2.316 | 0.56 |
| 11/14/07 19:55 | 2.316 | 0.49 |
| 11/14/07 20:00 | 2.317 | 0.57 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 20:05 | 2.316 | 0.53 |
| 11/14/07 20:10 | 2.315 | 0.51 |
| 11/14/07 20:15 | 2.317 | 0.52 |
| 11/14/07 20:20 | 2.316 | 0.52 |
| 11/14/07 20:25 | 2.317 | 0.49 |
| 11/14/07 20:30 | 2.316 | 0.49 |
| 11/14/07 20:35 | 2.316 | 0.55 |
| 11/14/07 20:40 | 2.316 | 0.49 |
| 11/14/07 20:45 | 2.316 | 0.64 |
| 11/14/07 20:50 | 2.317 | 0.64 |
| 11/14/07 20:55 | 2.317 | 0.39 |
| 11/14/07 21:00 | 2.318 | 0.43 |
| 11/14/07 21:05 | 2.319 | 0.47 |
| 11/14/07 21:10 | 2.319 | 0.61 |
| 11/14/07 21:15 | 2.321 | 0.72 |
| 11/14/07 21:20 | 2.321 | 0.46 |
| 11/14/07 21:25 | 2.321 | 0.43 |
| 11/14/07 21:30 | 2.323 | 0.45 |
| 11/14/07 21:35 | 2.331 | 0.5 |
| 11/14/07 21:40 | 2.34 | 0.49 |
| 11/14/07 21:45 | 2.347 | 0.46 |
| 11/14/07 21:50 | 2.359 | 0.47 |
| 11/14/07 21:55 | 2.37 | 0.4 |
| 11/14/07 22:00 | 2.391 | 0.44 |
| 11/14/07 22:05 | 2.417 | 0.38 |
| 11/14/07 22:10 | 2.438 | 0.44 |
| 11/14/07 22:15 | 2.451 | 0.43 |
| 11/14/07 22:20 | 2.455 | 0.44 |
| 11/14/07 22:25 | 2.456 | 0.46 |
| 11/14/07 22:30 | 2.456 | 0.4 |
| 11/14/07 22:35 | 2.455 | 0.47 |
| 11/14/07 22:40 | 2.467 | 0.44 |
| 11/14/07 22:45 | 2.487 | 0.4 |
| 11/14/07 22:50 | 2.509 | 0.36 |
| 11/14/07 22:55 | 2.522 | 0.43 |
| 11/14/07 23:00 | 2.525 | 0.38 |
| 11/14/07 23:05 | 2.523 | 0.42 |
| 11/14/07 23:10 | 2.518 | 0.4 |
| 11/14/07 23:15 | 2.512 | 0.5 |
| 11/14/07 23:20 | 2.506 | 0.47 |
| 11/14/07 23:25 | 2.502 | 0.45 |
| 11/14/07 23:30 | 2.501 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 23:35 | 2.502 | 0.42 |
| 11/14/07 23:40 | 2.502 | 0.41 |
| 11/14/07 23:45 | 2.498 | 0.44 |
| 11/14/07 23:50 | 2.494 | 0.4 |
| 11/14/07 23:55 | 2.488 | 0.45 |
| 11/15/07 0:00 | 2.483 | 0.36 |
| 11/15/07 0:05 | 2.477 | 0.47 |
| 11/15/07 0:10 | 2.472 | 0.43 |
| 11/15/07 0:15 | 2.467 | 0.43 |
| 11/15/07 0:20 | 2.462 | 0.5 |
| 11/15/07 0:25 | 2.457 | 0.5 |
| 11/15/07 0:30 | 2.453 | 0.55 |
| 11/15/07 0:35 | 2.45 | 0.49 |
| 11/15/07 0:40 | 2.447 | 0.45 |
| 11/15/07 0:45 | 2.443 | 0.48 |
| 11/15/07 0:50 | 2.44 | 0.48 |
| 11/15/07 0:55 | 2.438 | 0.45 |
| 11/15/07 1:00 | 2.434 | 0.56 |
| 11/15/07 1:05 | 2.432 | 0.47 |
| 11/15/07 1:10 | 2.431 | 0.51 |
| 11/15/07 1:15 | 2.429 | 0.51 |
| 11/15/07 1:20 | 2.426 | 0.37 |
| 11/15/07 1:25 | 2.423 | 0.48 |
| 11/15/07 1:30 | 2.42 | 0.52 |
| 11/15/07 1:35 | 2.418 | 0.43 |
| 11/15/07 1:40 | 2.417 | 0.45 |
| 11/15/07 1:45 | 2.415 | 0.42 |
| 11/15/07 1:50 | 2.414 | 0.44 |
| 11/15/07 1:55 | 2.412 | 0.49 |
| 11/15/07 2:00 | 2.411 | 0.45 |
| 11/15/07 2:05 | 2.411 | 0.48 |
| 11/15/07 2:10 | 2.409 | 0.42 |
| 11/15/07 2:15 | 2.409 | 0.43 |
| 11/15/07 2:20 | 2.409 | 0.56 |
| 11/15/07 2:25 | 2.409 | 0.46 |
| 11/15/07 2:30 | 2.409 | 0.4 |
| 11/15/07 2:35 | 2.41 | 0.49 |
| 11/15/07 2:40 | 2.412 | 0.49 |
| 11/15/07 2:45 | 2.414 | 0.52 |
| 11/15/07 2:50 | 2.416 | 0.52 |
| 11/15/07 2:55 | 2.421 | 0.44 |
| 11/15/07 3:00 | 2.427 | 0.47 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 3:05 | 2.442 | 0.48 |
| 11/15/07 3:10 | 2.467 | 0.48 |
| 11/15/07 3:15 | 2.504 | 0.46 |
| 11/15/07 3:20 | 2.574 | 0.39 |
| 11/15/07 3:25 | 2.654 | 0.39 |
| 11/15/07 3:30 | 2.708 | 0.39 |
| 11/15/07 3:35 | 2.728 | 0.38 |
| 11/15/07 3:40 | 2.744 | 0.38 |
| 11/15/07 3:45 | 2.761 | 0.35 |
| 11/15/07 3:50 | 2.772 | 0.38 |
| 11/15/07 3:55 | 2.776 | 0.39 |
| 11/15/07 4:00 | 2.785 | 0.31 |
| 11/15/07 4:05 | 2.799 | 0.35 |
| 11/15/07 4:10 | 2.819 | 0.35 |
| 11/15/07 4:15 | 2.85 | 0.34 |
| 11/15/07 4:20 | 2.889 | 0.29 |
| 11/15/07 4:25 | 2.935 | 0.34 |
| 11/15/07 4:30 | 2.955 | 0.32 |
| 11/15/07 4:35 | 2.958 | 0.31 |
| 11/15/07 4:40 | 2.948 | 0.26 |
| 11/15/07 4:45 | 2.927 | 0.32 |
| 11/15/07 4:50 | 2.897 | 0.33 |
| 11/15/07 4:55 | 2.865 | 0.35 |
| 11/15/07 5:00 | 2.84 | 0.36 |
| 11/15/07 5:05 | 2.823 | 0.43 |
| 11/15/07 5:10 | 2.808 | 0.42 |
| 11/15/07 5:15 | 2.793 | 0.46 |
| 11/15/07 5:20 | 2.775 | 0.44 |
| 11/15/07 5:25 | 2.76 | 0.5 |
| 11/15/07 5:30 | 2.743 | 0.51 |
| 11/15/07 5:35 | 2.728 | 0.49 |
| 11/15/07 5:40 | 2.715 | 0.5 |
| 11/15/07 5:45 | 2.702 | 0.5 |
| 11/15/07 5:50 | 2.693 | 0.52 |
| 11/15/07 5:55 | 2.687 | 0.54 |
| 11/15/07 6:00 | 2.682 | 0.52 |
| 11/15/07 6:05 | 2.678 | 0.57 |
| 11/15/07 6:10 | 2.681 | 0.55 |
| 11/15/07 6:15 | 2.687 | 0.52 |
| 11/15/07 6:20 | 2.705 | 0.51 |
| 11/15/07 6:25 | 2.714 | 0.52 |
| 11/15/07 6:30 | 2.714 | 0.52 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 6:35 | 2.711 | 0.55 |
| 11/15/07 6:40 | 2.707 | 0.6 |
| 11/15/07 6:45 | 2.702 | 0.58 |
| 11/15/07 6:50 | 2.698 | 0.55 |
| 11/15/07 6:55 | 2.701 | 0.56 |
| 11/15/07 7:00 | 2.706 | 0.58 |
| 11/15/07 7:05 | 2.728 | 0.55 |
| 11/15/07 7:10 | 2.761 | 0.63 |
| 11/15/07 7:15 | 2.778 | 0.52 |
| 11/15/07 7:20 | 2.783 | 0.47 |
| 11/15/07 7:25 | 2.783 | 0.44 |
| 11/15/07 7:30 | 2.793 | 0.6 |
| 11/15/07 7:35 | 2.833 | 0.47 |
| 11/15/07 7:40 | 2.877 | 0.45 |
| 11/15/07 7:45 | 2.916 | 0.47 |
| 11/15/07 7:50 | 2.95 | 0.48 |
| 11/15/07 7:55 | 2.975 | 0.5 |
| 11/15/07 8:00 | 2.993 | 0.46 |
| 11/15/07 8:05 | 3.005 | 0.47 |
| 11/15/07 8:10 | 3.007 | 0.49 |
| 11/15/07 8:15 | 3.002 | 0.46 |
| 11/15/07 8:20 | 2.996 | 0.47 |
| 11/15/07 8:25 | 3.01 | 0.57 |
| 11/15/07 8:30 | 3.039 | 0.49 |
| 11/15/07 8:35 | 3.067 | 0.49 |
| 11/15/07 8:40 | 3.095 | 0.5 |
| 11/15/07 8:45 | 3.118 | 0.43 |
| 11/15/07 8:50 | 3.133 | 0.47 |
| 11/15/07 8:55 | 3.149 | 0.44 |
| 11/15/07 9:00 | 3.149 | 0.47 |
| 11/15/07 9:05 | 3.158 | 0.47 |
| 11/15/07 9:10 | 3.171 | 0.43 |
| 11/15/07 9:15 | 3.187 | 0.44 |
| 11/15/07 9:20 | 3.199 | 0.5 |
| 11/15/07 9:25 | 3.197 | 0.51 |
| 11/15/07 9:30 | 3.188 | 0.48 |
| 11/15/07 9:35 | 3.174 | 0.5 |
| 11/15/07 9:40 | 3.16 | 0.54 |
| 11/15/07 9:45 | 3.153 | 0.55 |
| 11/15/07 9:50 | 3.15 | 0.55 |
| 11/15/07 9:55 | 3.152 | 0.62 |
| 11/15/07 10:00 | 3.156 | 0.6 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 10:05 | 3.166 | 0.57 |
| 11/15/07 10:10 | 3.179 | 0.58 |
| 11/15/07 10:15 | 3.186 | 0.58 |
| 11/15/07 10:20 | 3.185 | 0.57 |
| 11/15/07 10:25 | 3.177 | 0.6 |
| 11/15/07 10:30 | 3.164 | 0.65 |
| 11/15/07 10:35 | 3.152 | 0.56 |
| 11/15/07 10:40 | 3.141 | 0.65 |
| 11/15/07 10:45 | 3.136 | 0.61 |
| 11/15/07 10:50 | 3.132 | 0.67 |
| 11/15/07 10:55 | 3.13 | 0.67 |
| 11/15/07 11:00 | 3.133 | 0.76 |
| 11/15/07 11:05 | 3.137 | 0.68 |
| 11/15/07 11:10 | 3.138 | 0.7 |
| 11/15/07 11:15 | 3.142 | 0.7 |
| 11/15/07 11:20 | 3.148 | 0.61 |
| 11/15/07 11:25 | 3.157 | 0.66 |
| 11/15/07 11:30 | 3.164 | 0.65 |
| 11/15/07 11:35 | 3.169 | 0.68 |
| 11/15/07 11:40 | 3.17 | 0.66 |
| 11/15/07 11:45 | 3.171 | 0.62 |
| 11/15/07 11:50 | 3.171 | 0.67 |
| 11/15/07 11:55 | 3.172 | 0.65 |
| 11/15/07 12:00 | 3.17 | 0.74 |
| 11/15/07 12:05 | 3.17 | 0.71 |
| 11/15/07 12:10 | 3.169 | 0.66 |
| 11/15/07 12:15 | 3.17 | 0.72 |
| 11/15/07 12:20 | 3.173 | 0.67 |
| 11/15/07 12:25 | 3.178 | 0.74 |
| 11/15/07 12:30 | 3.184 | 0.72 |
| 11/15/07 12:35 | 3.187 | 0.68 |
| 11/15/07 12:40 | 3.189 | 0.71 |
| 11/15/07 12:45 | 3.187 | 0.73 |
| 11/15/07 12:50 | 3.183 | 0.67 |
| 11/15/07 12:55 | 3.177 | 0.78 |
| 11/15/07 13:00 | 3.168 | 0.72 |
| 11/15/07 13:05 | 3.165 | 0.76 |
| 11/15/07 13:10 | 3.156 | 0.81 |
| 11/15/07 13:15 | 3.153 | 0.83 |
| 11/15/07 13:20 | 3.149 | 0.73 |
| 11/15/07 13:25 | 3.146 | 0.84 |
| 11/15/07 13:30 | 3.143 | 0.75 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 13:35 | 3.143 | 0.7 |
| 11/15/07 13:40 | 3.143 | 0.72 |
| 11/15/07 13:45 | 3.143 | 0.76 |
| 11/15/07 13:50 | 3.145 | 0.79 |
| 11/15/07 13:55 | 3.145 | 0.79 |
| 11/15/07 14:00 | 3.146 | 0.78 |
| 11/15/07 14:05 | 3.145 | 0.75 |
| 11/15/07 14:10 | 3.145 | 0.77 |
| 11/15/07 14:15 | 3.145 | 0.74 |
| 11/15/07 14:20 | 3.147 | 0.74 |
| 11/15/07 14:25 | 3.15 | 0.82 |
| 11/15/07 14:30 | 3.156 | 0.82 |
| 11/15/07 14:35 | 3.162 | 0.72 |
| 11/15/07 14:40 | 3.167 | 0.77 |
| 11/15/07 14:45 | 3.171 | 0.78 |
| 11/15/07 14:50 | 3.174 | 0.8 |
| 11/15/07 14:55 | 3.176 | 0.83 |
| 11/15/07 15:00 | 3.177 | 0.76 |
| 11/15/07 15:05 | 3.178 | 0.71 |
| 11/15/07 15:10 | 3.18 | 0.78 |
| 11/15/07 15:15 | 3.179 | 0.82 |
| 11/15/07 15:20 | 3.178 | 0.8 |
| 11/15/07 15:25 | 3.177 | 0.74 |
| 11/15/07 15:30 | 3.174 | 0.75 |
| 11/15/07 15:35 | 3.171 | 0.7 |
| 11/15/07 15:40 | 3.167 | 0.68 |
| 11/15/07 15:45 | 3.166 | 0.84 |
| 11/15/07 15:50 | 3.163 | 0.71 |
| 11/15/07 15:55 | 3.163 | 0.86 |
| 11/15/07 16:00 | 3.164 | 0.76 |
| 11/15/07 16:05 | 3.166 | 0.77 |
| 11/15/07 16:10 | 3.169 | 0.82 |
| 11/15/07 16:15 | 3.174 | 0.66 |
| 11/15/07 16:20 | 3.178 | 0.68 |
| 11/15/07 16:25 | 3.183 | 0.72 |
| 11/15/07 16:30 | 3.188 | 0.74 |
| 11/15/07 16:35 | 3.192 | 0.73 |
| 11/15/07 16:40 | 3.196 | 0.72 |
| 11/15/07 16:45 | 3.201 | 0.73 |
| 11/15/07 16:50 | 3.203 | 0.71 |
| 11/15/07 16:55 | 3.203 | 0.67 |
| 11/15/07 17:00 | 3.201 | 0.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 17:05 | 3.197 | 0.65 |
| 11/15/07 17:10 | 3.193 | 0.76 |
| 11/15/07 17:15 | 3.188 | 0.76 |
| 11/15/07 17:20 | 3.184 | 0.77 |
| 11/15/07 17:25 | 3.182 | 0.72 |
| 11/15/07 17:30 | 3.177 | 0.78 |
| 11/15/07 17:35 | 3.173 | 0.75 |
| 11/15/07 17:40 | 3.17 | 0.77 |
| 11/15/07 17:45 | 3.168 | 0.76 |
| 11/15/07 17:50 | 3.165 | 0.74 |
| 11/15/07 17:55 | 3.165 | 0.79 |
| 11/15/07 18:00 | 3.162 | 0.8 |
| 11/15/07 18:05 | 3.16 | 0.85 |
| 11/15/07 18:10 | 3.159 | 0.78 |
| 11/15/07 18:15 | 3.157 | 0.7 |
| 11/15/07 18:20 | 3.157 | 0.73 |
| 11/15/07 18:25 | 3.156 | 0.72 |
| 11/15/07 18:30 | 3.154 | 0.83 |
| 11/15/07 18:35 | 3.153 | 0.84 |
| 11/15/07 18:40 | 3.152 | 0.78 |
| 11/15/07 18:45 | 3.151 | 0.86 |
| 11/15/07 18:50 | 3.149 | 0.8 |
| 11/15/07 18:55 | 3.147 | 0.83 |
| 11/15/07 19:00 | 3.147 | 0.82 |
| 11/15/07 19:05 | 3.146 | 0.71 |
| 11/15/07 19:10 | 3.144 | 0.78 |
| 11/15/07 19:15 | 3.143 | 0.79 |
| 11/15/07 19:20 | 3.141 | 0.74 |
| 11/15/07 19:25 | 3.141 | 0.74 |
| 11/15/07 19:30 | 3.138 | 0.76 |
| 11/15/07 19:35 | 3.138 | 0.8 |
| 11/15/07 19:40 | 3.137 | 0.77 |
| 11/15/07 19:45 | 3.135 | 0.82 |
| 11/15/07 19:50 | 3.136 | 0.79 |
| 11/15/07 19:55 | 3.135 | 0.76 |
| 11/15/07 20:00 | 3.135 | 0.76 |
| 11/15/07 20:05 | 3.134 | 0.86 |
| 11/15/07 20:10 | 3.132 | 0.79 |
| 11/15/07 20:15 | 3.132 | 0.8 |
| 11/15/07 20:20 | 3.131 | 0.82 |
| 11/15/07 20:25 | 3.131 | 0.79 |
| 11/15/07 20:30 | 3.131 | 0.81 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 20:35 | 3.129 | 0.8 |
| 11/15/07 20:40 | 3.127 | 0.81 |
| 11/15/07 20:45 | 3.129 | 0.82 |
| 11/15/07 20:50 | 3.128 | 0.85 |
| 11/15/07 20:55 | 3.128 | 0.87 |
| 11/15/07 21:00 | 3.126 | 0.83 |
| 11/15/07 21:05 | 3.128 | 0.84 |
| 11/15/07 21:10 | 3.126 | 0.82 |
| 11/15/07 21:15 | 3.126 | 0.81 |
| 11/15/07 21:20 | 3.124 | 0.84 |
| 11/15/07 21:25 | 3.123 | 0.86 |
| 11/15/07 21:30 | 3.123 | 0.94 |
| 11/15/07 21:35 | 3.122 | 0.85 |
| 11/15/07 21:40 | 3.122 | 0.83 |
| 11/15/07 21:45 | 3.12 | 0.8 |
| 11/15/07 21:50 | 3.12 | 0.9 |
| 11/15/07 21:55 | 3.121 | 0.84 |
| 11/15/07 22:00 | 3.12 | 0.91 |
| 11/15/07 22:05 | 3.119 | 0.92 |
| 11/15/07 22:10 | 3.118 | 0.91 |
| 11/15/07 22:15 | 3.119 | 0.83 |
| 11/15/07 22:20 | 3.117 | 0.89 |
| 11/15/07 22:25 | 3.117 | 0.84 |
| 11/15/07 22:30 | 3.117 | 0.84 |
| 11/15/07 22:35 | 3.115 | 0.87 |
| 11/15/07 22:40 | 3.115 | 0.89 |
| 11/15/07 22:45 | 3.115 | 0.86 |
| 11/15/07 22:50 | 3.114 | 0.88 |
| 11/15/07 22:55 | 3.113 | 0.84 |
| 11/15/07 23:00 | 3.112 | 0.88 |
| 11/15/07 23:05 | 3.112 | 0.82 |
| 11/15/07 23:10 | 3.111 | 0.83 |
| 11/15/07 23:15 | 3.11 | 0.86 |
| 11/15/07 23:20 | 3.109 | 0.72 |
| 11/15/07 23:25 | 3.108 | 0.88 |
| 11/15/07 23:30 | 3.108 | 0.85 |
| 11/15/07 23:35 | 3.107 | 0.83 |
| 11/15/07 23:40 | 3.105 | 0.87 |
| 11/15/07 23:45 | 3.105 | 0.91 |
| 11/15/07 23:50 | 3.104 | 0.88 |
| 11/15/07 23:55 | 3.102 | 0.86 |
| 11/16/07 0:00 | 3.101 | 0.89 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 0:05 | 3.102 | 0.88 |
| 11/16/07 0:10 | 3.1 | 0.85 |
| 11/16/07 0:15 | 3.1 | 0.8 |
| 11/16/07 0:20 | 3.097 | 0.8 |
| 11/16/07 0:25 | 3.097 | 0.71 |
| 11/16/07 0:30 | 3.096 | 0.86 |
| 11/16/07 0:35 | 3.095 | 0.89 |
| 11/16/07 0:40 | 3.095 | 0.94 |
| 11/16/07 0:45 | 3.094 | 0.87 |
| 11/16/07 0:50 | 3.092 | 0.85 |
| 11/16/07 0:55 | 3.092 | 0.93 |
| 11/16/07 1:00 | 3.091 | 0.93 |
| 11/16/07 1:05 | 3.091 | 0.9 |
| 11/16/07 1:10 | 3.091 | 0.84 |
| 11/16/07 1:15 | 3.091 | 0.84 |
| 11/16/07 1:20 | 3.09 | 0.79 |
| 11/16/07 1:25 | 3.089 | 0.86 |
| 11/16/07 1:30 | 3.089 | 0.83 |
| 11/16/07 1:35 | 3.089 | 0.82 |
| 11/16/07 1:40 | 3.088 | 0.84 |
| 11/16/07 1:45 | 3.088 | 0.87 |
| 11/16/07 1:50 | 3.088 | 0.81 |
| 11/16/07 1:55 | 3.086 | 0.8 |
| 11/16/07 2:00 | 3.086 | 0.82 |
| 11/16/07 2:05 | 3.086 | 0.85 |
| 11/16/07 2:10 | 3.086 | 0.89 |
| 11/16/07 2:15 | 3.083 | 0.94 |
| 11/16/07 2:20 | 3.083 | 0.9 |
| 11/16/07 2:25 | 3.083 | 0.87 |
| 11/16/07 2:30 | 3.082 | 0.78 |
| 11/16/07 2:35 | 3.082 | 0.95 |
| 11/16/07 2:40 | 3.081 | 0.93 |
| 11/16/07 2:45 | 3.08 | 0.92 |
| 11/16/07 2:50 | 3.079 | 0.87 |
| 11/16/07 2:55 | 3.078 | 0.89 |
| 11/16/07 3:00 | 3.076 | 0.91 |
| 11/16/07 3:05 | 3.076 | 0.85 |
| 11/16/07 3:10 | 3.076 | 0.84 |
| 11/16/07 3:15 | 3.075 | 0.84 |
| 11/16/07 3:20 | 3.074 | 0.83 |
| 11/16/07 3:25 | 3.073 | 0.91 |
| 11/16/07 3:30 | 3.071 | 0.91 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 3:35 | 3.071 | 0.84 |
| 11/16/07 3:40 | 3.071 | 0.87 |
| 11/16/07 3:45 | 3.07 | 0.88 |
| 11/16/07 3:50 | 3.07 | 0.82 |
| 11/16/07 3:55 | 3.068 | 0.81 |
| 11/16/07 4:00 | 3.068 | 0.85 |
| 11/16/07 4:05 | 3.065 | 0.88 |
| 11/16/07 4:10 | 3.066 | 0.93 |
| 11/16/07 4:15 | 3.067 | 0.92 |
| 11/16/07 4:20 | 3.064 | 0.93 |
| 11/16/07 4:25 | 3.064 | 0.82 |
| 11/16/07 4:30 | 3.064 | 0.89 |
| 11/16/07 4:35 | 3.064 | 0.82 |
| 11/16/07 4:40 | 3.062 | 0.9 |
| 11/16/07 4:45 | 3.062 | 0.89 |
| 11/16/07 4:50 | 3.062 | 0.84 |
| 11/16/07 4:55 | 3.06 | 0.89 |
| 11/16/07 5:00 | 3.06 | 0.77 |
| 11/16/07 5:05 | 3.061 | 0.85 |
| 11/16/07 5:10 | 3.061 | 0.84 |
| 11/16/07 5:15 | 3.06 | 0.84 |
| 11/16/07 5:20 | 3.06 | 0.82 |
| 11/16/07 5:25 | 3.057 | 0.88 |
| 11/16/07 5:30 | 3.058 | 0.79 |
| 11/16/07 5:35 | 3.054 | 0.87 |
| 11/16/07 5:40 | 3.056 | 0.88 |
| 11/16/07 5:45 | 3.054 | 0.87 |
| 11/16/07 5:50 | 3.05 | 0.9 |
| 11/16/07 5:55 | 3.051 | 0.89 |
| 11/16/07 6:00 | 3.051 | 0.87 |
| 11/16/07 6:05 | 3.052 | 0.91 |
| 11/16/07 6:10 | 3.053 | 0.93 |
| 11/16/07 6:15 | 3.054 | 0.87 |
| 11/16/07 6:20 | 3.056 | 0.82 |
| 11/16/07 6:25 | 3.052 | 0.91 |
| 11/16/07 6:30 | 3.053 | 0.81 |
| 11/16/07 6:35 | 3.055 | 0.88 |
| 11/16/07 6:40 | 3.054 | 0.85 |
| 11/16/07 6:45 | 3.054 | 0.87 |
| 11/16/07 6:50 | 3.052 | 0.9 |
| 11/16/07 6:55 | 3.051 | 0.86 |
| 11/16/07 7:00 | 3.05 | 0.92 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 7:05 | 3.05 | 0.95 |
| 11/16/07 7:10 | 3.052 | 0.83 |
| 11/16/07 7:15 | 3.05 | 0.79 |
| 11/16/07 7:20 | 3.049 | 0.85 |
| 11/16/07 7:25 | 3.052 | 0.9 |
| 11/16/07 7:30 | 3.051 | 0.78 |
| 11/16/07 7:35 | 3.049 | 0.95 |
| 11/16/07 7:40 | 3.049 | 0.9 |
| 11/16/07 7:45 | 3.049 | 0.92 |
| 11/16/07 7:50 | 3.048 | 0.88 |
| 11/16/07 7:55 | 3.046 | 1 |
| 11/16/07 8:00 | 3.046 | 0.86 |
| 11/16/07 8:05 | 3.046 | 0.89 |
| 11/16/07 8:10 | 3.044 | 0.93 |
| 11/16/07 8:15 | 3.046 | 0.85 |
| 11/16/07 8:20 | 3.046 | 0.89 |
| 11/16/07 8:25 | 3.045 | 0.88 |
| 11/16/07 8:30 | 3.045 | 0.99 |
| 11/16/07 8:35 | 3.044 | 0.85 |
| 11/16/07 8:40 | 3.041 | 1 |
| 11/16/07 8:45 | 3.045 | 0.94 |
| 11/16/07 8:50 | 3.042 | 1 |
| 11/16/07 8:55 | 3.044 | 0.89 |
| 11/16/07 9:00 | 3.042 | 0.97 |
| 11/16/07 9:05 | 3.042 | 0.92 |
| 11/16/07 9:10 | 3.042 | 0.92 |
| 11/16/07 9:15 | 3.042 | 0.96 |
| 11/16/07 9:20 | 3.041 | 0.91 |
| 11/16/07 9:25 | 3.042 | 0.94 |
| 11/16/07 9:30 | 3.041 | 0.86 |
| 11/16/07 9:35 | 3.039 | 0.95 |
| 11/16/07 9:40 | 3.04 | 0.85 |
| 11/16/07 9:45 | 3.04 | 0.9 |
| 11/16/07 9:50 | 3.039 | 0.94 |
| 11/16/07 9:55 | 3.039 | 0.81 |
| 11/16/07 10:00 | 3.038 | 0.9 |
| 11/16/07 10:05 | 3.039 | 0.92 |
| 11/16/07 10:10 | 3.039 | 0.84 |
| 11/16/07 10:15 | 3.035 | 0.89 |
| 11/16/07 10:20 | 3.038 | 0.88 |
| 11/16/07 10:25 | 3.037 | 0.88 |
| 11/16/07 10:30 | 3.036 | 0.89 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 10:35 | 3.034 | 0.81 |
| 11/16/07 10:40 | 3.035 | 0.89 |
| 11/16/07 10:45 | 3.036 | 0.93 |
| 11/16/07 10:50 | 3.035 | 0.96 |
| 11/16/07 10:55 | 3.034 | 0.92 |
| 11/16/07 11:00 | 3.033 | 0.91 |
| 11/16/07 11:05 | 3.034 | 0.88 |
| 11/16/07 11:10 | 3.034 | 0.89 |
| 11/16/07 11:15 | 3.033 | 0.8 |
| 11/16/07 11:20 | 3.035 | 0.85 |
| 11/16/07 11:25 | 3.032 | 0.97 |
| 11/16/07 11:30 | 3.032 | 0.93 |
| 11/16/07 11:35 | 3.033 | 0.83 |
| 11/16/07 11:40 | 3.028 | 0.92 |
| 11/16/07 11:45 | 3.031 | 0.89 |
| 11/16/07 11:50 | 3.031 | 0.85 |
| 11/16/07 11:55 | 3.03 | 0.93 |
| 11/16/07 12:00 | 3.033 | 0.87 |
| 11/16/07 12:05 | 3.029 | 0.94 |
| 11/16/07 12:10 | 3.029 | 0.8 |
| 11/16/07 12:15 | 3.03 | 0.97 |
| 11/16/07 12:20 | 3.031 | 0.91 |
| 11/16/07 12:25 | 3.031 | 0.83 |
| 11/16/07 12:30 | 3.032 | 0.93 |
| 11/16/07 12:35 | 3.033 | 0.95 |
| 11/16/07 12:40 | 3.033 | 0.84 |
| 11/16/07 12:45 | 3.032 | 0.91 |
| 11/16/07 12:50 | 3.033 | 0.91 |
| 11/16/07 12:55 | 3.034 | 0.94 |
| 11/16/07 13:00 | 3.032 | 0.89 |
| 11/16/07 13:05 | 3.032 | 0.83 |
| 11/16/07 13:10 | 3.033 | 0.93 |
| 11/16/07 13:15 | 3.023 | 0.56 |
| 11/16/07 13:20 | 3.065 | 0.59 |
| 11/16/07 13:25 | 3.107 | 0.59 |
| 11/16/07 13:30 | 3.134 | 0.64 |
| 11/16/07 13:35 | 3.154 | 0.62 |
| 11/16/07 13:40 | 3.171 | 0.59 |
| 11/16/07 13:45 | 3.179 | 0.54 |
| 11/16/07 13:50 | 3.189 | 0.51 |
| 11/16/07 13:55 | 3.198 | 0.52 |
| 11/16/07 14:00 | 3.202 | 0.55 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 14:05 | 3.206 | 0.56 |
| 11/16/07 14:10 | 3.211 | 0.56 |
| 11/16/07 14:15 | 3.218 | 0.51 |
| 11/16/07 14:20 | 3.217 | 0.58 |
| 11/16/07 14:25 | 3.218 | 0.57 |
| 11/16/07 14:30 | 3.216 | 0.52 |
| 11/16/07 14:35 | 3.217 | 0.54 |
| 11/16/07 14:40 | 3.217 | 0.53 |
| 11/16/07 14:45 | 3.214 | 0.55 |
| 11/16/07 14:50 | 3.217 | 0.51 |
| 11/16/07 14:55 | 3.22 | 0.5 |
| 11/16/07 15:00 | 3.221 | 0.49 |
| 11/16/07 15:05 | 3.22 | 0.54 |
| 11/16/07 15:10 | 3.221 | 0.53 |
| 11/16/07 15:15 | 3.221 | 0.5 |
| 11/16/07 15:20 | 3.222 | 0.49 |
| 11/16/07 15:25 | 3.218 | 0.51 |
| 11/16/07 15:30 | 3.222 | 0.56 |
| 11/16/07 15:35 | 3.22 | 0.52 |
| 11/16/07 15:40 | 3.217 | 0.5 |
| 11/16/07 15:45 | 3.216 | 0.47 |
| 11/16/07 15:50 | 3.217 | 0.49 |
| 11/16/07 15:55 | 3.216 | 0.52 |
| 11/16/07 16:00 | 3.211 | 0.51 |
| 11/16/07 16:05 | 3.213 | 0.49 |
| 11/16/07 16:10 | 3.211 | 0.5 |
| 11/16/07 16:15 | 3.211 | 0.51 |
| 11/16/07 16:20 | 3.209 | 0.51 |
| 11/16/07 16:25 | 3.208 | 0.5 |
| 11/16/07 16:30 | 3.207 | 0.48 |
| 11/16/07 16:35 | 3.205 | 0.53 |
| 11/16/07 16:40 | 3.203 | 0.51 |
| 11/16/07 16:45 | 3.205 | 0.52 |
| 11/16/07 16:50 | 3.202 | 0.55 |
| 11/16/07 16:55 | 3.201 | 0.52 |
| 11/16/07 17:00 | 3.2 | 0.5 |
| 11/16/07 17:05 | 3.199 | 0.5 |
| 11/16/07 17:10 | 3.195 | 0.53 |
| 11/16/07 17:15 | 3.194 | 0.51 |
| 11/16/07 17:20 | 3.195 | 0.51 |
| 11/16/07 17:25 | 3.195 | 0.5 |
| 11/16/07 17:30 | 3.192 | 0.46 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 17:35 | 3.19 | 0.49 |
| 11/16/07 17:40 | 3.189 | 0.5 |
| 11/16/07 17:45 | 3.188 | 0.54 |
| 11/16/07 17:50 | 3.183 | 0.58 |
| 11/16/07 17:55 | 3.179 | 0.48 |
| 11/16/07 18:00 | 3.179 | 0.55 |
| 11/16/07 18:05 | 3.177 | 0.5 |
| 11/16/07 18:10 | 3.173 | 0.47 |
| 11/16/07 18:15 | 3.171 | 0.46 |
| 11/16/07 18:20 | 3.17 | 0.48 |
| 11/16/07 18:25 | 3.173 | -0.5 |
| 11/16/07 18:30 | 3.166 | 0.49 |
| 11/16/07 18:35 | 3.161 | 0.49 |
| 11/16/07 18:40 | 3.163 | 0.56 |
| 11/16/07 18:45 | 3.166 | 0.5 |
| 11/16/07 18:50 | 3.164 | 0.5 |
| 11/16/07 18:55 | 3.164 | 0.48 |
| 11/16/07 19:00 | 3.161 | 0.46 |
| 11/16/07 19:05 | 3.162 | 0.48 |
| 11/16/07 19:10 | 3.161 | 0.47 |
| 11/16/07 19:15 | 3.16 | 0.47 |
| 11/16/07 19:20 | 3.158 | 0.45 |
| 11/16/07 19:25 | 3.159 | 0.48 |
| 11/16/07 19:30 | 3.16 | 0.49 |
| 11/16/07 19:35 | 3.156 | 0.49 |
| 11/16/07 19:40 | 3.156 | 0.53 |
| 11/16/07 19:45 | 3.155 | 0.51 |
| 11/16/07 19:50 | 3.156 | 0.48 |
| 11/16/07 19:55 | 3.155 | 0.46 |
| 11/16/07 20:00 | 3.153 | 0.51 |
| 11/16/07 20:05 | 3.15 | 0.48 |
| 11/16/07 20:10 | 3.149 | 0.51 |
| 11/16/07 20:15 | 3.148 | 0.5 |
| 11/16/07 20:20 | 3.145 | 0.45 |
| 11/16/07 20:25 | 3.144 | 0.58 |
| 11/16/07 20:30 | 3.143 | 0.51 |
| 11/16/07 20:35 | 3.141 | 0.46 |
| 11/16/07 20:40 | 3.139 | 0.49 |
| 11/16/07 20:45 | 3.137 | 0.46 |
| 11/16/07 20:50 | 3.137 | 0.46 |
| 11/16/07 20:55 | 3.134 | 0.49 |
| 11/16/07 21:00 | 3.135 | 0.47 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 21:05 | 3.134 | 0.48 |
| 11/16/07 21:10 | 3.133 | 0.46 |
| 11/16/07 21:15 | 3.131 | 0.48 |
| 11/16/07 21:20 | 3.13 | 0.43 |
| 11/16/07 21:25 | 3.129 | 0.45 |
| 11/16/07 21:30 | 3.129 | 0.46 |
| 11/16/07 21:35 | 3.127 | 0.49 |
| 11/16/07 21:40 | 3.126 | 0.47 |
| 11/16/07 21:45 | 3.125 | 0.47 |
| 11/16/07 21:50 | 3.124 | 0.47 |
| 11/16/07 21:55 | 3.122 | 0.47 |
| 11/16/07 22:00 | 3.123 | 0.45 |
| 11/16/07 22:05 | 3.122 | 0.47 |
| 11/16/07 22:10 | 3.119 | 0.48 |
| 11/16/07 22:15 | 3.119 | 0.45 |
| 11/16/07 22:20 | 3.12 | 0.47 |
| 11/16/07 22:25 | 3.117 | 0.5 |
| 11/16/07 22:30 | 3.116 | 0.47 |
| 11/16/07 22:35 | 3.115 | 0.48 |
| 11/16/07 22:40 | 3.114 | 0.46 |
| 11/16/07 22:45 | 3.114 | 0.47 |
| 11/16/07 22:50 | 3.113 | 0.43 |
| 11/16/07 22:55 | 3.111 | 0.48 |
| 11/16/07 23:00 | 3.113 | 0.46 |
| 11/16/07 23:05 | 3.11 | 0.46 |
| 11/16/07 23:10 | 3.109 | 0.47 |
| 11/16/07 23:15 | 3.107 | 0.5 |
| 11/16/07 23:20 | 3.104 | 0.47 |
| 11/16/07 23:25 | 3.104 | 0.5 |
| 11/16/07 23:30 | 3.099 | 0.46 |
| 11/16/07 23:35 | 3.1 | 0.49 |
| 11/16/07 23:40 | 3.095 | 0.47 |
| 11/16/07 23:45 | 3.094 | 0.49 |
| 11/16/07 23:50 | 3.09 | 0.47 |
| 11/16/07 23:55 | 3.09 | 0.47 |
| 11/17/07 0:00 | 3.088 | 0.49 |
| 11/17/07 0:05 | 3.088 | 0.48 |
| 11/17/07 0:10 | 3.085 | 0.47 |
| 11/17/07 0:15 | 3.085 | 0.48 |
| 11/17/07 0:20 | 3.085 | 0.46 |
| 11/17/07 0:25 | 3.083 | 0.51 |
| 11/17/07 0:30 | 3.081 | 0.5 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 0:35 | 3.081 | 0.47 |
| 11/17/07 0:40 | 3.079 | 0.44 |
| 11/17/07 0:45 | 3.076 | 0.46 |
| 11/17/07 0:50 | 3.071 | 0.46 |
| 11/17/07 0:55 | 3.066 | 0.44 |
| 11/17/07 1:00 | 3.058 | 0.41 |
| 11/17/07 1:05 | 3.052 | 0.44 |
| 11/17/07 1:10 | 3.047 | 0.43 |
| 11/17/07 1:15 | 3.039 | 0.4 |
| 11/17/07 1:20 | 3.03 | 0.44 |
| 11/17/07 1:25 | 3.024 | 0.46 |
| 11/17/07 1:30 | 3.018 | 0.44 |
| 11/17/07 1:35 | 3.014 | 0.45 |
| 11/17/07 1:40 | 3.009 | 0.45 |
| 11/17/07 1:45 | 3.006 | 0.45 |
| 11/17/07 1:50 | 3.002 | 0.42 |
| 11/17/07 1:55 | 3.001 | 0.49 |
| 11/17/07 2:00 | 2.999 | 0.47 |
| 11/17/07 2:05 | 2.996 | 0.49 |
| 11/17/07 2:10 | 2.994 | 0.49 |
| 11/17/07 2:15 | 2.991 | 0.48 |
| 11/17/07 2:20 | 2.991 | 0.44 |
| 11/17/07 2:25 | 2.989 | 0.49 |
| 11/17/07 2:30 | 2.987 | 0.46 |
| 11/17/07 2:35 | 2.984 | 0.48 |
| 11/17/07 2:40 | 2.984 | 0.45 |
| 11/17/07 2:45 | 2.982 | 0.45 |
| 11/17/07 2:50 | 2.982 | 0.48 |
| 11/17/07 2:55 | 2.981 | 0.48 |
| 11/17/07 3:00 | 2.981 | 0.5 |
| 11/17/07 3:05 | 2.981 | 0.5 |
| 11/17/07 3:10 | 2.98 | 0.46 |
| 11/17/07 3:15 | 2.981 | 0.47 |
| 11/17/07 3:20 | 2.98 | 0.5 |
| 11/17/07 3:25 | 2.98 | 0.51 |
| 11/17/07 3:30 | 2.982 | 0.51 |
| 11/17/07 3:35 | 2.981 | 0.53 |
| 11/17/07 3:40 | 2.981 | 0.5 |
| 11/17/07 3:45 | 2.981 | 0.52 |
| 11/17/07 3:50 | 2.98 | 0.47 |
| 11/17/07 3:55 | 2.98 | 0.48 |
| 11/17/07 4:00 | 2.979 | 0.48 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 4:05 | 2.98 | 0.47 |
| 11/17/07 4:10 | 2.979 | 0.5 |
| 11/17/07 4:15 | 2.98 | 0.46 |
| 11/17/07 4:20 | 2.979 | 0.47 |
| 11/17/07 4:25 | 2.98 | 0.49 |
| 11/17/07 4:30 | 2.98 | 0.47 |
| 11/17/07 4:35 | 2.978 | 0.57 |
| 11/17/07 4:40 | 2.976 | 0.48 |
| 11/17/07 4:45 | 2.974 | 0.53 |
| 11/17/07 4:50 | 2.971 | 0.49 |
| 11/17/07 4:55 | 2.969 | 0.47 |
| 11/17/07 5:00 | 2.967 | 0.5 |
| 11/17/07 5:05 | 2.965 | 0.49 |
| 11/17/07 5:10 | 2.964 | 0.48 |
| 11/17/07 5:15 | 2.963 | 0.46 |
| 11/17/07 5:20 | 2.962 | 0.46 |
| 11/17/07 5:25 | 2.961 | 0.52 |
| 11/17/07 5:30 | 2.96 | 0.51 |
| 11/17/07 5:35 | 2.959 | 0.51 |
| 11/17/07 5:40 | 2.956 | 0.5 |
| 11/17/07 5:45 | 2.954 | 0.48 |
| 11/17/07 5:50 | 2.951 | 0.52 |
| 11/17/07 5:55 | 2.95 | 0.51 |
| 11/17/07 6:00 | 2.949 | 0.53 |
| 11/17/07 6:05 | 2.947 | 0.53 |
| 11/17/07 6:10 | 2.946 | 0.49 |
| 11/17/07 6:15 | 2.945 | 0.51 |
| 11/17/07 6:20 | 2.942 | 0.51 |
| 11/17/07 6:25 | 2.94 | 0.54 |
| 11/17/07 6:30 | 2.937 | 0.48 |
| 11/17/07 6:35 | 2.934 | 0.53 |
| 11/17/07 6:40 | 2.93 | 0.48 |
| 11/17/07 6:45 | 2.927 | 0.48 |
| 11/17/07 6:50 | 2.925 | 0.47 |
| 11/17/07 6:55 | 2.921 | 0.5 |
| 11/17/07 7:00 | 2.917 | 0.48 |
| 11/17/07 7:05 | 2.914 | 0.49 |
| 11/17/07 7:10 | 2.912 | 0.44 |
| 11/17/07 7:15 | 2.91 | 0.5 |
| 11/17/07 7:20 | 2.909 | 0.56 |
| 11/17/07 7:25 | 2.908 | 0.54 |
| 11/17/07 7:30 | 2.906 | 0.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 7:35 | 2.906 | 0.53 |
| 11/17/07 7:40 | 2.906 | 0.5 |
| 11/17/07 7:45 | 2.907 | 0.49 |
| 11/17/07 7:50 | 2.906 | 0.49 |
| 11/17/07 7:55 | 2.908 | 0.54 |
| 11/17/07 8:00 | 2.908 | 0.49 |
| 11/17/07 8:05 | 2.908 | 0.46 |
| 11/17/07 8:10 | 2.909 | 0.5 |
| 11/17/07 8:15 | 2.91 | 0.47 |
| 11/17/07 8:20 | 2.91 | 0.5 |
| 11/17/07 8:25 | 2.909 | 0.51 |
| 11/17/07 8:30 | 2.911 | 0.48 |
| 11/17/07 8:35 | 2.911 | 0.47 |
| 11/17/07 8:40 | 2.911 | 0.5 |
| 11/17/07 8:45 | 2.911 | 0.49 |
| 11/17/07 8:50 | 2.911 | 0.52 |
| 11/17/07 8:55 | 2.911 | 0.52 |
| 11/17/07 9:00 | 2.912 | 0.54 |
| 11/17/07 9:05 | 2.913 | 0.46 |
| 11/17/07 9:10 | 2.913 | 0.53 |
| 11/17/07 9:15 | 2.914 | 0.51 |
| 11/17/07 9:20 | 2.913 | 0.48 |
| 11/17/07 9:25 | 2.914 | 0.5 |
| 11/17/07 9:30 | 2.913 | 0.56 |
| 11/17/07 9:35 | 2.913 | 0.5 |
| 11/17/07 9:40 | 2.914 | 0.5 |
| 11/17/07 9:45 | 2.913 | 0.5 |
| 11/17/07 9:50 | 2.915 | 0.53 |
| 11/17/07 9:55 | 2.914 | 0.48 |
| 11/17/07 10:00 | 2.914 | 0.53 |
| 11/17/07 10:05 | 2.915 | 0.5 |
| 11/17/07 10:10 | 2.913 | 0.5 |
| 11/17/07 10:15 | 2.913 | 0.52 |
| 11/17/07 10:20 | 2.913 | 0.5 |
| 11/17/07 10:25 | 2.914 | 0.52 |
| 11/17/07 10:30 | 2.914 | 0.49 |
| 11/17/07 10:35 | 2.914 | 0.52 |
| 11/17/07 10:40 | 2.914 | 0.51 |
| 11/17/07 10:45 | 2.911 | 0.46 |
| 11/17/07 10:50 | 2.914 | 0.53 |
| 11/17/07 10:55 | 2.914 | 0.54 |
| 11/17/07 11:00 | 2.914 | 0.53 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 11:05 | 2.914 | 0.49 |
| 11/17/07 11:10 | 2.914 | 0.51 |
| 11/17/07 11:15 | 2.914 | 0.5 |
| 11/17/07 11:20 | 2.914 | 0.54 |
| 11/17/07 11:25 | 2.913 | 0.53 |
| 11/17/07 11:30 | 2.913 | 0.49 |
| 11/17/07 11:35 | 2.913 | 0.5 |
| 11/17/07 11:40 | 2.914 | 0.54 |
| 11/17/07 11:45 | 2.913 | 0.57 |
| 11/17/07 11:50 | 2.912 | 0.47 |
| 11/17/07 11:55 | 2.911 | 0.53 |
| 11/17/07 12:00 | 2.911 | 0.51 |
| 11/17/07 12:05 | 2.912 | 0.47 |
| 11/17/07 12:10 | 2.912 | 0.49 |
| 11/17/07 12:15 | 2.911 | 0.5 |
| 11/17/07 12:20 | 2.911 | 0.47 |
| 11/17/07 12:25 | 2.911 | 0.51 |
| 11/17/07 12:30 | 2.91 | 0.52 |
| 11/17/07 12:35 | 2.911 | 0.56 |
| 11/17/07 12:40 | 2.91 | 0.53 |
| 11/17/07 12:45 | 2.911 | 0.53 |
| 11/17/07 12:50 | 2.912 | 0.55 |
| 11/17/07 12:55 | 2.91 | 0.56 |
| 11/17/07 13:00 | 2.911 | 0.53 |
| 11/17/07 13:05 | 2.911 | 0.51 |
| 11/17/07 13:10 | 2.911 | 0.51 |
| 11/17/07 13:15 | 2.909 | 0.52 |
| 11/17/07 13:20 | 2.909 | 0.53 |
| 11/17/07 13:25 | 2.909 | 0.53 |
| 11/17/07 13:30 | 2.909 | 0.52 |
| 11/17/07 13:35 | 2.909 | 0.5 |
| 11/17/07 13:40 | 2.909 | 0.5 |
| 11/17/07 13:45 | 2.908 | 0.51 |
| 11/17/07 13:50 | 2.91 | 0.51 |
| 11/17/07 13:55 | 2.91 | 0.55 |
| 11/17/07 14:00 | 2.909 | 0.5 |
| 11/17/07 14:05 | 2.909 | 0.49 |
| 11/17/07 14:10 | 2.909 | 0.52 |
| 11/17/07 14:15 | 2.908 | 0.53 |
| 11/17/07 14:20 | 2.906 | 0.51 |
| 11/17/07 14:25 | 2.908 | 0.55 |
| 11/17/07 14:30 | 2.909 | 0.54 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 14:35 | 2.908 | 0.52 |
| 11/17/07 14:40 | 2.908 | 0.51 |
| 11/17/07 14:45 | 2.907 | 0.52 |
| 11/17/07 14:50 | 2.907 | 0.54 |
| 11/17/07 14:55 | 2.907 | 0.56 |
| 11/17/07 15:00 | 2.906 | 0.56 |
| 11/17/07 15:05 | 2.906 | 0.55 |
| 11/17/07 15:10 | 2.907 | 0.52 |
| 11/17/07 15:15 | 2.906 | 0.58 |
| 11/17/07 15:20 | 2.907 | 0.58 |
| 11/17/07 15:25 | 2.906 | 0.47 |
| 11/17/07 15:30 | 2.906 | 0.48 |
| 11/17/07 15:35 | 2.906 | 0.55 |
| 11/17/07 15:40 | 2.905 | 0.57 |
| 11/17/07 15:45 | 2.905 | 0.6 |
| 11/17/07 15:50 | 2.905 | 0.58 |
| 11/17/07 15:55 | 2.905 | 0.54 |
| 11/17/07 16:00 | 2.905 | 0.53 |
| 11/17/07 16:05 | 2.904 | 0.53 |
| 11/17/07 16:10 | 2.905 | 0.55 |
| 11/17/07 16:15 | 2.905 | 0.53 |
| 11/17/07 16:20 | 2.905 | 0.55 |
| 11/17/07 16:25 | 2.906 | 0.55 |
| 11/17/07 16:30 | 2.907 | 0.54 |
| 11/17/07 16:35 | 2.906 | 0.54 |
| 11/17/07 16:40 | 2.907 | 0.56 |
| 11/17/07 16:45 | 2.906 | 0.52 |
| 11/17/07 16:50 | 2.906 | 0.56 |
| 11/17/07 16:55 | 2.905 | 0.48 |
| 11/17/07 17:00 | 2.905 | 0.56 |
| 11/17/07 17:05 | 2.905 | 0.56 |
| 11/17/07 17:10 | 2.905 | 0.53 |
| 11/17/07 17:15 | 2.905 | 0.52 |
| 11/17/07 17:20 | 2.904 | 0.5 |
| 11/17/07 17:25 | 2.904 | 0.51 |
| 11/17/07 17:30 | 2.903 | 0.53 |
| 11/17/07 17:35 | 2.903 | 0.56 |
| 11/17/07 17:40 | 2.903 | 0.53 |
| 11/17/07 17:45 | 2.902 | 0.52 |
| 11/17/07 17:50 | 2.902 | 0.53 |
| 11/17/07 17:55 | 2.901 | 0.53 |
| 11/17/07 18:00 | 2.901 | 0.55 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 18:05 | 2.9 | 0.54 |
| 11/17/07 18:10 | 2.9 | 0.52 |
| 11/17/07 18:15 | 2.899 | 0.56 |
| 11/17/07 18:20 | 2.899 | 0.52 |
| 11/17/07 18:25 | 2.898 | 0.54 |
| 11/17/07 18:30 | 2.897 | 0.54 |
| 11/17/07 18:35 | 2.896 | 0.53 |
| 11/17/07 18:40 | 2.896 | 0.52 |
| 11/17/07 18:45 | 2.896 | 0.53 |
| 11/17/07 18:50 | 2.895 | 0.52 |
| 11/17/07 18:55 | 2.895 | 0.51 |
| 11/17/07 19:00 | 2.894 | 0.54 |
| 11/17/07 19:05 | 2.894 | 0.54 |
| 11/17/07 19:10 | 2.894 | 0.49 |
| 11/17/07 19:15 | 2.894 | 0.51 |
| 11/17/07 19:20 | 2.893 | 0.54 |
| 11/17/07 19:25 | 2.892 | 0.54 |
| 11/17/07 19:30 | 2.892 | 0.58 |
| 11/17/07 19:35 | 2.892 | 0.51 |
| 11/17/07 19:40 | 2.891 | 0.48 |
| 11/17/07 19:45 | 2.89 | 0.51 |
| 11/17/07 19:50 | 2.889 | 0.51 |
| 11/17/07 19:55 | 2.889 | 0.48 |
| 11/17/07 20:00 | 2.887 | 0.56 |
| 11/17/07 20:05 | 2.886 | 0.53 |
| 11/17/07 20:10 | 2.884 | 0.51 |
| 11/17/07 20:15 | 2.883 | 0.53 |
| 11/17/07 20:20 | 2.883 | 0.53 |
| 11/17/07 20:25 | 2.881 | 0.54 |
| 11/17/07 20:30 | 2.88 | 0.5 |
| 11/17/07 20:35 | 2.88 | 0.55 |
| 11/17/07 20:40 | 2.879 | 0.55 |
| 11/17/07 20:45 | 2.877 | 0.48 |
| 11/17/07 20:50 | 2.878 | 0.53 |
| 11/17/07 20:55 | 2.877 | 0.52 |
| 11/17/07 21:00 | 2.875 | 0.52 |
| 11/17/07 21:05 | 2.874 | 0.53 |
| 11/17/07 21:10 | 2.873 | 0.52 |
| 11/17/07 21:15 | 2.872 | 0.51 |
| 11/17/07 21:20 | 2.871 | 0.53 |
| 11/17/07 21:25 | 2.87 | 0.53 |
| 11/17/07 21:30 | 2.869 | 0.55 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 21:35 | 2.869 | 0.55 |
| 11/17/07 21:40 | 2.868 | 0.53 |
| 11/17/07 21:45 | 2.866 | 0.54 |
| 11/17/07 21:50 | 2.865 | 0.52 |
| 11/17/07 21:55 | 2.864 | 0.54 |
| 11/17/07 22:00 | 2.864 | 0.5 |
| 11/17/07 22:05 | 2.863 | 0.53 |
| 11/17/07 22:10 | 2.862 | 0.58 |
| 11/17/07 22:15 | 2.861 | 0.52 |
| 11/17/07 22:20 | 2.861 | 0.47 |
| 11/17/07 22:25 | 2.86 | 0.51 |
| 11/17/07 22:30 | 2.86 | 0.54 |
| 11/17/07 22:35 | 2.859 | 0.53 |
| 11/17/07 22:40 | 2.858 | 0.53 |
| 11/17/07 22:45 | 2.858 | 0.51 |
| 11/17/07 22:50 | 2.856 | 0.53 |
| 11/17/07 22:55 | 2.857 | 0.55 |
| 11/17/07 23:00 | 2.857 | 0.53 |
| 11/17/07 23:05 | 2.855 | 0.53 |
| 11/17/07 23:10 | 2.854 | 0.56 |
| 11/17/07 23:15 | 2.855 | 0.55 |
| 11/17/07 23:20 | 2.854 | 0.57 |
| 11/17/07 23:25 | 2.853 | 0.55 |
| 11/17/07 23:30 | 2.853 | 0.58 |
| 11/17/07 23:35 | 2.852 | 0.55 |
| 11/17/07 23:40 | 2.85 | 0.48 |
| 11/17/07 23:45 | 2.847 | 0.51 |
| 11/17/07 23:50 | 2.845 | 0.5 |
| 11/17/07 23:55 | 2.842 | 0.53 |
| 11/18/07 0:00 | 2.839 | 0.54 |
| 11/18/07 0:05 | 2.836 | 0.59 |
| 11/18/07 0:10 | 2.833 | 0.57 |
| 11/18/07 0:15 | 2.831 | 0.51 |
| 11/18/07 0:20 | 2.829 | 0.52 |
| 11/18/07 0:25 | 2.827 | 0.54 |
| 11/18/07 0:30 | 2.826 | 0.59 |
| 11/18/07 0:35 | 2.824 | 0.57 |
| 11/18/07 0:40 | 2.823 | 0.61 |
| 11/18/07 0:45 | 2.822 | 0.54 |
| 11/18/07 0:50 | 2.822 | 0.54 |
| 11/18/07 0:55 | 2.82 | 0.59 |
| 11/18/07 1:00 | 2.818 | 0.57 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 1:05 | 2.815 | 0.55 |
| 11/18/07 1:10 | 2.813 | 0.55 |
| 11/18/07 1:15 | 2.811 | 0.59 |
| 11/18/07 1:20 | 2.811 | 0.55 |
| 11/18/07 1:25 | 2.809 | 0.57 |
| 11/18/07 1:30 | 2.808 | 0.51 |
| 11/18/07 1:35 | 2.808 | 0.53 |
| 11/18/07 1:40 | 2.807 | 0.58 |
| 11/18/07 1:45 | 2.806 | 0.52 |
| 11/18/07 1:50 | 2.805 | 0.53 |
| 11/18/07 1:55 | 2.805 | 0.53 |
| 11/18/07 2:00 | 2.804 | 0.61 |
| 11/18/07 2:05 | 2.803 | 0.59 |
| 11/18/07 2:10 | 2.803 | 0.61 |
| 11/18/07 2:15 | 2.802 | 0.64 |
| 11/18/07 2:20 | 2.802 | 0.6 |
| 11/18/07 2:25 | 2.801 | 0.61 |
| 11/18/07 2:30 | 2.801 | 0.59 |
| 11/18/07 2:35 | 2.799 | 0.65 |
| 11/18/07 2:40 | 2.798 | 0.51 |
| 11/18/07 2:45 | 2.797 | 0.57 |
| 11/18/07 2:50 | 2.795 | 0.52 |
| 11/18/07 2:55 | 2.794 | 0.61 |
| 11/18/07 3:00 | 2.792 | 0.58 |
| 11/18/07 3:05 | 2.792 | 0.57 |
| 11/18/07 3:10 | 2.791 | 0.62 |
| 11/18/07 3:15 | 2.79 | 0.56 |
| 11/18/07 3:20 | 2.789 | 0.59 |
| 11/18/07 3:25 | 2.789 | 0.56 |
| 11/18/07 3:30 | 2.789 | 0.58 |
| 11/18/07 3:35 | 2.788 | 0.61 |
| 11/18/07 3:40 | 2.788 | 0.57 |
| 11/18/07 3:45 | 2.787 | 0.61 |
| 11/18/07 3:50 | 2.787 | 0.57 |
| 11/18/07 3:55 | 2.787 | 0.65 |
| 11/18/07 4:00 | 2.786 | 0.61 |
| 11/18/07 4:05 | 2.786 | 0.57 |
| 11/18/07 4:10 | 2.785 | 0.56 |
| 11/18/07 4:15 | 2.784 | 0.57 |
| 11/18/07 4:20 | 2.784 | 0.58 |
| 11/18/07 4:25 | 2.783 | 0.65 |
| 11/18/07 4:30 | 2.783 | 0.56 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 4:35 | 2.782 | 0.58 |
| 11/18/07 4:40 | 2.782 | 0.59 |
| 11/18/07 4:45 | 2.781 | 0.56 |
| 11/18/07 4:50 | 2.78 | 0.63 |
| 11/18/07 4:55 | 2.78 | 0.58 |
| 11/18/07 5:00 | 2.779 | 0.64 |
| 11/18/07 5:05 | 2.779 | 0.55 |
| 11/18/07 5:10 | 2.778 | 0.62 |
| 11/18/07 5:15 | 2.777 | 0.63 |
| 11/18/07 5:20 | 2.777 | 0.59 |
| 11/18/07 5:25 | 2.777 | 0.51 |
| 11/18/07 5:30 | 2.776 | 0.56 |
| 11/18/07 5:35 | 2.776 | 0.59 |
| 11/18/07 5:40 | 2.776 | 0.6 |
| 11/18/07 5:45 | 2.776 | 0.64 |
| 11/18/07 5:50 | 2.776 | 0.56 |
| 11/18/07 5:55 | 2.776 | 0.65 |
| 11/18/07 6:00 | 2.775 | 0.6 |
| 11/18/07 6:05 | 2.775 | 0.6 |
| 11/18/07 6:10 | 2.775 | 0.53 |
| 11/18/07 6:15 | 2.775 | 0.59 |
| 11/18/07 6:20 | 2.775 | 0.6 |
| 11/18/07 6:25 | 2.775 | 0.61 |
| 11/18/07 6:30 | 2.774 | 0.57 |
| 11/18/07 6:35 | 2.774 | 0.58 |
| 11/18/07 6:40 | 2.774 | 0.58 |
| 11/18/07 6:45 | 2.773 | 0.59 |
| 11/18/07 6:50 | 2.774 | 0.61 |
| 11/18/07 6:55 | 2.773 | 0.6 |
| 11/18/07 7:00 | 2.773 | 0.61 |
| 11/18/07 7:05 | 2.773 | 0.59 |
| 11/18/07 7:10 | 2.772 | 0.58 |
| 11/18/07 7:15 | 2.773 | 0.53 |
| 11/18/07 7:20 | 2.772 | 0.57 |
| 11/18/07 7:25 | 2.771 | 0.58 |
| 11/18/07 7:30 | 2.771 | 0.61 |
| 11/18/07 7:35 | 2.771 | 0.58 |
| 11/18/07 7:40 | 2.77 | 0.59 |
| 11/18/07 7:45 | 2.77 | 0.55 |
| 11/18/07 7:50 | 2.77 | 0.6 |
| 11/18/07 7:55 | 2.77 | 0.59 |
| 11/18/07 8:00 | 2.769 | 0.57 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 8:05 | 2.769 | 0.56 |
| 11/18/07 8:10 | 2.768 | 0.61 |
| 11/18/07 8:15 | 2.768 | 0.6 |
| 11/18/07 8:20 | 2.767 | 0.55 |
| 11/18/07 8:25 | 2.767 | 0.6 |
| 11/18/07 8:30 | 2.767 | 0.84 |
| 11/18/07 8:35 | 2.766 | 0.59 |
| 11/18/07 8:40 | 2.766 | 0.59 |
| 11/18/07 8:45 | 2.765 | 0.56 |
| 11/18/07 8:50 | 2.765 | 0.58 |
| 11/18/07 8:55 | 2.764 | 0.53 |
| 11/18/07 9:00 | 2.764 | 0.6 |
| 11/18/07 9:05 | 2.764 | 0.53 |
| 11/18/07 9:10 | 2.764 | 0.61 |
| 11/18/07 9:15 | 2.763 | 0.58 |
| 11/18/07 9:20 | 2.763 | -0.59 |
| 11/18/07 9:25 | 2.764 | -0.59 |
| 11/18/07 9:30 | 2.763 | -0.6 |
| 11/18/07 9:35 | 2.763 | -0.58 |
| 11/18/07 9:40 | 2.762 | -0.58 |
| 11/18/07 9:45 | 2.762 | -0.59 |
| 11/18/07 9:50 | 2.762 | -0.58 |
| 11/18/07 9:55 | 2.762 | 0.59 |
| 11/18/07 10:00 | 2.761 | 0.59 |
| 11/18/07 10:05 | 2.761 | -0.57 |
| 11/18/07 10:10 | 2.761 | -0.64 |
| 11/18/07 10:15 | 2.761 | -0.7 |
| 11/18/07 10:20 | 2.761 | -0.61 |
| 11/18/07 10:25 | 2.761 | 0.77 |
| 11/18/07 10:30 | 2.761 | -0.6 |
| 11/18/07 10:35 | 2.762 | -0.65 |
| 11/18/07 10:40 | 2.761 | -0.62 |
| 11/18/07 10:45 | 2.762 | 1.09 |
| 11/18/07 10:50 | 2.761 | 0.92 |
| 11/18/07 10:55 | 2.761 | 0.59 |
| 11/18/07 11:00 | 2.761 | 0.59 |
| 11/18/07 11:05 | 2.762 | 0.98 |
| 11/18/07 11:10 | 2.762 | 0.56 |
| 11/18/07 11:15 | 2.762 | 0.52 |
| 11/18/07 11:20 | 2.761 | 0.59 |
| 11/18/07 11:25 | 2.761 | 0.52 |
| 11/18/07 11:30 | 2.762 | 0.6 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 11:35 | 2.762 | 0.59 |
| 11/18/07 11:40 | 2.763 | 0.54 |
| 11/18/07 11:45 | 2.762 | 0.58 |
| 11/18/07 11:50 | 2.763 | 0.56 |
| 11/18/07 11:55 | 2.763 | 0.55 |
| 11/18/07 12:00 | 2.764 | 0.57 |
| 11/18/07 12:05 | 2.764 | 0.56 |
| 11/18/07 12:10 | 2.764 | 0.57 |
| 11/18/07 12:15 | 2.765 | 0.58 |
| 11/18/07 12:20 | 2.765 | 0.53 |
| 11/18/07 12:25 | 2.766 | 0.55 |
| 11/18/07 12:30 | 2.766 | 0.58 |
| 11/18/07 12:35 | 2.766 | 0.56 |
| 11/18/07 12:40 | 2.766 | 0.57 |
| 11/18/07 12:45 | 2.765 | 0.62 |
| 11/18/07 12:50 | 2.766 | 0.57 |
| 11/18/07 12:55 | 2.766 | 0.58 |
| 11/18/07 13:00 | 2.766 | 0.59 |
| 11/18/07 13:05 | 2.767 | 0.59 |
| 11/18/07 13:10 | 2.767 | 0.54 |
| 11/18/07 13:15 | 2.767 | 0.54 |
| 11/18/07 13:20 | 2.767 | 0.58 |
| 11/18/07 13:25 | 2.767 | 0.59 |
| 11/18/07 13:30 | 2.767 | 0.55 |
| 11/18/07 13:35 | 2.767 | 0.59 |
| 11/18/07 13:40 | 2.767 | 0.56 |
| 11/18/07 13:45 | 2.767 | 0.54 |
| 11/18/07 13:50 | 2.767 | 0.56 |
| 11/18/07 13:55 | 2.768 | 0.53 |
| 11/18/07 14:00 | 2.768 | 0.6 |
| 11/18/07 14:05 | 2.768 | 0.57 |
| 11/18/07 14:10 | 2.768 | 0.55 |
| 11/18/07 14:15 | 2.768 | 0.57 |
| 11/18/07 14:20 | 2.767 | 0.53 |
| 11/18/07 14:25 | 2.768 | 0.58 |
| 11/18/07 14:30 | 2.767 | 0.57 |
| 11/18/07 14:35 | 2.767 | 0.58 |
| 11/18/07 14:40 | 2.767 | 0.55 |
| 11/18/07 14:45 | 2.767 | 0.58 |
| 11/18/07 14:50 | 2.767 | 0.59 |
| 11/18/07 14:55 | 2.767 | 0.55 |
| 11/18/07 15:00 | 2.766 | 0.57 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 15:05 | 2.766 | 0.56 |
| 11/18/07 15:10 | 2.766 | 0.54 |
| 11/18/07 15:15 | 2.766 | 0.53 |
| 11/18/07 15:20 | 2.766 | 0.53 |
| 11/18/07 15:25 | 2.765 | 0.55 |
| 11/18/07 15:30 | 2.765 | 0.56 |
| 11/18/07 15:35 | 2.765 | 0.55 |
| 11/18/07 15:40 | 2.765 | 0.56 |
| 11/18/07 15:45 | 2.765 | 0.61 |
| 11/18/07 15:50 | 2.764 | 0.53 |
| 11/18/07 15:55 | 2.764 | 0.61 |
| 11/18/07 16:00 | 2.764 | 0.61 |
| 11/18/07 16:05 | 2.764 | 0.61 |
| 11/18/07 16:10 | 2.763 | 0.58 |
| 11/18/07 16:15 | 2.764 | 0.54 |
| 11/18/07 16:20 | 2.763 | 0.57 |
| 11/18/07 16:25 | 2.763 | 0.56 |
| 11/18/07 16:30 | 2.763 | 0.57 |
| 11/18/07 16:35 | 2.763 | 0.56 |
| 11/18/07 16:40 | 2.762 | 0.57 |
| 11/18/07 16:45 | 2.762 | 0.63 |
| 11/18/07 16:50 | 2.762 | 0.62 |
| 11/18/07 16:55 | 2.762 | 0.62 |
| 11/18/07 17:00 | 2.761 | 0.59 |
| 11/18/07 17:05 | 2.761 | 0.64 |
| 11/18/07 17:10 | 2.761 | 0.55 |
| 11/18/07 17:15 | 2.761 | 0.58 |
| 11/18/07 17:20 | 2.76 | 0.56 |
| 11/18/07 17:25 | 2.76 | 0.56 |
| 11/18/07 17:30 | 2.76 | 0.51 |
| 11/18/07 17:35 | 2.759 | 0.57 |
| 11/18/07 17:40 | 2.759 | 0.55 |
| 11/18/07 17:45 | 2.758 | 0.57 |
| 11/18/07 17:50 | 2.758 | 0.63 |
| 11/18/07 17:55 | 2.758 | 0.55 |
| 11/18/07 18:00 | 2.757 | 0.58 |
| 11/18/07 18:05 | 2.757 | 0.59 |
| 11/18/07 18:10 | 2.757 | 0.57 |
| 11/18/07 18:15 | 2.756 | 0.51 |
| 11/18/07 18:20 | 2.755 | 0.6 |
| 11/18/07 18:25 | 2.755 | 0.56 |
| 11/18/07 18:30 | 2.754 | 0.56 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 18:35 | 2.754 | 0.59 |
| 11/18/07 18:40 | 2.753 | 0.56 |
| 11/18/07 18:45 | 2.753 | 0.6 |
| 11/18/07 18:50 | 2.752 | 0.6 |
| 11/18/07 18:55 | 2.751 | 0.55 |
| 11/18/07 19:00 | 2.752 | 0.58 |
| 11/18/07 19:05 | 2.751 | 0.54 |
| 11/18/07 19:10 | 2.751 | 0.56 |
| 11/18/07 19:15 | 2.749 | 0.54 |
| 11/18/07 19:20 | 2.749 | 0.57 |
| 11/18/07 19:25 | 2.749 | 0.52 |
| 11/18/07 19:30 | 2.748 | 0.57 |
| 11/18/07 19:35 | 2.747 | 0.61 |
| 11/18/07 19:40 | 2.746 | 0.62 |
| 11/18/07 19:45 | 2.745 | 0.54 |
| 11/18/07 19:50 | 2.745 | 0.58 |
| 11/18/07 19:55 | 2.744 | 0.59 |
| 11/18/07 20:00 | 2.743 | 0.6 |
| 11/18/07 20:05 | 2.743 | 0.6 |
| 11/18/07 20:10 | 2.742 | 0.52 |
| 11/18/07 20:15 | 2.742 | 0.57 |
| 11/18/07 20:20 | 2.741 | 0.55 |
| 11/18/07 20:25 | 2.74 | 0.56 |
| 11/18/07 20:30 | 2.74 | 0.57 |
| 11/18/07 20:35 | 2.739 | 0.57 |
| 11/18/07 20:40 | 2.738 | 0.6 |
| 11/18/07 20:45 | 2.738 | 0.58 |
| 11/18/07 20:50 | 2.737 | 0.55 |
| 11/18/07 20:55 | 2.737 | 0.58 |
| 11/18/07 21:00 | 2.736 | 0.54 |
| 11/18/07 21:05 | 2.736 | 0.62 |
| 11/18/07 21:10 | 2.735 | 0.55 |
| 11/18/07 21:15 | 2.734 | 0.57 |
| 11/18/07 21:20 | 2.735 | 0.52 |
| 11/18/07 21:25 | 2.734 | 0.6 |
| 11/18/07 21:30 | 2.733 | 0.56 |
| 11/18/07 21:35 | 2.733 | 0.52 |
| 11/18/07 21:40 | 2.732 | 0.56 |
| 11/18/07 21:45 | 2.731 | 0.56 |
| 11/18/07 21:50 | 2.731 | 0.61 |
| 11/18/07 21:55 | 2.73 | 0.54 |
| 11/18/07 22:00 | 2.729 | 0.54 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 22:05 | 2.728 | 0.66 |
| 11/18/07 22:10 | 2.728 | 0.57 |
| 11/18/07 22:15 | 2.727 | 0.57 |
| 11/18/07 22:20 | 2.726 | 0.64 |
| 11/18/07 22:25 | 2.726 | 0.54 |
| 11/18/07 22:30 | 2.726 | 0.6 |
| 11/18/07 22:35 | 2.725 | 0.57 |
| 11/18/07 22:40 | 2.725 | 0.54 |
| 11/18/07 22:45 | 2.725 | 0.58 |
| 11/18/07 22:50 | 2.725 | 0.61 |
| 11/18/07 22:55 | 2.725 | 0.56 |
| 11/18/07 23:00 | 2.724 | 0.58 |
| 11/18/07 23:05 | 2.724 | 0.57 |
| 11/18/07 23:10 | 2.723 | 0.63 |
| 11/18/07 23:15 | 2.723 | 0.62 |
| 11/18/07 23:20 | 2.723 | 0.56 |
| 11/18/07 23:25 | 2.722 | 0.55 |
| 11/18/07 23:30 | 2.721 | 0.55 |
| 11/18/07 23:35 | 2.721 | 0.58 |
| 11/18/07 23:40 | 2.72 | 0.54 |
| 11/18/07 23:45 | 2.72 | 0.67 |
| 11/18/07 23:50 | 2.719 | 0.55 |
| 11/18/07 23:55 | 2.718 | 0.58 |
| 11/19/07 0:00 | 2.717 | 0.6 |
| 11/19/07 0:05 | 2.717 | 0.57 |
| 11/19/07 0:10 | 2.717 | 0.55 |
| 11/19/07 0:15 | 2.716 | 0.58 |
| 11/19/07 0:20 | 2.716 | 0.53 |
| 11/19/07 0:25 | 2.715 | 0.58 |
| 11/19/07 0:30 | 2.715 | 0.63 |
| 11/19/07 0:35 | 2.714 | 0.57 |
| 11/19/07 0:40 | 2.714 | 0.58 |
| 11/19/07 0:45 | 2.714 | 0.62 |
| 11/19/07 0:50 | 2.713 | 0.55 |
| 11/19/07 0:55 | 2.712 | 0.6 |
| 11/19/07 1:00 | 2.712 | 0.59 |
| 11/19/07 1:05 | 2.711 | 0.67 |
| 11/19/07 1:10 | 2.711 | 0.59 |
| 11/19/07 1:15 | 2.711 | 0.56 |
| 11/19/07 1:20 | 2.71 | 0.61 |
| 11/19/07 1:25 | 2.71 | 0.56 |
| 11/19/07 1:30 | 2.709 | 0.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 1:35 | 2.709 | 0.58 |
| 11/19/07 1:40 | 2.709 | 0.65 |
| 11/19/07 1:45 | 2.708 | 0.57 |
| 11/19/07 1:50 | 2.709 | 0.59 |
| 11/19/07 1:55 | 2.708 | 0.6 |
| 11/19/07 2:00 | 2.708 | 0.62 |
| 11/19/07 2:05 | 2.708 | 0.58 |
| 11/19/07 2:10 | 2.709 | 0.65 |
| 11/19/07 2:15 | 2.709 | 0.58 |
| 11/19/07 2:20 | 2.708 | 0.57 |
| 11/19/07 2:25 | 2.708 | 0.6 |
| 11/19/07 2:30 | 2.708 | 0.59 |
| 11/19/07 2:35 | 2.708 | 0.6 |
| 11/19/07 2:40 | 2.707 | 0.57 |
| 11/19/07 2:45 | 2.708 | 0.57 |
| 11/19/07 2:50 | 2.707 | 0.58 |
| 11/19/07 2:55 | 2.707 | 0.66 |
| 11/19/07 3:00 | 2.707 | 0.58 |
| 11/19/07 3:05 | 2.707 | 0.61 |
| 11/19/07 3:10 | 2.706 | 0.63 |
| 11/19/07 3:15 | 2.706 | 0.55 |
| 11/19/07 3:20 | 2.705 | 0.57 |
| 11/19/07 3:25 | 2.705 | 0.63 |
| 11/19/07 3:30 | 2.705 | 0.61 |
| 11/19/07 3:35 | 2.704 | 0.59 |
| 11/19/07 3:40 | 2.704 | 0.62 |
| 11/19/07 3:45 | 2.704 | 0.61 |
| 11/19/07 3:50 | 2.704 | 0.62 |
| 11/19/07 3:55 | 2.703 | 0.55 |
| 11/19/07 4:00 | 2.703 | 0.58 |
| 11/19/07 4:05 | 2.701 | 0.65 |
| 11/19/07 4:10 | 2.701 | 0.62 |
| 11/19/07 4:15 | 2.701 | 0.62 |
| 11/19/07 4:20 | 2.701 | 0.59 |
| 11/19/07 4:25 | 2.7 | 0.61 |
| 11/19/07 4:30 | 2.7 | 0.63 |
| 11/19/07 4:35 | 2.7 | 0.58 |
| 11/19/07 4:40 | 2.699 | 0.6 |
| 11/19/07 4:45 | 2.699 | 0.62 |
| 11/19/07 4:50 | 2.699 | 0.6 |
| 11/19/07 4:55 | 2.699 | 0.61 |
| 11/19/07 5:00 | 2.698 | 0.65 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 5:05 | 2.696 | 0.62 |
| 11/19/07 5:10 | 2.696 | 0.63 |
| 11/19/07 5:15 | 2.694 | 0.63 |
| 11/19/07 5:20 | 2.693 | 0.66 |
| 11/19/07 5:25 | 2.693 | 0.62 |
| 11/19/07 5:30 | 2.692 | 0.66 |
| 11/19/07 5:35 | 2.691 | 0.71 |
| 11/19/07 5:40 | 2.691 | 0.62 |
| 11/19/07 5:45 | 2.69 | 0.67 |
| 11/19/07 5:50 | 2.69 | 0.61 |
| 11/19/07 5:55 | 2.689 | 0.6 |
| 11/19/07 6:00 | 2.689 | 0.58 |
| 11/19/07 6:05 | 2.688 | 0.67 |
| 11/19/07 6:10 | 2.688 | 0.63 |
| 11/19/07 6:15 | 2.688 | 0.68 |
| 11/19/07 6:20 | 2.687 | 0.65 |
| 11/19/07 6:25 | 2.687 | 0.64 |
| 11/19/07 6:30 | 2.687 | 0.67 |
| 11/19/07 6:35 | 2.686 | 0.64 |
| 11/19/07 6:40 | 2.686 | 0.59 |
| 11/19/07 6:45 | 2.686 | 0.6 |
| 11/19/07 6:50 | 2.686 | 0.6 |
| 11/19/07 6:55 | 2.685 | 0.66 |
| 11/19/07 7:00 | 2.685 | 0.6 |
| 11/19/07 7:05 | 2.684 | 0.59 |
| 11/19/07 7:10 | 2.684 | 0.61 |
| 11/19/07 7:15 | 2.684 | 0.62 |
| 11/19/07 7:20 | 2.684 | 0.65 |
| 11/19/07 7:25 | 2.682 | 0.65 |
| 11/19/07 7:30 | 2.683 | 0.63 |
| 11/19/07 7:35 | 2.683 | 0.59 |
| 11/19/07 7:40 | 2.682 | 0.7 |
| 11/19/07 7:45 | 2.682 | 0.69 |
| 11/19/07 7:50 | 2.681 | 0.63 |
| 11/19/07 7:55 | 2.681 | 0.66 |
| 11/19/07 8:00 | 2.681 | 0.7 |
| 11/19/07 8:05 | 2.681 | 0.64 |
| 11/19/07 8:10 | 2.68 | 0.63 |
| 11/19/07 8:15 | 2.679 | 0.65 |
| 11/19/07 8:20 | 2.679 | 0.63 |
| 11/19/07 8:25 | 2.679 | 0.69 |
| 11/19/07 8:30 | 2.678 | 0.63 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 8:35 | 2.678 | 0.65 |
| 11/19/07 8:40 | 2.677 | 0.6 |
| 11/19/07 8:45 | 2.676 | 0.62 |
| 11/19/07 8:50 | 2.676 | 0.62 |
| 11/19/07 8:55 | 2.675 | 0.59 |
| 11/19/07 9:00 | 2.675 | 0.57 |
| 11/19/07 9:05 | 2.676 | 0.61 |
| 11/19/07 9:10 | 2.676 | 0.61 |
| 11/19/07 9:15 | 2.676 | 0.6 |
| 11/19/07 9:20 | 2.676 | 0.56 |
| 11/19/07 9:25 | 2.676 | 0.61 |
| 11/19/07 9:30 | 2.675 | 0.63 |
| 11/19/07 9:35 | 2.676 | 0.57 |
| 11/19/07 9:40 | 2.675 | 0.59 |
| 11/19/07 9:45 | 2.675 | 0.63 |
| 11/19/07 9:50 | 2.672 | 0.38 |
| 11/19/07 9:55 | 2.744 | 0.42 |
| 11/19/07 10:00 | 2.795 | 0.4 |
| 11/19/07 10:05 | 2.853 | 0.6 |
| 11/19/07 10:10 | 2.893 | 0.51 |
| 11/19/07 10:15 | 2.922 | 0.5 |
| 11/19/07 10:20 | 2.943 | 0.48 |
| 11/19/07 10:25 | 2.96 | 0.48 |
| 11/19/07 10:30 | 2.975 | 0.48 |
| 11/19/07 10:35 | 2.988 | 0.44 |
| 11/19/07 10:40 | 2.999 | 0.44 |
| 11/19/07 10:45 | 3.011 | 0.44 |
| 11/19/07 10:50 | 3.021 | 0.47 |
| 11/19/07 10:55 | 3.028 | 0.46 |
| 11/19/07 11:00 | 3.034 | 0.43 |
| 11/19/07 11:05 | 3.038 | 0.43 |
| 11/19/07 11:10 | 3.043 | 0.45 |
| 11/19/07 11:15 | 3.047 | 0.43 |
| 11/19/07 11:20 | 3.049 | 0.42 |
| 11/19/07 11:25 | 3.051 | 0.43 |
| 11/19/07 11:30 | 3.053 | 0.45 |
| 11/19/07 11:35 | 3.054 | 0.47 |
| 11/19/07 11:40 | 3.054 | 0.39 |
| 11/19/07 11:45 | 3.055 | 0.43 |
| 11/19/07 11:50 | 3.054 | 0.48 |
| 11/19/07 11:55 | 3.054 | 0.41 |
| 11/19/07 12:00 | 3.053 | 0.4 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 12:05 | 3.052 | 0.39 |
| 11/19/07 12:10 | 3.052 | 0.41 |
| 11/19/07 12:15 | 3.05 | 0.4 |
| 11/19/07 12:20 | 3.05 | 0.39 |
| 11/19/07 12:25 | 3.05 | 0.43 |
| 11/19/07 12:30 | 3.048 | 0.4 |
| 11/19/07 12:35 | 3.047 | 0.39 |
| 11/19/07 12:40 | 3.043 | 0.42 |
| 11/19/07 12:45 | 3.042 | 0.39 |
| 11/19/07 12:50 | 3.04 | 0.42 |
| 11/19/07 12:55 | 3.039 | 0.4 |
| 11/19/07 13:00 | 3.036 | 0.4 |
| 11/19/07 13:05 | 3.034 | 0.43 |
| 11/19/07 13:10 | 3.032 | 0.42 |
| 11/19/07 13:15 | 3.031 | 0.4 |
| 11/19/07 13:20 | 3.03 | 0.37 |
| 11/19/07 13:25 | 3.028 | 0.4 |
| 11/19/07 13:30 | 3.026 | 0.41 |
| 11/19/07 13:35 | 3.024 | 0.39 |
| 11/19/07 13:40 | 3.022 | 0.42 |
| 11/19/07 13:45 | 3.021 | 0.4 |
| 11/19/07 13:50 | 3.019 | 0.39 |
| 11/19/07 13:55 | 3.016 | 0.39 |
| 11/19/07 14:00 | 3.015 | 0.38 |
| 11/19/07 14:05 | 3.012 | 0.35 |
| 11/19/07 14:10 | 3.011 | -0.36 |
| 11/19/07 14:15 | 3.009 | -0.36 |
| 11/19/07 14:20 | 3.008 | -0.36 |
| 11/19/07 14:25 | 3.006 | 0.4 |
| 11/19/07 14:30 | 3.004 | 0.39 |
| 11/19/07 14:35 | 3.002 | 0.39 |
| 11/19/07 14:40 | 3 | 0.4 |
| 11/19/07 14:45 | 2.998 | 0.38 |
| 11/19/07 14:50 | 2.996 | 0.38 |
| 11/19/07 14:55 | 2.995 | 0.4 |
| 11/19/07 15:00 | 2.993 | 0.37 |
| 11/19/07 15:05 | 2.99 | 0.37 |
| 11/19/07 15:10 | 2.989 | 0.37 |
| 11/19/07 15:15 | 2.988 | 0.44 |
| 11/19/07 15:20 | 2.986 | 0.44 |
| 11/19/07 15:25 | 2.974 | 0.43 |
| 11/19/07 15:30 | 2.906 | 0.49 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 15:35 | 2.859 | 0.49 |
| 11/19/07 15:40 | 2.824 | 0.52 |
| 11/19/07 15:45 | 2.799 | 0.52 |
| 11/19/07 15:50 | 2.78 | 0.49 |
| 11/19/07 15:55 | 2.767 | 0.61 |
| 11/19/07 16:00 | 2.756 | 0.61 |
| 11/19/07 16:05 | 2.749 | 0.61 |
| 11/19/07 16:10 | 2.743 | 0.61 |
| 11/19/07 16:15 | 2.738 | 0.57 |
| 11/19/07 16:20 | 2.735 | 0.57 |
| 11/19/07 16:25 | 2.732 | 0.61 |
| 11/19/07 16:30 | 2.731 | 0.56 |
| 11/19/07 16:35 | 2.729 | 0.58 |
| 11/19/07 16:40 | 2.728 | 0.53 |
| 11/19/07 16:45 | 2.727 | 0.58 |
| 11/19/07 16:50 | 2.726 | 0.57 |
| 11/19/07 16:55 | 2.724 | 0.53 |
| 11/19/07 17:00 | 2.723 | 0.57 |
| 11/19/07 17:05 | 2.723 | 0.56 |
| 11/19/07 17:10 | 2.722 | 0.49 |
| 11/19/07 17:15 | 2.721 | 0.54 |
| 11/19/07 17:20 | 2.722 | 0.67 |
| 11/19/07 17:25 | 2.723 | 0.62 |
| 11/19/07 17:30 | 2.724 | 0.61 |
| 11/19/07 17:35 | 2.723 | 0.61 |
| 11/19/07 17:40 | 2.722 | 0.61 |
| 11/19/07 17:45 | 2.721 | 0.6 |
| 11/19/07 17:50 | 2.719 | 0.55 |
| 11/19/07 17:55 | 2.718 | 0.56 |
| 11/19/07 18:00 | 2.717 | 0.56 |
| 11/19/07 18:05 | 2.716 | 0.69 |
| 11/19/07 18:10 | 2.716 | 0.59 |
| 11/19/07 18:15 | 2.714 | 0.54 |
| 11/19/07 18:20 | 2.712 | 0.61 |
| 11/19/07 18:25 | 2.711 | 0.57 |
| 11/19/07 18:30 | 2.709 | 0.63 |
| 11/19/07 18:35 | 2.708 | 0.64 |
| 11/19/07 18:40 | 2.706 | 0.61 |
| 11/19/07 18:45 | 2.706 | 0.59 |
| 11/19/07 18:50 | 2.704 | 0.59 |
| 11/19/07 18:55 | 2.703 | 0.51 |
| 11/19/07 19:00 | 2.702 | 0.56 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 19:05 | 2.7 | 0.55 |
| 11/19/07 19:10 | 2.7 | 0.61 |
| 11/19/07 19:15 | 2.698 | 0.56 |
| 11/19/07 19:20 | 2.697 | 0.61 |
| 11/19/07 19:25 | 2.696 | 0.6 |
| 11/19/07 19:30 | 2.694 | 0.59 |
| 11/19/07 19:35 | 2.692 | 0.62 |
| 11/19/07 19:40 | 2.692 | 0.59 |
| 11/19/07 19:45 | 2.69 | 0.58 |
| 11/19/07 19:50 | 2.689 | 0.56 |
| 11/19/07 19:55 | 2.689 | 0.53 |
| 11/19/07 20:00 | 2.687 | 0.59 |
| 11/19/07 20:05 | 2.686 | 0.56 |
| 11/19/07 20:10 | 2.685 | 0.54 |
| 11/19/07 20:15 | 2.684 | 0.59 |
| 11/19/07 20:20 | 2.683 | 0.55 |
| 11/19/07 20:25 | 2.682 | 0.55 |
| 11/19/07 20:30 | 2.679 | 0.46 |
| 11/19/07 20:35 | 2.677 | 0.55 |
| 11/19/07 20:40 | 2.674 | 0.6 |
| 11/19/07 20:45 | 2.672 | 0.52 |
| 11/19/07 20:50 | 2.671 | 0.54 |
| 11/19/07 20:55 | 2.669 | 0.51 |
| 11/19/07 21:00 | 2.668 | 0.57 |
| 11/19/07 21:05 | 2.667 | 0.48 |
| 11/19/07 21:10 | 2.666 | 0.56 |
| 11/19/07 21:15 | 2.663 | 0.51 |
| 11/19/07 21:20 | 2.662 | 0.62 |
| 11/19/07 21:25 | 2.661 | 0.51 |
| 11/19/07 21:30 | 2.66 | 0.58 |
| 11/19/07 21:35 | 2.659 | 0.5 |
| 11/19/07 21:40 | 2.658 | 0.45 |
| 11/19/07 21:45 | 2.657 | 0.46 |
| 11/19/07 21:50 | 2.656 | 0.51 |
| 11/19/07 21:55 | 2.654 | 0.46 |
| 11/19/07 22:00 | 2.654 | 0.56 |
| 11/19/07 22:05 | 2.653 | 0.55 |
| 11/19/07 22:10 | 2.652 | 0.51 |
| 11/19/07 22:15 | 2.65 | 0.54 |
| 11/19/07 22:20 | 2.649 | 0.54 |
| 11/19/07 22:25 | 2.649 | 0.52 |
| 11/19/07 22:30 | 2.647 | 0.49 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 22:35 | 2.646 | 0.59 |
| 11/19/07 22:40 | 2.645 | 0.54 |
| 11/19/07 22:45 | 2.644 | 0.51 |
| 11/19/07 22:50 | 2.643 | 0.47 |
| 11/19/07 22:55 | 2.642 | 0.58 |
| 11/19/07 23:00 | 2.641 | 0.56 |
| 11/19/07 23:05 | 2.64 | 0.57 |
| 11/19/07 23:10 | 2.639 | 0.52 |
| 11/19/07 23:15 | 2.638 | 0.48 |
| 11/19/07 23:20 | 2.637 | 0.49 |
| 11/19/07 23:25 | 2.637 | 0.46 |
| 11/19/07 23:30 | 2.636 | 0.58 |
| 11/19/07 23:35 | 2.635 | 0.49 |
| 11/19/07 23:40 | 2.634 | 0.52 |
| 11/19/07 23:45 | 2.633 | 0.58 |
| 11/19/07 23:50 | 2.631 | 0.49 |
| 11/19/07 23:55 | 2.624 | 0.54 |
| 11/20/07 0:00 | 2.615 | 0.58 |
| 11/20/07 0:05 | 2.602 | 0.52 |
| 11/20/07 0:10 | 2.592 | 0.49 |
| 11/20/07 0:15 | 2.583 | 0.52 |
| 11/20/07 0:20 | 2.573 | 0.51 |
| 11/20/07 0:25 | 2.561 | 0.62 |
| 11/20/07 0:30 | 2.554 | 0.5 |
| 11/20/07 0:35 | 2.545 | 0.58 |
| 11/20/07 0:40 | 2.536 | 0.55 |
| 11/20/07 0:45 | 2.528 | 0.6 |
| 11/20/07 0:50 | 2.521 | 0.54 |
| 11/20/07 0:55 | 2.516 | 0.44 |
| 11/20/07 1:00 | 2.509 | 0.52 |
| 11/20/07 1:05 | 2.504 | 0.61 |
| 11/20/07 1:10 | 2.502 | 0.53 |
| 11/20/07 1:15 | 2.499 | 0.54 |
| 11/20/07 1:20 | 2.498 | 0.49 |
| 11/20/07 1:25 | 2.497 | 0.58 |
| 11/20/07 1:30 | 2.495 | 0.54 |
| 11/20/07 1:35 | 2.496 | 0.52 |
| 11/20/07 1:40 | 2.495 | 0.51 |
| 11/20/07 1:45 | 2.493 | 0.57 |
| 11/20/07 1:50 | 2.478 | 0.55 |
| 11/20/07 1:55 | 2.462 | 0.56 |
| 11/20/07 2:00 | 2.452 | 0.54 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 2:05 | 2.441 | 0.53 |
| 11/20/07 2:10 | 2.435 | 0.51 |
| 11/20/07 2:15 | 2.431 | 0.56 |
| 11/20/07 2:20 | 2.427 | 0.54 |
| 11/20/07 2:25 | 2.423 | 0.53 |
| 11/20/07 2:30 | 2.417 | 0.48 |
| 11/20/07 2:35 | 2.409 | 0.51 |
| 11/20/07 2:40 | 2.403 | 0.43 |
| 11/20/07 2:45 | 2.399 | 0.43 |
| 11/20/07 2:50 | 2.395 | 0.43 |
| 11/20/07 2:55 | 2.394 | 0.43 |
| 11/20/07 3:00 | 2.393 | 0.55 |
| 11/20/07 3:05 | 2.392 | 0.46 |
| 11/20/07 3:10 | 2.391 | 0.47 |
| 11/20/07 3:15 | 2.389 | 0.47 |
| 11/20/07 3:20 | 2.388 | 0.41 |
| 11/20/07 3:25 | 2.389 | 0.56 |
| 11/20/07 3:30 | 2.387 | 0.52 |
| 11/20/07 3:35 | 2.387 | 0.42 |
| 11/20/07 3:40 | 2.386 | 0.42 |
| 11/20/07 3:45 | 2.385 | 0.58 |
| 11/20/07 3:50 | 2.385 | 0.55 |
| 11/20/07 3:55 | 2.385 | 0.51 |
| 11/20/07 4:00 | 2.386 | 0.52 |
| 11/20/07 4:05 | 2.386 | 0.58 |
| 11/20/07 4:10 | 2.386 | 0.47 |
| 11/20/07 4:15 | 2.385 | 0.52 |
| 11/20/07 4:20 | 2.387 | 0.53 |
| 11/20/07 4:25 | 2.388 | 0.52 |
| 11/20/07 4:30 | 2.383 | 0.67 |
| 11/20/07 4:35 | 2.38 | 0.67 |
| 11/20/07 4:40 | 2.376 | 0.59 |
| 11/20/07 4:45 | 2.367 | 0.48 |
| 11/20/07 4:50 | 2.357 | 0.55 |
| 11/20/07 4:55 | 2.349 | 0.46 |
| 11/20/07 5:00 | 2.34 | 0.5 |
| 11/20/07 5:05 | 2.335 | 0.51 |
| 11/20/07 5:10 | 2.328 | 0.52 |
| 11/20/07 5:15 | 2.325 | 0.36 |
| 11/20/07 5:20 | 2.32 | 0.36 |
| 11/20/07 5:25 | 2.316 | 0.52 |
| 11/20/07 5:30 | 2.314 | 0.38 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 5:35 | 2.313 | 0.47 |
| 11/20/07 5:40 | 2.311 | 0.47 |
| 11/20/07 5:45 | 2.31 | 0.62 |
| 11/20/07 5:50 | 2.31 | 0.62 |
| 11/20/07 5:55 | 2.31 | 0.54 |
| 11/20/07 6:00 | 2.311 | 0.59 |
| 11/20/07 6:05 | 2.31 | 0.55 |
| 11/20/07 6:10 | 2.311 | 0.66 |
| 11/20/07 6:15 | 2.311 | 0.48 |
| 11/20/07 6:20 | 2.313 | 0.54 |
| 11/20/07 6:25 | 2.313 | 0.54 |
| 11/20/07 6:30 | 2.312 | 0.52 |
| 11/20/07 6:35 | 2.314 | 0.58 |
| 11/20/07 6:40 | 2.314 | 0.65 |
| 11/20/07 6:45 | 2.317 | 0.54 |
| 11/20/07 6:50 | 2.317 | 0.45 |
| 11/20/07 6:55 | 2.316 | 0.45 |
| 11/20/07 7:00 | 2.318 | 0.45 |
| 11/20/07 7:05 | 2.319 | 0.62 |
| 11/20/07 7:10 | 2.321 | 0.53 |
| 11/20/07 7:15 | 2.32 | 0.39 |
| 11/20/07 7:20 | 2.322 | 0.51 |
| 11/20/07 7:25 | 2.324 | 0.4 |
| 11/20/07 7:30 | 2.323 | 0.59 |
| 11/20/07 7:35 | 2.325 | 0.56 |
| 11/20/07 7:40 | 2.328 | 0.52 |
| 11/20/07 7:45 | 2.329 | 0.6 |
| 11/20/07 7:50 | 2.329 | 0.5 |
| 11/20/07 7:55 | 2.33 | 0.44 |
| 11/20/07 8:00 | 2.331 | 0.44 |
| 11/20/07 8:05 | 2.332 | 0.53 |
| 11/20/07 8:10 | 2.332 | 0.51 |
| 11/20/07 8:15 | 2.333 | 0.33 |
| 11/20/07 8:20 | 2.333 | 0.46 |
| 11/20/07 8:25 | 2.335 | 0.44 |
| 11/20/07 8:30 | 2.335 | 0.48 |
| 11/20/07 8:35 | 2.337 | 0.57 |
| 11/20/07 8:40 | 2.337 | 0.49 |
| 11/20/07 8:45 | 2.337 | 0.49 |
| 11/20/07 8:50 | 2.34 | 0.39 |
| 11/20/07 8:55 | 2.341 | 0.5 |
| 11/20/07 9:00 | 2.342 | 0.52 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 9:05 | 2.344 | 0.57 |
| 11/20/07 9:10 | 2.345 | 0.34 |
| 11/20/07 9:15 | 2.347 | 0.43 |
| 11/20/07 9:20 | 2.346 | 0.5 |
| 11/20/07 9:25 | 2.347 | 0.53 |
| 11/20/07 9:30 | 2.348 | 0.39 |
| 11/20/07 9:35 | 2.35 | 0.58 |
| 11/20/07 9:40 | 2.352 | 0.55 |
| 11/20/07 9:45 | 2.352 | 0.54 |
| 11/20/07 9:50 | 2.355 | 0.54 |
| 11/20/07 9:55 | 2.356 | 0.49 |
| 11/20/07 10:00 | 2.358 | 0.56 |
| 11/20/07 10:05 | 2.36 | 0.42 |
| 11/20/07 10:10 | 2.361 | 0.59 |
| 11/20/07 10:15 | 2.363 | 0.73 |
| 11/20/07 10:20 | 2.365 | 0.48 |
| 11/20/07 10:25 | 2.366 | 0.47 |
| 11/20/07 10:30 | 2.367 | 0.46 |
| 11/20/07 10:35 | 2.369 | 0.43 |
| 11/20/07 10:40 | 2.371 | 0.49 |
| 11/20/07 10:45 | 2.372 | 0.47 |
| 11/20/07 10:50 | 2.373 | 0.47 |
| 11/20/07 10:55 | 2.374 | 0.51 |
| 11/20/07 11:00 | 2.375 | 0.51 |
| 11/20/07 11:05 | 2.377 | 0.47 |
| 11/20/07 11:10 | 2.379 | 0.44 |
| 11/20/07 11:15 | 2.381 | 0.48 |
| 11/20/07 11:20 | 2.383 | 0.48 |
| 11/20/07 11:25 | 2.385 | 0.49 |
| 11/20/07 11:30 | 2.385 | 0.43 |
| 11/20/07 11:35 | 2.388 | 0.37 |
| 11/20/07 11:40 | 2.389 | 0.5 |
| 11/20/07 11:45 | 2.39 | 0.48 |
| 11/20/07 11:50 | 2.391 | 0.48 |
| 11/20/07 11:55 | 2.393 | 0.51 |
| 11/20/07 12:00 | 2.395 | 0.42 |
| 11/20/07 12:05 | 2.396 | 0.6 |
| 11/20/07 12:10 | 2.395 | 0.45 |
| 11/20/07 12:15 | 2.396 | 0.56 |
| 11/20/07 12:20 | 2.397 | 0.49 |
| 11/20/07 12:25 | 2.398 | 0.46 |
| 11/20/07 12:30 | 2.399 | 0.47 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 12:35 | 2.4 | 0.45 |
| 11/20/07 12:40 | 2.401 | 0.3 |
| 11/20/07 12:45 | 2.402 | 0.61 |
| 11/20/07 12:50 | 2.403 | 0.45 |
| 11/20/07 12:55 | 2.405 | 0.46 |
| 11/20/07 13:00 | 2.406 | 0.48 |
| 11/20/07 13:05 | 2.407 | 0.4 |
| 11/20/07 13:10 | 2.408 | 0.39 |
| 11/20/07 13:15 | 2.409 | 0.4 |
| 11/20/07 13:20 | 2.41 | 0.52 |
| 11/20/07 13:25 | 2.411 | 0.56 |
| 11/20/07 13:30 | 2.412 | 0.36 |
| 11/20/07 13:35 | 2.413 | 0.44 |
| 11/20/07 13:40 | 2.415 | 0.52 |
| 11/20/07 13:45 | 2.416 | 0.54 |
| 11/20/07 13:50 | 2.417 | 0.5 |
| 11/20/07 13:55 | 2.42 | 0.44 |
| 11/20/07 14:00 | 2.42 | 0.6 |
| 11/20/07 14:05 | 2.423 | 0.48 |
| 11/20/07 14:10 | 2.425 | 0.48 |
| 11/20/07 14:15 | 2.427 | 0.47 |
| 11/20/07 14:20 | 2.429 | 0.47 |
| 11/20/07 14:25 | 2.432 | 0.47 |
| 11/20/07 14:30 | 2.436 | 0.62 |
| 11/20/07 14:35 | 2.438 | 0.43 |
| 11/20/07 14:40 | 2.44 | 0.43 |
| 11/20/07 14:45 | 2.442 | 0.53 |
| 11/20/07 14:50 | 2.445 | 0.47 |
| 11/20/07 14:55 | 2.447 | 0.47 |
| 11/20/07 15:00 | 2.451 | 0.48 |
| 11/20/07 15:05 | 2.452 | 0.43 |
| 11/20/07 15:10 | 2.454 | 0.54 |
| 11/20/07 15:15 | 2.456 | 0.47 |
| 11/20/07 15:20 | 2.458 | 0.52 |
| 11/20/07 15:25 | 2.459 | 0.39 |
| 11/20/07 15:30 | 2.46 | 0.31 |
| 11/20/07 15:35 | 2.462 | 0.41 |
| 11/20/07 15:40 | 2.463 | 0.46 |
| 11/20/07 15:45 | 2.464 | 0.45 |
| 11/20/07 15:50 | 2.466 | 0.45 |
| 11/20/07 15:55 | 2.467 | 0.45 |
| 11/20/07 16:00 | 2.468 | 0.38 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 16:05 | 2.469 | 0.47 |
| 11/20/07 16:10 | 2.47 | 0.44 |
| 11/20/07 16:15 | 2.471 | 0.44 |
| 11/20/07 16:20 | 2.471 | 0.44 |
| 11/20/07 16:25 | 2.472 | 0.5 |
| 11/20/07 16:30 | 2.473 | 0.49 |
| 11/20/07 16:35 | 2.473 | 0.48 |
| 11/20/07 16:40 | 2.474 | 0.47 |
| 11/20/07 16:45 | 2.475 | 0.45 |
| 11/20/07 16:50 | 2.476 | 0.49 |
| 11/20/07 16:55 | 2.477 | 0.54 |
| 11/20/07 17:00 | 2.477 | 0.4 |
| 11/20/07 17:05 | 2.478 | 0.55 |
| 11/20/07 17:10 | 2.478 | 0.48 |
| 11/20/07 17:15 | 2.478 | 0.46 |
| 11/20/07 17:20 | 2.479 | 0.57 |
| 11/20/07 17:25 | 2.48 | 0.47 |
| 11/20/07 17:30 | 2.48 | 0.43 |
| 11/20/07 17:35 | 2.481 | 0.52 |
| 11/20/07 17:40 | 2.481 | 0.47 |
| 11/20/07 17:45 | 2.481 | 0.48 |
| 11/20/07 17:50 | 2.481 | 0.48 |
| 11/20/07 17:55 | 2.482 | 0.43 |
| 11/20/07 18:00 | 2.482 | 0.49 |
| 11/20/07 18:05 | 2.482 | 0.52 |
| 11/20/07 18:10 | 2.483 | 0.44 |
| 11/20/07 18:15 | 2.484 | 0.5 |
| 11/20/07 18:20 | 2.485 | 0.45 |
| 11/20/07 18:25 | 2.485 | 0.41 |
| 11/20/07 18:30 | 2.486 | 0.4 |
| 11/20/07 18:35 | 2.487 | 0.37 |
| 11/20/07 18:40 | 2.488 | 0.47 |
| 11/20/07 18:45 | 2.489 | 0.54 |
| 11/20/07 18:50 | 2.49 | 0.53 |
| 11/20/07 18:55 | 2.49 | 0.5 |
| 11/20/07 19:00 | 2.472 | 0.45 |
| 11/20/07 19:05 | 2.453 | 0.45 |
| 11/20/07 19:10 | 2.439 | 0.51 |
| 11/20/07 19:15 | 2.427 | 0.45 |
| 11/20/07 19:20 | 2.42 | 0.55 |
| 11/20/07 19:25 | 2.414 | 0.51 |
| 11/20/07 19:30 | 2.41 | 0.52 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 19:35 | 2.406 | 0.39 |
| 11/20/07 19:40 | 2.404 | 0.59 |
| 11/20/07 19:45 | 2.402 | 0.5 |
| 11/20/07 19:50 | 2.401 | 0.55 |
| 11/20/07 19:55 | 2.401 | 0.56 |
| 11/20/07 20:00 | 2.401 | 0.52 |
| 11/20/07 20:05 | 2.401 | 0.63 |
| 11/20/07 20:10 | 2.401 | 0.45 |
| 11/20/07 20:15 | 2.402 | 0.65 |
| 11/20/07 20:20 | 2.402 | 0.48 |
| 11/20/07 20:25 | 2.402 | 0.59 |
| 11/20/07 20:30 | 2.403 | 0.51 |
| 11/20/07 20:35 | 2.404 | 0.47 |
| 11/20/07 20:40 | 2.405 | 0.51 |
| 11/20/07 20:45 | 2.405 | 0.56 |
| 11/20/07 20:50 | 2.406 | 0.51 |
| 11/20/07 20:55 | 2.406 | 0.35 |
| 11/20/07 21:00 | 2.408 | 0.67 |
| 11/20/07 21:05 | 2.407 | 0.59 |
| 11/20/07 21:10 | 2.409 | 0.56 |
| 11/20/07 21:15 | 2.41 | 0.56 |
| 11/20/07 21:20 | 2.411 | 0.54 |
| 11/20/07 21:25 | 2.412 | 0.61 |
| 11/20/07 21:30 | 2.413 | 0.58 |
| 11/20/07 21:35 | 2.413 | 0.64 |
| 11/20/07 21:40 | 2.413 | 0.51 |
| 11/20/07 21:45 | 2.414 | 0.77 |
| 11/20/07 21:50 | 2.413 | 0.77 |
| 11/20/07 21:55 | 2.415 | 0.66 |
| 11/20/07 22:00 | 2.415 | 0.55 |
| 11/20/07 22:05 | 2.415 | 0.51 |
| 11/20/07 22:10 | 2.415 | 0.72 |
| 11/20/07 22:15 | 2.416 | 0.4 |
| 11/20/07 22:20 | 2.416 | 0.53 |
| 11/20/07 22:25 | 2.417 | 0.56 |
| 11/20/07 22:30 | 2.418 | 0.6 |
| 11/20/07 22:35 | 2.418 | 0.49 |
| 11/20/07 22:40 | 2.419 | 0.56 |
| 11/20/07 22:45 | 2.419 | 0.55 |
| 11/20/07 22:50 | 2.419 | 0.54 |
| 11/20/07 22:55 | 2.42 | 0.5 |
| 11/20/07 23:00 | 2.42 | 0.54 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 23:05 | 2.42 | 0.45 |
| 11/20/07 23:10 | 2.421 | 0.67 |
| 11/20/07 23:15 | 2.42 | 0.56 |
| 11/20/07 23:20 | 2.422 | 0.58 |
| 11/20/07 23:25 | 2.421 | 0.58 |
| 11/20/07 23:30 | 2.422 | 0.58 |
| 11/20/07 23:35 | 2.422 | 0.5 |
| 11/20/07 23:40 | 2.422 | 0.56 |
| 11/20/07 23:45 | 2.422 | 0.53 |
| 11/20/07 23:50 | 2.423 | 0.5 |
| 11/20/07 23:55 | 2.424 | 0.42 |
| 11/21/07 0:00 | 2.424 | 0.52 |
| 11/21/07 0:05 | 2.422 | 0.41 |
| 11/21/07 0:10 | 2.423 | 0.56 |
| 11/21/07 0:15 | 2.423 | 0.32 |
| 11/21/07 0:20 | 2.423 | 0.63 |
| 11/21/07 0:25 | 2.423 | 0.54 |
| 11/21/07 0:30 | 2.423 | 0.59 |
| 11/21/07 0:35 | 2.423 | 0.59 |
| 11/21/07 0:40 | 2.422 | 0.64 |
| 11/21/07 0:45 | 2.422 | 0.54 |
| 11/21/07 0:50 | 2.421 | 0.6 |
| 11/21/07 0:55 | 2.421 | 0.53 |
| 11/21/07 1:00 | 2.42 | 0.62 |
| 11/21/07 1:05 | 2.42 | 0.59 |
| 11/21/07 1:10 | 2.418 | 0.56 |
| 11/21/07 1:15 | 2.419 | 0.51 |
| 11/21/07 1:20 | 2.418 | 0.49 |
| 11/21/07 1:25 | 2.419 | 0.56 |
| 11/21/07 1:30 | 2.418 | 0.61 |
| 11/21/07 1:35 | 2.42 | 0.66 |
| 11/21/07 1:40 | 2.419 | 0.65 |
| 11/21/07 1:45 | 2.419 | 0.63 |
| 11/21/07 1:50 | 2.419 | 0.65 |
| 11/21/07 1:55 | 2.419 | 0.47 |
| 11/21/07 2:00 | 2.419 | 0.7 |
| 11/21/07 2:05 | 2.419 | 0.54 |
| 11/21/07 2:10 | 2.42 | 0.52 |
| 11/21/07 2:15 | 2.419 | 0.54 |
| 11/21/07 2:20 | 2.42 | 0.5 |
| 11/21/07 2:25 | 2.419 | 0.56 |
| 11/21/07 2:30 | 2.419 | 0.46 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 2:35 | 2.419 | 0.47 |
| 11/21/07 2:40 | 2.419 | 0.48 |
| 11/21/07 2:45 | 2.418 | 0.63 |
| 11/21/07 2:50 | 2.419 | 0.59 |
| 11/21/07 2:55 | 2.418 | 0.44 |
| 11/21/07 3:00 | 2.419 | 0.6 |
| 11/21/07 3:05 | 2.419 | 0.56 |
| 11/21/07 3:10 | 2.419 | 0.69 |
| 11/21/07 3:15 | 2.419 | 0.57 |
| 11/21/07 3:20 | 2.419 | 0.48 |
| 11/21/07 3:25 | 2.419 | 0.57 |
| 11/21/07 3:30 | 2.42 | 0.57 |
| 11/21/07 3:35 | 2.42 | 0.47 |
| 11/21/07 3:40 | 2.421 | 0.52 |
| 11/21/07 3:45 | 2.422 | 0.52 |
| 11/21/07 3:50 | 2.422 | 0.68 |
| 11/21/07 3:55 | 2.423 | 0.54 |
| 11/21/07 4:00 | 2.424 | 0.63 |
| 11/21/07 4:05 | 2.424 | 0.57 |
| 11/21/07 4:10 | 2.424 | 0.49 |
| 11/21/07 4:15 | 2.426 | 0.5 |
| 11/21/07 4:20 | 2.427 | 0.54 |
| 11/21/07 4:25 | 2.427 | 0.55 |
| 11/21/07 4:30 | 2.427 | 0.53 |
| 11/21/07 4:35 | 2.426 | 0.54 |
| 11/21/07 4:40 | 2.426 | 0.45 |
| 11/21/07 4:45 | 2.424 | 0.44 |
| 11/21/07 4:50 | 2.425 | 0.43 |
| 11/21/07 4:55 | 2.422 | 0.45 |
| 11/21/07 5:00 | 2.423 | 0.53 |
| 11/21/07 5:05 | 2.422 | 0.56 |
| 11/21/07 5:10 | 2.422 | 0.61 |
| 11/21/07 5:15 | 2.421 | 0.49 |
| 11/21/07 5:20 | 2.421 | 0.44 |
| 11/21/07 5:25 | 2.42 | 0.54 |
| 11/21/07 5:30 | 2.419 | 0.5 |
| 11/21/07 5:35 | 2.418 | 0.6 |
| 11/21/07 5:40 | 2.418 | 0.6 |
| 11/21/07 5:45 | 2.418 | 0.58 |
| 11/21/07 5:50 | 2.418 | 0.58 |
| 11/21/07 5:55 | 2.418 | 0.58 |
| 11/21/07 6:00 | 2.418 | 0.6 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 6:05 | 2.419 | 0.62 |
| 11/21/07 6:10 | 2.419 | 0.54 |
| 11/21/07 6:15 | 2.419 | 0.42 |
| 11/21/07 6:20 | 2.42 | 0.59 |
| 11/21/07 6:25 | 2.421 | 0.56 |
| 11/21/07 6:30 | 2.421 | 0.48 |
| 11/21/07 6:35 | 2.422 | 0.46 |
| 11/21/07 6:40 | 2.422 | 0.49 |
| 11/21/07 6:45 | 2.424 | 0.59 |
| 11/21/07 6:50 | 2.424 | 0.51 |
| 11/21/07 6:55 | 2.423 | 0.59 |
| 11/21/07 7:00 | 2.425 | 0.64 |
| 11/21/07 7:05 | 2.425 | 0.53 |
| 11/21/07 7:10 | 2.424 | 0.45 |
| 11/21/07 7:15 | 2.426 | 0.53 |
| 11/21/07 7:20 | 2.425 | 0.47 |
| 11/21/07 7:25 | 2.425 | 0.56 |
| 11/21/07 7:30 | 2.425 | 0.59 |
| 11/21/07 7:35 | 2.426 | 0.55 |
| 11/21/07 7:40 | 2.426 | 0.52 |
| 11/21/07 7:45 | 2.427 | 0.57 |
| 11/21/07 7:50 | 2.428 | 0.57 |
| 11/21/07 7:55 | 2.428 | 0.63 |
| 11/21/07 8:00 | 2.428 | 0.39 |
| 11/21/07 8:05 | 2.428 | 0.57 |
| 11/21/07 8:10 | 2.428 | 0.64 |
| 11/21/07 8:15 | 2.428 | 0.43 |
| 11/21/07 8:20 | 2.428 | 0.72 |
| 11/21/07 8:25 | 2.427 | 0.56 |
| 11/21/07 8:30 | 2.427 | 0.49 |
| 11/21/07 8:35 | 2.427 | 0.68 |
| 11/21/07 8:40 | 2.427 | 0.54 |
| 11/21/07 8:45 | 2.426 | 0.56 |
| 11/21/07 8:50 | 2.426 | 0.5 |
| 11/21/07 8:55 | 2.426 | 0.73 |
| 11/21/07 9:00 | 2.426 | 0.56 |
| 11/21/07 9:05 | 2.425 | 0.61 |
| 11/21/07 9:10 | 2.427 | 0.52 |
| 11/21/07 9:15 | 2.452 | 0.5 |
| 11/21/07 9:20 | 2.512 | 0.5 |
| 11/21/07 9:25 | 2.589 | 0.48 |
| 11/21/07 9:30 | 2.663 | 0.53 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 9:35 | 2.713 | 0.45 |
| 11/21/07 9:40 | 2.741 | 0.44 |
| 11/21/07 9:45 | 2.758 | 0.41 |
| 11/21/07 9:50 | 2.764 | 0.41 |
| 11/21/07 9:55 | 2.769 | 0.38 |
| 11/21/07 10:00 | 2.771 | 0.67 |
| 11/21/07 10:05 | 2.774 | 0.37 |
| 11/21/07 10:10 | 2.776 | 0.37 |
| 11/21/07 10:15 | 2.778 | 0.38 |
| 11/21/07 10:20 | 2.778 | 0.38 |
| 11/21/07 10:25 | 2.777 | 0.78 |
| 11/21/07 10:30 | 2.776 | 0.4 |
| 11/21/07 10:35 | 2.775 | 0.4 |
| 11/21/07 10:40 | 2.773 | 0.94 |
| 11/21/07 10:45 | 2.772 | 0.49 |
| 11/21/07 10:50 | 2.77 | 0.49 |
| 11/21/07 10:55 | 2.77 | 0.49 |
| 11/21/07 11:00 | 2.768 | 0.38 |
| 11/21/07 11:05 | 2.768 | 0.38 |
| 11/21/07 11:10 | 2.766 | 0.38 |
| 11/21/07 11:15 | 2.765 | 0.93 |
| 11/21/07 11:20 | 2.763 | 0.93 |
| 11/21/07 11:25 | 2.761 | 0.93 |
| 11/21/07 11:30 | 2.759 | 0.93 |
| 11/21/07 11:35 | 2.757 | 0.38 |
| 11/21/07 11:40 | 2.756 | 0.38 |
| 11/21/07 11:45 | 2.753 | 0.37 |
| 11/21/07 11:50 | 2.75 | 1.18 |
| 11/21/07 11:55 | 2.748 | 1.18 |
| 11/21/07 12:00 | 2.745 | 1.18 |
| 11/21/07 12:05 | 2.743 | 1.18 |
| 11/21/07 12:10 | 2.74 | 1.18 |
| 11/21/07 12:15 | 2.737 | 1.18 |
| 11/21/07 12:20 | 2.734 | 1.18 |
| 11/21/07 12:25 | 2.731 | 0.36 |
| 11/21/07 12:30 | 2.728 | 0.43 |
| 11/21/07 12:35 | 2.725 | 0.43 |
| 11/21/07 12:40 | 2.722 | 0.82 |
| 11/21/07 12:45 | 2.719 | 0.82 |
| 11/21/07 12:50 | 2.716 | 0.82 |
| 11/21/07 12:55 | 2.714 | 0.82 |
| 11/21/07 13:00 | 2.71 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 13:05 | 2.708 | 0.37 |
| 11/21/07 13:10 | 2.706 | 0.37 |
| 11/21/07 13:15 | 2.704 | 0.37 |
| 11/21/07 13:20 | 2.702 | 0.37 |
| 11/21/07 13:25 | 2.699 | 0.44 |
| 11/21/07 13:30 | 2.697 | 0.44 |
| 11/21/07 13:35 | 2.695 | 0.42 |
| 11/21/07 13:40 | 2.693 | 0.39 |
| 11/21/07 13:45 | 2.692 | 0.42 |
| 11/21/07 13:50 | 2.689 | 0.39 |
| 11/21/07 13:55 | 2.687 | 0.4 |
| 11/21/07 14:00 | 2.684 | 0.39 |
| 11/21/07 14:05 | 2.683 | 0.39 |
| 11/21/07 14:10 | 2.68 | 0.39 |
| 11/21/07 14:15 | 2.678 | 0.41 |
| 11/21/07 14:20 | 2.677 | 0.34 |
| 11/21/07 14:25 | 2.675 | 0.41 |
| 11/21/07 14:30 | 2.672 | 0.36 |
| 11/21/07 14:35 | 2.671 | 0.39 |
| 11/21/07 14:40 | 2.669 | 0.41 |
| 11/21/07 14:45 | 2.667 | 0.4 |
| 11/21/07 14:50 | 2.666 | 0.39 |
| 11/21/07 14:55 | 2.664 | 0.35 |
| 11/21/07 15:00 | 2.662 | 0.44 |
| 11/21/07 15:05 | 2.66 | 0.38 |
| 11/21/07 15:10 | 2.659 | 0.37 |
| 11/21/07 15:15 | 2.658 | 0.36 |
| 11/21/07 15:20 | 2.656 | 0.36 |
| 11/21/07 15:25 | 2.654 | 0.35 |
| 11/21/07 15:30 | 2.652 | 0.35 |
| 11/21/07 15:35 | 2.651 | 0.35 |
| 11/21/07 15:40 | 2.65 | 0.35 |
| 11/21/07 15:45 | 2.649 | 0.35 |
| 11/21/07 15:50 | 2.647 | 0.32 |
| 11/21/07 15:55 | 2.646 | 0.35 |
| 11/21/07 16:00 | 2.644 | 0.42 |
| 11/21/07 16:05 | 2.643 | 0.32 |
| 11/21/07 16:10 | 2.642 | 0.36 |
| 11/21/07 16:15 | 2.64 | 0.35 |
| 11/21/07 16:20 | 2.639 | 0.37 |
| 11/21/07 16:25 | 2.637 | 0.4 |
| 11/21/07 16:30 | 2.636 | 0.4 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 16:35 | 2.634 | 0.4 |
| 11/21/07 16:40 | 2.634 | 0.34 |
| 11/21/07 16:45 | 2.632 | 0.34 |
| 11/21/07 16:50 | 2.631 | 0.35 |
| 11/21/07 16:55 | 2.63 | 0.35 |
| 11/21/07 17:00 | 2.628 | 0.33 |
| 11/21/07 17:05 | 2.627 | 0.33 |
| 11/21/07 17:10 | 2.625 | 0.36 |
| 11/21/07 17:15 | 2.624 | 0.38 |
| 11/21/07 17:20 | 2.623 | 0.28 |
| 11/21/07 17:25 | 2.622 | 0.28 |
| 11/21/07 17:30 | 2.62 | 0.34 |
| 11/21/07 17:35 | 2.619 | 0.38 |
| 11/21/07 17:40 | 2.617 | 0.38 |
| 11/21/07 17:50 | 2.616 | 0.35 |
| 11/21/07 17:55 | 2.618 | 0.32 |
| 11/21/07 18:00 | 2.626 | 0.34 |
| 11/21/07 18:05 | 2.626 | 0.37 |
| 11/21/07 18:10 | 2.626 | 0.35 |
| 11/21/07 18:15 | 2.626 | 0.34 |
| 11/21/07 18:20 | 2.626 | 0.34 |
| 11/21/07 18:25 | 2.625 | 0.37 |
| 11/21/07 18:30 | 2.624 | 0.35 |
| 11/21/07 18:35 | 2.623 | 0.32 |
| 11/21/07 18:40 | 2.622 | 0.34 |
| 11/21/07 18:45 | 2.622 | 0.35 |
| 11/21/07 18:50 | 2.621 | 0.35 |
| 11/21/07 18:55 | 2.621 | 0.3 |
| 11/21/07 19:00 | 2.62 | 0.36 |
| 11/21/07 19:05 | 2.619 | 0.36 |
| 11/21/07 19:10 | 2.619 | 0.31 |
| 11/21/07 19:15 | 2.617 | 0.28 |
| 11/21/07 19:20 | 2.616 | 0.37 |
| 11/21/07 19:25 | 2.615 | 0.31 |
| 11/21/07 19:30 | 2.614 | 0.36 |
| 11/21/07 19:35 | 2.612 | 0.34 |
| 11/21/07 19:40 | 2.612 | 0.29 |
| 11/21/07 19:45 | 2.61 | 0.29 |
| 11/21/07 19:50 | 2.609 | 0.29 |
| 11/21/07 19:55 | 2.608 | 0.3 |
| 11/21/07 20:00 | 2.607 | 0.31 |
| 11/21/07 20:05 | 2.606 | 0.34 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 20:10 | 2.605 | 0.32 |
| 11/21/07 20:15 | 2.603 | 0.33 |
| 11/21/07 20:20 | 2.602 | 0.32 |
| 11/21/07 20:25 | 2.602 | 0.3 |
| 11/21/07 20:30 | 2.601 | 0.29 |
| 11/21/07 20:35 | 2.599 | 0.34 |
| 11/21/07 20:40 | 2.598 | 0.3 |
| 11/21/07 20:45 | 2.597 | 0.31 |
| 11/21/07 20:50 | 2.596 | 0.33 |
| 11/21/07 20:55 | 2.595 | 0.3 |
| 11/21/07 21:00 | 2.594 | 0.31 |
| 11/21/07 21:05 | 2.592 | 0.28 |
| 11/21/07 21:10 | 2.592 | 0.31 |
| 11/21/07 21:15 | 2.591 | 0.32 |
| 11/21/07 21:20 | 2.59 | 0.29 |
| 11/21/07 21:25 | 2.588 | 0.34 |
| 11/21/07 21:30 | 2.588 | 0.3 |
| 11/21/07 21:35 | 2.587 | 0.31 |
| 11/21/07 21:40 | 2.585 | 0.31 |
| 11/21/07 21:45 | 2.584 | 0.3 |
| 11/21/07 21:50 | 2.583 | 0.33 |
| 11/21/07 21:55 | 2.582 | 0.33 |
| 11/21/07 22:00 | 2.582 | 0.34 |
| 11/21/07 22:05 | 2.581 | 0.29 |
| 11/21/07 22:10 | 2.58 | 0.27 |
| 11/21/07 22:15 | 2.579 | 0.34 |
| 11/21/07 22:20 | 2.573 | 0.3 |
| 11/21/07 22:25 | 2.559 | 0.33 |
| 11/21/07 22:30 | 2.551 | 0.3 |
| 11/21/07 22:35 | 2.544 | 0.31 |
| 11/21/07 22:40 | 2.539 | 0.26 |
| 11/21/07 22:45 | 2.535 | 0.34 |
| 11/21/07 22:50 | 2.532 | 0.34 |
| 11/21/07 22:55 | 2.529 | 0.29 |
| 11/21/07 23:00 | 2.528 | 0.4 |
| 11/21/07 23:05 | 2.527 | 0.36 |
| 11/21/07 23:10 | 2.525 | 0.37 |
| 11/21/07 23:15 | 2.524 | 0.32 |
| 11/21/07 23:20 | 2.522 | 0.32 |
| 11/21/07 23:25 | 2.514 | 0.38 |
| 11/21/07 23:30 | 2.503 | 0.42 |
| 11/21/07 23:35 | 2.495 | 0.33 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 23:40 | 2.482 | 0.29 |
| 11/21/07 23:45 | 2.471 | 0.33 |
| 11/21/07 23:50 | 2.461 | 0.33 |
| 11/21/07 23:55 | 2.452 | 0.37 |
| 11/22/07 0:00 | 2.446 | 0.34 |
| 11/22/07 0:05 | 2.441 | 0.35 |
| 11/22/07 0:10 | 2.438 | 0.35 |
| 11/22/07 0:15 | 2.434 | 0.29 |
| 11/22/07 0:20 | 2.433 | 0.29 |
| 11/22/07 0:25 | 2.43 | 0.33 |
| 11/22/07 0:30 | 2.429 | 0.32 |
| 11/22/07 0:35 | 2.427 | 0.27 |
| 11/22/07 0:40 | 2.423 | 0.32 |
| 11/22/07 0:45 | 2.418 | 0.29 |
| 11/22/07 0:50 | 2.413 | 0.3 |
| 11/22/07 0:55 | 2.409 | 0.38 |
| 11/22/07 1:00 | 2.401 | 0.32 |
| 11/22/07 1:05 | 2.394 | 0.29 |
| 11/22/07 1:10 | 2.385 | 0.35 |
| 11/22/07 1:15 | 2.376 | 0.35 |
| 11/22/07 1:20 | 2.367 | 0.28 |
| 11/22/07 1:25 | 2.36 | 0.27 |
| 11/22/07 1:30 | 2.35 | 0.29 |
| 11/22/07 1:35 | 2.343 | 0.32 |
| 11/22/07 1:40 | 2.338 | 0.35 |
| 11/22/07 1:45 | 2.334 | 0.35 |
| 11/22/07 1:50 | 2.332 | 0.27 |
| 11/22/07 1:55 | 2.329 | 0.35 |
| 11/22/07 2:00 | 2.327 | 0.39 |
| 11/22/07 2:05 | 2.325 | 0.3 |
| 11/22/07 2:10 | 2.321 | 0.36 |
| 11/22/07 2:15 | 2.315 | 0.32 |
| 11/22/07 2:20 | 2.309 | 0.24 |
| 11/22/07 2:25 | 2.305 | 0.31 |
| 11/22/07 2:30 | 2.3 | 0.33 |
| 11/22/07 2:35 | 2.295 | 0.32 |
| 11/22/07 2:40 | 2.292 | 0.34 |
| 11/22/07 2:45 | 2.289 | 0.48 |
| 11/22/07 2:50 | 2.288 | 0.37 |
| 11/22/07 2:55 | 2.287 | 0.35 |
| 11/22/07 3:00 | 2.286 | 0.37 |
| 11/22/07 3:05 | 2.286 | 0.35 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 3:10 | 2.284 | 0.34 |
| 11/22/07 3:15 | 2.283 | 0.29 |
| 11/22/07 3:20 | 2.28 | 0.37 |
| 11/22/07 3:25 | 2.278 | 0.45 |
| 11/22/07 3:30 | 2.277 | 0.49 |
| 11/22/07 3:35 | 2.277 | 0.38 |
| 11/22/07 3:40 | 2.275 | 0.3 |
| 11/22/07 3:45 | 2.274 | 0.42 |
| 11/22/07 3:50 | 2.275 | 0.43 |
| 11/22/07 3:55 | 2.274 | 0.43 |
| 11/22/07 4:00 | 2.275 | 0.46 |
| 11/22/07 4:05 | 2.276 | 0.42 |
| 11/22/07 4:10 | 2.275 | 0.36 |
| 11/22/07 4:15 | 2.275 | 0.47 |
| 11/22/07 4:20 | 2.276 | 0.37 |
| 11/22/07 4:25 | 2.276 | 0.46 |
| 11/22/07 4:30 | 2.276 | 0.34 |
| 11/22/07 4:35 | 2.277 | 0.39 |
| 11/22/07 4:40 | 2.278 | 0.42 |
| 11/22/07 4:45 | 2.276 | 0.46 |
| 11/22/07 4:50 | 2.277 | 0.35 |
| 11/22/07 4:55 | 2.271 | 0.45 |
| 11/22/07 5:00 | 2.264 | 0.42 |
| 11/22/07 5:05 | 2.259 | 0.42 |
| 11/22/07 5:10 | 2.256 | 0.42 |
| 11/22/07 5:15 | 2.253 | 0.37 |
| 11/22/07 5:20 | 2.253 | 0.45 |
| 11/22/07 5:25 | 2.25 | 0.51 |
| 11/22/07 5:30 | 2.25 | 0.39 |
| 11/22/07 5:35 | 2.25 | 0.5 |
| 11/22/07 5:40 | 2.249 | 0.47 |
| 11/22/07 5:45 | 2.249 | 0.49 |
| 11/22/07 5:50 | 2.249 | 0.43 |
| 11/22/07 5:55 | 2.249 | 0.46 |
| 11/22/07 6:00 | 2.25 | 0.41 |
| 11/22/07 6:05 | 2.249 | 0.4 |
| 11/22/07 6:10 | 2.251 | 0.39 |
| 11/22/07 6:15 | 2.252 | 0.49 |
| 11/22/07 6:20 | 2.253 | 0.42 |
| 11/22/07 6:25 | 2.253 | 0.31 |
| 11/22/07 6:30 | 2.254 | 0.44 |
| 11/22/07 6:35 | 2.254 | 0.39 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 6:40 | 2.254 | 0.38 |
| 11/22/07 6:45 | 2.256 | 0.4 |
| 11/22/07 6:50 | 2.256 | 0.56 |
| 11/22/07 6:55 | 2.258 | 0.39 |
| 11/22/07 7:00 | 2.259 | 0.41 |
| 11/22/07 7:05 | 2.259 | 0.44 |
| 11/22/07 7:10 | 2.26 | 0.37 |
| 11/22/07 7:15 | 2.261 | 0.42 |
| 11/22/07 7:20 | 2.261 | 0.44 |
| 11/22/07 7:25 | 2.262 | 0.45 |
| 11/22/07 7:30 | 2.262 | 0.43 |
| 11/22/07 7:35 | 2.262 | 0.5 |
| 11/22/07 7:40 | 2.263 | 0.39 |
| 11/22/07 7:45 | 2.265 | 0.4 |
| 11/22/07 7:50 | 2.265 | 0.41 |
| 11/22/07 7:55 | 2.265 | 0.42 |
| 11/22/07 8:00 | 2.266 | 0.46 |
| 11/22/07 8:05 | 2.267 | 0.36 |
| 11/22/07 8:10 | 2.267 | 0.37 |
| 11/22/07 8:15 | 2.268 | 0.48 |
| 11/22/07 8:20 | 2.269 | 0.4 |
| 11/22/07 8:25 | 2.271 | 0.47 |
| 11/22/07 8:30 | 2.272 | 0.44 |
| 11/22/07 8:35 | 2.272 | 0.4 |
| 11/22/07 8:40 | 2.272 | 0.49 |
| 11/22/07 8:45 | 2.274 | 0.45 |
| 11/22/07 8:50 | 2.274 | 0.39 |
| 11/22/07 8:55 | 2.275 | 0.39 |
| 11/22/07 9:00 | 2.276 | 0.39 |
| 11/22/07 9:05 | 2.277 | 0.47 |
| 11/22/07 9:10 | 2.278 | 0.35 |
| 11/22/07 9:15 | 2.278 | 0.4 |
| 11/22/07 9:20 | 2.28 | 0.33 |
| 11/22/07 9:25 | 2.282 | 0.42 |
| 11/22/07 9:30 | 2.282 | 0.38 |
| 11/22/07 9:35 | 2.283 | 0.4 |
| 11/22/07 9:40 | 2.284 | 0.37 |
| 11/22/07 9:45 | 2.285 | 0.27 |
| 11/22/07 9:50 | 2.285 | 0.29 |
| 11/22/07 9:55 | 2.286 | 0.36 |
| 11/22/07 10:00 | 2.287 | 0.34 |
| 11/22/07 10:05 | 2.288 | 0.35 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 10:10 | 2.289 | 0.38 |
| 11/22/07 10:15 | 2.289 | 0.36 |
| 11/22/07 10:20 | 2.29 | 0.29 |
| 11/22/07 10:25 | 2.29 | 0.4 |
| 11/22/07 10:30 | 2.293 | 0.32 |
| 11/22/07 10:35 | 2.293 | 0.4 |
| 11/22/07 10:40 | 2.295 | 0.4 |
| 11/22/07 10:45 | 2.295 | 0.27 |
| 11/22/07 10:50 | 2.296 | 0.37 |
| 11/22/07 10:55 | 2.298 | 0.39 |
| 11/22/07 11:00 | 2.298 | 0.36 |
| 11/22/07 11:05 | 2.3 | 0.33 |
| 11/22/07 11:10 | 2.3 | 0.38 |
| 11/22/07 11:15 | 2.301 | 0.39 |
| 11/22/07 11:20 | 2.302 | 0.39 |
| 11/22/07 11:25 | 2.302 | 0.39 |
| 11/22/07 11:30 | 2.304 | 0.3 |
| 11/22/07 11:35 | 2.305 | 0.36 |
| 11/22/07 11:40 | 2.305 | 0.35 |
| 11/22/07 11:45 | 2.307 | 0.33 |
| 11/22/07 11:50 | 2.307 | 0.42 |
| 11/22/07 11:55 | 2.308 | 0.35 |
| 11/22/07 12:00 | 2.308 | 0.42 |
| 11/22/07 12:05 | 2.311 | 0.37 |
| 11/22/07 12:10 | 2.313 | 0.31 |
| 11/22/07 12:15 | 2.313 | 0.33 |
| 11/22/07 12:20 | 2.314 | 0.44 |
| 11/22/07 12:25 | 2.314 | 0.38 |
| 11/22/07 12:30 | 2.314 | 0.41 |
| 11/22/07 12:35 | 2.317 | 0.3 |
| 11/22/07 12:40 | 2.317 | 0.53 |
| 11/22/07 12:45 | 2.318 | 0.3 |
| 11/22/07 12:50 | 2.318 | 0.3 |
| 11/22/07 12:55 | 2.32 | 0.3 |
| 11/22/07 13:00 | 2.319 | 0.3 |
| 11/22/07 13:05 | 2.32 | 0.3 |
| 11/22/07 13:10 | 2.321 | 0.3 |
| 11/22/07 13:15 | 2.323 | 0.3 |
| 11/22/07 13:20 | 2.321 | 0.3 |
| 11/22/07 13:25 | 2.323 | 0.3 |
| 11/22/07 13:30 | 2.323 | 0.3 |
| 11/22/07 13:35 | 2.323 | 0.3 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 13:40 | 2.325 | 0.3 |
| 11/22/07 13:45 | 2.326 | 0.3 |
| 11/22/07 13:50 | 2.328 | 0.3 |
| 11/22/07 13:55 | 2.328 | 0.35 |
| 11/22/07 14:00 | 2.327 | 0.35 |
| 11/22/07 14:05 | 2.329 | 0.35 |
| 11/22/07 14:10 | 2.329 | 0.35 |
| 11/22/07 14:15 | 2.33 | 0.35 |
| 11/22/07 14:20 | 2.329 | 0.35 |
| 11/22/07 14:25 | 2.332 | 0.35 |
| 11/22/07 14:30 | 2.332 | 0.35 |
| 11/22/07 14:35 | 2.332 | 0.35 |
| 11/22/07 14:40 | 2.334 | 0.35 |
| 11/22/07 14:45 | 2.334 | 0.35 |
| 11/22/07 14:50 | 2.336 | 0.35 |
| 11/22/07 14:55 | 2.335 | 0.35 |
| 11/22/07 15:00 | 2.337 | 0.35 |
| 11/22/07 15:05 | 2.336 | 0.35 |
| 11/22/07 15:10 | 2.338 | 0.35 |
| 11/22/07 15:15 | 2.338 | 0.35 |
| 11/22/07 15:20 | 2.34 | 0.35 |
| 11/22/07 15:25 | 2.341 | 0.35 |
| 11/22/07 15:30 | 2.341 | 0.54 |
| 11/22/07 15:35 | 2.342 | 0.54 |
| 11/22/07 15:40 | 2.343 | 0.43 |
| 11/22/07 15:45 | 2.346 | 0.37 |
| 11/22/07 15:50 | 2.345 | 0.36 |
| 11/22/07 15:55 | 2.346 | 0.34 |
| 11/22/07 16:00 | 2.346 | 0.32 |
| 11/22/07 16:05 | 2.347 | 0.31 |
| 11/22/07 16:10 | 2.349 | 0.39 |
| 11/22/07 16:15 | 2.349 | 0.42 |
| 11/22/07 16:20 | 2.35 | 0.32 |
| 11/22/07 16:25 | 2.351 | 0.37 |
| 11/22/07 16:30 | 2.351 | 0.41 |
| 11/22/07 16:35 | 2.353 | 0.27 |
| 11/22/07 16:40 | 2.354 | 0.36 |
| 11/22/07 16:45 | 2.355 | 0.34 |
| 11/22/07 16:50 | 2.357 | 0.42 |
| 11/22/07 16:55 | 2.356 | 0.39 |
| 11/22/07 17:00 | 2.356 | 0.49 |
| 11/22/07 17:05 | 2.36 | 0.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 17:10 | 2.358 | 0.41 |
| 11/22/07 17:15 | 2.359 | 0.39 |
| 11/22/07 17:20 | 2.358 | 0.45 |
| 11/22/07 17:25 | 2.357 | 0.41 |
| 11/22/07 17:30 | 2.359 | 0.45 |
| 11/22/07 17:35 | 2.359 | 0.38 |
| 11/22/07 17:40 | 2.36 | 0.37 |
| 11/22/07 17:45 | 2.36 | 0.33 |
| 11/22/07 17:50 | 2.361 | 0.38 |
| 11/22/07 17:55 | 2.361 | 0.37 |
| 11/22/07 18:00 | 2.362 | 0.34 |
| 11/22/07 18:05 | 2.363 | 0.34 |
| 11/22/07 18:10 | 2.363 | 0.41 |
| 11/22/07 18:15 | 2.365 | 0.46 |
| 11/22/07 18:20 | 2.366 | 0.35 |
| 11/22/07 18:25 | 2.367 | 0.37 |
| 11/22/07 18:30 | 2.367 | 0.54 |
| 11/22/07 18:35 | 2.368 | 0.34 |
| 11/22/07 18:40 | 2.371 | 0.45 |
| 11/22/07 18:45 | 2.368 | 0.42 |
| 11/22/07 18:50 | 2.371 | 0.42 |
| 11/22/07 18:55 | 2.374 | 0.46 |
| 11/22/07 19:00 | 2.378 | 0.35 |
| 11/22/07 19:05 | 2.381 | 0.37 |
| 11/22/07 19:10 | 2.383 | 0.4 |
| 11/22/07 19:15 | 2.385 | 0.34 |
| 11/22/07 19:20 | 2.385 | 0.34 |
| 11/22/07 19:25 | 2.385 | 0.45 |
| 11/22/07 19:30 | 2.385 | 0.25 |
| 11/22/07 19:35 | 2.386 | 0.4 |
| 11/22/07 19:40 | 2.388 | 0.4 |
| 11/22/07 19:45 | 2.388 | 0.34 |
| 11/22/07 19:50 | 2.386 | 0.41 |
| 11/22/07 19:55 | 2.386 | 0.32 |
| 11/22/07 20:00 | 2.386 | 0.42 |
| 11/22/07 20:05 | 2.386 | 0.27 |
| 11/22/07 20:10 | 2.386 | 0.37 |
| 11/22/07 20:15 | 2.386 | 0.38 |
| 11/22/07 20:20 | 2.384 | 0.38 |
| 11/22/07 20:25 | 2.383 | 0.41 |
| 11/22/07 20:30 | 2.384 | 0.28 |
| 11/22/07 20:35 | 2.383 | 0.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 20:40 | 2.383 | 0.36 |
| 11/22/07 20:45 | 2.382 | 0.37 |
| 11/22/07 20:50 | 2.383 | 0.35 |
| 11/22/07 20:55 | 2.383 | 0.29 |
| 11/22/07 21:00 | 2.384 | 0.27 |
| 11/22/07 21:05 | 2.381 | 0.28 |
| 11/22/07 21:10 | 2.383 | 0.34 |
| 11/22/07 21:15 | 2.383 | 0.38 |
| 11/22/07 21:20 | 2.381 | 0.37 |
| 11/22/07 21:25 | 2.382 | 0.42 |
| 11/22/07 21:30 | 2.384 | 0.38 |
| 11/22/07 21:35 | 2.38 | 0.31 |
| 11/22/07 21:40 | 2.382 | 0.42 |
| 11/22/07 21:45 | 2.38 | 0.43 |
| 11/22/07 21:50 | 2.38 | 0.31 |
| 11/22/07 21:55 | 2.382 | 0.43 |
| 11/22/07 22:00 | 2.382 | 0.35 |
| 11/22/07 22:05 | 2.383 | 0.29 |
| 11/22/07 22:10 | 2.382 | 0.32 |
| 11/22/07 22:15 | 2.384 | 0.36 |
| 11/22/07 22:20 | 2.381 | 0.37 |
| 11/22/07 22:25 | 2.382 | 0.45 |
| 11/22/07 22:30 | 2.382 | 0.4 |
| 11/22/07 22:35 | 2.381 | 0.44 |
| 11/22/07 22:40 | 2.383 | 0.39 |
| 11/22/07 22:45 | 2.384 | 0.32 |
| 11/22/07 22:50 | 2.382 | 0.36 |
| 11/22/07 22:55 | 2.385 | 0.37 |
| 11/22/07 23:00 | 2.385 | 0.34 |
| 11/22/07 23:05 | 2.384 | 0.35 |
| 11/22/07 23:10 | 2.381 | 0.35 |
| 11/22/07 23:15 | 2.379 | 0.41 |
| 11/22/07 23:20 | 2.378 | 0.33 |
| 11/22/07 23:25 | 2.378 | 0.34 |
| 11/22/07 23:30 | 2.379 | 0.35 |
| 11/22/07 23:35 | 2.377 | 0.28 |
| 11/22/07 23:40 | 2.377 | 0.38 |
| 11/22/07 23:45 | 2.376 | 0.39 |
| 11/22/07 23:50 | 2.376 | 0.22 |
| 11/22/07 23:55 | 2.377 | 0.38 |
| 11/23/07 0:00 | 2.376 | 0.39 |
| 11/23/07 0:05 | 2.375 | 0.33 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 0:10 | 2.375 | 0.32 |
| 11/23/07 0:15 | 2.375 | 0.4 |
| 11/23/07 0:20 | 2.375 | 0.45 |
| 11/23/07 0:25 | 2.373 | 0.43 |
| 11/23/07 0:30 | 2.374 | 0.46 |
| 11/23/07 0:35 | 2.375 | 0.38 |
| 11/23/07 0:40 | 2.374 | 0.32 |
| 11/23/07 0:45 | 2.374 | 0.37 |
| 11/23/07 0:50 | 2.374 | 0.4 |
| 11/23/07 0:55 | 2.378 | 0.35 |
| 11/23/07 1:00 | 2.379 | 0.47 |
| 11/23/07 1:05 | 2.38 | 0.33 |
| 11/23/07 1:10 | 2.378 | 0.47 |
| 11/23/07 1:15 | 2.379 | 0.36 |
| 11/23/07 1:20 | 2.379 | 0.43 |
| 11/23/07 1:25 | 2.381 | 0.36 |
| 11/23/07 1:30 | 2.381 | 0.36 |
| 11/23/07 1:35 | 2.383 | 0.4 |
| 11/23/07 1:40 | 2.383 | 0.35 |
| 11/23/07 1:45 | 2.384 | 0.42 |
| 11/23/07 1:50 | 2.384 | 0.28 |
| 11/23/07 1:55 | 2.384 | 0.51 |
| 11/23/07 2:00 | 2.383 | 0.42 |
| 11/23/07 2:05 | 2.384 | 0.26 |
| 11/23/07 2:10 | 2.384 | 0.4 |
| 11/23/07 2:15 | 2.384 | 0.35 |
| 11/23/07 2:20 | 2.385 | 0.38 |
| 11/23/07 2:25 | 2.389 | 0.22 |
| 11/23/07 2:30 | 2.386 | 0.43 |
| 11/23/07 2:35 | 2.387 | 0.39 |
| 11/23/07 2:40 | 2.387 | 0.46 |
| 11/23/07 2:45 | 2.388 | 0.29 |
| 11/23/07 2:50 | 2.387 | 0.4 |
| 11/23/07 2:55 | 2.388 | 0.56 |
| 11/23/07 3:00 | 2.389 | 0.34 |
| 11/23/07 3:05 | 2.388 | 0.37 |
| 11/23/07 3:10 | 2.389 | 0.31 |
| 11/23/07 3:15 | 2.388 | 0.28 |
| 11/23/07 3:20 | 2.389 | 0.37 |
| 11/23/07 3:25 | 2.391 | 0.43 |
| 11/23/07 3:30 | 2.389 | 0.34 |
| 11/23/07 3:35 | 2.391 | 0.33 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 3:40 | 2.389 | 0.34 |
| 11/23/07 3:45 | 2.388 | 0.34 |
| 11/23/07 3:50 | 2.39 | 0.37 |
| 11/23/07 3:55 | 2.389 | 0.37 |
| 11/23/07 4:00 | 2.387 | 0.36 |
| 11/23/07 4:05 | 2.386 | 0.38 |
| 11/23/07 4:10 | 2.39 | 0.36 |
| 11/23/07 4:15 | 2.391 | 0.33 |
| 11/23/07 4:20 | 2.391 | 0.38 |
| 11/23/07 4:25 | 2.391 | 0.4 |
| 11/23/07 4:30 | 2.391 | 0.37 |
| 11/23/07 4:35 | 2.392 | 0.43 |
| 11/23/07 4:40 | 2.393 | 0.54 |
| 11/23/07 4:45 | 2.393 | 0.42 |
| 11/23/07 4:50 | 2.392 | 0.46 |
| 11/23/07 4:55 | 2.391 | 0.35 |
| 11/23/07 5:00 | 2.391 | 0.35 |
| 11/23/07 5:05 | 2.391 | 0.36 |
| 11/23/07 5:10 | 2.392 | 0.35 |
| 11/23/07 5:15 | 2.392 | 0.38 |
| 11/23/07 5:20 | 2.393 | 0.42 |
| 11/23/07 5:25 | 2.392 | 0.44 |
| 11/23/07 5:30 | 2.394 | 0.48 |
| 11/23/07 5:35 | 2.392 | 0.38 |
| 11/23/07 5:40 | 2.392 | 0.4 |
| 11/23/07 5:45 | 2.392 | 0.38 |
| 11/23/07 5:50 | 2.392 | 0.29 |
| 11/23/07 5:55 | 2.393 | 0.31 |
| 11/23/07 6:00 | 2.393 | 0.35 |
| 11/23/07 6:05 | 2.393 | 0.36 |
| 11/23/07 6:10 | 2.394 | 0.42 |
| 11/23/07 6:15 | 2.395 | 0.43 |
| 11/23/07 6:20 | 2.395 | 0.22 |
| 11/23/07 6:25 | 2.395 | 0.31 |
| 11/23/07 6:30 | 2.397 | 0.47 |
| 11/23/07 6:35 | 2.396 | 0.39 |
| 11/23/07 6:40 | 2.396 | 0.5 |
| 11/23/07 6:45 | 2.396 | 0.37 |
| 11/23/07 6:50 | 2.396 | 0.45 |
| 11/23/07 6:55 | 2.395 | 0.24 |
| 11/23/07 7:00 | 2.396 | 0.39 |
| 11/23/07 7:05 | 2.396 | 0.42 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 7:10 | 2.397 | 0.37 |
| 11/23/07 7:15 | 2.396 | 0.37 |
| 11/23/07 7:20 | 2.395 | 0.33 |
| 11/23/07 7:25 | 2.396 | 0.36 |
| 11/23/07 7:30 | 2.396 | 0.36 |
| 11/23/07 7:35 | 2.397 | 0.32 |
| 11/23/07 7:40 | 2.398 | 0.39 |
| 11/23/07 7:45 | 2.397 | 0.31 |
| 11/23/07 7:50 | 2.398 | 0.4 |
| 11/23/07 7:55 | 2.396 | 0.41 |
| 11/23/07 8:00 | 2.398 | 0.37 |
| 11/23/07 8:05 | 2.399 | 0.43 |
| 11/23/07 8:10 | 2.398 | 0.35 |
| 11/23/07 8:15 | 2.399 | 0.35 |
| 11/23/07 8:20 | 2.398 | 0.29 |
| 11/23/07 8:25 | 2.399 | 0.39 |
| 11/23/07 8:30 | 2.4 | 0.35 |
| 11/23/07 8:35 | 2.398 | 0.3 |
| 11/23/07 8:40 | 2.399 | 0.41 |
| 11/23/07 8:45 | 2.399 | 0.36 |
| 11/23/07 8:50 | 2.399 | 0.32 |
| 11/23/07 8:55 | 2.4 | 0.4 |
| 11/23/07 9:00 | 2.4 | 0.38 |
| 11/23/07 9:05 | 2.399 | 0.32 |
| 11/23/07 9:10 | 2.398 | 0.35 |
| 11/23/07 9:15 | 2.398 | 0.34 |
| 11/23/07 9:20 | 2.397 | 0.36 |
| 11/23/07 9:25 | 2.397 | 0.34 |
| 11/23/07 9:30 | 2.398 | 0.36 |
| 11/23/07 9:35 | 2.398 | 0.27 |
| 11/23/07 9:40 | 2.397 | 0.34 |
| 11/23/07 9:45 | 2.398 | 0.3 |
| 11/23/07 9:50 | 2.398 | 0.36 |
| 11/23/07 9:55 | 2.397 | 0.36 |
| 11/23/07 10:00 | 2.397 | 0.38 |
| 11/23/07 10:05 | 2.397 | 0.45 |
| 11/23/07 10:10 | 2.397 | 0.36 |
| 11/23/07 10:15 | 2.398 | 0.4 |
| 11/23/07 10:20 | 2.397 | 0.29 |
| 11/23/07 10:25 | 2.397 | 0.34 |
| 11/23/07 10:30 | 2.397 | 0.33 |
| 11/23/07 10:35 | 2.398 | 0.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 10:40 | 2.4 | 0.31 |
| 11/23/07 10:45 | 2.4 | 0.39 |
| 11/23/07 10:50 | 2.4 | 0.33 |
| 11/23/07 10:55 | 2.399 | 0.35 |
| 11/23/07 11:00 | 2.4 | 0.34 |
| 11/23/07 11:05 | 2.401 | 0.31 |
| 11/23/07 11:10 | 2.401 | 0.34 |
| 11/23/07 11:15 | 2.402 | 0.4 |
| 11/23/07 11:20 | 2.403 | 0.34 |
| 11/23/07 11:25 | 2.403 | 0.32 |
| 11/23/07 11:30 | 2.403 | 0.23 |
| 11/23/07 11:35 | 2.401 | 0.47 |
| 11/23/07 11:40 | 2.402 | 0.31 |
| 11/23/07 11:45 | 2.403 | 0.23 |
| 11/23/07 11:50 | 2.402 | 0.34 |
| 11/23/07 11:55 | 2.404 | 0.28 |
| 11/23/07 12:00 | 2.404 | 0.4 |
| 11/23/07 12:05 | 2.403 | 0.38 |
| 11/23/07 12:10 | 2.403 | 0.39 |
| 11/23/07 12:15 | 2.404 | 0.35 |
| 11/23/07 12:20 | 2.404 | 0.41 |
| 11/23/07 12:25 | 2.404 | 0.36 |
| 11/23/07 12:30 | 2.404 | 0.38 |
| 11/23/07 12:35 | 2.406 | 0.41 |
| 11/23/07 12:40 | 2.404 | 0.34 |
| 11/23/07 12:45 | 2.405 | 0.32 |
| 11/23/07 12:50 | 2.407 | 0.34 |
| 11/23/07 12:55 | 2.406 | 0.34 |
| 11/23/07 13:00 | 2.404 | 0.33 |
| 11/23/07 13:05 | 2.405 | 0.3 |
| 11/23/07 13:10 | 2.404 | 0.28 |
| 11/23/07 13:15 | 2.403 | 0.32 |
| 11/23/07 13:20 | 2.407 | 0.43 |
| 11/23/07 13:25 | 2.407 | 0.35 |
| 11/23/07 13:30 | 2.407 | 0.27 |
| 11/23/07 13:35 | 2.407 | 0.36 |
| 11/23/07 13:40 | 2.407 | 0.43 |
| 11/23/07 13:45 | 2.407 | 0.26 |
| 11/23/07 13:50 | 2.407 | 0.29 |
| 11/23/07 13:55 | 2.405 | 0.26 |
| 11/23/07 14:00 | 2.407 | 0.37 |
| 11/23/07 14:05 | 2.408 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 14:10 | 2.407 | 0.38 |
| 11/23/07 14:15 | 2.407 | 0.4 |
| 11/23/07 14:20 | 2.407 | 0.38 |
| 11/23/07 14:25 | 2.408 | 0.3 |
| 11/23/07 14:30 | 2.409 | 0.38 |
| 11/23/07 14:35 | 2.412 | 0.35 |
| 11/23/07 14:40 | 2.411 | 0.38 |
| 11/23/07 14:45 | 2.413 | 0.41 |
| 11/23/07 14:50 | 2.414 | 0.3 |
| 11/23/07 14:55 | 2.416 | 0.34 |
| 11/23/07 15:00 | 2.415 | 0.26 |
| 11/23/07 15:05 | 2.416 | 0.36 |
| 11/23/07 15:10 | 2.417 | 0.32 |
| 11/23/07 15:15 | 2.417 | 0.3 |
| 11/23/07 15:20 | 2.417 | 0.31 |
| 11/23/07 15:25 | 2.418 | 0.42 |
| 11/23/07 15:30 | 2.418 | 0.42 |
| 11/23/07 15:35 | 2.419 | 0.31 |
| 11/23/07 15:40 | 2.419 | 0.4 |
| 11/23/07 15:45 | 2.418 | 0.25 |
| 11/23/07 15:50 | 2.418 | 0.39 |
| 11/23/07 15:55 | 2.417 | 0.37 |
| 11/23/07 16:00 | 2.416 | 0.42 |
| 11/23/07 16:05 | 2.417 | 0.39 |
| 11/23/07 16:10 | 2.416 | 0.3 |
| 11/23/07 16:15 | 2.417 | 0.33 |
| 11/23/07 16:20 | 2.418 | 0.37 |
| 11/23/07 16:25 | 2.417 | 0.37 |
| 11/23/07 16:30 | 2.417 | 0.3 |
| 11/23/07 16:35 | 2.416 | 0.27 |
| 11/23/07 16:40 | 2.417 | 0.32 |
| 11/23/07 16:45 | 2.419 | 0.36 |
| 11/23/07 16:50 | 2.417 | 0.33 |
| 11/23/07 16:55 | 2.418 | 0.39 |
| 11/23/07 17:00 | 2.418 | 0.45 |
| 11/23/07 17:05 | 2.416 | 0.45 |
| 11/23/07 17:10 | 2.417 | 0.27 |
| 11/23/07 17:15 | 2.417 | 0.36 |
| 11/23/07 17:20 | 2.418 | 0.33 |
| 11/23/07 17:25 | 2.418 | 0.33 |
| 11/23/07 17:30 | 2.419 | 0.38 |
| 11/23/07 17:35 | 2.417 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 17:40 | 2.416 | 0.43 |
| 11/23/07 17:45 | 2.418 | 0.33 |
| 11/23/07 17:50 | 2.417 | 0.38 |
| 11/23/07 17:55 | 2.417 | 0.4 |
| 11/23/07 18:00 | 2.417 | 0.37 |
| 11/23/07 18:05 | 2.417 | 0.42 |
| 11/23/07 18:10 | 2.415 | 0.37 |
| 11/23/07 18:15 | 2.417 | 0.33 |
| 11/23/07 18:20 | 2.418 | 0.55 |
| 11/23/07 18:25 | 2.416 | 0.55 |
| 11/23/07 18:30 | 2.418 | 0.39 |
| 11/23/07 18:35 | 2.417 | 0.39 |
| 11/23/07 18:40 | 2.418 | 0.45 |
| 11/23/07 18:45 | 2.418 | 0.28 |
| 11/23/07 18:50 | 2.418 | 0.37 |
| 11/23/07 18:55 | 2.417 | 0.39 |
| 11/23/07 19:00 | 2.417 | 0.4 |
| 11/23/07 19:05 | 2.417 | 0.37 |
| 11/23/07 19:10 | 2.419 | 0.37 |
| 11/23/07 19:15 | 2.418 | 0.37 |
| 11/23/07 19:20 | 2.419 | 0.28 |
| 11/23/07 19:25 | 2.419 | 0.28 |
| 11/23/07 19:30 | 2.42 | 0.3 |
| 11/23/07 19:35 | 2.419 | 0.35 |
| 11/23/07 19:40 | 2.42 | 0.26 |
| 11/23/07 19:45 | 2.42 | 0.38 |
| 11/23/07 19:50 | 2.42 | 0.37 |
| 11/23/07 19:55 | 2.42 | 0.43 |
| 11/23/07 20:00 | 2.421 | 0.34 |
| 11/23/07 20:05 | 2.421 | 0.36 |
| 11/23/07 20:10 | 2.42 | 0.3 |
| 11/23/07 20:15 | 2.42 | 0.36 |
| 11/23/07 20:20 | 2.418 | 0.36 |
| 11/23/07 20:25 | 2.417 | 0.28 |
| 11/23/07 20:30 | 2.415 | 0.33 |
| 11/23/07 20:35 | 2.414 | 0.35 |
| 11/23/07 20:40 | 2.412 | 0.32 |
| 11/23/07 20:45 | 2.411 | 0.29 |
| 11/23/07 20:50 | 2.41 | 0.43 |
| 11/23/07 20:55 | 2.408 | 0.27 |
| 11/23/07 21:00 | 2.408 | 0.4 |
| 11/23/07 21:05 | 2.408 | 0.4 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 21:10 | 2.406 | 0.36 |
| 11/23/07 21:15 | 2.407 | 0.33 |
| 11/23/07 21:20 | 2.404 | 0.38 |
| 11/23/07 21:25 | 2.406 | 0.31 |
| 11/23/07 21:30 | 2.405 | 0.31 |
| 11/23/07 21:35 | 2.408 | 0.37 |
| 11/23/07 21:40 | 2.407 | 0.35 |
| 11/23/07 21:45 | 2.406 | 0.33 |
| 11/23/07 21:50 | 2.406 | 0.37 |
| 11/23/07 21:55 | 2.406 | 0.34 |
| 11/23/07 22:00 | 2.406 | 0.36 |
| 11/23/07 22:05 | 2.405 | 0.3 |
| 11/23/07 22:10 | 2.406 | 0.33 |
| 11/23/07 22:15 | 2.406 | 0.36 |
| 11/23/07 22:20 | 2.406 | 0.36 |
| 11/23/07 22:25 | 2.405 | 0.35 |
| 11/23/07 22:30 | 2.404 | 0.48 |
| 11/23/07 22:35 | 2.402 | 0.34 |
| 11/23/07 22:40 | 2.402 | 0.32 |
| 11/23/07 22:45 | 2.4 | 0.31 |
| 11/23/07 22:50 | 2.4 | 0.34 |
| 11/23/07 22:55 | 2.398 | 0.31 |
| 11/23/07 23:00 | 2.397 | 0.31 |
| 11/23/07 23:05 | 2.398 | 0.33 |
| 11/23/07 23:10 | 2.397 | 0.26 |
| 11/23/07 23:15 | 2.397 | 0.33 |
| 11/23/07 23:20 | 2.396 | 0.38 |
| 11/23/07 23:25 | 2.396 | 0.44 |
| 11/23/07 23:30 | 2.396 | 0.33 |
| 11/23/07 23:35 | 2.396 | 0.26 |
| 11/23/07 23:40 | 2.39 | 0.38 |
| 11/23/07 23:45 | 2.386 | 0.32 |
| 11/23/07 23:50 | 2.381 | 0.34 |
| 11/23/07 23:55 | 2.382 | 0.31 |
| 11/24/07 0:00 | 2.379 | 0.34 |
| 11/24/07 0:05 | 2.376 | 0.36 |
| 11/24/07 0:10 | 2.375 | 0.34 |
| 11/24/07 0:15 | 2.373 | 0.35 |
| 11/24/07 0:20 | 2.372 | 0.32 |
| 11/24/07 0:25 | 2.371 | 0.41 |
| 11/24/07 0:30 | 2.369 | 0.42 |
| 11/24/07 0:35 | 2.367 | 0.4 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 0:40 | 2.368 | 0.28 |
| 11/24/07 0:45 | 2.367 | 0.37 |
| 11/24/07 0:50 | 2.365 | 0.39 |
| 11/24/07 0:55 | 2.364 | 0.28 |
| 11/24/07 1:00 | 2.362 | 0.25 |
| 11/24/07 1:05 | 2.366 | 0.29 |
| 11/24/07 1:10 | 2.364 | 0.33 |
| 11/24/07 1:15 | 2.364 | 0.47 |
| 11/24/07 1:20 | 2.363 | 0.32 |
| 11/24/07 1:25 | 2.363 | 0.38 |
| 11/24/07 1:30 | 2.362 | 0.39 |
| 11/24/07 1:35 | 2.364 | 0.41 |
| 11/24/07 1:40 | 2.364 | 0.39 |
| 11/24/07 1:45 | 2.363 | 0.34 |
| 11/24/07 1:50 | 2.363 | 0.32 |
| 11/24/07 1:55 | 2.363 | 0.4 |
| 11/24/07 2:00 | 2.363 | 0.33 |
| 11/24/07 2:05 | 2.364 | 0.35 |
| 11/24/07 2:10 | 2.362 | 0.35 |
| 11/24/07 2:15 | 2.362 | 0.34 |
| 11/24/07 2:20 | 2.362 | 0.33 |
| 11/24/07 2:25 | 2.363 | 0.32 |
| 11/24/07 2:30 | 2.362 | 0.44 |
| 11/24/07 2:35 | 2.356 | 0.32 |
| 11/24/07 2:40 | 2.353 | 0.42 |
| 11/24/07 2:45 | 2.35 | 0.38 |
| 11/24/07 2:50 | 2.348 | 0.4 |
| 11/24/07 2:55 | 2.348 | 0.26 |
| 11/24/07 3:00 | 2.346 | 0.42 |
| 11/24/07 3:05 | 2.345 | 0.37 |
| 11/24/07 3:10 | 2.344 | 0.36 |
| 11/24/07 3:15 | 2.343 | 0.37 |
| 11/24/07 3:20 | 2.342 | 0.37 |
| 11/24/07 3:25 | 2.343 | 0.5 |
| 11/24/07 3:30 | 2.341 | 0.36 |
| 11/24/07 3:35 | 2.341 | 0.36 |
| 11/24/07 3:40 | 2.343 | 0.47 |
| 11/24/07 3:45 | 2.342 | 0.44 |
| 11/24/07 3:50 | 2.343 | 0.37 |
| 11/24/07 3:55 | 2.342 | 0.45 |
| 11/24/07 4:00 | 2.339 | 0.41 |
| 11/24/07 4:05 | 2.338 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 4:10 | 2.336 | 0.34 |
| 11/24/07 4:15 | 2.336 | 0.41 |
| 11/24/07 4:20 | 2.335 | 0.44 |
| 11/24/07 4:25 | 2.336 | 0.32 |
| 11/24/07 4:30 | 2.335 | 0.27 |
| 11/24/07 4:35 | 2.335 | 0.42 |
| 11/24/07 4:40 | 2.334 | 0.33 |
| 11/24/07 4:45 | 2.335 | 0.32 |
| 11/24/07 4:50 | 2.335 | 0.34 |
| 11/24/07 4:55 | 2.334 | 0.29 |
| 11/24/07 5:00 | 2.336 | 0.39 |
| 11/24/07 5:05 | 2.336 | 0.45 |
| 11/24/07 5:10 | 2.336 | 0.35 |
| 11/24/07 5:15 | 2.336 | 0.23 |
| 11/24/07 5:20 | 2.337 | 0.37 |
| 11/24/07 5:25 | 2.337 | 0.33 |
| 11/24/07 5:30 | 2.338 | 0.34 |
| 11/24/07 5:35 | 2.338 | 0.37 |
| 11/24/07 5:40 | 2.339 | 0.42 |
| 11/24/07 5:45 | 2.339 | 0.3 |
| 11/24/07 5:50 | 2.338 | 0.31 |
| 11/24/07 5:55 | 2.339 | 0.38 |
| 11/24/07 6:00 | 2.339 | 0.34 |
| 11/24/07 6:05 | 2.341 | 0.32 |
| 11/24/07 6:10 | 2.341 | 0.3 |
| 11/24/07 6:15 | 2.342 | 0.44 |
| 11/24/07 6:20 | 2.341 | 0.39 |
| 11/24/07 6:25 | 2.342 | 0.4 |
| 11/24/07 6:30 | 2.341 | 0.33 |
| 11/24/07 6:35 | 2.343 | 0.33 |
| 11/24/07 6:40 | 2.342 | 0.33 |
| 11/24/07 6:45 | 2.343 | 0.31 |
| 11/24/07 6:50 | 2.343 | 0.31 |
| 11/24/07 6:55 | 2.343 | 0.38 |
| 11/24/07 7:00 | 2.345 | 0.34 |
| 11/24/07 7:05 | 2.344 | 0.43 |
| 11/24/07 7:10 | 2.344 | 0.45 |
| 11/24/07 7:15 | 2.343 | 0.45 |
| 11/24/07 7:20 | 2.345 | 0.44 |
| 11/24/07 7:25 | 2.344 | 0.44 |
| 11/24/07 7:30 | 2.345 | 0.35 |
| 11/24/07 7:35 | 2.345 | 0.31 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 7:40 | 2.345 | 0.28 |
| 11/24/07 7:45 | 2.345 | 0.35 |
| 11/24/07 7:50 | 2.345 | 0.43 |
| 11/24/07 7:55 | 2.346 | 0.26 |
| 11/24/07 8:00 | 2.347 | 0.39 |
| 11/24/07 8:05 | 2.346 | 0.35 |
| 11/24/07 8:10 | 2.346 | 0.48 |
| 11/24/07 8:15 | 2.347 | 0.45 |
| 11/24/07 8:20 | 2.347 | 0.28 |
| 11/24/07 8:25 | 2.348 | 0.39 |
| 11/24/07 8:30 | 2.347 | 0.39 |
| 11/24/07 8:35 | 2.347 | 0.25 |
| 11/24/07 8:40 | 2.346 | 0.42 |
| 11/24/07 8:45 | 2.347 | 0.33 |
| 11/24/07 8:50 | 2.347 | 0.25 |
| 11/24/07 8:55 | 2.348 | 0.34 |
| 11/24/07 9:00 | 2.348 | 0.29 |
| 11/24/07 9:05 | 2.349 | 0.32 |
| 11/24/07 9:10 | 2.348 | 0.3 |
| 11/24/07 9:15 | 2.351 | 0.45 |
| 11/24/07 9:20 | 2.35 | 0.39 |
| 11/24/07 9:25 | 2.351 | 0.36 |
| 11/24/07 9:30 | 2.351 | 0.28 |
| 11/24/07 9:35 | 2.349 | 0.34 |
| 11/24/07 9:40 | 2.35 | 0.3 |
| 11/24/07 9:45 | 2.351 | 0.35 |
| 11/24/07 9:50 | 2.351 | 0.4 |
| 11/24/07 9:55 | 2.351 | 0.37 |
| 11/24/07 10:00 | 2.351 | 0.28 |
| 11/24/07 10:05 | 2.35 | 0.36 |
| 11/24/07 10:10 | 2.351 | 0.42 |
| 11/24/07 10:15 | 2.351 | 0.36 |
| 11/24/07 10:20 | 2.35 | 0.34 |
| 11/24/07 10:25 | 2.349 | 0.38 |
| 11/24/07 10:30 | 2.347 | 0.37 |
| 11/24/07 10:35 | 2.348 | 0.35 |
| 11/24/07 10:40 | 2.347 | 0.26 |
| 11/24/07 10:45 | 2.347 | 0.4 |
| 11/24/07 10:50 | 2.345 | 0.44 |
| 11/24/07 10:55 | 2.346 | 0.29 |
| 11/24/07 11:00 | 2.346 | 0.46 |
| 11/24/07 11:05 | 2.344 | 0.41 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 11:10 | 2.344 | 0.41 |
| 11/24/07 11:15 | 2.342 | 0.38 |
| 11/24/07 11:20 | 2.341 | 0.46 |
| 11/24/07 11:25 | 2.339 | 0.46 |
| 11/24/07 11:30 | 2.339 | 0.43 |
| 11/24/07 11:35 | 2.338 | 0.4 |
| 11/24/07 11:40 | 2.338 | 0.51 |
| 11/24/07 11:45 | 2.337 | 0.32 |
| 11/24/07 11:50 | 2.337 | 0.35 |
| 11/24/07 11:55 | 2.335 | 0.35 |
| 11/24/07 12:00 | 2.334 | 0.35 |
| 11/24/07 12:05 | 2.335 | 0.49 |
| 11/24/07 12:10 | 2.334 | 0.29 |
| 11/24/07 12:15 | 2.333 | 0.43 |
| 11/24/07 12:20 | 2.335 | 0.39 |
| 11/24/07 12:25 | 2.334 | 0.47 |
| 11/24/07 12:30 | 2.334 | 0.47 |
| 11/24/07 12:35 | 2.333 | 0.49 |
| 11/24/07 12:40 | 2.333 | 0.35 |
| 11/24/07 12:45 | 2.333 | 0.37 |
| 11/24/07 12:50 | 2.332 | 0.39 |
| 11/24/07 12:55 | 2.332 | 0.38 |
| 11/24/07 13:00 | 2.33 | 0.4 |
| 11/24/07 13:05 | 2.331 | 0.33 |
| 11/24/07 13:10 | 2.333 | 0.33 |
| 11/24/07 13:15 | 2.332 | 0.33 |
| 11/24/07 13:20 | 2.332 | 0.38 |
| 11/24/07 13:25 | 2.333 | 0.42 |
| 11/24/07 13:30 | 2.332 | 0.39 |
| 11/24/07 13:35 | 2.334 | 0.35 |
| 11/24/07 13:40 | 2.334 | 0.25 |
| 11/24/07 13:45 | 2.335 | 0.35 |
| 11/24/07 13:50 | 2.334 | 0.34 |
| 11/24/07 13:55 | 2.335 | 0.36 |
| 11/24/07 14:00 | 2.335 | 0.35 |
| 11/24/07 14:05 | 2.334 | 0.38 |
| 11/24/07 14:10 | 2.335 | 0.49 |
| 11/24/07 14:15 | 2.334 | 0.43 |
| 11/24/07 14:20 | 2.334 | 0.42 |
| 11/24/07 14:25 | 2.334 | 0.34 |
| 11/24/07 14:30 | 2.336 | 0.4 |
| 11/24/07 14:35 | 2.335 | 0.34 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 14:40 | 2.337 | 0.4 |
| 11/24/07 14:45 | 2.336 | 0.36 |
| 11/24/07 14:50 | 2.336 | 0.38 |
| 11/24/07 14:55 | 2.336 | 0.37 |
| 11/24/07 15:00 | 2.337 | 0.43 |
| 11/24/07 15:05 | 2.337 | 0.31 |
| 11/24/07 15:10 | 2.337 | 0.25 |
| 11/24/07 15:15 | 2.338 | 0.4 |
| 11/24/07 15:20 | 2.338 | 0.3 |
| 11/24/07 15:25 | 2.339 | 0.45 |
| 11/24/07 15:30 | 2.339 | 0.4 |
| 11/24/07 15:35 | 2.338 | 0.37 |
| 11/24/07 15:40 | 2.338 | 0.36 |
| 11/24/07 15:45 | 2.339 | 0.38 |
| 11/24/07 15:50 | 2.34 | 0.47 |
| 11/24/07 15:55 | 2.339 | 0.37 |
| 11/24/07 16:00 | 2.34 | 0.38 |
| 11/24/07 16:05 | 2.34 | 0.38 |
| 11/24/07 16:10 | 2.34 | 0.35 |
| 11/24/07 16:15 | 2.339 | 0.37 |
| 11/24/07 16:20 | 2.341 | 0.43 |
| 11/24/07 16:25 | 2.341 | 0.46 |
| 11/24/07 16:30 | 2.341 | 0.28 |
| 11/24/07 16:35 | 2.34 | 0.35 |
| 11/24/07 16:40 | 2.341 | 0.44 |
| 11/24/07 16:45 | 2.342 | 0.4 |
| 11/24/07 16:50 | 2.342 | 0.36 |
| 11/24/07 16:55 | 2.342 | 0.33 |
| 11/24/07 17:00 | 2.342 | 0.42 |
| 11/24/07 17:05 | 2.343 | 0.45 |
| 11/24/07 17:10 | 2.342 | 0.45 |
| 11/24/07 17:15 | 2.343 | 0.32 |
| 11/24/07 17:20 | 2.343 | 0.4 |
| 11/24/07 17:25 | 2.342 | 0.44 |
| 11/24/07 17:30 | 2.343 | 0.32 |
| 11/24/07 17:35 | 2.344 | 0.41 |
| 11/24/07 17:40 | 2.343 | 0.34 |
| 11/24/07 17:45 | 2.341 | 0.32 |
| 11/24/07 17:50 | 2.34 | 0.35 |
| 11/24/07 17:55 | 2.339 | 0.29 |
| 11/24/07 18:00 | 2.339 | 0.45 |
| 11/24/07 18:05 | 2.338 | 0.35 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 18:10 | 2.338 | 0.36 |
| 11/24/07 18:15 | 2.338 | 0.4 |
| 11/24/07 18:20 | 2.338 | 0.38 |
| 11/24/07 18:25 | 2.337 | 0.43 |
| 11/24/07 18:30 | 2.337 | 0.33 |
| 11/24/07 18:35 | 2.337 | 0.49 |
| 11/24/07 18:40 | 2.338 | 0.32 |
| 11/24/07 18:45 | 2.338 | 0.35 |
| 11/24/07 18:50 | 2.338 | 0.41 |
| 11/24/07 18:55 | 2.338 | 0.37 |
| 11/24/07 19:00 | 2.338 | 0.38 |
| 11/24/07 19:05 | 2.338 | 0.3 |
| 11/24/07 19:10 | 2.338 | 0.55 |
| 11/24/07 19:15 | 2.337 | 0.41 |
| 11/24/07 19:20 | 2.337 | 0.37 |
| 11/24/07 19:25 | 2.338 | 0.31 |
| 11/24/07 19:30 | 2.338 | 0.35 |
| 11/24/07 19:35 | 2.338 | 0.36 |
| 11/24/07 19:40 | 2.337 | 0.47 |
| 11/24/07 19:45 | 2.337 | 0.32 |
| 11/24/07 19:50 | 2.338 | 0.42 |
| 11/24/07 19:55 | 2.339 | 0.4 |
| 11/24/07 20:00 | 2.339 | 0.34 |
| 11/24/07 20:05 | 2.338 | 0.31 |
| 11/24/07 20:10 | 2.338 | 0.31 |
| 11/24/07 20:15 | 2.339 | 0.39 |
| 11/24/07 20:20 | 2.339 | 0.37 |
| 11/24/07 20:25 | 2.339 | 0.44 |
| 11/24/07 20:30 | 2.337 | 0.39 |
| 11/24/07 20:35 | 2.34 | 0.44 |
| 11/24/07 20:40 | 2.338 | 0.27 |
| 11/24/07 20:45 | 2.339 | 0.44 |
| 11/24/07 20:50 | 2.34 | 0.35 |
| 11/24/07 20:55 | 2.338 | 0.39 |
| 11/24/07 21:00 | 2.333 | 0.44 |
| 11/24/07 21:05 | 2.333 | 0.35 |
| 11/24/07 21:10 | 2.33 | 0.53 |
| 11/24/07 21:15 | 2.329 | 0.33 |
| 11/24/07 21:20 | 2.326 | 0.4 |
| 11/24/07 21:25 | 2.328 | 0.33 |
| 11/24/07 21:30 | 2.326 | 0.33 |
| 11/24/07 21:35 | 2.325 | 0.4 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 21:40 | 2.324 | 0.42 |
| 11/24/07 21:45 | 2.325 | 0.4 |
| 11/24/07 21:50 | 2.325 | 0.42 |
| 11/24/07 21:55 | 2.324 | 0.37 |
| 11/24/07 22:00 | 2.323 | 0.4 |
| 11/24/07 22:05 | 2.324 | 0.41 |
| 11/24/07 22:10 | 2.323 | 0.39 |
| 11/24/07 22:15 | 2.323 | 0.37 |
| 11/24/07 22:20 | 2.323 | 0.36 |
| 11/24/07 22:25 | 2.323 | 0.33 |
| 11/24/07 22:30 | 2.324 | 0.3 |
| 11/24/07 22:35 | 2.323 | 0.32 |
| 11/24/07 22:40 | 2.324 | 0.44 |
| 11/24/07 22:45 | 2.323 | 0.36 |
| 11/24/07 22:50 | 2.323 | 0.36 |
| 11/24/07 22:55 | 2.324 | 0.37 |
| 11/24/07 23:00 | 2.323 | 0.35 |
| 11/24/07 23:05 | 2.324 | 0.33 |
| 11/24/07 23:10 | 2.324 | 0.33 |
| 11/24/07 23:15 | 2.323 | 0.31 |
| 11/24/07 23:20 | 2.32 | 0.39 |
| 11/24/07 23:25 | 2.321 | 0.36 |
| 11/24/07 23:30 | 2.321 | 0.4 |
| 11/24/07 23:35 | 2.321 | 0.44 |
| 11/24/07 23:40 | 2.32 | 0.39 |
| 11/24/07 23:45 | 2.32 | 0.42 |
| 11/24/07 23:50 | 2.32 | 0.37 |
| 11/24/07 23:55 | 2.32 | 0.32 |
| 11/25/07 0:00 | 2.324 | 0.34 |
| 11/25/07 0:05 | 2.324 | 0.42 |
| 11/25/07 0:10 | 2.324 | 0.37 |
| 11/25/07 0:15 | 2.324 | 0.35 |
| 11/25/07 0:20 | 2.322 | 0.31 |
| 11/25/07 0:25 | 2.323 | 0.4 |
| 11/25/07 0:30 | 2.321 | 0.39 |
| 11/25/07 0:35 | 2.321 | 0.4 |
| 11/25/07 0:40 | 2.322 | 0.45 |
| 11/25/07 0:45 | 2.322 | 0.29 |
| 11/25/07 0:50 | 2.32 | 0.29 |
| 11/25/07 0:55 | 2.321 | 0.37 |
| 11/25/07 1:00 | 2.323 | 0.26 |
| 11/25/07 1:05 | 2.323 | 0.43 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 1:10 | 2.321 | 0.4 |
| 11/25/07 1:15 | 2.32 | 0.48 |
| 11/25/07 1:20 | 2.321 | 0.44 |
| 11/25/07 1:25 | 2.319 | 0.3 |
| 11/25/07 1:30 | 2.32 | 0.22 |
| 11/25/07 1:35 | 2.32 | 0.3 |
| 11/25/07 1:40 | 2.321 | 0.36 |
| 11/25/07 1:45 | 2.321 | 0.39 |
| 11/25/07 1:50 | 2.32 | 0.44 |
| 11/25/07 1:55 | 2.322 | 0.38 |
| 11/25/07 2:00 | 2.321 | 0.35 |
| 11/25/07 2:05 | 2.321 | 0.33 |
| 11/25/07 2:10 | 2.322 | 0.43 |
| 11/25/07 2:15 | 2.322 | 0.4 |
| 11/25/07 2:20 | 2.322 | 0.52 |
| 11/25/07 2:25 | 2.321 | 0.44 |
| 11/25/07 2:30 | 2.322 | 0.36 |
| 11/25/07 2:35 | 2.323 | 0.39 |
| 11/25/07 2:40 | 2.323 | 0.34 |
| 11/25/07 2:45 | 2.323 | 0.54 |
| 11/25/07 2:50 | 2.324 | 0.37 |
| 11/25/07 2:55 | 2.323 | 0.53 |
| 11/25/07 3:00 | 2.324 | 0.34 |
| 11/25/07 3:05 | 2.324 | 0.36 |
| 11/25/07 3:10 | 2.324 | 0.36 |
| 11/25/07 3:15 | 2.324 | 0.44 |
| 11/25/07 3:20 | 2.324 | 0.39 |
| 11/25/07 3:25 | 2.325 | 0.37 |
| 11/25/07 3:30 | 2.324 | 0.37 |
| 11/25/07 3:35 | 2.326 | 0.35 |
| 11/25/07 3:40 | 2.326 | 0.43 |
| 11/25/07 3:45 | 2.325 | 0.3 |
| 11/25/07 3:50 | 2.325 | 0.36 |
| 11/25/07 3:55 | 2.325 | 0.33 |
| 11/25/07 4:00 | 2.325 | 0.35 |
| 11/25/07 4:05 | 2.324 | 0.42 |
| 11/25/07 4:10 | 2.324 | 0.57 |
| 11/25/07 4:15 | 2.325 | 0.3 |
| 11/25/07 4:20 | 2.325 | 0.35 |
| 11/25/07 4:25 | 2.325 | 0.37 |
| 11/25/07 4:30 | 2.325 | 0.3 |
| 11/25/07 4:35 | 2.326 | 0.48 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 4:40 | 2.325 | 0.39 |
| 11/25/07 4:45 | 2.326 | 0.41 |
| 11/25/07 4:50 | 2.325 | 0.36 |
| 11/25/07 4:55 | 2.327 | 0.31 |
| 11/25/07 5:00 | 2.325 | 0.39 |
| 11/25/07 5:05 | 2.326 | 0.37 |
| 11/25/07 5:10 | 2.325 | 0.26 |
| 11/25/07 5:15 | 2.324 | 0.35 |
| 11/25/07 5:20 | 2.325 | 0.46 |
| 11/25/07 5:25 | 2.324 | 0.36 |
| 11/25/07 5:30 | 2.324 | 0.36 |
| 11/25/07 5:35 | 2.324 | 0.42 |
| 11/25/07 5:40 | 2.324 | 0.38 |
| 11/25/07 5:45 | 2.325 | 0.38 |
| 11/25/07 5:50 | 2.326 | 0.31 |
| 11/25/07 5:55 | 2.325 | 0.38 |
| 11/25/07 6:00 | 2.324 | 0.37 |
| 11/25/07 6:05 | 2.325 | 0.36 |
| 11/25/07 6:10 | 2.325 | 0.42 |
| 11/25/07 6:15 | 2.325 | 0.37 |
| 11/25/07 6:20 | 2.326 | 0.37 |
| 11/25/07 6:25 | 2.325 | 0.42 |
| 11/25/07 6:30 | 2.325 | 0.37 |
| 11/25/07 6:35 | 2.328 | 0.37 |
| 11/25/07 6:40 | 2.326 | 0.4 |
| 11/25/07 6:45 | 2.327 | 0.31 |
| 11/25/07 6:50 | 2.327 | 0.43 |
| 11/25/07 6:55 | 2.326 | 0.26 |
| 11/25/07 7:00 | 2.326 | 0.47 |
| 11/25/07 7:05 | 2.327 | 0.47 |
| 11/25/07 7:10 | 2.328 | 0.35 |
| 11/25/07 7:15 | 2.327 | 0.35 |
| 11/25/07 7:20 | 2.327 | 0.39 |
| 11/25/07 7:25 | 2.328 | 0.42 |
| 11/25/07 7:30 | 2.327 | 0.35 |
| 11/25/07 7:35 | 2.327 | 0.41 |
| 11/25/07 7:40 | 2.328 | 0.44 |
| 11/25/07 7:45 | 2.328 | 0.35 |
| 11/25/07 7:50 | 2.328 | 0.36 |
| 11/25/07 7:55 | 2.328 | 0.36 |
| 11/25/07 8:00 | 2.328 | 0.23 |
| 11/25/07 8:05 | 2.329 | 0.39 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 8:10 | 2.329 | 0.35 |
| 11/25/07 8:15 | 2.328 | 0.38 |
| 11/25/07 8:20 | 2.328 | 0.42 |
| 11/25/07 8:25 | 2.33 | 0.35 |
| 11/25/07 8:30 | 2.33 | 0.37 |
| 11/25/07 8:35 | 2.33 | 0.31 |
| 11/25/07 8:40 | 2.331 | 0.38 |
| 11/25/07 8:45 | 2.331 | 0.36 |
| 11/25/07 8:50 | 2.331 | 0.35 |
| 11/25/07 8:55 | 2.331 | 0.35 |
| 11/25/07 9:00 | 2.332 | 0.33 |
| 11/25/07 9:05 | 2.331 | 0.33 |
| 11/25/07 9:10 | 2.332 | 0.37 |
| 11/25/07 9:15 | 2.331 | 0.34 |
| 11/25/07 9:20 | 2.332 | 0.29 |
| 11/25/07 9:25 | 2.331 | 0.4 |
| 11/25/07 9:30 | 2.331 | 0.29 |
| 11/25/07 9:35 | 2.33 | 0.37 |
| 11/25/07 9:40 | 2.331 | 0.4 |
| 11/25/07 9:45 | 2.332 | 0.37 |
| 11/25/07 9:50 | 2.33 | 0.34 |
| 11/25/07 9:55 | 2.33 | 0.39 |
| 11/25/07 10:00 | 2.331 | 0.31 |
| 11/25/07 10:05 | 2.33 | 0.44 |
| 11/25/07 10:10 | 2.33 | 0.49 |
| 11/25/07 10:15 | 2.33 | 0.31 |
| 11/25/07 10:20 | 2.33 | 0.46 |
| 11/25/07 10:25 | 2.33 | 0.35 |
| 11/25/07 10:30 | 2.328 | 0.44 |
| 11/25/07 10:35 | 2.326 | 0.41 |
| 11/25/07 10:40 | 2.327 | 0.35 |
| 11/25/07 10:45 | 2.326 | 0.41 |
| 11/25/07 10:50 | 2.324 | 0.33 |
| 11/25/07 10:55 | 2.325 | 0.38 |
| 11/25/07 11:00 | 2.325 | 0.39 |
| 11/25/07 11:05 | 2.324 | 0.33 |
| 11/25/07 11:10 | 2.323 | 0.43 |
| 11/25/07 11:15 | 2.322 | 0.3 |
| 11/25/07 11:20 | 2.321 | 0.4 |
| 11/25/07 11:25 | 2.32 | 0.34 |
| 11/25/07 11:30 | 2.319 | 0.35 |
| 11/25/07 11:35 | 2.318 | 0.45 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 11:40 | 2.318 | 0.5 |
| 11/25/07 11:45 | 2.317 | 0.5 |
| 11/25/07 11:50 | 2.317 | 0.39 |
| 11/25/07 11:55 | 2.316 | 0.39 |
| 11/25/07 12:00 | 2.315 | 0.39 |
| 11/25/07 12:05 | 2.315 | 0.39 |
| 11/25/07 12:10 | 2.316 | 0.4 |
| 11/25/07 12:15 | 2.315 | 0.4 |
| 11/25/07 12:20 | 2.313 | 0.4 |
| 11/25/07 12:25 | 2.314 | 0.4 |
| 11/25/07 12:30 | 2.314 | 0.4 |
| 11/25/07 12:35 | 2.314 | 0.4 |
| 11/25/07 12:40 | 2.313 | 0.4 |
| 11/25/07 12:45 | 2.311 | 0.4 |
| 11/25/07 12:50 | 2.311 | 0.4 |
| 11/25/07 12:55 | 2.313 | 0.35 |
| 11/25/07 13:00 | 2.311 | 0.47 |
| 11/25/07 13:05 | 2.312 | 0.43 |
| 11/25/07 13:10 | 2.311 | 0.43 |
| 11/25/07 13:15 | 2.312 | 0.65 |
| 11/25/07 13:20 | 2.311 | 0.37 |
| 11/25/07 13:25 | 2.311 | 0.37 |
| 11/25/07 13:30 | 2.312 | 0.37 |
| 11/25/07 13:35 | 2.312 | 0.37 |
| 11/25/07 13:40 | 2.312 | 0.37 |
| 11/25/07 13:45 | 2.312 | 0.45 |
| 11/25/07 13:50 | 2.312 | 0.43 |
| 11/25/07 13:55 | 2.311 | 0.41 |
| 11/25/07 14:00 | 2.312 | 0.41 |
| 11/25/07 14:05 | 2.312 | 0.46 |
| 11/25/07 14:10 | 2.312 | 0.41 |
| 11/25/07 14:15 | 2.313 | 0.35 |
| 11/25/07 14:20 | 2.311 | 0.33 |
| 11/25/07 14:25 | 2.313 | 0.4 |
| 11/25/07 14:30 | 2.312 | 0.38 |
| 11/25/07 14:35 | 2.312 | 0.37 |
| 11/25/07 14:40 | 2.314 | 0.37 |
| 11/25/07 14:45 | 2.311 | 0.35 |
| 11/25/07 14:50 | 2.313 | 0.37 |
| 11/25/07 14:55 | 2.313 | 0.42 |
| 11/25/07 15:00 | 2.314 | 0.42 |
| 11/25/07 15:05 | 2.314 | 0.41 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 15:10 | 2.312 | 0.49 |
| 11/25/07 15:15 | 2.313 | 0.41 |
| 11/25/07 15:20 | 2.314 | 0.31 |
| 11/25/07 15:25 | 2.313 | 0.41 |
| 11/25/07 15:30 | 2.314 | 0.37 |
| 11/25/07 15:35 | 2.315 | 0.37 |
| 11/25/07 15:40 | 2.315 | 0.4 |
| 11/25/07 15:45 | 2.314 | 0.42 |
| 11/25/07 15:50 | 2.314 | 0.43 |
| 11/25/07 15:55 | 2.315 | 0.42 |
| 11/25/07 16:00 | 2.315 | 0.34 |
| 11/25/07 16:05 | 2.316 | 0.37 |
| 11/25/07 16:10 | 2.316 | 0.28 |
| 11/25/07 16:15 | 2.316 | 0.31 |
| 11/25/07 16:20 | 2.317 | 0.39 |
| 11/25/07 16:25 | 2.318 | 0.31 |
| 11/25/07 16:30 | 2.318 | 0.32 |
| 11/25/07 16:35 | 2.318 | 0.38 |
| 11/25/07 16:40 | 2.319 | 0.27 |
| 11/25/07 16:45 | 2.318 | 0.27 |
| 11/25/07 16:50 | 2.319 | 0.27 |
| 11/25/07 16:55 | 2.319 | 0.39 |
| 11/25/07 17:00 | 2.318 | 0.39 |
| 11/25/07 17:05 | 2.319 | 0.3 |
| 11/25/07 17:10 | 2.318 | 0.4 |
| 11/25/07 17:15 | 2.319 | 0.43 |
| 11/25/07 17:20 | 2.319 | 0.43 |
| 11/25/07 17:25 | 2.318 | 0.4 |
| 11/25/07 17:30 | 2.319 | 0.36 |
| 11/25/07 17:35 | 2.319 | 0.48 |
| 11/25/07 17:40 | 2.319 | 0.38 |
| 11/25/07 17:45 | 2.319 | 0.43 |
| 11/25/07 17:50 | 2.32 | 0.3 |
| 11/25/07 17:55 | 2.319 | 0.29 |
| 11/25/07 18:00 | 2.319 | 0.22 |
| 11/25/07 18:05 | 2.319 | 0.48 |
| 11/25/07 18:10 | 2.319 | 0.33 |
| 11/25/07 18:15 | 2.319 | 0.39 |
| 11/25/07 18:20 | 2.318 | 0.33 |
| 11/25/07 18:25 | 2.32 | 0.38 |
| 11/25/07 18:30 | 2.32 | 0.38 |
| 11/25/07 18:35 | 2.319 | 0.43 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 18:40 | 2.32 | 0.36 |
| 11/25/07 18:45 | 2.32 | 0.36 |
| 11/25/07 18:50 | 2.321 | 0.37 |
| 11/25/07 18:55 | 2.321 | 0.34 |
| 11/25/07 19:00 | 2.322 | 0.38 |
| 11/25/07 19:05 | 2.321 | 0.41 |
| 11/25/07 19:10 | 2.322 | 0.47 |
| 11/25/07 19:15 | 2.322 | 0.34 |
| 11/25/07 19:20 | 2.323 | 0.35 |
| 11/25/07 19:25 | 2.323 | 0.37 |
| 11/25/07 19:30 | 2.323 | 0.34 |
| 11/25/07 19:35 | 2.323 | 0.43 |
| 11/25/07 19:40 | 2.323 | 0.41 |
| 11/25/07 19:45 | 2.322 | 0.32 |
| 11/25/07 19:50 | 2.324 | 0.45 |
| 11/25/07 19:55 | 2.325 | 0.37 |
| 11/25/07 20:00 | 2.325 | 0.4 |
| 11/25/07 20:05 | 2.325 | 0.41 |
| 11/25/07 20:10 | 2.326 | 0.4 |
| 11/25/07 20:15 | 2.325 | 0.32 |
| 11/25/07 20:20 | 2.326 | 0.44 |
| 11/25/07 20:25 | 2.324 | 0.26 |
| 11/25/07 20:30 | 2.327 | 0.3 |
| 11/25/07 20:35 | 2.325 | 0.29 |
| 11/25/07 20:40 | 2.326 | 0.48 |
| 11/25/07 20:45 | 2.327 | 0.31 |
| 11/25/07 20:50 | 2.327 | 0.35 |
| 11/25/07 20:55 | 2.327 | 0.31 |
| 11/25/07 21:00 | 2.328 | 0.44 |
| 11/25/07 21:05 | 2.327 | 0.39 |
| 11/25/07 21:10 | 2.329 | 0.32 |
| 11/25/07 21:15 | 2.328 | 0.3 |
| 11/25/07 21:20 | 2.328 | 0.4 |
| 11/25/07 21:25 | 2.33 | 0.37 |
| 11/25/07 21:30 | 2.329 | 0.3 |
| 11/25/07 21:35 | 2.33 | 0.42 |
| 11/25/07 21:40 | 2.329 | 0.38 |
| 11/25/07 21:45 | 2.33 | 0.36 |
| 11/25/07 21:50 | 2.331 | 0.38 |
| 11/25/07 21:55 | 2.329 | 0.37 |
| 11/25/07 22:00 | 2.331 | 0.42 |
| 11/25/07 22:05 | 2.331 | 0.45 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 22:10 | 2.333 | 0.27 |
| 11/25/07 22:15 | 2.334 | 0.23 |
| 11/25/07 22:20 | 2.336 | 0.38 |
| 11/25/07 22:25 | 2.335 | 0.34 |
| 11/25/07 22:30 | 2.337 | 0.44 |
| 11/25/07 22:35 | 2.338 | 0.49 |
| 11/25/07 22:40 | 2.338 | 0.4 |
| 11/25/07 22:45 | 2.338 | 0.36 |
| 11/25/07 22:50 | 2.339 | 0.3 |
| 11/25/07 22:55 | 2.339 | 0.43 |
| 11/25/07 23:00 | 2.34 | 0.45 |
| 11/25/07 23:05 | 2.34 | 0.42 |
| 11/25/07 23:10 | 2.34 | 0.33 |
| 11/25/07 23:15 | 2.341 | 0.25 |
| 11/25/07 23:20 | 2.341 | 0.46 |
| 11/25/07 23:25 | 2.34 | 0.44 |
| 11/25/07 23:30 | 2.341 | 0.37 |
| 11/25/07 23:35 | 2.342 | 0.43 |
| 11/25/07 23:40 | 2.34 | 0.3 |
| 11/25/07 23:45 | 2.341 | 0.35 |
| 11/25/07 23:50 | 2.342 | 0.36 |
| 11/25/07 23:55 | 2.341 | 0.46 |
| 11/26/07 0:00 | 2.342 | 0.32 |
| 11/26/07 0:05 | 2.342 | 0.35 |
| 11/26/07 0:10 | 2.342 | 0.3 |
| 11/26/07 0:15 | 2.341 | 0.29 |
| 11/26/07 0:20 | 2.341 | 0.38 |
| 11/26/07 0:25 | 2.341 | 0.39 |
| 11/26/07 0:30 | 2.341 | 0.41 |
| 11/26/07 0:35 | 2.34 | 0.41 |
| 11/26/07 0:40 | 2.34 | 0.32 |
| 11/26/07 0:45 | 2.341 | 0.29 |
| 11/26/07 0:50 | 2.341 | 0.37 |
| 11/26/07 0:55 | 2.34 | 0.39 |
| 11/26/07 1:00 | 2.341 | 0.23 |
| 11/26/07 1:05 | 2.339 | 0.35 |
| 11/26/07 1:10 | 2.338 | 0.34 |
| 11/26/07 1:15 | 2.337 | 0.36 |
| 11/26/07 1:20 | 2.335 | 0.33 |
| 11/26/07 1:25 | 2.336 | 0.49 |
| 11/26/07 1:30 | 2.335 | 0.18 |
| 11/26/07 1:35 | 2.334 | 0.46 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 1:40 | 2.334 | 0.26 |
| 11/26/07 1:45 | 2.334 | 0.35 |
| 11/26/07 1:50 | 2.334 | 0.37 |
| 11/26/07 1:55 | 2.334 | 0.37 |
| 11/26/07 2:00 | 2.334 | 0.35 |
| 11/26/07 2:05 | 2.333 | 0.3 |
| 11/26/07 2:10 | 2.334 | 0.37 |
| 11/26/07 2:15 | 2.333 | 0.29 |
| 11/26/07 2:20 | 2.332 | 0.55 |
| 11/26/07 2:25 | 2.332 | 0.35 |
| 11/26/07 2:30 | 2.331 | 0.46 |
| 11/26/07 2:35 | 2.331 | 0.31 |
| 11/26/07 2:40 | 2.331 | 0.38 |
| 11/26/07 2:45 | 2.33 | 0.45 |
| 11/26/07 2:50 | 2.331 | 0.19 |
| 11/26/07 2:55 | 2.33 | 0.31 |
| 11/26/07 3:00 | 2.328 | 0.41 |
| 11/26/07 3:05 | 2.328 | 0.41 |
| 11/26/07 3:10 | 2.327 | 0.35 |
| 11/26/07 3:15 | 2.325 | 0.26 |
| 11/26/07 3:20 | 2.324 | 0.4 |
| 11/26/07 3:25 | 2.323 | 0.35 |
| 11/26/07 3:30 | 2.323 | 0.33 |
| 11/26/07 3:35 | 2.322 | 0.35 |
| 11/26/07 3:40 | 2.323 | 0.38 |
| 11/26/07 3:45 | 2.325 | 0.3 |
| 11/26/07 3:50 | 2.328 | 0.35 |
| 11/26/07 3:55 | 2.331 | 0.36 |
| 11/26/07 4:00 | 2.333 | 0.4 |
| 11/26/07 4:05 | 2.336 | 0.27 |
| 11/26/07 4:10 | 2.34 | 0.27 |
| 11/26/07 4:15 | 2.343 | 0.27 |
| 11/26/07 4:20 | 2.348 | 0.37 |
| 11/26/07 4:25 | 2.367 | 0.41 |
| 11/26/07 4:30 | 2.401 | 0.41 |
| 11/26/07 4:35 | 2.436 | 0.41 |
| 11/26/07 4:40 | 2.47 | 0.41 |
| 11/26/07 4:45 | 2.499 | 0.26 |
| 11/26/07 4:50 | 2.523 | 0.34 |
| 11/26/07 4:55 | 2.54 | 0.28 |
| 11/26/07 5:00 | 2.553 | 0.22 |
| 11/26/07 5:05 | 2.562 | 0.26 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 5:10 | 2.565 | 0.27 |
| 11/26/07 5:15 | 2.564 | 0.33 |
| 11/26/07 5:20 | 2.56 | 0.33 |
| 11/26/07 5:25 | 2.554 | 0.2 |
| 11/26/07 5:30 | 2.547 | 0.26 |
| 11/26/07 5:35 | 2.542 | 0.26 |
| 11/26/07 5:40 | 2.536 | 0.3 |
| 11/26/07 5:45 | 2.531 | 0.27 |
| 11/26/07 5:50 | 2.526 | 0.34 |
| 11/26/07 5:55 | 2.523 | 0.34 |
| 11/26/07 6:00 | 2.52 | 0.34 |
| 11/26/07 6:05 | 2.518 | 0.28 |
| 11/26/07 6:10 | 2.515 | 0.29 |
| 11/26/07 6:15 | 2.512 | 0.31 |
| 11/26/07 6:20 | 2.509 | 0.31 |
| 11/26/07 6:25 | 2.507 | 0.31 |
| 11/26/07 6:30 | 2.506 | 0.29 |
| 11/26/07 6:35 | 2.506 | 0.31 |
| 11/26/07 6:40 | 2.506 | 0.32 |
| 11/26/07 6:45 | 2.507 | 0.32 |
| 11/26/07 6:50 | 2.509 | 0.31 |
| 11/26/07 6:55 | 2.51 | 0.31 |
| 11/26/07 7:00 | 2.51 | 0.31 |
| 11/26/07 7:05 | 2.51 | 0.35 |
| 11/26/07 7:10 | 2.51 | 0.34 |
| 11/26/07 7:15 | 2.509 | 0.31 |
| 11/26/07 7:20 | 2.508 | 0.28 |
| 11/26/07 7:25 | 2.507 | 0.28 |
| 11/26/07 7:30 | 2.505 | 0.35 |
| 11/26/07 7:35 | 2.503 | 0.31 |
| 11/26/07 7:40 | 2.501 | 0.31 |
| 11/26/07 7:45 | 2.499 | 0.31 |
| 11/26/07 7:50 | 2.497 | 0.31 |
| 11/26/07 7:55 | 2.495 | 0.31 |
| 11/26/07 8:00 | 2.493 | 0.32 |
| 11/26/07 8:05 | 2.491 | 0.32 |
| 11/26/07 8:10 | 2.489 | 0.32 |
| 11/26/07 8:15 | 2.487 | 0.32 |
| 11/26/07 8:20 | 2.485 | 0.32 |
| 11/26/07 8:25 | 2.483 | 0.32 |
| 11/26/07 8:30 | 2.481 | 0.32 |
| 11/26/07 8:35 | 2.479 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 8:40 | 2.478 | 0.32 |
| 11/26/07 8:45 | 2.477 | 0.32 |
| 11/26/07 8:50 | 2.475 | 0.32 |
| 11/26/07 8:55 | 2.475 | 0.32 |
| 11/26/07 9:00 | 2.474 | 0.36 |
| 11/26/07 9:05 | 2.473 | 0.32 |
| 11/26/07 9:10 | 2.472 | 0.36 |
| 11/26/07 9:15 | 2.472 | 0.36 |
| 11/26/07 9:20 | 2.47 | 0.32 |
| 11/26/07 9:25 | 2.469 | 0.37 |
| 11/26/07 9:30 | 2.468 | 0.37 |
| 11/26/07 9:35 | 2.467 | 0.37 |
| 11/26/07 9:40 | 2.466 | 0.32 |
| 11/26/07 9:45 | 2.465 | 0.3 |
| 11/26/07 9:50 | 2.464 | 0.36 |
| 11/26/07 9:55 | 2.463 | 0.36 |
| 11/26/07 10:00 | 2.462 | 0.3 |
| 11/26/07 10:05 | 2.462 | 0.33 |
| 11/26/07 10:10 | 2.462 | 0.36 |
| 11/26/07 10:15 | 2.462 | 0.42 |
| 11/26/07 10:20 | 2.463 | 0.42 |
| 11/26/07 10:25 | 2.464 | 0.42 |
| 11/26/07 10:30 | 2.465 | 0.28 |
| 11/26/07 10:35 | 2.466 | 0.31 |
| 11/26/07 10:40 | 2.467 | 0.29 |
| 11/26/07 10:45 | 2.468 | 0.31 |
| 11/26/07 10:50 | 2.468 | 0.34 |
| 11/26/07 10:55 | 2.47 | 0.33 |
| 11/26/07 11:00 | 2.474 | 0.33 |
| 11/26/07 11:05 | 2.481 | 0.33 |
| 11/26/07 11:10 | 2.491 | 0.31 |
| 11/26/07 11:15 | 2.5 | 0.31 |
| 11/26/07 11:20 | 2.508 | 0.35 |
| 11/26/07 11:25 | 2.514 | 0.35 |
| 11/26/07 11:30 | 2.518 | 0.33 |
| 11/26/07 11:35 | 2.52 | 0.33 |
| 11/26/07 11:40 | 2.521 | 0.33 |
| 11/26/07 11:45 | 2.521 | 0.35 |
| 11/26/07 11:50 | 2.52 | 0.32 |
| 11/26/07 11:55 | 2.519 | 0.32 |
| 11/26/07 12:00 | 2.517 | 0.33 |
| 11/26/07 12:05 | 2.515 | 0.33 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 12:10 | 2.512 | 0.36 |
| 11/26/07 12:15 | 2.51 | 0.38 |
| 11/26/07 12:20 | 2.507 | 0.38 |
| 11/26/07 12:25 | 2.504 | 0.4 |
| 11/26/07 12:30 | 2.503 | 0.37 |
| 11/26/07 12:35 | 2.503 | 0.37 |
| 11/26/07 12:40 | 2.505 | 0.37 |
| 11/26/07 12:45 | 2.51 | 0.37 |
| 11/26/07 12:50 | 2.517 | 0.37 |
| 11/26/07 12:55 | 2.525 | 0.37 |
| 11/26/07 13:00 | 2.533 | 0.37 |
| 11/26/07 13:05 | 2.541 | 0.37 |
| 11/26/07 13:10 | 2.548 | 0.37 |
| 11/26/07 13:15 | 2.554 | 0.34 |
| 11/26/07 13:20 | 2.557 | 0.34 |
| 11/26/07 13:25 | 2.559 | 0.34 |
| 11/26/07 13:30 | 2.559 | 0.34 |
| 11/26/07 13:35 | 2.558 | 0.34 |
| 11/26/07 13:40 | 2.557 | 0.34 |
| 11/26/07 13:45 | 2.555 | 0.34 |
| 11/26/07 13:50 | 2.554 | 11.2 |
| 11/26/07 13:55 | 2.554 | 10.83 |
| 11/26/07 14:00 | 2.553 | 11.55 |
| 11/26/07 14:05 | 2.552 | 11.91 |
| 11/26/07 14:10 | 2.553 | 11.91 |
| 11/26/07 14:15 | 2.554 | 11.91 |
| 11/26/07 14:20 | 2.56 | 11.91 |
| 11/26/07 14:25 | 2.565 | 8.95 |
| 11/26/07 14:30 | 2.569 | 8.95 |
| 11/26/07 14:35 | 2.57 | 8.95 |
| 11/26/07 14:40 | 2.569 | 12.95 |
| 11/26/07 14:45 | 2.567 | 12.95 |
| 11/26/07 14:50 | 2.563 | 12.95 |
| 11/26/07 14:55 | 2.559 | 12.95 |
| 11/26/07 15:00 | 2.554 | 11.86 |
| 11/26/07 15:05 | 2.549 | 10.41 |
| 11/26/07 15:10 | 2.544 | 10.41 |
| 11/26/07 15:15 | 2.538 | 8.98 |
| 11/26/07 15:20 | 2.534 | 9.34 |
| 11/26/07 15:25 | 2.528 | 9.34 |
| 11/26/07 15:30 | 2.524 | 0.31 |
| 11/26/07 15:35 | 2.519 | 0.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 15:40 | 2.516 | 0.33 |
| 11/26/07 15:45 | 2.512 | 0.35 |
| 11/26/07 15:50 | 2.509 | 0.31 |
| 11/26/07 15:55 | 2.506 | 0.39 |
| 11/26/07 16:00 | 2.505 | 0.34 |
| 11/26/07 16:05 | 2.503 | 0.34 |
| 11/26/07 16:10 | 2.502 | 0.37 |
| 11/26/07 16:15 | 2.5 | 0.36 |
| 11/26/07 16:20 | 2.499 | 0.29 |
| 11/26/07 16:25 | 2.498 | 0.35 |
| 11/26/07 16:30 | 2.497 | 0.3 |
| 11/26/07 16:35 | 2.495 | 0.38 |
| 11/26/07 16:40 | 2.495 | 0.37 |
| 11/26/07 16:45 | 2.494 | 0.37 |
| 11/26/07 16:50 | 2.495 | 0.35 |
| 11/26/07 16:55 | 2.496 | 0.34 |
| 11/26/07 17:00 | 2.497 | 0.36 |
| 11/26/07 17:05 | 2.498 | 0.33 |
| 11/26/07 17:10 | 2.499 | 0.3 |
| 11/26/07 17:15 | 2.5 | 0.36 |
| 11/26/07 17:20 | 2.501 | 0.32 |
| 11/26/07 17:25 | 2.502 | 0.41 |
| 11/26/07 17:30 | 2.505 | 0.36 |
| 11/26/07 17:35 | 2.511 | 0.38 |
| 11/26/07 17:40 | 2.519 | 0.35 |
| 11/26/07 17:45 | 2.527 | 0.37 |
| 11/26/07 17:50 | 2.534 | 0.3 |
| 11/26/07 17:55 | 2.54 | 0.36 |
| 11/26/07 18:00 | 2.542 | 0.41 |
| 11/26/07 18:05 | 2.544 | 0.34 |
| 11/26/07 18:10 | 2.543 | 0.39 |
| 11/26/07 18:15 | 2.543 | 0.35 |
| 11/26/07 18:20 | 2.541 | 0.31 |
| 11/26/07 18:25 | 2.538 | 0.36 |
| 11/26/07 18:30 | 2.535 | 0.31 |
| 11/26/07 18:35 | 2.533 | 0.32 |
| 11/26/07 18:40 | 2.53 | 0.32 |
| 11/26/07 18:45 | 2.528 | 0.33 |
| 11/26/07 18:50 | 2.524 | 0.35 |
| 11/26/07 18:55 | 2.522 | 0.4 |
| 11/26/07 19:00 | 2.519 | 0.39 |
| 11/26/07 19:05 | 2.517 | 0.33 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 19:10 | 2.514 | 0.34 |
| 11/26/07 19:15 | 2.512 | 0.34 |
| 11/26/07 19:20 | 2.51 | 0.36 |
| 11/26/07 19:25 | 2.508 | 0.35 |
| 11/26/07 19:30 | 2.507 | 0.38 |
| 11/26/07 19:35 | 2.505 | 0.33 |
| 11/26/07 19:40 | 2.503 | 0.38 |
| 11/26/07 19:45 | 2.502 | 0.37 |
| 11/26/07 19:50 | 2.5 | 0.34 |
| 11/26/07 19:55 | 2.5 | 0.34 |
| 11/26/07 20:00 | 2.499 | 0.36 |
| 11/26/07 20:05 | 2.497 | 0.34 |
| 11/26/07 20:10 | 2.497 | 0.34 |
| 11/26/07 20:15 | 2.497 | 0.38 |
| 11/26/07 20:20 | 2.496 | 0.38 |
| 11/26/07 20:25 | 2.497 | 0.27 |
| 11/26/07 20:30 | 2.499 | 0.31 |
| 11/26/07 20:35 | 2.502 | 0.32 |
| 11/26/07 20:40 | 2.51 | 0.37 |
| 11/26/07 20:45 | 2.524 | 0.37 |
| 11/26/07 20:50 | 2.569 | 0.35 |
| 11/26/07 20:55 | 2.675 | 0.31 |
| 11/26/07 21:00 | 2.767 | 0.28 |
| 11/26/07 21:05 | 2.808 | 0.28 |
| 11/26/07 21:10 | 2.819 | 0.31 |
| 11/26/07 21:15 | 2.818 | 0.26 |
| 11/26/07 21:20 | 2.816 | 0.26 |
| 11/26/07 21:25 | 2.82 | 0.3 |
| 11/26/07 21:30 | 2.824 | 0.3 |
| 11/26/07 21:35 | 2.82 | 0.32 |
| 11/26/07 21:40 | 2.81 | 0.31 |
| 11/26/07 21:45 | 2.794 | 0.34 |
| 11/26/07 21:50 | 2.778 | 0.37 |
| 11/26/07 21:55 | 2.76 | 0.35 |
| 11/26/07 22:00 | 2.743 | 0.35 |
| 11/26/07 22:05 | 2.728 | 0.34 |
| 11/26/07 22:10 | 2.715 | 0.29 |
| 11/26/07 22:15 | 2.704 | 0.33 |
| 11/26/07 22:20 | 2.694 | 0.31 |
| 11/26/07 22:25 | 2.686 | 0.33 |
| 11/26/07 22:30 | 2.68 | 0.32 |
| 11/26/07 22:35 | 2.674 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 22:40 | 2.67 | 0.33 |
| 11/26/07 22:45 | 2.665 | 0.39 |
| 11/26/07 22:50 | 2.662 | 0.35 |
| 11/26/07 22:55 | 2.66 | 0.4 |
| 11/26/07 23:00 | 2.657 | 0.36 |
| 11/26/07 23:05 | 2.656 | 0.44 |
| 11/26/07 23:10 | 2.656 | 0.44 |
| 11/26/07 23:15 | 2.657 | 0.42 |
| 11/26/07 23:20 | 2.658 | 0.32 |
| 11/26/07 23:25 | 2.66 | 0.38 |
| 11/26/07 23:30 | 2.668 | 0.41 |
| 11/26/07 23:35 | 2.681 | 0.35 |
| 11/26/07 23:40 | 2.698 | 0.35 |
| 11/26/07 23:45 | 2.71 | 0.36 |
| 11/26/07 23:50 | 2.715 | 0.35 |
| 11/26/07 23:55 | 2.715 | 0.35 |
| 11/27/07 0:00 | 2.714 | 0.32 |
| 11/27/07 0:05 | 2.71 | 0.4 |
| 11/27/07 0:10 | 2.706 | 0.44 |
| 11/27/07 0:15 | 2.703 | 0.41 |
| 11/27/07 0:20 | 2.703 | 0.29 |
| 11/27/07 0:25 | 2.704 | 0.36 |
| 11/27/07 0:30 | 2.707 | 0.32 |
| 11/27/07 0:35 | 2.709 | 0.38 |
| 11/27/07 0:40 | 2.712 | 0.34 |
| 11/27/07 0:45 | 2.715 | 0.33 |
| 11/27/07 0:50 | 2.72 | 0.35 |
| 11/27/07 0:55 | 2.727 | 0.32 |
| 11/27/07 1:00 | 2.736 | 0.39 |
| 11/27/07 1:05 | 2.749 | 0.35 |
| 11/27/07 1:10 | 2.761 | 0.35 |
| 11/27/07 1:15 | 2.772 | 0.37 |
| 11/27/07 1:20 | 2.78 | 0.35 |
| 11/27/07 1:25 | 2.79 | 0.37 |
| 11/27/07 1:30 | 2.801 | 0.36 |
| 11/27/07 1:35 | 2.808 | 0.37 |
| 11/27/07 1:40 | 2.811 | 0.28 |
| 11/27/07 1:45 | 2.815 | 0.34 |
| 11/27/07 1:50 | 2.816 | 0.37 |
| 11/27/07 1:55 | 2.814 | 0.33 |
| 11/27/07 2:00 | 2.81 | 0.38 |
| 11/27/07 2:05 | 2.807 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 2:10 | 2.801 | 0.3 |
| 11/27/07 2:15 | 2.798 | 0.35 |
| 11/27/07 2:20 | 2.791 | 0.4 |
| 11/27/07 2:25 | 2.786 | 0.41 |
| 11/27/07 2:30 | 2.78 | 0.43 |
| 11/27/07 2:35 | 2.768 | 0.39 |
| 11/27/07 2:40 | 2.754 | 0.35 |
| 11/27/07 2:45 | 2.748 | 0.34 |
| 11/27/07 2:50 | 2.741 | 0.38 |
| 11/27/07 2:55 | 2.739 | 0.33 |
| 11/27/07 3:00 | 2.747 | 0.42 |
| 11/27/07 3:05 | 2.749 | 0.4 |
| 11/27/07 3:10 | 2.75 | 0.42 |
| 11/27/07 3:15 | 2.747 | 0.33 |
| 11/27/07 3:20 | 2.745 | 0.41 |
| 11/27/07 3:25 | 2.739 | 0.41 |
| 11/27/07 3:30 | 2.734 | 0.36 |
| 11/27/07 3:35 | 2.728 | 0.37 |
| 11/27/07 3:40 | 2.723 | 0.36 |
| 11/27/07 3:45 | 2.718 | 0.38 |
| 11/27/07 3:50 | 2.714 | 0.44 |
| 11/27/07 3:55 | 2.71 | 0.37 |
| 11/27/07 4:00 | 2.707 | 0.34 |
| 11/27/07 4:05 | 2.704 | 0.44 |
| 11/27/07 4:10 | 2.701 | 0.4 |
| 11/27/07 4:15 | 2.698 | 0.39 |
| 11/27/07 4:20 | 2.695 | 0.4 |
| 11/27/07 4:25 | 2.69 | 0.39 |
| 11/27/07 4:30 | 2.686 | 0.42 |
| 11/27/07 4:35 | 2.682 | 0.39 |
| 11/27/07 4:40 | 2.679 | 0.41 |
| 11/27/07 4:45 | 2.677 | 0.35 |
| 11/27/07 4:50 | 2.675 | 0.4 |
| 11/27/07 4:55 | 2.674 | 0.41 |
| 11/27/07 5:00 | 2.674 | 0.36 |
| 11/27/07 5:05 | 2.672 | 0.36 |
| 11/27/07 5:10 | 2.672 | 0.4 |
| 11/27/07 5:15 | 2.67 | 0.36 |
| 11/27/07 5:20 | 2.67 | 0.46 |
| 11/27/07 5:25 | 2.669 | 0.43 |
| 11/27/07 5:30 | 2.669 | 0.41 |
| 11/27/07 5:35 | 2.669 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 5:40 | 2.67 | 0.41 |
| 11/27/07 5:45 | 2.67 | 0.4 |
| 11/27/07 5:50 | 2.67 | 0.42 |
| 11/27/07 5:55 | 2.669 | 0.46 |
| 11/27/07 6:00 | 2.669 | 0.38 |
| 11/27/07 6:05 | 2.669 | 0.46 |
| 11/27/07 6:10 | 2.668 | 0.34 |
| 11/27/07 6:15 | 2.667 | 0.45 |
| 11/27/07 6:20 | 2.669 | 0.43 |
| 11/27/07 6:25 | 2.669 | 0.42 |
| 11/27/07 6:30 | 2.668 | 0.48 |
| 11/27/07 6:35 | 2.669 | 0.43 |
| 11/27/07 6:40 | 2.67 | 0.39 |
| 11/27/07 6:45 | 2.669 | 0.43 |
| 11/27/07 6:50 | 2.67 | 0.36 |
| 11/27/07 6:55 | 2.67 | 0.38 |
| 11/27/07 7:00 | 2.67 | 0.42 |
| 11/27/07 7:05 | 2.672 | 0.44 |
| 11/27/07 7:10 | 2.671 | 0.45 |
| 11/27/07 7:15 | 2.671 | 0.43 |
| 11/27/07 7:20 | 2.666 | 0.35 |
| 11/27/07 7:25 | 2.668 | 0.33 |
| 11/27/07 7:30 | 2.671 | 0.39 |
| 11/27/07 7:35 | 2.668 | 0.4 |
| 11/27/07 7:40 | 2.667 | 0.35 |
| 11/27/07 7:45 | 2.671 | 0.39 |
| 11/27/07 7:50 | 2.669 | 0.32 |
| 11/27/07 7:55 | 2.67 | 0.44 |
| 11/27/07 8:00 | 2.669 | 0.37 |
| 11/27/07 8:05 | 2.667 | 0.38 |
| 11/27/07 8:10 | 2.665 | 0.38 |
| 11/27/07 8:15 | 2.666 | 0.39 |
| 11/27/07 8:20 | 2.664 | 0.39 |
| 11/27/07 8:25 | 2.663 | 0.59 |
| 11/27/07 8:30 | 2.664 | 0.44 |
| 11/27/07 8:35 | 2.663 | 0.5 |
| 11/27/07 8:40 | 2.662 | 0.39 |
| 11/27/07 8:45 | 2.664 | 0.44 |
| 11/27/07 8:50 | 2.665 | 0.38 |
| 11/27/07 8:55 | 2.663 | 0.45 |
| 11/27/07 9:00 | 2.665 | 0.43 |
| 11/27/07 9:05 | 2.664 | 0.42 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 9:10 | 2.664 | 0.43 |
| 11/27/07 9:15 | 2.664 | 0.43 |
| 11/27/07 9:20 | 2.663 | 0.43 |
| 11/27/07 9:25 | 2.663 | 0.44 |
| 11/27/07 9:30 | 2.664 | 0.44 |
| 11/27/07 9:35 | 2.663 | 0.44 |
| 11/27/07 9:40 | 2.664 | 0.44 |
| 11/27/07 9:45 | 2.661 | 0.43 |
| 11/27/07 9:50 | 2.661 | 0.42 |
| 11/27/07 9:55 | 2.659 | 0.42 |
| 11/27/07 10:00 | 2.66 | 0.37 |
| 11/27/07 10:05 | 2.661 | 0.53 |
| 11/27/07 10:10 | 2.661 | 0.39 |
| 11/27/07 10:15 | 2.66 | 0.44 |
| 11/27/07 10:20 | 2.661 | 0.37 |
| 11/27/07 10:25 | 2.665 | 0.37 |
| 11/27/07 10:30 | 2.66 | 0.37 |
| 11/27/07 10:35 | 2.657 | 0.44 |
| 11/27/07 10:40 | 2.66 | 0.42 |
| 11/27/07 10:45 | 2.66 | 0.5 |
| 11/27/07 10:50 | 2.658 | 0.42 |
| 11/27/07 10:55 | 2.659 | 0.42 |
| 11/27/07 11:00 | 2.66 | 0.42 |
| 11/27/07 11:05 | 2.658 | 0.42 |
| 11/27/07 11:10 | 2.66 | 0.42 |
| 11/27/07 11:15 | 2.661 | 0.42 |
| 11/27/07 11:20 | 2.661 | 0.42 |
| 11/27/07 11:25 | 2.661 | 0.47 |
| 11/27/07 11:30 | 2.661 | 0.47 |
| 11/27/07 11:35 | 2.659 | 0.47 |
| 11/27/07 11:40 | 2.661 | 0.47 |
| 11/27/07 11:45 | 2.662 | 0.47 |
| 11/27/07 11:50 | 2.662 | 0.47 |
| 11/27/07 11:55 | 2.663 | 0.39 |
| 11/27/07 12:00 | 2.662 | 0.42 |
| 11/27/07 12:05 | 2.663 | 0.42 |
| 11/27/07 12:10 | 2.664 | 0.42 |
| 11/27/07 12:15 | 2.664 | 0.42 |
| 11/27/07 12:20 | 2.664 | 10.99 |
| 11/27/07 12:25 | 2.664 | 10.99 |
| 11/27/07 12:30 | 2.664 | 10.99 |
| 11/27/07 12:35 | 2.664 | 12.26 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 12:40 | 2.661 | 10.62 |
| 11/27/07 12:45 | 2.663 | 10.62 |
| 11/27/07 12:50 | 2.663 | 10.62 |
| 11/27/07 12:55 | 2.663 | 10.62 |
| 11/27/07 13:00 | 2.664 | 10.62 |
| 11/27/07 13:05 | 2.662 | 0.42 |
| 11/27/07 13:10 | 2.661 | 0.45 |
| 11/27/07 13:15 | 2.66 | 0.41 |
| 11/27/07 13:20 | 2.661 | 0.45 |
| 11/27/07 13:25 | 2.661 | 0.4 |
| 11/27/07 13:30 | 2.66 | 0.41 |
| 11/27/07 13:35 | 2.659 | 0.4 |
| 11/27/07 13:40 | 2.66 | 0.4 |
| 11/27/07 13:45 | 2.659 | 0.37 |
| 11/27/07 13:50 | 2.658 | 0.43 |
| 11/27/07 13:55 | 2.659 | 0.37 |
| 11/27/07 14:00 | 2.659 | 0.38 |
| 11/27/07 14:05 | 2.661 | 0.42 |
| 11/27/07 14:10 | 2.66 | 0.41 |
| 11/27/07 14:15 | 2.658 | 0.52 |
| 11/27/07 14:20 | 2.659 | 0.44 |
| 11/27/07 14:25 | 2.659 | 0.47 |
| 11/27/07 14:30 | 2.658 | 0.37 |
| 11/27/07 14:35 | 2.659 | 0.41 |
| 11/27/07 14:40 | 2.658 | 0.41 |
| 11/27/07 14:45 | 2.657 | 0.43 |
| 11/27/07 14:50 | 2.658 | 0.41 |
| 11/27/07 14:55 | 2.657 | 0.38 |
| 11/27/07 15:00 | 2.659 | 0.46 |
| 11/27/07 15:05 | 2.658 | 0.41 |
| 11/27/07 15:10 | 2.658 | 0.4 |
| 11/27/07 15:15 | 2.657 | 0.4 |
| 11/27/07 15:20 | 2.656 | 0.34 |
| 11/27/07 15:25 | 2.655 | 0.48 |
| 11/27/07 15:30 | 2.656 | 0.41 |
| 11/27/07 15:35 | 2.657 | 0.43 |
| 11/27/07 15:40 | 2.653 | 0.43 |
| 11/27/07 15:45 | 2.656 | 0.36 |
| 11/27/07 15:50 | 2.657 | 0.41 |
| 11/27/07 15:55 | 2.657 | 0.45 |
| 11/27/07 16:00 | 2.656 | 0.46 |
| 11/27/07 16:05 | 2.657 | 0.45 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 16:10 | 2.656 | 0.43 |
| 11/27/07 16:15 | 2.656 | 0.43 |
| 11/27/07 16:20 | 2.656 | 0.43 |
| 11/27/07 16:25 | 2.655 | 0.43 |
| 11/27/07 16:30 | 2.657 | 0.43 |
| 11/27/07 16:35 | 2.656 | 0.43 |
| 11/27/07 16:40 | 2.655 | 0.43 |
| 11/27/07 16:45 | 2.655 | 0.43 |
| 11/27/07 16:50 | 2.656 | 0.43 |
| 11/27/07 16:55 | 2.656 | 0.43 |
| 11/27/07 17:00 | 2.656 | 0.42 |
| 11/27/07 17:05 | 2.656 | 0.43 |
| 11/27/07 17:10 | 2.656 | 0.42 |
| 11/27/07 17:15 | 2.655 | 0.42 |
| 11/27/07 17:20 | 2.655 | 0.5 |
| 11/27/07 17:25 | 2.655 | 0.37 |
| 11/27/07 17:30 | 2.654 | 0.46 |
| 11/27/07 17:35 | 2.654 | 0.36 |
| 11/27/07 17:40 | 2.654 | 0.42 |
| 11/27/07 17:45 | 2.653 | 0.45 |
| 11/27/07 17:50 | 2.652 | 0.48 |
| 11/27/07 17:55 | 2.652 | 0.48 |
| 11/27/07 18:00 | 2.651 | 0.48 |
| 11/27/07 18:05 | 2.65 | 0.47 |
| 11/27/07 18:10 | 2.65 | 0.4 |
| 11/27/07 18:15 | 2.648 | 0.45 |
| 11/27/07 18:20 | 2.648 | 0.46 |
| 11/27/07 18:25 | 2.647 | 0.41 |
| 11/27/07 18:30 | 2.647 | 0.41 |
| 11/27/07 18:35 | 2.646 | 0.44 |
| 11/27/07 18:40 | 2.646 | 0.36 |
| 11/27/07 18:45 | 2.646 | 0.55 |
| 11/27/07 18:50 | 2.645 | 0.41 |
| 11/27/07 18:55 | 2.645 | 0.41 |
| 11/27/07 19:00 | 2.643 | 0.47 |
| 11/27/07 19:05 | 2.643 | 0.44 |
| 11/27/07 19:10 | 2.642 | 0.43 |
| 11/27/07 19:15 | 2.642 | 0.39 |
| 11/27/07 19:20 | 2.641 | 0.4 |
| 11/27/07 19:25 | 2.641 | 0.42 |
| 11/27/07 19:30 | 2.64 | 0.4 |
| 11/27/07 19:35 | 2.64 | 0.41 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 19:40 | 2.639 | 0.45 |
| 11/27/07 19:45 | 2.638 | 0.41 |
| 11/27/07 19:50 | 2.638 | 0.43 |
| 11/27/07 19:55 | 2.638 | 0.42 |
| 11/27/07 20:00 | 2.636 | 0.41 |
| 11/27/07 20:05 | 2.635 | 0.41 |
| 11/27/07 20:10 | 2.633 | 0.47 |
| 11/27/07 20:15 | 2.632 | 0.42 |
| 11/27/07 20:20 | 2.632 | 0.44 |
| 11/27/07 20:25 | 2.63 | 0.36 |
| 11/27/07 20:30 | 2.63 | 0.35 |
| 11/27/07 20:35 | 2.628 | 0.52 |
| 11/27/07 20:40 | 2.627 | 0.45 |
| 11/27/07 20:45 | 2.626 | 0.37 |
| 11/27/07 20:50 | 2.624 | 0.4 |
| 11/27/07 20:55 | 2.623 | 0.38 |
| 11/27/07 21:00 | 2.621 | 0.45 |
| 11/27/07 21:05 | 2.62 | 0.4 |
| 11/27/07 21:10 | 2.62 | 0.49 |
| 11/27/07 21:15 | 2.618 | 0.33 |
| 11/27/07 21:20 | 2.618 | 0.42 |
| 11/27/07 21:25 | 2.617 | 0.41 |
| 11/27/07 21:30 | 2.616 | 0.39 |
| 11/27/07 21:35 | 2.616 | 0.43 |
| 11/27/07 21:40 | 2.615 | 0.47 |
| 11/27/07 21:45 | 2.614 | 0.49 |
| 11/27/07 21:50 | 2.613 | 0.43 |
| 11/27/07 21:55 | 2.612 | 0.36 |
| 11/27/07 22:00 | 2.612 | 0.42 |
| 11/27/07 22:05 | 2.611 | 0.42 |
| 11/27/07 22:10 | 2.611 | 0.4 |
| 11/27/07 22:15 | 2.61 | 0.36 |
| 11/27/07 22:20 | 2.609 | 0.4 |
| 11/27/07 22:25 | 2.608 | 0.41 |
| 11/27/07 22:30 | 2.608 | 0.39 |
| 11/27/07 22:35 | 2.607 | 0.38 |
| 11/27/07 22:40 | 2.606 | 0.36 |
| 11/27/07 22:45 | 2.606 | 0.36 |
| 11/27/07 22:50 | 2.606 | 0.41 |
| 11/27/07 22:55 | 2.606 | 0.37 |
| 11/27/07 23:00 | 2.606 | 0.37 |
| 11/27/07 23:05 | 2.605 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 23:10 | 2.605 | 0.36 |
| 11/27/07 23:15 | 2.604 | 0.45 |
| 11/27/07 23:20 | 2.603 | 0.42 |
| 11/27/07 23:25 | 2.606 | 0.47 |
| 11/27/07 23:30 | 2.605 | 0.44 |
| 11/27/07 23:35 | 2.603 | 0.43 |
| 11/27/07 23:40 | 2.602 | 0.41 |
| 11/27/07 23:45 | 2.601 | 0.39 |
| 11/27/07 23:50 | 2.602 | 0.47 |
| 11/27/07 23:55 | 2.601 | 0.47 |
| 11/28/07 0:00 | 2.601 | 0.4 |
| 11/28/07 0:05 | 2.599 | 0.4 |
| 11/28/07 0:10 | 2.599 | 0.39 |
| 11/28/07 0:15 | 2.598 | 0.44 |
| 11/28/07 0:20 | 2.596 | 0.39 |
| 11/28/07 0:25 | 2.598 | 0.38 |
| 11/28/07 0:30 | 2.597 | 0.48 |
| 11/28/07 0:35 | 2.596 | 0.46 |
| 11/28/07 0:40 | 2.596 | 0.4 |
| 11/28/07 0:45 | 2.599 | 0.39 |
| 11/28/07 0:50 | 2.599 | 0.36 |
| 11/28/07 0:55 | 2.595 | 0.43 |
| 11/28/07 1:00 | 2.597 | 0.47 |
| 11/28/07 1:05 | 2.599 | 0.4 |
| 11/28/07 1:10 | 2.599 | 0.39 |
| 11/28/07 1:15 | 2.598 | 0.39 |
| 11/28/07 1:20 | 2.599 | 0.37 |
| 11/28/07 1:25 | 2.598 | 0.37 |
| 11/28/07 1:30 | 2.599 | 0.39 |
| 11/28/07 1:35 | 2.599 | 0.39 |
| 11/28/07 1:40 | 2.599 | 0.5 |
| 11/28/07 1:45 | 2.599 | 0.5 |
| 11/28/07 1:50 | 2.599 | 0.5 |
| 11/28/07 1:55 | 2.599 | 0.5 |
| 11/28/07 2:00 | 2.599 | 0.5 |
| 11/28/07 2:05 | 2.598 | 0.39 |
| 11/28/07 2:10 | 2.6 | 0.4 |
| 11/28/07 2:15 | 2.6 | 0.44 |
| 11/28/07 2:20 | 2.603 | 0.44 |
| 11/28/07 2:25 | 2.599 | 0.44 |
| 11/28/07 2:30 | 2.599 | 0.37 |
| 11/28/07 2:35 | 2.6 | 0.43 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 2:40 | 2.599 | 0.5 |
| 11/28/07 2:45 | 2.599 | 0.41 |
| 11/28/07 2:50 | 2.599 | 0.44 |
| 11/28/07 2:55 | 2.599 | 0.44 |
| 11/28/07 3:00 | 2.599 | 0.44 |
| 11/28/07 3:05 | 2.598 | 0.44 |
| 11/28/07 3:10 | 2.6 | 0.44 |
| 11/28/07 3:15 | 2.599 | 0.44 |
| 11/28/07 3:20 | 2.599 | 0.44 |
| 11/28/07 3:25 | 2.598 | 0.4 |
| 11/28/07 3:30 | 2.601 | 0.39 |
| 11/28/07 3:35 | 2.6 | 0.46 |
| 11/28/07 3:40 | 2.6 | 0.42 |
| 11/28/07 3:45 | 2.6 | 0.38 |
| 11/28/07 3:50 | 2.599 | 0.41 |
| 11/28/07 3:55 | 2.6 | 0.4 |
| 11/28/07 4:00 | 2.599 | 0.46 |
| 11/28/07 4:05 | 2.599 | 0.43 |
| 11/28/07 4:10 | 2.6 | 0.45 |
| 11/28/07 4:15 | 2.6 | 0.46 |
| 11/28/07 4:20 | 2.6 | 0.39 |
| 11/28/07 4:25 | 2.6 | 0.33 |
| 11/28/07 4:30 | 2.599 | 0.43 |
| 11/28/07 4:35 | 2.599 | 0.34 |
| 11/28/07 4:40 | 2.599 | 0.39 |
| 11/28/07 4:45 | 2.599 | 0.39 |
| 11/28/07 4:50 | 2.6 | 0.39 |
| 11/28/07 4:55 | 2.599 | 0.39 |
| 11/28/07 5:00 | 2.6 | 0.31 |
| 11/28/07 5:05 | 2.597 | 0.31 |
| 11/28/07 5:10 | 2.598 | 0.31 |
| 11/28/07 5:15 | 2.597 | 0.31 |
| 11/28/07 5:20 | 2.598 | 0.46 |
| 11/28/07 5:25 | 2.596 | 0.46 |
| 11/28/07 5:30 | 2.597 | 0.46 |
| 11/28/07 5:35 | 2.596 | 0.46 |
| 11/28/07 5:40 | 2.596 | 0.46 |
| 11/28/07 5:45 | 2.594 | 0.46 |
| 11/28/07 5:50 | 2.587 | 0.46 |
| 11/28/07 5:55 | 2.582 | 0.46 |
| 11/28/07 6:00 | 2.579 | 0.46 |
| 11/28/07 6:05 | 2.576 | 0.46 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 6:10 | 2.574 | 0.46 |
| 11/28/07 6:15 | 2.573 | 0.46 |
| 11/28/07 6:20 | 2.572 | 0.46 |
| 11/28/07 6:25 | 2.571 | 0.46 |
| 11/28/07 6:30 | 2.571 | 0.41 |
| 11/28/07 6:35 | 2.57 | 0.41 |
| 11/28/07 6:40 | 2.569 | 0.41 |
| 11/28/07 6:45 | 2.568 | 0.49 |
| 11/28/07 6:50 | 2.569 | 0.39 |
| 11/28/07 6:55 | 2.569 | 0.39 |
| 11/28/07 7:00 | 2.569 | 0.4 |
| 11/28/07 7:05 | 2.569 | 0.4 |
| 11/28/07 7:10 | 2.569 | 0.37 |
| 11/28/07 7:15 | 2.57 | 0.41 |
| 11/28/07 7:20 | 2.569 | 0.46 |
| 11/28/07 7:25 | 2.569 | 0.44 |
| 11/28/07 7:30 | 2.569 | 0.44 |
| 11/28/07 7:35 | 2.569 | 0.43 |
| 11/28/07 7:40 | 2.57 | 0.42 |
| 11/28/07 7:45 | 2.569 | 0.42 |
| 11/28/07 7:50 | 2.569 | 0.42 |
| 11/28/07 7:55 | 2.57 | 0.42 |
| 11/28/07 8:00 | 2.571 | 0.37 |
| 11/28/07 8:05 | 2.571 | 0.45 |
| 11/28/07 8:10 | 2.571 | 0.45 |
| 11/28/07 8:15 | 2.571 | 0.36 |
| 11/28/07 8:20 | 2.572 | 0.43 |
| 11/28/07 8:25 | 2.572 | 0.42 |
| 11/28/07 8:30 | 2.572 | 0.42 |
| 11/28/07 8:35 | 2.573 | 0.46 |
| 11/28/07 8:40 | 2.573 | 0.61 |
| 11/28/07 8:45 | 2.573 | 0.61 |
| 11/28/07 8:50 | 2.573 | 0.61 |
| 11/28/07 8:55 | 2.573 | 0.61 |
| 11/28/07 9:00 | 2.574 | 0.61 |
| 11/28/07 9:05 | 2.574 | 0.61 |
| 11/28/07 9:10 | 2.574 | 0.61 |
| 11/28/07 9:15 | 2.574 | 0.45 |
| 11/28/07 9:20 | 2.574 | 0.45 |
| 11/28/07 9:25 | 2.574 | 0.45 |
| 11/28/07 9:30 | 2.575 | 0.48 |
| 11/28/07 9:35 | 2.575 | 0.48 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 9:40 | 2.574 | 0.47 |
| 11/28/07 9:45 | 2.574 | 0.47 |
| 11/28/07 9:50 | 2.575 | 0.47 |
| 11/28/07 9:55 | 2.574 | 0.47 |
| 11/28/07 10:00 | 2.574 | 0.46 |
| 11/28/07 10:05 | 2.574 | 0.46 |
| 11/28/07 10:10 | 2.574 | 0.46 |
| 11/28/07 10:15 | 2.574 | 0.41 |
| 11/28/07 10:20 | 2.575 | 0.38 |
| 11/28/07 10:25 | 2.574 | 0.45 |
| 11/28/07 10:30 | 2.574 | 0.38 |
| 11/28/07 10:35 | 2.574 | 0.4 |
| 11/28/07 10:40 | 2.574 | 0.4 |
| 11/28/07 10:45 | 2.575 | 0.46 |
| 11/28/07 10:50 | 2.575 | 0.4 |
| 11/28/07 10:55 | 2.575 | 0.39 |
| 11/28/07 11:00 | 2.575 | 0.41 |
| 11/28/07 11:05 | 2.575 | 0.34 |
| 11/28/07 11:10 | 2.575 | 0.41 |
| 11/28/07 11:15 | 2.576 | 0.41 |
| 11/28/07 11:20 | 2.576 | 0.41 |
| 11/28/07 11:25 | 2.576 | 0.41 |
| 11/28/07 11:30 | 2.575 | 0.41 |
| 11/28/07 11:35 | 2.576 | 0.41 |
| 11/28/07 11:40 | 2.576 | 0.41 |
| 11/28/07 11:45 | 2.576 | 0.41 |
| 11/28/07 11:50 | 2.576 | 0.41 |
| 11/28/07 11:55 | 2.576 | 0.46 |
| 11/28/07 12:00 | 2.576 | 0.42 |
| 11/28/07 12:05 | 2.576 | 0.42 |
| 11/28/07 12:10 | 2.575 | 0.42 |
| 11/28/07 12:15 | 2.574 | 11.54 |
| 11/28/07 12:20 | 2.578 | 11.16 |
| 11/28/07 12:25 | 2.575 | 11.02 |
| 11/28/07 12:30 | 2.575 | 11.02 |
| 11/28/07 12:35 | 2.575 | 11.02 |
| 11/28/07 12:40 | 2.576 | 11.02 |
| 11/28/07 12:45 | 2.575 | 11.02 |
| 11/28/07 12:50 | 2.575 | 0.41 |
| 11/28/07 12:55 | 2.575 | 0.41 |
| 11/28/07 13:00 | 2.574 | 0.41 |
| 11/28/07 13:05 | 2.574 | 0.47 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 13:10 | 2.574 | 0.47 |
| 11/28/07 13:15 | 2.574 | 0.51 |
| 11/28/07 13:20 | 2.574 | 0.42 |
| 11/28/07 13:25 | 2.574 | 0.47 |
| 11/28/07 13:30 | 2.574 | 0.44 |
| 11/28/07 13:35 | 2.574 | 0.41 |
| 11/28/07 13:40 | 2.574 | 0.44 |
| 11/28/07 13:45 | 2.574 | 0.38 |
| 11/28/07 13:50 | 2.574 | 0.38 |
| 11/28/07 13:55 | 2.574 | 0.45 |
| 11/28/07 14:00 | 2.574 | 0.4 |
| 11/28/07 14:05 | 2.573 | 0.41 |
| 11/28/07 14:10 | 2.574 | 0.41 |
| 11/28/07 14:15 | 2.574 | 0.39 |
| 11/28/07 14:20 | 2.574 | 0.39 |
| 11/28/07 14:25 | 2.574 | 0.39 |
| 11/28/07 14:30 | 2.574 | 0.39 |
| 11/28/07 14:35 | 2.574 | 0.39 |
| 11/28/07 14:40 | 2.574 | 0.39 |
| 11/28/07 14:45 | 2.574 | 0.39 |
| 11/28/07 14:50 | 2.574 | 0.39 |
| 11/28/07 14:55 | 2.574 | 0.39 |
| 11/28/07 15:00 | 2.574 | 0.39 |
| 11/28/07 15:05 | 2.574 | 0.39 |
| 11/28/07 15:10 | 2.574 | 0.39 |
| 11/28/07 15:15 | 2.573 | 0.39 |
| 11/28/07 15:20 | 2.574 | 0.39 |
| 11/28/07 15:25 | 2.573 | 0.39 |
| 11/28/07 15:30 | 2.574 | 0.39 |
| 11/28/07 15:35 | 2.573 | 0.41 |
| 11/28/07 15:40 | 2.574 | 12.67 |
| 11/28/07 15:45 | 2.574 | 11.43 |
| 11/28/07 15:50 | 2.573 | 11.43 |
| 11/28/07 15:55 | 2.573 | 10.67 |
| 11/28/07 16:00 | 2.573 | 12.64 |
| 11/28/07 16:05 | 2.573 | 12.97 |
| 11/28/07 16:10 | 2.573 | 12.76 |
| 11/28/07 16:15 | 2.573 | 13.51 |
| 11/28/07 16:20 | 2.573 | 11.73 |
| 11/28/07 16:25 | 2.573 | 12.45 |
| 11/28/07 16:30 | 2.572 | 12.45 |
| 11/28/07 16:35 | 2.573 | 12.45 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 16:40 | 2.573 | 10.96 |
| 11/28/07 16:45 | 2.573 | 10.96 |
| 11/28/07 16:50 | 2.573 | 10.96 |
| 11/28/07 16:55 | 2.573 | 10.96 |
| 11/28/07 17:00 | 2.573 | 10.96 |
| 11/28/07 17:05 | 2.573 | 10.88 |
| 11/28/07 17:10 | 2.574 | 10.88 |
| 11/28/07 17:15 | 2.573 | 10.88 |
| 11/28/07 17:20 | 2.573 | 0.33 |
| 11/28/07 17:25 | 2.573 | 0.46 |
| 11/28/07 17:30 | 2.573 | 0.46 |
| 11/28/07 17:35 | 2.573 | 0.49 |
| 11/28/07 17:40 | 2.573 | 0.39 |
| 11/28/07 17:45 | 2.573 | 0.51 |
| 11/28/07 17:50 | 2.573 | 0.51 |
| 11/28/07 17:55 | 2.572 | 0.51 |
| 11/28/07 18:00 | 2.572 | 0.51 |
| 11/28/07 18:05 | 2.573 | 0.51 |
| 11/28/07 18:10 | 2.571 | 0.51 |
| 11/28/07 18:15 | 2.571 | 0.4 |
| 11/28/07 18:20 | 2.57 | 0.45 |
| 11/28/07 18:25 | 2.57 | 0.49 |
| 11/28/07 18:30 | 2.57 | 0.49 |
| 11/28/07 18:35 | 2.569 | 0.44 |
| 11/28/07 18:40 | 2.569 | 0.47 |
| 11/28/07 18:45 | 2.569 | 0.44 |
| 11/28/07 18:50 | 2.568 | 0.44 |
| 11/28/07 18:55 | 2.568 | 0.44 |
| 11/28/07 19:00 | 2.568 | 0.41 |
| 11/28/07 19:05 | 2.569 | 0.41 |
| 11/28/07 19:10 | 2.569 | 0.41 |
| 11/28/07 19:15 | 2.568 | 0.37 |
| 11/28/07 19:20 | 2.569 | 0.41 |
| 11/28/07 19:25 | 2.568 | 0.43 |
| 11/28/07 19:30 | 2.568 | 0.44 |
| 11/28/07 19:35 | 2.568 | 0.38 |
| 11/28/07 19:40 | 2.567 | 0.47 |
| 11/28/07 19:45 | 2.566 | 0.48 |
| 11/28/07 19:50 | 2.565 | 0.37 |
| 11/28/07 19:55 | 2.565 | 0.56 |
| 11/28/07 20:00 | 2.565 | 0.56 |
| 11/28/07 20:05 | 2.564 | 0.42 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 20:10 | 2.564 | 0.38 |
| 11/28/07 20:15 | 2.564 | 0.4 |
| 11/28/07 20:20 | 2.563 | 0.4 |
| 11/28/07 20:25 | 2.562 | 0.37 |
| 11/28/07 20:30 | 2.562 | 0.37 |
| 11/28/07 20:35 | 2.562 | 0.38 |
| 11/28/07 20:40 | 2.56 | 0.38 |
| 11/28/07 20:45 | 2.561 | 0.37 |
| 11/28/07 20:50 | 2.56 | 0.37 |
| 11/28/07 20:55 | 2.559 | 0.37 |
| 11/28/07 21:00 | 2.559 | 0.37 |
| 11/28/07 21:05 | 2.558 | 0.37 |
| 11/28/07 21:10 | 2.556 | 0.34 |
| 11/28/07 21:15 | 2.554 | 0.46 |
| 11/28/07 21:20 | 2.55 | 0.39 |
| 11/28/07 21:25 | 2.546 | 0.32 |
| 11/28/07 21:30 | 2.544 | 0.4 |
| 11/28/07 21:35 | 2.542 | 0.32 |
| 11/28/07 21:40 | 2.541 | 0.32 |
| 11/28/07 21:45 | 2.537 | 0.32 |
| 11/28/07 21:50 | 2.537 | 0.32 |
| 11/28/07 21:55 | 2.536 | 0.32 |
| 11/28/07 22:00 | 2.534 | 0.32 |
| 11/28/07 22:05 | 2.533 | 0.32 |
| 11/28/07 22:10 | 2.532 | 0.46 |
| 11/28/07 22:15 | 2.53 | 0.39 |
| 11/28/07 22:20 | 2.53 | 0.45 |
| 11/28/07 22:25 | 2.529 | 0.45 |
| 11/28/07 22:30 | 2.529 | 0.46 |
| 11/28/07 22:35 | 2.529 | 0.41 |
| 11/28/07 22:40 | 2.528 | 0.34 |
| 11/28/07 22:45 | 2.527 | 0.34 |
| 11/28/07 22:50 | 2.527 | 0.35 |
| 11/28/07 22:55 | 2.527 | 0.37 |
| 11/28/07 23:00 | 2.526 | 0.38 |
| 11/28/07 23:05 | 2.526 | 0.38 |
| 11/28/07 23:10 | 2.526 | 0.28 |
| 11/28/07 23:15 | 2.526 | 0.28 |
| 11/28/07 23:20 | 2.525 | 0.28 |
| 11/28/07 23:25 | 2.525 | 0.28 |
| 11/28/07 23:30 | 2.525 | 0.28 |
| 11/28/07 23:35 | 2.52 | 0.28 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 23:40 | 2.517 | 0.31 |
| 11/28/07 23:45 | 2.515 | 0.37 |
| 11/28/07 23:50 | 2.512 | 0.33 |
| 11/28/07 23:55 | 2.511 | 0.38 |
| 11/29/07 0:00 | 2.509 | 0.38 |
| 11/29/07 0:05 | 2.508 | 0.36 |
| 11/29/07 0:10 | 2.506 | 0.38 |
| 11/29/07 0:15 | 2.506 | 0.32 |
| 11/29/07 0:20 | 2.505 | 0.36 |
| 11/29/07 0:25 | 2.506 | 0.34 |
| 11/29/07 0:30 | 2.507 | 0.33 |
| 11/29/07 0:35 | 2.509 | 0.4 |
| 11/29/07 0:40 | 2.511 | 0.35 |
| 11/29/07 0:45 | 2.512 | 0.34 |
| 11/29/07 0:50 | 2.511 | 0.38 |
| 11/29/07 0:55 | 2.51 | 0.38 |
| 11/29/07 1:00 | 2.505 | 0.38 |
| 11/29/07 1:05 | 2.501 | 0.38 |
| 11/29/07 1:10 | 2.5 | 0.35 |
| 11/29/07 1:15 | 2.497 | 0.36 |
| 11/29/07 1:20 | 2.495 | 0.39 |
| 11/29/07 1:25 | 2.493 | 0.34 |
| 11/29/07 1:30 | 2.491 | 0.34 |
| 11/29/07 1:35 | 2.49 | 0.3 |
| 11/29/07 1:40 | 2.488 | 0.33 |
| 11/29/07 1:45 | 2.488 | 0.3 |
| 11/29/07 1:50 | 2.487 | 0.35 |
| 11/29/07 1:55 | 2.486 | 0.36 |
| 11/29/07 2:00 | 2.486 | 0.42 |
| 11/29/07 2:05 | 2.486 | 0.29 |
| 11/29/07 2:10 | 2.484 | 0.37 |
| 11/29/07 2:15 | 2.484 | 0.43 |
| 11/29/07 2:20 | 2.484 | 0.43 |
| 11/29/07 2:25 | 2.484 | 0.36 |
| 11/29/07 2:30 | 2.485 | 0.37 |
| 11/29/07 2:35 | 2.484 | 0.32 |
| 11/29/07 2:40 | 2.485 | 0.39 |
| 11/29/07 2:45 | 2.484 | 0.41 |
| 11/29/07 2:50 | 2.484 | 0.33 |
| 11/29/07 2:55 | 2.484 | 0.34 |
| 11/29/07 3:00 | 2.485 | 0.34 |
| 11/29/07 3:05 | 2.485 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 3:10 | 2.486 | 0.41 |
| 11/29/07 3:15 | 2.486 | 0.37 |
| 11/29/07 3:20 | 2.487 | 0.41 |
| 11/29/07 3:25 | 2.486 | 0.32 |
| 11/29/07 3:30 | 2.487 | 0.35 |
| 11/29/07 3:35 | 2.487 | 0.35 |
| 11/29/07 3:40 | 2.488 | 0.35 |
| 11/29/07 3:45 | 2.489 | 0.35 |
| 11/29/07 3:50 | 2.489 | 0.38 |
| 11/29/07 3:55 | 2.489 | 0.37 |
| 11/29/07 4:00 | 2.489 | 0.34 |
| 11/29/07 4:05 | 2.49 | 0.34 |
| 11/29/07 4:10 | 2.49 | 0.37 |
| 11/29/07 4:15 | 2.491 | 0.37 |
| 11/29/07 4:20 | 2.491 | 0.34 |
| 11/29/07 4:25 | 2.492 | 0.34 |
| 11/29/07 4:30 | 2.491 | 0.38 |
| 11/29/07 4:35 | 2.492 | 0.41 |
| 11/29/07 4:40 | 2.493 | 0.41 |
| 11/29/07 4:45 | 2.492 | 0.34 |
| 11/29/07 4:50 | 2.492 | 0.37 |
| 11/29/07 4:55 | 2.493 | 0.36 |
| 11/29/07 5:00 | 2.495 | 0.31 |
| 11/29/07 5:05 | 2.493 | 0.26 |
| 11/29/07 5:10 | 2.495 | 0.38 |
| 11/29/07 5:15 | 2.494 | 0.32 |
| 11/29/07 5:20 | 2.496 | 0.35 |
| 11/29/07 5:25 | 2.495 | 0.37 |
| 11/29/07 5:30 | 2.494 | 0.41 |
| 11/29/07 5:35 | 2.495 | 0.36 |
| 11/29/07 5:40 | 2.492 | 0.38 |
| 11/29/07 5:45 | 2.486 | 0.34 |
| 11/29/07 5:50 | 2.477 | 0.34 |
| 11/29/07 5:55 | 2.47 | 0.34 |
| 11/29/07 6:00 | 2.464 | 0.34 |
| 11/29/07 6:05 | 2.46 | 0.34 |
| 11/29/07 6:10 | 2.456 | 0.34 |
| 11/29/07 6:15 | 2.452 | 0.34 |
| 11/29/07 6:20 | 2.45 | 0.34 |
| 11/29/07 6:25 | 2.446 | 0.41 |
| 11/29/07 6:30 | 2.444 | 0.34 |
| 11/29/07 6:35 | 2.441 | 0.38 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 6:40 | 2.442 | 0.44 |
| 11/29/07 6:45 | 2.442 | 0.47 |
| 11/29/07 6:50 | 2.437 | 0.44 |
| 11/29/07 6:55 | 2.441 | 0.44 |
| 11/29/07 7:00 | 2.439 | 0.42 |
| 11/29/07 7:05 | 2.438 | 0.49 |
| 11/29/07 7:10 | 2.436 | 0.36 |
| 11/29/07 7:15 | 2.437 | 0.41 |
| 11/29/07 7:20 | 2.435 | 0.38 |
| 11/29/07 7:25 | 2.435 | 0.39 |
| 11/29/07 7:30 | 2.435 | 0.3 |
| 11/29/07 7:35 | 2.435 | 0.47 |
| 11/29/07 7:40 | 2.436 | 0.38 |
| 11/29/07 7:45 | 2.437 | 0.39 |
| 11/29/07 7:50 | 2.436 | 0.37 |
| 11/29/07 7:55 | 2.437 | 0.34 |
| 11/29/07 8:00 | 2.437 | 0.4 |
| 11/29/07 8:05 | 2.437 | 0.42 |
| 11/29/07 8:10 | 2.439 | 0.39 |
| 11/29/07 8:15 | 2.437 | 0.39 |
| 11/29/07 8:20 | 2.439 | 0.32 |
| 11/29/07 8:25 | 2.44 | 0.41 |
| 11/29/07 8:30 | 2.441 | 0.4 |
| 11/29/07 8:35 | 2.44 | 0.3 |
| 11/29/07 8:40 | 2.441 | 0.42 |
| 11/29/07 8:45 | 2.44 | 0.36 |
| 11/29/07 8:50 | 2.441 | 0.43 |
| 11/29/07 8:55 | 2.444 | 0.38 |
| 11/29/07 9:00 | 2.443 | 0.33 |
| 11/29/07 9:05 | 2.444 | 0.36 |
| 11/29/07 9:10 | 2.444 | 0.4 |
| 11/29/07 9:15 | 2.445 | 0.35 |
| 11/29/07 9:20 | 2.445 | 0.38 |
| 11/29/07 9:25 | 2.445 | 0.39 |
| 11/29/07 9:30 | 2.444 | 0.41 |
| 11/29/07 9:35 | 2.445 | 0.36 |
| 11/29/07 9:40 | 2.446 | 0.39 |
| 11/29/07 9:45 | 2.447 | 0.41 |
| 11/29/07 9:50 | 2.445 | 0.44 |
| 11/29/07 9:55 | 2.447 | 0.38 |
| 11/29/07 10:00 | 2.446 | 0.39 |
| 11/29/07 10:05 | 2.447 | 0.33 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 10:10 | 2.448 | 0.32 |
| 11/29/07 10:15 | 2.448 | 0.37 |
| 11/29/07 10:20 | 2.452 | 0.41 |
| 11/29/07 10:25 | 2.45 | 0.3 |
| 11/29/07 10:30 | 2.45 | 0.3 |
| 11/29/07 10:35 | 2.512 | 0.33 |
| 11/29/07 10:40 | 2.565 | 0.29 |
| 11/29/07 10:45 | 2.601 | 0.34 |
| 11/29/07 10:50 | 2.632 | 0.34 |
| 11/29/07 10:55 | 2.661 | 0.34 |
| 11/29/07 11:00 | 2.682 | 0.32 |
| 11/29/07 11:05 | 2.702 | 0.3 |
| 11/29/07 11:10 | 2.716 | 0.3 |
| 11/29/07 11:15 | 2.724 | 0.3 |
| 11/29/07 11:20 | 2.733 | -0.24 |
| 11/29/07 11:25 | 2.737 | -0.24 |
| 11/29/07 11:30 | 2.741 | -0.24 |
| 11/29/07 11:35 | 2.744 | -0.24 |
| 11/29/07 11:40 | 2.748 | -0.24 |
| 11/29/07 11:45 | 2.749 | 0.25 |
| 11/29/07 11:50 | 2.748 | 0.25 |
| 11/29/07 11:55 | 2.749 | 0.25 |
| 11/29/07 12:00 | 2.748 | 0.25 |
| 11/29/07 12:05 | 2.746 | 0.25 |
| 11/29/07 12:10 | 2.748 | 0.27 |
| 11/29/07 12:15 | 2.747 | 0.27 |
| 11/29/07 12:20 | 2.745 | 0.27 |
| 11/29/07 12:25 | 2.746 | 0.27 |
| 11/29/07 12:30 | 2.744 | 0.27 |
| 11/29/07 12:35 | 2.746 | 0.27 |
| 11/29/07 12:40 | 2.746 | 0.27 |
| 11/29/07 12:45 | 2.75 | 0.27 |
| 11/29/07 12:50 | 2.752 | 0.27 |
| 11/29/07 12:55 | 2.752 | 0.29 |
| 11/29/07 13:00 | 2.761 | 0.21 |
| 11/29/07 13:05 | 2.775 | 0.21 |
| 11/29/07 13:10 | 2.803 | 0.21 |
| 11/29/07 13:15 | 2.825 | 0.21 |
| 11/29/07 13:20 | 2.836 | 0.21 |
| 11/29/07 13:25 | 2.843 | 0.21 |
| 11/29/07 13:30 | 2.843 | 0.21 |
| 11/29/07 13:35 | 2.841 | 0.33 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 13:40 | 2.834 | 0.33 |
| 11/29/07 13:45 | 2.829 | 0.33 |
| 11/29/07 13:50 | 2.823 | 0.33 |
| 11/29/07 13:55 | 2.816 | 0.33 |
| 11/29/07 14:00 | 2.81 | 0.33 |
| 11/29/07 14:05 | 2.805 | 0.25 |
| 11/29/07 14:10 | 2.799 | 0.25 |
| 11/29/07 14:15 | 2.795 | 0.25 |
| 11/29/07 14:20 | 2.792 | 0.25 |
| 11/29/07 14:25 | 2.787 | 0.25 |
| 11/29/07 14:30 | 2.784 | 0.25 |
| 11/29/07 14:35 | 2.78 | 0.25 |
| 11/29/07 14:40 | 2.779 | 0.25 |
| 11/29/07 14:45 | 2.774 | 0.25 |
| 11/29/07 14:50 | 2.773 | 0.25 |
| 11/29/07 14:55 | 2.769 | 0.25 |
| 11/29/07 15:00 | 2.766 | 0.25 |
| 11/29/07 15:05 | 2.765 | 0.25 |
| 11/29/07 15:10 | 2.763 | 0.25 |
| 11/29/07 15:15 | 2.761 | 0.25 |
| 11/29/07 15:20 | 2.761 | 0.25 |
| 11/29/07 15:25 | 2.755 | 0.25 |
| 11/29/07 15:30 | 2.751 | 0.25 |
| 11/29/07 15:35 | 2.748 | 0.25 |
| 11/29/07 15:40 | 2.746 | 0.25 |
| 11/29/07 15:45 | 2.743 | 0.25 |
| 11/29/07 15:50 | 2.742 | 0.25 |
| 11/29/07 15:55 | 2.739 | 0.25 |
| 11/29/07 16:00 | 2.738 | 0.25 |
| 11/29/07 16:05 | 2.738 | 12.19 |
| 11/29/07 16:10 | 2.736 | 12.19 |
| 11/29/07 16:15 | 2.734 | 11.89 |
| 11/29/07 16:20 | 2.734 | 12.02 |
| 11/29/07 16:25 | 2.733 | 12.9 |
| 11/29/07 16:30 | 2.734 | 12.9 |
| 11/29/07 16:35 | 2.732 | 12.9 |
| 11/29/07 16:40 | 2.731 | 0.24 |
| 11/29/07 16:45 | 2.732 | 0.28 |
| 11/29/07 16:50 | 2.731 | 0.27 |
| 11/29/07 16:55 | 2.731 | 0.27 |
| 11/29/07 17:00 | 2.73 | 0.26 |
| 11/29/07 17:05 | 2.729 | 0.25 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 17:10 | 2.729 | 0.27 |
| 11/29/07 17:15 | 2.728 | 0.25 |
| 11/29/07 17:20 | 2.728 | 0.25 |
| 11/29/07 17:25 | 2.727 | 0.25 |
| 11/29/07 17:30 | 2.726 | 0.25 |
| 11/29/07 17:35 | 2.725 | 0.25 |
| 11/29/07 17:40 | 2.725 | 0.25 |
| 11/29/07 17:45 | 2.725 | 0.26 |
| 11/29/07 17:50 | 2.724 | 0.26 |
| 11/29/07 17:55 | 2.723 | 0.26 |
| 11/29/07 18:00 | 2.722 | 0.26 |
| 11/29/07 18:05 | 2.721 | 0.26 |
| 11/29/07 18:10 | 2.719 | 0.26 |
| 11/29/07 18:15 | 2.72 | 0.26 |
| 11/29/07 18:20 | 2.718 | 0.24 |
| 11/29/07 18:25 | 2.718 | 0.26 |
| 11/29/07 18:30 | 2.717 | 0.26 |
| 11/29/07 18:35 | 2.716 | 0.24 |
| 11/29/07 18:40 | 2.715 | 0.24 |
| 11/29/07 18:45 | 2.714 | 0.24 |
| 11/29/07 18:50 | 2.713 | 0.24 |
| 11/29/07 18:55 | 2.713 | 0.24 |
| 11/29/07 19:00 | 2.712 | 0.24 |
| 11/29/07 19:05 | 2.711 | 0.24 |
| 11/29/07 19:10 | 2.711 | 0.24 |
| 11/29/07 19:15 | 2.708 | 0.24 |
| 11/29/07 19:20 | 2.708 | 0.24 |
| 11/29/07 19:25 | 2.706 | 0.24 |
| 11/29/07 19:30 | 2.704 | 0.24 |
| 11/29/07 19:35 | 2.703 | 0.24 |
| 11/29/07 19:40 | 2.7 | 0.26 |
| 11/29/07 19:45 | 2.699 | 0.26 |
| 11/29/07 19:50 | 2.697 | 0.24 |
| 11/29/07 19:55 | 2.695 | 0.23 |
| 11/29/07 20:00 | 2.693 | 0.25 |
| 11/29/07 20:05 | 2.691 | 0.23 |
| 11/29/07 20:10 | 2.688 | 0.24 |
| 11/29/07 20:15 | 2.686 | 0.24 |
| 11/29/07 20:20 | 2.683 | 0.25 |
| 11/29/07 20:25 | 2.682 | 0.25 |
| 11/29/07 20:30 | 2.679 | 0.26 |
| 11/29/07 20:35 | 2.677 | 0.27 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 20:40 | 2.675 | 0.27 |
| 11/29/07 20:45 | 2.674 | 0.27 |
| 11/29/07 20:50 | 2.664 | 0.26 |
| 11/29/07 20:55 | 2.659 | 0.26 |
| 11/29/07 21:00 | 2.655 | 0.3 |
| 11/29/07 21:05 | 2.649 | 0.3 |
| 11/29/07 21:10 | 2.646 | 0.3 |
| 11/29/07 21:15 | 2.643 | 0.3 |
| 11/29/07 21:20 | 2.64 | 0.3 |
| 11/29/07 21:25 | 2.637 | 0.3 |
| 11/29/07 21:30 | 2.636 | 0.3 |
| 11/29/07 21:35 | 2.632 | 0.3 |
| 11/29/07 21:40 | 2.629 | 0.3 |
| 11/29/07 21:45 | 2.627 | 0.3 |
| 11/29/07 21:50 | 2.624 | 0.3 |
| 11/29/07 21:55 | 2.621 | 0.3 |
| 11/29/07 22:00 | 2.621 | 0.3 |
| 11/29/07 22:05 | 2.621 | 0.3 |
| 11/29/07 22:10 | 2.621 | 0.3 |
| 11/29/07 22:15 | 2.621 | 0.3 |
| 11/29/07 22:20 | 2.619 | 0.3 |
| 11/29/07 22:25 | 2.618 | 0.3 |
| 11/29/07 22:30 | 2.617 | 0.3 |
| 11/29/07 22:35 | 2.617 | 0.3 |
| 11/29/07 22:40 | 2.616 | 0.3 |
| 11/29/07 22:45 | 2.616 | 0.3 |
| 11/29/07 22:50 | 2.616 | 0.3 |
| 11/29/07 22:55 | 2.616 | 0.3 |
| 11/29/07 23:00 | 2.615 | 0.3 |
| 11/29/07 23:05 | 2.615 | 0.3 |
| 11/29/07 23:10 | 2.615 | 0.3 |
| 11/29/07 23:15 | 2.615 | 0.3 |
| 11/29/07 23:20 | 2.614 | 0.3 |
| 11/29/07 23:25 | 2.612 | 0.3 |
| 11/29/07 23:30 | 2.611 | 11.09 |
| 11/29/07 23:35 | 2.611 | 9.25 |
| 11/29/07 23:40 | 2.61 | 9.96 |
| 11/29/07 23:45 | 2.608 | 9.96 |
| 11/29/07 23:50 | 2.608 | 9.9 |
| 11/29/07 23:55 | 2.606 | 12.46 |
| 11/30/07 0:00 | 2.605 | 12.46 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 0:05 | 1.543 | -12.86 |
| 11/9/07 0:10 | 1.543 | -12.86 |
| 11/9/07 0:15 | 1.542 | -12.86 |
| 11/9/07 0:20 | 1.542 | -12.86 |
| 11/9/07 0:25 | 1.542 | -12.86 |
| 11/9/07 0:30 | 1.542 | -12.86 |
| 11/9/07 0:35 | 1.542 | -12.86 |
| 11/9/07 0:40 | 1.542 | -12.86 |
| 11/9/07 0:45 | 1.542 | -12.86 |
| 11/9/07 0:50 | 1.542 | -12.86 |
| 11/9/07 0:55 | 1.544 | -12.86 |
| 11/9/07 1:00 | 1.545 | -12.86 |
| 11/9/07 1:05 | 1.548 | -12.86 |
| 11/9/07 1:10 | 1.549 | -12.86 |
| 11/9/07 1:15 | 1.551 | -12.86 |
| 11/9/07 1:20 | 1.552 | -12.86 |
| 11/9/07 1:25 | 1.553 | -12.86 |
| 11/9/07 1:30 | 1.553 | -12.86 |
| 11/9/07 1:35 | 1.554 | -12.86 |
| 11/9/07 1:40 | 1.554 | -12.86 |
| 11/9/07 1:45 | 1.553 | -12.86 |
| 11/9/07 1:50 | 1.553 | -12.86 |
| 11/9/07 1:55 | 1.553 | -12.86 |
| 11/9/07 2:00 | 1.553 | -12.86 |
| 11/9/07 2:05 | 1.553 | -12.86 |
| 11/9/07 2:10 | 1.552 | -12.86 |
| 11/9/07 2:15 | 1.552 | -12.86 |
| 11/9/07 2:20 | 1.551 | -12.86 |
| 11/9/07 2:25 | 1.552 | -12.86 |
| 11/9/07 2:30 | 1.552 | -12.86 |
| 11/9/07 2:35 | 1.552 | -12.86 |
| 11/9/07 2:40 | 1.551 | -12.86 |
| 11/9/07 2:45 | 1.551 | -12.86 |
| 11/9/07 2:50 | 1.551 | -12.86 |
| 11/9/07 2:55 | 1.55 | -12.86 |
| 11/9/07 3:00 | 1.55 | -12.86 |
| 11/9/07 3:05 | 1.55 | -12.86 |
| 11/9/07 3:10 | 1.548 | -12.86 |
| 11/9/07 3:15 | 1.549 | -12.86 |
| 11/9/07 3:20 | 1.549 | -12.86 |
| 11/9/07 3:25 | 1.548 | -12.86 |
| 11/9/07 3:30 | 1.549 | -12.86 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 3:35 | 1.548 | -12.86 |
| 11/9/07 3:40 | 1.549 | -12.86 |
| 11/9/07 3:45 | 1.549 | -12.86 |
| 11/9/07 3:50 | 1.549 | -12.86 |
| 11/9/07 3:55 | 1.549 | -12.86 |
| 11/9/07 4:00 | 1.549 | -12.86 |
| 11/9/07 4:05 | 1.549 | -12.86 |
| 11/9/07 4:10 | 1.55 | -12.86 |
| 11/9/07 4:15 | 1.55 | -12.86 |
| 11/9/07 4:20 | 1.55 | -12.86 |
| 11/9/07 4:25 | 1.545 | -12.86 |
| 11/9/07 4:30 | 1.542 | -12.86 |
| 11/9/07 4:35 | 1.539 | -12.86 |
| 11/9/07 4:40 | 1.537 | -12.86 |
| 11/9/07 4:45 | 1.535 | -12.86 |
| 11/9/07 4:50 | 1.533 | -12.86 |
| 11/9/07 4:55 | 1.531 | -12.86 |
| 11/9/07 5:00 | 1.529 | -12.86 |
| 11/9/07 5:05 | 1.528 | -12.86 |
| 11/9/07 5:10 | 1.526 | -12.86 |
| 11/9/07 5:15 | 1.525 | -12.86 |
| 11/9/07 5:20 | 1.523 | -12.86 |
| 11/9/07 5:25 | 1.515 | -12.86 |
| 11/9/07 5:30 | 1.509 | -12.86 |
| 11/9/07 5:35 | 1.503 | -12.86 |
| 11/9/07 5:40 | 1.498 | -12.86 |
| 11/9/07 5:45 | 1.494 | -12.86 |
| 11/9/07 5:50 | 1.492 | -12.86 |
| 11/9/07 5:55 | 1.491 | -12.86 |
| 11/9/07 6:00 | 1.49 | -12.86 |
| 11/9/07 6:05 | 1.489 | -12.86 |
| 11/9/07 6:10 | 1.489 | -12.86 |
| 11/9/07 6:15 | 1.489 | -12.86 |
| 11/9/07 6:20 | 1.488 | -12.86 |
| 11/9/07 6:25 | 1.488 | -12.86 |
| 11/9/07 6:30 | 1.488 | -12.86 |
| 11/9/07 6:35 | 1.487 | -12.86 |
| 11/9/07 6:40 | 1.488 | -12.86 |
| 11/9/07 6:45 | 1.488 | -12.86 |
| 11/9/07 6:50 | 1.488 | -12.86 |
| 11/9/07 6:55 | 1.489 | -12.86 |
| 11/9/07 7:00 | 1.489 | -12.86 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 7:05 | 1.489 | -12.86 |
| 11/9/07 7:10 | 1.49 | -12.86 |
| 11/9/07 7:15 | 1.49 | 9.74 |
| 11/9/07 7:20 | 1.49 | 9.74 |
| 11/9/07 7:25 | 1.49 | 9.74 |
| 11/9/07 7:30 | 1.49 | 9.74 |
| 11/9/07 7:35 | 1.49 | 9.74 |
| 11/9/07 7:40 | 1.491 | 9.74 |
| 11/9/07 7:45 | 1.49 | 9.74 |
| 11/9/07 7:50 | 1.491 | 9.74 |
| 11/9/07 7:55 | 1.491 | 9.74 |
| 11/9/07 8:00 | 1.491 | 9.74 |
| 11/9/07 8:05 | 1.491 | 9.06 |
| 11/9/07 8:10 | 1.492 | 9.18 |
| 11/9/07 8:15 | 1.492 | 8.27 |
| 11/9/07 8:20 | 1.493 | 8.45 |
| 11/9/07 8:25 | 1.494 | 8.06 |
| 11/9/07 8:30 | 1.495 | 8.43 |
| 11/9/07 8:35 | 1.495 | 8.43 |
| 11/9/07 8:40 | 1.496 | 8.43 |
| 11/9/07 8:45 | 1.496 | 8.43 |
| 11/9/07 8:50 | 1.497 | 8.43 |
| 11/9/07 8:55 | 1.498 | 8.43 |
| 11/9/07 9:00 | 1.498 | 8.43 |
| 11/9/07 9:05 | 1.499 | 8.43 |
| 11/9/07 9:10 | 1.5 | 8.43 |
| 11/9/07 9:15 | 1.503 | 8.43 |
| 11/9/07 9:20 | 1.507 | 8.43 |
| 11/9/07 9:25 | 1.509 | 8.43 |
| 11/9/07 9:30 | 1.512 | 8.43 |
| 11/9/07 9:35 | 1.515 | 8.43 |
| 11/9/07 9:40 | 1.516 | 8.43 |
| 11/9/07 9:45 | 1.518 | 8.43 |
| 11/9/07 9:50 | 1.52 | 8.86 |
| 11/9/07 9:55 | 1.521 | 8.79 |
| 11/9/07 10:00 | 1.523 | 8.21 |
| 11/9/07 10:05 | 1.524 | 8.21 |
| 11/9/07 10:10 | 1.525 | 8.21 |
| 11/9/07 10:15 | 1.527 | 8.21 |
| 11/9/07 10:20 | 1.528 | 8.21 |
| 11/9/07 10:25 | 1.528 | 8.21 |
| 11/9/07 10:30 | 1.529 | 8.21 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 10:35 | 1.53 | 8.21 |
| 11/9/07 10:40 | 1.531 | 8.21 |
| 11/9/07 10:45 | 1.531 | 8.21 |
| 11/9/07 10:50 | 1.532 | 8.21 |
| 11/9/07 10:55 | 1.532 | 8.21 |
| 11/9/07 11:00 | 1.533 | 8.21 |
| 11/9/07 11:05 | 1.534 | 8.21 |
| 11/9/07 11:10 | 1.534 | 8.21 |
| 11/9/07 11:15 | 1.535 | 8.21 |
| 11/9/07 11:20 | 1.535 | 8.21 |
| 11/9/07 11:25 | 1.535 | 8.21 |
| 11/9/07 11:30 | 1.536 | 8.21 |
| 11/9/07 11:35 | 1.536 | 8.03 |
| 11/9/07 11:40 | 1.537 | 8.46 |
| 11/9/07 11:45 | 1.537 | 8.46 |
| 11/9/07 11:50 | 1.539 | 8.46 |
| 11/9/07 11:55 | 1.538 | 8.46 |
| 11/9/07 12:00 | 1.538 | 8.46 |
| 11/9/07 12:05 | 1.539 | 8.46 |
| 11/9/07 12:10 | 1.539 | 8.46 |
| 11/9/07 12:15 | 1.539 | 8.46 |
| 11/9/07 12:20 | 1.54 | 8.46 |
| 11/9/07 12:25 | 1.54 | 8.46 |
| 11/9/07 12:30 | 1.541 | 8.46 |
| 11/9/07 12:35 | 1.541 | 8.46 |
| 11/9/07 12:40 | 1.541 | 8.46 |
| 11/9/07 12:45 | 1.542 | 8.46 |
| 11/9/07 12:50 | 1.541 | 8.46 |
| 11/9/07 12:55 | 1.541 | 8.46 |
| 11/9/07 13:00 | 1.541 | 8.46 |
| 11/9/07 13:05 | 1.542 | 11.59 |
| 11/9/07 13:10 | 1.542 | 11.59 |
| 11/9/07 13:15 | 1.543 | 11.59 |
| 11/9/07 13:20 | 1.543 | 11.59 |
| 11/9/07 13:25 | 1.543 | 11.59 |
| 11/9/07 13:30 | 1.542 | 11.59 |
| 11/9/07 13:35 | 1.543 | 11.59 |
| 11/9/07 13:40 | 1.543 | 11.59 |
| 11/9/07 13:45 | 1.543 | 11.59 |
| 11/9/07 13:50 | 1.543 | 11.59 |
| 11/9/07 13:55 | 1.543 | 11.59 |
| 11/9/07 14:00 | 1.542 | 11.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 14:05 | 1.543 | 11.59 |
| 11/9/07 14:10 | 1.543 | 11.59 |
| 11/9/07 14:15 | 1.544 | 11.59 |
| 11/9/07 14:20 | 1.544 | 11.59 |
| 11/9/07 14:25 | 1.544 | 11.59 |
| 11/9/07 14:30 | 1.544 | 11.59 |
| 11/9/07 14:35 | 1.545 | 11.59 |
| 11/9/07 14:40 | 1.545 | 11.59 |
| 11/9/07 14:45 | 1.545 | 11.59 |
| 11/9/07 14:50 | 1.546 | 11.59 |
| 11/9/07 14:55 | 1.546 | 11.59 |
| 11/9/07 15:00 | 1.546 | 11.59 |
| 11/9/07 15:05 | 1.546 | 11.59 |
| 11/9/07 15:10 | 1.546 | 11.59 |
| 11/9/07 15:15 | 1.546 | 11.59 |
| 11/9/07 15:20 | 1.547 | 11.59 |
| 11/9/07 15:25 | 1.546 | 11.59 |
| 11/9/07 15:30 | 1.547 | 11.59 |
| 11/9/07 15:35 | 1.547 | 11.59 |
| 11/9/07 15:40 | 1.548 | 11.59 |
| 11/9/07 15:45 | 1.548 | 11.59 |
| 11/9/07 15:50 | 1.546 | 11.59 |
| 11/9/07 15:55 | 1.547 | 11.59 |
| 11/9/07 16:00 | 1.548 | 11.59 |
| 11/9/07 16:05 | 1.548 | 11.59 |
| 11/9/07 16:10 | 1.61 | 11.59 |
| 11/9/07 16:15 | 1.685 | 11.59 |
| 11/9/07 16:20 | 1.775 | 10.73 |
| 11/9/07 16:25 | 1.899 | 0.55 |
| 11/9/07 16:30 | 2.003 | 0.61 |
| 11/9/07 16:35 | 2.096 | 0.61 |
| 11/9/07 16:40 | 2.175 | 0.61 |
| 11/9/07 16:45 | 2.205 | 0.61 |
| 11/9/07 16:50 | 2.225 | 0.61 |
| 11/9/07 16:55 | 2.237 | 0.61 |
| 11/9/07 17:00 | 2.246 | -0.4 |
| 11/9/07 17:05 | 2.255 | -0.43 |
| 11/9/07 17:10 | 2.261 | -0.5 |
| 11/9/07 17:15 | 2.267 | -0.5 |
| 11/9/07 17:20 | 2.268 | -0.5 |
| 11/9/07 17:25 | 2.276 | -0.5 |
| 11/9/07 17:30 | 2.274 | -0.5 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 17:35 | 2.274 | -0.5 |
| 11/9/07 17:40 | 2.268 | -0.5 |
| 11/9/07 17:45 | 2.268 | -0.5 |
| 11/9/07 17:50 | 2.266 | -0.5 |
| 11/9/07 17:55 | 2.265 | -0.31 |
| 11/9/07 18:00 | 2.262 | -0.31 |
| 11/9/07 18:05 | 2.257 | -0.41 |
| 11/9/07 18:10 | 2.254 | -0.41 |
| 11/9/07 18:15 | 2.247 | -0.35 |
| 11/9/07 18:20 | 2.245 | -0.35 |
| 11/9/07 18:25 | 2.241 | -0.38 |
| 11/9/07 18:30 | 2.237 | -0.43 |
| 11/9/07 18:35 | 2.234 | -0.3 |
| 11/9/07 18:40 | 2.229 | -0.3 |
| 11/9/07 18:45 | 2.222 | -0.3 |
| 11/9/07 18:50 | 2.218 | -0.3 |
| 11/9/07 18:55 | 2.217 | -0.3 |
| 11/9/07 19:00 | 2.211 | 0.71 |
| 11/9/07 19:05 | 2.206 | 0.71 |
| 11/9/07 19:10 | 2.206 | -0.37 |
| 11/9/07 19:15 | 2.199 | -0.3 |
| 11/9/07 19:20 | 2.193 | -0.3 |
| 11/9/07 19:25 | 2.19 | -0.3 |
| 11/9/07 19:30 | 2.186 | -0.3 |
| 11/9/07 19:35 | 2.185 | -0.35 |
| 11/9/07 19:40 | 2.183 | -0.35 |
| 11/9/07 19:45 | 2.175 | -0.35 |
| 11/9/07 19:50 | 2.174 | -0.41 |
| 11/9/07 19:55 | 2.171 | -0.41 |
| 11/9/07 20:00 | 2.164 | -0.3 |
| 11/9/07 20:05 | 2.157 | -0.28 |
| 11/9/07 20:10 | 2.151 | -0.3 |
| 11/9/07 20:15 | 2.144 | -0.35 |
| 11/9/07 20:20 | 2.14 | -0.35 |
| 11/9/07 20:25 | 2.133 | -0.35 |
| 11/9/07 20:30 | 2.128 | -0.35 |
| 11/9/07 20:35 | 2.123 | -0.35 |
| 11/9/07 20:40 | 2.119 | -0.35 |
| 11/9/07 20:45 | 2.114 | -0.35 |
| 11/9/07 20:50 | 2.11 | -0.35 |
| 11/9/07 20:55 | 2.106 | -0.35 |
| 11/9/07 21:00 | 2.104 | -0.35 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/9/07 21:05 | 2.094 | -0.35 |
| 11/9/07 21:10 | 2.09 | 9.43 |
| 11/9/07 21:15 | 2.084 | 9.43 |
| 11/9/07 21:20 | 2.077 | 9.43 |
| 11/9/07 21:25 | 2.073 | 11.01 |
| 11/9/07 21:30 | 2.07 | 10.21 |
| 11/9/07 21:35 | 2.063 | 8.52 |
| 11/9/07 21:40 | 2.058 | 8.61 |
| 11/9/07 21:45 | 2.057 | 8.61 |
| 11/9/07 21:50 | 2.054 | 8.61 |
| 11/9/07 21:55 | 2.048 | 8.61 |
| 11/9/07 22:00 | 2.045 | 8.61 |
| 11/9/07 22:05 | 2.044 | 10.35 |
| 11/9/07 22:10 | 2.04 | 8.8 |
| 11/9/07 22:15 | 2.034 | 8.8 |
| 11/9/07 22:20 | 2.028 | 11.71 |
| 11/9/07 22:25 | 2.026 | 12.51 |
| 11/9/07 22:30 | 2.021 | 12.51 |
| 11/9/07 22:35 | 2.021 | 11.71 |
| 11/9/07 22:40 | 2.016 | 11.71 |
| 11/9/07 22:45 | 2.017 | 11.71 |
| 11/9/07 22:50 | 2.011 | 11.71 |
| 11/9/07 22:55 | 2.011 | 10.43 |
| 11/9/07 23:00 | 2.005 | 10.43 |
| 11/9/07 23:05 | 2.003 | 10.43 |
| 11/9/07 23:10 | 2.002 | 10.43 |
| 11/9/07 23:15 | 1.999 | 11.08 |
| 11/9/07 23:20 | 1.997 | 12.26 |
| 11/9/07 23:25 | 1.996 | 12.79 |
| 11/9/07 23:30 | 1.995 | 14.42 |
| 11/9/07 23:35 | 1.991 | 14.42 |
| 11/9/07 23:40 | 1.989 | 14.42 |
| 11/9/07 23:45 | 1.986 | 14.42 |
| 11/9/07 23:50 | 1.986 | 14.42 |
| 11/9/07 23:55 | 1.985 | 14.42 |
| 11/10/07 0:00 | 1.984 | 14.42 |
| 11/10/07 0:05 | 1.983 | 14.42 |
| 11/10/07 0:10 | 1.982 | 14.42 |
| 11/10/07 0:15 | 1.982 | 14.42 |
| 11/10/07 0:20 | 1.979 | 14.42 |
| 11/10/07 0:25 | 1.977 | 14.42 |
| 11/10/07 0:30 | 1.975 | 14.42 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 0:35 | 1.971 | 14.42 |
| 11/10/07 0:40 | 1.97 | 9.23 |
| 11/10/07 0:45 | 1.97 | 9.23 |
| 11/10/07 0:50 | 1.968 | 9.23 |
| 11/10/07 0:55 | 1.963 | 9.23 |
| 11/10/07 1:00 | 1.963 | 9.23 |
| 11/10/07 1:05 | 1.963 | 9.23 |
| 11/10/07 1:10 | 1.96 | 9.23 |
| 11/10/07 1:15 | 1.958 | 9.23 |
| 11/10/07 1:20 | 1.956 | 9.23 |
| 11/10/07 1:25 | 1.953 | 9.23 |
| 11/10/07 1:30 | 1.95 | 9.23 |
| 11/10/07 1:35 | 1.946 | 9.23 |
| 11/10/07 1:40 | 1.941 | 9.23 |
| 11/10/07 1:45 | 1.938 | 9.23 |
| 11/10/07 1:50 | 1.935 | 9.23 |
| 11/10/07 1:55 | 1.932 | 9.23 |
| 11/10/07 2:00 | 1.929 | 9.23 |
| 11/10/07 2:05 | 1.926 | 9.23 |
| 11/10/07 2:10 | 1.924 | 9.23 |
| 11/10/07 2:15 | 1.92 | 9.23 |
| 11/10/07 2:20 | 1.922 | 9.23 |
| 11/10/07 2:25 | 1.917 | 9.23 |
| 11/10/07 2:30 | 1.917 | 9.23 |
| 11/10/07 2:35 | 1.914 | 9.23 |
| 11/10/07 2:40 | 1.912 | 9.23 |
| 11/10/07 2:45 | 1.91 | 9.23 |
| 11/10/07 2:50 | 1.906 | 9.23 |
| 11/10/07 2:55 | 1.904 | 9.23 |
| 11/10/07 3:00 | 1.903 | 9.23 |
| 11/10/07 3:05 | 1.899 | 9.23 |
| 11/10/07 3:10 | 1.898 | 9.23 |
| 11/10/07 3:15 | 1.898 | 9.23 |
| 11/10/07 3:20 | 1.896 | 8.46 |
| 11/10/07 3:25 | 1.895 | 8.46 |
| 11/10/07 3:30 | 1.891 | 8.46 |
| 11/10/07 3:35 | 1.891 | 8.46 |
| 11/10/07 3:40 | 1.89 | 8.46 |
| 11/10/07 3:45 | 1.886 | 8.46 |
| 11/10/07 3:50 | 1.885 | 8.46 |
| 11/10/07 3:55 | 1.885 | 8.46 |
| 11/10/07 4:00 | 1.885 | 8.46 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 4:05 | 1.884 | 8.46 |
| 11/10/07 4:10 | 1.88 | 8.46 |
| 11/10/07 4:15 | 1.878 | 8.46 |
| 11/10/07 4:20 | 1.878 | 8.46 |
| 11/10/07 4:25 | 1.876 | 8.46 |
| 11/10/07 4:30 | 1.872 | 8.46 |
| 11/10/07 4:35 | 1.871 | 8.46 |
| 11/10/07 4:40 | 1.864 | 8.46 |
| 11/10/07 4:45 | 1.859 | 8.46 |
| 11/10/07 4:50 | 1.853 | 8.46 |
| 11/10/07 4:55 | 1.849 | 8.46 |
| 11/10/07 5:00 | 1.844 | 8.46 |
| 11/10/07 5:05 | 1.843 | 8.46 |
| 11/10/07 5:10 | 1.84 | 8.46 |
| 11/10/07 5:15 | 1.838 | 8.46 |
| 11/10/07 5:20 | 1.836 | 8.46 |
| 11/10/07 5:25 | 1.835 | 8.46 |
| 11/10/07 5:30 | 1.834 | 8.46 |
| 11/10/07 5:35 | 1.833 | 8.46 |
| 11/10/07 5:40 | 1.826 | 8.46 |
| 11/10/07 5:45 | 1.823 | 8.46 |
| 11/10/07 5:50 | 1.819 | 8.46 |
| 11/10/07 5:55 | 1.816 | 8.46 |
| 11/10/07 6:00 | 1.805 | 8.46 |
| 11/10/07 6:05 | 1.789 | 8.46 |
| 11/10/07 6:10 | 1.777 | 8.46 |
| 11/10/07 6:15 | 1.763 | 8.46 |
| 11/10/07 6:20 | 1.754 | 8.46 |
| 11/10/07 6:25 | 1.748 | 8.46 |
| 11/10/07 6:30 | 1.742 | 8.46 |
| 11/10/07 6:35 | 1.739 | 8.46 |
| 11/10/07 6:40 | 1.734 | 8.46 |
| 11/10/07 6:45 | 1.732 | 8.46 |
| 11/10/07 6:50 | 1.729 | 8.46 |
| 11/10/07 6:55 | 1.726 | 8.46 |
| 11/10/07 7:00 | 1.725 | 8.46 |
| 11/10/07 7:05 | 1.722 | 8.46 |
| 11/10/07 7:10 | 1.72 | 8.46 |
| 11/10/07 7:15 | 1.719 | 8.46 |
| 11/10/07 7:20 | 1.716 | 8.46 |
| 11/10/07 7:25 | 1.716 | 8.46 |
| 11/10/07 7:30 | 1.716 | 8.46 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 7:35 | 1.712 | 8.46 |
| 11/10/07 7:40 | 1.713 | 8.78 |
| 11/10/07 7:45 | 1.71 | 8.78 |
| 11/10/07 7:50 | 1.711 | 8.78 |
| 11/10/07 7:55 | 1.708 | 8.78 |
| 11/10/07 8:00 | 1.708 | 8.78 |
| 11/10/07 8:05 | 1.707 | 8.78 |
| 11/10/07 8:10 | 1.706 | 8.78 |
| 11/10/07 8:15 | 1.707 | 8.78 |
| 11/10/07 8:20 | 1.706 | 8.78 |
| 11/10/07 8:25 | 1.705 | 8.78 |
| 11/10/07 8:30 | 1.705 | 8.78 |
| 11/10/07 8:35 | 1.703 | 8.78 |
| 11/10/07 8:40 | 1.702 | 8.78 |
| 11/10/07 8:45 | 1.702 | 8.78 |
| 11/10/07 8:50 | 1.702 | 8.78 |
| 11/10/07 8:55 | 1.701 | 8.78 |
| 11/10/07 9:00 | 1.7 | 8.78 |
| 11/10/07 9:05 | 1.699 | 8.78 |
| 11/10/07 9:10 | 1.699 | 8.78 |
| 11/10/07 9:15 | 1.697 | 8.78 |
| 11/10/07 9:20 | 1.698 | 8.78 |
| 11/10/07 9:25 | 1.697 | 8.78 |
| 11/10/07 9:30 | 1.695 | 8.78 |
| 11/10/07 9:35 | 1.694 | 8.78 |
| 11/10/07 9:40 | 1.692 | 8.78 |
| 11/10/07 9:45 | 1.693 | 8.78 |
| 11/10/07 9:50 | 1.692 | 8.78 |
| 11/10/07 9:55 | 1.69 | 8.78 |
| 11/10/07 10:00 | 1.69 | 8.78 |
| 11/10/07 10:05 | 1.689 | 8.78 |
| 11/10/07 10:10 | 1.687 | 8.78 |
| 11/10/07 10:15 | 1.688 | 8.78 |
| 11/10/07 10:20 | 1.688 | 8.78 |
| 11/10/07 10:25 | 1.686 | 8.78 |
| 11/10/07 10:30 | 1.686 | 8.78 |
| 11/10/07 10:35 | 1.686 | 8.78 |
| 11/10/07 10:40 | 1.686 | 8.78 |
| 11/10/07 10:45 | 1.687 | 8.78 |
| 11/10/07 10:50 | 1.686 | 8.78 |
| 11/10/07 10:55 | 1.686 | 8.78 |
| 11/10/07 11:00 | 1.685 | 8.78 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 11:05 | 1.684 | 8.78 |
| 11/10/07 11:10 | 1.684 | 8.78 |
| 11/10/07 11:15 | 1.683 | 8.78 |
| 11/10/07 11:20 | 1.683 | 8.78 |
| 11/10/07 11:25 | 1.684 | 8.78 |
| 11/10/07 11:30 | 1.681 | 8.78 |
| 11/10/07 11:35 | 1.682 | 8.78 |
| 11/10/07 11:40 | 1.681 | 8.78 |
| 11/10/07 11:45 | 1.681 | 8.78 |
| 11/10/07 11:50 | 1.68 | 8.78 |
| 11/10/07 11:55 | 1.681 | 8.78 |
| 11/10/07 12:00 | 1.678 | 8.78 |
| 11/10/07 12:05 | 1.678 | 8.78 |
| 11/10/07 12:10 | 1.675 | 8.78 |
| 11/10/07 12:15 | 1.675 | 8.78 |
| 11/10/07 12:20 | 1.676 | 8.78 |
| 11/10/07 12:25 | 1.675 | 8.78 |
| 11/10/07 12:30 | 1.673 | 8.78 |
| 11/10/07 12:35 | 1.672 | 8.78 |
| 11/10/07 12:40 | 1.672 | 8.78 |
| 11/10/07 12:45 | 1.674 | 8.78 |
| 11/10/07 12:50 | 1.672 | 8.78 |
| 11/10/07 12:55 | 1.672 | 8.78 |
| 11/10/07 13:00 | 1.67 | 8.78 |
| 11/10/07 13:05 | 1.67 | 8.78 |
| 11/10/07 13:10 | 1.669 | 8.78 |
| 11/10/07 13:15 | 1.669 | 8.78 |
| 11/10/07 13:20 | 1.666 | 8.78 |
| 11/10/07 13:25 | 1.666 | 8.78 |
| 11/10/07 13:30 | 1.666 | 8.78 |
| 11/10/07 13:35 | 1.664 | 8.78 |
| 11/10/07 13:40 | 1.664 | 8.78 |
| 11/10/07 13:45 | 1.662 | 8.78 |
| 11/10/07 13:50 | 1.661 | 8.78 |
| 11/10/07 13:55 | 1.66 | 8.78 |
| 11/10/07 14:00 | 1.662 | 8.78 |
| 11/10/07 14:05 | 1.66 | 8.78 |
| 11/10/07 14:10 | 1.661 | 8.78 |
| 11/10/07 14:15 | 1.659 | 8.78 |
| 11/10/07 14:20 | 1.658 | 8.78 |
| 11/10/07 14:25 | 1.657 | 8.78 |
| 11/10/07 14:30 | 1.656 | 8.78 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 14:35 | 1.652 | 8.78 |
| 11/10/07 14:40 | 1.653 | 8.78 |
| 11/10/07 14:45 | 1.653 | 8.78 |
| 11/10/07 14:50 | 1.651 | 9.34 |
| 11/10/07 14:55 | 1.65 | 9.34 |
| 11/10/07 15:00 | 1.649 | 9.34 |
| 11/10/07 15:05 | 1.65 | 9.34 |
| 11/10/07 15:10 | 1.648 | 9.34 |
| 11/10/07 15:15 | 1.646 | 9.34 |
| 11/10/07 15:20 | 1.645 | 9.34 |
| 11/10/07 15:25 | 1.643 | 9.34 |
| 11/10/07 15:30 | 1.642 | 9.34 |
| 11/10/07 15:35 | 1.643 | 9.34 |
| 11/10/07 15:40 | 1.642 | 9.34 |
| 11/10/07 15:45 | 1.639 | 9.34 |
| 11/10/07 15:50 | 1.64 | 9.34 |
| 11/10/07 15:55 | 1.638 | 9.34 |
| 11/10/07 16:00 | 1.638 | 9.34 |
| 11/10/07 16:05 | 1.637 | 9.34 |
| 11/10/07 16:10 | 1.635 | 9.34 |
| 11/10/07 16:15 | 1.635 | 9.34 |
| 11/10/07 16:20 | 1.634 | 9.34 |
| 11/10/07 16:25 | 1.633 | 9.34 |
| 11/10/07 16:30 | 1.632 | 9.34 |
| 11/10/07 16:35 | 1.632 | 9.34 |
| 11/10/07 16:40 | 1.631 | 9.34 |
| 11/10/07 16:45 | 1.63 | 9.34 |
| 11/10/07 16:50 | 1.628 | 9.34 |
| 11/10/07 16:55 | 1.627 | 9.34 |
| 11/10/07 17:00 | 1.627 | 9.34 |
| 11/10/07 17:05 | 1.626 | 9.34 |
| 11/10/07 17:10 | 1.627 | 9.34 |
| 11/10/07 17:15 | 1.625 | 9.34 |
| 11/10/07 17:20 | 1.624 | 9.34 |
| 11/10/07 17:25 | 1.622 | 9.34 |
| 11/10/07 17:30 | 1.622 | 9.34 |
| 11/10/07 17:35 | 1.62 | 9.34 |
| 11/10/07 17:40 | 1.621 | 9.34 |
| 11/10/07 17:45 | 1.619 | 9.34 |
| 11/10/07 17:50 | 1.619 | 9.34 |
| 11/10/07 17:55 | 1.618 | 9.34 |
| 11/10/07 18:00 | 1.616 | 9.34 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 18:05 | 1.616 | 9.34 |
| 11/10/07 18:10 | 1.614 | 9.34 |
| 11/10/07 18:15 | 1.615 | 9.34 |
| 11/10/07 18:20 | 1.613 | 9.34 |
| 11/10/07 18:25 | 1.614 | 9.34 |
| 11/10/07 18:30 | 1.612 | 9.34 |
| 11/10/07 18:35 | 1.61 | 9.34 |
| 11/10/07 18:40 | 1.611 | 9.34 |
| 11/10/07 18:45 | 1.611 | 9.34 |
| 11/10/07 18:50 | 1.609 | 9.34 |
| 11/10/07 18:55 | 1.609 | 9.34 |
| 11/10/07 19:00 | 1.607 | 9.34 |
| 11/10/07 19:05 | 1.605 | 9.34 |
| 11/10/07 19:10 | 1.605 | 9.34 |
| 11/10/07 19:15 | 1.605 | 9.34 |
| 11/10/07 19:20 | 1.603 | 9.34 |
| 11/10/07 19:25 | 1.602 | 9.34 |
| 11/10/07 19:30 | 1.601 | 9.34 |
| 11/10/07 19:35 | 1.599 | 9.34 |
| 11/10/07 19:40 | 1.598 | 9.34 |
| 11/10/07 19:45 | 1.598 | 9.34 |
| 11/10/07 19:50 | 1.596 | 9.34 |
| 11/10/07 19:55 | 1.595 | 9.34 |
| 11/10/07 20:00 | 1.593 | 9.34 |
| 11/10/07 20:05 | 1.593 | 9.34 |
| 11/10/07 20:10 | 1.59 | 9.34 |
| 11/10/07 20:15 | 1.591 | 9.34 |
| 11/10/07 20:20 | 1.591 | 9.34 |
| 11/10/07 20:25 | 1.589 | 9.34 |
| 11/10/07 20:30 | 1.588 | 9.34 |
| 11/10/07 20:35 | 1.587 | 9.34 |
| 11/10/07 20:40 | 1.587 | 9.34 |
| 11/10/07 20:45 | 1.584 | 9.34 |
| 11/10/07 20:50 | 1.582 | 9.34 |
| 11/10/07 20:55 | 1.583 | 9.34 |
| 11/10/07 21:00 | 1.582 | 9.34 |
| 11/10/07 21:05 | 1.58 | 9.34 |
| 11/10/07 21:10 | 1.58 | 9.34 |
| 11/10/07 21:15 | 1.579 | 9.34 |
| 11/10/07 21:20 | 1.577 | 9.34 |
| 11/10/07 21:25 | 1.578 | 9.34 |
| 11/10/07 21:30 | 1.576 | 9.34 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/10/07 21:35 | 1.576 | 9.34 |
| 11/10/07 21:40 | 1.573 | 9.34 |
| 11/10/07 21:45 | 1.573 | 9.34 |
| 11/10/07 21:50 | 1.573 | 9.34 |
| 11/10/07 21:55 | 1.572 | 9.34 |
| 11/10/07 22:00 | 1.569 | 9.34 |
| 11/10/07 22:05 | 1.567 | 9.34 |
| 11/10/07 22:10 | 1.566 | 9.34 |
| 11/10/07 22:15 | 1.565 | 9.34 |
| 11/10/07 22:20 | 1.562 | 9.34 |
| 11/10/07 22:25 | 1.561 | 9.34 |
| 11/10/07 22:30 | 1.56 | 9.34 |
| 11/10/07 22:35 | 1.56 | 9.34 |
| 11/10/07 22:40 | 1.559 | 9.34 |
| 11/10/07 22:45 | 1.557 | 9.34 |
| 11/10/07 22:50 | 1.555 | 9.34 |
| 11/10/07 22:55 | 1.549 | 9.34 |
| 11/10/07 23:00 | 1.543 | 9.34 |
| 11/10/07 23:05 | 1.54 | 9.34 |
| 11/10/07 23:10 | 1.535 | 9.34 |
| 11/10/07 23:15 | 1.532 | 9.34 |
| 11/10/07 23:20 | 1.53 | 9.34 |
| 11/10/07 23:25 | 1.526 | 9.34 |
| 11/10/07 23:30 | 1.524 | 9.34 |
| 11/10/07 23:35 | 1.521 | 9.34 |
| 11/10/07 23:40 | 1.519 | 9.34 |
| 11/10/07 23:45 | 1.517 | 9.34 |
| 11/10/07 23:50 | 1.515 | 9.34 |
| 11/10/07 23:55 | 1.514 | 9.34 |
| 11/11/07 0:00 | 1.513 | 9.34 |
| 11/11/07 0:05 | 1.511 | 9.34 |
| 11/11/07 0:10 | 1.51 | 9.34 |
| 11/11/07 0:15 | 1.507 | 9.34 |
| 11/11/07 0:20 | 1.508 | 9.34 |
| 11/11/07 0:25 | 1.507 | 9.34 |
| 11/11/07 0:30 | 1.507 | 9.34 |
| 11/11/07 0:35 | 1.506 | 9.34 |
| 11/11/07 0:40 | 1.505 | 9.34 |
| 11/11/07 0:45 | 1.505 | 9.34 |
| 11/11/07 0:50 | 1.5 | 9.34 |
| 11/11/07 0:55 | 1.498 | 9.34 |
| 11/11/07 1:00 | 1.494 | 9.34 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 1:05 | 1.491 | 9.34 |
| 11/11/07 1:10 | 1.489 | 9.34 |
| 11/11/07 1:15 | 1.483 | 9.34 |
| 11/11/07 1:20 | 1.476 | 9.34 |
| 11/11/07 1:25 | 1.469 | 9.34 |
| 11/11/07 1:30 | 1.463 | 9.34 |
| 11/11/07 1:35 | 1.459 | 9.34 |
| 11/11/07 1:40 | 1.455 | 9.34 |
| 11/11/07 1:45 | 1.452 | 9.34 |
| 11/11/07 1:50 | 1.448 | 9.34 |
| 11/11/07 1:55 | 1.446 | 9.34 |
| 11/11/07 2:00 | 1.445 | 9.34 |
| 11/11/07 2:05 | 1.444 | 9.34 |
| 11/11/07 2:10 | 1.441 | 9.34 |
| 11/11/07 2:15 | 1.442 | 9.34 |
| 11/11/07 2:20 | 1.439 | 9.34 |
| 11/11/07 2:25 | 1.439 | 9.34 |
| 11/11/07 2:30 | 1.439 | 9.34 |
| 11/11/07 2:35 | 1.438 | 9.34 |
| 11/11/07 2:40 | 1.438 | 9.34 |
| 11/11/07 2:45 | 1.439 | 9.34 |
| 11/11/07 2:50 | 1.437 | 9.34 |
| 11/11/07 2:55 | 1.429 | 9.34 |
| 11/11/07 3:00 | 1.421 | 9.34 |
| 11/11/07 3:05 | 1.413 | 9.34 |
| 11/11/07 3:10 | 1.408 | 9.73 |
| 11/11/07 3:15 | 1.403 | 9.66 |
| 11/11/07 3:20 | 1.397 | 9.66 |
| 11/11/07 3:25 | 1.395 | 8.55 |
| 11/11/07 3:30 | 1.391 | 8.31 |
| 11/11/07 3:35 | 1.388 | 8.31 |
| 11/11/07 3:40 | 1.387 | 8.31 |
| 11/11/07 3:45 | 1.385 | 8.44 |
| 11/11/07 3:50 | 1.383 | 7.97 |
| 11/11/07 3:55 | 1.381 | 9.36 |
| 11/11/07 4:00 | 1.379 | 10.35 |
| 11/11/07 4:05 | 1.378 | 7.86 |
| 11/11/07 4:10 | 1.378 | 9.29 |
| 11/11/07 4:15 | 1.376 | 7.95 |
| 11/11/07 4:20 | 1.376 | 8.97 |
| 11/11/07 4:25 | 1.377 | 8.97 |
| 11/11/07 4:30 | 1.374 | 8.97 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 4:35 | 1.373 | 8.97 |
| 11/11/07 4:40 | 1.374 | 8.97 |
| 11/11/07 4:45 | 1.373 | 8.97 |
| 11/11/07 4:50 | 1.373 | 8.97 |
| 11/11/07 4:55 | 1.374 | 8.97 |
| 11/11/07 5:00 | 1.375 | 8.97 |
| 11/11/07 5:05 | 1.376 | 8.97 |
| 11/11/07 5:10 | 1.375 | 8.97 |
| 11/11/07 5:15 | 1.375 | 8.97 |
| 11/11/07 5:20 | 1.374 | 8.97 |
| 11/11/07 5:25 | 1.375 | 8.97 |
| 11/11/07 5:30 | 1.375 | 8.97 |
| 11/11/07 5:35 | 1.375 | 8.97 |
| 11/11/07 5:40 | 1.376 | 8.97 |
| 11/11/07 5:45 | 1.376 | 8.97 |
| 11/11/07 5:50 | 1.375 | 8.97 |
| 11/11/07 5:55 | 1.375 | 8.97 |
| 11/11/07 6:00 | 1.375 | 8.97 |
| 11/11/07 6:05 | 1.374 | 8.97 |
| 11/11/07 6:10 | 1.374 | 8.97 |
| 11/11/07 6:15 | 1.372 | 8.97 |
| 11/11/07 6:20 | 1.373 | 8.97 |
| 11/11/07 6:25 | 1.372 | 8.97 |
| 11/11/07 6:30 | 1.373 | 8.97 |
| 11/11/07 6:35 | 1.374 | 8.97 |
| 11/11/07 6:40 | 1.373 | 8.97 |
| 11/11/07 6:45 | 1.373 | 8.97 |
| 11/11/07 6:50 | 1.375 | 8.97 |
| 11/11/07 6:55 | 1.374 | 8.97 |
| 11/11/07 7:00 | 1.375 | 8.97 |
| 11/11/07 7:05 | 1.376 | 8.97 |
| 11/11/07 7:10 | 1.375 | 8.97 |
| 11/11/07 7:15 | 1.376 | 8.97 |
| 11/11/07 7:20 | 1.377 | 8.97 |
| 11/11/07 7:25 | 1.377 | 8.97 |
| 11/11/07 7:30 | 1.377 | 8.97 |
| 11/11/07 7:35 | 1.378 | 8.97 |
| 11/11/07 7:40 | 1.379 | 8.97 |
| 11/11/07 7:45 | 1.379 | 8.97 |
| 11/11/07 7:50 | 1.379 | 8.97 |
| 11/11/07 7:55 | 1.381 | 8.97 |
| 11/11/07 8:00 | 1.382 | 8.97 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 8:05 | 1.383 | 8.97 |
| 11/11/07 8:10 | 1.383 | 8.97 |
| 11/11/07 8:15 | 1.383 | 8.97 |
| 11/11/07 8:20 | 1.383 | 8.97 |
| 11/11/07 8:25 | 1.383 | 8.97 |
| 11/11/07 8:30 | 1.383 | 8.97 |
| 11/11/07 8:35 | 1.384 | 8.97 |
| 11/11/07 8:40 | 1.384 | 8.97 |
| 11/11/07 8:45 | 1.384 | 8.97 |
| 11/11/07 8:50 | 1.384 | 8.97 |
| 11/11/07 8:55 | 1.384 | 8.97 |
| 11/11/07 9:00 | 1.386 | 8.97 |
| 11/11/07 9:05 | 1.386 | 8.97 |
| 11/11/07 9:10 | 1.386 | 8.97 |
| 11/11/07 9:15 | 1.387 | 8.97 |
| 11/11/07 9:20 | 1.388 | 8.97 |
| 11/11/07 9:25 | 1.389 | 8.97 |
| 11/11/07 9:30 | 1.389 | 8.97 |
| 11/11/07 9:35 | 1.386 | 8.97 |
| 11/11/07 9:40 | 1.389 | 8.97 |
| 11/11/07 9:45 | 1.388 | 8.97 |
| 11/11/07 9:50 | 1.388 | 8.97 |
| 11/11/07 9:55 | 1.387 | 8.97 |
| 11/11/07 10:00 | 1.388 | 8.97 |
| 11/11/07 10:05 | 1.388 | 8.97 |
| 11/11/07 10:10 | 1.39 | 8.97 |
| 11/11/07 10:15 | 1.39 | 8.91 |
| 11/11/07 10:20 | 1.389 | 8.22 |
| 11/11/07 10:25 | 1.39 | 8.22 |
| 11/11/07 10:30 | 1.39 | 8.22 |
| 11/11/07 10:35 | 1.388 | 9.33 |
| 11/11/07 10:40 | 1.39 | 9.33 |
| 11/11/07 10:45 | 1.389 | 9.33 |
| 11/11/07 10:50 | 1.388 | 9.33 |
| 11/11/07 10:55 | 1.388 | 9.33 |
| 11/11/07 11:00 | 1.388 | 9.33 |
| 11/11/07 11:05 | 1.388 | 9.33 |
| 11/11/07 11:10 | 1.388 | 10.56 |
| 11/11/07 11:15 | 1.387 | 10.56 |
| 11/11/07 11:20 | 1.387 | 10.56 |
| 11/11/07 11:25 | 1.386 | 10.56 |
| 11/11/07 11:30 | 1.386 | 10.56 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 11:35 | 1.385 | 10.56 |
| 11/11/07 11:40 | 1.386 | 8.61 |
| 11/11/07 11:45 | 1.388 | 8.76 |
| 11/11/07 11:50 | 1.388 | 9.75 |
| 11/11/07 11:55 | 1.386 | 9.93 |
| 11/11/07 12:00 | 1.387 | 9.93 |
| 11/11/07 12:05 | 1.387 | 9.34 |
| 11/11/07 12:10 | 1.387 | 9.34 |
| 11/11/07 12:15 | 1.387 | 7.56 |
| 11/11/07 12:20 | 1.386 | 8.62 |
| 11/11/07 12:25 | 1.386 | 8.62 |
| 11/11/07 12:30 | 1.387 | 8.62 |
| 11/11/07 12:35 | 1.385 | 8.62 |
| 11/11/07 12:40 | 1.387 | 8.62 |
| 11/11/07 12:45 | 1.385 | 8.62 |
| 11/11/07 12:50 | 1.385 | 8.62 |
| 11/11/07 12:55 | 1.385 | 8.62 |
| 11/11/07 13:00 | 1.386 | 8.62 |
| 11/11/07 13:05 | 1.386 | 8.62 |
| 11/11/07 13:10 | 1.387 | 8.62 |
| 11/11/07 13:15 | 1.386 | 8.62 |
| 11/11/07 13:20 | 1.386 | 8.62 |
| 11/11/07 13:25 | 1.387 | 8.62 |
| 11/11/07 13:30 | 1.386 | 8.62 |
| 11/11/07 13:35 | 1.385 | 8.62 |
| 11/11/07 13:40 | 1.386 | 8.62 |
| 11/11/07 13:45 | 1.386 | 8.62 |
| 11/11/07 13:50 | 1.387 | 8.62 |
| 11/11/07 13:55 | 1.386 | 8.62 |
| 11/11/07 14:00 | 1.386 | 8.62 |
| 11/11/07 14:05 | 1.386 | 8.62 |
| 11/11/07 14:10 | 1.387 | 8.62 |
| 11/11/07 14:15 | 1.387 | 8.62 |
| 11/11/07 14:20 | 1.386 | 8.62 |
| 11/11/07 14:25 | 1.386 | 8.62 |
| 11/11/07 14:30 | 1.386 | 8.62 |
| 11/11/07 14:35 | 1.387 | 8.62 |
| 11/11/07 14:40 | 1.385 | 8.62 |
| 11/11/07 14:45 | 1.386 | 8.62 |
| 11/11/07 14:50 | 1.384 | 8.62 |
| 11/11/07 14:55 | 1.386 | 8.62 |
| 11/11/07 15:00 | 1.385 | 8.62 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 15:05 | 1.383 | 8.62 |
| 11/11/07 15:10 | 1.384 | 8.62 |
| 11/11/07 15:15 | 1.383 | 8.62 |
| 11/11/07 15:20 | 1.384 | 8.62 |
| 11/11/07 15:25 | 1.384 | 8.62 |
| 11/11/07 15:30 | 1.384 | 8.62 |
| 11/11/07 15:35 | 1.385 | 8.62 |
| 11/11/07 15:40 | 1.384 | 8.62 |
| 11/11/07 15:45 | 1.383 | 8.62 |
| 11/11/07 15:50 | 1.384 | 8.62 |
| 11/11/07 15:55 | 1.381 | 8.62 |
| 11/11/07 16:00 | 1.384 | 8.62 |
| 11/11/07 16:05 | 1.382 | 8.62 |
| 11/11/07 16:10 | 1.383 | 8.62 |
| 11/11/07 16:15 | 1.383 | 8.62 |
| 11/11/07 16:20 | 1.383 | 8.62 |
| 11/11/07 16:25 | 1.384 | 8.62 |
| 11/11/07 16:30 | 1.383 | 8.62 |
| 11/11/07 16:35 | 1.382 | 8.62 |
| 11/11/07 16:40 | 1.383 | 8.62 |
| 11/11/07 16:45 | 1.384 | 8.62 |
| 11/11/07 16:50 | 1.384 | 8.62 |
| 11/11/07 16:55 | 1.384 | 8.62 |
| 11/11/07 17:00 | 1.384 | 8.62 |
| 11/11/07 17:05 | 1.384 | 8.62 |
| 11/11/07 17:10 | 1.383 | 8.62 |
| 11/11/07 17:15 | 1.386 | 8.62 |
| 11/11/07 17:20 | 1.385 | 8.62 |
| 11/11/07 17:25 | 1.384 | 8.62 |
| 11/11/07 17:30 | 1.384 | 8.62 |
| 11/11/07 17:35 | 1.385 | 8.62 |
| 11/11/07 17:40 | 1.385 | 8.62 |
| 11/11/07 17:45 | 1.386 | 8.62 |
| 11/11/07 17:50 | 1.383 | 8.62 |
| 11/11/07 17:55 | 1.386 | 8.62 |
| 11/11/07 18:00 | 1.386 | 8.62 |
| 11/11/07 18:05 | 1.386 | 8.62 |
| 11/11/07 18:10 | 1.386 | 8.62 |
| 11/11/07 18:15 | 1.387 | 8.62 |
| 11/11/07 18:20 | 1.386 | 8.62 |
| 11/11/07 18:25 | 1.386 | 8.62 |
| 11/11/07 18:30 | 1.386 | 8.62 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 18:35 | 1.386 | 8.62 |
| 11/11/07 18:40 | 1.387 | 8.62 |
| 11/11/07 18:45 | 1.385 | 8.62 |
| 11/11/07 18:50 | 1.387 | 8.62 |
| 11/11/07 18:55 | 1.388 | 8.62 |
| 11/11/07 19:00 | 1.387 | 8.62 |
| 11/11/07 19:05 | 1.386 | 8.62 |
| 11/11/07 19:10 | 1.386 | 8.62 |
| 11/11/07 19:15 | 1.387 | 8.62 |
| 11/11/07 19:20 | 1.385 | 8.62 |
| 11/11/07 19:25 | 1.383 | 8.62 |
| 11/11/07 19:30 | 1.378 | 8.62 |
| 11/11/07 19:35 | 1.375 | 8.62 |
| 11/11/07 19:40 | 1.37 | 8.62 |
| 11/11/07 19:45 | 1.363 | 8.62 |
| 11/11/07 19:50 | 1.358 | 8.62 |
| 11/11/07 19:55 | 1.354 | 7.11 |
| 11/11/07 20:00 | 1.349 | 7.11 |
| 11/11/07 20:05 | 1.345 | 7.11 |
| 11/11/07 20:10 | 1.343 | 7.26 |
| 11/11/07 20:15 | 1.34 | 7.26 |
| 11/11/07 20:20 | 1.337 | 7.26 |
| 11/11/07 20:25 | 1.336 | 7.26 |
| 11/11/07 20:30 | 1.334 | 7.26 |
| 11/11/07 20:35 | 1.332 | 7.26 |
| 11/11/07 20:40 | 1.332 | 7.26 |
| 11/11/07 20:45 | 1.329 | 7.26 |
| 11/11/07 20:50 | 1.326 | 7.26 |
| 11/11/07 20:55 | 1.325 | 7.26 |
| 11/11/07 21:00 | 1.324 | 7.26 |
| 11/11/07 21:05 | 1.322 | 7.26 |
| 11/11/07 21:10 | 1.322 | 7.26 |
| 11/11/07 21:15 | 1.321 | 7.26 |
| 11/11/07 21:20 | 1.321 | 7.26 |
| 11/11/07 21:25 | 1.319 | 7.26 |
| 11/11/07 21:30 | 1.318 | 7.26 |
| 11/11/07 21:35 | 1.319 | 7.26 |
| 11/11/07 21:40 | 1.317 | 7.26 |
| 11/11/07 21:45 | 1.317 | 7.26 |
| 11/11/07 21:50 | 1.317 | 7.26 |
| 11/11/07 21:55 | 1.317 | 7.26 |
| 11/11/07 22:00 | 1.314 | 7.26 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/11/07 22:05 | 1.307 | 7.26 |
| 11/11/07 22:10 | 1.296 | 7.26 |
| 11/11/07 22:15 | 1.286 | 7.26 |
| 11/11/07 22:20 | 1.277 | 7.26 |
| 11/11/07 22:25 | 1.271 | 7.26 |
| 11/11/07 22:30 | 1.264 | 7.26 |
| 11/11/07 22:35 | 1.26 | 7.26 |
| 11/11/07 22:40 | 1.256 | 7.26 |
| 11/11/07 22:45 | 1.251 | 7.26 |
| 11/11/07 22:50 | 1.25 | 7.26 |
| 11/11/07 22:55 | 1.247 | 7.26 |
| 11/11/07 23:00 | 1.246 | 7.26 |
| 11/11/07 23:05 | 1.243 | 7.26 |
| 11/11/07 23:10 | 1.241 | 7.26 |
| 11/11/07 23:15 | 1.24 | 7.26 |
| 11/11/07 23:20 | 1.238 | 7.26 |
| 11/11/07 23:25 | 1.238 | 7.26 |
| 11/11/07 23:30 | 1.237 | 7.26 |
| 11/11/07 23:35 | 1.238 | 7.26 |
| 11/11/07 23:40 | 1.236 | 7.26 |
| 11/11/07 23:45 | 1.235 | 7.26 |
| 11/11/07 23:50 | 1.235 | 7.26 |
| 11/11/07 23:55 | 1.232 | 7.26 |
| 11/12/07 0:00 | 1.23 | 7.26 |
| 11/12/07 0:05 | 1.229 | 7.26 |
| 11/12/07 0:10 | 1.229 | 7.26 |
| 11/12/07 0:15 | 1.228 | 7.26 |
| 11/12/07 0:20 | 1.227 | 7.26 |
| 11/12/07 0:25 | 1.226 | 7.26 |
| 11/12/07 0:30 | 1.226 | 7.26 |
| 11/12/07 0:35 | 1.226 | 7.26 |
| 11/12/07 0:40 | 1.225 | 7.26 |
| 11/12/07 0:45 | 1.226 | 7.26 |
| 11/12/07 0:50 | 1.227 | 7.26 |
| 11/12/07 0:55 | 1.227 | 7.26 |
| 11/12/07 1:00 | 1.226 | 7.26 |
| 11/12/07 1:05 | 1.227 | 7.26 |
| 11/12/07 1:10 | 1.227 | 7.26 |
| 11/12/07 1:15 | 1.229 | 7.26 |
| 11/12/07 1:20 | 1.228 | 7.26 |
| 11/12/07 1:25 | 1.226 | 7.26 |
| 11/12/07 1:30 | 1.225 | 7.26 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 1:35 | 1.222 | 7.26 |
| 11/12/07 1:40 | 1.218 | 7.26 |
| 11/12/07 1:45 | 1.218 | 7.26 |
| 11/12/07 1:50 | 1.215 | 7.26 |
| 11/12/07 1:55 | 1.205 | 7.26 |
| 11/12/07 2:00 | 1.199 | 7.26 |
| 11/12/07 2:05 | 1.196 | 7.26 |
| 11/12/07 2:10 | 1.193 | 7.26 |
| 11/12/07 2:15 | 1.192 | 7.26 |
| 11/12/07 2:20 | 1.19 | 7.26 |
| 11/12/07 2:25 | 1.187 | 7.26 |
| 11/12/07 2:30 | 1.187 | 7.26 |
| 11/12/07 2:35 | 1.186 | 7.26 |
| 11/12/07 2:40 | 1.185 | 7.26 |
| 11/12/07 2:45 | 1.185 | 7.26 |
| 11/12/07 2:50 | 1.184 | 7.26 |
| 11/12/07 2:55 | 1.184 | 7.26 |
| 11/12/07 3:00 | 1.184 | 7.26 |
| 11/12/07 3:05 | 1.181 | 7.26 |
| 11/12/07 3:10 | 1.174 | 7.26 |
| 11/12/07 3:15 | 1.168 | 7.26 |
| 11/12/07 3:20 | 1.162 | 7.26 |
| 11/12/07 3:25 | 1.161 | 7.26 |
| 11/12/07 3:30 | 1.159 | 7.26 |
| 11/12/07 3:35 | 1.157 | 7.26 |
| 11/12/07 3:40 | 1.157 | 7.26 |
| 11/12/07 3:45 | 1.156 | 7.26 |
| 11/12/07 3:50 | 1.151 | 7.26 |
| 11/12/07 3:55 | 1.152 | 7.26 |
| 11/12/07 4:00 | 1.152 | 7.26 |
| 11/12/07 4:05 | 1.152 | 7.26 |
| 11/12/07 4:10 | 1.152 | 7.26 |
| 11/12/07 4:15 | 1.151 | 7.26 |
| 11/12/07 4:20 | 1.152 | 7.26 |
| 11/12/07 4:25 | 1.15 | 7.26 |
| 11/12/07 4:30 | 1.151 | 7.26 |
| 11/12/07 4:35 | 1.151 | 5.83 |
| 11/12/07 4:40 | 1.151 | 5.83 |
| 11/12/07 4:45 | 1.15 | 5.83 |
| 11/12/07 4:50 | 1.15 | 5.83 |
| 11/12/07 4:55 | 1.152 | 5.83 |
| 11/12/07 5:00 | 1.152 | 5.83 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 5:05 | 1.151 | 5.83 |
| 11/12/07 5:10 | 1.152 | 5.83 |
| 11/12/07 5:15 | 1.153 | 5.83 |
| 11/12/07 5:20 | 1.153 | 5.83 |
| 11/12/07 5:25 | 1.153 | 5.83 |
| 11/12/07 5:30 | 1.154 | 5.83 |
| 11/12/07 5:35 | 1.155 | 5.83 |
| 11/12/07 5:40 | 1.155 | 5.83 |
| 11/12/07 5:45 | 1.156 | 5.83 |
| 11/12/07 5:50 | 1.157 | 5.83 |
| 11/12/07 5:55 | 1.157 | 5.83 |
| 11/12/07 6:00 | 1.157 | 5.83 |
| 11/12/07 6:05 | 1.158 | 5.83 |
| 11/12/07 6:10 | 1.157 | 5.83 |
| 11/12/07 6:15 | 1.158 | 5.83 |
| 11/12/07 6:20 | 1.159 | 5.83 |
| 11/12/07 6:25 | 1.159 | 5.83 |
| 11/12/07 6:30 | 1.16 | 5.83 |
| 11/12/07 6:35 | 1.16 | 5.83 |
| 11/12/07 6:40 | 1.161 | 5.83 |
| 11/12/07 6:45 | 1.162 | 5.83 |
| 11/12/07 6:50 | 1.162 | 5.83 |
| 11/12/07 6:55 | 1.162 | 5.83 |
| 11/12/07 7:00 | 1.164 | 5.83 |
| 11/12/07 7:05 | 1.165 | 5.83 |
| 11/12/07 7:10 | 1.164 | 5.83 |
| 11/12/07 7:15 | 1.165 | 5.83 |
| 11/12/07 7:20 | 1.166 | 10.17 |
| 11/12/07 7:25 | 1.165 | 10.17 |
| 11/12/07 7:30 | 1.167 | 10.17 |
| 11/12/07 7:35 | 1.168 | 10.17 |
| 11/12/07 7:40 | 1.168 | 10.17 |
| 11/12/07 7:45 | 1.169 | 10.44 |
| 11/12/07 7:50 | 1.169 | 10.67 |
| 11/12/07 7:55 | 1.168 | 9.43 |
| 11/12/07 8:00 | 1.169 | 9.43 |
| 11/12/07 8:05 | 1.168 | 9.74 |
| 11/12/07 8:10 | 1.168 | 9.74 |
| 11/12/07 8:15 | 1.168 | 9.17 |
| 11/12/07 8:20 | 1.169 | 9.17 |
| 11/12/07 8:25 | 1.169 | 9.17 |
| 11/12/07 8:30 | 1.169 | 9.17 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 8:35 | 1.168 | 9.17 |
| 11/12/07 8:40 | 1.17 | 9.17 |
| 11/12/07 8:45 | 1.17 | 9.17 |
| 11/12/07 8:50 | 1.17 | 9.17 |
| 11/12/07 8:55 | 1.171 | 9.17 |
| 11/12/07 9:00 | 1.172 | 9.17 |
| 11/12/07 9:05 | 1.172 | 9.17 |
| 11/12/07 9:10 | 1.173 | 9.17 |
| 11/12/07 9:15 | 1.174 | 9.17 |
| 11/12/07 9:20 | 1.175 | 9.17 |
| 11/12/07 9:25 | 1.175 | 9.17 |
| 11/12/07 9:30 | 1.176 | 9.17 |
| 11/12/07 9:35 | 1.177 | 9.17 |
| 11/12/07 9:40 | 1.178 | 9.17 |
| 11/12/07 9:45 | 1.179 | 9.17 |
| 11/12/07 9:50 | 1.18 | 9.17 |
| 11/12/07 9:55 | 1.18 | 9.17 |
| 11/12/07 10:00 | 1.182 | 8.96 |
| 11/12/07 10:05 | 1.182 | 8.96 |
| 11/12/07 10:10 | 1.183 | 8.96 |
| 11/12/07 10:15 | 1.184 | 8.96 |
| 11/12/07 10:20 | 1.185 | 8.96 |
| 11/12/07 10:25 | 1.185 | 8.96 |
| 11/12/07 10:30 | 1.186 | 8.96 |
| 11/12/07 10:35 | 1.187 | 8.96 |
| 11/12/07 10:40 | 1.188 | 8.96 |
| 11/12/07 10:45 | 1.189 | 8.96 |
| 11/12/07 10:50 | 1.191 | 8.96 |
| 11/12/07 10:55 | 1.191 | 8.96 |
| 11/12/07 11:00 | 1.192 | 8.96 |
| 11/12/07 11:05 | 1.192 | 8.96 |
| 11/12/07 11:10 | 1.194 | 8.96 |
| 11/12/07 11:15 | 1.196 | 8.96 |
| 11/12/07 11:20 | 1.195 | 8.96 |
| 11/12/07 11:25 | 1.197 | 8.96 |
| 11/12/07 11:30 | 1.198 | 8.96 |
| 11/12/07 11:35 | 1.198 | 8.96 |
| 11/12/07 11:40 | 1.199 | 8.96 |
| 11/12/07 11:45 | 1.201 | 8.96 |
| 11/12/07 11:50 | 1.202 | 8.96 |
| 11/12/07 11:55 | 1.203 | 8.96 |
| 11/12/07 12:00 | 1.203 | 12.08 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 12:05 | 1.204 | 10.11 |
| 11/12/07 12:10 | 1.205 | 10.11 |
| 11/12/07 12:15 | 1.206 | 10.11 |
| 11/12/07 12:20 | 1.208 | 10.11 |
| 11/12/07 12:25 | 1.208 | 10.11 |
| 11/12/07 12:30 | 1.209 | 10.11 |
| 11/12/07 12:35 | 1.21 | 13.24 |
| 11/12/07 12:40 | 1.211 | 13.52 |
| 11/12/07 12:45 | 1.212 | 13.52 |
| 11/12/07 12:50 | 1.213 | 13.85 |
| 11/12/07 12:55 | 1.214 | 13.85 |
| 11/12/07 13:00 | 1.214 | 13.85 |
| 11/12/07 13:05 | 1.215 | 13.85 |
| 11/12/07 13:10 | 1.216 | 13.85 |
| 11/12/07 13:15 | 1.216 | 13.85 |
| 11/12/07 13:20 | 1.219 | 13.85 |
| 11/12/07 13:25 | 1.219 | 13.85 |
| 11/12/07 13:30 | 1.22 | 13.85 |
| 11/12/07 13:35 | 1.221 | 13.85 |
| 11/12/07 13:40 | 1.221 | 13.85 |
| 11/12/07 13:45 | 1.224 | 13.85 |
| 11/12/07 13:50 | 1.224 | 13.85 |
| 11/12/07 13:55 | 1.225 | 13.85 |
| 11/12/07 14:00 | 1.227 | 13.85 |
| 11/12/07 14:05 | 1.228 | 13.85 |
| 11/12/07 14:10 | 1.228 | 13.85 |
| 11/12/07 14:15 | 1.23 | 13.85 |
| 11/12/07 14:20 | 1.231 | 13.85 |
| 11/12/07 14:25 | 1.232 | 13.85 |
| 11/12/07 14:30 | 1.234 | 13.85 |
| 11/12/07 14:35 | 1.235 | 13.85 |
| 11/12/07 14:40 | 1.236 | 13.85 |
| 11/12/07 14:45 | 1.236 | 13.85 |
| 11/12/07 14:50 | 1.237 | 13.85 |
| 11/12/07 14:55 | 1.238 | 13.85 |
| 11/12/07 15:00 | 1.238 | 13.85 |
| 11/12/07 15:05 | 1.24 | 13.85 |
| 11/12/07 15:10 | 1.241 | 13.85 |
| 11/12/07 15:15 | 1.241 | 13.85 |
| 11/12/07 15:20 | 1.242 | 13.85 |
| 11/12/07 15:25 | 1.243 | 13.85 |
| 11/12/07 15:30 | 1.243 | 13.85 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 15:35 | 1.244 | 13.85 |
| 11/12/07 15:40 | 1.246 | 13.85 |
| 11/12/07 15:45 | 1.247 | 13.85 |
| 11/12/07 15:50 | 1.247 | 13.85 |
| 11/12/07 15:55 | 1.248 | 13.85 |
| 11/12/07 16:00 | 1.249 | 13.85 |
| 11/12/07 16:05 | 1.25 | 13.85 |
| 11/12/07 16:10 | 1.251 | 13.85 |
| 11/12/07 16:15 | 1.251 | 13.85 |
| 11/12/07 16:20 | 1.251 | 13.85 |
| 11/12/07 16:25 | 1.252 | 13.85 |
| 11/12/07 16:30 | 1.253 | 13.85 |
| 11/12/07 16:35 | 1.253 | 13.85 |
| 11/12/07 16:40 | 1.253 | 13.85 |
| 11/12/07 16:45 | 1.255 | 13.85 |
| 11/12/07 16:50 | 1.256 | 9.44 |
| 11/12/07 16:55 | 1.255 | 9.44 |
| 11/12/07 17:00 | 1.256 | 9.44 |
| 11/12/07 17:05 | 1.257 | 9.44 |
| 11/12/07 17:10 | 1.258 | 9.44 |
| 11/12/07 17:15 | 1.258 | 9.44 |
| 11/12/07 17:20 | 1.258 | 9.44 |
| 11/12/07 17:25 | 1.258 | 9.44 |
| 11/12/07 17:30 | 1.26 | 9.44 |
| 11/12/07 17:35 | 1.26 | 9.44 |
| 11/12/07 17:40 | 1.258 | 9.44 |
| 11/12/07 17:45 | 1.257 | 13.27 |
| 11/12/07 17:50 | 1.256 | 13.27 |
| 11/12/07 17:55 | 1.254 | 13.27 |
| 11/12/07 18:00 | 1.251 | 13.27 |
| 11/12/07 18:05 | 1.251 | 13.27 |
| 11/12/07 18:10 | 1.249 | 13.27 |
| 11/12/07 18:15 | 1.248 | 13.27 |
| 11/12/07 18:20 | 1.246 | 13.27 |
| 11/12/07 18:25 | 1.236 | 13.27 |
| 11/12/07 18:30 | 1.237 | 13.27 |
| 11/12/07 18:35 | 1.235 | 13.27 |
| 11/12/07 18:40 | 1.231 | 13.27 |
| 11/12/07 18:45 | 1.23 | 13.27 |
| 11/12/07 18:50 | 1.229 | 13.27 |
| 11/12/07 18:55 | 1.226 | 13.27 |
| 11/12/07 19:00 | 1.224 | 13.27 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 19:05 | 1.223 | 9.08 |
| 11/12/07 19:10 | 1.222 | 9.08 |
| 11/12/07 19:15 | 1.22 | 9.08 |
| 11/12/07 19:20 | 1.218 | 9.03 |
| 11/12/07 19:25 | 1.212 | 9.03 |
| 11/12/07 19:30 | 1.211 | 9.03 |
| 11/12/07 19:35 | 1.208 | 9.03 |
| 11/12/07 19:40 | 1.207 | 9.03 |
| 11/12/07 19:45 | 1.205 | 11.9 |
| 11/12/07 19:50 | 1.204 | 10.84 |
| 11/12/07 19:55 | 1.203 | 10.84 |
| 11/12/07 20:00 | 1.202 | 10.84 |
| 11/12/07 20:05 | 1.201 | 10.84 |
| 11/12/07 20:10 | 1.199 | 10.84 |
| 11/12/07 20:15 | 1.193 | 10.84 |
| 11/12/07 20:20 | 1.19 | 10.84 |
| 11/12/07 20:25 | 1.188 | 10.84 |
| 11/12/07 20:30 | 1.186 | 10.84 |
| 11/12/07 20:35 | 1.186 | 10.84 |
| 11/12/07 20:40 | 1.183 | 10.84 |
| 11/12/07 20:45 | 1.181 | 10.84 |
| 11/12/07 20:50 | 1.18 | 10.84 |
| 11/12/07 20:55 | 1.178 | 10.84 |
| 11/12/07 21:00 | 1.177 | 10.84 |
| 11/12/07 21:05 | 1.177 | 10.84 |
| 11/12/07 21:10 | 1.175 | 10.84 |
| 11/12/07 21:15 | 1.173 | 10.84 |
| 11/12/07 21:20 | 1.173 | 10.84 |
| 11/12/07 21:25 | 1.172 | 10.84 |
| 11/12/07 21:30 | 1.17 | 10.84 |
| 11/12/07 21:35 | 1.17 | 10.84 |
| 11/12/07 21:40 | 1.17 | 10.84 |
| 11/12/07 21:45 | 1.17 | 10.84 |
| 11/12/07 21:50 | 1.17 | 10.84 |
| 11/12/07 21:55 | 1.169 | 10.84 |
| 11/12/07 22:00 | 1.168 | 10.84 |
| 11/12/07 22:05 | 1.168 | 10.84 |
| 11/12/07 22:10 | 1.169 | 10.84 |
| 11/12/07 22:15 | 1.169 | 10.84 |
| 11/12/07 22:20 | 1.169 | 10.84 |
| 11/12/07 22:25 | 1.176 | 10.84 |
| 11/12/07 22:30 | 1.187 | 10.84 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/12/07 22:35 | 1.363 | 10.84 |
| 11/12/07 22:40 | 1.583 | 10.84 |
| 11/12/07 22:45 | 1.733 | 10.84 |
| 11/12/07 22:50 | 1.821 | 10.84 |
| 11/12/07 22:55 | 1.853 | 10.84 |
| 11/12/07 23:00 | 1.844 | 10.84 |
| 11/12/07 23:05 | 1.82 | 10.84 |
| 11/12/07 23:10 | 1.79 | 10.84 |
| 11/12/07 23:15 | 1.76 | 10.84 |
| 11/12/07 23:20 | 1.733 | 10.84 |
| 11/12/07 23:25 | 1.708 | 10.84 |
| 11/12/07 23:30 | 1.686 | 10.84 |
| 11/12/07 23:35 | 1.665 | 10.84 |
| 11/12/07 23:40 | 1.647 | 10.84 |
| 11/12/07 23:45 | 1.63 | 10.84 |
| 11/12/07 23:50 | 1.613 | 10.84 |
| 11/12/07 23:55 | 1.599 | 10.84 |
| 11/13/07 0:00 | 1.587 | 10.84 |
| 11/13/07 0:05 | 1.574 | 10.84 |
| 11/13/07 0:10 | 1.562 | 10.84 |
| 11/13/07 0:15 | 1.55 | 10.84 |
| 11/13/07 0:20 | 1.54 | 10.84 |
| 11/13/07 0:25 | 1.53 | 10.84 |
| 11/13/07 0:30 | 1.522 | 10.84 |
| 11/13/07 0:35 | 1.513 | 10.84 |
| 11/13/07 0:40 | 1.506 | 10.84 |
| 11/13/07 0:45 | 1.499 | 10.84 |
| 11/13/07 0:50 | 1.494 | 10.84 |
| 11/13/07 0:55 | 1.487 | 10.84 |
| 11/13/07 1:00 | 1.482 | 10.84 |
| 11/13/07 1:05 | 1.477 | 10.84 |
| 11/13/07 1:10 | 1.472 | 10.84 |
| 11/13/07 1:15 | 1.468 | 10.84 |
| 11/13/07 1:20 | 1.465 | 10.84 |
| 11/13/07 1:25 | 1.461 | 10.84 |
| 11/13/07 1:30 | 1.458 | 10.84 |
| 11/13/07 1:35 | 1.455 | 10.84 |
| 11/13/07 1:40 | 1.453 | 10.84 |
| 11/13/07 1:45 | 1.451 | 10.84 |
| 11/13/07 1:50 | 1.449 | 10.84 |
| 11/13/07 1:55 | 1.448 | 10.84 |
| 11/13/07 2:00 | 1.446 | 10.84 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 2:05 | 1.443 | 10.84 |
| 11/13/07 2:10 | 1.443 | 10.84 |
| 11/13/07 2:15 | 1.438 | 10.84 |
| 11/13/07 2:20 | 1.435 | 10.84 |
| 11/13/07 2:25 | 1.432 | 10.84 |
| 11/13/07 2:30 | 1.429 | 10.84 |
| 11/13/07 2:35 | 1.427 | 10.84 |
| 11/13/07 2:40 | 1.425 | 10.84 |
| 11/13/07 2:45 | 1.422 | 10.84 |
| 11/13/07 2:50 | 1.42 | 8.97 |
| 11/13/07 2:55 | 1.419 | 8.97 |
| 11/13/07 3:00 | 1.417 | 8.97 |
| 11/13/07 3:05 | 1.416 | 8.97 |
| 11/13/07 3:10 | 1.415 | 8.97 |
| 11/13/07 3:15 | 1.415 | 8.97 |
| 11/13/07 3:20 | 1.414 | 8.97 |
| 11/13/07 3:25 | 1.416 | 8.97 |
| 11/13/07 3:30 | 1.418 | 8.97 |
| 11/13/07 3:35 | 1.42 | 8.97 |
| 11/13/07 3:40 | 1.422 | 8.97 |
| 11/13/07 3:45 | 1.426 | 8.97 |
| 11/13/07 3:50 | 1.428 | 9.38 |
| 11/13/07 3:55 | 1.431 | 9.38 |
| 11/13/07 4:00 | 1.433 | 9.38 |
| 11/13/07 4:05 | 1.434 | 9.38 |
| 11/13/07 4:10 | 1.435 | 9.38 |
| 11/13/07 4:15 | 1.437 | 9.38 |
| 11/13/07 4:20 | 1.438 | 9.38 |
| 11/13/07 4:25 | 1.439 | 9.38 |
| 11/13/07 4:30 | 1.439 | 9.15 |
| 11/13/07 4:35 | 1.441 | 9.15 |
| 11/13/07 4:40 | 1.441 | 9.15 |
| 11/13/07 4:45 | 1.442 | 8.95 |
| 11/13/07 4:50 | 1.445 | 8.95 |
| 11/13/07 4:55 | 1.449 | 8.95 |
| 11/13/07 5:00 | 1.451 | 8.95 |
| 11/13/07 5:05 | 1.462 | 8.95 |
| 11/13/07 5:10 | 1.495 | 8.95 |
| 11/13/07 5:15 | 1.543 | 8.95 |
| 11/13/07 5:20 | 1.583 | 8.95 |
| 11/13/07 5:25 | 1.619 | 8.95 |
| 11/13/07 5:30 | 1.658 | 8.95 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 5:35 | 1.701 | 8.95 |
| 11/13/07 5:40 | 1.736 | 8.95 |
| 11/13/07 5:45 | 1.761 | 8.95 |
| 11/13/07 5:50 | 1.77 | 8.95 |
| 11/13/07 5:55 | 1.769 | 8.95 |
| 11/13/07 6:00 | 1.758 | 8.95 |
| 11/13/07 6:05 | 1.745 | 8.95 |
| 11/13/07 6:10 | 1.729 | 8.95 |
| 11/13/07 6:15 | 1.714 | 8.95 |
| 11/13/07 6:20 | 1.698 | 8.95 |
| 11/13/07 6:25 | 1.684 | 8.95 |
| 11/13/07 6:30 | 1.671 | 8.95 |
| 11/13/07 6:35 | 1.659 | 8.95 |
| 11/13/07 6:40 | 1.648 | 8.95 |
| 11/13/07 6:45 | 1.637 | 8.95 |
| 11/13/07 6:50 | 1.627 | 8.95 |
| 11/13/07 6:55 | 1.618 | 8.95 |
| 11/13/07 7:00 | 1.609 | 8.95 |
| 11/13/07 7:05 | 1.601 | 8.95 |
| 11/13/07 7:10 | 1.594 | 8.95 |
| 11/13/07 7:15 | 1.587 | 8.95 |
| 11/13/07 7:20 | 1.581 | 8.95 |
| 11/13/07 7:25 | 1.576 | 8.95 |
| 11/13/07 7:30 | 1.572 | 8.95 |
| 11/13/07 7:35 | 1.57 | 8.95 |
| 11/13/07 7:40 | 1.57 | 8.95 |
| 11/13/07 7:45 | 1.571 | 8.95 |
| 11/13/07 7:50 | 1.572 | 8.95 |
| 11/13/07 7:55 | 1.575 | 8.95 |
| 11/13/07 8:00 | 1.577 | 8.95 |
| 11/13/07 8:05 | 1.58 | 8.95 |
| 11/13/07 8:10 | 1.582 | 8.95 |
| 11/13/07 8:15 | 1.583 | 8.95 |
| 11/13/07 8:20 | 1.583 | 8.95 |
| 11/13/07 8:25 | 1.582 | 8.95 |
| 11/13/07 8:30 | 1.58 | 8.95 |
| 11/13/07 8:35 | 1.578 | 8.95 |
| 11/13/07 8:40 | 1.576 | 8.95 |
| 11/13/07 8:45 | 1.574 | 8.95 |
| 11/13/07 8:50 | 1.572 | 8.95 |
| 11/13/07 8:55 | 1.571 | 8.95 |
| 11/13/07 9:00 | 1.57 | 8.95 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 9:05 | 1.567 | 8.95 |
| 11/13/07 9:10 | 1.566 | 8.95 |
| 11/13/07 9:15 | 1.565 | 8.95 |
| 11/13/07 9:20 | 1.564 | 8.95 |
| 11/13/07 9:25 | 1.563 | 8.95 |
| 11/13/07 9:30 | 1.562 | 8.95 |
| 11/13/07 9:35 | 1.56 | 8.95 |
| 11/13/07 9:40 | 1.559 | 8.95 |
| 11/13/07 9:45 | 1.559 | 8.95 |
| 11/13/07 9:50 | 1.558 | 8.95 |
| 11/13/07 9:55 | 1.556 | 8.95 |
| 11/13/07 10:00 | 1.555 | 8.95 |
| 11/13/07 10:05 | 1.553 | 8.95 |
| 11/13/07 10:10 | 1.554 | 8.95 |
| 11/13/07 10:15 | 1.552 | 8.95 |
| 11/13/07 10:20 | 1.552 | 8.95 |
| 11/13/07 10:25 | 1.551 | 8.95 |
| 11/13/07 10:30 | 1.549 | 8.95 |
| 11/13/07 10:35 | 1.549 | 9.48 |
| 11/13/07 10:40 | 1.549 | 9.48 |
| 11/13/07 10:45 | 1.549 | 9.48 |
| 11/13/07 10:50 | 1.548 | 9.48 |
| 11/13/07 10:55 | 1.548 | 9.48 |
| 11/13/07 11:00 | 1.549 | 9.48 |
| 11/13/07 11:05 | 1.549 | 9.48 |
| 11/13/07 11:10 | 1.548 | 9.48 |
| 11/13/07 11:15 | 1.547 | 9.48 |
| 11/13/07 11:20 | 1.549 | 9.48 |
| 11/13/07 11:25 | 1.549 | 9.48 |
| 11/13/07 11:30 | 1.548 | 9.48 |
| 11/13/07 11:35 | 1.549 | 9.48 |
| 11/13/07 11:40 | 1.549 | 9.48 |
| 11/13/07 11:45 | 1.55 | 9.48 |
| 11/13/07 11:50 | 1.551 | 9.48 |
| 11/13/07 11:55 | 1.551 | 9.48 |
| 11/13/07 12:00 | 1.552 | 9.48 |
| 11/13/07 12:05 | 1.551 | 9.48 |
| 11/13/07 12:10 | 1.551 | 9.48 |
| 11/13/07 12:15 | 1.553 | 9.48 |
| 11/13/07 12:20 | 1.554 | 9.48 |
| 11/13/07 12:25 | 1.553 | 9.48 |
| 11/13/07 12:30 | 1.554 | 9.48 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 12:35 | 1.555 | 9.48 |
| 11/13/07 12:40 | 1.555 | 9.48 |
| 11/13/07 12:45 | 1.556 | 9.48 |
| 11/13/07 12:50 | 1.556 | 9.48 |
| 11/13/07 12:55 | 1.558 | 9.48 |
| 11/13/07 13:00 | 1.556 | 9.48 |
| 11/13/07 13:05 | 1.556 | 9.48 |
| 11/13/07 13:10 | 1.559 | 9.48 |
| 11/13/07 13:15 | 1.558 | 9.48 |
| 11/13/07 13:20 | 1.556 | 9.48 |
| 11/13/07 13:25 | 1.557 | 9.48 |
| 11/13/07 13:30 | 1.556 | 9.48 |
| 11/13/07 13:35 | 1.558 | 9.48 |
| 11/13/07 13:40 | 1.558 | 9.48 |
| 11/13/07 13:45 | 1.558 | 9.48 |
| 11/13/07 13:50 | 1.558 | 9.48 |
| 11/13/07 13:55 | 1.558 | 9.48 |
| 11/13/07 14:00 | 1.557 | 9.48 |
| 11/13/07 14:05 | 1.558 | 9.48 |
| 11/13/07 14:10 | 1.557 | 9.48 |
| 11/13/07 14:15 | 1.556 | 9.48 |
| 11/13/07 14:20 | 1.557 | 9.48 |
| 11/13/07 14:25 | 1.556 | 9.48 |
| 11/13/07 14:30 | 1.558 | 9.48 |
| 11/13/07 14:35 | 1.558 | 9.48 |
| 11/13/07 14:40 | 1.558 | 9.48 |
| 11/13/07 14:45 | 1.557 | 9.48 |
| 11/13/07 14:50 | 1.558 | 9.48 |
| 11/13/07 14:55 | 1.557 | 9.48 |
| 11/13/07 15:00 | 1.558 | 9.48 |
| 11/13/07 15:05 | 1.557 | 9.48 |
| 11/13/07 15:10 | 1.558 | 9.48 |
| 11/13/07 15:15 | 1.558 | 9.48 |
| 11/13/07 15:20 | 1.559 | 9.48 |
| 11/13/07 15:25 | 1.562 | 9.48 |
| 11/13/07 15:30 | 1.56 | 9.48 |
| 11/13/07 15:35 | 1.561 | 9.48 |
| 11/13/07 15:40 | 1.561 | 9.48 |
| 11/13/07 15:45 | 1.562 | 9.48 |
| 11/13/07 15:50 | 1.562 | 9.48 |
| 11/13/07 15:55 | 1.563 | 9.48 |
| 11/13/07 16:00 | 1.564 | 9.48 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 16:05 | 1.563 | 9.48 |
| 11/13/07 16:10 | 1.564 | 9.48 |
| 11/13/07 16:15 | 1.565 | 9.48 |
| 11/13/07 16:20 | 1.564 | 9.48 |
| 11/13/07 16:25 | 1.566 | 9.48 |
| 11/13/07 16:30 | 1.566 | 9.48 |
| 11/13/07 16:35 | 1.566 | 9.48 |
| 11/13/07 16:40 | 1.567 | 9.48 |
| 11/13/07 16:45 | 1.566 | 9.48 |
| 11/13/07 16:50 | 1.567 | 9.48 |
| 11/13/07 16:55 | 1.566 | 9.48 |
| 11/13/07 17:00 | 1.567 | 9.48 |
| 11/13/07 17:05 | 1.566 | 9.48 |
| 11/13/07 17:10 | 1.567 | 9.48 |
| 11/13/07 17:15 | 1.566 | 9.48 |
| 11/13/07 17:20 | 1.568 | 9.48 |
| 11/13/07 17:25 | 1.569 | 9.48 |
| 11/13/07 17:30 | 1.568 | 10.74 |
| 11/13/07 17:35 | 1.569 | 10.74 |
| 11/13/07 17:40 | 1.569 | 10.74 |
| 11/13/07 17:45 | 1.569 | 10.74 |
| 11/13/07 17:50 | 1.57 | 10.74 |
| 11/13/07 17:55 | 1.569 | 8.54 |
| 11/13/07 18:00 | 1.57 | 8.54 |
| 11/13/07 18:05 | 1.57 | 8.54 |
| 11/13/07 18:10 | 1.569 | 8.54 |
| 11/13/07 18:15 | 1.57 | 8.54 |
| 11/13/07 18:20 | 1.57 | 8.54 |
| 11/13/07 18:25 | 1.57 | 8.54 |
| 11/13/07 18:30 | 1.569 | 9.58 |
| 11/13/07 18:35 | 1.57 | 9.58 |
| 11/13/07 18:40 | 1.571 | 9.58 |
| 11/13/07 18:45 | 1.571 | 9.58 |
| 11/13/07 18:50 | 1.571 | 9.58 |
| 11/13/07 18:55 | 1.571 | 9.58 |
| 11/13/07 19:00 | 1.572 | 9.58 |
| 11/13/07 19:05 | 1.571 | 9.58 |
| 11/13/07 19:10 | 1.571 | 9.58 |
| 11/13/07 19:15 | 1.572 | 9.58 |
| 11/13/07 19:20 | 1.572 | 9.58 |
| 11/13/07 19:25 | 1.571 | 9.58 |
| 11/13/07 19:30 | 1.571 | 9.58 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 19:35 | 1.571 | 9.58 |
| 11/13/07 19:40 | 1.571 | 9.58 |
| 11/13/07 19:45 | 1.57 | 9.58 |
| 11/13/07 19:50 | 1.57 | 9.58 |
| 11/13/07 19:55 | 1.569 | 9.58 |
| 11/13/07 20:00 | 1.569 | 9.58 |
| 11/13/07 20:05 | 1.568 | 9.58 |
| 11/13/07 20:10 | 1.568 | 9.58 |
| 11/13/07 20:15 | 1.567 | 9.58 |
| 11/13/07 20:20 | 1.567 | 9.58 |
| 11/13/07 20:25 | 1.565 | 9.58 |
| 11/13/07 20:30 | 1.563 | 9.58 |
| 11/13/07 20:35 | 1.561 | 9.58 |
| 11/13/07 20:40 | 1.557 | 9.58 |
| 11/13/07 20:45 | 1.553 | 9.58 |
| 11/13/07 20:50 | 1.546 | 9.58 |
| 11/13/07 20:55 | 1.539 | 9.58 |
| 11/13/07 21:00 | 1.532 | 9.58 |
| 11/13/07 21:05 | 1.526 | 9.58 |
| 11/13/07 21:10 | 1.519 | 9.58 |
| 11/13/07 21:15 | 1.515 | 9.58 |
| 11/13/07 21:20 | 1.511 | 9.58 |
| 11/13/07 21:25 | 1.505 | 9.58 |
| 11/13/07 21:30 | 1.501 | 9.58 |
| 11/13/07 21:35 | 1.498 | 9.58 |
| 11/13/07 21:40 | 1.494 | 9.58 |
| 11/13/07 21:45 | 1.491 | 9.58 |
| 11/13/07 21:50 | 1.488 | 9.58 |
| 11/13/07 21:55 | 1.486 | 9.58 |
| 11/13/07 22:00 | 1.484 | 9.58 |
| 11/13/07 22:05 | 1.483 | 9.58 |
| 11/13/07 22:10 | 1.482 | 9.58 |
| 11/13/07 22:15 | 1.48 | 9.58 |
| 11/13/07 22:20 | 1.479 | 9.58 |
| 11/13/07 22:25 | 1.478 | 9.58 |
| 11/13/07 22:30 | 1.478 | 9.58 |
| 11/13/07 22:35 | 1.477 | 9.58 |
| 11/13/07 22:40 | 1.477 | 9.58 |
| 11/13/07 22:45 | 1.477 | 9.58 |
| 11/13/07 22:50 | 1.478 | 9.58 |
| 11/13/07 22:55 | 1.48 | 9.58 |
| 11/13/07 23:00 | 1.481 | 9.58 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/13/07 23:05 | 1.484 | 9.58 |
| 11/13/07 23:10 | 1.486 | 9.58 |
| 11/13/07 23:15 | 1.487 | 9.58 |
| 11/13/07 23:20 | 1.489 | 9.58 |
| 11/13/07 23:25 | 1.491 | 9.58 |
| 11/13/07 23:30 | 1.492 | 9.58 |
| 11/13/07 23:35 | 1.493 | 9.58 |
| 11/13/07 23:40 | 1.494 | 9.58 |
| 11/13/07 23:45 | 1.495 | 9.58 |
| 11/13/07 23:50 | 1.493 | 9.58 |
| 11/13/07 23:55 | 1.489 | 9.58 |
| 11/14/07 0:00 | 1.484 | 9.58 |
| 11/14/07 0:05 | 1.478 | 9.58 |
| 11/14/07 0:10 | 1.475 | 9.58 |
| 11/14/07 0:15 | 1.471 | 9.58 |
| 11/14/07 0:20 | 1.467 | 9.58 |
| 11/14/07 0:25 | 1.464 | 9.58 |
| 11/14/07 0:30 | 1.461 | 9.58 |
| 11/14/07 0:35 | 1.459 | 9.58 |
| 11/14/07 0:40 | 1.456 | 9.58 |
| 11/14/07 0:45 | 1.454 | 9.58 |
| 11/14/07 0:50 | 1.453 | 9.58 |
| 11/14/07 0:55 | 1.451 | 9.51 |
| 11/14/07 1:00 | 1.45 | 9.51 |
| 11/14/07 1:05 | 1.449 | 9.51 |
| 11/14/07 1:10 | 1.447 | 9.51 |
| 11/14/07 1:15 | 1.447 | 9.51 |
| 11/14/07 1:20 | 1.447 | 9.51 |
| 11/14/07 1:25 | 1.446 | 9.51 |
| 11/14/07 1:30 | 1.445 | 9.51 |
| 11/14/07 1:35 | 1.444 | 9.51 |
| 11/14/07 1:40 | 1.444 | 9.51 |
| 11/14/07 1:45 | 1.443 | 9.51 |
| 11/14/07 1:50 | 1.443 | 9.51 |
| 11/14/07 1:55 | 1.443 | 9.51 |
| 11/14/07 2:00 | 1.443 | 9.51 |
| 11/14/07 2:05 | 1.443 | 9.51 |
| 11/14/07 2:10 | 1.442 | 9.51 |
| 11/14/07 2:15 | 1.443 | 9.51 |
| 11/14/07 2:20 | 1.443 | 9.51 |
| 11/14/07 2:25 | 1.444 | 9.51 |
| 11/14/07 2:30 | 1.444 | 9.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 2:35 | 1.444 | 9.51 |
| 11/14/07 2:40 | 1.445 | 9.51 |
| 11/14/07 2:45 | 1.445 | 9.51 |
| 11/14/07 2:50 | 1.446 | 9.51 |
| 11/14/07 2:55 | 1.441 | 9.51 |
| 11/14/07 3:00 | 1.438 | 9.51 |
| 11/14/07 3:05 | 1.434 | 9.51 |
| 11/14/07 3:10 | 1.434 | 9.51 |
| 11/14/07 3:15 | 1.433 | 9.51 |
| 11/14/07 3:20 | 1.432 | 9.51 |
| 11/14/07 3:25 | 1.432 | 9.51 |
| 11/14/07 3:30 | 1.432 | 9.51 |
| 11/14/07 3:35 | 1.431 | 9.51 |
| 11/14/07 3:40 | 1.431 | 9.51 |
| 11/14/07 3:45 | 1.43 | 9.51 |
| 11/14/07 3:50 | 1.432 | 9.51 |
| 11/14/07 3:55 | 1.431 | 9.51 |
| 11/14/07 4:00 | 1.431 | 9.51 |
| 11/14/07 4:05 | 1.432 | 9.51 |
| 11/14/07 4:10 | 1.432 | 9.51 |
| 11/14/07 4:15 | 1.432 | 9.51 |
| 11/14/07 4:20 | 1.433 | 9.51 |
| 11/14/07 4:25 | 1.434 | 9.51 |
| 11/14/07 4:30 | 1.435 | 9.51 |
| 11/14/07 4:35 | 1.436 | 9.51 |
| 11/14/07 4:40 | 1.437 | 9.51 |
| 11/14/07 4:45 | 1.438 | 9.51 |
| 11/14/07 4:50 | 1.438 | 9.51 |
| 11/14/07 4:55 | 1.439 | 9.51 |
| 11/14/07 5:00 | 1.439 | 9.51 |
| 11/14/07 5:05 | 1.439 | 9.51 |
| 11/14/07 5:10 | 1.439 | 9.51 |
| 11/14/07 5:15 | 1.439 | 9.51 |
| 11/14/07 5:20 | 1.439 | 9.51 |
| 11/14/07 5:25 | 1.439 | 9.51 |
| 11/14/07 5:30 | 1.439 | 9.51 |
| 11/14/07 5:35 | 1.439 | 9.51 |
| 11/14/07 5:40 | 1.44 | 9.51 |
| 11/14/07 5:45 | 1.439 | 9.51 |
| 11/14/07 5:50 | 1.44 | 9.51 |
| 11/14/07 5:55 | 1.442 | 9.51 |
| 11/14/07 6:00 | 1.441 | 9.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 6:05 | 1.442 | 9.51 |
| 11/14/07 6:10 | 1.442 | 9.51 |
| 11/14/07 6:15 | 1.443 | 9.51 |
| 11/14/07 6:20 | 1.444 | 9.51 |
| 11/14/07 6:25 | 1.444 | 9.51 |
| 11/14/07 6:30 | 1.445 | 9.51 |
| 11/14/07 6:35 | 1.445 | 9.51 |
| 11/14/07 6:40 | 1.446 | 9.51 |
| 11/14/07 6:45 | 1.447 | 9.51 |
| 11/14/07 6:50 | 1.448 | 9.51 |
| 11/14/07 6:55 | 1.448 | 9.51 |
| 11/14/07 7:00 | 1.449 | 9.51 |
| 11/14/07 7:05 | 1.451 | 9.51 |
| 11/14/07 7:10 | 1.451 | 9.51 |
| 11/14/07 7:15 | 1.451 | 9.51 |
| 11/14/07 7:20 | 1.453 | 9.51 |
| 11/14/07 7:25 | 1.454 | 9.51 |
| 11/14/07 7:30 | 1.455 | 9.51 |
| 11/14/07 7:35 | 1.456 | 9.51 |
| 11/14/07 7:40 | 1.457 | 9.51 |
| 11/14/07 7:45 | 1.458 | 9.51 |
| 11/14/07 7:50 | 1.458 | 9.51 |
| 11/14/07 7:55 | 1.459 | 9.51 |
| 11/14/07 8:00 | 1.46 | 9.51 |
| 11/14/07 8:05 | 1.46 | 9.51 |
| 11/14/07 8:10 | 1.461 | 9.51 |
| 11/14/07 8:15 | 1.462 | 9.51 |
| 11/14/07 8:20 | 1.462 | 9.51 |
| 11/14/07 8:25 | 1.463 | 9.51 |
| 11/14/07 8:30 | 1.465 | 9.51 |
| 11/14/07 8:35 | 1.465 | 9.51 |
| 11/14/07 8:40 | 1.466 | 9.51 |
| 11/14/07 8:45 | 1.467 | 9.51 |
| 11/14/07 8:50 | 1.468 | 9.51 |
| 11/14/07 8:55 | 1.468 | 9.51 |
| 11/14/07 9:00 | 1.469 | 9.51 |
| 11/14/07 9:05 | 1.471 | 9.51 |
| 11/14/07 9:10 | 1.472 | 9.51 |
| 11/14/07 9:15 | 1.473 | 9.51 |
| 11/14/07 9:20 | 1.474 | 9.51 |
| 11/14/07 9:25 | 1.474 | 9.51 |
| 11/14/07 9:30 | 1.475 | 9.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 9:35 | 1.477 | 9.51 |
| 11/14/07 9:40 | 1.477 | 9.51 |
| 11/14/07 9:45 | 1.478 | 9.51 |
| 11/14/07 9:50 | 1.479 | 9.51 |
| 11/14/07 9:55 | 1.48 | 9.51 |
| 11/14/07 10:00 | 1.48 | 9.51 |
| 11/14/07 10:05 | 1.481 | 9.51 |
| 11/14/07 10:10 | 1.482 | 9.51 |
| 11/14/07 10:15 | 1.483 | 9.51 |
| 11/14/07 10:20 | 1.484 | 9.51 |
| 11/14/07 10:25 | 1.484 | 9.51 |
| 11/14/07 10:30 | 1.485 | 9.51 |
| 11/14/07 10:35 | 1.486 | 9.51 |
| 11/14/07 10:40 | 1.487 | 9.51 |
| 11/14/07 10:45 | 1.488 | 9.51 |
| 11/14/07 10:50 | 1.489 | 9.51 |
| 11/14/07 10:55 | 1.489 | 9.51 |
| 11/14/07 11:00 | 1.491 | 9.51 |
| 11/14/07 11:05 | 1.492 | 9.51 |
| 11/14/07 11:10 | 1.492 | 9.51 |
| 11/14/07 11:15 | 1.494 | 9.51 |
| 11/14/07 11:20 | 1.494 | 9.51 |
| 11/14/07 11:25 | 1.495 | 9.51 |
| 11/14/07 11:30 | 1.495 | 9.51 |
| 11/14/07 11:35 | 1.496 | 9.51 |
| 11/14/07 11:40 | 1.497 | 9.51 |
| 11/14/07 11:45 | 1.498 | 9.51 |
| 11/14/07 11:50 | 1.5 | 9.51 |
| 11/14/07 11:55 | 1.501 | 9.51 |
| 11/14/07 12:00 | 1.502 | 9.51 |
| 11/14/07 12:05 | 1.504 | 9.51 |
| 11/14/07 12:10 | 1.506 | 9.51 |
| 11/14/07 12:15 | 1.505 | 9.51 |
| 11/14/07 12:20 | 1.505 | 9.51 |
| 11/14/07 12:25 | 1.507 | 9.51 |
| 11/14/07 12:30 | 1.505 | 9.51 |
| 11/14/07 12:35 | 1.505 | 9.51 |
| 11/14/07 12:40 | 1.506 | 9.51 |
| 11/14/07 12:45 | 1.508 | 9.51 |
| 11/14/07 12:50 | 1.508 | 9.51 |
| 11/14/07 12:55 | 1.512 | 9.51 |
| 11/14/07 13:00 | 1.511 | 9.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 13:05 | 1.512 | 9.51 |
| 11/14/07 13:10 | 1.513 | 9.51 |
| 11/14/07 13:15 | 1.515 | 9.51 |
| 11/14/07 13:20 | 1.518 | 9.51 |
| 11/14/07 13:25 | 1.516 | 9.51 |
| 11/14/07 13:30 | 1.516 | 9.51 |
| 11/14/07 13:35 | 1.516 | 9.51 |
| 11/14/07 13:40 | 1.518 | 9.51 |
| 11/14/07 13:45 | 1.519 | 9.51 |
| 11/14/07 13:50 | 1.518 | 9.51 |
| 11/14/07 13:55 | 1.52 | 9.51 |
| 11/14/07 14:00 | 1.521 | 9.51 |
| 11/14/07 14:05 | 1.52 | 9.51 |
| 11/14/07 14:10 | 1.521 | 9.51 |
| 11/14/07 14:15 | 1.522 | 9.51 |
| 11/14/07 14:20 | 1.523 | 9.51 |
| 11/14/07 14:25 | 1.523 | 9.51 |
| 11/14/07 14:30 | 1.522 | 9.51 |
| 11/14/07 14:35 | 1.524 | 9.51 |
| 11/14/07 14:40 | 1.524 | 9.51 |
| 11/14/07 14:45 | 1.525 | 9.51 |
| 11/14/07 14:50 | 1.525 | 9.51 |
| 11/14/07 14:55 | 1.525 | 9.51 |
| 11/14/07 15:00 | 1.527 | 9.51 |
| 11/14/07 15:05 | 1.528 | 9.51 |
| 11/14/07 15:10 | 1.528 | 9.51 |
| 11/14/07 15:15 | 1.529 | 9.51 |
| 11/14/07 15:20 | 1.529 | 9.51 |
| 11/14/07 15:25 | 1.529 | 9.51 |
| 11/14/07 15:30 | 1.529 | 9.51 |
| 11/14/07 15:35 | 1.529 | 9.51 |
| 11/14/07 15:40 | 1.529 | 9.51 |
| 11/14/07 15:45 | 1.529 | 9.51 |
| 11/14/07 15:50 | 1.53 | 9.51 |
| 11/14/07 15:55 | 1.53 | 9.51 |
| 11/14/07 16:00 | 1.53 | 9.51 |
| 11/14/07 16:05 | 1.529 | 9.51 |
| 11/14/07 16:10 | 1.53 | 9.51 |
| 11/14/07 16:15 | 1.53 | 9.51 |
| 11/14/07 16:20 | 1.53 | 9.51 |
| 11/14/07 16:25 | 1.531 | 9.51 |
| 11/14/07 16:30 | 1.532 | 9.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 16:35 | 1.531 | 9.51 |
| 11/14/07 16:40 | 1.532 | 9.51 |
| 11/14/07 16:45 | 1.533 | 9.51 |
| 11/14/07 16:50 | 1.534 | 9.51 |
| 11/14/07 16:55 | 1.533 | 9.51 |
| 11/14/07 17:00 | 1.533 | 9.51 |
| 11/14/07 17:05 | 1.534 | 9.51 |
| 11/14/07 17:10 | 1.533 | 9.51 |
| 11/14/07 17:15 | 1.534 | 9.51 |
| 11/14/07 17:20 | 1.532 | 9.51 |
| 11/14/07 17:25 | 1.533 | 9.51 |
| 11/14/07 17:30 | 1.533 | 9.51 |
| 11/14/07 17:35 | 1.535 | 9.51 |
| 11/14/07 17:40 | 1.534 | 9.51 |
| 11/14/07 17:45 | 1.535 | 9.51 |
| 11/14/07 17:50 | 1.535 | 9.51 |
| 11/14/07 17:55 | 1.535 | 9.51 |
| 11/14/07 18:00 | 1.535 | 9.51 |
| 11/14/07 18:05 | 1.535 | 9.51 |
| 11/14/07 18:10 | 1.535 | 9.51 |
| 11/14/07 18:15 | 1.536 | 9.51 |
| 11/14/07 18:20 | 1.536 | 9.51 |
| 11/14/07 18:25 | 1.535 | 9.51 |
| 11/14/07 18:30 | 1.536 | 9.51 |
| 11/14/07 18:35 | 1.535 | 9.51 |
| 11/14/07 18:40 | 1.538 | 9.51 |
| 11/14/07 18:45 | 1.539 | 9.51 |
| 11/14/07 18:50 | 1.54 | 9.51 |
| 11/14/07 18:55 | 1.539 | 9.51 |
| 11/14/07 19:00 | 1.537 | 9.51 |
| 11/14/07 19:05 | 1.539 | 9.51 |
| 11/14/07 19:10 | 1.538 | 9.51 |
| 11/14/07 19:15 | 1.538 | 9.51 |
| 11/14/07 19:20 | 1.538 | 9.51 |
| 11/14/07 19:25 | 1.537 | 9.51 |
| 11/14/07 19:30 | 1.538 | 9.51 |
| 11/14/07 19:35 | 1.537 | 9.51 |
| 11/14/07 19:40 | 1.537 | 10.06 |
| 11/14/07 19:45 | 1.538 | 9.22 |
| 11/14/07 19:50 | 1.538 | 9.98 |
| 11/14/07 19:55 | 1.537 | 9.98 |
| 11/14/07 20:00 | 1.538 | 9.31 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 20:05 | 1.538 | 9.27 |
| 11/14/07 20:10 | 1.538 | 8.75 |
| 11/14/07 20:15 | 1.539 | 9.77 |
| 11/14/07 20:20 | 1.538 | 9.77 |
| 11/14/07 20:25 | 1.539 | 9.77 |
| 11/14/07 20:30 | 1.537 | 9.73 |
| 11/14/07 20:35 | 1.537 | 7.4 |
| 11/14/07 20:40 | 1.537 | 7.4 |
| 11/14/07 20:45 | 1.537 | 9.91 |
| 11/14/07 20:50 | 1.538 | 9.25 |
| 11/14/07 20:55 | 1.539 | 9.77 |
| 11/14/07 21:00 | 1.54 | 9.43 |
| 11/14/07 21:05 | 1.541 | 9.43 |
| 11/14/07 21:10 | 1.541 | 9.43 |
| 11/14/07 21:15 | 1.542 | 9.43 |
| 11/14/07 21:20 | 1.542 | 8.32 |
| 11/14/07 21:25 | 1.543 | 8.52 |
| 11/14/07 21:30 | 1.544 | 8.5 |
| 11/14/07 21:35 | 1.552 | 9.11 |
| 11/14/07 21:40 | 1.562 | 9.11 |
| 11/14/07 21:45 | 1.569 | 9.11 |
| 11/14/07 21:50 | 1.58 | 9.11 |
| 11/14/07 21:55 | 1.591 | 9.11 |
| 11/14/07 22:00 | 1.612 | 8.47 |
| 11/14/07 22:05 | 1.638 | 8.47 |
| 11/14/07 22:10 | 1.66 | 8.47 |
| 11/14/07 22:15 | 1.671 | 8.47 |
| 11/14/07 22:20 | 1.677 | 8.47 |
| 11/14/07 22:25 | 1.677 | 9.14 |
| 11/14/07 22:30 | 1.677 | 9.14 |
| 11/14/07 22:35 | 1.676 | 9.14 |
| 11/14/07 22:40 | 1.688 | 9.14 |
| 11/14/07 22:45 | 1.708 | 9.71 |
| 11/14/07 22:50 | 1.73 | 9.71 |
| 11/14/07 22:55 | 1.743 | 10.87 |
| 11/14/07 23:00 | 1.746 | 9.68 |
| 11/14/07 23:05 | 1.744 | 10.98 |
| 11/14/07 23:10 | 1.739 | 10.98 |
| 11/14/07 23:15 | 1.733 | 9.08 |
| 11/14/07 23:20 | 1.726 | 10.28 |
| 11/14/07 23:25 | 1.723 | 8.84 |
| 11/14/07 23:30 | 1.723 | 8.84 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/14/07 23:35 | 1.722 | 8.84 |
| 11/14/07 23:40 | 1.722 | 8.84 |
| 11/14/07 23:45 | 1.719 | 8.84 |
| 11/14/07 23:50 | 1.715 | 8.84 |
| 11/14/07 23:55 | 1.71 | 9.75 |
| 11/15/07 0:00 | 1.704 | 11.14 |
| 11/15/07 0:05 | 1.698 | 11.05 |
| 11/15/07 0:10 | 1.693 | 11.05 |
| 11/15/07 0:15 | 1.688 | 11.05 |
| 11/15/07 0:20 | 1.684 | 11.05 |
| 11/15/07 0:25 | 1.679 | 11.05 |
| 11/15/07 0:30 | 1.675 | 11.05 |
| 11/15/07 0:35 | 1.671 | 11.05 |
| 11/15/07 0:40 | 1.667 | 11.05 |
| 11/15/07 0:45 | 1.664 | 11.05 |
| 11/15/07 0:50 | 1.662 | 11.05 |
| 11/15/07 0:55 | 1.658 | 11.05 |
| 11/15/07 1:00 | 1.656 | 11.05 |
| 11/15/07 1:05 | 1.653 | 11.05 |
| 11/15/07 1:10 | 1.652 | 11.05 |
| 11/15/07 1:15 | 1.65 | 11.05 |
| 11/15/07 1:20 | 1.648 | 11.05 |
| 11/15/07 1:25 | 1.644 | 11.05 |
| 11/15/07 1:30 | 1.642 | 11.05 |
| 11/15/07 1:35 | 1.639 | 11.05 |
| 11/15/07 1:40 | 1.638 | 11.05 |
| 11/15/07 1:45 | 1.637 | 11.05 |
| 11/15/07 1:50 | 1.635 | 11.05 |
| 11/15/07 1:55 | 1.634 | 11.05 |
| 11/15/07 2:00 | 1.633 | 11.05 |
| 11/15/07 2:05 | 1.632 | 11.05 |
| 11/15/07 2:10 | 1.631 | 11.05 |
| 11/15/07 2:15 | 1.631 | 11.05 |
| 11/15/07 2:20 | 1.63 | 11.05 |
| 11/15/07 2:25 | 1.63 | 11.05 |
| 11/15/07 2:30 | 1.63 | 10.47 |
| 11/15/07 2:35 | 1.631 | 10.47 |
| 11/15/07 2:40 | 1.633 | 10.47 |
| 11/15/07 2:45 | 1.636 | 10.47 |
| 11/15/07 2:50 | 1.638 | 10.47 |
| 11/15/07 2:55 | 1.642 | 10.47 |
| 11/15/07 3:00 | 1.649 | 10.47 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 3:05 | 1.664 | 10.47 |
| 11/15/07 3:10 | 1.689 | 10.47 |
| 11/15/07 3:15 | 1.725 | 10.47 |
| 11/15/07 3:20 | 1.795 | 10.47 |
| 11/15/07 3:25 | 1.875 | 8.76 |
| 11/15/07 3:30 | 1.928 | 8.76 |
| 11/15/07 3:35 | 1.949 | 8.76 |
| 11/15/07 3:40 | 1.965 | 8.76 |
| 11/15/07 3:45 | 1.982 | 8.76 |
| 11/15/07 3:50 | 1.993 | 8.76 |
| 11/15/07 3:55 | 1.996 | 8.76 |
| 11/15/07 4:00 | 2.006 | 8.76 |
| 11/15/07 4:05 | 2.02 | 8.76 |
| 11/15/07 4:10 | 2.04 | 8.76 |
| 11/15/07 4:15 | 2.07 | 8.76 |
| 11/15/07 4:20 | 2.11 | 8.76 |
| 11/15/07 4:25 | 2.156 | 8.76 |
| 11/15/07 4:30 | 2.175 | 8.76 |
| 11/15/07 4:35 | 2.178 | 8.76 |
| 11/15/07 4:40 | 2.168 | 8.04 |
| 11/15/07 4:45 | 2.147 | 8.04 |
| 11/15/07 4:50 | 2.117 | 8.04 |
| 11/15/07 4:55 | 2.085 | 8.04 |
| 11/15/07 5:00 | 2.061 | 9.11 |
| 11/15/07 5:05 | 2.044 | 12.3 |
| 11/15/07 5:10 | 2.028 | 12.3 |
| 11/15/07 5:15 | 2.014 | 12.3 |
| 11/15/07 5:20 | 1.995 | 9.57 |
| 11/15/07 5:25 | 1.981 | 12.15 |
| 11/15/07 5:30 | 1.964 | 10.21 |
| 11/15/07 5:35 | 1.948 | 10.24 |
| 11/15/07 5:40 | 1.934 | 10.24 |
| 11/15/07 5:45 | 1.923 | 12.45 |
| 11/15/07 5:50 | 1.915 | 13.1 |
| 11/15/07 5:55 | 1.907 | 10.61 |
| 11/15/07 6:00 | 1.903 | 9.69 |
| 11/15/07 6:05 | 1.899 | 10.57 |
| 11/15/07 6:10 | 1.902 | 10.69 |
| 11/15/07 6:15 | 1.908 | 12.83 |
| 11/15/07 6:20 | 1.926 | 11.28 |
| 11/15/07 6:25 | 1.934 | 14.58 |
| 11/15/07 6:30 | 1.935 | 12.53 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 6:35 | 1.931 | 14.49 |
| 11/15/07 6:40 | 1.928 | 13.37 |
| 11/15/07 6:45 | 1.923 | 14.33 |
| 11/15/07 6:50 | 1.92 | 14.59 |
| 11/15/07 6:55 | 1.922 | 14.59 |
| 11/15/07 7:00 | 1.927 | 13.7 |
| 11/15/07 7:05 | 1.949 | 13.43 |
| 11/15/07 7:10 | 1.981 | 13.7 |
| 11/15/07 7:15 | 1.999 | 14.33 |
| 11/15/07 7:20 | 2.004 | 13.65 |
| 11/15/07 7:25 | 2.004 | 11.33 |
| 11/15/07 7:30 | 2.014 | 10.02 |
| 11/15/07 7:35 | 2.052 | 10.02 |
| 11/15/07 7:40 | 2.1 | 13.63 |
| 11/15/07 7:45 | 2.136 | 14.52 |
| 11/15/07 7:50 | 2.169 | 11.83 |
| 11/15/07 7:55 | 2.196 | 9.37 |
| 11/15/07 8:00 | 2.214 | 9.37 |
| 11/15/07 8:05 | 2.224 | 9.37 |
| 11/15/07 8:10 | 2.226 | 9.37 |
| 11/15/07 8:15 | 2.222 | 9.32 |
| 11/15/07 8:20 | 2.217 | 11.01 |
| 11/15/07 8:25 | 2.229 | 9.07 |
| 11/15/07 8:30 | 2.259 | 11.09 |
| 11/15/07 8:35 | 2.288 | 9.28 |
| 11/15/07 8:40 | 2.315 | 8.99 |
| 11/15/07 8:45 | 2.338 | 8.99 |
| 11/15/07 8:50 | 2.353 | 8.99 |
| 11/15/07 8:55 | 2.368 | 8.99 |
| 11/15/07 9:00 | 2.37 | 8.99 |
| 11/15/07 9:05 | 2.379 | 8.99 |
| 11/15/07 9:10 | 2.39 | 8.99 |
| 11/15/07 9:15 | 2.405 | 8.99 |
| 11/15/07 9:20 | 2.417 | 8.99 |
| 11/15/07 9:25 | 2.417 | 8.99 |
| 11/15/07 9:30 | 2.408 | 8.99 |
| 11/15/07 9:35 | 2.393 | 8.99 |
| 11/15/07 9:40 | 2.378 | 8.99 |
| 11/15/07 9:45 | 2.371 | 8.99 |
| 11/15/07 9:50 | 2.368 | 8.99 |
| 11/15/07 9:55 | 2.371 | 8.99 |
| 11/15/07 10:00 | 2.374 | 8.99 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 10:05 | 2.384 | 8.99 |
| 11/15/07 10:10 | 2.397 | 8.99 |
| 11/15/07 10:15 | 2.405 | 8.99 |
| 11/15/07 10:20 | 2.403 | 8.99 |
| 11/15/07 10:25 | 2.395 | 8.99 |
| 11/15/07 10:30 | 2.382 | 8.99 |
| 11/15/07 10:35 | 2.369 | 8.99 |
| 11/15/07 10:40 | 2.359 | 8.99 |
| 11/15/07 10:45 | 2.355 | 8.99 |
| 11/15/07 10:50 | 2.349 | 8.99 |
| 11/15/07 10:55 | 2.348 | 8.99 |
| 11/15/07 11:00 | 2.351 | 8.99 |
| 11/15/07 11:05 | 2.354 | 8.99 |
| 11/15/07 11:10 | 2.355 | 8.99 |
| 11/15/07 11:15 | 2.358 | 8.99 |
| 11/15/07 11:20 | 2.366 | 8.99 |
| 11/15/07 11:25 | 2.374 | 8.99 |
| 11/15/07 11:30 | 2.382 | 8.99 |
| 11/15/07 11:35 | 2.386 | 8.99 |
| 11/15/07 11:40 | 2.389 | 8.99 |
| 11/15/07 11:45 | 2.389 | 8.99 |
| 11/15/07 11:50 | 2.39 | 8.99 |
| 11/15/07 11:55 | 2.387 | 8.99 |
| 11/15/07 12:00 | 2.386 | 8.99 |
| 11/15/07 12:05 | 2.387 | 8.99 |
| 11/15/07 12:10 | 2.388 | 8.99 |
| 11/15/07 12:15 | 2.387 | 8.99 |
| 11/15/07 12:20 | 2.389 | 8.99 |
| 11/15/07 12:25 | 2.395 | 8.99 |
| 11/15/07 12:30 | 2.398 | 8.99 |
| 11/15/07 12:35 | 2.404 | 8.92 |
| 11/15/07 12:40 | 2.405 | 8.92 |
| 11/15/07 12:45 | 2.402 | 8.92 |
| 11/15/07 12:50 | 2.4 | 8.92 |
| 11/15/07 12:55 | 2.393 | 8.92 |
| 11/15/07 13:00 | 2.385 | 8.92 |
| 11/15/07 13:05 | 2.381 | 8.92 |
| 11/15/07 13:10 | 2.371 | 8.92 |
| 11/15/07 13:15 | 2.368 | 8.92 |
| 11/15/07 13:20 | 2.364 | 8.92 |
| 11/15/07 13:25 | 2.361 | 9.02 |
| 11/15/07 13:30 | 2.356 | 9.02 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 13:35 | 2.358 | 9.02 |
| 11/15/07 13:40 | 2.356 | 9.02 |
| 11/15/07 13:45 | 2.358 | 9.02 |
| 11/15/07 13:50 | 2.359 | 9.02 |
| 11/15/07 13:55 | 2.36 | 9.02 |
| 11/15/07 14:00 | 2.36 | 9.02 |
| 11/15/07 14:05 | 2.361 | 11.62 |
| 11/15/07 14:10 | 2.36 | 11.62 |
| 11/15/07 14:15 | 2.361 | 11.62 |
| 11/15/07 14:20 | 2.363 | 11.62 |
| 11/15/07 14:25 | 2.366 | 11.62 |
| 11/15/07 14:30 | 2.373 | 11.62 |
| 11/15/07 14:35 | 2.377 | 11.62 |
| 11/15/07 14:40 | 2.383 | 11.62 |
| 11/15/07 14:45 | 2.386 | 11.62 |
| 11/15/07 14:50 | 2.391 | 11.62 |
| 11/15/07 14:55 | 2.39 | 11.62 |
| 11/15/07 15:00 | 2.393 | 11.62 |
| 11/15/07 15:05 | 2.396 | 11.62 |
| 11/15/07 15:10 | 2.396 | 11.62 |
| 11/15/07 15:15 | 2.396 | 11.62 |
| 11/15/07 15:20 | 2.395 | 11.62 |
| 11/15/07 15:25 | 2.394 | 11.62 |
| 11/15/07 15:30 | 2.388 | 11.62 |
| 11/15/07 15:35 | 2.388 | 11.62 |
| 11/15/07 15:40 | 2.38 | 11.62 |
| 11/15/07 15:45 | 2.382 | 11.62 |
| 11/15/07 15:50 | 2.379 | 11.62 |
| 11/15/07 15:55 | 2.377 | 11.62 |
| 11/15/07 16:00 | 2.379 | 11.62 |
| 11/15/07 16:05 | 2.381 | 11.62 |
| 11/15/07 16:10 | 2.386 | 11.62 |
| 11/15/07 16:15 | 2.387 | 11.62 |
| 11/15/07 16:20 | 2.393 | 11.62 |
| 11/15/07 16:25 | 2.397 | 11.62 |
| 11/15/07 16:30 | 2.404 | 11.62 |
| 11/15/07 16:35 | 2.408 | 11.62 |
| 11/15/07 16:40 | 2.412 | 11.62 |
| 11/15/07 16:45 | 2.418 | 11.62 |
| 11/15/07 16:50 | 2.419 | 11.62 |
| 11/15/07 16:55 | 2.417 | 11.62 |
| 11/15/07 17:00 | 2.417 | 11.62 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 17:05 | 2.413 | 11.62 |
| 11/15/07 17:10 | 2.409 | 11.62 |
| 11/15/07 17:15 | 2.404 | 11.62 |
| 11/15/07 17:20 | 2.401 | 11.62 |
| 11/15/07 17:25 | 2.395 | 11.62 |
| 11/15/07 17:30 | 2.392 | 11.62 |
| 11/15/07 17:35 | 2.388 | 11.62 |
| 11/15/07 17:40 | 2.386 | 11.62 |
| 11/15/07 17:45 | 2.382 | 11.62 |
| 11/15/07 17:50 | 2.382 | 11.62 |
| 11/15/07 17:55 | 2.379 | 11.62 |
| 11/15/07 18:00 | 2.378 | 11.62 |
| 11/15/07 18:05 | 2.373 | 11.62 |
| 11/15/07 18:10 | 2.376 | 11.62 |
| 11/15/07 18:15 | 2.373 | 11.62 |
| 11/15/07 18:20 | 2.371 | 11.62 |
| 11/15/07 18:25 | 2.37 | 11.62 |
| 11/15/07 18:30 | 2.37 | 11.62 |
| 11/15/07 18:35 | 2.368 | 11.62 |
| 11/15/07 18:40 | 2.367 | 11.62 |
| 11/15/07 18:45 | 2.366 | 11.62 |
| 11/15/07 18:50 | 2.365 | 12.17 |
| 11/15/07 18:55 | 2.363 | 12.17 |
| 11/15/07 19:00 | 2.362 | 12.17 |
| 11/15/07 19:05 | 2.361 | 12.17 |
| 11/15/07 19:10 | 2.359 | 12.17 |
| 11/15/07 19:15 | 2.359 | 12.17 |
| 11/15/07 19:20 | 2.356 | 12.17 |
| 11/15/07 19:25 | 2.356 | 12.17 |
| 11/15/07 19:30 | 2.355 | 12.17 |
| 11/15/07 19:35 | 2.354 | 12.17 |
| 11/15/07 19:40 | 2.351 | 12.17 |
| 11/15/07 19:45 | 2.353 | 12.17 |
| 11/15/07 19:50 | 2.351 | 12.17 |
| 11/15/07 19:55 | 2.35 | 12.17 |
| 11/15/07 20:00 | 2.35 | 12.17 |
| 11/15/07 20:05 | 2.351 | 12.17 |
| 11/15/07 20:10 | 2.345 | 12.17 |
| 11/15/07 20:15 | 2.348 | 12.17 |
| 11/15/07 20:20 | 2.347 | 12.17 |
| 11/15/07 20:25 | 2.347 | 12.17 |
| 11/15/07 20:30 | 2.346 | 12.17 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/15/07 20:35 | 2.342 | 12.17 |
| 11/15/07 20:40 | 2.342 | 12.17 |
| 11/15/07 20:45 | 2.344 | 12.17 |
| 11/15/07 20:50 | 2.344 | 12.17 |
| 11/15/07 20:55 | 2.343 | 12.17 |
| 11/15/07 21:00 | 2.342 | 12.17 |
| 11/15/07 21:05 | 2.342 | 12.17 |
| 11/15/07 21:10 | 2.341 | 12.17 |
| 11/15/07 21:15 | 2.341 | 12.17 |
| 11/15/07 21:20 | 2.339 | 12.17 |
| 11/15/07 21:25 | 2.338 | 12.17 |
| 11/15/07 21:30 | 2.34 | 12.17 |
| 11/15/07 21:35 | 2.34 | 12.17 |
| 11/15/07 21:40 | 2.335 | 12.17 |
| 11/15/07 21:45 | 2.336 | 12.17 |
| 11/15/07 21:50 | 2.337 | 10.8 |
| 11/15/07 21:55 | 2.337 | 10.8 |
| 11/15/07 22:00 | 2.335 | 9.76 |
| 11/15/07 22:05 | 2.336 | 9.76 |
| 11/15/07 22:10 | 2.333 | 9.76 |
| 11/15/07 22:15 | 2.335 | 9.76 |
| 11/15/07 22:20 | 2.334 | 9.76 |
| 11/15/07 22:25 | 2.332 | 9.76 |
| 11/15/07 22:30 | 2.332 | 9.76 |
| 11/15/07 22:35 | 2.329 | 9.76 |
| 11/15/07 22:40 | 2.331 | 9.76 |
| 11/15/07 22:45 | 2.329 | 9.76 |
| 11/15/07 22:50 | 2.327 | 9.76 |
| 11/15/07 22:55 | 2.328 | 9.76 |
| 11/15/07 23:00 | 2.327 | 9.76 |
| 11/15/07 23:05 | 2.326 | 9.76 |
| 11/15/07 23:10 | 2.325 | 9.76 |
| 11/15/07 23:15 | 2.325 | 9.76 |
| 11/15/07 23:20 | 2.324 | 9.76 |
| 11/15/07 23:25 | 2.324 | 9.76 |
| 11/15/07 23:30 | 2.324 | 9.76 |
| 11/15/07 23:35 | 2.323 | 9.76 |
| 11/15/07 23:40 | 2.321 | 9.76 |
| 11/15/07 23:45 | 2.319 | 9.76 |
| 11/15/07 23:50 | 2.317 | 9.76 |
| 11/15/07 23:55 | 2.319 | 9.76 |
| 11/16/07 0:00 | 2.317 | 9.76 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 0:05 | 2.316 | 9.76 |
| 11/16/07 0:10 | 2.315 | 9.76 |
| 11/16/07 0:15 | 2.315 | 9.76 |
| 11/16/07 0:20 | 2.314 | 9.76 |
| 11/16/07 0:25 | 2.312 | 9.76 |
| 11/16/07 0:30 | 2.311 | 9.76 |
| 11/16/07 0:35 | 2.312 | 9.76 |
| 11/16/07 0:40 | 2.309 | 9.76 |
| 11/16/07 0:45 | 2.307 | 9.76 |
| 11/16/07 0:50 | 2.31 | 9.76 |
| 11/16/07 0:55 | 2.307 | 9.76 |
| 11/16/07 1:00 | 2.306 | 9.76 |
| 11/16/07 1:05 | 2.305 | 9.76 |
| 11/16/07 1:10 | 2.305 | 9.76 |
| 11/16/07 1:15 | 2.307 | 9.76 |
| 11/16/07 1:20 | 2.306 | 9.76 |
| 11/16/07 1:25 | 2.303 | 9.76 |
| 11/16/07 1:30 | 2.305 | 9.76 |
| 11/16/07 1:35 | 2.306 | 9.76 |
| 11/16/07 1:40 | 2.303 | 9.76 |
| 11/16/07 1:45 | 2.303 | 9.76 |
| 11/16/07 1:50 | 2.303 | 9.76 |
| 11/16/07 1:55 | 2.303 | 9.76 |
| 11/16/07 2:00 | 2.302 | 9.76 |
| 11/16/07 2:05 | 2.301 | 9.76 |
| 11/16/07 2:10 | 2.3 | 9.76 |
| 11/16/07 2:15 | 2.301 | 9.76 |
| 11/16/07 2:20 | 2.301 | 9.76 |
| 11/16/07 2:25 | 2.299 | 9.76 |
| 11/16/07 2:30 | 2.295 | 9.76 |
| 11/16/07 2:35 | 2.296 | 9.76 |
| 11/16/07 2:40 | 2.297 | 9.76 |
| 11/16/07 2:45 | 2.296 | 9.76 |
| 11/16/07 2:50 | 2.294 | 9.76 |
| 11/16/07 2:55 | 2.295 | 9.76 |
| 11/16/07 3:00 | 2.293 | 9.76 |
| 11/16/07 3:05 | 2.293 | 9.76 |
| 11/16/07 3:10 | 2.292 | 9.76 |
| 11/16/07 3:15 | 2.292 | 9.76 |
| 11/16/07 3:20 | 2.289 | 9.76 |
| 11/16/07 3:25 | 2.289 | 9.76 |
| 11/16/07 3:30 | 2.287 | 9.76 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 3:35 | 2.288 | 9.76 |
| 11/16/07 3:40 | 2.287 | 9.76 |
| 11/16/07 3:45 | 2.286 | 9.76 |
| 11/16/07 3:50 | 2.288 | 9.76 |
| 11/16/07 3:55 | 2.286 | 9.76 |
| 11/16/07 4:00 | 2.283 | 9.76 |
| 11/16/07 4:05 | 2.283 | 9.76 |
| 11/16/07 4:10 | 2.282 | 9.76 |
| 11/16/07 4:15 | 2.281 | 9.76 |
| 11/16/07 4:20 | 2.279 | 9.76 |
| 11/16/07 4:25 | 2.279 | 9.76 |
| 11/16/07 4:30 | 2.279 | 9.76 |
| 11/16/07 4:35 | 2.278 | 9.76 |
| 11/16/07 4:40 | 2.277 | 9.76 |
| 11/16/07 4:45 | 2.277 | 9.76 |
| 11/16/07 4:50 | 2.278 | 9.76 |
| 11/16/07 4:55 | 2.278 | 9.76 |
| 11/16/07 5:00 | 2.278 | 9.76 |
| 11/16/07 5:05 | 2.276 | 9.76 |
| 11/16/07 5:10 | 2.278 | 9.76 |
| 11/16/07 5:15 | 2.274 | 9.76 |
| 11/16/07 5:20 | 2.278 | 9.76 |
| 11/16/07 5:25 | 2.27 | 8.06 |
| 11/16/07 5:30 | 2.273 | 8.06 |
| 11/16/07 5:35 | 2.27 | 8.06 |
| 11/16/07 5:40 | 2.27 | 8.06 |
| 11/16/07 5:45 | 2.268 | 8.06 |
| 11/16/07 5:50 | 2.271 | 8.06 |
| 11/16/07 5:55 | 2.267 | 8.06 |
| 11/16/07 6:00 | 2.267 | 8.06 |
| 11/16/07 6:05 | 2.268 | 8.06 |
| 11/16/07 6:10 | 2.27 | 8.06 |
| 11/16/07 6:15 | 2.268 | 8.06 |
| 11/16/07 6:20 | 2.27 | 8.06 |
| 11/16/07 6:25 | 2.268 | 8.06 |
| 11/16/07 6:30 | 2.27 | 8.06 |
| 11/16/07 6:35 | 2.272 | 8.06 |
| 11/16/07 6:40 | 2.267 | 8.06 |
| 11/16/07 6:45 | 2.269 | 8.06 |
| 11/16/07 6:50 | 2.268 | 8.06 |
| 11/16/07 6:55 | 2.266 | 8.06 |
| 11/16/07 7:00 | 2.268 | 8.06 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 7:05 | 2.268 | 8.06 |
| 11/16/07 7:10 | 2.269 | 8.06 |
| 11/16/07 7:15 | 2.267 | 8.06 |
| 11/16/07 7:20 | 2.265 | 8.06 |
| 11/16/07 7:25 | 2.265 | 8.06 |
| 11/16/07 7:30 | 2.268 | 8.06 |
| 11/16/07 7:35 | 2.266 | 8.06 |
| 11/16/07 7:40 | 2.265 | 8.06 |
| 11/16/07 7:45 | 2.265 | 8.06 |
| 11/16/07 7:50 | 2.264 | 8.06 |
| 11/16/07 7:55 | 2.263 | 8.06 |
| 11/16/07 8:00 | 2.262 | 8.06 |
| 11/16/07 8:05 | 2.263 | 8.06 |
| 11/16/07 8:10 | 2.264 | 8.06 |
| 11/16/07 8:15 | 2.262 | 8.06 |
| 11/16/07 8:20 | 2.262 | 8.06 |
| 11/16/07 8:25 | 2.263 | 8.06 |
| 11/16/07 8:30 | 2.262 | 8.06 |
| 11/16/07 8:35 | 2.261 | 8.06 |
| 11/16/07 8:40 | 2.26 | 8.06 |
| 11/16/07 8:45 | 2.261 | 8.06 |
| 11/16/07 8:50 | 2.258 | 8.06 |
| 11/16/07 8:55 | 2.263 | 8.06 |
| 11/16/07 9:00 | 2.259 | 8.06 |
| 11/16/07 9:05 | 2.258 | 8.06 |
| 11/16/07 9:10 | 2.258 | 8.06 |
| 11/16/07 9:15 | 2.259 | 8.06 |
| 11/16/07 9:20 | 2.257 | 8.06 |
| 11/16/07 9:25 | 2.257 | 8.06 |
| 11/16/07 9:30 | 2.26 | 8.06 |
| 11/16/07 9:35 | 2.257 | 8.06 |
| 11/16/07 9:40 | 2.257 | 8.06 |
| 11/16/07 9:45 | 2.256 | 8.06 |
| 11/16/07 9:50 | 2.254 | 8.06 |
| 11/16/07 9:55 | 2.255 | 8.06 |
| 11/16/07 10:00 | 2.256 | 8.06 |
| 11/16/07 10:05 | 2.255 | 8.06 |
| 11/16/07 10:10 | 2.257 | 8.06 |
| 11/16/07 10:15 | 2.256 | 8.06 |
| 11/16/07 10:20 | 2.254 | 8.06 |
| 11/16/07 10:25 | 2.253 | 8.06 |
| 11/16/07 10:30 | 2.254 | 8.06 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 10:35 | 2.251 | 8.06 |
| 11/16/07 10:40 | 2.252 | 8.06 |
| 11/16/07 10:45 | 2.251 | 8.06 |
| 11/16/07 10:50 | 2.251 | 8.06 |
| 11/16/07 10:55 | 2.25 | 8.06 |
| 11/16/07 11:00 | 2.25 | 8.06 |
| 11/16/07 11:05 | 2.253 | 8.06 |
| 11/16/07 11:10 | 2.249 | 8.06 |
| 11/16/07 11:15 | 2.249 | 8.06 |
| 11/16/07 11:20 | 2.25 | 8.06 |
| 11/16/07 11:25 | 2.249 | 8.06 |
| 11/16/07 11:30 | 2.248 | 8.06 |
| 11/16/07 11:35 | 2.25 | 8.06 |
| 11/16/07 11:40 | 2.245 | 8.06 |
| 11/16/07 11:45 | 2.249 | 8.06 |
| 11/16/07 11:50 | 2.249 | 8.06 |
| 11/16/07 11:55 | 2.246 | 8.06 |
| 11/16/07 12:00 | 2.249 | 8.06 |
| 11/16/07 12:05 | 2.249 | 8.06 |
| 11/16/07 12:10 | 2.247 | 8.06 |
| 11/16/07 12:15 | 2.249 | 8.06 |
| 11/16/07 12:20 | 2.248 | 8.06 |
| 11/16/07 12:25 | 2.248 | 8.06 |
| 11/16/07 12:30 | 2.25 | 8.06 |
| 11/16/07 12:35 | 2.248 | 8.06 |
| 11/16/07 12:40 | 2.249 | 8.06 |
| 11/16/07 12:45 | 2.249 | 8.06 |
| 11/16/07 12:50 | 2.25 | 8.06 |
| 11/16/07 12:55 | 2.249 | 8.06 |
| 11/16/07 13:00 | 2.248 | 8.06 |
| 11/16/07 13:05 | 2.251 | 8.06 |
| 11/16/07 13:10 | 2.251 | 8.06 |
| 11/16/07 13:15 | 2.234 | 8.06 |
| 11/16/07 13:20 | 2.235 | 0.93 |
| 11/16/07 13:25 | 2.282 | 0.79 |
| 11/16/07 13:30 | 2.309 | 0.93 |
| 11/16/07 13:35 | 2.329 | 0.98 |
| 11/16/07 13:40 | 2.344 | 1 |
| 11/16/07 13:45 | 2.391 | 0.96 |
| 11/16/07 13:50 | 2.409 | 0.95 |
| 11/16/07 13:55 | 2.415 | 0.97 |
| 11/16/07 14:00 | 2.419 | 0.89 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 14:05 | 2.424 | 0.93 |
| 11/16/07 14:10 | 2.425 | 0.95 |
| 11/16/07 14:15 | 2.431 | 1.05 |
| 11/16/07 14:20 | 2.431 | 0.99 |
| 11/16/07 14:25 | 2.431 | 0.89 |
| 11/16/07 14:30 | 2.433 | 0.99 |
| 11/16/07 14:35 | 2.436 | 0.94 |
| 11/16/07 14:40 | 2.439 | 1 |
| 11/16/07 14:45 | 2.435 | 0.96 |
| 11/16/07 14:50 | 2.435 | 0.95 |
| 11/16/07 14:55 | 2.433 | 1.05 |
| 11/16/07 15:00 | 2.436 | 0.96 |
| 11/16/07 15:05 | 2.436 | 1.05 |
| 11/16/07 15:10 | 2.439 | 1.11 |
| 11/16/07 15:15 | 2.437 | 0.99 |
| 11/16/07 15:20 | 2.439 | 1.04 |
| 11/16/07 15:25 | 2.437 | 0.94 |
| 11/16/07 15:30 | 2.441 | 1.03 |
| 11/16/07 15:35 | 2.436 | 1.05 |
| 11/16/07 15:40 | 2.433 | 1.07 |
| 11/16/07 15:45 | 2.435 | 1.03 |
| 11/16/07 15:50 | 2.434 | 0.91 |
| 11/16/07 15:55 | 2.432 | 0.95 |
| 11/16/07 16:00 | 2.429 | 0.98 |
| 11/16/07 16:05 | 2.431 | 0.98 |
| 11/16/07 16:10 | 2.425 | 0.96 |
| 11/16/07 16:15 | 2.426 | 0.99 |
| 11/16/07 16:20 | 2.426 | 0.98 |
| 11/16/07 16:25 | 2.428 | 1 |
| 11/16/07 16:30 | 2.42 | 0.97 |
| 11/16/07 16:35 | 2.422 | 0.91 |
| 11/16/07 16:40 | 2.421 | 1 |
| 11/16/07 16:45 | 2.417 | 1.01 |
| 11/16/07 16:50 | 2.42 | 0.95 |
| 11/16/07 16:55 | 2.419 | 0.98 |
| 11/16/07 17:00 | 2.416 | 1 |
| 11/16/07 17:05 | 2.415 | 0.96 |
| 11/16/07 17:10 | 2.407 | 1 |
| 11/16/07 17:15 | 2.411 | 0.95 |
| 11/16/07 17:20 | 2.409 | 0.95 |
| 11/16/07 17:25 | 2.413 | 0.89 |
| 11/16/07 17:30 | 2.41 | 1.03 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 17:35 | 2.408 | 1.06 |
| 11/16/07 17:40 | 2.407 | 1.13 |
| 11/16/07 17:45 | 2.403 | 0.98 |
| 11/16/07 17:50 | 2.401 | 0.99 |
| 11/16/07 17:55 | 2.395 | 1 |
| 11/16/07 18:00 | 2.395 | 0.96 |
| 11/16/07 18:05 | 2.395 | 0.92 |
| 11/16/07 18:10 | 2.389 | 0.96 |
| 11/16/07 18:15 | 2.387 | 0.96 |
| 11/16/07 18:20 | 2.385 | 1.02 |
| 11/16/07 18:25 | 2.387 | 1.05 |
| 11/16/07 18:30 | 2.386 | 0.96 |
| 11/16/07 18:35 | 2.377 | 0.98 |
| 11/16/07 18:40 | 2.385 | 0.98 |
| 11/16/07 18:45 | 2.381 | 0.98 |
| 11/16/07 18:50 | 2.382 | 0.97 |
| 11/16/07 18:55 | 2.379 | 1 |
| 11/16/07 19:00 | 2.375 | 1.06 |
| 11/16/07 19:05 | 2.38 | 0.98 |
| 11/16/07 19:10 | 2.377 | 0.95 |
| 11/16/07 19:15 | 2.378 | 0.96 |
| 11/16/07 19:20 | 2.377 | 0.96 |
| 11/16/07 19:25 | 2.373 | 1.04 |
| 11/16/07 19:30 | 2.374 | 1.07 |
| 11/16/07 19:35 | 2.374 | 1.01 |
| 11/16/07 19:40 | 2.374 | 0.98 |
| 11/16/07 19:45 | 2.372 | 0.98 |
| 11/16/07 19:50 | 2.372 | 0.97 |
| 11/16/07 19:55 | 2.371 | 0.95 |
| 11/16/07 20:00 | 2.37 | 0.95 |
| 11/16/07 20:05 | 2.365 | 0.92 |
| 11/16/07 20:10 | 2.365 | 1.06 |
| 11/16/07 20:15 | 2.366 | 0.95 |
| 11/16/07 20:20 | 2.36 | 0.98 |
| 11/16/07 20:25 | 2.362 | 0.97 |
| 11/16/07 20:30 | 2.358 | 0.98 |
| 11/16/07 20:35 | 2.359 | 0.98 |
| 11/16/07 20:40 | 2.354 | 0.92 |
| 11/16/07 20:45 | 2.353 | 0.91 |
| 11/16/07 20:50 | 2.352 | 1.11 |
| 11/16/07 20:55 | 2.349 | 0.97 |
| 11/16/07 21:00 | 2.351 | 0.98 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/16/07 21:05 | 2.351 | 0.96 |
| 11/16/07 21:10 | 2.347 | 0.84 |
| 11/16/07 21:15 | 2.347 | 0.97 |
| 11/16/07 21:20 | 2.346 | 0.93 |
| 11/16/07 21:25 | 2.345 | 0.93 |
| 11/16/07 21:30 | 2.342 | 0.89 |
| 11/16/07 21:35 | 2.343 | 0.87 |
| 11/16/07 21:40 | 2.342 | 0.88 |
| 11/16/07 21:45 | 2.342 | 0.94 |
| 11/16/07 21:50 | 2.339 | 0.92 |
| 11/16/07 21:55 | 2.337 | 0.99 |
| 11/16/07 22:00 | 2.338 | 0.95 |
| 11/16/07 22:05 | 2.337 | 0.97 |
| 11/16/07 22:10 | 2.335 | 1 |
| 11/16/07 22:15 | 2.332 | 0.99 |
| 11/16/07 22:20 | 2.334 | 0.94 |
| 11/16/07 22:25 | 2.334 | 0.99 |
| 11/16/07 22:30 | 2.33 | 0.99 |
| 11/16/07 22:35 | 2.33 | 0.92 |
| 11/16/07 22:40 | 2.329 | 0.93 |
| 11/16/07 22:45 | 2.33 | 0.91 |
| 11/16/07 22:50 | 2.328 | 0.97 |
| 11/16/07 22:55 | 2.327 | 1 |
| 11/16/07 23:00 | 2.329 | 0.98 |
| 11/16/07 23:05 | 2.325 | 0.89 |
| 11/16/07 23:10 | 2.325 | 0.95 |
| 11/16/07 23:15 | 2.324 | 0.89 |
| 11/16/07 23:20 | 2.319 | 0.93 |
| 11/16/07 23:25 | 2.318 | 0.92 |
| 11/16/07 23:30 | 2.316 | 0.93 |
| 11/16/07 23:35 | 2.317 | 0.98 |
| 11/16/07 23:40 | 2.313 | 0.84 |
| 11/16/07 23:45 | 2.313 | 0.89 |
| 11/16/07 23:50 | 2.308 | 0.94 |
| 11/16/07 23:55 | 2.308 | 0.9 |
| 11/17/07 0:00 | 2.304 | 0.95 |
| 11/17/07 0:05 | 2.303 | 0.92 |
| 11/17/07 0:10 | 2.302 | 0.89 |
| 11/17/07 0:15 | 2.301 | 0.94 |
| 11/17/07 0:20 | 2.302 | 0.94 |
| 11/17/07 0:25 | 2.296 | 0.9 |
| 11/17/07 0:30 | 2.297 | 0.91 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 0:35 | 2.298 | 0.96 |
| 11/17/07 0:40 | 2.294 | 0.91 |
| 11/17/07 0:45 | 2.29 | 0.96 |
| 11/17/07 0:50 | 2.287 | 0.96 |
| 11/17/07 0:55 | 2.285 | 0.8 |
| 11/17/07 1:00 | 2.273 | 0.77 |
| 11/17/07 1:05 | 2.268 | 0.84 |
| 11/17/07 1:10 | 2.266 | 0.83 |
| 11/17/07 1:15 | 2.258 | 0.89 |
| 11/17/07 1:20 | 2.248 | 0.94 |
| 11/17/07 1:25 | 2.24 | 0.97 |
| 11/17/07 1:30 | 2.234 | 0.81 |
| 11/17/07 1:35 | 2.228 | 0.9 |
| 11/17/07 1:40 | 2.222 | 0.95 |
| 11/17/07 1:45 | 2.221 | 0.92 |
| 11/17/07 1:50 | 2.218 | 0.94 |
| 11/17/07 1:55 | 2.217 | 0.93 |
| 11/17/07 2:00 | 2.216 | 0.89 |
| 11/17/07 2:05 | 2.209 | 0.82 |
| 11/17/07 2:10 | 2.21 | 0.87 |
| 11/17/07 2:15 | 2.207 | 0.88 |
| 11/17/07 2:20 | 2.205 | 0.92 |
| 11/17/07 2:25 | 2.206 | 0.8 |
| 11/17/07 2:30 | 2.203 | 0.95 |
| 11/17/07 2:35 | 2.202 | 0.88 |
| 11/17/07 2:40 | 2.199 | 0.88 |
| 11/17/07 2:45 | 2.199 | 0.97 |
| 11/17/07 2:50 | 2.2 | 0.9 |
| 11/17/07 2:55 | 2.199 | 0.9 |
| 11/17/07 3:00 | 2.197 | 0.9 |
| 11/17/07 3:05 | 2.201 | 0.98 |
| 11/17/07 3:10 | 2.197 | 0.96 |
| 11/17/07 3:15 | 2.197 | 0.91 |
| 11/17/07 3:20 | 2.198 | 0.92 |
| 11/17/07 3:25 | 2.197 | 0.94 |
| 11/17/07 3:30 | 2.197 | 0.88 |
| 11/17/07 3:35 | 2.197 | 0.86 |
| 11/17/07 3:40 | 2.197 | 0.9 |
| 11/17/07 3:45 | 2.197 | 0.99 |
| 11/17/07 3:50 | 2.196 | 0.89 |
| 11/17/07 3:55 | 2.197 | 0.86 |
| 11/17/07 4:00 | 2.197 | 0.91 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 4:05 | 2.198 | 0.96 |
| 11/17/07 4:10 | 2.197 | 0.92 |
| 11/17/07 4:15 | 2.196 | 0.94 |
| 11/17/07 4:20 | 2.196 | 0.9 |
| 11/17/07 4:25 | 2.197 | 0.86 |
| 11/17/07 4:30 | 2.197 | 0.82 |
| 11/17/07 4:35 | 2.193 | 0.94 |
| 11/17/07 4:40 | 2.194 | 0.88 |
| 11/17/07 4:45 | 2.191 | 0.84 |
| 11/17/07 4:50 | 2.187 | 0.87 |
| 11/17/07 4:55 | 2.185 | 0.78 |
| 11/17/07 5:00 | 2.183 | 0.9 |
| 11/17/07 5:05 | 2.182 | 0.86 |
| 11/17/07 5:10 | 2.179 | 0.86 |
| 11/17/07 5:15 | 2.18 | 0.86 |
| 11/17/07 5:20 | 2.179 | 0.9 |
| 11/17/07 5:25 | 2.179 | 0.94 |
| 11/17/07 5:30 | 2.178 | 0.95 |
| 11/17/07 5:35 | 2.175 | 0.89 |
| 11/17/07 5:40 | 2.173 | 0.9 |
| 11/17/07 5:45 | 2.169 | 0.87 |
| 11/17/07 5:50 | 2.166 | 0.91 |
| 11/17/07 5:55 | 2.167 | 0.9 |
| 11/17/07 6:00 | 2.166 | 0.85 |
| 11/17/07 6:05 | 2.165 | 0.94 |
| 11/17/07 6:10 | 2.162 | 1 |
| 11/17/07 6:15 | 2.161 | 0.87 |
| 11/17/07 6:20 | 2.159 | 0.85 |
| 11/17/07 6:25 | 2.156 | 0.9 |
| 11/17/07 6:30 | 2.153 | 0.88 |
| 11/17/07 6:35 | 2.15 | 0.87 |
| 11/17/07 6:40 | 2.146 | 0.94 |
| 11/17/07 6:45 | 2.144 | 0.86 |
| 11/17/07 6:50 | 2.141 | 0.77 |
| 11/17/07 6:55 | 2.138 | 0.75 |
| 11/17/07 7:00 | 2.133 | 0.69 |
| 11/17/07 7:05 | 2.13 | 0.73 |
| 11/17/07 7:10 | 2.129 | 0.85 |
| 11/17/07 7:15 | 2.127 | 0.81 |
| 11/17/07 7:20 | 2.125 | 0.79 |
| 11/17/07 7:25 | 2.122 | 0.89 |
| 11/17/07 7:30 | 2.121 | 0.87 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 7:35 | 2.124 | 0.85 |
| 11/17/07 7:40 | 2.123 | 0.86 |
| 11/17/07 7:45 | 2.122 | 0.75 |
| 11/17/07 7:50 | 2.122 | 0.8 |
| 11/17/07 7:55 | 2.122 | 0.9 |
| 11/17/07 8:00 | 2.126 | 0.82 |
| 11/17/07 8:05 | 2.125 | 0.79 |
| 11/17/07 8:10 | 2.123 | 0.77 |
| 11/17/07 8:15 | 2.125 | 0.82 |
| 11/17/07 8:20 | 2.126 | 0.77 |
| 11/17/07 8:25 | 2.127 | 0.81 |
| 11/17/07 8:30 | 2.128 | 0.82 |
| 11/17/07 8:35 | 2.127 | 0.83 |
| 11/17/07 8:40 | 2.129 | 0.82 |
| 11/17/07 8:45 | 2.128 | 0.8 |
| 11/17/07 8:50 | 2.127 | 0.73 |
| 11/17/07 8:55 | 2.127 | 0.79 |
| 11/17/07 9:00 | 2.128 | 0.79 |
| 11/17/07 9:05 | 2.129 | 0.78 |
| 11/17/07 9:10 | 2.129 | 0.83 |
| 11/17/07 9:15 | 2.131 | 0.82 |
| 11/17/07 9:20 | 2.13 | 0.78 |
| 11/17/07 9:25 | 2.131 | 0.81 |
| 11/17/07 9:30 | 2.131 | 0.72 |
| 11/17/07 9:35 | 2.129 | 0.79 |
| 11/17/07 9:40 | 2.13 | 0.74 |
| 11/17/07 9:45 | 2.13 | 0.78 |
| 11/17/07 9:50 | 2.131 | 0.8 |
| 11/17/07 9:55 | 2.131 | 0.83 |
| 11/17/07 10:00 | 2.131 | 0.84 |
| 11/17/07 10:05 | 2.132 | 0.84 |
| 11/17/07 10:10 | 2.13 | 0.78 |
| 11/17/07 10:15 | 2.131 | 0.74 |
| 11/17/07 10:20 | 2.128 | 0.78 |
| 11/17/07 10:25 | 2.13 | 0.8 |
| 11/17/07 10:30 | 2.13 | 0.77 |
| 11/17/07 10:35 | 2.129 | 0.83 |
| 11/17/07 10:40 | 2.13 | 0.74 |
| 11/17/07 10:45 | 2.129 | 0.85 |
| 11/17/07 10:50 | 2.131 | 0.76 |
| 11/17/07 10:55 | 2.131 | 0.78 |
| 11/17/07 11:00 | 2.132 | 0.73 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 11:05 | 2.129 | 0.78 |
| 11/17/07 11:10 | 2.13 | 0.75 |
| 11/17/07 11:15 | 2.129 | 0.74 |
| 11/17/07 11:20 | 2.129 | 0.79 |
| 11/17/07 11:25 | 2.13 | 0.74 |
| 11/17/07 11:30 | 2.131 | 0.84 |
| 11/17/07 11:35 | 2.13 | 0.79 |
| 11/17/07 11:40 | 2.128 | 0.81 |
| 11/17/07 11:45 | 2.129 | 0.77 |
| 11/17/07 11:50 | 2.131 | 0.82 |
| 11/17/07 11:55 | 2.127 | 0.81 |
| 11/17/07 12:00 | 2.128 | 0.7 |
| 11/17/07 12:05 | 2.129 | 0.8 |
| 11/17/07 12:10 | 2.128 | 0.78 |
| 11/17/07 12:15 | 2.128 | 0.7 |
| 11/17/07 12:20 | 2.128 | 0.77 |
| 11/17/07 12:25 | 2.127 | 0.76 |
| 11/17/07 12:30 | 2.127 | 0.75 |
| 11/17/07 12:35 | 2.128 | 0.81 |
| 11/17/07 12:40 | 2.126 | 0.76 |
| 11/17/07 12:45 | 2.128 | 0.79 |
| 11/17/07 12:50 | 2.129 | 0.8 |
| 11/17/07 12:55 | 2.128 | 0.82 |
| 11/17/07 13:00 | 2.127 | 0.8 |
| 11/17/07 13:05 | 2.129 | 0.79 |
| 11/17/07 13:10 | 2.127 | 0.75 |
| 11/17/07 13:15 | 2.127 | 0.81 |
| 11/17/07 13:20 | 2.125 | 0.77 |
| 11/17/07 13:25 | 2.125 | 0.75 |
| 11/17/07 13:30 | 2.125 | 0.75 |
| 11/17/07 13:35 | 2.125 | 0.74 |
| 11/17/07 13:40 | 2.125 | 0.79 |
| 11/17/07 13:45 | 2.126 | 0.8 |
| 11/17/07 13:50 | 2.127 | 0.79 |
| 11/17/07 13:55 | 2.125 | 0.76 |
| 11/17/07 14:00 | 2.123 | 0.72 |
| 11/17/07 14:05 | 2.125 | 0.81 |
| 11/17/07 14:10 | 2.125 | 0.82 |
| 11/17/07 14:15 | 2.124 | 0.83 |
| 11/17/07 14:20 | 2.124 | 0.73 |
| 11/17/07 14:25 | 2.123 | 0.8 |
| 11/17/07 14:30 | 2.126 | 0.77 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 14:35 | 2.126 | 0.75 |
| 11/17/07 14:40 | 2.125 | 0.76 |
| 11/17/07 14:45 | 2.123 | 0.83 |
| 11/17/07 14:50 | 2.124 | 0.78 |
| 11/17/07 14:55 | 2.122 | 0.82 |
| 11/17/07 15:00 | 2.123 | 0.79 |
| 11/17/07 15:05 | 2.122 | 0.72 |
| 11/17/07 15:10 | 2.122 | 0.79 |
| 11/17/07 15:15 | 2.124 | 0.79 |
| 11/17/07 15:20 | 2.124 | 0.7 |
| 11/17/07 15:25 | 2.121 | 0.8 |
| 11/17/07 15:30 | 2.123 | 0.69 |
| 11/17/07 15:35 | 2.122 | 0.79 |
| 11/17/07 15:40 | 2.119 | 0.76 |
| 11/17/07 15:45 | 2.121 | 0.68 |
| 11/17/07 15:50 | 2.122 | 0.76 |
| 11/17/07 15:55 | 2.121 | 0.81 |
| 11/17/07 16:00 | 2.119 | 0.77 |
| 11/17/07 16:05 | 2.123 | 0.78 |
| 11/17/07 16:10 | 2.123 | 0.79 |
| 11/17/07 16:15 | 2.12 | 0.73 |
| 11/17/07 16:20 | 2.119 | 0.8 |
| 11/17/07 16:25 | 2.123 | 0.78 |
| 11/17/07 16:30 | 2.123 | 0.74 |
| 11/17/07 16:35 | 2.122 | 0.79 |
| 11/17/07 16:40 | 2.124 | 0.76 |
| 11/17/07 16:45 | 2.122 | 0.71 |
| 11/17/07 16:50 | 2.122 | 0.84 |
| 11/17/07 16:55 | 2.121 | 0.74 |
| 11/17/07 17:00 | 2.121 | 0.84 |
| 11/17/07 17:05 | 2.122 | 0.75 |
| 11/17/07 17:10 | 2.12 | 0.78 |
| 11/17/07 17:15 | 2.122 | 0.73 |
| 11/17/07 17:20 | 2.12 | 0.77 |
| 11/17/07 17:25 | 2.122 | 0.79 |
| 11/17/07 17:30 | 2.121 | 0.8 |
| 11/17/07 17:35 | 2.119 | 0.79 |
| 11/17/07 17:40 | 2.12 | 0.73 |
| 11/17/07 17:45 | 2.119 | 0.75 |
| 11/17/07 17:50 | 2.119 | 0.79 |
| 11/17/07 17:55 | 2.117 | 0.74 |
| 11/17/07 18:00 | 2.117 | 0.79 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 18:05 | 2.117 | 0.79 |
| 11/17/07 18:10 | 2.115 | 0.72 |
| 11/17/07 18:15 | 2.117 | 0.75 |
| 11/17/07 18:20 | 2.115 | 0.81 |
| 11/17/07 18:25 | 2.114 | 0.78 |
| 11/17/07 18:30 | 2.114 | 0.77 |
| 11/17/07 18:35 | 2.114 | 0.81 |
| 11/17/07 18:40 | 2.114 | 0.78 |
| 11/17/07 18:45 | 2.112 | 0.73 |
| 11/17/07 18:50 | 2.111 | 0.77 |
| 11/17/07 18:55 | 2.11 | 0.74 |
| 11/17/07 19:00 | 2.111 | 0.71 |
| 11/17/07 19:05 | 2.109 | 0.75 |
| 11/17/07 19:10 | 2.11 | 0.76 |
| 11/17/07 19:15 | 2.11 | 0.8 |
| 11/17/07 19:20 | 2.108 | 0.84 |
| 11/17/07 19:25 | 2.107 | 0.71 |
| 11/17/07 19:30 | 2.107 | 0.77 |
| 11/17/07 19:35 | 2.109 | 0.74 |
| 11/17/07 19:40 | 2.108 | 0.72 |
| 11/17/07 19:45 | 2.108 | 0.72 |
| 11/17/07 19:50 | 2.105 | 0.85 |
| 11/17/07 19:55 | 2.104 | 0.67 |
| 11/17/07 20:00 | 2.104 | 0.65 |
| 11/17/07 20:05 | 2.102 | 0.68 |
| 11/17/07 20:10 | 2.099 | 0.73 |
| 11/17/07 20:15 | 2.1 | 0.8 |
| 11/17/07 20:20 | 2.098 | 0.75 |
| 11/17/07 20:25 | 2.098 | 0.82 |
| 11/17/07 20:30 | 2.095 | 0.72 |
| 11/17/07 20:35 | 2.096 | 0.74 |
| 11/17/07 20:40 | 2.095 | 0.73 |
| 11/17/07 20:45 | 2.096 | 0.68 |
| 11/17/07 20:50 | 2.094 | 0.73 |
| 11/17/07 20:55 | 2.093 | 0.78 |
| 11/17/07 21:00 | 2.092 | 0.72 |
| 11/17/07 21:05 | 2.09 | 0.77 |
| 11/17/07 21:10 | 2.091 | 0.69 |
| 11/17/07 21:15 | 2.089 | 0.76 |
| 11/17/07 21:20 | 2.085 | 0.79 |
| 11/17/07 21:25 | 2.086 | 0.72 |
| 11/17/07 21:30 | 2.086 | 0.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/17/07 21:35 | 2.085 | 0.7 |
| 11/17/07 21:40 | 2.085 | 0.77 |
| 11/17/07 21:45 | 2.084 | 0.91 |
| 11/17/07 21:50 | 2.083 | 0.71 |
| 11/17/07 21:55 | 2.082 | 0.71 |
| 11/17/07 22:00 | 2.081 | 0.69 |
| 11/17/07 22:05 | 2.079 | 0.77 |
| 11/17/07 22:10 | 2.079 | 0.74 |
| 11/17/07 22:15 | 2.078 | 0.76 |
| 11/17/07 22:20 | 2.077 | 0.72 |
| 11/17/07 22:25 | 2.077 | 0.74 |
| 11/17/07 22:30 | 2.075 | 0.79 |
| 11/17/07 22:35 | 2.075 | 0.68 |
| 11/17/07 22:40 | 2.074 | 0.81 |
| 11/17/07 22:45 | 2.074 | 0.79 |
| 11/17/07 22:50 | 2.073 | 0.7 |
| 11/17/07 22:55 | 2.071 | 0.71 |
| 11/17/07 23:00 | 2.072 | 0.72 |
| 11/17/07 23:05 | 2.073 | 0.76 |
| 11/17/07 23:10 | 2.071 | 0.71 |
| 11/17/07 23:15 | 2.073 | 0.76 |
| 11/17/07 23:20 | 2.071 | 0.75 |
| 11/17/07 23:25 | 2.071 | 0.81 |
| 11/17/07 23:30 | 2.069 | 0.72 |
| 11/17/07 23:35 | 2.069 | 0.67 |
| 11/17/07 23:40 | 2.067 | 0.74 |
| 11/17/07 23:45 | 2.065 | 0.72 |
| 11/17/07 23:50 | 2.063 | 0.68 |
| 11/17/07 23:55 | 2.058 | 0.73 |
| 11/18/07 0:00 | 2.056 | 0.73 |
| 11/18/07 0:05 | 2.053 | 0.66 |
| 11/18/07 0:10 | 2.05 | 0.73 |
| 11/18/07 0:15 | 2.047 | 0.72 |
| 11/18/07 0:20 | 2.045 | 0.7 |
| 11/18/07 0:25 | 2.043 | 0.69 |
| 11/18/07 0:30 | 2.042 | 0.69 |
| 11/18/07 0:35 | 2.04 | 0.69 |
| 11/18/07 0:40 | 2.04 | 0.71 |
| 11/18/07 0:45 | 2.04 | 0.7 |
| 11/18/07 0:50 | 2.038 | 0.67 |
| 11/18/07 0:55 | 2.037 | 0.66 |
| 11/18/07 1:00 | 2.034 | 0.67 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 1:05 | 2.031 | 0.69 |
| 11/18/07 1:10 | 2.03 | 0.7 |
| 11/18/07 1:15 | 2.028 | 0.65 |
| 11/18/07 1:20 | 2.027 | 0.71 |
| 11/18/07 1:25 | 2.027 | 0.69 |
| 11/18/07 1:30 | 2.026 | 0.69 |
| 11/18/07 1:35 | 2.025 | 0.66 |
| 11/18/07 1:40 | 2.024 | 0.67 |
| 11/18/07 1:45 | 2.023 | 0.71 |
| 11/18/07 1:50 | 2.023 | 0.69 |
| 11/18/07 1:55 | 2.023 | 0.69 |
| 11/18/07 2:00 | 2.021 | 0.69 |
| 11/18/07 2:05 | 2.021 | 0.71 |
| 11/18/07 2:10 | 2.02 | 0.7 |
| 11/18/07 2:15 | 2.019 | 0.69 |
| 11/18/07 2:20 | 2.019 | 0.63 |
| 11/18/07 2:25 | 2.019 | 0.65 |
| 11/18/07 2:30 | 2.018 | 0.62 |
| 11/18/07 2:35 | 2.017 | 0.66 |
| 11/18/07 2:40 | 2.014 | 0.67 |
| 11/18/07 2:45 | 2.014 | 0.66 |
| 11/18/07 2:50 | 2.012 | 0.68 |
| 11/18/07 2:55 | 2.011 | 0.68 |
| 11/18/07 3:00 | 2.01 | 0.67 |
| 11/18/07 3:05 | 2.008 | 0.64 |
| 11/18/07 3:10 | 2.008 | 0.65 |
| 11/18/07 3:15 | 2.007 | 0.65 |
| 11/18/07 3:20 | 2.007 | 0.66 |
| 11/18/07 3:25 | 2.007 | 0.66 |
| 11/18/07 3:30 | 2.007 | 0.66 |
| 11/18/07 3:35 | 2.005 | 0.69 |
| 11/18/07 3:40 | 2.005 | 0.64 |
| 11/18/07 3:45 | 2.005 | 0.59 |
| 11/18/07 3:50 | 2.004 | 0.65 |
| 11/18/07 3:55 | 2.004 | 0.71 |
| 11/18/07 4:00 | 2.004 | 0.67 |
| 11/18/07 4:05 | 2.003 | 0.69 |
| 11/18/07 4:10 | 2.002 | 0.63 |
| 11/18/07 4:15 | 2.001 | 0.67 |
| 11/18/07 4:20 | 2.001 | 0.68 |
| 11/18/07 4:25 | 2.001 | 0.66 |
| 11/18/07 4:30 | 2.001 | 0.62 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 4:35 | 2 | 0.66 |
| 11/18/07 4:40 | 2 | 0.67 |
| 11/18/07 4:45 | 1.998 | 0.59 |
| 11/18/07 4:50 | 1.998 | 0.59 |
| 11/18/07 4:55 | 1.996 | 0.64 |
| 11/18/07 5:00 | 1.997 | 0.62 |
| 11/18/07 5:05 | 1.997 | 0.67 |
| 11/18/07 5:10 | 1.995 | 0.7 |
| 11/18/07 5:15 | 1.994 | 0.63 |
| 11/18/07 5:20 | 1.995 | 0.62 |
| 11/18/07 5:25 | 1.994 | 0.66 |
| 11/18/07 5:30 | 1.994 | 0.68 |
| 11/18/07 5:35 | 1.993 | 0.65 |
| 11/18/07 5:40 | 1.993 | 0.6 |
| 11/18/07 5:45 | 1.994 | 0.56 |
| 11/18/07 5:50 | 1.993 | 0.65 |
| 11/18/07 5:55 | 1.993 | 0.65 |
| 11/18/07 6:00 | 1.992 | 0.63 |
| 11/18/07 6:05 | 1.992 | 0.64 |
| 11/18/07 6:10 | 1.992 | 0.6 |
| 11/18/07 6:15 | 1.992 | 0.67 |
| 11/18/07 6:20 | 1.992 | 0.64 |
| 11/18/07 6:25 | 1.992 | 0.65 |
| 11/18/07 6:30 | 1.991 | 0.62 |
| 11/18/07 6:35 | 1.991 | 0.65 |
| 11/18/07 6:40 | 1.992 | 0.62 |
| 11/18/07 6:45 | 1.991 | 0.62 |
| 11/18/07 6:50 | 1.991 | 0.64 |
| 11/18/07 6:55 | 1.991 | 0.67 |
| 11/18/07 7:00 | 1.99 | 0.67 |
| 11/18/07 7:05 | 1.99 | 0.63 |
| 11/18/07 7:10 | 1.99 | 0.66 |
| 11/18/07 7:15 | 1.99 | 0.64 |
| 11/18/07 7:20 | 1.99 | 0.66 |
| 11/18/07 7:25 | 1.987 | 0.61 |
| 11/18/07 7:30 | 1.988 | 0.66 |
| 11/18/07 7:35 | 1.988 | 0.66 |
| 11/18/07 7:40 | 1.988 | 0.63 |
| 11/18/07 7:45 | 1.988 | 0.65 |
| 11/18/07 7:50 | 1.988 | 0.6 |
| 11/18/07 7:55 | 1.987 | 0.6 |
| 11/18/07 8:00 | 1.987 | 0.65 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 8:05 | 1.986 | 0.66 |
| 11/18/07 8:10 | 1.986 | 0.58 |
| 11/18/07 8:15 | 1.986 | 0.67 |
| 11/18/07 8:20 | 1.985 | 0.63 |
| 11/18/07 8:25 | 1.985 | 0.62 |
| 11/18/07 8:30 | 1.984 | 0.62 |
| 11/18/07 8:35 | 1.984 | 0.56 |
| 11/18/07 8:40 | 1.983 | 0.65 |
| 11/18/07 8:45 | 1.983 | 0.57 |
| 11/18/07 8:50 | 1.984 | 0.65 |
| 11/18/07 8:55 | 1.983 | 0.6 |
| 11/18/07 9:00 | 1.982 | 0.63 |
| 11/18/07 9:05 | 1.982 | 0.6 |
| 11/18/07 9:10 | 1.982 | 0.63 |
| 11/18/07 9:15 | 1.981 | 0.67 |
| 11/18/07 9:20 | 1.98 | 0.59 |
| 11/18/07 9:25 | 1.98 | 0.64 |
| 11/18/07 9:30 | 1.98 | 0.66 |
| 11/18/07 9:35 | 1.981 | 0.63 |
| 11/18/07 9:40 | 1.98 | 0.61 |
| 11/18/07 9:45 | 1.98 | 0.64 |
| 11/18/07 9:50 | 1.979 | 0.64 |
| 11/18/07 9:55 | 1.979 | 0.63 |
| 11/18/07 10:00 | 1.98 | 0.64 |
| 11/18/07 10:05 | 1.979 | 0.7 |
| 11/18/07 10:10 | 1.98 | 0.68 |
| 11/18/07 10:15 | 1.979 | 0.65 |
| 11/18/07 10:20 | 1.98 | 0.65 |
| 11/18/07 10:25 | 1.979 | 0.66 |
| 11/18/07 10:30 | 1.979 | 0.62 |
| 11/18/07 10:35 | 1.979 | 0.66 |
| 11/18/07 10:40 | 1.979 | 0.63 |
| 11/18/07 10:45 | 1.979 | 0.64 |
| 11/18/07 10:50 | 1.979 | 0.65 |
| 11/18/07 10:55 | 1.979 | 0.67 |
| 11/18/07 11:00 | 1.98 | 0.69 |
| 11/18/07 11:05 | 1.98 | 0.65 |
| 11/18/07 11:10 | 1.979 | 0.64 |
| 11/18/07 11:15 | 1.979 | 0.65 |
| 11/18/07 11:20 | 1.98 | 0.66 |
| 11/18/07 11:25 | 1.98 | 0.65 |
| 11/18/07 11:30 | 1.979 | 0.63 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 11:35 | 1.98 | 0.65 |
| 11/18/07 11:40 | 1.981 | 0.62 |
| 11/18/07 11:45 | 1.98 | 0.62 |
| 11/18/07 11:50 | 1.981 | 0.62 |
| 11/18/07 11:55 | 1.981 | 0.64 |
| 11/18/07 12:00 | 1.98 | 0.59 |
| 11/18/07 12:05 | 1.981 | 0.64 |
| 11/18/07 12:10 | 1.982 | 0.65 |
| 11/18/07 12:15 | 1.982 | 0.64 |
| 11/18/07 12:20 | 1.982 | 0.61 |
| 11/18/07 12:25 | 1.984 | 0.65 |
| 11/18/07 12:30 | 1.982 | 0.65 |
| 11/18/07 12:35 | 1.983 | 0.61 |
| 11/18/07 12:40 | 1.984 | 0.59 |
| 11/18/07 12:45 | 1.983 | 0.65 |
| 11/18/07 12:50 | 1.984 | 0.63 |
| 11/18/07 12:55 | 1.984 | 0.7 |
| 11/18/07 13:00 | 1.984 | 0.64 |
| 11/18/07 13:05 | 1.983 | 0.63 |
| 11/18/07 13:10 | 1.984 | 0.62 |
| 11/18/07 13:15 | 1.984 | 0.63 |
| 11/18/07 13:20 | 1.984 | 0.61 |
| 11/18/07 13:25 | 1.985 | 0.58 |
| 11/18/07 13:30 | 1.985 | 0.59 |
| 11/18/07 13:35 | 1.984 | 0.64 |
| 11/18/07 13:40 | 1.985 | 0.61 |
| 11/18/07 13:45 | 1.985 | 0.65 |
| 11/18/07 13:50 | 1.985 | 0.61 |
| 11/18/07 13:55 | 1.984 | 0.69 |
| 11/18/07 14:00 | 1.984 | 0.62 |
| 11/18/07 14:05 | 1.985 | 0.58 |
| 11/18/07 14:10 | 1.984 | 0.64 |
| 11/18/07 14:15 | 1.986 | 0.65 |
| 11/18/07 14:20 | 1.985 | 0.62 |
| 11/18/07 14:25 | 1.984 | 0.66 |
| 11/18/07 14:30 | 1.985 | 0.62 |
| 11/18/07 14:35 | 1.984 | 0.61 |
| 11/18/07 14:40 | 1.984 | 0.64 |
| 11/18/07 14:45 | 1.983 | 0.62 |
| 11/18/07 14:50 | 1.984 | 0.59 |
| 11/18/07 14:55 | 1.983 | 0.59 |
| 11/18/07 15:00 | 1.983 | 0.61 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 15:05 | 1.984 | 0.61 |
| 11/18/07 15:10 | 1.983 | 0.64 |
| 11/18/07 15:15 | 1.983 | 0.64 |
| 11/18/07 15:20 | 1.983 | 0.62 |
| 11/18/07 15:25 | 1.982 | 0.55 |
| 11/18/07 15:30 | 1.982 | 0.62 |
| 11/18/07 15:35 | 1.981 | 0.6 |
| 11/18/07 15:40 | 1.981 | 0.6 |
| 11/18/07 15:45 | 1.982 | 0.6 |
| 11/18/07 15:50 | 1.982 | 0.62 |
| 11/18/07 15:55 | 1.981 | 0.59 |
| 11/18/07 16:00 | 1.982 | 0.59 |
| 11/18/07 16:05 | 1.982 | 0.6 |
| 11/18/07 16:10 | 1.981 | 0.57 |
| 11/18/07 16:15 | 1.981 | 0.61 |
| 11/18/07 16:20 | 1.98 | 0.64 |
| 11/18/07 16:25 | 1.98 | 0.63 |
| 11/18/07 16:30 | 1.98 | 0.64 |
| 11/18/07 16:35 | 1.979 | 0.63 |
| 11/18/07 16:40 | 1.979 | 0.57 |
| 11/18/07 16:45 | 1.979 | 0.65 |
| 11/18/07 16:50 | 1.979 | 0.58 |
| 11/18/07 16:55 | 1.978 | 0.6 |
| 11/18/07 17:00 | 1.978 | 0.63 |
| 11/18/07 17:05 | 1.978 | 0.63 |
| 11/18/07 17:10 | 1.977 | 0.62 |
| 11/18/07 17:15 | 1.977 | 0.66 |
| 11/18/07 17:20 | 1.977 | 0.64 |
| 11/18/07 17:25 | 1.977 | 0.7 |
| 11/18/07 17:30 | 1.977 | 0.62 |
| 11/18/07 17:35 | 1.977 | 0.63 |
| 11/18/07 17:40 | 1.976 | 0.6 |
| 11/18/07 17:45 | 1.975 | 0.64 |
| 11/18/07 17:50 | 1.975 | 0.63 |
| 11/18/07 17:55 | 1.974 | 0.61 |
| 11/18/07 18:00 | 1.973 | 0.62 |
| 11/18/07 18:05 | 1.974 | 0.6 |
| 11/18/07 18:10 | 1.974 | 0.61 |
| 11/18/07 18:15 | 1.973 | 0.6 |
| 11/18/07 18:20 | 1.972 | 0.66 |
| 11/18/07 18:25 | 1.972 | 0.61 |
| 11/18/07 18:30 | 1.971 | 0.61 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 18:35 | 1.972 | 0.65 |
| 11/18/07 18:40 | 1.971 | 0.58 |
| 11/18/07 18:45 | 1.97 | 0.6 |
| 11/18/07 18:50 | 1.969 | 0.6 |
| 11/18/07 18:55 | 1.968 | 0.61 |
| 11/18/07 19:00 | 1.969 | 0.61 |
| 11/18/07 19:05 | 1.967 | 0.61 |
| 11/18/07 19:10 | 1.967 | 0.58 |
| 11/18/07 19:15 | 1.966 | 0.63 |
| 11/18/07 19:20 | 1.966 | 0.65 |
| 11/18/07 19:25 | 1.966 | 0.64 |
| 11/18/07 19:30 | 1.966 | 0.63 |
| 11/18/07 19:35 | 1.964 | 0.59 |
| 11/18/07 19:40 | 1.964 | 0.56 |
| 11/18/07 19:45 | 1.962 | 0.6 |
| 11/18/07 19:50 | 1.962 | 0.66 |
| 11/18/07 19:55 | 1.961 | 0.62 |
| 11/18/07 20:00 | 1.96 | 0.61 |
| 11/18/07 20:05 | 1.959 | 0.59 |
| 11/18/07 20:10 | 1.959 | 0.58 |
| 11/18/07 20:15 | 1.958 | 0.6 |
| 11/18/07 20:20 | 1.958 | 0.59 |
| 11/18/07 20:25 | 1.959 | 0.65 |
| 11/18/07 20:30 | 1.956 | 0.56 |
| 11/18/07 20:35 | 1.956 | 0.62 |
| 11/18/07 20:40 | 1.956 | 0.61 |
| 11/18/07 20:45 | 1.954 | 0.61 |
| 11/18/07 20:50 | 1.953 | 0.62 |
| 11/18/07 20:55 | 1.954 | 0.66 |
| 11/18/07 21:00 | 1.953 | 0.61 |
| 11/18/07 21:05 | 1.953 | 0.61 |
| 11/18/07 21:10 | 1.952 | 0.6 |
| 11/18/07 21:15 | 1.952 | 0.58 |
| 11/18/07 21:20 | 1.952 | 0.6 |
| 11/18/07 21:25 | 1.95 | 0.6 |
| 11/18/07 21:30 | 1.951 | 0.59 |
| 11/18/07 21:35 | 1.95 | 0.56 |
| 11/18/07 21:40 | 1.95 | 0.63 |
| 11/18/07 21:45 | 1.948 | 0.6 |
| 11/18/07 21:50 | 1.948 | 0.58 |
| 11/18/07 21:55 | 1.947 | 0.62 |
| 11/18/07 22:00 | 1.946 | 0.61 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/18/07 22:05 | 1.946 | 0.59 |
| 11/18/07 22:10 | 1.945 | 0.62 |
| 11/18/07 22:15 | 1.943 | 0.59 |
| 11/18/07 22:20 | 1.944 | 0.61 |
| 11/18/07 22:25 | 1.943 | 0.6 |
| 11/18/07 22:30 | 1.944 | 0.6 |
| 11/18/07 22:35 | 1.944 | 0.58 |
| 11/18/07 22:40 | 1.943 | 0.57 |
| 11/18/07 22:45 | 1.942 | 0.55 |
| 11/18/07 22:50 | 1.942 | 0.6 |
| 11/18/07 22:55 | 1.941 | 0.61 |
| 11/18/07 23:00 | 1.94 | 0.58 |
| 11/18/07 23:05 | 1.94 | 0.6 |
| 11/18/07 23:10 | 1.942 | 0.58 |
| 11/18/07 23:15 | 1.94 | 0.6 |
| 11/18/07 23:20 | 1.939 | 0.6 |
| 11/18/07 23:25 | 1.939 | 0.6 |
| 11/18/07 23:30 | 1.939 | 0.6 |
| 11/18/07 23:35 | 1.938 | 0.58 |
| 11/18/07 23:40 | 1.937 | 0.56 |
| 11/18/07 23:45 | 1.936 | 0.6 |
| 11/18/07 23:50 | 1.936 | 0.61 |
| 11/18/07 23:55 | 1.935 | 0.58 |
| 11/19/07 0:00 | 1.935 | 0.56 |
| 11/19/07 0:05 | 1.935 | 0.59 |
| 11/19/07 0:10 | 1.934 | 0.58 |
| 11/19/07 0:15 | 1.933 | 0.55 |
| 11/19/07 0:20 | 1.932 | 0.6 |
| 11/19/07 0:25 | 1.932 | 0.6 |
| 11/19/07 0:30 | 1.933 | 0.59 |
| 11/19/07 0:35 | 1.932 | 0.56 |
| 11/19/07 0:40 | 1.931 | 0.54 |
| 11/19/07 0:45 | 1.931 | 0.59 |
| 11/19/07 0:50 | 1.93 | 0.59 |
| 11/19/07 0:55 | 1.93 | 0.58 |
| 11/19/07 1:00 | 1.93 | 0.63 |
| 11/19/07 1:05 | 1.928 | 0.58 |
| 11/19/07 1:10 | 1.928 | 0.56 |
| 11/19/07 1:15 | 1.929 | 0.61 |
| 11/19/07 1:20 | 1.927 | 0.59 |
| 11/19/07 1:25 | 1.927 | 0.58 |
| 11/19/07 1:30 | 1.926 | 0.6 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 1:35 | 1.926 | 0.57 |
| 11/19/07 1:40 | 1.926 | 0.57 |
| 11/19/07 1:45 | 1.925 | 0.6 |
| 11/19/07 1:50 | 1.925 | 0.61 |
| 11/19/07 1:55 | 1.925 | 0.58 |
| 11/19/07 2:00 | 1.926 | 0.57 |
| 11/19/07 2:05 | 1.925 | 0.58 |
| 11/19/07 2:10 | 1.926 | 0.56 |
| 11/19/07 2:15 | 1.926 | 0.57 |
| 11/19/07 2:20 | 1.926 | 0.63 |
| 11/19/07 2:25 | 1.925 | 0.59 |
| 11/19/07 2:30 | 1.925 | 0.54 |
| 11/19/07 2:35 | 1.925 | 0.58 |
| 11/19/07 2:40 | 1.924 | 0.53 |
| 11/19/07 2:45 | 1.925 | 0.6 |
| 11/19/07 2:50 | 1.924 | 0.51 |
| 11/19/07 2:55 | 1.924 | 0.56 |
| 11/19/07 3:00 | 1.923 | 0.63 |
| 11/19/07 3:05 | 1.923 | 0.59 |
| 11/19/07 3:10 | 1.923 | 0.53 |
| 11/19/07 3:15 | 1.922 | 0.59 |
| 11/19/07 3:20 | 1.922 | 0.54 |
| 11/19/07 3:25 | 1.922 | 0.54 |
| 11/19/07 3:30 | 1.923 | 0.58 |
| 11/19/07 3:35 | 1.921 | 0.59 |
| 11/19/07 3:40 | 1.921 | 0.58 |
| 11/19/07 3:45 | 1.921 | 0.56 |
| 11/19/07 3:50 | 1.92 | 0.54 |
| 11/19/07 3:55 | 1.92 | 0.58 |
| 11/19/07 4:00 | 1.921 | 0.61 |
| 11/19/07 4:05 | 1.919 | 0.55 |
| 11/19/07 4:10 | 1.919 | 0.61 |
| 11/19/07 4:15 | 1.919 | 0.6 |
| 11/19/07 4:20 | 1.918 | 0.59 |
| 11/19/07 4:25 | 1.918 | 0.59 |
| 11/19/07 4:30 | 1.918 | 0.56 |
| 11/19/07 4:35 | 1.917 | 0.6 |
| 11/19/07 4:40 | 1.917 | 0.57 |
| 11/19/07 4:45 | 1.917 | 0.57 |
| 11/19/07 4:50 | 1.916 | 0.58 |
| 11/19/07 4:55 | 1.916 | 0.59 |
| 11/19/07 5:00 | 1.916 | 0.57 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 5:05 | 1.913 | 0.57 |
| 11/19/07 5:10 | 1.913 | 0.57 |
| 11/19/07 5:15 | 1.912 | 0.58 |
| 11/19/07 5:20 | 1.91 | 0.57 |
| 11/19/07 5:25 | 1.911 | 0.56 |
| 11/19/07 5:30 | 1.909 | 0.56 |
| 11/19/07 5:35 | 1.908 | 0.55 |
| 11/19/07 5:40 | 1.908 | 0.55 |
| 11/19/07 5:45 | 1.908 | 0.56 |
| 11/19/07 5:50 | 1.907 | 0.57 |
| 11/19/07 5:55 | 1.906 | 0.55 |
| 11/19/07 6:00 | 1.905 | 0.57 |
| 11/19/07 6:05 | 1.905 | 0.57 |
| 11/19/07 6:10 | 1.905 | 0.58 |
| 11/19/07 6:15 | 1.906 | 0.57 |
| 11/19/07 6:20 | 1.905 | 0.54 |
| 11/19/07 6:25 | 1.904 | 0.53 |
| 11/19/07 6:30 | 1.904 | 0.62 |
| 11/19/07 6:35 | 1.905 | 0.55 |
| 11/19/07 6:40 | 1.905 | 0.57 |
| 11/19/07 6:45 | 1.904 | 0.57 |
| 11/19/07 6:50 | 1.903 | 0.56 |
| 11/19/07 6:55 | 1.903 | 0.54 |
| 11/19/07 7:00 | 1.903 | 0.56 |
| 11/19/07 7:05 | 1.902 | 0.53 |
| 11/19/07 7:10 | 1.902 | 0.53 |
| 11/19/07 7:15 | 1.901 | 0.55 |
| 11/19/07 7:20 | 1.902 | 0.55 |
| 11/19/07 7:25 | 1.9 | 0.55 |
| 11/19/07 7:30 | 1.9 | 0.52 |
| 11/19/07 7:35 | 1.9 | 0.56 |
| 11/19/07 7:40 | 1.899 | 0.57 |
| 11/19/07 7:45 | 1.899 | 0.55 |
| 11/19/07 7:50 | 1.899 | 0.54 |
| 11/19/07 7:55 | 1.898 | 0.53 |
| 11/19/07 8:00 | 1.898 | 0.54 |
| 11/19/07 8:05 | 1.898 | 0.52 |
| 11/19/07 8:10 | 1.897 | 0.56 |
| 11/19/07 8:15 | 1.897 | 0.54 |
| 11/19/07 8:20 | 1.897 | 0.56 |
| 11/19/07 8:25 | 1.896 | 0.56 |
| 11/19/07 8:30 | 1.895 | 0.56 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 8:35 | 1.896 | 0.55 |
| 11/19/07 8:40 | 1.896 | 0.54 |
| 11/19/07 8:45 | 1.895 | 0.56 |
| 11/19/07 8:50 | 1.894 | 0.54 |
| 11/19/07 8:55 | 1.894 | 0.55 |
| 11/19/07 9:00 | 1.894 | 0.55 |
| 11/19/07 9:05 | 1.893 | 0.54 |
| 11/19/07 9:10 | 1.893 | 0.54 |
| 11/19/07 9:15 | 1.892 | 0.53 |
| 11/19/07 9:20 | 1.894 | 0.53 |
| 11/19/07 9:25 | 1.893 | 0.55 |
| 11/19/07 9:30 | 1.893 | 0.52 |
| 11/19/07 9:35 | 1.894 | 0.53 |
| 11/19/07 9:40 | 1.893 | 0.52 |
| 11/19/07 9:45 | 1.893 | 0.53 |
| 11/19/07 9:50 | 1.89 | 0.56 |
| 11/19/07 9:55 | 1.955 | 0.56 |
| 11/19/07 10:00 | 2.009 | 0.97 |
| 11/19/07 10:05 | 2.068 | 0.7 |
| 11/19/07 10:10 | 2.105 | 0.88 |
| 11/19/07 10:15 | 2.136 | 0.92 |
| 11/19/07 10:20 | 2.157 | 0.74 |
| 11/19/07 10:25 | 2.171 | 0.74 |
| 11/19/07 10:30 | 2.188 | 0.74 |
| 11/19/07 10:35 | 2.2 | 0.74 |
| 11/19/07 10:40 | 2.211 | 0.52 |
| 11/19/07 10:45 | 2.224 | 0.52 |
| 11/19/07 10:50 | 2.234 | 0.52 |
| 11/19/07 10:55 | 2.241 | 0.52 |
| 11/19/07 11:00 | 2.248 | 0.66 |
| 11/19/07 11:05 | 2.253 | 0.68 |
| 11/19/07 11:10 | 2.256 | 0.68 |
| 11/19/07 11:15 | 2.261 | 0.68 |
| 11/19/07 11:20 | 2.261 | 0.68 |
| 11/19/07 11:25 | 2.263 | 0.68 |
| 11/19/07 11:30 | 2.266 | 0.71 |
| 11/19/07 11:35 | 2.267 | 0.71 |
| 11/19/07 11:40 | 2.267 | 0.57 |
| 11/19/07 11:45 | 2.267 | 0.61 |
| 11/19/07 11:50 | 2.267 | 0.61 |
| 11/19/07 11:55 | 2.268 | 0.54 |
| 11/19/07 12:00 | 2.265 | 0.61 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 12:05 | 2.266 | 0.66 |
| 11/19/07 12:10 | 2.265 | 0.61 |
| 11/19/07 12:15 | 2.263 | 0.61 |
| 11/19/07 12:20 | 2.262 | 0.61 |
| 11/19/07 12:25 | 2.262 | 0.59 |
| 11/19/07 12:30 | 2.26 | 0.65 |
| 11/19/07 12:35 | 2.259 | 0.55 |
| 11/19/07 12:40 | 2.256 | 0.63 |
| 11/19/07 12:45 | 2.255 | 0.57 |
| 11/19/07 12:50 | 2.253 | 0.6 |
| 11/19/07 12:55 | 2.251 | 0.58 |
| 11/19/07 13:00 | 2.25 | 0.58 |
| 11/19/07 13:05 | 2.247 | 0.57 |
| 11/19/07 13:10 | 2.244 | 0.62 |
| 11/19/07 13:15 | 2.243 | 0.64 |
| 11/19/07 13:20 | 2.242 | 0.64 |
| 11/19/07 13:25 | 2.242 | 0.61 |
| 11/19/07 13:30 | 2.237 | 0.51 |
| 11/19/07 13:35 | 2.236 | 0.51 |
| 11/19/07 13:40 | 2.235 | 0.6 |
| 11/19/07 13:45 | 2.233 | 0.56 |
| 11/19/07 13:50 | 2.231 | 0.58 |
| 11/19/07 13:55 | 2.229 | 0.52 |
| 11/19/07 14:00 | 2.226 | 0.52 |
| 11/19/07 14:05 | 2.225 | 0.58 |
| 11/19/07 14:10 | 2.224 | 0.59 |
| 11/19/07 14:15 | 2.222 | 0.59 |
| 11/19/07 14:20 | 2.221 | 0.59 |
| 11/19/07 14:25 | 2.217 | 0.59 |
| 11/19/07 14:30 | 2.216 | 0.54 |
| 11/19/07 14:35 | 2.215 | 0.48 |
| 11/19/07 14:40 | 2.213 | 0.57 |
| 11/19/07 14:45 | 2.21 | 0.53 |
| 11/19/07 14:50 | 2.208 | 0.53 |
| 11/19/07 14:55 | 2.208 | 0.82 |
| 11/19/07 15:00 | 2.206 | 0.46 |
| 11/19/07 15:05 | 2.204 | 0.56 |
| 11/19/07 15:10 | 2.203 | 0.51 |
| 11/19/07 15:15 | 2.199 | 0.51 |
| 11/19/07 15:20 | 2.198 | 0.51 |
| 11/19/07 15:25 | 2.186 | 0.54 |
| 11/19/07 15:30 | 2.118 | 0.66 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 15:35 | 2.071 | 0.67 |
| 11/19/07 15:40 | 2.036 | 0.7 |
| 11/19/07 15:45 | 2.011 | 0.72 |
| 11/19/07 15:50 | 1.993 | 0.75 |
| 11/19/07 15:55 | 1.979 | 0.72 |
| 11/19/07 16:00 | 1.968 | 0.75 |
| 11/19/07 16:05 | 1.962 | 0.73 |
| 11/19/07 16:10 | 1.955 | 0.69 |
| 11/19/07 16:15 | 1.95 | 0.75 |
| 11/19/07 16:20 | 1.947 | 0.75 |
| 11/19/07 16:25 | 1.943 | 0.66 |
| 11/19/07 16:30 | 1.942 | 0.75 |
| 11/19/07 16:35 | 1.943 | 0.74 |
| 11/19/07 16:40 | 1.941 | 0.72 |
| 11/19/07 16:45 | 1.939 | 0.65 |
| 11/19/07 16:50 | 1.937 | 0.7 |
| 11/19/07 16:55 | 1.935 | 0.73 |
| 11/19/07 17:00 | 1.935 | 0.76 |
| 11/19/07 17:05 | 1.932 | 0.77 |
| 11/19/07 17:10 | 1.932 | 0.73 |
| 11/19/07 17:15 | 1.932 | 0.74 |
| 11/19/07 17:20 | 1.934 | 0.76 |
| 11/19/07 17:25 | 1.935 | 0.77 |
| 11/19/07 17:30 | 1.936 | 0.72 |
| 11/19/07 17:35 | 1.935 | 0.72 |
| 11/19/07 17:40 | 1.934 | 0.68 |
| 11/19/07 17:45 | 1.934 | 0.69 |
| 11/19/07 17:50 | 1.932 | 0.73 |
| 11/19/07 17:55 | 1.93 | 0.7 |
| 11/19/07 18:00 | 1.929 | 0.68 |
| 11/19/07 18:05 | 1.93 | 0.63 |
| 11/19/07 18:10 | 1.926 | 0.67 |
| 11/19/07 18:15 | 1.925 | 0.69 |
| 11/19/07 18:20 | 1.924 | 0.71 |
| 11/19/07 18:25 | 1.922 | 0.71 |
| 11/19/07 18:30 | 1.921 | 0.64 |
| 11/19/07 18:35 | 1.921 | 0.68 |
| 11/19/07 18:40 | 1.919 | 0.7 |
| 11/19/07 18:45 | 1.917 | 0.69 |
| 11/19/07 18:50 | 1.916 | 0.71 |
| 11/19/07 18:55 | 1.915 | 0.67 |
| 11/19/07 19:00 | 1.912 | 0.63 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 19:05 | 1.913 | 0.65 |
| 11/19/07 19:10 | 1.913 | 0.67 |
| 11/19/07 19:15 | 1.911 | 0.62 |
| 11/19/07 19:20 | 1.909 | 0.6 |
| 11/19/07 19:25 | 1.905 | 0.69 |
| 11/19/07 19:30 | 1.907 | 0.7 |
| 11/19/07 19:35 | 1.906 | 0.71 |
| 11/19/07 19:40 | 1.903 | 0.7 |
| 11/19/07 19:45 | 1.901 | 0.66 |
| 11/19/07 19:50 | 1.901 | 0.67 |
| 11/19/07 19:55 | 1.901 | 0.68 |
| 11/19/07 20:00 | 1.901 | 0.71 |
| 11/19/07 20:05 | 1.898 | 0.63 |
| 11/19/07 20:10 | 1.896 | 0.66 |
| 11/19/07 20:15 | 1.896 | 0.64 |
| 11/19/07 20:20 | 1.896 | 0.59 |
| 11/19/07 20:25 | 1.895 | 0.69 |
| 11/19/07 20:30 | 1.89 | 0.64 |
| 11/19/07 20:35 | 1.888 | 0.64 |
| 11/19/07 20:40 | 1.887 | 0.67 |
| 11/19/07 20:45 | 1.884 | 0.66 |
| 11/19/07 20:50 | 1.883 | 0.7 |
| 11/19/07 20:55 | 1.883 | 0.64 |
| 11/19/07 21:00 | 1.88 | 0.65 |
| 11/19/07 21:05 | 1.88 | 0.74 |
| 11/19/07 21:10 | 1.878 | 0.67 |
| 11/19/07 21:15 | 1.876 | 0.65 |
| 11/19/07 21:20 | 1.874 | 0.7 |
| 11/19/07 21:25 | 1.873 | 0.68 |
| 11/19/07 21:30 | 1.872 | 0.67 |
| 11/19/07 21:35 | 1.871 | 0.57 |
| 11/19/07 21:40 | 1.87 | 0.66 |
| 11/19/07 21:45 | 1.868 | 0.64 |
| 11/19/07 21:50 | 1.87 | 0.67 |
| 11/19/07 21:55 | 1.866 | 0.72 |
| 11/19/07 22:00 | 1.867 | 0.67 |
| 11/19/07 22:05 | 1.866 | 0.65 |
| 11/19/07 22:10 | 1.863 | 0.7 |
| 11/19/07 22:15 | 1.863 | 0.63 |
| 11/19/07 22:20 | 1.862 | 0.63 |
| 11/19/07 22:25 | 1.86 | 0.63 |
| 11/19/07 22:30 | 1.86 | 0.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/19/07 22:35 | 1.859 | 0.58 |
| 11/19/07 22:40 | 1.856 | 0.59 |
| 11/19/07 22:45 | 1.856 | 0.59 |
| 11/19/07 22:50 | 1.856 | 0.57 |
| 11/19/07 22:55 | 1.855 | 0.57 |
| 11/19/07 23:00 | 1.854 | 0.57 |
| 11/19/07 23:05 | 1.853 | 0.53 |
| 11/19/07 23:10 | 1.851 | 0.56 |
| 11/19/07 23:15 | 1.852 | 0.55 |
| 11/19/07 23:20 | 1.851 | 0.55 |
| 11/19/07 23:25 | 1.85 | 0.59 |
| 11/19/07 23:30 | 1.848 | 0.52 |
| 11/19/07 23:35 | 1.847 | 0.54 |
| 11/19/07 23:40 | 1.846 | 0.54 |
| 11/19/07 23:45 | 1.845 | 0.52 |
| 11/19/07 23:50 | 1.844 | 0.53 |
| 11/19/07 23:55 | 1.838 | 0.45 |
| 11/20/07 0:00 | 1.827 | 0.44 |
| 11/20/07 0:05 | 1.815 | 0.42 |
| 11/20/07 0:10 | 1.804 | 0.42 |
| 11/20/07 0:15 | 1.796 | 0.41 |
| 11/20/07 0:20 | 1.785 | 0.41 |
| 11/20/07 0:25 | 1.773 | 0.41 |
| 11/20/07 0:30 | 1.767 | 0.43 |
| 11/20/07 0:35 | 1.759 | 0.43 |
| 11/20/07 0:40 | 1.75 | 0.45 |
| 11/20/07 0:45 | 1.742 | 0.45 |
| 11/20/07 0:50 | 1.736 | 0.43 |
| 11/20/07 0:55 | 1.731 | 0.41 |
| 11/20/07 1:00 | 1.723 | 0.37 |
| 11/20/07 1:05 | 1.718 | 0.45 |
| 11/20/07 1:10 | 1.716 | 0.42 |
| 11/20/07 1:15 | 1.714 | 0.42 |
| 11/20/07 1:20 | 1.712 | 0.4 |
| 11/20/07 1:25 | 1.711 | 0.47 |
| 11/20/07 1:30 | 1.71 | 0.41 |
| 11/20/07 1:35 | 1.711 | 0.44 |
| 11/20/07 1:40 | 1.711 | 0.42 |
| 11/20/07 1:45 | 1.707 | 0.47 |
| 11/20/07 1:50 | 1.694 | 0.39 |
| 11/20/07 1:55 | 1.677 | 0.36 |
| 11/20/07 2:00 | 1.668 | 0.36 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 2:05 | 1.658 | 0.37 |
| 11/20/07 2:10 | 1.651 | 0.37 |
| 11/20/07 2:15 | 1.646 | 0.41 |
| 11/20/07 2:20 | 1.643 | 0.41 |
| 11/20/07 2:25 | 1.639 | 0.42 |
| 11/20/07 2:30 | 1.633 | 0.42 |
| 11/20/07 2:35 | 1.626 | 0.4 |
| 11/20/07 2:40 | 1.619 | 0.38 |
| 11/20/07 2:45 | 1.616 | 0.35 |
| 11/20/07 2:50 | 1.613 | 0.35 |
| 11/20/07 2:55 | 1.611 | 0.35 |
| 11/20/07 3:00 | 1.608 | 0.35 |
| 11/20/07 3:05 | 1.609 | 0.35 |
| 11/20/07 3:10 | 1.607 | 0.37 |
| 11/20/07 3:15 | 1.606 | 0.35 |
| 11/20/07 3:20 | 1.605 | 0.33 |
| 11/20/07 3:25 | 1.605 | 0.32 |
| 11/20/07 3:30 | 1.604 | 0.33 |
| 11/20/07 3:35 | 1.603 | 0.33 |
| 11/20/07 3:40 | 1.602 | 0.34 |
| 11/20/07 3:45 | 1.602 | 0.34 |
| 11/20/07 3:50 | 1.602 | 0.34 |
| 11/20/07 3:55 | 1.602 | 0.34 |
| 11/20/07 4:00 | 1.602 | 0.34 |
| 11/20/07 4:05 | 1.602 | 0.37 |
| 11/20/07 4:10 | 1.602 | 0.33 |
| 11/20/07 4:15 | 1.602 | 0.32 |
| 11/20/07 4:20 | 1.603 | 0.31 |
| 11/20/07 4:25 | 1.604 | 0.38 |
| 11/20/07 4:30 | 1.6 | 0.33 |
| 11/20/07 4:35 | 1.597 | 0.33 |
| 11/20/07 4:40 | 1.593 | 0.33 |
| 11/20/07 4:45 | 1.584 | 0.29 |
| 11/20/07 4:50 | 1.574 | 0.3 |
| 11/20/07 4:55 | 1.566 | 0.31 |
| 11/20/07 5:00 | 1.557 | 0.28 |
| 11/20/07 5:05 | 1.551 | 0.3 |
| 11/20/07 5:10 | 1.546 | 0.32 |
| 11/20/07 5:15 | 1.542 | 0.32 |
| 11/20/07 5:20 | 1.537 | 0.32 |
| 11/20/07 5:25 | 1.534 | 0.31 |
| 11/20/07 5:30 | 1.532 | 0.28 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 5:35 | 1.53 | 0.34 |
| 11/20/07 5:40 | 1.529 | 0.3 |
| 11/20/07 5:45 | 1.528 | 0.33 |
| 11/20/07 5:50 | 1.528 | 0.35 |
| 11/20/07 5:55 | 1.528 | 0.33 |
| 11/20/07 6:00 | 1.528 | 0.33 |
| 11/20/07 6:05 | 1.527 | 0.32 |
| 11/20/07 6:10 | 1.528 | 0.3 |
| 11/20/07 6:15 | 1.529 | 0.37 |
| 11/20/07 6:20 | 1.529 | 0.37 |
| 11/20/07 6:25 | 1.53 | 0.32 |
| 11/20/07 6:30 | 1.531 | 0.33 |
| 11/20/07 6:35 | 1.532 | 0.32 |
| 11/20/07 6:40 | 1.532 | 0.31 |
| 11/20/07 6:45 | 1.533 | 0.31 |
| 11/20/07 6:50 | 1.534 | 0.33 |
| 11/20/07 6:55 | 1.535 | 0.33 |
| 11/20/07 7:00 | 1.535 | 0.33 |
| 11/20/07 7:05 | 1.536 | 0.36 |
| 11/20/07 7:10 | 1.537 | 0.32 |
| 11/20/07 7:15 | 1.538 | 0.3 |
| 11/20/07 7:20 | 1.54 | 0.31 |
| 11/20/07 7:25 | 1.54 | 0.35 |
| 11/20/07 7:30 | 1.542 | 0.33 |
| 11/20/07 7:35 | 1.543 | 0.33 |
| 11/20/07 7:40 | 1.544 | 0.32 |
| 11/20/07 7:45 | 1.545 | 0.3 |
| 11/20/07 7:50 | 1.546 | 0.3 |
| 11/20/07 7:55 | 1.547 | 0.35 |
| 11/20/07 8:00 | 1.548 | 0.35 |
| 11/20/07 8:05 | 1.548 | 0.35 |
| 11/20/07 8:10 | 1.549 | 0.33 |
| 11/20/07 8:15 | 1.55 | 0.32 |
| 11/20/07 8:20 | 1.551 | 0.32 |
| 11/20/07 8:25 | 1.552 | 0.35 |
| 11/20/07 8:30 | 1.552 | 0.56 |
| 11/20/07 8:35 | 1.553 | 0.32 |
| 11/20/07 8:40 | 1.555 | 0.32 |
| 11/20/07 8:45 | 1.555 | 0.32 |
| 11/20/07 8:50 | 1.557 | 0.31 |
| 11/20/07 8:55 | 1.558 | 0.29 |
| 11/20/07 9:00 | 1.559 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 9:05 | 1.561 | 0.34 |
| 11/20/07 9:10 | 1.562 | 0.31 |
| 11/20/07 9:15 | 1.562 | 0.31 |
| 11/20/07 9:20 | 1.563 | 0.31 |
| 11/20/07 9:25 | 1.564 | 0.31 |
| 11/20/07 9:30 | 1.566 | 0.31 |
| 11/20/07 9:35 | 1.566 | 0.3 |
| 11/20/07 9:40 | 1.568 | 0.3 |
| 11/20/07 9:45 | 1.57 | 0.28 |
| 11/20/07 9:50 | 1.572 | 0.31 |
| 11/20/07 9:55 | 1.574 | 0.31 |
| 11/20/07 10:00 | 1.576 | 0.31 |
| 11/20/07 10:05 | 1.577 | 0.34 |
| 11/20/07 10:10 | 1.579 | 0.34 |
| 11/20/07 10:15 | 1.58 | 0.29 |
| 11/20/07 10:20 | 1.581 | 0.35 |
| 11/20/07 10:25 | 1.583 | 0.35 |
| 11/20/07 10:30 | 1.585 | 0.33 |
| 11/20/07 10:35 | 1.586 | 0.3 |
| 11/20/07 10:40 | 1.588 | 0.35 |
| 11/20/07 10:45 | 1.589 | 0.32 |
| 11/20/07 10:50 | 1.591 | 0.33 |
| 11/20/07 10:55 | 1.592 | 0.31 |
| 11/20/07 11:00 | 1.594 | 0.33 |
| 11/20/07 11:05 | 1.595 | 0.34 |
| 11/20/07 11:10 | 1.596 | 0.29 |
| 11/20/07 11:15 | 1.599 | 0.3 |
| 11/20/07 11:20 | 1.6 | 0.3 |
| 11/20/07 11:25 | 1.602 | 0.34 |
| 11/20/07 11:30 | 1.603 | 0.34 |
| 11/20/07 11:35 | 1.606 | 0.34 |
| 11/20/07 11:40 | 1.606 | 0.39 |
| 11/20/07 11:45 | 1.607 | 0.35 |
| 11/20/07 11:50 | 1.609 | 0.34 |
| 11/20/07 11:55 | 1.611 | 0.34 |
| 11/20/07 12:00 | 1.612 | 0.33 |
| 11/20/07 12:05 | 1.613 | 0.33 |
| 11/20/07 12:10 | 1.613 | 0.29 |
| 11/20/07 12:15 | 1.615 | 0.3 |
| 11/20/07 12:20 | 1.615 | 0.34 |
| 11/20/07 12:25 | 1.616 | 0.32 |
| 11/20/07 12:30 | 1.617 | 0.32 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 12:35 | 1.618 | 0.36 |
| 11/20/07 12:40 | 1.619 | 0.35 |
| 11/20/07 12:45 | 1.62 | 0.34 |
| 11/20/07 12:50 | 1.621 | 0.35 |
| 11/20/07 12:55 | 1.622 | 0.38 |
| 11/20/07 13:00 | 1.624 | 0.33 |
| 11/20/07 13:05 | 1.624 | 0.32 |
| 11/20/07 13:10 | 1.625 | 0.37 |
| 11/20/07 13:15 | 1.626 | 0.38 |
| 11/20/07 13:20 | 1.628 | 0.34 |
| 11/20/07 13:25 | 1.628 | 0.36 |
| 11/20/07 13:30 | 1.63 | 0.37 |
| 11/20/07 13:35 | 1.631 | 0.32 |
| 11/20/07 13:40 | 1.633 | 0.35 |
| 11/20/07 13:45 | 1.634 | 0.35 |
| 11/20/07 13:50 | 1.636 | 0.32 |
| 11/20/07 13:55 | 1.637 | 0.33 |
| 11/20/07 14:00 | 1.639 | 0.33 |
| 11/20/07 14:05 | 1.641 | 0.33 |
| 11/20/07 14:10 | 1.642 | 0.32 |
| 11/20/07 14:15 | 1.644 | 0.32 |
| 11/20/07 14:20 | 1.647 | 0.32 |
| 11/20/07 14:25 | 1.65 | 0.32 |
| 11/20/07 14:30 | 1.653 | 0.35 |
| 11/20/07 14:35 | 1.655 | 0.35 |
| 11/20/07 14:40 | 1.657 | 0.35 |
| 11/20/07 14:45 | 1.66 | 0.35 |
| 11/20/07 14:50 | 1.662 | 0.39 |
| 11/20/07 14:55 | 1.665 | 0.36 |
| 11/20/07 15:00 | 1.667 | 0.34 |
| 11/20/07 15:05 | 1.67 | 0.35 |
| 11/20/07 15:10 | 1.671 | 0.37 |
| 11/20/07 15:15 | 1.673 | 0.33 |
| 11/20/07 15:20 | 1.675 | 0.33 |
| 11/20/07 15:25 | 1.676 | 0.38 |
| 11/20/07 15:30 | 1.678 | 0.29 |
| 11/20/07 15:35 | 1.679 | 0.35 |
| 11/20/07 15:40 | 1.681 | 0.35 |
| 11/20/07 15:45 | 1.682 | 0.35 |
| 11/20/07 15:50 | 1.683 | 0.32 |
| 11/20/07 15:55 | 1.684 | 0.33 |
| 11/20/07 16:00 | 1.685 | 0.39 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 16:05 | 1.687 | 0.35 |
| 11/20/07 16:10 | 1.687 | 0.32 |
| 11/20/07 16:15 | 1.688 | 0.34 |
| 11/20/07 16:20 | 1.689 | 0.35 |
| 11/20/07 16:25 | 1.689 | 0.34 |
| 11/20/07 16:30 | 1.69 | 0.29 |
| 11/20/07 16:35 | 1.691 | 0.29 |
| 11/20/07 16:40 | 1.691 | 0.33 |
| 11/20/07 16:45 | 1.692 | 0.31 |
| 11/20/07 16:50 | 1.693 | 0.34 |
| 11/20/07 16:55 | 1.694 | 0.29 |
| 11/20/07 17:00 | 1.695 | 0.28 |
| 11/20/07 17:05 | 1.695 | 0.38 |
| 11/20/07 17:10 | 1.696 | 0.36 |
| 11/20/07 17:15 | 1.696 | 0.36 |
| 11/20/07 17:20 | 1.697 | 0.34 |
| 11/20/07 17:25 | 1.698 | 0.33 |
| 11/20/07 17:30 | 1.698 | 0.34 |
| 11/20/07 17:35 | 1.698 | 0.35 |
| 11/20/07 17:40 | 1.698 | 0.34 |
| 11/20/07 17:45 | 1.699 | 0.68 |
| 11/20/07 17:50 | 1.699 | 0.34 |
| 11/20/07 17:55 | 1.7 | 0.35 |
| 11/20/07 18:00 | 1.7 | 0.38 |
| 11/20/07 18:05 | 1.701 | 0.34 |
| 11/20/07 18:10 | 1.701 | 0.33 |
| 11/20/07 18:15 | 1.702 | 0.28 |
| 11/20/07 18:20 | 1.702 | 0.34 |
| 11/20/07 18:25 | 1.703 | 0.34 |
| 11/20/07 18:30 | 1.704 | 0.34 |
| 11/20/07 18:35 | 1.705 | 0.37 |
| 11/20/07 18:40 | 1.705 | 0.34 |
| 11/20/07 18:45 | 1.706 | 0.35 |
| 11/20/07 18:50 | 1.707 | 0.37 |
| 11/20/07 18:55 | 1.707 | 0.32 |
| 11/20/07 19:00 | 1.689 | 0.42 |
| 11/20/07 19:05 | 1.67 | 0.33 |
| 11/20/07 19:10 | 1.656 | 0.35 |
| 11/20/07 19:15 | 1.645 | 0.42 |
| 11/20/07 19:20 | 1.638 | 0.39 |
| 11/20/07 19:25 | 1.632 | 0.39 |
| 11/20/07 19:30 | 1.627 | 0.39 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 19:35 | 1.626 | 0.44 |
| 11/20/07 19:40 | 1.623 | 0.38 |
| 11/20/07 19:45 | 1.621 | 0.38 |
| 11/20/07 19:50 | 1.62 | 0.38 |
| 11/20/07 19:55 | 1.619 | 0.39 |
| 11/20/07 20:00 | 1.619 | 0.39 |
| 11/20/07 20:05 | 1.619 | 0.39 |
| 11/20/07 20:10 | 1.619 | 0.39 |
| 11/20/07 20:15 | 1.619 | 0.39 |
| 11/20/07 20:20 | 1.62 | 0.42 |
| 11/20/07 20:25 | 1.621 | 0.42 |
| 11/20/07 20:30 | 1.621 | 0.35 |
| 11/20/07 20:35 | 1.622 | 0.35 |
| 11/20/07 20:40 | 1.622 | 0.38 |
| 11/20/07 20:45 | 1.623 | 0.48 |
| 11/20/07 20:50 | 1.624 | 0.41 |
| 11/20/07 20:55 | 1.624 | 0.42 |
| 11/20/07 21:00 | 1.624 | 0.41 |
| 11/20/07 21:05 | 1.626 | 0.42 |
| 11/20/07 21:10 | 1.627 | 0.36 |
| 11/20/07 21:15 | 1.628 | 0.45 |
| 11/20/07 21:20 | 1.628 | 0.38 |
| 11/20/07 21:25 | 1.629 | 0.39 |
| 11/20/07 21:30 | 1.63 | 0.39 |
| 11/20/07 21:35 | 1.63 | 0.39 |
| 11/20/07 21:40 | 1.63 | 0.41 |
| 11/20/07 21:45 | 1.63 | 0.44 |
| 11/20/07 21:50 | 1.631 | 0.44 |
| 11/20/07 21:55 | 1.633 | 0.46 |
| 11/20/07 22:00 | 1.633 | 0.41 |
| 11/20/07 22:05 | 1.633 | 0.47 |
| 11/20/07 22:10 | 1.634 | 0.39 |
| 11/20/07 22:15 | 1.634 | 0.39 |
| 11/20/07 22:20 | 1.633 | 0.4 |
| 11/20/07 22:25 | 1.635 | 0.43 |
| 11/20/07 22:30 | 1.636 | 0.43 |
| 11/20/07 22:35 | 1.635 | 0.35 |
| 11/20/07 22:40 | 1.636 | 0.4 |
| 11/20/07 22:45 | 1.636 | 0.44 |
| 11/20/07 22:50 | 1.637 | 0.44 |
| 11/20/07 22:55 | 1.637 | 0.42 |
| 11/20/07 23:00 | 1.638 | 0.42 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/20/07 23:05 | 1.638 | 0.42 |
| 11/20/07 23:10 | 1.638 | 0.39 |
| 11/20/07 23:15 | 1.638 | 0.39 |
| 11/20/07 23:20 | 1.639 | 0.36 |
| 11/20/07 23:25 | 1.639 | 0.4 |
| 11/20/07 23:30 | 1.64 | 0.39 |
| 11/20/07 23:35 | 1.64 | 0.45 |
| 11/20/07 23:40 | 1.64 | 0.4 |
| 11/20/07 23:45 | 1.64 | 0.47 |
| 11/20/07 23:50 | 1.64 | 0.47 |
| 11/20/07 23:55 | 1.641 | 0.37 |
| 11/21/07 0:00 | 1.641 | 0.38 |
| 11/21/07 0:05 | 1.64 | 0.43 |
| 11/21/07 0:10 | 1.641 | 0.43 |
| 11/21/07 0:15 | 1.641 | 0.4 |
| 11/21/07 0:20 | 1.64 | 0.4 |
| 11/21/07 0:25 | 1.64 | 0.39 |
| 11/21/07 0:30 | 1.641 | 0.39 |
| 11/21/07 0:35 | 1.64 | 0.32 |
| 11/21/07 0:40 | 1.64 | 0.37 |
| 11/21/07 0:45 | 1.639 | 0.39 |
| 11/21/07 0:50 | 1.639 | 0.4 |
| 11/21/07 0:55 | 1.639 | 0.44 |
| 11/21/07 1:00 | 1.637 | 0.44 |
| 11/21/07 1:05 | 1.637 | 0.39 |
| 11/21/07 1:10 | 1.636 | 0.42 |
| 11/21/07 1:15 | 1.636 | 0.38 |
| 11/21/07 1:20 | 1.636 | 0.37 |
| 11/21/07 1:25 | 1.636 | 0.41 |
| 11/21/07 1:30 | 1.636 | 0.34 |
| 11/21/07 1:35 | 1.637 | 0.38 |
| 11/21/07 1:40 | 1.637 | 0.43 |
| 11/21/07 1:45 | 1.638 | 0.34 |
| 11/21/07 1:50 | 1.637 | 0.41 |
| 11/21/07 1:55 | 1.638 | 0.43 |
| 11/21/07 2:00 | 1.637 | 0.45 |
| 11/21/07 2:05 | 1.636 | 0.36 |
| 11/21/07 2:10 | 1.637 | 0.43 |
| 11/21/07 2:15 | 1.636 | 0.43 |
| 11/21/07 2:20 | 1.637 | 0.44 |
| 11/21/07 2:25 | 1.636 | 0.43 |
| 11/21/07 2:30 | 1.637 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 2:35 | 1.637 | 0.44 |
| 11/21/07 2:40 | 1.636 | 0.44 |
| 11/21/07 2:45 | 1.636 | 0.42 |
| 11/21/07 2:50 | 1.636 | 0.44 |
| 11/21/07 2:55 | 1.636 | 0.41 |
| 11/21/07 3:00 | 1.636 | 0.44 |
| 11/21/07 3:05 | 1.637 | 0.38 |
| 11/21/07 3:10 | 1.636 | 0.43 |
| 11/21/07 3:15 | 1.637 | 0.44 |
| 11/21/07 3:20 | 1.636 | 0.4 |
| 11/21/07 3:25 | 1.636 | 0.4 |
| 11/21/07 3:30 | 1.638 | 0.32 |
| 11/21/07 3:35 | 1.638 | 0.42 |
| 11/21/07 3:40 | 1.638 | 0.39 |
| 11/21/07 3:45 | 1.639 | 0.38 |
| 11/21/07 3:50 | 1.64 | 0.39 |
| 11/21/07 3:55 | 1.64 | 0.39 |
| 11/21/07 4:00 | 1.641 | 0.4 |
| 11/21/07 4:05 | 1.641 | 0.41 |
| 11/21/07 4:10 | 1.643 | 0.38 |
| 11/21/07 4:15 | 1.643 | 0.43 |
| 11/21/07 4:20 | 1.643 | 0.38 |
| 11/21/07 4:25 | 1.645 | 0.37 |
| 11/21/07 4:30 | 1.645 | 0.39 |
| 11/21/07 4:35 | 1.643 | 0.45 |
| 11/21/07 4:40 | 1.642 | 0.38 |
| 11/21/07 4:45 | 1.642 | 0.44 |
| 11/21/07 4:50 | 1.641 | 0.41 |
| 11/21/07 4:55 | 1.64 | 0.41 |
| 11/21/07 5:00 | 1.64 | 0.43 |
| 11/21/07 5:05 | 1.639 | 0.43 |
| 11/21/07 5:10 | 1.64 | 0.45 |
| 11/21/07 5:15 | 1.639 | 0.45 |
| 11/21/07 5:20 | 1.637 | 0.45 |
| 11/21/07 5:25 | 1.637 | 0.45 |
| 11/21/07 5:30 | 1.636 | 0.45 |
| 11/21/07 5:35 | 1.636 | 0.41 |
| 11/21/07 5:40 | 1.636 | 0.42 |
| 11/21/07 5:45 | 1.636 | 0.38 |
| 11/21/07 5:50 | 1.635 | 0.38 |
| 11/21/07 5:55 | 1.636 | 0.38 |
| 11/21/07 6:00 | 1.635 | 0.39 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 6:05 | 1.635 | 0.34 |
| 11/21/07 6:10 | 1.636 | 0.33 |
| 11/21/07 6:15 | 1.637 | 0.33 |
| 11/21/07 6:20 | 1.637 | 0.65 |
| 11/21/07 6:25 | 1.638 | 0.65 |
| 11/21/07 6:30 | 1.639 | 0.33 |
| 11/21/07 6:35 | 1.639 | 0.28 |
| 11/21/07 6:40 | 1.639 | 0.28 |
| 11/21/07 6:45 | 1.641 | 0.38 |
| 11/21/07 6:50 | 1.641 | 0.36 |
| 11/21/07 6:55 | 1.642 | 0.41 |
| 11/21/07 7:00 | 1.642 | 0.41 |
| 11/21/07 7:05 | 1.643 | 0.41 |
| 11/21/07 7:10 | 1.643 | 0.41 |
| 11/21/07 7:15 | 1.642 | 0.41 |
| 11/21/07 7:20 | 1.642 | 0.41 |
| 11/21/07 7:25 | 1.642 | 0.35 |
| 11/21/07 7:30 | 1.643 | 0.39 |
| 11/21/07 7:35 | 1.643 | 0.37 |
| 11/21/07 7:40 | 1.644 | 0.37 |
| 11/21/07 7:45 | 1.644 | 0.39 |
| 11/21/07 7:50 | 1.644 | 0.37 |
| 11/21/07 7:55 | 1.644 | 0.4 |
| 11/21/07 8:00 | 1.646 | 0.7 |
| 11/21/07 8:05 | 1.645 | 0.36 |
| 11/21/07 8:10 | 1.645 | 0.34 |
| 11/21/07 8:15 | 1.646 | 0.34 |
| 11/21/07 8:20 | 1.645 | 0.34 |
| 11/21/07 8:25 | 1.646 | 0.34 |
| 11/21/07 8:30 | 1.645 | 0.31 |
| 11/21/07 8:35 | 1.645 | 0.4 |
| 11/21/07 8:40 | 1.644 | 0.4 |
| 11/21/07 8:45 | 1.644 | 0.4 |
| 11/21/07 8:50 | 1.642 | 0.4 |
| 11/21/07 8:55 | 1.643 | 0.4 |
| 11/21/07 9:00 | 1.643 | 0.4 |
| 11/21/07 9:05 | 1.643 | 0.38 |
| 11/21/07 9:10 | 1.644 | 0.35 |
| 11/21/07 9:15 | 1.67 | 0.35 |
| 11/21/07 9:20 | 1.723 | 0.54 |
| 11/21/07 9:25 | 1.747 | 0.54 |
| 11/21/07 9:30 | 1.795 | 0.54 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 9:35 | 1.841 | 0.54 |
| 11/21/07 9:40 | 1.868 | 0.54 |
| 11/21/07 9:45 | 1.886 | 0.76 |
| 11/21/07 9:50 | 1.894 | 0.76 |
| 11/21/07 9:55 | 1.9 | 0.76 |
| 11/21/07 10:00 | 1.903 | 0.76 |
| 11/21/07 10:05 | 1.905 | 0.77 |
| 11/21/07 10:10 | 1.906 | 0.56 |
| 11/21/07 10:15 | 1.908 | 0.56 |
| 11/21/07 10:20 | 1.909 | 0.58 |
| 11/21/07 10:25 | 1.909 | 0.58 |
| 11/21/07 10:30 | 1.907 | 0.58 |
| 11/21/07 10:35 | 1.904 | 0.58 |
| 11/21/07 10:40 | 1.905 | 0.58 |
| 11/21/07 10:45 | 1.903 | 0.58 |
| 11/21/07 10:50 | 1.902 | 0.58 |
| 11/21/07 10:55 | 1.9 | 0.58 |
| 11/21/07 11:00 | 1.898 | 0.61 |
| 11/21/07 11:05 | 1.898 | 0.61 |
| 11/21/07 11:10 | 1.897 | 0.61 |
| 11/21/07 11:15 | 1.895 | 0.61 |
| 11/21/07 11:20 | 1.894 | 0.61 |
| 11/21/07 11:25 | 1.892 | 0.52 |
| 11/21/07 11:30 | 1.889 | 0.49 |
| 11/21/07 11:35 | 1.886 | 0.49 |
| 11/21/07 11:40 | 1.887 | 0.49 |
| 11/21/07 11:45 | 1.883 | 0.49 |
| 11/21/07 11:50 | 1.881 | 0.49 |
| 11/21/07 11:55 | 1.879 | 0.49 |
| 11/21/07 12:00 | 1.875 | 0.62 |
| 11/21/07 12:05 | 1.872 | 0.62 |
| 11/21/07 12:10 | 1.871 | 0.62 |
| 11/21/07 12:15 | 1.868 | 0.62 |
| 11/21/07 12:20 | 1.863 | 0.66 |
| 11/21/07 12:25 | 1.86 | 0.63 |
| 11/21/07 12:30 | 1.859 | 0.63 |
| 11/21/07 12:35 | 1.857 | 0.65 |
| 11/21/07 12:40 | 1.852 | 0.6 |
| 11/21/07 12:45 | 1.85 | 0.53 |
| 11/21/07 12:50 | 1.848 | 0.66 |
| 11/21/07 12:55 | 1.845 | 0.63 |
| 11/21/07 13:00 | 1.841 | 0.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 13:05 | 1.84 | 0.6 |
| 11/21/07 13:10 | 1.837 | 0.64 |
| 11/21/07 13:15 | 1.834 | 0.64 |
| 11/21/07 13:20 | 1.833 | 0.59 |
| 11/21/07 13:25 | 1.832 | 0.61 |
| 11/21/07 13:30 | 1.829 | 0.61 |
| 11/21/07 13:35 | 1.826 | 0.66 |
| 11/21/07 13:40 | 1.824 | 0.64 |
| 11/21/07 13:45 | 1.824 | 0.66 |
| 11/21/07 13:50 | 1.821 | 0.67 |
| 11/21/07 13:55 | 1.819 | 0.63 |
| 11/21/07 14:00 | 1.818 | 0.67 |
| 11/21/07 14:05 | 1.815 | 0.67 |
| 11/21/07 14:10 | 1.811 | 0.67 |
| 11/21/07 14:15 | 1.809 | 0.67 |
| 11/21/07 14:20 | 1.808 | 0.67 |
| 11/21/07 14:25 | 1.807 | 0.67 |
| 11/21/07 14:30 | 1.805 | 0.59 |
| 11/21/07 14:35 | 1.803 | 0.59 |
| 11/21/07 14:40 | 1.801 | 0.59 |
| 11/21/07 14:45 | 1.799 | 0.59 |
| 11/21/07 14:50 | 1.797 | 0.59 |
| 11/21/07 14:55 | 1.796 | 0.59 |
| 11/21/07 15:00 | 1.795 | 0.54 |
| 11/21/07 15:05 | 1.795 | 0.54 |
| 11/21/07 15:10 | 1.791 | 0.54 |
| 11/21/07 15:15 | 1.79 | 0.54 |
| 11/21/07 15:20 | 1.788 | 0.54 |
| 11/21/07 15:25 | 1.786 | 0.54 |
| 11/21/07 15:30 | 1.784 | 0.54 |
| 11/21/07 15:35 | 1.783 | 0.54 |
| 11/21/07 15:40 | 1.783 | 0.54 |
| 11/21/07 15:45 | 1.78 | 0.54 |
| 11/21/07 15:50 | 1.778 | 0.63 |
| 11/21/07 15:55 | 1.777 | 0.63 |
| 11/21/07 16:00 | 1.776 | 0.5 |
| 11/21/07 16:05 | 1.775 | 0.5 |
| 11/21/07 16:10 | 1.775 | 0.51 |
| 11/21/07 16:15 | 1.772 | 0.51 |
| 11/21/07 16:20 | 1.772 | 0.51 |
| 11/21/07 16:25 | 1.77 | 0.51 |
| 11/21/07 16:30 | 1.769 | 0.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 16:35 | 1.767 | 0.51 |
| 11/21/07 16:40 | 1.766 | 0.51 |
| 11/21/07 16:45 | 1.764 | 0.55 |
| 11/21/07 16:50 | 1.763 | 0.55 |
| 11/21/07 16:55 | 1.761 | 0.55 |
| 11/21/07 17:00 | 1.76 | 0.59 |
| 11/21/07 17:05 | 1.76 | 0.82 |
| 11/21/07 17:10 | 1.758 | 0.82 |
| 11/21/07 17:15 | 1.757 | 0.82 |
| 11/21/07 17:20 | 1.755 | 0.82 |
| 11/21/07 17:25 | 1.754 | 0.82 |
| 11/21/07 17:30 | 1.753 | 0.82 |
| 11/21/07 17:35 | 1.75 | 0.82 |
| 11/21/07 17:40 | 1.749 | 0.82 |
| 11/21/07 17:50 | 1.749 | 0.82 |
| 11/21/07 17:55 | 1.76 | 0.54 |
| 11/21/07 18:00 | 1.773 | 0.54 |
| 11/21/07 18:05 | 1.774 | 0.54 |
| 11/21/07 18:10 | 1.774 | 0.54 |
| 11/21/07 18:15 | 1.773 | 0.54 |
| 11/21/07 18:20 | 1.772 | 0.56 |
| 11/21/07 18:25 | 1.772 | 0.56 |
| 11/21/07 18:30 | 1.772 | 0.56 |
| 11/21/07 18:35 | 1.773 | 0.6 |
| 11/21/07 18:40 | 1.77 | 0.49 |
| 11/21/07 18:45 | 1.77 | 0.49 |
| 11/21/07 18:50 | 1.769 | 0.52 |
| 11/21/07 18:55 | 1.77 | 0.52 |
| 11/21/07 19:00 | 1.768 | 0.52 |
| 11/21/07 19:05 | 1.768 | 0.52 |
| 11/21/07 19:10 | 1.766 | 0.52 |
| 11/21/07 19:15 | 1.764 | 0.56 |
| 11/21/07 19:20 | 1.765 | 0.56 |
| 11/21/07 19:25 | 1.764 | 0.56 |
| 11/21/07 19:30 | 1.761 | 0.58 |
| 11/21/07 19:35 | 1.762 | 0.53 |
| 11/21/07 19:40 | 1.76 | 0.53 |
| 11/21/07 19:45 | 1.758 | 0.58 |
| 11/21/07 19:50 | 1.759 | 0.58 |
| 11/21/07 19:55 | 1.758 | 0.56 |
| 11/21/07 20:00 | 1.755 | 0.44 |
| 11/21/07 20:05 | 1.754 | 0.44 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 20:10 | 1.753 | 0.55 |
| 11/21/07 20:15 | 1.751 | 0.48 |
| 11/21/07 20:20 | 1.751 | 0.48 |
| 11/21/07 20:25 | 1.749 | 0.48 |
| 11/21/07 20:30 | 1.748 | 0.48 |
| 11/21/07 20:35 | 1.746 | 0.51 |
| 11/21/07 20:40 | 1.748 | 0.51 |
| 11/21/07 20:45 | 1.745 | 0.51 |
| 11/21/07 20:50 | 1.744 | 0.51 |
| 11/21/07 20:55 | 1.743 | 0.51 |
| 11/21/07 21:00 | 1.742 | 0.51 |
| 11/21/07 21:05 | 1.741 | 0.49 |
| 11/21/07 21:10 | 1.74 | 0.49 |
| 11/21/07 21:15 | 1.736 | 0.51 |
| 11/21/07 21:20 | 1.738 | 0.61 |
| 11/21/07 21:25 | 1.735 | 0.61 |
| 11/21/07 21:30 | 1.738 | 0.55 |
| 11/21/07 21:35 | 1.735 | 0.55 |
| 11/21/07 21:40 | 1.734 | 0.55 |
| 11/21/07 21:45 | 1.733 | 0.55 |
| 11/21/07 21:50 | 1.731 | 0.55 |
| 11/21/07 21:55 | 1.731 | 0.55 |
| 11/21/07 22:00 | 1.731 | 0.51 |
| 11/21/07 22:05 | 1.728 | 0.51 |
| 11/21/07 22:10 | 1.729 | 0.51 |
| 11/21/07 22:15 | 1.728 | 0.51 |
| 11/21/07 22:20 | 1.722 | 0.51 |
| 11/21/07 22:25 | 1.708 | 0.51 |
| 11/21/07 22:30 | 1.698 | 0.56 |
| 11/21/07 22:35 | 1.692 | 0.51 |
| 11/21/07 22:40 | 1.687 | 0.51 |
| 11/21/07 22:45 | 1.683 | 0.51 |
| 11/21/07 22:50 | 1.68 | 0.51 |
| 11/21/07 22:55 | 1.679 | 0.51 |
| 11/21/07 23:00 | 1.676 | 0.51 |
| 11/21/07 23:05 | 1.675 | 0.51 |
| 11/21/07 23:10 | 1.675 | 0.51 |
| 11/21/07 23:15 | 1.672 | 0.51 |
| 11/21/07 23:20 | 1.67 | 0.51 |
| 11/21/07 23:25 | 1.662 | 0.51 |
| 11/21/07 23:30 | 1.652 | 0.51 |
| 11/21/07 23:35 | 1.644 | 0.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/21/07 23:40 | 1.632 | 0.42 |
| 11/21/07 23:45 | 1.62 | 0.42 |
| 11/21/07 23:50 | 1.609 | 0.42 |
| 11/21/07 23:55 | 1.602 | 0.42 |
| 11/22/07 0:00 | 1.596 | 0.42 |
| 11/22/07 0:05 | 1.59 | 0.42 |
| 11/22/07 0:10 | 1.585 | 0.42 |
| 11/22/07 0:15 | 1.582 | 0.42 |
| 11/22/07 0:20 | 1.58 | 0.42 |
| 11/22/07 0:25 | 1.579 | 0.42 |
| 11/22/07 0:30 | 1.578 | 0.42 |
| 11/22/07 0:35 | 1.576 | 0.42 |
| 11/22/07 0:40 | 1.574 | 0.42 |
| 11/22/07 0:45 | 1.568 | 0.42 |
| 11/22/07 0:50 | 1.561 | 0.42 |
| 11/22/07 0:55 | 1.557 | 0.42 |
| 11/22/07 1:00 | 1.551 | 0.42 |
| 11/22/07 1:05 | 1.544 | 0.42 |
| 11/22/07 1:10 | 1.534 | 0.42 |
| 11/22/07 1:15 | 1.526 | 0.42 |
| 11/22/07 1:20 | 1.517 | 0.42 |
| 11/22/07 1:25 | 1.51 | 0.42 |
| 11/22/07 1:30 | 1.5 | 0.42 |
| 11/22/07 1:35 | 1.493 | 0.42 |
| 11/22/07 1:40 | 1.486 | 0.42 |
| 11/22/07 1:45 | 1.484 | 0.42 |
| 11/22/07 1:50 | 1.482 | 0.42 |
| 11/22/07 1:55 | 1.478 | 0.42 |
| 11/22/07 2:00 | 1.477 | 0.42 |
| 11/22/07 2:05 | 1.476 | 0.42 |
| 11/22/07 2:10 | 1.472 | 0.38 |
| 11/22/07 2:15 | 1.466 | 0.38 |
| 11/22/07 2:20 | 1.46 | 0.38 |
| 11/22/07 2:25 | 1.455 | 0.38 |
| 11/22/07 2:30 | 1.448 | 0.38 |
| 11/22/07 2:35 | 1.445 | 0.38 |
| 11/22/07 2:40 | 1.442 | 0.38 |
| 11/22/07 2:45 | 1.439 | 0.38 |
| 11/22/07 2:50 | 1.438 | 0.38 |
| 11/22/07 2:55 | 1.437 | 0.38 |
| 11/22/07 3:00 | 1.436 | 0.38 |
| 11/22/07 3:05 | 1.434 | 0.38 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 3:10 | 1.434 | 0.38 |
| 11/22/07 3:15 | 1.432 | 0.38 |
| 11/22/07 3:20 | 1.43 | 0.38 |
| 11/22/07 3:25 | 1.429 | 0.38 |
| 11/22/07 3:30 | 1.425 | 0.38 |
| 11/22/07 3:35 | 1.426 | 0.38 |
| 11/22/07 3:40 | 1.423 | 0.38 |
| 11/22/07 3:45 | 1.424 | 0.38 |
| 11/22/07 3:50 | 1.425 | 0.38 |
| 11/22/07 3:55 | 1.424 | 0.38 |
| 11/22/07 4:00 | 1.425 | 0.38 |
| 11/22/07 4:05 | 1.426 | 0.38 |
| 11/22/07 4:10 | 1.424 | 0.38 |
| 11/22/07 4:15 | 1.426 | 0.38 |
| 11/22/07 4:20 | 1.425 | 0.38 |
| 11/22/07 4:25 | 1.426 | 0.38 |
| 11/22/07 4:30 | 1.427 | 0.38 |
| 11/22/07 4:35 | 1.427 | 0.38 |
| 11/22/07 4:40 | 1.428 | 0.38 |
| 11/22/07 4:45 | 1.427 | 0.38 |
| 11/22/07 4:50 | 1.427 | 0.38 |
| 11/22/07 4:55 | 1.42 | 0.38 |
| 11/22/07 5:00 | 1.413 | 0.38 |
| 11/22/07 5:05 | 1.409 | 0.38 |
| 11/22/07 5:10 | 1.406 | 0.38 |
| 11/22/07 5:15 | 1.404 | 0.63 |
| 11/22/07 5:20 | 1.401 | 0.63 |
| 11/22/07 5:25 | 1.4 | 0.63 |
| 11/22/07 5:30 | 1.399 | 0.67 |
| 11/22/07 5:35 | 1.398 | 0.67 |
| 11/22/07 5:40 | 1.399 | 0.67 |
| 11/22/07 5:45 | 1.4 | 0.64 |
| 11/22/07 5:50 | 1.399 | 0.64 |
| 11/22/07 5:55 | 1.399 | 0.64 |
| 11/22/07 6:00 | 1.399 | 0.64 |
| 11/22/07 6:05 | 1.4 | 0.44 |
| 11/22/07 6:10 | 1.401 | 0.66 |
| 11/22/07 6:15 | 1.402 | 0.66 |
| 11/22/07 6:20 | 1.402 | 0.66 |
| 11/22/07 6:25 | 1.402 | 0.66 |
| 11/22/07 6:30 | 1.403 | 0.58 |
| 11/22/07 6:35 | 1.404 | 0.66 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 6:40 | 1.405 | 0.66 |
| 11/22/07 6:45 | 1.407 | 0.66 |
| 11/22/07 6:50 | 1.406 | 0.66 |
| 11/22/07 6:55 | 1.407 | 0.66 |
| 11/22/07 7:00 | 1.409 | 0.66 |
| 11/22/07 7:05 | 1.409 | 0.7 |
| 11/22/07 7:10 | 1.41 | 0.7 |
| 11/22/07 7:15 | 1.411 | 0.69 |
| 11/22/07 7:20 | 1.411 | 0.69 |
| 11/22/07 7:25 | 1.412 | 0.69 |
| 11/22/07 7:30 | 1.413 | 0.69 |
| 11/22/07 7:35 | 1.412 | 0.69 |
| 11/22/07 7:40 | 1.414 | 0.63 |
| 11/22/07 7:45 | 1.414 | 0.63 |
| 11/22/07 7:50 | 1.415 | 0.63 |
| 11/22/07 7:55 | 1.414 | 0.63 |
| 11/22/07 8:00 | 1.416 | 0.63 |
| 11/22/07 8:05 | 1.416 | 0.63 |
| 11/22/07 8:10 | 1.418 | 0.63 |
| 11/22/07 8:15 | 1.419 | 0.66 |
| 11/22/07 8:20 | 1.419 | 0.66 |
| 11/22/07 8:25 | 1.421 | 0.66 |
| 11/22/07 8:30 | 1.421 | 0.66 |
| 11/22/07 8:35 | 1.422 | 0.66 |
| 11/22/07 8:40 | 1.423 | 0.66 |
| 11/22/07 8:45 | 1.424 | 0.66 |
| 11/22/07 8:50 | 1.424 | 0.66 |
| 11/22/07 8:55 | 1.426 | 0.66 |
| 11/22/07 9:00 | 1.428 | 0.66 |
| 11/22/07 9:05 | 1.428 | 0.66 |
| 11/22/07 9:10 | 1.428 | 0.66 |
| 11/22/07 9:15 | 1.43 | 0.66 |
| 11/22/07 9:20 | 1.429 | 0.66 |
| 11/22/07 9:25 | 1.431 | 0.72 |
| 11/22/07 9:30 | 1.433 | 0.72 |
| 11/22/07 9:35 | 1.434 | 0.72 |
| 11/22/07 9:40 | 1.434 | 0.72 |
| 11/22/07 9:45 | 1.435 | 0.72 |
| 11/22/07 9:50 | 1.435 | 0.72 |
| 11/22/07 9:55 | 1.437 | 0.72 |
| 11/22/07 10:00 | 1.438 | 0.72 |
| 11/22/07 10:05 | 1.437 | 0.72 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 10:10 | 1.439 | 0.72 |
| 11/22/07 10:15 | 1.44 | 0.72 |
| 11/22/07 10:20 | 1.441 | 0.46 |
| 11/22/07 10:25 | 1.442 | 0.46 |
| 11/22/07 10:30 | 1.442 | 0.46 |
| 11/22/07 10:35 | 1.443 | 0.46 |
| 11/22/07 10:40 | 1.444 | 0.46 |
| 11/22/07 10:45 | 1.445 | 0.46 |
| 11/22/07 10:50 | 1.447 | 0.46 |
| 11/22/07 10:55 | 1.448 | 0.46 |
| 11/22/07 11:00 | 1.448 | 0.46 |
| 11/22/07 11:05 | 1.449 | 0.46 |
| 11/22/07 11:10 | 1.451 | 0.46 |
| 11/22/07 11:15 | 1.451 | 0.46 |
| 11/22/07 11:20 | 1.451 | 0.46 |
| 11/22/07 11:25 | 1.453 | 0.46 |
| 11/22/07 11:30 | 1.454 | 0.46 |
| 11/22/07 11:35 | 1.455 | 0.46 |
| 11/22/07 11:40 | 1.455 | 0.46 |
| 11/22/07 11:45 | 1.457 | 0.46 |
| 11/22/07 11:50 | 1.458 | 0.46 |
| 11/22/07 11:55 | 1.459 | 0.46 |
| 11/22/07 12:00 | 1.459 | 0.46 |
| 11/22/07 12:05 | 1.46 | 0.46 |
| 11/22/07 12:10 | 1.462 | 0.46 |
| 11/22/07 12:15 | 1.463 | 0.46 |
| 11/22/07 12:20 | 1.463 | 0.46 |
| 11/22/07 12:25 | 1.464 | 0.68 |
| 11/22/07 12:30 | 1.465 | 0.68 |
| 11/22/07 12:35 | 1.466 | 0.68 |
| 11/22/07 12:40 | 1.465 | 0.68 |
| 11/22/07 12:45 | 1.467 | 0.68 |
| 11/22/07 12:50 | 1.469 | 0.68 |
| 11/22/07 12:55 | 1.469 | 0.68 |
| 11/22/07 13:00 | 1.47 | 0.68 |
| 11/22/07 13:05 | 1.47 | 0.68 |
| 11/22/07 13:10 | 1.471 | 0.68 |
| 11/22/07 13:15 | 1.472 | 0.68 |
| 11/22/07 13:20 | 1.472 | 0.68 |
| 11/22/07 13:25 | 1.472 | 0.68 |
| 11/22/07 13:30 | 1.474 | 0.68 |
| 11/22/07 13:35 | 1.475 | 0.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 13:40 | 1.474 | 0.68 |
| 11/22/07 13:45 | 1.476 | 0.68 |
| 11/22/07 13:50 | 1.476 | 0.41 |
| 11/22/07 13:55 | 1.475 | 0.41 |
| 11/22/07 14:00 | 1.476 | 0.41 |
| 11/22/07 14:05 | 1.48 | 0.41 |
| 11/22/07 14:10 | 1.479 | 0.41 |
| 11/22/07 14:15 | 1.478 | 0.41 |
| 11/22/07 14:20 | 1.479 | 0.41 |
| 11/22/07 14:25 | 1.481 | 0.41 |
| 11/22/07 14:30 | 1.482 | 0.41 |
| 11/22/07 14:35 | 1.482 | 0.41 |
| 11/22/07 14:40 | 1.482 | 0.41 |
| 11/22/07 14:45 | 1.484 | 0.41 |
| 11/22/07 14:50 | 1.484 | 0.41 |
| 11/22/07 14:55 | 1.484 | 0.41 |
| 11/22/07 15:00 | 1.485 | 0.41 |
| 11/22/07 15:05 | 1.486 | 0.41 |
| 11/22/07 15:10 | 1.486 | 0.41 |
| 11/22/07 15:15 | 1.488 | 0.41 |
| 11/22/07 15:20 | 1.488 | 0.41 |
| 11/22/07 15:25 | 1.49 | 0.41 |
| 11/22/07 15:30 | 1.492 | 0.41 |
| 11/22/07 15:35 | 1.491 | 0.41 |
| 11/22/07 15:40 | 1.492 | 0.41 |
| 11/22/07 15:45 | 1.495 | 0.41 |
| 11/22/07 15:50 | 1.495 | 0.41 |
| 11/22/07 15:55 | 1.495 | 0.41 |
| 11/22/07 16:00 | 1.495 | 0.41 |
| 11/22/07 16:05 | 1.497 | 0.41 |
| 11/22/07 16:10 | 1.498 | 0.41 |
| 11/22/07 16:15 | 1.498 | 0.41 |
| 11/22/07 16:20 | 1.499 | 0.41 |
| 11/22/07 16:25 | 1.499 | 0.41 |
| 11/22/07 16:30 | 1.501 | 0.41 |
| 11/22/07 16:35 | 1.502 | 0.41 |
| 11/22/07 16:40 | 1.505 | 0.41 |
| 11/22/07 16:45 | 1.504 | 0.41 |
| 11/22/07 16:50 | 1.505 | 0.41 |
| 11/22/07 16:55 | 1.508 | 0.41 |
| 11/22/07 17:00 | 1.506 | 0.41 |
| 11/22/07 17:05 | 1.512 | 0.41 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 17:10 | 1.507 | 0.41 |
| 11/22/07 17:15 | 1.508 | 0.41 |
| 11/22/07 17:20 | 1.508 | 0.41 |
| 11/22/07 17:25 | 1.507 | 0.41 |
| 11/22/07 17:30 | 1.509 | 0.41 |
| 11/22/07 17:35 | 1.508 | 0.41 |
| 11/22/07 17:40 | 1.508 | 0.41 |
| 11/22/07 17:45 | 1.508 | 0.41 |
| 11/22/07 17:50 | 1.51 | 0.41 |
| 11/22/07 17:55 | 1.51 | 0.72 |
| 11/22/07 18:00 | 1.511 | 0.38 |
| 11/22/07 18:05 | 1.512 | 0.38 |
| 11/22/07 18:10 | 1.513 | 0.43 |
| 11/22/07 18:15 | 1.516 | 0.43 |
| 11/22/07 18:20 | 1.516 | 0.43 |
| 11/22/07 18:25 | 1.515 | 0.66 |
| 11/22/07 18:30 | 1.516 | 0.66 |
| 11/22/07 18:35 | 1.519 | 0.4 |
| 11/22/07 18:40 | 1.519 | 0.4 |
| 11/22/07 18:45 | 1.518 | 0.4 |
| 11/22/07 18:50 | 1.522 | 0.4 |
| 11/22/07 18:55 | 1.525 | 0.62 |
| 11/22/07 19:00 | 1.529 | 0.62 |
| 11/22/07 19:05 | 1.53 | 0.62 |
| 11/22/07 19:10 | 1.533 | 0.62 |
| 11/22/07 19:15 | 1.533 | 0.62 |
| 11/22/07 19:20 | 1.536 | 0.62 |
| 11/22/07 19:25 | 1.535 | 0.62 |
| 11/22/07 19:30 | 1.534 | 0.62 |
| 11/22/07 19:35 | 1.535 | 0.62 |
| 11/22/07 19:40 | 1.536 | 0.62 |
| 11/22/07 19:45 | 1.538 | 0.62 |
| 11/22/07 19:50 | 1.536 | 0.62 |
| 11/22/07 19:55 | 1.535 | 0.62 |
| 11/22/07 20:00 | 1.535 | 0.62 |
| 11/22/07 20:05 | 1.536 | 0.62 |
| 11/22/07 20:10 | 1.536 | 0.62 |
| 11/22/07 20:15 | 1.534 | 0.62 |
| 11/22/07 20:20 | 1.532 | 0.62 |
| 11/22/07 20:25 | 1.533 | 0.62 |
| 11/22/07 20:30 | 1.534 | 0.62 |
| 11/22/07 20:35 | 1.534 | 0.62 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/22/07 20:40 | 1.53 | 0.62 |
| 11/22/07 20:45 | 1.533 | 0.62 |
| 11/22/07 20:50 | 1.532 | 0.62 |
| 11/22/07 20:55 | 1.532 | 0.62 |
| 11/22/07 21:00 | 1.532 | 0.62 |
| 11/22/07 21:05 | 1.531 | 0.62 |
| 11/22/07 21:10 | 1.532 | 0.62 |
| 11/22/07 21:15 | 1.533 | 0.41 |
| 11/22/07 21:20 | 1.53 | 0.41 |
| 11/22/07 21:25 | 1.53 | 0.41 |
| 11/22/07 21:30 | 1.529 | 0.41 |
| 11/22/07 21:35 | 1.53 | 0.67 |
| 11/22/07 21:40 | 1.531 | 0.67 |
| 11/22/07 21:45 | 1.529 | 0.67 |
| 11/22/07 21:50 | 1.531 | 0.72 |
| 11/22/07 21:55 | 1.529 | 0.46 |
| 11/22/07 22:00 | 1.53 | 0.46 |
| 11/22/07 22:05 | 1.532 | 0.46 |
| 11/22/07 22:10 | 1.532 | 0.46 |
| 11/22/07 22:15 | 1.531 | 0.46 |
| 11/22/07 22:20 | 1.531 | 0.69 |
| 11/22/07 22:25 | 1.532 | 0.68 |
| 11/22/07 22:30 | 1.531 | 0.68 |
| 11/22/07 22:35 | 1.533 | 0.68 |
| 11/22/07 22:40 | 1.531 | 0.68 |
| 11/22/07 22:45 | 1.532 | 0.68 |
| 11/22/07 22:50 | 1.534 | 0.73 |
| 11/22/07 22:55 | 1.537 | 0.73 |
| 11/22/07 23:00 | 1.533 | 0.73 |
| 11/22/07 23:05 | 1.534 | 0.68 |
| 11/22/07 23:10 | 1.532 | 0.68 |
| 11/22/07 23:15 | 1.529 | 0.68 |
| 11/22/07 23:20 | 1.53 | 0.69 |
| 11/22/07 23:25 | 1.526 | 0.69 |
| 11/22/07 23:30 | 1.526 | 0.69 |
| 11/22/07 23:35 | 1.528 | 0.69 |
| 11/22/07 23:40 | 1.527 | 0.66 |
| 11/22/07 23:45 | 1.526 | 0.7 |
| 11/22/07 23:50 | 1.524 | 0.7 |
| 11/22/07 23:55 | 1.528 | 0.7 |
| 11/23/07 0:00 | 1.528 | 0.7 |
| 11/23/07 0:05 | 1.524 | 0.7 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 0:10 | 1.525 | 0.7 |
| 11/23/07 0:15 | 1.524 | 0.66 |
| 11/23/07 0:20 | 1.522 | 0.67 |
| 11/23/07 0:25 | 1.522 | 0.72 |
| 11/23/07 0:30 | 1.524 | 0.72 |
| 11/23/07 0:35 | 1.524 | 0.72 |
| 11/23/07 0:40 | 1.525 | 0.72 |
| 11/23/07 0:45 | 1.523 | 0.72 |
| 11/23/07 0:50 | 1.524 | 0.72 |
| 11/23/07 0:55 | 1.527 | 0.72 |
| 11/23/07 1:00 | 1.526 | 0.72 |
| 11/23/07 1:05 | 1.529 | 0.72 |
| 11/23/07 1:10 | 1.53 | 0.72 |
| 11/23/07 1:15 | 1.528 | 0.67 |
| 11/23/07 1:20 | 1.528 | 0.67 |
| 11/23/07 1:25 | 1.531 | 0.73 |
| 11/23/07 1:30 | 1.531 | 0.66 |
| 11/23/07 1:35 | 1.531 | 0.65 |
| 11/23/07 1:40 | 1.532 | 0.62 |
| 11/23/07 1:45 | 1.532 | 0.62 |
| 11/23/07 1:50 | 1.535 | 0.62 |
| 11/23/07 1:55 | 1.532 | 0.65 |
| 11/23/07 2:00 | 1.533 | 0.72 |
| 11/23/07 2:05 | 1.535 | 0.72 |
| 11/23/07 2:10 | 1.535 | 0.72 |
| 11/23/07 2:15 | 1.535 | 0.72 |
| 11/23/07 2:20 | 1.537 | 0.65 |
| 11/23/07 2:25 | 1.535 | 0.68 |
| 11/23/07 2:30 | 1.536 | 0.69 |
| 11/23/07 2:35 | 1.535 | 0.63 |
| 11/23/07 2:40 | 1.536 | 0.63 |
| 11/23/07 2:45 | 1.536 | 0.68 |
| 11/23/07 2:50 | 1.539 | 0.68 |
| 11/23/07 2:55 | 1.538 | 0.67 |
| 11/23/07 3:00 | 1.539 | 0.69 |
| 11/23/07 3:05 | 1.539 | 0.68 |
| 11/23/07 3:10 | 1.539 | 0.65 |
| 11/23/07 3:15 | 1.538 | 0.65 |
| 11/23/07 3:20 | 1.538 | 0.65 |
| 11/23/07 3:25 | 1.539 | 0.68 |
| 11/23/07 3:30 | 1.539 | 0.68 |
| 11/23/07 3:35 | 1.54 | 0.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 3:40 | 1.54 | 0.68 |
| 11/23/07 3:45 | 1.538 | 0.68 |
| 11/23/07 3:50 | 1.538 | 0.68 |
| 11/23/07 3:55 | 1.538 | 0.68 |
| 11/23/07 4:00 | 1.537 | 0.68 |
| 11/23/07 4:05 | 1.54 | 0.68 |
| 11/23/07 4:10 | 1.539 | 0.63 |
| 11/23/07 4:15 | 1.541 | 0.7 |
| 11/23/07 4:20 | 1.54 | 0.7 |
| 11/23/07 4:25 | 1.54 | 0.64 |
| 11/23/07 4:30 | 1.542 | 0.64 |
| 11/23/07 4:35 | 1.541 | 0.64 |
| 11/23/07 4:40 | 1.542 | 0.64 |
| 11/23/07 4:45 | 1.542 | 0.72 |
| 11/23/07 4:50 | 1.544 | 0.72 |
| 11/23/07 4:55 | 1.539 | 0.67 |
| 11/23/07 5:00 | 1.541 | 0.7 |
| 11/23/07 5:05 | 1.54 | 0.7 |
| 11/23/07 5:10 | 1.541 | 0.7 |
| 11/23/07 5:15 | 1.542 | 0.7 |
| 11/23/07 5:20 | 1.542 | 0.69 |
| 11/23/07 5:25 | 1.542 | 0.69 |
| 11/23/07 5:30 | 1.543 | 0.68 |
| 11/23/07 5:35 | 1.543 | 0.68 |
| 11/23/07 5:40 | 1.54 | 0.7 |
| 11/23/07 5:45 | 1.541 | 0.7 |
| 11/23/07 5:50 | 1.542 | 0.7 |
| 11/23/07 5:55 | 1.543 | 0.7 |
| 11/23/07 6:00 | 1.543 | 0.7 |
| 11/23/07 6:05 | 1.542 | 0.7 |
| 11/23/07 6:10 | 1.544 | 0.68 |
| 11/23/07 6:15 | 1.545 | 0.68 |
| 11/23/07 6:20 | 1.545 | 0.69 |
| 11/23/07 6:25 | 1.544 | 0.69 |
| 11/23/07 6:30 | 1.547 | 0.69 |
| 11/23/07 6:35 | 1.546 | 0.69 |
| 11/23/07 6:40 | 1.546 | 0.69 |
| 11/23/07 6:45 | 1.545 | 0.69 |
| 11/23/07 6:50 | 1.547 | 0.69 |
| 11/23/07 6:55 | 1.545 | 0.69 |
| 11/23/07 7:00 | 1.547 | 0.69 |
| 11/23/07 7:05 | 1.546 | 0.65 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 7:10 | 1.547 | 0.65 |
| 11/23/07 7:15 | 1.546 | 0.71 |
| 11/23/07 7:20 | 1.545 | 0.71 |
| 11/23/07 7:25 | 1.545 | 0.71 |
| 11/23/07 7:30 | 1.546 | 0.62 |
| 11/23/07 7:35 | 1.544 | 0.62 |
| 11/23/07 7:40 | 1.547 | 0.62 |
| 11/23/07 7:45 | 1.546 | 0.64 |
| 11/23/07 7:50 | 1.547 | 0.66 |
| 11/23/07 7:55 | 1.547 | 0.64 |
| 11/23/07 8:00 | 1.548 | 0.64 |
| 11/23/07 8:05 | 1.548 | 0.64 |
| 11/23/07 8:10 | 1.549 | 0.64 |
| 11/23/07 8:15 | 1.548 | 0.69 |
| 11/23/07 8:20 | 1.549 | 0.66 |
| 11/23/07 8:25 | 1.548 | 0.66 |
| 11/23/07 8:30 | 1.55 | 0.65 |
| 11/23/07 8:35 | 1.549 | 0.68 |
| 11/23/07 8:40 | 1.548 | 0.69 |
| 11/23/07 8:45 | 1.549 | 0.69 |
| 11/23/07 8:50 | 1.549 | 0.69 |
| 11/23/07 8:55 | 1.549 | 0.65 |
| 11/23/07 9:00 | 1.549 | 0.65 |
| 11/23/07 9:05 | 1.55 | 0.65 |
| 11/23/07 9:10 | 1.549 | 0.65 |
| 11/23/07 9:15 | 1.548 | 0.65 |
| 11/23/07 9:20 | 1.546 | 0.64 |
| 11/23/07 9:25 | 1.547 | 0.7 |
| 11/23/07 9:30 | 1.548 | 0.68 |
| 11/23/07 9:35 | 1.548 | 0.66 |
| 11/23/07 9:40 | 1.548 | 0.64 |
| 11/23/07 9:45 | 1.548 | 0.68 |
| 11/23/07 9:50 | 1.548 | 0.68 |
| 11/23/07 9:55 | 1.547 | 0.68 |
| 11/23/07 10:00 | 1.549 | 0.69 |
| 11/23/07 10:05 | 1.547 | 0.66 |
| 11/23/07 10:10 | 1.547 | 0.66 |
| 11/23/07 10:15 | 1.546 | 0.65 |
| 11/23/07 10:20 | 1.548 | 0.65 |
| 11/23/07 10:25 | 1.548 | 0.65 |
| 11/23/07 10:30 | 1.548 | 0.56 |
| 11/23/07 10:35 | 1.55 | 0.56 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 10:40 | 1.549 | 0.68 |
| 11/23/07 10:45 | 1.55 | 0.61 |
| 11/23/07 10:50 | 1.548 | 0.64 |
| 11/23/07 10:55 | 1.55 | 0.64 |
| 11/23/07 11:00 | 1.551 | 0.64 |
| 11/23/07 11:05 | 1.551 | 0.64 |
| 11/23/07 11:10 | 1.551 | 0.64 |
| 11/23/07 11:15 | 1.552 | 0.67 |
| 11/23/07 11:20 | 1.551 | 0.67 |
| 11/23/07 11:25 | 1.552 | 0.63 |
| 11/23/07 11:30 | 1.555 | 0.63 |
| 11/23/07 11:35 | 1.552 | 0.63 |
| 11/23/07 11:40 | 1.552 | 0.64 |
| 11/23/07 11:45 | 1.554 | 0.62 |
| 11/23/07 11:50 | 1.553 | 0.68 |
| 11/23/07 11:55 | 1.553 | 0.65 |
| 11/23/07 12:00 | 1.554 | 0.65 |
| 11/23/07 12:05 | 1.553 | 0.65 |
| 11/23/07 12:10 | 1.554 | 0.65 |
| 11/23/07 12:15 | 1.554 | 0.63 |
| 11/23/07 12:20 | 1.554 | 0.63 |
| 11/23/07 12:25 | 1.555 | 0.66 |
| 11/23/07 12:30 | 1.557 | 0.61 |
| 11/23/07 12:35 | 1.554 | 0.66 |
| 11/23/07 12:40 | 1.556 | 0.69 |
| 11/23/07 12:45 | 1.558 | 0.69 |
| 11/23/07 12:50 | 1.554 | 0.69 |
| 11/23/07 12:55 | 1.557 | 0.64 |
| 11/23/07 13:00 | 1.555 | 0.64 |
| 11/23/07 13:05 | 1.554 | 0.64 |
| 11/23/07 13:10 | 1.554 | 0.67 |
| 11/23/07 13:15 | 1.553 | 0.72 |
| 11/23/07 13:20 | 1.555 | 0.61 |
| 11/23/07 13:25 | 1.56 | 0.61 |
| 11/23/07 13:30 | 1.555 | 0.54 |
| 11/23/07 13:35 | 1.557 | 0.54 |
| 11/23/07 13:40 | 1.557 | 0.67 |
| 11/23/07 13:45 | 1.556 | 0.65 |
| 11/23/07 13:50 | 1.557 | 0.68 |
| 11/23/07 13:55 | 1.558 | 0.64 |
| 11/23/07 14:00 | 1.558 | 0.63 |
| 11/23/07 14:05 | 1.557 | 0.67 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 14:10 | 1.561 | 0.67 |
| 11/23/07 14:15 | 1.557 | 0.65 |
| 11/23/07 14:20 | 1.557 | 0.65 |
| 11/23/07 14:25 | 1.558 | 0.65 |
| 11/23/07 14:30 | 1.559 | 0.66 |
| 11/23/07 14:35 | 1.561 | 0.61 |
| 11/23/07 14:40 | 1.561 | 0.61 |
| 11/23/07 14:45 | 1.562 | 0.65 |
| 11/23/07 14:50 | 1.564 | 0.66 |
| 11/23/07 14:55 | 1.565 | 0.62 |
| 11/23/07 15:00 | 1.564 | 0.62 |
| 11/23/07 15:05 | 1.565 | 0.62 |
| 11/23/07 15:10 | 1.565 | 0.67 |
| 11/23/07 15:15 | 1.568 | 0.67 |
| 11/23/07 15:20 | 1.567 | 0.65 |
| 11/23/07 15:25 | 1.566 | 0.65 |
| 11/23/07 15:30 | 1.566 | 0.65 |
| 11/23/07 15:35 | 1.568 | 0.59 |
| 11/23/07 15:40 | 1.568 | 0.64 |
| 11/23/07 15:45 | 1.569 | 0.66 |
| 11/23/07 15:50 | 1.568 | 0.68 |
| 11/23/07 15:55 | 1.568 | 0.69 |
| 11/23/07 16:00 | 1.567 | 0.69 |
| 11/23/07 16:05 | 1.567 | 0.66 |
| 11/23/07 16:10 | 1.566 | 0.66 |
| 11/23/07 16:15 | 1.566 | 0.65 |
| 11/23/07 16:20 | 1.567 | 0.63 |
| 11/23/07 16:25 | 1.567 | 0.63 |
| 11/23/07 16:30 | 1.568 | 0.63 |
| 11/23/07 16:35 | 1.566 | 0.71 |
| 11/23/07 16:40 | 1.566 | 0.63 |
| 11/23/07 16:45 | 1.568 | 0.64 |
| 11/23/07 16:50 | 1.566 | 0.64 |
| 11/23/07 16:55 | 1.568 | 0.62 |
| 11/23/07 17:00 | 1.567 | 0.64 |
| 11/23/07 17:05 | 1.565 | 0.72 |
| 11/23/07 17:10 | 1.566 | 0.63 |
| 11/23/07 17:15 | 1.566 | 0.63 |
| 11/23/07 17:20 | 1.566 | 0.64 |
| 11/23/07 17:25 | 1.567 | 0.64 |
| 11/23/07 17:30 | 1.569 | 0.64 |
| 11/23/07 17:35 | 1.567 | 0.64 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 17:40 | 1.566 | 0.64 |
| 11/23/07 17:45 | 1.567 | 0.71 |
| 11/23/07 17:50 | 1.566 | 0.71 |
| 11/23/07 17:55 | 1.567 | 0.62 |
| 11/23/07 18:00 | 1.568 | 0.62 |
| 11/23/07 18:05 | 1.568 | 0.63 |
| 11/23/07 18:10 | 1.565 | 0.63 |
| 11/23/07 18:15 | 1.568 | 0.63 |
| 11/23/07 18:20 | 1.567 | 0.63 |
| 11/23/07 18:25 | 1.566 | 0.6 |
| 11/23/07 18:30 | 1.568 | 0.69 |
| 11/23/07 18:35 | 1.567 | 0.69 |
| 11/23/07 18:40 | 1.567 | 0.67 |
| 11/23/07 18:45 | 1.567 | 0.67 |
| 11/23/07 18:50 | 1.566 | 0.67 |
| 11/23/07 18:55 | 1.567 | 0.67 |
| 11/23/07 19:00 | 1.567 | 0.67 |
| 11/23/07 19:05 | 1.568 | 0.58 |
| 11/23/07 19:10 | 1.568 | 0.58 |
| 11/23/07 19:15 | 1.568 | 0.58 |
| 11/23/07 19:20 | 1.567 | 0.58 |
| 11/23/07 19:25 | 1.569 | 0.52 |
| 11/23/07 19:30 | 1.569 | 0.52 |
| 11/23/07 19:35 | 1.569 | 0.52 |
| 11/23/07 19:40 | 1.569 | 0.64 |
| 11/23/07 19:45 | 1.569 | 0.61 |
| 11/23/07 19:50 | 1.57 | 0.61 |
| 11/23/07 19:55 | 1.57 | 0.68 |
| 11/23/07 20:00 | 1.57 | 0.68 |
| 11/23/07 20:05 | 1.57 | 0.68 |
| 11/23/07 20:10 | 1.57 | 0.68 |
| 11/23/07 20:15 | 1.569 | 0.6 |
| 11/23/07 20:20 | 1.567 | 0.6 |
| 11/23/07 20:25 | 1.565 | 0.61 |
| 11/23/07 20:30 | 1.564 | 0.61 |
| 11/23/07 20:35 | 1.563 | 0.61 |
| 11/23/07 20:40 | 1.561 | 0.58 |
| 11/23/07 20:45 | 1.56 | 0.63 |
| 11/23/07 20:50 | 1.56 | 0.63 |
| 11/23/07 20:55 | 1.557 | 0.63 |
| 11/23/07 21:00 | 1.559 | 0.6 |
| 11/23/07 21:05 | 1.558 | 0.59 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/23/07 21:10 | 1.557 | 0.61 |
| 11/23/07 21:15 | 1.557 | 0.58 |
| 11/23/07 21:20 | 1.555 | 0.58 |
| 11/23/07 21:25 | 1.556 | 0.58 |
| 11/23/07 21:30 | 1.556 | 0.58 |
| 11/23/07 21:35 | 1.556 | 0.56 |
| 11/23/07 21:40 | 1.557 | 0.59 |
| 11/23/07 21:45 | 1.555 | 0.59 |
| 11/23/07 21:50 | 1.556 | 0.6 |
| 11/23/07 21:55 | 1.556 | 0.6 |
| 11/23/07 22:00 | 1.556 | 0.6 |
| 11/23/07 22:05 | 1.556 | 0.56 |
| 11/23/07 22:10 | 1.556 | 0.59 |
| 11/23/07 22:15 | 1.556 | 0.57 |
| 11/23/07 22:20 | 1.556 | 0.57 |
| 11/23/07 22:25 | 1.555 | 0.62 |
| 11/23/07 22:30 | 1.554 | 0.62 |
| 11/23/07 22:35 | 1.553 | 0.59 |
| 11/23/07 22:40 | 1.552 | 0.65 |
| 11/23/07 22:45 | 1.551 | 0.61 |
| 11/23/07 22:50 | 1.549 | 0.64 |
| 11/23/07 22:55 | 1.548 | 0.64 |
| 11/23/07 23:00 | 1.548 | 0.64 |
| 11/23/07 23:05 | 1.547 | 0.61 |
| 11/23/07 23:10 | 1.546 | 0.65 |
| 11/23/07 23:15 | 1.546 | 0.61 |
| 11/23/07 23:20 | 1.546 | 0.63 |
| 11/23/07 23:25 | 1.546 | 0.61 |
| 11/23/07 23:30 | 1.544 | 0.61 |
| 11/23/07 23:35 | 1.546 | 0.61 |
| 11/23/07 23:40 | 1.54 | 0.65 |
| 11/23/07 23:45 | 1.536 | 0.65 |
| 11/23/07 23:50 | 1.533 | 0.65 |
| 11/23/07 23:55 | 1.532 | 0.64 |
| 11/24/07 0:00 | 1.528 | 0.64 |
| 11/24/07 0:05 | 1.526 | 0.64 |
| 11/24/07 0:10 | 1.526 | 0.61 |
| 11/24/07 0:15 | 1.524 | 0.61 |
| 11/24/07 0:20 | 1.523 | 0.67 |
| 11/24/07 0:25 | 1.521 | 0.63 |
| 11/24/07 0:30 | 1.521 | 0.6 |
| 11/24/07 0:35 | 1.517 | 0.6 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 0:40 | 1.518 | 0.64 |
| 11/24/07 0:45 | 1.516 | 0.64 |
| 11/24/07 0:50 | 1.516 | 0.64 |
| 11/24/07 0:55 | 1.514 | 0.64 |
| 11/24/07 1:00 | 1.514 | 0.59 |
| 11/24/07 1:05 | 1.516 | 0.64 |
| 11/24/07 1:10 | 1.513 | 0.63 |
| 11/24/07 1:15 | 1.512 | 0.62 |
| 11/24/07 1:20 | 1.513 | 0.61 |
| 11/24/07 1:25 | 1.513 | 0.64 |
| 11/24/07 1:30 | 1.513 | 0.64 |
| 11/24/07 1:35 | 1.514 | 0.63 |
| 11/24/07 1:40 | 1.514 | 0.65 |
| 11/24/07 1:45 | 1.513 | 0.65 |
| 11/24/07 1:50 | 1.514 | 0.61 |
| 11/24/07 1:55 | 1.513 | 0.65 |
| 11/24/07 2:00 | 1.514 | 0.65 |
| 11/24/07 2:05 | 1.514 | 0.62 |
| 11/24/07 2:10 | 1.512 | 0.62 |
| 11/24/07 2:15 | 1.513 | 0.63 |
| 11/24/07 2:20 | 1.512 | 0.65 |
| 11/24/07 2:25 | 1.513 | 0.62 |
| 11/24/07 2:30 | 1.511 | 0.59 |
| 11/24/07 2:35 | 1.506 | 0.62 |
| 11/24/07 2:40 | 1.502 | 0.62 |
| 11/24/07 2:45 | 1.5 | 0.62 |
| 11/24/07 2:50 | 1.498 | 0.62 |
| 11/24/07 2:55 | 1.498 | 0.65 |
| 11/24/07 3:00 | 1.495 | 0.65 |
| 11/24/07 3:05 | 1.494 | 0.65 |
| 11/24/07 3:10 | 1.494 | 0.63 |
| 11/24/07 3:15 | 1.493 | 0.63 |
| 11/24/07 3:20 | 1.493 | 0.64 |
| 11/24/07 3:25 | 1.492 | 0.62 |
| 11/24/07 3:30 | 1.491 | 0.58 |
| 11/24/07 3:35 | 1.493 | 0.58 |
| 11/24/07 3:40 | 1.492 | 0.58 |
| 11/24/07 3:45 | 1.492 | 0.62 |
| 11/24/07 3:50 | 1.492 | 0.59 |
| 11/24/07 3:55 | 1.492 | 0.59 |
| 11/24/07 4:00 | 1.488 | 0.59 |
| 11/24/07 4:05 | 1.488 | 0.65 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 4:10 | 1.487 | 0.65 |
| 11/24/07 4:15 | 1.487 | 0.65 |
| 11/24/07 4:20 | 1.486 | 0.61 |
| 11/24/07 4:25 | 1.486 | 0.64 |
| 11/24/07 4:30 | 1.487 | 0.61 |
| 11/24/07 4:35 | 1.484 | 0.58 |
| 11/24/07 4:40 | 1.485 | 0.61 |
| 11/24/07 4:45 | 1.485 | 0.61 |
| 11/24/07 4:50 | 1.485 | 0.6 |
| 11/24/07 4:55 | 1.485 | 0.61 |
| 11/24/07 5:00 | 1.486 | 0.61 |
| 11/24/07 5:05 | 1.485 | 0.61 |
| 11/24/07 5:10 | 1.487 | 0.59 |
| 11/24/07 5:15 | 1.487 | 0.64 |
| 11/24/07 5:20 | 1.487 | 0.59 |
| 11/24/07 5:25 | 1.487 | 0.59 |
| 11/24/07 5:30 | 1.487 | 0.58 |
| 11/24/07 5:35 | 1.489 | 0.6 |
| 11/24/07 5:40 | 1.489 | 0.59 |
| 11/24/07 5:45 | 1.49 | 0.59 |
| 11/24/07 5:50 | 1.49 | 0.59 |
| 11/24/07 5:55 | 1.489 | 0.59 |
| 11/24/07 6:00 | 1.49 | 0.59 |
| 11/24/07 6:05 | 1.491 | 0.59 |
| 11/24/07 6:10 | 1.491 | 0.59 |
| 11/24/07 6:15 | 1.492 | 0.59 |
| 11/24/07 6:20 | 1.492 | 0.6 |
| 11/24/07 6:25 | 1.492 | 0.62 |
| 11/24/07 6:30 | 1.493 | 0.59 |
| 11/24/07 6:35 | 1.492 | 0.61 |
| 11/24/07 6:40 | 1.493 | 0.63 |
| 11/24/07 6:45 | 1.493 | 0.63 |
| 11/24/07 6:50 | 1.493 | 0.62 |
| 11/24/07 6:55 | 1.494 | 0.57 |
| 11/24/07 7:00 | 1.495 | 0.59 |
| 11/24/07 7:05 | 1.494 | 0.61 |
| 11/24/07 7:10 | 1.495 | 0.62 |
| 11/24/07 7:15 | 1.494 | 0.59 |
| 11/24/07 7:20 | 1.495 | 0.64 |
| 11/24/07 7:25 | 1.494 | 0.6 |
| 11/24/07 7:30 | 1.494 | 0.6 |
| 11/24/07 7:35 | 1.495 | 0.61 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 7:40 | 1.497 | 0.61 |
| 11/24/07 7:45 | 1.497 | 0.6 |
| 11/24/07 7:50 | 1.496 | 0.59 |
| 11/24/07 7:55 | 1.497 | 0.6 |
| 11/24/07 8:00 | 1.497 | 0.6 |
| 11/24/07 8:05 | 1.497 | 0.63 |
| 11/24/07 8:10 | 1.497 | 0.61 |
| 11/24/07 8:15 | 1.497 | 0.58 |
| 11/24/07 8:20 | 1.497 | 0.58 |
| 11/24/07 8:25 | 1.498 | 0.58 |
| 11/24/07 8:30 | 1.498 | 0.58 |
| 11/24/07 8:35 | 1.498 | 0.58 |
| 11/24/07 8:40 | 1.498 | 0.62 |
| 11/24/07 8:45 | 1.498 | 0.64 |
| 11/24/07 8:50 | 1.498 | 0.64 |
| 11/24/07 8:55 | 1.499 | 0.58 |
| 11/24/07 9:00 | 1.5 | 0.61 |
| 11/24/07 9:05 | 1.499 | 0.61 |
| 11/24/07 9:10 | 1.5 | 0.65 |
| 11/24/07 9:15 | 1.5 | 0.6 |
| 11/24/07 9:20 | 1.499 | 0.6 |
| 11/24/07 9:25 | 1.5 | 0.63 |
| 11/24/07 9:30 | 1.501 | 0.63 |
| 11/24/07 9:35 | 1.501 | 0.62 |
| 11/24/07 9:40 | 1.5 | 0.62 |
| 11/24/07 9:45 | 1.501 | 0.63 |
| 11/24/07 9:50 | 1.501 | 0.65 |
| 11/24/07 9:55 | 1.501 | 0.65 |
| 11/24/07 10:00 | 1.501 | 0.65 |
| 11/24/07 10:05 | 1.501 | 0.65 |
| 11/24/07 10:10 | 1.501 | 0.65 |
| 11/24/07 10:15 | 1.501 | 0.65 |
| 11/24/07 10:20 | 1.5 | 0.65 |
| 11/24/07 10:25 | 1.5 | 0.65 |
| 11/24/07 10:30 | 1.499 | 0.65 |
| 11/24/07 10:35 | 1.498 | 0.65 |
| 11/24/07 10:40 | 1.498 | 0.65 |
| 11/24/07 10:45 | 1.498 | 0.65 |
| 11/24/07 10:50 | 1.496 | 0.65 |
| 11/24/07 10:55 | 1.496 | 0.65 |
| 11/24/07 11:00 | 1.496 | 0.65 |
| 11/24/07 11:05 | 1.495 | 0.65 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 11:10 | 1.493 | 0.65 |
| 11/24/07 11:15 | 1.492 | 0.58 |
| 11/24/07 11:20 | 1.491 | 0.66 |
| 11/24/07 11:25 | 1.491 | 0.66 |
| 11/24/07 11:30 | 1.49 | 0.6 |
| 11/24/07 11:35 | 1.489 | 0.6 |
| 11/24/07 11:40 | 1.488 | 0.54 |
| 11/24/07 11:45 | 1.488 | 0.54 |
| 11/24/07 11:50 | 1.487 | 0.54 |
| 11/24/07 11:55 | 1.485 | 0.61 |
| 11/24/07 12:00 | 1.485 | 0.55 |
| 11/24/07 12:05 | 1.485 | 0.55 |
| 11/24/07 12:10 | 1.485 | 0.55 |
| 11/24/07 12:15 | 1.484 | 0.58 |
| 11/24/07 12:20 | 1.484 | 0.58 |
| 11/24/07 12:25 | 1.484 | 0.62 |
| 11/24/07 12:30 | 1.484 | 0.63 |
| 11/24/07 12:35 | 1.483 | 0.63 |
| 11/24/07 12:40 | 1.484 | 0.63 |
| 11/24/07 12:45 | 1.482 | 0.62 |
| 11/24/07 12:50 | 1.482 | 0.56 |
| 11/24/07 12:55 | 1.482 | 0.56 |
| 11/24/07 13:00 | 1.483 | 0.62 |
| 11/24/07 13:05 | 1.482 | 0.6 |
| 11/24/07 13:10 | 1.484 | 0.56 |
| 11/24/07 13:15 | 1.482 | 0.56 |
| 11/24/07 13:20 | 1.482 | 0.6 |
| 11/24/07 13:25 | 1.482 | 0.58 |
| 11/24/07 13:30 | 1.484 | 0.58 |
| 11/24/07 13:35 | 1.484 | 0.58 |
| 11/24/07 13:40 | 1.483 | 0.58 |
| 11/24/07 13:45 | 1.485 | 0.58 |
| 11/24/07 13:50 | 1.485 | 0.62 |
| 11/24/07 13:55 | 1.484 | 0.62 |
| 11/24/07 14:00 | 1.485 | 0.61 |
| 11/24/07 14:05 | 1.484 | 0.61 |
| 11/24/07 14:10 | 1.484 | 0.58 |
| 11/24/07 14:15 | 1.485 | 0.58 |
| 11/24/07 14:20 | 1.484 | 0.58 |
| 11/24/07 14:25 | 1.485 | 0.58 |
| 11/24/07 14:30 | 1.486 | 0.61 |
| 11/24/07 14:35 | 1.487 | 0.61 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 14:40 | 1.486 | 0.61 |
| 11/24/07 14:45 | 1.488 | 0.61 |
| 11/24/07 14:50 | 1.486 | 0.59 |
| 11/24/07 14:55 | 1.486 | 0.59 |
| 11/24/07 15:00 | 1.487 | 0.59 |
| 11/24/07 15:05 | 1.487 | 0.57 |
| 11/24/07 15:10 | 1.488 | 0.57 |
| 11/24/07 15:15 | 1.488 | 0.57 |
| 11/24/07 15:20 | 1.489 | 0.58 |
| 11/24/07 15:25 | 1.488 | 0.58 |
| 11/24/07 15:30 | 1.488 | 0.57 |
| 11/24/07 15:35 | 1.488 | 0.59 |
| 11/24/07 15:40 | 1.488 | 0.59 |
| 11/24/07 15:45 | 1.489 | 0.59 |
| 11/24/07 15:50 | 1.489 | 0.59 |
| 11/24/07 15:55 | 1.489 | 0.59 |
| 11/24/07 16:00 | 1.49 | 0.57 |
| 11/24/07 16:05 | 1.489 | 0.57 |
| 11/24/07 16:10 | 1.49 | 0.57 |
| 11/24/07 16:15 | 1.49 | 0.57 |
| 11/24/07 16:20 | 1.491 | 0.59 |
| 11/24/07 16:25 | 1.491 | 0.61 |
| 11/24/07 16:30 | 1.492 | 0.61 |
| 11/24/07 16:35 | 1.491 | 0.63 |
| 11/24/07 16:40 | 1.492 | 0.63 |
| 11/24/07 16:45 | 1.492 | 0.59 |
| 11/24/07 16:50 | 1.492 | 0.63 |
| 11/24/07 16:55 | 1.492 | 0.63 |
| 11/24/07 17:00 | 1.492 | 0.63 |
| 11/24/07 17:05 | 1.492 | 0.64 |
| 11/24/07 17:10 | 1.493 | 0.65 |
| 11/24/07 17:15 | 1.493 | 0.63 |
| 11/24/07 17:20 | 1.493 | 0.64 |
| 11/24/07 17:25 | 1.493 | 0.6 |
| 11/24/07 17:30 | 1.494 | 0.62 |
| 11/24/07 17:35 | 1.493 | 0.62 |
| 11/24/07 17:40 | 1.492 | 0.63 |
| 11/24/07 17:45 | 1.491 | 0.57 |
| 11/24/07 17:50 | 1.491 | 0.64 |
| 11/24/07 17:55 | 1.49 | 0.59 |
| 11/24/07 18:00 | 1.488 | 0.61 |
| 11/24/07 18:05 | 1.489 | 0.61 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 18:10 | 1.489 | 0.64 |
| 11/24/07 18:15 | 1.488 | 0.62 |
| 11/24/07 18:20 | 1.488 | 0.57 |
| 11/24/07 18:25 | 1.488 | 0.61 |
| 11/24/07 18:30 | 1.488 | 0.61 |
| 11/24/07 18:35 | 1.489 | 0.59 |
| 11/24/07 18:40 | 1.488 | 0.57 |
| 11/24/07 18:45 | 1.488 | 0.66 |
| 11/24/07 18:50 | 1.488 | 0.66 |
| 11/24/07 18:55 | 1.488 | 0.59 |
| 11/24/07 19:00 | 1.488 | 0.61 |
| 11/24/07 19:05 | 1.487 | 0.61 |
| 11/24/07 19:10 | 1.488 | 0.63 |
| 11/24/07 19:15 | 1.488 | 0.56 |
| 11/24/07 19:20 | 1.488 | 0.62 |
| 11/24/07 19:25 | 1.488 | 0.65 |
| 11/24/07 19:30 | 1.488 | 0.61 |
| 11/24/07 19:35 | 1.488 | 0.58 |
| 11/24/07 19:40 | 1.488 | 0.63 |
| 11/24/07 19:45 | 1.488 | 0.63 |
| 11/24/07 19:50 | 1.489 | 0.6 |
| 11/24/07 19:55 | 1.489 | 0.64 |
| 11/24/07 20:00 | 1.488 | 0.6 |
| 11/24/07 20:05 | 1.489 | 0.62 |
| 11/24/07 20:10 | 1.489 | 0.56 |
| 11/24/07 20:15 | 1.488 | 0.62 |
| 11/24/07 20:20 | 1.489 | 0.58 |
| 11/24/07 20:25 | 1.489 | 0.56 |
| 11/24/07 20:30 | 1.488 | 0.58 |
| 11/24/07 20:35 | 1.489 | 0.56 |
| 11/24/07 20:40 | 1.489 | 0.61 |
| 11/24/07 20:45 | 1.489 | 0.6 |
| 11/24/07 20:50 | 1.489 | 0.6 |
| 11/24/07 20:55 | 1.487 | 0.6 |
| 11/24/07 21:00 | 1.484 | 0.62 |
| 11/24/07 21:05 | 1.482 | 0.62 |
| 11/24/07 21:10 | 1.481 | 0.58 |
| 11/24/07 21:15 | 1.479 | 0.63 |
| 11/24/07 21:20 | 1.477 | 0.55 |
| 11/24/07 21:25 | 1.477 | 0.55 |
| 11/24/07 21:30 | 1.476 | 0.63 |
| 11/24/07 21:35 | 1.475 | 0.62 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/24/07 21:40 | 1.475 | 0.59 |
| 11/24/07 21:45 | 1.475 | 0.58 |
| 11/24/07 21:50 | 1.474 | 0.63 |
| 11/24/07 21:55 | 1.474 | 0.65 |
| 11/24/07 22:00 | 1.474 | 0.62 |
| 11/24/07 22:05 | 1.474 | 0.56 |
| 11/24/07 22:10 | 1.474 | 0.6 |
| 11/24/07 22:15 | 1.474 | 0.61 |
| 11/24/07 22:20 | 1.473 | 0.6 |
| 11/24/07 22:25 | 1.474 | 0.62 |
| 11/24/07 22:30 | 1.474 | 0.67 |
| 11/24/07 22:35 | 1.474 | 0.61 |
| 11/24/07 22:40 | 1.474 | 0.62 |
| 11/24/07 22:45 | 1.474 | 0.53 |
| 11/24/07 22:50 | 1.474 | 0.61 |
| 11/24/07 22:55 | 1.474 | 0.63 |
| 11/24/07 23:00 | 1.473 | 0.6 |
| 11/24/07 23:05 | 1.473 | 0.59 |
| 11/24/07 23:10 | 1.474 | 0.61 |
| 11/24/07 23:15 | 1.473 | 0.62 |
| 11/24/07 23:20 | 1.471 | 0.63 |
| 11/24/07 23:25 | 1.471 | 0.56 |
| 11/24/07 23:30 | 1.471 | 0.56 |
| 11/24/07 23:35 | 1.471 | 0.65 |
| 11/24/07 23:40 | 1.47 | 0.55 |
| 11/24/07 23:45 | 1.471 | 0.62 |
| 11/24/07 23:50 | 1.47 | 0.6 |
| 11/24/07 23:55 | 1.47 | 0.63 |
| 11/25/07 0:00 | 1.472 | 0.58 |
| 11/25/07 0:05 | 1.471 | 0.62 |
| 11/25/07 0:10 | 1.472 | 0.65 |
| 11/25/07 0:15 | 1.472 | 0.59 |
| 11/25/07 0:20 | 1.471 | 0.56 |
| 11/25/07 0:25 | 1.47 | 0.63 |
| 11/25/07 0:30 | 1.469 | 0.63 |
| 11/25/07 0:35 | 1.47 | 0.59 |
| 11/25/07 0:40 | 1.47 | 0.62 |
| 11/25/07 0:45 | 1.469 | 0.6 |
| 11/25/07 0:50 | 1.47 | 0.57 |
| 11/25/07 0:55 | 1.469 | 0.6 |
| 11/25/07 1:00 | 1.47 | 0.6 |
| 11/25/07 1:05 | 1.47 | 0.65 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 1:10 | 1.469 | 0.65 |
| 11/25/07 1:15 | 1.468 | 0.63 |
| 11/25/07 1:20 | 1.468 | 0.58 |
| 11/25/07 1:25 | 1.468 | 0.6 |
| 11/25/07 1:30 | 1.468 | 0.6 |
| 11/25/07 1:35 | 1.467 | 0.62 |
| 11/25/07 1:40 | 1.467 | 0.63 |
| 11/25/07 1:45 | 1.469 | 0.6 |
| 11/25/07 1:50 | 1.468 | 0.58 |
| 11/25/07 1:55 | 1.469 | 0.59 |
| 11/25/07 2:00 | 1.469 | 0.61 |
| 11/25/07 2:05 | 1.469 | 0.61 |
| 11/25/07 2:10 | 1.469 | 0.59 |
| 11/25/07 2:15 | 1.469 | 0.61 |
| 11/25/07 2:20 | 1.47 | 0.6 |
| 11/25/07 2:25 | 1.47 | 0.58 |
| 11/25/07 2:30 | 1.47 | 0.59 |
| 11/25/07 2:35 | 1.471 | 0.57 |
| 11/25/07 2:40 | 1.47 | 0.62 |
| 11/25/07 2:45 | 1.47 | 0.64 |
| 11/25/07 2:50 | 1.471 | 0.59 |
| 11/25/07 2:55 | 1.471 | 0.6 |
| 11/25/07 3:00 | 1.471 | 0.6 |
| 11/25/07 3:05 | 1.471 | 0.58 |
| 11/25/07 3:10 | 1.471 | 0.58 |
| 11/25/07 3:15 | 1.471 | 0.6 |
| 11/25/07 3:20 | 1.473 | 0.6 |
| 11/25/07 3:25 | 1.472 | 0.61 |
| 11/25/07 3:30 | 1.472 | 0.58 |
| 11/25/07 3:35 | 1.473 | 0.58 |
| 11/25/07 3:40 | 1.473 | 0.62 |
| 11/25/07 3:45 | 1.473 | 0.63 |
| 11/25/07 3:50 | 1.473 | 0.55 |
| 11/25/07 3:55 | 1.473 | 0.55 |
| 11/25/07 4:00 | 1.473 | 0.6 |
| 11/25/07 4:05 | 1.474 | 0.57 |
| 11/25/07 4:10 | 1.473 | 0.58 |
| 11/25/07 4:15 | 1.473 | 0.59 |
| 11/25/07 4:20 | 1.473 | 0.58 |
| 11/25/07 4:25 | 1.473 | 0.59 |
| 11/25/07 4:30 | 1.473 | 0.6 |
| 11/25/07 4:35 | 1.474 | 0.58 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 4:40 | 1.473 | 0.61 |
| 11/25/07 4:45 | 1.473 | 0.59 |
| 11/25/07 4:50 | 1.474 | 0.6 |
| 11/25/07 4:55 | 1.474 | 0.63 |
| 11/25/07 5:00 | 1.473 | 0.41 |
| 11/25/07 5:05 | 1.474 | 0.41 |
| 11/25/07 5:10 | 1.473 | 0.6 |
| 11/25/07 5:15 | 1.473 | 0.61 |
| 11/25/07 5:20 | 1.473 | 0.6 |
| 11/25/07 5:25 | 1.472 | 0.56 |
| 11/25/07 5:30 | 1.473 | 0.56 |
| 11/25/07 5:35 | 1.472 | 0.59 |
| 11/25/07 5:40 | 1.471 | 0.58 |
| 11/25/07 5:45 | 1.473 | 0.58 |
| 11/25/07 5:50 | 1.472 | 0.6 |
| 11/25/07 5:55 | 1.472 | 0.59 |
| 11/25/07 6:00 | 1.472 | 0.59 |
| 11/25/07 6:05 | 1.472 | 0.59 |
| 11/25/07 6:10 | 1.472 | 0.61 |
| 11/25/07 6:15 | 1.472 | 0.58 |
| 11/25/07 6:20 | 1.473 | 0.59 |
| 11/25/07 6:25 | 1.473 | 0.67 |
| 11/25/07 6:30 | 1.473 | 0.61 |
| 11/25/07 6:35 | 1.473 | 0.57 |
| 11/25/07 6:40 | 1.475 | 0.63 |
| 11/25/07 6:45 | 1.474 | 0.63 |
| 11/25/07 6:50 | 1.473 | 0.58 |
| 11/25/07 6:55 | 1.474 | 0.63 |
| 11/25/07 7:00 | 1.475 | 0.6 |
| 11/25/07 7:05 | 1.475 | 0.59 |
| 11/25/07 7:10 | 1.474 | 0.6 |
| 11/25/07 7:15 | 1.475 | 0.59 |
| 11/25/07 7:20 | 1.475 | 0.6 |
| 11/25/07 7:25 | 1.475 | 0.57 |
| 11/25/07 7:30 | 1.475 | 0.57 |
| 11/25/07 7:35 | 1.475 | 0.58 |
| 11/25/07 7:40 | 1.475 | 0.57 |
| 11/25/07 7:45 | 1.476 | 0.57 |
| 11/25/07 7:50 | 1.476 | 0.61 |
| 11/25/07 7:55 | 1.476 | 0.61 |
| 11/25/07 8:00 | 1.475 | 0.61 |
| 11/25/07 8:05 | 1.476 | 0.61 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 8:10 | 1.476 | 0.61 |
| 11/25/07 8:15 | 1.477 | 0.58 |
| 11/25/07 8:20 | 1.478 | 0.58 |
| 11/25/07 8:25 | 1.476 | 0.58 |
| 11/25/07 8:30 | 1.478 | 0.58 |
| 11/25/07 8:35 | 1.478 | 0.58 |
| 11/25/07 8:40 | 1.479 | 0.61 |
| 11/25/07 8:45 | 1.478 | 0.61 |
| 11/25/07 8:50 | 1.479 | 0.6 |
| 11/25/07 8:55 | 1.479 | 0.61 |
| 11/25/07 9:00 | 1.479 | 0.61 |
| 11/25/07 9:05 | 1.48 | 0.61 |
| 11/25/07 9:10 | 1.479 | 0.61 |
| 11/25/07 9:15 | 1.479 | 0.57 |
| 11/25/07 9:20 | 1.48 | 0.57 |
| 11/25/07 9:25 | 1.479 | 0.59 |
| 11/25/07 9:30 | 1.479 | 0.59 |
| 11/25/07 9:35 | 1.479 | 0.61 |
| 11/25/07 9:40 | 1.479 | 0.59 |
| 11/25/07 9:45 | 1.479 | 0.59 |
| 11/25/07 9:50 | 1.479 | 0.58 |
| 11/25/07 9:55 | 1.479 | 0.58 |
| 11/25/07 10:00 | 1.478 | 0.58 |
| 11/25/07 10:05 | 1.478 | 0.58 |
| 11/25/07 10:10 | 1.478 | 0.58 |
| 11/25/07 10:15 | 1.477 | 0.58 |
| 11/25/07 10:20 | 1.477 | 0.58 |
| 11/25/07 10:25 | 1.478 | 0.51 |
| 11/25/07 10:30 | 1.477 | 0.51 |
| 11/25/07 10:35 | 1.475 | 0.51 |
| 11/25/07 10:40 | 1.475 | 0.61 |
| 11/25/07 10:45 | 1.473 | 0.61 |
| 11/25/07 10:50 | 1.473 | 0.61 |
| 11/25/07 10:55 | 1.472 | 0.59 |
| 11/25/07 11:00 | 1.472 | 0.58 |
| 11/25/07 11:05 | 1.472 | 0.58 |
| 11/25/07 11:10 | 1.47 | 0.58 |
| 11/25/07 11:15 | 1.47 | 0.55 |
| 11/25/07 11:20 | 1.469 | 0.55 |
| 11/25/07 11:25 | 1.468 | 0.58 |
| 11/25/07 11:30 | 1.467 | 0.56 |
| 11/25/07 11:35 | 1.465 | 0.57 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 11:40 | 1.466 | 0.58 |
| 11/25/07 11:45 | 1.464 | 0.58 |
| 11/25/07 11:50 | 1.464 | 0.62 |
| 11/25/07 11:55 | 1.463 | 0.33 |
| 11/25/07 12:00 | 1.464 | 0.33 |
| 11/25/07 12:05 | 1.462 | 0.61 |
| 11/25/07 12:10 | 1.463 | 0.57 |
| 11/25/07 12:15 | 1.463 | 0.57 |
| 11/25/07 12:20 | 1.461 | 0.57 |
| 11/25/07 12:25 | 1.462 | 0.53 |
| 11/25/07 12:30 | 1.462 | 0.53 |
| 11/25/07 12:35 | 1.461 | 0.53 |
| 11/25/07 12:40 | 1.461 | 0.53 |
| 11/25/07 12:45 | 1.46 | 0.53 |
| 11/25/07 12:50 | 1.46 | 0.53 |
| 11/25/07 12:55 | 1.46 | 0.6 |
| 11/25/07 13:00 | 1.459 | 0.6 |
| 11/25/07 13:05 | 1.459 | 0.6 |
| 11/25/07 13:10 | 1.458 | 0.55 |
| 11/25/07 13:15 | 1.46 | 0.56 |
| 11/25/07 13:20 | 1.459 | 0.56 |
| 11/25/07 13:25 | 1.459 | 0.56 |
| 11/25/07 13:30 | 1.458 | 0.56 |
| 11/25/07 13:35 | 1.46 | 0.58 |
| 11/25/07 13:40 | 1.459 | 0.57 |
| 11/25/07 13:45 | 1.459 | 0.57 |
| 11/25/07 13:50 | 1.459 | 0.57 |
| 11/25/07 13:55 | 1.458 | 0.57 |
| 11/25/07 14:00 | 1.459 | 0.57 |
| 11/25/07 14:05 | 1.459 | 0.56 |
| 11/25/07 14:10 | 1.46 | 0.57 |
| 11/25/07 14:15 | 1.46 | 0.57 |
| 11/25/07 14:20 | 1.46 | 0.61 |
| 11/25/07 14:25 | 1.459 | 0.61 |
| 11/25/07 14:30 | 1.459 | 0.61 |
| 11/25/07 14:35 | 1.46 | 0.61 |
| 11/25/07 14:40 | 1.461 | 0.61 |
| 11/25/07 14:45 | 1.46 | 0.58 |
| 11/25/07 14:50 | 1.46 | 0.58 |
| 11/25/07 14:55 | 1.461 | 0.58 |
| 11/25/07 15:00 | 1.461 | 0.61 |
| 11/25/07 15:05 | 1.462 | 0.55 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 15:10 | 1.459 | 0.55 |
| 11/25/07 15:15 | 1.461 | 0.58 |
| 11/25/07 15:20 | 1.462 | 0.58 |
| 11/25/07 15:25 | 1.462 | 0.62 |
| 11/25/07 15:30 | 1.46 | 0.59 |
| 11/25/07 15:35 | 1.462 | 0.59 |
| 11/25/07 15:40 | 1.461 | 0.59 |
| 11/25/07 15:45 | 1.462 | 0.56 |
| 11/25/07 15:50 | 1.462 | 0.56 |
| 11/25/07 15:55 | 1.462 | 0.56 |
| 11/25/07 16:00 | 1.463 | 0.56 |
| 11/25/07 16:05 | 1.464 | 0.6 |
| 11/25/07 16:10 | 1.463 | 0.58 |
| 11/25/07 16:15 | 1.463 | 0.6 |
| 11/25/07 16:20 | 1.464 | 0.6 |
| 11/25/07 16:25 | 1.464 | 0.6 |
| 11/25/07 16:30 | 1.465 | 0.6 |
| 11/25/07 16:35 | 1.466 | 0.6 |
| 11/25/07 16:40 | 1.466 | 0.57 |
| 11/25/07 16:45 | 1.466 | 0.59 |
| 11/25/07 16:50 | 1.466 | 0.59 |
| 11/25/07 16:55 | 1.466 | 0.4 |
| 11/25/07 17:00 | 1.465 | 0.53 |
| 11/25/07 17:05 | 1.467 | 0.61 |
| 11/25/07 17:10 | 1.466 | 0.56 |
| 11/25/07 17:15 | 1.466 | 0.56 |
| 11/25/07 17:20 | 1.466 | 0.59 |
| 11/25/07 17:25 | 1.467 | 0.58 |
| 11/25/07 17:30 | 1.466 | 0.58 |
| 11/25/07 17:35 | 1.466 | 0.58 |
| 11/25/07 17:40 | 1.467 | 0.58 |
| 11/25/07 17:45 | 1.466 | 0.55 |
| 11/25/07 17:50 | 1.467 | 0.55 |
| 11/25/07 17:55 | 1.467 | 0.56 |
| 11/25/07 18:00 | 1.467 | 0.56 |
| 11/25/07 18:05 | 1.466 | 0.56 |
| 11/25/07 18:10 | 1.467 | 0.57 |
| 11/25/07 18:15 | 1.466 | 0.59 |
| 11/25/07 18:20 | 1.466 | 0.59 |
| 11/25/07 18:25 | 1.466 | 0.6 |
| 11/25/07 18:30 | 1.466 | 0.61 |
| 11/25/07 18:35 | 1.468 | 0.64 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 18:40 | 1.467 | 0.64 |
| 11/25/07 18:45 | 1.468 | 0.59 |
| 11/25/07 18:50 | 1.468 | 0.61 |
| 11/25/07 18:55 | 1.469 | 0.64 |
| 11/25/07 19:00 | 1.469 | 0.59 |
| 11/25/07 19:05 | 1.469 | 0.57 |
| 11/25/07 19:10 | 1.47 | 0.58 |
| 11/25/07 19:15 | 1.47 | 0.56 |
| 11/25/07 19:20 | 1.471 | 0.58 |
| 11/25/07 19:25 | 1.47 | 0.61 |
| 11/25/07 19:30 | 1.471 | 0.61 |
| 11/25/07 19:35 | 1.47 | 0.63 |
| 11/25/07 19:40 | 1.471 | 0.6 |
| 11/25/07 19:45 | 1.471 | 0.7 |
| 11/25/07 19:50 | 1.471 | 0.7 |
| 11/25/07 19:55 | 1.472 | 0.54 |
| 11/25/07 20:00 | 1.472 | 0.54 |
| 11/25/07 20:05 | 1.473 | 0.61 |
| 11/25/07 20:10 | 1.473 | 0.57 |
| 11/25/07 20:15 | 1.472 | 0.63 |
| 11/25/07 20:20 | 1.473 | 0.6 |
| 11/25/07 20:25 | 1.473 | 0.6 |
| 11/25/07 20:30 | 1.473 | 0.58 |
| 11/25/07 20:35 | 1.474 | 0.6 |
| 11/25/07 20:40 | 1.473 | 0.61 |
| 11/25/07 20:45 | 1.476 | 0.61 |
| 11/25/07 20:50 | 1.475 | 0.59 |
| 11/25/07 20:55 | 1.475 | 0.6 |
| 11/25/07 21:00 | 1.475 | 0.63 |
| 11/25/07 21:05 | 1.476 | 0.6 |
| 11/25/07 21:10 | 1.476 | 0.6 |
| 11/25/07 21:15 | 1.476 | 0.56 |
| 11/25/07 21:20 | 1.477 | 0.56 |
| 11/25/07 21:25 | 1.477 | 0.61 |
| 11/25/07 21:30 | 1.477 | 0.57 |
| 11/25/07 21:35 | 1.478 | 0.57 |
| 11/25/07 21:40 | 1.478 | 0.57 |
| 11/25/07 21:45 | 1.477 | 0.61 |
| 11/25/07 21:50 | 1.478 | 0.58 |
| 11/25/07 21:55 | 1.477 | 0.58 |
| 11/25/07 22:00 | 1.479 | 0.61 |
| 11/25/07 22:05 | 1.478 | 0.6 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/25/07 22:10 | 1.481 | 0.6 |
| 11/25/07 22:15 | 1.481 | 0.59 |
| 11/25/07 22:20 | 1.483 | 0.61 |
| 11/25/07 22:25 | 1.484 | 0.61 |
| 11/25/07 22:30 | 1.485 | 0.57 |
| 11/25/07 22:35 | 1.485 | 0.61 |
| 11/25/07 22:40 | 1.485 | 0.61 |
| 11/25/07 22:45 | 1.486 | 0.57 |
| 11/25/07 22:50 | 1.487 | 0.57 |
| 11/25/07 22:55 | 1.487 | 0.56 |
| 11/25/07 23:00 | 1.488 | 0.56 |
| 11/25/07 23:05 | 1.488 | 0.54 |
| 11/25/07 23:10 | 1.488 | 0.58 |
| 11/25/07 23:15 | 1.489 | 0.61 |
| 11/25/07 23:20 | 1.489 | 0.6 |
| 11/25/07 23:25 | 1.489 | 0.6 |
| 11/25/07 23:30 | 1.489 | 0.53 |
| 11/25/07 23:35 | 1.49 | 0.54 |
| 11/25/07 23:40 | 1.489 | 0.6 |
| 11/25/07 23:45 | 1.49 | 0.6 |
| 11/25/07 23:50 | 1.489 | 0.6 |
| 11/25/07 23:55 | 1.489 | 0.62 |
| 11/26/07 0:00 | 1.489 | 0.63 |
| 11/26/07 0:05 | 1.49 | 0.57 |
| 11/26/07 0:10 | 1.49 | 0.57 |
| 11/26/07 0:15 | 1.489 | 0.63 |
| 11/26/07 0:20 | 1.489 | 0.66 |
| 11/26/07 0:25 | 1.489 | 0.83 |
| 11/26/07 0:30 | 1.489 | 0.57 |
| 11/26/07 0:35 | 1.488 | 0.62 |
| 11/26/07 0:40 | 1.489 | 0.62 |
| 11/26/07 0:45 | 1.489 | 0.6 |
| 11/26/07 0:50 | 1.489 | 0.57 |
| 11/26/07 0:55 | 1.488 | 0.58 |
| 11/26/07 1:00 | 1.489 | 0.63 |
| 11/26/07 1:05 | 1.487 | 0.54 |
| 11/26/07 1:10 | 1.486 | 0.88 |
| 11/26/07 1:15 | 1.485 | 0.66 |
| 11/26/07 1:20 | 1.484 | 0.5 |
| 11/26/07 1:25 | 1.483 | 0.64 |
| 11/26/07 1:30 | 1.482 | 0.53 |
| 11/26/07 1:35 | 1.482 | 0.53 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 1:40 | 1.481 | 0.45 |
| 11/26/07 1:45 | 1.482 | 0.61 |
| 11/26/07 1:50 | 1.481 | 0.54 |
| 11/26/07 1:55 | 1.482 | 0.6 |
| 11/26/07 2:00 | 1.481 | 0.59 |
| 11/26/07 2:05 | 1.481 | 0.62 |
| 11/26/07 2:10 | 1.481 | 0.59 |
| 11/26/07 2:15 | 1.481 | 0.67 |
| 11/26/07 2:20 | 1.48 | 0.57 |
| 11/26/07 2:25 | 1.48 | 0.58 |
| 11/26/07 2:30 | 1.48 | 0.58 |
| 11/26/07 2:35 | 1.479 | 0.59 |
| 11/26/07 2:40 | 1.479 | 0.52 |
| 11/26/07 2:45 | 1.478 | 0.61 |
| 11/26/07 2:50 | 1.477 | 0.54 |
| 11/26/07 2:55 | 1.478 | 0.61 |
| 11/26/07 3:00 | 1.476 | 0.61 |
| 11/26/07 3:05 | 1.476 | 0.57 |
| 11/26/07 3:10 | 1.474 | 0.62 |
| 11/26/07 3:15 | 1.473 | 0.57 |
| 11/26/07 3:20 | 1.472 | 0.59 |
| 11/26/07 3:25 | 1.47 | 0.59 |
| 11/26/07 3:30 | 1.471 | 0.6 |
| 11/26/07 3:35 | 1.469 | 0.61 |
| 11/26/07 3:40 | 1.473 | 0.62 |
| 11/26/07 3:45 | 1.473 | 0.62 |
| 11/26/07 3:50 | 1.476 | 0.62 |
| 11/26/07 3:55 | 1.479 | 0.57 |
| 11/26/07 4:00 | 1.481 | 0.62 |
| 11/26/07 4:05 | 1.485 | 0.62 |
| 11/26/07 4:10 | 1.488 | 0.62 |
| 11/26/07 4:15 | 1.492 | 0.59 |
| 11/26/07 4:20 | 1.496 | 0.57 |
| 11/26/07 4:25 | 1.515 | 0.56 |
| 11/26/07 4:30 | 1.549 | 0.58 |
| 11/26/07 4:35 | 1.584 | 0.58 |
| 11/26/07 4:40 | 1.618 | 0.58 |
| 11/26/07 4:45 | 1.646 | 0.52 |
| 11/26/07 4:50 | 1.669 | 0.5 |
| 11/26/07 4:55 | 1.688 | 0.5 |
| 11/26/07 5:00 | 1.701 | 0.52 |
| 11/26/07 5:05 | 1.709 | 0.51 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 5:10 | 1.712 | 0.49 |
| 11/26/07 5:15 | 1.711 | 0.41 |
| 11/26/07 5:20 | 1.706 | 0.52 |
| 11/26/07 5:25 | 1.701 | 0.47 |
| 11/26/07 5:30 | 1.695 | 0.53 |
| 11/26/07 5:35 | 1.688 | 0.53 |
| 11/26/07 5:40 | 1.683 | 0.53 |
| 11/26/07 5:45 | 1.678 | 0.54 |
| 11/26/07 5:50 | 1.674 | 0.51 |
| 11/26/07 5:55 | 1.67 | 0.5 |
| 11/26/07 6:00 | 1.667 | 0.53 |
| 11/26/07 6:05 | 1.665 | 0.55 |
| 11/26/07 6:10 | 1.662 | 0.51 |
| 11/26/07 6:15 | 1.659 | 0.51 |
| 11/26/07 6:20 | 1.656 | 0.49 |
| 11/26/07 6:25 | 1.653 | 0.55 |
| 11/26/07 6:30 | 1.654 | 0.55 |
| 11/26/07 6:35 | 1.653 | 0.55 |
| 11/26/07 6:40 | 1.653 | 0.6 |
| 11/26/07 6:45 | 1.655 | 0.56 |
| 11/26/07 6:50 | 1.656 | 0.56 |
| 11/26/07 6:55 | 1.657 | 0.54 |
| 11/26/07 7:00 | 1.657 | 0.53 |
| 11/26/07 7:05 | 1.658 | 0.49 |
| 11/26/07 7:10 | 1.657 | 0.55 |
| 11/26/07 7:15 | 1.656 | 0.55 |
| 11/26/07 7:20 | 1.655 | 0.55 |
| 11/26/07 7:25 | 1.654 | 0.54 |
| 11/26/07 7:30 | 1.651 | 0.54 |
| 11/26/07 7:35 | 1.65 | 0.54 |
| 11/26/07 7:40 | 1.648 | 0.56 |
| 11/26/07 7:45 | 1.647 | 0.56 |
| 11/26/07 7:50 | 1.644 | 0.55 |
| 11/26/07 7:55 | 1.643 | 0.56 |
| 11/26/07 8:00 | 1.64 | 0.58 |
| 11/26/07 8:05 | 1.638 | 0.54 |
| 11/26/07 8:10 | 1.636 | 0.54 |
| 11/26/07 8:15 | 1.635 | 0.57 |
| 11/26/07 8:20 | 1.632 | 0.57 |
| 11/26/07 8:25 | 1.63 | 0.57 |
| 11/26/07 8:30 | 1.628 | 0.55 |
| 11/26/07 8:35 | 1.627 | 0.55 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 8:40 | 1.625 | 0.56 |
| 11/26/07 8:45 | 1.624 | 0.59 |
| 11/26/07 8:50 | 1.623 | 0.61 |
| 11/26/07 8:55 | 1.622 | 0.62 |
| 11/26/07 9:00 | 1.621 | 0.59 |
| 11/26/07 9:05 | 1.621 | 0.56 |
| 11/26/07 9:10 | 1.62 | 0.54 |
| 11/26/07 9:15 | 1.619 | 0.56 |
| 11/26/07 9:20 | 1.617 | 0.56 |
| 11/26/07 9:25 | 1.617 | 0.62 |
| 11/26/07 9:30 | 1.615 | 0.56 |
| 11/26/07 9:35 | 1.615 | 0.62 |
| 11/26/07 9:40 | 1.614 | 0.61 |
| 11/26/07 9:45 | 1.612 | 0.61 |
| 11/26/07 9:50 | 1.611 | 0.58 |
| 11/26/07 9:55 | 1.61 | 0.59 |
| 11/26/07 10:00 | 1.609 | 0.61 |
| 11/26/07 10:05 | 1.61 | 0.59 |
| 11/26/07 10:10 | 1.609 | 0.56 |
| 11/26/07 10:15 | 1.609 | 0.58 |
| 11/26/07 10:20 | 1.61 | 0.61 |
| 11/26/07 10:25 | 1.612 | 0.59 |
| 11/26/07 10:30 | 1.612 | 0.59 |
| 11/26/07 10:35 | 1.613 | 0.59 |
| 11/26/07 10:40 | 1.615 | 0.61 |
| 11/26/07 10:45 | 1.615 | 0.6 |
| 11/26/07 10:50 | 1.615 | 0.57 |
| 11/26/07 10:55 | 1.617 | 0.6 |
| 11/26/07 11:00 | 1.621 | 0.61 |
| 11/26/07 11:05 | 1.628 | 0.38 |
| 11/26/07 11:10 | 1.638 | 0.61 |
| 11/26/07 11:15 | 1.647 | 0.61 |
| 11/26/07 11:20 | 1.655 | 0.64 |
| 11/26/07 11:25 | 1.66 | 0.55 |
| 11/26/07 11:30 | 1.665 | 0.59 |
| 11/26/07 11:35 | 1.667 | 0.59 |
| 11/26/07 11:40 | 1.668 | 0.59 |
| 11/26/07 11:45 | 1.668 | 0.6 |
| 11/26/07 11:50 | 1.667 | 0.59 |
| 11/26/07 11:55 | 1.666 | 0.61 |
| 11/26/07 12:00 | 1.664 | 0.62 |
| 11/26/07 12:05 | 1.662 | 0.57 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 12:10 | 1.659 | 0.42 |
| 11/26/07 12:15 | 1.656 | 0.64 |
| 11/26/07 12:20 | 1.654 | 0.56 |
| 11/26/07 12:25 | 1.651 | 0.56 |
| 11/26/07 12:30 | 1.649 | 0.53 |
| 11/26/07 12:35 | 1.65 | 0.61 |
| 11/26/07 12:40 | 1.653 | 0.6 |
| 11/26/07 12:45 | 1.657 | 0.64 |
| 11/26/07 12:50 | 1.663 | 0.54 |
| 11/26/07 12:55 | 1.672 | 0.41 |
| 11/26/07 13:00 | 1.68 | 0.41 |
| 11/26/07 13:05 | 1.689 | 0.41 |
| 11/26/07 13:10 | 1.695 | 0.41 |
| 11/26/07 13:15 | 1.7 | 0.52 |
| 11/26/07 13:20 | 1.703 | 0.58 |
| 11/26/07 13:25 | 1.706 | 0.58 |
| 11/26/07 13:30 | 1.707 | 0.58 |
| 11/26/07 13:35 | 1.705 | 0.56 |
| 11/26/07 13:40 | 1.703 | 0.56 |
| 11/26/07 13:45 | 1.702 | 0.54 |
| 11/26/07 13:50 | 1.701 | 0.54 |
| 11/26/07 13:55 | 1.701 | 0.55 |
| 11/26/07 14:00 | 1.699 | 0.63 |
| 11/26/07 14:05 | 1.7 | 0.6 |
| 11/26/07 14:10 | 1.7 | 0.64 |
| 11/26/07 14:15 | 1.701 | 0.61 |
| 11/26/07 14:20 | 1.707 | 0.45 |
| 11/26/07 14:25 | 1.711 | 0.38 |
| 11/26/07 14:30 | 1.717 | 0.64 |
| 11/26/07 14:35 | 1.717 | 0.64 |
| 11/26/07 14:40 | 1.716 | 0.58 |
| 11/26/07 14:45 | 1.713 | 0.58 |
| 11/26/07 14:50 | 1.711 | 0.58 |
| 11/26/07 14:55 | 1.707 | 0.42 |
| 11/26/07 15:00 | 1.702 | 0.6 |
| 11/26/07 15:05 | 1.696 | 0.6 |
| 11/26/07 15:10 | 1.691 | 0.6 |
| 11/26/07 15:15 | 1.685 | 0.61 |
| 11/26/07 15:20 | 1.68 | 0.61 |
| 11/26/07 15:25 | 1.675 | 0.61 |
| 11/26/07 15:30 | 1.671 | 0.61 |
| 11/26/07 15:35 | 1.666 | 0.56 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 15:40 | 1.663 | 0.56 |
| 11/26/07 15:45 | 1.659 | 0.68 |
| 11/26/07 15:50 | 1.657 | 0.62 |
| 11/26/07 15:55 | 1.653 | 0.62 |
| 11/26/07 16:00 | 1.652 | 0.61 |
| 11/26/07 16:05 | 1.65 | 0.68 |
| 11/26/07 16:10 | 1.648 | 0.4 |
| 11/26/07 16:15 | 1.648 | 0.4 |
| 11/26/07 16:20 | 1.646 | 0.4 |
| 11/26/07 16:25 | 1.645 | 0.4 |
| 11/26/07 16:30 | 1.643 | 0.4 |
| 11/26/07 16:35 | 1.643 | 0.4 |
| 11/26/07 16:40 | 1.642 | 0.4 |
| 11/26/07 16:45 | 1.642 | 0.4 |
| 11/26/07 16:50 | 1.642 | 0.4 |
| 11/26/07 16:55 | 1.642 | 0.4 |
| 11/26/07 17:00 | 1.644 | 0.4 |
| 11/26/07 17:05 | 1.645 | 0.67 |
| 11/26/07 17:10 | 1.646 | 0.45 |
| 11/26/07 17:15 | 1.647 | 0.45 |
| 11/26/07 17:20 | 1.649 | 0.45 |
| 11/26/07 17:25 | 1.65 | 0.45 |
| 11/26/07 17:30 | 1.653 | 0.62 |
| 11/26/07 17:35 | 1.659 | 0.65 |
| 11/26/07 17:40 | 1.666 | 0.62 |
| 11/26/07 17:45 | 1.674 | 0.62 |
| 11/26/07 17:50 | 1.682 | 0.62 |
| 11/26/07 17:55 | 1.686 | 0.62 |
| 11/26/07 18:00 | 1.689 | 0.62 |
| 11/26/07 18:05 | 1.691 | 0.6 |
| 11/26/07 18:10 | 1.69 | 0.6 |
| 11/26/07 18:15 | 1.689 | 0.61 |
| 11/26/07 18:20 | 1.687 | 0.62 |
| 11/26/07 18:25 | 1.686 | 0.62 |
| 11/26/07 18:30 | 1.683 | 0.62 |
| 11/26/07 18:35 | 1.679 | 0.63 |
| 11/26/07 18:40 | 1.677 | 0.6 |
| 11/26/07 18:45 | 1.674 | 0.6 |
| 11/26/07 18:50 | 1.671 | 0.6 |
| 11/26/07 18:55 | 1.668 | 0.6 |
| 11/26/07 19:00 | 1.666 | 0.6 |
| 11/26/07 19:05 | 1.665 | 0.6 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 19:10 | 1.661 | 0.66 |
| 11/26/07 19:15 | 1.659 | 0.66 |
| 11/26/07 19:20 | 1.656 | 0.64 |
| 11/26/07 19:25 | 1.655 | 0.64 |
| 11/26/07 19:30 | 1.653 | 0.64 |
| 11/26/07 19:35 | 1.651 | 0.64 |
| 11/26/07 19:40 | 1.65 | 0.69 |
| 11/26/07 19:45 | 1.649 | 0.69 |
| 11/26/07 19:50 | 1.648 | 0.69 |
| 11/26/07 19:55 | 1.647 | 0.69 |
| 11/26/07 20:00 | 1.645 | 0.69 |
| 11/26/07 20:05 | 1.645 | 0.69 |
| 11/26/07 20:10 | 1.644 | 0.69 |
| 11/26/07 20:15 | 1.643 | 0.69 |
| 11/26/07 20:20 | 1.644 | 0.69 |
| 11/26/07 20:25 | 1.644 | 0.69 |
| 11/26/07 20:30 | 1.645 | 0.69 |
| 11/26/07 20:35 | 1.65 | 0.69 |
| 11/26/07 20:40 | 1.657 | 0.69 |
| 11/26/07 20:45 | 1.671 | 0.69 |
| 11/26/07 20:50 | 1.716 | 0.69 |
| 11/26/07 20:55 | 1.821 | 0.69 |
| 11/26/07 21:00 | 1.914 | 0.69 |
| 11/26/07 21:05 | 1.955 | 0.55 |
| 11/26/07 21:10 | 1.967 | 0.5 |
| 11/26/07 21:15 | 1.964 | 0.46 |
| 11/26/07 21:20 | 1.963 | 0.64 |
| 11/26/07 21:25 | 1.967 | 0.59 |
| 11/26/07 21:30 | 1.971 | 0.56 |
| 11/26/07 21:35 | 1.966 | 0.56 |
| 11/26/07 21:40 | 1.955 | 0.62 |
| 11/26/07 21:45 | 1.941 | 0.61 |
| 11/26/07 21:50 | 1.923 | 0.58 |
| 11/26/07 21:55 | 1.906 | 0.43 |
| 11/26/07 22:00 | 1.891 | 0.62 |
| 11/26/07 22:05 | 1.875 | 0.67 |
| 11/26/07 22:10 | 1.862 | 0.65 |
| 11/26/07 22:15 | 1.85 | 0.45 |
| 11/26/07 22:20 | 1.841 | 0.66 |
| 11/26/07 22:25 | 1.833 | 0.66 |
| 11/26/07 22:30 | 1.825 | 0.66 |
| 11/26/07 22:35 | 1.821 | 0.66 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/26/07 22:40 | 1.816 | 0.68 |
| 11/26/07 22:45 | 1.811 | 0.68 |
| 11/26/07 22:50 | 1.81 | 0.68 |
| 11/26/07 22:55 | 1.806 | 0.66 |
| 11/26/07 23:00 | 1.804 | 0.66 |
| 11/26/07 23:05 | 1.803 | 0.65 |
| 11/26/07 23:10 | 1.802 | 0.65 |
| 11/26/07 23:15 | 1.802 | 0.65 |
| 11/26/07 23:20 | 1.806 | 0.71 |
| 11/26/07 23:25 | 1.806 | 0.68 |
| 11/26/07 23:30 | 1.815 | 0.68 |
| 11/26/07 23:35 | 1.827 | 0.66 |
| 11/26/07 23:40 | 1.844 | 0.66 |
| 11/26/07 23:45 | 1.857 | 0.61 |
| 11/26/07 23:50 | 1.862 | 0.61 |
| 11/26/07 23:55 | 1.862 | 0.62 |
| 11/27/07 0:00 | 1.859 | 0.62 |
| 11/27/07 0:05 | 1.857 | 0.62 |
| 11/27/07 0:10 | 1.852 | 0.65 |
| 11/27/07 0:15 | 1.85 | 0.65 |
| 11/27/07 0:20 | 1.849 | 0.69 |
| 11/27/07 0:25 | 1.851 | 0.69 |
| 11/27/07 0:30 | 1.853 | 0.69 |
| 11/27/07 0:35 | 1.855 | 0.69 |
| 11/27/07 0:40 | 1.86 | 0.66 |
| 11/27/07 0:45 | 1.863 | 0.66 |
| 11/27/07 0:50 | 1.866 | 0.63 |
| 11/27/07 0:55 | 1.872 | 0.63 |
| 11/27/07 1:00 | 1.882 | 0.63 |
| 11/27/07 1:05 | 1.896 | 0.63 |
| 11/27/07 1:10 | 1.909 | 0.63 |
| 11/27/07 1:15 | 1.918 | 0.63 |
| 11/27/07 1:20 | 1.927 | 0.63 |
| 11/27/07 1:25 | 1.937 | 0.63 |
| 11/27/07 1:30 | 1.948 | 0.63 |
| 11/27/07 1:35 | 1.955 | 0.63 |
| 11/27/07 1:40 | 1.957 | 0.63 |
| 11/27/07 1:45 | 1.961 | 0.6 |
| 11/27/07 1:50 | 1.961 | 0.6 |
| 11/27/07 1:55 | 1.96 | 0.6 |
| 11/27/07 2:00 | 1.956 | 0.6 |
| 11/27/07 2:05 | 1.954 | 0.39 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 2:10 | 1.947 | 0.39 |
| 11/27/07 2:15 | 1.943 | 0.39 |
| 11/27/07 2:20 | 1.936 | 0.39 |
| 11/27/07 2:25 | 1.932 | 0.39 |
| 11/27/07 2:30 | 1.923 | 0.39 |
| 11/27/07 2:35 | 1.914 | 0.39 |
| 11/27/07 2:40 | 1.902 | 0.39 |
| 11/27/07 2:45 | 1.894 | 0.39 |
| 11/27/07 2:50 | 1.888 | 0.39 |
| 11/27/07 2:55 | 1.886 | 0.39 |
| 11/27/07 3:00 | 1.891 | 0.64 |
| 11/27/07 3:05 | 1.898 | 0.64 |
| 11/27/07 3:10 | 1.898 | 0.64 |
| 11/27/07 3:15 | 1.895 | 0.64 |
| 11/27/07 3:20 | 1.892 | 0.64 |
| 11/27/07 3:25 | 1.886 | 0.64 |
| 11/27/07 3:30 | 1.88 | 0.64 |
| 11/27/07 3:35 | 1.875 | 0.64 |
| 11/27/07 3:40 | 1.869 | 0.64 |
| 11/27/07 3:45 | 1.864 | 0.64 |
| 11/27/07 3:50 | 1.861 | 0.71 |
| 11/27/07 3:55 | 1.855 | 0.67 |
| 11/27/07 4:00 | 1.852 | 0.72 |
| 11/27/07 4:05 | 1.85 | 0.72 |
| 11/27/07 4:10 | 1.847 | 0.72 |
| 11/27/07 4:15 | 1.845 | 0.72 |
| 11/27/07 4:20 | 1.841 | 0.72 |
| 11/27/07 4:25 | 1.836 | 0.72 |
| 11/27/07 4:30 | 1.832 | 0.72 |
| 11/27/07 4:35 | 1.828 | 0.72 |
| 11/27/07 4:40 | 1.827 | 0.7 |
| 11/27/07 4:45 | 1.824 | 0.71 |
| 11/27/07 4:50 | 1.823 | 0.68 |
| 11/27/07 4:55 | 1.821 | 0.69 |
| 11/27/07 5:00 | 1.82 | 0.71 |
| 11/27/07 5:05 | 1.819 | 0.74 |
| 11/27/07 5:10 | 1.818 | 0.69 |
| 11/27/07 5:15 | 1.818 | 0.69 |
| 11/27/07 5:20 | 1.816 | 0.69 |
| 11/27/07 5:25 | 1.816 | 0.69 |
| 11/27/07 5:30 | 1.816 | 0.7 |
| 11/27/07 5:35 | 1.816 | 0.71 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 5:40 | 1.816 | 0.66 |
| 11/27/07 5:45 | 1.817 | 0.7 |
| 11/27/07 5:50 | 1.815 | 0.66 |
| 11/27/07 5:55 | 1.816 | 0.73 |
| 11/27/07 6:00 | 1.816 | 0.68 |
| 11/27/07 6:05 | 1.816 | 0.65 |
| 11/27/07 6:10 | 1.815 | 0.68 |
| 11/27/07 6:15 | 1.816 | 0.69 |
| 11/27/07 6:20 | 1.817 | 0.7 |
| 11/27/07 6:25 | 1.815 | 0.74 |
| 11/27/07 6:30 | 1.815 | 0.75 |
| 11/27/07 6:35 | 1.816 | 0.69 |
| 11/27/07 6:40 | 1.816 | 0.71 |
| 11/27/07 6:45 | 1.816 | 0.71 |
| 11/27/07 6:50 | 1.817 | 0.73 |
| 11/27/07 6:55 | 1.816 | 0.74 |
| 11/27/07 7:00 | 1.816 | 0.74 |
| 11/27/07 7:05 | 1.818 | 0.7 |
| 11/27/07 7:10 | 1.816 | 0.7 |
| 11/27/07 7:15 | 1.818 | 0.75 |
| 11/27/07 7:20 | 1.814 | 0.75 |
| 11/27/07 7:25 | 1.816 | 0.71 |
| 11/27/07 7:30 | 1.819 | 0.71 |
| 11/27/07 7:35 | 1.817 | 0.71 |
| 11/27/07 7:40 | 1.819 | 0.77 |
| 11/27/07 7:45 | 1.816 | 0.78 |
| 11/27/07 7:50 | 1.817 | 0.76 |
| 11/27/07 7:55 | 1.814 | 0.76 |
| 11/27/07 8:00 | 1.816 | 0.76 |
| 11/27/07 8:05 | 1.812 | 0.72 |
| 11/27/07 8:10 | 1.812 | 0.72 |
| 11/27/07 8:15 | 1.812 | 0.69 |
| 11/27/07 8:20 | 1.812 | 0.7 |
| 11/27/07 8:25 | 1.811 | 0.68 |
| 11/27/07 8:30 | 1.811 | 0.75 |
| 11/27/07 8:35 | 1.81 | 0.76 |
| 11/27/07 8:40 | 1.81 | 0.75 |
| 11/27/07 8:45 | 1.81 | 0.73 |
| 11/27/07 8:50 | 1.812 | 0.72 |
| 11/27/07 8:55 | 1.81 | 0.74 |
| 11/27/07 9:00 | 1.811 | 0.74 |
| 11/27/07 9:05 | 1.808 | 0.73 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 9:10 | 1.809 | 0.73 |
| 11/27/07 9:15 | 1.81 | 0.73 |
| 11/27/07 9:20 | 1.81 | 0.74 |
| 11/27/07 9:25 | 1.81 | 0.74 |
| 11/27/07 9:30 | 1.811 | 0.74 |
| 11/27/07 9:35 | 1.81 | 0.7 |
| 11/27/07 9:40 | 1.811 | 0.73 |
| 11/27/07 9:45 | 1.808 | 0.71 |
| 11/27/07 9:50 | 1.809 | 0.7 |
| 11/27/07 9:55 | 1.807 | 0.78 |
| 11/27/07 10:00 | 1.806 | 0.74 |
| 11/27/07 10:05 | 1.807 | 0.73 |
| 11/27/07 10:10 | 1.808 | 0.74 |
| 11/27/07 10:15 | 1.808 | 0.74 |
| 11/27/07 10:20 | 1.807 | 0.74 |
| 11/27/07 10:25 | 1.811 | 0.76 |
| 11/27/07 10:30 | 1.807 | 0.72 |
| 11/27/07 10:35 | 1.803 | 0.71 |
| 11/27/07 10:40 | 1.806 | 0.7 |
| 11/27/07 10:45 | 1.806 | 0.73 |
| 11/27/07 10:50 | 1.806 | 0.75 |
| 11/27/07 10:55 | 1.806 | 0.75 |
| 11/27/07 11:00 | 1.806 | 0.77 |
| 11/27/07 11:05 | 1.807 | 0.73 |
| 11/27/07 11:10 | 1.807 | 0.73 |
| 11/27/07 11:15 | 1.808 | 0.76 |
| 11/27/07 11:20 | 1.808 | 0.71 |
| 11/27/07 11:25 | 1.808 | 0.75 |
| 11/27/07 11:30 | 1.806 | 0.67 |
| 11/27/07 11:35 | 1.807 | 0.74 |
| 11/27/07 11:40 | 1.809 | 0.74 |
| 11/27/07 11:45 | 1.808 | 0.72 |
| 11/27/07 11:50 | 1.808 | 0.74 |
| 11/27/07 11:55 | 1.809 | 0.72 |
| 11/27/07 12:00 | 1.809 | 0.7 |
| 11/27/07 12:05 | 1.81 | 0.71 |
| 11/27/07 12:10 | 1.811 | 0.78 |
| 11/27/07 12:15 | 1.811 | 0.78 |
| 11/27/07 12:20 | 1.81 | 0.72 |
| 11/27/07 12:25 | 1.811 | 0.73 |
| 11/27/07 12:30 | 1.811 | 0.76 |
| 11/27/07 12:35 | 1.809 | 0.71 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 12:40 | 1.808 | 0.8 |
| 11/27/07 12:45 | 1.811 | 0.75 |
| 11/27/07 12:50 | 1.809 | 0.7 |
| 11/27/07 12:55 | 1.809 | 0.67 |
| 11/27/07 13:00 | 1.809 | 0.72 |
| 11/27/07 13:05 | 1.808 | 0.72 |
| 11/27/07 13:10 | 1.807 | 0.7 |
| 11/27/07 13:15 | 1.807 | 0.7 |
| 11/27/07 13:20 | 1.808 | 0.77 |
| 11/27/07 13:25 | 1.808 | 0.69 |
| 11/27/07 13:30 | 1.805 | 0.73 |
| 11/27/07 13:35 | 1.806 | 0.73 |
| 11/27/07 13:40 | 1.807 | 0.73 |
| 11/27/07 13:45 | 1.807 | 0.73 |
| 11/27/07 13:50 | 1.804 | 0.74 |
| 11/27/07 13:55 | 1.805 | 0.73 |
| 11/27/07 14:00 | 1.806 | 0.73 |
| 11/27/07 14:05 | 1.808 | 0.73 |
| 11/27/07 14:10 | 1.805 | 0.72 |
| 11/27/07 14:15 | 1.806 | 0.72 |
| 11/27/07 14:20 | 1.806 | 0.72 |
| 11/27/07 14:25 | 1.802 | 0.72 |
| 11/27/07 14:30 | 1.804 | 0.72 |
| 11/27/07 14:35 | 1.804 | 0.69 |
| 11/27/07 14:40 | 1.802 | 0.74 |
| 11/27/07 14:45 | 1.805 | 0.78 |
| 11/27/07 14:50 | 1.804 | 0.78 |
| 11/27/07 14:55 | 1.803 | 0.72 |
| 11/27/07 15:00 | 1.805 | 0.72 |
| 11/27/07 15:05 | 1.806 | 0.72 |
| 11/27/07 15:10 | 1.804 | 0.76 |
| 11/27/07 15:15 | 1.803 | 0.76 |
| 11/27/07 15:20 | 1.802 | 0.76 |
| 11/27/07 15:25 | 1.804 | 0.75 |
| 11/27/07 15:30 | 1.803 | 0.77 |
| 11/27/07 15:35 | 1.802 | 0.77 |
| 11/27/07 15:40 | 1.803 | 0.77 |
| 11/27/07 15:45 | 1.803 | 0.68 |
| 11/27/07 15:50 | 1.802 | 0.68 |
| 11/27/07 15:55 | 1.802 | 0.72 |
| 11/27/07 16:00 | 1.801 | 0.72 |
| 11/27/07 16:05 | 1.802 | 0.72 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 16:10 | 1.802 | 0.72 |
| 11/27/07 16:15 | 1.803 | 0.71 |
| 11/27/07 16:20 | 1.802 | 0.73 |
| 11/27/07 16:25 | 1.802 | 0.75 |
| 11/27/07 16:30 | 1.803 | 0.75 |
| 11/27/07 16:35 | 1.803 | 0.75 |
| 11/27/07 16:40 | 1.802 | 0.72 |
| 11/27/07 16:45 | 1.801 | 0.67 |
| 11/27/07 16:50 | 1.803 | 0.74 |
| 11/27/07 16:55 | 1.802 | 0.76 |
| 11/27/07 17:00 | 1.802 | 0.76 |
| 11/27/07 17:05 | 1.801 | 0.76 |
| 11/27/07 17:10 | 1.802 | 0.76 |
| 11/27/07 17:15 | 1.802 | 0.76 |
| 11/27/07 17:20 | 1.801 | 0.76 |
| 11/27/07 17:25 | 1.802 | 0.73 |
| 11/27/07 17:30 | 1.801 | 0.73 |
| 11/27/07 17:35 | 1.8 | 0.75 |
| 11/27/07 17:40 | 1.8 | 0.75 |
| 11/27/07 17:45 | 1.799 | 0.75 |
| 11/27/07 17:50 | 1.799 | 0.73 |
| 11/27/07 17:55 | 1.798 | 0.73 |
| 11/27/07 18:00 | 1.797 | 0.7 |
| 11/27/07 18:05 | 1.797 | 0.77 |
| 11/27/07 18:10 | 1.796 | 0.77 |
| 11/27/07 18:15 | 1.795 | 0.77 |
| 11/27/07 18:20 | 1.794 | 0.77 |
| 11/27/07 18:25 | 1.794 | 0.74 |
| 11/27/07 18:30 | 1.793 | 0.74 |
| 11/27/07 18:35 | 1.791 | 0.74 |
| 11/27/07 18:40 | 1.792 | 0.71 |
| 11/27/07 18:45 | 1.792 | 0.71 |
| 11/27/07 18:50 | 1.79 | 0.68 |
| 11/27/07 18:55 | 1.791 | 0.75 |
| 11/27/07 19:00 | 1.79 | 0.71 |
| 11/27/07 19:05 | 1.788 | 0.71 |
| 11/27/07 19:10 | 1.789 | 0.69 |
| 11/27/07 19:15 | 1.788 | 0.76 |
| 11/27/07 19:20 | 1.788 | 0.71 |
| 11/27/07 19:25 | 1.787 | 0.71 |
| 11/27/07 19:30 | 1.786 | 0.71 |
| 11/27/07 19:35 | 1.786 | 0.74 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 19:40 | 1.785 | 0.71 |
| 11/27/07 19:45 | 1.784 | 0.73 |
| 11/27/07 19:50 | 1.784 | 0.74 |
| 11/27/07 19:55 | 1.784 | 0.7 |
| 11/27/07 20:00 | 1.783 | 0.77 |
| 11/27/07 20:05 | 1.781 | 0.69 |
| 11/27/07 20:10 | 1.78 | 0.75 |
| 11/27/07 20:15 | 1.779 | 0.74 |
| 11/27/07 20:20 | 1.777 | 0.75 |
| 11/27/07 20:25 | 1.777 | 0.75 |
| 11/27/07 20:30 | 1.776 | 0.74 |
| 11/27/07 20:35 | 1.775 | 0.74 |
| 11/27/07 20:40 | 1.774 | 0.74 |
| 11/27/07 20:45 | 1.773 | 0.74 |
| 11/27/07 20:50 | 1.771 | 0.7 |
| 11/27/07 20:55 | 1.769 | 0.73 |
| 11/27/07 21:00 | 1.769 | 0.8 |
| 11/27/07 21:05 | 1.767 | 0.7 |
| 11/27/07 21:10 | 1.767 | 0.73 |
| 11/27/07 21:15 | 1.765 | 0.7 |
| 11/27/07 21:20 | 1.764 | 0.76 |
| 11/27/07 21:25 | 1.763 | 0.74 |
| 11/27/07 21:30 | 1.763 | 0.74 |
| 11/27/07 21:35 | 1.764 | 0.73 |
| 11/27/07 21:40 | 1.763 | 0.73 |
| 11/27/07 21:45 | 1.761 | 0.78 |
| 11/27/07 21:50 | 1.76 | 0.78 |
| 11/27/07 21:55 | 1.76 | 0.7 |
| 11/27/07 22:00 | 1.759 | 0.73 |
| 11/27/07 22:05 | 1.758 | 0.73 |
| 11/27/07 22:10 | 1.757 | 0.77 |
| 11/27/07 22:15 | 1.756 | 0.72 |
| 11/27/07 22:20 | 1.756 | 0.72 |
| 11/27/07 22:25 | 1.755 | 0.72 |
| 11/27/07 22:30 | 1.754 | 0.76 |
| 11/27/07 22:35 | 1.754 | 0.71 |
| 11/27/07 22:40 | 1.753 | 0.74 |
| 11/27/07 22:45 | 1.754 | 0.73 |
| 11/27/07 22:50 | 1.752 | 0.74 |
| 11/27/07 22:55 | 1.753 | 0.73 |
| 11/27/07 23:00 | 1.753 | 0.69 |
| 11/27/07 23:05 | 1.752 | 0.72 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/27/07 23:10 | 1.752 | 0.69 |
| 11/27/07 23:15 | 1.753 | 0.73 |
| 11/27/07 23:20 | 1.751 | 0.74 |
| 11/27/07 23:25 | 1.752 | 0.74 |
| 11/27/07 23:30 | 1.751 | 0.71 |
| 11/27/07 23:35 | 1.75 | 0.72 |
| 11/27/07 23:40 | 1.747 | 0.73 |
| 11/27/07 23:45 | 1.748 | 0.76 |
| 11/27/07 23:50 | 1.748 | 0.73 |
| 11/27/07 23:55 | 1.749 | 0.74 |
| 11/28/07 0:00 | 1.747 | 0.74 |
| 11/28/07 0:05 | 1.747 | 0.71 |
| 11/28/07 0:10 | 1.745 | 0.71 |
| 11/28/07 0:15 | 1.744 | 0.68 |
| 11/28/07 0:20 | 1.744 | 0.7 |
| 11/28/07 0:25 | 1.744 | 0.72 |
| 11/28/07 0:30 | 1.742 | 0.76 |
| 11/28/07 0:35 | 1.742 | 0.71 |
| 11/28/07 0:40 | 1.744 | 0.74 |
| 11/28/07 0:45 | 1.744 | 0.72 |
| 11/28/07 0:50 | 1.745 | 0.71 |
| 11/28/07 0:55 | 1.742 | 0.71 |
| 11/28/07 1:00 | 1.744 | 0.72 |
| 11/28/07 1:05 | 1.746 | 0.71 |
| 11/28/07 1:10 | 1.745 | 0.73 |
| 11/28/07 1:15 | 1.746 | 0.7 |
| 11/28/07 1:20 | 1.745 | 0.72 |
| 11/28/07 1:25 | 1.745 | 0.72 |
| 11/28/07 1:30 | 1.746 | 0.75 |
| 11/28/07 1:35 | 1.747 | 0.7 |
| 11/28/07 1:40 | 1.745 | 0.73 |
| 11/28/07 1:45 | 1.746 | 0.7 |
| 11/28/07 1:50 | 1.746 | 0.72 |
| 11/28/07 1:55 | 1.746 | 0.72 |
| 11/28/07 2:00 | 1.746 | 0.69 |
| 11/28/07 2:05 | 1.746 | 0.71 |
| 11/28/07 2:10 | 1.747 | 0.71 |
| 11/28/07 2:15 | 1.745 | 0.71 |
| 11/28/07 2:20 | 1.751 | 0.71 |
| 11/28/07 2:25 | 1.745 | 0.67 |
| 11/28/07 2:30 | 1.747 | 0.73 |
| 11/28/07 2:35 | 1.748 | 0.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 2:40 | 1.746 | 0.7 |
| 11/28/07 2:45 | 1.745 | 0.78 |
| 11/28/07 2:50 | 1.746 | 0.72 |
| 11/28/07 2:55 | 1.745 | 0.69 |
| 11/28/07 3:00 | 1.745 | 0.64 |
| 11/28/07 3:05 | 1.745 | 0.73 |
| 11/28/07 3:10 | 1.745 | 0.74 |
| 11/28/07 3:15 | 1.746 | 0.69 |
| 11/28/07 3:20 | 1.745 | 0.75 |
| 11/28/07 3:25 | 1.746 | 0.72 |
| 11/28/07 3:30 | 1.747 | 0.74 |
| 11/28/07 3:35 | 1.747 | 0.71 |
| 11/28/07 3:40 | 1.746 | 0.82 |
| 11/28/07 3:45 | 1.746 | 0.73 |
| 11/28/07 3:50 | 1.747 | 0.71 |
| 11/28/07 3:55 | 1.746 | 0.71 |
| 11/28/07 4:00 | 1.747 | 0.75 |
| 11/28/07 4:05 | 1.745 | 0.66 |
| 11/28/07 4:10 | 1.747 | 0.72 |
| 11/28/07 4:15 | 1.747 | 0.71 |
| 11/28/07 4:20 | 1.747 | 0.71 |
| 11/28/07 4:25 | 1.747 | 0.75 |
| 11/28/07 4:30 | 1.747 | 0.73 |
| 11/28/07 4:35 | 1.747 | 0.76 |
| 11/28/07 4:40 | 1.746 | 0.74 |
| 11/28/07 4:45 | 1.747 | 0.74 |
| 11/28/07 4:50 | 1.746 | 0.71 |
| 11/28/07 4:55 | 1.747 | 0.71 |
| 11/28/07 5:00 | 1.747 | 0.74 |
| 11/28/07 5:05 | 1.745 | 0.71 |
| 11/28/07 5:10 | 1.744 | 0.68 |
| 11/28/07 5:15 | 1.744 | 0.68 |
| 11/28/07 5:20 | 1.742 | 0.7 |
| 11/28/07 5:25 | 1.744 | 0.73 |
| 11/28/07 5:30 | 1.744 | 0.73 |
| 11/28/07 5:35 | 1.743 | 0.71 |
| 11/28/07 5:40 | 1.743 | 0.74 |
| 11/28/07 5:45 | 1.742 | 0.65 |
| 11/28/07 5:50 | 1.734 | 0.63 |
| 11/28/07 5:55 | 1.73 | 0.66 |
| 11/28/07 6:00 | 1.726 | 0.65 |
| 11/28/07 6:05 | 1.725 | 0.66 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 6:10 | 1.721 | 0.69 |
| 11/28/07 6:15 | 1.72 | 0.7 |
| 11/28/07 6:20 | 1.719 | 0.64 |
| 11/28/07 6:25 | 1.719 | 0.7 |
| 11/28/07 6:30 | 1.718 | 0.68 |
| 11/28/07 6:35 | 1.718 | 0.68 |
| 11/28/07 6:40 | 1.716 | 0.67 |
| 11/28/07 6:45 | 1.717 | 0.66 |
| 11/28/07 6:50 | 1.716 | 0.66 |
| 11/28/07 6:55 | 1.716 | 0.66 |
| 11/28/07 7:00 | 1.716 | 0.68 |
| 11/28/07 7:05 | 1.716 | 0.68 |
| 11/28/07 7:10 | 1.716 | 0.68 |
| 11/28/07 7:15 | 1.716 | 0.66 |
| 11/28/07 7:20 | 1.716 | 0.66 |
| 11/28/07 7:25 | 1.715 | 0.69 |
| 11/28/07 7:30 | 1.715 | 0.67 |
| 11/28/07 7:35 | 1.717 | 0.72 |
| 11/28/07 7:40 | 1.717 | 0.7 |
| 11/28/07 7:45 | 1.717 | 0.69 |
| 11/28/07 7:50 | 1.717 | 0.69 |
| 11/28/07 7:55 | 1.718 | 0.69 |
| 11/28/07 8:00 | 1.718 | 0.69 |
| 11/28/07 8:05 | 1.718 | 0.73 |
| 11/28/07 8:10 | 1.718 | 0.66 |
| 11/28/07 8:15 | 1.719 | 0.71 |
| 11/28/07 8:20 | 1.718 | 0.72 |
| 11/28/07 8:25 | 1.719 | 0.67 |
| 11/28/07 8:30 | 1.719 | 0.67 |
| 11/28/07 8:35 | 1.72 | 0.68 |
| 11/28/07 8:40 | 1.72 | 0.74 |
| 11/28/07 8:45 | 1.721 | 0.69 |
| 11/28/07 8:50 | 1.721 | 0.71 |
| 11/28/07 8:55 | 1.721 | 0.71 |
| 11/28/07 9:00 | 1.721 | 0.7 |
| 11/28/07 9:05 | 1.722 | 0.71 |
| 11/28/07 9:10 | 1.721 | 0.73 |
| 11/28/07 9:15 | 1.721 | 0.66 |
| 11/28/07 9:20 | 1.721 | 0.66 |
| 11/28/07 9:25 | 1.722 | 0.63 |
| 11/28/07 9:30 | 1.721 | 0.66 |
| 11/28/07 9:35 | 1.722 | 0.62 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 9:40 | 1.721 | 0.63 |
| 11/28/07 9:45 | 1.722 | 0.69 |
| 11/28/07 9:50 | 1.722 | 0.74 |
| 11/28/07 9:55 | 1.721 | 0.66 |
| 11/28/07 10:00 | 1.722 | 0.64 |
| 11/28/07 10:05 | 1.722 | 0.69 |
| 11/28/07 10:10 | 1.722 | 0.66 |
| 11/28/07 10:15 | 1.721 | 0.66 |
| 11/28/07 10:20 | 1.722 | 0.66 |
| 11/28/07 10:25 | 1.721 | 0.66 |
| 11/28/07 10:30 | 1.722 | 0.65 |
| 11/28/07 10:35 | 1.722 | 0.65 |
| 11/28/07 10:40 | 1.721 | 0.65 |
| 11/28/07 10:45 | 1.723 | 0.65 |
| 11/28/07 10:50 | 1.723 | 0.68 |
| 11/28/07 10:55 | 1.723 | 0.65 |
| 11/28/07 11:00 | 1.722 | 0.67 |
| 11/28/07 11:05 | 1.722 | 0.67 |
| 11/28/07 11:10 | 1.721 | 0.62 |
| 11/28/07 11:15 | 1.722 | 0.62 |
| 11/28/07 11:20 | 1.723 | 0.65 |
| 11/28/07 11:25 | 1.723 | 0.62 |
| 11/28/07 11:30 | 1.722 | 0.69 |
| 11/28/07 11:35 | 1.724 | 0.67 |
| 11/28/07 11:40 | 1.722 | 0.64 |
| 11/28/07 11:45 | 1.723 | 0.64 |
| 11/28/07 11:50 | 1.724 | 0.62 |
| 11/28/07 11:55 | 1.723 | 0.61 |
| 11/28/07 12:00 | 1.723 | 0.61 |
| 11/28/07 12:05 | 1.723 | 0.63 |
| 11/28/07 12:10 | 1.722 | 0.63 |
| 11/28/07 12:15 | 1.724 | 0.65 |
| 11/28/07 12:20 | 1.724 | 0.67 |
| 11/28/07 12:25 | 1.723 | 0.64 |
| 11/28/07 12:30 | 1.722 | 0.66 |
| 11/28/07 12:35 | 1.722 | 0.65 |
| 11/28/07 12:40 | 1.723 | 0.67 |
| 11/28/07 12:45 | 1.722 | 0.65 |
| 11/28/07 12:50 | 1.722 | 0.68 |
| 11/28/07 12:55 | 1.721 | 0.7 |
| 11/28/07 13:00 | 1.722 | 0.68 |
| 11/28/07 13:05 | 1.722 | 0.66 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 13:10 | 1.72 | 0.71 |
| 11/28/07 13:15 | 1.722 | 0.62 |
| 11/28/07 13:20 | 1.721 | 0.66 |
| 11/28/07 13:25 | 1.722 | 0.65 |
| 11/28/07 13:30 | 1.721 | 0.68 |
| 11/28/07 13:35 | 1.72 | 0.68 |
| 11/28/07 13:40 | 1.722 | 0.69 |
| 11/28/07 13:45 | 1.722 | 0.66 |
| 11/28/07 13:50 | 1.721 | 0.66 |
| 11/28/07 13:55 | 1.72 | 0.68 |
| 11/28/07 14:00 | 1.72 | 0.66 |
| 11/28/07 14:05 | 1.721 | 0.68 |
| 11/28/07 14:10 | 1.721 | 0.63 |
| 11/28/07 14:15 | 1.722 | 0.7 |
| 11/28/07 14:20 | 1.72 | 0.65 |
| 11/28/07 14:25 | 1.72 | 0.64 |
| 11/28/07 14:30 | 1.721 | 0.71 |
| 11/28/07 14:35 | 1.721 | 0.63 |
| 11/28/07 14:40 | 1.722 | 0.62 |
| 11/28/07 14:45 | 1.722 | 0.67 |
| 11/28/07 14:50 | 1.721 | 0.71 |
| 11/28/07 14:55 | 1.721 | 0.68 |
| 11/28/07 15:00 | 1.72 | 0.66 |
| 11/28/07 15:05 | 1.721 | 0.63 |
| 11/28/07 15:10 | 1.721 | 0.63 |
| 11/28/07 15:15 | 1.72 | 0.63 |
| 11/28/07 15:20 | 1.721 | 0.66 |
| 11/28/07 15:25 | 1.72 | 0.67 |
| 11/28/07 15:30 | 1.72 | 0.66 |
| 11/28/07 15:35 | 1.72 | 0.67 |
| 11/28/07 15:40 | 1.721 | 0.7 |
| 11/28/07 15:45 | 1.72 | 0.63 |
| 11/28/07 15:50 | 1.72 | 0.65 |
| 11/28/07 15:55 | 1.72 | 0.59 |
| 11/28/07 16:00 | 1.72 | 0.64 |
| 11/28/07 16:05 | 1.721 | 0.63 |
| 11/28/07 16:10 | 1.72 | 0.65 |
| 11/28/07 16:15 | 1.72 | 0.62 |
| 11/28/07 16:20 | 1.719 | 0.63 |
| 11/28/07 16:25 | 1.719 | 0.67 |
| 11/28/07 16:30 | 1.719 | 0.67 |
| 11/28/07 16:35 | 1.72 | 0.68 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 16:40 | 1.72 | 0.63 |
| 11/28/07 16:45 | 1.719 | 0.65 |
| 11/28/07 16:50 | 1.72 | 0.67 |
| 11/28/07 16:55 | 1.719 | 0.67 |
| 11/28/07 17:00 | 1.719 | 0.67 |
| 11/28/07 17:05 | 1.72 | 0.69 |
| 11/28/07 17:10 | 1.719 | 0.67 |
| 11/28/07 17:15 | 1.72 | 0.64 |
| 11/28/07 17:20 | 1.72 | 0.68 |
| 11/28/07 17:25 | 1.72 | 0.64 |
| 11/28/07 17:30 | 1.72 | 0.67 |
| 11/28/07 17:35 | 1.72 | 0.68 |
| 11/28/07 17:40 | 1.72 | 0.65 |
| 11/28/07 17:45 | 1.72 | 0.66 |
| 11/28/07 17:50 | 1.72 | 0.65 |
| 11/28/07 17:55 | 1.72 | 0.66 |
| 11/28/07 18:00 | 1.719 | 0.66 |
| 11/28/07 18:05 | 1.719 | 0.63 |
| 11/28/07 18:10 | 1.719 | 0.7 |
| 11/28/07 18:15 | 1.717 | 0.67 |
| 11/28/07 18:20 | 1.717 | 0.67 |
| 11/28/07 18:25 | 1.717 | 0.68 |
| 11/28/07 18:30 | 1.716 | 0.67 |
| 11/28/07 18:35 | 1.716 | 0.65 |
| 11/28/07 18:40 | 1.716 | 0.67 |
| 11/28/07 18:45 | 1.715 | 0.66 |
| 11/28/07 18:50 | 1.716 | 0.67 |
| 11/28/07 18:55 | 1.716 | 0.71 |
| 11/28/07 19:00 | 1.715 | 0.7 |
| 11/28/07 19:05 | 1.716 | 0.69 |
| 11/28/07 19:10 | 1.716 | 0.66 |
| 11/28/07 19:15 | 1.715 | 0.68 |
| 11/28/07 19:20 | 1.714 | 0.67 |
| 11/28/07 19:25 | 1.716 | 0.67 |
| 11/28/07 19:30 | 1.715 | 0.66 |
| 11/28/07 19:35 | 1.714 | 0.69 |
| 11/28/07 19:40 | 1.714 | 0.65 |
| 11/28/07 19:45 | 1.714 | 0.62 |
| 11/28/07 19:50 | 1.713 | 0.67 |
| 11/28/07 19:55 | 1.712 | 0.65 |
| 11/28/07 20:00 | 1.713 | 0.68 |
| 11/28/07 20:05 | 1.712 | 0.73 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 20:10 | 1.712 | 0.65 |
| 11/28/07 20:15 | 1.712 | 0.63 |
| 11/28/07 20:20 | 1.711 | 0.64 |
| 11/28/07 20:25 | 1.709 | 0.65 |
| 11/28/07 20:30 | 1.709 | 0.62 |
| 11/28/07 20:35 | 1.709 | 0.64 |
| 11/28/07 20:40 | 1.708 | 0.61 |
| 11/28/07 20:45 | 1.708 | 0.61 |
| 11/28/07 20:50 | 1.707 | 0.61 |
| 11/28/07 20:55 | 1.705 | 0.65 |
| 11/28/07 21:00 | 1.707 | 0.65 |
| 11/28/07 21:05 | 1.706 | 0.63 |
| 11/28/07 21:10 | 1.703 | 0.61 |
| 11/28/07 21:15 | 1.701 | 0.64 |
| 11/28/07 21:20 | 1.697 | 0.64 |
| 11/28/07 21:25 | 1.694 | 0.6 |
| 11/28/07 21:30 | 1.691 | 0.66 |
| 11/28/07 21:35 | 1.688 | 0.66 |
| 11/28/07 21:40 | 1.687 | 0.66 |
| 11/28/07 21:45 | 1.684 | 0.63 |
| 11/28/07 21:50 | 1.684 | 0.66 |
| 11/28/07 21:55 | 1.683 | 0.66 |
| 11/28/07 22:00 | 1.681 | 0.67 |
| 11/28/07 22:05 | 1.68 | 0.71 |
| 11/28/07 22:10 | 1.679 | 0.71 |
| 11/28/07 22:15 | 1.677 | 0.63 |
| 11/28/07 22:20 | 1.676 | 0.59 |
| 11/28/07 22:25 | 1.677 | 0.6 |
| 11/28/07 22:30 | 1.675 | 0.59 |
| 11/28/07 22:35 | 1.676 | 0.62 |
| 11/28/07 22:40 | 1.675 | 0.62 |
| 11/28/07 22:45 | 1.674 | 0.65 |
| 11/28/07 22:50 | 1.675 | 0.65 |
| 11/28/07 22:55 | 1.673 | 0.62 |
| 11/28/07 23:00 | 1.674 | 0.59 |
| 11/28/07 23:05 | 1.673 | 0.63 |
| 11/28/07 23:10 | 1.673 | 0.58 |
| 11/28/07 23:15 | 1.673 | 0.58 |
| 11/28/07 23:20 | 1.671 | 0.58 |
| 11/28/07 23:25 | 1.673 | 0.6 |
| 11/28/07 23:30 | 1.671 | 0.6 |
| 11/28/07 23:35 | 1.667 | 0.62 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/28/07 23:40 | 1.665 | 0.58 |
| 11/28/07 23:45 | 1.662 | 0.61 |
| 11/28/07 23:50 | 1.659 | 0.63 |
| 11/28/07 23:55 | 1.658 | 0.63 |
| 11/29/07 0:00 | 1.656 | 0.63 |
| 11/29/07 0:05 | 1.654 | 0.63 |
| 11/29/07 0:10 | 1.654 | 0.63 |
| 11/29/07 0:15 | 1.652 | 0.63 |
| 11/29/07 0:20 | 1.653 | 0.63 |
| 11/29/07 0:25 | 1.653 | 0.63 |
| 11/29/07 0:30 | 1.654 | 0.63 |
| 11/29/07 0:35 | 1.657 | 0.62 |
| 11/29/07 0:40 | 1.658 | 0.62 |
| 11/29/07 0:45 | 1.659 | 0.62 |
| 11/29/07 0:50 | 1.658 | 0.65 |
| 11/29/07 0:55 | 1.657 | 0.62 |
| 11/29/07 1:00 | 1.651 | 0.62 |
| 11/29/07 1:05 | 1.65 | 0.58 |
| 11/29/07 1:10 | 1.647 | 0.59 |
| 11/29/07 1:15 | 1.645 | 0.59 |
| 11/29/07 1:20 | 1.643 | 0.63 |
| 11/29/07 1:25 | 1.64 | 0.63 |
| 11/29/07 1:30 | 1.639 | 0.63 |
| 11/29/07 1:35 | 1.637 | 0.55 |
| 11/29/07 1:40 | 1.636 | 0.55 |
| 11/29/07 1:45 | 1.635 | 0.61 |
| 11/29/07 1:50 | 1.634 | 0.61 |
| 11/29/07 1:55 | 1.633 | 0.61 |
| 11/29/07 2:00 | 1.633 | 0.61 |
| 11/29/07 2:05 | 1.632 | 0.61 |
| 11/29/07 2:10 | 1.632 | 0.61 |
| 11/29/07 2:15 | 1.632 | 0.61 |
| 11/29/07 2:20 | 1.631 | 0.61 |
| 11/29/07 2:25 | 1.632 | 0.61 |
| 11/29/07 2:30 | 1.631 | 0.64 |
| 11/29/07 2:35 | 1.631 | 0.46 |
| 11/29/07 2:40 | 1.632 | 0.46 |
| 11/29/07 2:45 | 1.633 | 0.46 |
| 11/29/07 2:50 | 1.633 | 0.58 |
| 11/29/07 2:55 | 1.632 | 0.57 |
| 11/29/07 3:00 | 1.632 | 0.61 |
| 11/29/07 3:05 | 1.632 | 0.58 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 3:10 | 1.633 | 0.58 |
| 11/29/07 3:15 | 1.633 | 0.58 |
| 11/29/07 3:20 | 1.634 | 0.58 |
| 11/29/07 3:25 | 1.634 | 0.58 |
| 11/29/07 3:30 | 1.635 | 0.62 |
| 11/29/07 3:35 | 1.634 | 0.62 |
| 11/29/07 3:40 | 1.635 | 0.62 |
| 11/29/07 3:45 | 1.635 | 0.62 |
| 11/29/07 3:50 | 1.638 | 0.62 |
| 11/29/07 3:55 | 1.637 | 0.58 |
| 11/29/07 4:00 | 1.637 | 0.59 |
| 11/29/07 4:05 | 1.637 | 0.45 |
| 11/29/07 4:10 | 1.637 | 0.45 |
| 11/29/07 4:15 | 1.638 | 0.56 |
| 11/29/07 4:20 | 1.638 | 0.56 |
| 11/29/07 4:25 | 1.639 | 0.62 |
| 11/29/07 4:30 | 1.638 | 0.62 |
| 11/29/07 4:35 | 1.638 | 0.57 |
| 11/29/07 4:40 | 1.638 | 0.63 |
| 11/29/07 4:45 | 1.64 | 0.62 |
| 11/29/07 4:50 | 1.639 | 0.6 |
| 11/29/07 4:55 | 1.64 | 0.57 |
| 11/29/07 5:00 | 1.642 | 0.57 |
| 11/29/07 5:05 | 1.641 | 0.61 |
| 11/29/07 5:10 | 1.641 | 0.61 |
| 11/29/07 5:15 | 1.641 | 0.61 |
| 11/29/07 5:20 | 1.641 | 0.61 |
| 11/29/07 5:25 | 1.642 | 0.58 |
| 11/29/07 5:30 | 1.641 | 0.61 |
| 11/29/07 5:35 | 1.642 | 0.58 |
| 11/29/07 5:40 | 1.64 | 0.58 |
| 11/29/07 5:45 | 1.634 | 0.54 |
| 11/29/07 5:50 | 1.625 | 0.54 |
| 11/29/07 5:55 | 1.618 | 0.48 |
| 11/29/07 6:00 | 1.612 | 0.56 |
| 11/29/07 6:05 | 1.608 | 0.56 |
| 11/29/07 6:10 | 1.603 | 0.56 |
| 11/29/07 6:15 | 1.6 | 0.54 |
| 11/29/07 6:20 | 1.597 | 0.55 |
| 11/29/07 6:25 | 1.594 | 0.55 |
| 11/29/07 6:30 | 1.592 | 0.47 |
| 11/29/07 6:35 | 1.588 | 0.47 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 6:40 | 1.59 | 0.55 |
| 11/29/07 6:45 | 1.592 | 0.55 |
| 11/29/07 6:50 | 1.586 | 0.58 |
| 11/29/07 6:55 | 1.588 | 0.57 |
| 11/29/07 7:00 | 1.586 | 0.55 |
| 11/29/07 7:05 | 1.585 | 0.35 |
| 11/29/07 7:10 | 1.584 | 0.54 |
| 11/29/07 7:15 | 1.584 | 0.56 |
| 11/29/07 7:20 | 1.582 | 0.59 |
| 11/29/07 7:25 | 1.582 | 0.55 |
| 11/29/07 7:30 | 1.582 | 0.58 |
| 11/29/07 7:35 | 1.583 | 0.58 |
| 11/29/07 7:40 | 1.583 | 0.55 |
| 11/29/07 7:45 | 1.583 | 0.55 |
| 11/29/07 7:50 | 1.582 | 0.54 |
| 11/29/07 7:55 | 1.584 | 0.54 |
| 11/29/07 8:00 | 1.584 | 0.6 |
| 11/29/07 8:05 | 1.585 | 0.54 |
| 11/29/07 8:10 | 1.587 | 0.44 |
| 11/29/07 8:15 | 1.586 | 0.44 |
| 11/29/07 8:20 | 1.588 | 0.44 |
| 11/29/07 8:25 | 1.588 | 0.44 |
| 11/29/07 8:30 | 1.587 | 0.57 |
| 11/29/07 8:35 | 1.589 | 0.57 |
| 11/29/07 8:40 | 1.588 | 0.57 |
| 11/29/07 8:45 | 1.588 | 0.51 |
| 11/29/07 8:50 | 1.589 | 0.51 |
| 11/29/07 8:55 | 1.591 | 0.51 |
| 11/29/07 9:00 | 1.591 | 0.55 |
| 11/29/07 9:05 | 1.59 | 0.48 |
| 11/29/07 9:10 | 1.591 | 0.44 |
| 11/29/07 9:15 | 1.593 | 0.59 |
| 11/29/07 9:20 | 1.592 | 0.55 |
| 11/29/07 9:25 | 1.592 | 0.56 |
| 11/29/07 9:30 | 1.592 | 0.43 |
| 11/29/07 9:35 | 1.592 | 0.58 |
| 11/29/07 9:40 | 1.592 | 0.55 |
| 11/29/07 9:45 | 1.594 | 0.39 |
| 11/29/07 9:50 | 1.594 | 0.39 |
| 11/29/07 9:55 | 1.595 | 0.39 |
| 11/29/07 10:00 | 1.594 | 0.39 |
| 11/29/07 10:05 | 1.594 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 10:10 | 1.596 | 0.37 |
| 11/29/07 10:15 | 1.596 | 0.58 |
| 11/29/07 10:20 | 1.6 | 0.58 |
| 11/29/07 10:25 | 1.598 | 0.59 |
| 11/29/07 10:30 | 1.597 | 0.53 |
| 11/29/07 10:35 | 1.66 | 0.53 |
| 11/29/07 10:40 | 1.71 | 0.53 |
| 11/29/07 10:45 | 1.748 | 0.53 |
| 11/29/07 10:50 | 1.778 | 0.53 |
| 11/29/07 10:55 | 1.806 | 0.53 |
| 11/29/07 11:00 | 1.828 | 0.53 |
| 11/29/07 11:05 | 1.848 | 0.47 |
| 11/29/07 11:10 | 1.86 | 0.47 |
| 11/29/07 11:15 | 1.87 | 0.63 |
| 11/29/07 11:20 | 1.878 | 0.63 |
| 11/29/07 11:25 | 1.882 | 0.63 |
| 11/29/07 11:30 | 1.888 | 0.63 |
| 11/29/07 11:35 | 1.891 | 0.63 |
| 11/29/07 11:40 | 1.894 | 0.63 |
| 11/29/07 11:45 | 1.894 | 0.53 |
| 11/29/07 11:50 | 1.893 | 0.53 |
| 11/29/07 11:55 | 1.894 | 0.53 |
| 11/29/07 12:00 | 1.894 | 0.53 |
| 11/29/07 12:05 | 1.893 | 0.53 |
| 11/29/07 12:10 | 1.892 | 0.53 |
| 11/29/07 12:15 | 1.893 | 0.47 |
| 11/29/07 12:20 | 1.89 | 0.47 |
| 11/29/07 12:25 | 1.89 | 0.47 |
| 11/29/07 12:30 | 1.891 | 0.44 |
| 11/29/07 12:35 | 1.891 | 0.49 |
| 11/29/07 12:40 | 1.891 | 0.46 |
| 11/29/07 12:45 | 1.894 | 0.46 |
| 11/29/07 12:50 | 1.896 | 0.46 |
| 11/29/07 12:55 | 1.896 | 0.46 |
| 11/29/07 13:00 | 1.909 | 0.46 |
| 11/29/07 13:05 | 1.92 | 0.44 |
| 11/29/07 13:10 | 1.949 | 0.39 |
| 11/29/07 13:15 | 1.97 | 0.39 |
| 11/29/07 13:20 | 1.982 | 0.39 |
| 11/29/07 13:25 | 1.989 | 0.39 |
| 11/29/07 13:30 | 1.989 | 0.39 |
| 11/29/07 13:35 | 1.987 | 0.39 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 13:40 | 1.982 | 0.39 |
| 11/29/07 13:45 | 1.973 | 0.43 |
| 11/29/07 13:50 | 1.968 | 0.39 |
| 11/29/07 13:55 | 1.962 | 0.51 |
| 11/29/07 14:00 | 1.957 | 0.51 |
| 11/29/07 14:05 | 1.951 | 0.38 |
| 11/29/07 14:10 | 1.945 | 0.34 |
| 11/29/07 14:15 | 1.941 | 0.4 |
| 11/29/07 14:20 | 1.937 | 0.4 |
| 11/29/07 14:25 | 1.932 | 0.5 |
| 11/29/07 14:30 | 1.931 | 0.54 |
| 11/29/07 14:35 | 1.926 | 0.48 |
| 11/29/07 14:40 | 1.923 | 0.48 |
| 11/29/07 14:45 | 1.919 | 0.48 |
| 11/29/07 14:50 | 1.918 | 0.45 |
| 11/29/07 14:55 | 1.916 | 0.45 |
| 11/29/07 15:00 | 1.914 | 0.47 |
| 11/29/07 15:05 | 1.911 | 0.42 |
| 11/29/07 15:10 | 1.908 | 0.42 |
| 11/29/07 15:15 | 1.908 | 0.42 |
| 11/29/07 15:20 | 1.904 | 0.42 |
| 11/29/07 15:25 | 1.9 | 0.42 |
| 11/29/07 15:30 | 1.895 | 0.41 |
| 11/29/07 15:35 | 1.892 | 0.36 |
| 11/29/07 15:40 | 1.891 | 0.42 |
| 11/29/07 15:45 | 1.889 | 0.42 |
| 11/29/07 15:50 | 1.887 | 0.42 |
| 11/29/07 15:55 | 1.885 | 0.41 |
| 11/29/07 16:00 | 1.884 | 0.42 |
| 11/29/07 16:05 | 1.884 | 0.42 |
| 11/29/07 16:10 | 1.881 | 0.42 |
| 11/29/07 16:15 | 1.879 | 0.53 |
| 11/29/07 16:20 | 1.88 | 0.53 |
| 11/29/07 16:25 | 1.879 | 0.53 |
| 11/29/07 16:30 | 1.877 | 0.53 |
| 11/29/07 16:35 | 1.878 | 0.53 |
| 11/29/07 16:40 | 1.876 | 0.53 |
| 11/29/07 16:45 | 1.877 | 0.53 |
| 11/29/07 16:50 | 1.876 | 0.53 |
| 11/29/07 16:55 | 1.876 | 0.53 |
| 11/29/07 17:00 | 1.876 | 0.53 |
| 11/29/07 17:05 | 1.875 | 0.47 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 17:10 | 1.876 | 0.48 |
| 11/29/07 17:15 | 1.873 | 0.48 |
| 11/29/07 17:20 | 1.873 | 0.45 |
| 11/29/07 17:25 | 1.873 | 0.45 |
| 11/29/07 17:30 | 1.871 | 0.52 |
| 11/29/07 17:35 | 1.87 | 0.52 |
| 11/29/07 17:40 | 1.871 | 0.42 |
| 11/29/07 17:45 | 1.87 | 0.42 |
| 11/29/07 17:50 | 1.87 | 0.42 |
| 11/29/07 17:55 | 1.869 | 0.42 |
| 11/29/07 18:00 | 1.867 | 0.62 |
| 11/29/07 18:05 | 1.867 | 0.62 |
| 11/29/07 18:10 | 1.863 | 0.43 |
| 11/29/07 18:15 | 1.866 | 0.43 |
| 11/29/07 18:20 | 1.864 | 0.49 |
| 11/29/07 18:25 | 1.863 | 0.49 |
| 11/29/07 18:30 | 1.862 | 0.49 |
| 11/29/07 18:35 | 1.862 | 0.49 |
| 11/29/07 18:40 | 1.861 | 0.39 |
| 11/29/07 18:45 | 1.858 | 0.41 |
| 11/29/07 18:50 | 1.859 | 0.38 |
| 11/29/07 18:55 | 1.859 | 0.44 |
| 11/29/07 19:00 | 1.856 | 0.44 |
| 11/29/07 19:05 | 1.857 | 0.44 |
| 11/29/07 19:10 | 1.857 | 0.51 |
| 11/29/07 19:15 | 1.855 | 0.5 |
| 11/29/07 19:20 | 1.854 | 0.47 |
| 11/29/07 19:25 | 1.853 | 0.46 |
| 11/29/07 19:30 | 1.849 | 0.46 |
| 11/29/07 19:35 | 1.849 | 0.4 |
| 11/29/07 19:40 | 1.845 | 0.4 |
| 11/29/07 19:45 | 1.845 | 0.43 |
| 11/29/07 19:50 | 1.842 | 0.43 |
| 11/29/07 19:55 | 1.842 | 0.43 |
| 11/29/07 20:00 | 1.838 | 0.42 |
| 11/29/07 20:05 | 1.837 | 0.43 |
| 11/29/07 20:10 | 1.833 | 0.34 |
| 11/29/07 20:15 | 1.83 | 0.44 |
| 11/29/07 20:20 | 1.829 | 0.44 |
| 11/29/07 20:25 | 1.827 | 0.44 |
| 11/29/07 20:30 | 1.825 | 0.39 |
| 11/29/07 20:35 | 1.825 | 0.37 |

UNKAMET BROOK FLOW MONITORING DATA - NOVEMBER 9, 2007 THROUGH NOVEMBER 30, 2007

UNKAMET BROOK AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS

| Site Name Isco Quantity Label Units Resolution Significant Digits | 2100 Series Site Level Level ft 0.001 5 | 2100 Series Site Velocity Velocity ft/s 0.01 4 |
|--|--|---|
| 11/29/07 20:40 | 1.821 | 0.37 |
| 11/29/07 20:45 | 1.82 | 0.37 |
| 11/29/07 20:50 | 1.81 | 0.43 |
| 11/29/07 20:55 | 1.805 | 0.43 |
| 11/29/07 21:00 | 1.8 | 0.62 |
| 11/29/07 21:05 | 1.796 | 0.62 |
| 11/29/07 21:10 | 1.792 | 0.62 |
| 11/29/07 21:15 | 1.79 | 0.43 |
| 11/29/07 21:20 | 1.785 | 0.43 |
| 11/29/07 21:25 | 1.784 | 0.6 |
| 11/29/07 21:30 | 1.781 | 0.6 |
| 11/29/07 21:35 | 1.778 | 0.6 |
| 11/29/07 21:40 | 1.776 | 0.6 |
| 11/29/07 21:45 | 1.773 | 0.6 |
| 11/29/07 21:50 | 1.769 | 0.6 |
| 11/29/07 21:55 | 1.768 | 0.6 |
| 11/29/07 22:00 | 1.768 | 0.35 |
| 11/29/07 22:05 | 1.768 | 0.62 |
| 11/29/07 22:10 | 1.766 | 0.37 |
| 11/29/07 22:15 | 1.766 | 0.37 |
| 11/29/07 22:20 | 1.765 | 0.33 |
| 11/29/07 22:25 | 1.765 | 0.44 |
| 11/29/07 22:30 | 1.764 | 0.44 |
| 11/29/07 22:35 | 1.764 | 0.44 |
| 11/29/07 22:40 | 1.763 | 0.44 |
| 11/29/07 22:45 | 1.763 | 0.35 |
| 11/29/07 22:50 | 1.763 | 0.67 |
| 11/29/07 22:55 | 1.762 | 0.45 |
| 11/29/07 23:00 | 1.762 | 0.45 |
| 11/29/07 23:05 | 1.762 | 0.45 |
| 11/29/07 23:10 | 1.761 | 0.4 |
| 11/29/07 23:15 | 1.761 | 0.4 |
| 11/29/07 23:20 | 1.759 | 0.4 |
| 11/29/07 23:25 | 1.76 | 0.43 |
| 11/29/07 23:30 | 1.758 | 0.41 |
| 11/29/07 23:35 | 1.759 | 0.41 |
| 11/29/07 23:40 | 1.757 | 0.41 |
| 11/29/07 23:45 | 1.755 | 0.41 |
| 11/29/07 23:50 | 1.754 | 0.41 |
| 11/29/07 23:55 | 1.753 | 0.41 |
| 11/30/07 0:00 | 1.75 | 0.46 |

**ITEM 8
FORMER OXBOW AREAS A & C
(GEC410)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

None

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

Submitted report on 2007 annual inspection of the properties subject to Conditional Solutions (performed in November 2007) (December 21, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

Submit draft Final Completion Report (due to EPA by January 4, 2008).

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**ITEM 9
LYMAN STREET AREA
(GEC430)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

Conducted initial post-remediation inspection of vegetative engineered barrier and backfilled/restored areas at remediated properties east of Lyman Street (December 6, 2007).

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

- Submitted report on initial post-remediation inspection of vegetative engineered barrier and backfilled/restored areas at properties east of Lyman Street (December 13, 2007).
- Submitted report on 2007 annual inspection of properties west of Lyman Street with Conditional Solutions, performed in November 2007 (December 21, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Send Conditional Solution notice letter to owner of Parcel I9-8-2 (following receipt of EPA comments on draft letter).
- Work on ERE for GE-owned Parcel I9-8-1.
- Develop and submit Completion of Installation of Restoration Work Report to Natural Resource Trustees.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

TABLE 9-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007

LYMAN STREET AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|--|-----------------|-------------|--------|------------|------------------------|----------------------------|
| Lyman St. Soils for Potential Backfill | BLDG-65-LS-BF-1 | 11/30/07 | Soil | SGS | PCB, VOC, SVOC, Metals | 12/14/07 |

**TABLE 9-2
DATA RECEIVED DURING DECEMBER 2007**

**SOILS FOR POTENTIAL BACKFILL
LYMAN STREET AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in dry weight parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | Bldg-65-LS-BF-1 11/30/07 |
|------------------------------|-------------------------------|-----------------------------|
| Volatile Organics | | |
| None Detected | | -- |
| PCBs | | |
| Aroclor-1254 | | 2.1 |
| Aroclor-1260 | | 3.1 |
| Total PCBs | | 5.2 |
| Semivolatile Organics | | |
| Acenaphthylene | | 0.098 J |
| Benzo(a)anthracene | | 0.31 J |
| Benzo(a)pyrene | | 0.32 J |
| Benzo(b)fluoranthene | | 0.41 |
| Benzo(g,h,i)perylene | | 0.26 J |
| Benzo(k)fluoranthene | | 0.25 J |
| Chrysene | | 0.39 |
| Di-n-Butylphthalate | | 0.053 J |
| Fluoranthene | | 0.66 |
| Indeno(1,2,3-cd)pyrene | | 0.21 J |
| Phenanthrene | | 0.30 J |
| Pyrene | | 0.64 |
| Inorganics | | |
| Arsenic | | 3.59 |
| Barium | | 26.8 B |
| Chromium | | 7.52 |
| Cobalt | | 6.30 |
| Copper | | 50.1 |
| Lead | | 32.9 |
| Mercury | | 0.104 |
| Nickel | | 12.3 |
| Selenium | | 5.09 |
| Silver | | 0.126 B |
| Tin | | 1.55 B |
| Vanadium | | 12.0 |
| Zinc | | 116 |

Notes:

1. Sample was collected by ARCADIS BBL, and submitted to SGS Environmental Services, Inc. for analysis of volatiles, PCBs, semivolatiles and metals.
2. Only detected constituents are summarized.
3. -- Indicates that all constituents for the parameter group were not detected.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles)

J - Indicates an estimated value less than the practical quantitation limit (PQL).

Inorganics

B - Indicates an estimated value between the instrument detection limit (IDL) and (PQL).

**ITEM 10
NEWELL STREET AREA I
(GEC440)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

- Conducted Pre-Certification Inspection (December 6, 2007).
- Continued discussions with EPA regarding Final Completion Report.
- Executed First Amendment to ERE for Parcel J9-23-16 (December 20, 2007) and sent copies to MDEP for signature by DEP Commissioner (December 21, 2007).

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

- Submitted reports on October-November 2007 inspections of engineered barriers, restored vegetation, backfilled/restored areas, and certain paved areas (December 5, 2007).
- Submitted report on 2007 annual inspection of properties with Conditional Solutions (performed in November 2007) (December 21, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Upon receipt of MDEP acceptance of First Amendment to ERE for Parcel J9-23-16, register that First Amendment in Berkshire Middle District Registry of Deeds.
- Submit Final Completion Report to EPA.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues.

f. Proposed/Approved Work Plan Modifications

None

**ITEM 11
NEWELL STREET AREA II
(GECD450)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to or in connection with the Consent Decree.

a. **Activities Undertaken/Completed**

None

b. **Sampling/Test Results Received**

None

c. **Work Plans/Reports/Documents Submitted**

Submitted report on 2007 annual inspection of properties with Conditional Solutions (performed in November 2007) (December 21, 2007).

d. **Upcoming Scheduled and Anticipated Activities (next six weeks)**

None

e. **General Progress/Unresolved Issues/Potential Schedule Impacts**

Draft Final Completion Report is under review by EPA.

f. **Proposed/Approved Work Plan Modifications**

None

**ITEM 12
FORMER OXBOW AREAS J & K
(GEC420)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

None

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

Submitted report on 2007 annual inspection of properties with Conditional Solutions (performed in November 2007) (December 21, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

Prepare and submit revisions to the draft Final Completion Report.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Issues relating to GE's draft Final Completion Report are under discussion between EPA and GE.

f. Proposed/Approved Work Plan Modifications

None

**ITEM 13
HOUSATONIC RIVER AREA
UPPER ½ MILE REACH
(GEC800)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

None

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

Submit 2007 Annual Monitoring Report.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

GE submitted a report evaluating the total organic carbon (TOC) content and effectiveness of the isolation layer on the river sediments on March 14, 2007. The Final Completion Report for the Upper ½-Mile Reach Removal Action will be submitted following EPA review and approval of that report.

f. Proposed/Approved Work Plan Modifications

None

**ITEM 14
HOUSATONIC RIVER AREA
1½ MILE REACH
(GEC820)
DECEMBER 2007**

(Note: This item is limited to activities conducted by GE and does not include work performed by EPA.)

a. Activities Undertaken/Completed

- On GE's behalf, ARCADIS BBL performed one round of water column monitoring at 10 locations along the Housatonic River between Coltsville, MA and Great Barrington, MA, on December 20, 2007. Two of these locations are situated in the 1½ Mile Reach: Lyman Street Bridge (Location 4) and Pomeroy Avenue Bridge (Location 6A). A composite grab sample was collected at each location and submitted to Northeast Analytical for analysis of PCBs (total), total suspended solids (TSS), POC, and chlorophyll-a, as identified in Table 14-1. The sample collected at Pomeroy Avenue Bridge was also analyzed for volatile suspended solids (VSS). (The other eight locations are discussed under Items 15 and 20 below.)
- On GE's behalf, ARCADIS BBL performed three rounds of routine weekly water column sampling at the Pomeroy Avenue Bridge (Location 6A). Samples were submitted to Northeast Analytical for analysis of PCBs (total), TSS, VSS, and POC, as identified in Table 14-1. This effort was a continuation of sampling performed in support of the Corrective Measures Study (CMS) modeling for the Rest of River, and is therefore further discussed under Item 15 below.*

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue Housatonic River water column monitoring.
- Continue routine weekly water column sampling at Pomeroy Avenue Bridge and conduct storm event water column sampling at that location if a storm event occurs.*

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**TABLE 14-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**HOUSATONIC RIVER - 1 1/2 MILE REACH
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|------------------------|--------------------|---------------|-------------------|-----------------------------------|-----------------------------------|
| Monthly Water Column Sampling | Location-4 | 12/20/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-4 | 11/27/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 12/11/07 |
| Monthly Water Column Sampling/Pomeroy Ave. Weekly Water Column Sampling | Location-6A | 12/20/07 | Water | NEA | PCB, TSS, VSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling/Pomeroy Ave. Weekly Water Column Sampling | Location-6A | 11/27/07 | Water | NEA | PCB, TSS, VSS, POC, Chlorophyll-A | 12/11/07 |
| Pomeroy Ave. Weekly Water Column Sampling | Loc-6A-1119-1600 | 11/19/07 | Water | NEA | PCB, TSS, VSS, POC | 12/5/07 |
| Pomeroy Ave. Weekly Water Column Sampling | Loc-6A-1206-1000 | 12/6/07 | Water | NEA | PCB, TSS, VSS, POC | 12/26/07 |
| Pomeroy Ave. Weekly Water Column Sampling | Loc-6A-1213-1100 | 12/13/07 | Water | NEA | PCB, TSS, VSS, POC | |

**TABLE 14-2
SAMPLE DATA RECEIVED DURING DECEMBER 2007**

**MONTHLY WATER COLUMN SAMPLING
HOUSATONIC RIVER - 1 1/2 MILE REACH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Location | Date Collected | Aroclor-1016, -1221, -1232, -1242 | Aroclor 1248 | Aroclor 1254 | Aroclor 1260 | Total PCBs | POC | TSS | Chlorophyll (a) | VSS |
|-------------|---------------------|----------------|-----------------------------------|---------------|---------------|---------------|---------------|------|----------|-----------------|----------|
| LOCATION-4 | Lyman Street Bridge | 11/27/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | 0.35 | 6.70 | 0.0014 | NA |
| LOCATION-6A | Pomeroy Ave. Bridge | 11/27/07 | ND(0.0000550) | 0.00000850 PE | 0.00000730 AF | ND(0.0000550) | 0.0000158 | 0.64 | ND(1.00) | 0.0016 | ND(1.00) |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to Northeast Analytical, Inc. for analysis of PCBs (unfiltered), total suspended solids (TSS), particulate organic carbon (POC), chlorophyll (a) and volatile suspended solids (VSS).
2. Sampling methods involved the collection of composite grab samples at each location, representative of three stations (25, 50, and 75 percent of the total river width at each location) at 50 percent of the total river depth at each station.
3. NA - Not Analyzed.
4. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

Data Qualifiers:

AF - Aroclor 1254 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

PE - Aroclor 1248 is being used to report an altered PCB pattern exhibited by the sample. Actual Aroclor 1248 is not present in the sample, but is reported to more accurately quantify PCBs present in a sample that has undergone environmental alteration.

**TABLE 14-3
SAMPLE DATA RECEIVED DURING DECEMBER 2007**

**POMEROY AVE. WEEKLY WATER COLUMN SAMPLING
HOUSATONIC RIVER - 1 1/2 MILE REACH
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Location | Date Collected | Aroclor-1016 -1221, -1232, | Aroclor 1242 | Aroclor 1248 | Aroclor 1254 | Aroclor 1260 | Total PCBs | POC | TSS | VSS |
|--------------------------|---------------------|----------------|-------------------------------|----------------|----------------|----------------|----------------|----------------|------|----------|----------|
| LOC-6A-1119-1600 | Pomeroy Ave. Bridge | 11/19/07 | ND(0.00000550) | ND(0.00000550) | 0.00000590 PE | 0.00000550 AF | ND(0.00000550) | 0.0000114 | 0.30 | 1.60 | ND(1.00) |
| LOCATION-6A ⁴ | Pomeroy Ave. Bridge | 11/27/07 | ND(0.00000550) | ND(0.00000550) | 0.00000850 PE | 0.00000730 AF | ND(0.00000550) | 0.0000158 | 0.64 | ND(1.00) | ND(1.00) |
| LOC-6A-1206-1000 | Pomeroy Ave. Bridge | 12/06/07 | ND(0.00000550) | ND(0.00000550) | ND(0.00000550) | ND(0.00000550) | ND(0.00000550) | ND(0.00000550) | 0.54 | 17.0 | 7.20 |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to Northeast Analytical, Inc. for analysis of unfiltered PCBs, total suspended solids (TSS), particulate organic carbon (POC) and volatile suspended solids (VSS).
2. Sampling methods involved the collection of composite grab samples at each location, representative of three stations (25, 50, and 75 percent of the total river width at each location) at 50 percent of the total river depth at each station.
3. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.
4. Samples collected as part of Housatonic River 1 1/2 Mile Reach Weekly Water Column Sampling and Housatonic River Monthly Water Column Monitoring Program.

Data Qualifiers:

AF - Aroclor 1254 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

PE - Aroclor 1248 is being used to report an altered PCB pattern exhibited by the sample. Actual Aroclor 1248 is not present in the sample, but is reported to more accurately quantify PCBs present in a sample that has undergone environmental alteration.

ITEM 15
HOUSATONIC RIVER AREA
REST OF THE RIVER
(GEC850)
DECEMBER 2007

a. Activities Undertaken/Completed

- On GE's behalf, ARCADIS BBL performed one round of water column monitoring at 10 locations along the Housatonic River between Coltsville and Great Barrington, MA, on December 20, 2007. Two locations are situated in the 1½ Mile Reach of the Housatonic River and were discussed in Item 14. One location is at the outlet of Silver Lake and is discussed in Item 20 below. Of the remaining seven locations, two are located upstream of the 1½ Mile Reach: Hubbard Avenue Bridge (Location 1) and Newell Street Bridge (Location 2). The five remaining locations are situated in the Rest of the River: Holmes Road Bridge (Location 7); New Lenox Road Bridge (Location 9); Woods Pond Headwaters (Location 10); Schweitzer Bridge (Location 12); and Division Street Bridge (Location 13). Sampling activities were performed at these locations on December 20, 2007, from downstream to upstream. Composite grab samples were collected at each location sampled and submitted to Northeast Analytical for analysis of PCBs (total), TSS, POC, and chlorophyll-a, as identified in Table 15-1.
- On GE's behalf, ARCADIS BBL performed three rounds of routine weekly water column sampling at the Pomeroy Avenue Bridge (Location 6A) as a continuation of the sampling program designed to obtain additional data on East Branch PCB inputs to the Rest of the River for use in the CMS modeling. Composite grab samples were collected on December 6, 13, and 20, 2007, and were submitted to Northeast Analytical for analysis of PCBs (total), TSS, VSS, and POC, as identified in Table 14-1 (under Item 14 above).*
- GE and its contractor, BioGenesis Enterprises, Inc., continued the chemical extraction treatability study.*
- Approximately 165 gallons of water from the chemical extraction treatability study were collected and transferred to Building 64G for treatment.*
- GE continued work on the CMS.*
- GE continued discussions with EPA on issues relating to modeling in the CMS.*
- GE's contractor, URS Corporation, continued work on the Phase 1 Cultural Resources Assessment (CRA) for the Rest of River.*

b. Sampling/Test Results

See attached tables. (Note that the results from weekly water sampling conducted at the Pomeroy Avenue Bridge are provided in Table 14-3 under Item 14 above.)

ITEM 15
(cont'd)
HOUSATONIC RIVER AREA
REST OF THE RIVER
(GEC850)
DECEMBER 2007

c. Work Plans/Reports/Documents Submitted

Submitted letter to EPA relating to a flaw that EPA identified in its model and the consequent impacts on the schedule for completing the CMS (December 19, 2007).*

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue Housatonic River monthly water column monitoring.
- Discontinue routine weekly water column sampling at the Pomeroy Avenue Bridge in support of CMS modeling.
- Continue work on the CMS and preparation of the CMS Report.*
- Continue work on the CRA.*

e. General Progress/Unresolved Issues/Potential Schedule Impacts

A number of issues relating to the CMS, including the schedule for submitting the CMS Report, are under discussion with EPA.*

f. Proposed/Approved Work Plan Modifications

None

**TABLE 15-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**HOUSATONIC RIVER - REST OF RIVER
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|-------------------------------------|-------------------------------|--------------------|---------------|-------------------|-----------------|-----------------------------------|
| Building 12 Antifreeze Sampling | F3664-1 | 11/12/07 | Liquid | SGS | PCB | 12/4/07 |
| Housatonic River Treatability Study | B-S1-R1-L10-S | 10/27/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S1-R1-L5A-S | 10/26/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S1-R1-L5-S | 10/26/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S1-R1-L6-S | 10/26/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S1-R1-L7A-S | 10/27/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S1-R1-L8-S | 10/27/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S1-R1-L9-S | 10/27/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S1-R2-L10-S | 10/31/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S1-R2-L9-S | 10/31/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S1-R3-L10-S | 11/1/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S1-R3-L9-S | 11/1/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S2-R1-L10-S | 10/24/07 | Sediment | Geotechnics | Grain Size | 12/7/07 |
| Housatonic River Treatability Study | B-S2-R1-L1-S | 10/23/07 | Sediment | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S2-R1-L4-S | 10/24/07 | Sediment | Geotechnics | Grain Size | 12/7/07 |
| Housatonic River Treatability Study | B-S2-R1-L5-S | 10/23/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S2-R1-L6-S | 10/23/07 | Sediment | Geotechnics | Grain Size | 12/7/07 |
| Housatonic River Treatability Study | B-S2-R1-L7-S | 10/24/07 | Sediment | Geotechnics | Grain Size | 12/7/07 |
| Housatonic River Treatability Study | B-S2-R1-L8-S | 10/24/07 | Sediment | Geotechnics | Grain Size | 12/7/07 |
| Housatonic River Treatability Study | B-S2-R1-L9-S | 10/24/07 | Sediment | Geotechnics | Grain Size | 12/7/07 |
| Housatonic River Treatability Study | B-S2-R2-L10-S | 10/26/07 | Sediment | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S2-R2-L1-S | 10/25/07 | Soil | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S2-R2-L4-S | 10/26/07 | Sediment | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S2-R2-L9-S | 10/26/07 | Sediment | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S2-R3-L10-2 (B-S2-R3-L10-S) | 10/30/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S2-R3-L10-S | 10/30/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S2-R3-L1-S | 10/30/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S2-R3-L4-S | 10/31/07 | Sediment | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S3-R1-L10-S | 10/25/07 | Soil | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S3-R1-L1-S | 10/24/07 | Soil | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S3-R1-L4-S | 10/25/07 | Soil | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S3-R1-L5-S | 10/24/07 | Soil | Geotechnics | Grain Size | 12/7/07 |
| Housatonic River Treatability Study | B-S3-R1-L6-2 (B-S3-R1-L6-S) | 10/24/07 | Soil | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S3-R1-L6-S | 10/24/07 | Soil | Geotechnics | Grain Size | 12/7/07 |

**TABLE 15-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**HOUSATONIC RIVER - REST OF RIVER
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|-------------------------------------|------------------------|--------------------|---------------|-------------------|------------------------------|-----------------------------------|
| Housatonic River Treatability Study | B-S3-R1-L7-S | 10/25/07 | Soil | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S3-R1-L8-S | 10/25/07 | Soil | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S3-R1-L9-S | 10/25/07 | Soil | Geotechnics | Grain Size | 12/10/07 |
| Housatonic River Treatability Study | B-S3-R2-L1-S | 10/29/07 | Soil | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S3-R2-L6-S | 10/29/07 | Soil | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S3-R3-L1-S | 11/2/07 | Soil | Geotechnics | Grain Size | 12/11/07 |
| Housatonic River Treatability Study | B-S3-R3-L6-S | 11/2/07 | Soil | Geotechnics | Grain Size | 12/11/07 |
| Monthly Water Column Sampling | HR-D1 (Location-12) | 12/20/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | HR-D1 (Location-12) | 11/27/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 12/11/07 |
| Monthly Water Column Sampling | Location-1 | 12/20/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-1 | 11/27/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 12/11/07 |
| Monthly Water Column Sampling | Location-10 | 11/27/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 12/11/07 |
| Monthly Water Column Sampling | Location-12 | 11/27/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 12/11/07 |
| Monthly Water Column Sampling | Location-12 | 12/20/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-13 | 12/20/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-13 | 11/27/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 12/11/07 |
| Monthly Water Column Sampling | Location-2 | 12/20/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-2 | 11/27/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 12/11/07 |
| Monthly Water Column Sampling | Location-7 | 11/27/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 12/11/07 |
| Monthly Water Column Sampling | Location-7 | 12/20/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-9 | 12/20/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | |
| Monthly Water Column Sampling | Location-9 | 11/27/07 | Water | NEA | PCB, TSS, POC, Chlorophyll-A | 12/11/07 |
| On/Off Site Decon Drum Sampling | B2092-2 | 11/30/07 | Water | SGS | PCB | 12/6/07 |

Note:

1. The parent sample location associated with the field duplicate is presented in parenthesis.

**TABLE 15-2
SAMPLE DATA RECEIVED DURING DECEMBER 2007**

**MONTHLY WATER COLUMN SAMPLING
HOUSATONIC RIVER - REST OF RIVER
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Location | Date Collected | Aroclor-1016, -1221, -1232, -1242 | Aroclor 1248 | Aroclor 1254 | Aroclor 1260 | Total PCBs | POC | TSS | Chlorophyll (a) |
|-------------|--------------------------|----------------|-----------------------------------|-----------------|-----------------|----------------|---------------|--------|------------|-----------------|
| LOCATION-1 | Hubbard Avenue Bridge | 11/27/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.000022) | ND(0.0000220) | 0.62 | 2.30 | 0.0014 |
| LOCATION-2 | Newell Street Bridge | 11/27/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.000022) | ND(0.0000220) | 0.61 | 5.80 | 0.0013 |
| LOCATION-7 | Holmes Road Bridge | 11/27/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.000022) | ND(0.0000220) | 0.064 | 2.90 | 0.0022 |
| LOCATION-9 | New Lenox Road Bridge | 11/27/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | 0.0000270 AG | 0.0000270 | 0.81 | 7.50 | 0.0018 |
| LOCATION-10 | Headwaters of Woods Pond | 11/27/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | 0.0000320 AG | 0.0000320 | 0.49 | ND(1.04) | 0.0015 |
| LOCATION-12 | Schweitzer Bridge | 11/27/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | 0.37 | 1.00 | 0.0023 |
| | | 11/27/07 | [ND(0.0000220)] | [ND(0.0000220)] | [ND(0.0000220)] | [0.0000260 AG] | [0.0000260] | [0.24] | [ND(1.00)] | [0.0024] |
| LOCATION-13 | Division Street Bridge | 11/27/07 | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | ND(0.0000220) | 0.39 | 3.21 | 0.0058 |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to Northeast Analytical, Inc. for analysis of unfiltered PCBs, total suspended solids (TSS), particulate organic carbon (POC), and chlorophyll
2. (a).
Sampling methods involved the collection of composite grab samples at each location, representative of three stations (25, 50, and 75 percent of the total river width at each location) at 50 percent of
3. the total river depth at each station.
4. NA - Not Analyzed.
5. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.
Field duplicate sample results are presented in brackets.

Data Qualifiers:

AG - Aroclor 1260 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

**TABLE 15-3
PCB DATA RECEIVED DURING DECEMBER 2007**

**ON/OFF SITE DECON DRUM SAMPLING
HOUSATONIC RIVER - REST OF RIVER
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Date Collected | Aroclor-1016, -1221, -1232, -1242, -1248, -1254 | Aroclor-1260 | Total PCBs |
|------------------|-----------------------|--|---------------------|-------------------|
| B2092-2 | 11/30/2007 | ND(0.0026) | 0.023 | 0.023 |

Notes:

1. Sample was collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis of PCBs.
2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

**TABLE 15-4
PCB DATA RECEIVED DURING DECEMBER 2007**

**BUILDING 12 ANTIFREEZE SAMPLING
HOUSATONIC RIVER - REST OF RIVER
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Date Collected | Aroclor-1016 | Aroclor-1221 | Aroclor-1232 | Aroclor-1242 | Aroclor-1248 | Aroclor-1254 | Aroclor-1260 | Total PCBs |
|-----------|----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|-------------|
| F3664-1 | 11/12/2007 | ND(0.00033) | ND(0.00033) | ND(0.00033) | ND(0.00033) | ND(0.00033) | ND(0.00033) | ND(0.00033) | ND(0.00033) |

Notes:

1. Sample was collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis of PCBs.
2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

**TABLE 15-5
WASH SIEVE ANALYSIS DATA RECEIVED DURING DECEMBER 2007**

**HOUSATONIC RIVER - REST OF RIVER
HOUSATONIC RIVER TREATABILITY STUDY
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sample ID: Date Collected: | | B-S1-R1-L5A-S 10/26/07 | | B-S1-R1-L5-S 10/26/07 | | B-S1-R1-L6-S 10/26/07 | | B-S1-R1-L7A-S 10/27/07 | | B-S1-R1-L8-S 10/27/07 | |
|-------------------------------|--------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|
| Sieve Size | Sieve Opening (mm) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) |
| 12" | 300 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 6" | 150 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3" | 75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 2" | 50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1" | 25.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1/2" | 12.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/8" | 9.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #4 | 4.75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #10 | 2.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #20 | 0.850 | 0.19 | 99.76 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #40 | 0.425 | 0.13 | 99.59 | 0.21 | 99.63 | 0.00 | 100.00 | 0.41 | 99.41 | 0.00 | 100.00 |
| #60 | 0.250 | 18.60 | 75.81 | 3.83 | 92.95 | 0.00 | 100.00 | 13.72 | 79.61 | 0.00 | 100.00 |
| #140 | 0.106 | 45.94 | 17.08 | 5.65 | 83.09 | 0.10 | 99.80 | 40.23 | 21.57 | 0.09 | 99.80 |
| #200 | 0.075 | 10.72 | 3.38 | 2.67 | 78.43 | 0.00 | 99.80 | 12.29 | 3.84 | 0.23 | 99.40 |

**TABLE 15-5
WASH SIEVE ANALYSIS DATA RECEIVED DURING DECEMBER 2007**

**HOUSATONIC RIVER - REST OF RIVER
HOUSATONIC RIVER TREATABILITY STUDY
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sample ID: Date Collected: | | B-S1-R1-L9-S 10/27/07 | | B-S1-R1-L10-S 10/27/07 | | B-S1-R2-L9-S 10/31/07 | | B-S1-R2-L10-S 10/31/07 | | B-S1-R3-L9-S 11/01/07 | |
|-------------------------------|--------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|
| Sieve Size | Sieve Opening (mm) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) |
| 12" | 300 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 6" | 150 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3" | 75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 2" | 50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1" | 25.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1/2" | 12.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/8" | 9.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #4 | 4.75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #10 | 2.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #20 | 0.850 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #40 | 0.425 | 0.19 | 99.72 | 0.10 | 99.80 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #60 | 0.250 | 7.95 | 87.91 | 0.00 | 99.80 | 5.00 | 93.36 | 0.00 | 100.00 | 1.25 | 98.19 |
| #140 | 0.106 | 22.82 | 54.02 | 0.09 | 99.70 | 14.31 | 74.35 | 0.17 | 99.70 | 3.91 | 92.53 |
| #200 | 0.075 | 5.19 | 46.31 | 0.00 | 99.70 | 5.01 | 67.99 | 0.11 | 99.50 | 2.87 | 88.38 |

**TABLE 15-5
WASH SIEVE ANALYSIS DATA RECEIVED DURING DECEMBER 2007**

**HOUSATONIC RIVER - REST OF RIVER
HOUSATONIC RIVER TREATABILITY STUDY
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sample ID: Date Collected: | | B-S1-R3-L10-S 11/01/07 | | B-S2-R1-L1-S 10/23/07 | | B-S2-R1-L4-S 10/24/07 | | B-S2-R1-L5-S 10/23/07 | | B-S2-R1-L6-S 10/23/07 | |
|-------------------------------|--------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|
| Sieve Size | Sieve Opening (mm) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) |
| 12" | 300 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 6" | 150 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3" | 75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 2" | 50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1" | 25.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1/2" | 12.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/8" | 9.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #4 | 4.75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #10 | 2.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #20 | 0.850 | 0.00 | 100.00 | 0.42 | 99.00 | 0.08 | 99.90 | 0.20 | 99.65 | 0.00 | 100.00 |
| #40 | 0.425 | 0.00 | 100.00 | 0.19 | 98.50 | 0.13 | 99.60 | 0.32 | 99.08 | 0.11 | 99.90 |
| #60 | 0.250 | 0.00 | 100.00 | 0.30 | 97.70 | 0.19 | 99.30 | 0.50 | 98.19 | 0.00 | 99.90 |
| #140 | 0.106 | 0.08 | 99.90 | 3.24 | 89.70 | 5.27 | 89.60 | 15.14 | 71.39 | 0.00 | 99.90 |
| #200 | 0.075 | 0.00 | 99.90 | 1.86 | 85.10 | 3.24 | 83.60 | 11.89 | 50.34 | 0.10 | 99.70 |

**TABLE 15-5
WASH SIEVE ANALYSIS DATA RECEIVED DURING DECEMBER 2007**

**HOUSATONIC RIVER - REST OF RIVER
HOUSATONIC RIVER TREATABILITY STUDY
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sample ID: Date Collected: | | B-S2-R1-L7-S 10/24/07 | | B-S2-R1-L8-S 10/24/07 | | B-S2-R1-L9-S 10/24/07 | | B-S2-R1-L10-S 10/24/07 | | B-S2-R2-L1-S 10/25/07 | |
|-------------------------------|--------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|
| Sieve Size | Sieve Opening (mm) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) |
| 12" | 300 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 6" | 150 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3" | 75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 2" | 50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1" | 25.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1/2" | 12.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/8" | 9.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #4 | 4.75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #10 | 2.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #20 | 0.850 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.12 | 99.60 |
| #40 | 0.425 | 0.25 | 99.50 | 0.10 | 99.80 | 0.18 | 99.60 | 0.00 | 100.00 | 0.14 | 99.10 |
| #60 | 0.250 | 0.12 | 99.20 | 0.00 | 99.80 | 0.11 | 99.40 | 0.00 | 100.00 | 0.15 | 98.60 |
| #140 | 0.106 | 4.12 | 90.50 | 0.00 | 99.80 | 1.91 | 95.60 | 0.10 | 99.80 | 2.15 | 91.20 |
| #200 | 0.075 | 6.72 | 76.30 | 0.07 | 99.60 | 4.61 | 86.30 | 0.07 | 99.70 | 1.46 | 86.30 |

**TABLE 15-5
WASH SIEVE ANALYSIS DATA RECEIVED DURING DECEMBER 2007**

**HOUSATONIC RIVER - REST OF RIVER
HOUSATONIC RIVER TREATABILITY STUDY
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sample ID: Date Collected: | | B-S2-R2-L4-S 10/26/07 | | B-S2-R2-L9-S 10/26/07 | | B-S2-R2-L10-S 10/26/07 | | B-S2-R3-L1-S 10/30/07 | | B-S2-R3-L4-S 10/31/07 | |
|-------------------------------|--------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|
| Sieve Size | Sieve Opening (mm) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) |
| 12" | 300 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 6" | 150 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3" | 75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 2" | 50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1" | 25.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1/2" | 12.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/8" | 9.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #4 | 4.75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #10 | 2.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #20 | 0.850 | 0.00 | 100.00 | 0.10 | 99.80 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #40 | 0.425 | 0.20 | 99.60 | 0.12 | 99.50 | 0.00 | 100.00 | 0.22 | 99.40 | 0.14 | 99.60 |
| #60 | 0.250 | 0.10 | 99.40 | 0.13 | 99.30 | 0.00 | 100.00 | 0.20 | 98.80 | 0.17 | 99.20 |
| #140 | 0.106 | 3.90 | 91.10 | 1.43 | 96.20 | 0.10 | 99.80 | 2.32 | 91.90 | 2.38 | 93.10 |
| #200 | 0.075 | 2.71 | 85.30 | 3.65 | 88.50 | 0.06 | 99.70 | 1.55 | 87.40 | 1.65 | 88.90 |

**TABLE 15-5
WASH SIEVE ANALYSIS DATA RECEIVED DURING DECEMBER 2007**

**HOUSATONIC RIVER - REST OF RIVER
HOUSATONIC RIVER TREATABILITY STUDY
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sample ID: Date Collected: | | B-S2-R3-L10-S 10/30/07 | | B-S3-R1-L1-S 10/24/07 | | B-S3-R1-L4-S 10/25/07 | | B-S3-R1-L5-S 10/24/07 | | B-S3-R1-L6-S 10/24/07 | |
|-------------------------------|--------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|
| Sieve Size | Sieve Opening (mm) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) |
| 12" | 300 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 [0.00] | 100.00 [100.00] |
| 6" | 150 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 [0.00] | 100.00 [100.00] |
| 3" | 75 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 [0.00] | 100.00 [100.00] |
| 2" | 50 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 [0.00] | 100.00 [100.00] |
| 1 1/2" | 37.5 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 [0.00] | 100.00 [100.00] |
| 1" | 25.0 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 [0.00] | 100.00 [100.00] |
| 3/4" | 19.0 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 [0.00] | 100.00 [100.00] |
| 1/2" | 12.50 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 [0.00] | 100.00 [100.00] |
| 3/8" | 9.50 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 [0.00] | 100.00 [100.00] |
| #4 | 4.75 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 [0.00] | 100.00 [100.00] |
| #10 | 2.00 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 [0.00] | 100.00 [100.00] |
| #20 | 0.850 | 0.00 [0.00] | 100.00 [100.00] | 0.00 | 100.00 | 0.00 | 100.00 | 0.21 | 99.70 | 0.00 [0.00] | 100.00 [100.00] |
| #40 | 0.425 | 0.00 [0.00] | 100.00 [100.00] | 0.26 | 99.50 | 0.00 | 100.00 | 0.21 | 99.30 | 0.10 [0.00] | 99.80 [100.00] |
| #60 | 0.250 | 0.00 [0.00] | 100.00 [100.00] | 0.31 | 99.00 | 0.32 | 99.50 | 0.27 | 98.90 | 0.07 [0.11] | 99.70 [99.8] |
| #140 | 0.106 | 0.10 [0.10] | 99.80 [99.8] | 5.90 | 88.20 | 10.14 | 83.20 | 10.05 | 83.20 | 0.17 [0.11] | 99.40 [99.5] |
| #200 | 0.075 | 0.00 [0.00] | 99.80 [99.8] | 6.06 | 77.10 | 9.12 | 68.20 | 14.00 | 61.20 | 0.22 [0.16] | 99.00 [99.2] |

**TABLE 15-5
WASH SIEVE ANALYSIS DATA RECEIVED DURING DECEMBER 2007**

**HOUSATONIC RIVER - REST OF RIVER
HOUSATONIC RIVER TREATABILITY STUDY
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sample ID: Date Collected: | | B-S3-R1-L7-S 10/25/07 | | B-S3-R1-L8-S 10/25/07 | | B-S3-R1-L9-S 10/25/07 | | B-S3-R1-L10-S 10/25/07 | | B-S3-R2-L1-S 10/29/07 | |
|-------------------------------|--------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|
| Sieve Size | Sieve Opening (mm) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) |
| 12" | 300 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 6" | 150 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3" | 75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 2" | 50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1" | 25.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1/2" | 12.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/8" | 9.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #4 | 4.75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #10 | 2.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #20 | 0.850 | 0.00 | 100.00 | 0.00 | 100.00 | 0.07 | 99.90 | 0.00 | 100.00 | 0.15 | 99.70 |
| #40 | 0.425 | 0.13 | 99.80 | 0.00 | 100.00 | 0.06 | 99.80 | 0.00 | 100.00 | 0.25 | 99.20 |
| #60 | 0.250 | 0.12 | 99.60 | 0.00 | 100.00 | 0.10 | 99.60 | 0.06 | 99.90 | 0.29 | 98.70 |
| #140 | 0.106 | 6.69 | 88.10 | 0.21 | 99.60 | 4.32 | 92.00 | 0.09 | 99.70 | 6.28 | 86.80 |
| #200 | 0.075 | 12.42 | 66.70 | 0.25 | 99.20 | 10.89 | 72.80 | 0.19 | 99.40 | 5.93 | 75.60 |

**TABLE 15-5
WASH SIEVE ANALYSIS DATA RECEIVED DURING DECEMBER 2007**

**HOUSATONIC RIVER - REST OF RIVER
HOUSATONIC RIVER TREATABILITY STUDY
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

| Sample ID: Date Collected: | | B-S3-R2-L6-S 10/29/07 | | B-S3-R3-L1-S 11/02/07 | | B-S3-R3-L6-S 11/02/07 | |
|-------------------------------|--------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|----------------------------|-------------------------------|
| Sieve Size | Sieve Opening (mm) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) | Wgt. Of Soil Retained (gm) | Accumulated Percent Finer (%) |
| 12" | 300 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 6" | 150 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3" | 75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 2" | 50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1 1/2" | 37.5 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1" | 25.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/4" | 19.0 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 1/2" | 12.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| 3/8" | 9.50 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #4 | 4.75 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #10 | 2.00 | 0.00 | 100.00 | 0.00 | 100.00 | 0.00 | 100.00 |
| #20 | 0.850 | 0.00 | 100.00 | 0.10 | 99.80 | 0.00 | 100.00 |
| #40 | 0.425 | 0.00 | 100.00 | 0.15 | 99.50 | 0.00 | 100.00 |
| #60 | 0.250 | 0.00 | 100.00 | 0.22 | 99.10 | 0.00 | 100.00 |
| #140 | 0.106 | 0.09 | 99.90 | 6.19 | 87.30 | 0.00 | 100.00 |
| #200 | 0.075 | 0.00 | 99.90 | 6.12 | 75.70 | 0.07 | 99.90 |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to GeoTechnics, Inc. for grain size analysis.
2. Field duplicate sample results are presented in brackets.

**ITEMS 16 & 17
HOUSATONIC RIVER FLOODPLAIN
RESIDENTIAL AND NON-RESIDENTIAL
PROPERTIES ADJACENT TO 1½-MILE REACH
(GEC710 AND GEC720)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

Continued work on preparation of draft EREs and associated survey plans for GE-owned Parcels I8-24-101, I6-1-103, I6-1-104, and I6-1-106.

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Submit draft Final Completion Reports for: (1) Floodplain Current Residential Properties Adjacent to the 1½ Mile Reach – Actual/Potential Lawns; and 2) Floodplain Non-Residential Properties Adjacent to the 1½ Mile Reach (Excluding Banks) (due to EPA by January 31, 2008).
- Continue preparation of draft EREs and associated survey plans for GE-owned Parcels I8-24-101, I6-1-103, I6-1-104, and I6-1-106.
- Send Conditional Solution notification letter to owner of Parcel I7-1-5 (following receipt of EPA's comments on draft letter).

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

None

**ITEM 18
HOUSATONIC RIVER FLOODPLAIN
CURRENT RESIDENTIAL PROPERTIES
DOWNSTREAM OF CONFLUENCE
(ACTUAL/POTENTIAL LAWNS)
(GEC730)
DECEMBER 2007**

a. Activities Undertaken/Completed

None

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

None

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Awaiting EPA approval of GE's Pre-Design Investigation Work Plan (submitted on February 26, 2002). (Based on discussions with EPA, this pre-design sampling will be deferred for some period of time.)*

f. Proposed/Approved Work Plan Modifications

None

**ITEM 19
ALLENDALE SCHOOL PROPERTY
(GEC500)
DECEMBER 2007**

a. Activities Undertaken/Completed

- Initiated soil removal project at the southeast corner of the Allendale School property, as approved by EPA via electronic mail on December 12, 2007.
- Collected and transferred approximately 38,000 gallons of water from the Allendale School property excavation activities to Building 64G for treatment.

b. Sampling/Test Results Received

None

c. Work Plans/Reports/Documents Submitted

Submitted figure showing proposed soil removal at the southeast corner of the Allendale School property (December 11, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Complete soil removal project described above.
- Continue to receive results from outdoor air monitoring conducted by EPA.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

No issues

f. Proposed/Approved Work Plan Modifications

Received EPA conditional approval for proposed soil removal project via electronic mail (December 12, 2007).

**ITEM 20
OTHER AREAS
SILVER LAKE AREA
(GEC600)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

Collected one round of monthly water column samples from the Silver Lake Outfall (December 20, 2007) and obtained gauge reading for flow calculation (see Item 21.a.).

b. Sampling/Test Results Received

See attached tables.

c. Work Plans/Reports/Documents Submitted

Submitted letter report summarizing supplemental/additional bank soil investigations related to stained materials observed during performance of Pilot Study (December 3, 2007).

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

Submit revised Pilot Study Report for Silver Lake Sediments (due by January 9, 2008).

e. General Progress/Unresolved Issues/Potential Schedule Impacts

Issues relating to the Conceptual RD/RA Work Plan for Soils Adjacent to Silver Lake are under discussion with EPA.

f. Proposed/Approved Work Plan Modifications

Received EPA conditional approval of Pilot Study Report for Silver Lake Sediments (December 10, 2007).

TABLE 20-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007

SILVER LAKE AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|-------------------------------|-----------------|-------------|--------|------------|----------|----------------------------|
| Monthly Water Column Sampling | Location-4A | 12/20/07 | Water | NEA | PCB, TSS | |
| Monthly Water Column Sampling | Location-4A | 11/27/07 | Water | NEA | PCB, TSS | 12/12/07 |

**TABLE 20-2
SAMPLE DATA RECEIVED DURING DECEMBER 2007**

**MONTHLY WATER COLUMN SAMPLING
SILVER LAKE AREA
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Location | Date Collected | Aroclor-1016, -1232, -1242 | Aroclor 1221 | Aroclor 1248 | Aroclor 1254 | Aroclor 1260 | Total PCBs | TSS |
|-------------|--------------------|----------------|----------------------------|--------------|--------------|--------------|---------------|------------|------|
| LOCATION-4A | Silver Lake Outlet | 11/27/2007 | ND(0.0000220) | 0.000190 PB | 0.000100 PE | 0.0000290 AF | ND(0.0000220) | 0.000319 | 2.30 |

Notes:

1. Sample was collected by ARCADIS BBL, and submitted to Northeast Analytical, Inc. for analysis of unfiltered PCBs and total suspended solids (TSS).
2. Sampling methods involved the collection of single grab 50 percent of the total river width, and 50 percent of the total river depth.
3. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

Data Qualifiers:

AF - Aroclor 1254 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

PB - Aroclor 1221 is being used to report an altered PCB pattern exhibited by the sample. Actual Aroclor 1221 is not present in the sample, but is reported to more accurately quantify PCBs present in a sample that has undergone environmental alteration.

PE - Aroclor 1248 is being used to report an altered PCB pattern exhibited by the sample. Actual Aroclor 1248 is not present in the sample, but is reported to more accurately quantify PCBs present in a sample that has undergone environmental alteration.

**ITEM 21
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 1 (GMA 1)
(GECD310)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

General:

- Conducted routine groundwater elevation and NAPL monitoring activities.
- Sampled wells 3-6C-EB-14 and N2SC-7S, which were not located during the initial Fall 2007 sampling activities conducted in October 2007.

East Street Area 1-North and South:

- Continued automated groundwater and NAPL pumping at North Side and South Side Caissons. No LNAPL was recovered from the North Side or South Side Caissons in December.
- Continued routine well monitoring and manual NAPL removal activities. Approximately 0.012 liter (0.003 gallon) of LNAPL was removed from this area during December.

East Street Area 2-South:

- Continued automated groundwater and LNAPL removal activities. A total of approximately 2,732,084 gallons of groundwater was recovered from pumping systems 64R, 64S, 64V, 64X, RW-1(S), RW-1(X), and RW-2(X). In addition, approximately 550 gallons of LNAPL were removed from pumping systems 64R, 64V, GMA1-17W, RW-1(S), RW-1(X), 64X, and 64S Caisson.
- Continued automated DNAPL removal activities. Approximately 27 gallons of DNAPL were removed from pumping system RW-3(X) during December.
- Continued routine well monitoring and manual NAPL removal activities. Approximately 8.426 liters (2.223 gallons) of LNAPL were removed from wells in this area during December. Approximately 2.172 liters (0.573 gallon) of DNAPL were removed from wells in this area during December.
- Treated/discharged 2,808,514 gallons of water through 64G Groundwater Treatment Facility.
- Conducted LNAPL recovery testing at well 95-4R.

**ITEM 21
(cont'd)
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 1 (GMA 1)
(GEC310)
DECEMBER 2007**

a. Activities Undertaken/Completed (cont'd)

East Street Area 2-North:

- Continued well monitoring and NAPL removal activities. No LNAPL was recovered from this area during December.

20s, 30s, and 40s Complexes:

- Continued well monitoring and NAPL removal activities. No LNAPL was recovered from this area during December.

Lyman Street Area:

- Continued automated groundwater and NAPL removal activities. A total of approximately 154,499 gallons of groundwater was recovered from pumping systems RW-1R, RW-2, and RW-3. Approximately 5 gallons of LNAPL was removed from the automated recovery systems during December.
- Continued routine well monitoring and NAPL removal activities. No LNAPL was removed from wells in this area during December. Approximately 2.301 liters (0.607 gallon) of DNAPL were removed from wells in this area during December.
- Continued construction of new piping network from well RW-4 to the Lyman Street recovery systems.

Newell Street Area II:

- Continued automated DNAPL removal activities. A total of approximately 54 gallons of DNAPL was removed by System 2 in December.
- Continued routine well monitoring and NAPL removal activities. No LNAPL was recovered from this area during December. Approximately 0.981 liters (0.259 gallon) of DNAPL were recovered from wells in this area during December.

Silver Lake Area:

- Continued routine monitoring of lake level.
- Obtained gauge readings for flow calculation.

ITEM 21
(cont'd)
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 1 (GMA 1)
(GEC310)
DECEMBER 2007

b. Sampling/Test Results Received

- See attached tables.
- Groundwater elevation data collected from certain monitoring wells during November 2007 that were not included in the November monthly report have been incorporated into the December 2007 monitoring tables (specifically, Tables 21-7, 21-12, and 21-19).
- Preliminary analytical results received in December 2007 from the two wells sampled in December as part of the Fall 2007 GMA 1 interim groundwater quality monitoring activities are shown in Table 21-2. These preliminary results have been compared to the applicable Method 1 GW-3 groundwater standards and UCLs for groundwater set forth in the MCP (neither of these wells is designated as a GW-2 monitoring point). (Note that, under this interim monitoring program, samples collected for PCBs, cyanide, or metals analyses are analyzed for these constituents in filtered form only.) These comparisons indicate the following:
 - There were no exceedances of UCLs in any of the results from these groundwater samples.
 - The Method 1 GW-3 standard for PCBs (0.0003 ppm) was exceeded in the filtered sample from monitoring well N2SC-7S. GW-3 exceedances for PCBs were previously observed in samples collected from this well.
 - There were no exceedances of the Method 1 GW-3 standards in any of the other groundwater sample results from these wells.
- Revised preliminary laboratory results for PCBs at wells ESA1N-52 and GMA1-25 (sampled in October 2007) are shown on Table 21-4. These results supersede the results presented for these wells in the November 2007 monthly report, which showed exceedances of the Method 1 GW-3 standard for PCBs at these wells. The revised data indicate that no PCBs were detected at these locations in the October 2007 sampling round.

c. Work Plans/Reports/Documents Submitted

None

ITEM 21
(cont'd)
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 1 (GMA 1)
(GEC310)
DECEMBER 2007

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue routine groundwater and NAPL monitoring/recovery activities.
- Continue installation of new automated recovery system in well RW-4 in former scrapyard portion of East Street Area 2-South.
- Continue construction of new piping network from well RW-4 to the Lyman Street recovery systems.
- Install replacement for well NS-9 at Newell Street Area II.
- Submit Fall 2007 Groundwater Quality Monitoring Interim Report (due to EPA by January 31, 2008).
- Begin preparation of Fall 2007 NAPL Monitoring Report.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

The replacement for monitoring well O-R in the 20s Complex was not installed following decommissioning of that well in December 2006, as the proposed location was not accessible to the drill rig. No suitable alternate locations could be identified where a well could be installed at this time, due to future changes in the ground surface that are proposed for this area. Following discussions among representatives of GE, EPA, and PEDDA, it was decided that the well would be installed following construction/re-grading activities in this area. At that time, GE will also extend or cut certain existing wells to fit the final grade, as discussed in GE's May 22, 2006 proposal.

f. Proposed/Approved Work Plan Modifications

None

**TABLE 21-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**GROUNDWATER MANAGEMENT AREA 1
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|----------------------------------|------------------------|--------------------|---------------|-------------------|-----------------------------------|---------------------------------------|
| Semi-Annual Groundwater Sampling | 3-6C-EB-14 | 12/4/07 | Groundwater | SGS | VOC | 12/20/07 |
| Semi-Annual Groundwater Sampling | N2SC-07S | 12/4/07 | Groundwater | SGS | PCB (f) | 12/20/07 |
| Well Purge Water | GMA-1-A | 11/12/07 | Water | SGS | PCB, VOC, SVOC, Total RCRA Metals | 12/4/07 |

**TABLE 21-2
DATA RECEIVED DURING DECEMBER 2007**

**SEMI-ANNUAL GROUNDWATER SAMPLING
GROUNDWATER MANAGEMENT AREA 1
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 3-6C-EB-14 12/04/07 | N2SC-07S 12/04/07 |
|------------------------------|-------------------------------|------------------------|----------------------|
| Volatile Organics | | | |
| Chlorobenzene | | 0.79 | NA |
| PCBs-Filtered | | | |
| Aroclor-1254 | | NA | 0.00016 |
| Aroclor-1260 | | NA | 0.00015 |
| Total PCBs | | NA | 0.00031 |
| Semivolatile Organics | | | |
| 1,2,4-Trichlorobenzene | | 0.18 J | NA |
| 1,3-Dichlorobenzene | | 1.0 | NA |
| 1,4-Dichlorobenzene | | 5.8 | NA |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to SGS Environmental Services, Inc. for analysis of volatiles, PCBs (filtered) and selected semivolatiles.
2. NA - Not Analyzed - Laboratory did not report results for this analyte.
3. Only detected constituents are summarized.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles)

J - Indicates an estimated value less than the practical quantitation limit (PQL).

**TABLE 21-3
DATA RECEIVED DURING DECEMBER 2007**

**WELL PURGE WATER
GROUNDWATER MANAGEMENT AREA 1
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | GMA-1-A 11/12/07 |
|------------------------------|-------------------------------|---------------------|
| Volatile Organics | | |
| 1,1-Dichloroethane | | 0.00053 J |
| Acetone | | 0.0065 |
| Tetrachloroethene | | 0.00013 J |
| Toluene | | 0.00013 J |
| trans-1,2-Dichloroethene | | 0.00019 J |
| Trichloroethene | | 0.00028 J |
| PCBs-Unfiltered | | |
| Aroclor-1254 | | 0.00049 |
| Aroclor-1260 | | 0.00026 |
| Total PCBs | | 0.00075 |
| Semivolatile Organics | | |
| bis(2-Ethylhexyl)phthalate | | 0.0011 J |
| Inorganics-Unfiltered | | |
| Arsenic | | 0.0166 |
| Barium | | 0.0428 B |
| Chromium | | 0.00475 B |
| Lead | | 0.00897 B |
| Silver | | 0.000940 B |

Notes:

1. Sample was collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis of volatiles, PCBs, semivolatiles and metals.
2. Only detected constituents are summarized.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles)

J - Indicates an estimated value less than the practical quantitation limit (PQL).

Inorganics

B - Indicates an estimated value between the instrument detection limit (IDL) and (PQL).

**TABLE 21-4
DATA RECEIVED DURING DECEMBER 2007**

**SEMI-ANNUAL GROUNDWATER SAMPLING
GROUNDWATER MANAGEMENT AREA 1
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | ESA1N-52 10/18/07 | GMA1-25 10/18/07 |
|----------------------|-------------------------------|----------------------|---------------------|
| PCBs-Filtered | | | |
| Aroclor-1254 | | ND(0.000072) | ND(0.000065) [--] |
| Aroclor-1260 | | ND(0.000072) | ND(0.000065) [--] |
| Total PCBs | | ND(0.000072) | ND(0.000065) [--] |

Notes:

1. These results have been revised by the laboratory and supersede those results reported in Table 21-2 of the November 2007 CD Monthly Report.
2. Field duplicate sample results are presented in brackets.
3. -- Sample results not revised by laboratory.

TABLE 21-5
AUTOMATED LNAPL & GROUNDWATER RECOVERY SYSTEMS MONTHLY SUMMARY
EAST STREET AREA 1 - NORTH & SOUTH
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Caisson | Month | Vol. LNAPL Collected (gallon) | Vol. Water Recovered (gallon) | Percent Downtime |
|----------------|----------------|--------------------------------------|--------------------------------------|-------------------------|
| Northside | December 2006 | 0.0 | 13,700 | |
| | January 2007 | 0.0 | 24,800 | |
| | February 2007 | 0.0 | 16,000 | |
| | March 2007 | 0.6 | 10,400 | 23.33 |
| | April 2007 | 0.6 | 4,775 | 7.41 |
| | May 2007 | 0.3 | 31,002 | |
| | June 2007 | 0.0 | 18,792 | |
| | July 2007 | 0.9 | 11,800 | 13.33 |
| | August 2007 | 1.2 | 12,556 | |
| | September 2007 | 0 | 12,400 | |
| | October 2007 | 0 | 15,152 | |
| | November 2007 | 0 | 11,806 | |
| | December 2007 | 0 | 13,067 | |
| Southside | December 2006 | 0.6 | 64,400 | |
| | January 2007 | 0.0 | 87,400 | |
| | February 2007 | 0.4 | 57,700 | |
| | March 2007 | 1.6 | 50,700 | 6.67 |
| | April 2007 | 1.1 | 52,570 | |
| | May 2007 | 1.2 | 62,720 | |
| | June 2007 | 0.9 | 53,800 | 3.57 |
| | July 2007 | 1.1 | 35,770 | 36.67 |
| | August 2007 | 0 | 39,570 | 8.82 |
| | September 2007 | 0 | 55,950 | |
| | October 2007 | 0 | 63,450 | |
| | November 2007 | 0 | 62,580 | |
| | December 2007 | 0 | 75,570 | |

Note:

1. New flowmeters were installed at both caissons during April 2007.

TABLE 21-6
MEASUREMENT AND REMOVAL OF RECOVERABLE LNAPL
EAST STREET AREA 1 - NORTH & SOUTH
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | LNAPL Removed (liters) | December 2007 Removal (liters) |
|-----------|------------|-------------------------|-------------------------|------------------------|------------------------|--------------------------------|
| 72 | 12/11/2007 | 6.65 | 6.63 | 0.02 | 0.012 | 0.012 |

Total Manual LNAPL Removal for December 2007: 0.012 liters
0.003 gallons

Note:

1. ft BMP - feet Below Measuring Point.

TABLE 21-7
ROUTINE WELL MONITORING
EAST STREET AREA 1 - NORTH & SOUTH
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|---|------------------------------|------------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| GMA 1 - East Street Area 1 - North | | | | | | | | | |
| North Caisson | 997.84 | 12/4/2007 | 17.93 | P | < 0.01 | --- | 19.80 | 0.00 | 979.91 |
| North Caisson | 997.84 | 12/10/2007 | 17.77 | P | < 0.01 | --- | 19.80 | 0.00 | 980.07 |
| North Caisson | 997.84 | 12/18/2007 | 17.90 | P | < 0.01 | --- | 19.80 | 0.00 | 979.94 |
| North Caisson | 997.84 | 12/27/2007 | 18.07 | P | < 0.01 | --- | 19.80 | 0.00 | 979.77 |
| GMA 1 - East Street Area 1 - South | | | | | | | | | |
| 31R | 1,000.23 | 12/11/2007 | 9.18 | --- | 0.00 | --- | 15.00 | 0.00 | 991.05 |
| 33 | 999.50 | 12/11/2007 | 6.61 | --- | 0.00 | --- | 21.24 | 0.00 | 992.89 |
| 34 | 999.90 | 12/11/2007 | 5.93 | --- | 0.00 | --- | 21.00 | 0.00 | 993.97 |
| 72 | 1000.62 | 12/11/2007 | 6.65 | 6.63 | 0.02 | --- | 21.95 | 0.00 | 993.99 |
| 72R | 1000.92 | 12/11/2007 | 6.58 | --- | 0.00 | --- | 13.30 | 0.00 | 994.34 |
| 78 | 997.61 | 11/2/2007 | 3.54 | --- | 0.00 | --- | 21.90 | 0.00 | 994.07 |
| 80 | 989.98 | 11/2/2007 | 4.88 | --- | 0.00 | --- | 24.74 | 0.00 | 985.10 |
| 90 | 987.65 | 11/2/2007 | 5.54 | --- | 0.00 | --- | 12.18 | 0.00 | 982.11 |
| 139R | 986.91 | 11/2/2007 | 11.05 | --- | 0.00 | --- | 14.17 | 0.00 | 975.86 |
| ES1-13 | 999.93 | 11/2/2007 | 6.75 | --- | 0.00 | --- | 12.15 | 0.00 | 993.18 |
| ES1-23R | 989.94 | 11/2/2007 | 3.71 | --- | 0.00 | --- | 16.08 | 0.00 | 986.23 |
| GMA1-6 | 1000.44 | 11/2/2007 | 8.14 | --- | 0.00 | --- | 15.05 | 0.00 | 992.30 |
| GMA1-7 | 985.81 | 11/2/2007 | 11.82 | --- | 0.00 | --- | 14.88 | 0.00 | 973.99 |
| GMA1-18 | 998.29 | 11/2/2007 | 7.25 | --- | 0.00 | --- | 13.54 | 0.00 | 991.04 |
| South Caisson | 1001.11 | 12/4/2007 | 12.90 | P | < 0.01 | --- | 15.00 | 0.00 | 988.21 |
| South Caisson | 1001.11 | 12/10/2007 | 12.70 | P | < 0.01 | --- | 15.00 | 0.00 | 988.41 |
| South Caisson | 1001.11 | 12/18/2007 | 12.66 | --- | 0.00 | --- | 15.00 | 0.00 | 988.45 |
| South Caisson | 1001.11 | 12/27/2007 | 12.70 | P | < 0.01 | --- | 15.00 | 0.00 | 988.41 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. P indicates that NAPL is present at a thickness < 0.01 feet, the corresponding thickness is recorded as such.

TABLE 21-8
AUTOMATED LNAPL/DNAPL & GROUNDWATER RECOVERY SYSTEMS
EAST STREET AREA 2 - SOUTH
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
December 2007

| Recovery System Location | Month | Oil Collected (gallon) | Water Recovered (gallon) | Percent Downtime |
|--------------------------|----------------|------------------------|--------------------------|------------------|
| 17W | December 2006 | 13 | | |
| | January 2007 | 8 | | |
| | February 2007 | 6 | | |
| | March 2007 | 6 | | |
| | April 2007 | 2 | | |
| | May 2007 | 6 | | |
| | June 2007 | 5 | | |
| | July 2007 | 1 | | |
| | August 2007 | 2 | | |
| | September 2007 | 1 | | |
| | October 2007 | 0.6 | | |
| | November 2007 | 0 | | 71.43 |
| | December 2007 | 0 | | 93.33 |
| 64R | December 2006 | 19 | 85,911 | |
| | January 2007 | 50 | 225,994 | |
| | February 2007 | 6 | 56,097 | |
| | March 2007 | 6 | 110,548 | |
| | April 2007 | 69 | 954,730 | |
| | May 2007 | 419 | 1,268,754 | 0.49 |
| | June 2007 | 194 | 544,491 | |
| | July 2007 | 56 | 75,278 | |
| | August 2007 | 19 | 3,083 | |
| | September 2007 | 0 | 10 | |
| | October 2007 | 12.5 | 16 | |
| | November 2007 | 0 | 0 | |
| | December 2007 | 0 | 118 | |
| 64S System | December 2006 | 209 | 638,261 | |
| | January 2007 | 372 | 856,752 | 2.46 |
| | February 2007 | 376 | 584,460 | 10.71 |
| | March 2007 | 90 | 699,541 | |
| | April 2007 | 189 | 1,020,240 | |
| | May 2007 | 265 | 1,615,013 | 0.74 |
| | June 2007 | 197 | 778,200 | |
| | July 2007 | 158 | 516,126 | 5.00 |
| | August 2007 | 58 | 351,341 | |
| | September 2007 | 93 | 169,177 | |
| | October 2007 | 339 | 171,979 | |
| | November 2007 | 0 | 181,928 | |
| | December 2007 | 0 | 261,518 | |
| 64V ¹ | December 2006 | 493 | 1,017,800 | |
| | January 2007 | 680 | 1,131,400 | |
| | February 2007 | 365 | 831,700 | |
| | March 2007 | 357 | 981,000 | |
| | April 2007 | 133 | 664,100 | 31.48 |
| | May 2007 | 1,480 | 1,325,500 | 0.49 |
| | June 2007 | 303 | 965,600 | |
| | July 2007 | 423 | 720,200 | |
| | August 2007 | 274 | 695,600 | |
| | September 2007 | 199 | 521,700 | |
| | October 2007 | 303 | 698,300 | |
| | November 2007 | 374 | 636,800 | |
| | December 2007 | 448 | 657,800 | |

TABLE 21-8
AUTOMATED LNAPL/DNAPL & GROUNDWATER RECOVERY SYSTEMS
EAST STREET AREA 2 - SOUTH
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
December 2007

| Recovery System Location | Month | Oil Collected (gallon) | Water Recovered (gallon) | Percent Downtime |
|--------------------------|----------------|------------------------|--------------------------|------------------------------|
| 64X | December 2006 | 15 | 446,400 | 12.35 0.49 |
| | January 2007 | 25 | 475,200 | |
| | February 2007 | 3 | 403,200 | |
| | March 2007 | 23 | 432,000 | |
| | April 2007 | 12 | 388,800 | |
| | May 2007 | 7 | 489,600 | |
| | June 2007 | 0 | 403,200 | |
| | July 2007 | 4 | 432,000 | |
| | August 2007 | 83 | 489,600 | |
| | September 2007 | 191 | 403,200 | |
| | October 2007 | 110 | 475,200 | |
| | November 2007 | 116 | 403,200 | |
| | December 2007 | 34 | 432,000 | |
| RW-2(X) | December 2006 | 0 | 681,784 | 0.49 3.57 |
| | January 2007 | 0 | 741,727 | |
| | February 2007 | 0 | 613,664 | |
| | March 2007 | 0 | 661,630 | |
| | April 2007 | 0 | 630,962 | |
| | May 2007 | 0 | 759,917 | |
| | June 2007 | 0 | 623,287 | |
| | July 2007 | 0 | 621,704 | |
| | August 2007 | 0 | 748,698 | |
| | September 2007 | 17 | 556,053 | |
| | October 2007 | 0 | 596,911 | |
| | November 2007 | 0 | 527,224 | |
| | December 2007 | 0 | 493,808 | |
| RW-1(S) ² | December 2006 | 43 | 706,488 | 0.49 5.00 2.94 3.03 |
| | January 2007 | 24 | 814,809 | |
| | February 2007 | 22 | 129,672 | |
| | March 2007 | 22 | 749,862 | |
| | April 2007 | 22 | 907,766 | |
| | May 2007 | 22 | 1,266,422 | |
| | June 2007 | 28 | 922,524 | |
| | July 2007 | 14 | 728,718 | |
| | August 2007 | 24 | 533,804 | |
| | September 2007 | 76 | 388,294 | |
| | October 2007 | 137 | 397,362 | |
| | November 2007 | 63 | 406,149 | |
| | December 2007 | 68 | 459,311 | |
| RW-1(X) | December 2006 | 0 | 435,048 | 3.43 |
| | January 2007 | 0 | 531,367 | |
| | February 2007 | 0 | 385,165 | |
| | March 2007 | 0 | 456,714 | |
| | April 2007 | 6 | 485,631 | |
| | May 2007 | 0 | 525,891 | |
| | June 2007 | 0 | 432,622 | |
| | July 2007 | 0 | 288,576 | |
| | August 2007 | 0 | 486,758 | |
| | September 2007 | 0 | 400,292 | |
| | October 2007 | 0 | 478,460 | |
| | November 2007 | 0 | 393,698 | |
| | December 2007 | 0 | 427,529 | |

**TABLE 21-8
 AUTOMATED LNAPL/DNAPL & GROUNDWATER RECOVERY SYSTEMS
 EAST STREET AREA 2 - SOUTH
 GROUNDWATER MANAGEMENT AREA 1
 CONSENT DECREE MONTHLY STATUS REPORT
 GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS
 December 2007**

| Recovery System Location | Month | Oil Collected (gallon) | Water Recovered (gallon) | Percent Downtime |
|--------------------------|----------------|------------------------|--------------------------|------------------|
| RW-3(X) | December 2006 | 18 | | |
| | January 2007 | 60 | | 6.06 |
| | February 2007 | 32 | | 10.71 |
| | March 2007 | 30 | | |
| | April 2007 | 13 | | |
| | May 2007 | 30 | | |
| | June 2007 | 30 | | |
| | July 2007 | 25 | | |
| | August 2007 | 28 | | 8.82 |
| | September 2007 | 40 | | |
| | October 2007 | 36 | | |
| | November 2007 | 20 | | |
| | December 2007 | 27 | | 17.36 |

| Summary of Total Automated Removal | |
|------------------------------------|-------------------|
| Water: | 2,732,084 Gallons |
| LNAPL: | 550 Gallons |
| DNAPL: | 27 Gallons |

Notes:

1. The flow meter at recovery well 64V was reset in December 2004.
2. The flow meter at recovery well RW-1(S) was reset in January 2007.
3. The flow meters at recovery wells RW-1(X), RW-2(X), 64X(W), and 64R were reset in March 2006.

TABLE 21-9
WELL MONITORING AND RECOVERY OF LNAPL
EAST STREET AREA 2 - NORTH & SOUTH / 20s, 30s, & 40s COMPLEXES
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | LNAPL Removed (liters) | December 2007 Removal (liters) |
|-----------------------------------|------------|-------------------------|-------------------------|------------------------|------------------------|--------------------------------|
| East Street Area 2 - South | | | | | | |
| 13 | 12/11/2007 | 18.14 | 18.10 | 0.04 | 0.025 | 0.02 |
| 14 | 12/11/2007 | 18.45 | 18.28 | 0.17 | 0.105 | 0.10 |
| 25R | 12/10/2007 | 23.20 | 22.30 | 0.90 | 0.555 | 0.56 |
| 48 | 12/10/2007 | 17.90 | 16.12 | 1.78 | 1.098 | 1.10 |
| 55 | 12/10/2007 | 18.00 | 16.92 | 1.08 | 0.666 | 0.67 |
| 95-04R | 12/10/2007 | 15.83 | 14.69 | 1.14 | 2.818 | 2.82 |
| GMA1-14 | 12/5/2007 | 20.88 | 20.86 | 0.02 | 0.012 | 0.04 |
| | 12/10/2007 | 20.90 | 20.89 | 0.01 | 0.006 | |
| | 12/19/2007 | 20.82 | 20.81 | 0.01 | 0.006 | |
| | 12/26/2007 | 20.42 | 20.40 | 0.02 | 0.012 | |
| GMA1-15 | 12/5/2007 | 16.20 | 15.62 | 0.58 | 0.358 | 1.31 |
| | 12/10/2007 | 16.52 | 15.76 | 0.76 | 0.469 | |
| | 12/19/2007 | 16.21 | 15.70 | 0.51 | 0.253 | |
| | 12/26/2007 | 15.52 | 15.15 | 0.37 | 0.228 | |
| GMA1-16 | 12/5/2007 | 13.61 | 13.60 | 0.01 | 0.006 | 0.01 |
| | 12/19/2007 | 13.67 | 13.66 | 0.01 | 0.006 | |
| GMA1-19 | 12/5/2007 | 12.45 | 11.43 | 1.02 | 0.629 | 1.80 |
| | 12/10/2007 | 12.20 | 11.52 | 0.68 | 0.420 | |
| | 12/19/2007 | 12.40 | 11.43 | 0.97 | 0.598 | |
| | 12/26/2007 | 11.15 | 10.90 | 0.25 | 0.154 | |

Total LNAPL Removal East Street Area 2 - South for December 2007: 8.426 liters
2.223 gallons

Total LNAPL Removal for December 2007: 8.426 liters
2.223 gallons

Note:

1. ft BMP - feet Below Measuring Point.

TABLE 21-10
WELL MONITORING AND RECOVERY OF DNAPL
EAST STREET AREA 2 - NORTH & SOUTH / 20s, 30s, & 40s COMPLEXES
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Date | Depth to Water (ft BMP) | Depth to DNAPL (ft BMP) | DNAPL Thickness (feet) | DNAPL Removed (liters) | December 2007 Removal (liters) |
|-----------|------------|-------------------------|-------------------------|------------------------|------------------------|--------------------------------|
| E2SC-03I | 12/11/2007 | 10.50 | 38.70 | 3.52 | 2.172 | 2.172 |

Total DNAPL Removal East Street Area 2 - South for December 2007: 2.172 liters
0.573 gallons

Total DNAPL Removal for December 2007: 2.172 liters
0.573 gallons

Note:

1. ft BMP - feet Below Measuring Point

**TABLE 21-11
64G TREATMENT PLANT DISCHARGE DATA
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007**

| Date | Housatonic River Discharge (gallons) | Recharge Pond Discharge (gallons) | Total Discharge (gallons) |
|----------------|---|--|----------------------------------|
| December 2006 | 3,733,070 | 192,539 | 3,925,609 |
| January 2007 | 4,323,220 | 169,346 | 4,492,566 |
| February 2007 | 3,151,020 | 156,954 | 3,307,974 |
| March 2007 | 3,975,040 | 51,863 | 4,026,903 |
| April 2007 | 5,902,880 | 81,907 | 5,984,787 |
| May 2007 | 5,734,160 | 261,734 | 5,995,894 |
| June 2007 | 4,330,740 | 300,469 | 4,631,209 |
| July 2007 | 2,951,980 | 298,158 | 3,250,138 |
| August 2007 | 2,455,420 | 298,290 | 2,753,710 |
| September 2007 | 2,251,050 | 291,439 | 2,542,489 |
| October 2007 | 2,303,110 | 272,680 | 2,575,790 |
| November 2007 | 2,452,080 | 232,042 | 2,684,122 |
| December 2007 | 2,632,500 | 176,014 | 2,808,514 |

After treatment, the majority of the water processed at GE's Building 64G groundwater treatment facility is discharged to the Housatonic River through NPDES permitted Outfall 005. However, as part of GE's overall efforts to contain NAPL within the site and to optimize NAPL recovery operations, a portion of the treated water discharged from the 64G facility is routed to GE's on-site recharge pond located in East Street Area 2-South.

**TABLE 21-12
ROUTINE WELL MONITORING
EAST STREET AREA 2 - NORTH & SOUTH / 20s, 30s, & 40s COMPLEXES
GROUNDWATER MANAGEMENT AREA 1**

**CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007**

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|-----------------------------------|------------------------------|------------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| East Street Area 2 - South | | | | | | | | | |
| 13 | 990.88 | 12/11/2007 | 18.14 | 18.10 | 0.04 | --- | 22.50 | 0.00 | 972.78 |
| 14 | 991.61 | 12/11/2007 | 18.45 | 18.28 | 0.17 | --- | 25.48 | 0.00 | 973.32 |
| 19 | 983.59 | 12/5/2007 | 11.38 | --- | 0.00 | --- | 17.60 | 0.00 | 972.21 |
| 19 | 983.59 | 12/10/2007 | 11.52 | --- | 0.00 | --- | 17.60 | 0.00 | 972.07 |
| 19 | 983.59 | 12/19/2007 | Frozen Over | | | --- | 17.56 | 0.00 | NA |
| 19 | 983.59 | 12/26/2007 | 10.73 | --- | 0.00 | --- | 17.58 | 0.00 | 972.86 |
| 25R | 998.31 | 12/10/2007 | 23.20 | 22.30 | 0.90 | --- | 30.68 | 0.00 | 975.95 |
| 26RR | 1,000.58 | 12/11/2007 | 24.24 | 24.20 | 0.04 | --- | 26.45 | 0.00 | 976.38 |
| 40R | 991.60 | 12/10/2007 | Dry at 13.10 (feet BMP) | | | --- | 13.10 | 0.00 | NA |
| 48 | 992.39 | 12/10/2007 | 17.90 | 16.12 | 1.78 | --- | 22.62 | 0.00 | 976.15 |
| 49R | 988.71 | 12/10/2007 | 16.00 | --- | 0.00 | --- | 24.88 | 0.00 | 972.71 |
| 49RR | 989.80 | 12/10/2007 | 17.10 | --- | 0.00 | --- | 23.02 | 0.00 | 972.70 |
| 55 | 989.45 | 12/10/2007 | 18.00 | 16.92 | 1.08 | --- | 30.03 | 0.00 | 972.45 |
| 64R | 993.37 | 12/4/2007 | 16.64 | P | < 0.01 | --- | 20.50 | 0.00 | 976.73 |
| 64R | 993.37 | 12/10/2007 | 16.70 | P | < 0.01 | --- | 20.50 | 0.00 | 976.67 |
| 64R | 993.37 | 12/18/2007 | 16.68 | P | < 0.01 | --- | 20.50 | 0.00 | 976.69 |
| 64R | 993.37 | 12/27/2007 | 15.38 | P | < 0.01 | --- | 20.50 | 0.00 | 977.99 |
| 64S | 984.48 | 12/4/2007 | 19.10 | --- | 0.00 | P | 28.70 | < 0.01 | 965.38 |
| 64S | 984.48 | 12/10/2007 | 19.11 | --- | 0.00 | P | 28.70 | < 0.01 | 965.37 |
| 64S | 984.48 | 12/18/2007 | 19.28 | --- | 0.00 | P | 28.70 | < 0.01 | 965.20 |
| 64S | 984.48 | 12/27/2007 | 19.20 | --- | 0.00 | P | 28.70 | < 0.01 | 965.28 |
| 64S-Caisson | NA | 12/4/2007 | 10.70 | 10.69 | 0.01 | --- | 14.55 | 0.00 | NA |
| 64S-Caisson | NA | 12/10/2007 | 10.61 | 10.60 | 0.01 | --- | 14.55 | 0.00 | NA |
| 64S-Caisson | NA | 12/18/2007 | 10.68 | 10.67 | 0.01 | --- | 14.55 | 0.00 | NA |
| 64S-Caisson | NA | 12/27/2007 | 10.75 | 10.68 | 0.07 | --- | 14.55 | 0.00 | NA |
| 64V | 987.29 | 12/4/2007 | 20.80 | 19.70 | 1.10 | P | 29.60 | < 0.01 | 967.51 |
| 64V | 987.29 | 12/10/2007 | 21.20 | 20.20 | 1.00 | P | 29.60 | < 0.01 | 967.02 |
| 64V | 987.29 | 12/18/2007 | 19.90 | 19.60 | 0.30 | P | 29.60 | < 0.01 | 967.67 |
| 64V | 987.29 | 12/27/2007 | 21.90 | 19.25 | 2.65 | 29.41 | 29.60 | 0.19 | 967.85 |
| 64X(N) | 984.83 | 12/4/2007 | 12.80 | 12.79 | 0.01 | --- | 15.85 | 0.00 | 972.04 |
| 64X(N) | 984.83 | 12/10/2007 | 12.90 | 12.89 | 0.01 | --- | 15.85 | 0.00 | 971.94 |
| 64X(N) | 984.83 | 12/18/2007 | 12.70 | 12.69 | 0.01 | --- | 15.85 | 0.00 | 972.14 |
| 64X(N) | 984.83 | 12/27/2007 | 11.91 | 11.90 | 0.01 | --- | 15.85 | 0.00 | 972.93 |
| 64X(S) | 981.56 | 12/4/2007 | 16.70 | 16.68 | 0.02 | --- | 23.82 | 0.00 | 964.88 |
| 64X(S) | 981.56 | 12/10/2007 | 15.90 | 15.83 | 0.07 | --- | 23.82 | 0.00 | 965.73 |
| 64X(S) | 981.56 | 12/18/2007 | 15.65 | 15.61 | 0.04 | --- | 23.82 | 0.00 | 965.95 |
| 64X(S) | 981.56 | 12/27/2007 | 14.82 | 14.80 | 0.02 | --- | 23.82 | 0.00 | 966.76 |
| 64X(W) | 984.87 | 12/4/2007 | 18.90 | 18.88 | 0.02 | --- | 24.35 | 0.00 | 965.99 |
| 64X(W) | 984.87 | 12/10/2007 | 19.10 | 19.07 | 0.03 | --- | 24.35 | 0.00 | 965.80 |
| 64X(W) | 984.87 | 12/18/2007 | 18.91 | 18.87 | 0.04 | --- | 24.35 | 0.00 | 966.00 |
| 64X(W) | 984.87 | 12/27/2007 | 18.08 | 17.99 | 0.09 | --- | 24.35 | 0.00 | 966.87 |
| 95-01 | 983.77 | 12/10/2007 | 10.86 | --- | 0.00 | --- | 17.22 | 0.00 | 972.91 |
| 95-04R | 988.36 | 12/10/2007 | 15.83 | 14.69 | 1.14 | --- | 21.93 | 0.00 | 973.59 |
| 95-07R | 994.56 | 12/10/2007 | 20.05 | --- | 0.00 | --- | 26.02 | 0.00 | 974.51 |
| 3-6C-EB-14 | 984.20 | 12/4/2007 | 11.60 | --- | 0.00 | --- | 21.62 | 0.00 | 972.60 |
| 3-6C-EB-22 | 986.94 | 12/10/2007 | 14.38 | --- | 0.00 | --- | 20.01 | 0.00 | 972.56 |
| E2SC-03I* | 982.12 | 12/11/2007 | 10.50 | --- | 0.00 | 38.70 | 42.22 | 3.52 | 971.62 |
| E2SC-17* | 985.38 | 12/11/2007 | 12.45 | --- | 0.00 | --- | 45.73 | 0.00 | 972.93 |
| E2SC-23 | 992.07 | 12/10/2007 | 18.45 | --- | 0.00 | --- | 21.15 | 0.00 | 973.62 |
| E2SC-24 | 987.90 | 12/10/2007 | 15.90 | --- | 0.00 | --- | 21.62 | 0.00 | 972.00 |
| ES2-06 | 986.00 | 12/10/2007 | 13.82 | --- | 0.00 | --- | 34.55 | 0.00 | 972.18 |

**TABLE 21-12
ROUTINE WELL MONITORING
EAST STREET AREA 2 - NORTH & SOUTH / 20s, 30s, & 40s COMPLEXES
GROUNDWATER MANAGEMENT AREA 1**

**CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007**

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|------------|------------------------------|------------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| GMA1-14 | 997.43 | 12/5/2007 | 20.88 | 20.86 | 0.02 | --- | 22.89 | 0.00 | 976.57 |
| GMA1-14 | 997.43 | 12/10/2007 | 20.90 | 20.89 | 0.01 | --- | 22.91 | 0.00 | 976.54 |
| GMA1-14 | 997.43 | 12/19/2007 | 20.82 | 20.81 | 0.01 | --- | 22.93 | 0.00 | 976.62 |
| GMA1-14 | 997.43 | 12/26/2007 | 20.42 | 20.40 | 0.02 | --- | 22.86 | 0.00 | 977.03 |
| GMA1-15 | 988.59 | 12/5/2007 | 16.20 | 15.62 | 0.58 | --- | 17.80 | 0.00 | 972.93 |
| GMA1-15 | 988.59 | 12/10/2007 | 16.52 | 15.76 | 0.76 | --- | 17.80 | 0.00 | 972.78 |
| GMA1-15 | 988.59 | 12/19/2007 | 16.21 | 15.70 | 0.51 | --- | 17.80 | 0.00 | 972.85 |
| GMA1-15 | 988.59 | 12/26/2007 | 15.52 | 15.15 | 0.37 | --- | 17.80 | 0.00 | 973.41 |
| GMA1-16 | 986.82 | 12/5/2007 | 13.61 | 13.60 | 0.01 | --- | 19.96 | 0.00 | 973.22 |
| GMA1-16 | 986.82 | 12/10/2007 | 13.71 | --- | 0.00 | --- | 19.97 | 0.00 | 973.11 |
| GMA1-16 | 986.82 | 12/19/2007 | 13.67 | 13.66 | 0.01 | --- | 19.96 | 0.00 | 973.16 |
| GMA1-16 | 986.82 | 12/26/2007 | 13.00 | --- | 0.00 | --- | 19.97 | 0.00 | 973.82 |
| GMA1-17E | 993.03 | 12/10/2007 | 16.50 | 16.49 | 0.01 | --- | 17.30 | 0.00 | 976.54 |
| GMA1-19 | 984.28 | 12/5/2007 | 12.45 | 11.43 | 1.02 | --- | 17.13 | 0.00 | 972.78 |
| GMA1-19 | 984.28 | 12/10/2007 | 12.20 | 11.52 | 0.68 | --- | 17.14 | 0.00 | 972.71 |
| GMA1-19 | 984.28 | 12/19/2007 | 12.40 | 11.43 | 0.97 | --- | 17.14 | 0.00 | 972.78 |
| GMA1-19 | 984.28 | 12/26/2007 | 11.15 | 10.90 | 0.25 | --- | 17.14 | 0.00 | 973.36 |
| GMA1-20 | 983.49 | 12/5/2007 | 10.98 | --- | 0.00 | --- | 17.30 | 0.00 | 972.51 |
| GMA1-20 | 983.49 | 12/10/2007 | 11.10 | --- | 0.00 | --- | 17.30 | 0.00 | 972.39 |
| GMA1-20 | 983.49 | 12/19/2007 | 10.93 | --- | 0.00 | --- | 17.30 | 0.00 | 972.56 |
| GMA1-20 | 983.49 | 12/26/2007 | 10.32 | --- | 0.00 | --- | 17.30 | 0.00 | 973.17 |
| GMA1-21 | 985.68 | 12/5/2007 | 13.08 | --- | 0.00 | --- | 19.40 | 0.00 | 972.60 |
| GMA1-21 | 985.68 | 12/10/2007 | 13.20 | --- | 0.00 | --- | 19.40 | 0.00 | 972.48 |
| GMA1-21 | 985.68 | 12/19/2007 | 13.10 | --- | 0.00 | --- | 19.42 | 0.00 | 972.58 |
| GMA1-21 | 985.68 | 12/26/2007 | 12.88 | --- | 0.00 | --- | 19.43 | 0.00 | 972.80 |
| GMA1-22 | 988.45 | 12/5/2007 | 15.38 | --- | 0.00 | --- | 19.23 | 0.00 | 973.07 |
| GMA1-22 | 988.45 | 12/10/2007 | 15.60 | --- | 0.00 | --- | 19.23 | 0.00 | 972.85 |
| GMA1-22 | 988.45 | 12/19/2007 | 15.94 | --- | 0.00 | --- | 19.21 | 0.00 | 972.51 |
| GMA1-22 | 988.45 | 12/26/2007 | 14.90 | --- | 0.00 | --- | 19.21 | 0.00 | 973.55 |
| GMA1-23 | 986.16 | 12/5/2007 | 13.18 | --- | 0.00 | --- | 17.30 | 0.00 | 972.98 |
| GMA1-23 | 986.16 | 12/10/2007 | 13.36 | --- | 0.00 | --- | 17.30 | 0.00 | 972.80 |
| GMA1-23 | 986.16 | 12/19/2007 | 13.30 | --- | 0.00 | --- | 17.28 | 0.00 | 972.86 |
| GMA1-23 | 986.16 | 12/26/2007 | 12.75 | --- | 0.00 | --- | 17.27 | 0.00 | 973.41 |
| GMA1-24 | 983.81 | 12/5/2007 | 11.29 | --- | 0.00 | --- | 15.95 | 0.00 | 972.52 |
| GMA1-24 | 983.81 | 12/10/2007 | 11.45 | --- | 0.00 | --- | 15.95 | 0.00 | 972.36 |
| GMA1-24 | 983.81 | 12/19/2007 | 11.83 | --- | 0.00 | --- | 15.94 | 0.00 | 971.98 |
| GMA1-24 | 983.81 | 12/26/2007 | 10.75 | --- | 0.00 | --- | 15.94 | 0.00 | 973.06 |
| HR-G2-MW-1 | 982.60 | 12/10/2007 | 11.26 | --- | 0.00 | --- | 18.23 | 0.00 | 971.34 |
| HR-G2-MW-2 | 981.39 | 12/10/2007 | 9.00 | --- | 0.00 | --- | 17.68 | 0.00 | 972.39 |
| HR-G2-MW-3 | 987.14 | 12/10/2007 | 15.08 | --- | 0.00 | --- | 21.98 | 0.00 | 972.06 |
| HR-G2-RW-1 | 976.88 | 12/10/2007 | 6.76 | --- | 0.00 | --- | 18.71 | 0.00 | 971.83 |
| HR-J1-MW-2 | 983.56 | 11/2/2007 | 11.20 | --- | 0.00 | --- | 17.64 | 0.00 | 972.36 |
| RW-1(S) | 987.23 | 12/4/2007 | 19.10 | 18.80 | 0.30 | --- | 28.60 | 0.00 | 968.41 |
| RW-1(S) | 987.23 | 12/10/2007 | 19.90 | 19.62 | 0.28 | P | 28.60 | < 0.01 | 967.59 |
| RW-1(S) | 987.23 | 12/18/2007 | 21.06 | 20.40 | 0.66 | --- | 28.60 | 0.00 | 966.78 |
| RW-1(S) | 987.23 | 12/27/2007 | 19.10 | 18.40 | 0.70 | P | 28.60 | < 0.01 | 968.78 |
| RW-1(X) | 982.68 | 12/4/2007 | 14.30 | 14.28 | 0.02 | --- | 20.80 | 0.00 | 968.40 |
| RW-1(X) | 982.68 | 12/10/2007 | 15.60 | 15.53 | 0.07 | --- | 20.80 | 0.00 | 967.15 |
| RW-1(X) | 982.68 | 12/18/2007 | 14.60 | 14.41 | 0.19 | --- | 20.80 | 0.00 | 968.26 |
| RW-1(X) | 982.68 | 12/27/2007 | 15.90 | 15.57 | 0.33 | --- | 20.80 | 0.00 | 967.09 |

**TABLE 21-12
ROUTINE WELL MONITORING
EAST STREET AREA 2 - NORTH & SOUTH / 20s, 30s, & 40s COMPLEXES
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007**

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|-------------------------|------------------------------|------------|-------------------------|-------------------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| RW-2(X) | 985.96 | 12/4/2007 | 14.60 | --- | 0.00 | --- | 22.80 | 0.00 | 971.36 |
| RW-2(X) | 985.96 | 12/10/2007 | 14.60 | --- | 0.00 | --- | 22.80 | 0.00 | 971.36 |
| RW-2(X) | 985.96 | 12/18/2007 | 14.00 | --- | 0.00 | --- | 22.80 | 0.00 | 971.96 |
| RW-2(X) | 985.96 | 12/27/2007 | 14.03 | --- | 0.00 | --- | 22.80 | 0.00 | 971.93 |
| RW-3(X) | 980.28 | 12/4/2007 | 10.02 | --- | 0.00 | --- | 44.40 | 0.00 | 970.26 |
| RW-3(X) | 980.28 | 12/10/2007 | 10.20 | --- | 0.00 | 42.20 | 44.40 | 2.20 | 970.08 |
| RW-3(X) | 980.28 | 12/18/2007 | 9.75 | --- | 0.00 | 41.87 | 44.40 | 2.53 | 970.53 |
| RW-3(X) | 980.28 | 12/27/2007 | 8.60 | --- | 0.00 | 42.90 | 44.40 | 1.50 | 971.68 |
| Housatonic River | | | | | | | | | |
| SG-HR-1 | 990.73 | 12/5/2007 | 19.55 | See Note 6 regarding depth to water | | | | | 971.18 |
| SG-HR-1 | 990.73 | 12/12/2007 | 19.06 | See Note 6 regarding depth to water | | | | | 971.67 |
| SG-HR-1 | 990.73 | 12/19/2007 | 19.62 | See Note 6 regarding depth to water | | | | | 971.11 |
| SG-HR-1 | 990.73 | 12/26/2007 | 18.45 | See Note 6 regarding depth to water | | | | | 972.28 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. NA indicates information not available.
4. P indicates that NAPL is present at a thickness that is < 0.01 feet, the corresponding thickness is recorded as such.
5. Well HR-G2-RW-1 is constructed at an angle of 41.67 degrees from vertical. Depth to water data reflect measurements collected along the angled well casing. Groundwater elevations are corrected to account for the angle of the well casing.
6. A survey reference point (SG-HR-1) was established on the Newell Street Bridge. The "Depth to Water" value(s) provided in the above table refer to the vertical distance from the surveyed reference point to the water surface.
7. * - A weighted bailer has been installed at this location to remove accumulations of DNAPL. The DNAPL thickness reported is that measured within the bailer upon the initial retrieval.

TABLE 21-13
ACTIVE RECOVERY SYSTEMS MONTHLY SUMMARY
LYMAN STREET AREA
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Month / Year | Volume Water Pumped (gallon) | RW-1 DNAPL Recovered (gallon) | RW-1R LNAPL Recovered (gallon) | RW-3 LNAPL Recovered (gallon) |
|----------------|------------------------------|-------------------------------|--------------------------------|-------------------------------|
| December 2005 | 332,721 | -- | -- | -- |
| January 2006 | 342,548 | -- | -- | -- |
| February 2006 | 336,595 | -- | -- | -- |
| March 2006 | 322,169 | -- | -- | -- |
| April 2006 | 245,626 | -- | -- | -- |
| May 2006 | 253,821 | -- | -- | -- |
| June 2006 | 562,906 | -- | -- | -- |
| July 2006 | 206,016 | -- | -- | -- |
| August 2006 | 216,359 | -- | -- | -- |
| September 2006 | 172,604 | -- | -- | -- |
| October 2006 | 184,541 | -- | -- | -- |
| November 2006 | 270,731 | -- | -- | -- |
| December 2006 | 205,096 | -- | -- | -- |
| January 2007 | 240,662 | -- | -- | 5 |
| February 2007 | 170,181 | -- | -- | 5 |
| March 2007 | 205,590 | -- | -- | 10 |
| April 2007 | 292,955 | -- | -- | -- |
| May 2007 | 279,466 | -- | -- | 10 |
| June 2007 | 204,886 | -- | -- | -- |
| July 2007 | 186,214 | -- | -- | 5 |
| August 2007 | 100,728 | -- | -- | -- |
| September 2007 | 183,351 | -- | -- | 5 |
| October 2007 | 144,238 | -- | -- | 5 |
| November 2007 | 139,963 | -- | -- | -- |
| December 2007 | 154,499 | -- ³ | -- | 5 |

Notes:

1. Volume of water pumped is total from Wells RW-1R, RW-2, and RW-3.
2. -- indicates LNAPL or DNAPL was not recovered by the system.
3. Well RW-1 was decommissioned in 2007 and will not be included in future reports.

TABLE 21-14
MEASUREMENT AND REMOVAL OF RECOVERABLE DNAPL
LYMAN STREET AREA
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Date | Depth to Water (ft BMP) | Depth to DNAPL (ft BMP) | DNAPL Thickness (feet) | DNAPL Removed (liters) | December 2007 Removal (liters) |
|-----------|------------|-------------------------|-------------------------|------------------------|------------------------|--------------------------------|
| LS-30 | 12/18/2007 | 16.03 | 21.75 | 2.18 | 1.34 | 1.34 |
| LS-31 | 12/18/2007 | 16.08 | 24.85 | 0.60 | 0.37 | 0.37 |
| LSSC-07 | 12/4/2007 | 11.31 | 24.85 | 0.23 | 0.142 | 0.586 |
| | 12/11/2007 | 11.45 | 24.87 | 0.21 | 0.130 | |
| | 12/18/2007 | 11.30 | 24.85 | 0.23 | 0.142 | |
| | 12/24/2007 | 10.40 | 24.80 | 0.28 | 0.173 | |

Total Manual DNAPL Removal for December 2007: 2.301 liters
0.607 gallons

Note:

1. ft BMP - feet Below Measuring Point.

TABLE 21-15
ROUTINE WELL MONITORING
LYMAN STREET AREA
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) | |
|---|------------------------------|------------|-------------------------|-------------------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|--------|
| EPA-01 | 983.04 | 12/18/2007 | No Access Due to Snow | | | --- | NA | 0.00 | NA | |
| LS-24 | 986.58 | 12/18/2007 | 18.24 | --- | 0.00 | --- | 19.35 | 0.00 | 968.34 | |
| LS-30 | 986.440 | 12/18/2007 | 16.03 | --- | 0.00 | 21.75 | 23.93 | 2.18 | 970.41 | |
| LS-31 | 987.090 | 12/18/2007 | 16.08 | 15.94 | 0.14 | 24.85 | 25.45 | 0.60 | 971.14 | |
| LS-38 | 986.95 | 12/18/2007 | 16.94 | --- | 0.00 | --- | 26.05 | 0.00 | 970.01 | |
| LS-44 | 980.78 | 12/18/2007 | No Access Due to Snow | | | --- | NA | 0.00 | NA | |
| LSSC-07 | 982.48 | 12/4/2007 | 11.31 | --- | 0.00 | 24.85 | 25.08 | 0.23 | 971.17 | |
| LSSC-07 | 982.48 | 12/11/2007 | 11.45 | --- | 0.00 | 24.87 | 25.08 | 0.21 | 971.03 | |
| LSSC-07 | 982.48 | 12/18/2007 | 11.30 | --- | 0.00 | 24.85 | 25.08 | 0.23 | 971.18 | |
| LSSC-07 | 982.48 | 12/24/2007 | 10.40 | --- | 0.00 | 24.80 | 25.08 | 0.28 | 972.08 | |
| LSSC-08I | 983.13 | 12/4/2007 | No Access Due to Snow | | | --- | NA | 0.00 | NA | |
| LSSC-08I | 983.13 | 12/11/2007 | No Access Due to Snow | | | --- | NA | 0.00 | NA | |
| LSSC-08I | 983.13 | 12/18/2007 | No Access Due to Snow | | | --- | NA | 0.00 | NA | |
| LSSC-08I | 983.13 | 12/24/2007 | No Access Due to Snow | | | --- | NA | 0.00 | NA | |
| LSSC-08S | 983.11 | 12/18/2007 | No Access Due to Snow | | | --- | NA | 0.00 | NA | |
| LSSC-16I | 980.88 | 12/18/2007 | 9.60 | --- | 0.00 | --- | 28.53 | 0.00 | 971.28 | |
| LSSC-18 | 987.32 | 12/18/2007 | 18.65 | --- | 0.00 | --- | 22.50 | 0.00 | 968.67 | |
| LSSC-32 | 980.68 | 12/18/2007 | 9.68 | --- | 0.00 | --- | 35.22 | 0.00 | 971.00 | |
| LSSC-33 | 980.49 | 12/18/2007 | No Access Due to Snow | | | --- | NA | 0.00 | NA | |
| RW-1 (R) | NA | 12/4/2007 | 17.00 | P | < 0.01 | P | 21.65 | < 0.01 | NA | |
| RW-1 (R) | NA | 12/10/2007 | 16.96 | P | < 0.01 | P | 21.65 | < 0.01 | NA | |
| RW-1 (R) | NA | 12/18/2007 | 17.20 | P | < 0.01 | P | 21.65 | < 0.01 | NA | |
| RW-1 (R) | NA | 12/27/2007 | 18.85 | P | < 0.01 | P | 21.65 | < 0.01 | NA | |
| RW-2 | NA | 12/4/2007 | 17.18 | --- | 0.00 | --- | 24.70 | 0.00 | NA | |
| RW-2 | NA | 12/10/2007 | 17.78 | --- | 0.00 | --- | 24.70 | 0.00 | NA | |
| RW-2 | NA | 12/18/2007 | 17.60 | --- | 0.00 | --- | 24.70 | 0.00 | NA | |
| RW-2 | NA | 12/27/2007 | 16.60 | --- | 0.00 | --- | 24.70 | 0.00 | NA | |
| RW-3 | NA | 12/4/2007 | 17.52 | 17.50 | 0.02 | --- | 22.70 | 0.00 | NA | |
| RW-3 | NA | 12/10/2007 | 17.53 | 17.50 | 0.03 | --- | 22.70 | 0.00 | NA | |
| RW-3 | NA | 12/18/2007 | 17.80 | 17.75 | 0.05 | --- | 22.70 | 0.00 | NA | |
| RW-3 | NA | 12/27/2007 | 17.21 | 17.20 | 0.01 | --- | 22.70 | 0.00 | NA | |
| Housatonic River (Lyman Street Bridge) | | | | | | | | | | |
| BM-2A | 986.32 | 12/5/2007 | 16.31 | See Note 5 regarding depth to water | | | | | | 970.01 |
| BM-2A | 986.32 | 12/12/2007 | 16.10 | See Note 5 regarding depth to water | | | | | | 970.22 |
| BM-2A | 986.32 | 12/19/2007 | 16.28 | See Note 5 regarding depth to water | | | | | | 970.04 |
| BM-2A | 986.32 | 12/26/2007 | 15.28 | See Note 5 regarding depth to water | | | | | | 971.04 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. NA indicates information not available.
4. P indicates that LNAPL is present at a thickness that is < 0.01 feet, the corresponding thickness is recorded as such.
5. A survey reference point (BM-2A) was established on the Lyman Street Bridge. The "Depth to Water" value(s) provided in the above table refer to the vertical distance from the surveyed reference point to the water surface.

TABLE 21-16
ACTIVE DNAPL RECOVERY SYSTEMS MONTHLY SUMMARY
NEWELL STREET AREA II
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Recovery System | Date | Total Gallons Recovered |
|---|----------------|-------------------------|
| System 2⁽¹⁾ | December 2006 | 54.0 |
| | January 2007 | 72.9 |
| | February 2007 | 124.2 |
| | March 2007 | 94.8 |
| | April 2007 | 302.4 |
| | May 2007 | 175.5 |
| | June 2007 | 126.9 |
| | July 2007 | 75.2 |
| | August 2007 | 67.5 |
| | September 2007 | 54.0 |
| | October 2007 | 67.5 |
| | November 2007 | 205.0 |
| December 2007 | 54.0 | |
| Total Automated DNAPL Removal for December 2007: | | 54.0 |

Notes:

1. System 2 wells are N2SC-01I(R), N2SC-03I(R), and N2SC-14.
2. The DNAPL recovery systems for the Newell Street Area II were shut down on July 25, 2005. An upgraded system was completed and activated on August 30, 2006.

TABLE 21-17
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
CONSENT DECREE MONTHLY STATUS REPORT
GROUNDWATER MANAGEMENT AREA 1 - NEWELL STREET AREA II
MEASUREMENT AND REMOVAL OF RECOVERABLE DNAPL
December 2007

| Well Name | Date | Depth to Water (ft BMP) | Depth to DNAPL (ft BMP) | DNAPL Thickness (feet) | DNAPL Removed (liters) | December 2007 Removal (liters) |
|-----------|------------|-------------------------|-------------------------|------------------------|------------------------|--------------------------------|
| N2SC-08 | 12/18/2007 | 12.10 | 39.65 | 1.59 | 0.98 | 0.981 |

Total DNAPL Removal for December 2007: 0.981 liters
0.259 gallons

Note:

1. ft BMP - feet Below Measuring Point.

**TABLE 21-18
ROUTINE WELL MONITORING
NEWELL STREET AREA II
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007**

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|-------------|------------------------------|------------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| N2SC-01I | 984.99 | 12/18/2007 | 12.30 | --- | 0.00 | 37.80 | 40.40 | 2.60 | 972.69 |
| N2SC-01I(R) | 986.01 | 12/4/2007 | 16.88 | NM | NM | 41.60 | 42.60 | 1.00 | 969.13 |
| N2SC-01I(R) | 986.01 | 12/10/2007 | 16.02 | NM | NM | 41.20 | 42.60 | 1.40 | 969.99 |
| N2SC-01I(R) | 986.01 | 12/18/2007 | 16.89 | NM | NM | 42.03 | 42.60 | 0.57 | 969.12 |
| N2SC-01I(R) | 986.01 | 12/27/2007 | 15.25 | NM | NM | 42.30 | 42.60 | 0.30 | 970.76 |
| N2SC-02 | 985.56 | 12/18/2007 | 11.43 | --- | 0.00 | --- | 38.35 | 0.00 | 974.13 |
| N2SC-03I | 986.24 | 12/18/2007 | 10.98 | --- | 0.00 | 36.05 | 37.74 | 1.69 | 975.26 |
| N2SC-03I(R) | 985.86 | 12/4/2007 | 14.00 | NM | NM | 39.70 | 41.10 | 1.40 | 971.86 |
| N2SC-03I(R) | 985.86 | 12/10/2007 | 14.18 | NM | NM | 39.10 | 41.10 | 2.00 | 971.68 |
| N2SC-03I(R) | 985.86 | 12/18/2007 | 14.09 | NM | NM | 39.07 | 41.10 | 2.03 | 971.77 |
| N2SC-03I(R) | 985.86 | 12/27/2007 | 13.38 | NM | NM | 39.10 | 41.10 | 2.00 | 972.48 |
| N2SC-07 | 984.61 | 12/18/2007 | Could not locate | | | --- | NA | 0.00 | NA |
| N2SC-07S | 982.93 | 12/4/2007 | 11.04 | --- | 0.00 | --- | 19.12 | 0.00 | 971.89 |
| N2SC-08 | 986.07 | 12/18/2007 | 12.10 | --- | 0.00 | 39.65 | 41.24 | 1.59 | 973.97 |
| N2SC-14 | 985.06 | 12/4/2007 | 14.08 | NM | NM | 39.20 | 40.00 | 0.80 | 970.98 |
| N2SC-14 | 985.06 | 12/10/2007 | 14.82 | NM | NM | 38.98 | 40.00 | 1.02 | 970.24 |
| N2SC-14 | 985.06 | 12/18/2007 | 14.65 | NM | NM | 38.90 | 40.00 | 1.10 | 970.41 |
| N2SC-14 | 985.06 | 12/27/2007 | 14.00 | NM | NM | 38.80 | 40.00 | 1.20 | 971.06 |
| NS-15R | NA | 12/18/2007 | Could not locate | | | --- | NA | 0.00 | NA |
| NS-30 | 985.99 | 12/18/2007 | 10.93 | --- | 0.00 | 35.00 | 35.10 | 0.10 | 975.06 |
| NS-32 | 986.20 | 12/18/2007 | 11.58 | --- | 0.00 | 37.90 | 38.04 | 0.14 | 974.62 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. NA indicates information not available.
4. NM indicates information not measured.

TABLE 21-19
ROUTINE WELL MONITORING
NEWELL STREET AREA I
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|-----------|------------------------------|-----------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| FW-16R | 986.51 | 11/2/2007 | 14.31 | --- | 0.00 | --- | 20.31 | 0.00 | 972.20 |
| IA-9R | 984.14 | 11/2/2007 | 11.75 | --- | 0.00 | --- | 16.90 | 0.00 | 972.39 |
| MM-1 | 988.04 | 11/2/2007 | 12.57 | --- | 0.00 | --- | 19.40 | 0.00 | 975.47 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.

TABLE 21-20
ROUTINE WELL MONITORING
SILVER LAKE AREA
GROUNDWATER MANAGEMENT AREA 1
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|---------------------------------------|------------------------------|------------|-------------------------|-------------------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| Staff Gauge within Silver Lake | | | | | | | | | |
| BM-SL-5 | 980.27 | 12/5/2007 | 4.49 | See Note 4 regarding depth to water | | | | | 975.78 |
| BM-SL-5 | 980.27 | 12/12/2007 | 4.47 | See Note 4 regarding depth to water | | | | | 975.80 |
| BM-SL-5 | 980.27 | 12/19/2007 | Frozen at 4.28 ft | See Note 4 regarding depth to water | | | | | NA |
| BM-SL-5 | 980.27 | 12/26/2007 | Frozen at 4.33 ft | See Note 4 regarding depth to water | | | | | NA |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. NA indicates information not available.
4. Survey reference point BM-SL-5 was established on the former Silver Lake staff gauge support structure following destruction of the gauge due to ice. The "Depth to Water" value(s) provided in the above table refer to the vertical distance as measured down from the surveyed reference point to the water surface.
5. Additional groundwater elevation data may also be collected from wells near Silver Lake that are located in the 30s Complex and at the Lyman Street Area. If available, those results are presented in the monitoring tables for those Removal Action Areas.

**TABLE 21-21
SILVER LAKE OUTLET VELOCITY DATA COLLECTED SUBSEQUENT TO APRIL 2007
SILVER LAKE AREA
GROUNDWATER MANAGEMENT AREA 1**

**CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007**

| Date | Total Width (ft) | Station | Total Depth (ft) | Calculated Average Velocity (ft/s) | Calculated Discharge (cfs) |
|------------------------|------------------|---------|------------------|------------------------------------|----------------------------|
| 5/3/2007 | 9.0 | 1 | 1.35 | 0.20 | 0.41 |
| | | 2 | 1.4 | 0.32 | 0.45 |
| | | 3 | 1.35 | 0.34 | 0.46 |
| | | 4 | 1.2 | 0.29 | 0.34 |
| | | 5 | 1.2 | 0.32 | 0.38 |
| | | 6 | 1.1 | 0.22 | 0.24 |
| | | 7 | 0.95 | 0.12 | 0.11 |
| | | 8 | 0.8 | 0.09 | 0.11 |
| Total Discharge | | | | | 2.50 |
| 5/9/2007 | 8.0 | 1 | 1.2 | 0.14 | 0.24 |
| | | 2 | 1.3 | 0.23 | 0.30 |
| | | 3 | 1.3 | 0.22 | 0.28 |
| | | 4 | 1.1 | 0.23 | 0.25 |
| | | 5 | 1 | 0.22 | 0.22 |
| | | 6 | 1 | 0.14 | 0.14 |
| | | 7 | 0.7 | 0.06 | 0.06 |
| Total Discharge | | | | | 1.48 |
| 5/17/2007 | 9.0 | 1 | 1.3 | 0.18 | 0.35 |
| | | 2 | 1.4 | 0.27 | 0.37 |
| | | 3 | 1.3 | 0.27 | 0.35 |
| | | 4 | 1.15 | 0.26 | 0.29 |
| | | 5 | 1.1 | 0.25 | 0.27 |
| | | 6 | 1.05 | 0.20 | 0.21 |
| | | 7 | 0.9 | 0.12 | 0.11 |
| | | 8 | 0.75 | 0.02 | 0.02 |
| Total Discharge | | | | | 1.98 |
| 5/21/2007 | 9.0 | 1 | 1.35 | 0.19 | 0.38 |
| | | 2 | 1.4 | 0.30 | 0.41 |
| | | 3 | 1.45 | 0.29 | 0.42 |
| | | 4 | 1.15 | 0.30 | 0.34 |
| | | 5 | 1.15 | 0.27 | 0.30 |
| | | 6 | 1.1 | 0.18 | 0.19 |
| | | 7 | 0.9 | 0.12 | 0.11 |
| | | 8 | 0.8 | 0.05 | 0.06 |
| Total Discharge | | | | | 2.22 |
| 9/5/2007 | 8.0 | 1 | 1 | 0.01 | 0.02 |
| | | 2 | 1.1 | 0.03 | 0.03 |
| | | 3 | 1 | 0.03 | 0.03 |
| | | 4 | 0.9 | 0.03 | 0.03 |
| | | 5 | 0.85 | 0.02 | 0.02 |
| | | 6 | 0.75 | 0.03 | 0.02 |
| | | 7 | 0.55 | 0.00 | 0.00 |
| Total Discharge | | | | | 0.14 |

Notes:

1. When Total Depth was less than 1 foot, velocity was measured at 60% of Total Depth only.
2. Measurements were collected by ARCADIS BBL on dates indicated.

**TABLE 21-22
SILVER LAKE OUTLET CALCULATED DISCHARGE
SILVER LAKE AREA
GROUNDWATER MANAGEMENT AREA 1**

**CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007**

| Date | Gage Measurement (ft) | | Calculated Flow (cfs) | |
|------------|-----------------------|------|-----------------------|------|
| | Grate | Wall | Grate | Wall |
| 7/26/2007 | 3.36 | 4.99 | 0.68 | 0.75 |
| 9/26/2007 | 3.48 | 5.11 | 0.060 | 0.10 |
| 10/30/2007 | 3.28 | 4.92 | 1.3 | 1.3 |
| 11/27/2007 | 3.24 | 4.90 | 1.7 | 1.4 |
| 12/20/2007 | 3.37 | -- | 0.62 | -- |

Notes:

1. Calculated flows estimated using rating curves developed based on measurements taken at the outfall from March 2007 through May 2007 and September 2007.
2. Beginning December 2007, the grate reading will be collected as the primary gage measurement.
3. "--" indicates measurement not taken.

ITEM 22
GROUNDWATER MANAGEMENT AREAS
FORMER OXBOWS J & K (GMA 2)
(GEC320)
DECEMBER 2007

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

- Developed and sampled new monitoring well GMA2-10.
- Conducted drum sampling at Building 78 of well development water from monitoring wells within GMA 2, as identified in Table 22-1.
- Continued routine river elevation monitoring.

b. Sampling/Test Results Received

- See attached tables.
- Groundwater elevation data collected from certain monitoring wells during November 2007 that were not included in the November monthly report have been incorporated into attached Table 22-3.
- Preliminary analytical results received in December 2007 from the Fall 2007 GMA 2 long-term groundwater quality monitoring activities are shown in Table 22-2. These samples were analyzed for PCBs in filtered form. No PCBs were detected in these samples.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Survey new well GMA2-10.
- Prepare Fall 2007 Monitoring Event Evaluation Report (see Item 22.e below).

ITEM 22
(cont'd)
GROUNDWATER MANAGEMENT AREAS
FORMER OXBOWS J & K (GMA 2)
(GECD320)
DECEMBER 2007

e. General Progress/Unresolved Issues/Potential Schedule Impacts

The Fall 2007 Monitoring Event Evaluation Report is scheduled to be submitted within 60 days of receipt of the final laboratory data packages from the Fall 2007 sampling event. As noted above, GE sampled newly installed well GMA2-10 in December 2007. In these circumstances, GE will discuss with EPA a report submittal schedule, including whether that schedule will be based on the receipt of data packages from well GMA2-10 or from the GMA 2 wells that were sampled in November 2007. Following such discussions, GE and EPA will agree upon a specific submittal date.

f. Proposed/Approved Work Plan Modifications

None

**TABLE 22-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**GROUNDWATER MANAGEMENT AREA 2
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|----------------------------------|------------------------|--------------------|---------------|-------------------|---------------------------------|---------------------------------------|
| Semi-Annual Groundwater Sampling | GMA2-1 | 11/14/07 | Groundwater | SGS | PCB (f) | 12/6/07 |
| Semi-Annual Groundwater Sampling | GMA2-10 | 12/18/07 | Groundwater | SGS | VOC | |
| Semi-Annual Groundwater Sampling | GMA2-2 | 11/14/07 | Groundwater | SGS | PCB (f) | 12/6/07 |
| Semi-Annual Groundwater Sampling | GMA2-4 | 11/14/07 | Groundwater | SGS | PCB (f) | 12/6/07 |
| Semi-Annual Groundwater Sampling | GMA2-9 | 11/14/07 | Groundwater | SGS | PCB (f) | 12/6/07 |
| Semi-Annual Groundwater Sampling | GMA2-DUP-1 (GMA2-9) | 11/14/07 | Groundwater | SGS | PCB (f) | 12/6/07 |
| Well Development Water Sampling | GMA2-1 | 12/19/07 | Water | SGS | PCB, VOC, SVOC, RCRA Metals (8) | |

Notes:

1. The parent sample location associated with the field duplicate is presented in parenthesis.
2. (f) - Indicates filtered analysis requested.

**TABLE 22-2
DATA RECEIVED DURING DECEMBER 2007**

**SEMI-ANNUAL GROUNDWATER SAMPLING
GROUNDWATER MANAGEMENT AREA 2
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | GMA2-1 11/14/07 | GMA2-2 11/14/07 | GMA2-4 11/14/07 | GMA2-9 11/14/07 |
|----------------------|-------------------------------|--------------------|--------------------|--------------------|--------------------|
| PCBs-Filtered | | | | | |
| None Detected | | -- | -- | -- | -- |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to SGS Environmental Services, Inc. for analysis of PCBs (filtered).
2. -- Indicates that all constituents for the parameter group were not detected.

TABLE 22-3
ROUTINE WELL MONITORING
GROUNDWATER MANAGEMENT AREA 2
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) | |
|---------------------------------------|------------------------------|------------|-------------------------|-------------------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|--------|
| Former Oxbow Area J | | | | | | | | | | |
| GMA 2-1 | 991.36 | 11/1/2007 | 15.51 | --- | 0.00 | --- | 27.25 | 0.00 | 975.85 | |
| GMA 2-2 | 991.19 | 11/1/2007 | 17.60 | --- | 0.00 | --- | 25.20 | 0.00 | 973.59 | |
| GMA 2-3 | 991.48 | 11/1/2007 | 15.35 | --- | 0.00 | --- | 18.52 | 0.00 | 976.13 | |
| GMA 2-6 | 989.73 | 11/1/2007 | 15.37 | --- | 0.00 | --- | 23.52 | 0.00 | 974.36 | |
| GMA 2-7 | 989.64 | 11/1/2007 | 15.21 | --- | 0.00 | --- | 18.55 | 0.00 | 974.43 | |
| J-1R | 988.25 | 11/1/2007 | 14.95 | --- | 0.00 | --- | 21.20 | 0.00 | 973.30 | |
| MW-1 | 994.47 | 11/1/2007 | 12.78 | --- | 0.00 | --- | 19.45 | 0.00 | 981.69 | |
| MW-2 | 991.64 | 11/2/2007 | 13.45 | --- | 0.00 | --- | 16.78 | 0.00 | 978.19 | |
| Former Oxbow Area K | | | | | | | | | | |
| GMA 2-4 | 983.41 | 11/1/2007 | 9.31 | --- | 0.00 | --- | 18.05 | 0.00 | 974.10 | |
| GMA 2-5 | 985.85 | 11/1/2007 | 10.25 | --- | 0.00 | --- | 11.37 | 0.00 | 975.60 | |
| GMA 2-8 | 982.30 | 11/1/2007 | 8.56 | --- | 0.00 | --- | 17.42 | 0.00 | 973.74 | |
| GMA 2-9 | 981.29 | 11/1/2007 | 7.88 | --- | 0.00 | --- | 17.02 | 0.00 | 973.41 | |
| Housatonic River (Foot Bridge) | | | | | | | | | | |
| GMA2-SG-1 | 989.82 | 11/2/2007 | 17.05 | See Note 3 regarding depth to water | | | | | | 972.77 |
| GMA2-SG-1 | 989.82 | 12/19/2007 | 16.98 | See Note 3 regarding depth to water | | | | | | 972.84 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. A survey reference point was established on the Oxbow J & K foot bridge. The "Depth to Water" value(s) provided in the above table refer to the vertical distance from the surveyed reference point to the water surface.

**ITEM 23
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 2 (GMA 3)
(GECD330)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

- Conducted routine groundwater elevation and NAPL monitoring activities. Approximately 46.181 liters (12.18 gallons) of LNAPL were removed by the automatic skimmer located in well 51-21 and an additional 6.318 liters (1.67 gallons) of LNAPL were manually removed from the wells in this area during December (see Table 23-4).
- On December 19, 2007, newly installed monitoring well GMA3-17 was observed to have an LNAPL thickness of 0.06 feet above the water table. EPA and MDEP were verbally notified of this observation on that date. This well will be fitted with an automated LNAPL recovery system in January 2008.

b. Sampling/Test Results Received

- See attached tables.
- Groundwater elevation data collected from certain monitoring wells during November 2007 that were not included in the November monthly report have been incorporated into attached Table 23-5.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue routine groundwater and NAPL monitoring/recovery activities.
- Complete installation of new belt skimmer recovery system in well GMA3-17.

e. General Progress/Unresolved Issues/Potential Schedule Impacts

None

f. Proposed/Approved Work Plan Modifications

None

**TABLE 23-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**GROUNDWATER MANAGEMENT AREA 3
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---|------------------------|--------------------|---------------|-------------------|-----------------------------------|---------------------------------------|
| Decon Water from Well Drilling Near Building 59 | B2089-1 | 11/12/07 | Water | SGS | PCB | 12/4/07 |
| Well Purge Water | F3665-1 | 11/12/07 | Water | SGS | PCB, VOC, SVOC, Total RCRA Metals | 12/4/07 |
| Well Purge Water | B2090-1 | 11/12/07 | Water | SGS | PCB, VOC, SVOC, Total RCRA Metals | 12/4/07 |

**TABLE 23-2
PCB DATA RECEIVED DURING DECEMBER 2007**

**DECON WATER FROM WELL DRILLING NEAR BUILDING 59
GROUNDWATER MANAGEMENT AREA 3
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Sample ID | Date Collected | Aroclor-1016 | Aroclor-1221 | Aroclor-1232 | Aroclor-1242 | Aroclor-1248 | Aroclor-1254 | Aroclor-1260 | Total PCBs |
|------------------|-----------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|---------------------|-------------------|
| B2089-1 | 11/12/2007 | ND(0.000065) | ND(0.000065) | ND(0.000065) | ND(0.000065) | ND(0.000065) | ND(0.000065) | ND(0.000065) | ND(0.000065) |

Notes:

1. Sample was collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis of PCBs.
2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

**TABLE 23-3
DATA RECEIVED DURING DECEMBER 2007**

**WELLS PURGE WATER
GROUNDWATER MANAGEMENT AREA 3
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | B2090-1 11/12/07 | F3665-1 11/12/07 |
|------------------------------|-------------------------------|---------------------|---------------------|
| Volatiles Organics | | | |
| 1,1-Dichloroethane | | 0.00021 J | ND(0.0010) |
| 2-Butanone | | 0.0025 J | ND(0.0050) |
| Acetone | | 0.013 | ND(0.0050) |
| Chloroform | | 0.00031 J | ND(0.0010) |
| Methylene Chloride | | 0.00030 J | ND(0.0050) |
| Tetrachloroethene | | ND(0.0010) | 0.00013 J |
| Toluene | | 0.00021 J | ND(0.0010) |
| Xylenes (total) | | 0.00046 J | ND(0.0010) |
| PCBs-Unfiltered | | | |
| Aroclor-1254 | | ND(0.00065) | 0.00015 |
| Aroclor-1260 | | ND(0.00065) | 0.00020 |
| Total PCBs | | ND(0.00065) | 0.00035 |
| Semivolatile Organics | | | |
| bis(2-Ethylhexyl)phthalate | | 0.013 J | 0.0015 J |
| Inorganics-Unfiltered | | | |
| Arsenic | | 0.00397 B | 0.00348 B |
| Barium | | 0.313 | 0.0987 B |
| Chromium | | 0.0157 | 0.00319 B |
| Lead | | 0.0244 | 0.00689 B |
| Selenium | | 0.00810 B | ND(0.0200) |
| Silver | | 0.000830 B | ND(0.0100) |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to SGS Environmental Services, Inc. for analysis of volatiles, PCBs, semivolatiles and metals.
2. Only detected constituents are summarized.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles)

J - Indicates an estimated value less than the practical quantitation limit (PQL).

Inorganics

B - Indicates an estimated value between the instrument detection limit (IDL) and (PQL).

**TABLE 23-4
MEASUREMENT AND REMOVAL OF RECOVERABLE LNAPL
GROUNDWATER MANAGEMENT AREA 3
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007**

| Well Name | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | LNAPL Removed (liters) | December 2007 Removal (liters) |
|-----------|------------|-------------------------|-------------------------|------------------------|------------------------|--------------------------------|
| 51-08 | 12/4/2007 | 12.40 | 11.43 | 0.97 | 0.598 | 2.57 |
| | 12/12/2007 | 12.60 | 11.40 | 1.20 | 0.740 | |
| | 12/17/2007 | 12.45 | 11.38 | 1.07 | 0.660 | |
| | 12/24/2007 | 12.22 | 11.30 | 0.92 | 0.568 | |
| 51-17 | 12/17/2007 | 11.85 | 10.97 | 0.88 | 0.543 | 0.54 |
| 51-21 | 12/4/2007 | 15.80 | 15.79 | 0.01 | 6.44 | 46.18 |
| | 12/10/2007 | 15.93 | 15.91 | 0.02 | 12.49 | |
| | 12/18/2007 | 15.90 | P | < 0.01 | 17.79 | |
| | 12/27/2007 | 15.87 | --- | 0.00 | 9.46 | |
| 59-03R | 12/17/2007 | 12.47 | 11.98 | 0.49 | 0.302 | 0.30 |
| GMA3-10 | 12/24/2007 | 11.87 | 11.80 | 0.07 | 0.043 | 0.04 |
| GMA3-12 | 12/4/2007 | 12.80 | 12.05 | 0.75 | 1.854 | 2.57 |
| | 12/24/2007 | 12.37 | 12.08 | 0.29 | 0.717 | |
| GMA3-17 | 12/19/2007 | 16.36 | 16.30 | 0.06 | 0.148 | 0.25 |
| | 12/24/2007 | 16.26 | 16.22 | 0.04 | 0.099 | |
| UB-PZ-3 | 12/17/2007 | 12.73 | 12.60 | 0.13 | 0.045 | 0.045 |

**Total Automated LNAPL Removal at well 51-21 for December 2007: 46.181 liters
12.18 Gallons**

**Total Manual LNAPL Removal at all other wells for December 2007: 6.318 liters
1.67 Gallons**

**Total LNAPL Removed for December 2007: 52.499 liters
13.85 Gallons**

Notes:

1. ft BMP - feet Below Measuring Point.
2. P indicates that LNAPL or DNAPL is present at a thickness that is < 0.01 feet. The corresponding thickness is recorded as such.

TABLE 23-5
ROUTINE WELL MONITORING
GROUNDWATER MANAGEMENT AREA 3
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|-----------|------------------------------|------------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| 51-05 | 996.44 | 12/17/2007 | 10.80 | --- | 0.00 | --- | 10.90 | 0.00 | 985.64 |
| 51-06 | 997.36 | 12/18/2007 | 11.28 | --- | 0.00 | --- | 14.33 | 0.00 | 986.08 |
| 51-07 | 997.08 | 12/17/2007 | Buried Under Ice & Snow | | | --- | NA | 0.00 | NA |
| 51-08 | 997.08 | 12/4/2007 | 12.40 | 11.43 | 0.97 | --- | 14.62 | 0.00 | 985.58 |
| 51-08 | 997.08 | 12/12/2007 | 12.60 | 11.40 | 1.20 | --- | 14.61 | 0.00 | 985.60 |
| 51-08 | 997.08 | 12/17/2007 | 12.45 | 11.38 | 1.07 | --- | 14.62 | 0.00 | 985.63 |
| 51-08 | 997.08 | 12/24/2007 | 12.22 | 11.30 | 0.92 | --- | 14.61 | 0.00 | 985.72 |
| 51-09 | 997.70 | 12/18/2007 | Dry at 11.58 (feet BMP) | | | --- | 11.58 | 0.00 | NA |
| 51-11 | 994.37 | 12/18/2007 | 8.83 | --- | 0.00 | --- | 13.55 | 0.00 | 985.54 |
| 51-12 | 996.55 | 12/18/2007 | 7.61 | --- | 0.00 | --- | 13.30 | 0.00 | 988.94 |
| 51-13 | 997.42 | 12/18/2007 | Dry at 9.80 (feet BMP) | | | --- | 9.80 | 0.00 | NA |
| 51-14 | 996.77 | 12/18/2007 | 11.33 | --- | 0.00 | --- | 14.68 | 0.00 | 985.44 |
| 51-15 | 996.43 | 12/17/2007 | 10.90 | 10.80 | 0.10 | --- | 14.40 | 0.00 | 985.62 |
| 51-16R | 996.39 | 12/17/2007 | 10.78 | 10.70 | 0.08 | --- | 14.54 | 0.00 | 985.68 |
| 51-17 | 996.43 | 12/17/2007 | 11.85 | 10.97 | 0.88 | --- | 14.50 | 0.00 | 985.40 |
| 51-18 | 997.12 | 12/18/2007 | 11.45 | --- | 0.00 | --- | 12.60 | 0.00 | 985.67 |
| 51-19 | 996.43 | 12/17/2007 | Buried Under Ice & Snow | | | --- | NA | 0.00 | NA |
| 51-21 | 1001.49 | 12/4/2007 | 15.80 | 15.79 | 0.01 | --- | NM | 0.00 | 985.70 |
| 51-21 | 1001.49 | 12/10/2007 | 15.93 | 15.91 | 0.02 | --- | NM | 0.00 | 985.58 |
| 51-21 | 1001.49 | 12/18/2007 | 15.90 | P | < 0.01 | --- | NM | 0.00 | 985.59 |
| 51-21 | 1001.49 | 12/27/2007 | 15.87 | --- | 0.00 | --- | NM | 0.00 | 985.62 |
| 59-01 | 997.52 | 12/18/2007 | Dry at 11.41 (feet BMP) | | | --- | 11.41 | 0.00 | NA |
| 59-03R | 997.64 | 12/17/2007 | 12.47 | 11.98 | 0.49 | --- | 17.04 | 0.00 | 985.63 |
| 59-07 | 997.96 | 12/17/2007 | Buried Under Ice & Snow | | | --- | NA | 0.00 | NA |
| 078B-R | 988.83 | 12/17/2007 | Buried Under Ice & Snow | | | --- | NA | 0.00 | NA |
| 082B-R | 989.90 | 11/1/2007 | 4.64 | --- | 0.00 | --- | 11.57 | 0.00 | 985.26 |
| 089A | 985.76 | 11/1/2007 | 3.29 | --- | 0.00 | --- | 47.41 | 0.00 | 982.47 |
| 089B | 986.03 | 11/1/2007 | 3.50 | --- | 0.00 | --- | 8.89 | 0.00 | 982.53 |
| 089D-R | 987.11 | 11/1/2007 | 68.95 | --- | 0.00 | --- | 78.78 | 0.00 | 918.16 |
| GMA3-5 | 993.67 | 11/1/2007 | 8.44 | --- | 0.00 | --- | 15.42 | 0.00 | 985.23 |
| GMA3-10 | 997.54 | 12/4/2007 | 11.80 | 11.75 | 0.05 | --- | 17.80 | 0.00 | 985.79 |
| GMA3-10 | 997.54 | 12/12/2007 | 11.94 | 11.85 | 0.09 | --- | 17.78 | 0.00 | 985.68 |
| GMA3-10 | 997.54 | 12/17/2007 | 11.90 | 11.80 | 0.10 | --- | 17.78 | 0.00 | 985.73 |
| GMA3-10 | 997.54 | 12/24/2007 | 11.87 | 11.80 | 0.07 | --- | 17.78 | 0.00 | 985.74 |
| GMA3-11 | 997.25 | 12/4/2007 | 10.90 | --- | 0.00 | --- | 18.15 | 0.00 | 986.35 |
| GMA3-11 | 997.25 | 12/12/2007 | 11.24 | --- | 0.00 | --- | 18.13 | 0.00 | 986.01 |
| GMA3-11 | 997.25 | 12/18/2007 | 11.28 | --- | 0.00 | --- | 18.14 | 0.00 | 985.97 |
| GMA3-11 | 997.25 | 12/24/2007 | 11.18 | --- | 0.00 | --- | 18.12 | 0.00 | 986.07 |
| GMA3-12 | 997.84 | 12/4/2007 | 12.80 | 12.05 | 0.75 | --- | 21.22 | 0.00 | 985.74 |
| GMA3-12 | 997.84 | 12/12/2007 | 12.24 | 12.14 | 0.10 | --- | 21.23 | 0.00 | 985.69 |
| GMA3-12 | 997.84 | 12/17/2007 | 12.28 | 12.08 | 0.20 | --- | 21.22 | 0.00 | 985.75 |
| GMA3-12 | 997.84 | 12/24/2007 | 12.37 | 12.08 | 0.29 | --- | 21.22 | 0.00 | 985.74 |

TABLE 23-5
ROUTINE WELL MONITORING
GROUNDWATER MANAGEMENT AREA 3
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|-----------|------------------------------|------------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| GMA3-13 | 997.73 | 12/4/2007 | 11.92 | --- | 0.00 | --- | 17.40 | 0.00 | 985.81 |
| GMA3-13 | 997.73 | 12/12/2007 | 12.00 | --- | 0.00 | --- | 17.40 | 0.00 | 985.73 |
| GMA3-13 | 997.73 | 12/17/2007 | 11.91 | --- | 0.00 | --- | 17.38 | 0.00 | 985.82 |
| GMA3-13 | 997.73 | 12/24/2007 | 11.94 | --- | 0.00 | --- | 17.40 | 0.00 | 985.79 |
| GMA3-14 | 997.42 | 12/18/2007 | 10.71 | --- | 0.00 | --- | 16.54 | 0.00 | 986.71 |
| GMA3-16 | 989.26 | 12/4/2007 | 1.01 | --- | 0.00 | --- | 12.53 | 0.00 | 988.25 |
| GMA3-16 | 989.26 | 12/12/2007 | Water just below riser | | | --- | 12.52 | 0.00 | NA |
| GMA3-16 | 989.26 | 12/18/2007 | 1.25 | --- | 0.00 | --- | 12.50 | 0.00 | 988.01 |
| GMA3-16 | 989.26 | 12/24/2007 | Water just above riser | | | --- | 12.55 | 0.00 | NA |
| GMA3-17 | NA | 12/4/2007 | 16.28 | --- | 0.00 | --- | 23.32 | 0.00 | NA |
| GMA3-17 | NA | 12/12/2007 | 16.42 | --- | 0.00 | --- | 23.30 | 0.00 | NA |
| GMA3-17 | NA | 12/19/2007 | 16.36 | 16.30 | 0.06 | --- | 23.34 | 0.00 | NA |
| GMA3-17 | NA | 12/24/2007 | 16.26 | 16.22 | 0.04 | --- | 23.28 | 0.00 | NA |
| OBG-2 | 992.20 | 11/1/2007 | 5.24 | --- | 0.00 | --- | 14.86 | 0.00 | 986.96 |
| UB-MW-10 | 995.99 | 12/17/2007 | Buried Under Ice & Snow | | | --- | NA | 0.00 | NA |
| UB-PZ-3 | 998.15 | 12/17/2007 | 12.73 | 12.60 | 0.13 | --- | 13.41 | 0.00 | 985.54 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity
3. NA indicates information not available
4. NM indicates information not measured
5. P indicates that LNAPL is present at a thickness that is < 0.01 feet, the corresponding thickness is recorded as such.
6. Survey reference points were established on the GMA 3 staff gauges. The "Depth to Water" value(s) provided in the above table refer to the vertical distance from the surveyed reference point to the water surface.

**ITEM 24
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 3 (GMA 4)
(GEC340)
DECEMBER 2007**

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

Conducted routine groundwater elevation monitoring activities.

b. Sampling/Test Results Received

- See attached tables.
- Preliminary analytical results received in December 2007 from the fall 2007 GMA 4 interim groundwater quality monitoring activities are shown in Table 24-2. These results consist of data from one well (well 78-6). These preliminary results have been compared to the applicable Method 1 GW-2 and GW-3 groundwater standards and UCLs for groundwater set forth in the MCP. (Note that, under this interim monitoring program, samples collected for PCBs, cyanide, or metals analyses are analyzed for these constituents in filtered form only.) These comparisons indicate that there were no exceedances of the Method 1 GW-2 or GW-3 standards or of the UCLs in the sample results from this well.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Continue routine monthly monitoring at well GMA4-3.
- Conduct quarterly groundwater elevation monitoring round (see Item 24.e below).
- Potentially install replacements for wells OPCA-MW-1R and OPCA-MW-2 (see Item 24.e below).

e. General Progress/Unresolved Issues/Potential Schedule Impacts

- GE will coordinate performance of the quarterly groundwater elevation monitoring round with EPA to facilitate the concurrent collection of groundwater elevation data by EPA to the north of this GMA.
- The two replacement wells (to be designated OPCA-MW-1R and OPCA-MW-2R, respectively) will not be installed until completion of the sewer line re-routing being performed at Hill 78 Area-Remainder.

ITEM 24
(cont'd)
GROUNDWATER MANAGEMENT AREAS
PLANT SITE 3 (GMA 4)
(GEC340)
DECEMBER 2007

f. Proposed/Approved Work Plan Modifications

None

**TABLE 24-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**GROUNDWATER MANAGEMENT AREA 4
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|----------------------------------|------------------------|--------------------|---------------|-------------------|--|-----------------------------------|
| Semi-Annual Groundwater Sampling | 78-6 | 11/13/07 | Groundwater | SGS | PCB (f), VOC, SVOC, Metals (f), PAC CN (f), Sulfide, PCDD/PCDF | 12/6/07 |
| Well Purge Water | B2041-1 | 11/12/07 | Water | SGS | PCB, VOC, SVOC, Total RCRA Metals | 12/4/07 |

TABLE 24-2
DATA RECEIVED DURING DECEMBER 2007
SEMI-ANNUAL GROUNDWATER SAMPLING
GROUNDWATER MANAGEMENT AREA 4
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)

| Parameter | Sample ID: Date Collected: | 78-6 11/13/07 |
|--|-------------------------------|------------------|
| Volatile Organics | | |
| Acetone | | 0.0014 J |
| Total VOCs | | 0.0014 J |
| PCBs-Filtered | | |
| None Detected | | -- |
| Semivolatile Organics | | |
| bis(2-Ethylhexyl)phthalate | | 0.0018 J |
| Dimethylphthalate | | 0.00060 J |
| Naphthalene | | 0.0016 J |
| Furans | | |
| 2,3,7,8-TCDF | | ND(0.0000000042) |
| TCDFs (total) | | 0.0000000076 J |
| 1,2,3,7,8-PeCDF | | ND(0.0000000052) |
| 2,3,4,7,8-PeCDF | | ND(0.0000000052) |
| PeCDFs (total) | | ND(0.0000000052) |
| 1,2,3,4,7,8-HxCDF | | ND(0.0000000052) |
| 1,2,3,6,7,8-HxCDF | | ND(0.0000000052) |
| 1,2,3,7,8,9-HxCDF | | ND(0.0000000052) |
| 2,3,4,6,7,8-HxCDF | | ND(0.0000000052) |
| HxCDFs (total) | | ND(0.0000000052) |
| 1,2,3,4,6,7,8-HpCDF | | ND(0.0000000052) |
| 1,2,3,4,7,8,9-HpCDF | | ND(0.0000000052) |
| HpCDFs (total) | | ND(0.0000000052) |
| OCDF | | ND(0.000000011) |
| Dioxins | | |
| 2,3,7,8-TCDD | | ND(0.0000000037) |
| TCDDs (total) | | ND(0.0000000037) |
| 1,2,3,7,8-PeCDD | | ND(0.0000000052) |
| PeCDDs (total) | | ND(0.0000000052) |
| 1,2,3,4,7,8-HxCDD | | ND(0.0000000052) |
| 1,2,3,6,7,8-HxCDD | | ND(0.0000000052) |
| 1,2,3,7,8,9-HxCDD | | ND(0.0000000052) |
| HxCDDs (total) | | ND(0.0000000052) |
| 1,2,3,4,6,7,8-HpCDD | | ND(0.0000000052) |
| HpCDDs (total) | | ND(0.0000000052) |
| OCDD | | ND(0.000000011) |
| Total TEQs (WHO TEFs) | | 0.0000000080 |
| Inorganics-Unfiltered (sulfide) | | |
| None Detected | | -- |
| Inorganics-Filtered | | |
| Arsenic | | 0.00588 B |
| Barium | | 0.0667 B |
| Beryllium | | 0.000850 B |
| Copper | | 0.00222 B |

TABLE 24-2
DATA RECEIVED DURING DECEMBER 2007

SEMI-ANNUAL GROUNDWATER SAMPLING
GROUNDWATER MANAGEMENT AREA 4
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)

Notes:

1. Sample was collected by ARCADIS BBL, and submitted to SGS Environmental Services, Inc. for analysis of Appendix IX+3 constituents.
2. NA - Not Analyzed.
3. ND - Analyte was not detected. The number in parentheses is the associated detection limit.
4. Total 2,3,7,8-TCDD toxicity equivalents (TEQs) were calculated using Toxicity Equivalency Factors (TEFs) derived by the World Health Organization (WHO) and published by Van den Berg et al. in Environmental Health Perspectives 106(2), December 1998.
5. With the exception of dioxin/furans, only those constituents detected in one or more samples are summarized.
-- Indicates that all constituents for the parameter group were not detected.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles, dioxin/furans)

J - Indicates an estimated value less than the practical quantitation limit (PQL).

Inorganics

B - Indicates an estimated value between the instrument detection limit (IDL) and PQL.

**TABLE 24-3
DATA RECEIVED DURING DECEMBER 2007**

**WELL PURGE WATER
GROUNDWATER MANAGEMENT AREA 4
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | B2041-1 11/12/07 |
|------------------------------|-------------------------------|---------------------|
| Volatile Organics | | |
| Chloroform | | 0.0015 |
| Tetrachloroethene | | 0.00032 J |
| Trichloroethene | | 0.0019 |
| PCBs-Unfiltered | | |
| Aroclor-1254 | | 0.00035 |
| Aroclor-1260 | | 0.00015 |
| Total PCBs | | 0.00050 |
| Semivolatile Organics | | |
| bis(2-Ethylhexyl)phthalate | | 0.0027 J |
| Di-n-Butylphthalate | | 0.00085 J |
| Inorganics-Unfiltered | | |
| Barium | | 0.0614 B |
| Chromium | | 0.0132 |
| Lead | | 0.0170 |
| Selenium | | 0.0231 |
| Silver | | 0.00139 B |

Notes:

1. Sample was collected by Veolia ES Technical Solutions, L.L.C. and submitted to SGS Environmental Services, Inc. for analysis of volatiles, PCBs, semivolatiles and metals.
2. Only detected constituents are summarized.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles)

J - Indicates an estimated value less than the practical quantitation limit (PQL).

Inorganics

B - Indicates an estimated value between the instrument detection limit (IDL) and (PQL).

TABLE 24-4
ROUTINE WELL MONITORING
GROUNDWATER MANAGEMENT AREA 4
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|-----------|------------------------------|------------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| GMA4-3 | 1,003.95 | 12/17/2007 | 18.20 | --- | 0.00 | --- | 26.24 | 0.00 | 985.75 |

Notes:

1. ft BMP - feet Below Measuring Point.

ITEM 25
GROUNDWATER MANAGEMENT AREAS
FORMER OXBOWS A & C (GMA 5)
(GECD350)
DECEMBER 2007

* All activities described below for this item were conducted pursuant to the Consent Decree.

a. Activities Undertaken/Completed

- Conducted drum sampling at Building 78 of well development water from monitoring wells within GMA 5, as identified in Table 25-1.
- Developed wells GMA5-9 and GMA5-10.
- Sampled wells GMA5-9 and GMA5-10.

b. Sampling/Test Results Received

- See attached tables.
- Groundwater elevation data collected from one monitoring well (GMA5-2) during November 2007 that were not included in the November monthly report have been incorporated into attached Table 25-4.
- Preliminary analytical results received in December 2007 from the Fall 2007 GMA 5 long-term groundwater quality monitoring activities are shown in Table 25-2. These preliminary results have been compared to the applicable Method 1 GW-2 and GW-3 groundwater standards and UCLs for groundwater set forth in the MCP. None of the applicable standards or UCLs were exceeded in the preliminary data received in December 2007.

c. Work Plans/Reports/Documents Submitted

None

d. Upcoming Scheduled and Anticipated Activities (next six weeks)

- Survey wells GMA5-9 and GMA5-10.
- Prepare Fall 2007 Monitoring Event Evaluation Report (see Item 25.e below).

ITEM 25
(cont'd)
GROUNDWATER MANAGEMENT AREAS
FORMER OXBOWS A & C (GMA 5)
(GEC350)
DECEMBER 2007

e. General Progress/Unresolved Issues/Potential Schedule Impacts

The Fall 2007 Monitoring Event Evaluation Report is scheduled to be submitted within 60 days of receipt of the final laboratory data packages from the Fall 2007 sampling event. As noted above, GE sampled newly installed wells GMA5-9 and GMA5-10 in December 2007. In these circumstances, GE will discuss with EPA a report submittal schedule, including whether that schedule will be based on the receipt of data packages from those wells or from the GMA 5 wells that were sampled in November 2007. Following such discussions, GE and EPA will agree upon a specific submittal date.

f. Proposed/Approved Work Plan Modifications

None

**TABLE 25-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**GROUNDWATER MANAGEMENT AREA 5
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|----------------------------------|------------------------|--------------------|---------------|-------------------|--|-----------------------------------|
| Paratt-Wolff Auger Wipe Sampling | PWA-1107-W1 | 11/29/07 | Wipe | SGS | PCB | 12/3/07 |
| Paratt-Wolff Auger Wipe Sampling | PWA-1107-W2 | 11/29/07 | Wipe | SGS | PCB | 12/3/07 |
| Paratt-Wolff Auger Wipe Sampling | PWA-1107-W3 | 11/29/07 | Wipe | SGS | PCB | 12/3/07 |
| Semi-Annual Groundwater Sampling | DUP-01 (GMA5-10) | 12/18/07 | Groundwater | SGS | VOC | |
| Semi-Annual Groundwater Sampling | GMA5-10 | 12/18/07 | Groundwater | SGS | VOC | |
| Semi-Annual Groundwater Sampling | GMA5-4 | 11/15/07 | Groundwater | SGS | Cadmium (f) | 12/14/07 |
| Semi-Annual Groundwater Sampling | GMA5-5 | 11/15/07 | Groundwater | SGS | CN, CN (f), PAC CN (f), Sulfide | 12/14/07 |
| Semi-Annual Groundwater Sampling | GMA5-5 | 11/15/07 | Groundwater | SGS | PCB, PCB (f), VOC, SVOC, Metals, Metals (f), Pest, Herb, PCDD/PCDF | 12/14/07 |
| Semi-Annual Groundwater Sampling | GMA5-7 | 11/15/07 | Groundwater | SGS | VOC | 12/14/07 |
| Semi-Annual Groundwater Sampling | GMA5-9 | 12/17/07 | Groundwater | SGS | VOC | |
| Semi-Annual Groundwater Sampling | GMA5-DUP-1 (GMA5-5) | 11/15/07 | Groundwater | SGS | CN, CN (f), PAC CN (f), Sulfide | 12/14/07 |
| Semi-Annual Groundwater Sampling | GMA5-DUP-1 (GMA5-5) | 11/15/07 | Groundwater | SGS | PCB, PCB (f), VOC, SVOC, Metals, Metals (f), Pest, Herb, PCDD/PCDF | 12/14/07 |
| Well Development Water Sampling | GMA5-1 | 12/19/07 | Water | SGS | PCB, VOC, SVOC, RCRA Metals (8) | |

Notes:

1. The parent sample location associated with the field duplicate is presented in parenthesis.
2. (f) - Indicates filtered analysis requested.

**TABLE 25-2
DATA RECEIVED DURING DECEMBER 2007**

**SEMI-ANNUAL GROUNDWATER SAMPLING
GROUNDWATER MANAGEMENT AREA 5
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | GMA5-4 11/15/07 | GMA5-5 11/15/07 | GMA5-7 11/15/07 |
|----------------------------------|-------------------------------|--------------------|-----------------------------------|--------------------|
| Volatile Organics | | | | |
| Benzene | | NA | 0.00034 J [0.00032 J] | ND(0.0010) |
| Chlorobenzene | | NA | 0.00051 J [0.00050 J] | ND(0.0010) |
| Ethylbenzene | | NA | ND(0.0010) [ND(0.0010)] | 0.00023 J |
| Tetrachloroethene | | NA | ND(0.0010) [ND(0.0010)] | 0.024 |
| Toluene | | NA | 0.00023 J [0.00020 J] | ND(0.0010) |
| trans-1,2-Dichloroethene | | NA | ND(0.0010) [ND(0.0010)] | 0.0011 |
| Trichloroethene | | NA | ND(0.0010) [ND(0.0010)] | 0.0031 |
| Vinyl Chloride | | NA | ND(0.0010) [ND(0.0010)] | 0.00061 J |
| Total VOCs | | NA | 0.0011 J [0.0010 J] | 0.029 J |
| PCBs-Unfiltered | | | | |
| Aroclor-1260 | | NA | 0.000050 J [0.000041 J] | NA |
| Total PCBs | | NA | 0.000050 J [0.000041 J] | NA |
| PCBs-Filtered | | | | |
| None Detected | | NA | -- | NA |
| Semivolatile Organics | | | | |
| None Detected | | NA | -- | NA |
| Organochlorine Pesticides | | | | |
| None Detected | | NA | -- | NA |
| Herbicides | | | | |
| None Detected | | NA | -- | NA |
| Furans | | | | |
| 2,3,7,8-TCDF | | NA | ND(0.000000028) [ND(0.000000023)] | NA |
| TCDFs (total) | | NA | ND(0.000000028) [ND(0.000000023)] | NA |
| 1,2,3,7,8-PeCDF | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| 2,3,4,7,8-PeCDF | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| PeCDFs (total) | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| 1,2,3,4,7,8-HxCDF | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| 1,2,3,6,7,8-HxCDF | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| 1,2,3,7,8,9-HxCDF | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| 2,3,4,6,7,8-HxCDF | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| HxCDFs (total) | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| 1,2,3,4,6,7,8-HpCDF | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| 1,2,3,4,7,8,9-HpCDF | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| HpCDFs (total) | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| OCDF | | NA | ND(0.000000010) [ND(0.000000010)] | NA |
| None Detected | | NA | -- | NA |
| Dioxins | | | | |
| 2,3,7,8-TCDD | | NA | ND(0.000000033) [ND(0.000000021)] | NA |
| TCDDs (total) | | NA | ND(0.000000033) [ND(0.000000021)] | NA |
| 1,2,3,7,8-PeCDD | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| PeCDDs (total) | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| 1,2,3,4,7,8-HxCDD | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| 1,2,3,6,7,8-HxCDD | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| 1,2,3,7,8,9-HxCDD | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| HxCDDs (total) | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| 1,2,3,4,6,7,8-HpCDD | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| HpCDDs (total) | | NA | ND(0.000000051) [ND(0.000000051)] | NA |
| OCDD | | NA | 0.00000011 J [0.00000013 J] | NA |
| Total TEQs (WHO TEFs) | | NA | 0.000000075 [0.000000070] | NA |

**TABLE 25-2
DATA RECEIVED DURING DECEMBER 2007**

**SEMI-ANNUAL GROUNDWATER SAMPLING
GROUNDWATER MANAGEMENT AREA 5
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | GMA5-4 11/15/07 | GMA5-5 11/15/07 | GMA5-7 11/15/07 |
|------------------------------|-------------------------------|--------------------|---------------------------|--------------------|
| Inorganics-Unfiltered | | | | |
| Arsenic | | NA | 0.00297 B [0.00418 B] | NA |
| Barium | | NA | 0.0953 B [0.0963 B] | NA |
| Beryllium | | NA | ND(0.0100) [0.00464 B] | NA |
| Cadmium | | NA | ND(0.00500) [ND(0.00500)] | NA |
| Chromium | | NA | 0.00208 B [0.00207 B] | NA |
| Copper | | NA | 0.00263 B [0.00328 B] | NA |
| Lead | | NA | 0.00467 B [0.00550 B] | NA |
| Selenium | | NA | ND(0.0200) [0.0117 B] | NA |
| Thallium | | NA | 0.00957 B [0.00695 B] | NA |
| Zinc | | NA | ND(0.0200) [0.0321] | NA |
| Inorganics-Filtered | | | | |
| Arsenic | | NA | ND(0.0100) [0.00574 B] | NA |
| Barium | | NA | 0.0778 B [0.0875 B] | NA |
| Beryllium | | NA | 0.00435 B [0.000460 B] | NA |
| Cadmium | | ND(0.0100) | ND(0.00500) [ND(0.00500)] | NA |
| Chromium | | NA | 0.00115 [0.00149 B] | NA |
| Copper | | NA | 0.00260 B [0.00239 B] | NA |
| Lead | | NA | 0.00429 B [0.00681 B] | NA |
| Selenium | | NA | ND(0.0200) [ND(0.0200)] | NA |
| Thallium | | NA | ND(0.0100) [ND(0.0100)] | NA |
| Zinc | | NA | ND(0.0200) [ND(0.0200)] | NA |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to SGS Environmental Services, Inc. for analysis of Appendix IX+3 constituents.
2. NA - Not Analyzed.
3. ND - Analyte was not detected. The number in parentheses is the associated detection limit.
4. Total 2,3,7,8-TCDD toxicity equivalents (TEQs) were calculated using Toxicity Equivalency Factors (TEFs) derived by the World Health Organization (WHO) and published by Van den Berg et al. in Environmental Health Perspectives 106(2), December 1998.
5. With the exception of dioxin/furans and cadmium, only those constituents detected in one or more samples are summarized.
6. -- Indicates that all constituents for the parameter group were not detected.
7. Field duplicate sample results are presented in brackets.

Data Qualifiers:

Organics (volatiles, PCBs, semivolatiles,dioxin/furans)

J - Indicates an estimated value less than the practical quantitation limit (PQL).

Inorganics

B - Indicates an estimated value between the instrument detection limit (IDL) and PQL.

**TABLE 25-3
PCB DATA RECEIVED DURING DECEMBER 2007**

**PARATT-WOLFF AUGER WIPE SAMPLING
GROUNDWATER MANAGEMENT AREA 5
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in $\mu\text{g}/100\text{cm}^2$)**

| Sample ID | Date Collected | Aroclor-1016 | Aroclor-1221 | Aroclor-1232 | Aroclor-1242 | Aroclor-1248 | Aroclor-1254 | Aroclor-1260 | Total PCBs |
|-------------|----------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|------------|
| PWA-1107-W1 | 11/29/2007 | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) |
| PWA-1107-W2 | 11/29/2007 | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) |
| PWA-1107-W3 | 11/29/2007 | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) | ND(1.0) |

Notes:

1. Samples were collected by ARCADIS BBL, and submitted to SGS Environmental Services, Inc. for analysis of PCBs.
2. ND - Analyte was not detected. The number in parenthesis is the associated detection limit.

TABLE 25-4
ROUTINE WELL MONITORING
GROUNDWATER MANAGEMENT AREA 5
CONSENT DECREE MONTHLY STATUS REPORT
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
December 2007

| Well Name | Measuring Point Elev. (feet) | Date | Depth to Water (ft BMP) | Depth to LNAPL (ft BMP) | LNAPL Thickness (feet) | Depth to DNAPL (ft BMP) | Total Depth (ft BMP) | DNAPL Thickness (feet) | Corrected Water Elev. (feet) |
|------------------------------------|------------------------------|-----------|-------------------------|-------------------------|------------------------|-------------------------|----------------------|------------------------|------------------------------|
| GMA 5 - Former Oxbow Area A | | | | | | | | | |
| GMA 5-9 | NA | 12/5/2007 | 16.42 | --- | 0.00 | --- | 21.58 | 0.00 | NA |
| GMA 5-10 | NA | 12/5/2007 | 13.88 | --- | 0.00 | --- | 18.68 | 0.00 | NA |
| GMA 5 - Former Oxbow Area C | | | | | | | | | |
| GMA 5-2 | 982.66 | 11/1/2007 | 11.34 | --- | 0.00 | --- | 20.68 | 0.00 | 971.32 |

Notes:

1. ft BMP - feet Below Measuring Point.
2. --- indicates LNAPL or DNAPL was not present in a measurable quantity.
3. NA indicates information not available.

Attachment A

NPDES Sampling Records
and Results – December 2007

**TABLE A-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**NPDES PERMIT MONITORING
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---------------------|------------------------|--------------------|---------------|-------------------|-----------------|---------------------------------------|
| NPDES Sampling | 001-A8658 | 12/3/07 | Water | Columbia | TSS | 12/11/07 |
| NPDES Sampling | 001-A8667 | 12/3/07 | Water | Columbia | Oil & Grease | 12/11/07 |
| NPDES Sampling | 001-A8669 | 12/3/07 | Water | Accutest | PCB | 12/18/07 |
| NPDES Sampling | 005-A8646/A8647 | 11/19/07 | Water | Accutest | PCB | 12/5/07 |
| NPDES Sampling | 005-A8651/A8654 | 11/26/07 | Water | Accutest | PCB | 12/7/07 |
| NPDES Sampling | 005-A8661/A8665 | 12/3/07 | Water | Accutest | BOD | 12/18/07 |
| NPDES Sampling | 005-A8661/A8665 | 12/3/07 | Water | Columbia | TSS | 12/11/07 |
| NPDES Sampling | 005-A8662/A8666 | 12/3/07 | Water | Accutest | PCB | 12/18/07 |
| NPDES Sampling | 005-A8674/A8677 | 12/10/07 | Water | Accutest | PCB | 12/27/07 |
| NPDES Sampling | 005-A8692/A8696 | 12/17/07 | Water | Accutest | PCB | |
| NPDES Sampling | 005-A8706/A8709 | 12/26/07 | Water | Accutest | PCB | |
| NPDES Sampling | 09B-A8640 | 11/15/07 | Water | Accutest | BOD | 12/3/07 |
| NPDES Sampling | 09B-A8657 | 11/27/07 | Water | Accutest | BOD | 12/11/07 |
| NPDES Sampling | 09B-A8657 | 11/27/07 | Water | Columbia | TSS | 12/7/07 |
| NPDES Sampling | 09B-A8670 | 12/9/07 | Water | Columbia | TSS | 12/19/07 |
| NPDES Sampling | 09B-A8679 | 12/10/07 | Water | Accutest | BOD | 12/27/07 |
| NPDES Sampling | 09B-A8685 | 12/16/07 | Water | Columbia | TSS | 12/27/07 |
| NPDES Sampling | 09B-A8699 | 12/17/07 | Water | Accutest | BOD | |
| NPDES Sampling | 09B-A8702 | 12/24/07 | Water | Columbia | TSS | |
| NPDES Sampling | 09B-A8711 | 12/26/07 | Water | Accutest | BOD | |
| NPDES Sampling | 09C-A8655 | 11/26/07 | Water | Columbia | Oil & Grease | 12/7/07 |
| NPDES Sampling | 09C-A8681 | 12/12/07 | Water | Columbia | Oil & Grease | 12/19/07 |
| NPDES Sampling | 09C-A8700 | 12/23/07 | Water | Columbia | Oil & Grease | |
| NPDES Sampling | 64G-A8644 | 11/19/07 | Water | Columbia | Oil & Grease | 12/4/07 |
| NPDES Sampling | 64G-A8652 | 11/26/07 | Water | Columbia | Oil & Grease | 12/4/07 |
| NPDES Sampling | 64G-A8663 | 12/3/07 | Water | Columbia | Oil & Grease | 12/11/07 |
| NPDES Sampling | 64G-A8675 | 12/10/07 | Water | Columbia | Oil & Grease | 12/19/07 |
| NPDES Sampling | 64G-A8694 | 12/17/07 | Water | Columbia | Oil & Grease | 12/27/07 |
| NPDES Sampling | 64G-A8707 | 12/26/07 | Water | Columbia | Oil & Grease | |
| NPDES Sampling | 64T-A8642 | 11/19/07 | Water | Columbia | Oil & Grease | 12/4/07 |
| NPDES Sampling | 64T-A8649 | 11/26/07 | Water | Columbia | Oil & Grease | 12/4/07 |
| NPDES Sampling | 64T-A8659 | 12/3/07 | Water | Columbia | Oil & Grease | 12/11/07 |
| NPDES Sampling | 64T-A8672 | 12/10/07 | Water | Columbia | Oil & Grease | 12/19/07 |
| NPDES Sampling | 64T-A8689 | 12/17/07 | Water | Columbia | Oil & Grease | 12/27/07 |
| NPDES Sampling | 64T-A8704 | 12/26/07 | Water | Columbia | Oil & Grease | |

**TABLE A-1
DATA RECEIVED AND/OR SAMPLES COLLECTED DURING DECEMBER 2007**

**NPDES PERMIT MONITORING
GENERAL ELECTRIC COMPANY - PITTSFIELD MASSACHUSETTS**

| Project Name | Field Sample ID | Sample Date | Matrix | Laboratory | Analyses | Date Received by GE or BBL |
|---------------------|------------------------|--------------------|---------------|-------------------|---------------------|---------------------------------------|
| NPDES Sampling | A8621C | 11/6/07 | Water | Aquatec | Acute Toxicity Test | 12/3/07 |
| NPDES Sampling | A8622R | 11/6/07 | Water | Aquatec | Acute Toxicity Test | 12/3/07 |
| NPDES Sampling | A8683C | 12/17/07 | Water | Aquatec | Acute Toxicity Test | |
| NPDES Sampling | A8683CCN | 12/17/07 | Water | Columbia | CN | |
| NPDES Sampling | A8683CCN-FLTR | 12/17/07 | Water | Columbia | CN | |
| NPDES Sampling | A8683CDM | 12/17/07 | Water | Columbia | Filtered Metals (8) | |
| NPDES Sampling | A8683CTM | 12/17/07 | Water | Columbia | Metals (10) | |
| NPDES Sampling | A8684R | 12/17/07 | Water | Aquatec | Acute Toxicity Test | |
| NPDES Sampling | A8684RCN | 12/17/07 | Water | Columbia | CN | |
| NPDES Sampling | A8684RCN-FLTR | 12/17/07 | Water | Columbia | CN | |
| NPDES Sampling | A8684RTM | 12/17/07 | Water | Columbia | Metals (10) | |
| NPDES Sampling | DEC07WK1 | 11/26/07 | Water | Columbia | Cu, Pb, Zn | 12/4/07 |
| NPDES Sampling | DEC07WK2 | 12/3/07 | Water | Columbia | Cu, Pb, Zn | 12/11/07 |
| NPDES Sampling | DEC07WK3 | 12/10/07 | Water | Columbia | Cu, Pb, Zn | 12/19/07 |
| NPDES Sampling | DEC07WK5 | 12/26/07 | Water | Columbia | Cu, Pb, Zn | |
| NPDES Sampling | NOV07WK4 | 11/19/07 | Water | Columbia | Cu, Pb, Zn | 12/4/07 |

**TABLE A-2
DATA RECEIVED DURING DECEMBER 2007**

**NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 001-A8658 12/03/07 | 001-A8667 12/03/07 | 001-A8669 12/03/07 | 005-A8646/A8647 11/19/07 | 005-A8651/A8654 11/26/07 | 005-A8661/A8665 12/03/07 |
|----------------------------------|---------------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| PCBs-Unfiltered | | | | | | | |
| None Detected | | NA | NA | -- | -- | -- | NA |
| Inorganics-Unfiltered | | | | | | | |
| Copper | | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA |
| Conventionals | | | | | | | |
| Biological Oxygen Demand (5-day) | | NA | NA | NA | NA | NA | 3.3 |
| Total Suspended Solids | | 9.44 | NA | NA | NA | NA | ND(1.00) |
| Oil & Grease | | NA | ND(5.0) | NA | NA | NA | NA |

**TABLE A-2
DATA RECEIVED DURING DECEMBER 2007**

**NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 005-A8662/A8666 12/03/07 | 005-A8674/A8677 12/10/07 | 09B-A8640 11/15/07 | 09B-A8657 11/27/07 | 09B-A8670 12/09/07 | 09B-A8679 12/10/07 | 09B-A8685 12/16/07 |
|----------------------------------|-------------------------------|-----------------------------|-----------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| PCBs-Unfiltered | | | | | | | | |
| None Detected | | -- | -- | NA | NA | NA | NA | NA |
| Inorganics-Unfiltered | | | | | | | | |
| Copper | | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA |
| Conventionals | | | | | | | | |
| Biological Oxygen Demand (5-day) | | NA | NA | ND(2.0) | 4.1 | NA | ND(2.0) | NA |
| Total Suspended Solids | | NA | NA | NA | 3.60 | 3.10 | NA | ND(1.00) |
| Oil & Grease | | NA | NA | NA | NA | NA | NA | NA |

**TABLE A-2
DATA RECEIVED DURING DECEMBER 2007**

**NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 09C-A8655 11/26/07 | 09C-A8681 12/12/07 | 64G-A8644 11/19/07 | 64G-A8652 11/26/07 | 64G-A8663 12/03/07 | 64G-A8675 12/10/07 | 64G-A8694 12/17/07 | 64T-A8642 11/19/07 |
|----------------------------------|---------------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| PCBs-Unfiltered | | | | | | | | | |
| None Detected | | NA | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Unfiltered | | | | | | | | | |
| Copper | | NA | NA | NA | NA | NA | NA | NA | NA |
| Lead | | NA | NA | NA | NA | NA | NA | NA | NA |
| Zinc | | NA | NA | NA | NA | NA | NA | NA | NA |
| Conventionals | | | | | | | | | |
| Biological Oxygen Demand (5-day) | | NA | NA | NA | NA | NA | NA | NA | NA |
| Total Suspended Solids | | NA | NA | NA | NA | NA | NA | NA | NA |
| Oil & Grease | | ND(5.0) | ND(5.0) | ND(5.0) | ND(5.0) | ND(5.0) | ND(5.0) | ND(5.0) | ND(5.0) |

**TABLE A-2
DATA RECEIVED DURING DECEMBER 2007**

**NPDES PERMIT MONITORING SAMPLING
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS
(Results are presented in parts per million, ppm)**

| Parameter | Sample ID: Date Collected: | 64T-A8649 11/26/07 | 64T-A8659 12/03/07 | 64T-A8672 12/10/07 | 64T-A8689 12/17/07 | DEC07WK1 11/26/07 | DEC07WK2 12/03/07 | DEC07WK3 12/10/07 | NOV07WK4 11/19/07 |
|----------------------------------|-------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|----------------------|----------------------|----------------------|----------------------|
| PCBs-Unfiltered | | | | | | | | | |
| None Detected | | NA | NA | NA | NA | NA | NA | NA | NA |
| Inorganics-Unfiltered | | | | | | | | | |
| Copper | | NA | NA | NA | NA | ND(0.0200) | ND(0.0200) | ND(0.0200) | ND(0.0200) |
| Lead | | NA | NA | NA | NA | ND(0.00500) | ND(0.00500) | ND(0.00500) | ND(0.00500) |
| Zinc | | NA | NA | NA | NA | ND(0.0200) | ND(0.0200) | ND(0.0200) | ND(0.0200) |
| Conventionals | | | | | | | | | |
| Biological Oxygen Demand (5-day) | | NA | NA | NA | NA | NA | NA | NA | NA |
| Total Suspended Solids | | NA | NA | NA | NA | NA | NA | NA | NA |
| Oil & Grease | | ND(5.0) | ND(5.0) | ND(5.0) | ND(5.0) | NA | NA | NA | NA |

Notes:

1. Samples were collected by General Electric Company, and were submitted to Accutest Laboratories and Columbia Analytical Services, Inc. for analysis of PCBs, TSS, BOD, oil & grease, copper, lead and zinc.
2. NA - Not Analyzed.
3. ND - Analyte was not detected. The number in parentheses is the associated detection limit.
4. -- Indicates that all constituents for the parameter group were not detected.
5. With the exception of inorganics and conventional parameters, only those constituents detected in one or more samples are summarized.

Attachment B

NPDES Discharge
Monitoring Reports
November 2007

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 35

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201

MA0003891
PERMIT NUMBER

0051
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201

FACILITY: GENERAL ELECTRIC COMPANY

LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201

ATTN:MICHAEL T CARROLL, EHS&F

| MONITORING PERIOD | | | | | |
|-------------------|----|-----|------|----|-----|
| YEAR | MO | DAY | YEAR | MO | DAY |
| 07 | 11 | 01 | 07 | 11 | 30 |

MAJOR
(SUBRW)
WATERS TO HOUSATONIC RIVER
External Outfall

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|------------------|--------|--------------------------|-------|----------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| BOD, 5-day, 20 deg. C 00310 T 0 See Comments | SAMPLE MEASUREMENT | 0 | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | 90 MO AVG | 135 DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Solids, total suspended 00530 T 0 See Comments | SAMPLE MEASUREMENT | 0 | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | 188 MO AVG | 270 DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Oil & grease 00556 T 0 See Comments | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | 0 | MG/L | 0 | 01/07 | GR |
| | PERMIT REQUIREMENT | ***** | 135 DAILY MX | lb/d | ***** | ***** | 15 DAILY MX | mg/L | | Weekly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 T 0 See Comments | SAMPLE MEASUREMENT | 0.00001 | 0.00005 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | .01 MO AVG | .03 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Flow, in conduit or thru treatment plant 50050 T 0 See Comments | SAMPLE MEASUREMENT | 0.132 | 0.356 | MGD | ***** | ***** | ***** | | 0 | 99/99 | RC |
| | PERMIT REQUIREMENT | 2.09 MO AVG | 2.09 DAILY MX | Mgal/d | ***** | ***** | ***** | | | Continuous | RCORDR |

| | | | | | | |
|---|---|--------------|--------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | TELEPHONE | | DATE | | |
| | | 413 494-5902 | | 2007 | 12 | 19 |
| SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT <i>Michael T. Carroll</i> | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEE PAGE 8 + 9 OF PERMIT FOR SAMPLING REQUIREMENTS. SEE DMR(S) 064G + 064T FOR FURTHER PARAMETERS.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 44

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


064T
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
WASTEWATER TREATMENT (005)
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 11 | 01 | FROM | 07 | 11 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|-------|-------|--------------------------|---------------------|-----------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 T 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | 6.9 | ***** | 7.9 | SU | 0 | 99/99 | RCDR |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Weekly | RANG-C |
| Dibenzofuran 81302 T 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | NODI [2] | NODI [2] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | Req. Mon. MO AVG | Req. Mon. DAILY MX | ppt | | Monthly | COMPOS |

| | | | | | | |
|--|---|---|--|---------------------------|--------------------|--------------|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | TELEPHONE 413 494-5902 | | DATE 2007 12 19 | | |
| | | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT  | | AREA Code 413 | NUMBER 494-5902 | YEAR 2007 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEE COMMENTS FOR 0051. SEE PAGE 8+ 9 OF PERMIT.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 43

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER

064G
DISCHARGE NUMBER


DMR MAILING ZIP CODE: 01201

MAJOR
(SUBRW)
GROUNDWATER TREATMENT (005)
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|----|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 11 | 01 | TO | 07 | 11 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|-------|-------|--------------------------|---------------------|-----------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| pH 00400 T 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | 7.3 | ***** | 7.5 | SU | 0 | 99/99 | RCDR |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Weekly | RANG-C |
| Base neutrals & acid (Method 625), total 76030 T 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | NODI [9] | NODI [9] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | Req. Mon. MO AVG | Req. Mon. DAILY MX | mg/L | | Quarterly | GRAB |
| Volatile compounds, (GC/MS) 78732 T 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | NODI [9] | NODI [9] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | Req. Mon. MO AVG | Req. Mon. DAILY MX | mg/L | | Quarterly | GRAB |

| | | | | | | | |
|---|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |
| | | | 413 | 494-5902 | 2007 | 12 | 19 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEE COMMENTS FOR 0051. SEE PAGE 8+ 9 OF PERMIT.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 36

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


0071
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
DISCHARGE TO HOUSATONIC RIVER
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|----|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 11 | 01 | | 07 | 11 | 30 |

No Discharge 

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|------------------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| Temperature, water deg. fahrenheit 00011 W 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | | | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | 70 MO AVG | 75 DAILY MX | deg F | | Monthly | GRAB |
| pH 00400 W 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | | | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | | 9 MAXIMUM | SU | | Weekly | RANG-C |
| Polychlorinated biphenyls (PCBs) 39516 W 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | | | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | Req. Mon. MO AVG | Req. Mon. DAILY MX | ppb | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 W 0 See Comments | SAMPLE MEASUREMENT | | | | ***** | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | Req. Mon. MO AVG | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Monthly | CALCTD |

| | | | | | | | | | |
|--|---|---|-----------|----------|------|----|----|-----------|--------|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | | | |
| | | | 413 | 494-5902 | 2007 | 12 | 19 | AREA Code | NUMBER |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SAMPLE AT MANHOLE PRIOR TO CITY STORM DRAIN.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 38

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


009A
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
09A SAMPLE POINT BEFORE 009
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 11 | 01 | FROM | 07 | 11 | 30 |
| | | | | | | |
| | | | TO | | | |

No Discharge 

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|-----------------------|--------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| BOD, 5-day, 20 deg. C 00310 V 0 See Comments | SAMPLE MEASUREMENT | | | | ***** | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | 106 MO AVG | 438 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Solids, total suspended 00530 V 0 See Comments | SAMPLE MEASUREMENT | | | | ***** | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | 213 MO AVG | 876 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Flow, in conduit or thru treatment plant 50050 V 0 See Comments | SAMPLE MEASUREMENT | | | | ***** | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | Req. Mon. MO AVG | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Continuous | RCORDR |

| | | | | | | | |
|--|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 12 | 19 |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEE PAGE 11 OF PERMIT. SEE DMR 0091. SAMPLE AT 09A.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 41

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


009B
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
09B SAMPLE POINT PRIOR TO 009
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 11 | 01 | FROM | 07 | 11 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|-----------------------|--------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| BOD, 5-day, 20 deg. C 00310 V 0 See Comments | SAMPLE MEASUREMENT | 0.004 | 0.01 | LBS/DY | ***** | ***** | ***** | | 0 | 01/DW | CP |
| | PERMIT REQUIREMENT | 106 MO AVG | 438 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Solids, total suspended 00530 V 0 See Comments | SAMPLE MEASUREMENT | 0.01 | 0.02 | LBS/DY | ***** | ***** | ***** | | 0 | 01/DW | CP |
| | PERMIT REQUIREMENT | 213 MO AVG | 876 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Flow, in conduit or thru treatment plant 50050 V 0 See Comments | SAMPLE MEASUREMENT | 0.005 | 0.147 | MGD | ***** | ***** | ***** | | 0 | 99/99 | RC |
| | PERMIT REQUIREMENT | Req. Mon. MO AVG | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Continuous | RCORDR |

| | | | | | | |
|--|---|---|--|---------------------------|--------------------|--------------|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | TELEPHONE 413 494-5902 | | DATE 2007 12 19 | | |
| | | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT  | | AREA Code 413 | NUMBER 494-5902 | YEAR 2007 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
SEE PAGE 11 OF PERMIT. SEE DMR 0091; SAMPLE AT 09B.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 37

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F


| | |
|----------------------|-------------------------|
| MA0003891 | 0091 |
| PERMIT NUMBER | DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
PROCESSES TO UNKAMET BROOK
External Outfall

| MONITORING PERIOD | | | | | |
|-------------------|----|-----|------|----|-----|
| YEAR | MO | DAY | YEAR | MO | DAY |
| 07 | 11 | 01 | 07 | 11 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|---------------------------|---------------------|--------------------|--------|--------------------------|------------------|--------------------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| BOD, 5-day, 20 deg. C 00310 V 0 See Comments | SAMPLE MEASUREMENT | 0.004 | 0.01 | LBS/DY | ***** | ***** | ***** | | 0 | 01/DW | CP |
| | PERMIT REQUIREMENT | 106 MO AVG | 438 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| pH 00400 V 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | 7.1 | ***** | 7.4 | SU | 0 | 01/DW | GR |
| | PERMIT REQUIREMENT | ***** | ***** | | 6 MINIMUM | ***** | 9 MAXIMUM | SU | | Weekly | RANG-C |
| Solids, total suspended 00530 V 0 See Comments | SAMPLE MEASUREMENT | 0.01 | 0.02 | LBS/DY | ***** | ***** | ***** | | 0 | 01/DW | CP |
| | PERMIT REQUIREMENT | 213 MO AVG | 876 DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Oil & grease 00556 V 0 See Comments | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | 0 | MG/L | 0 | 01/DW | GR |
| | PERMIT REQUIREMENT | ***** | 438 DAILY MX | lb/d | ***** | ***** | 15 DAILY MX | mg/L | | Weekly | GRAB |
| Polychlorinated biphenyls (PCBs) 39516 V 0 See Comments | SAMPLE MEASUREMENT | ***** | ***** | | ***** | NODI [9] | NODI [9] | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | ***** | Req. Mon. MO AVG | Req. Mon. DAILY MX | mg/L | | Quarterly | GRAB |
| Flow, in conduit or thru treatment plant 50050 V 0 See Comments | SAMPLE MEASUREMENT | 0.005 | 0.147 | MGD | ***** | ***** | ***** | | 0 | 99/99 | RC |
| | PERMIT REQUIREMENT | Req. Mon. MO AVG | Req. Mon. DAILY MX | Mgal/d | ***** | ***** | ***** | | | Continuous | RCORDR |

| | | | | | | | |
|--|---|---|------------------|---------------|-------------|-----------|------------|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  | TELEPHONE | | DATE | | |
| | | | 413 | 494-5902 | 2007 | 12 | 19 |
| SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | | | AREA Code | NUMBER | YEAR | MO | DAY |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

SEE PAGE 11 OF PERMIT. SEE DMRS 009A + 009B. REPORT SUM OF LOAD 09A+ 09B, FOR BOD, TSS, FLOW. SAMPLE AT DISCHARGE POINT TO BROOK FOR PH, OIL & GREASE, AND PCB.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


SUMA
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
METALS:001,004,005,007,009,011
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|----|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 11 | 01 | TO | 07 | 11 | 30 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|--------------------|--------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| Phosphorus, total (as P) 00665 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0.32 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Nickel, total recoverable 01074 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Silver total recoverable 01079 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Zinc, total recoverable 01094 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0.10 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Aluminum, total (as Al) 01105 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Cadmium, total recoverable 01113 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Lead, total recoverable 01114 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |

| | | | | | | | |
|---|---|---|-----------|----------|------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |
| | | | 413 | 494-5902 | 2007 | 12 | 19 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
COMPOSITE PROPORTIONATE TO FLOW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F

| |
|----------------------|
| MA0003891 |
| PERMIT NUMBER |


| |
|-------------------------|
| SUMA |
| DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR (SUBRW)
METALS:001,004,005,007,009,011
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 11 | 01 | FROM | 07 | 11 | 30 |
| | | | TO | | | |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|--|---------------------------|---------------------|-----------------------|--------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| Chromium, total recoverable 01118 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | COMPOS |
| Copper, total recoverable 01119 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/07 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Weekly | COMPOS |
| Cyanide, total recoverable 78248 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | 0 | LBS/DY | ***** | ***** | ***** | | 0 | 01/30 | CP |
| | PERMIT REQUIREMENT | ***** | Req. Mon. DAILY MX | lb/d | ***** | ***** | ***** | | | Monthly | GRAB |

| | | | | | | | |
|--|---|---|------------------|----------|-------------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |
| | | | 413 | 494-5902 | 2007 | 12 | 19 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)
COMPOSITE PROPORTIONATE TO FLOW.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 42

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN:MICHAEL T CARROLL, EHS&F

MA0003891
PERMIT NUMBER


SUMB
DISCHARGE NUMBER

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
TOXICS:001,004,005,007,009,011
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|------|------|----|-----|
| YEAR | MO | DAY | | YEAR | MO | DAY |
| 07 | 11 | 01 | FROM | 07 | 11 | 30 |
| | | | | | | |
| | | | TO | | | |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---|--------------------|---------------------|-------|-------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| Noael Statre 48Hr Acute D. Pulex TDM3D 1 0 Effluent Gross | SAMPLE MEASUREMENT | ***** | ***** | | NODI [9] | ***** | ***** | | | | |
| | PERMIT REQUIREMENT | ***** | ***** | | 35 DAILY MN | ***** | ***** | % | | Monthly | COMPOS |

| | | | | | | | | |
|--|---|--|--------|----------------------------------|----|---------------------------|--|--|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. | SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT  | | TELEPHONE 413 494-5902 | | DATE 2007 12 19 | | |
| | | AREA Code | NUMBER | YEAR | MO | DAY | | |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

MONTHLY DRY WEATHER TESTING. COMPOSITE PROPORTIONATE TO FLOW. FOR JULY, AUG., SEPT. REPORT ACUTE AND CHRONIC. SEE DMR SUMC FOR QUARTERLY WET WEATHER ACUTE. SUBMIT THIS DMR WITH A NODI '9' WHEN SUBMITTING WET WEATHER RESULTS ON DMR SUMC.

NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)
DISCHARGE MONITORING REPORT (DMR)

Form Approved
OMB No. 2040-0004

PERMITTEE NAME/ADDRESS (Include Facility Name/Location if Different)

Page 21

NAME: GENERAL ELECTRIC PITTSFIELD
ADDRESS: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
FACILITY: GENERAL ELECTRIC COMPANY
LOCATION: 100 WOODLAWN AVENUE
PITTSFIELD, MA 01201
ATTN: MICHAEL T CARROLL, EHS&F

| |
|----------------------|
| MA0003891 |
| PERMIT NUMBER |


| |
|-------------------------|
| SUMC |
| DISCHARGE NUMBER |

DMR MAILING ZIP CODE: 01201
MAJOR
(SUBRW)
TOXICS:001,004,005,007,009,011
External Outfall

| MONITORING PERIOD | | | | | | |
|-------------------|----|-----|----|------|----|-----|
| YEAR | MO | DAY | TO | YEAR | MO | DAY |
| 07 | 10 | 01 | | 07 | 12 | 31 |

No Discharge

| PARAMETER | | QUANTITY OR LOADING | | | QUALITY OR CONCENTRATION | | | | NO. EX | FREQUENCY OF ANALYSIS | SAMPLE TYPE |
|---------------------------------|---------------------------|---------------------|-------|-------|--------------------------|-------|-------|-------|--------|-----------------------|-------------|
| | | VALUE | VALUE | UNITS | VALUE | VALUE | VALUE | UNITS | | | |
| Noael Stare 48Hr Acute D. Pulex | SAMPLE MEASUREMENT | ***** | ***** | | 100 | ***** | ***** | % | 0 | 01/30 | CP |
| TDM3D 10 Effluent Gross | PERMIT REQUIREMENT | ***** | ***** | | Req. Mon. DAILY MN | ***** | ***** | % | | Quarterly | COMPOS |

| | | | | | | | |
|--|---|---|------------------|----------|-------------|----|-----|
| NAME/TITLE PRINCIPAL EXECUTIVE OFFICER Michael T. Carroll Mgr. Pittsfield Remediation Prog. TYPED OR PRINTED | I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. |  SIGNATURE OF PRINCIPAL EXECUTIVE OFFICER OR AUTHORIZED AGENT | TELEPHONE | | DATE | | |
| | | | AREA Code | NUMBER | YEAR | MO | DAY |
| | | | 413 | 494-5902 | 2007 | 12 | 19 |

COMMENTS AND EXPLANATION OF ANY VIOLATIONS (Reference all attachments here)

QUARTERLY WET WEATHER ACUTE. COMPOSITE PROPORTIONATE TO FLOW. SEE DMR SUBM FOR DRY WEATHER TESTING. SUBMIT THIS DMR WITH A NODI '9' WHEN SUBMITTING DRY WEATHER ON DMR SUBM.

Attachment C

NPDES Biomonitoring Report
December 2007

January 7, 2008

Mr. Jeffrey Nicholson
GE Corporate Environmental Programs
159 Plastics Avenue
Pittsfield, MA 01201

Re: NPDES Biomonitoring Report for December 2007
Submission #: R2741117

Dear Mr. Nicholson:

Enclosed is our report on the Acute Whole Effluent Toxicity testing conducted in December 2007. The Outfall Composite samples were collected on 12/17/07 at 10:40 am. The Housatonic River samples were collected on 12/17/07 at 10:50 am. The Outfall Composite and Housatonic River samples were analyzed at Columbia Analytical Services for total cyanide, ammonia, total organic carbon, total phosphorus, chloride, total solids, total suspended solids, total residual chlorine, and total metals. Dissolved metals were analyzed for only on the Outfall Composite samples. Results are presented in Appendix 2. The Outfall Composite and Housatonic River samples were sent directly by General Electric to Aquatec Biological Services for the acute aquatic toxicity testing including the analysis of alkalinity, hardness, specific conductance, and pH. Results are presented in Appendix 1.

Should you have any questions please contact me at (585)288-5380 x130.

Thank you for allowing us to provide this service.

Sincerely,

COLUMBIA ANALYTICAL SERVICES



Carlton Beechler
Project Manager

enc.

CC: Jill Piskorz, Pat Foos and Yelena Geyfman vial email.

NPDES BIOMONITORING REPORT

GENERAL ELECTRIC COMPANY

Pittsfield, MA

NPDES PERMIT MA 0003891

Monthly Acute Toxicity Monitoring

Dry Weather Conditions

December 2007

WHOLE EFFLUENT TOXICITY TEST REPORT CERTIFICATION

I certify under penalty of law that this document and all ATTACHMENTS were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on

(Date)

(Authorized Signature)

Michael T. Carroll

General Electric Co. – Pittsfield, MA
Permit MA0003891

Prepared by: Carlton R. Beechler
January 7, 2008

TABLE OF CONTENTS

| | <u>PAGE</u> |
|---|-------------|
| I. Summary | 1 |
| II. Review of Toxicity Analytical Results | 2 |
| III. Review of Wastewater Sampling Procedures | 3 |
| IV. Review of Individual Discharges | 5 |

Table I – Summary of Analytical Test Results

Appendices:

1. Chemical and Acute Toxicity Data from Aquatec Biological Sciences
2. Laboratory Reports from Columbia Analytical Services, Inc. and O'Brien & Gere, Inc.
3. Chain of Custody Forms

I. Summary

On December 16-17, 2007 sampling of wastewater discharges from the General Electric Company facility in Pittsfield MA was conducted in accordance with the dry weather toxicity testing requirement of the GE NPDES Permit MA0003891. Composite samples were collected from GE outfalls 001, 005-64T, 005-64G and 09B over a 24-hour period. These composite samples were combined in a flow-proportioned manner to generate a single wastewater sample that was shipped to Aquatec Biological Sciences in Williston, Vermont. A grab sample of Housatonic River water, to be used as dilution water in the toxicity test, was collected upstream of the GE discharges on December 17, 2007 and shipped to AquaTec along with the wastewater composite. AquaTec dechlorinated the composite sample prior to the acute toxicity test following the toxicity reduction procedures summarized in a letter dated November 11, 1993 to EPA Region I from JG Ruebesam of General Electric Company. The composite wastewater sample and the dilution water sample were tested for chemical constituents by O'Brien & Gere, Inc. and Columbia Analytical Services. The analytical results are summarized in Table I and the detailed laboratory test data are include as Appendices to this report. As a result of land transfer documents executed on April 27, 2005 and recorded in the Berkshire County Registry of Deeds on May 2, 2005, Outfalls 001 and 004 were transferred to the Pittsfield Economic Development Authority (PEDA). Outfalls 001 and 004 DMRs will no longer be submitted under the GE NPDES Permit No. MA0003891. However, GE's NPDES Permit requires that the metal and toxicity composites to be made by compositing samples from the following outfalls: 001, 004, 005, 007, and 009. These two composites will continue to include an aliquot of water from outfall 001 and outfall 004, and will be reported on GE's DMR until further actions by the Agencies.

The results from Aquatec Biological Sciences for the acute toxicity test on the wastewater discharge sample indicated a No Observed Acute Effect Level (NOAEL) of 100%.

II. Review of Toxicity Test Results

The wastewater discharge sample collected on December 16-17, 2007 was tested for 48-hour acute toxicity using *Daphnia pulex* organisms. The sample did not require dechlorination with sodium thiosulfate (Na₂S₂O₃) prior to toxicity testing. Aquatec Biological Sciences reported the results of this toxicity testing as follows:

| | |
|---|-------|
| Effluent toxicity as NOAEL = | 100% |
| Effluent toxicity as LC ₅₀ = | >100% |

No limit is established for wet weather NOAEL in the GE NPDES permit.

The following table summarizes the results of the control sample analyses performed by AquaTec during the acute toxicity bioassay:

| <u>Control Analysis</u> | <u>Result</u> |
|---|--------------------------------|
| Survival in 100% dilution water | 92% |
| Survival in laboratory water | 100% |
| Survival in laboratory water with 100 mg/L sodium thiosulfate | 100% |
| LC ₅₀ for <i>Daphnia pulex</i> in sodium chloride reference toxicant solution | 3.527g NaCl/L November 7, 2007 |

The *Daphnia* survival rates in control solutions of upstream dilution water, laboratory water and reference toxicant solution were within acceptable limits, indicating that the results of the toxicity test are valid.

III. Review of Wastewater Sampling Procedures

Composite samples of the individual NPDES wastewater discharges were collected over a 24-hour period. These samples were composited in a flow-weighted manner to generate a single combined discharge sample for toxicity testing and chemical analysis.

The 24-hour composite samples from the individual discharges were collected as follows:

Each automatic sampler (at outfall 001, 64T, 64G, and 09B) was programmed to collect approximately 7 liters of wastewater into a 10-liter glass container in a time-proportioned manner over a 24-hour period. Outfalls 004, 007, and 09A have been plugged and no longer flow.

All sample containers were packed in ice or refrigerated to keep the wastewater samples cold during the 24-hour collection period.

Flow meter readings were taken at the beginning and end of the 24-hour collection period to determine the total 24-hour flow for each wastewater discharge.

At the end of the 24-hour collection period, the discharge samples were taken to Building 64G where OB&G personnel composited these samples, in a flow weighted manner, to generate a single combined sample for the acute toxicity test and the chemical analyses, as follows:

The proportions of each individual discharge sample needed to produce a single combined sample were calculated from the flow measurements. The calculated sample volumes were then transferred from their original collection containers to a 2.5 or 5 gallon mixing container. The combined discharge sample was then split into various containers for toxicity testing and chemical analyses. These containers were shipped by vendor courier to AquaTec for toxicity testing and by FedEx (overnight) to Columbia Analytical Services for chemical analyses. All samples were chilled with ice packs during shipment.

A grab sample of Housatonic River water was collected on the second day of sampling at the Lyman Road Bridge in Hinsdale, MA, upstream of the GE site. This sample was split for chemical analysis and toxicity testing in a similar manner as the combined effluent sample (see above).

Details of the times and dates of sample collection as well as the names of the individuals collecting and transporting the samples are provided on the chain of custody forms in Appendix 3 of this report.

IV. Review of Individual NPDES Discharges

The following is a brief description of each of the seven outfalls that are monitored for acute and chronic toxicity in accordance with NPDES Permit MA0003891 issued to the General Electric Company, Pittsfield, MA.

1. Outfall 001 is permitted to discharge storm water runoff from the oil/water separator in Building 31W to Silver Lake.
2. Outfall 004 is permitted to discharge storm water runoff to Silver Lake. (**Outfall plugged**)
3. Outfall 005 is permitted to discharge contact cooling water, non-contact cooling water, treated process water and storm water runoff from the Wastewater Treatment Plant in Building 64T, and treated groundwater from the Groundwater Treatment Plant in Building 64G to the Housatonic River. Monitoring samples are collected separately from the effluents of 64G and 64T. Both samples are included in the flow composite sample used for toxicity testing.
4. Outfall 007 is permitted to discharge stormwater runoff to the Housatonic River. (**Outfall plugged**)
5. Outfall 09A is permitted to discharge non-contact cooling water and stormwater runoff to Unkamet Brook. (**Outfall plugged**)
6. Outfall 09B is permitted to discharge non-contact cooling water, treated process water and stormwater runoff from the oil/water separator in Building 119W to Unkamet Brook.

Table I – Summary of Analytical results for

NPDES Outfall Composite Sample and Housatonic River Dilution Water
December 16-17, 2007

Aquatic Toxicity Results: No Observed Effect Level (NOAEL) = 100%
LC50 = >100%

Chemical Analyses: (all results are mg/L unless otherwise indicated)

| Parameter Tested | Laboratory | Effluent Composite | Housatonic River |
|--|------------|--------------------|------------------|
| Ammonia | CAS | ND (0.0500) | ND (0.0500) |
| Chloride | CAS | 246 | 15.0 |
| Total Alkalinity | CAS | 322 | 70.0 |
| Total Organic Carbon | CAS | 6.44 | 3.62 |
| Total Phosphorus | CAS | ND (0.100) | ND (0.100) |
| Total Solids | CAS | 718 | 115 |
| Total Suspended Solids | CAS | ND (1.00) | 1.00 |
| Hardness | Aquatec | 308 | 78 |
| Spec. Conductance (umhos) | Aquatec | 1359 | 200 |
| pH (SU) | Aquatec | 7.8 | 7.0 |
| TRC (start of toxicity test) | Aquatec | ND | ND |
| Cyanide | CAS | 0.0197 | ND (0.0100) |
| Cyanide (Sulfide Precipitation Filter) | CAS | ND (0.0100) | ND (0.0100) |
| Aluminum, total | CAS | ND (0.100) | ND (0.100) |
| Aluminum, dissolved | CAS | ND (0.100) | NA |
| Cadmium, total | CAS | ND (0.00500) | ND (0.00500) |
| Cadmium, dissolved | CAS | ND (0.00500) | NA |
| Chromium, total | CAS | ND (0.0100) | ND (0.0100) |
| Chromium, dissolved | CAS | ND (0.0100) | NA |
| Copper, total | CAS | ND (0.0200) | ND (0.0200) |
| Copper, dissolved | CAS | ND (0.0200) | NA |
| Lead, total | CAS | ND (0.00500) | ND (0.00500) |
| Lead, dissolved | CAS | ND (0.00500) | NA |
| Nickel, total | CAS | ND (0.0400) | ND (0.0400) |
| Nickel, dissolved | CAS | ND (0.0400) | NA |
| Silver, total | CAS | ND (0.0100) | ND (0.0100) |
| Silver, dissolved | CAS | ND (0.0100) | NA |
| Zinc, total | CAS | ND (0.0200) | ND (0.0200) |
| Zinc, dissolved | CAS | 0.0207 | NA |
| pH (SU) | OB&G | 7.89 | 7.48 |
| Hardness | Aquatec | 308 | 78 |

All results are mg/L unless otherwise indicated.

ND – Not detected (Number in parentheses is detection limit.)


NA – Not analyzed

TRC – Total Residual Chlorine

APPENDIX 1

Chemical and Acute Toxicity Data

Aquatec Biological Sciences



Aquatec Biological Sciences



Ecology



Environmental
Toxicology



Natural Resource
Assessments



Microbiology

January 4, 2008

Mr. Carl Beechler
Columbia Analytical Services,
1 Mustard Street – Suite 250
Rochester, NY 14609

Dear Mr. Beechler:


Enclosed please find one bound and one unbound copies of our report of the results for whole effluent toxicity testing of samples received from GE Pittsfield, Massachusetts on December 18, 2007.

According to the Chain-of-Custody documentation the samples for Whole Effluent Toxicity (WET) Testing were collected on December 17, 2007. The samples were transported to Aquatec Biological Sciences, Inc. by courier and delivered on December 18, 2007. The effluent sample (Sample 36841) was logged in for the acute 48-hour static toxicity test with *Daphnia pulex*. The receiving water sample (Sample 36842) was logged in for dilution water. A sub-sample of each sample was checked for residual chlorine and for alkalinity and hardness measurements at Aquatec Biological Sciences, Inc. The toxicity test was started on December 18, 2007, within the specified holding time.

At the conclusion of the toxicity test on December 20, 2007, a final count of surviving organisms was completed. The average survival was 92-100 percent in all test concentrations. Acute toxicity was not detected, and the 48-hour LC50 was reported as >100% effluent (Section 4.1 of the report).

If you have any questions regarding the report, please call Dr. Philip C. Downey or me.

Sincerely,


John Williams
Manager, Environmental Toxicology

This report consists of the following numbered pages:

1 - 33

NPDES Permit No. MA0003891
SDG: 10895
January 4, 2008

**Whole Effluent Toxicity Testing
Of Wastewaters Discharged from
The General Electric Plant
Pittsfield, Massachusetts**

Samples Collected in December 2007

Submitted to:
**General Electric
Area Environmental & Facility Programs
100 Woodlawn Avenue
Pittsfield, Massachusetts 01201**

SDG number: 10895
Effluent ID: Outfall Composite A8683C Aquatec sample number: 36841
Receiving water ID: Housatonic River A8684R Aquatec sample number: 36842

Study Director: John Williams

January 4, 2008


Submitted by:
**Aquatec Biological Sciences, Inc.
273 Commerce Street
Williston, Vermont 05454**
Phone: (802) 860-1638 Fax: (802) 860-1638

Accreditation: NH Environmental Laboratory Accreditation Program
NELAP / NELAC accredited for the requested analysis.

Signatures and Approval

Submitted by:


Aquatec Biological Sciences, Inc.
273 Commerce Street
Williston, Vermont 05454
Phone: (802) 860-1638
Fax: (802) 860-1638



Study Director
John Williams

1/4/07

Date



Quality Assurance Officer
Philip C. Downey, Ph. D.

1/4/07


Date

Whole Effluent Toxicity Test Report Certification

The results reported pertain only to the samples received and tested under this Sample Delivery Group (SDG).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on: Date: January 4, 2008



Authorized signature

John Williams

Name

Manager, Environmental Toxicology

Title

Aquatec Biological Sciences, Inc.

Laboratory



Certificate # 1737

Table of Contents

| | Page |
|---|--|
| Signatures and Approval | 2 |
| Whole Effluent Toxicity Test Report Certification | 3 |
| List of Tables | 5 |
| Summary of Static Acute Toxicity Test With <i>Daphnia pulex</i> | 6 |
| | |
| 1.0 Introduction | |
| 1.1 Background | 7 |
| 1.2 Objective of the General Electric Study | 7 |
| | |
| 2.0 Materials and Methods | |
| 2.1 Protocol | 7 |
| 2.2 Effluent and receiving water samples | 8 |
| 2.3 Control water | 8 |
| 2.4 Test organism | 8 |
| 2.5 Test procedure | 9 |
| 2.6 Test monitoring | 9 |
| 2.7 Reference toxicant test | 10 |
| | |
| 3.0 Statistics | |
| 3.1 Statistical protocol | 10 |
| | |
| 4.0 Results | |
| 4.1 Effluent toxicity test | 10 |
| 4.2 Reference toxicant test | 11 |
| | |
| 5.0 Qualifiers | |
| 5.1 Qualifiers and Special Conditions | 11 |
| | |
| References | 12 |
| <hr/> | |
| Appendix 1 | Chain-of-Custody Documentation |
| Appendix 2 | Summary of Test Conditions |
| Appendix 3 | U.S. EPA Region 1 Toxicity Test Summary and Statistical Flow Chart |
| Appendix 4 | Bench Data, <i>Daphnia pulex</i> Acute Toxicity Test |
| Appendix 5 | Standard Reference Toxicant test Control Chart |
| Appendix 6 | SOP TOX2-001, Standard Operating Procedure for Daphnid (<i>Ceriodaphnia dubia</i> , <i>Daphnia magna</i> , and <i>Daphnia pulex</i>) Acute Toxicity Test |

List of Tables

| | | Page |
|---------|--|-------------|
| Table 1 | Results of the characterization and analysis of the General Electric Pittsfield Plant effluent and the dilution water (Housatonic River) | 13 |
| Table 2 | The water quality measurements recorded during the 48-hour static toxicity test for <i>Daphnia pulex</i> exposed to General Electric Pittsfield Plant effluent | 14 |
| Table 3 | Cumulative percent mortalities recorded during the 48-hour static toxicity test for <i>Daphnia pulex</i> exposed to General Electric Pittsfield Plant effluent | 15 |

**Summary
of
Static Acute Toxicity Test with *Daphnia pulex***

Sponsor: General Electric

Protocol title: US EPA-821-R-02-012. *Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms*, 5th Ed., December 2002. Method 2021.0

Aquatec SDG: 10895

Test material: Composite effluent from the General Electric Company located in Pittsfield, Massachusetts

GE sample ID: OUTFALL COMPOSITE A8683C

Dilution water: Water from the Housatonic River (grab sample)

GE sample ID: HOUSATONIC RIVER A8684R

Dates collected: December 17, 2007

Date received: December 18, 2007

Test dates: December 18-20, 2007

Test concentrations: 100%, 75%, 50%, 35%, 15%, 5% effluent.
Dilution water control (Housatonic River A8683C)
Laboratory control 1 (culture water)
Laboratory control 2 (culture water with sodium thiosulfate)

Results: The 48-hour LC50 value was determined to be >100% effluent. The Acute No-Observed-Effect-Concentration (A-NOEC) was 100% effluent.

1.0 Introduction

1.1 Background

In 1972, amendments were made to the Clean Water Act (CWA) prohibiting the discharge of any pollutant from a point source to waters of the United States, unless the discharge is authorized by a National Pollutant Discharge Elimination System (NPDES) permit. Since the passing of the 1972 amendments to the CWA, significant progress has been made in cleaning up industrial wastewater and municipal sewage point source discharges. EPA defines point sources as discrete discharges via pipes or man-made ditches.

In 1984, the U.S. Environmental Protection Agency (EPA) released a national policy statement and a supporting document that recommended, where appropriate, effluent permit limits should be based on effluent toxicity as measured in aquatic toxicity tests. Generally, permits require that no toxic discharge occur in toxic amounts. The routine use of dilution-series toxicity tests and/or biologically-based criteria (i.e., invertebrate and vertebrate community studies) have become increasingly utilized to calculate or estimate the potential toxicity of a discharge.

EPA has the authority to delegate primary responsibility for the implementation, permitting, and enforcement of NPDES regulations to appropriate State regulatory agencies. Even when EPA delegates this authority to the states, EPA still maintains oversight responsibility.

1.2 Objective of the General Electric Study

The objective of this study was to measure the acute toxicity of the composite wastewater discharged by the General Electric facility located in Pittsfield, Massachusetts to the Housatonic River. The water flea, *Daphnia pulex*, is exposed to effluent and dilutions of effluent under static conditions. *Daphnia pulex* is routinely used by regulatory agencies and by contract laboratories for toxicity testing and EPA has published guidance documents for the performance of this test (U.S. EPA, 2002).

A toxicity test was conducted from December 18-20, 2007 at Aquatec Biological Sciences, Inc. (Aquatec) located in Williston Vermont. Aquatec Biological Sciences, Inc. holds NELAC accreditation for the requested whole effluent toxicity test. All original raw data and the final report produced for this study are stored in Aquatec's archives in Williston, Vermont.

2.0 Materials and Methods

2.1 Protocol

Procedures used in this acute toxicity test followed those described in the Aquatec Standard Operating Procedure (SOP) TOX2-001, Daphnid Acute R5, July 4, 2006. This SOP generally follows the standard methodology presented in U.S. EPA. 2002 (EPA-821-R-02-012). *Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms*, 5th Ed.,

December 2002, Method 2021.0 (as summarized in Appendix 2 of this report). A copy of the SOP is located in Appendix 6 (Controlled document, please do not copy or distribute.)

Additional SOPs used in this study are outlined below:

| Title | SOP Number | Revision Date |
|--|------------|------------------------|
| Sample Acceptance | TOX1-017 | Rev. 4, February, 2004 |
| Hardness – total titrimetric method | TOX1-011 | Rev. 3, July 2003 |
| Alkalinity – total titrimetric method | TOX1-010 | Rev. 6, July 2004 |
| Thermo-Orion 145 A+ Conductivity Meter | TOX1-016 | Rev. 1, July 2004 |
| Dissolved oxygen | TOX1-006 | Rev. 7, July 2004 |
| pH measurement | TOX1-007 | Rev. 2, July 2004 |
| Salinity: refraction method | TOX1-008 | Rev. 3, January, 2003 |

2.2 Effluent and Receiving Water Samples

The effluent sample (Outfall Composite A8683C) was collected by GE personnel on December 17, 2007. The receiving water sample (Housatonic River A8684R) was a grab collected from the Housatonic River on December 17, 2007.

Samples were delivered to Aquatec on December 18, 2007. Upon receipt at Aquatec, the temperature of the temperature blank contained within the cooler was 0°C. The effluent and receiving water were prepared for testing and characterized (Table 1). The receiving water was the dilution water for preparing effluent concentrations and was also the reference control for statistical comparisons.

2.3 Control water

Laboratory control water for the toxicity test was a 1:1 mixture of laboratory reconstituted moderately hard water and 60-micron filtered river water collected from the Lamoille River, Vermont. This water was characterized for the following parameters: pH (7.3); dissolved oxygen (8.7 mg/L); conductivity (214 uS/cm). An additional dechlorination control (laboratory water with 0.2 N sodium thiosulfate added) was included in the test array, even though chlorine was not detected in the effluent sample.

2.4 Test Organism

Daphnids (*Daphnia pulex*), less than 24-hours old were obtained from Aquatec laboratory cultures. The culture system consisted of several 1-liter glass beakers containing approximately 1-liter of culture medium and up to approximately 100 daphnids. The culture water was laboratory reconstituted moderately hard water. Prior to use, the culture water was characterized:

| Parameter | Result |
|---|-----------------------------|
| Total hardness (mg/L) | Within range of 80-110 mg/L |
| Alkalinity (mg/L as CaCO ₃) | Within range of 60-70 mg/L |
| pH | Nominal 7.7 – 8.0 |

The culture area was maintained at a nominal temperature of 20°C (range 19 – 21 °C) with a regulated photoperiod of 16 hours light and 8 hours of darkness.

Daphnid cultures were fed a combination of green algae (*Selenastrum capricornutum*) and YCT obtained from Aquatic BioSystems of Fort Collins, Colorado. The cultures were fed a ration of *Selenastrum* and YCT daily Monday through Friday. Daphnids were transferred to new culture medium weekly.

Approximately 24 hours before toxicity test initiation, all daphnid neonates were removed from the culture beakers. Offspring produced within 24 hours were used for toxicity testing.

2.5 Test Procedures

Prior to initiating the toxicity test, a sub-sample of effluent and receiving water was decanted for subsequent alkalinity and hardness determination. A sub-sample was also checked for presence of chlorine to determine whether dechlorination of effluent is required. Chlorine was not detected, therefore dechlorination of the effluent was not required. The sample was then aerated and warmed to test temperature.

The toxicity test was conducted at effluent concentrations of 100%, 75%, 50%, 35%, 15%, and 5% effluent. Test concentrations were prepared by diluting the appropriate volume of effluent with dilution water to a total volume of 400 mL. Test solutions were then decanted to five replicate 30-mL cups per concentration, each containing approximately 20 mL of test solution. Three sets of control replicates were also included in the test array, set up as the effluent replicates. The controls included: Housatonic River water (dilution control), a laboratory control (a mix of moderately hard water and Lamoille River, VT water), and a laboratory control with sodium thiosulfate added (dechlorination control). The dechlorination control was included in the test array even though residual chlorine was not detected in the effluent.

Prior to testing, daphnids less than 24-hours old were collected from the cultures, pooled in Carolina bowl, and fed. The test was initiated when the daphnid neonates were transferred to the replicate test cups, five daphnids per cup. The toxicity test cups were incubated to maintain temperature in the range of 19°C to 21 °C. The lighting cycle was 16 hours light and eight hours dark and a luminance of approximately 80 ft-c.

2.6 Test Monitoring

The number of surviving daphnids was observed at approximately 24-hour intervals during the test, with the final count of surviving daphnids at approximately 48 hours. Temperature was measured daily in one replicate of each test treatment. The parameters of pH, dissolved oxygen, and conductivity were measured at the beginning and the end of the test.

Total hardness was measured by the EDTA titrimetric method and total alkalinity was measured by potentiometric titration to an endpoint of 4.5. The check for residual chlorine was performed with an acidified sample to which potassium iodide and starch indicator added. If chlorine was detected, the color was titrated away with 0.02 N sodium thiosulfate to determine the equivalent volume of 0.2 N sodium thiosulfate to add to effluent (if needed).

Dissolved oxygen was measured with a YSI Model 58 dissolved oxygen meter. A Beckman Phi 40 was used to measure pH. A Thermo-Orion Model 145 conductivity meter was used to measure conductivity. Salinity was measured with an Atago salinity refractometer.

2.7 Reference Toxicant Test

A 48-hour standard reference toxicant (SRT) test was conducted concurrently with the effluent toxicity test. The SRT test was conducted as a quality control procedure to establish the health and sensitivity of the test organisms. The SRT included four concentrations of reagent grade sodium chloride (NaCl) with nominal concentrations of 0.75, 1.5, 3.0, 6.0, and 12 g NaCl/L. Four test replicates, each containing five daphnid neonates were test at each concentration and the laboratory control.

3.0 Statistics

3.1 Statistical protocol

The concentration-response relationships observed were characterized by the median lethal concentration (LC50), which was the calculated concentration lethal to 50 percent of the test organisms. If no concentrations resulted in 50% mortality, the LC50 was reported as greater than the highest concentration effluent (in this case >100% effluent), by direct observation. If greater than 50 percent mortality was observed in any effluent treatment, then a computer program (TOXIS2) was used to calculate the LC50 value, following the U.S. EPA statistical flowchart (Appendix 3).

The Acute-No-Observable-Effect Concentration (A-NOEC) was determined statistically using multiple comparison tests (TOXIS2), with the receiving water control as the reference.

4.0 Results

4.1 Effluent Toxicity Test

Results of effluent and receiving water characterizations performed at Aquatec as part of the toxicity test are presented in Table 1. Water quality parameters measured during the toxicity test are presented in Table 2. Measured temperatures during the test were within the range of 19°C to 21°C. The percent mortality data for the toxicity test are presented in Table 3. Acute toxicity was not

demonstrated during this evaluation. The 48-hour LC50 value was >100% effluent. The A-NOEC was 100% effluent.

4.2 Reference Toxicant Test

The most recent standard reference toxicant (SRT) test was performed in November 2007. The resulting 48-hour LC50, calculated by the Spearman-Kärber method, was 3.527 g NaCl/L with 95% confidence intervals of 3.01- 4.13 g/L. This LC50 value was within the Control Chart limits generated for tests in our laboratory.

5.0 Qualifiers

5.1 Qualifiers and Special Conditions

One replicate of the laboratory control and one replicate of the dechlorination control were accidentally spilled during the survival monitoring on Day 1. These replicates were excluded from the data analysis, resulting in four replicates for each of these treatments.

The sample bottle containing receiving water for total residual chlorine analysis was broken upon delivery, therefore receiving water was not analyzed for total residual chlorine with the DPD method. A separate titrimetric check for presence of residual chlorine in receiving water did not detect residual chlorine.

References

American Public Health Association, American Water Works Association, and Water Pollution Control Federation (APHA). 1989. *Standard Methods for the Examination of Water and Wastewater*. 17th Edition

U.S. Environmental Protection Agency, 2002. 5th Edition. *Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms*. EPA-821-R-02-012.

demonstrated during this evaluation. The 48-hour LC50 value was >100% effluent. The A-NOEC was 100% effluent.

4.2 Reference Toxicant Test

The most recent standard reference toxicant (SRT) test was performed in November 2007. The resulting 48-hour LC50, calculated by the Spearman-Kärber method, was 3.527 g NaCl/L with 95% confidence intervals of 3.01- 4.13 g/L. This LC50 value was within the Control Chart limits generated for tests in our laboratory.

5.0 Qualifiers

5.1 Qualifiers and Special Conditions

One replicate of the laboratory control and one replicate of the dechlorination control were accidentally spilled during the survival monitoring on Day 1. These replicates were excluded from the data analysis, resulting in four replicates for each of these treatments.

The sample bottle containing receiving water for total residual chlorine analysis was broken upon delivery, therefore receiving water was not analyzed for total residual chlorine with the DPD method. A separate titrimetric check for presence of residual chlorine in receiving water did not detect residual chlorine.

References

American Public Health Association, American Water Works Association, and Water Pollution Control Federation (APHA). 1989. Standard Methods for the Examination of Water and Wastewater. 17th Edition

U.S. Environmental Protection Agency, 2002. 5th Edition. *Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms*. EPA-821-R-02-012.

Table 1. Results of the characterization of the General Electric Pittsfield Plant effluent and receiving water (Housatonic River).

| Parameter | Effluent OUTFALL COMPOSITE A8683C | Receiving Water HOUSATONIC RIVER A8683C |
|--|--|--|
| Temperature | 20.3 | 20.0 |
| pH | 7.8 | 7.0 |
| Alkalinity (as CaCO ₃), mg/L | 288 | 64 |
| Hardness (as CaCO ₃), mg/L | 308 | 78 |
| Dissolved oxygen, mg/L | 10.2 | 11.1 |
| Specific conductivity, uS/cm | 1359 | 200 |
| Total residual chlorine (mg/L) | ND | -- |

Note: Characterizations reflect conditions of sample after preparation for the toxicity test. ND = not detected

Table 2. Water quality measurements recorded during the 48-hour static toxicity test with *Daphnia pulex* exposed to General Electric Pittsfield Plant effluent, December 18-20, 2007.

| Test Concentration (% effluent) | pH | | | Dissolved Oxygen (mg/L) | | | Temperature (°C) | | |
|------------------------------------|-----|----|-----|----------------------------|----|-----|---------------------|------|------|
| | 0 | 24 | 48 | 0 | 24 | 48 | 0 | 24 | 48 |
| Dechl. Control | 7.3 | - | 7.2 | 8.7 | - | 8.9 | 20.1 | 20.8 | 20.4 |
| Lab Control | 7.3 | - | 7.2 | 8.7 | - | 8.9 | 19.9 | 20.8 | 20.7 |
| Dilution Control | 7.0 | - | 7.4 | 11.1 | - | 9.0 | 20.0 | 20.8 | 20.0 |
| 5% | 7.1 | - | 7.5 | 11.1 | - | 9.0 | 20.2 | -- | 19.9 |
| 15% | 7.3 | - | 7.7 | 10.9 | - | 9.5 | 20.3 | 20.5 | 20.0 |
| 35% | 7.5 | - | 8.0 | 10.7 | - | 9.1 | 20.3 | 20.5 | 20.0 |
| 50% | 7.6 | - | 8.1 | 10.6 | - | 9.1 | 20.2 | 20.3 | 19.9 |
| 75% | 7.7 | - | 8.3 | 10.3 | - | 9.2 | 20.2 | 20.2 | 20.0 |
| 100% | 7.8 | - | 8.4 | 10.2 | - | 9.1 | 20.3 | 20.2 | 19.8 |

Measurements at time 0 were from a sub-sample of the prepared treatment. Measurements at time 48 were from the combined water from all replicates for each treatment.

Dechl. Control = laboratory water with sodium thiosulfate added (dechlorination control).

Lab Control = a mix of natural river water and moderately hard water.

Dilution Control = receiving water (Housatonic River).

Table 3. Cumulative percent mortalities recorded during the 48-hour static acute toxicity test with *Daphnia pulex* exposed to General Electric Pittsfield Plant effluent, December 18-20, 2007.

| Effluent Conc. (%) | 24-hour | | | | | | 48-hour | | | | | |
|--------------------|---------|---|----|----|----|-----|---------|---|----|----|----|-----|
| | A | B | C | D | E | Avg | A | B | C | D | E | Avg |
| Dechl. Control | 0 | 0 | -- | 0 | 0 | 0 | 0 | 0 | -- | 0 | 0 | 0 |
| Lab Control | 0 | 0 | 0 | -- | 0 | 0 | 0 | 0 | 0 | -- | 0 | 0 |
| Rec. Control | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 5% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15% | 0 | 0 | 0 | 20 | 20 | 8 | 0 | 0 | 0 | 20 | 20 | 8 |
| 35% | 0 | 0 | 0 | 0 | 20 | 4 | 0 | 0 | 0 | 0 | 20 | 4 |
| 50% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 75% | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 100% | 0 | 0 | 20 | 0 | 0 | 4 | 0 | 0 | 40 | 0 | 0 | 8 |

Dechl. Control = laboratory water with sodium thiosulfate added (dechlorination control).

Lab Control = a mix of natural river water and moderately hard water.

Dilution Control = receiving water (Housatonic River).

Percent mortality = (# dead/5) X 100

NPDES Permit No. MA0003891
SDG: 10895
January 4, 2008

Appendix 1 Chain-of-Custody Documentation




Aquatec Biological Sciences

Chain-of-Custody Record

273 Commerce Street
 Williston, VT 05495
 TEL: (802) 860-1638
 FAX: (802) 658-3189

| COMPANY INFORMATION | COMPANY'S PROJECT INFORMATION | SHIPPING INFORMATION | VOLUME/CONTAINER TYPE/ PRESERVATIVE | | | | | |
|--|---|---|--|---------|--------------------------------|--------------------------------|-------|---------|
| Name: <u>General Electric Company</u> | Project Name: <u>GE PITTSFIELD</u> | Carrier: <u>PRIORITY EXPRESS</u> | 4°C | 4°C | 4°C | 4°C | 4°C | 4°C |
| Address: <u>O'Brien & Gere</u> <u>1000 East Street, Gate 64</u> | Outfall Composite | Airbill Number: _____ | — | — | H ₂ SO ₄ | H ₂ SO ₄ | — | — |
| City/State/Zip: <u>Pittsfield, MA 01201</u> | Project Number: <u>07003</u> | Date Shipped: <u>12/17/07</u> | Plastic | Plastic | Plastic | Glass | Glass | Plastic |
| Telephone: <u>(413) 494-6709</u> | Sampler Name(s): <u>SEAN C. COYLE</u> <u>JOSEPH C. NAMUNLA</u> | Hand Delivered: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | — | — | — | — | — | — |
| Facsimile: _____ | NPDES Permit #: <u>MA0003891</u> | | 1 gal | 1/2 gal | 1 L | 40 ml | 40 ml | 0.5 L |
| Contact Name: <u>Sean Coyle</u> | Quote #: <u>10/05</u> Client Code: <u>GEPITTS</u> | | | | | | | |

| SAMPLE IDENTIFICATION | COLLECTION | | GRAB | COMPOSITE | MATRIX | ANALYSIS (detection limits, mg/L) | NUMBER OF CONTAINERS | | | | | | | | |
|------------------------------------|-----------------|-----------------|------|-----------|-----------|--|----------------------|--|--|--|--|--|--|---|--|
| | DATE | TIME | | | | | | | | | | | | | |
| Outfall Composite <u>A8683C</u> | <u>12/17/07</u> | <u>10:40 AM</u> | | X | Effluent | <i>Daphnia pulex</i> 48-h Static Acute Toxicity (EPA Method 2021.0). Log in for A48DPS | 1 | | | | | | | | |
| Outfall Composite <u>A8683C</u> | <u>12/17/07</u> | <u>10:40 AM</u> | | X | Effluent | Total Residual Chlorine | | | | | | | | 1 | |
| Housatonic River <u>A8684R</u> | <u>12/17/07</u> | <u>10:50 AM</u> | X | | Receiving | Dilution Water | 1 | | | | | | | | |
| Housatonic River <u>A8684R</u> | <u>12/17/07</u> | <u>10:50 AM</u> | X | | Receiving | Total Residual Chlorine | | | | | | | | 1 | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |

| | | | | |
|--|-----------------|----------------|--|---|
| Relinquished by: (signature) | DATE | TIME | Received by: (signature) | NOTES TO SAMPLER(S): (1): Complete the labels (Date, time, initials) and cover the labels with clear tape. Tape the caps of the sample bottles to ensure that they do not become dislodged during shipment. Nest the samples in sufficient ice to maintain 0°C - 6°C. Results for samples received at temperatures exceeding 6°C will be qualified in the report. Notes to Lab: Ambient cooler temperature: <u>0</u> °C. Dechlorinate the effluent sample if chlorine is detected. - DEC 2007 ACUTE TOX |
|  | <u>12/17/07</u> | <u>2:10 PM</u> |  | |
| Relinquished by: (signature) | DATE | TIME | Received by: (signature) | |
| | <u>12-18-07</u> | <u>8:35</u> |  | |
| Relinquished by: (signature) | DATE | TIME | Received by: (signature) | |

NPDES Permit No. MA0003891
SDG: 10895
January 4, 2008

Appendix 2 Summary of Test Conditions

NPDES Permit No. MA0003891
SDG: 10895
January 4, 2008

Appendix 3
U.S. EPA Region 1 Toxicity Test Summary and
Statistical Flow Chart

TOXICITY TEST SUMMARY SHEET

Facility Name: Outfall Composite A8683C Test Start Date: 12/18/07

NPDES Permit Number: MA0003891 Pipe Number: 001

| Test Type | Test Species | Sample Type | Sampling Method |
|-----------|----------------------|-------------|-----------------|
| Acute | <i>Daphnia pulex</i> | EFFLUENT | Composite |

Dilution Water: Housatonic River

Receiving Water: Housatonic River

Effluent Sampling Dates: December 17, 2007

Concentrations Tested: 0% 5% 15% 35% 50% 75% 100% Permit Limit: NA

Was Effluent Salinity Adjusted? NA If yes, to what value? NA

With Sea Salts? NA Hypersaline Brine Solution? NA

Actual effluent concentrations tested after salinity adjustment in percent: Same as above.

Reference Toxicant Date: 11/7/07

PERMIT LIMITS AND TEST RESULTS

Test Acceptability Criteria: Mean Control Survival: 100 (%)

| | Limits (%) | | Results (%) |
|---------------|------------|-----------------------|----------------|
| LC50 | NA | 48-Hour LC50 | >100 |
| | | Upper Value | -- |
| | | Lower Value | -- |
| | | Data Analysis Method | Probit |
| A-NOEC | NA | 48-hour A-NOEC | 100 |
| C-NOEC | NA | C-NOEC | -- |
| | | LOEC | -- |
| IC25 | NA | IC25 | -- |
| IC50 | NA | IC50 | -- |

NA: Not Applicable




Figure 6. Flowchart for determination of the LC50 for multi-effluent-concentration acute toxicity tests.

**DETERMINATION OF THE NOAEC
FROM A MULTI-EFFLUENT-CONCENTRATION
ACUTE TOXICITY TEST**




Figure 13. Flowchart for analysis of multi-effluent-concentration test data.

NPDES Permit No. MA0003891
SDG: 10895
January 4, 2008

Appendix 4
Bench Data, *Daphnia pulex* Acute Toxicity Test

=====

Aquatic Biological Sciences, Inc.

=====

Test Date: 12/18/07
 Sample Date: 12/17/07
 Species: Daphnia pulex
 Test Type: Acute - 48 hours

Test Number: 55796
 Test Material: Effluent - Industrial *
 Source: MA0003891
 General Electric Company
 Pittsfield, MA

=====

SUMMARY

=====

| End Point | Day | Transformation | Conc | #Reps | Mean | StDev | % Surv | | | |
|------------------|-----|-----------------------|------------------|-------|-------------------|---------|--------|------|-------|--|
| Proportion Alive | 2 | Arc sine sqrt w/ adj. | 0.000 B | 4 | 1.35 | 0.000 | | | | |
| | | | X 0.000 D | 5 | 1.35 | 0.000 | | | | |
| | | | X 5.000 D | 5 | 1.35 | 0.000 | | | | |
| | | | X 15.000 D | 5 | 1.25 | .130 | | | | |
| | | | X 35.000 D | 5 | 1.30 | .106 | | | | |
| | | | X 50.000 D | 5 | 1.35 | 0.000 | | | | |
| | | | X 75.000 D | 5 | 1.35 | 0.000 | | | | |
| | | | X 100.000 D | 5 | 1.25 | .205 | | | | |
| | | | Proportion Alive | 2 | No transformation | 0.000 B | 4 | 1.00 | 0.000 | |
| | | | | | | 0.000 D | 5 | 1.00 | 0.000 | |
| 5.000 D | 5 | 1.00 | | | | 0.000 | | | | |
| 15.000 D | 5 | .92 | | | | .110 | | | | |
| 35.000 D | 5 | .96 | | | | .089 | | | | |
| 50.000 D | 5 | 1.00 | | | | 0.000 | | | | |
| 75.000 D | 5 | 1.00 | | | | 0.000 | | | | |
| 100.000 D | 5 | .92 | | | | .179 | | | | |

X = indicates concentrations used in calculations

=====

- HYPOTHESIS TEST -

=====

| End Point | Day | Transformation/Analysis | NOEC | LOEC | TU | MSE | MSD |
|------------------|-----|---|----------|----------|--------|------|------|
| Proportion Alive | 2 | Arc sine sqrt w/ adj. Steel many-one rank test | >100.000 | >100.000 | < 1.00 | .010 | .137 |

=====

- PROPORTION POINT ESTIMATE -

=====

| End Point | Day | Method | P | Conc | 95% CI | TU |
|------------------|-----|--------|-------|-----------|--------|--------|
| Proportion Alive | 2 | Probit | EC 50 | > 100.000 | - | < 1.00 |

Aquatec Biological Sciences, Inc.

=====

WATER FLEA TEST DATA

=====

Test Number: 55796 () Chronic (x) Acute 48 hours
 Test Date: December 18, 2007
 Source: MA0003891 Test Material: EFF2 (%)

| Conc | Rep | Cont. No. Sex | Start | Daily Survival | | | | | | Prop Alive | Total Young | Max Young |
|----------|-----|------------------|-------|----------------|---|---|---|---|---|---------------|----------------|--------------|
| | | | | 1 | 2 | 3 | 4 | 5 | 6 | | | |
| 0.00 B | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 B | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 B | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 B | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 B | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 D | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 0.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 5.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 5.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 5.00 D | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 5.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 5.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 15.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 15.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 15.00 D | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 15.00 D | 4 | F | 5 | 4 | | | | | | .80 | | |
| 15.00 D | 5 | F | 5 | 4 | | | | | | .80 | | |
| 35.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 35.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 35.00 D | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 35.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 35.00 D | 5 | F | 5 | 4 | | | | | | .80 | | |
| 50.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 50.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 50.00 D | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 50.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 50.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 75.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 75.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 75.00 D | 3 | F | 5 | 5 | | | | | | 1.00 | | |
| 75.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 75.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |
| 100.00 D | 1 | F | 5 | 5 | | | | | | 1.00 | | |
| 100.00 D | 2 | F | 5 | 5 | | | | | | 1.00 | | |
| 100.00 D | 3 | F | 5 | 3 | | | | | | .60 | | |
| 100.00 D | 4 | F | 5 | 5 | | | | | | 1.00 | | |
| 100.00 D | 5 | F | 5 | 5 | | | | | | 1.00 | | |

Handwritten: 12/19/07

Client: GENERAL ELECTRIC, PITTSFIELD, MA
 MA0003891

Test #: 55796

SDG: 10895

Test Description: *Daphnia pulex* 48-h static acute toxicity test

SURVIVAL DATA, SAMPLE 36841

| Treatment (%) | Day 0 | Day 1 # Surviving | Day 2 # Surviving | Treatment (%) | Day 0 | Day 1 # Surviving | Day 2 # Surviving |
|---------------|-------------------------------|-------------------|-------------------|-------------------------------------|-------|-------------------|-------------------|
| Rec. A | 5 | 5 | 5 | Lab A | 5 | 5 | 5 |
| Water B | 5 | 5 | 5 | Contr B | 5 | 5 | 5 |
| Contr C | 5 | 5 | 5 | 1:1 C | 5 | 5 | 5 |
| D | 5 | 5 | 5 | LR / MHW D | 5 | 0 | - |
| E | 5 | 5 | 5 | E | 5 | 5 | 5 |
| 5.0 A | 5 | 5 | 5 | Dechlor. A | 5 | 5 | 5 |
| B | 5 | 5 | 5 | Control B | 5 | 5 | 5 |
| C | 5 | 5 | 5 | C | 5 | 0 | - |
| D | 5 | 5 | 5 | D | 5 | 5 | 5 |
| E | 5 | 5 | 5 | E | 5 | 5 | 5 |
| 15 A | 5 | 5 | 5 | ① Test cups Dropped, organisms Lost | | | |
| B | 5 | 5 | 5 | | | | |
| C | 5 | 5 | 5 | | | | |
| D | 5 | 4 | 4 | | | | |
| E | 5 | 4 | 4 | | | | |
| 35 A | 5 | 5 | 5 | | | | |
| B | 5 | 5 | 5 | | | | |
| C | 5 | 4.5 or | 5 | | | | |
| D | 5 | 5 | 5 | | | | |
| E | 5 | 4 or | 4 | | | | |
| 50 A | 5 | 5 | 5 | | | | |
| B | 5 | 5 | 5 | | | | |
| C | 5 | 5 | 5 | | | | |
| D | 5 | 5 | 5 | | | | |
| E | 5 | 5 | 5 | | | | |
| 75 A | 5 | 5 | 5 | | | | |
| B | 5 | 5 | 5 | | | | |
| C | 5 | 5 | 5 | | | | |
| D | 5 | 5 | 5 | | | | |
| E | 5 | 5 | 5 | | | | |
| 100 A | 5 | 5 | 5 | | | | |
| B | 5 | 5 | 5 | | | | |
| C | 5 | 4 | 3 | | | | |
| D | 5 | 5 | 5 | | | | |
| E | 5 | 5 | 5 | | | | |
| Sample # | 36841 | | | | | | |
| I/D/T | 12/18/15 12:15 12/19 12:19 | | | | | | |

Aquatec Biological Sciences, Inc. Williston Vermont

Reviewed by: [Signature] Date: 12/1/2017

GENERAL ELECTRIC, PITTSFIELD, MA

Client: GENERAL ELECTRIC, PITTSFIELD, MA
 MA0003891 OUTFALL 001

Test #: 55796

SDG: 10895

Test Description: *Daphnia pulex* 48-h static acute toxicity test

| Treatment (%) | Parameter | Day 0 | Day 1 | Day 2 |
|------------------------|-----------|---------|---------|---------|
| Dechlorination Control | pH | 7.3 | | 7.2 |
| | DO | 8.7 | | 8.9 |
| | Temp | 20.1 | 20.8 | 20.4 |
| | Cond. | 217 | - | 222 |
| Lab Contr 1:1 | pH | 7.3 | | 7.2 |
| | DO | 8.7 | | 8.9 |
| | Temp | 19.9 | 20.8 | 20.7 |
| | Cond. | 214 | - | 221 |
| Rec. Water Contr | pH | 7.0 | | 7.4 |
| | DO | 11.1 | | 9.0 |
| | Temp | 20.0 | 20.8 | 20.0 |
| | Cond. | 200 | - | 214 |
| 5.0 | pH | 7.1 | | 7.5 |
| | DO | 11.1 | | 9.0 |
| | Temp | 20.2 | | 19.9 |
| | Cond. | 268 | - | 282 |
| 15 | pH | 7.3 | | 7.7 |
| | DO | 10.9 | | 9.5 |
| | Temp | 20.3 | 20.5 | 20.0 |
| | Cond. | 391 | - | 406 |
| 35 | pH | 7.5 | | 8.0 |
| | DO | 10.7 | | 9.1 |
| | Temp | 20.3 | 20.5 | 20.0 |
| | Cond. | 627 | - | 643 |
| 50 | pH | 10.65 | | 8.1 |
| | DO | 7.6 | | 9.1 |
| | Temp | 20.2 | 20.3 | 19.9 |
| | Cond. | 800 | - | 807 |
| 75 | pH | 7.7 | | 8.3 |
| | DO | 10.3 | | 9.2 |
| | Temp | 20.2 | 20.2 | 20.0 |
| | Cond. | 1084 | - | 1099 |
| 100 | pH | 7.8 | | 8.4 |
| | DO | 10.2 | 20.2 | 19.8 |
| | Temp | 20.3 | | 9.1 |
| | Cond. | 1359 | - | 1360 |
| Sample # | | 36841 | 36841 | 36841 |
| I/D (2007) | | dc 1218 | dc 1219 | dc 1220 |

Aquatec Biological Sciences, Inc. Williston Vermont
 Reviewed by: J Date: 1/4/07 27

GENERAL ELECTRIC, PITTSFIELD, MA

Alkalinity and Hardness Worksheet

| Alkalinity | | | | | | | | | | Hardness | | | | | |
|-------------------|--------------------|-------------|---------------|---------------|----------------------|--------------------|---------|---------------|------------|---------------|----------------------|--------------------|---------|---------------|----------|
| Sample Identifier | LIMS Identifier | Sub ID Code | Sampling Date | Sample Volume | Initial Titrant (ml) | Final Titrant (ml) | Analyst | Analysis Date | Alkalinity | Sample Volume | Initial Titrant (ml) | Final Titrant (ml) | Analyst | Analysis Date | Hardness |
| 36841 | Outfall Composite | | 12/18/2007 | 25 | 27.2 | 34.4 | SR | 12/18/07 | 288.0 | 50 | 39.8 | 55.2 | SR | 12/18/07 | 308.0 |
| 36842 | Housatonic River A | | 12/18/2007 | 25 | 34.4 | 36 | SR | 12/18/07 | 64.0 | 50 | 5.2 | 9.1 | SR | 12/18/07 | 78.0 |

J 12/14/08

Aquatec Biological Sciences, Inc.
 273 Commerce Street
 Williston, VT 05495
 (802) 860-1638

Total Residual Chlorine Analysis

| | |
|------------------------------------|---------------------|
| Client GE Pittsfield, MA | SDG 10810 |
|------------------------------------|---------------------|

| Sample # | Sample ID | Collection Date / Time | Analysis Date / Time / Analyst | Result (TRC mg/L) | Method |
|----------|--------------------------------|---------------------------|--------------------------------------|----------------------|---------------------|
| 36841 | Outfall Composite A8683C | 12/17/07 10:40 | 11/7/07 16:40 JW | <0.05 | DPD Colorimetric |
| 36842 | Housatonic River A8684R | 12/17/07 10:50 | Not analyzed | -- | * |

* A titrimetric check for residual chlorine did not detect chlorine in receiving water. The sample was not dechlorinated prior to use in the toxicity test.

NPDES Permit No. MA0003891
SDG: 10895
January 4, 2008


Appendix 5
Standard Reference Toxicant test Control Chart

Reference Toxicant Control Chart

Daphnia pulex

in Sodium chloride (g/L)

| Test Number | Test Date | Organism Age (Days) | 48-Hr. LC50 | Mean LC50 | Lower Limit | Upper Limit | Organism Source |
|-------------|-----------|---------------------|-------------|-----------|-------------|-------------|-----------------------------|
| 1 | 05/10/06 | 1 | 3.992 | 3.99 | 3.99 | 3.99 | Aquatec Biological Sciences |
| 2 | 06/07/06 | 1 | 3.959 | 3.98 | 3.93 | 4.02 | Aquatec Biological Sciences |
| 3 | 07/11/06 | 1 | 3.215 | 3.72 | 2.84 | 4.60 | Aquatec Biological Sciences |
| 4 | 08/08/06 | 1 | 3.839 | 3.75 | 3.02 | 4.48 | Aquatec Biological Sciences |
| 5 | 09/13/06 | 1 | 3.068 | 3.61 | 2.74 | 4.49 | Aquatec Biological Sciences |
| 6 | 10/11/06 | 1 | 4.098 | 3.70 | 2.82 | 4.57 | Aquatec Biological Sciences |
| 7 | 11/17/06 | 1 | 2.733 | 3.56 | 2.48 | 4.64 | Aquatec Biological Sciences |
| 8 | 12/13/06 | 1 | 2.281 | 3.40 | 2.05 | 4.75 | Aquatec Biological Sciences |
| 9 | 01/10/07 | 1 | 2.196 | 3.26 | 1.77 | 4.76 | Aquatec Biological Sciences |
| 10 | 02/07/07 | 1 | 2.34 | 3.17 | 1.82 | 4.70 | Aquatec Biological Sciences |
| 11 | 03/08/07 | 1 | 3.959 | 3.24 | 1.72 | 4.77 | Aquatec Biological Sciences |
| 12 | 04/18/07 | 1 | 3.329 | 3.25 | 1.80 | 4.70 | Aquatec Biological Sciences |
| 13 | 05/09/07 | 1 | 3.069 | 3.24 | 1.84 | 4.63 | Aquatec Biological Sciences |
| 14 | 06/26/07 | 1 | 2.661 | 3.20 | 1.82 | 4.57 | Aquatec Biological Sciences |
| 15 | 07/09/07 | 1 | 2.799 | 3.17 | 1.83 | 4.51 | Aquatec Biological Sciences |
| 16 | 07/10/07 | 1 | 3.329 | 3.18 | 1.88 | 4.48 | Aquatec Biological Sciences |
| 17 | 08/07/07 | 1 | 3.824 | 3.22 | 1.92 | 4.51 | Aquatic BioSystems |
| 18 | 09/06/07 | 1 | 3.824 | 3.25 | 1.96 | 4.54 | Aquatec Biological Sciences |
| 19 | 10/09/07 | 1 | 3.824 | 3.28 | 2.00 | 4.56 | Aquatec Biological Sciences |
| 20 | 11/07/07 | 1 | 3.527 | 3.29 | 2.04 | 4.54 | Aquatec Biological Sciences |



Appendix 6
SOP TOX2-001, Standard Operating Procedure for
Daphnid (*Ceriodaphnia dubia*, *Daphnia magna*, and
***Daphnia pulex*) Acute Toxicity Test**

Copies of our SOP have been submitted with prior reports. Any future revisions of this SOP will be submitted.

APPENDIX 2

Laboratory Reports

Columbia Analytical Services, Inc.
O'Brien & Gere, Inc.

COLUMBIA ANALYTICAL SERVICES

Reported: 12/28/07

General Electric

Project Reference: GE-PITTSFIELD ACUTE BIOMONITORING - 11/07

Client Sample ID : A8683C

Date Sampled : 12/17/07 10:40

Order #: 1058751

Sample Matrix: WATER

Date Received: 12/18/07

Submission #: R2741117

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|------------------------|----------|--------|----------|-------|---------------|---------------|----------|
| AMMONIA | 350.1M | 0.0500 | 0.0500 U | MG/L | 12/20/07 | 10:51 | 1.0 |
| CHLORIDE | SM4500-C | 1.00 | 246 | MG/L | 12/21/07 | 10:18 | 4.0 |
| TOTAL ALKALINITY | SM2320B | 2.00 | 322 | MG/L | 12/21/07 | 08:10 | 1.0 |
| TOTAL ORGANIC CARBON | SM5310C | 1.00 | 6.44 | MG/L | 12/21/07 | 10:50 | 1.0 |
| TOTAL PHOSPHORUS | 365.1 | 0.0500 | 0.100 U | MG/L | 12/28/07 | 09:23 | 2.0 |
| TOTAL SOLIDS | SM2540B | 10.0 | 718 | MG/L | 12/20/07 | 10:50 | 1.0 |
| TOTAL SUSPENDED SOLIDS | SM2540D | 1.00 | 1.00 U | MG/L | 12/19/07 | 14:00 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 12/28/07

General Electric
Project Reference: GE-PITTSFIELD ACUTE BIOMONITORING - 11/07
Client Sample ID : A8683CCN

Date Sampled : 12/17/07 10:40 Order #: 1058757 Sample Matrix: WATER
Date Received: 12/18/07 Submission #: R2741117

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|--------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0197 | MG/L | 12/28/07 | 11:53 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 12/28/07

General Electric

Project Reference: GE-PITTSFIELD ACUTE BIOMONITORING - 11/07

Client Sample ID : A8683CCN-FLTR

Date Sampled : 12/17/07 10:40 Order #: 1058758 Sample Matrix: WATER
Date Received: 12/18/07 Submission #: R2741117

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 12/28/07 | 11:53 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 12/28/07

General Electric
Project Reference: GE-PITTSFIELD ACUTE BIOMONITORING - 11/07
Client Sample ID : A8683CTM

Date Sampled : 12/17/07 10:40 Order #: 1058753 Sample Matrix: WATER
Date Received: 12/18/07 Submission #: R2741117

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|-----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 12/26/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 12/21/07 | 1.0 |
| CALCIUM | 200.7 | 1.00 | 72.8 | MG/L | 12/26/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 12/21/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 12/21/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 12/21/07 | 1.0 |
| MAGNESIUM | 200.7 | 1.00 | 31.7 | MG/L | 12/21/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 12/21/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 12/21/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0200 U | MG/L | 12/21/07 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 12/28/07

General Electric

Project Reference: GE-PITTSFIELD ACUTE BIOMONITORING - 11/07

Client Sample ID : A8683CDM

Date Sampled : 12/17/07 10:40

Order #: 1058752

Sample Matrix: WATER

Date Received: 12/18/07

Submission #: R2741117

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 12/26/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 12/21/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 12/21/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 12/21/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 12/21/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 12/21/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 12/21/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0207 | MG/L | 12/21/07 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 12/28/07

General Electric
Project Reference: GE-PITTSFIELD ACUTE BIOMONITORING - 11/07
Client Sample ID : A8684R

Date Sampled : 12/17/07 10:50 Order #: 1058750 Sample Matrix: WATER
Date Received: 12/18/07 Submission #: R2741117

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|------------------------|----------|--------|----------|-------|---------------|---------------|----------|
| AMMONIA | 350.1M | 0.0500 | 0.0500 U | MG/L | 12/20/07 | 10:51 | 1.0 |
| CHLORIDE | SM4500-C | 1.00 | 15.0 | MG/L | 12/21/07 | 10:18 | 1.0 |
| TOTAL ALKALINITY | SM2320B | 2.00 | 70.0 | MG/L | 12/21/07 | 08:10 | 1.0 |
| TOTAL ORGANIC CARBON | SM5310C | 1.00 | 3.62 | MG/L | 12/20/07 | 15:51 | 1.0 |
| TOTAL PHOSPHORUS | 365.1 | 0.0500 | 0.100 U | MG/L | 12/28/07 | 09:23 | 2.0 |
| TOTAL SOLIDS | SM2540B | 10.0 | 115 | MG/L | 12/20/07 | 10:50 | 1.0 |
| TOTAL SUSPENDED SOLIDS | SM2540D | 1.00 | 1.00 | MG/L | 12/19/07 | 14:00 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 12/28/07

General Electric
Project Reference: GE-PITTSFIELD ACUTE BIOMONITORING - 11/07
Client Sample ID : A8684RCN

Date Sampled : 12/17/07 10:50 Order #: 1058755 Sample Matrix: WATER
Date Received: 12/18/07 Submission #: R2741117

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 12/28/07 | 11:53 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 12/28/07

General Electric

Project Reference: GE-PITTSFIELD ACUTE BIOMONITORING - 11/07

Client Sample ID : A8684RCN-FLTR

Date Sampled : 12/17/07 10:50

Order #: 1058756

Sample Matrix: WATER

Date Received: 12/18/07

Submission #: R2741117

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | TIME ANALYZED | DILUTION |
|---------------|--------|--------|----------|-------|---------------|---------------|----------|
| TOTAL CYANIDE | 335.4 | 0.0100 | 0.0100 U | MG/L | 12/28/07 | 11:53 | 1.0 |

COLUMBIA ANALYTICAL SERVICES

Reported: 12/28/07

General Electric

Project Reference: GE-PITTSFIELD ACUTE BIOMONITORING - 11/07

Client Sample ID : A8684RTM

Date Sampled : 12/17/07 10:50
Date Received: 12/18/07

Order #: 1058754
Submission #: R2741117

Sample Matrix: WATER

| ANALYTE | METHOD | PQL | RESULT | UNITS | DATE ANALYZED | DILUTION |
|-----------|--------|---------|-----------|-------|---------------|----------|
| ALUMINUM | 200.7 | 0.100 | 0.100 U | MG/L | 12/26/07 | 1.0 |
| CADMIUM | 200.7 | 0.00500 | 0.00500 U | MG/L | 12/21/07 | 1.0 |
| CALCIUM | 200.7 | 1.00 | 19.8 | MG/L | 12/26/07 | 1.0 |
| CHROMIUM | 200.7 | 0.0100 | 0.0100 U | MG/L | 12/21/07 | 1.0 |
| COPPER | 200.7 | 0.0200 | 0.0200 U | MG/L | 12/21/07 | 1.0 |
| LEAD | 200.7 | 0.00500 | 0.00500 U | MG/L | 12/21/07 | 1.0 |
| MAGNESIUM | 200.7 | 1.00 | 7.02 | MG/L | 12/21/07 | 1.0 |
| NICKEL | 200.7 | 0.0400 | 0.0400 U | MG/L | 12/21/07 | 1.0 |
| SILVER | 200.7 | 0.0100 | 0.0100 U | MG/L | 12/21/07 | 1.0 |
| ZINC | 200.7 | 0.0200 | 0.0200 U | MG/L | 12/21/07 | 1.0 |

NPDES Sampling
GE Pittsfield
Toxicity pH

Date: December 17, 2007

Acute Dry
Acute Wet
Chronic (Day 1,2 or 3)


Effluent Composite

Sample # A8683C
Date 12/17/07
Time 10:40AM
pH 7.89 su


River/Dilution Water

Sample # A8684R
Date 12/17/07
Time 10:50AM
pH 7.48 su

SEAN C. COYLE

 12/17/07

Joseph C. Hamling


12-12-07

Signature & Date

APPENDIX 3

Chain of Custody Forms

Cooler Receipt And Preservation Check Form

Project/Client GE - PHASfield Submission Number _____

Cooler received on 12/18/07 by: VM COURIER: CAS UPS FEDEX VELOCITY CLIENT

1. Were custody seals on outside of cooler? YES NO
2. Were custody papers properly filled out (ink, signed, etc.)? YES NO
3. Did all bottles arrive in good condition (unbroken)? YES NO
4. Did any VOA vials have significant air bubbles? YES NO N/A
5. Were Ice or Ice packs present? YES NO
6. Where did the bottles originate? CAS/ROC CLIENT
7. Temperature of cooler(s) upon receipt: 2.7°C 4.0°C _____

Is the temperature within 0° - 6° C?: Yes Yes Yes Yes Yes

If No, Explain Below No No No No No

Date/Time Temperatures Taken: 12/18/07 1400

Thermometer ID: 161 or IR GUN Reading From: Temp Blank or Sample Bottle

If out of Temperature, Client Approval to Run Samples _____

PC Secondary Review: 12/18/07

Cooler Breakdown: Date: _____ by: _____

1. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
2. Did all bottle labels and tags agree with custody papers? YES NO
3. Were correct containers used for the tests indicated? YES NO
4. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated N/A

Explain any discrepancies: _____

| | | YES | NO | Sample I.D. | Reagent | Vol. Added | Final pH |
|--|--------------------------------|-----|----|-------------|---------|------------|----------|
| pH | Reagent | | | | | | |
| ≥12 | NaOH | | | | | | |
| ≤2 | HNO ₃ | | | | | | |
| ≤2 | H ₂ SO ₄ | | | | | | |
| Residual Chlorine (+/-) for TCN & Phenol | | | | | | | |

YES = All samples OK NO = Samples were preserved at lab as listed PC OK to adjust pH _____

| | | |
|--|--|--|
| VOC Vial pH Verification (Tested after Analysis) Following Samples Exhibited pH > 2 | | |
| | | |
| | | |
| | | |

Other Comments:

PC Secondary Review: _____

Aquatec Biological Sciences

Chain-of-Custody Record

273 Commerce Street
 Williston, VT 05495
 TEL: (802) 860-1638
 FAX: (802) 658-3189

| COMPANY INFORMATION | COMPANY'S PROJECT INFORMATION | SHIPPING INFORMATION | VOLUME/CONTAINER TYPE/ PRESERVATIVE | | | | | |
|---|--|---|--|-------------------------------------|---|---|---------------------------------|---|
| Name: <u>General Electric Company</u> Address: <u>O'Brien & Gere</u> <u>1000 East Street, Gate 64</u> City/State/Zip: <u>Pittsfield, MA 01201</u> Telephone: <u>(413) 494-6709</u> Facsimile: _____ Contact Name: <u>Sean Coyle</u> | Project Name: <u>GE PITTSFIELD</u> <u>Outfall Composite</u> Project Number: <u>07003</u> Sampler Name(s): <u>SEAN C. COYLE</u> <u>JOSEPH C. NAMUNLA</u> NPDES Permit #: <u>MA0003891</u> Quote #: <u>10/05</u> Client Code: <u>GEPITTS</u> | Carrier: <u>PRIORITY EXPRESS</u> Airbill Number: _____ Date Shipped: <u>12/17/07</u> Hand Delivered: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | 4°C — Plastic — 1 gal | 4°C — Plastic — 1/2 gal | 4°C H ₂ SO ₄ — Plastic — 1 L | 4°C H ₂ SO ₄ — Glass — 40 ml | 4°C — Glass — 40 mL | 4°C HNO ₃ — Plastic — 0.5 L |

| SAMPLE IDENTIFICATION | COLLECTION | | GRAB | COMPOSITE | MATRIX | ANALYSIS (detection limits, mg/L) | NUMBER OF CONTAINERS | | | | | | |
|------------------------------------|-----------------|-----------------|------|-----------|-----------|--|----------------------|--|--|--|--|---|--|
| | DATE | TIME | | | | | | | | | | | |
| Outfall Composite <u>A8683C</u> | <u>12/17/07</u> | <u>10:40 AM</u> | | X | Effluent | <i>Daphnia pulex</i> 48-h Static Acute Toxicity (EPA Method 2021.0). Log in for A48DPS | 1 | | | | | | |
| Outfall Composite <u>A8683C</u> | <u>12/17/07</u> | <u>10:40 AM</u> | | X | Effluent | Total Residual Chlorine | | | | | | 1 | |
| Housatonic River <u>A8684R</u> | <u>12/17/07</u> | <u>10:50 AM</u> | X | | Receiving | Dilution Water | 1 | | | | | | |
| Housatonic River <u>A8684R</u> | <u>12/17/07</u> | <u>10:50 AM</u> | X | | Receiving | Total Residual Chlorine | | | | | | 1 | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

| | | | | |
|--|-------------------------|------------------------|--|---|
| Relinquished by: (signature) <u>[Signature]</u> | DATE <u>12/17/07</u> | TIME <u>2:10 PM</u> | Received by: (signature) <u>[Signature]</u> | NOTES TO SAMPLER(S): (1): Complete the labels (Date, time, initials) and cover the labels with clear tape. Tape the caps of the sample bottles to ensure that they do not become dislodged during shipment. Nest the samples in sufficient ice to maintain 0°C – 6°C. Results for samples received at temperatures exceeding 6°C will be qualified in the report. Notes to Lab: Ambient cooler temperature: <u>0</u> °C. Dechlorinate the effluent sample if chlorine is detected. - DEC 2007 ACUTE TOX |
| Relinquished by: (signature) | DATE <u>12-18-07</u> | TIME <u>8:35</u> | Received by: (signature) <u>[Signature]</u> | |
| Relinquished by: (signature) | DATE | TIME | Received by: (signature) | |

12/17/2007

ACUTE AQUATIC TOXICITY COMPOSITE

Month: DEC
Week: 4
Fiscal Wk: 51
Weather: DRY

*This Effluent sample is a flow proportioned composite made from 24 Hr
Composite samples collected at the indicated outfalls and specified times.*

| Outfall # | Collection Time | Gallons/Day | MI in Composite | Percent of Composite |
|-----------|-----------------|-------------|-----------------|----------------------|
| 001 | 8:05AM | 3,340 | 315.09 | 3.15% |
| 004 | | 0 | - | 0.00% |
| 007 | | 0 | - | 0.00% |
| 64T | 7:10AM | 12,612 | 1,189.80 | 11.90% |
| 64G | 7:10AM | 89,880 | 8,479.17 | 84.79% |
| 09A | | 0 | - | 0.00% |
| 09B | 8:45AM | 169 | 15.94 | 0.16% |
| | | 106,001 | 10000 | 100.00% |

The Acute Toxicity Composite was made today by SEAN C. COYUS @ 10:40AM
according to the table above, and given the sample ID# A8683C

[Signature]
Signed
12/17/07
Date

| |
|--|
| Chain-of-Custody Form Number: <u>6077</u> |
| Analysis: <u>ACUTE TOXICITY COMPOSITE</u> |
| TIME: <u>10:40AM</u> Date: <u>12/17/07</u> |
| Location: <u>10:40AM</u> Date: <u>12/17/07</u> |
| Sample Label Serial Number <u>A 8683C</u> |