

**SEPTEMBER 2005 PCB AMBIENT AIR CONCENTRATIONS  
 NEWELL STREET AREA II  
 GENERAL ELECTRIC COMPANY  
 PITTSFIELD, MASSACHUSETTS**

<b>Date</b>	<b>West of NS Area II (µg/m3)</b>	<b>Southwest of NS Area II (µg/m3)</b>	<b>Southeast of NS Area II (µg/m3)</b>	<b>East of NS Area II (µg/m3)</b>	<b>East of NS Area II (colocated) (µg/m3)</b>	<b>BK3 (Background - East of Building 9B) (µg/m3)</b>
09/15 - 09/16/05	0.0080	0.0118	0.0156	0.0059	0.0059	0.0029
Notification Level	0.05	0.05	0.05	0.05	0.05	0.05

**WEEK OF SEPTEMBER 26-30, 2005 PCB AMBIENT AIR CONCENTRATIONS  
NEWELL STREET AREA II  
GENERAL ELECTRIC COMPANY  
PITTSFIELD, MASSACHUSETTS**

<b>Date</b>	<b>West of NS Area II (µg/m3)</b>	<b>Southwest of NS Area II (µg/m3)</b>	<b>Southeast of NS Area II (µg/m3)</b>	<b>East of NS Area II (µg/m3)</b>	<b>East of NS Area II (colocated) (µg/m3)</b>	<b>BK3 (Background - East of Building 9B) (µg/m3)</b>
09/27 - 09/28/05	0.0036 <sup>1</sup>	0.0026 <sup>1</sup>	0.0288 <sup>1</sup>	0.0021 <sup>1</sup>	0.0016 <sup>1</sup>	ND (<0.0003) <sup>1</sup>
Notification Level	0.05	0.05	0.05	0.05	0.05	0.05

ND - Non-Detect

<sup>1</sup> Result is believed to be biased high due to the presence of PCB on the field blank.

**WEEK OF OCTOBER 10-14, 2005 PCB AMBIENT AIR CONCENTRATIONS  
 NEWELL STREET AREA II  
 GENERAL ELECTRIC COMPANY  
 PITTSFIELD, MASSACHUSETTS**

<b>Date</b>	<b>Northwest of NS Area II (µg/m3)</b>	<b>Southwest of NS Area II (µg/m3)</b>	<b>Southeast of NS Area II (µg/m3)</b>	<b>Northeast of NS Area II (µg/m3)</b>	<b>Northeast of NS Area II (colocated) (µg/m3)</b>	<b>BK3 (Background - East of Building 9B) (µg/m3)</b>
10/12 - 10/13/05	0.0078	0.0038	0.0027	0.0013	0.0007	0.0018
Notification Level	0.05	0.05	0.05	0.05	0.05	0.05

**WEEK OF OCTOBER 17-21, 2005 PCB AMBIENT AIR CONCENTRATIONS  
 NEWELL STREET AREA II  
 GENERAL ELECTRIC COMPANY  
 PITTSFIELD, MASSACHUSETTS**

<b>Date</b>	<b>Northwest of NS Area II (µg/m3)</b>	<b>Southwest of NS Area II (µg/m3)</b>	<b>Southeast of NS Area II (µg/m3)</b>	<b>Northeast of NS Area II (µg/m3)</b>	<b>Northeast of NS Area II (colocated) (µg/m3)</b>	<b>BK3 (Background - East of Building 9B) (µg/m3)</b>
10/18 - 10/19/05	0.0044	0.0016	0.0212	0.0056	0.0059	0.0011
Notification Level	0.05	0.05	0.05	0.05	0.05	0.05

**OCTOBER 25-26, 2005 PCB AMBIENT AIR CONCENTRATION:  
NEWELL STREET AREA II  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

Sampling Event Period	Date Analytical Results Received by BEC, Inc.	Northwest of NS Area II (µg/m3)	Southwest of NS Area II (µg/m3)	Southeast of NS Area II (µg/m3)	Northeast of NS Area II (µg/m3)	Northeast of NS Area II - collocated (µg/m3)	BK3 - Background - East of Building 9B (µg/m3)
10/25 - 10/26/05	10/31/05	0.0024	0.0031	0.0074	0.0011	0.0012	0.0008
Notification Level		0.05	0.05	0.05	0.05	0.05	0.05

**NOVEMBER 1-2, 2005 PCB AMBIENT AIR CONCENTRATION:  
NEWELL STREET AREA II  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

Sampling Event Period	Date Analytical Results Received by BEC, Inc.	Northwest of NS Area II (µg/m3)	Southwest of NS Area II (µg/m3)	Southeast of NS Area II (µg/m3)	Northeast of NS Area II (µg/m3)	Northeast of NS Area II - collocated (µg/m3)	BK3 - Background - East of Building 9B (µg/m3)
11/01 - 11/02/05	11/04/05	0.0013	0.0010	0.0213	0.0052	0.0040	ND (<0.0003)
Notification Level		0.05	0.05	0.05	0.05	0.05	0.05

ND - Non Detect

**NOVEMBER 8-9, 2005 PCB AMBIENT AIR CONCENTRATION:  
 NEWELL STREET AREA II  
 GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

Sampling Event Period	Date Analytical Results Received by BEC, Inc.	Northwest of NS Area II (µg/m3)	Southwest of NS Area II (µg/m3)	Southeast of NS Area II (µg/m3)	Northeast of NS Area II (µg/m3)	Northeast of NS Area II - collocated (µg/m3)	BK3 - Background - East of Building 9B (µg/m3)
11/08 - 11/09/05	11/11/05	0.0013	0.0019	0.0738 <sup>1</sup>	0.0042	0.0034	0.0007
Notification Level		0.05	0.05	0.05	0.05	0.05	0.05

<sup>1</sup> Exceeds notification level

**FEBRUARY 28-MARCH 1, 2006 PCB AMBIENT AIR CONCENTRATIONS  
NEWELL STREET AREA II  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

Sampling Event Period	Date Analytical Results Received by BEC, Inc.	Field Blank (µg/PUF)	Northwest of NS Area II (µg/m3)	Southwest of NS Area II (µg/m3)	Southeast of NS Area II (µg/m3)	Northeast of NS Area II (µg/m3)	Northeast of NS Area II - collocated (µg/m3)	Background - East of Building 9B) (µg/m3)
02/28 - 03/01/06	03/07/06	ND (<0.10)	ND	ND	0.0609 <sup>1</sup>	0.0040	0.0040	ND
Notification Level		0.05	0.05	0.05	0.05	0.05	0.05	0.05

ND - Non-Detect

<sup>1</sup> Exceeds notification level

**MARCH 7-8, 2006 PCB AMBIENT AIR CONCENTRATIONS  
NEWELL STREET AREA II  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

Sampling Event Period	Date Analytical Results Received by BEC, Inc.	Field Blank (µg/PUF)	Northwest of NS Area II (µg/m3)	Southwest of NS Area II (µg/m3)	Southeast of NS Area II (µg/m3)	Northeast of NS Area II (µg/m3)	Northeast of NS Area II - collocated (µg/m3)	Background - East of Building 9B (µg/m3)
03/07 - 03/08/06	03/13/06	ND (<0.10)	0.0013	0.0021	0.0193	0.0034	0.0031	0.0008
Notification Level		0.05	0.05	0.05	0.05	0.05	0.05	0.05

ND - Non-Detect

**MARCH 14-15, 2006 PCB AMBIENT AIR CONCENTRATIONS  
NEWELL STREET AREA II  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

Sampling Event Period	Date Analytical Results Received by BEC, Inc.	Field Blank (µg/PUF)	Northwest of NS Area II (µg/m3)	Southwest of NS Area II (µg/m3)	Southeast of NS Area II (µg/m3)	Northeast of NS Area II (µg/m3)	Northeast of NS Area II - collocated (µg/m3)	Background - East of Building 9B (µg/m3)
03/14 - 03/15/06	03/17/06	ND (<0.10)	0.0013	0.0021	0.0081	0.0038	0.0010	ND (<0.0003)
Notification Level		0.05	0.05	0.05	0.05	0.05	0.05	0.05

ND - Non-Detect

**MARCH 21-22, 2006 PCB AMBIENT AIR CONCENTRATIONS  
NEWELL STREET AREA II  
GENERAL ELECTRIC COMPANY - PITTSFIELD, MASSACHUSETTS**

Sampling Event Period	Date Analytical Results Received by BEC, Inc.	Field Blank (µg/PUF)	Northwest of NS Area II (µg/m3)	Southwest of NS Area II (µg/m3)	Southeast of NS Area II (µg/m3)	Northeast of NS Area II (µg/m3)	Northeast of NS Area II - collocated (µg/m3)	Background - East of Building 9B (µg/m3)
03/21 - 03/22/06	03/27/06	ND (<0.10)	0.0007	0.0011	0.0112	0.0029	0.0024	ND (<0.0003)
Notification Level		0.05	0.05	0.05	0.05	0.05	0.05	0.05

ND - Non-Detect