### GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS

# HOUSATONIC RIVER UPPER 1/2 MILE REACH DALTON HARDWOOD/BROWNS PIT BACKFILL SAMPLING DATA RECEIVED DURING MARCH 2002

(Results are presented in dry weight parts per million, ppm)

Sample ID	Date Collected	Aroclor-1016	Aroclor-1221	Aroclor-1232	Aroclor-1242	Aroclor-1248	Aroclor-1254	Aroclor-1260	Total PCBs
DH-BF-14	2/20/2002	ND(0.0565)							
		[ND(0.0570)]	IND(0.0570)1						

- 1. Samples were collected by Blasland, Bouck & Lee, Inc., and were submitted to Northeast Analytical, Inc. for analysis of PCBs.
- 2. ND Analyte was not detected. The number in parentheses is the associated detection limit.
- 3. Duplicate sample results are presented in brackets.

### TABLE 2A

# GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS

### **MARCH 2002**

# UPPER 1/2 MILE REACH REMOVAL ACTION HOUSATONIC RIVER PCB/TSS/TURBIDITY MONITORING DURING CONSTRUCTION

Location	Date	Water	Water	Estimated	Т	urbidity	(ntu) 13	Sample ID	Total	Filtered	TSS
		Depth	Temp.	Flow 16			Daily	]	PCB Concentration 14	PCB Concentration	
		(ft)	(°C)	(cfs)	High	Low	Composite		(ug/l)	(ug/l)	(mg/l)
Upstream of Newell St. Bridge	03/01/2002				NS	NS	NS			(48.1)	(1116/1)
Downstream of Lyman St. Bridge	03/01/2002			60	NS	NS	NS				
Upstream of Newell St. Bridge	03/04/2002	3.4	6	228	10	4	8				
Downstream of Lyman St. Bridge	03/04/2002	4.2	6	228	24	5	11				
Upstream of Newell St. Bridge	03/05/2002	2.1	6	103	NS	NS	NS				
Downstream of Lyman St. Bridge	03/05/2002	3.2	6	103	NS	NS	NS			***	
Upstream of Newell St. Bridge	03/06/2002	2.0	1	71	NS	NS	NS				
Downstream of Lyman St. Bridge	03/06/2002	3.1	1	/1	NS	NS	NS				
Upstream of Newell St. Bridge	03/07/2002	2.0	6	65	6	2	3				
Downstream of Lyman St. Bridge	03/07/2002	3.0	6	6.0	10	3	6				
Upstream of Newell St. Bridge	03/08/2002	1.8	8	66	3	2	2				
Downstream of Lyman St. Bridge	03/08/2002	2.9	8	00	3	2	3				
Upstream of Newell St. Bridge	03/11/2002	2.7	3	122	NS	NS	NS				
Downstream of Lyman St. Bridge	03/11/2002	3.7	3	122	NS	NS	NS			40=	
Upstream of Newell St. Bridge	03/12/2002	2.2	6	90	4	3	5				
Downstream of Lyman St. Bridge	03/12/2002	3.3	6	90	13	3	9				
Upstream of Newell St. Bridge	03/13/2002	1.9	4	69	4	2	3				
Downstream of Lyman St. Bridge	03/13/2002	3.0	4	09	4	3	5			•==	
Upstream of Newell St. Bridge	03/14/2002	1.9	7	69	3	2	2	HR-3-14-02-U1	0.191	ND(0.0253)	2.20
Downstream of Lyman St. Bridge	03/14/2002	2.9	7	69	6	2	4	HR-3-14-02-D1	0.190	ND(0.0250)	3.80
Upstream of Newell St. Bridge	03/15/2002	2.0	5	78	3	2	3		•••	1117(0.0230)	3.60
Downstream of Lyman St. Bridge	03/15/2002	3.0	5	/8	4	2	3				
Upstream of Newell St. Bridge	03/18/2002	2.0	4	77	3	2	4		***		
Downstream of Lyman St. Bridge	03/18/2002	3.0	4	- '	4	3	3				
Upstream of Newell St. Bridge	03/19/2002	1.9	4	70	4	2	2		•••		
Downstream of Lyman St. Bridge	03/19/2002	2.9	4	68	4	2	3			··-	
Upstream of Newell St. Bridge	03/20/2002	1.8	3	50	4	2	3				
Downstream of Lyman St. Bridge	03/20/2002	2.8	3	59	4	2	3				
Upstream of Newell St. Bridge	03/21/2002	1.9	6		5	2	4				
Downstream of Lyman St. Bridge	03/21/2002	2.9	6	58	6	2	4				
Upstream of Newell St. Bridge	03/22/2002	1.8	0		NS	NS	NS				
Downstream of Lyman St. Bridge	03/22/2002	2.8	0	56	NS	NS	NS				
	·			<del></del>			110				

#### TABLE 2A

### GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS

### **MARCH 2002**

### UPPER 1/2 MILE REACH REMOVAL ACTION HOUSATONIC RIVER PCB/TSS/TURBIDITY MONITORING DURING CONSTRUCTION

Location	Date	Water	Water	Estimated	Т	urbidity	(ntu) <sup>13</sup>	Sample ID	Total	Filtered	TSS
		Depth	Temp.	Flow 16			Daily		PCB Concentration 14	PCB Concentration	
		(ft)	(°C)	(cfs)	High	Low	Composite		(ug/l)	(ug/l)	(mg/l)
Upstream of Newell St. Bridge	03/25/2002	1.9	6	71	2	ı	2				
Downstream of Lyman St. Bridge	03/25/2002	2.9	6	/1	3	2	3				
Upstream of Newell St. Bridge	03/26/2002	1.9	4	69	3	2	3		***	•	
Downstream of Lyman St. Bridge	03/26/2002	2.9	4	09	5	2	3				
Upstream of Newell St. Bridge	03/27/2002	3.1	4	150	11	6	12				<del></del>
Downstream of Lyman St. Bridge	03/27/2002	4.2	4	130	19	8	18				
Upstream of Newell St. Bridge	03/28/2002	2.8	3	122	4	3	5	HR-3-28-02-U1	NR	NR	NR
Downstream of Lyman St. Bridge	03/28/2002	3.7	3	122	5	3	5	HR-3-28-02-D1	NR	NR	NR
Upstream of Newell St. Bridge	03/29/2002	2.6	6	129	3	2	3				
Downstream of Lyman St. Bridge	03/29/2002	3.6	6	129	3	2	3				

- 1. PCB and TSS samples were collected by Blasland, Bouck & Lee, Inc. and analyzed by Northeast Analytical, Inc. or on 9/27/00 CT&E Environmental Services Inc.
- 2. Water depth taken at sampling point (i.e. middle of river).
- 3. ft Feet
- 4. °C degrees Celsius
- 5. cfs cubic feet per second
- 6. ntu nephelometric turbidity units
- 7. --- No data obtained
- 8. ND(0.25) Compound was analyzed for but not detected at the quantitation limit indicated in parentheses.
- 9. NR Not yet reported
- 10. ug/l micrograms per liter
- 11. mg/l milligrams per liter
- 12. [] Duplicate sample result
- 13. Turbidity Action Level = Turbidity downstream≤ Turbidity upstream + 50 ntu
- 14. PCB Action Level = PCBs downstream ≤ PCBs upstream + 5 ug/l
- 15. NS Not sampled due to frozen river conditions or high flow.
- 16. Flow data was obtained from the USGS Station 01197000 in Coltsville, MA at approximately midday. (Flow data is provisional and may be subject to revision).

#### TABLE 2B

### GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS

# HOUSATONIC RIVER - UPPER 1/2 MILE REACH HOUSATONIC RIVER PCB/TSS MONITORING DURING CONSTRUCTION DATA RECEIVED DURING MARCH 2002

(Results are presented in parts per million, ppm)

Sample ID	Location	Date Collected	Aroclor 1016, 1221, 1232,1242, & 1248	Aroclor 1254	Aroclor 1260	Total PCBs	TSS
HR-2-26-02-U1	Upstream of Newell St. Bridge	2/26/2002	ND(0.0000250)	0.0000914 AF	0.000130	0.000221	2.50
HR-2-26-02-D1	Downstream of Lyman St. Bridge	2/26/2002	ND(0.0000250)	0.0000553 AF	ND(0.0000250)	0.0000553	2.00
HR-2-26-02-U1(FILTERED)	Upstream of Newell St. Bridge	2/26/2002	ND(0.0000250)	ND(0.0000250)	ND(0.0000250)	ND(0.0000250)	1
HR-2-26-02-D1(FILTERED)	Downstream of Lyman St. Bridge	2/26/2002	ND(0.0000250)	ND(0.0000250)	ND(0.0000250)	ND(0.0000250)	<del> </del> _
HR-3-14-02-U1	Upstream of Newell St. Bridge	3/14/2002	ND(0.0000255)	0.000152 AF	0.0000392	0.000191	2.20
HR-3-14-02-D1	Downstream of Lyman St. Bridge	3/14/2002	ND(0.0000250)	0.000140 AF	0.0000498	0.000190	3.80
HR-3-14-02-U1(FILTERED)	Upstream of Newell St. Bridge	3/14/2002	ND(0.0000253)	ND(0.0000253)	ND(0.0000253)	ND(0.0000253)	3.00
HR-3-14-02-D1(FILTERED)	Downstream of Lyman St. Bridge	3/14/2002	ND(0.0000250)	ND(0.0000250)	ND(0.0000250)	ND(0.0000250)	<del> </del>

- 1. Samples were collected by Blasland, Bouck & Lee, Inc. and submitted to Northeast Analytical Services, Inc. for analysis of filtered and unfiltered PCBs and total suspended solids (TSS).
- 2. ND(0.10) Analyte was not detected. The value in parentheses is the associated detection limit.
- 3. AF Aroclor 1254 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.
- 4. --- Not analyzed.

# GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS

### HOUSATONIC RIVER UPPER 1/2 MILE REACH CELL G3 ISOLATION LAYER CAP SAMPLING DATA RECEIVED DURING MARCH 2002

(Results are presented in dry weight parts per million, ppm)

Sam <sub>l</sub> Parameter	Sample ID: ole Depth(Inches): Date Collected:	CAP-MON-4-2A 2-4 02/27/02	CAP-MON-4-2A 4-6 02/27/02	CAP-MON-4-2A 6-8 02/27/02	CAP-MON-4-2B 0-9 02/27/02	CAP-MON-4-2C 0-10 02/27/02	CAP-MON-4-2D 0-8 02/27/02
PCBs							02/27/02
Aroclor-1016		ND(0.0570)	ND(0.0569)	ND(0.0553) [ND(0.0576)]	NS	NS	NS
Aroclor-1221		ND(0.0570)	ND(0.0569)	ND(0.0553) [ND(0.0576)]	NS	NS	NS
Aroclor-1232		ND(0.0570)	ND(0.0569)	ND(0.0553) [ND(0.0576)]	NS	NS	NS
Aroclor-1242		ND(0.0570)	ND(0.0569)	ND(0.0553) [ND(0.0576)]	NS	NS	NS
Aroclor-1248		ND(0.0570)	ND(0.0569)	ND(0.0553) [ND(0.0576)]	NS	NS	NS
Aroclor-1254		ND(0.0570)	ND(0.0569)	ND(0.0553) [ND(0.0576)]	NS	NS	NS NS
Aroclor-1260		ND(0.0570)	ND(0.0569)	ND(0.0553) [ND(0.0576)]	NS	NS	NS
Total PCBs		ND(0.0570)	ND(0.0569)	ND(0.0553) [ND(0.0576)]	NS	NS NS	NS NS
Total Organic Car	·bon						11/5
TOC - Replicate 1		5100	4130	3790 [5840]	4480	3670	3980
TOC - Replicate 2		4460	2120	3560 [2290]	5640	4260	1810
TOC - Replicate 3		4310	4220	3490 [3140]	5010	2670	3930
ΓOC - Replicate 4		NA	4090	NA [2530]	NA NA	NA NA	3240
ΓOC - Average		4630	3640	3610 [3450]	5040	3530	3240
ΓOC - % RSD		9.06	27.8	4.39 [47.3]	11.5	22.8	31.3

- 1. Samples were collected by Blasland, Bouck & Lee, Inc., and were submitted to Northeast Analytical Services, Inc. for analysis of PCBs and total organic carbon (TOC).
- 2. % RSD Percent relative standard deviation.
- 3. Duplicate sample results are presented in brackets.
- 4. ND Analyte was not detected. The value in parentheses is the associated detection limit.
- 5. NS Not Sampled Parameter was not requested on sample chain of custody form.
- 6. NA Not Analyzed TOC Replicate 4 is only analyzed and reported by laboratory when the % RSD of Replicate 1 thru Replicate 3 is greater than 25%.

# GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS

### HOUSATONIC RIVER - UPPER 1/2 MILE REACH CELL J1 SEDIMENT PILE SAMPLING BUILDING 65 PCB DATA RECEIVED DURING MARCH 2002

(Results are presented in dry weight parts per million, ppm)

Sample ID	Date Collected	Aroclor-1016, -1221,-1232 -1242, -1248, -1254	Aroclor-1260	Total PCBs
65-J1-SOIL-1	2/20/2002	ND(31)	1100	1100
65-J1-SOIL-2	2/20/2002	ND(2.6)	74	74
65-J1-SOIL-3	2/20/2002	ND(3.5)	87	87
65-J1-SOIL-4	2/20/2002	ND(2.6)	71	71
65-J1-SOIL-5	2/20/2002	ND(5.1)	160	160
65-J1-SOIL-6	2/20/2002	ND(5.3)	180	180
65-J1-SOIL-7	2/20/2002	ND(5.0)	120	120
65-J1-SOIL-8	2/20/2002	ND(5.4)	120	120
65-J1-SOIL-9	2/20/2002	ND(1.7)	38	38
65-J1-SOIL-10	2/20/2002	ND(1.0)	26	26
65-J1-SOIL-11	2/20/2002	ND(0.51)	13	13
65-J1-SOIL-12	2/20/2002	ND(5.4)	130	130
65-J1-SOIL-13	2/20/2002	ND(10)	230	230
65-J1-SOIL-14	2/20/2002	ND(2.4)	59	59
65-J1-SOIL-15	2/20/2002	ND(15)	310	310
65-J1-SOIL-16	2/20/2002	ND(4.2)	100 AG	100
65-J1-SOIL-17	2/20/2002	ND(5.1)	140	140
65 <b>-</b> J1-SOIL-18	2/20/2002	ND(1.7)	37	37
65-J1-SOIL-19	2/20/2002	ND(0.10)	2.3 AG	2.3
65-J1-SOIL-20	2/20/2002	ND(0.16)	3.7 AG	3.7
55-J1-SOIL-21	2/20/2002	ND(10) [ND(11)]	220 [190]	220 [190]
65-J1-SOIL-22	2/20/2002	ND(11)	230	230
65-J1-SOIL-23	2/20/2002	ND(20)	460	460
55-J1-SOIL-24	2/20/2002	ND(31)	770	770
65-J1-SOIL-25	2/20/2002	ND(2.7)	53	53
65-J1-SOIL-26	2/20/2002	ND(0.53)	17	33 17
55-J1-SOIL-27	2/20/2002	ND(30) [ND(5.2)]	650 [130]	650 [130]

- Samples were collected by Blasland, Bouck & Lee, Inc., and were submitted to Northeast Analytical Services, Inc. for analysis of PCBs
- 2. ND Analyte was not detected. The number in parentheses is the associated detection limit.
- 3. Duplicate sample results are presented in brackets.
- 4. AG Aroclor 1260 is being reported as the best Aroclor match. The sample exhibits an altered PCB pattern.

# GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS

### HOUSATONIC RIVER - UPPER 1/2 MILE REACH CELL J1 SEDIMENT PILE SAMPLING BUILDING 65 VOC AND SVOC DATA RECEIVED DURING MARCH 2002

(Results are presented in dry weight parts per million, ppm)

Sample ID:	65-J1-SOIL-COMP-2	65-J1-SOIL-COMP-3	65-J1-SOIL-COMP-4	65-J1-SOIL-COMP-5	65-J1-SOIL-COMP-6
'arameter Date Collected:	02/20/02	02/20/02	02/20/02	02/20/02	02/21/02
Volatile Organics					
\cetone	0.0024 JB [0.0030 JB]	0.0047 JB	0.0037 JB	0.0033 JB	0.0029 JB
Trichloroethene	ND(0.021) [ND(0.020)]	ND(0.023)	0.0024 J	ND(0.020)	ND(0.020)
emivolatile Organics					
.2,4-Trichlorobenzene	1.3 [1.3]	0.30 J	0.29 J	0.18 J	0.50
l-Methylnaphthalene	ND(0.36) [ND(0.36)]	0.066 J	0.063 J	ND(0.36)	0.30 J
scenaphthene	0.20 J [0.22 J]	4.4	4.2	1.9	7.4
\cenaphthylene	0.23 J [0.28 J]	0.50	0.48	0.40	1.0
\nthracene	0.42 [0.44]	3.1	3.0	2.1	4.9
enzo(a)anthracene	0.82 [0.94]	1.9	1.8	1.5	5.3
∃enzo(a)pyrene	0.52 [0.61]	1.1	1.0	0.94	2.8
enzo(b)fluoranthene	0.43 [0.46]	0.85	0.81	0.69	2.0
Benzo(g,h.i)perylene	0.23 J [0.28 J]	0.47	0.45	0.37	1.0
Benzo(k)fluoranthene	0.15 J [0.16 J]	0.29 J	0.28 J	0.22 J	0.67
Chrysene	0.62 [0.69]	1.3	1.3	1.1	3.8
Dibenzo(a.h)anthracene	ND(0.36) [0.13 J]	0.29 J	0.28 J	ND(0.36)	0.65
Dibenzofuran	ND(0.36) [ND(0.36)]	0.29 J	0.28 J	0.11 J	0.30 J
Di-n-Butylphthalate	0.054 J [ND(0.36)]	ND(0.37)	ND(0.36)	ND(0.36)	ND(0.37)
Fluoranthene	2.2 [2.5]	3.6	3.4	3.1	6.2
Fluorene	0.34 J [0.12 J]	2.8	2.6	1.5	5.0
Hexachlorobenzene	0.22 J [0.22 J]	0.090 J	0.086 J	ND(0.36)	ND(0.37)
Indeno(1,2,3-cd)pyrene	0.19 J [0.21 J]	0.37	0.36	0.30 J	0.87
√aphthalene	ND(0.36) [ND(0.36)]	ND(0.37)	ND(0.36)	ND(0.36)	0.039 J
N-Nitrosodiphenylamine	0.31 J [ND(0.36)]	ND(0.37)	ND(0.36)	0.099 J	ND(0.37)
Phenanthrene	0.37 [0.14 J]	9.0	7.0	4.8	17
Pyrene	3.6 [4.2]	8.4	5.5	5.7	13

#### Notes:

- 1. Samples were collected by Blasland, Bouck & Lee, Inc., and were submitted to Northeast Analytical Services, Inc. for analysis of volatiles and semivolatiles.
- 2. ND Analyte was not detected. The number in parentheses is the associated detection limit.
- 3. Duplicate sample results are presented in brackets.
- 4. Only those constituents detected in one or more samples are summarized.

### Data Qualifiers:

- J Indicates an estimated value less than the practical quantitation limit (PQL).
- B Analyte was also detected in the associated method blank

# GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS

### HOUSATONIC RIVER - UPPER 1/2 MILE REACH CELL J1 SEDIMENT PILE SAMPLING BUILDING 65 TCLP SAMPLE DATA RECEIVED DURING MARCH 2002

### (Results are presented in parts per million, ppm)

Parameter	Sample ID: Date Collected:	TCLP Regulatory Limits	65-J1-SOIL-COMP-1 2/20/2002
Inorganics			
Arsenic		5	ND(0.187)
Barium		100	0.130
Cadmium		1	ND(0.0178)
Chromium		5	ND(0.0178)
Lead		5	ND(0.191)
Mercury		0.2	ND(0.00200)
Selenium		1	ND(0.184)
Silver		5	ND(0.0308)

- Samples were collected by Blasland, Bouck & Lee, Inc., and were submitted to Northeast Analytical Services, Inc. for analysis of TCLP metals.
- 2. ND Analyte was not detected. The number in parentheses is the associated detection limit.

# GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS

### HOUSATONIC RIVER UPPER 1/2 MILE REACH CELL J1 UNKNOWN DRUM SAMPLING DATA RECEIVED DURING MARCH 2002

### (Results are presented in %)

Sample ID: Parameter Date Collected:	12X-64912-2 03/22/02
Inorganics	
Reactive Sulfide	79

### Notes:

1. Sample was collected by Blasland, Bouck & Lee, Inc., and was submitted to CT&E Environmental Services, Inc. for analysis of reactive sulfide.

# GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS

### HOUSATONIC RIVER - UPPER 1/2 MILE REACH AMBIENT AIR PARTICULATE MATTER DATA RECEIVED DURING MARCH 2002

Date	Sampler Location	Average Site Concentration (mg/m³)	BM-1 (mg/m <sup>3</sup> )	Average Period (Hours:Min)	Predominant Wind Direction
03/01/02	AM-6 (south side of river)	0.014	0.012	8:30	WNW
03/04/02	AM-6 (south side of river)	0.011	0.001	9:00	NW
03/05/02	AM-6 (south side of river)	0.014	0.005	10:00	W, WNW
03/06/02	AM-6 (south side of river)	0.018	0.019	5:45 <sup>1</sup>	WSW, SW
03/07/02	AM-6 (south side of river)	0.029	0.029	9:45	Variable
03/08/02	AM-6 (south side of river)	0.023	0.025	9:30	ESE
03/11/02	AM-6 (south side of river)	0.010	0.003	8:00	WNW
$03/12/02^2$	AM-6 (south side of river)	NA	NA	NA NA	NA NA
03/13/02	AM-6 (south side of river)	0.026	0.028	7:451	ENE
03/14/02	AM-6 (south side of river)	0.019	0.025	10:00	WNW
03/15/02	AM-6 (south side of river)	0.030	0.044	8:45	ESE
$03/18/02^2$	AM-6 (south side of river)	NA	NA.	NA NA	NA
03/19/02	AM-6 (south side of river)	0.009	0.008	8:45	N, NW
03/20/022	AM-6 (south side of river)	NA	NA	NA NA	NA NA
03/21/02	AM-6 (south side of river)	0.013	0.010	9:15	WNW
03/22/02	AM-6 (south side of river)	0.012	0.003	9:30	WNW
03/25/022	AM-6 (south side of river)	NA	NA	NA NA	NA NA
$03/26/02^2$	AM-6 (south side of river)	NA	NA	NA NA	
03/27/02	AM-6 (south side of river)	0.014	0.010	6:00 <sup>1</sup>	NA NW
03/28/02	AM-6 (south side of river)	0.012	0.057	9:30	<del></del>
03/29/02	AM-6 (south side of river)	0.014	0.013	9:45	WNW, NW SSW
Notification Level		0.120	V.012	7.43	33 W

AM-6: Air monitoring location in the GE parking lot located off of Newell Street.

BM-1: Background monitoring location located inside GE Gate 31 on the corner of Woodlawn Avenue and Tyler Street.

<sup>&</sup>lt;sup>1</sup> Sampling period was shortened due to precipitation/threat of precipitation.

<sup>&</sup>lt;sup>2</sup> Sampling was not performed due to precipitation/threat of precipitation.

# GENERAL ELECTRIC COMPANY PITTSFIELD, MASSACHUSETTS

### HOUSATONIC RIVER - UPPER 1/2 MILE REACH AMBIENT AIR PCB DATA RECEIVED DURING MARCH 2002

Date	BM-1 ug/m³	AM-5 ug/m³	AM-5 co-located ug/m <sup>3</sup>	AM-6 ug/m³	AM-7 ug/m³	AM-8 ug/m³
03/20 - 03/21/02	0.0008	0.0011	0.0011	0.0004	0.0012	0.0010
Notification Level	0.05	0.05	0.05	0.05	0.05	0.0010

#### Notes:

BM-1: Background monitoring location west of Bldg. 42.

AM-5: Air monitoring location north bank, east of Bldg. 63.

AM-6: Air monitoring location south bank, north edge of GE Newell St. parking area.

AM-7: Air monitoring location north bank, south end of GE Lyman St. Parking Lot.

AM-8: Air monitoring location south bank, corner of Hathaway and Sackett Streets.